

REFF PROFILES

**26 1/2" PLANNING
VOLUME ONE**

Price List
November 2012

Knoll

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
	Planning Guidelines and Specification	10
Panels	Monolithic panels 34" H	11
	Monolithic panels 42" H	17
	Monolithic panels 49" H	24
	Monolithic panels 64" H	31
	Monolithic panels 79" H	38
	Tiled panels 34" H	45
	Tiled panels 42" H	50
	Tiled panels 49" H	57
	Tiled panels 64" H	64
	Tiled panels 79" H	71
	Aluminum Reveal kits	78
	Beltway one side, window panel 49" H	81
	Beltway two sides, window panel 49" H	95
	Stacking modules	97
	Panel connection posts	102
	Panel trims and post covers	107
	Panel Accessories	109
	Ceiling cable entry posts, poles and cable infeed	110
	Ceiling cable entry post covers	112
	Rolling door and hinged door	114
	Attachment kits	115
	Floor to ceiling modules	116
	Required components	123
Power distribution components	124	
Beltway electrical components	129	
Data and Communications	131	
Reff Ported Panel Components	132	
Worksurfaces	Worksurface 1 1/4	135
	Conference 1 1/4"	151
	Optional edge details 1 1/4"	153
	Optional edge 1 1/4	154
	Waterfall Edge 1 1/4"	169
	Cascade Edge 1 1/4"	188
	Tables, 1 1/2	194
	Tables, 1	208
Support components	Top support components	214
Cabinetry	Pedestals, 26 1/2" planning	226
	Cabinets, 26 1/2" planning	238
Overhead storage	Overhead, 26 1/2" planning	260
	Reuter overhead cabinet	268
	Reuter open shelf	272
	Reuter open overhead	273
	Reuter overhead storage	274
	Task Lights for Reuter Overhead Storage	276
Transaction tops, regular and waterfall edge	Transaction tops	277
Gallery desk surrounds	Gallery desk surrounds	279
Classic Desks	Classic Desks	283

Preconfigured Reff Desking	Single pedestal desks	287
	Double pedestal desks	290
	Desk returns	293
	Single pedestal credenzas	296
	Bridge assemblies	299
	Double pedestal credenzas	302
	Credenza Cushions	305
Accessories and Client Samples	Accessories	306
	Cubbies	322
	Desk Screens	323
Wall Mounting of Knoll Products		328
Alpha-Numeric Index		330
Selling Policy		346
KnollKey Lock Program		348
General Ordering Information		349

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes:

V1 Techwood

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

**Not available on Reff optional Edges and Waterfall Edge.*

V1 - Techwood Surface with

matching synthetic edge:

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

S316	Maple
S323	Medium Walnut
S811	Natural

V2 Natural Veneers/Premium Techwood Veneers

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V439	Straight Anigre
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)
Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

V2 Natural Veneer with synthetic edge

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

R316	Light Maple
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3 Premium Veneer

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

(all above are quarter cut)

Glass

TEMP	Clear Tempered (G1)
------	---------------------

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3) 5mm

GL11	Back Painted Black
GL14	Folkstone Grey
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

Locks

Black and Silver

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery *
125	Natural Maple *
126	Natural Cherry *
127	Walnut *
128	Fog
129	Micro Sand with 119 Pumice edge band

**Woodgrain Laminate. Not available on all components.*

Paint

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

Plated

PD	Polish Chrome
PT	Brushed Pewter
PU	Satin Nickel

Anodized

AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

See matrix next page for finishes applicable by component

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Solid Surface

AW	Artic White
----	-------------

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
39	for V439
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427
85	for Y851
Y1	for Y341
62	for Y342
44	for Y344

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options For Panels

Grade 10
 Broadcloth II (W1619)
 Foundation (W351)
 Growth Spurt (W692)
 Symbolic Detail (W693)
 Tailor Made II (W1610/6)
 Versatility (W432)

Grade 20
 Bauhaus Block (W296A)
 Circle Line (W1146)
 Clarity (W281)
 Criss Cross (W305)
 Labyrinth (W352)★∅
 Logic (W1318)
 Photon (W1293)
 Reflect (W884)∅
 Resolution (W280)
 Weave Three (W298)

Grade 30
 Basket Draft (W249)
 Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465)*
 Progression (W403)
 Relay (W1020)▲

Grade 40
 Clarkson (W1218)
 Ornament (W1078)
 Palladium (W1030)

Grade 45
 Dristi (K872)*∅

*with backing only

▲ Monolithic panels and tackboards only

∅ May not be available in all colors.

★Non-merchandized available for purchase but samples not available.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50
 Knoll Hopsack (K1206)
 Ricochet (W498)

Grade 55
 Knoll Felt (K1207)
 Transition (W816)

Customers Own Material

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Fabric Options For Cushions

A
 Analogy (K614)
 Bocce (K1255)
 Cats Cradle (K1290)
 Chance (K1552)
 Common Ground (K448)
 Hourglass (K1523)
 Mariner (K642)
 Metaphor (K612)
 Monarch (K1149)
 Prep (K1076)
 Presto (K1000)
 Soliloquy (K1458)
 Sonnet (K1460)
 Stacks (K528)

B
 Abacus (K715)
 Bank Shot (K134)
 Belize (K1165)
 Cameo (K1443)
 Chroma (K345)
 Chronicle (K1525)
 Classic Boucle (K162)
 Close Knit (K201)
 Dovetail (K1150)
 Fast Forward (W301)

B cont.
 Field Day (K124)
 Framework (K1447)
 Gala II (K1520)
 Grande (K180)
 Grandview (K1463)
 Knoll Felt (K1207)
 Knoll Hopsack (K1206)
 Lyric (K698)
 Mini Stitch (K1130)
 Night Life (K181)
 Paradigm (K1101)
 Pogo (K1100)
 Pop (K782)
 Ransom (K1298)
 Ricochet (K498)
 Ricochet (K498)
 Spark (K1075)
 Spotlight (K772)
 Utmost (K1325)
 Vinyl (K242)
 Zephyr (K724)
 Zipline (K1448)

C
 Atlas (K1236)
 Baxter (K1557)
 Biota (K1297)
 Charm (K1049)
 Circa (K1054)
 Cricket (HC1279)
 Decade (K1053)
 Earthwork (K1238)
 Echo (K1019)
 Empire Stripe (K1025)
 Enmesh (K1092)
 Entourage (K1389)
 Fable CR (HC1122)
 Fibra (K1105)
 Fox Trot CR (HC777)
 Highline CR (HC1064)
 Hula Hoop (K753)
 Kora CR (HC1010)
 Lore CR (HC1123)
 Moto CR (HC1002)
 Panache CR (HC1047)
 Parasol (HC1257)
 Pony Up (K1323)
 Prompt (K1505)

C cont.
 Quark (K781)
 Regard CR (HC1063)
 Rio (K1164)
 Roundtrip (K1430)
 Sahara (HC1269)
 Sandpiper CR (HC1258)
 Sequin CR (HC1009)
 Smart (K1268)
 Spectator (K1391)
 Spot On (K1324)
 Star Struck (K1048)
 Stepping Stones (K346)
 Swing (K479)
 Treble CR (HC1062)
 Vibe (K1029)
 Zari CR (HC1008)

D
 Cavalier (K217)
 Compass CR (HC1183)
 Eclat Weave (K1104)
 Harrison (K1084)
 Hologram (K500)
 Masquerade (K806)
 Menagerie (K1322)
 Obi (K1175)
 Satellite (K503)


E
 Cross Stitch (K1026)
 Katazome (K1459)
 Kimono (K1174)
 Mamba (K549)
 Whip (K1386)

F
 Century (K1051)
 Cornaro (K1320)
 Cuddle Cloth (K231)
 Groove Line (K488)
 Icon (K1028)
 Intrigue (K1551)
 Jubilee (K1445)
 Kinship (K1465)
 Rivington (K1080)
 Topography (K1052)


G
 Gibson (K1086)
 Haze (K109)
 Rattan (K138)
 Serendipity (K1528)
 Ultrasuede®(K1021)

H
 Haiku (K1479)


Panel Trim Profiles




Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)

Worksurface Profiles




1 1/2", 1 1/4" and 1" Thick Standard



1 1/4" Thick Waterfall




1 1/4" Thick Cascade




1" Thick Sliding Table

NOTE: See page 153 for 7 Optional Edges which are also available.


Pull Options




Integral Wood J-Pull




C-Pull (Nickle Plated Finish Only)
7³/₈"W x 1⁵/₃₂"D




S-Pull (Stainless Steel Finish Only)
6⁵/₃₂"W x 1¹/₁₆"D




D-Pull Painted and the following Plated Finishes;
PT = Brushed Pewter
PZ = Satin Brass
7³/₄"W x 1¹³/₃₂"D




R-Cylinder
 1" diameter
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center position for 16" & 19" drawers
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from end, 1 1/2" down from top of drawers




H-Out Line
 4" wide x 1" deep
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center, 1 1/2" down from the top of drawer
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from left/right, 1 1/2" down from top of drawers




T-Tab
 short Tab: 2" wide x 1 3/4" deep
 Long Tab: 10" wide x 1 3/4" deep
 Protrudes 3/4" from drawer front
 Available in painted or plated finishes
 Position: Center line position on drawers



F-Bar Pull
 Short bar pull: 3 3/8" wide x .3" thick
 Long bar pull: 10 1/2" wide x .3" thick
 Protrudes 1" from drawer front
 Available in painted and plated finishes



G-Grommet Pull
 1 7/32" diameter
 Flush with the drawer front
 Available in painted and plated finishes
 1 pull per 60" & 72" sliding doors
 Position: 1.656" from left or right, center line vertical
 2 pulls per 90" & 108" sliding doors
 Position: 1.656" from left and right, center line vertical
 Position: Center line position on drawers



What is Reff Profiles?

Reff Profiles is finely detailed office furniture that combines versatility with image by providing unparalleled attention to quality from dovetailed joinery to a patented finishing process. Users can choose from a broad range of natural woods, fine veneers and durable laminates to create private offices, freestanding work areas and panel-based environments that fit the individual's requirements. A variety of stacking panel styles, including monolithic, tiled and floor-to-ceiling, will support any design criteria.

Worksurfaces are available in traditional rectilinear or innovative curvilinear shapes for a choice of aesthetic approaches and ergonomic solutions. Cabinetry can be specified in numerous sizes and configurations with either wood or metal interiors with a choice of hardware options to support any storage requirement. Innovative desk-height storage, cabinets and office towers combine aesthetics with functionality.

The result is a comprehensive product offering that will satisfy a wide spectrum of users. Let your imagination take hold.

For private offices consider a variety of desk options including flush, cantilevered, recessed or bow fronts and storage solutions including innovative workwalls.

In freestanding furniture, Reff Profiles offers a full selection of components to support any requirement from managerial to administrative. Options include numerous worksurfaces and meeting tops with a variety of freestanding supports. Administrative and Gallery desk surrounds, stationary and mobile storage components and storage towers provide exceptional planning alternatives.

Panel systems provide high-density power, data and communications capacity along with acoustic control and design flexibility. Panels can be specified with smooth monolithic surfaces, tiled faces or stacking modules. Additionally, panel surfaces are available with fabric on both sides or with fabric on one side and wood on the other.

Who should consider Reff Profiles?

Reff Profiles is well suited to organizations who want to project a high image while supporting any work environment from private offices to panel-based workstations. Companies will appreciate the fine quality and breathtaking aesthetics of Reff Profiles and, for those rapidly changing firms who require interchangeable components to support long term use, Reff Profiles is truly the design choice for inspired offices.

Desk Height Planning vs. Standard Height Planning

Reff Profiles offers two support height planning models: "standard" height (26 1/2") and "desk" height (28 3/8").

"Standard height" support components provide an underdesk clearance of 26 1/2". This yields a worksurface height of 27 3/4" with 1 1/4" thick worksurfaces and 28" with 1 1/2" worksurfaces.

Standard height planning (26 1/2") may be utilized in panel-based open planning, freestanding open planning (including Reff Profiles Gallery), and in private office planning.

"Desk height" support components provide an underdesk clearance of 28 3/8". This yields a worksurface height of 29 5/8" with 1 1/4" thick worksurfaces and 29 7/8" with 1 1/2" thick worksurfaces.

"Low Credenza" and "3/4 high" storage options may be incorporated into desk height planning models. Progressive Low Credenza storage incorporates a 1 1/16" top shelf for a finished height of 23 3/8". 3/4 high storage is 22 3/8" high and requires a 1" thick applied worksurface top which yields a low worksurface height of 23 3/8".

Desk height planning (28 3/8") may be utilized in freestanding open planning (including Administrative and Reception desk units) and in private office planning.

Storage Relationships

Care should be taken to make sure storage cabinets are specified in the type that corresponds to the planning height model being used.

Classic Cabinets, Overheads, Workwalls, and Overdesk Units are available for both standard and desk height planning and must be specified accordingly.

Progressive Cabinets, Progressive Overheads, and Desktop Towers are only available for desk height planning.

Task panels are intended to be used with desk height planning. They are not recommended for use with standard height planning.


Price List / Planning Guide Organization

The Reff Profiles price list is divided into two volumes. Volume 1 contains pricing related to panels and "standard" height (26 1/2") planning. Planning guidelines for 26 1/2" height planning are available in the Reff Planning Guide, circa 2000. The Reff Profiles price list Volume 2 contains pricing and planning information for "desk" height (28 3/8") elements.

It is not advised to mix 28 3/8" desk height products with 26 1/2" components.

Monolithic panels 34" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF3418-()()	\$619.	\$635.	\$677.	\$765.	\$819.	\$899.	\$953.
Regular acoustics	20"	34"	R3B0PFF3420-()()	619.	635.	677.	765.	819.	899.	953.
	24"	34"	R3B0PFF3424-()()	668.	684.	726.	814.	868.	948.	1,002.
	30"	34"	R3B0PFF3430-()()	712.	728.	770.	858.	912.	992.	1,046.
	36"	34"	R3B0PFF3436-()()	757.	773.	815.	903.	957.	1,037.	1,091.
	42"	34"	R3B0PFF3442-()()	869.	885.	927.	1,015.	1,069.	1,149.	1,203.
	48"	34"	R3B0PFF3448-()()	902.	918.	960.	1,048.	1,102.	1,182.	1,236.



Order Code

Example:	R3B0PFF3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
34	34" high
18	18" wide
(A)	Flat style top trim profile
(4)	4" base height
(K)	Include knockouts in base
W281	Fabric Side 1
W281	Fabric Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PFL3418-()()	\$592.	\$600.	\$619.	\$658.	\$682.	\$716.	\$741.
Regular acoustics	20"	34"	R3B0PFL3420-()()	592.	600.	619.	658.	682.	716.	741.
	24"	34"	R3B0PFL3424-()()	630.	638.	657.	696.	720.	754.	779.
	30"	34"	R3B0PFL3430-()()	672.	680.	699.	738.	762.	796.	821.
	36"	34"	R3B0PFL3436-()()	708.	716.	735.	774.	798.	832.	857.
	42"	34"	R3B0PFL3442-()()	806.	814.	833.	872.	896.	930.	955.
	48"	34"	R3B0PFL3448-()()	831.	839.	858.	897.	921.	955.	980.

Order Code

Example:	R3B0PFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel for this option).

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF13418-()()	\$695.	\$702.	\$724.	\$768.	\$796.	\$836.	\$865.
Regular acoustics	20"	34"	R3B0PF13420-()()	698.	705.	727.	771.	799.	839.	868.
	24"	34"	R3B0PF13424-()()	743.	750.	772.	816.	844.	884.	913.
	30"	34"	R3B0PF13430-()()	790.	797.	819.	863.	891.	931.	960.
	36"	34"	R3B0PF13436-()()	838.	845.	867.	911.	939.	979.	1,008.
	42"	34"	R3B0PF13442-()()	950.	957.	979.	1,023.	1,051.	1,091.	1,120.
	48"	34"	R3B0PF13448-()()	981.	988.	1,010.	1,054.	1,082.	1,122.	1,151.

Order Code

Example:	R3B0PF13418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum

2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 .

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-() ()	\$708.	\$715.	\$737.	\$781.	\$809.	\$849.	\$878.
Regular acoustics	20"	34"	R3B0PF234 20-() ()	711.	718.	740.	784.	812.	852.	881.
	24"	34"	R3B0PF234 24-() ()	755.	762.	784.	828.	856.	896.	925.
	30"	34"	R3B0PF234 30-() ()	806.	813.	835.	879.	907.	947.	976.
	36"	34"	R3B0PF234 36-() ()	852.	859.	881.	925.	953.	993.	1,022.
	42"	34"	R3B0PF234 42-() ()	971.	978.	1,000.	1,044.	1,072.	1,112.	1,141.
	48"	34"	R3B0PF234 48-() ()	1,000.	1,007.	1,029.	1,073.	1,101.	1,141.	1,170.




Order Code	Specification Information	Application Notes
Example: R3B0PF23418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5.
F2 Fabric one side, V2 other side	4. Panel side 1 finish(s) inside	
34 34" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115.
A Flat style top trim profile	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
4 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
K Include knockouts in base		
W281 Fabric Side 1		
V316 Maple surface - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 34" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF334 18-() ()	\$942.	\$949.	\$971.	\$1,015.	\$1,043.	\$1,083.	\$1,112.
Regular acoustics	20"	34"	R3B0PF334 20-() ()	946.	953.	975.	1,019.	1,047.	1,087.	1,116.
	24"	34"	R3B0PF334 24-() ()	1,006.	1,013.	1,035.	1,079.	1,107.	1,147.	1,176.
	30"	34"	R3B0PF334 30-() ()	1,075.	1,082.	1,104.	1,148.	1,176.	1,216.	1,245.
	36"	34"	R3B0PF334 36-() ()	1,135.	1,142.	1,164.	1,208.	1,236.	1,276.	1,305.
	42"	34"	R3B0PF334 42-() ()	1,296.	1,303.	1,325.	1,369.	1,397.	1,437.	1,466.
	48"	34"	R3B0PF334 48-() ()	1,334.	1,341.	1,363.	1,407.	1,435.	1,475.	1,504.



Order Code	Specification Information	Application Notes
Example: R3B0PF33418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5.
F3 Fabric one side, V3 one side	4. Panel side 1 finish(s) inside	
34 34" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Ported panel components to be installed below worksurface if panel 34"h.
A Flat style top trim profile	7. Base finish	
4 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
K Include knockouts in base		
W281 Fabric Side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		



Monolithic panels 34" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	R3B0PLL3418 () ()	\$595.
	20"	34"	R3B0PLL3420 () ()	595.
	24"	34"	R3B0PLL3424 () ()	649.
	30"	34"	R3B0PLL3430 () ()	727.
	36"	34"	R3B0PLL3436 () ()	786.
	42"	34"	R3B0PLL3442 () ()	810.
	48"	34"	R3B0PLL3448 () ()	848.

Order Code	Specification Information	Application Notes
Example: R3B0PLL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose E = Extruded aluminum
LL Laminate both sides	4. Panel side 1 laminate inside	2. <i>Base height:</i> 4 = 4" base height
34 34" high	5. Panel side 2 laminate outside	6 = 6" base height (add \$47 per panel for this option)
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page will accept woodgrain laminate where laminate is currently an option.
4 4" base height	7. Base finish	
K Include knockouts in base	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115.
118 Laminate - side 1		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
118 Laminate - side 2		Ported panel components to be installed below worksurface if panel 34"h.
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	42"	R3B0PFF42 18-() ()	\$563.	\$581.	\$627.	\$719.	\$791.	\$873.	\$931.
	20"	42"	R3B0PFF42 20-() ()	563.	581.	627.	719.	791.	873.	931.
	24"	42"	R3B0PFF42 24-() ()	601.	619.	665.	757.	829.	911.	969.
	30"	42"	R3B0PFF42 30-() ()	655.	673.	719.	811.	883.	965.	1,023.
	36"	42"	R3B0PFF42 36-() ()	705.	723.	769.	861.	933.	1,015.	1,073.
	42"	42"	R3B0PFF42 42-() ()	757.	775.	821.	913.	985.	1,067.	1,125.
	48"	42"	R3B0PFF42 48-() ()	813.	831.	877.	969.	1,041.	1,123.	1,181.
	60"	42"	R3B0PFF42 60-() ()	920.	968.	1,062.	1,242.	1,374.	1,546.	1,652.
	66"	42"	R3B0PFF42 66-() ()*	952.	1,000.	1,094.	1,274.	1,406.	1,578.	1,684.
	72"	42"	R3B0PFF42 72-() ()*	983.	1,031.	1,125.	1,305.	1,437.	1,609.	1,715.
Monolithic, fabric both sides High acoustics 	18"	42"	R3B0PAA42 18-() ()	618.	636.	682.	774.	846.	928.	986.
	20"	42"	R3B0PAA42 20-() ()	618.	636.	682.	774.	846.	928.	986.
	24"	42"	R3B0PAA42 24-() ()	658.	676.	722.	814.	886.	968.	1,026.
	30"	42"	R3B0PAA42 30-() ()	714.	732.	778.	870.	942.	1,024.	1,082.
	36"	42"	R3B0PAA42 36-() ()	772.	790.	836.	928.	1,000.	1,082.	1,140.
	42"	42"	R3B0PAA42 42-() ()	832.	850.	896.	988.	1,060.	1,142.	1,200.
	48"	42"	R3B0PAA42 48-() ()	893.	911.	957.	1,049.	1,121.	1,203.	1,261.
	60"	42"	R3B0PAA42 60-() ()*	1,004.	1,052.	1,146.	1,326.	1,458.	1,630.	1,736.
	66"	42"	R3B0PAA42 66-() ()*	1,038.	1,086.	1,180.	1,360.	1,492.	1,664.	1,770.
	72"	42"	R3B0PAA42 72-() ()*	1,072.	1,120.	1,214.	1,394.	1,526.	1,698.	1,804.

Order Code

Example:	R3B0PFF4218-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
42	42" high
18	18" wide
(A)	Flat style top trim profile
(4)	4" base height
(K)	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Application Notes

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

*Fabric inserts of these panels are two pieces, split vertically.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Applicable finishes are listed on page 5 and 6.



Monolithic panels 42" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-() ()	\$1,110.	\$1,136.	\$1,198.	\$1,318.	\$1,390.	\$1,488.	\$1,558.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-() ()	1,110.	1,136.	1,198.	1,318.	1,390.	1,488.	1,558.
	24"	42"	R3B2PFF42 24-() ()	1,133.	1,159.	1,221.	1,341.	1,413.	1,511.	1,581.
	30"	42"	R3B2PFF42 30-() ()	1,189.	1,215.	1,277.	1,397.	1,469.	1,567.	1,637.
	36"	42"	R3B2PFF42 36-() ()	1,391.	1,417.	1,479.	1,599.	1,671.	1,769.	1,839.
	42"	42"	R3B2PFF42 42-() ()	1,496.	1,522.	1,584.	1,704.	1,776.	1,874.	1,944.
	48"	42"	R3B2PFF42 48-() ()	1,550.	1,576.	1,638.	1,758.	1,830.	1,928.	1,998.
	Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-() ()	1,094.	1,116.	1,170.	1,276.	1,348.	1,438.
Beltway one side	20"	42"	R3B1PFF42 20-() ()	1,094.	1,116.	1,170.	1,276.	1,348.	1,438.	1,502.
	24"	42"	R3B1PFF42 24-() ()	1,112.	1,134.	1,188.	1,294.	1,366.	1,456.	1,520.
	30"	42"	R3B1PFF42 30-() ()	1,168.	1,190.	1,244.	1,350.	1,422.	1,512.	1,576.
	36"	42"	R3B1PFF42 36-() ()	1,365.	1,387.	1,441.	1,547.	1,619.	1,709.	1,773.
	42"	42"	R3B1PFF42 42-() ()	1,468.	1,490.	1,544.	1,650.	1,722.	1,812.	1,876.
	48"	42"	R3B1PFF42 48-() ()	1,515.	1,537.	1,591.	1,697.	1,769.	1,859.	1,923.

Order Code	Specification Information	Application Notes
Example: R3B2PFF4218	<i>To order please specify pattern number including:</i>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277).</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 115.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>*Fabric inserts of these panels are two pieces, split vertically.</p> <p>79"H hookstrip reveal strips are ordered separately from page 115 at no charge.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B2 Beltway two sides	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside below belt	
42 42" high	5. Panel side 1 finish(s) inside above belt	
18 18" wide	6. Panel side 2 finish(s) outside below belt	
(A) Flat style top trim profile	7. Panel side 2 finish(s) outside above belt	
(4) 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
(K) Include knockouts in base	9. Base finish	
W281 Fabric - Side 1 below belt	10. Beltway finish	
W281 Fabric - Side 1 above belt	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
W281 Fabric - Side 2 below belt		
W281 Fabric - Side 2 above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black Beltway finish		

Monolithic panels 42" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PFL42 18-()()	\$485.	\$493.	\$514.	\$553.	\$586.	\$621.	\$648.
	20"	42"	R3B0PFL42 20-()()	485.	493.	514.	553.	586.	621.	648.
	24"	42"	R3B0PFL42 24-()()	491.	499.	520.	559.	592.	627.	654.
	30"	42"	R3B0PFL42 30-()()	589.	597.	618.	657.	690.	725.	752.
	36"	42"	R3B0PFL42 36-()()	637.	645.	666.	705.	738.	773.	800.
	42"	42"	R3B0PFL42 42-()()	715.	723.	745.	783.	816.	851.	878.
	48"	42"	R3B0PFL42 48-()()	778.	786.	808.	846.	879.	914.	941.
	60"	42"	R3B0PFL42 60-()()	846.	867.	907.	987.	1,046.	1,123.	1,169.
	66"	42"	R3B0PFL42 66-()()	877.	898.	937.	1,018.	1,077.	1,154.	1,200.
	72"	42"	R3B0PFL42 72-()()	909.	930.	970.	1,050.	1,109.	1,186.	1,232.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PFL42 18-()()	953.	965.	992.	1,045.	1,075.	1,119.	1,152.
	20"	42"	R3B1PFL42 20-()()	953.	965.	992.	1,045.	1,075.	1,119.	1,152.
	24"	42"	R3B1PFL42 24-()()	977.	989.	1,016.	1,069.	1,099.	1,143.	1,176.
	30"	42"	R3B1PFL42 30-()()	1,051.	1,063.	1,090.	1,143.	1,173.	1,217.	1,250.
	36"	42"	R3B1PFL42 36-()()	1,226.	1,238.	1,265.	1,318.	1,348.	1,392.	1,425.
	42"	42"	R3B1PFL42 42-()()	1,255.	1,267.	1,294.	1,347.	1,377.	1,421.	1,454.
	48"	42"	R3B1PFL42 48-()()	1,411.	1,423.	1,450.	1,503.	1,533.	1,577.	1,610.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: B0=No Beltway B1=Beltway one side 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt) 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish-only for panel with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.) 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF142 18-()	\$569.	\$579.	\$602.	\$650.	\$686.	\$727.	\$757.
	20"	42"	R3B0PF142 20-()	569.	579.	602.	650.	686.	727.	757.
	24"	42"	R3B0PF142 24-()	574.	584.	607.	655.	691.	732.	762.
	30"	42"	R3B0PF142 30-()	692.	702.	725.	773.	809.	850.	880.
	36"	42"	R3B0PF142 36-()	749.	759.	782.	830.	866.	907.	937.
	42"	42"	R3B0PF142 42-()	844.	854.	877.	925.	961.	1,002.	1,032.
	48"	42"	R3B0PF142 48-()	916.	926.	949.	997.	1,033.	1,074.	1,104.
	60"	42"	R3B0PF142 60-()*	997.	1,020.	1,068.	1,161.	1,227.	1,318.	1,371.
	66"	42"	R3B0PF142 66-()*	1,036.	1,059.	1,107.	1,200.	1,266.	1,357.	1,410.
	72"	42"	R3B0PF142 72-()*	1,071.	1,094.	1,142.	1,235.	1,301.	1,392.	1,445.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF142 18-()	1,117.	1,130.	1,161.	1,223.	1,257.	1,309.	1,345.
	20"	42"	R3B1PF142 20-()	1,117.	1,130.	1,161.	1,223.	1,257.	1,309.	1,345.
	24"	42"	R3B1PF142 24-()	1,150.	1,163.	1,194.	1,256.	1,290.	1,342.	1,378.
	30"	42"	R3B1PF142 30-()	1,235.	1,248.	1,279.	1,341.	1,375.	1,427.	1,463.
	36"	42"	R3B1PF142 36-()	1,437.	1,450.	1,481.	1,543.	1,577.	1,629.	1,665.
	42"	42"	R3B1PF142 42-()	1,476.	1,489.	1,520.	1,582.	1,616.	1,668.	1,704.
	48"	42"	R3B1PF142 48-()	1,661.	1,674.	1,705.	1,767.	1,801.	1,853.	1,889.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway specify: Side 1, Below belt Side 2, Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-()	\$577.	\$587.	\$610.	\$658.	\$694.	\$735.	\$765.
	20"	42"	R3B0PF242 20-()	577.	587.	610.	658.	694.	735.	765.
	24"	42"	R3B0PF242 24-()	587.	597.	620.	668.	704.	745.	775.
	30"	42"	R3B0PF242 30-()	705.	715.	738.	786.	822.	863.	893.
	36"	42"	R3B0PF242 36-()	761.	771.	794.	842.	878.	919.	949.
	42"	42"	R3B0PF242 42-()	858.	868.	891.	939.	975.	1,016.	1,046.
	48"	42"	R3B0PF242 48-()	934.	944.	967.	1,015.	1,051.	1,092.	1,122.
	60"	42"	R3B0PF242 60-()*	1,010.	1,033.	1,081.	1,174.	1,240.	1,331.	1,384.
	66"	42"	R3B0PF242 66-()*	1,052.	1,075.	1,123.	1,216.	1,282.	1,373.	1,426.
	72"	42"	R3B0PF242 72-()*	1,087.	1,110.	1,158.	1,251.	1,317.	1,408.	1,461.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-()	1,143.	1,156.	1,187.	1,249.	1,283.	1,335.	1,371.
	20"	42"	R3B1PF242 20-()	1,143.	1,156.	1,187.	1,249.	1,283.	1,335.	1,371.
	24"	42"	R3B1PF242 24-()	1,167.	1,180.	1,211.	1,273.	1,307.	1,359.	1,395.
	30"	42"	R3B1PF242 30-()	1,261.	1,274.	1,305.	1,367.	1,401.	1,453.	1,489.
	36"	42"	R3B1PF242 36-()	1,466.	1,479.	1,510.	1,572.	1,606.	1,658.	1,694.
	42"	42"	R3B1PF242 42-()	1,505.	1,518.	1,549.	1,611.	1,645.	1,697.	1,733.
	48"	42"	R3B1PF242 48-()	1,689.	1,702.	1,733.	1,795.	1,829.	1,881.	1,917.

Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1- Below Beltway Side 2- Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish - (only for panels with Beltway option) 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF342 18- () ()	\$764.	\$774.	\$797.	\$845.	\$881.	\$922.	\$952.
	20"	42"	R3B0PF342 20- () ()	764.	774.	797.	845.	881.	922.	952.
	24"	42"	R3B0PF342 24- () ()	776.	786.	809.	857.	893.	934.	964.
	30"	42"	R3B0PF342 30- () ()	934.	944.	967.	1,015.	1,051.	1,092.	1,122.
	36"	42"	R3B0PF342 36- () ()	1,012.	1,022.	1,045.	1,093.	1,129.	1,170.	1,200.
	42"	42"	R3B0PF342 42- () ()	1,141.	1,151.	1,174.	1,222.	1,258.	1,299.	1,329.
	48"	42"	R3B0PF342 48- () ()	1,246.	1,256.	1,279.	1,327.	1,363.	1,404.	1,434.
	60"	42"	R3B0PF342 60- () ()*	1,332.	1,355.	1,403.	1,496.	1,562.	1,653.	1,706.
	66"	42"	R3B0PF342 66- () ()*	1,388.	1,411.	1,459.	1,552.	1,618.	1,709.	1,762.
	72"	42"	R3B0PF342 72- () ()*	1,436.	1,459.	1,507.	1,600.	1,666.	1,757.	1,810.
Monolithic, fabric one side Beltway fabric side 	18"	42"	R3B1PF342 18- () ()	1,526.	1,539.	1,570.	1,632.	1,666.	1,718.	1,754.
	20"	42"	R3B1PF342 20- () ()	1,526.	1,539.	1,570.	1,632.	1,666.	1,718.	1,754.
	24"	42"	R3B1PF342 24- () ()	1,559.	1,572.	1,603.	1,665.	1,699.	1,751.	1,787.
	30"	42"	R3B1PF342 30- () ()	1,685.	1,698.	1,729.	1,791.	1,825.	1,877.	1,913.
	36"	42"	R3B1PF342 36- () ()	1,964.	1,977.	2,008.	2,070.	2,104.	2,156.	2,192.
	42"	42"	R3B1PF342 42- () ()	2,015.	2,028.	2,059.	2,121.	2,155.	2,207.	2,243.
	48"	42"	R3B1PF342 48- () ()	2,266.	2,279.	2,310.	2,372.	2,406.	2,458.	2,494.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K R3 Reff Generation 3 B0 No Beltway, B1=Beltway, one side P Monolithic panel F3 Fabric one side, V3 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1=Below Beltway Side 2=Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway option) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	R3B0PLL4218() ()	\$630.
	20"	42"	R3B0PLL4220() ()	630.
	24"	42"	R3B0PLL4224() ()	687.
	30"	42"	R3B0PLL4230() ()	769.
	36"	42"	R3B0PLL4236() ()	831.
	42"	42"	R3B0PLL4242() ()	914.
	48"	42"	R3B0PLL4248() ()	1,023.
	60"	42"	R3B0PLL4260() ()*	1,105.
	66"	42"	R3B0PLL4266() ()*	1,139.
	72"	42"	R3B0PLL4272() ()*	1,172.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
LL Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A,B or C options:	<i>3. Beltway:</i>
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	B0 = No Beltway
118 Laminate - side 1	ii) Top trim profile E options:	B1 = Beltway 1 side
118 Laminate - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
V512 Figured Anigre (top trim finish)	7. Base finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
111 Jet Black (base finish)	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable.
M Optional milled frame		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H fabric both sides


description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	49"	R3B0PFF49 18-() ()	\$631.	\$659.	\$713.	\$825.	\$899.	\$999.	\$1,061.	
Regular acoustics	20"	49"	R3B0PFF49 20-() ()	631.	659.	713.	825.	899.	999.	1,061.	
	24"	49"	R3B0PFF49 24-() ()	673.	701.	755.	867.	941.	1,041.	1,103.	
	30"	49"	R3B0PFF49 30-() ()	731.	759.	813.	925.	999.	1,099.	1,161.	
	36"	49"	R3B0PFF49 36-() ()	765.	793.	847.	959.	1,033.	1,133.	1,195.	
	42"	49"	R3B0PFF49 42-() ()	825.	853.	907.	1,019.	1,093.	1,193.	1,255.	
	48"	49"	R3B0PFF49 48-() ()	906.	934.	988.	1,100.	1,174.	1,274.	1,336.	
	60"	49"	R3B0PFF49 60-() () *	1,046.	1,094.	1,200.	1,424.	1,576.	1,774.	1,896.	
	66"	49"	R3B0PFF49 66-() () *	1,080.	1,128.	1,234.	1,458.	1,610.	1,808.	1,930.	
	72"	49"	R3B0PFF49 72-() () *	1,112.	1,160.	1,266.	1,490.	1,642.	1,840.	1,962.	
	Monolithic, fabric both sides	18"	49"	R3B0PAA49 18-() ()	688.	716.	770.	882.	956.	1,056.	1,118.
	High acoustics	20"	49"	R3B0PAA49 20-() ()	688.	716.	770.	882.	956.	1,056.	1,118.
	24"	49"	R3B0PAA49 24-() ()	736.	764.	818.	930.	1,004.	1,104.	1,166.	
	30"	49"	R3B0PAA49 30-() ()	799.	827.	881.	993.	1,067.	1,167.	1,229.	
	36"	49"	R3B0PAA49 36-() ()	837.	865.	919.	1,031.	1,105.	1,205.	1,267.	
	42"	49"	R3B0PAA49 42-() ()	905.	933.	987.	1,099.	1,173.	1,273.	1,335.	
	48"	49"	R3B0PAA49 48-() ()	993.	1,021.	1,075.	1,187.	1,261.	1,361.	1,423.	
	60"	49"	R3B0PAA49 60-() () *	1,136.	1,184.	1,290.	1,514.	1,666.	1,864.	1,986.	
	66"	49"	R3B0PAA49 66-() () *	1,176.	1,224.	1,330.	1,554.	1,706.	1,904.	2,026.	
	72"	49"	R3B0PAA49 72-() () *	1,216.	1,264.	1,370.	1,594.	1,746.	1,944.	2,066.	

Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Applicable finishes are listed on page 5 and 6.
49 49" high	5. Panel side 2 finish(s) outside	*Fabric inserts of these panels are two pieces, split vertically.
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
A Flat style top trim profile	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base		*These panel widths do not accept stacking modules.
W281 Fabric - Side 1		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 49" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-()()	\$1,140.	\$1,176.	\$1,250.	\$1,370.	\$1,456.	\$1,580.	\$1,658.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-()()	1,140.	1,176.	1,250.	1,370.	1,456.	1,580.	1,658.
	24"	49"	R3B2PFF49 24-()()	1,164.	1,200.	1,274.	1,394.	1,480.	1,604.	1,682.
	30"	49"	R3B2PFF49 30-()()	1,223.	1,259.	1,333.	1,453.	1,539.	1,663.	1,741.
	36"	49"	R3B2PFF49 36-()()	1,443.	1,479.	1,553.	1,673.	1,759.	1,883.	1,961.
	42"	49"	R3B2PFF49 42-()()	1,553.	1,589.	1,663.	1,783.	1,869.	1,993.	2,071.
	48"	49"	R3B2PFF49 48-()()	1,609.	1,645.	1,719.	1,839.	1,925.	2,049.	2,127.



Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-()()	1,120.	1,152.	1,216.	1,332.	1,412.	1,524.	1,594.
Beltway one side	20"	49"	R3B1PFF49 20-()()	1,120.	1,152.	1,216.	1,332.	1,412.	1,524.	1,594.
	24"	49"	R3B1PFF49 24-()()	1,142.	1,174.	1,238.	1,354.	1,434.	1,546.	1,616.
	30"	49"	R3B1PFF49 30-()()	1,197.	1,229.	1,293.	1,409.	1,489.	1,601.	1,671.
	36"	49"	R3B1PFF49 36-()()	1,416.	1,448.	1,512.	1,628.	1,708.	1,820.	1,890.
	42"	49"	R3B1PFF49 42-()()	1,521.	1,553.	1,617.	1,733.	1,813.	1,925.	1,995.
	48"	49"	R3B1PFF49 48-()()	1,576.	1,607.	1,671.	1,787.	1,867.	1,979.	2,049.



Order Code	Specification Information	Application Notes
Example: R3B2PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B2 Beltway, both sides	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
FF Fabric on both sides	4. Panel 1 finish(s) Below Belt	6" Raceway option increases panel height by 2 ³ / ₄ ".
49 49" high	5. Panel 2 finish(s) Above Belt	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Panel 2 finish(s) Below Belt	*Fabric inserts of these panels are two pieces, split vertically.
A Flat style top trim profile	7. Panel 2 finish(s) Above Belt	
4 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
K Include knockouts in base	9. Base finish	
W281 Side 1 - Below Belt	10. Beltway finish	
W281 Side 1 - Above Belt		
W281 Side 2 - Below Belt		
W281 Side 2 - Above Belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
111 Beltway finish		

Monolithic panels 49" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PFL49 18-() ()	\$536.	\$551.	\$573.	\$624.	\$656.	\$700.	\$728.
	20"	49"	R3B0PFL49 20-() ()	536.	551.	573.	624.	656.	700.	728.
	24"	49"	R3B0PFL49 24-() ()	586.	601.	623.	674.	706.	750.	778.
	30"	49"	R3B0PFL49 30-() ()	664.	679.	701.	752.	784.	828.	856.
	36"	49"	R3B0PFL49 36-() ()	716.	731.	753.	804.	836.	880.	908.
	42"	49"	R3B0PFL49 42-() ()	791.	806.	828.	879.	911.	955.	983.
	48"	49"	R3B0PFL49 48-() ()	890.	905.	927.	978.	1,010.	1,054.	1,082.
	60"	49"	R3B0PFL49 60-() () *	970.	990.	1,039.	1,136.	1,203.	1,293.	1,345.
	66"	49"	R3B0PFL49 66-() () *	998.	1,018.	1,067.	1,164.	1,231.	1,321.	1,373.
	72"	49"	R3B0PFL49 72-() () *	1,032.	1,052.	1,101.	1,198.	1,265.	1,355.	1,407.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PFL49 18-() ()	969.	985.	1,016.	1,071.	1,107.	1,161.	1,199.
	20"	49"	R3B1PFL49 20-() ()	969.	985.	1,016.	1,071.	1,107.	1,161.	1,199.
	24"	49"	R3B1PFL49 24-() ()	1,009.	1,025.	1,056.	1,111.	1,147.	1,201.	1,239.
	30"	49"	R3B1PFL49 30-() ()	1,084.	1,100.	1,131.	1,186.	1,222.	1,276.	1,314.
	36"	49"	R3B1PFL49 36-() ()	1,303.	1,319.	1,350.	1,405.	1,441.	1,495.	1,533.
	42"	49"	R3B1PFL49 42-() ()	1,422.	1,438.	1,469.	1,524.	1,560.	1,614.	1,652.
	48"	49"	R3B1PFL49 48-() ()	1,500.	1,516.	1,547.	1,602.	1,638.	1,692.	1,730.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option, please specify, Side 1 - Below Beltway Side 1 - Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 49" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF149 18-() ()	\$631.	\$647.	\$673.	\$730.	\$770.	\$818.	\$852.
	20"	49"	R3B0PF149 20-() ()	631.	647.	673.	730.	770.	818.	852.
	24"	49"	R3B0PF149 24-() ()	689.	705.	731.	788.	828.	876.	910.
	30"	49"	R3B0PF149 30-() ()	785.	801.	827.	884.	924.	972.	1,006.
	36"	49"	R3B0PF149 36-() ()	841.	857.	883.	940.	980.	1,028.	1,062.
	42"	49"	R3B0PF149 42-() ()	931.	947.	973.	1,030.	1,070.	1,118.	1,152.
	48"	49"	R3B0PF149 48-() ()	1,046.	1,062.	1,088.	1,145.	1,185.	1,233.	1,267.
	60"	49"	R3B0PF149 60-() () *	1,138.	1,164.	1,220.	1,333.	1,410.	1,510.	1,574.
	66"	49"	R3B0PF149 66-() () *	1,171.	1,197.	1,253.	1,366.	1,443.	1,543.	1,607.
	72"	49"	R3B0PF149 72-() () *	1,212.	1,238.	1,294.	1,407.	1,484.	1,584.	1,648.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF149 18-() ()	1,143.	1,160.	1,199.	1,260.	1,302.	1,366.	1,406.
	20"	49"	R3B1PF149 20-() ()	1,143.	1,160.	1,199.	1,260.	1,302.	1,366.	1,406.
	24"	49"	R3B1PF149 24-() ()	1,184.	1,201.	1,240.	1,301.	1,343.	1,407.	1,447.
	30"	49"	R3B1PF149 30-() ()	1,273.	1,290.	1,329.	1,390.	1,432.	1,496.	1,536.
	36"	49"	R3B1PF149 36-() ()	1,530.	1,547.	1,586.	1,647.	1,689.	1,753.	1,793.
	42"	49"	R3B1PF149 42-() ()	1,674.	1,691.	1,730.	1,791.	1,833.	1,897.	1,937.
	48"	49"	R3B1PF149 48-() ()	1,761.	1,778.	1,817.	1,878.	1,920.	1,984.	2,024.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top rim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 49" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF249 18-() ()	\$642.	\$658.	\$684.	\$741.	\$781.	\$829.	\$863.
	20"	49"	R3B0PF249 20-() ()	642.	658.	684.	741.	781.	829.	863.
	24"	49"	R3B0PF249 24-() ()	703.	719.	745.	802.	842.	890.	924.
	30"	49"	R3B0PF249 30-() ()	797.	813.	839.	896.	936.	984.	1,018.
	36"	49"	R3B0PF249 36-() ()	857.	873.	899.	956.	996.	1,044.	1,078.
	42"	49"	R3B0PF249 42-() ()	948.	964.	990.	1,047.	1,087.	1,135.	1,169.
	48"	49"	R3B0PF249 48-() ()	1,069.	1,085.	1,111.	1,168.	1,208.	1,256.	1,290.
	60"	49"	R3B0PF249 60-() () *	1,159.	1,185.	1,241.	1,354.	1,431.	1,531.	1,595.
	66"	49"	R3B0PF249 66-() () *	1,196.	1,222.	1,278.	1,391.	1,468.	1,568.	1,632.
	72"	49"	R3B0PF249 72-() () *	1,233.	1,259.	1,315.	1,428.	1,505.	1,605.	1,669.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF249 18-() ()	1,164.	1,181.	1,220.	1,281.	1,323.	1,387.	1,427.
	20"	49"	R3B1PF249 20-() ()	1,164.	1,181.	1,220.	1,281.	1,323.	1,387.	1,427.
	24"	49"	R3B1PF249 24-() ()	1,206.	1,223.	1,262.	1,323.	1,365.	1,429.	1,469.
	30"	49"	R3B1PF249 30-() ()	1,300.	1,317.	1,356.	1,417.	1,459.	1,523.	1,563.
	36"	49"	R3B1PF249 36-() ()	1,562.	1,579.	1,618.	1,679.	1,721.	1,785.	1,825.
	42"	49"	R3B1PF249 42-() ()	1,702.	1,719.	1,758.	1,819.	1,861.	1,925.	1,965.
	48"	49"	R3B1PF249 48-() ()	1,790.	1,807.	1,846.	1,907.	1,949.	2,013.	2,053.

Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify:	4 = 4" base height
A Flat style top trim option	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	Remember to specify Beltway paint finish when applicable.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 49" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF349 18-()()	\$848.	\$864.	\$890.	\$947.	\$987.	\$1,035.	\$1,069.
	20"	49"	R3B0PF349 20-()()	848.	864.	890.	947.	987.	1,035.	1,069.
	24"	49"	R3B0PF349 24-()()	929.	945.	971.	1,028.	1,068.	1,116.	1,150.
	30"	49"	R3B0PF349 30-()()	1,058.	1,074.	1,100.	1,157.	1,197.	1,245.	1,279.
	36"	49"	R3B0PF349 36-()()	1,139.	1,155.	1,181.	1,238.	1,278.	1,326.	1,361.
	42"	49"	R3B0PF349 42-()()	1,260.	1,276.	1,302.	1,359.	1,399.	1,447.	1,481.
	48"	49"	R3B0PF349 48-()()	1,423.	1,439.	1,465.	1,522.	1,562.	1,610.	1,644.
	60"	49"	R3B0PF349 60-()()*	1,527.	1,553.	1,609.	1,722.	1,799.	1,899.	1,963.
	66"	49"	R3B0PF349 66-()()*	1,577.	1,603.	1,659.	1,772.	1,849.	1,949.	2,013.
	72"	49"	R3B0PF349 72-()()*	1,625.	1,651.	1,707.	1,820.	1,897.	1,997.	2,061.

Monolithic, fabric one side Beltway fabric side 	18"	49"	R3B1PF349 18-()()	1,550.	1,567.	1,606.	1,667.	1,709.	1,773.	1,813.
	20"	49"	R3B1PF349 20-()()	1,550.	1,567.	1,606.	1,667.	1,709.	1,773.	1,813.
	24"	49"	R3B1PF349 24-()()	1,610.	1,627.	1,666.	1,727.	1,769.	1,833.	1,873.
	30"	49"	R3B1PF349 30-()()	1,735.	1,752.	1,791.	1,852.	1,894.	1,958.	1,998.
	36"	49"	R3B1PF349 36-()()	2,090.	2,107.	2,146.	2,207.	2,249.	2,313.	2,353.
	42"	49"	R3B1PF349 42-()()	2,280.	2,297.	2,336.	2,397.	2,439.	2,503.	2,543.
	48"	49"	R3B1PF349 48-()()	2,399.	2,416.	2,455.	2,516.	2,558.	2,622.	2,662.

Order Code	Specification Information
Example: R3B0PF34918-A4K	
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
49	49" high
18	18" wide
A	Flat style top trim option
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
6" Raceway option increases panel height by 2 3/4".
Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Monolithic panels 49" H


Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	49"	R3B0PLL4918() ()	\$748.
	20"	49"	R3B0PLL4920() ()	748.
	24"	49"	R3B0PLL4924() ()	816.
	30"	49"	R3B0PLL4930() ()	914.
	36"	49"	R3B0PLL4936() ()	987.
	42"	49"	R3B0PLL4942() ()	1,085.
	48"	49"	R3B0PLL4948() ()	1,215.
	60"	49"	R3B0PLL4960() ()*	1,312.
	66"	49"	R3B0PLL4966() ()*	1,351.
	72"	49"	R3B0PLL4972() ()*	1,392.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Ref Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
LL Laminate both sides	4. Panel side 1 inside	Applicable finishes are listed on page 5 and 6.
49 49" high	5. Panel side 2 outside	
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept woodgrain laminate where laminate is currently an option.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
K Include knockouts in base	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
118 Laminate - side 1		Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules.
118 Laminate - side 2		
V512 Figured Anigre (top trim finish)		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 64" H fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B0PFF64 18-() ()	\$727.	\$761.	\$831.	\$973.	\$1,073.	\$1,203.	\$1,287.
Regular acoustics	20"	64"	R3B0PFF64 20-() ()	727.	761.	831.	973.	1,073.	1,203.	1,287.
	24"	64"	R3B0PFF64 24-() ()	770.	804.	874.	1,016.	1,116.	1,246.	1,330.
	30"	64"	R3B0PFF64 30-() ()	828.	862.	932.	1,074.	1,174.	1,304.	1,387.
	36"	64"	R3B0PFF64 36-() ()	849.	883.	953.	1,095.	1,195.	1,325.	1,409.
	42"	64"	R3B0PFF64 42-() ()	988.	1,022.	1,092.	1,234.	1,334.	1,464.	1,548.
	48"	64"	R3B0PFF64 48-() ()	1,046.	1,080.	1,150.	1,292.	1,392.	1,522.	1,606.
	60"	64"	R3B0PFF64 60-() () *	1,213.	1,289.	1,423.	1,721.	1,927.	2,183.	2,353.
	66"	64"	R3B0PFF64 66-() () *	1,252.	1,328.	1,462.	1,760.	1,966.	2,222.	2,392.
	72"	64"	R3B0PFF64 72-() () *	1,293.	1,369.	1,503.	1,801.	2,007.	2,263.	2,433.

Monolithic, fabric both sides	18"	64"	R3B0PAA64 18-() ()	791.	825.	895.	1,037.	1,137.	1,267.	1,351.
High acoustics	20"	64"	R3B0PAA64 20-() ()	791.	825.	895.	1,037.	1,137.	1,267.	1,351.
	24"	64"	R3B0PAA64 24-() ()	844.	878.	948.	1,090.	1,190.	1,320.	1,404.
	30"	64"	R3B0PAA64 30-() ()	905.	939.	1,009.	1,151.	1,251.	1,381.	1,465.
	36"	64"	R3B0PAA64 36-() ()	927.	961.	1,031.	1,173.	1,273.	1,403.	1,487.
	42"	64"	R3B0PAA64 42-() ()	1,085.	1,119.	1,189.	1,331.	1,431.	1,561.	1,645.
	48"	64"	R3B0PAA64 48-() ()	1,148.	1,182.	1,252.	1,394.	1,494.	1,624.	1,708.
	60"	64"	R3B0PAA64 60-() () *	1,317.	1,393.	1,527.	1,825.	2,031.	2,287.	2,457.
	66"	64"	R3B0PAA64 66-() () *	1,361.	1,437.	1,571.	1,869.	2,075.	2,331.	2,501.
	72"	64"	R3B0PAA64 72-() () *	1,405.	1,481.	1,615.	1,913.	2,119.	2,375.	2,545.

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside	
64 64" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	
K Include knockouts in base	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1		<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 115 at no charge.</p>
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 64" H


fabric both sides, with Beltway


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-()()	\$1,247.	\$1,283.	\$1,367.	\$1,541.	\$1,653.	\$1,811.	\$1,917.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-()()	1,247.	1,283.	1,367.	1,541.	1,653.	1,811.	1,917.
	24"	64"	R3B2PFF64 24-()()	1,308.	1,344.	1,428.	1,602.	1,714.	1,872.	1,978.
	30"	64"	R3B2PFF64 30-()()	1,338.	1,374.	1,458.	1,632.	1,744.	1,902.	2,008.
	36"	64"	R3B2PFF64 36-()()	1,619.	1,655.	1,739.	1,913.	2,025.	2,183.	2,289.
	42"	64"	R3B2PFF64 42-()()	1,732.	1,768.	1,852.	2,026.	2,138.	2,296.	2,402.
	48"	64"	R3B2PFF64 48-()()	1,790.	1,826.	1,910.	2,084.	2,196.	2,354.	2,460.
	Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-()()	1,220.	1,255.	1,332.	1,490.	1,596.	1,740.
Beltway one side	20"	64"	R3B1PFF64 20-()()	1,220.	1,255.	1,332.	1,490.	1,596.	1,740.	1,835.
	24"	64"	R3B1PFF64 24-()()	1,275.	1,310.	1,387.	1,545.	1,651.	1,795.	1,890.
	30"	64"	R3B1PFF64 30-()()	1,305.	1,340.	1,417.	1,575.	1,681.	1,825.	1,920.
	36"	64"	R3B1PFF64 36-()()	1,584.	1,619.	1,696.	1,854.	1,960.	2,104.	2,199.
	42"	64"	R3B1PFF64 42-()()	1,693.	1,728.	1,805.	1,963.	2,069.	2,213.	2,308.
	48"	64"	R3B1PFF64 48-()()	1,746.	1,781.	1,858.	2,016.	2,122.	2,266.	2,361.

Order Code	Specification Information	Application Notes
Example: R3B2PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 115 at no charge.</p>
R3	Reff Generation 3	
B2	Beltway both sides, B1=Beltway, one side	
P	Monolithic panel	
FF	Fabric on both sides	
64	64" high	
18	18" wide	
A	Flat style top trim profile	
4	4" base height	
K	Include knockouts in base	
W281	Fabric - Side 1 Below belt	
W281	Fabric - Side 1 Above belt	
W281	Fabric - Side 2 Below belt	
W281	Fabric - Side 2 Above belt	
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
111	Beltway finish	

Monolithic panels 64" H

fabric one side, laminate other side



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PFL64 18-() ()	\$637.	\$653.	\$682.	\$746.	\$789.	\$847.	\$885.
	20"	64"	R3B0PFL64 20-() ()	637.	653.	682.	746.	789.	847.	885.
	24"	64"	R3B0PFL64 24-() ()	701.	717.	746.	810.	853.	911.	949.
	30"	64"	R3B0PFL64 30-() ()	791.	807.	836.	900.	943.	1,001.	1,039.
	36"	64"	R3B0PFL64 36-() ()	853.	859.	898.	962.	1,005.	1,063.	1,101.
	42"	64"	R3B0PFL64 42-() ()	945.	961.	990.	1,054.	1,097.	1,155.	1,193.
	48"	64"	R3B0PFL64 48-() ()	1,064.	1,080.	1,109.	1,173.	1,216.	1,274.	1,312.
	60"	64"	R3B0PFL64 60-() () *	1,151.	1,185.	1,245.	1,378.	1,467.	1,582.	1,656.
	66"	64"	R3B0PFL64 66-() () *	1,191.	1,225.	1,285.	1,418.	1,507.	1,622.	1,696.
	72"	64"	R3B0PFL64 72-() ()	1,230.	1,264.	1,324.	1,454.	1,546.	1,661.	1,735.

Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PFL64 18-() ()	1,081.	1,098.	1,135.	1,213.	1,260.	1,329.	1,379.
	20"	64"	R3B1PFL64 20-() ()	1,081.	1,098.	1,135.	1,213.	1,260.	1,329.	1,379.
	24"	64"	R3B1PFL64 24-() ()	1,154.	1,171.	1,208.	1,286.	1,333.	1,402.	1,452.
	30"	64"	R3B1PFL64 30-() ()	1,223.	1,240.	1,277.	1,355.	1,402.	1,471.	1,521.
	36"	64"	R3B1PFL64 36-() ()	1,520.	1,537.	1,574.	1,652.	1,699.	1,768.	1,818.
	42"	64"	R3B1PFL64 42-() ()	1,578.	1,595.	1,632.	1,710.	1,757.	1,826.	1,876.
	48"	64"	R3B1PFL64 48-() ()	1,706.	1,723.	1,760.	1,838.	1,885.	1,954.	2,004.

Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify:	4 = 4" base height
A Flat style top trim profile	Side 1-Below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1-Above belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
114 Folkstone grey - side 2	i) Top trim profile A, B or C	6" Raceway option increases panel height by 2 3/4".
V316 Maple (top trim finish)	options:	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept woodgrain laminate where laminate is currently an option.
M Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
	7. Base finish	*These panel widths do not accept stacking modules.
	8. Beltway finish - only for panels with Beltway	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 64" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF164 18-() ()	\$748.	\$765.	\$802.	\$875.	\$924.	\$991.	\$1,035.
	20"	64"	R3B0PF164 20-() ()	748.	765.	802.	875.	924.	991.	1,035.
	24"	64"	R3B0PF164 24-() ()	821.	838.	875.	948.	997.	1,064.	1,108.
	30"	64"	R3B0PF164 30-() ()	930.	947.	984.	1,057.	1,106.	1,173.	1,217.
	36"	64"	R3B0PF164 36-() ()	1,004.	1,021.	1,058.	1,131.	1,180.	1,247.	1,291.
	42"	64"	R3B0PF164 42-() ()	1,111.	1,128.	1,165.	1,238.	1,287.	1,354.	1,398.
	48"	64"	R3B0PF164 48-() ()	1,252.	1,269.	1,306.	1,379.	1,428.	1,495.	1,539.
	60"	64"	R3B0PF164 60-() () *	1,355.	1,395.	1,463.	1,615.	1,718.	1,851.	1,938.
	66"	64"	R3B0PF164 66-() () *	1,402.	1,442.	1,510.	1,662.	1,765.	1,898.	1,985.
	72"	64"	R3B0PF164 72-() () *	1,448.	1,488.	1,556.	1,708.	1,811.	1,944.	2,031.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF164 18-() ()	1,271.	1,287.	1,331.	1,419.	1,475.	1,556.	1,612.
	20"	64"	R3B1PF164 20-() ()	1,271.	1,287.	1,331.	1,419.	1,475.	1,556.	1,612.
	24"	64"	R3B1PF164 24-() ()	1,354.	1,370.	1,414.	1,502.	1,558.	1,639.	1,695.
	30"	64"	R3B1PF164 30-() ()	1,438.	1,454.	1,498.	1,586.	1,642.	1,723.	1,779.
	36"	64"	R3B1PF164 36-() ()	1,786.	1,802.	1,846.	1,934.	1,990.	2,071.	2,127.
	42"	64"	R3B1PF164 42-() ()	1,857.	1,873.	1,917.	2,005.	2,061.	2,142.	2,198.
	48"	64"	R3B1PF164 48-() ()	2,006.	2,022.	2,066.	2,154.	2,210.	2,291.	2,347.

Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
		Remember to specify Beltway paint finish when applicable.
		*These panel widths do not accept stacking modules.
		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 64" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF264 18-() ()	\$764.	\$781.	\$818.	\$891.	\$940.	\$1,007.	\$1,051.
	20"	64"	R3B0PF264 20-() ()	764.	781.	818.	891.	940.	1,007.	1,051.
	24"	64"	R3B0PF264 24-() ()	836.	853.	890.	963.	1,012.	1,079.	1,123.
	30"	64"	R3B0PF264 30-() ()	946.	963.	1,000.	1,073.	1,122.	1,189.	1,233.
	36"	64"	R3B0PF264 36-() ()	1,020.	1,037.	1,074.	1,147.	1,196.	1,263.	1,307.
	42"	64"	R3B0PF264 42-() ()	1,130.	1,147.	1,184.	1,257.	1,306.	1,373.	1,417.
	48"	64"	R3B0PF264 48-() ()	1,276.	1,293.	1,330.	1,403.	1,452.	1,519.	1,563.
	60"	64"	R3B0PF264 60-() ()*	1,375.	1,415.	1,483.	1,635.	1,738.	1,871.	1,958.
	66"	64"	R3B0PF264 66-() ()*	1,424.	1,464.	1,532.	1,684.	1,787.	1,920.	2,007.
	72"	64"	R3B0PF264 72-() ()*	1,474.	1,514.	1,582.	1,734.	1,837.	1,970.	2,057.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF264 18-() ()	1,294.	1,310.	1,354.	1,442.	1,498.	1,579.	1,635.
	20"	64"	R3B1PF264 20-() ()	1,294.	1,310.	1,354.	1,442.	1,498.	1,579.	1,635.
	24"	64"	R3B1PF264 24-() ()	1,381.	1,397.	1,441.	1,529.	1,585.	1,666.	1,722.
	30"	64"	R3B1PF264 30-() ()	1,464.	1,480.	1,524.	1,612.	1,668.	1,749.	1,805.
	36"	64"	R3B1PF264 36-() ()	1,815.	1,831.	1,875.	1,963.	2,019.	2,100.	2,156.
	42"	64"	R3B1PF264 42-() ()	1,891.	1,907.	1,951.	2,039.	2,095.	2,176.	2,232.
	48"	64"	R3B1PF264 48-() ()	2,043.	2,059.	2,103.	2,191.	2,247.	2,328.	2,384.

Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 64" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF364 18-() ()	\$1,007.	\$1,024.	\$1,061.	\$1,134.	\$1,183.	\$1,250.	\$1,294.
	20"	64"	R3B0PF364 20-() ()	1,007.	1,024.	1,061.	1,134.	1,183.	1,250.	1,294.
	24"	64"	R3B0PF364 24-() ()	1,107.	1,122.	1,159.	1,232.	1,281.	1,348.	1,392.
	30"	64"	R3B0PF364 30-() ()	1,251.	1,268.	1,305.	1,378.	1,427.	1,494.	1,538.
	36"	64"	R3B0PF364 36-() ()	1,352.	1,369.	1,406.	1,479.	1,528.	1,595.	1,639.
	42"	64"	R3B0PF364 42-() ()	1,502.	1,519.	1,556.	1,629.	1,678.	1,745.	1,789.
	48"	64"	R3B0PF364 48-() ()	1,697.	1,714.	1,751.	1,824.	1,873.	1,940.	1,984.
	60"	64"	R3B0PF364 60-() ()*	1,809.	1,849.	1,917.	2,069.	2,172.	2,305.	2,392.
	66"	64"	R3B0PF364 66-() ()*	1,875.	1,915.	1,983.	2,135.	2,238.	2,371.	2,458.
	72"	64"	R3B0PF364 72-() ()*	1,941.	1,981.	2,049.	2,201.	2,304.	2,437.	2,524.

Monolithic, fabric one side Beltway fabric side 	18"	64"	R3B1PF364 18-() ()	1,719.	1,735.	1,779.	1,867.	1,923.	2,004.	2,060.
	20"	64"	R3B1PF364 20-() ()	1,719.	1,735.	1,779.	1,867.	1,923.	2,004.	2,060.
	24"	64"	R3B1PF364 24-() ()	1,835.	1,851.	1,895.	1,983.	2,039.	2,120.	2,177.
	30"	64"	R3B1PF364 30-() ()	1,949.	1,965.	2,009.	2,097.	2,153.	2,234.	2,290.
	36"	64"	R3B1PF364 36-() ()	2,424.	2,440.	2,484.	2,572.	2,628.	2,709.	2,765.
	42"	64"	R3B1PF364 42-() ()	2,524.	2,540.	2,584.	2,672.	2,728.	2,809.	2,865.
	48"	64"	R3B1PF364 48-() ()	2,731.	2,747.	2,791.	2,879.	2,935.	3,016.	3,072.

Order Code	Specification Information	Application Notes
Example: R3B0PF36418-A4K	<i>To order please specify pattern number including:</i>	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panels with beltway, please specify; Side 1 - Below belt Side 1 - Above belt	
64 64" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
A Flat style top trim profile	7. Base finish	
4 4" base height	8. Beltway finish - only for panels with Beltway	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		



Monolithic panels 64" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	R3B0PLL6418()()	\$833.
	20"	64"	R3B0PLL6420()()	833.
	24"	64"	R3B0PLL6424()()	908.
	30"	64"	R3B0PLL6430()()	1,017.
	36"	64"	R3B0PLL6436()()	1,098.
	42"	64"	R3B0PLL6442()()	1,207.
	48"	64"	R3B0PLL6448()()	1,352.
	60"	64"	R3B0PLL6460()()*	1,461.
	66"	64"	R3B0PLL6466()()*	1,505.
	72"	64"	R3B0PLL6472()()*	1,550.

Order Code	Specification Information	Application Notes
Example: R3B0PLL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.
		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Monolithic panels 79" H fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	79"	R3B0PFF79 18-() ()	\$908.	\$956.	\$1,040.	\$1,218.	\$1,338.	\$1,500.	\$1,596.
	20"	79"	R3B0PFF79 20-() ()	908.	956.	1,040.	1,218.	1,338.	1,500.	1,596.
	24"	79"	R3B0PFF79 24-() ()	966.	1,014.	1,098.	1,276.	1,396.	1,558.	1,654.
	30"	79"	R3B0PFF79 30-() ()	1,042.	1,090.	1,174.	1,352.	1,472.	1,634.	1,730.
	36"	79"	R3B0PFF79 36-() ()	1,069.	1,117.	1,201.	1,379.	1,499.	1,661.	1,757.
	42"	79"	R3B0PFF79 42-() ()	1,148.	1,196.	1,280.	1,458.	1,578.	1,740.	1,836.
	48"	79"	R3B0PFF79 48-() ()	1,273.	1,321.	1,405.	1,583.	1,703.	1,865.	1,961.
	60"	79"	R3B0PFF79 60-() ()	1,470.	1,566.	1,734.	2,088.	2,340.	2,660.	2,856.
	66"	79"	R3B0PFF79 66-() ()	1,505.	1,601.	1,769.	2,123.	2,375.	2,695.	2,891.
	72"	79"	R3B0PFF79 72-() ()	1,539.	1,635.	1,803.	2,157.	2,409.	2,729.	2,925.
Monolithic, fabric both sides High acoustics 	18"	79"	R3B0PAA79 18-() ()	990.	1,038.	1,122.	1,300.	1,420.	1,582.	1,678.
	20"	79"	R3B0PAA79 20-() ()	990.	1,038.	1,122.	1,300.	1,420.	1,582.	1,678.
	24"	79"	R3B0PAA79 24-() ()	1,053.	1,101.	1,185.	1,363.	1,483.	1,645.	1,741.
	30"	79"	R3B0PAA79 30-() ()	1,139.	1,187.	1,271.	1,449.	1,569.	1,731.	1,827.
	36"	79"	R3B0PAA79 36-() ()	1,174.	1,222.	1,306.	1,484.	1,604.	1,766.	1,862.
	42"	79"	R3B0PAA79 42-() ()	1,258.	1,306.	1,390.	1,568.	1,688.	1,850.	1,948.
	48"	79"	R3B0PAA79 48-() ()	1,399.	1,447.	1,531.	1,709.	1,829.	1,991.	2,087.
	60"	79"	R3B0PAA79 60-() ()	1,601.	1,697.	1,865.	2,219.	2,471.	2,791.	2,987.
	66"	79"	R3B0PAA79 66-() ()	1,638.	1,734.	1,902.	2,256.	2,508.	2,828.	3,024.
	72"	79"	R3B0PAA79 72-() ()	1,672.	1,768.	1,936.	2,290.	2,542.	2,862.	3,058.

Order Code	Specification Information	Application Notes	
Example: R3B0PFF7918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FF Fabric on both sides 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 W281 Fabric - Side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled profile	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional</i> : specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile</i> : A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height</i> : 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6.	The panels on this page are not designed to be stacked upon. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 79" H

fabric both sides with Beltway

description	w	h	pattern n	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway one side 	18"	79"	R3B1PFF79 18-() ()	\$1,306.	\$1,355.	\$1,449.	\$1,648.	\$1,777.	\$1,958.	\$2,073.
	20"	79"	R3B1PFF79 20-() ()	1,306.	1,355.	1,449.	1,648.	1,777.	1,958.	2,073.
	24"	79"	R3B1PFF79 24-() ()	1,367.	1,416.	1,510.	1,709.	1,838.	2,019.	2,134.
	30"	79"	R3B1PFF79 30-() ()	1,394.	1,443.	1,537.	1,736.	1,865.	2,046.	2,161.
	36"	79"	R3B1PFF79 36-() ()	1,672.	1,722.	1,816.	2,015.	2,144.	2,325.	2,440.
	42"	79"	R3B1PFF79 42-() ()	1,782.	1,831.	1,925.	2,124.	2,253.	2,434.	2,549.
	48"	79"	R3B1PFF79 48-() ()	1,835.	1,884.	1,978.	2,177.	2,306.	2,487.	2,602.

Monolithic, fabric both sides Beltway two sides 	18"	79"	R3B2PFF79 18-() ()	1,375.	1,425.	1,529.	1,749.	1,887.	2,087.	2,221.
	20"	79"	R3B2PFF79 20-() ()	1,375.	1,425.	1,529.	1,749.	1,887.	2,087.	2,221.
	24"	79"	R3B2PFF79 24-() ()	1,434.	1,484.	1,588.	1,808.	1,946.	2,146.	2,280.
	30"	79"	R3B2PFF79 30-() ()	1,463.	1,513.	1,617.	1,837.	1,975.	2,175.	2,309.
	36"	79"	R3B2PFF79 36-() ()	1,745.	1,795.	1,899.	2,119.	2,257.	2,457.	2,591.
	42"	79"	R3B2PFF79 42-() ()	1,857.	1,907.	2,011.	2,231.	2,369.	2,569.	2,703.
	48"	79"	R3B2PFF79 48-() ()	1,914.	1,964.	2,068.	2,288.	2,426.	2,626.	2,760.

Order Code	Specification Information	Application Notes
Example: R3B1PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 below belt	<i>2. Base height:</i>
18 18" wide	5. Panel side 1 above belt	4 = 4" base height
A Flat style top trim	6. Panel side 2 below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	7. Panel side 2 above belt	<i>3. Beltway:</i>
K Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
W281 Fabric - Side 1 below belt	i)Top trim profile A,B or C options:	B2 = Beltway 2 sides
W281 Fabric - Side 1 above belt	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 2 below belt	ii)Top trim profile E options:	
W281 Fabric - Side 2 above belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	9. Base finish	
111 Jet Black (base finish)	10. Beltway finish	
111 Beltway finish	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".



Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 79" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PFL79 18-() ()	\$804.	\$826.	\$863.	\$941.	\$994.	\$1,067.	\$1,109.
	20"	79"	R3B0PFL79 20-() ()	804.	826.	863.	941.	994.	1,067.	1,109.
	24"	79"	R3B0PFL79 24-() ()	881.	903.	940.	1,018.	1,071.	1,144.	1,186.
	30"	79"	R3B0PFL79 30-() ()	991.	1,013.	1,050.	1,128.	1,181.	1,254.	1,296.
	36"	79"	R3B0PFL79 36-() ()	1,081.	1,103.	1,140.	1,218.	1,271.	1,344.	1,386.
	42"	79"	R3B0PFL79 42-() ()	1,196.	1,218.	1,255.	1,333.	1,386.	1,459.	1,501.
	48"	79"	R3B0PFL79 48-() ()	1,337.	1,359.	1,396.	1,474.	1,527.	1,600.	1,642.
	60"	79"	R3B0PFL79 60-() ()	1,440.	1,483.	1,556.	1,712.	1,823.	1,965.	2,051.
	66"	79"	R3B0PFL79 66-() ()	1,469.	1,512.	1,585.	1,741.	1,852.	1,994.	2,080.
	72"	79"	R3B0PFL79 72-() ()	1,498.	1,541.	1,614.	1,770.	1,881.	2,023.	2,109.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PFL79 18-() ()	1,163.	1,187.	1,232.	1,330.	1,389.	1,479.	1,539.
	20"	79"	R3B1PFL79 20-() ()	1,163.	1,187.	1,232.	1,330.	1,389.	1,479.	1,539.
	24"	79"	R3B1PFL79 24-() ()	1,243.	1,267.	1,312.	1,410.	1,469.	1,559.	1,619.
	30"	79"	R3B1PFL79 30-() ()	1,317.	1,341.	1,386.	1,484.	1,543.	1,633.	1,693.
	36"	79"	R3B1PFL79 36-() ()	1,632.	1,656.	1,701.	1,799.	1,858.	1,948.	2,008.
	42"	79"	R3B1PFL79 42-() ()	1,781.	1,805.	1,850.	1,948.	2,007.	2,097.	2,157.
	48"	79"	R3B1PFL79 48-() ()	1,862.	1,886.	1,931.	2,029.	2,088.	2,178.	2,238.

Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page will accept woodgrain laminate where laminate is currently an option.
W281 Fabric - Side 1	6. Top trim finish	
114 Folkstone grey - side 2	i) Top trim profile A, B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 79" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF179 18-() ()	\$945.	\$969.	\$1,012.	\$1,103.	\$1,165.	\$1,247.	\$1,299.
	20"	79"	R3B0PF179 20-() ()	945.	969.	1,012.	1,103.	1,165.	1,247.	1,299.
	24"	79"	R3B0PF179 24-() ()	1,033.	1,057.	1,100.	1,191.	1,253.	1,335.	1,387.
	30"	79"	R3B0PF179 30-() ()	1,168.	1,192.	1,235.	1,326.	1,388.	1,470.	1,522.
	36"	79"	R3B0PF179 36-() ()	1,272.	1,296.	1,339.	1,430.	1,492.	1,574.	1,626.
	42"	79"	R3B0PF179 42-() ()	1,405.	1,429.	1,472.	1,563.	1,625.	1,707.	1,759.
	48"	79"	R3B0PF179 48-() ()	1,574.	1,598.	1,641.	1,732.	1,794.	1,876.	1,928.
	60"	79"	R3B0PF179 60-() ()	1,691.	1,740.	1,826.	2,007.	2,136.	2,297.	2,397.
	66"	79"	R3B0PF179 66-() ()	1,728.	1,777.	1,863.	2,044.	2,173.	2,334.	2,434.
	72"	79"	R3B0PF179 72-() ()	1,756.	1,805.	1,891.	2,072.	2,201.	2,362.	2,462.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF179 18-() ()	1,365.	1,390.	1,443.	1,556.	1,626.	1,729.	1,798.
	20"	79"	R3B1PF179 20-() ()	1,365.	1,390.	1,443.	1,556.	1,626.	1,729.	1,798.
	24"	79"	R3B1PF179 24-() ()	1,459.	1,484.	1,537.	1,650.	1,720.	1,823.	1,892.
	30"	79"	R3B1PF179 30-() ()	1,550.	1,575.	1,628.	1,741.	1,811.	1,914.	1,983.
	36"	79"	R3B1PF179 36-() ()	1,920.	1,945.	1,998.	2,111.	2,181.	2,284.	2,353.
	42"	79"	R3B1PF179 42-() ()	2,091.	2,116.	2,169.	2,282.	2,352.	2,455.	2,524.
	48"	79"	R3B1PF179 48-() ()	2,186.	2,211.	2,264.	2,377.	2,447.	2,550.	2,619.

Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	6" Raceway option increases panel height by 2 3/4".
W281 Fabric - Side 1	6. Top trim finish	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	Remember to specify Beltway paint finish when applicable.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 79" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF279 18-() ()	\$961.	\$985.	\$1,028.	\$1,119.	\$1,181.	\$1,263.	\$1,315.
	20"	79"	R3B0PF279 20-() ()	961.	985.	1,028.	1,119.	1,181.	1,263.	1,315.
	24"	79"	R3B0PF279 24-() ()	1,053.	1,077.	1,120.	1,211.	1,273.	1,355.	1,407.
	30"	79"	R3B0PF279 30-() ()	1,189.	1,213.	1,256.	1,347.	1,409.	1,491.	1,543.
	36"	79"	R3B0PF279 36-() ()	1,295.	1,319.	1,362.	1,453.	1,515.	1,597.	1,649.
	42"	79"	R3B0PF279 42-() ()	1,431.	1,455.	1,498.	1,589.	1,651.	1,733.	1,785.
	48"	79"	R3B0PF279 48-() ()	1,602.	1,626.	1,669.	1,760.	1,822.	1,904.	1,956.
	60"	79"	R3B0PF279 60-() ()	1,722.	1,771.	1,857.	2,038.	2,167.	2,328.	2,428.
	66"	79"	R3B0PF279 66-() ()	1,755.	1,804.	1,890.	2,071.	2,200.	2,361.	2,461.
	72"	79"	R3B0PF279 72-() ()	1,792.	1,841.	1,927.	2,108.	2,237.	2,398.	2,498.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF279 18-() ()	1,390.	1,415.	1,468.	1,581.	1,651.	1,754.	1,823.
	20"	79"	R3B1PF279 20-() ()	1,390.	1,415.	1,468.	1,581.	1,651.	1,754.	1,823.
	24"	79"	R3B1PF279 24-() ()	1,486.	1,511.	1,564.	1,677.	1,747.	1,850.	1,919.
	30"	79"	R3B1PF279 30-() ()	1,575.	1,600.	1,653.	1,766.	1,836.	1,939.	2,008.
	36"	79"	R3B1PF279 36-() ()	1,952.	1,977.	2,030.	2,143.	2,213.	2,316.	2,385.
	42"	79"	R3B1PF279 42-() ()	2,129.	2,154.	2,207.	2,320.	2,390.	2,493.	2,562.
	48"	79"	R3B1PF279 48-() ()	2,226.	2,251.	2,304.	2,417.	2,487.	2,590.	2,659.

Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 = Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 = Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	
W281 Fabric - Side 1	6. Top trim finish	
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
		The panels on this page are not designed to be stacked upon.
		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF379 18-() ()	\$1,266.	\$1,290.	\$1,333.	\$1,424.	\$1,486.	\$1,568.	\$1,620.
	20"	79"	R3B0PF379 20-() ()	1,266.	1,290.	1,333.	1,424.	1,486.	1,568.	1,620.
	24"	79"	R3B0PF379 24-() ()	1,393.	1,417.	1,460.	1,551.	1,613.	1,695.	1,747.
	30"	79"	R3B0PF379 30-() ()	1,574.	1,598.	1,641.	1,732.	1,794.	1,876.	1,928.
	36"	79"	R3B0PF379 36-() ()	1,720.	1,744.	1,787.	1,878.	1,940.	2,022.	2,074.
	42"	79"	R3B0PF379 42-() ()	1,904.	1,928.	1,971.	2,062.	2,124.	2,206.	2,258.
	48"	79"	R3B0PF379 48-() ()	2,136.	2,160.	2,203.	2,294.	2,356.	2,438.	2,490.
	60"	79"	R3B0PF379 60-() ()*	2,265.	2,314.	2,400.	2,581.	2,710.	2,871.	2,971.
	66"	79"	R3B0PF379 66-() ()*	2,311.	2,360.	2,446.	2,627.	2,756.	2,917.	3,017.
	72"	79"	R3B0PF379 72-() ()*	2,361.	2,410.	2,496.	2,677.	2,806.	2,967.	3,067.

Monolithic, fabric one side Beltway fabric side 	18"	79"	R3B1PF379 18-() ()	1,831.	1,856.	1,909.	2,022.	2,092.	2,195.	2,264.
	20"	79"	R3B1PF379 20-() ()	1,831.	1,856.	1,909.	2,022.	2,092.	2,195.	2,264.
	24"	79"	R3B1PF379 24-() ()	1,960.	1,985.	2,038.	2,151.	2,221.	2,324.	2,393.
	30"	79"	R3B1PF379 30-() ()	2,081.	2,106.	2,159.	2,272.	2,342.	2,445.	2,514.
	36"	79"	R3B1PF379 36-() ()	2,588.	2,613.	2,666.	2,779.	2,849.	2,952.	3,021.
	42"	79"	R3B1PF379 42-() ()	2,827.	2,852.	2,905.	3,018.	3,088.	3,191.	3,260.
	48"	79"	R3B1PF379 48-() ()	2,960.	2,985.	3,038.	3,151.	3,221.	3,324.	3,395.

Order Code	Specification Information
Example: R3B0PF37918-A4K	
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
Applicable finishes are listed on page 5 and 6.

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Monolithic panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918() ()	\$909.
	20"	79"	R3B0PLL7920() ()	909.
	24"	79"	R3B0PLL7924() ()	991.
	30"	79"	R3B0PLL7930() ()	1,109.
	36"	79"	R3B0PLL7936() ()	1,199.
	42"	79"	R3B0PLL7942() ()	1,318.
	48"	79"	R3B0PLL7948() ()	1,477.
	60"	79"	R3B0PLL7960() ()*	1,594.
	66"	79"	R3B0PLL7966() ()*	1,642.
	72"	79"	R3B0PLL7972() ()*	1,691.




Order Code	Specification Information	Application Notes
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
LL Laminate both sides	4. Panel side 1 inside	E = Extruded Aluminum
79 79" high	5. Panel side 2 outside	<i>2. Base height:</i>
18 18" wide	6. Top trim finish	4 = 4" base height
A Flat style top trim profile	i) Top trim profile A,B or C options:	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page will accept woodgrain laminate where laminate is currently an option.
118 Laminate - side 1	7. Base finish	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
118 Laminate - side 2	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable.
V512 Figured Anigre (top trim finish)		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-()()	\$603.	\$635.	\$699.	\$767.	\$823.	\$915.	\$967.
Regular acoustics	20"	34"	R3B0TFF34 20-()()	603.	635.	699.	767.	823.	915.	967.
	24"	34"	R3B0TFF34 24-()()	652.	684.	748.	816.	872.	964.	1,016.
	30"	34"	R3B0TFF34 30-()()	696.	728.	792.	860.	916.	1,008.	1,060.
	36"	34"	R3B0TFF34 36-()()	741.	773.	837.	905.	961.	1,053.	1,105.
	42"	34"	R3B0TFF34 42-()()	853.	885.	949.	1,017.	1,073.	1,165.	1,217.
	48"	34"	R3B0TFF34 48-()()	886.	918.	982.	1,050.	1,106.	1,198.	1,250.

Order Code	Specification Information	Application Notes
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel)	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 115.
B0 No Beltway	1. Top trim profile	
T Tiled panel	2. Base height	
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	All panels on this page accept stacking modules.
34 34" high	4. Panel side 1A	6" Raceway option increases panel height by 2 3/4".
18 18" wide	5. Panel side 1B	Applicable finishes are listed on page 5 and 6.
A Flat style top trim profile	6. Panel side 2A	
4 4" base height	7. Panel side 2B	
K Include knockouts in base	8. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
W281 Fabric - Side 1A	9. Base finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
W281 Fabric - Side 1B	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 34" H glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A) 	18"	34"	R2B0TWA34 18- () ()	\$949.	\$1,128.	\$38.	\$75.	\$95.
	20"	34"	R2B0TWA34 20- () ()	949.	1,128.	38.	75.	95.
	24"	34"	R2B0TWA34 24- () ()	992.	1,207.	38.	75.	100.
	30"	34"	R2B0TWA34 30- () ()	1,152.	1,417.	38.	75.	114.
	36"	34"	R2B0TWA34 36- () ()	1,194.	1,513.	38.	75.	116.
	42"	34"	R2B0TWA34 42- () ()	1,254.	1,632.	38.	75.	123.
	48"	34"	R2B0TWA34 48- () ()	1,298.	1,729.	38.	75.	129.
Tiled, two 15" high glass sections with center mullion (type B) 	30"	34"	R2B0TWB34 30- () ()	1,378.	1,646.	38.	75.	138.
	36"	34"	R2B0TWB34 36- () ()	1,435.	1,757.	38.	75.	142.
	42"	34"	R2B0TWB34 42- () ()	1,503.	1,877.	38.	75.	147.
	48"	34"	R2B0TWB34 48- () ()	1,560.	1,995.	38.	75.	153.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C 	18"	34"	R2B0TWC34 18- () ()	748.	975.	30.	61.	114.
	20"	34"	R2B0TWC34 20- () ()	748.	975.	30.	61.	114.
	24"	34"	R2B0TWC34 24- () ()	788.	1,027.	30.	61.	123.
	30"	34"	R2B0TWC34 30- () ()	973.	1,265.	38.	75.	155.
	36"	34"	R2B0TWC34 36- () ()	1,083.	1,406.	38.	75.	174.
	42"	34"	R2B0TWC34 42- () ()	1,145.	1,487.	38.	75.	190.
	48"	34"	R2B0TWC34 48- () ()	1,201.	1,565.	38.	75.	199.

Order Code

Example:	R2B0TWA3418-A4K
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
111	Tile Divider
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information

- To order please specify pattern number including:*
1. Top trim profile
 2. Base height
 3. Knockout option
(K = with knockouts, N = without knockouts)
 4. Divider option
(applicable R2B0TWA and R2B0TWB)
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
 5. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
 6. Base finish
 7. Window frame finish
(Painted or Anodized aluminum finishes)
If AA finish (anodized) upcharge applicable as noted in AA price column
 8. Glass type

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel)

4. *Extruded aluminum tile divider:*
Add for:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

3. *Glass type*
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 115.



The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 34" H



fabric one side, laminate or techwood opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18-() ()	\$652.	\$668.	\$696.	\$732.	\$760.	\$800.	\$826.
	20"	34"	R3B0TFL34 20-() ()	652.	668.	696.	732.	760.	800.	826.
	24"	34"	R3B0TFL34 24-() ()	694.	710.	738.	774.	802.	842.	868.
	30"	34"	R3B0TFL34 30-() ()	738.	754.	782.	818.	846.	886.	912.
	36"	34"	R3B0TFL34 36-() ()	781.	797.	825.	861.	889.	929.	955.
	42"	34"	R3B0TFL34 42-() ()	890.	906.	934.	970.	998.	1,038.	1,064.
	48"	34"	R3B0TFL34 48-() ()	920.	936.	964.	1,000.	1,028.	1,068.	1,094.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18-() ()	706.	722.	756.	790.	818.	864.	890.
	20"	34"	R3B0TF134 20-() ()	706.	722.	756.	790.	818.	864.	890.
	24"	34"	R3B0TF134 24-() ()	754.	770.	804.	838.	866.	912.	938.
	30"	34"	R3B0TF134 30-() ()	803.	819.	853.	887.	915.	961.	987.
	36"	34"	R3B0TF134 36-() ()	847.	863.	897.	931.	959.	1,005.	1,031.
	42"	34"	R3B0TF134 42-() ()	968.	984.	1,018.	1,052.	1,080.	1,126.	1,152.
	48"	34"	R3B0TF134 48-() ()	999.	1,015.	1,049.	1,083.	1,111.	1,157.	1,183.

Order Code	Specification Information	Application Notes
Example: R3B0TFL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
34 34" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)
18 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	34" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 115. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Ported panel components to be installed below worksurface if panel 34" h.
4 4" base height		
K Include knockouts in base		
B Tile divider, black		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 34" H

fabric one side, conventional or exotic opposite side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	R3B0TF234 18-() ()	\$721.	\$737.	\$771.	\$805.	\$833.	\$879.	\$905.
	20"	34"	R3B0TF234 20-() ()	721.	737.	771.	805.	833.	879.	905.
	24"	34"	R3B0TF234 24-() ()	767.	783.	817.	851.	879.	925.	951.
	30"	34"	R3B0TF234 30-() ()	816.	832.	866.	900.	928.	974.	1,000.
	36"	34"	R3B0TF234 36-() ()	862.	878.	912.	946.	974.	1,020.	1,046.
	42"	34"	R3B0TF234 42-() ()	983.	999.	1,033.	1,067.	1,095.	1,141.	1,167.
	48"	34"	R3B0TF234 48-() ()	1,017.	1,033.	1,067.	1,101.	1,129.	1,175.	1,201.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	R3B0TF334 18-() ()	963.	979.	1,013.	1,047.	1,075.	1,121.	1,147.
	20"	34"	R3B0TF334 20-() ()	963.	979.	1,013.	1,047.	1,075.	1,121.	1,147.
	24"	34"	R3B0TF334 24-() ()	1,025.	1,041.	1,075.	1,109.	1,137.	1,183.	1,209.
	30"	34"	R3B0TF334 30-() ()	1,091.	1,107.	1,141.	1,175.	1,203.	1,249.	1,275.
	36"	34"	R3B0TF334 36-() ()	1,153.	1,169.	1,203.	1,237.	1,265.	1,311.	1,337.
	42"	34"	R3B0TF334 42-() ()	1,317.	1,333.	1,367.	1,401.	1,429.	1,475.	1,501.
	48"	34"	R3B0TF334 48-() ()	1,362.	1,378.	1,412.	1,446.	1,474.	1,520.	1,546.

Order Code	Specification Information	Application Notes
Example: R3B0TF23418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F2 Fabric one side, conventional other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
34 34" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	
18 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
B Tile divider, black	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
W281 Fabric - Side 1A	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)	
W281 Fabric - Side 1B	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34" h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w	
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	Applicable finishes are listed on page 5 and 6.	

Tiled panels 34" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	34"	R3B0TLL3418() ()	\$738.
with raceway both sides	20"	34"	R3B0TLL3420() ()	738.
	24"	34"	R3B0TLL3424() ()	804.
	30"	34"	R3B0TLL3430() ()	901.
	36"	34"	R3B0TLL3436() ()	974.
	42"	34"	R3B0TLL3442() ()	1,003.
	48"	34"	R3B0TLL3448() ()	1,033.




Order Code	Specification Information	Application Notes
Example: R3B0TLL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. <i>Optional non-beltway panels:</i>
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
34 34" high	5. Laminate, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
18 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Ported panel components to be installed below worksurface if panel 34" h.
4 4" base height		
K Include knockouts in base		
B Tile divider, black		
118 Laminate - side 1A		
118 Laminate - side 1B		
118 Laminate - side 2A		
118 Laminate - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Tiled panels 42" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B0TFF42 18-()()	\$674.	\$712.	\$796.	\$898.	\$969.	\$1,080.	\$1,150.
Regular acoustics	20"	42"	R3B0TFF42 20-()()	674.	712.	796.	898.	969.	1,080.	1,150.
	24"	42"	R3B0TFF42 24-()()	724.	762.	846.	948.	1,018.	1,130.	1,200.
	30"	42"	R3B0TFF42 30-()()	776.	814.	898.	1,000.	1,070.	1,182.	1,252.
	36"	42"	R3B0TFF42 36-()()	826.	864.	948.	1,050.	1,120.	1,232.	1,302.
	42"	42"	R3B0TFF42 42-()()	934.	972.	1,056.	1,158.	1,228.	1,340.	1,410.
	48"	42"	R3B0TFF42 48-()()	982.	1,020.	1,104.	1,206.	1,276.	1,388.	1,458.





Tiled, fabric both sides	18"	42"	R3B0TAA42 18-()()	738.	776.	860.	962.	1,032.	1,144.	1,214.
High acoustics	20"	42"	R3B0TAA42 20-()()	738.	776.	860.	962.	1,032.	1,144.	1,214.
	24"	42"	R3B0TAA42 24-()()	794.	832.	916.	1,018.	1,088.	1,200.	1,270.
	30"	42"	R3B0TAA42 30-()()	854.	892.	976.	1,078.	1,148.	1,260.	1,330.
	36"	42"	R3B0TAA42 36-()()	910.	948.	1,032.	1,134.	1,204.	1,316.	1,386.
	42"	42"	R3B0TAA42 42-()()	1,031.	1,069.	1,153.	1,255.	1,325.	1,437.	1,507.
	48"	42"	R3B0TAA42 48-()()	1,086.	1,124.	1,208.	1,310.	1,380.	1,492.	1,562.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C top	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).
42 42" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C top	6" Raceway option increases panel height by 2 ³ / ₄ ".
18 18" wide	6. Top trim finish <i>i</i>) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
A Flat style top trim profile	7. Base finish	Remember to specify Beltway paint finish when applicable.
4 4" base height	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
W281 Fabric - Side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18"	42"	R3B1TFF42 18-()()	\$1,213.	\$1,251.	\$1,332.	\$1,437.	\$1,507.	\$1,619.	\$1,689.
	20"	42"	R3B1TFF42 20-()()	1,213.	1,251.	1,332.	1,437.	1,507.	1,619.	1,689.
	24"	42"	R3B1TFF42 24-()()	1,241.	1,279.	1,360.	1,465.	1,535.	1,647.	1,717.
	30"	42"	R3B1TFF42 30-()()	1,306.	1,344.	1,425.	1,530.	1,600.	1,712.	1,782.
	36"	42"	R3B1TFF42 36-()()	1,543.	1,581.	1,662.	1,767.	1,837.	1,949.	2,019.
	42"	42"	R3B1TFF42 42-()()	1,666.	1,704.	1,785.	1,890.	1,960.	2,072.	2,142.
	48"	42"	R3B1TFF42 48-()()	1,724.	1,762.	1,843.	1,948.	2,018.	2,130.	2,200.

Tiled, fabric both sides Beltway two sides 	18"	42"	R3B2TFF42 18-()()	1,237.	1,275.	1,353.	1,461.	1,531.	1,643.	1,713.
	20"	42"	R3B2TFF42 20-()()	1,237.	1,275.	1,353.	1,461.	1,531.	1,643.	1,713.
	24"	42"	R3B2TFF42 24-()()	1,211.	1,249.	1,327.	1,435.	1,505.	1,617.	1,687.
	30"	42"	R3B2TFF42 30-()()	1,332.	1,370.	1,448.	1,556.	1,626.	1,738.	1,808.
	36"	42"	R3B2TFF42 36-()()	1,569.	1,607.	1,685.	1,793.	1,863.	1,975.	2,045.
	42"	42"	R3B2TFF42 42-()()	1,698.	1,736.	1,814.	1,922.	1,992.	2,104.	2,174.
	48"	42"	R3B2TFF42 48-()()	1,759.	1,797.	1,875.	1,983.	2,053.	2,165.	2,235.

Order Code	Specification Information	Application Notes
Example: R3B1TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 42" H

fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$729.	\$749.	\$786.	\$837.	\$871.	\$923.	\$957.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	729.	749.	786.	837.	871.	923.	957.
	24"	42"	R3B0TFL42 24-() ()	776.	796.	833.	884.	918.	970.	1,004.
	30"	42"	R3B0TFL42 30-() ()	828.	848.	885.	936.	970.	1,022.	1,056.
	36"	42"	R3B0TFL42 36-() ()	875.	895.	932.	983.	1,017.	1,069.	1,103.
	42"	42"	R3B0TFL42 42-() ()	975.	995.	1,032.	1,083.	1,117.	1,169.	1,203.
	48"	42"	R3B0TFL42 48-() ()	1,026.	1,046.	1,083.	1,134.	1,168.	1,220.	1,254.


Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,257.	1,277.	1,315.	1,366.	1,400.	1,453.	1,487.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,257.	1,277.	1,315.	1,366.	1,400.	1,453.	1,487.
	24"	42"	R3B1TFL42 24-() ()	1,283.	1,303.	1,341.	1,392.	1,426.	1,479.	1,513.
	30"	42"	R3B1TFL42 30-() ()	1,347.	1,367.	1,405.	1,456.	1,490.	1,543.	1,577.
	36"	42"	R3B1TFL42 36-() ()	1,576.	1,596.	1,634.	1,685.	1,719.	1,772.	1,806.
	42"	42"	R3B1TFL42 42-() ()	1,694.	1,714.	1,752.	1,803.	1,837.	1,890.	1,924.
	48"	42"	R3B1TFL42 48-() ()	1,750.	1,770.	1,808.	1,859.	1,893.	1,946.	1,980.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	42" h add per panel:
B Tile divider, black reveal	i) tile 1A bottom	\$25 for 18w and 20w
W281 Fabric - Side 1A	ii) tile 1B middle	\$28 for 24w and 30w
W281 Fabric - Side 1B	iii) tile 1C top	\$34 for 36w and 42w
W281 Fabric - Side 1C	6. Laminate side, finish (specify selection per insert)	\$42 for 48w
114 Folkstone grey - side 2A	i) tile 2A bottom	<i>6" Raceway option increases panel height by 2 3/4".</i>
114 Folkstone grey - side 2B	ii) tile 2B middle	Applicable finishes are listed on page 5 and 6.
114 Folkstone grey - side 2C	iii) tile 2C top	Product on this page will accept woodgrain laminate where laminate is currently an option.
V316 Maple (top trim finish)	7. Top trim finish	
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 42" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18- () ()	\$790.	\$810.	\$853.	\$905.	\$939.	\$996.	\$1,031.
Regular acoustics	20"	42"	R3B0TF142 20- () ()	790.	810.	853.	905.	939.	996.	1,031.
	24"	42"	R3B0TF142 24- () ()	843.	863.	906.	958.	992.	1,049.	1,084.
	30"	42"	R3B0TF142 30- () ()	899.	919.	962.	1,014.	1,048.	1,105.	1,140.
	36"	42"	R3B0TF142 36- () ()	950.	970.	1,013.	1,065.	1,099.	1,156.	1,191.
	42"	42"	R3B0TF142 42- () ()	1,062.	1,082.	1,125.	1,177.	1,211.	1,268.	1,303.
	48"	42"	R3B0TF142 48- () ()	1,111.	1,131.	1,174.	1,226.	1,260.	1,317.	1,352.

Tiled, fabric one side	18"	42"	R3B1TF142 18- () ()	1,353.	1,373.	1,416.	1,468.	1,502.	1,559.	1,594.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20- () ()	1,353.	1,373.	1,416.	1,468.	1,502.	1,559.	1,594.
	24"	42"	R3B1TF142 24- () ()	1,379.	1,399.	1,442.	1,494.	1,528.	1,585.	1,620.
	30"	42"	R3B1TF142 30- () ()	1,446.	1,466.	1,509.	1,561.	1,595.	1,652.	1,687.
	36"	42"	R3B1TF142 36- () ()	1,689.	1,709.	1,752.	1,804.	1,838.	1,895.	1,930.
	42"	42"	R3B1TF142 42- () ()	1,821.	1,841.	1,884.	1,936.	1,970.	2,027.	2,062.
	48"	42"	R3B1TF142 48- () ()	1,883.	1,903.	1,946.	1,998.	2,032.	2,089.	2,124.

Order Code	Specification Information
Example: R3B0TF14218-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
42	42" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame


Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
4. <i>Extruded aluminum tile divider:</i> (fabric side always black) Optional for non fabric side only 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
6" Raceway option increases panel height by 2 3/4".
Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277).
Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 42" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18-() ()	\$804.	\$824.	\$867.	\$919.	\$953.	\$1,010.	\$1,045.
Regular acoustics	20"	42"	R3B0TF242 20-() ()	804.	824.	867.	919.	953.	1,010.	1,045.
	24"	42"	R3B0TF242 24-() ()	857.	877.	920.	972.	1,006.	1,063.	1,098.
	30"	42"	R3B0TF242 30-() ()	914.	934.	977.	1,029.	1,063.	1,120.	1,155.
	36"	42"	R3B0TF242 36-() ()	971.	991.	1,034.	1,086.	1,120.	1,177.	1,212.
	42"	42"	R3B0TF242 42-() ()	1,080.	1,100.	1,143.	1,195.	1,229.	1,286.	1,321.
	48"	42"	R3B0TF242 48-() ()	1,133.	1,153.	1,196.	1,248.	1,282.	1,339.	1,374.

Tiled, fabric one side	18"	42"	R3B1TF242 18-() ()	1,377.	1,397.	1,440.	1,492.	1,526.	1,583.	1,618.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20-() ()	1,377.	1,397.	1,440.	1,492.	1,526.	1,583.	1,618.
	24"	42"	R3B1TF242 24-() ()	1,403.	1,423.	1,466.	1,518.	1,552.	1,609.	1,644.
	30"	42"	R3B1TF242 30-() ()	1,473.	1,493.	1,536.	1,588.	1,622.	1,679.	1,714.
	36"	42"	R3B1TF242 36-() ()	1,724.	1,744.	1,787.	1,839.	1,873.	1,930.	1,965.
	42"	42"	R3B1TF242 42-() ()	1,855.	1,875.	1,918.	1,970.	2,004.	2,061.	2,096.
	48"	42"	R3B1TF242 48-() ()	1,918.	1,938.	1,981.	2,033.	2,067.	2,124.	2,159.

Order Code

Example: R3B0TF24218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F2 Fabric one side, V2 other
42 42" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
V316 Maple surface - side 2 tiled
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
6. Conventional veneer, finish (specify one V2 finish for side)
7. Top trim finish
 - i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only (fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 42" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$1,072.	\$1,092.	\$1,135.	\$1,187.	\$1,221.	\$1,278.	\$1,313.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	1,072.	1,092.	1,135.	1,187.	1,221.	1,278.	1,313.
	24"	42"	R3B0TF342 24-() ()	1,142.	1,162.	1,205.	1,257.	1,291.	1,348.	1,383.
	30"	42"	R3B0TF342 30-() ()	1,220.	1,240.	1,283.	1,335.	1,369.	1,426.	1,461.
	36"	42"	R3B0TF342 36-() ()	1,296.	1,316.	1,359.	1,411.	1,445.	1,502.	1,537.
	42"	42"	R3B0TF342 42-() ()	1,443.	1,463.	1,506.	1,558.	1,592.	1,649.	1,684.
	48"	42"	R3B0TF342 48-() ()	1,516.	1,536.	1,579.	1,631.	1,665.	1,722.	1,757.

Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	1,846.	1,866.	1,909.	1,961.	1,995.	2,052.	2,087.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	1,846.	1,866.	1,909.	1,961.	1,995.	2,052.	2,087.
	24"	42"	R3B1TF342 24-() ()	1,881.	1,901.	1,944.	1,996.	2,030.	2,087.	2,122.
	30"	42"	R3B1TF342 30-() ()	1,973.	1,993.	2,036.	2,088.	2,122.	2,179.	2,214.
	36"	42"	R3B1TF342 36-() ()	2,314.	2,334.	2,377.	2,429.	2,463.	2,520.	2,555.
	42"	42"	R3B1TF342 42-() ()	2,488.	2,508.	2,551.	2,603.	2,637.	2,694.	2,729.
	48"	42"	R3B1TF342 48-() ()	2,574.	2,594.	2,637.	2,689.	2,723.	2,780.	2,815.

Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile:
B0 No Beltway	2. Base height	A = Flat
T Tiled panel	3. Knockout option	B = Square
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	C = Bullnose
42 42" high	4. Tile divider	E = Extruded Aluminum
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	2. Base height:
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	4 = 4" base height
4 4" base height	i) tile 1A bottom	6 = 6" base height (add \$47 per panel for this option)
K Include knockouts in base	ii) tile 1B middle	4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	iii) tile 1C top	42" h add per panel:
W281 Fabric - Side 1A	6. Exotic veneer, finish (specify one V3 finish for side)	\$25 for 18w and 20w
W281 Fabric - Side 1B	7. Top trim finish	\$28 for 24w and 30w
W281 Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$34 for 36w and 42w
V512 Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$42 for 48w
V512 Figured Anigre (top trim finish)	8. Base finish	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	9. Beltway finish	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Tiled panels 42" H


Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	42"	R3B0TLL4218() ()	\$890.
	20"	42"	R3B0TLL4220() ()	890.
	24"	42"	R3B0TLL4224() ()	971.
	30"	42"	R3B0TLL4230() ()	1,086.
	36"	42"	R3B0TLL4236() ()	1,173.
	42"	42"	R3B0TLL4242() ()	1,209.
	48"	42"	R3B0TLL4248() ()	1,244.

Order Code	Specification Information	Application Notes	
Example: R3B0TLL4218-A4K R3 Reff Generation 3 B0 No Beltway T Tiled panel LL Laminate both sides 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base B Tile divider, black reveal 118 Laminate - side 1A 118 Laminate - side 1B 118 Laminate - side 1C 118 Laminate - side 2A 118 Laminate - side 2B 118 Laminate - side 2C V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) 5. Laminate side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top 6. Laminate, finish 7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver 8. Base finish 9. Beltway finish 10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277). Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 49" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B0TFF49 18-() ()	\$755.	\$803.	\$899.	\$1,001.	\$1,085.	\$1,223.	\$1,301.
Regular acoustics	20"	49"	R3B0TFF49 20-() ()	755.	803.	899.	1,001.	1,085.	1,223.	1,301.
	24"	49"	R3B0TFF49 24-() ()	807.	855.	951.	1,053.	1,137.	1,275.	1,353.
	30"	49"	R3B0TFF49 30-() ()	869.	916.	1,012.	1,114.	1,198.	1,336.	1,414.
	36"	49"	R3B0TFF49 36-() ()	925.	973.	1,069.	1,171.	1,255.	1,393.	1,471.
	42"	49"	R3B0TFF49 42-() ()	1,045.	1,093.	1,189.	1,291.	1,375.	1,513.	1,591.
	48"	49"	R3B0TFF49 48-() ()	1,103.	1,151.	1,247.	1,349.	1,433.	1,571.	1,649.

Tiled, fabric both sides	18"	49"	R3B0TAA49 18-() ()	827.	875.	971.	1,073.	1,157.	1,295.	1,373.
High acoustics	20"	49"	R3B0TAA49 20-() ()	827.	875.	971.	1,073.	1,157.	1,295.	1,373.
	24"	49"	R3B0TAA49 24-() ()	884.	932.	1,028.	1,130.	1,214.	1,352.	1,430.
	30"	49"	R3B0TAA49 30-() ()	955.	1,003.	1,099.	1,201.	1,285.	1,423.	1,501.
	36"	49"	R3B0TAA49 36-() ()	1,016.	1,064.	1,160.	1,262.	1,346.	1,484.	1,562.
	42"	49"	R3B0TAA49 42-() ()	1,146.	1,194.	1,290.	1,392.	1,476.	1,614.	1,692.
	48"	49"	R3B0TAA49 48-() ()	1,213.	1,261.	1,357.	1,459.	1,543.	1,681.	1,759.

Order Code	Specification Information
Example: R3B0TFF4918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame


Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top
5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top
6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
6" Raceway option increases panel height by 2 ³ / ₄ ".
Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 49" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B1TFF49 18-() ()	\$1,247.	\$1,295.	\$1,388.	\$1,493.	\$1,577.	\$1,715.	\$1,793.
Beltway one side	20"	49"	R3B1TFF49 20-() ()	1,247.	1,295.	1,388.	1,493.	1,577.	1,715.	1,793.
	24"	49"	R3B1TFF49 24-() ()	1,272.	1,320.	1,413.	1,518.	1,602.	1,740.	1,818.
	30"	49"	R3B1TFF49 30-() ()	1,340.	1,388.	1,481.	1,586.	1,670.	1,808.	1,886.
	36"	49"	R3B1TFF49 36-() ()	1,605.	1,653.	1,749.	1,851.	1,935.	2,073.	2,151.
	42"	49"	R3B1TFF49 42-() ()	1,733.	1,781.	1,874.	1,979.	2,063.	2,201.	2,279.
	48"	49"	R3B1TFF49 48-() ()	1,794.	1,842.	1,935.	2,040.	2,124.	2,262.	2,340.

Tiled, fabric both sides	18"	49"	R3B2TFF49 18-() ()	1,265.	1,313.	1,403.	1,511.	1,595.	1,733.	1,811.
Beltway two sides	20"	49"	R3B2TFF49 20-() ()	1,265.	1,313.	1,403.	1,511.	1,595.	1,733.	1,811.
	24"	49"	R3B2TFF49 24-() ()	1,294.	1,342.	1,432.	1,540.	1,624.	1,762.	1,840.
	30"	49"	R3B2TFF49 30-() ()	1,365.	1,413.	1,503.	1,611.	1,695.	1,833.	1,911.
	36"	49"	R3B2TFF49 36-() ()	1,633.	1,681.	1,771.	1,879.	1,963.	2,101.	2,179.
	42"	49"	R3B2TFF49 42-() ()	1,763.	1,811.	1,901.	2,009.	2,093.	2,231.	2,309.
	48"	49"	R3B2TFF49 48-() ()	1,830.	1,878.	1,968.	2,076.	2,160.	2,298.	2,376.

Order Code	Specification Information	Application Notes
Example: R3B2TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 with Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	i) tile 2A bottom	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Tiled panels 49" H

fabric one side, laminate opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	49"	R3B0TFL49 18-() ()	\$818.	\$842.	\$884.	\$938.	\$980.	\$1,040.	\$1,079.
	20"	49"	R3B0TFL49 20-() ()	818.	842.	844.	938.	980.	1,040.	1,079.
	24"	49"	R3B0TFL49 24-() ()	865.	889.	931.	985.	1,027.	1,087.	1,126.
	30"	49"	R3B0TFL49 30-() ()	926.	950.	992.	1,046.	1,088.	1,148.	1,187.
	36"	49"	R3B0TFL49 36-() ()	977.	1,001.	1,043.	1,097.	1,139.	1,199.	1,238.
	42"	49"	R3B0TFL49 42-() ()	1,089.	1,113.	1,155.	1,209.	1,251.	1,311.	1,350.
	48"	49"	R3B0TFL49 48-() ()	1,148.	1,172.	1,214.	1,268.	1,310.	1,370.	1,409.




Tiled, fabric one side Beltway one side (fabric side)	18"	49"	R3B1TFL49 18-() ()	1,298.	1,322.	1,366.	1,418.	1,460.	1,523.	1,568.
	20"	49"	R3B1TFL49 20-() ()	1,298.	1,322.	1,366.	1,418.	1,460.	1,523.	1,568.
	24"	49"	R3B1TFL49 24-() ()	1,324.	1,348.	1,392.	1,444.	1,486.	1,549.	1,588.
	30"	49"	R3B1TFL49 30-() ()	1,390.	1,414.	1,453.	1,510.	1,552.	1,615.	1,654.
	36"	49"	R3B1TFL49 36-() ()	1,643.	1,667.	1,711.	1,763.	1,805.	1,868.	1,907.
	42"	49"	R3B1TFL49 42-() ()	1,764.	1,788.	1,832.	1,884.	1,926.	1,989.	2,028.
	48"	49"	R3B1TFL49 48-() ()	1,830.	1,854.	1,898.	1,950.	1,998.	2,055.	2,094.




Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
FL Fabric one side. laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
49 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
18 18" wide	6. Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
4 4" base height	8. Base finish	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page will accept woodgrain laminate where laminate is currently an option.
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18- () ()	\$883.	\$907.	\$958.	\$1,009.	\$1,051.	\$1,120.	\$1,159.
Regular acoustics	20"	49"	R3B0TF149 20- () ()	883.	907.	958.	1,009.	1,051.	1,120.	1,159.
	24"	49"	R3B0TF149 24- () ()	938.	962.	1,013.	1,064.	1,106.	1,175.	1,214.
	30"	49"	R3B0TF149 30- () ()	1,002.	1,026.	1,077.	1,128.	1,170.	1,239.	1,278.
	36"	49"	R3B0TF149 36- () ()	1,062.	1,086.	1,137.	1,188.	1,230.	1,299.	1,338.
	42"	49"	R3B0TF149 42- () ()	1,188.	1,212.	1,263.	1,314.	1,356.	1,425.	1,464.
	48"	49"	R3B0TF149 48- () ()	1,244.	1,268.	1,319.	1,370.	1,412.	1,481.	1,520.


Tiled, fabric one side	18"	49"	R3B1TF149 18- () ()	1,393.	1,417.	1,468.	1,519.	1,561.	1,630.	1,669.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20- () ()	1,393.	1,417.	1,468.	1,519.	1,561.	1,630.	1,669.
	24"	49"	R3B1TF149 24- () ()	1,425.	1,449.	1,500.	1,551.	1,593.	1,662.	1,701.
	30"	49"	R3B1TF149 30- () ()	1,494.	1,518.	1,569.	1,620.	1,662.	1,731.	1,770.
	36"	49"	R3B1TF149 36- () ()	1,769.	1,793.	1,844.	1,895.	1,937.	2,006.	2,045.
	42"	49"	R3B1TF149 42- () ()	1,900.	1,924.	1,975.	2,026.	2,068.	2,137.	2,176.
	48"	49"	R3B1TF149 48- () ()	1,966.	1,990.	2,041.	2,092.	2,134.	2,203.	2,242.

Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i> 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
49 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18-() ()	\$902.	\$926.	\$977.	\$1,028.	\$1,070.	\$1,139.	\$1,178.
Regular acoustics	20"	49"	R3B0TF249 20-() ()	902.	926.	977.	1,028.	1,070.	1,139.	1,178.
	24"	49"	R3B0TF249 24-() ()	956.	980.	1,031.	1,082.	1,124.	1,193.	1,232.
	30"	49"	R3B0TF249 30-() ()	1,026.	1,050.	1,101.	1,152.	1,194.	1,263.	1,302.
	36"	49"	R3B0TF249 36-() ()	1,082.	1,106.	1,157.	1,208.	1,250.	1,319.	1,358.
	42"	49"	R3B0TF249 42-() ()	1,205.	1,229.	1,280.	1,331.	1,373.	1,442.	1,481.
	48"	49"	R3B0TF249 48-() ()	1,268.	1,292.	1,343.	1,394.	1,436.	1,505.	1,544.



Tiled, fabric one side	18"	49"	R3B1TF249 18-() ()	1,421.	1,445.	1,496.	1,547.	1,589.	1,658.	1,697.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20-() ()	1,421.	1,445.	1,496.	1,547.	1,589.	1,658.	1,697.
	24"	49"	R3B1TF249 24-() ()	1,451.	1,475.	1,526.	1,577.	1,619.	1,688.	1,727.
	30"	49"	R3B1TF249 30-() ()	1,521.	1,545.	1,596.	1,647.	1,689.	1,758.	1,797.
	36"	49"	R3B1TF249 36-() ()	1,798.	1,822.	1,873.	1,924.	1,966.	2,035.	2,074.
	42"	49"	R3B1TF249 42-() ()	1,933.	1,957.	2,008.	2,059.	2,101.	2,170.	2,209.
	48"	49"	R3B1TF249 48-() ()	2,002.	2,026.	2,077.	2,128.	2,170.	2,239.	2,278.



Order Code	Specification Information	Application Notes
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
W281 Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1C	6. Conventional veneer, finish (specify one V2 finish for side)	\$34 for 36w and 42w
V316 Maple surface - side 2 tiled	7. Top trim finish	\$42 for 48w
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	<i>6" Raceway option increases panel height by 2 3/4".</i>
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 49" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-() ()	\$1,200.	\$1,224.	\$1,275.	\$1,326.	\$1,368.	\$1,437.	\$1,476.
Regular acoustics	20"	49"	R3B0TF349 20-() ()	1,200.	1,224.	1,275.	1,326.	1,368.	1,437.	1,476.
	24"	49"	R3B0TF349 24-() ()	1,273.	1,297.	1,348.	1,399.	1,441.	1,510.	1,549.
	30"	49"	R3B0TF349 30-() ()	1,368.	1,392.	1,443.	1,494.	1,536.	1,605.	1,644.
	36"	49"	R3B0TF349 36-() ()	1,444.	1,468.	1,519.	1,570.	1,612.	1,681.	1,720.
	42"	49"	R3B0TF349 42-() ()	1,610.	1,634.	1,685.	1,736.	1,778.	1,847.	1,886.
	48"	49"	R3B0TF349 48-() ()	1,693.	1,717.	1,768.	1,819.	1,861.	1,930.	1,969.


Tiled, fabric one side	18"	49"	R3B1TF349 18-() ()	1,901.	1,925.	1,976.	2,027.	2,069.	2,138.	2,177.
Beltway fabric side	20"	49"	R3B1TF349 20-() ()	1,901.	1,925.	1,976.	2,027.	2,069.	2,138.	2,177.
	24"	49"	R3B1TF349 24-() ()	1,942.	1,966.	2,017.	2,068.	2,110.	2,179.	2,218.
	30"	49"	R3B1TF349 30-() ()	2,036.	2,060.	2,111.	2,162.	2,204.	2,273.	2,312.
	36"	49"	R3B1TF349 36-() ()	2,412.	2,436.	2,487.	2,538.	2,580.	2,649.	2,688.
	42"	49"	R3B1TF349 42-() ()	2,594.	2,618.	2,669.	2,720.	2,762.	2,831.	2,870.
	48"	49"	R3B1TF349 48-() ()	2,688.	2,712.	2,763.	2,814.	2,856.	2,925.	2,964.

Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
K Include knockouts in base	ii) tile 1B middle	49" h add per panel:
B Tile divider, black reveal	iii) tile 1C top	\$25 for 18w and 20w
W281 Fabric - Side 1A	6. Exotic veneer, finish (specify one V3 finish for side)	\$28 for 24w and 30w
W281 Fabric - Side 1B	7. Top trim finish	\$34 for 36w and 42w
W281 Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$42 for 48w
V512 Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
V512 Figured Anigre (top trim finish)	8. Base finish	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	9. Beltway finish, for panels with Beltway	
M Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	49"	R3B0TLL4918() ()	\$930.
	20"	49"	R3B0TLL4920() ()	930.
	24"	49"	R3B0TLL4924() ()	1,013.
	30"	49"	R3B0TLL4930() ()	1,135.
	36"	49"	R3B0TLL4936() ()	1,226.
	42"	49"	R3B0TLL4942() ()	1,263.
	48"	49"	R3B0TLL4948() ()	1,301.



Order Code

Example:	R3B0TLL4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

- To order please specify pattern number including:*
1. Top trim profile
 2. Base height
 3. Knockout option
(K = with knockouts, N = without knockouts)
 4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 5. Laminate side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
 6. Laminate, finish
 7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 8. Base finish
 9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
 4. *Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
49"h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w
- Applicable finishes are listed on page 5 and 6.
- Product on this page will accept woodgrain laminate where laminate is currently an option.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 64" H


fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()	\$863.	\$927.	\$1,055.	\$1,191.	\$1,303.	\$1,487.	\$1,591.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()	863.	927.	1,055.	1,191.	1,303.	1,487.	1,591.
	24"	64"	R3B0TFF64 24-() ()	926.	990.	1,118.	1,254.	1,366.	1,550.	1,654.
	30"	64"	R3B0TFF64 30-() ()	994.	1,058.	1,186.	1,322.	1,434.	1,618.	1,722.
	36"	64"	R3B0TFF64 36-() ()	1,052.	1,116.	1,244.	1,380.	1,492.	1,676.	1,780.
	42"	64"	R3B0TFF64 42-() ()	1,204.	1,268.	1,396.	1,532.	1,644.	1,828.	1,932.
	48"	64"	R3B0TFF64 48-() ()	1,264.	1,338.	1,456.	1,592.	1,704.	1,888.	1,992.

Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()	945.	1,009.	1,137.	1,273.	1,385.	1,569.	1,673.
High acoustics	20"	64"	R3B0TAA64 20-() ()	945.	1,009.	1,137.	1,273.	1,385.	1,569.	1,673.
	24"	64"	R3B0TAA64 24-() ()	1,013.	1,077.	1,205.	1,341.	1,453.	1,637.	1,741.
	30"	64"	R3B0TAA64 30-() ()	1,090.	1,154.	1,282.	1,418.	1,530.	1,714.	1,818.
	36"	64"	R3B0TAA64 36-() ()	1,162.	1,226.	1,354.	1,490.	1,602.	1,786.	1,890.
	42"	64"	R3B0TAA64 42-() ()	1,323.	1,387.	1,515.	1,651.	1,763.	1,947.	2,051.
	48"	64"	R3B0TAA64 48-() ()	1,395.	1,459.	1,587.	1,723.	1,835.	2,019.	2,123.

Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	iv) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	i) tile 2A bottom	
W281 Fabric - Side 1C	ii) tile 2B middle	
W281 Fabric - Side 2A	iii) tile 2C middle	
W281 Fabric - Side 2B	iv) tile 2D top	
W281 Fabric - Side 2C	6. Top trim finish	
V316 Maple (top trim finish)	i) Top trim profile A,B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

Tiled panels 64" H fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18-() ()	\$1,350.	\$1,414.	\$1,539.	\$1,678.	\$1,790.	\$1,974.	\$2,078.
Beltway one side	20"	64"	R3B1TFF64 20-() ()	1,350.	1,414.	1,539.	1,678.	1,790.	1,974.	2,078.
	24"	64"	R3B1TFF64 24-() ()	1,419.	1,483.	1,608.	1,747.	1,859.	2,043.	2,147.
	30"	64"	R3B1TFF64 30-() ()	1,454.	1,518.	1,643.	1,782.	1,894.	2,078.	2,182.
	36"	64"	R3B1TFF64 36-() ()	1,787.	1,851.	1,976.	2,115.	2,227.	2,411.	2,515.
	42"	64"	R3B1TFF64 42-() ()	1,919.	1,983.	2,108.	2,247.	2,359.	2,543.	2,647.
	48"	64"	R3B1TFF64 48-() ()	1,987.	2,051.	2,176.	2,315.	2,427.	2,611.	2,715.

Tiled, fabric both sides	18"	64"	R3B2TFF64 18-() ()	1,371.	1,435.	1,557.	1,699.	1,811.	1,995.	2,099.
Beltway two sides	20"	64"	R3B2TFF64 20-() ()	1,371.	1,435.	1,557.	1,699.	1,811.	1,995.	2,099.
	24"	64"	R3B2TFF64 24-() ()	1,442.	1,506.	1,628.	1,770.	1,882.	2,066.	2,170.
	30"	64"	R3B2TFF64 30-() ()	1,478.	1,542.	1,664.	1,806.	1,918.	2,102.	2,206.
	36"	64"	R3B2TFF64 36-() ()	1,818.	1,882.	2,004.	2,146.	2,258.	2,442.	2,546.
	42"	64"	R3B2TFF64 42-() ()	1,949.	2,013.	2,135.	2,277.	2,389.	2,573.	2,677.
	48"	64"	R3B2TFF64 48-() ()	2,022.	2,086.	2,208.	2,350.	2,462.	2,646.	2,750.

Order Code

Example: R3B1TFF6418-A4K
R3 Reff Generation 3
B1 Beltway one side
T Tiled panel
FF Fabric on both sides
64 64" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
W281 Fabric - Side 1D
W281 Fabric - Side 2A
W281 Fabric - Side 2B
W281 Fabric - Side 2C
W281 Fabric - Side 2D
V316 Maple (top trim finish)
111 Jet Black (base finish)
111 Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle

6. Top trim finish
 - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum

2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-() ()	\$952.	\$984.	\$1,040.	\$1,112.	\$1,168.	\$1,248.	\$1,300.
Regular acoustics	20"	64"	R3B0TFL64 20-() ()	952.	984.	1,040.	1,112.	1,168.	1,248.	1,300.
	24"	64"	R3B0TFL64 24-() ()	1,008.	1,040.	1,096.	1,168.	1,224.	1,304.	1,356.
	30"	64"	R3B0TFL64 30-() ()	1,076.	1,108.	1,164.	1,236.	1,292.	1,372.	1,424.
	36"	64"	R3B0TFL64 36-() ()	1,137.	1,169.	1,225.	1,297.	1,353.	1,433.	1,485.
	42"	64"	R3B0TFL64 42-() ()	1,278.	1,310.	1,366.	1,438.	1,494.	1,574.	1,626.
	48"	64"	R3B0TFL64 48-() ()	1,339.	1,371.	1,427.	1,499.	1,555.	1,635.	1,687.


Tiled, fabric one side	18"	64"	R3B1TFL64 18-() ()	1,429.	1,461.	1,520.	1,589.	1,645.	1,729.	1,781.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-() ()	1,429.	1,461.	1,520.	1,589.	1,645.	1,729.	1,781.
	24"	64"	R3B1TFL64 24-() ()	1,498.	1,530.	1,589.	1,658.	1,714.	1,798.	1,850.
	30"	64"	R3B1TFL64 30-() ()	1,530.	1,562.	1,621.	1,690.	1,746.	1,830.	1,882.
	36"	64"	R3B1TFL64 36-() ()	1,856.	1,888.	1,947.	2,016.	2,072.	2,156.	2,208.
	42"	64"	R3B1TFL64 42-() ()	1,980.	2,012.	2,071.	2,140.	2,196.	2,280.	2,332.
	48"	64"	R3B1TFL64 48-() ()	2,046.	2,078.	2,137.	2,206.	2,262.	2,346.	2,398.

Order Code	Specification Information	Application Notes
Example: R3B0TFL6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
64 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	
18 18" wide	6. Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D top	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
W281 Fabric - Side 1B		2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
W281 Fabric - Side 1C		4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
114 Folkstone grey - side 2A		6" Raceway option increases panel height by 2 3/4".
114 Folkstone grey - side 2B		Applicable finishes are listed on page 5 and 6.
114 Folkstone grey - side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Tiled panels 64" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-() ()	\$1,032.	\$1,064.	\$1,132.	\$1,200.	\$1,256.	\$1,348.	\$1,400.
Regular acoustics	20"	64"	R3B0TF164 20-() ()	1,032.	1,064.	1,132.	1,200.	1,256.	1,348.	1,400.
	24"	64"	R3B0TF164 24-() ()	1,094.	1,126.	1,194.	1,262.	1,318.	1,410.	1,462.
	30"	64"	R3B0TF164 30-() ()	1,168.	1,200.	1,268.	1,336.	1,392.	1,484.	1,536.
	36"	64"	R3B0TF164 36-() ()	1,231.	1,263.	1,331.	1,399.	1,455.	1,547.	1,599.
	42"	64"	R3B0TF164 42-() ()	1,387.	1,419.	1,487.	1,555.	1,611.	1,703.	1,755.
	48"	64"	R3B0TF164 48-() ()	1,451.	1,483.	1,551.	1,619.	1,675.	1,767.	1,819.



Tiled, fabric one side	18"	64"	R3B1TF164 18-() ()	1,535.	1,567.	1,635.	1,703.	1,759.	1,851.	1,903.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-() ()	1,535.	1,577.	1,635.	1,703.	1,759.	1,851.	1,903.
	24"	64"	R3B1TF164 24-() ()	1,609.	1,641.	1,709.	1,777.	1,833.	1,925.	1,977.
	30"	64"	R3B1TF164 30-() ()	1,644.	1,676.	1,744.	1,812.	1,868.	1,960.	2,012.
	36"	64"	R3B1TF164 36-() ()	1,993.	2,025.	2,093.	2,161.	2,217.	2,309.	2,361.
	42"	64"	R3B1TF164 42-() ()	2,126.	2,158.	2,226.	2,294.	2,350.	2,442.	2,494.
	48"	64"	R3B1TF164 48-() ()	2,203.	2,235.	2,303.	2,371.	2,427.	2,519.	2,571.



Order Code	Specification Information	Application Notes
Example: R3B0TF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Optional for non fabric side only
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	(fabric side always black)
W281 Fabric - Side 1A	i) tile 1A bottom	64" h add per panel:
W281 Fabric - Side 1B	ii) tile 1B middle	\$39 for 18w and 20w
W281 Fabric - Side 1C	iii) tile 1C middle	\$43 for 24w and 30w
Y328 Mahogany - side 2 tiled	iv) tile 1D top	\$48 for 36w and 42w
V316 Maple (top trim finish)	6. Techwood side, finish (specify one V1 finish for side)	\$64 for 48w
111 Jet Black (base finish)	7. Top trim finish	<i>6" Raceway option increases panel height by 2 3/4".</i>
M Optional milled frame	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 64" H

fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18-() ()	\$1,051.	\$1,083.	\$1,151.	\$1,219.	\$1,275.	\$1,367.	\$1,419.
Regular acoustics	20"	64"	R3B0TF264 20-() ()	1,051.	1,083.	1,151.	1,219.	1,275.	1,367.	1,419.
	24"	64"	R3B0TF264 24-() ()	1,113.	1,145.	1,213.	1,281.	1,337.	1,429.	1,481.
	30"	64"	R3B0TF264 30-() ()	1,185.	1,217.	1,285.	1,353.	1,409.	1,501.	1,553.
	36"	64"	R3B0TF264 36-() ()	1,253.	1,285.	1,353.	1,421.	1,477.	1,569.	1,621.
	42"	64"	R3B0TF264 42-() ()	1,410.	1,442.	1,510.	1,578.	1,634.	1,726.	1,778.
	48"	64"	R3B0TF264 48-() ()	1477'	1,509.	1,577.	1,645.	1,701.	1,793.	1,845.


Tiled, fabric one side	18"	64"	R3B1TF264 18-() ()	1,563.	1,595.	1,663.	1,731.	1,787.	1,879.	1,931.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20-() ()	1,563.	1,595.	1,663.	1,731.	1,787.	1,879.	1,931.
	24"	64"	R3B1TF264 24-() ()	1,639.	1,671.	1,739.	1,807.	1,863.	1,955.	2,007.
	30"	64"	R3B1TF264 30-() ()	1,674.	1,706.	1,774.	1,842.	1,898.	1,990.	2,042.
	36"	64"	R3B1TF264 36-() ()	2,032.	2,064.	2,132.	2,200.	2,256.	2,348.	2,400.
	42"	64"	R3B1TF264 42-() ()	2,167.	2,199.	2,267.	2,335.	2,391.	2,483.	2,535.
	48"	64"	R3B1TF264 48-() ()	2,236.	2,268.	2,336.	2,404.	2,460.	2,552.	2,604.

Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	6" raceway option increases panel height by 2 3/4".
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	64" h add per panel:
W281 Fabric - Side 1A	i) tile 1A bottom	\$39 for 18w and 20w
W281 Fabric - Side 1B	ii) tile 1B middle	\$43 for 24w and 30w
W281 Fabric - Side 1C	iii) tile 1C middle	\$48 for 36w and 42w
W281 Fabric - Side 1D	iv) tile 1D top	\$64 for 48w
V316 Maple surface - side 2 tiled	6. Conventional veneer, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	7. Top trim finish	
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-() ()	\$1,397.	\$1,429.	\$1,497.	\$1,565.	\$1,621.	\$1,713.	\$1,765.
Regular acoustics	20"	64"	R3B0TF364 20-() ()	1,397.	1,429.	1,497.	1,565.	1,621.	1,713.	1,765.
	24"	64"	R3B0TF364 24-() ()	1,479.	1,511.	1,579.	1,647.	1,703.	1,795.	1,847.
	30"	64"	R3B0TF364 30-() ()	1,577.	1,609.	1,677.	1,745.	1,801.	1,893.	1,945.
	36"	64"	R3B0TF364 36-() ()	1,671.	1,703.	1,771.	1,839.	1,895.	1,987.	2,039.
	42"	64"	R3B0TF364 42-() ()	1,883.	1,915.	1,983.	2,051.	2,107.	2,199.	2,251.
	48"	64"	R3B0TF364 48-() ()	1,970.	2,002.	2,070.	2,138.	2,194.	2,286.	2,338.

Tiled, fabric one side	18"	64"	R3B1TF364 18-() ()	2,089.	2,121.	2,189.	2,257.	2,313.	2,405.	2,457.
Beltway fabric side	20"	64"	R3B1TF364 20-() ()	2,089.	2,121.	2,189.	2,257.	2,313.	2,405.	2,457.
	24"	64"	R3B1TF364 24-() ()	2,193.	2,225.	2,293.	2,361.	2,417.	2,509.	2,561.
	30"	64"	R3B1TF364 30-() ()	2,236.	2,268.	2,336.	2,404.	2,460.	2,552.	2,604.
	36"	64"	R3B1TF364 36-() ()	2,720.	2,752.	2,820.	2,888.	2,944.	3,036.	3,088.
	42"	64"	R3B1TF364 42-() ()	2,903.	2,935.	3,003.	3,071.	3,127.	3,219.	3,271.
	48"	64"	R3B1TF364 48-() ()	2,999.	3,031.	3,099.	3,167.	3,223.	3,315.	3,367.

Order Code

Example:	R3B0TF36418-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" raceway option increases panel height by 2 3/4".

4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)
64"h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 64" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	64"	R3B0TLL6418 () ()	\$1,156.
	20"	64"	R3B0TLL6420 () ()	1,156.
	24"	64"	R3B0TLL6424 () ()	1,260.
	30"	64"	R3B0TLL6430 () ()	1,413.
	36"	64"	R3B0TLL6436 () ()	1,525.
	42"	64"	R3B0TLL6442 () ()	1,571.
	48"	64"	R3B0TLL6448 () ()	1,634.




Order Code	Specification Information	Application Notes
Example: R3B0TLL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B0 No Beltway		B = Square
T Tiled panel		C = Bullnose
LL Laminate both sides		E = Extruded Aluminum
64 64" high		<i>2. Base height:</i>
18 18" wide		4 = 4" base height
A Flat style top trim profile		6 = 6" base height (add \$47 per panel for this option)
4 4" base height		<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base		Optional for non fabric side only
B Tile divider, black reveal		(fabric side always black)
118 Laminate - side 1A		64"h add per panel:
118 Laminate - side 1B		\$39 for 18w and 20w
118 Laminate - side 1C		\$43 for 24w and 30w
118 Laminate - side 1D		\$48 for 36w and 42w
118 Laminate - side 2A		\$64 for 48w
118 Laminate - side 2B		Applicable finishes are listed on page 5 and 6.
118 Laminate - side 2C		Product on this page will accept woodgrain laminate where laminate is currently an option.
118 Laminate - side 2D		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Tiled panels 79" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18-() ()	\$1,074.	\$154.	\$1,314.	\$1,484.	\$1,624.	\$1,854.	\$1,984.
Regular acoustics	20"	79"	R3B0TFF79 20-() ()	1,074.	1,154.	1,314.	1,484.	1,624.	1,854.	1,984.
	24"	79"	R3B0TFF79 24-() ()	1,142.	1,222.	1,382.	1,552.	1,692.	1,922.	2,052.
	30"	79"	R3B0TFF79 30-() ()	1,209.	1,289.	1,449.	1,619.	1,759.	1,989.	2,119.
	36"	79"	R3B0TFF79 36-() ()	1,278.	1,358.	1,518.	1,688.	1,828.	2,058.	2,188.
	42"	79"	R3B0TFF79 42-() ()	1,452.	1,532.	1,692.	1,862.	2,002.	2,232.	2,362.
	48"	79"	R3B0TFF79 48-() ()	1,526.	1,606.	1,766.	1,936.	2,076.	2,306.	2,436.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18-() ()	1,175.	1,255.	1,415.	1,585.	1,725.	1,955.	2,085.
High acoustics	20"	79"	R3B0TAA79 20-() ()	1,175.	1,255.	1,415.	1,585.	1,725.	1,955.	2,085.
	24"	79"	R3B0TAA79 24-() ()	1,253.	1,333.	1,493.	1,663.	1,803.	2,033.	2,163.
	30"	79"	R3B0TAA79 30-() ()	1,326.	1,406.	1,566.	1,736.	1,876.	2,106.	2,236.
	36"	79"	R3B0TAA79 36-() ()	1,401.	1,481.	1,641.	1,811.	1,951.	2,181.	2,311.
	42"	79"	R3B0TAA79 42-() ()	1,585.	1,675.	1,835.	2,005.	2,145.	2,375.	2,505.
	48"	79"	R3B0TAA79 48-() ()	1,679.	1,759.	1,919.	2,089.	2,229.	2,459.	2,589.



Order Code

Example: R3B0TFF7918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
 - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle
 - v) tile 2E top

6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
 - 1. Top trim profile: A = Flat, B = Square, C = Bullnose, E = Extruded Aluminum
 - 2. Base height: 4 = 4" base height, 6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 79" H fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18-()()	\$1,400.	\$1,480.	\$1,637.	\$1,810.	\$1,950.	\$2,180.	\$2,310.
Beltway one side	20"	79"	R3B1TFF79 20-()()	1,400.	1,480.	1,637.	1,810.	1,950.	2,180.	2,310.
	24"	79"	R3B1TFF79 24-()()	1,470.	1,550.	1,707.	1,880.	2,020.	2,250.	2,380.
	30"	79"	R3B1TFF79 30-()()	1,503.	1,583.	1,740.	1,913.	2,053.	2,283.	2,413.
	36"	79"	R3B1TFF79 36-()()	1,837.	1,917.	2,074.	2,247.	2,387.	2,617.	2,747.
	42"	79"	R3B1TFF79 42-()()	1,972.	2,052.	2,209.	2,382.	2,522.	2,752.	2,882.
	48"	79"	R3B1TFF79 48-()()	2,037.	2,117.	2,274.	2,447.	2,587.	2,817.	2,947.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18-()()	1,420.	1,500.	1,654.	1,830.	1,970.	2,200.	2,330.
Beltway two sides	20"	79"	R3B2TFF79 20-()()	1,420.	1,500.	1,654.	1,830.	1,970.	2,200.	2,330.
	24"	79"	R3B2TFF79 24-()()	1,493.	1,573.	1,727.	1,903.	2,043.	2,273.	2,403.
	30"	79"	R3B2TFF79 30-()()	1,525.	1,605.	1,759.	1,935.	2,075.	2,305.	2,435.
	36"	79"	R3B2TFF79 36-()()	1,864.	1,944.	2,098.	2,274.	2,414.	2,644.	2,774.
	42"	79"	R3B2TFF79 42-()()	2,001.	2,081.	2,235.	2,411.	2,551.	2,781.	2,911.
	48"	79"	R3B2TFF79 48-()()	2,075.	2,155.	2,309.	2,485.	2,625.	2,855.	2,985.




Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3	1. Top trim profile	6. Top trim finish
B1	2. Base height	i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
T	3. Knockout option (K = with knockouts, N = without knockouts)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
FF	4. Fabric side, finish (specify selection per insert)	7. Base finish
79	i) tile 1A bottom	8. Beltway finish
18	ii) tile 1B middle	
A	iii) tile 1C middle	1. <i>Top trim profile:</i>
4	iv) tile 1D middle	A = Flat
K	v) tile 1E top	B = Square
W281	5. Fabric side, finish (specify selection per insert)	C = Bullnose
W281	i) tile 2A bottom	E = Extruded Aluminum
W281	ii) tile 2B middle	
W281	iii) tile 2C middle	2. <i>Base height:</i>
W281	iv) tile 2D middle	4 = 4" base height
W281	v) tile 2E top	6 = 6" base height (add \$47 per panel for this option)
W281		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281		Applicable finishes are listed on page 5 and 6.
W281		
W281		
W281		
W281		
W281		
W281		
W281		
W281		
W281		
W281		
W281		
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
111	Beltway finish	


Tiled panels 79" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-() ()	\$1,182.	\$1,222.	\$1,292.	\$1,382.	\$1,452.	\$1,552.	\$1,617.
Regular acoustics	20"	79"	R3B0TFL79 20-() ()	1,182.	1,222.	1,292.	1,382.	1,452.	1,552.	1,617.
	24"	79"	R3B0TFL79 24-() ()	1,254.	1,294.	1,364.	1,454.	1,524.	1,624.	1,689.
	30"	79"	R3B0TFL79 30-() ()	1,314.	1,354.	1,424.	1,514.	1,584.	1,684.	1,749.
	36"	79"	R3B0TFL79 36-() ()	1,380.	1,420.	1,490.	1,580.	1,650.	1,750.	1,815.
	42"	79"	R3B0TFL79 42-() ()	1,546.	1,586.	1,656.	1,746.	1,816.	1,916.	1,981.
	48"	79"	R3B0TFL79 48-() ()	1,617.	1,657.	1,727.	1,817.	1,887.	1,987.	2,052.



Tiled, fabric one side	18"	79"	R3B1TFL79 18-() ()	1,509.	1,549.	1,623.	1,709.	1,779.	1,884.	1,949.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-() ()	1,509.	1,549.	1,623.	1,709.	1,779.	1,884.	1,949.
	24"	79"	R3B1TFL79 24-() ()	1,577.	1,617.	1,691.	1,777.	1,847.	1,952.	2,017.
	30"	79"	R3B1TFL79 30-() ()	1,612.	1,652.	1,726.	1,812.	1,882.	1,987.	2,052.
	36"	79"	R3B1TFL79 36-() ()	1,936.	1,976.	2,050.	2,136.	2,206.	2,311.	2,376.
	42"	79"	R3B1TFL79 42-() ()	2,061.	2,101.	2,175.	2,261.	2,331.	2,436.	2,501.
	48"	79"	R3B1TFL79 48-() ()	2,126.	2,166.	2,240.	2,326.	2,396.	2,501.	2,566.



Order Code

Example: R3B0TFL7918-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
FL Fabric one side, laminate other
79 79" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
W281 Fabric - Side 1D
W281 Fabric - Side 1E
114 Folkstone grey - side 2A
114 Folkstone grey - side 2B
114 Folkstone grey - side 2C
114 Folkstone grey - side 2D
114 Folkstone grey - side 2E
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
- Laminate side, finish (specify selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C middle
iv) tile 2D middle
v) tile 2E top
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver

- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:

Optional for non fabric side only (fabric side always black)
79" h add per panel:
\$48 for 18w and 20w
\$57 for 24w and 30w
\$62 for 36w and 42w
\$84 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 79" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,283.	\$1,323.	\$1,408.	\$1,493.	\$1,563.	\$1,678.	\$1,743.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,283.	1,323.	1,408.	1,493.	1,563.	1,678.	1,743.
	24"	79"	R3B0TF179 24-() ()	1,356.	1,396.	1,481.	1,566.	1,636.	1,751.	1,816.
	30"	79"	R3B0TF179 30-() ()	1,425.	1,465.	1,550.	1,635.	1,705.	1,820.	1,885.
	36"	79"	R3B0TF179 36-() ()	1,496.	1,536.	1,621.	1,706.	1,776.	1,891.	1,956.
	42"	79"	R3B0TF179 42-() ()	1,679.	1,719.	1,804.	1,889.	1,959.	2,074.	2,139.
	48"	79"	R3B0TF179 48-() ()	1,757.	1,797.	1,882.	1,967.	2,037.	2,152.	2,217.


Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,622.	1,662.	1,747.	1,832.	1,902.	2,017.	2,082.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,622.	1,662.	1,747.	1,832.	1,902.	2,017.	2,082.
	24"	79"	R3B1TF179 24-() ()	1,696.	1,736.	1,821.	1,906.	1,976.	2,091.	2,156.
	30"	79"	R3B1TF179 30-() ()	1,727.	1,767.	1,852.	1,937.	2,007.	2,122.	2,187.
	36"	79"	R3B1TF179 36-() ()	2,079.	2,119.	2,204.	2,289.	2,359.	2,474.	2,539.
	42"	79"	R3B1TF179 42-() ()	2,215.	2,255.	2,340.	2,425.	2,495.	2,610.	2,675.
	48"	79"	R3B1TF179 48-() ()	2,284.	2,324.	2,409.	2,494.	2,564.	2,679.	2,744.

Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Ref Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
79 79" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D middle <i>v</i>) tile 1E top	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79"h add per panel: \$52 for 18w and 20w \$60 for 24w and 30w \$64 for 36w and 42w \$86 for 48w
A Flat style top trim profile	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	<i>6" Raceway option increases panel height by 2 3/4".</i> Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2A		
Y328 Mahogany - side 2B		
Y328 Mahogany - side 2C		
Y328 Mahogany - side 2D		
Y328 Mahogany - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optimal milled frame		Applicable finishes are listed on page 5 and 6.


Tiled panels 79" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,305.	\$1,345.	\$1,430.	\$1,515.	\$1,585.	\$1,700.	\$1,765.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,305.	1,345.	1,430.	1,515.	1,585.	1,700.	1,765.
	24"	79"	R3B0TF279 24-() ()	1,381.	1,421.	1,506.	1,591.	1,661.	1,776.	1,841.
	30"	79"	R3B0TF279 30-() ()	1,449.	1,489.	1,574.	1,659.	1,729.	1,844.	1,909.
	36"	79"	R3B0TF279 36-() ()	1,522.	1,562.	1,647.	1,732.	1,802.	1,917.	1,982.
	42"	79"	R3B0TF279 42-() ()	1,706.	1,746.	1,831.	1,916.	1,986.	2,101.	2,166.
	48"	79"	R3B0TF279 48-() ()	1,786.	1,826.	1,911.	1,996.	2,066.	2,181.	2,246.




Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	1,651.	1,691.	1,776.	1,861.	1,931.	2,046.	2,111.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	1,651.	1,691.	1,776.	1,861.	1,931.	2,046.	2,111.
	24"	79"	R3B1TF279 24-() ()	1,725.	1,765.	1,850.	1,935.	2,005.	2,120.	2,185.
	30"	79"	R3B1TF279 30-() ()	1,762.	1,802.	1,887.	1,972.	2,042.	2,157.	2,222.
	36"	79"	R3B1TF279 36-() ()	2,118.	2,158.	2,243.	2,328.	2,398.	2,513.	2,578.
	42"	79"	R3B1TF279 42-() ()	2,252.	2,292.	2,377.	2,462.	2,532.	2,647.	2,712.
	48"	79"	R3B1TF279 48-() ()	2,325.	2,365.	2,450.	2,535.	2,605.	2,720.	2,785.




Order Code	Specification Information	Application Notes
Example: R3B0TF27918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F2 Fabric one side, V2 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
79 79" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D middle <i>v</i>) tile 1E top	
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
A Flat style top trim profile	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
V316 Maple - side 2 Tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79" h add per panel: \$52 for 18w and 20w \$60 for 24w and 30w \$64 for 36w and 42w \$86 for 48w	
		The panels on this page will not accept stacking modules.
		6" Raceway option increases panel height by 2 ³ / ₄ ".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
		Applicable finishes are listed on page 5 and 6.

Tiled panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-() ()	\$1,732.	\$1,772.	\$1,857.	\$1,942.	\$2,012.	\$2,127.	\$2,192.
Regular acoustics	20"	79"	R3B0TF379 20-() ()	1,732.	1,772.	1,857.	1,942.	2,012.	2,127.	2,192.
	24"	79"	R3B0TF379 24-() ()	1,835.	1,875.	1,960.	2,045.	2,115.	2,230.	2,295.
	30"	79"	R3B0TF379 30-() ()	1,930.	1,970.	2,055.	2,140.	2,210.	2,325.	2,390.
	36"	79"	R3B0TF379 36-() ()	2,029.	2,069.	2,154.	2,239.	2,309.	2,424.	2,489.
	42"	79"	R3B0TF379 42-() ()	2,277.	2,317.	2,402.	2,487.	2,557.	2,672.	2,737.
	48"	79"	R3B0TF379 48-() ()	2,384.	2,424.	2,509.	2,594.	2,664.	2,779.	2,844.


Tiled, fabric one side	18"	79"	R3B1TF379 18-() ()	2,203.	2,243.	2,328.	2,413.	2,483.	2,598.	2,663.
Beltway fabric side	20"	79"	R3B1TF379 20-() ()	2,203.	2,243.	2,328.	2,413.	2,483.	2,598.	2,663.
	24"	79"	R3B1TF379 24-() ()	2,302.	2,342.	2,427.	2,512.	2,582.	2,697.	2,762.
	30"	79"	R3B1TF379 30-() ()	2,352.	2,392.	2,477.	2,562.	2,632.	2,747.	2,812.
	36"	79"	R3B1TF379 36-() ()	2,832.	2,872.	2,957.	3,042.	3,112.	3,227.	3,292.
	42"	79"	R3B1TF379 42-() ()	3,015.	3,055.	3,140.	3,225.	3,295.	3,410.	3,475.
	48"	79"	R3B1TF379 48-() ()	3,114.	3,154.	3,239.	3,324.	3,394.	3,509.	3,574.

Order Code	Specification Information	Application Notes
Example: R3B0TF37918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black)
K Include knockouts in base	ii) tile 1B middle	79" h add per panel:
B Tile divider, black reveal	iii) tile 1C middle	\$52 for 18w and 20w
W281 Fabric - Side 1A	iv) tile 1D middle	\$60 for 24w and 30w
W281 Fabric - Side 1B	v) tile 1E top	\$64 for 36w and 42w
W281 Fabric - Side 1C	6. Exotic veneer, finish (specify one V3 finish for side)	\$86 for 48w
W281 Fabric - Side 1D	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1E	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
V512 Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
V512 Figured Anigre (top trim finish)	8. Base finish	
111 Jet Black (base finish)	9. Beltway finish, for panels with Beltway	
M Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	79"	R3B0TLL7918 () ()	\$1,350.
	20"	79"	R3B0TLL7920 () ()	1,350.
	24"	79"	R3B0TLL7924 () ()	1,472.
	30"	79"	R3B0TLL7930 () ()	1,649.
	36"	79"	R3B0TLL7936 () ()	1,781.
	42"	79"	R3B0TLL7942 () ()	1,834.
	48"	79"	R3B0TLL7948 () ()	1,927.



Order Code	Specification Information	Application Notes
Example: R3B0TLL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	E = Extruded Aluminum
79 79" high	5. Laminate side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	iv) tile 1D middle	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	v) tile 1E top	79" h add per panel:
118 Laminate - side 1A	6. Laminate, finish	\$52 for 18w and 20w
118 Laminate - side 1B	7. Top trim finish	\$60 for 24w and 30w
118 Laminate - side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$64 for 36w and 42w
118 Laminate - side 1D	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$86 for 48w
118 Laminate - side 1E	8. Base finish	Applicable finishes are listed on page 5 and 6.
118 Laminate - side 2A	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page will accept woodgrain laminate where laminate is currently an option.
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
118 Laminate - side 2E		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	R2APT3418 ()	\$104.	
	20"	34"	R2APT3420 ()	104.	
	24"	34"	R2APT3424 ()	107.	
	30"	34"	R2APT3430 ()	109.	
	36"	34"	R2APT3436 ()	114.	
	42"	34"	R2APT3442 ()	116.	
	48"	34"	R2APT3448 ()	121.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	R2APT4218 ()	160.	
	20"	42"	R2APT4220 ()	160.	
	24"	42"	R2APT4224 ()	165.	
	30"	42"	R2APT4230 ()	167.	
	36"	42"	R2APT4236 ()	176.	
	42"	42"	R2APT4242 ()	182.	
	48"	42"	R2APT4248 ()	190.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	R2APT4918 ()	171.	
	20"	49"	R2APT4920 ()	171.	
	24"	49"	R2APT4924 ()	177.	
	30"	49"	R2APT4930 ()	180.	
	36"	49"	R2APT4936 ()	189.	
	42"	49"	R2APT4942 ()	197.	
	48"	49"	R2APT4948 ()	203.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	R2APT6418 ()	242.	
	20"	64"	R2APT6420 ()	242.	
	24"	64"	R2APT6424 ()	251.	
	30"	64"	R2APT6430 ()	256.	
	36"	64"	R2APT6436 ()	268.	
	42"	64"	R2APT6442 ()	278.	
	48"	64"	R2APT6448 ()	289.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<p>To order specify pattern number including height and width as applicable.</p> <p>1. Specify Finish : Anodized Aluminum or painted excluding silver.</p>	
R2 Reff Generation 2 (AutoStrada Reff)		
A Aluminum		
PT Panels Tiled		
34 Height		
18 Width		
AA Anodized Aluminum		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	R2APT7918 ()	\$313.	
	20"	79"	R2APT7920 ()	313.	
	24"	79"	R2APT7924 ()	323.	
	30"	79"	R2APT7930 ()	329.	
	36"	79"	R2APT7936 ()	348.	
	42"	79"	R2APT7942 ()	359.	
	48"	79"	R2APT7948 ()	377.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	R2ATPK34 ()	69.
	42"	R2ATPK42 ()	87.
	49"	R2ATPK49 ()	99.
	64"	R2ATPK64 ()	137.
	79"	R2ATPK79 ()	171.

Aluminum reveal kit for L post with 4" or 6" h raceway	34"	R2ALPK34 ()	68.
	42"	R2ALPK42 ()	95.
	49"	R2ALPK49 ()	104.
	64"	R2ALPK64 ()	144.
	79"	R2ALPK79 ()	182.

Alum vertical reveal for end trim with 4" or 6" h raceway	34"	R2AETK34 ()	67.
	42"	R2AETK42 ()	82.
	49"	R2AETK49 ()	96.
	64"	R2AETK64 ()	128.
	79"	R2AETK79 ()	161.

for use with generation 2 or 3 installations

Aluminum hookstrip cover condition including stacking modules with 4" or 6" h base raceway	30"	R2AHCR34 ()	67.
	38"	R2AHCR42 ()	82.
	45"	R2AHCR49 ()	96.
	60"	R2AHCR64 ()	128.
	75"	R2AHCR79 ()	161.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<p>To order specify pattern number including height and width as applicable.</p> <p>1. Specify Finish : Anodized Aluminum or painted excluding silver.</p>	
R2 Reff Generation 2 (AutoStrada Reff)		
A Aluminum		
PT Panels Tiled		
34 Height		
18 Width		
AA Anodized Aluminum		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()	\$46.	
	20"		R2AHTR20 ()	46.	
	24"		R2AHTR24 ()	48.	
	30"		R2AHTR30 ()	53.	
	36"		R2AHTR36 ()	57.	
	42"		R2AHTR42 ()	59.	
	48"		R2AHTR48 ()	66.	
horizontal reveal only					
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	40.	
	20"		R2AHWR20 ()	40.	
	24"		R2AHWR24 ()	42.	
	30"		R2AHWR30 ()	43.	
	36"		R2AHWR36 ()	47.	
	42"		R2AHWR42 ()	49.	
	48"		R2AHWR48 ()	55.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	40.	
	20"		R2AHBW20 ()	40.	
	24"		R2AHBW24 ()	42.	
	30"		R2AHBW30 ()	43.	
	36"		R2AHBW36 ()	47.	
	42"		R2AHBW42 ()	49.	
	48"		R2AHBW48 ()	55.	
horizontal reveal only					
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()	40.	
	20"		R2AHSR20 ()	40.	
	24"		R2AHSR24 ()	42.	
	30"		R2AHSR30 ()	43.	
	36"		R2AHSR36 ()	47.	
	42"		R2AHSR42 ()	49.	
	48"		R2AHSR48 ()	55.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i> 1. Specify Finish : Anodized Aluminum or painted excluding silver.	
R2 Reff Generation 2 (AutoStrada Reff)		
A Aluminum		
PT Panels Tiled		
34 Height		
18 Width		
AA Anodized Aluminum		

Beltway one side, window panel 49" H tiled panel with glass type "A" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-() ()	\$1,304.	\$1,336.	\$1,397.	\$1,468.	\$1,524.	\$1,616.	\$1,668.
	20"	49"	R3B1TFFA49 20-() ()	1,304.	1,336.	1,397.	1,468.	1,524.	1,616.	1,668.
	24"	49"	R3B1TFFA49 24-() ()	1,348.	1,380.	1,441.	1,512.	1,568.	1,660.	1,712.
	30"	49"	R3B1TFFA49 30-() ()	1,441.	1,473.	1,534.	1,605.	1,661.	1,753.	1,805.
	36"	49"	R3B1TFFA49 36-() ()	1,735.	1,767.	1,828.	1,899.	1,955.	2,047.	2,099.
	42"	49"	R3B1TFFA49 42-() ()	1,890.	1,922.	1,983.	2,054.	2,110.	2,202.	2,254.
	48"	49"	R3B1TFFA49 48-() ()	1,977.	2,009.	2,070.	2,141.	2,197.	2,289.	2,341.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1A	9. Glass window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1B	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$65 per panel for P3 paint class options.



Beltway one side, window panel 49" H tiled panel with glass type "B" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,554.	\$1,586.	\$1,647.	\$1,718.	\$1,774.	\$1,866.	\$1,918.
	36"	49"	R3B1TFFB49 36-() ()	1,858.	1,890.	1,951.	2,022.	2,078.	2,170.	2,222.
	42"	49"	R3B1TFFB49 42-() ()	2,012.	2,044.	2,105.	2,176.	2,232.	2,324.	2,376.
	48"	49"	R3B1TFFB49 48-() ()	2,109.	2,141.	2,202.	2,273.	2,329.	2,421.	2,473.



Order Code	Specification Information	Application Notes
Example: R3B1TFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FF Fabric both sides		E = Extruded Aluminum
B Type B window		2. Base height:
49 49" high		4 = 4" base height
30 30" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	R3B1PFFA49 18-() ()	\$1,180.	\$1,198.	\$1,240.	\$1,327.	\$1,383.	\$1,462.	\$1,543.
	20"	49"	R3B1PFFA49 20-() ()	1,180.	1,198.	1,240.	1,327.	1,383.	1,462.	1,543.
	24"	49"	R3B1PFFA49 24-() ()	1,221.	1,239.	1,281.	1,368.	1,424.	1,503.	1,584.
	30"	49"	R3B1PFFA49 30-() ()	1,301.	1,319.	1,361.	1,448.	1,504.	1,583.	1,664.
	36"	49"	R3B1PFFA49 36-() ()	1,549.	1,567.	1,609.	1,696.	1,752.	1,831.	1,912.
	42"	49"	R3B1PFFA49 42-() ()	1,681.	1,699.	1,741.	1,828.	1,884.	1,963.	2,044.
	48"	49"	R3B1PFFA49 48-() ()	1,761.	1,779.	1,821.	1,908.	1,964.	2,043.	2,124.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	R3B1PFFB49 30-() ()	1,414.	1,432.	1,474.	1,561.	1,617.	1,696.	1,777.
	36"	49"	R3B1PFFB49 36-() ()	1,672.	1,690.	1,732.	1,819.	1,875.	1,954.	2,035.
	42"	49"	R3B1PFFB49 42-() ()	1,803.	1,821.	1,863.	1,950.	2,006.	2,085.	2,166.
	48"	49"	R3B1PFFB49 48-() ()	1,893.	1,911.	1,953.	2,040.	2,096.	2,175.	2,256.

Order Code	Specification Information	Application Notes
Example: R3B1PFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 ³ / ₄ ".
B1 Beltway 1 side	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options:	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
A Flat style top trim profile	V1, V2, V3, P1, P2, P3 finishes	
4 4" base height	ii) Top trim profile E options:	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric selection - side 1	7. Base finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	8. Beltway finish	
V316 Maple (top trim finish)	9. Glass window frame finish	
111 Jet Black (base finish)	10. Glass type	
111 Jet Black (beltway finish)	Temp = Clear temp	
111 Jet Black (window frame finish)	<i>Architectural options:</i>	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	
	<i>1. Top trim profile:</i>	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	<i>2. Base height:</i>	
	4 = 4" base height	
	6 = 6" base height (add \$47 per panel for this option)	

Beltway one side, window panel 49" H
 tiled with glass type "A" at top,
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-() ()	\$1,431.	\$1,447.	\$1,479.	\$1,515.	\$1,543.	\$1,587.	\$1,626.
	20"	49"	R3B1TFLA49 20-() ()	1,431.	1,447.	1,479.	1,515.	1,543.	1,587.	1,626.
	24"	49"	R3B1TFLA49 24-() ()	1,476.	1,492.	1,524.	1,560.	1,588.	1,632.	1,671.
	30"	49"	R3B1TFLA49 30-() ()	1,570.	1,586.	1,618.	1,654.	1,682.	1,726.	1,765.
	36"	49"	R3B1TFLA49 36-() ()	1,866.	1,882.	1,914.	1,950.	1,978.	2,022.	2,061.
	42"	49"	R3B1TFLA49 42-() ()	2,020.	2,036.	2,068.	2,104.	2,132.	2,176.	2,215.
	48"	49"	R3B1TFLA49 48-() ()	2,111.	2,127.	2,159.	2,195.	2,223.	2,267.	2,306.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FL Fabric BW side, laminate other		E = Extruded Aluminum
A Type A window		2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
114 Folkstone grey - side 2A		Product on this page will accept woodgrain laminate where laminate is currently an option.
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H
 tiled with glass type "B" at top,
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-() ()	\$1,686.	\$1,702.	\$1,734.	\$1,770.	\$1,798.	\$1,842.	\$1,881.
	36"	49"	R3B1TFLB49 36-() ()	1,987.	2,003.	2,035.	2,071.	2,099.	2,143.	2,182.
	42"	49"	R3B1TFLB49 42-() ()	2,141.	2,157.	2,189.	2,225.	2,253.	2,297.	2,336.
	48"	49"	R3B1TFLB49 48-() ()	2,243.	2,259.	2,291.	2,327.	2,355.	2,399.	2,438.



Order Code	Specification Information	Application Notes
Example: R3B1TFLB4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FL Fabric BW side, laminate other		E = Extruded Aluminum
B Type B window		2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
114 Folkstone grey - side 2A		Product on this page will accept woodgrain laminate where laminate is currently an option.
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PFLA49 18-() ()	\$1,183.	\$1,192.	\$1,215.	\$1,258.	\$1,285.	\$1,326.	\$1,353.
	20"	49"	R3B1PFLA49 20-() ()	1,184.	1,192.	1,215.	1,258.	1,285.	1,326.	1,353.
	24"	49"	R3B1PFLA49 24-() ()	1,244.	1,253.	1,276.	1,319.	1,346.	1,387.	1,414.
	30"	49"	R3B1PFLA49 30-() ()	1,355.	1,364.	1,387.	1,430.	1,457.	1,498.	1,525.
	36"	49"	R3B1PFLA49 36-() ()	1,636.	1,645.	1,668.	1,711.	1,738.	1,779.	1,806.
	42"	49"	R3B1PFLA49 42-() ()	1,799.	1,808.	1,831.	1,874.	1,901.	1,942.	1,969.
	48"	49"	R3B1PFLA49 48-() ()	1,912.	1,921.	1,944.	1,987.	2,014.	2,055.	2,082.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PFLB49 30-() ()	1,471.	1,480.	1,503.	1,546.	1,573.	1,614.	1,641.
	36"	49"	R3B1PFLB49 36-() ()	1,757.	1,766.	1,789.	1,832.	1,859.	1,900.	1,927.
	42"	49"	R3B1PFLB49 42-() ()	1,920.	1,929.	1,952.	1,995.	2,022.	2,063.	2,090.
	48"	49"	R3B1PFLB49 48-() ()	2,044.	2,053.	2,076.	2,119.	2,146.	2,187.	2,214.

Order Code	Specification Information	Application Notes
Example: R3B1PFLA4918-A4K R3 Reff Generation 3 B1 Beltway one side P Monolithic panel FL Fabric BW side, laminate other A Type A window 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base B Tile divider, black reveal W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) 111 Jet Black (beltway finish) 111 Jet Black (window frame finish) TEMP Glass option	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only) 5. Fabric side, finish (specify selection per insert; bottom up.) 6. Laminate side finish (specify selection per insert; bottom up.) 7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 8. Base finish 9. Beltway finish 10. Window frame finish 11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Product on this page will accept woodgrain laminate where laminate is currently an option.

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,468.	\$1,484.	\$1,518.	\$1,552.	\$1,580.	\$1,626.	\$1,665.
	20"	49"	R3B1TF1A49 20-() ()	1,468.	1,484.	1,518.	1,552.	1,580.	1,626.	1,665.
	24"	49"	R3B1TF1A49 24-() ()	1,518.	1,534.	1,568.	1,602.	1,630.	1,676.	1,715.
	30"	49"	R3B1TF1A49 30-() ()	1,613.	1,629.	1,663.	1,697.	1,725.	1,771.	1,810.
	36"	49"	R3B1TF1A49 36-() ()	1,918.	1,934.	1,968.	2,002.	2,030.	2,076.	2,115.
	42"	49"	R3B1TF1A49 42-() ()	2,078.	2,094.	2,128.	2,162.	2,190.	2,236.	2,275.
	48"	49"	R3B1TF1A49 48-() ()	2,169.	2,185.	2,219.	2,253.	2,281.	2,327.	2,366.



Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
4 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
B Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric selection - side 1B	8. Base finish	
Y328 Mahogany - side 2 tiled	9. Beltway finish	
V316 Maple (top trim finish)	10. Window frame finish	
111 Jet Black (base finish)	11. Glass option Temp = Clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-()()	\$1,730.	\$1,746.	\$1,780.	\$1,814.	\$1,842.	\$1,888.	\$1,927.
	36"	49"	R3B1TF1B49 36-()()	2,041.	2,057.	2,091.	2,125.	2,153.	2,199.	2,238.
	42"	49"	R3B1TF1B49 42-()()	2,200.	2,216.	2,250.	2,284.	2,312.	2,358.	2,397.
	48"	49"	R3B1TF1B49 48-()()	2,303.	2,319.	2,353.	2,387.	2,415.	2,461.	2,500.



Order Code	Specification Information	Application Notes
Example: R3B1TF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F1 Fabric one side, V1 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
B Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
49 49" high	6. Techwood side, finish (specify one V1 finish for side)	4 = 4" base height
30 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
W281 Fabric selection - side 1B	11. Glass option	Applicable finishes are listed on page 5 and 6.
Y328 Mahogany - side 2 tiled	Temp = Clear temp	
V316 Maple (top trim finish)	Architectural options:	
111 Jet Black (base finish)	GL13 = Powder glass	
111 Jet Black (beltway finish)	GL6 = Block matrix glass	
111 Jet Black (window frame finish)	GL8 = Wafer glass	
TEMP Glass option		

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF1A49 18-() ()	\$1,218.	\$1,227.	\$1,249.	\$1,293.	\$1,321.	\$1,362.	\$1,389.
	20"	49"	R3B1PF1A49 20-() ()	1,218.	1,227.	1,249.	1,293.	1,321.	1,362.	1,389.
	24"	49"	R3B1PF1A49 24-() ()	1,277.	1,286.	1,308.	1,352.	1,380.	1,421.	1,448.
	30"	49"	R3B1PF1A49 30-() ()	1,392.	1,401.	1,423.	1,467.	1,495.	1,536.	1,563.
	36"	49"	R3B1PF1A49 36-() ()	1,679.	1,688.	1,710.	1,754.	1,782.	1,823.	1,850.
	42"	49"	R3B1PF1A49 42-() ()	1,852.	1,861.	1,883.	1,927.	1,955.	1,996.	2,023.
	48"	49"	R3B1PF1A49 48-() ()	1,964.	1,973.	1,995.	2,039.	2,067.	2,108.	2,135.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF1B49 30-() ()	1,509.	1,518.	1,540.	1,584.	1,612.	1,653.	1,680.
	36"	49"	R3B1PF1B49 36-() ()	1,802.	1,811.	1,833.	1,877.	1,905.	1,946.	1,973.
	42"	49"	R3B1PF1B49 42-() ()	1,974.	1,983.	2,005.	2,049.	2,077.	2,118.	2,145.
	48"	49"	R3B1PF1B49 48-() ()	2,098.	2,107.	2,129.	2,173.	2,201.	2,242.	2,269.


Order Code	Specification Information	Application Notes
Example: R3B1PF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		
4 4" base height		
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	7. Top trim finish	
Y328 Mahogany - side 2	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (base finish)	8. Base finish	
111 Jet Black (beltway finish)	9. Beltway finish	
111 Jet Black (window frame finish)	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
TEMP Glass option	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)	
Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.	
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) <i>Optional non fabric tiled side only, fabric side always black</i>	
Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,496.	\$1,512.	\$1,546.	\$1,580.	\$1,608.	\$1,654.	\$1,693.
	20"	49"	R3B1TF2A49 20-() ()	1,496.	1,512.	1,546.	1,580.	1,608.	1,654.	1,693.
	24"	49"	R3B1TF2A49 24-() ()	1,544.	1,560.	1,594.	1,628.	1,656.	1,702.	1,741.
	30"	49"	R3B1TF2A49 30-() ()	1,640.	1,656.	1,690.	1,724.	1,752.	1,798.	1,837.
	36"	49"	R3B1TF2A49 36-() ()	1,947.	1,963.	1,997.	2,031.	2,059.	2,105.	2,144.
	42"	49"	R3B1TF2A49 42-() ()	2,111.	2,127.	2,161.	2,195.	2,223.	2,269.	2,308.
	48"	49"	R3B1TF2A49 48-() ()	2,205.	2,221.	2,255.	2,289.	2,317.	2,363.	2,402.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
F2 Fabric one side, V2 other	1. Top trim profile	E = Extruded Aluminum
A Type A window	2. Base height	2. Base height:
49 49" high	3. Knockout option	4 = 4" base height
18 18" wide	(K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	4. Tile divider (where optional)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
W281 Fabric selection - side 1B	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple surface - side 2 tiled	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	


Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-() ()	\$1,757.	\$1,773.	\$1,807.	\$1,841.	\$1,869.	\$1,915.	\$1,954.
	36"	49"	R3B1TF2B49 36-() ()	2,070.	2,086.	2,120.	2,154.	2,182.	2,228.	2,267.
	42"	49"	R3B1TF2B49 42-() ()	2,233.	2,249.	2,283.	2,317.	2,345.	2,391.	2,430.
	48"	49"	R3B1TF2B49 48-() ()	2,339.	2,355.	2,389.	2,423.	2,451.	2,497.	2,536.



Order Code	Specification Information	Application Notes
Example: R3B1TF2B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F2 Fabric one side, V2 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
B Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
49 49" high	6. Conventional veneer side, finish (specify one V2 finish for side)	4 = 4" base height
30 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
K Include knockouts in base	8. Base finish	6" Raceway option increases panel height by 2 3/4".
B Tile divider, black reveal	9. Beltway finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
W281 Fabric selection - side 1A	10. Window frame finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1B	11. Glass option	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
V316 Maple surface - side 2 tiled	Temp = Clear temp	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	Architectural options:	
111 Jet Black (base finish)	GL13 = Powder glass	
111 Jet Black (beltway finish)	GL6 = Block matrix glass	
111 Jet Black (window frame finish)	GL8 = Wafer glass	
TEMP Glass option		

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF2A49 18-() ()	\$1,239.	\$1,248.	\$1,270.	\$1,314.	\$1,342.	\$1,383.	\$1,410.
	20"	49"	R3B1PF2A49 20-() ()	1,239.	1,248.	1,270.	1,314.	1,342.	1,383.	1,410.
	24"	49"	R3B1PF2A49 24-() ()	1,299.	1,308.	1,330.	1,374.	1,402.	1,443.	1,470.
	30"	49"	R3B1PF2A49 30-() ()	1,419.	1,428.	1,450.	1,494.	1,522.	1,563.	1,590.
	36"	49"	R3B1PF2A49 36-() ()	1,711.	1,720.	1,742.	1,786.	1,814.	1,855.	1,882.
	42"	49"	R3B1PF2A49 42-() ()	1,880.	1,889.	1,911.	1,955.	1,983.	2,024.	2,051.
	48"	49"	R3B1PF2A49 48-() ()	1,993.	2,002.	2,024.	2,068.	2,096.	2,137.	2,164.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF2B49 30-() ()	1,536.	1,545.	1,567.	1,611.	1,639.	1,680.	1,707.
	36"	49"	R3B1PF2B49 36-() ()	1,834.	1,843.	1,865.	1,909.	1,937.	1,978.	2,005.
	42"	49"	R3B1PF2B49 42-() ()	2,002.	2,011.	2,033.	2,077.	2,105.	2,146.	2,173.
	48"	49"	R3B1PF2B49 48-() ()	2,127.	2,136.	2,158.	2,202.	2,230.	2,271.	2,298.

Order Code	Specification Information	Application Notes
Example: R3B1PF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
4 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple surface - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)	8. Base finish	
111 Jet Black (beltway finish)	9. Beltway finish	
111 Jet Black (window frame finish)	10. Window frame finish	
TEMP Glass option	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)


Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics 	18"	49"	R3B1TF3A49 18-()	\$1,976.	\$1,992.	\$2,026.	\$2,060.	\$2,088.	\$2,134.	\$2,173.
	20"	49"	R3B1TF3A49 20-()	1,976.	1,992.	2,026.	2,060.	2,088.	2,134.	2,173.
	24"	49"	R3B1TF3A49 24-()	2,035.	2,051.	2,085.	2,119.	2,147.	2,193.	2,232.
	30"	49"	R3B1TF3A49 30-()	2,155.	2,171.	2,205.	2,239.	2,267.	2,313.	2,352.
	36"	49"	R3B1TF3A49 36-()	2,561.	2,577.	2,611.	2,645.	2,673.	2,719.	2,758.
	42"	49"	R3B1TF3A49 42-()	2,772.	2,788.	2,822.	2,856.	2,884.	2,930.	2,969.
	48"	49"	R3B1TF3A49 48-()	2,891.	2,907.	2,941.	2,975.	3,003.	3,049.	3,088.


Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics 	30"	49"	R3B1TF3B49 30-()	2,272.	2,288.	2,322.	2,356.	2,384.	2,430.	2,469.
	36"	49"	R3B1TF3B49 36-()	2,684.	2,700.	2,734.	2,768.	2,796.	2,842.	2,881.
	42"	49"	R3B1TF3B49 42-()	2,894.	2,910.	2,944.	2,978.	3,006.	3,052.	3,091.
	48"	49"	R3B1TF3B49 48-()	3,025.	3,041.	3,075.	3,109.	3,137.	3,183.	3,222.

Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1B		
V512 Figured Anigre surface - side 2 tiled		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H

monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,625.	\$1,634.	\$1,656.	\$1,700.	\$1,728.	\$1,769.	\$1,796.
	20"	49"	R3B1PF3A49 20-() ()	1,625.	1,634.	1,656.	1,700.	1,728.	1,769.	1,796.
	24"	49"	R3B1PF3A49 24-() ()	1,703.	1,712.	1,734.	1,778.	1,806.	1,847.	1,874.
	30"	49"	R3B1PF3A49 30-() ()	1,854.	1,863.	1,885.	1,929.	1,957.	1,998.	2,025.
	36"	49"	R3B1PF3A49 36-() ()	2,239.	2,248.	2,270.	2,314.	2,342.	2,383.	2,410.
	42"	49"	R3B1PF3A49 42-() ()	2,458.	2,467.	2,489.	2,533.	2,561.	2,602.	2,629.
	48"	49"	R3B1PF3A49 48-() ()	2,602.	2,611.	2,633.	2,677.	2,705.	2,746.	2,773.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	1,971.	1,980.	2,002.	2,046.	2,074.	2,115.	2,142.
	36"	49"	R3B1PF3B49 36-() ()	2,362.	2,371.	2,393.	2,437.	2,465.	2,506.	2,533.
	42"	49"	R3B1PF3B49 42-() ()	2,580.	2,589.	2,611.	2,655.	2,683.	2,724.	2,751.
	48"	49"	R3B1PF3B49 48-() ()	2,736.	2,745.	2,767.	2,811.	2,839.	2,880.	2,907.




Order Code	Specification Information	Application Notes
Example: R3B1PF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway two sides, window panel 49" H tiled with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,322.	\$1,354.	\$1,412.	\$1,486.	\$1,542.	\$1,634.	\$1,686.
	20"	49"	R3B2TFFA49 20-() ()	1,322.	1,354.	1,412.	1,486.	1,542.	1,634.	1,686.
	24"	49"	R3B2TFFA49 24-() ()	1,370.	1,402.	1,460.	1,534.	1,590.	1,682.	1,734.
	30"	49"	R3B2TFFA49 30-() ()	1,466.	1,498.	1,556.	1,630.	1,686.	1,778.	1,830.
	36"	49"	R3B2TFFA49 36-() ()	1,763.	1,795.	1,853.	1,927.	1,983.	2,075.	2,127.
	42"	49"	R3B2TFFA49 42-() ()	1,920.	1,952.	2,010.	2,084.	2,140.	2,232.	2,284.
	48"	49"	R3B2TFFA49 48-() ()	2,013.	2,045.	2,103.	2,177.	2,233.	2,325.	2,377.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	1,579.	1,611.	1,669.	1,743.	1,799.	1,891.	1,943.
	36"	49"	R3B2TFFB49 36-() ()	1,886.	1,918.	1,976.	2,050.	2,106.	2,198.	2,250.
	42"	49"	R3B2TFFB49 42-() ()	2,042.	2,074.	2,132.	2,206.	2,262.	2,352.	2,406.
	48"	49"	R3B2TFFB49 48-() ()	2,145.	2,177.	2,235.	2,309.	2,365.	2,457.	2,509.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
W281 Fabric selection - side 1A	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1B	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
W281 Fabric selection - side 2A	8. Beltway finish	
W281 Fabric selection - side 2B	9. Window frame finish	
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	
TEMP Glass option		

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway two sides, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	R3B2PFFA49 18-() ()	\$1,197.	\$1,217.	\$1,259.	\$1,345.	\$1,403.	\$1,481.	\$1,533.
	20"	49"	R3B2PFFA49 20-() ()	1,197.	1,217.	1,259.	1,345.	1,403.	1,481.	1,533.
	24"	49"	R3B2PFFA49 24-() ()	1,240.	1,260.	1,302.	1,388.	1,446.	1,524.	1,576.
	30"	49"	R3B2PFFA49 30-() ()	1,324.	1,344.	1,386.	1,472.	1,530.	1,608.	1,660.
	36"	49"	R3B2PFFA49 36-() ()	1,573.	1,593.	1,635.	1,721.	1,779.	1,857.	1,909.
	42"	49"	R3B2PFFA49 42-() ()	1,710.	1,730.	1,772.	1,858.	1,916.	1,994.	2,046.
	48"	49"	R3B2PFFA49 48-() ()	1,792.	1,812.	1,854.	1,940.	1,998.	2,076.	2,128.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	R3B2PFFB49 30-() ()	1,437.	1,457.	1,499.	1,585.	1,643.	1,721.	1,773.
	36"	49"	R3B2PFFB49 36-() ()	1,696.	1,716.	1,758.	1,844.	1,902.	1,980.	2,032.
	42"	49"	R3B2PFFB49 42-() ()	1,832.	1,852.	1,894.	1,980.	2,038.	2,116.	2,168.
	48"	49"	R3B2PFFB49 48-() ()	1,924.	1,944.	1,986.	2,072.	2,130.	2,208.	2,260.

Order Code	Specification Information	Application Notes
Example: R3B2PFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
W281 Fabric selection - side 1	8. Beltway finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	9. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	Architectural options:	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Stacking modules *fabric*

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	R3SFF08 18	\$214.	\$220.	\$240.	\$274.	\$286.	\$308.	\$322.
	20"	8"	R3SFF08 20	214.	220.	240.	274.	286.	308.	322.
	24"	8"	R3SFF08 24	224.	230.	250.	284.	296.	318.	332.
	30"	8"	R3SFF08 30	250.	256.	276.	310.	322.	344.	358.
	36"	8"	R3SFF08 36	272.	278.	298.	332.	344.	366.	380.
	42"	8"	R3SFF08 42	296.	302.	322.	356.	368.	390.	404.
	48"	8"	R3SFF08 48	319.	325.	345.	379.	391.	413.	427.
Stacking modules* Fabric both sides	18"	15"	R3SFF15 18	388.	304.	336.	370.	398.	444.	468.
	20"	15"	R3SFF15 20	288.	304.	336.	370.	398.	444.	468.
	24"	15"	R3SFF15 24	304.	320.	352.	386.	414.	460.	484.
	30"	15"	R3SFF15 30	335.	351.	383.	417.	445.	491.	515.
	36"	15"	R3SFF15 36	370.	286.	418.	452.	480.	526.	550.
	42"	15"	R3SFF15 42	398.	414.	446.	480.	508.	554.	578.
	48"	15"	R3SFF15 48	431.	447.	479.	513.	541.	587.	611.

Order Code

Example: R3SFF0818	
R3	Reff Generation 3
S	Stacking module
FF	Fabric/fabric
08	8" high
18	18" wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

Application Notes

* Not for use on 79"H panels.





* * Suitable only for top of any panel. Cannot be stacked upon.

8" module will not accept additional modules on top.

Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window


description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	RSWA15 18	\$471.	\$566.	\$15.	\$30.	\$48.
	20"	15"	RSWA15 20	471.	566.	15.	30.	48.
	24"	15"	RSWA15 24	497.	604.	15.	30.	51.
	30"	15"	RSWA15 30	575.	673.	15.	30.	57.
	36"	15"	RSWA15 36	597.	759.	15.	30.	58.
	42"	15"	RSWA15 42	628.	813.	15.	30.	61.
	48"	15"	RSWA15 48	651.	866.	15.	30.	64.
Stacking window module* Center mullion, type "B" 	30"	15"	RSWB15 30	689.	824.	15.	30.	68.
	36"	15"	RSWB15 36	721.	879.	15.	30.	71.
	42"	15"	RSWB15 42	751.	937.	15.	30.	74.
	48"	15"	RSWB15 48	780.	993.	15.	30.	77.
Stacking window module*   18" - 24" 30" - 48"	18"	30"	RSWC30 18	568.	659.	24.	38.	57.
	20"	30"	RSWC30 20	568.	659.	24.	38.	57.
	24"	30"	RSWC30 24	606.	717.	24.	38.	61.
	30"	30"	RSWC30 30	789.	923.	24.	38.	79.
	36"	30"	RSWC30 36	899.	1,062.	24.	38.	87.
	42"	30"	RSWC30 42	964.	1,152.	24.	38.	95.
	48"	30"	RSWC30 48	1,020.	1,238.	24.	38.	99.

Order Code	Specification Information	Application Notes
Example: RSWA1518 () ()	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
A Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection on page 5.
18 18" wide	3. Glass type	
111 Jet Black, window frame finish	Temp = Clear tempered glass	
TEMP Clear tempered glass option	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Stacking modules

Double Window






description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA	
Stacking window module* Single glass, type "A"	15"	60"	RSWAD1560 () ()	\$737.	\$844.						
		72"	RSWAD1572 () ()	821.	984.						
		84"	RSWAD1584 () ()	831.	1,026.						
		96"	RSWAD1596 () ()	846.	1,071.						
	22"	60"	RSWAD2260 () ()	920.	1,125.						
		72"	RSWAD2272 () ()	1,035.	1,281.						
		84"	RSWAD2284 () ()	1,055.	1,341.						
		96"	RSWAD2296 () ()	1,076.	1,405.						
	Top trim for double wide stacking window modules	60"	R3CRTT60 () ()				78.	163.	181.	234.	134.
		72"	R3CRTT72 () ()				83.	174.	191.	246.	181.
		84"	R3CRTT84 () ()				101.	197.	214.	272.	198.
		96"	R3CRTT96 () ()				106.	207.	225.	287.	203.



Order Code	Specification Information	Application Notes
<i>Example:</i> RSWAD1560	<i>To order please specify:</i>	To be used on a 42" panel next to a full height post or panel.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of the window module.
SW Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass 4mm thick.
A Type A	<i>If P2 or P3 paint finish upcharge add \$25</i>	Stabilizing kit is included with the window and is required with all double wide window installation.
D Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$45</i>	Full length top trim is optional and can be ordered separately.
15 15" high	3. Glass type	Not for use on 79" h panels.
60 60" wide	Temp = Clear tempered glass	Applicable finishes are listed on page 5
111 Jet Black, windowframe finish	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
TEMP Clear tempered glass option		

Stacking modules






*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules *,** Fabric and laminate 	18"	8"	R3SFL0818	\$241.	\$246.	\$264.	\$298.	\$313.	\$333.	\$352.
	20"	8"	R3SFL0820	241.	246.	264.	298.	313.	333.	352.
	24"	8"	R3SFL0824	261.	266.	284.	318.	333.	353.	372.
	30"	8"	R3SFL0830	294.	299.	317.	351.	366.	386.	405.
	36"	8"	R3SFL0836	322.	327.	345.	379.	394.	414.	433.
	42"	8"	R3SFL0842	348.	353.	371.	405.	420.	440.	459.
	48"	8"	R3SFL0848	379.	384.	402.	436.	451.	471.	490.
Stacking modules *,** Fabric and techwood 	18"	8"	R3SF10818	251.	257.	275.	309.	324.	344.	364.
	20"	8"	R3SF10820	251.	257.	275.	309.	324.	344.	364.
	24"	8"	R3SF10824	268.	274.	292.	326.	341.	361.	381.
	30"	8"	R3SF10830	300.	306.	324.	358.	373.	393.	413.
	36"	8"	R3SF10836	329.	335.	353.	387.	402.	422.	442.
	42"	8"	R3SF10842	361.	367.	385.	419.	434.	454.	474.
	48"	8"	R3SF10848	387.	393.	411.	445.	460.	480.	500.
Stacking modules*,** Fabric and conventional veneer 	18"	8"	R3SF20818	254.	260.	278.	312.	327.	347.	367.
	20"	8"	R3SF20820	254.	260.	278.	312.	327.	347.	367.
	24"	8"	R3SF20824	274.	280.	298.	332.	347.	367.	387.
	30"	8"	R3SF20830	306.	312.	330.	364.	379.	399.	419.
	36"	8"	R3SF20836	336.	342.	360.	394.	409.	429.	449.
	42"	8"	R3SF20842	367.	373.	391.	425.	440.	460.	480.
	48"	8"	R3SF20848	393.	399.	417.	451.	466.	486.	506.
Stacking modules*,** Fabric and exotic veneer 	18"	8"	R3SF30818	333.	339.	357.	391.	406.	426.	446.
	20"	8"	R3SF30820	333.	339.	357.	391.	406.	426.	446.
	24"	8"	R3SF30824	364.	370.	388.	422.	437.	457.	477.
	30"	8"	R3SF30830	404.	410.	428.	462.	477.	497.	517.
	36"	8"	R3SF30836	446.	452.	470.	504.	519.	539.	559.
	42"	8"	R3SF30842	487.	493.	511.	545.	560.	580.	600.
	48"	8"	R3SF30848	524.	530.	548.	582.	597.	617.	637.
Stacking modules*,** Laminate both sides 	18"	8"	R3SLL0818							233.
	20"	8"	R3SLL0820							233.
	24"	8"	R3SLL0824							254.
	30"	8"	R3SLL0830							284.
	36"	8"	R3SLL0836							307.
	42"	8"	R3SLL0842							316.
	48"	8"	R3SLL0848							326.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	* * Suitable only for top of any panel. Cannot be stacked upon.
S Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
FL Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
08 8" high	Product on this page will accept woodgrain laminate where laminate is currently an option.	15" module will accept additional module.
18 18" wide		
W281 Fabric selection - side 1		
114 Folkstone Grey - side 2		

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules* Fabric and laminate 	18"	15"	R3SFL1518	\$345.	\$360.	\$391.	\$426.	\$458.	\$503.	\$528.
	20"	15"	R3SFL1520	345.	360.	391.	426.	458.	503.	528.
	24"	15"	R3SFL1524	359.	374.	405.	440.	472.	517.	542.
	30"	15"	R3SFL1530	394.	409.	440.	475.	507.	552.	577.
	36"	15"	R3SFL1536	427.	442.	473.	508.	540.	585.	610.
	42"	15"	R3SFL1542	460.	475.	506.	541.	573.	618.	643.
	48"	15"	R3SFL1548	493.	508.	539.	574.	606.	651.	676.
Stacking modules* Fabric and techwood 	18"	15"	R3SF11518	357.	372.	403.	438.	471.	516.	541.
	20"	15"	R3SF11520	357.	372.	403.	438.	471.	516.	541.
	24"	15"	R3SF11524	373.	388.	419.	454.	487.	532.	557.
	30"	15"	R3SF11530	404.	419.	450.	485.	518.	563.	588.
	36"	15"	R3SF11536	440.	455.	486.	521.	554.	599.	624.
	42"	15"	R3SF11542	474.	489.	520.	555.	588.	633.	658.
	48"	15"	R3SF11548	506.	521.	552.	587.	620.	665.	690.
Stacking modules* Fabric and conventional veneer 	18"	15"	R3SF21518	361.	376.	407.	442.	475.	520.	545.
	20"	15"	R3SF21520	361.	387.	407.	442.	475.	520.	545.
	24"	15"	R3SF21524	379.	394.	425.	460.	493.	538.	563.
	30"	15"	R3SF21530	414.	429.	460.	495.	528.	573.	598.
	36"	15"	R3SF21536	449.	464.	495.	530.	563.	608.	633.
	42"	15"	R3SF21542	484.	499.	530.	565.	598.	643.	668.
	48"	15"	R3SF21548	513.	528.	559.	594.	627.	672.	697.
Stacking modules* Fabric and exotic veneer 	18"	15"	R3SF315 18	477.	492.	523.	558.	591.	636.	661.
	20"	15"	R3SF315 20	477.	492.	523.	558.	591.	636.	661.
	24"	15"	R3SF315 24	499.	514.	545.	580.	613.	658.	683.
	30"	15"	R3SF315 30	547.	562.	593.	628.	661.	706.	731.
	36"	15"	R3SF315 36	595.	610.	641.	676.	709.	754.	779.
	42"	15"	R3SF315 42	640.	655.	686.	721.	754.	799.	824.
	48"	15"	R3SF315 48	684.	699.	703.	765.	798.	843.	868.
Stacking modules* Laminate both sides 	18"	15	R3SLL1518							330.
	20"	15	R3SLL1520							330.
	24"	15	R3SLL1524							359.
	30"	15	R3SLL1530							403.
	36"	15	R3SLL1536							435.
	42"	15	R3SLL1542							447.
	48"	15	R3SLL1548							449.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	* * Suitable only for top of any panel. Cannot be stacked upon.
S Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
FL Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
08 8" high	Product on this page will accept woodgrain laminate where laminate is currently an option.	15" module will accept additional module.
18 18" wide		
W281 Fabric selection - side 1		
114 Folkstone Grey - side 2		



Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$66.	n/a
	15"	stacking module post	R3L15TT	130.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	165.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	249.	287.
	49"		R3L49(B)(F/T)(F/T)-() () ()	276.	317.
	64"		R3L64(B)(F/T)(F/T)-() () ()	306.	350.
	79"		R3L79(B)(F/T)(F/T)-() () ()	342.	392.
 T-Post	8"	stacking module post	R3T08T	83.	n/a
	15"	stacking module post	R3T15T	153.	n/a
	34"		R3T34(F/T)-() () ()	201.	n/a
	42"		R3T42(B)(F/T)-() () ()	219.	251.
	49"		R3T49(B)(F/T)-() () ()	249.	287.
	64"		R3T64(B)(F/T)-() () ()	276.	317.
	79"		R3T79(B)(F/T)-() () ()	307.	353.

Order Code

Example:	R3L79(B)TT-A16NB
R3	Reff Generation 3
L79	90° post; 79" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 115. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$73.	n/a
	15"	stacking module post	R3X15	141.	n/a
	34"		R3X34-() ()	187.	n/a
	42"		R3X42(B)-() ()	203.	235.
	49"		R3X49(B)-() ()	219.	251.
	64"		R3X64(B)-() ()	249.	287.
	79"		R3X79(B)-() ()	284.	322.
 Straight post	8"	stacking module post	R3S08TT	66.	n/a
	15"	stacking module post	R3S15TT	130.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	165.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	249.	287.
	49"		R3S49(B)(F/T)(F/T)-() () ()	276.	317.
	64"		R3S64(B)(F/T)(F/T)-() () ()	306.	350.
	79"		R3S79(B)(F/T)(F/T)-() () ()	342.	392.

Order Code

Example:	R3L79(B)TT-A16NB
R3	Reff Generation 3
L79	90° post; 79" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 115. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV	n/c



Order Code

Example:	R3L79(B)TT-A16NB
R3	Reff Generation 3
L79	90° post; 79" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 115. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 135°

description	h	pattern no.	Reg. post list (A/B/C profile)
 135° Tiled Post	34"	R3135V34T () () () () () ()	\$555.
	42"	R3135V42T () () () () () ()	695.
	49"	R3135V49T () () () () () ()	703.
	64"	R3135V64T () () () () () ()	861.
	79"	R3135V79T () () () () () ()	1,015.
 135° Mono Post	34"	R3135V34F () () () () () ()	555.
	42"	R3135V42F () () () () () ()	695.
	49"	R3135V49F () () () () () ()	703.
	64"	R3135V64F () () () () () ()	861.
	79"	R3135V79F () () () () () ()	1,015.

Order Code

Example:	R3135V34T
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

- Top cap profile
- Top cap configuration
- If L post, cover configuration
1 = one piece
- Base height option
- Base infeed knock-out (optional)
- Tile divider option/finish, if face type T
- Finish, face covers
(fabric, V1, V2, V3 or painted to match laminate)
- Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- Base finish

- Face type:**
(F) = Full height (monolithic look)
(T) = Tiled
- Top profile:**
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)
- Top cap configuration:**
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)
- Base height:**
4 = 4" base height
6 = 6" base height (add \$47 list for this option)
- Tile divider, optional if face type "tiled" and face finish "non-fabric"**
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 6.


Panel connection posts


Generation 3 120°

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 () () ()	\$387.
	42"	R3120Y42 () () ()	407.
	49"	R3120Y49 () () ()	419.
	64"	R3120Y64 () () ()	460.
	79"	R3120Y79 () () ()	502.


Order Code	Specification Information
Example: R3120Y34	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Top profile; A = Flat B = Square C = Bullnose E = Extruded Aluminum (Add \$25 list for this option) Top cap Configuration; 1 = Reg. Y 8 = High, Low, Low 9 = High, High, Low Base Height 4 = 4" base height 6 = 6" base height (add \$47 list for this option) Trim Finish Wood and Laminate for profile A,B and C Anodized or painted options for profile 'E' Base finish; Painted or plated <p>Specify AA for anodized aluminum look or painted option from page 5 excluding silver.</p>
R3 Reff Generation 3	
120V 120° post	
34 Height	
(A) Top profile	
1 Reg. Y topcap configuration	
(4) Base height	
V316 Top cap finish, Maple	
111 Base finish, Jet black	

Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$226.	\$137.
	–	42"		R2ES42(A/B/C/E)(4/6)(E/N)	253.	160.
	–	49"		R2ES49(A/B/C/E)(4/6)(E/N)	281.	183.
	–	64"		R2ES64(A/B/C/E)(4/6)(E/N)	297.	206.
	–	79"		R2ES79(A/B/C/E)(4/6)(E/N)	364.	234.

End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		R2HL3442ES(A/B/C/E)	118.	120.
	34"	49"		R2HL3449ES(A/B/C/E)	165.	123.
	34"	64"		R2HL3464ES(A/B/C/E)	211.	126.
	34"	79"		R2HL3479ES(A/B/C/E)	226.	139.
	42"	49"		R2HL4249ES(A/B/C/E)	118.	120.
	42"	64"		R2HL4264ES(A/B/C/E)	286.	123.
	42"	79"		R2HL4279ES(A/B/C/E)	327.	139.
	49"	64"		R2HL4964ES(A/B/C/E)	165.	126.
	49"	79"		R2HL4979ES(A/B/C/E)	211.	139.
	64"	79"		R2HL6479ES(A/B/C/E)	165.	123.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)	–		18"	RSNTT18(A/B/C/E)	84.	23.
	–	–	20"	RSNTT20(A/B/C/E)	84.	26.
	–	–	24"	RSNTT24(A/B/C/E)	94.	29.
	–	–	30"	RSNTT30(A/B/C/E)	104.	34.
	–	–	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	108.	45.
	–	–	36"	RSNTT36(A/B/C/E)	115.	45.
	–	–	42"	RSNTT42(A/B/C/E)	132.	46.
	–	–	48"	RSNTT48(A/B/C/E)	142.	64.

Order Code	Specification Information
Example: R2ES34A6N	
R2 Reff Generation 2	To order please specify pattern number including:
ES End trim	End trim:
34 34" high	1. Trim profile
A Flat profile	A = flat
6 6" base height	B = square
N Non electrical base	C = bullnose
V311 Beech	E = extruded aluminum
111 Jet Black (base finish)	2. Base height option
	4 = 4"
	6 = 6"
	3. Base type
	E = electrical entry
	N = standard base
	4. Finish, end trim
	If profile A, B or C specify V1, V2, V3 or painted to match laminate
	If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
	5. Finish, end trim base
	painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$118.	\$120.
	42"	64"		R2HL4264ETS(A/B/C/E)	286.	123.
	42"	79"		R2HL4279ETS(A/B/C/E)	327.	139.
Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		R2HL3442(F)CS ()	34.	
	34"	49"		R2HL3449(F)CS ()	49.	
	34"	64"		R2HL3464(F/T)CS ()()	98.	
	34"	79"		R2HL3479(F/T)CS ()()	145.	
	42"	49"		R2HL4249(F)CS ()	34.	
	42"	64"		R2HL4264(F/T)CS ()()	81.	
	42"	79"		R2HL4279(F/T)CS ()()	132.	
	49"	64"		R2HL4964(F)CS ()	49.	
	49"	79"		R2HL4979(F/T)CS ()()	98.	
	64"	79"		R2HL6479(F)CS ()	49.	

Application: for height changes involving a post

Order Code	Specification Information
Example: R2ES34A6N	To order please specify pattern number including:
R2 Reff Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	A = flat
A Flat profile	B = square
6 6" base height	C = bullnose
N Non electrical base	E = extruded aluminum
V311 Beech	2. Base height option
111 Jet Black (base finish)	4 = 4"
	6 = 6"
	3. Base type
	E = electrical entry
	N = standard base
	4. Finish, end trim
	If profile A, B or C specify V1, V2, V3 or painted to match laminate
	If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
	5. Finish, end trim base
	painted or plated finish
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	F = full (monolithic)
	T = tiled
	2. Finish, post cover fabric, V1, V2, V3 or painted to match laminate
	3. If tiled cover set, specify reveal finish
	B = black reveal
	or select P1, P2, P3 painted finish from pg. 5
	Select paint or plated finish from page 5.
	Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel Accessories

hookstrips and top caps

description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$44.
	15"	R2HK0015	71.
	34"	R2HK0034	97.
	42"	R2HK0042	103.
	49"	R2HK0049	111.
	64"	R2HK0064	120.
	79"	R2HK0079	126.
Beltway hookstrips	42"	R2HKB042	111.
	49"	R2HKB049	120.
	64"	R2HKB064	126.
	79"	R2HKB079	133.

Order Code

Example: R2HK0008
R2 Reff generation 2
HK Hook Strip
008 Height

Specification Information

To order please specify pattern number including:


Applicable finishes are listed on page 5 and 6.

Application Notes


An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.

Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.


New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

description	type	h	pattern no.	list price
 Ceiling entry L-post.		42"	R2L42C(F/T)(F/T)-(4/6)	\$249.
		49"	R2L49C(F/T)(F/T)-(4/6)	266.
		64"	R2L64C(F/T)(F/T)-(4/6)	283.
		79"	R2L79C(F/T)(F/T)-(4/6)	336.


Cable not included

 Ceiling entry T-post.		42"	R2T42C(F/T)-(4/6)	219.
		49"	R2T49C(F/T)-(4/6)	249.
		64"	R2T64C(F/T)-(4/6)	266.
		79"	R2T79C(F/T)-(4/6)	310.

Cable not included

 Ceiling entry X-post.		42"	R2X42C	203.
		49"	R2X49C	219.
		64"	R2X64C	249.
		79"	R2X79C	294.

Cable not included

 Ceiling entry straight line post.		42"	R2S42C(F/T)(F/T)-(4/6)	249.
		49"	R2S49C(F/T)(F/T)-(4/6)	266.
		64"	R2S64C(F/T)(F/T)-(4/6)	283.
		79"	R2S79C(F/T)(F/T)-(4/6)	336.

Cable not included

Order Code	Specification Information	Application Notes
Example: R2L42CTT4 R2 Reff Generation 2 L L-post 42 42" high C Ceiling power entry T Tiled style face T Tiled style face 4 Base height W230 Fabric selection 111 Jet Black (base finish)	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Post face option 2. Base height option 3. Finish type, where applicable 4. Finish, where applicable 5. Base finish 6. Canopy finish (ceiling entry pole only) <p><i>1. Face type:</i> F = Full height T = Tiled</p> <p><i>2. Base height:</i> 4 = 4" base height 6 = 6" base height</p> <p><i>3. Finish type:</i> F = Fabric L = Laminate 1 = V1 2 = V2 3 = V3</p>	<p>Data cable application requires the post and the pole only.</p> <p>*Must order post, pole and cable for electrical application.</p> <p>The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.</p> <p>To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.</p> <p>6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.</p> <p>The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).</p> <p>Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.</p> <p>Hi-lo ceiling post covers must be ordered in hi-lo applications from 112.</p>

Applicable finishes are listed on page 5 and 6.

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41"	RCP41-(F/L/1/2/3)*	\$497.
		56"	RCP56-(F/L/1/2/3)*	516.
		71"	RCP71-(F/L/1/2/3)*	579.
		78"	RCP78-(F/L/1/2/3)*	598.



Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	RR3-EPVR	290.
	Ceiling power cable infeed. Ten-wire	RR3-TPVR	351.
One size fits all post sizes (13' of cable) For use with Ceiling entry Pole and Pole combinations			



Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
42 42" high	3. Finish type, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
C Ceiling power entry	4. Finish, where applicable	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
T Tiled style face	5. Base finish	
T Tiled style face	6. Canopy finish (ceiling entry pole only)	
4 Base height	1. <i>Face type:</i>	
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.



The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 112.

Ceiling cable entry post covers

Alignment kits and wall starters


description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$34.
	34"	49"			RPHL3449(F/T)	49.
	34"	64"			RPHL3464(F/T)	98.
	34"	79"			RPHL3479(F/T)	145.
	42"	49"			RPHL4249(F/T)	67.
	42"	64"			RPHL4264(F/T)	94.
	42"	79"			RPHL4279(F/T)	102.
	49"	64"			RPHL4964(F/T)	94.
	49"	79"			RPHL4979(F/T)	102.
64"	79"			RPHL6479(F/T)	73.	
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	34.
	42"	64"			RPHL4264S	81.
	42"	79"			RPHL4279S	132.
	49"	64"			RPHL4964S	49.
	49"	79"			RPHL4979S	98.
	64"	79"			RPHL6479S	49.
Wall starter			7/8"	15"	R2SWS0015 () () ()	62.
			7/8"	34"	R2SWS0034 () () ()	123.
			7/8"	42"	R2SWS0042 () () ()	150.
			7/8"	49"	R2SWS0049 () () ()	175.
			7/8"	64"	R2SWS0064 () () ()	231.
			7/8"	79"	R2SWS0079 () () ()	284.
			7/8"	8"	R2SWS0008 () () ()	47.

*Wall starters come with extended top trim from adjoining panel.

Order Code	Specification Information	Application Notes
Example: RPHL4249T R Reff P Power post HL Hi lo cover 42 42" low panel 49 49" high panel T Tiled face type	<p><i>To order please specify pattern number including:</i></p> <p>Ceiling entry post cover:</p> <ol style="list-style-type: none"> Face type Select finish fabric, laminate or veneer <p><i>1. Face type options:</i> F = Full T = Tiled</p> <p>Wall starter:</p> <ol style="list-style-type: none"> Pattern number including height Adjoining panel width Adjoining panel top trim profile (A, B, C or E) Base height (4=4" or 6=6") Top trim finish <p>Applicable finishes are listed on page 5 and 6.</p>	<p>These cover trims are for ceiling entry posts only.</p> <p>Wall starter is designed to attach panel run to interior walls and is available as a modular unit. Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.</p> <p>Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.</p> <p>Wall starters come with extended top trim from adjoining panel.</p> <p>Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.</p> <p>RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.</p> <p>RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.</p> <p>R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.</p>

Ceiling cable entry post covers

Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
					R3SPABPT	\$7.
					R3SPABTD	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABPD	7.
					RSPABPP	7.
					RSPABPT	7.
					RSPABPW	7.
					RSPABTD	7.
					RSPABTT	7.
					RSPABTW	7.
					RSPABWD	7.
				RSPABWW	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
42 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	F = Full	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
T Tiled face type	T = Tiled	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	Wall starter:	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	1. Pattern number including height	Wall starters come with extended top trim from adjoining panel.
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door	36"	64"		RRDPPL(L/R)6436()		\$3,026.	\$3,133.	\$4,190.
	36"	79"		RRD3PPL(L/R)7936()()		3,301.	3,419.	4,616.
	42"	64"		RRDPPL(L/R)6442()		3,084.	3,191.	4,242.
	42"	79"		RRD3PPL(L/R)7942()()		3,352.	3,469.	4,665.
Floor to ceiling rolling door	36"	79"		RRD3FTCPPL(L/R)7936()		3,301.	3,419.	4,616.
	42"	79"		RRD3FTCPPL(L/R)7942()		3,352.	3,469.	4,665.
Partial width threshold (full width threshold)	3"	50"		RRDTH()		350.		
	3"	96"		RRDTH(L/R)()		450.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()			3,942.
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()			4,582.
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()			3,942.
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()			4,582.



Woodgrain Laminate not available on Panel Door

Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose

2. Base height:

- 4 = 4" base
- 6 = 6" base (add \$47 for this option)

3. Lock option:

- N = Not drilled
- D = Drilled *
- L = Drilled lock set included
- D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
- GL6 = Block matrix
- GL8 = Wafer glass
- P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 5 and 6.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 112).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$113.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	113.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	10 Rolls	$\frac{3}{8}"$	79"	RHSC70	n/c
	2 Rolls	$\frac{3}{8}"$	79"	RHSC15	n/c
	30 Rolls	$\frac{3}{8}"$	79"	RHSC250	n/c
Carpet gripper (Pack fo 10)			R2CG	20.	

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Application Notes




When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.




Floor to ceiling modules
 21" high, for 104" ceiling height and 79" high panels
 fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	R3FTCFF2118			\$361.	\$367.	\$381.	\$447.	\$471.	\$535.	\$601.
	20"	21"	R3FTCFF2120			361.	367.	381.	447.	471.	535.	601.
	24"	21"	R3FTCFF2124			380.	386.	400.	466.	490.	554.	620.
	30"	21"	R3FTCFF2130			420.	426.	440.	506.	530.	594.	660.
	36"	21"	R3FTCFF2136			450.	456.	470.	536.	560.	624.	690.
	42"	21"	R3FTCFF2142			491.	497.	511.	577.	601.	665.	731.
	48"	21"	R3FTCFF2148			527.	533.	547.	613.	637.	701.	767.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	RFTCWA2118	505.	596.							
	20"	21"	RFTCWA2120	505.	596.							
	24"	21"	RFTCWA2124	530.	642.							
	30"	21"	RFTCWA2130	618.	752.							
	36"	21"	RFTCWA2136	646.	803.							
	42"	21"	RFTCWA2142	679.	869.							
	48"	21"	RFTCWA2148	712.	921.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	RFTCWB2130	721.	853.							
	36"	21"	RFTCWB2136	781.	940.							
	42"	21"	RFTCWB2142	826.	1,009.							
	48"	21"	RFTCWB2148	864.	1,078.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2118	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	Specify the finish for frames from paint selection on page 5.
18 18" wide		Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
W281 Fabric selection - side 1	<i>For window panel:</i>	Provide elevation drawing for mixed fabrics or veneers.
W281 Fabric selection - side 2	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
111 Jet Black soffit	2. Frame finish	
	3. Glass type	
		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
		No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

25" high, for 108" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$402.	\$408.	\$420.	\$508.	\$526.	\$612.	\$686.
	20"	25"	R3FTCFF2520			402.	408.	420.	508.	526.	612.	686.
	24"	25"	R3FTCFF2524			426.	432.	444.	532.	550.	636.	710.
	30"	25"	R3FTCFF2530			462.	468.	480.	568.	586.	672.	746.
	36"	25"	R3FTCFF2536			505.	511.	523.	611.	629.	715.	789.
	42"	25"	R3FTCFF2542			545.	551.	563.	651.	669.	755.	829.
	48"	25"	R3FTCFF2548			585.	591.	603.	691.	709.	795.	869.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	527.	619.							
	20"	25"	RFTCWA2520	527.	619.							
	24"	25"	RFTCWA2524	564.	671.							
	30"	25"	RFTCWA2530	652.	785.							
	36"	25"	RFTCWA2536	683.	840.							
	42"	25"	RFTCWA2542	727.	910.							
	48"	25"	RFTCWA2548	758.	968.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	749.	879.							
	36"	25"	RFTCWB2536	829.	988.							
	42"	25"	RFTCWB2542	880.	1,065.							
	48"	25"	RFTCWB2548	930.	1,142.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2518 R3 Reff Generation 3 FTC Floor to ceiling FF Fabric/fabric 25 25" high 18 18" wide W281 Fabric selection - side 1 W281 Fabric selection - side 2 111 Jet Black soffit	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) <p><i>For window panel:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Frame finish 3. Glass type 	<p>Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).</p> <p>Specify the finish for frames from paint selection on page 5.</p> <p>Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.</p> <p>Provide elevation drawing for mixed fabrics or veneers.</p> <p>Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.</p> <p>Ceiling height includes 4" allowance for trim.</p>

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$527.	\$531.	\$541.	\$673.	\$695.	\$823.	\$943.
	20"	37"	R3FTCFF3720			527.	531.	541.	673.	695.	823.	943.
	24"	37"	R3FTCFF3724			557.	561.	571.	703.	725.	853.	973.
	30"	37"	R3FTCFF3730			605.	609.	619.	751.	773.	901.	1,021.
	36"	37"	R3FTCFF3736			657.	661.	671.	803.	825.	953.	1,073.
	42"	37"	R3FTCFF3742			707.	711.	721.	853.	875.	1,003.	1,123.
	48"	37"	R3FTCFF3748			755.	759.	769.	901.	923.	1,051.	1,171.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	604.	694.
	20"	37"	RFTCWA3720	604.	694.
	24"	37"	RFTCWA3724	651.	757.
	30"	37"	RFTCWA3730	767.	884.
	36"	37"	RFTCWA3736	799.	955.
	42"	37"	RFTCWA3742	851.	1,034.
	48"	37"	RFTCWA3748	896.	1,112.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	827.	961.
	36"	37"	RFTCWB3736	975.	1,132.
	42"	37"	RFTCWB3742	1,051.	1,234.
	48"	37"	RFTCWB3748	1,118.	1,332.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	R3FTCFL2118	\$407.	\$409.	\$414.	\$450.	\$462.	\$495.	\$531.
	20"	21"	R3FTCFL2120	407.	409.	414.	450.	462.	495.	531.
	24"	21"	R3FTCFL2124	421.	423.	428.	464.	476.	509.	545.
	30"	21"	R3FTCFL2130	472.	474.	479.	515.	527.	560.	596.
	36"	21"	R3FTCFL2136	513.	515.	520.	556.	568.	601.	637.
	42"	21"	R3FTCFL2142	558.	560.	565.	601.	613.	646.	682.
	48"	21"	R3FTCFL2148	601.	603.	608.	644.	656.	689.	725.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	R3FTCF12118	418.	420.	425.	461.	473.	507.	542.
	20"	21"	R3FTCF12120	418.	420.	425.	461.	473.	507.	542.
	24"	21"	R3FTCF12124	435.	437.	442.	478.	490.	524.	559.
	30"	21"	R3FTCF12130	485.	487.	492.	528.	540.	574.	609.
	36"	21"	R3FTCF12136	527.	529.	534.	570.	582.	616.	651.
	42"	21"	R3FTCF12142	569.	571.	576.	612.	624.	658.	693.
	48"	21"	R3FTCF12148	620.	622.	627.	663.	675.	709.	744.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	R3FTCF22118	427.	429.	434.	470.	482.	516.	551.
	20"	21"	R3FTCF22120	427.	429.	434.	470.	482.	516.	551.
	24"	21"	R3FTCF22124	440.	442.	447.	483.	495.	529.	564.
	30"	21"	R3FTCF22130	495.	497.	502.	538.	550.	584.	619.
	36"	21"	R3FTCF22136	535.	537.	542.	578.	590.	624.	659.
	42"	21"	R3FTCF22142	582.	584.	589.	625.	637.	671.	706.
	48"	21"	R3FTCF22148	629.	631.	636.	672.	684.	718.	753.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	R3FTCF321 18	562.	564.	569.	605.	617.	651.	686.
	20"	21"	R3FTCF321 20	562.	564.	569.	605.	617.	651.	686.
	24"	21"	R3FTCF321 24	581.	583.	588.	624.	636.	670.	705.
	30"	21"	R3FTCF321 30	655.	657.	662.	698.	710.	744.	779.
	36"	21"	R3FTCF321 36	708.	710.	715.	751.	763.	797.	832.
	42"	21"	R3FTCF321 42	771.	773.	778.	814.	826.	860.	895.
	48"	21"	R3FTCF321 48	833.	835.	840.	876.	888.	922.	957.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	Ceiling height includes 4" allowance for trim.
FL Fabric/laminate	3. Panel side 2 finish	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
21 21" high	4. Soffit finish (paint)	Modules on this page will not support the hanging of panel mount product.
18 18" wide	Applicable finishes are listed on page 5 and 6.	
W281 Fabric selection - side 1	Product on this page will accept woodgrain laminate where laminate is currently an option.	
114 Folkstone grey - side 2		
111 Jet Black soffit		


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	R3FTCFL2518	\$436.	\$439.	\$448.	\$493.	\$502.	\$546.	\$585.
	20"	25"	R3FTCFL2520	436.	439.	448.	493.	502.	546.	585.
	24"	25"	R3FTCFL2524	452.	455.	464.	509.	518.	562.	601.
	30"	25"	R3FTCFL2530	514.	517.	526.	571.	580.	624.	663.
	36"	25"	R3FTCFL2536	557.	560.	569.	614.	623.	667.	706.
	42"	25"	R3FTCFL2542	611.	614.	623.	668.	677.	721.	760.
	48"	25"	R3FTCFL2548	660.	633.	672.	717.	726.	770.	809.

Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	R3FTCF12518	447.	450.	458.	504.	513.	557.	597.
	20"	25"	R3FTCF12520	447.	450.	458.	504.	513.	557.	597.
	24"	25"	R3FTCF12524	462.	465.	473.	519.	528.	572.	612.
	30"	25"	R3FTCF12530	530.	533.	541.	587.	596.	640.	680.
	36"	25"	R3FTCF12536	570.	573.	581.	627.	636.	680.	720.
	42"	25"	R3FTCF12542	628.	631.	639.	685.	694.	738.	778.
	48"	25"	R3FTCF12548	677.	680.	688.	734.	743.	787.	827.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	R3FTCF22518	457.	460.	468.	514.	523.	567.	607.
	20"	25"	R3FTCF22520	457.	460.	468.	514.	523.	567.	607.
	24"	25"	R3FTCF22524	470.	473.	481.	527.	536.	580.	620.
	30"	25"	R3FTCF22530	538.	541.	549.	595.	604.	648.	688.
	36"	25"	R3FTCF22536	583.	586.	594.	640.	649.	693.	733.
	42"	25"	R3FTCF22542	639.	642.	650.	696.	705.	749.	789.
	48"	25"	R3FTCF22548	690.	693.	701.	747.	756.	800.	840.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	R3FTCF325 18	598.	601.	609.	655.	664.	708.	748.
	20"	25"	R3FTCF325 20	598.	601.	609.	655.	664.	708.	748.
	24"	25"	R3FTCF325 24	620.	623.	631.	677.	686.	730.	770.
	30"	25"	R3FTCF325 30	708.	711.	719.	765.	774.	818.	858.
	36"	25"	R3FTCF325 36	771.	774.	782.	828.	837.	881.	921.
	42"	25"	R3FTCF325 42	846.	849.	857.	903.	912.	956.	996.
	48"	25"	R3FTCF325 48	915.	918.	926.	972.	981.	1,025.	1,065.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

*37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	R3FTCFL3718	\$533.	\$535.	\$541.	\$607.	\$619.	\$685.	\$747.
	20"	37"	R3FTCFL3720	533.	535.	541.	607.	619.	685.	747.
	24"	37"	R3FTCFL3724	543.	545.	551.	617.	629.	695.	757.
	30"	37"	R3FTCFL3730	645.	647.	653.	719.	731.	797.	859.
	36"	37"	R3FTCFL3736	697.	699.	705.	771.	783.	849.	911.
	42"	37"	R3FTCFL3742	778.	780.	786.	852.	864.	930.	992.
	48"	37"	R3FTCFL3748	849.	851.	857.	923.	935.	1,001.	1,063.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	R3FTCF13718	546.	548.	555.	622.	633.	700.	763.
	20"	37"	R3FTCF13720	546.	548.	555.	622.	633.	700.	763.
	24"	37"	R3FTCF13724	556.	558.	565.	632.	643.	710.	773.
	30"	37"	R3FTCF13730	661.	663.	670.	737.	748.	815.	878.
	36"	37"	R3FTCF13736	718.	720.	727.	794.	805.	872.	935.
	42"	37"	R3FTCF13742	802.	804.	811.	878.	889.	956.	1,019.
	48"	37"	R3FTCF13748	873.	875.	882.	949.	960.	1,027.	1,090.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	R3FTCF23718	555.	557.	564.	631.	642.	709.	772.
	20"	37"	R3FTCF23720	555.	557.	564.	631.	642.	709.	772.
	24"	37"	R3FTCF23724	567.	569.	576.	643.	654.	721.	784.
	30"	37"	R3FTCF23730	671.	673.	680.	747.	758.	825.	888.
	36"	37"	R3FTCF23736	727.	729.	736.	803.	814.	881.	944.
	42"	37"	R3FTCF23742	814.	816.	823.	890.	901.	968.	1,031.
	48"	37"	R3FTCF23748	889.	891.	898.	965.	976.	1,043.	1,106.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37" 	18"	37"	R3FTCF337 18	724.	726.	733.	800.	811.	878.	941.
	20"	37"	R3FTCF337 20	724.	726.	733.	800.	811.	878.	941.
	24"	37"	R3FTCF337 24	742.	744.	751.	818.	829.	896.	959.
	30"	37"	R3FTCF337 30	882.	884.	891.	958.	969.	1,036.	1,099.
	36"	37"	R3FTCF337 36	957.	959.	966.	1,033.	1,044.	1,111.	1,174.
	42"	37"	R3FTCF337 42	1,076.	1,078.	1,085.	1,152.	1,163.	1,230.	1,293.
	48"	37"	R3FTCF337 48	1,177.	1,179.	1,186.	1,253.	1,264.	1,331.	1,394.

Order Code	Specification Information	Application Notes
Example: R3FTCFL3718 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 37 37" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.






Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

description		h	pattern no.	list price
L-Post 	add on	21"	R3FTCL21	\$189.
	add on	25"	R3FTCL25	210.
	add on	37"	R3FTCL37	271.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	428.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	428.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	428.
T-Post 	add on	21"	R3FTCT21	205.
	add on	25"	R3FTCT25	223.
	add on	37"	R3FTCT37	287.
	full height	104"	R3FTCT104(F/T)-() ()	386.
	full height	108"	R3FTCT108(F/T)-() ()	386.
	full height	120"	R3FTCT120(F/T)-() ()	386.
X-Post 	add on	21"	R3FTCX21	187.
	add on	25"	R3FTCX25	207.
	add on	37"	R3FTCX37	270.
	full height	104"	R3FTCX104	354.
	full height	108"	R3FTCX108	354.
	full height	120"	R3FTCX120	354.
Straight post 	add on	21"	R3FTCS21	189.
	add on	25"	R3FTCS25	210.
	add on	37"	R3FTCS37	271.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	428.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	428.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	428.
End post 	add on	21"	R3FTCE21	205.
	add on	25"	R3FTCE25	223.
	add on	37"	R3FTCE37	287.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	386.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	386.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	386.

Order Code	Specification Information	Application Notes
Example: R3FTCL104TT-6N R3FTC Reff Gen 3 Floor to ceiling L Corner post 104 104" high (one piece) TT Tiled appearance 6 6" base height N No base infeed raceway knock-out W808 Fabric selection 111 Jet Black (base finish)	To order please specify pattern number including: 1. Post face option 2. Base height option 3. Base infeed raceway knock-out, (optional) 4. Fabric selection 5. Base color 1. <i>Face type:</i> F = Full height (monolithic look) T = Tiled 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 list for this option) 3. <i>Electrical infeed post:</i> L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None	The posts on this page do not support the hanging of panel mount product above the 79"H panels. The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements. If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds. Left and Right hand locations are determined by facing the post in question from the outside of the station. Hookstrip cover reveal strips are no charge but must be ordered separately from page 115.
		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Required components for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$61.
	25"	RFTCWS25S	78.
	37"	RFTCWS37S	94.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	223.
Caddy clips (box of 100)		RFTCCLIPS	323.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSpace	102.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		RFTCSM (Pair) for G2 only	7.
		R3FTCSM (Pair) for G3 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.

*These brackets are to be used with hinge doors only.


Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Fabric/laminate/wood options 2. Paint option for metal soffit <p>All floor to ceiling posts mimic the panel system post application.</p>	<p>*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.</p> <p>Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.</p> <p>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</p> <p>Use of Reff FTC components must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		


Power distribution components

2+2 Base Raceway

four circuit, eight-wire raceway for panels

power rails and connector


description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-E24	\$145.
	30" panel	12"	2"	2"	RR3-E30NS	160.
	36" panel	18"	2"	2"	RR3-E36NS	175.
	42" panel	24"	2"	2"	RR3-E42NS	183.
	48" panel	30"	2"	2"	RR3-E48NS	191.
	60" panel	42"	2"	2"	RR3-E60-4	290.
	66" panel	48"	2"	2"	RR3-E66-4	306.
	72" panel	54"	2"	2"	RR3-E72-4	327.

	Straight	16 1/2"	2"	2"	RR3-EPC24	84.
		18 1/2"	2"	2"	RR3-EPCSM	84.
		20 1/4"	2"	2"	RR3-EPCM	84.

Use **RR3-EPC24** for straight 24" to 24" wide panel.
 Use **RR3-EPCS** for straight 24" to any other width panel and for 30" to 30" wide panels.
 Use **RR3-EPC** for all other straight power connection configurations.

Through post	19"	2"	2"	RR3-EPCP24	84.
	21"	2"	2"	RR3-EPCPSM	84.
	22 3/4"	2"	2"	RR3-EPCPM	84.

Use **RR3-EPCP24** for through post 24" to 24" wide panels.
 Use **RR3-EPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.
 Use **RR3-EPCP** for all other through post power connection configurations.

	Circuit A	RR3-DA	40.
	Circuit B	RR3-DB	40.
	Circuit X	RR3-DX	40.
	Circuit Y	RR3-DY	40.

	Circuit X	RR3-DXO	45.
	Circuit Y	RR3-DYO	45.

Data Shield	1 pair	RR3-DATSHD	28.
-------------	--------	-------------------	-----

Attaches to power rail, sits under duplex

Order Code	Specification Information	Application Notes
Example: RR3-E-24 RR3 Reff raceway E Eight wire 2+2 24 for 24" panel	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting. Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.




Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

*Power connectors must be specified according to the panel widths in the specified orientation.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 <p>Jumper</p>	18" panel	38"	2"	2"	RR3-EJ18	\$105.
	20" panel	40"	2"	2"	RR3-EJ20	105.
	24" panel	44"	2"	2"	RR3-EJ24	113.
	30" panel	50"	2"	2"	RR3-EJ30	121.
	36" panel	56"	2"	2"	RR3-EJ36	132.
	42" panel	62"	2"	2"	RR3-EJ42	138.
	48" panel	68"	2"	2"	RR3-EJ48	145.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	152.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	160.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	168.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	175.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	183.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	191.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	200.
96" panel run	118 1/2"	2"	2"	RR3-EJ96P	207.	
 <p>Extended jumper (through one post)</p>	18" + post	40 1/2"	2"	2"	RR3-EJ18P	105.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	105.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	113.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	121.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	132.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	138.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	145.
 <p>Power infeeds</p>	Ceiling power cable infeed. Eight-wire				RR3-EPVR	290.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	212.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	318.
	Panel base end feed				RR3-REPI	252.
	Panel base side infeed				RR3-EPI	252.
	Surge suppressors				RR3-SP-(A,B,X,Y)	183.





Order Code	Specification Information	Application Notes								
<p>Example: RR3-EPVR</p> <table border="1"> <tr> <td>RR3</td> <td>Reff raceway</td> </tr> <tr> <td>E</td> <td>Eight wire 2+2</td> </tr> <tr> <td>P</td> <td>power infeed</td> </tr> <tr> <td>VR</td> <td>for vertical raceway</td> </tr> </table>	RR3	Reff raceway	E	Eight wire 2+2	P	power infeed	VR	for vertical raceway	<p>Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.</p> <p>For use in Canada, all circuits are CGA rated 15 amp capacity.</p> <p><i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection</p>
RR3	Reff raceway									
E	Eight wire 2+2									
P	power infeed									
VR	for vertical raceway									

into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-EPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-EPNY1** includes only one power connector.


Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.


Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors


description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-T24	\$168.	
	30" panel	12"	2"	2"	RR3-T30NS	183.	
	36" panel	18"	2"	2"	RR3-T36NS	200.	
	42" panel	24"	2"	2"	RR3-T42NS	212.	
	48" panel	30"	2"	2"	RR3-T48NS	220.	
	60" panel	42"	2"	2"	RR3-T60-4	344.	
	66" panel	48"	2"	2"	RR3-T66-4	358.	
	72" panel	54"	2"	2"	RR3-T72-4	383.	
	Straight	16 1/2"	2"	2"	RR3-TPC24	105.	
		18 1/2"	2"	2"	RR3-TPCS	105.	
		20 1/4"	2"	2"	RR3-TPCM	105.	
	Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.						
	Through post	19"	2"	2"	RR3-TPCP24	105.	
		21"	2"	2"	RR3-TPCPS	105.	
		22 3/4"	2"	2"	RR3-TPCPM	105.	
	Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.						
	Duplex outlets, black		Circuit A			RR3-DA	40.
			Circuit B			RR3-DB	40.
Circuit C					RR3-DC	40.	
Circuit X					RR3-DX	40.	
Circuit Y					RR3-DY	40.	
Circuit Z					RR3-DZ	40.	
Duplex outlets, orange		Circuit X			RR3-DXO	45.	
		Circuit Y			RR3-DYO	45.	
		Circuit Z			RR3-DZO	45.	
Data Shield	1 pair				RR3-DATSHD	28.	

Order Code	Specification Information	Application Notes
Example: RR3-T-24		
RR3 Reff raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.	Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.
T Ten wire 3+3	A, B, X, Y outlets are identical to eight wire, 2+2 components.	Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.
24 for 24" panel	Duplex outlet circuits are designated by white letters on black background.	Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.
	In Canada, circuits carry a 15 amp load rating.	Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.
	<i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	*Power connectors must be specified according to the panel widths in the specified orientation.
		If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-TJ18	\$121.
	20" panel	40"	2"	2"	RR3-TJ20	121.
	24" panel	44"	2"	2"	RR3-TJ24	132.
	30" panel	50"	2"	2"	RR3-TJ30	138.
	36" panel	56"	2"	2"	RR3-TJ36	145.
	42" panel	62"	2"	2"	RR3-TJ42	160.
	48" panel	68"	2"	2"	RR3-TJ48	175.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	183.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	191.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	200.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	207.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	212.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	232.
90" panel run	112 1/2"	2"	2"	RR3-TJ90P	237.	
96" panel run	118 1/2"	2"	2"	RR3-TJ96P	243.	

	18" + post	40 1/2"	2"	2"	RR3-TJ18P	121.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	121.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	132.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	138.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	145.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	160.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	175.



	Ceiling power cable infeed. Ten-wire				RR3-TPVR	351.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	243.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	351.
	Panel base end feed				RR3-RTPI	290.
	Panel base side infeed				RR3-TPI	290.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	183.

* Select which circuit needs protecting and order the specified surge processor.
 ** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

Power distribution components

Hardwire box

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$226.
	30" panel	RR3CHI301	263.
	36" panel	RR3CHI361	284.
	42" panel	RR3CHI421	287.
	48" panel	RR3CHI481	307.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	235.
	30" panel	RR3CHI302	281.
	36" panel	RR3CHI362	288.
	42" panel	RR3CHI422	292.
	48" panel	RR3CHI482	326.

Order Code

Example:	RR3CHI241
RR3	Reff/AutoStrada raceway G3
CHI	Chicago Hardwire Box
24	For 24" wide panel
1	One sided raceway


Specification Information

Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.


Application Notes

Certified electrician to install.
 Reff Hardwire Box
 Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$152.
	30" panel		RR3-E30S	175.
	36" panel		RR3-E36S	191.
	42" panel		RR3-E42S	207.
	48" panel		RR3-E48S	212.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	183.
	30" panel		RR3-T30S	200.
	36" panel		RR3-T36S	212.
	42" panel		RR3-T42S	232.
	48" panel		RR3-T48S	237.



Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	105.
	Beltway post	19 1/2"	RR3-LTPC	105.
	Beltway post	21 1/2"	RR3-LTPCP	105.



Only necessary for post applications where cable will turn 90°ree.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	152.
	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	144.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCL	161.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	152.

Order Code

Example: RR3-E24S
RR3 Reff raceway
E Eight wire 3+3
24 For 24" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.


Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper

* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$145.
	24" wide Ten Wire		RR3TJ48	175.
	30" wide Eight Wire		RR3EJ60P	160.
	30" wide Ten Wire		RR3TJ60P	191.
	36" wide Eight Wire		RR3EJ60P	160.
	36" wide Ten Wire		RR3TJ60P	191.
	42" wide Eight Wire		RR3EJ66P	168.
	42" wide Ten Wire		RR3TJ66P	200.
	48" wide Eight Wire		RR3EJ72P	175.
48" wide Ten Wire		RR3TJ72P	207.	

Order Code

Example: RR3-E24S
RR3 Reff raceway
E Eight wire 3+3
24 For 24" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.

Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper


* **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$14.
	Faceplate extender, black	RR3-FE	35.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	21.
	Cat 3 RJ11/14/25, black	RR3-C3C	13.
	CAT 5 RJ45 universal	RR3-C5C	21.
	CAT 6 universal	RR3-C6C	36.
	F series video coupler, black	RR3-FV	21.
	ST style coupler, black	RR3-ST	36.
Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	14.
	Mixed icons, 16 piece black	RR3-MICON	14.
	Phone icons, 16 piece black	RR3PICON	14.
Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	142.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	142.
Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	180.
	ST style dual fiber optic side mount	RR3-FOST	102.
Desktop duplex monument	2-RJ11 (telephone)	RGMD6	108.
	2-RJ45's (phone and intercom)	RGMD8	120.
	Duplex outlet (electrical)	RGMDE	131.

Order Code	Specification Information	Application Notes
Example: RR3-2PF	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
RR3 Reff raceway		
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
RR3 Reff raceway		
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.




Vertical power port bracket kit and duplex.


Reff Ported Panel Components

port, vertical duplex and panel jumpers


description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$57.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	89.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	30.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	30.
	Vertical Duplex C (10 wire applications)	RR3VDC	30.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	30.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	30.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	30.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	30.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	30.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	30.



Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	RR3EBVC50	152.
	30" same Panel Jumper 64" 8w	RR3EBVC64	165.
	30" same Panel Jumper 78" 8w	RR3EBVC78	180.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	164.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	179.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	195.




Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	174.
	30" same Panel Jumper 64" 10w	RR3TBVC64	191.
	30" same Panel Jumper 78" 10w	RR3TBVC78	209.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	187.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	205.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	220.

Order Code	Specification Information	Application Note
Example: RR3FDP	For data and communications specify product listed on page 131.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h
RR3 Reff		
F Floating		
DP Data Port		
	36"+ same panel jumper only used if there is a harness in base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.

Reff Ported Panel Components


port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$239.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	206.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	223.




Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	210.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	183.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	199.

Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	153.
	Internal Panel Jumper 8 w	RR3EVJ	142.



Order Code	Specification Information	Application Note
Example: RR3FDP	For data and communications specify product listed on page 131.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
RR3 Reff		
F Floating		
DP Data Port		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>


Worksurface 1 1/4
 rectilinear
 20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$318.	\$355.	\$409.	\$550.
		30"	RSA301-() ()	349.	390.	447.	603.
		36"	RSA361-() ()	369.	411.	471.	638.
		42"	RSA421-() ()	383.	430.	494.	667.
		48"	RSA481-() ()	403.	446.	513.	692.
		54"	RSA541-() ()	418.	463.	536.	725.
		60"	RSA601-() ()	452.	501.	576.	780.
		66"	RSA661-() ()	462.	517.	596.	804.
		72"	RSA721-() ()	489.	545.	624.	843.
		78"	RSA781-() ()	495.	550.	633.	856.
		84"	RSA841-() ()	525.	589.	674.	910.
		90"	RSA901-() ()	550.	610.	701.	948.
	96"	RSA961-() ()	570.	633.	728.	982.	
	24"	24"	RSA242-() ()	335.	372.	430.	580.
		30"	RSA302-() ()	379.	420.	487.	655.
		36"	RSA362-() ()	391.	441.	503.	679.
		42"	RSA422-() ()	408.	452.	520.	701.
		48"	RSA482-() ()	433.	487.	558.	752.
		54"	RSA542-() ()	462.	517.	596.	804.
		60"	RSA602-() ()	500.	556.	636.	861.
		66"	RSA662-() ()	512.	572.	660.	889.
		72"	RSA722-() ()	538.	598.	690.	932.
78"		RSA782-() ()	561.	626.	724.	975.	
84"	RSA842-() ()	585.	653.	750.	1,013.		
90"	RSA902-() ()	614.	680.	782.	1,055.		
96"	RSA962-() ()	636.	707.	814.	1,099.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	
R Reff	1. Top thickness	4. Top finish
S Straight top	2. Grommet option	5. Grommet finish: Painted or Plated
A 1 1/4" thick	3. Top finish type	Applicable finishes are listed on page 5 and 6.
24 24" wide	4. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
1 20" deep	5. Grommet finish	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Recessed grommet option	1. Thickness options: A = 1 1/4"	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
L Laminate finish	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
114 Folkstone grey	3. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)		These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4
 rectilinear
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243-()()	\$366.	\$406.	\$464.	\$627.
		30"	RSA303-()()	411.	457.	525.	710.
		36"	RSA363-()()	441.	493.	565.	762.
		42"	RSA423-()()	459.	512.	590.	797.
		48"	RSA483-()()	491.	547.	627.	848.
		54"	RSA543-()()	531.	592.	677.	914.
		60"	RSA603-()()	551.	611.	703.	950.
		66"	RSA663-()()	560.	625.	723.	974.
		72"	RSA723-()()	577.	641.	736.	993.
		78"	RSA783-()()	603.	671.	772.	1,041.
		84"	RSA843-()()	625.	698.	803.	1,084.
		90"	RSA903-()()	656.	729.	840.	1,135.
		96"	RSA963-()()	679.	757.	870.	1,175.
		36"	60"	RSA604-()()	634.	706.	810.
66"	RSA664-()()		656.	730.	842.	1,136.	
72"	RSA724-()()		678.	756.	869.	1,174.	

Order Code

Example: RSA243RL
R Reff
S Straight top
A 1 1/4" thick
24 24" wide
3 30" deep
R Recessed grommet option
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness options:
 A = 1 1/4"

2. Grommet options:
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)
 A = Alternate location (for 36"D tops only)

3. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

4. Top finish

5. Grommet finish:
 Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.


Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4
 Return and Bridge rectilinear
 Horizontal or vertical grain direction

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 1/4" thick 	20"	36"	RSAR361(H/V)()()	\$369.	\$411.	\$471.	\$638.
		42"	RSAR421(H/V)()()	383.	430.	494.	667.
		48"	RSAR481(H/V)()()	403.	446.	513.	692.
		54"	RSAR541(H/V)()()	418.	463.	536.	725.
		60"	RSAR601(H/V)()()	452.	501.	576.	780.
		66"	RSAR661(H/V)()()	462.	517.	596.	804.
		72"	RSAR721(H/V)()()	489.	545.	624.	843.
	24"	36"	RSAR362(H/V)()()	391.	441.	503.	679.
		42"	RSAR422(H/V)()()	408.	452.	520.	701.
		48"	RSAR482(H/V)()()	433.	487.	558.	752.
		54"	RSAR542(H/V)()()	462.	517.	596.	804.
		60"	RSAR602(H/V)()()	500.	556.	636.	861.
		66"	RSAR662(H/V)()()	512.	572.	660.	889.
		72"	RSAR722(H/V)()()	538.	598.	690.	932.

Order Code

Example: RSAR361(H/V)()()	
R	Reff
S	Straight top
A	1 1/4" thick top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical grain
()	Grommet type
()	Grommet finish
()	Worksurface finish

Specification Information


To order please specify pattern number including:

- Grommet type:
F = Flush
N = No Grommet
- Grommet finish:
Painted or Plated
- Worksurface finish:
L, V1, V2, V3


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces






U-shaped / Triple: Spanning 3 worksurfaces



Worksurface 1 1/4


rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611-()()	\$655.	\$751.	\$864.	\$1,167.
	20"	20"	36"	42"	RKA 364211-()()	692.	798.	913.	1,232.
	20"	20"	36"	48"	RKA 364811-()()	735.	844.	972.	1,312.
	20"	20"	42"	36"	RKA 423611-()()	692.	798.	913.	1,232.
	20"	20"	42"	42"	RKA 424211-()()	735.	844.	972.	1,312.
	20"	20"	42"	48"	RKA 424811-()()	801.	921.	1,061.	1,431.
	20"	20"	48"	36"	RKA 483611-()()	735.	844.	972.	1,312.
	20"	20"	48"	42"	RKA 484211-()()	801.	921.	1,061.	1,431.
	20"	20"	48"	48"	RKA 484811-()()	845.	972.	1,116.	1,507.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622-()()	744.	851.	979.	1,322.
	24"	24"	36"	42"	RKA 364222-()()	782.	898.	1,031.	1,392.
	24"	24"	36"	48"	RKA 364822-()()	823.	946.	1,085.	1,465.
	24"	24"	42"	36"	RKA 423622-()()	782.	898.	1,031.	1,392.
	24"	24"	42"	42"	RKA 424222-()()	823.	946.	1,085.	1,465.
	24"	24"	42"	48"	RKA 424822-()()	889.	1,023.	1,178.	1,588.
	24"	24"	48"	36"	RKA 483622-()()	823.	946.	1,085.	1,465.
	24"	24"	48"	42"	RKA 484222-()()	889.	1,023.	1,178.	1,588.
	24"	24"	48"	48"	RKA 484822-()()	934.	1,073.	1,231.	1,661.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612-()()	682.	782.	903.	1,217.
	20"	24"	36"	42"	RKA 364212-()()	721.	829.	951.	1,284.
	20"	24"	36"	48"	RKA 364812-()()	765.	877.	1,010.	1,362.
	20"	24"	42"	36"	RKA 423612-()()	721.	829.	951.	1,284.
	20"	24"	42"	42"	RKA 424212-()()	765.	877.	1,010.	1,362.
	20"	24"	42"	48"	RKA 424812-()()	834.	954.	1,100.	1,486.
	20"	24"	48"	36"	RKA 483612-()()	765.	877.	1,010.	1,362.
	20"	24"	48"	42"	RKA 484212-()()	834.	954.	1,100.	1,486.
	20"	24"	48"	48"	RKA 484812-()()	874.	1,006.	1,155.	1,560.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Applicable finishes are listed on page 5 and 6.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Knoll accepts no responsibility for special grommet locations which interfere with support hardware. Products on this page are shipped without hardware which must be ordered separately from the support components section. Product on this page will accept woodgrain laminate where laminate is currently an option. These worksurfaces are predrilled with pilot holes for use with wood screws.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	
Y324 Ash	1. <i>Top thickness:</i> A = 1 1/4"	
	2. <i>Grommet options:</i> N = No grommets F = Standard corner location or Flush	
	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	4. <i>Top finish</i>	
	5. <i>Grommet finish:</i> Painted or Plated	





Worksurface 1 1/4

rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKA 363621- () ()	\$682.	\$782.	\$903.	\$1,217.
	24"	20"	36"	42"	RKA 364221- () ()	721.	829.	951.	1,284.
	24"	20"	36"	48"	RKA 364821- () ()	765.	877.	1,010.	1,362.
	24"	20"	42"	36"	RKA 423621- () ()	721.	829.	951.	1,284.
	24"	20"	42"	42"	RKA 424221- () ()	765.	877.	1,010.	1,362.
	24"	20"	42"	48"	RKA 424821- () ()	834.	954.	1,100.	1,486.
	24"	20"	48"	36"	RKA 483621- () ()	765.	877.	1,010.	1,362.
	24"	20"	48"	42"	RKA 484221- () ()	834.	954.	1,100.	1,486.
	24"	20"	48"	48"	RKA 484821- () ()	874.	1,006.	1,155.	1,560.





Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Applicable finishes are listed on page 5 and 6.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
N No grommet	8. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
1 V1 finish	9. Grommet finish	
Y324 Ash	1. <i>Top thickness:</i> A = 1 1/4"	These worksurfaces are predrilled with pilot holes for use with wood screws.
	2. <i>Grommet options:</i> N = No grommets F = Standard corner location or Flush	
	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	4. <i>Top finish</i>	
	5. <i>Grommet finish:</i> Painted or Plated	

Worksurface 1 1/4 transition wave tops

description	d	w	d	pattern no.	L	M/V1	V2	V3
 <p>Wave top transition (right 20")</p>	24"	42"	20"	RWA4221-() ()	\$392.	\$454.	\$522.	\$706.
	24"	48"	20"	RWA4821-() ()	415.	476.	548.	738.
	24"	54"	20"	RWA5421-() ()	446.	510.	589.	795.
	24"	60"	20"	RWA6021-() ()	475.	546.	626.	846.
	24"	66"	20"	RWA6621-() ()	490.	563.	646.	871.
	24"	72"	20"	RWA7221-() ()	511.	590.	675.	912.
 <p>Wave top transition (left 24")</p>	24"	36"	30"	RWA3623-() ()	409.	470.	542.	730.
	24"	42"	30"	RWA4223-() ()	426.	491.	563.	758.
	24"	48"	30"	RWA4823-() ()	445.	507.	584.	789.
	24"	54"	30"	RWA5423-() ()	477.	548.	630.	851.
	24"	60"	30"	RWA6023-() ()	510.	589.	674.	910.
	24"	66"	30"	RWA6623-() ()	529.	607.	699.	946.
	24"	72"	30"	RWA7223-() ()	556.	638.	733.	988.
 <p>Wave top transition (left 20")</p>	20"	42"	24"	RWA4212-() ()	392.	454.	522.	706.
	20"	48"	24"	RWA4812-() ()	415.	476.	548.	738.
	20"	54"	24"	RWA5412-() ()	446.	510.	589.	795.
	20"	60"	24"	RWA6012-() ()	475.	546.	626.	846.
	20"	66"	24"	RWA6612-() ()	490.	563.	646.	871.
	20"	72"	24"	RWA7212-() ()	511.	590.	675.	912.
 <p>Wave top transition (right 24")</p>	30"	36"	24"	RWA3632-() ()	409.	470.	542.	730.
	30"	42"	24"	RWA4232-() ()	426.	491.	563.	758.
	30"	48"	24"	RWA4832-() ()	445.	507.	584.	789.
	30"	54"	24"	RWA5432-() ()	477.	548.	630.	851.
	30"	60"	24"	RWA6032-() ()	510.	589.	674.	910.
	30"	66"	24"	RWA6632-() ()	529.	607.	699.	946.
	30"	72"	24"	RWA7232-() ()	556.	638.	733.	988.

Order Code	Specification Information	Application Notes
Example: RWA4221FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Grommet option	
42 42" wide	4. Top finish type	These worksurfaces are predrilled with pilot holes for use with wood screws.
2 24" deep on left side	5. Top finish	
1 20" deep on right side	6. Grommet finish	Curvilinear worksurfaces only available in 1 1/4" thick.
F Flush grommet option	3. <i>Grommet options:</i>	
L Laminate finish	N = No grommet	See Planning Guide for grommet locations.
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	4. <i>Finish type:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	L = Laminate	
	M = Wood/laminate mixed	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
	1 = V1	
	2 = V2	
	3 = V3	Applicable finishes are listed on page 5 and 6.
	5. <i>Top finish</i>	
	6. <i>Grommet finish:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
	Painted or Plated	

Worksurface 1 1/4 transition wave top ends

description	depth	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	RWEA3631-() ()	\$523.	\$601.	\$693.	\$934.
	20"	42"	32"	RWEA4231-() ()	545.	625.	723.	974.
	20"	48"	32"	RWEA4831-() ()	574.	661.	758.	1,023.
Wave top end, (right 24") 	24"	36"	36"	RWEA3662-() ()	542.	623.	715.	966.
	24"	42"	36"	RWEA4262-() ()	559.	642.	738.	997.
	24"	48"	36"	RWEA4862-() ()	594.	679.	781.	1,054.
Wave top end, (left 20") 	32"	36"	20"	RWEA3613-() ()	523.	601.	693.	934.
	32"	42"	20"	RWEA4213-() ()	545.	625.	723.	974.
	32"	48"	20"	RWEA4813-() ()	574.	661.	758.	1,023.
Wave top end, (left 24") 	36"	36"	24"	RWEA3626-() ()	542.	623.	715.	966.
	36"	42"	24"	RWEA4226-() ()	559.	642.	738.	997.
	36"	48"	24"	RWEA4826-() ()	594.	679.	781.	1,054.

Order Code	Specification Information	Application Notes
Example: RWEA3631FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
E Wave top ends	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Grommet option	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide	4. Top finish type	Curvilinear worksurfaces only available in 1 1/4" thick.
3 32" deep on left side	5. Top finish	See Planning Guide for grommet locations.
1 20" deep on right side	6. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
F Flush grommet option	3. <i>Grommet options:</i>	
L Laminate finish	N = No grommet	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	5. <i>Top finish</i>	
	6. <i>Grommet finish:</i>	
	Painted or Plated	
	Applicable finishes are listed on page 5 and 6.	
	Product on this page will accept woodgrain laminate where laminate is currently an option.	

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.


Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.

Worksurface 1 1/4

curvilinear corner tops - 20" Deep

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20")	20"	20"	36"	36"	RCA363611- () ()	\$655.	\$751.	\$864.	\$1,167.
	20"	20"	36"	42"	RCA364211- () ()	692.	798.	913.	1,232.
	20"	20"	36"	48"	RCA364811- () ()	735.	844.	972.	1,312.
	20"	20"	42"	36"	RCA423611- () ()	692.	798.	913.	1,232.
	20"	20"	42"	42"	RCA424211- () ()	735.	844.	972.	1,312.
	20"	20"	42"	48"	RCA424811- () ()	801.	921.	1,061.	1,431.
	20"	20"	48"	36"	RCA483611- () ()	735.	844.	972.	1,312.
	20"	20"	48"	42"	RCA484211- () ()	801.	921.	1,061.	1,431.
	20"	20"	48"	48"	RCA484811- () ()	845.	972.	1,116.	1,507.



Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621- () ()	682.	782.	903.	1,217.
	24"	20"	36"	42"	RCA364221- () ()	721.	829.	951.	1,284.
	24"	20"	36"	48"	RCA364821- () ()	765.	877.	1,010.	1,362.
	24"	20"	42"	36"	RCA423621- () ()	721.	829.	951.	1,284.
	24"	20"	42"	42"	RCA424221- () ()	765.	877.	1,010.	1,362.
	24"	20"	42"	48"	RCA424821- () ()	834.	954.	1,100.	1,486.
	24"	20"	48"	36"	RCA483621- () ()	765.	877.	1,010.	1,362.
	24"	20"	48"	42"	RCA484221- () ()	834.	954.	1,100.	1,486.
	24"	20"	48"	48"	RCA484821- () ()	874.	1,006.	1,155.	1,560.

Order Code	Specification Information
Example: RCA363611N1	
R	Reff
C	Curved front corner
A	1 1/4" thick
36	36" wide on left back
36	36" wide on right back
1	20" deep on left side
1	20" deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information
<i>To order please specify pattern number including:</i>
1. Left hand width
2. Right hand width
3. Return left hand depth
4. Return right hand depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish
5. <i>Grommet options:</i>
N = No grommets
F = Standard corner location
6. <i>Finish type:</i>
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3
7. <i>Top finish</i>
8. <i>Grommet finish:</i>
Painted or Plated

Application Notes
Radius of curved front changes with overall top size. See Planning Guide.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
Product on this page will accept woodgrain laminate where laminate is currently an option.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Curvilinear worksurfaces only available in 1 1/4" thick.
See Planning Guide for grommet locations.
Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
Please call Custom Product Development for special grommet locations.
Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4 curvilinear corner tops - 24" Deep

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612- () ()	\$682.	\$782.	\$903.	\$1,217.
	20"	24"	36"	42"	RCA364212- () ()	721.	829.	951.	1,284.
	20"	24"	36"	48"	RCA364812- () ()	765.	877.	1,010.	1,362.
	20"	24"	42"	36"	RCA423612- () ()	721.	829.	951.	1,284.
	20"	24"	42"	42"	RCA424212- () ()	765.	877.	1,010.	1,362.
	20"	24"	42"	48"	RCA424812- () ()	834.	954.	1,100.	1,486.
	20"	24"	48"	36"	RCA483612- () ()	765.	877.	1,010.	1,362.
	20"	24"	48"	42"	RCA484212- () ()	834.	954.	1,100.	1,486.
	20"	24"	48"	48"	RCA484812- () ()	874.	1,006.	1,155.	1,560.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622- () ()	744.	851.	979.	1,322.
	24"	24"	36"	42"	RCA364222- () ()	782.	898.	1,031.	1,392.
	24"	24"	36"	48"	RCA364822- () ()	823.	946.	1,085.	1,465.
	24"	24"	42"	36"	RCA423622- () ()	782.	898.	1,031.	1,392.
	24"	24"	42"	42"	RCA424222- () ()	823.	946.	1,085.	1,465.
	24"	24"	42"	48"	RCA424822- () ()	889.	1,023.	1,178.	1,588.
	24"	24"	48"	36"	RCA483622- () ()	823.	946.	1,085.	1,465.
	24"	24"	48"	42"	RCA484222- () ()	889.	1,023.	1,178.	1,588.
	24"	24"	48"	48"	RCA484822- () ()	934.	1,073.	1,231.	1,661.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCA363612	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
C Curved front corner	2. Right hand width	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
A 1 1/4" thick	3. Return left hand depth	Please call Custom Product Development for special grommet locations.
36 36" wide on left back	4. Return right hand depth	Applicable finishes are listed on page 5 and 6.
36 36" wide on right back	5. Grommet option	
1 20" deep on left side	6. Top finish type	
2 24" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	5. <i>Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	6. <i>Finish type:</i>	
	L = Laminate	Products on this page are shipped without hardware which must be ordered separately from the support components section.
	M = Wood/laminate mixed	Product on this page will accept woodgrain laminate where laminate is currently an option.
	1 = V1	These worksurfaces are predrilled with pilot holes for use with wood screws.
	2 = V2	Curvilinear worksurfaces only available in 1 1/4" thick.
	3 = V3	See Planning Guide for grommet locations.
	7. <i>Top finish</i>	
	8. <i>Grommet finish:</i>	
	Painted or Plated	

Worksurface 1 1/4


extended curvilinear corner tops

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	RCCDLA23672 () () ()	\$1,809.	\$2,448.	\$3,456.	\$4,662.
	36"	78"	RCCDLA23678 () () ()	1,881.	2,546.	3,591.	4,848.
	36"	84"	RCCDLA23684 () () ()	1,956.	2,649.	3,735.	5,042.
	36"	96"	RCCDLA23696 () () ()	2,035.	2,754.	3,885.	5,246.



Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	1,811.	2,454.	3,464.	4,677.
	36"	78"	RCCDLA33678 () () ()	1,883.	2,553.	3,605.	4,866.
	36"	84"	RCCDLA33684 () () ()	1,959.	2,656.	3,747.	5,058.
	36"	96"	RCCDLA33696 () () ()	2,037.	2,761.	3,898.	5,261.

Extended corner worktop, RH curved front corner (return 24")	36"	72"	RCCDRA23672 () () ()	1,809.	2,448.	3,456.	4,662.
	36"	78"	RCCDRA23678 () () ()	1,881.	2,546.	3,591.	4,848.
	36"	84"	RCCDRA23684 () () ()	1,956.	2,649.	3,735.	5,042.
	36"	96"	RCCDRA23696 () () ()	2,035.	2,754.	3,885.	5,246.



Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	1,811.	2,454.	3,464.	4,677.
	36"	78"	RCCDRA33678 () () ()	1,883.	2,553.	3,605.	4,866.
	36"	84"	RCCDRA33684 () () ()	1,959.	2,656.	3,747.	5,058.
	36"	96"	RCCDRA33696 () () ()	2,037.	2,761.	3,898.	5,261.

Order Code

Specification Information

Example:	RCCDLA23672N2
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

To order please specify pattern number including:

1. Depth
2. Grommet option
3. Finish type
4. Finish
5. Grommet finish

2. Grommet options:
 N = No grommets
 F = Flush front grommet location

3. Finish type:
 L = Laminate
 M = Mixed (laminated surface with wood edge)
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Worksurface 1 1/4

extended straight corner tops

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24")	36"	60"	24"	RCEAL223660 () () ()	\$670.	\$1,009.	\$1,365.	\$1,846.
	36"	72"	24"	RCEAL223672 () () ()	802.	1,223.	1,651.	2,231.
	42"	60"	24"	RCEAL224260 () () ()	736.	1,114.	1,509.	2,036.
	42"	72"	24"	RCEAL224272 () () ()	870.	1,330.	1,797.	2,426.
	48"	72"	24"	RCEAL224872 () () ()	938.	1,437.	1,939.	2,618.
	48"	84"	24"	RCEAL224884 () () ()	1,071.	1,651.	2,227.	3,006.
48"	96"	24"	RCEAL224896 () () ()	1,231.	1,903.	2,561.	3,459.	



Extended straight corner top, RH curved front corner (returns 24")	36"	60"	24"	RCEAR223660 () () ()	670.	1,009.	1,365.	1,846.
	36"	72"	24"	RCEAR223672 () () ()	802.	1,223.	1,651.	2,231.
	42"	60"	24"	RCEAR224260 () () ()	736.	1,114.	1,509.	2,036.
	42"	72"	24"	RCEAR224272 () () ()	870.	1,330.	1,797.	2,426.
	48"	72"	24"	RCEAR224872 () () ()	938.	1,437.	1,939.	2,618.
	48"	84"	24"	RCEAR224884 () () ()	1,071.	1,651.	2,227.	3,006.
	48"	96"	24"	RCEAR224896 () () ()	1,231.	1,903.	2,561.	3,459.



Order Code

Example:	RCEAL223660N2
R	Reff
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3


Applicable finishes are listed on page 5 and 6.


Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

*Rectilinear and curvilinear corners for C-Leg and T-Leg bases
24", 30" and 36" deep*

description	type	d*	d	w*	w	pattern no.	L	V1	V2	V3	
	C-Leg and T-Leg Rectangular Tops For use with 24" Deep C-Leg base	24"	23"	36"	34"	RSA3423N() ()	\$391.	\$441.	\$503.	\$679.	
		24"	23"	42"	40"	RSA4023N() ()	408.	452.	520.	701.	
		24"	23"	48"	46"	RSA4623N() ()	433.	487.	558.	752.	
		24"	23"	54"	52"	RSA5223N() ()	462.	517.	596.	804.	
		24"	23"	60"	58"	RSA5823N() ()	500.	556.	636.	861.	
		24"	23"	66"	64"	RSA6423N() ()	512.	572.	660.	889.	
	For use with 30" Deep C-Leg base	30"	29"	36"	34"	RSA3429N() ()	441.	493.	565.	762.	
		30"	29"	42"	40"	RSA4029N() ()	459.	512.	590.	797.	
	For use with 30" Deep C-Leg or T-Leg base	30"	29"	48"	46"	RSA4629N() ()	491.	547.	627.	848.	
		30"	29"	54"	52"	RSA5229N() ()	531.	592.	677.	914.	
		30"	29"	60"	58"	RSA5829N() ()	551.	611.	703.	950.	
		30"	29"	66"	64"	RSA6429N() ()	560.	625.	723.	974.	
		30"	29"	72"	70"	RSA7029N() ()	577.	641.	736.	993.	
	For use with 30" Deep T-Leg base	36"	35"	48"	46"	RSA4635N() ()	556.	621.	714.	960.	
		36"	35"	54"	52"	RSA5235N() ()	606.	676.	774.	1,041.	
		36"	35"	60"	58"	RSA5835N() ()	634.	706.	810.	1,093.	
		36"	35"	66"	64"	RSA6435N() ()	656.	730.	842.	1,136.	
	C-Leg Corner Tops, 24" or 30" Deep	For use with C-Leg Corner base	24"	23"	48"	46"	RCA464623N() ()	934.	1,073.	1,231.	1,661.
			30"	29"	48"	46"	RCA464629N() ()	1,045.	1,201.	1,377.	1,856.



Order Code

Example:	RSA 5829N, L, 118
R	Reff
S	Straight Rectangular
A	1 1/4" thick
58	Width
29	Depth
N	No Grommets
L	Finish type
118	Bright White Laminate

w * and d * = nominal dimensions

Specification Information

To order please specify pattern number including:

- 1. Finish Type:**
(L) = Laminate
(1) = V1
(2) = V2
(3) = V3

- 2. Finish:**
Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.

23", 29" and 35" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.


48"x48" curvilinear corner worksurfaces are for use with 16"D 3-legged fixed and height adjustable corner bases.

Worksurfaces are pre-drilled with pilot holes for use with wood screws.

Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.

Worksurface 1 1/4

Meeting tops 'D'

description	type	w	d	pattern no.	L	M/V1	V2	V3
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMDA4230-()()	\$579.	\$640.	\$735.	\$992.
		48"	30"	RMDA4830-()()	622.	692.	797.	1,075.
		54"	30"	RMDA5430-()()	666.	741.	851.	1,150.
		60"	30"	RMDA6030-()()	714.	794.	908.	1,227.
		66"	30"	RMDA6630-()()	760.	843.	971.	1,311.
		72"	30"	RMDA7230-()()	809.	897.	1,030.	1,391.
		78"	30"	RMDA7830-()()	914.	1,012.	1,165.	1,571.
		84"	30"	RMDA8430-()()	1,018.	1,128.	1,299.	1,753.
		90"	30"	RMDA9030-()()	1,136.	1,261.	1,450.	1,956.
		96"	30"	RMDA9630-()()	1,255.	1,392.	1,600.	2,160.
	36" deep	42"	36"	RMDA4236-()()	636.	705.	809.	1,092.
		48"	36"	RMDA4836-()()	696.	771.	885.	1,194.
		54"	36"	RMDA5436-()()	793.	881.	1,015.	1,369.
		60"	36"	RMDA6036-()()	891.	986.	1,136.	1,535.
		66"	36"	RMDA6636-()()	909.	1,007.	1,157.	1,564.
		72"	36"	RMDA7236-()()	921.	1,023.	1,178.	1,588.
		78"	36"	RMDA7836-()()	1,039.	1,152.	1,325.	1,789.
		84"	36"	RMDA8436-()()	1,155.	1,282.	1,474.	1,988.
		90"	36"	RMDA9036-()()	1,217.	1,349.	1,552.	2,096.
		96"	36"	RMDA9636-()()	1,335.	1,478.	1,700.	2,296.
Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	RMDA4221-()()	744.	825.	947.	1,277.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-()()	813.	903.	1,037.	1,401.



No Grommets

Please specify mating trim profile

Order Code	Specification Information	Application Notes
<p>Example: RMDA4230N1</p> <p>R Reff</p> <p>MD Meeting D-top</p> <p>A 1 1/4" thick</p> <p>42 42" wide</p> <p>30 30" deep</p> <p>N No grommet</p> <p>1 V1</p> <p>Y311 Beech</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Top thickness Width Depth Grommet option Top finish type Top finish Grommet finish Trim profile <p>1. Thickness options: A = 1 1/4"</p> <p>4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Additional spec option required for wrap around panel tops; specify mating trim profile.</p> <p>8. Trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p>

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.


*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4

Meeting tops P and 9

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230- () ()	\$792.	\$879.	\$1,011.	\$1,363.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836- () ()	881.	976.	1,124.	1,519.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230- () ()	792.	879.	1,011.	1,363.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836- () ()	881.	976.	1,124.	1,519.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430- () ()	1,613.	1,788.	2,057.	2,778.
		96"	30"	RM9A9630- () ()	1,680.	1,866.	2,142.	2,893.





42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
M9 Meeting 9-top	2. Width	These worksurfaces are predrilled with pilot holes for use with wood screws.
A 1 1/4" thick	3. Depth	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
42 42" wide	4. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
30 30" deep	5. Top finish type	
N No grommet	6. Top finish	
1 V1	7. Grommet finish	
Y311 Beech	1. <i>Thickness options:</i> A = 1 1/4"	
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	7. <i>Grommet finish:</i> Painted or Plated	
		Applicable finishes are listed on page 5 and 6.
		Product on this page will accept woodgrain laminate where laminate is currently an option.
		See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Refer to Planning Guide for modesty panel size requirements and all other support options.

Worksurface 1 1/4

Meeting tops


description	type	w	d	pattern no.	L	M/V1	V2	V3
 Worksurface P-top 42" diameter		84"	30"	RMPA8430- () ()	\$1,613.	\$1,788.	\$2,057.	\$2,778.
		96"	30"	RMPA9630- () ()	1,680.	1,866.	2,142.	2,893.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
 Elliptical tops		60"	30"	REBA6030- () *	1,109.	1,254.	1,438.	1,944.
		72"	42"	REBA7242- () *	1,580.	1,782.	2,051.	2,767.
		78"	48"	REBA7848- () *	1,730.	1,955.	2,248.	3,036.

Order Code	Specification Information	Application Notes
Example: RMDA4230N1 R Reff MD Meeting D-top A 1 1/4" thick 42 42" wide 30 30" deep N No grommet 1 V1 Y311 Beech	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Top thickness Width Depth Grommet option Top finish type Top finish Grommet finish Trim profile <p><i>1. Thickness options:</i> A = 1 1/4"</p> <p><i>4. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p><i>5. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p><i>7. Grommet finish:</i> Painted or Plated</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>

Worksurface 1 1/4


Bow front and support

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72"	30"		RMB(A)7230-() ()	\$926.	\$1,066.	\$1,227.	\$1,655.
	84"	30"		RMB(A)8430-() ()	1,020.	1,177.	1,352.	1,824.
	96"	30"		RMB(A)9630-() ()	1,133.	1,304.	1,496.	2,023.



Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.






Bow shaped top - 36"D	72"	36"		RMB(A)7236-() ()	985.	1,131.	1,303.	1,757.
	84"	36"		RMB(A)8436-() ()	1,079.	1,242.	1,429.	1,928.
	96"	36"		RMB(A)9636-() ()	1,196.	1,377.	1,581.	2,135.



Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Order Code	Specification Information	Application Notes
Example: RMBA7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet option	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V319 Medium cherry	<i>1. Thickness options:</i>	These worksurfaces are predrilled with pilot holes for use with wood screws.
111 Jet Black (grommet)	A = 1 1/4"	See Planning Guide for grommet locations.
	<i>4. Grommet options:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
	N = No grommet	
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference 1 1/4" Square and rectangular

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RAA7230(-)	\$597.	\$663.	\$762.	\$1,028.
	72"	36"	RAA7236(-)	649.	721.	828.	1,118.
	84"	30"	RAA8430(-)	661.	731.	843.	1,137.
	84"	36"	RAA8436(-)	711.	786.	904.	1,221.
	84"	42"	RAA8442(-)	1,050.	1,165.	1,336.	1,804.
	96"	30"	RAA9630(-)	742.	824.	946.	1,276.
	96"	36"	RAA9636(-)	818.	907.	1,044.	1,410.
	96"	42"	RAA9642(-)	1,205.	1,334.	1,535.	2,073.
Rectangular top 2 piece 	120"	36"	RAA12036(-)	1,313.	1,456.	1,675.	2,261.
	120"	42"	RAA12042(-)	1,811.	2,008.	2,310.	3,119.
	120"	48"	RAA12048(-)	1,968.	2,184.	2,510.	3,389.
	144"	42"	RAA14442(-)	2,035.	2,256.	2,595.	3,503.
	144"	48"	RAA14448(-)	2,179.	2,419.	2,782.	3,755.
Rectangular top 3 piece 	168"	42"	RAA16842(-)	2,667.	2,957.	3,404.	4,595.
	168"	48"	RAA16848(-)	2,898.	3,214.	3,696.	4,988.
	192"	42"	RAA19242(-)	2,892.	3,207.	3,685.	4,976.
	192"	48"	RAA19248(-)	3,114.	3,451.	3,966.	5,353.
Square tops  	*	60"	RAA6060(-)	1,224.	1,356.	1,563.	2,107.
	*	72"	RAA7272(-)	1,442.	1,600.	1,840.	2,485.
	-	36"	RAA3636(-)	460.	512.	590.	797.
	-	42"	RAA4242(-)	597.	663.	762.	1,028.
	-	48"	RAA4848(-)	786.	869.	1,001.	1,349.

Worksurfaces






Order Code	Specification Information	Application Notes
Example: RRAG72302 R Reff R Rectangular A 1 1/4" thick 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Width 3. Depth 4. Finish type 5. Finish 1. Thickness options: A = 1 1/4" 4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3 *Square tops in two pieces.	Product on this page will accept woodgrain laminate where laminate is currently an option. All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide, pages 140 and 141.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Conference 1 1/4"
Round and racetrack

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece 	72"	30"	RTA7230-()	\$1,131.	\$1,254.	\$1,438.	\$1,944.
	84"	30"	RTA8430-()	1,258.	1,395.	1,604.	2,164.
	96"	30"	RTA9630-()	1,398.	1,552.	1,786.	2,410.
	72"	36"	RTA7236-()	1,290.	1,429.	1,642.	2,216.
	84"	36"	RTA8436-()	1,448.	1,608.	1,847.	2,492.
	96"	36"	RTA9636-()	1,607.	1,782.	2,051.	2,767.
	84"	42"	RTA8442-()	1,761.	1,955.	2,248.	3,036.
	96"	42"	RTA9642-()	1,975.	2,190.	2,516.	3,398.
	96"	48"	RTA9648-()	2,166.	2,398.	2,759.	3,723.
Racetrack top 2 piece 	120"	36"	RTA12036-()	2,074.	2,302.	2,649.	3,574.
	120"	42"	RTA12042-()	2,240.	2,481.	2,856.	3,855.
	144"	42"	RTA14442-()	2,470.	2,737.	3,148.	4,247.
	120"	48"	RTA12048-()	2,380.	2,639.	3,036.	4,097.
	144"	48"	RTA14448-()	2,531.	2,808.	3,226.	4,354.
Racetrack top 3 piece 	168"	42"	RTA16842-()	3,096.	3,431.	3,947.	5,328.
	192"	42"	RTA19242-()	3,325.	3,686.	4,242.	5,727.
	168"	48"	RTA16848-()	3,314.	3,671.	4,221.	5,700.
	192"	48"	RTA19248-()	3,462.	3,840.	4,414.	5,959.
Round tops  	-	36"	RTA3636-()	636.	705.	809.	1,092.
	-	42"	RTA4242-()	739.	815.	938.	1,266.
	-	48"	RTA4848-()	1,215.	1,345.	1,546.	2,088.
	*	60"	RTA6060-()	1,902.	2,109.	2,426.	3,275.
	*	72"	RTA7272-()	2,353.	2,608.	3,004.	4,056.

Order Code

Example:	RTA72302
R	Reff
R	Round
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:

A = 1 1/4"

4. Finish type:

- L = Laminate
- M = Wood/laminate mixed
- 1 = V1
- 2 = V2
- 3 = V3

*Round tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.

Top to top brackets included with multiple piece conference tops only.

See table base matrix in Planning Guide pages 140 and 141.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 0 through 0.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma




Alpha



Beta



Chi




Delta



Epsilon




Phi




Gamma

Optional edge 1 1/4
front only, 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$409.	\$466.	\$630.	
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	448.	515.	695.	
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	471.	544.	733.	
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	494.	567.	766.	
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	514.	590.	797.	
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	532.	618.	833.	
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	576.	664.	897.	
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	594.	684.	922.	
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	625.	720.	970.	
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	633.	728.	982.	
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	674.	774.	1,046.	
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	701.	807.	1,089.	
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	728.	838.	1,131.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	430.	494.	667.
			30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	487.	559.	754.
			36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	504.	580.	784.
			42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	520.	597.	805.
48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)		559.	640.	863.		
54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)		594.	684.	922.		
60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)		636.	731.	987.		
66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)		661.	757.	1,022.		
72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)		689.	795.	1,071.		
78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)		723.	831.	1,122.		
84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)		750.	862.	1,165.		
90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)	782.	903.	1,217.			
96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	813.	938.	1,266.			

Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	


Optional edge 1 1/4
front only, 30" and 36" deep

description	d	width	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$464.	\$536.	\$725.	
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	525.	603.	813.	
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	566.	649.	875.	
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	589.	675.	912.	
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	627.	725.	978.	
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	679.	780.	1,052.	
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	703.	808.	1,090.	
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	721.	829.	1,119.	
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	737.	846.	1,143.	
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	772.	890.	1,202.	
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	803.	924.	1,250.	
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	839.	968.	1,307.	
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	870.	1,003.	1,353.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	812.	934.	1,260.
			66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	840.	970.	1,310.
			72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	869.	1,002.	1,350.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4
front and back edge, 20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$409.	\$466.	\$630.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	514.	590.	797.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	532.	618.	833.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	576.	664.	897.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	594.	684.	922.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	625.	720.	970.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	633.	728.	982.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	674.	774.	1,046.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	701.	807.	1,089.
96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	728.	838.	1,131.		
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	559.	640.	863.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	594.	684.	922.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	636.	731.	987.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	661.	757.	1,022.
		72"	RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	689.	795.	1,071.
		78"	RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	723.	831.	1,122.
		84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	750.	862.	1,165.
		90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	782.	903.	1,217.
96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	813.	938.	1,266.		

Order Code	Specification Information	Application Notes
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position A = Edge front and back	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	



Optional edge 1 1/4
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$464.	\$536.	\$725.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	525.	603.	813.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	566.	649.	875.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	589.	675.	912.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	627.	725.	978.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	679.	780.	1,052.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	703.	808.	1,090.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	721.	829.	1,119.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	737.	846.	1,143.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	772.	890.	1,202.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	803.	924.	1,250.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	839.	968.	1,307.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	870.	1,003.	1,353.
		36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	812.	934.
66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)		840.	970.	1,310.	
72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)		869.	1,002.	1,350.	

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Edge profile 5th position A = Edge front and back Width Depth Grommet option Top finish type Top finish Grommet finish <p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>5. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p><i>6. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff		
S Straight top		
A 1 1/4" thick		
G Gamma		
A Edge front and back		
24 24" wide		
3 30" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$409.	\$466.	\$630.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	514.	590.	797.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	559.	640.	863.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	409.	466.	630.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	514.	590.	797.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	559.	640.	863.


Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.
G Gamma	4. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
B Both ends accept edge	5. Grommet option	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$409.	\$466.	\$630.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	514.	590.	797.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	559.	640.	863.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.
G Gamma	4. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
B Both ends accept edge	5. Grommet option	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge 1 1/4 curvilinear corner front edge only

description	width1	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$864.	\$992.	\$1,340.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	913.	1,051.	1,419.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	972.	1,116.	1,507.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	913.	1,051.	1,419.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	972.	1,116.	1,507.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	1,061.	1,219.	1,645.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	972.	1,116.	1,507.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	1,061.	1,219.	1,645.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,116.	1,284.	1,732.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	903.	1,037.	1,401.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	951.	1,093.	1,477.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	1,011.	1,159.	1,567.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	951.	1,093.	1,477.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	1,011.	1,159.	1,567.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,100.	1,263.	1,706.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	1,011.	1,159.	1,567.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,100.	1,263.	1,706.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,155.	1,329.	1,794.

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	<ol style="list-style-type: none"> Edge profile Left hand width Right hand width Return left hand depth Return right hand depth Grommet option Top finish type Top finish Grommet finish 	
C Corner top		Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick		
G Gamma		Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
F Edge Front only		
36 36" wide		
36 36" wide		
1 20" deep		
1 20" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		
	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
	<i>6. Grommet options:</i> N = No grommet F = Flush front grommet location	
	<i>7. Finish type:</i> 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	






Optional edge 1 1/4 curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	\$903.	\$1,037.	\$1,401.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	951.	1,093.	1,477.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	1,011.	1,159.	1,567.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	951.	1,093.	1,477.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	1,011.	1,159.	1,567.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,100.	1,263.	1,706.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	1,011.	1,159.	1,567.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,100.	1,263.	1,706.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,155.	1,329.	1,794.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	979.	1,126.	1,521.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	1,031.	1,183.	1,597.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	1,086.	1,248.	1,686.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	1,031.	1,183.	1,597.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	1,086.	1,248.	1,686.
	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,178.	1,355.	1,828.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	1,086.	1,248.	1,686.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,178.	1,355.	1,828.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,233.	1,416.	1,913.

Worksurfaces




Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	<ol style="list-style-type: none"> Edge profile Left hand width Right hand width Return left hand depth Return right hand depth Grommet option Top finish type Top finish Grommet finish 	
C Corner top		Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick		
G Gamma		Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
F Edge Front only		
36 36" wide		
36 36" wide		
1 20" deep		
1 20" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		
	<ol style="list-style-type: none"> Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma 	
	<ol style="list-style-type: none"> Grommet options: N = No grommet F = Flush front grommet location 	
	<ol style="list-style-type: none"> Finish type: 1 = V1 2 = V2 3 = V3 	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge 1 1/4
wave end tops
front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-()(1/2/3)	\$521.	\$600.	\$809.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-()(1/2/3)	548.	630.	851.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-()(1/2/3)	585.	674.	910.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-()(1/2/3)	626.	723.	974.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-()(1/2/3)	646.	742.	1,005.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-()(1/2/3)	675.	778.	1,050.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-()(1/2/3)	564.	646.	871.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-()(1/2/3)	584.	671.	906.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-()(1/2/3)	630.	726.	979.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-()(1/2/3)	674.	774.	1,046.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-()(1/2/3)	698.	804.	1,085.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-()(1/2/3)	735.	844.	1,140.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-()(1/2/3)	521.	600.	809.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-()(1/2/3)	548.	630.	851.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-()(1/2/3)	585.	674.	910.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-()(1/2/3)	626.	723.	974.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-()(1/2/3)	646.	742.	1,005.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-()(1/2/3)	675.	778.	1,050.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-()(1/2/3)	564.	646.	871.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-()(1/2/3)	584.	671.	906.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-()(1/2/3)	630.	726.	979.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-()(1/2/3)	674.	774.	1,046.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-()(1/2/3)	698.	804.	1,085.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-()(1/2/3)	735.	844.	1,140.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-()(1/2/3)	693.	798.	1,076.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-()(1/2/3)	721.	829.	1,119.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-()(1/2/3)	758.	871.	1,178.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	
V319 Medium cherry		
111 Jet Black (grommet)		


Optional edge 1 1/4
wave end tops
front edge only

description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$717.	\$825.	\$1,113.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	738.	849.	1,146.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	781.	902.	1,216.
Wave end top with profile edge front only (20" left) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	693.	798.	1,076.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	721.	829.	1,119.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	758.	871.	1,178.
Wave end top with profile edge front only (24" left) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	717.	825.	1,113.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	738.	849.	1,146.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	781.	902.	1,216.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4 meeting tops





description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$736.	\$845.	\$1,141.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	797.	912.	1,231.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	851.	979.	1,322.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	910.	1,046.	1,411.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	971.	1,115.	1,506.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	1,030.	1,182.	1,596.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,164.	1,337.	1,806.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,299.	1,493.	2,017.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,451.	1,669.	2,251.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,600.	1,840.	2,485.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	810.	932.	1,258.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	885.	1,019.	1,376.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	1,013.	1,167.	1,574.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,136.	1,308.	1,766.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,157.	1,332.	1,798.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,178.	1,355.	1,828.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,325.	1,522.	2,055.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,474.	1,696.	2,290.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,552.	1,786.	2,410.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,701.	1,953.	2,638.
Wrap-around panel top	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	947.	1,088.	1,468.
*No Grommet option	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	1,037.	1,193.	1,611.



Please specify mating end trim profile option.

Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	
MD Peninsula D-shaped top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Depth	
G Gamma	4. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
F Edge front only	5. Top finish type	
42 42" wide	6. Top finish	Applicable finishes are listed on page 5 and 6.
30 30" deep	7. Grommet finish	
C Centered grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish		
V319 Medium cherry	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Grommet options:</i>	
	N = No grommet	
	C = Centered grommet (applicable RMDA product only)	
	F = Flush front grommet location (for worksurfaces 9 or P tops)	
	R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)	
	<i>5. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>8. Additional specification option required for wrap around panel tops only, specify mating trim profile</i>	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	

Optional edge 1 1/4 meeting tops P and 9




description	d	w	pattern no.	V1	V2	V3
Worksurface P-top 	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	\$2,056.	\$2,368.	\$3,196.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,144.	2,465.	3,328.
Worksurface 9-top 	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	2,056.	2,368.	3,196.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,144.	2,465.	3,328.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet option 	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	1,012.	1,163.	1,568.
	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,124.	1,292.	1,746.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet option 	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	1,012.	1,163.	1,568.
	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,124.	1,292.	1,746.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMPAGF4230F2 R Reff MP Peninsula P-shaped top A 1 1/4" thick G Gamma F Edge front only 42 42" wide 30 30" deep C Centered grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	To order please specify pattern number including: 1. Edge profile 2. Width 3. Depth 4. Grommet option 5. Top finish type 6. Top finish 7. Grommet finish 8. Applicable "wrap around panel tops" only specify mating panel end trim profile 1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops) 5. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
		<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.</p>

Optional edge 1 1/4





Bow front tops

description	w	d	pattern no.	V1	V2	V3
	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,227.	\$1,409.	\$1,903.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430-()(1/2/3)	1,352.	1,554.	2,099.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630-()(1/2/3)	1,497.	1,720.	2,323.
	72"	36"	RMBA(A/B/C/D/E/F/G)A7236-()(1/2/3)	1,303.	1,496.	2,023.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436-()(1/2/3)	1,428.	1,643.	2,219.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,582.	1,821.	2,456.
	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,439.	1,655.	2,235.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	2,052.	2,356.	3,181.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	2,248.	2,586.	3,490.

grommet options for elliptical tops, N or R

Order Code	Specification Information	Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	<ol style="list-style-type: none"> Edge profile Width Depth Grommet option Top finish type Top finish Grommet finish 	
MB Bow front top	<ol style="list-style-type: none"> Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma 	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
A 1 1/4" thick	<ol style="list-style-type: none"> Grommet options: N = No grommet F = Flush front grommet location R = Recessed front A = Alternate location (only for 36" deep bow front tops) 	
G Gamma		
A Edge front and back		
72 72" wide		
30 30" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4 round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,439.	\$1,655.	\$2,235.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,643.	1,886.	2,547.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,602.	1,846.	2,491.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,849.	2,121.	2,865.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,248.	2,586.	3,490.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,786.	2,054.	2,771.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	2,052.	2,356.	3,181.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,516.	2,894.	3,907.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,649.	3,045.	4,110.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,856.	3,282.	4,432.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	3,036.	3,489.	4,709.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	3,147.	3,620.	4,886.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	3,227.	3,709.	5,008.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,946.	4,539.	6,127.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	4,221.	4,854.	6,551.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	4,242.	4,877.	6,584.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,414.	5,077.	6,851.
Round tops Profile edge on all sides except on parting lines. 	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,426.	2,790.	3,764.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	3,002.	3,453.	4,661.
	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	810.	932.	1,258.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	939.	1,079.	1,459.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,546.	1,778.	2,400.

Worksurfaces

Order Code

Example: RTAG72302
R Reff
T Racetrack top
A 1 1/4" thick
G Gamma
72 22" wide
30 30" deep
2 V2 finish
V319 Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- 1 = V1
- 2 = V2
- 3 = V3

*Round tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak





Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4 square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRR(A/B/C/D/E/F/G)7230-(1/2/3)	\$762.	\$875.	\$1,182.
	72"	36"	RRR(A/B/C/D/E/F/G)7236-(1/2/3)	828.	950.	1,283.
	84"	30"	RRR(A/B/C/D/E/F/G)8430-(1/2/3)	842.	971.	1,311.
	84"	36"	RRR(A/B/C/D/E/F/G)8436-(1/2/3)	904.	1,038.	1,403.
	84"	42"	RRR(A/B/C/D/E/F/G)8442-(1/2/3)	1,337.	1,537.	2,075.
	96"	30"	RRR(A/B/C/D/E/F/G)9630-(1/2/3)	946.	1,086.	1,467.
	96"	36"	RRR(A/B/C/D/E/F/G)9636-(1/2/3)	1,044.	1,201.	1,623.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRR(A/B/C/D/E/F/G)12036-(1/2/3)	1,675.	1,926.	2,600.
	120"	42"	RRR(A/B/C/D/E/F/G)12042-(1/2/3)	2,310.	2,656.	3,582.
	120"	48"	RRR(A/B/C/D/E/F/G)12048-(1/2/3)	2,510.	2,887.	3,898.
	144"	42"	RRR(A/B/C/D/E/F/G)14442-(1/2/3)	2,593.	2,987.	4,032.
	144"	48"	RRR(A/B/C/D/E/F/G)14448-(1/2/3)	2,782.	3,197.	4,317.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRR(A/B/C/D/E/F/G)16842-(1/2/3)	3,403.	3,914.	5,283.
	168"	48"	RRR(A/B/C/D/E/F/G)16848-(1/2/3)	3,695.	4,252.	5,742.
	192"	42"	RRR(A/B/C/D/E/F/G)19242-(1/2/3)	3,685.	4,241.	5,724.
	192"	48"	RRR(A/B/C/D/E/F/G)19248-(1/2/3)	3,968.	4,563.	6,159.
Square top Profile edge on all sides except on parting lines 	*	60"	RRR(A/B/C/D/E/F/G)6060-(1/2/3)	1,561.	1,794.	2,424.
	*	72"	RRR(A/B/C/D/E/F/G)7272-(1/2/3)	1,840.	2,115.	2,857.
	-	36"	RRR(A/B/C/D/E/F/G)3636-(1/2/3)	589.	675.	912.
	-	42"	RRR(A/B/C/D/E/F/G)4242-(1/2/3)	762.	875.	1,182.
	-	48"	RRR(A/B/C/D/E/F/G)4848-(1/2/3)	1,002.	1,150.	1,551.

Order Code

Example:	RRAG72302
R	Reff
R	Conference Room top
A	1 1/4" thick
G	Gamma
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- 1 = V1
- 2 = V2
- 3 = V3

* Square tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak


Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Waterfall Edge 1 1/4" with 2" Waterfall edge front only 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-()(1/2/3)	\$773.	\$890.	\$1,202.
		30"	RSAWF301-()(1/2/3)	851.	980.	1,325.
		36"	RSAWF361-()(1/2/3)	901.	1,032.	1,393.
		42"	RSAWF421-()(1/2/3)	939.	1,077.	1,455.
		48"	RSAWF481-()(1/2/3)	976.	1,123.	1,516.
		54"	RSAWF541-()(1/2/3)	1,019.	1,174.	1,584.
		60"	RSAWF601-()(1/2/3)	1,098.	1,261.	1,703.
		66"	RSAWF661-()(1/2/3)	1,131.	1,303.	1,757.
		72"	RSAWF721-()(1/2/3)	1,187.	1,365.	1,846.
		78"	RSAWF781-()(1/2/3)	1,207.	1,386.	1,870.
		84"	RSAWF841-()(1/2/3)	1,284.	1,476.	1,992.
		90"	RSAWF901-()(1/2/3)	1,334.	1,535.	2,073.
		96"	RSAWF961-()(1/2/3)	1,386.	1,590.	2,147.
	24"	24"	RSAWF242-()(1/2/3)	814.	939.	1,268.
		30"	RSAWF302-()(1/2/3)	921.	1,061.	1,431.
		36"	RSAWF362-()(1/2/3)	959.	1,100.	1,486.
		42"	RSAWF422-()(1/2/3)	987.	1,134.	1,532.
		48"	RSAWF482-()(1/2/3)	1,061.	1,219.	1,645.
		54"	RSAWF542-()(1/2/3)	1,131.	1,303.	1,757.
60"		RSAWF602-()(1/2/3)	1,212.	1,392.	1,879.	
66"		RSAWF662-()(1/2/3)	1,254.	1,438.	1,944.	
72"		RSAWF722-()(1/2/3)	1,310.	1,507.	2,032.	
78"		RSAWF782-()(1/2/3)	1,373.	1,578.	2,131.	
84"		RSAWF842-()(1/2/3)	1,426.	1,639.	2,212.	
90"		RSAWF902-()(1/2/3)	1,493.	1,717.	2,318.	
96"		RSAWF962-()(1/2/3)	1,551.	1,783.	2,409.	

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front only
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243- ()(1/2/3)	\$886.	\$1,022.	\$1,380.	
		30"	RSAWF303- ()(1/2/3)	996.	1,148.	1,548.	
		36"	RSAWF363- ()(1/2/3)	1,075.	1,234.	1,668.	
		42"	RSAWF423- ()(1/2/3)	1,120.	1,286.	1,737.	
		48"	RSAWF483- ()(1/2/3)	1,194.	1,376.	1,857.	
		54"	RSAWF543- ()(1/2/3)	1,291.	1,487.	2,007.	
		60"	RSAWF603- ()(1/2/3)	1,340.	1,540.	2,080.	
		66"	RSAWF663- ()(1/2/3)	1,370.	1,574.	2,128.	
		72"	RSAWF723- ()(1/2/3)	1,404.	1,613.	2,176.	
		78"	RSAWF783- ()(1/2/3)	1,469.	1,688.	2,278.	
		84"	RSAWF843- ()(1/2/3)	1,527.	1,757.	2,373.	
		90"	RSAWF903- ()(1/2/3)	1,599.	1,834.	2,477.	
		96"	RSAWF963- ()(1/2/3)	1,656.	1,904.	2,570.	
		36"	60"	RSAWF604- ()(1/2/3)	1,547.	1,776.	2,396.
			66"	RSAWF664- ()(1/2/3)	1,601.	1,840.	2,485.
72"	RSAWF724- ()(1/2/3)		1,653.	1,900.	2,564.		

Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WF Waterfall front	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	2. <i>Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet black (grommet)	1 = V1	
	2 = V2	
	3 = V3	


Waterfall Edge 1 1/4" with 2" Waterfall edge front and back 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241- ()(1/2/3)	\$967.	\$1,116.	\$1,507.	
		30"	RSAWA301- ()(1/2/3)	1,066.	1,225.	1,651.	
		36"	RSAWA361- ()(1/2/3)	1,124.	1,289.	1,743.	
		42"	RSAWA421- ()(1/2/3)	1,175.	1,349.	1,822.	
		48"	RSAWA481- ()(1/2/3)	1,219.	1,404.	1,894.	
		54"	RSAWA541- ()(1/2/3)	1,273.	1,466.	1,980.	
		60"	RSAWA601- ()(1/2/3)	1,374.	1,576.	2,129.	
		66"	RSAWA661- ()(1/2/3)	1,415.	1,627.	2,198.	
		72"	RSAWA721- ()(1/2/3)	1,487.	1,712.	2,310.	
		78"	RSAWA781- ()(1/2/3)	1,510.	1,730.	2,338.	
		84"	RSAWA841- ()(1/2/3)	1,604.	1,845.	2,490.	
		90"	RSAWA901- ()(1/2/3)	1,671.	1,921.	2,591.	
		96"	RSAWA961- ()(1/2/3)	1,730.	1,992.	2,689.	
		24"	24"	RSAWA242- ()(1/2/3)	1,019.	1,175.	1,585.
			30"	RSAWA302- ()(1/2/3)	1,152.	1,326.	1,790.
			36"	RSAWA362- ()(1/2/3)	1,199.	1,379.	1,862.
			42"	RSAWA422- ()(1/2/3)	1,234.	1,419.	1,918.
			48"	RSAWA482- ()(1/2/3)	1,326.	1,526.	2,058.
			54"	RSAWA542- ()(1/2/3)	1,415.	1,627.	2,198.
60"	RSAWA602- ()(1/2/3)		1,516.	1,744.	2,353.		
66"	RSAWA662- ()(1/2/3)		1,568.	1,799.	2,429.		
72"	RSAWA722- ()(1/2/3)		1,636.	1,882.	2,543.		
78"	RSAWA782- ()(1/2/3)		1,717.	1,976.	2,665.		
84"	RSAWA842- ()(1/2/3)		1,783.	2,053.	2,769.		
90"	RSAWA902- ()(1/2/3)		1,868.	2,146.	2,898.		
96"	RSAWA962- ()(1/2/3)		1,938.	2,228.	3,007.		

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-() (1/2/3)	\$1,112.	\$1,277.	\$1,724.
		30"	RSAWA303-() (1/2/3)	1,247.	1,436.	1,939.
		36"	RSAWA363-() (1/2/3)	1,344.	1,546.	2,088.
		42"	RSAWA423-() (1/2/3)	1,401.	1,610.	2,172.
		48"	RSAWA483-() (1/2/3)	1,494.	1,719.	2,321.
		54"	RSAWA543-() (1/2/3)	1,616.	1,858.	2,509.
		60"	RSAWA603-() (1/2/3)	1,675.	1,927.	2,602.
		66"	RSAWA663-() (1/2/3)	1,714.	1,971.	2,660.
		72"	RSAWA723-() (1/2/3)	1,754.	2,017.	2,722.
	78"	RSAWA783-() (1/2/3)	1,834.	2,112.	2,850.	
	84"	RSAWA843-() (1/2/3)	1,909.	2,198.	2,967.	
	90"	RSAWA903-() (1/2/3)	1,996.	2,296.	3,101.	
	96"	RSAWA963-() (1/2/3)	2,069.	2,380.	3,213.	
	36"	60"	RSAWA604-() (1/2/3)	1,934.	2,220.	2,998.
		66"	RSAWA664-() (1/2/3)	2,000.	2,302.	3,107.
		72"	RSAWA724-() (1/2/3)	2,066.	2,376.	3,207.

Order Code	Specification Information	Application Notes
Example: RSAWA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WA Waterfall front/back	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	2. <i>Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2/3)	\$1,165.	\$1,336.	\$1,804.
		30"	RSAWB301-()(1/2/3)	1,277.	1,467.	1,981.
		36"	RSAWB361-()(1/2/3)	1,346.	1,548.	2,091.
		42"	RSAWB421-()(1/2/3)	1,408.	1,617.	2,183.
		48"	RSAWB481-()(1/2/3)	1,463.	1,684.	2,273.
		54"	RSAWB541-()(1/2/3)	1,528.	1,758.	2,376.
		60"	RSAWB601-()(1/2/3)	1,650.	1,895.	2,558.
		66"	RSAWB661-()(1/2/3)	1,699.	1,952.	2,637.
		72"	RSAWB721-()(1/2/3)	1,783.	2,052.	2,768.
		78"	RSAWB781-()(1/2/3)	1,805.	2,077.	2,804.
	84"	RSAWB841-()(1/2/3)	1,924.	2,214.	2,989.	
	90"	RSAWB901-()(1/2/3)	2,004.	2,304.	3,110.	
	96"	RSAWB961-()(1/2/3)	2,077.	2,390.	3,226.	
	24"	24"	RSAWB242-()(1/2/3)	1,224.	1,408.	1,900.
		30"	RSAWB302-()(1/2/3)	1,384.	1,586.	2,143.
		36"	RSAWB362-()(1/2/3)	1,437.	1,653.	2,234.
		42"	RSAWB422-()(1/2/3)	1,482.	1,705.	2,304.
		48"	RSAWB482-()(1/2/3)	1,586.	1,829.	2,470.
		54"	RSAWB542-()(1/2/3)	1,699.	1,952.	2,637.
		60"	RSAWB602-()(1/2/3)	1,821.	2,090.	2,822.
66"		RSAWB662-()(1/2/3)	1,879.	2,160.	2,915.	
72"		RSAWB722-()(1/2/3)	1,964.	2,261.	3,050.	
78"		RSAWB782-()(1/2/3)	2,058.	2,370.	3,199.	
84"	RSAWB842-()(1/2/3)	2,140.	2,458.	3,321.		
90"	RSAWB902-()(1/2/3)	2,239.	2,576.	3,475.		
96"	RSAWB962-()(1/2/3)	2,323.	2,675.	3,613.		

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Waterfall tops cannot be specified with semi-open pore finish.</p>
R Reff	1. Grommet option	
S Straight top	2. Top finish type	<p>Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.</p> <p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p>
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	<p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2/3)	\$1,332.	\$1,533.	\$2,069.
		30"	RSAWB303-()(1/2/3)	1,497.	1,723.	2,325.
		36"	RSAWB363-()(1/2/3)	1,613.	1,854.	2,503.
		42"	RSAWB423-()(1/2/3)	1,680.	1,929.	2,604.
		48"	RSAWB483-()(1/2/3)	1,794.	2,061.	2,785.
		54"	RSAWB543-()(1/2/3)	1,939.	2,228.	3,007.
		60"	RSAWB603-()(1/2/3)	2,008.	2,310.	3,119.
		66"	RSAWB663-()(1/2/3)	2,055.	2,364.	3,190.
		72"	RSAWB723-()(1/2/3)	2,103.	2,419.	3,265.
		78"	RSAWB783-()(1/2/3)	2,205.	2,537.	3,424.
	84"	RSAWB843-()(1/2/3)	2,288.	2,634.	3,556.	
	90"	RSAWB903-()(1/2/3)	2,394.	2,756.	3,721.	
	96"	RSAWB963-()(1/2/3)	2,486.	2,856.	3,855.	
	36"	60"	RSAWB604-()(1/2/3)	2,318.	2,665.	3,600.
		66"	RSAWB664-()(1/2/3)	2,397.	2,760.	3,725.
		72"	RSAWB724-()(1/2/3)	2,483.	2,850.	3,849.


Order Code	Specification Information	Application Notes
Example: RSAWB243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()(1/2/3)	\$1,066.	\$1,226.	\$1,652.
		30"	RSAWL301-()(1/2/3)	1,172.	1,345.	1,818.
		36"	RSAWL361-()(1/2/3)	1,234.	1,419.	1,918.
		42"	RSAWL421-()(1/2/3)	1,289.	1,482.	2,001.
		48"	RSAWL481-()(1/2/3)	1,341.	1,542.	2,083.
		54"	RSAWL541-()(1/2/3)	1,403.	1,612.	2,175.
		60"	RSAWL601-()(1/2/3)	1,512.	1,737.	2,345.
		66"	RSAWL661-()(1/2/3)	1,556.	1,792.	2,420.
		72"	RSAWL721-()(1/2/3)	1,634.	1,879.	2,537.
		78"	RSAWL781-()(1/2/3)	1,659.	1,905.	2,571.
		84"	RSAWL841-()(1/2/3)	1,765.	2,029.	2,739.
		90"	RSAWL901-()(1/2/3)	1,834.	2,112.	2,850.
		96"	RSAWL961-()(1/2/3)	1,905.	2,192.	2,957.
	24"	24"	RSAWL242-()(1/2/3)	1,121.	1,289.	1,743.
		30"	RSAWL302-()(1/2/3)	1,268.	1,459.	1,967.
		36"	RSAWL362-()(1/2/3)	1,319.	1,516.	2,045.
		42"	RSAWL422-()(1/2/3)	1,359.	1,563.	2,107.
		48"	RSAWL482-()(1/2/3)	1,459.	1,676.	2,263.
		54"	RSAWL542-()(1/2/3)	1,556.	1,792.	2,420.
		60"	RSAWL602-()(1/2/3)	1,668.	1,914.	2,585.
		66"	RSAWL662-()(1/2/3)	1,721.	1,981.	2,673.
		72"	RSAWL722-()(1/2/3)	1,799.	2,069.	2,793.
		78"	RSAWL782-()(1/2/3)	1,884.	2,171.	2,931.
		84"	RSAWL842-()(1/2/3)	1,957.	2,256.	3,046.
		90"	RSAWL902-()(1/2/3)	2,054.	2,361.	3,185.
		96"	RSAWL962-()(1/2/3)	2,131.	2,452.	3,311.


Order Code	Specification Information	Application Notes
Example: RSAWL241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3		
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-()(1/2/3)	\$1,224.	\$1,406.	\$1,897.		
		30"	RSAWL303-()(1/2/3)	1,373.	1,578.	2,131.		
		36"	RSAWL363-()(1/2/3)	1,478.	1,700.	2,296.		
		42"	RSAWL423-()(1/2/3)	1,538.	1,770.	2,387.		
		48"	RSAWL483-()(1/2/3)	1,644.	1,894.	2,557.		
		54"	RSAWL543-()(1/2/3)	1,776.	2,045.	2,762.		
		60"	RSAWL603-()(1/2/3)	1,843.	2,117.	2,859.		
		66"	RSAWL663-()(1/2/3)	1,881.	2,168.	2,927.		
		72"	RSAWL723-()(1/2/3)	1,929.	2,216.	2,992.		
		78"	RSAWL783-()(1/2/3)	2,020.	2,323.	3,137.		
		84"	RSAWL843-()(1/2/3)	2,099.	2,416.	3,262.		
		90"	RSAWL903-()(1/2/3)	2,198.	2,528.	3,412.		
		96"	RSAWL963-()(1/2/3)	2,277.	2,616.	3,533.		
			36"	60"	RSAWL604-()(1/2/3)	2,127.	2,444.	3,300.
				66"	RSAWL664-()(1/2/3)	2,201.	2,530.	3,415.
				72"	RSAWL724-()(1/2/3)	2,274.	2,613.	3,528.

Order Code	Specification Information	Application Notes
Example: RSAWL243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4" with 2" Waterfall edge front and right side 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()(1/2/3)	\$1,066.	\$1,226.	\$1,652.
		30"	RSAWR301-()(1/2/3)	1,172.	1,345.	1,818.
		36"	RSAWR361-()(1/2/3)	1,234.	1,419.	1,918.
		42"	RSAWR421-()(1/2/3)	1,289.	1,482.	2,001.
		48"	RSAWR481-()(1/2/3)	1,341.	1,542.	2,083.
		54"	RSAWR541-()(1/2/3)	1,403.	1,612.	2,175.
		60"	RSAWR601-()(1/2/3)	1,512.	1,737.	2,345.
		66"	RSAWR661-()(1/2/3)	1,556.	1,792.	2,420.
		72"	RSAWR721-()(1/2/3)	1,634.	1,879.	2,537.
		78"	RSAWR781-()(1/2/3)	1,659.	1,905.	2,571.
		84"	RSAWR841-()(1/2/3)	1,765.	2,029.	2,739.
		90"	RSAWR901-()(1/2/3)	1,834.	2,112.	2,850.
		96"	RSAWR961-()(1/2/3)	1,905.	2,192.	2,957.
	24"	24"	RSAWR242-()(1/2/3)	1,121.	1,289.	1,743.
		30"	RSAWR302-()(1/2/3)	1,268.	1,459.	1,967.
		36"	RSAWR362-()(1/2/3)	1,319.	1,516.	2,045.
		42"	RSAWR422-()(1/2/3)	1,359.	1,563.	2,107.
		48"	RSAWR482-()(1/2/3)	1,459.	1,676.	2,263.
		54"	RSAWR542-()(1/2/3)	1,556.	1,792.	2,420.
		60"	RSAWR602-()(1/2/3)	1,668.	1,914.	2,585.
		66"	RSAWR662-()(1/2/3)	1,721.	1,981.	2,673.
		72"	RSAWR722-()(1/2/3)	1,799.	2,069.	2,793.
		78"	RSAWR782-()(1/2/3)	1,884.	2,171.	2,931.
		84"	RSAWR842-()(1/2/3)	1,957.	2,256.	3,046.
		90"	RSAWR902-()(1/2/3)	2,054.	2,361.	3,185.
		96"	RSAWR962-()(1/2/3)	2,131.	2,452.	3,311.

Worksurfaces






Order Code	Specification Information	Application Notes
Example: RSAWR241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WR Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-()(1/2/3)	\$1,224.	\$1,406.	\$1,897.
		30"	RSAWR303-()(1/2/3)	1,373.	1,578.	2,131.
		36"	RSAWR363-()(1/2/3)	1,478.	1,700.	2,296.
		42"	RSAWR423-()(1/2/3)	1,538.	1,770.	2,387.
		48"	RSAWR483-()(1/2/3)	1,644.	1,894.	2,557.
		54"	RSAWR543-()(1/2/3)	1,776.	2,045.	2,762.
		60"	RSAWR603-()(1/2/3)	1,843.	2,117.	2,859.
		66"	RSAWR663-()(1/2/3)	1,881.	2,168.	2,927.
		72"	RSAWR723-()(1/2/3)	1,929.	2,216.	2,992.
		78"	RSAWR783-()(1/2/3)	2,020.	2,323.	3,137.
		84"	RSAWR843-()(1/2/3)	2,099.	2,416.	3,262.
		90"	RSAWR903-()(1/2/3)	2,198.	2,528.	3,412.
		96"	RSAWR963-()(1/2/3)	2,277.	2,616.	3,533.
			36"	60"	RSAWR604-()(1/2/3)	2,127.
		66"	RSAWR664-()(1/2/3)	2,201.	2,530.	3,415.
		72"	RSAWR724-()(1/2/3)	2,274.	2,613.	3,528.

Order Code	Specification Information	Application Notes
Example: RSAWR243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WR Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	RWAWF4223- ()(1/2/3)	\$1,123.	\$1,289.	\$1,743.
	24"	48"	30"	RWAWF4823- ()(1/2/3)	1,169.	1,343.	1,814.
	24"	54"	30"	RWAWF5423- ()(1/2/3)	1,259.	1,451.	1,958.
	24"	60"	30"	RWAWF6023- ()(1/2/3)	1,346.	1,552.	2,096.
	24"	66"	30"	RWAWF6623- ()(1/2/3)	1,397.	1,607.	2,168.
	24"	72"	30"	RWAWF7223- ()(1/2/3)	1,466.	1,687.	2,277.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232- ()(1/2/3)	1,123.	1,289.	1,743.
	30"	48"	24"	RWAWF4832- ()(1/2/3)	1,169.	1,343.	1,814.
	30"	54"	24"	RWAWF5432- ()(1/2/3)	1,259.	1,451.	1,958.
	30"	60"	24"	RWAWF6032- ()(1/2/3)	1,346.	1,552.	2,096.
	30"	66"	24"	RWAWF6632- ()(1/2/3)	1,397.	1,607.	2,168.
	30"	72"	24"	RWAWF7232- ()(1/2/3)	1,466.	1,687.	2,277.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212- ()(1/2/3)	1,040.	1,199.	1,619.
	20"	48"	24"	RWAWF4812- ()(1/2/3)	1,094.	1,259.	1,700.
	20"	54"	24"	RWAWF5412- ()(1/2/3)	1,172.	1,346.	1,819.
	20"	60"	24"	RWAWF6012- ()(1/2/3)	1,253.	1,439.	1,946.
	20"	66"	24"	RWAWF6612- ()(1/2/3)	1,289.	1,482.	2,001.
	20"	72"	24"	RWAWF7212- ()(1/2/3)	1,352.	1,554.	2,099.
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221- ()(1/2/3)	1,040.	1,199.	1,619.
	24"	48"	20"	RWAWF4821- ()(1/2/3)	1,094.	1,259.	1,700.
	24"	54"	20"	RWAWF5421- ()(1/2/3)	1,172.	1,346.	1,819.
	24"	60"	20"	RWAWF6021- ()(1/2/3)	1,253.	1,439.	1,946.
	24"	66"	20"	RWAWF6621- ()(1/2/3)	1,289.	1,482.	2,001.
	24"	72"	20"	RWAWF7221- ()(1/2/3)	1,352.	1,554.	2,099.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631- ()(1/2/3)	1,384.	1,586.	2,143.
	32"	42"	20"	RWEAWF4231- ()(1/2/3)	1,437.	1,655.	2,235.
	32"	48"	20"	RWEAWF4831- ()(1/2/3)	1,516.	1,745.	2,354.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	1. <i>Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	2. <i>Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	




Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.


2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave end top with waterfall edge front (right 24") 	36"	36"	24"	RWEAWF3662-()(1/2/3)	\$1,429.	\$1,643.	\$2,219.
	36"	42"	24"	RWEAWF4262-()(1/2/3)	1,475.	1,697.	2,291.
	36"	48"	24"	RWEAWF4862-()(1/2/3)	1,567.	1,799.	2,429.
Wave end top with waterfall edge front (left 20") 	20"	36"	32"	RWEAWF3613-()(1/2/3)	1,384.	1,586.	2,143.
	20"	42"	32"	RWEAWF4213-()(1/2/3)	1,437.	1,655.	2,235.
	20"	48"	32"	RWEAWF4813-()(1/2/3)	1,516.	1,745.	2,354.
Wave end top with waterfall edge front (left 24") 	24"	36"	36"	RWEAWF3626-()(1/2/3)	1,429.	1,643.	2,219.
	24"	42"	36"	RWEAWF4226-()(1/2/3)	1,475.	1,697.	2,291.
	24"	48"	36"	RWEAWF4826-()(1/2/3)	1,567.	1,799.	2,429.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Waterfall tops cannot be specified with semi-open pore finish.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	
42 42" wide	1. <i>Grommet options:</i> N = No grommet F = Flush front grommet location	
2 24" deep on left side	2. <i>Finish type:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
1 20" deep on left side	1 = V1	
F Flush grommet location	2 = V2	
2 V2 finish	3 = V3	
V319 Medium cherry	Applicable finishes are listed on page 5 and 6.	
111 Jet Black (grommet)	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear corner tops



description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,643.	\$1,892.	\$2,553.
	36"	42"	RCAWF364211-()(1/2/3)	1,740.	2,000.	2,702.
	36"	48"	RCAWF364811-()(1/2/3)	1,846.	2,124.	2,868.
	42"	36"	RCAWF423611-()(1/2/3)	1,740.	2,000.	2,702.
	42"	42"	RCAWF424211-()(1/2/3)	1,846.	2,124.	2,868.
	42"	48"	RCAWF424811-()(1/2/3)	2,017.	2,319.	3,131.
	48"	36"	RCAWF483611-()(1/2/3)	1,846.	2,124.	2,868.
	48"	42"	RCAWF484211-()(1/2/3)	2,017.	2,319.	3,131.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,862.	2,145.	2,897.
	36"	42"	RCAWF364222-()(1/2/3)	1,957.	2,256.	3,046.
	36"	48"	RCAWF364822-()(1/2/3)	2,066.	2,378.	3,210.
	42"	36"	RCAWF423622-()(1/2/3)	1,957.	2,256.	3,046.
	42"	42"	RCAWF424222-()(1/2/3)	2,066.	2,378.	3,210.
	42"	48"	RCAWF424822-()(1/2/3)	2,237.	2,576.	3,475.
	48"	36"	RCAWF483622-()(1/2/3)	2,066.	2,378.	3,210.
	48"	42"	RCAWF484222-()(1/2/3)	2,237.	2,576.	3,475.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,717.	1,974.	2,664.
	36"	42"	RCAWF364212-()(1/2/3)	1,817.	2,086.	2,815.
	36"	48"	RCAWF364812-()(1/2/3)	1,921.	2,208.	2,981.
	42"	36"	RCAWF423612-()(1/2/3)	1,817.	2,086.	2,815.
	42"	42"	RCAWF424212-()(1/2/3)	1,921.	2,208.	2,981.
	42"	48"	RCAWF424812-()(1/2/3)	2,091.	2,403.	3,244.
	48"	36"	RCAWF483612-()(1/2/3)	1,921.	2,208.	2,981.
	48"	42"	RCAWF484212-()(1/2/3)	2,091.	2,403.	3,244.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,717.	1,974.	2,664.
	36"	42"	RCAWF364221-()(1/2/3)	1,817.	2,086.	2,815.
	36"	48"	RCAWF364821-()(1/2/3)	1,921.	2,208.	2,981.
	42"	36"	RCAWF423621-()(1/2/3)	1,817.	2,086.	2,815.
	42"	42"	RCAWF424221-()(1/2/3)	1,921.	2,208.	2,981.
	42"	48"	RCAWF424821-()(1/2/3)	2,091.	2,403.	3,244.
	48"	36"	RCAWF483621-()(1/2/3)	1,921.	2,208.	2,981.
	48"	42"	RCAWF484221-()(1/2/3)	2,091.	2,403.	3,244.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCAWF363611F2 R Reff C Curved front corner A 1 1/4" thick WF Waterfall front 36 36" wide on left back 36 36" wide on right back 1 20" deep on left side 1 20" deep on right side F Standard grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	To order please specify pattern number including: 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish 1. Grommet options: N = No grommet F = Standard corner location or Flush 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Radius of curved front changes with overall top size. See Planning Guide. Products on this page are shipped without hardware which must be ordered separately from the support components section. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Waterfall tops cannot be specified with semi-open pore finish. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops





description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230-()(1/2/3)	\$2,099.	\$2,415.	\$3,259.
		48"	RMDAWF4830-()(1/2/3)	2,264.	2,603.	3,514.
		54"	RMDAWF5430-()(1/2/3)	2,430.	2,795.	3,774.
		60"	RMDAWF6030-()(1/2/3)	2,597.	2,986.	4,029.
		66"	RMDAWF6630-()(1/2/3)	2,765.	3,181.	4,295.
		72"	RMDAWF7230-()(1/2/3)	2,936.	3,377.	4,558.
		78"	RMDAWF7830-()(1/2/3)	3,324.	3,817.	5,155.
		84"	RMDAWF8430-()(1/2/3)	3,709.	4,264.	5,756.
		90"	RMDAWF9030-()(1/2/3)	4,139.	4,760.	6,427.
	96"	RMDAWF9630-()(1/2/3)	4,571.	5,254.	7,093.	
	36"	42"	RMDAWF4236-()(1/2/3)	2,315.	2,660.	3,590.
	48"	RMDAWF4836-()(1/2/3)	2,530.	2,909.	3,928.	
	54"	RMDAWF5436-()(1/2/3)	2,891.	3,328.	4,492.	
	60"	RMDAWF6036-()(1/2/3)	3,245.	3,731.	5,038.	
	66"	RMDAWF6636-()(1/2/3)	3,301.	3,797.	5,127.	
	72"	RMDAWF7236-()(1/2/3)	3,356.	3,860.	5,211.	
	78"	RMDAWF7836-()(1/2/3)	3,777.	4,344.	5,861.	
	84"	RMDAWF8436-()(1/2/3)	4,203.	4,833.	6,524.	
	90"	RMDAWF9036-()(1/2/3)	4,428.	5,098.	6,879.	
96"	RMDAWF9636-()(1/2/3)	4,854.	5,578.	7,533.		
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-()(1/2/3)()	2,702.	3,105.	4,191.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2/3)()	2,961.	3,405.	4,596.

*specify mating end trim profile

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	Refer to Planning Guide for modesty panel size requirements and all other support options.
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
N No grommet	2. <i>Grommet options:</i> N = No grommet	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
2 V2 finish	F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
V319 Medium cherry	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	Note wrap around panel tops only, require specification of mating trim profile.	
	A = Flat B = Square C = Bullnose E = Extruded Aluminum	Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops P and 9


description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230-()(1/2/3)	\$2,886.	\$3,317.	\$4,478.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230-()(1/2/3)	2,886.	3,317.	4,478.
						
Worksurface 9-top	30"	84"	RM9AWF8430-()(1/2/3)	5,871.	6,752.	9,115.
	30"	96"	RM9AWF9630-()(1/2/3)	6,118.	7,031.	9,492.
Worksurface P-top	30"	84"	RMPAWF8430-()(1/2/3)	5,871.	6,752.	9,115.
	30"	96"	RMPAWF9630-()(1/2/3)	6,118.	7,031.	9,492.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RM9AWF8430N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
M9 Meeting 9-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	
WF Waterfall all except flat side	4. Top finish	
84 84" wide	5. Grommet finish	
30 30" deep	<i>1. Thickness option:</i> A = 1 1/4"	Refer to Planning Guide for modesty panel size requirements and all other support options.
N No grommet	<i>2. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	<i>3. Finish type:</i> 1 = V1 2 = V2 3 = V3	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
V319 Medium cherry	Note wrap around panel tops only, require specification of mating trim profile.	Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
 30"D	72"	30"		RMBAWA7230-()(1/2/3)		\$2,911.	\$3,353.	\$4,526.
	84"	30"		RMBAWA8430-()(1/2/3)		3,214.	3,698.	4,989.
	96"	30"		RMBAWA9630-()(1/2/3)		3,566.	4,099.	5,536.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

 36"D	72"	36"		RMBAWA7236-()(1/2/3)		3,097.	3,562.	4,806.
	84"	36"		RMBAWA8436-()(1/2/3)		3,399.	3,909.	5,275.
	96"	36"		RMBAWA9636-()(1/2/3)		3,770.	4,330.	5,846.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	w	d	h	pattern no.	L	V1	V2	V3
	40"	1"	26 1/2"	RB40MR-()	332.	436.	499.	674.
	52"	1"	26 1/2"	RB52MR-()	390.	513.	590.	797.
	64"	1"	26 1/2"	RB64MR-()	422.	552.	638.	862.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: RMBAWA7230(F)2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	Shipped with hardware. Refer to page 99 of planning guide for application details.
MB Bow front with Waterfall edge	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
WA Waterfall front/back	4. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
72 72" wide	<i>1. Grommet options:</i>	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
30 30" deep	N = No grommet	
F Flush front grommet position	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
111 Jet Black (grommet)	2. <i>Finish type:</i>	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
	1 = V1	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	2 = V2	
	3 = V3	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

Waterfall elliptical tops and bulkhead

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall elliptical tops 	60"	30"		REBAWA6030()		\$4,114.	\$4,729.	\$6,385.
	72"	42"		REBAWA7242()		5,848.	6,729.	9,084.
	78"	48"		REBAWA7848()		6,417.	7,382.	9,966.
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	468.	714.	827.	1,116.
	16"	30"	26 1/2"	REBH30	484.	727.	847.	1,143.





Worksurfaces

Order Code	Specification Information	Application Notes
Example: REBAWA6030	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
EB Elliptical Waterfall	2. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
WA Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
60 60" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 99 of planning guide for application details.
30 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak






Waterfall Edge 1 1/4"
2" Waterfall edge conference room tops
round and racetrack

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	RTAW7230-(1/2/3)	\$4,114.	\$4,729.	\$6,385.
	72"	36"	RTAW7236-(1/2/3)	4,689.	5,390.	7,276.
	84"	30"	RTAW8430-(1/2/3)	4,579.	5,265.	7,109.
	84"	36"	RTAW8436-(1/2/3)	5,271.	6,062.	8,181.
	84"	42"	RTAW8442-(1/2/3)	6,417.	7,382.	9,966.
	96"	30"	RTAW9630-(1/2/3)	5,098.	5,860.	7,913.
	96"	36"	RTAW9636-(1/2/3)	5,848.	6,729.	9,084.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RTAW12036-(1/2/3)	7,555.	8,685.	11,727.
	120"	42"	RTAW12042-(1/2/3)	8,147.	9,366.	12,646.
	144"	42"	RTAW14442-(1/2/3)	8,983.	10,330.	13,945.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RTAW16842-(1/2/3)	11,264.	12,955.	17,489.
	192"	42"	RTAW19242-(1/2/3)	12,101.	13,918.	18,791.
			RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center			
Round tops, Waterfall edge on all sides except on parting lines 	*	60"	RTAW6060-(1/2/3)	6,924.	7,957.	10,744.
	*	72"	RTAW7272-(1/2/3)	8,569.	9,852.	13,302.
	-	36"	RTAW3636-(1/2/3)	2,315.	3,104.	4,190.
	-	42"	RTAW4242-(1/2/3)	2,681.	3,597.	4,856.

Order Code	Specification Information	Application Notes
Example: RTAW72302	<i>To order please specify pattern number including:</i>	Top to top brackets included.
R Reff	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
T Rounded top	2. Finish type	Applicable finishes are listed on page 5 and 6.
A 1 1/4" thick	3. Finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
W Waterfall all sides	1. <i>Thickness option:</i> A = 1 1/4"	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
72 72" wide	2. <i>Finish type:</i> 1 = V1	Tops have no radius on edges that adjoin.
30 30" deep	2 = V2	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
2 V2 finish	3 = V3	Waterfall tops cannot be specified with semi-open pore finish.
V319 Medium cherry	*Round tops in two pieces.	

Waterfall Edge 1 1/4"



2" Waterfall edge conference room tops square and rectangular

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	RRAW7230-(1/2/3)	\$2,172.	\$2,500.	\$3,376.
	72"	36"	RRAW7236-(1/2/3)	2,360.	2,715.	3,665.
	84"	30"	RRAW8430-(1/2/3)	2,403.	2,765.	3,733.
	84"	36"	RRAW8436-(1/2/3)	2,583.	2,966.	4,005.
	84"	42"	RRAW8442-(1/2/3)	3,817.	4,387.	5,924.
	96"	30"	RRAW9630-(1/2/3)	2,696.	3,102.	4,187.
	96"	42"	RRAW9642-(1/2/3)	4,377.	5,034.	6,795.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RRAW12036-(1/2/3)	4,775.	5,497.	7,421.
	120"	42"	RRAW12042-(1/2/3)	6,591.	7,581.	10,235.
	144"	42"	RRAW14442-(1/2/3)	7,404.	8,516.	11,495.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RRAW16842-(1/2/3)	9,708.	11,168.	15,080.
	192"	42"	RRAW19242-(1/2/3)	10,520.	12,096.	16,331.
RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center						
Square top - one piece 	-	36"	RRAW3636-(1/2/3)	1,680.	2,250.	3,041.
	-	42"	RRAW4242-(1/2/3)	2,172.	2,914.	3,934.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	RRAW6060-(1/2/3)	4,449.	5,114.	6,904.
	-	72"	RRAW7272-(1/2/3)	5,254.	6,044.	8,157.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RRAW72302 R Reff R Rectangular A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide for base supports recommended. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w. Waterfall tops cannot be specified with semi-open pore finish.

Cascade Edge 1 1/4" Rectilinear 24" and 30" deep

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  <i>shown with grommet</i>	24"	24"	RCE1R2424N	\$245.	\$213.
	24"	30"	RCE1R3024N	282.	245.
	24"	36"	RCE1R3624N	312.	270.
	24"	42"	RCE1R4224N	359.	312.
	24"	48"	RCE1R4824N	403.	350.
	24"	54"	RCE1R5424N	432.	376.
	24"	60"	RCE1R6024N	469.	408.
	24"	66"	RCE1R6624N	506.	441.
	24"	72"	RCE1R7224N	530.	461.
	24"	78"	RCE1R7824N	568.	495.
	24"	84"	RCE1R8424N	601.	523.
	24"	90"	RCE1R9024N	677.	590.
24"	96"	RCE1R9624N	740.	644.	
30"D Rectangular  <i>shown with grommet</i>	30"	24"	RCE1R2430N	313.	271.
	30"	30"	RCE1R3030N	350.	305.
	30"	36"	RCE1R3630N	390.	339.
	30"	42"	RCE1R4230N	422.	368.
	30"	48"	RCE1R4830N	469.	408.
	30"	54"	RCE1R5430N	531.	462.
	30"	60"	RCE1R6030N	583.	508.
	30"	66"	RCE1R6630N	651.	566.
	30"	72"	RCE1R7230N	677.	590.
	30"	78"	RCE1R7830N	723.	629.
	30"	84"	RCE1R8430N	769.	669.
	30"	90"	RCE1R9030N	827.	719.
30"	96"	RCE1R9630N	884.	769.	

Order Code

Example:	RCE1R3024N 118
R	Reff
CE1	Cascade edge
R	Rectangular
30	Width
24	Depth
N	No grommet
118	Finish

Specification Information

To order please specify pattern number including finish:

Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 214-215 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, pthalates and lead content.

Cascade Edge 1 1/4" Blended "D"

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	48"	24"	66"	RCE1BD6648S(L/R)	\$992.	\$863.
	48"	24"	72"	RCE1BD7248S(L/R)	1,016.	882.
	48"	24"	78"	RCE1BD7848S(L/R)	1,172.	1,019.
	48"	24"	84"	RCE1BD8448S(L/R)	1,204.	1,047.
	48"	30"	66"	RCE1BD6648D(L/R)	1,044.	907.
	48"	30"	72"	RCE1BD7248D(L/R)	1,082.	940.
	48"	30"	78"	RCE1BD7848D(L/R)	1,211.	1,054.
	48"	30"	84"	RCE1BD8448D(L/R)	1,279.	1,113.

Order Code

Example:	RCE1BD6648SR 118
R	Reff
CE1	Cascade edge
BD	Blended "D"
66	Width
48	Depth
S	24" return
R	right hand
118	Finish

Specification Information

To order please specify pattern number including:

- Return depth (dimension C on line art, hard coded in pattern number)
 S = 24" return
 D = 30" return
- Hand (left or right)
- Finish
Solid:
 114 Folkstone Grey
 117 Soft Grey
 118 Bright White
 119 Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 214-215 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
 Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.


Cascade Edge 1 1/4" Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	24"	24"	36"	RCE1L3636SSN	\$614.	\$533.
	24"	24"	42"	RCE1L4242SSN	740.	644.
	24"	24"	48"	RCE1L4848SSN	832.	723.
	24"	30"	42"	RCE1L4242DSN	878.	765.
	24"	30"	48"	RCE1L4848DSN	996.	866.
	30"	24"	42"	RCE1L4242SDN	878.	765.
	30"	24"	48"	RCE1L4848SDN	996.	866.
	30"	30"	48"	RCE1L4848DDN	894.	777.

Order Code	Specification Information	Application Notes
<p>Example: RCE1L3636SSN 114</p> <p>RCE1 Reff Cascade Edge worksurface</p> <p>L Curvilinear Corner top</p> <p>36 Width</p> <p>36 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>N No grommet</p> <p>114 Folkstone Grey finish</p> <p>Grain Direction</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number)</p> <p>SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right</p> <p>2. Grommets (hard coded in pattern number)</p> <p>N= no grommets G= grommets</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>3. Finish</p> <p><i>Solid:</i></p> <p>114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain:</p> <p>124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p> <p>Graing Direction:</p> <p>D = Diagonal L = Left hand N = Not required R = Right hand</p>	<p>Center-located edge grommets, located on center of sides marked A.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 214-215 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p> <p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p> <p>Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.</p>

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

Cascade Edge 1 1/4" Blended "L"

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$1,017.	\$884.
	42"	66"	24"	24"	RCE1L4266SSN	1,044.	907.
	42"	72"	24"	24"	RCE1L4272SSN	1,084.	941.
	42"	78"	24"	24"	RCE1L4278SSN	1,094.	953.
	48"	60"	24"	24"	RCE1L4860SSN	1,029.	896.
	48"	60"	24"	30"	RCE1L4860SDN	1,012.	878.
	48"	60"	30"	24"	RCE1L4860DSN	1,012.	878.
	48"	66"	24"	24"	RCE1L4866SSN	1,066.	928.
	48"	66"	24"	30"	RCE1L4866SDN	1,063.	924.
	48"	66"	30"	24"	RCE1L4866DSN	1,063.	924.
	48"	72"	24"	24"	RCE1L4872SSN	1,106.	962.
	48"	72"	24"	30"	RCE1L4872SDN	1,113.	967.
	48"	72"	30"	24"	RCE1L4872DSN	1,113.	967.
	48"	78"	24"	24"	RCE1L4878SSN	1,219.	1,060.
	48"	84"	24"	24"	RCE1L4884SSN	1,371.	1,191.
	60"	42"	24"	24"	RCE1L6042SSN	1,017.	884.
	60"	48"	24"	24"	RCE1L6048SSN	1,029.	896.
	60"	48"	24"	30"	RCE1L6048SDN	1,012.	878.
	60"	48"	30"	24"	RCE1L6048DSN	1,012.	878.
	66"	42"	24"	24"	RCE1L6642SSN	1,044.	907.
	66"	48"	24"	24"	RCE1L6648SSN	1,066.	928.
	66"	48"	24"	30"	RCE1L6648SDN	1,063.	924.
	66"	48"	30"	24"	RCE1L6648DSN	1,063.	924.
	72"	42"	24"	24"	RCE1L7242SSN	1,084.	941.
	72"	48"	24"	24"	RCE1L7248SSN	1,106.	962.
	72"	48"	24"	30"	RCE1L7248SDN	1,113.	967.
	72"	48"	30"	24"	RCE1L7248DSN	1,113.	967.
	78"	42"	24"	24"	RCE1L7842SSN	1,094.	953.
	78"	48"	24"	24"	RCE1L7848SSN	1,219.	1,060.
	84"	48"	24"	24"	RCE1L8448SSN	1,371.	1,191.

Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4260SSG 114</p> <p>RCE1 Cascade edge worksurface</p> <p>L Blended "L" top</p> <p>42 Width</p> <p>60 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommets</p> <p>114 Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number): SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right</p> <p>2. Grommets (hard coded in pattern number): N= no grommets G= grommets</p> <p>3. Finishes: Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 214-215 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>





To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4"

Half round and corner round

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	RCE1H4818	\$530.	\$461.
	50 1/2"	18"	RCE1H4818P	530.	461.
	60"	24"	RCE1H6024	731.	634.
	62 1/2"	24"	RCE1H6024P	731.	634.
 LH Corner Round	24"	24"	RCE1CR24L	282.	245.
 RH Corner Round	24"	24"	RCE1CR24R	282.	245.
 Notched Corner Round	24"	24"	RCE1CR24N	282.	245.

Order Code

Example:	RCE1H4818P 118
R	Reff
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket from page 214-215 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Half round tops with suffix P, notched for panel end trim profile B square only.



Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4" Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	3"	15"	RCE1W363024N	\$659.	\$573.
	42"	24"	30"	9"	15"	RCE1W423024N	693.	602.
	48"	24"	30"	15"	15"	RCE1W483024N	742.	645.
	72"	24"	30"	30 1/2"	23 1/2"	RCE1W723024N	942.	821.
<i>shown with grommet</i>								
Wave End, RH 	36"	30"	24"	15"	3"	RCE1W362430N	659.	573.
	42"	30"	24"	15"	9"	RCE1W422430N	693.	602.
	48"	30"	24"	15"	15"	RCE1W482430N	742.	645.
	72"	30"	24"	23 1/2"	30 1/2"	RCE1W722430N	942.	821.
<i>shown with grommet</i>								

Worksurfaces

Order Code

Example:	RCE1W483024N 118
RCE1	Cascade edge worksurface
W	Wave end
48	Width
30	Depth, left side
24	Depth, right side
N	No grommet
118	Top finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 214-215 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Tables, 1 1/2
 Rectangle with Open Frame Leg
 24", 30" and 36" deep - 26 1/2" High

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg	24"	60"	1 1/2"	RTRDOF60241()()	\$1,750.	\$1,933.	\$2,001.	\$2,252.
	24"	66"	1 1/2"	RTRDOF66241()()	1,762.	1,952.	2,027.	2,299.
	24"	72"	1 1/2"	RTRDOF72241()()	1,775.	1,967.	2,049.	2,317.
	24"	78"	1 1/2"	RTRDOF78241()()	1,793.	2,009.	2,095.	2,410.
	24"	84"	1 1/2"	RTRDOF84241()()	1,805.	2,048.	2,138.	2,475.




Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	60"	1 1/2"	RTRDOF60301()()	1,845.	2,003.	2,085.	2,378.
	30"	66"	1 1/2"	RTRDOF66301()()	1,858.	2,026.	2,115.	2,432.
	30"	72"	1 1/2"	RTRDOF72301()()	1,875.	2,042.	2,157.	2,499.
	30"	78"	1 1/2"	RTRDOF78301()()	1,895.	2,092.	2,195.	2,561.
	30"	84"	1 1/2"	RTRDOF84301()()	1,909.	2,143.	2,253.	2,644.





Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	60"	1 1/2"	RTRDOF60361()()	1,871.	2,055.	2,150.	2,484.
	36"	66"	1 1/2"	RTRDOF66361()()	1,887.	2,083.	2,187.	2,548.
	36"	72"	1 1/2"	RTRDOF72361()()	1,906.	2,122.	2,234.	2,621.
	36"	78"	1 1/2"	RTRDOF78361()()	1,929.	2,155.	2,277.	2,693.
	36"	84"	1 1/2"	RTRDOF84361()()	1,945.	2,201.	2,330.	2,773.



Order Code	Specification Information	Application Notes
Example: RTRDOF60241	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
TR Table Rectangular	L, V1, V2, V3	Modesty sold separately.
D 1 1/2"	2. Open Frame Leg finish	1 1/2" top will come with appropriate stiffener support.
OF Open Frame Leg	Painted and Anodized	Grommets are NOT optional for these tables.
60 Width		
24 Depth		
1 26 1/2" height leg, 2 = 28 3/8" h		
V316 Finish		
111 Leg Finish		

*Open Frame Leg Infill Options - 26 1/2" High
Infills for Tables only*

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26 1/2" h	24"	24"	RIPI241()	\$304.	\$394.	\$453.	\$590.	
	24"	30"	RIPI301()	320.	414.	476.	620.	
	24"	36"	RIPI361()	339.	440.	505.	657.	



Outside Infill Options for Open Frame Legs 26 1/2" h	25"	24"	RIPO241()	305.	396.	455.	591.	
	25"	30"	RIPO301()	322.	417.	479.	623.	
	25"	36"	RIPO361()	340.	441.	507.	659.	



Outside Glass Infill Options for Open Frame Legs 26 1/2" h	25"	24"	RIPOG241()					863.
	25"	30"	RIPOG301()					1,015.
	25"	36"	RIPOG361()					1,171.



Order Code	Specification Information	Application Notes
Example: RIPEI202	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill panels are required and must be ordered separately.
R Ref Profiles	1. Finish: L, V1,V2,V3, Glass	Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.
IP Infill Panel	I=Inside	Product on this page will accept woodgrain laminate where laminate is currently an option.
PE Peninsula End	O=Outside	For Peninsula infills prior to July 17, 2012 please consult your account manager.
I Inside	OG=Outside Glass	
20 Width	Glass options:	
1 26 1/2" h: Desk Height	GL11, GL14, GL15, GL18	
() Finish		

Tables, 1 1/2
Rectangle with L-Leg
30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDL48301() ()	\$1,484.	\$1,607.	\$1,676.	\$1,948.
	30"	60"	1 1/2"	RTRDL60301() ()	1,556.	1,685.	1,768.	2,097.
	30"	72"	1 1/2"	RTRDL72301() ()	1,603.	1,736.	1,834.	2,217.





Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDL72361() ()	1,652.	1,789.	1,903.	2,345.
---	-----	-----	--------	-------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: RTRDL48301 () ()	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff		
TR Table Rectangular	1. Worksurface finish L, V1, V2, V3	Assembly required, ships knock down. Modesty sold separately.
D 1 1/2"		
L L-Leg	2. Leg finish Painted / Anodized	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
48 Width		
30 Depth		Grommets are NOT optional for these tables.
1 26 1/2" height leg, 2 = 28 3/8" height		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2
Rectangle with Reverse L-Leg
30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDRL48301 () () ()	\$1,484.	\$1,607.	\$1,676.	\$1,948.
	30"	60"	1 1/2"	RTRDRL60301 () () ()	1,556.	1,685.	1,768.	2,097.
	30"	72"	1 1/2"	RTRDRL72301 () () ()	1,603.	1,736.	1,834.	2,217.





Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDRL72361 () () ()	1,652.	1,789.	1,903.	2,345.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: RTRDRL48301 () () ()	To order please specify pattern number including:	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff		Assembly required, ships knock down.
TR Table Rectangular	1. Worksurface finish	Modesty sold separately.
D 1 1/2"	L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
RL Reverse L-Leg	2. Leg finish	Grommets are NOT optional for these tables.
48 Width	Painted / Anodized	
30 Depth		
1 26 1/2" height leg, 2 = 28 3/8" height		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2
Rectangle with Soft Rectangular Leg
30" and 36" deep

description	d	w	th	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDS48301 () () ()	\$1,377.	\$1,491.	\$1,561.	\$1,832.
	30"	60"	1 1/2"	RTRDS60301 () () ()	1,450.	1,570.	1,652.	1,982.
	30"	72"	1 1/2"	RTRDS72301 () () ()	1,497.	1,620.	1,718.	2,103.





Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDS72361 () () ()	1,546.	1,674.	1,788.	2,230.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes	
Example: RTRDS48301 () () ()	To order please specify pattern number including: 1. Worksurface finish L, V1, V2, V3 2. Leg finish Painted / Anodized	Product on this page will accept woodgrain laminate where laminate is currently an option.	
R Reff			Assembly required, ships knock down.
TR Table Rectangular			Modesty sold separately.
D 1 1/2"			Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
S Soft Rectangular Leg			Grommets are NOT optional for these tables.
48 Width			
30 Depth			
1 26 1/2" height leg, 2 = 28 3/8" height			
V316 Finish			
111 Leg Finish			

Tables, 1 1/2
 Rectilinear with 2 x 4 Legs
 36", 42" and 48" deep - 26 1/2" High

description	d	w	th	pattern no.	L	V1/M	V2	V3
Table Top Rectangle, 36" Deep with 26 1/2" height legs	36"	72"	1 1/2"	RTM272361()()()()	\$2,081.	\$2,186.	\$2,273.	\$2,637.
	36"	78"	1 1/2"	RTM278361()()()()	2,098.	2,213.	2,308.	2,700.
	36"	84"	1 1/2"	RTM284361()()()()	2,136.	2,265.	2,366.	2,784.
	36"	90"	1 1/2"	RTM290361()()()()	2,161.	2,294.	2,401.	2,845.
	36"	96"	1 1/2"	RTM296361()()()()	2,178.	2,321.	2,436.	2,907.




Table Top Rectangle, 42" Deep with 26 1/2" height legs	42"	72"	1 1/2"	RTM272421()()()()	2,113.	2,240.	2,342.	2,754.
	42"	78"	1 1/2"	RTM278421()()()()	2,132.	2,272.	2,382.	2,824.
	42"	84"	1 1/2"	RTM284421()()()()	2,181.	2,361.	2,478.	2,948.
	42"	90"	1 1/2"	RTM290421()()()()	2,193.	2,392.	2,517.	3,017.
	42"	96"	1 1/2"	RTM296421()()()()	2,220.	2,424.	2,557.	3,087.





Table Top Rectangle, 48" Deep with 26 1/2" height legs	48"	72"	1 1/2"	RTM272481()()()()	2,174.	2,356.	2,472.	2,930.
	48"	78"	1 1/2"	RTM278481()()()()	2,196.	2,393.	2,518.	3,010.
	48"	84"	1 1/2"	RTM284481()()()()	2,239.	2,449.	2,583.	3,108.
	48"	90"	1 1/2"	RTM290481()()()()	2,261.	2,496.	2,638.	3,196.
	48"	96"	1 1/2"	RTM296481()()()()	2,283.	2,531.	2,683.	3,275.



Order Code	Specification Information	Application Notes
Example: RTM272361 () () () ()	To order please specify pattern number including:	The product on this page (Table tops only) will accept wood grain laminate.
R Reff	1. Grommet Drilling Options: NG = no grommet PB = power center grommet both ends PC = power center grommet center * PE = power center grommet end *	Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges; Leg/ Apron Finish V1 \$2,432 V2 \$2,556 V3 \$3,009
TM Table	2B = 2 + 2 Drop in electrical unit both ends 2C = 2 + 2 Drop in electrical unit center 2E = 2 + 2 Drop in electrical unit end	For planning heights guidelines, refer to introduction on page 10.
2 2 x 4 leg	3B = 3 + 3 Drop in electrical unit both ends 3C = 3 + 3 Drop in electrical unit center 3E = 3 + 3 Drop in electrical unit end	Applicable finishes are listed on page 4 and 5. The tables on this page, come complete with structural frame. No additional stiffeners are required.
72 Width	2. Grommet Finish: NG = Finish not required PC, PE, PB = Painted and plated finishes 3C, 3E, 3B, 2C, 2E, 2B = Drilling location only, finish not applicable.	Table's frame ships knockdown. Assembly required. For laminate tops (including wood grain laminate) leg finish options are: All core paint finishes only.
36 Depth	3. Worksurface finish: L, V1, V2, V3	For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.
1 26 1/2" h leg	4. Leg finish: Painted or wood veneer to match top, where applicable.	Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.
PC Grommet option:	5. Leg reveal finish: All core paint options.	Products on this page do not included electrical components. For electrical components, see page 315 and 316.
PU Grommet finish		
V316 Worksurface Finish		
V316 Leg finish (all core paint, V1,V2,V3)		
111 Leg reveal finish (all core paint)		

Worksurfaces

Tables, 1 1/2
 Rectilinear with 4 x 4 Legs
 36", 42" and 48" deep - 26 1/2" High

description	d	w	th	pattern no.	L	V1/M	V2	V3
Table Top Rectangle, 36" Deep with 26 1/2" height legs	36"	72"	1 1/2"	RTM472361 () () () ()	\$2,351.	\$2,456.	\$2,544.	\$2,908.
	36"	78"	1 1/2"	RTM478361 () () () ()	2,382.	2,498.	2,593.	2,984.
	36"	84"	1 1/2"	RTM484361 () () () ()	2,488.	2,617.	2,719.	3,136.
	36"	90"	1 1/2"	RTM490361 () () () ()	2,514.	2,646.	2,754.	3,197.
	36"	96"	1 1/2"	RTM496361 () () () ()	2,551.	2,694.	2,809.	3,279.




Table Top Rectangle, 42" Deep with 26 1/2" height legs	42"	72"	1 1/2"	RTM472421 () () () ()	2,397.	2,524.	2,626.	3,037.
	42"	78"	1 1/2"	RTM478421 () () () ()	2,416.	2,556.	2,666.	3,107.
	42"	84"	1 1/2"	RTM484421 () () () ()	2,458.	2,637.	2,755.	3,225.
	42"	90"	1 1/2"	RTM490421 () () () ()	2,558.	2,757.	2,882.	3,383.
	42"	96"	1 1/2"	RTM496421 () () () ()	2,586.	2,789.	2,922.	3,453.






Table Top Rectangle, 48" Deep with 26 1/2" height legs	48"	72"	1 1/2"	RTM472481 () () () ()	2,414.	2,596.	2,712.	3,170.
	48"	78"	1 1/2"	RTM478481 () () () ()	2,466.	2,662.	2,787.	3,279.
	48"	84"	1 1/2"	RTM484481 () () () ()	2,488.	2,698.	2,832.	3,356.
	48"	96"	1 1/2"	RTM496481 () () () ()	2,635.	2,883.	3,035.	3,626.



Order Code	Specification Information	Application Notes
Example: RTM472361 () () () ()	To order please specify pattern number including:	The product on this page (Table tops only) will accept wood grain laminate.
R Reff		Upcharges apply to legs with V1, V2 or V3 finishes.
TM Table		Additional upcharges;
4 4 x 4 leg	1. Grommet Drilling Options:	Leg Finish Add
72 Width	NC = no grommet	V1 \$1,375
36 Depth	PB = power center grommet both ends	V2 \$1,437
1 26 1/2" h leg	PC = power center grommet center *	V3 \$1,664
PC Grommet option:	PE = power center grommet end *	
111 Grommet finish	2B = 2 + 2 Drop in electrical unit both ends	* Upcharges apply for the following power center grommets.
V316 Worksurface Finish	2C = 2 + 2 Drop in electrical unit center	Grommet Add
V316 Leg finish (all core paint, V1,V2,V3)	2E = 2 + 2 Drop in electrical unit end	PB \$220
111 Leg reveal finish (all core paint)	3B = 3 + 3 Drop in electrical unit both ends	PC \$110
	3C = 3 + 3 Drop in electrical unit center	PE \$110
	3E = 3 + 3 Drop in electrical unit end	
	2. Grommet Finish:	Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.
	NG = Finish not required	Products on this page do not included electrical components. For electrical components, see page 0 and 0.
	PC, PE, PB = Painted and plated finishes	
	3C, 3E, 3B, 2C, 2E, 2B = Drilling location only, finish not applicable.	
	3. Worksurface finish: L, V1, V2, V3	
	4. Leg finish: Painted or wood veneer to match top, where applicable.	
	5. Leg reveal finish: All core paint options.	

Tables, 1 1/2
 Square with L-Leg
 42" and 48" deep


description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDL42421 () () ()	\$1,520.	\$1,649.	\$1,731.	\$2,049.
	48"	48"	1 1/2"	RTSDL48481 () () ()	1,584.	1,719.	1,823.	2,216.



Order Code	Specification Information	Application Notes
Example: RTSDL42421 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff		
TS Table Square	1. Worksurface finish L, V1, V2, V3	Modesty sold separately.
D 1 1/2"		
L L-Leg	2. Leg finish Painted / Anodized	Grommets are NOT optional for these tables.
42 Width		
42 Depth		Product on this page will accept woodgrain laminate where laminate is currently an option.
1 26 1/2" height leg, 2 = 28 3/8" height		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2
Square with Reverse L-Leg
42" and 48" deep


description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDRL42421 () () ()	\$1,520.	\$1,649.	\$1,731.	\$2,049.
	48"	48"	1 1/2"	RTSDRL48481 () () ()	1,584.	1,719.	1,823.	2,216.



Order Code	Specification Information	Application Notes
Example: RTSDRL42421 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff		Product on this page will accept woodgrain laminate where laminate is currently an option.
TS Table Square		Modesty sold separately.
D 1 1/2"		Grommets are NOT optional for these tables.
RL Reverse L-Leg		
42 Width		
42 Depth		
1 26 1/2" height leg, 2 = 28 3/8" height		
V316 Finish		
111 Leg Finish		


Tables, 1 1/2
 Square with Soft Rectangular Leg
 42" and 48" deep

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDS42421()()()	\$1,557.	\$1,690.	\$1,773.	\$2,089.
	48"	48"	1 1/2"	RTSDS48481()()()	1,622.	1,760.	1,863.	2,257.



Order Code	Specification Information	Application Notes	
Example: RTSDS42421 ()()()	To order please specify pattern number including: 1. Worksurface finish L, V1, V2, V3 2. Leg finish Painted / Anodized	Assembly required, ships knock down. Modesty sold separately. Grommets are NOT optional for these tables.	
R Reff			Product on this page will accept woodgrain laminate where laminate is currently an option.
TS Table Square			
D 1 1/2"			
S Soft Rectangular-Leg			
42 Width			
42 Depth			
1 26 1/2" height leg, 2 = 28 3/8" height			
V316 Finish			
111 Leg Finish			

Tables, 1 1/2
Round with Column Leg
36", 42" and 48" diameter

description	dia.	th	pattern no.	L	V1	V2	V3
 Table Top Round with 26 1/2" height legs	36"	1 1/2"	RTNDC361 () () ()	\$2,498.	\$2,710.	\$2,772.	\$2,996.
	42"	1 1/2"	RTNDC421 () () ()	2,560.	2,777.	2,859.	3,146.
	48"	1 1/2"	RTNDC481 () () ()	2,622.	2,845.	2,947.	3,307.


Order Code	Specification Information	Application Notes
Example: RTNDC361 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff		
TN Table Round	1. Worksurface finish L, V1, V2, V3	Modesty sold separately.
D 1 1/2"		
C Column Leg	2. Leg finish Painted / Plated	Grommets are NOT optional for these tables.
36 Diameter		
1 26 1/2" height leg, 2 = 28 3/8" height		Product on this page will accept woodgrain laminate where laminate is currently an option.
V316 Finish		
111 Leg Finish		

*Mobile Rectangular Tables with 3" Column legs with Casters
30" and 36" deep*

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36" Deep, with 26 1/2"h Column leg with casters	36"	72"	1 1/2"	RTRDC72363 ()()	\$1,767.	\$1,904.	\$2,018.	\$2,460.



Table Top Rectangle, 30" Deep, with 26 1/2"h Column leg with casters	30"	48"	1 1/2"	RTRDC48303 ()()	1,599.	1,722.	1,791.	2,063.
	30"	60"	1 1/2"	RTRDC60303 ()()	1,671.	1,800.	1,883.	2,212.
	30"	72"	1 1/2"	RTRDC72303 ()()	1,718.	1,851.	1,948.	2,332.




Order Code	Specification Information	Application Notes
Example: RTRDC48303 ()()	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff	1. Worksurface Finish: L, V1, V2, V3	
TR Table Rectangular	2. Leg Finish: Painted and plated finishes	Assembly required, ships knock down.
D 1 1/2"		Grommets and drilling are not an option for these tables.
C Column Leg		Worksurface stiffeners, recommended to provide additional support for open spans greater than 54"w.
48 width		
30 depth		
3 26 1/2" height leg with casters		
V316 Worksurface Finish		
111 Leg Finish		

Castors are black, swivel type. Ships with 2 locking and 2 non-locking type.

*Mobile Square Tables with 3" Column legs with Casters
42" and 48" deep*

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 42" and 48" Deep, with 26 1/2" h Column leg with casters	42"	42"	1 1/2"	RTSDC42423 () ()	\$1,635.	\$1,764.	\$1,846.	\$2,164.
	48"	48"	1 1/2"	RTSDC48483 () ()	1,699.	1,834.	1,938.	2,331.



Order Code	Specification Information	Application Notes
Example: RTSDC42423 () ()	<i>To order please specify pattern number including:</i> 1. Worksurface Finish: L, V1, V2, V3 2. Leg Finish: Painted and plated finishes	Product on this page will accept woodgrain laminate where laminate is currently an option. Assembly required, ships knock down. Grommets and drilling are not an option for these tables. Castors are black, swivel type. Ships with 2 locking and 2 non-locking type.
R Reff		
TS Table Square		
D 1 1/2"		
C Column Leg		
42 width		
42 depth		
3 26 1/2" height leg with casters		
V316 Worksurface Finish		
111 Leg Finish		

*Mobile Round Tables with 3" Column legs with Casters
36", 42" and 48" diameter*




description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Round with 26 1/2" h			1 1/2"	RTNDC363 ()()	\$2,019.	\$2,219.	\$2,280.	\$2,464.
Column leg with casters			1 1/2"	RTNDC423 ()()	2,075.	2,305.	2,366.	2,606.
			1 1/2"	RTNDC483 ()()	2,148.	2,378.	2,458.	2,757.



Order Code	Specification Information	Application Notes
Example: RTNDC363 ()()	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff	1. Worksurface Finish: L, V1, V2, V3	
TN Table Round	2. Leg Finish: Painted and plated finishes	Assembly required, ships knock down.
D 1 1/2"		Grommets and drilling are not an option for these tables.
C Column Leg		
36 diameter		
3 26 1/2" height leg with casters		
V316 Worksurface Finish		
111 Leg Finish		

Tables, 1




Sliding, Laminate

description	d	w	th	pattern no.	L
 Round Table with 26 1/2" height legs	36"		1"	RSTRLE361 () ()	\$3,006.
	42"		1"	RSTRLE421 () ()	3,065.
 Soft Square Table with 26 1/2" height legs	36"		1"	RSTSLE361 () ()	2,979.
	42"		1"	RSTSLE421 () ()	3,043.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTLE30481 () ()	2,807.
	36"	54"	1"	RSTTLE36541 () ()	2,881.

Order Code	Specification Information	Application Notes
Example: RSTRLE361 () ()	To order please specify pattern number including: 1. Worksurface finish: Laminate only 2. Leg Textured finish: All core paint colors.	Assembly required. Ships knocked down. Grommets are <u>not</u> an option for these tables. Column and base are color matched Column = smooth Base = textured
R Reff		
ST Sliding Table		
R Round		
L Laminate surface		
E 1" thick		
42 42" diameter		
1 26 1/2" height leg, 2 = 28 3/8" height		
114 Finish		
118T Leg Finish		

Tables, 1

Sliding, Wood




description	d	w	th	pattern no.	V1	V2	V3
 Round Table with 26 1/2" height legs	36"		1"	RSTRWE361 ()()	\$3,261.	\$3,312.	\$3,568.
	42"		1"	RSTRWE421 ()()	3,326.	3,394.	3,712.
 Soft Square Table with 26 1/2" height legs	36"		1"	RSTSWE361 ()()	3,232.	3,283.	3,562.
	42"		1"	RSTSWE421 ()()	3,302.	3,368.	3,712.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTWE30481 ()()	3,046.	3,101.	3,402.
	36"	54"	1"	RSTTWE36541 ()()	3,125.	3,198.	3,569.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSTRWE361 ()()	To order please specify pattern number including: 1. Worksurface finish V1, V2, V3 wood only 2. Leg Textured finish: All core paint colors.	Column and base are color matched. Column=smooth Base=textured Assembly required, ships knock down. Grommets are not an option for these tables.
R Reff		
ST Sliding Table		
R Round		
W Wood surface		
E 1" thick		
42 42" diameter		
1 26 1/2" height leg, 2 = 28 3/8" height		
V316 Finish		
111T Leg Finish		




Tables, 1

Sliding, Solid

description	d	w	th	pattern no.	Solid
Round Table with 26 1/2" height legs 	36"		1"	RSTRSE361 () ()	\$8,362.
	42"		1"	RSTRSE421 () ()	9,581.
Soft Square Table with 26 1/2" height legs 	36"		1"	RSTSSE361 () ()	7,476.
	42"		1"	RSTSSE421 () ()	8,818.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	RSTTSE30481 () ()	9,213.
	36"	54"	1"	RSTTSE36541 () ()	10,216.

Order Code	Specification Information	Application Notes
Example: RSTRSE361 () ()	To order please specify pattern number including:	Assembly required.
R Reff	1. Worksurface finish:	Ships knocked down.
ST Sliding Table	AW=Artic White, only	Grommets are <u>not</u> an option for these tables.
R Round	2. Leg finish Textured:	Artic White finish available for solid tops.
S Solid	All core paint colors.	Column and base are color matched.
E 1" thick		Column=smooth
42 42" diameter		Base=textured
1 26 1/2" height leg, 2 = 28 3/8" height		
AW Worksurface finish		
111T Leg Finish		


Tables, 1
Height Adjustable Sliding Table
Laminate surface

description	d	w	th	pattern no.	L
 Round Sliding Table with height adjustable base	36"		1"	RSTRLE363 () ()	\$4,063.
	42"		1"	RSTRLE423 () ()	4,123.
 Soft Square Sliding Table with height adjustable base	36"	36"	1"	RSTSLE363 () ()	4,037.
	42"	42"	1"	RSTSLE423 () ()	4,101.
 Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	RSTTLE30483 () ()	3,864.
	36"	54"	1"	RSTTLE36543 () ()	3,939.


Order Code	Specification Information	Application Notes
Example: RSTRLE363 () ()	<i>To order please specify pattern number including:</i>	Column and base are color matched.
R Reff	1. Worksurface finish: Laminate	Column = smooth
ST Sliding Table	2. Base textured finish: All core paint colors.	Base = textured
R Round, S=Square,T=Rectangle	The table tops on this page will accept wood grain laminate.	Assembly required, ships knock down.
L Laminate surface		All tops have groove for fingerpull when sliding.
E 1" thick		Grommets are not an option for these tables.
30 30" deep, 36"=36" deep		Height range is from 27" - 42" to the underside of worksurface.
48 48" wide, 54"= 54" wide		
3 Height Adjustable Base		
114 Work surface finish		
118T Base Finish		

Tables, 1
Height Adjustable Sliding Table
Wood surface


description	d	w	th	pattern no.	V1	V2	V3
Round Sliding Table with height adjustable base	36"		1"	RSTRWE363()()	\$4,324.	\$4,374.	\$4,631.
	42"		1"	RSTRWE423()()	4,389.	4,457.	4,775.



Soft Square Sliding Table with height adjustable base	36"	36"	1"	RSTSWE363()()	4,296.	4,347.	4,625.
	42"	36"	1"	RSTSWE423()()	4,365.	4,431.	4,775.



Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	RSTTWE30483()()	4,109.	4,163.	4,465.
	36"	54"	1"	RSTTWE36543()()	4,189.	4,261.	4,632.






Order Code	
Example: RSTRWE363()()	
R	Reff
ST	Sliding Table
R	Round, S=Square,T=Rectangle
W	Wood surface
E	1" thick
30	30" deep, 36"=36" deep
48	48" wide, 54"= 54" wide
3	Height Adjustable Base
V316	Maple work surface finish
111T	Base Finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Worksurface finish: V1, V2, V3
2. Base textured finish: All core paint colors.

Application Notes
Column and base are color matched. Column = smooth Base = textured
Assembly required, ships knock down.
All tops have groove for fingerpull when sliding.
Grommets are not an option for these tables.
Height range is from 27" - 42" to the underside of worksurface.

Tables, 1
Height Adjustable Sliding Table
Solid surface

description	d	w	th	pattern no.	Solid
 Round Sliding Table with height adjustable base	36"		1"	RSTRSE363 ()()	\$9,362.
	42"		1"	RSTRSE423 ()()	10,581.
 Soft Square Sliding Table with height adjustable base	36"	36"	1"	RSTSSE363 ()()	8,476.
	42"	42"	1"	RSTSSE423 ()()	9,818.
 Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	RSTTSE30483 ()()	10,213.
	36"	54"	1"	RSTTSE36543 ()()	11,216.


Worksurfaces

	Specification Information	Application Notes
Example: RSTRSE363 ()()	<i>To order please specify pattern number including:</i>	Column and base are color matched.
R Reff	1. Worksurface finish: Solid Finish only	Column = smooth
ST Sliding Table	AW = Artic White	Base = textured
R Round, S=Square,T=Rectangle	2. Base textured finish:	Assembly required, ships knock down.
S Solid surface	All core paint colors.	All tops have groove for fingerpull when sliding.
E 1" thick		Grommets are not an option for these tables.
30 30" deep, 36"=36" deep		Height range is from 27" - 42" to the underside of worksurface.
48 48" wide, 54"= 54" wide		
3 Height Adjustable Base		
AW Solid Table finish		
118T Base Finish		

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$94.	\$98.	\$102.
	24"	RBC24 (L/R)	102.	108.	114.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	95.	100.	104.
	24"	ASBC24 (L/R) ()	104.	112.	117.



Specify paint finish
 18" for 24"d tops
 24" for 30" d tops
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)

Mid-span cantilever bracket, free standing	17"	RMSCB ()	75.	80.	84.
--	-----	------------------	-----	-----	-----




Corner top corner bracket		RBCC	19.		
---------------------------	--	-------------	-----	--	--



Black only

Side hung support bracket		RBCCP (Pair)	40.	42.	43.
---------------------------	--	---------------------	-----	-----	-----



Specify paint finish
 pair includes one each left and right hand bracket
 image depicts two left hand brackets







Order Code	Specification Information	Application Notes
Example: RMSCB	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Finish - () - Painted Finish	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
MS Mid Span	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
CB Cantilever Bracket		
() Finish		
L brackets may be used in off module applications for L bases, T bases and half depth end panels.		Knoll takes no responsibility for the installation or security of tops to the wall.

Top support components
Bracketry

description	d	pattern no.	P1& black only	P2	P3
Panel to pedestal bracket		RBPP (L/R)	\$8.		
	Black only				

Top support components

Bracketry

description	d	pattern no.	P1& black only	P2	P3
Top to top bracket 	6" x 1"	RBFB (Pair)	\$5.		
	Black only				
Wall hung support bracket 	20"	RSBWH20	42.	44.	46.
	24"	RSBWH24	44.	48.	51.
	30"	RSBWH30	48.	51.	54.
	36"	RSBWH36	54.	57.	60.
	42"	RSBWH42	57.	60.	63.
	48"	RSBWH48	69.	72.	75.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	35.		
	Black only				
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately. 		RBPR (Pair)	7.	7.	8.
	Specify paint finish				
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	13.	13.
	Specify paint finish				
Utility bracket 		RUTB	11.		
	Black only				
L Bracket for off-module applications 		R113B	5.		
	One by one by three bracket				
Worksurface to cabinet bracket for 24" worksurface		RBWC24	55.	0.	0.
	bracket can be used with 20" and 24" worksurfaces				

Order Code	Specification Information	Application Notes
Example: RMSCB	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Finish - () - Painted Finish	Cantilever should be specified with top to top brackets.
MS Mid Span	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
CB Cantilever Bracket		Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
() Finish		
L brackets may be used in off module applications for L bases, T bases and half depth end panels.		Knoll takes no responsibility for the installation or security of tops to the wall.

Top support components

Bracketry

description	d	pattern no.	P1& black only	P2	P3
Worksurface to cabinet bracket for 30" worksurface		RBWC30	\$60.	\$0.	\$0.
bracket can be used with 30" and 36" worksurfaces					

Order Code

Example: RMSCB	
R	Reff
MS	Mid Span
CB	Cantilever Bracket
()	Finish

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

Specification Information

To order please specify pattern number including:

1. Finish - () - Painted Finish

When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.

Application Notes

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.


Knoll takes no responsibility for the installation or security of tops to the wall.

Cantilever should be specified with top to top brackets.


Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
 26 1/2" high planning
 Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$155.	\$221.	\$253.	\$342.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	279.	395.	456.	615.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	308.	434.	499.	673.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	332.	472.	541.	731.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	373.	530.	610.	823.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	390.	557.	638.	863.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	406.	574.	660.	889.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	422.	598.	691.	934.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	464.	660.	758.	1,024.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	495.	701.	809.	1,094.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	523.	744.	854.	1,153.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	555.	789.	904.	1,221.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	569.	807.	927.	1,250.



description	d	w	h	pattern no.	L	V1	V2	V3
Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	RB3636-()	1,005.	1,506.	1,733.	2,341.
	36"	42"	26 1/2"	RB3642-()	1,028.	1,546.	1,779.	2,401.
	36"	48"	26 1/2"	RB3648-()	1,072.	1,605.	1,840.	2,486.
	42"	36"	26 1/2"	RB4236-()	1,028.	1,546.	1,779.	2,401.
	42"	42"	26 1/2"	RB4242-()	1,055.	1,584.	1,825.	2,463.
	42"	48"	26 1/2"	RB4248-()	1,096.	1,640.	1,888.	2,549.
	48"	36"	26 1/2"	RB4836-()	1,072.	1,605.	1,840.	2,486.
	48"	42"	26 1/2"	RB4842-()	1,096.	1,640.	1,888.	2,549.
	48"	48"	26 1/2"	RB4848-()	1,138.	1,701.	1,968.	2,657.



Order Code

Example:	RB24MFL
R	Reff
B	Back panel
24	48" panel dimension
M	Full height modesty
F	Flush modesty placement
L	Laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish type
4. Finish

1. Modesty type:
 M = Standard height (26 1/2"H)
 H = Half height

2. Modesty placement:
 F = Flush, cantilevered
 R = Recessed

3. Finish type:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding any vertical surface, ie; modesty panels over 48"**, will accept wood grain laminate where laminate is currently an option.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.

Glides ship with all supports on this page except the recessed modesty panel.


Please see Planning Guide for freestanding planning instruction.

Top support components


26 1/2" high planning

End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	\$476.	\$781.	\$899.	\$1,213.
	36"	1"	26 1/2"	RE36-()	503.	818.	940.	1,270.




Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	182.	318.	367.	495.
	16"	1"	26 1/2"	RSE2(L/R)-()	196.	339.	390.	526.
	20"	1"	26 1/2"	RSE3(L/R)-()	211.	357.	409.	551.
	24"	1"	26 1/2"	RSE4(L/R)-()	222.	372.	429.	579.
	30"	1"	26 1/2"	RSE5(L/R)-()	236.	392.	450.	610.
	36"	1"	26 1/2"	RSE6(L/R)-()	250.	409.	472.	637.



left hand shown






Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	182.	318.	367.	495.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	196.	339.	390.	526.
	19"	1"	26 1/2"	RE19F-()	211.	357.	409.	551.
	23"	1"	26 1/2"	RE23F-()	222.	372.	429.	579.
	29"	1"	26 1/2"	RE29F-()	236.	392.	450.	610.



Order Code	Specification Information	Application Notes
Example: RSE1(L)114	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff		
SE End panel	<i>1. Finish type:</i>	Modesty panel lengths are nominal - length changes on option selected.
1 13" deep	L = Laminate	
L Left hand	1 = V1	Glides ship with all supports on this page except the recessed modesty panel.
L Laminate	2 = V2	
114 Folkstone grey	3 = V3	Please see Planning Guide for freestanding planning instruction.
	<i>2. Finish</i>	
		Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
		Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.

Top support components




Painted or Plated Legs 26 1/2" high planning

description	dia.	w	h	d	pattern no.	P1	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	–	26 1/2"	–	RSC() ()	\$253.	\$267.	\$280.
Ships with wood screws for fasening to underside of worksurface into pilot hole location. Painted finish only.								
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	–	26 1/2"	–	RSC4-() ()	986.	1,034.	1,088.
Painted finishes only.								
T-leg, Interaction style 	–	–	26 1/2"	24"	RIB24T() ()	362.	380.	400.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only								
T-Leg, plain tube style 	–	–	26 1/2"	20"	RCB20T-() ()	391.	411.	430.
	–	–	26 1/2"	24"	RCB24T-() ()	397.	420.	440.
	–	–	26 1/2"	30"	RCB30T-() ()	440.	461.	486.
	–	–	26 1/2"	40"	RCB40T-() ()	463.	488.	513.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD and PU plated finish options.								
Set of four column legs (3" dia.) with casters with triangular plates 	3"	–	26 1/2"	–	RSCC4()	1,403.	1,403.	1,919.
Painted, PD and PU plated finish options.								

Order Code	Specification Information	Application Notes
Example: RSC	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. Finish type, where applicable	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
S Support	2. Finish	Interaction style legs are only available in painted finishes.
C Cylinder	<i>Finish type options:</i> P = Paint (P1, P2, P3)	Castors are black, swivel type. Ships with 2 locking and 2 non-locking type.
	Applicable finishes are listed on page 5 and 6.	Refer to Planning Guide for top-base matrix, pages 140 and 141.
		All bases include 1 1/2" leveller.

Top support components

Painted or Anodized Legs 26 1/2" high planning

description	h	pattern no.	list
L-Leg 	26 1/2"	RPL1()	\$617.
Reverse L-Leg 	26 1/2"	RPRL1()	617.
Soft Rectangular Leg 	26 1/2"	RPS1()	638.

Order Code	
Example: RPL1 ()	
RP	Reff Profiles
L	Leg
1	26 1/2"h
AN	Leg finish




RL = Reverse Leg
S = Soft Rectangular Leg

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish: Painted or Anodized (AA, AP, AU)

Application Notes
Legs are sold in pairs. These legs include 1" leveller.
Products on this page are 26 1/2"h. Products should not be mixed with 28 3/8"h components.
For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141.
Applicable finishes are listed on pages 5 and 6.

Top support components




Painted or Plated Bases 26 1/2" high planning

description	h	dia.	pattern no.	P1	P2	P3
 X-base	26 1/2"	28"	RIB28X-() ()	\$597.	\$628.	\$661.
	26 1/2"	32"	RIB32X-() ()	809.	852.	895.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.						
 Spider base, plain tube style	26 1/2"	24"	RCB24X() ()	612.	643.	674.
	26 1/2"	28"	RCB28X() ()	640.	672.	705.
	26 1/2"	36"	RCB36X() ()	694.	730.	766.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.						
 Drum base	26 1/2"	–	RSD1427-() ()	1,154.	1,213.	1,273.
	26 1/2"	–	RSD1827-() ()	1,254.	1,318.	1,383.
	26 1/2"	–	RSD2027-() ()	1,294.	1,358.	1,425.
	26 1/2"	–	RSD2427-() ()	1,549.	1,628.	1,708.
	26 1/2"	–	RSD3027-() ()	1,732.	1,817.	1,908.
Painted finishes only.						

Order Code	Specification Information	Application Notes	
Example: RIB28X	<i>To order please specify pattern number including:</i> 1. Finish type, where applicable 2. Finish <i>Finish type options:</i> P = Paint (P1, P2, P3)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black. Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes. Refer to Planning Guide for top-base matrix, pages 140 and 141. All bases include 1 1/2" leveller.	
R Reff			Only the plain cylinder and tube legs can be ordered in plated and painted finishes. Interaction style legs are only available in painted finishes. Applicable finishes are listed on page 5 and 6.
I Interaction			
B Base			
28 Diameter			
X X-base			

Top support components



Laminate or Wood Bases 26 1/2" high planning

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum base 	14"		26 1/2"	–	RSD1427-()()	n/a	\$1,349.	\$1,553.	\$2,097.
	18"		26 1/2"	–	RSD1827-()()	n/a	1,466.	1,687.	2,279.
	20"		26 1/2"	–	RSD2027-()()	n/a	1,514.	1,740.	2,349.
	24"		26 1/2"	–	RSD2427-()()	n/a	1,814.	2,087.	2,817.
	30"		26 1/2"	–	RSD3027-()()	n/a	2,027.	2,328.	3,143.
T-base (hardware included)* 	20"	26 1/2"	12"		RST1-()	427.	489.	571.	773.
	24"	26 1/2"	12"		RST2-()	457.	526.	604.	817.
	30"	26 1/2"	12"		RST3-()	538.	610.	706.	954.
	36"	26 1/2"	12"		RST4-()	611.	700.	803.	1,085.
	42"	26 1/2"	12"		RST5-()	678.	779.	898.	1,214.
	48"	26 1/2"	12"		RST6-()	756.	860.	993.	1,340.
L-base (hardware included), non-handed* 	12"	26 1/2"	12"		RSL12-()	427.	489.	571.	773.
	15"	26 1/2"	12"		RSL15-()	437.	500.	577.	778.
	20"	26 1/2"	12"		RSL20-()	457.	517.	597.	806.
	24"	26 1/2"	12"		RSL24-()	465.	526.	604.	817.
	30"	26 1/2"	12"		RSL30-()	538.	610.	706.	954.
	36"	26 1/2"	12"		RSL36-()	611.	700.	803.	1,085.
	42"	26 1/2"	12"		RSL42-()	678.	779.	898.	1,214.
	48"	26 1/2"	12"		RSL48-()	756.	860.	993.	1,340.

Support components

Order Code	Specification Information	Application Notes
Example: RSD1427	<i>To order please specify pattern number including:</i>	Refer to Planning Guide for top-base matrix, pages 140 and 141.
R Reff	1. Finish type	All bases include 1 1/2" leveller.
S Support	2. Finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
D Drum base	<i>Finish type options:</i>	T and L bases are not recommended for supporting conference tops.
14 Diameter	L = Laminate	Applicable finishes are listed on page 5 and 6.
27 Height	1 = V1	
2 Finish type	2 = V2	
R319 V2- Med. Cherry	3 = V3	

Fixed Height and Height Adjustable C-Leg and T-Leg Bases


description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Advanced Electric (A)
	For use with 36"W, 24"D Reff Profiles C-Leg Top	36"	34"	23"	RSBC3423 () () ()	\$955.	\$1,273.	\$1,909.	\$3,316.	\$3,491.
	For use with 42"W, 24"D Reff Profiles C-Leg Top	42"	40"	23"	RSBC4023 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 48"W, 24"D Reff Profiles C-Leg Top	48"	46"	23"	RSBC4623 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 54"W, 24"D Reff Profiles C-Leg Top	54"	52"	23"	RSBC5223 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 60"W, 24"D Reff Profiles C-Leg Top	60"	58"	23"	RSBC5823 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 66"W, 24"D Reff Profiles C-Leg Top	66"	64"	23"	RSBC6423 () () ()	977.	1,295.	1,932.	3,338.	3,514.
	For use with 72"W, 24"D Reff Profiles C-Leg Top	72"	70"	23"	RSBC7023 () () ()	977.	1,295.	1,932.	3,338.	3,514.
<i>Fixed Shown</i>										
	For use with 36"W, 30"D Reff Profiles C-Leg Top	36"	34"	29"	RSBC3429 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 42"W, 30"D Reff Profiles C-Leg Top	42"	40"	29"	RSBC4029 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 48"W, 30"D Reff Profiles C-Leg Top	48"	46"	29"	RSBC4629 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 54"W, 30"D Reff Profiles C-Leg Top	54"	52"	29"	RSBC5229 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 60"W, 30"D Reff Profiles C-Leg Top	60"	58"	29"	RSBC5829 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 66"W, 30"D Reff Profiles C-Leg Top	66"	64"	29"	RSBC6429 () () ()	1,023.	1,341.	1,977.	3,381.	3,559.
	For use with 72"W, 30"D Reff Profiles C-Leg Top	72"	70"	29"	RSBC7029 () () ()	1,023.	1,341.	1,977.	3,381.	3,559.

Fixed Shown


Order Code	Specification Information	Application Notes
Example: RSBC5829HS, 9005, 613	1. <i>Base Type:</i>	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
RSB Universal Base	(F) = Fixed (27" High)	Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability.
C C-Leg	(P) = Pin-Set (22" - 35" High)	
58 Width	(H) = Handcrank (22" - 35" High)	23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops up to 36"D centered over feet. 16"D Corner bases support 48"x48" curvilinear corner tops up to 30"D.
29 Depth	(E) = Electric (27" - 46 1/2" High)	
H Handcrank	(A) = Advanced Electric (21" - 47 1/2" High)	36"W C-Leg bases (except for Pin-set) support tops up to 60"w centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66"W centered over feet (max 12" overhang on each side).
S Shroud	Base height ranges shown do not include worksurface thickness.	Bases have a default black paint finish (9005). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes.
9005 Black Base Finish	2. <i>Shroud Options:</i>	Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs.
613 Shroud/Feet Paint Finish	(N) = Leg without a metal shroud	Pin-Set base adjusts on 1" increments.
	(S) = Painted metal shroud to surround lower leg with matching foot. Add \$100 to the list price.	Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface 1".
	3. <i>Base Finish:</i> default black paint (9005)	
	4. <i>Shroud/Feet Paint Finish,</i> when applicable	

w* = nominal width

Fixed Height and Height Adjustable C-Leg and T-Leg Bases

description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Advanced Electric (A)
 <p>Pin-Set Shown</p>	30" Deep T-Leg Bases For use with 48"W, 30" or 36"D Reff Profiles T-Leg Top	48"	46"	29"	RSBT4629 (X)(X)(X)	\$1,000.	\$1,318.	\$1,955.	\$3,360.	\$3,536.
	For use with 54"W, 30" or 36"D Reff Profiles T-Leg Top	54"	52"	29"	RSBT5229 (X)(X)(X)	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 60"W, 30" or 36"D Reff Profiles T-Leg Top	60"	58"	29"	RSBT5829 (X)(X)(X)	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 66"W, 30" or 36"D Reff Profiles T-Leg Top	66"	60"	29"	RSBT6429 (X)(X)(X)	1,023.	1,341.	1,977.	3,381.	3,559.
	For use with 72"W, 30" or 36"D Reff Profiles T-Leg Top	72"	70"	29"	RSBT7029 (X)(X)(X)	1,023.	1,341.	1,977.	3,381.	3,559.

C-Leg Corner Base	For use with Reff Profiles Corner C-Leg Top	48"	46"	16"	RSBK464616 (X)(X)(X)	1,545.	2,023.	3,000.	5,087.	5,355.
-------------------	---	-----	-----	-----	-----------------------------	--------	--------	--------	--------	--------




Fixed Shown

Order Code	Specification Information	Application Notes
Example: RSBC5829HS, 9005, 613 <hr/> RSB Universal Base <hr/> C C-Leg <hr/> 58 Width <hr/> 29 Depth <hr/> H Handcrank <hr/> S Shroud <hr/> 9005 Black Base Finish <hr/> 613 Shroud/Feet Paint Finish	1. <i>Base Type:</i> (F) = Fixed (27" High) (P) = Pin-Set (22" - 35" High) (H) = Handcrank (22" - 35" High) (E) = Electric (27" - 46 1/2" High) (A) = Advanced Electric (21" - 47 1/2" High) Base height ranges shown do not include worksurface thickness. 2. <i>Shroud Options:</i> (N) = Leg without a metal shroud (S) = Painted metal shroud to surround lower leg with matching foot. Add \$100 to the list price. 3. <i>Base Finish:</i> default black paint (9005) 4. <i>Shroud/Feet Paint Finish</i> , when applicable	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability. 23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops up to 36"D centered over feet. 16"D Corner bases support 48"x48" curvilinear corner tops up to 30"D. 36"W C-Leg bases (except for Pin-set) support tops up to 60"w centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66"W centered over feet (max 12" overhang on each side). 48", 54", 60" and 66"W C-Leg and T-Leg bases support tops up to 30" wider than the base centered over feet (max 15" overhang on each side). 72"W C-Leg and T-Leg bases support tops up to 96"W centered over feet (max 12" overhang on each side). Bases have a default black paint finish (9005). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes. Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs. Pin-Set base adjusts on 1" increments. Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface 1".


w* = nominal width

BBF/FF

Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,177.	\$1,358.	\$1,559.	\$2,096.
	16"	23"	26 1/2"	RP212J-() () L	1,228.	1,420.	1,632.	2,194.
	16"	29"	26 1/2"	RP213J-() () L	1,281.	1,479.	1,698.	2,286.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 Counter weights required per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,078.	1,247.	1,433.	1,937.
	16"	23"	26 1/2"	RP212K-() () L	1,155.	1,336.	1,536.	2,073.
	16"	29"	26 1/2"	RP213K-() () L	1,229.	1,419.	1,635.	2,205.
	30"	19"	26 1/2"	RP231K-() () L	1,232.	1,427.	1,640.	2,215.
	30"	23"	26 1/2"	RP232K-() () L	1,298.	1,504.	1,727.	2,330.
	36"	19"	26 1/2"	RP261K-() () L	1,314.	1,521.	1,749.	2,361.
	36"	23"	26 1/2"	RP262K-() () L	1,378.	1,594.	1,833.	2,475.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 Counter weights required per pedestal.

Order Code

Example:	RP211JLMDL
R	Reff
P	Pedestal
2	26 1/2"H
1	16" wide
1	19" deep
J	Box box file config.
L	Laminate finish type
M	Metal interior option
D	Metal D-pull
L	Lock option files
114	Cabinet Finish, Folkstone Grey
612	Pull Finish, Folkstone Grey

Specification Information

To order please specify pattern number including:

1. *Finish type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
2. *Interior options:*
 M = Metal interior
3. *Pull options:*
 B = No pull, No drilling, Customer's Own Pull
 C = Nickel C-pull (nickel finish only)
 D = D-pull (Painted, PT, PZ only)
 F = Bar Pull
 H = Outline Pull
 J = J (Routed) Pull
 R = Cylinder Pull
 S = S-pull (stainless steel finish only)
 T = Tab pull

Application Notes

4. *Lock options:*
 L = Drilled to accept lock
5. Cabinet Finish
6. Pull Finish
 Painted or Plated

Refer to page 348 for keying instructions.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 318.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors and wood backs

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,309.	\$1,511.	\$1,741.	\$2,340.
	16"	24"	26 1/2"	RPB212J () () L	1,360.	1,574.	1,808.	2,433.
	16"	30"	26 1/2"	RPB213J () () L	1,414.	1,635.	1,878.	2,530.



*Pencil Tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,211.	1,400.	1,613.	2,179.
	16"	24"	26 1/2"	RPB212K () () L	1,288.	1,489.	1,718.	2,317.
	16"	30"	26 1/2"	RPB213K () () L	1,365.	1,576.	1,813.	2,448.
	30"	20"	26 1/2"	RPB231K () () L	1,498.	1,734.	1,990.	2,689.
	30"	24"	26 1/2"	RPB232K () () L	1,564.	1,810.	2,078.	2,803.
	36"	20"	26 1/2"	RPB261K () () L	1,627.	1,887.	2,167.	2,926.
	36"	24"	26 1/2"	RPB262K () () L	1,695.	1,959.	2,252.	3,039.



*Pencil Tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RPB211JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Lock options:</i>
R Reff		Pedestals with drawers always lock drilled.
PB Pedestal with back	<i>1. Finish type:</i>	L = Drilled to accept lock
2 26 1/2"H	L = Laminate	Lock default is Black
1 16" wide	1 = V1	
1 20" deep	2 = V2	<i>5. Cabinet finish</i>
J Box box file config.	3 = V3	
L Laminate finish type	<i>2. Interior options:</i>	<i>6. Pull Finish</i>
M Metal interior option	M = Metal interior	Painted or Plated
D Metal D-pull	<i>3. Pull options:</i>	Refer to page 348 for keying instructions.
L Lock hole drilled	B = No Pull, No Drilling,	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
114 Cabint finish	Customer's Own Pull	
612 Pull finish	C = C-Pull, (Nickel finish only)	
	D = D-Pull (Painted, PT, PZ only)	
	F = Bar pull'	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull	

Applicable finishes are listed on page 5 and 6.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pencil trays not included in pedestals with metal interiors.
 Pencil tray to be ordered separately; see page 318.
 File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
 Random locks are factory installed.
 Keyalike are field installed using the KnollKey order form.
 Each locking pedestal on this page counts for one lock core.
 Pedestals must be ordered with back-panel to achieve full depth, without a modesty panel.
 1 counterweight = 10 lbs.
 Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals, 26 1/2" planning

BBF/FF

Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J()()()	\$1,234.	\$1,425.	\$1,636.	\$2,201.
	19"	23"	26 1/2"	RP222J()()()	1,289.	1,491.	1,712.	2,303.
	19"	29"	26 1/2"	RP223J()()()	1,343.	1,551.	1,783.	2,422.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K()()()	1,132.	1,309.	1,505.	2,033.
	19"	23"	26 1/2"	RP222K()()()	1,213.	1,402.	1,613.	2,178.
	19"	29"	26 1/2"	RP223K()()()	1,291.	1,491.	1,717.	2,315.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP221JLMDL	<i>To order please specify pattern number including:</i>	4. Lock options: L = Drilled to accept lock
R Reff		5. Cabinet Finish
P Pedestal	1. Finish type: L = Laminate	6. Pull Finish
2 26 1/2"H	1 = V1	7. Refer to page 348 for keying instructions.
2 19" wide	2 = V2	Pencil trays not included in pedestals with metal interiors.
1 19" deep	3 = V3	Pencil tray to be ordered separately; see page 318.
J Box box file config.	2. Interior options: M = Metal interior	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
L Laminate finish type	3. Pull options: B = No Pull, No Drilling, Customer's Own Pull	Each locking pedestal on this page counts for one lock core.
M Metal interior option	C = C-Pull, (Nickel finish only)	Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)
D Metal D-pull	D = D-Pull (Painted, PT, PZ only)	1 counterweight = 10 lbs.
L Lock option	F = Bar pull	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
114 Cabinet Finish, Folkstone grey	H = Outline Pull	
612 Pull Finish, Med. grey	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull	

Applicable finishes are listed on page 5 and 6.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

BBF/FF


Wood interior

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,247.	\$1,438.	\$1,654.	\$2,223.
	16"	23"	26 1/2"	RP212J-() () L	1,386.	1,602.	1,838.	2,474.
	16"	29"	26 1/2"	RP213J-() () L	1,507.	1,743.	2,000.	2,692.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,141.	1,320.	1,516.	2,048.
	16"	23"	26 1/2"	RP212K-() () L	1,346.	1,558.	1,788.	2,412.
	16"	29"	26 1/2"	RP213K-() () L	1,468.	1,699.	1,953.	2,639.
	30"	19"	26 1/2"	RP231K-() () L	1,476.	1,707.	1,962.	2,649.
	30"	23"	26 1/2"	RP232K-() () L	1,735.	2,006.	2,302.	3,108.
	36"	19"	26 1/2"	RP261K-() () L	1,825.	2,109.	2,427.	3,277.
	36"	23"	26 1/2"	RP262K-() () L	2,125.	2,460.	2,830.	3,818.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Lock options:</i>
R Reff		Pedestals with drawers always lock drilled.
P Pedestal	1. <i>Finish type:</i>	L = Drilled to accept lock
2 26 1/2"H	L = Laminate	
1 16" wide	1 = V1	5. Cabinet finish
1 19" deep	2 = V2	6. Pull finish
J Box box file config.	3 = V3	Refer to page 348 for keying instructions.
L Laminate finish	2. <i>Interior options:</i>	
W Wood interior	W = Wood interior	
D Metal D-pull	3. <i>Pull options:</i>	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
L Lock hole drilled	B = No Pull, No Drilling, Customer's Own Pull	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
114 Cabinet finish	C = C-Pull, (Nickel finish only)	
612 Pull finish	D = D-Pull (Painted, PT, PZ only)	
	F = Bar pull	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull	

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning

BBF/FF


Wood interiors and wood backs

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,384.	\$1,595.	\$1,832.	\$2,467.
	16"	24"	26 1/2"	RPB212J () () L	1,518.	1,756.	2,020.	2,720.
	16"	30"	26 1/2"	RPB213J () () L	1,641.	1,896.	2,177.	2,931.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,274.	1,473.	1,695.	2,289.
	16"	24"	26 1/2"	RPB212K () () L	1,479.	1,710.	1,970.	2,659.
	16"	30"	26 1/2"	RPB213K () () L	1,603.	1,854.	2,135.	2,881.
	30"	20"	26 1/2"	RPB231K () () L	1,741.	2,015.	2,316.	3,128.
	30"	24"	26 1/2"	RPB232K () () L	1,940.	2,315.	2,654.	3,584.
	36"	20"	26 1/2"	RPB261K () () L	2,141.	2,475.	2,846.	3,844.
	36"	24"	26 1/2"	RPB262K () () L	2,443.	2,829.	3,250.	4,388.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RPB211JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Lock options:</i>
R Reff	<i>1. Finish type:</i>	Pedestals with drawers always lock drilled
PB Pedestal with back	L = Laminate	L = Drilled to accept lock
2 26 1/2"H	1 = V1	5. Cabinet finish
1 16" wide	2 = V2	6. Pull finish
1 20" deep	3 = V3	Painted or Plated
J Box box file config.	<i>2. Interior options:</i>	Refer to page 348 for keying instructions.
L Laminate finish	W = Wood interiors	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
W Wood interior	<i>3. Pull options:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
D Metal D-pull	B = No Pull, No Drilling,	Pedestals must be ordered with back panel to achieve full depth without a modesty panel
L Lock option	Customer's Own Pull	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
114 Cabinet finish	C = C-Pull, (Nickel finish only)	Random locks are factory installed.
612 Pull finish	D = D-Pull (Painted, PT, PZ only)	Keyalike are field installed using the KnollKey order form.
	F = Bar pull	Each locking pedestal on this page counts for one lock core.
	H = Outline Pull	Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
	J = J (Routed) Pull	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull	

Applicable finishes are listed on page 5 and 6.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

BBF/FF


Wood interiors legal width

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J() () ()	\$1,309.	\$1,509.	\$1,734.	\$2,333.
	19"	23"	26 1/2"	RP222J() () ()	1,454.	1,682.	1,929.	2,596.
	19"	29"	26 1/2"	RP223J() () ()	1,582.	1,829.	2,100.	2,826.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with file file configuration	19"	19"	26 1/2"	RP221K() () ()	1,199.	1,386.	1,592.	2,149.
	19"	23"	26 1/2"	RP222K() () ()	1,414.	1,636.	1,876.	2,533.
	19"	29"	26 1/2"	RP223K() () ()	1,541.	1,785.	2,052.	2,770.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP221JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Lock options:</i>
R Reff	<i>1. Finish type:</i>	Pedestals with drawers always lock drilled.
P Pedestal	L = Laminate	L = Drilled to accept lock
2 26 1/2"H	1 = V1	<i>5. Cabinet finish</i>
2 19" wide	2 = V2	Random locks are factory installed.
1 19" deep	3 = V3	Keyalike are field installed using the KnollKey order form.
J Box box file config.	<i>2. Interior options:</i>	Each locking pedestal on this page counts for one lock core.
L Laminate finish	W = Wood interior	Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
W Wood interior	<i>3. Pull options:</i>	1 counterweight = 10 lbs.
D Metal D-pull	B = No Pull, No Drilling	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
L Lock option	C = C-Pull, (Nickel finish only)	
114 Cabinet finish, Folkstone grey	D = D-Pull (PT, PZ only)	
612 Pull finish	F = Bar pull	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull	


Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$945.	\$1,092.	\$1,258.	\$1,696.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,149.	1,327.	1,528.	2,062.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,314.	1,521.	1,749.	2,361.
	30"	19"	26 1/2"	RP231L-() () ()	1,222.	1,413.	1,623.	2,193.
	30"	23"	26 1/2"	RP232L-() () ()	1,427.	1,652.	1,900.	2,565.
	36"	19"	26 1/2"	RP261L-() () ()	1,549.	1,791.	2,061.	2,783.
	36"	23"	26 1/2"	RP262L-() () ()	1,810.	2,094.	2,408.	3,253.

*Pencil tray not included
 *Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf is metal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	720.	834.	957.	1,292.
	16"	23"	26 1/2"	RP212M-() () ()	836.	971.	1,116.	1,506.
	16"	29"	26 1/2"	RP213M-() () ()	991.	1,146.	1,319.	1,782.
	30"	19"	26 1/2"	RP231M-() () ()	834.	969.	1,113.	1,502.
	30"	23"	26 1/2"	RP232M-() () ()	1,016.	1,177.	1,352.	1,826.
	36"	19"	26 1/2"	RP261M-() () ()	1,068.	1,238.	1,424.	1,922.
	36"	23"	26 1/2"	RP262M-() () ()	1,293.	1,497.	1,720.	2,321.

*Pencil tray not included
 *Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: RP211LLMDL	<i>To order please specify pattern number including:</i>	<i>5. Lock options:</i>
R Reff	<i>1. Hinge location, where applicable:</i>	L = Drilled to accept lock
P Pedestal	L = Left hand	N = No drilling
2 26 1/2"H	R = Right hand	6. Cabinet Finish:
1 16" wide	2. Finish type:	Random locks are factory installed.
1 19" deep	L = Laminate	7. Pull Finish:
L Hinge door config.	1 = V1	Painted or Plated
L Laminate finish	2 = V2	Refer to page 348 for keying instructions.
M Metal interior	3 = V3	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
D Metal D-pull	3. Interior options:	For Open Pedestals;
L Lock option	M = Metal interior	1. Finish type
114 Cabinet Finish	Pedestals with metal interior, the shelves come painted. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves.	2. Interior Option
612 Pull Finish	4. Pull options:	3. Cabinet Finish

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

4. Pull options:
 B = No Pull, No Drilling,
 Customer's Own Pull
 C = C-Pull,
 (Nickel finish only)
 D = D-Pull (PT, PZ only)
 F = Bar pull (1 pull per door set)
 H = Outline Pull
 J = J (Routed) Pull
 R = Cylinder Pull
 S = S-Pull,
 (stainless steel finish only)
 T = Tab Pull (1 pull per door set)


Pencil trays not included in pedestals with metal interiors.
 Pencil tray to be ordered separately; see page 318.
 Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
 Random locks are factory installed.
 Keyalike are field installed using the KnollKey order form.
 Each locking pedestal on this page counts for one lock core.
 Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors and wood backs

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,080.	\$1,246.	\$1,438.	\$1,942.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,285.	1,483.	1,707.	2,303.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,448.	1,674.	1,929.	2,606.
	30"	20"	26 1/2"	RPB231L() () ()	1,489.	1,720.	1,976.	2,667.
	30"	24"	26 1/2"	RPB232L() () ()	1,695.	1,959.	2,251.	3,038.
	36"	20"	26 1/2"	RPB261L() () ()	1,862.	2,155.	2,478.	3,345.
	36"	24"	26 1/2"	RPB262L() () ()	2,124.	2,459.	2,829.	3,817.

*Pencil Tray not included
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf metal.

Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() () ()	854.	983.	1,136.	1,535.
	16"	24"	26 1/2"	RPB212M() () ()	976.	1,124.	1,297.	1,751.
	16"	30"	26 1/2"	RPB213M() () ()	1,123.	1,300.	1,497.	2,021.
	30"	20"	26 1/2"	RPB231M() () ()	1,103.	1,276.	1,466.	1,979.
	30"	24"	26 1/2"	RPB232M() () ()	1,283.	1,483.	1,700.	2,297.
	36"	20"	26 1/2"	RPB261M() () ()	1,387.	1,601.	1,842.	2,486.
	36"	24"	26 1/2"	RPB262M() () ()	1,608.	1,862.	2,139.	2,886.

*Pencil Tray not included
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf metal.


Order Code	Specification Information	Application Notes
Example: RPB211LL	<i>To order please specify pattern number including:</i>	<i>5. Lock options:</i>
R Reff		Optional hinge door configuration only.
PB Pedestal with back	<i>1. Hinge location:</i>	L = Drilled to accept lock
2 26 1/2"H	L = Left hand	N = No drilling
1 16" wide	R = Right hand	6. Cabinet finish
1 20" deep	<i>2. Finish type:</i>	7. Pull finish
L Hinge door	L = Laminate	Refer to page 348 for keying instructions.
L Hinge Left	1 = V1	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
L Laminate finish	2 = V2	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
M Metal interior	3 = V3	Pencil trays not included in pedestals with metal interiors.
D Metal D-pull	<i>3. Interior options:</i>	Pencil tray to be ordered separately; see page 318.
L Lock option	M = Metal interior	
118 Cabinet finish	Pedestals with metal interior, the shelves come painted. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves.	
118 Pull finish	<i>4. Pull options:</i>	

Applicable finishes are listed on page 5 and 6.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

- B = No Pull, No Drilling, Customer's Own Pull
- C = C-Pull, (Nickel finish only)
- D = D-Pull (PT, PZ only)
- F = Bar pull (1 pull per door set)
- H = Outline Pull
- J = J (Routed) Pull
- R = Cylinder Pull
- S = S-Pull, (stainless steel finish only)
- T = Tab Pull (1 pull per door set)

Pedestals, 26 1/2" planning
Open / Hinge Door
Wood interior

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$1,034.	\$1,195.	\$1,378.	\$1,863.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,242.	1,438.	1,651.	2,230.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,406.	1,625.	1,868.	2,522.
	30"	19"	26 1/2"	RP231L-() () ()	1,311.	1,516.	1,747.	2,358.
	30"	23"	26 1/2"	RP232L-() () ()	1,519.	1,761.	2,025.	2,733.
	36"	19"	26 1/2"	RP261L-() () ()	1,639.	1,896.	2,180.	2,943.
	36"	23"	26 1/2"	RP262L-() () ()	1,902.	2,200.	2,529.	3,413.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position
N=No Lock option

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	809.	934.	1,075.	1,449.
	16"	23"	26 1/2"	RP212M-() () ()	932.	1,079.	1,242.	1,674.
	16"	29"	26 1/2"	RP213M-() () ()	1,083.	1,250.	1,440.	1,946.
	30"	19"	26 1/2"	RP231M-() () ()	930.	1,074.	1,233.	1,664.
	30"	23"	26 1/2"	RP232M-() () ()	1,106.	1,280.	1,473.	1,986.
	36"	19"	26 1/2"	RP261M-() () ()	1,158.	1,344.	1,547.	2,087.
	36"	23"	26 1/2"	RP262M-() () ()	1,386.	1,598.	1,839.	2,482.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RP211LLWDL	<i>To order please specify pattern number including:</i>	<i>5. Lock options:</i>
R Reff	<i>1. Hinge location, where applicable:</i>	Optional hinge door configuration only.
P Pedestal	L = Left hand	L = Drilled to accept lock
2 26 1/2"H	R = Right hand	N = No drilling
1 16" wide	<i>2. Finish type:</i>	6. Cabinet finish
1 19" deep	L = Laminate	7. Pull finish
L Hinge door	1 = V1	Painted or plated
L Laminate finish	2 = V2	Refer to page 348 for keying instructions.
W Wood interior	3 = V3	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
D Metal D-pull	<i>3. Interior options:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
L Lock hole drilled	W = Wood interior	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
118 Cabinet finish	<i>4. Pull options:</i>	
118 Pull finish	B = No Pull, No Drilling, Customer's Own Pull	
	C = C-Pull, (Nickel finish only)	
	D = D-Pull (PT, PZ only)	
	F = Bar pull (1 pull per door set)	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull (1 pull per door set)	

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
Random locks are factory installed.
Keyalike are field installed using the KnollKey order form.
Each locking pedestal on this page counts for one lock core.
For Open Pedestals;
1. Finish type
2. Interior Option
3. Cabinet Finish
Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

Open / Hinge Door

Wood interiors and wood backs

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,170.	\$1,352.	\$1,558.	\$2,102.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,375.	1,588.	1,830.	2,470.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,539.	1,779.	2,046.	2,762.
	30"	20"	26 1/2"	RPB231L() () ()	1,576.	1,822.	2,099.	2,835.
	30"	24"	26 1/2"	RPB232L() () ()	1,784.	2,066.	2,373.	3,205.
	36"	20"	26 1/2"	RPB261L() () ()	1,954.	2,260.	2,595.	3,505.
	36"	24"	26 1/2"	RPB262L() () ()	2,218.	2,563.	2,948.	3,980.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() () ()	943.	1,089.	1,257.	1,695.
	16"	24"	26 1/2"	RPB212M() () ()	1,065.	1,232.	1,419.	1,915.
	16"	30"	26 1/2"	RPB213M() () ()	1,216.	1,402.	1,618.	2,184.
	30"	20"	26 1/2"	RPB231M() () ()	1,193.	1,380.	1,584.	2,140.
	30"	24"	26 1/2"	RPB232M() () ()	1,374.	1,587.	1,822.	2,459.
	36"	20"	26 1/2"	RPB261M() () ()	1,476.	1,709.	1,962.	2,649.
	36"	24"	26 1/2"	RPB262M() () ()	1,699.	1,962.	2,256.	3,044.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RPB211LLWDL	<i>To order please specify pattern number including:</i>	<i>5. Lock options:</i>
R Reff	<i>1. Hinge location where applicable;</i>	Optional hinge door configuration
PB Pedestal with back	L = Left hand	L = Drilled to accept lock
2 26 1/2"H	R = Right hand	N = No drilling
1 16" wide	<i>2. Finish type:</i>	6. Cabinet finish
1 20" deep	L = Laminate	7. Pull finish
L Hinged door	1 = V1	Painted or Plated
L Laminate finish	2 = V2	*After specifying product code, provide keying instructions.
W Wood interior	3 = V3	Refer to page 348 for keying instructions.
D Metal D-pull	<i>3. Interior options:</i>	Pedestals must be ordered with back panels to achieve full depth without a modesty panel.
L Lock option	W = Wood interior	
118 Cabinet finish	<i>4. Pull options:</i>	
118 Pull finish	B = No Pull, No Drilling, Customer's Own Pull	
	C = C-Pull, (Nickel finish only)	
	D = D-Pull (PT, PZ only)	
	F = Bar pull (1 pull per door set)	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull (1 pull per door set)	

Applicable finishes are listed on page 5 and 6.
 Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

For Open Pedestals;
 1. Finish Type
 2. Interior Option
 3. Cabinet Finish

Mobile Pedestal

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
 Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L () ()	\$1,155.	\$1,336.	\$1,536.	\$2,073.	
	16"	23"	21"	RM112J-() () L () ()	1,208.	1,397.	1,609.	2,171.	
	16"	23"	26 1/2"	RM212J-() () L () ()	1,622.	1,878.	2,157.	2,914.	
	16"	23"	26 1/2"	RM212K-() () L () ()	1,622.	1,878.	2,157.	2,914.	

*Pencil tray not included
*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					102.
---	---	---	---	----------	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>4. Lock options:</i>
R Reff		L = Drilled to accept lock
M Mobile Pedestal	<i>1. Finish type:</i>	<i>5. Case Finish:</i> Laminate, V1,V2,V3
1 21"H	L = Laminate	<i>6. Pull Finish:</i> Painted or Plated
1 16" wide	1 = V1	Refer to page 348 for keying instructions.
1 19" deep	2 = V2	
J Box box file config.	3 = V3	
L Laminate finish	<i>2. Interior options:</i>	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
M Metal interior	M = Metal interior	Keyalike are field installed using the KnollKey order form.
D Metal D-pull	<i>3. Pull options:</i>	Each locking pedestal on this page counts for one lock core.
L Lock option	B = No Pull, No Drilling,	Pencil trays not included in mobile pedestals with metal interiors.
114 Cabinet Finish	Customer's Own Pull	Pencil tray to be ordered separately.
612 Pull Finish	C = C-Pull, (Nickel finish only)	
	D = D-Pull (PT, PZ only)	
	F = Bar pull	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull	

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Mobile Pedestal

Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood	list
					interiors L	interiors V1	interiors V2	interiors V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L () ()	\$1,367.	\$1,583.	\$1,821.	\$2,458.	
	16"	23"	21"	RM112J-() () L () ()	1,443.	1,669.	1,918.	2,590.	
	16"	23"	26 1/2"	RM212K-() () L () ()	1,952.	2,257.	2,595.	3,505.	
	16"	23"	26 1/2"	RM212J-() () L () ()	1,952.	2,257.	2,595.	3,505.	



Glue and dowel construction

Pedestal backs	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	16"	1"	26 1/2"	RPAB16-() ()	123.	138.	160.	217.
	19"	1"	26 1/2"	RPAB19-() ()	129.	145.	169.	229.
	30"	1"	26 1/2"	RPAB30-() ()	245.	274.	313.	423.
	36"	1"	26 1/2"	RPAB36-() ()	288.	326.	374.	506.

pedestal backs for pedestals with metal or wood interiors.


Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT				102.
---	---	---	---	----------	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>4. Lock options:</i>
R Reff		L = Drilled to accept lock
M Mobile Pedestal	<i>1. Finish type:</i>	<i>5. Case Finish:</i> Wood or Laminate
1 21"H	L = Laminate	<i>6. Pull Finish:</i> Painted or Plated
1 16" wide	1 = V1	Refer to page 348 for keying instructions.
1 19" deep	2 = V2	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
J Box box file config.	3 = V3	Random locks are factory installed.
L Laminate finish	<i>2. Interior options:</i>	Keyalike are field installed using the KnollKey order form.
W Wood interior	M = Metal interior	Each locking pedestal on this page counts for one lock core.
D Metal D-pull	<i>3. Pull options:</i>	
L Lock option	B = No Pull, No Drilling,	
114 Cabinet Finish	Customer's Own Pull	
612 Pull Finish	C = C-Pull, (Nickel finish only)	
	D = D-Pull (PT, PZ only)	
	F = Bar pull	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull	


Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning
49" high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () ()	\$1,209.	\$1,646.	\$1,897.	\$2,561.
	30"	20"	49"	RC432B- () ()	1,364.	1,860.	2,137.	2,885.
	30"	24"	49"	RC433B- () ()	1,539.	2,095.	2,411.	3,253.
	36"	15"	49"	RC461B- () ()	1,341.	1,830.	2,103.	2,840.
	36"	20"	49"	RC462B- () ()	1,515.	2,063.	2,373.	3,204.
	36"	24"	49"	RC463B- () ()	1,703.	2,326.	2,672.	3,606.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () () ()	1,217.	1,658.	1,908.	2,575.
	16"	24"	49"	RC413C(L/R)- () () () ()	1,339.	1,822.	2,096.	2,829.
	30"	20"	49"	RC432C- () () () ()	1,782.	2,430.	2,795.	3,773.
	30"	24"	49"	RC433C- () () () ()	1,972.	2,687.	3,091.	4,174.
	36"	20"	49"	RC462C- () () () ()	1,976.	2,693.	3,096.	4,181.
	36"	24"	49"	RC463C- () () () ()	2,178.	2,977.	3,422.	4,618.


Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes
Example: RC431B () () R Reff C Cabinets 4 49" high 3 30" wide 1 15" deep B Open Bookcase 2 V2 finish Type M Metal interior V316 Cabinet finish: Maple	<p><i>To order the Open Bookcase, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Finish type</i> L=Laminate 1=V1 2=V2 3=V3 <i>Interior option</i> M=Metal interior Cabinets with metal interior, the shelves come painted. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves. <i>Cabinet finish</i> Wood or Laminate <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p>	<p><i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Hinge location where applicable:</i> L = Left hand R = Right hand <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Interior options:</i> M=Metal Interior <i>Pull options:</i> B=No pull, No Drilling, Customer's own Pull C= C-Pull (nickel finish only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set) <i>Lock options Doors:</i> L = Lock hole drilled N = No lock drilling <i>Cabinet Finish:</i> Laminate or Wood <i>Pull Finish:</i> Painted / Plated

After specifying product code, provide keying instructions. Refer to page 348 for keying instructions.

Cabinets, 26 1/2" planning
49" high, metal interior
4 Lateral files

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-() () L () ()	\$2,077.	\$2,829.	\$3,256.	\$4,397.
	30"	24"	49"	RC433F-() () L () ()	2,292.	3,124.	3,592.	4,850.
	36"	20"	49"	RC462F-() () L () ()	2,634.	3,589.	4,125.	5,570.
	36"	24"	49"	RC463F-() () L () ()	2,908.	3,965.	4,559.	6,155.



Order Code

Example:	RC432F() () L () ()
R	Reff
C	Cabinets
4	49" high
3	30" wide
2	20" deep
F	4 drawer lateral file
2	V2 finish type
M	Metal interior option
T	Tab pull option
L	Lock option
V316	Cabinet finish
118	Pull finish

Specification Information

- To order please specify pattern number including:
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black)
 - Pull options:**
B = No pull, No Drilling, Customer's own pull.
C = Nickel C-pull (nickel finish only)
D = Metal D-pull
F = Bar pull
H = Outline pull
J = Routed pull
R = Cylinder pull
S = S-pull (stainless steel finish only)
T = Tab pull
 - Lock options:**
Drawers are always lock drilled
L = Lock hole drilled
 - Cabinet finish:**
Wood or Laminate
 - Pull finish:**
Painted or Plated

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

***After specifying product code, provide keying instructions.**

Refer to page 348 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning
49" high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () ()	\$1,355.	\$1,845.	\$2,121.	\$2,863.
	30"	20"	49"	RC432B- () ()	1,511.	2,059.	2,366.	3,194.
	30"	24"	49"	RC433B- () ()	1,683.	2,292.	2,638.	3,562.
	36"	15"	49"	RC461B- () ()	1,489.	2,029.	2,333.	3,148.
	36"	20"	49"	RC462B- () ()	1,660.	2,265.	2,601.	3,510.
	36"	24"	49"	RC463B- () ()	1,851.	2,524.	2,900.	3,915.

Open cabinets require no keying instructions


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () () ()	1,362.	1,857.	2,134.	2,880.
	16"	24"	49"	RC413C(L/R)- () () () ()	1,487.	2,024.	2,329.	3,143.
	30"	20"	49"	RC432C- () () () ()	1,927.	2,626.	3,021.	4,077.
	30"	24"	49"	RC433C- () () () ()	2,117.	2,888.	3,318.	4,478.
	36"	20"	49"	RC462C- () () () ()	2,122.	2,891.	3,327.	4,492.
	36"	24"	49"	RC463C- () () () ()	2,328.	3,174.	3,652.	4,931.

Order Code	Specification Information	Application Notes
Example: RC431B R Reff C Cabinets 4 49" high 3 30" wide 1 15" deep B Open Bookcase 2 Finish Type: V2 W Wood interior V316 Cabinet Finish: Maple	<p>To order the Open Bookcase, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> W = Wood Interior 3. <i>Cabinet Finish:</i> Laminate or Wood <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p>	<p>To order the Cabinet with Hinge Doors, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand 2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> W = Wood Interior 4. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set) 5. <i>Lock Options Doors:</i> <i>Drawers are always lock drilled</i> L = Lock hole drilled 6. <i>Cabinet finish:</i> Laminate or Wood 7. <i>Pull finish:</i> Painted or Plated <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p>

After specifying product code, provide keying instructions. Refer to page 348 for keying instructions.

Cabinets, 26 1/2" planning
49" high, wood interior
Wardrobe cabinet

description	w	d	height	pattern number	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-()W() () ()	\$1,759.	\$2,395.	\$2,755.	\$3,721.
	30"	24"	49"	RC433D-()W() () ()	1,920.	2,620.	3,015.	4,069.
	36"	20"	49"	RC462D-()W() () ()	1,933.	2,637.	3,031.	4,093.
	36"	24"	49"	RC463D-()W() () ()	2,114.	2,883.	3,315.	4,475.




Available with wood interior only.

Order Code	Specification Information	Application Notes
Example: RC432D	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> W = Wood Interior 3. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PZ and PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set) 4. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling 5. <i>Cabinet finish:</i> Wood or Laminate 6. <i>Pull finish:</i> Painted or Plated	
C Cabinets		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
4 49" high		After specifying product code, provide keying instructions. Refer to page 348 for keying instructions.
3 30" wide		Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 309.
2 20" deep, 3-24" deep		20" deep wardrobe cabinets provide only 18" of clear storage space.
D Wardrobe Cabinet		
2 Finish Type: V2		
W Wood interior		
V316 Cabinet Finish: Maple		

Cabinets, 26 1/2" planning
49" high, wood interior
4 Lateral files

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-() () L () ()	\$2,222.	\$3,029.	\$3,484.	\$4,702.
	30"	24"	49"	RC433F-() () L () ()	2,440.	3,330.	3,822.	5,160.
	36"	20"	49"	RC462F-() () L () ()	2,780.	3,785.	4,352.	5,877.
	36"	24"	49"	RC463F-() () L () ()	3,053.	4,159.	4,784.	6,459.



Order Code

Example:	RC432F() () L () ()
R	Reff
C	Cabinets
4	49" high
3	30" wide
2	20" deep
F	Cabinet w/ 4 File Open bookcase
2	Finish Type: V2
W	Wood Interior
D	D-pull Option
L	Drilled for Lock (Not Optional)
V316	Cabinet finish: Maple
PT	Pull finish

To order please specify pattern number including:

- Finish Type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior Option**
W = Wood Interior
- Pull options:**
B = No Pull, No Drilling, Customer's own Pull
C = C-Pull (Nickel Finish Only)
D = D-Pull (PT or PZ only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-pull (Stainless Steel Finish Only)
T = Tab Pull (1 pull per door set)
- Lock option doors**
L = Drilled for Lock
Drawers are always drilled for locks
- Cabinet Finish:**
Laminate or Wood
- Pull Finish:**
Painted / Plated

Application Notes

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Please refer to page 348 for keying instructions.


Key alike are field installed using the KnollKey order form. Random locks are factory installed.

File drawers are always drilled for lock.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning
64" high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B -() ()	\$1,551.	\$2,117.	\$2,436.	\$3,288.
	30"	20"	64"	RC632B -() ()	1,746.	2,380.	2,737.	3,694.
	30"	24"	64"	RC633B -() ()	1,941.	2,647.	3,047.	4,111.
	36"	15"	64"	RC661B -() ()	1,781.	2,426.	2,791.	3,766.
	36"	20"	64"	RC662B -() ()	1,981.	2,695.	3,104.	4,187.
	36"	24"	64"	RC663B -() ()	2,182.	2,973.	3,418.	4,615.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H -() () () ()	2,146.	2,927.	3,365.	4,543.
	30"	24"	64"	RC633H -() () () ()	2,372.	3,230.	3,717.	5,018.
	36"	20"	64"	RC662H -() () () ()	2,372.	3,230.	3,717.	5,018.
	36"	24"	64"	RC663H -() () () ()	2,598.	3,540.	4,071.	5,496.

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example:	RC631B
R	Reff
C	Cabinets
6	64" high
3	30" wide
1	15" deep
B	Open Bookcase
2	V2 finish type
M	Metal interior option
V316	Cabinet finish

To order the Open Bookcase, specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
Pedestals and cabinets with metal interior, the shelves come painted.
If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves.
If case is wood, the shelves are painted black ie. V316 case = black shelves.
- Cabinet finish:**
Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

To order the Cabinet with Hnge Doors, specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
- Pull options:**
B = No pull, No Drilling,
Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Cabinet finish:**
Wood or Laminate
- Pull finish:**
Painted or Plated

Application Notes


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


After specifying product code, provide keying instructions. Refer to page 348 for keying instructions.

Applicable finishes are listed on pages 5 and 6 .

Cabinets, 26 1/2" planning
64" high, metal interior
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F -() () () () () ()	\$2,885.	\$3,934.	\$4,522.	\$6,107.
	30"	24"	64"	RC633F -() () () () () ()	3,189.	4,343.	4,997.	6,743.
	36"	20"	64"	RC662F -() () () () () ()	3,189.	4,343.	4,997.	6,743.
	36"	24"	64"	RC663F -() () () () () ()	3,522.	4,797.	5,516.	7,448.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G (L/R)-() () () () () ()	2,190.	2,980.	3,428.	4,627.
	16"	24"	64"	RC613G (L/R)-() () () () () ()	2,418.	3,294.	3,786.	5,112.
	30"	20"	64"	RC632G -() () () () () ()	2,772.	3,778.	4,343.	5,864.
	30"	24"	64"	RC633G -() () () () () ()	3,086.	4,201.	4,831.	6,523.
	36"	20"	64"	RC662G -() () () () () ()	3,063.	4,172.	4,799.	6,479.
	36"	24"	64"	RC663G -() () () () () ()	3,407.	4,642.	5,337.	7,203.


Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P (L/R)-() () () () () ()	2,256.	3,073.	3,534.	4,771.
	16"	24"	64"	RC613P (L/R)-() () () () () ()	2,505.	3,416.	3,923.	5,296.
	30"	20"	64"	RC632P -() () () () () ()	2,657.	3,619.	4,162.	5,620.
	30"	24"	64"	RC633P -() () () () () ()	2,932.	3,996.	4,594.	6,202.
	36"	20"	64"	RC662P -() () () () () ()	2,939.	4,004.	4,605.	6,217.
	36"	24"	64"	RC663P -() () () () () ()	3,240.	4,412.	5,079.	6,857.


Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC632F () () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.</p>
R Reff	4. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
C Cabinets	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
6 64" high	6. <i>Cabinet Finish:</i> Wood or Laminate	
3 30" wide	7. <i>Pull Finish:</i> Painted or Plated	
2 20" deep	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
F Hinge door with 4 file drawers	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
L Finish Type: Laminate	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
M Metal interior	2. <i>Interior options:</i> M = Metal Pedestals and cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	
T Tab pull option	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
L Lock option, files		
N Lock Optino, Doors		
118 Cabinet finish		
111 Pull finish		
F = Hinge door cabinet with 4 File drawers		
G = Hinge door cabinet with FF		
P = Hinge door cabinet with BBF		

Cabinets, 26 1/2" planning 64" high, metal interior Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$1,817.	\$2,472.	\$2,844.	\$3,840.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,025.	2,762.	3,174.	4,286.
	30"	20"	64"	RC632C-() () () ()	2,409.	3,283.	3,776.	5,097.
	30"	24"	64"	RC633C-() () () ()	2,661.	3,629.	4,167.	5,626.
	36"	20"	64"	RC662C-() () () ()	2,634.	3,589.	4,125.	5,570.
	36"	24"	64"	RC663C-() () () ()	2,885.	3,934.	4,522.	6,107.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.


Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	2,799.	3,813.	4,383.	5,918.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,105.	4,229.	4,865.	6,567.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,093.	4,213.	4,850.	6,546.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,430.	4,675.	5,374.	7,254.

Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	5. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
C Cabinets	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
1 15" wide	3. <i>Interior options:</i> M = Metal Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep	4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
C Hinge Door Cab. w/ adjustable shelves		<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 309. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
L Finish Type: Laminate		
M Metal Interior		
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning
64" high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () ()	\$1,698.	\$2,312.	\$2,662.	\$3,594.
	30"	20"	64"	RC632B- () ()	1,893.	2,580.	2,967.	4,007.
	30"	24"	64"	RC633B- () ()	2,088.	2,844.	3,272.	4,417.
	36"	15"	64"	RC661B- () ()	1,926.	2,624.	3,020.	4,074.
	36"	20"	64"	RC662B- () ()	2,124.	2,894.	3,331.	4,497.
	36"	24"	64"	RC663B- () ()	2,326.	3,171.	3,645.	4,921.


Open cabinets require no keying instructions

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H- () () () ()	2,293.	3,128.	3,596.	4,855.
	30"	24"	64"	RC633H- () () () ()	2,518.	3,430.	3,946.	5,328.
	36"	20"	64"	RC662H- () () () ()	2,518.	3,430.	3,946.	5,328.
	36"	24"	64"	RC663H- () () () ()	2,741.	3,738.	4,296.	5,799.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC631B R Reff C Cabinets 6 64" high 3 30" wide 1 15" deep B Open Bookcase 2 Finish Type: V2 W Wood Interior W316 Cabinet finish: Maple	<p><i>To order Open Bookcase, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Interior option:</i> W = Wood Interior <i>Cabinet Finish:</i> Wood or Laminate <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p>	<p><i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Interior option:</i> W = Wood <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set) <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling <i>Cabinet Finish:</i> Wood or Laminate <i>Pull Finish:</i> Painted or Plated <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page 348 for keying instructions.</p>


Cabinets, 26 1/2" planning 64" high, wood interior Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	RC632F -() () () () ()	\$3,031.	\$4,132.	\$4,751.	\$6,413.
	30"	24"	64"	RC633F -() () () () ()	3,333.	4,540.	5,222.	7,049.
	36"	20"	64"	RC662F -() () () () ()	3,333.	4,540.	5,222.	7,049.
	36"	24"	64"	RC663F -() () () () ()	3,667.	4,999.	5,746.	7,757.

Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	RC612G(L/R) -() () () () ()	2,332.	3,178.	3,655.	4,935.
	16"	24"	64"	RC613G(L/R) -() () () () ()	2,564.	3,491.	4,017.	5,422.
	30"	20"	64"	RC632G -() () () () ()	2,918.	3,975.	4,571.	6,170.
	30"	24"	64"	RC633G -() () () () ()	3,228.	4,398.	5,059.	6,830.
	36"	20"	64"	RC662G -() () () () ()	3,210.	4,371.	5,027.	6,788.
	36"	24"	64"	RC663G -() () () () ()	3,551.	4,838.	5,566.	7,517.

Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above 	16"	20"	64"	RC612P(L/R) -() () () () ()	2,403.	3,272.	3,761.	5,079.
	16"	24"	64"	RC613P(L/R) -() () () () ()	2,650.	3,611.	4,154.	5,609.
	30"	20"	64"	RC632P -() () () () ()	2,804.	3,820.	4,394.	5,931.
	30"	24"	64"	RC633P -() () () () ()	3,079.	4,195.	4,822.	6,509.
	36"	20"	64"	RC662P -() () () () ()	3,087.	4,202.	4,833.	6,526.
	36"	24"	64"	RC663P -() () () () ()	3,384.	4,616.	5,306.	7,162.

Requires two lock cores per cabinet


Order Code	Specification Information
Example: RC632F () () () () ()	
R	Reff
C	Cabinets
6	64" high
3	30" wide
2	20" deep
F	Hinge door with 4 file drawers
L	Finish Type: Laminate
W	Wood Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
118	Cabinet finish
118	Pull finish
F	= Hinge door cabinet with 4 File drawers
G	= Hinge door cabinet with FF
P	= Hinge door cabinet with BBF


Specification Information
To order the Cabinet with Hinge Doors and File Drawers, please specify pattern number including:
1. Hinge location where applicable:
2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
3. Interior option: W = Wood Interior
4. Pull options: B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)

- Lock Option Files:
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Option Doors:
L = Lock hole drilled
N = No lock drilling
 - Cabinet Finish:
Wood or Laminate
 - Pull Finish:
Painted or Plated
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Application Notes
Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
File drawers are always drilled for locks.
After specifying product code, provide keying instructions. Refer to page 348 for keying instructions.
File drawers include file bars for front to back and side to side filing.
File drawers do not support bottom loading.
Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning
64" high, wood interior
Hinge door with shelves and wardrobe

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$1,961.	\$2,672.	\$3,073.	\$4,149.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,174.	2,959.	3,401.	4,591.
	30"	20"	64"	RC632C-() () () ()	2,554.	3,481.	4,004.	5,403.
	30"	24"	64"	RC633C-() () () ()	2,807.	3,826.	4,398.	5,938.
	36"	20"	64"	RC662C-() () () ()	2,780.	3,785.	4,352.	5,877.
	36"	24"	64"	RC663C-() () () ()	3,031.	4,132.	4,751.	6,413.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	2,945.	4,012.	4,613.	6,228.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,249.	4,429.	5,091.	6,873.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,238.	4,410.	5,078.	6,854.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,573.	4,873.	5,603.	7,565.

Requires one lock core per cabinet

Left hand shown


Cabinet with hinged doors for coat rod and boot tray* 	16"	20"	64"	RC612D(L/R)-() () () ()	1,718.	2,338.	2,688.	3,630.
	16"	24"	64"	RC613D(L/R)-() () () ()	1,881.	2,563.	2,948.	3,978.
	30"	20"	64"	RC632D-() () () ()	2,097.	2,856.	3,288.	4,438.
	30"	24"	64"	RC633D-() () () ()	2,160.	2,948.	3,387.	4,573.
	36"	20"	64"	RC662D-() () () ()	2,322.	3,166.	3,641.	4,914.
	36"	24"	64"	RC663D-() () () ()	2,372.	3,255.	3,741.	5,049.

Requires one lock core per cabinet
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	
R Reff	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	6. <i>Cabinet Finish:</i> Wood or Laminate	
6 64" high	7. <i>Pull Finish:</i> Painted or Plated	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
1 15" wide	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
2 20" deep		Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Hinge Door Cab. w/ adjustable shelves		<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 309.
L Finish Type: Laminate		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
W Wood Interior		
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
E = Hinge door cabinet with full height doors, half wardrobe and half shelves	2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
D = Hinge door cabinet with full height wardrobe.	3. <i>Interior Option:</i> W = Wood Interior	
Available only with wood interior.	4. <i>Pull Options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	

Cabinets, 26 1/2" planning
64" high, wood interior
Audio Visual Cabinet


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I- () () () () ()	\$3,215.	\$4,377.	\$5,036.	\$6,798.
	30"	24"	64"	RC633I- () () () () ()	3,537.	4,820.	5,546.	7,485.
	36"	20"	64"	RC662I- () () () () ()	3,437.	4,686.	5,388.	7,273.
	36"	24"	64"	RC663I- () () () () ()	3,761.	5,127.	5,893.	7,957.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes	Application Notes
Example: RC632I () () () () ()	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. * Audio Visual cabinets require two lock cores per cabinet.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3		
C Cabinets	2. <i>Interior option:</i> W = Wood Interior		
6 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)		
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling		
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate		
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated		
2 Finish Type: V2			
W Wood Interior			
D Pull option; D			
N Lock option; No			
N Lock option, doors			
V316 Cabinet finish			
PZ Pull finish			

Cabinets, 26 1/2" planning
72" high, metal interiors
Bookcase and hinge doors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with open shelving 	30"	20"	72"	RC732B- () () () ()	\$1,940.	\$2,646.	\$3,043.	\$4,110.
	30"	24"	72"	RC733B- () () () ()	2,151.	2,930.	3,373.	4,553.
	36"	20"	72"	RC762B- () () () ()	2,196.	2,993.	3,441.	4,646.
	36"	24"	72"	RC763B- () () () ()	2,407.	3,278.	3,772.	5,093.

Open cabinets require no keying instructions

Cabinet with hinged doors below and open shelf above. 	30"	20"	72"	RC732H- () () () () () ()	2,564.	3,490.	4,015.	5,420.
	30"	24"	72"	RC733H- () () () () () ()	2,835.	3,858.	4,436.	5,990.
	36"	20"	72"	RC762H- () () () () () ()	2,817.	3,836.	4,409.	5,954.
	36"	24"	72"	RC763H- () () () () () ()	3,090.	4,203.	4,834.	6,527.

Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732B () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hnge Doors, specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior options:</i> M = Metal Pedestals and cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	2. <i>Interior options:</i> M = Metal Interior
7 72" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)
3 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
2 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	5. <i>Cabinet finish:</i> Wood or Laminate
B Open Bookcase		6. <i>Pull finish:</i> Painted or Plated
2 Finish Type: V2		7. <i>Left hand drill:</i>
M Metal Interior		8. <i>Right hand drill:</i>
V316 Cabinet Finish: Maple		
N Left hand drill		
N Right hand drill		

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


After specifying product code, provide keying instructions. Refer to page 348 for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning
72" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F-() () () () () () ()	\$3,189.	\$4,343.	\$4,997.	\$6,743.
	30"	24"	72"	RC733F-() () () () () () ()	3,542.	4,825.	5,549.	7,491.
	36"	20"	72"	RC762F-() () () () () () ()	2,522.	4,797.	5,516.	7,448.
	36"	24"	72"	RC763F-() () () () () () ()	3,909.	5,329.	6,126.	8,269.




Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Order Code	Specification Information	Application Notes	
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>		
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	After specifying product code, provide keying instructions. Refer to page 338 for keying instructions.
7 72" high	3. <i>Interior options:</i> M = Metal Interior Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
3 30" wide		7. <i>Cabinet finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing.
2 20" deep		8. <i>Pull finish:</i> Painted or Plated	File drawers do not support bottom loading.
F Hinge Door with 4 file drawers		9. <i>Left hand drill:</i>	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
L Finish Type: Laminate		10. <i>Right hand drill:</i>	
M Metal Interior			
T Tab Pull option			
L Lock option, files			
N Lock option, doors			
118 Cabinet Finish			
118 Pull Finish			
N Left hand drill			
N Right hand drill			

F = Hinge door cabinet with 4 File drawers
G = Hinge door cabinet with FF
P = Hinge door cabinet with BBF

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning
72" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)-() () () () () () ()	\$2,317.	\$3,153.	\$3,630.	\$4,899.
	16"	24"	72"	RC713G(L/R)-() () () () () () ()	2,538.	3,500.	4,026.	5,433.
	30"	20"	72"	RC732G-() () () () () () ()	2,940.	4,008.	4,607.	6,221.
	30"	24"	72"	RC733G-() () () () () () ()	3,233.	4,405.	5,063.	6,838.
	36"	20"	72"	RC762G-() () () () () () ()	3,194.	4,350.	5,005.	6,756.
	36"	24"	72"	RC763G-() () () () () () ()	3,488.	4,752.	5,465.	7,377.

Requires two lock cores per cabinet

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)-() () () () () () ()	2,405.	3,274.	3,765.	5,085.
	16"	24"	72"	RC713P(L/R)-() () () () () () ()	2,650.	3,611.	4,154.	5,609.
	30"	20"	72"	RC732P-() () () () () () ()	2,838.	3,865.	4,447.	6,005.
	30"	24"	72"	RC733P-() () () () () () ()	3,130.	4,266.	4,906.	6,622.
	36"	20"	72"	RC762P-() () () () () () ()	3,136.	4,272.	4,911.	6,631.
	36"	24"	72"	RC763P-() () () () () () ()	3,460.	4,710.	5,418.	7,315.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	After specifying product code, provide keying instructions. Refer to page 338 for keying instructions.
7 72" high	3. <i>Interior options:</i> M = Metal Interior Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	File drawers do not support bottom loading.
F Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
L Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
M Metal Interior	8. <i>Pull finish:</i> Painted or Plated	
T Tab Pull option	9. <i>Left hand drill:</i>	
L Lock option, files	10. <i>Right hand drill:</i>	
N Lock option, doors		
118 Cabinet Finish		
118 Pull Finish		
N Left hand drill		
N Right hand drill		


F = Hinge door cabinet with 4 File drawers
G = Hinge door cabinet with FF
P = Hinge door cabinet with BBF

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning 72" high, metal interiors Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R) -() () () () () ()	\$2,045.	\$2,786.	\$3,206.	\$4,328.
	16"	24"	72"	RC713C(L/R) -() () () () () ()	2,270.	3,094.	3,558.	4,802.
	30"	20"	72"	RC732C -() () () () () ()	2,669.	3,640.	4,185.	5,652.
	30"	24"	72"	RC733C -() () () () () ()	2,962.	4,035.	4,642.	6,266.
	36"	20"	72"	RC762C -() () () () () ()	2,951.	4,025.	4,626.	6,245.
	36"	24"	72"	RC763C -() () () () () ()	3,275.	4,459.	5,130.	6,927.

Requires one lock core per cabinet
Shelves painted metal


 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R) -() () () () () ()	3,140.	4,276.	4,921.	6,642.
	30"	24"	72"	RC733E(L/R) -() () () () () ()	3,511.	4,783.	5,503.	7,428.
	36"	20"	72"	RC762E(L/R) -() () () () () ()	3,441.	4,688.	5,392.	7,277.
	36"	24"	72"	RC763E(L/R) -() () () () () ()	3,841.	5,240.	6,021.	8,130.

Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC712C(L/R) R Reff C Cabinets 7 72" high 1 15" wide 2 20" deep C Hinge Door Cab. w/ adjustable shelves L Finish Type: Laminate M Metal Interior D Pull option; D N Lock option; No 118 Cabinet Finish PZ Pull finish N Left hand drill N Right hand drill C = Hinge door cabinet with full height doors and 3 adjustable shelves E = Hinge door cabinet with full height doors, half wardrobe and half shelves	To order, please specify pattern number including: 1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> M = Metal Interior Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves. 4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling 6. <i>Cabinet finish:</i> Wood or Laminate 7. <i>Pull finish:</i> Painted or Plated 8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall 9. <i>Right hand drill:</i> Same as above Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height. <i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 309. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.

Cabinets, 26 1/2" planning
72" high, wood interiors
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with open shelving 	30"	20"	72"	RC732B-() () () ()	\$2,086.	\$2,843.	\$3,270.	\$4,412.
	30"	24"	72"	RC733B-() () () ()	2,296.	3,131.	3,598.	4,858.
	36"	20"	72"	RC762B-() () () ()	2,343.	3,192.	3,670.	4,953.
	36"	24"	72"	RC763B-() () () ()	2,552.	3,478.	3,998.	5,399.

Open cabinets require no keying instructions

Cabinet with hinged doors below and open shelf above. 	30"	20"	72"	RC732H-() () () () () ()	2,704.	3,686.	4,241.	5,724.
	30"	24"	72"	RC733H-() () () () () ()	2,973.	4,054.	4,662.	6,295.
	36"	20"	72"	RC762H-() () () () () ()	2,959.	4,030.	4,636.	6,258.
	36"	24"	72"	RC763H-() () () () () ()	3,228.	4,398.	5,059.	6,830.

Requires one lock core per cabinet

Order Code

Example:	RC732B () () () ()
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep, 3 = 24" deep
B	Open Bookcase
2	Finish Type: V2
W	Wood Interior
V316	Cabinet Finish: Maple
N	Left hand drilled
N	Right hand drilled

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
W = Wood
3. *Cabinet Finish:*
Wood or Laminate
4. *Left hand drill:*
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
5. *Right hand drill:*
Same as above

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

To order the Cabinet with Hinge Doors, specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
W = Wood Interior
3. *Pull options:*
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
4. *Lock Option Doors:*
L = Lock hole drilled
N = No lock drilling
5. *Cabinet finish:*
Wood or Laminate
6. *Pull finish:*
Painted or Plated
7. *Left hand drill:*
8. *Right hand drill:*

Application Notes


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 348 for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning 72" high, wood interiors Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F -() () () () () () ()	\$3,333.	\$4,540.	\$5,222.	\$7,049.
	30"	24"	72"	RC733F -() () () () () () ()	3,688.	5,023.	5,775.	7,796.
	36"	20"	72"	RC762F -() () () () () () ()	3,667.	4,999.	5,761.	7,777.
	36"	24"	72"	RC763F -() () () () () () ()	4,053.	5,524.	6,356.	8,582.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R) -() () () () () () ()	2,462.	3,355.	3,858.	5,206.
	16"	24"	72"	RC713G(L/R) -() () () () () () ()	2,714.	3,698.	4,251.	5,739.
	30"	20"	72"	RC732G -() () () () () () ()	3,088.	4,203.	4,834.	6,527.
	30"	24"	72"	RC733G -() () () () () () ()	3,377.	4,604.	5,292.	7,145.
	36"	20"	72"	RC762G -() () () () () () ()	3,339.	4,550.	5,232.	7,063.
	36"	24"	72"	RC763G -() () () () () () ()	3,635.	4,952.	5,694.	7,686.

Requires two lock cores per cabinet

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R) -() () () () () () ()	2,549.	3,472.	3,994.	5,394.
	16"	24"	72"	RC713P(L/R) -() () () () () () ()	2,797.	3,812.	4,382.	5,917.
	30"	20"	72"	RC732P -() () () () () () ()	2,986.	4,068.	4,677.	6,314.
	30"	24"	72"	RC733P -() () () () () () ()	3,277.	4,464.	5,131.	6,929.
	36"	20"	72"	RC762P -() () () () () () ()	3,281.	4,470.	5,141.	6,941.
	36"	24"	72"	RC763P -() () () () () () ()	3,605.	4,910.	5,647.	7,625.

Requires two lock cores per cabinet

Order Code

Example: RC732F	() () () () () () ()
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep
F	Hinge Door with 4 file drawers
L	Finish Type: Laminate
W	Wood Interior
T	Tab Pull option
L	Lock option, files
N	Lock option, doors
118	Cabinet Finish
111	Pull Finish
N	Left hand drill
N	Right hand drill

Specification Information


- To order, please specify pattern number including:*
- Hinge Location where applicable:*
L = Left hand
R = Right hand
 - Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:*
W = Wood Interior
 - Pull options:*
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull
(Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
 - Lock Option Files:*
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Options Doors:*
L = Lock hole drilled
N = No lock drilling
 - Cabinet finish:*
Wood or Laminate
 - Pull finish:*
Painted or Plated
 - Left hand drill:*
N = No drilling
S0 = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
T0 = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
 - Right hand drill:*
Same as above

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Application Notes

- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to page 348 for keying instructions.
- File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
- Applicable finishes are listed on pages 5 and 6.
- Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
- F = Hinge door cabinet with 4 file drawers
G = Hinge door cabinet with FF
P = Hinge door cabinet with BBF

Cabinets, 26 1/2" planning
72" high, wood interiors
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)-() () () () () () ()	\$2,193.	\$2,985.	\$3,432.	\$4,635.
	16"	24"	72"	RC713C(L/R)-() () () () () () ()	2,416.	3,293.	3,785.	5,109.
	30"	20"	72"	RC732C- () () () () () () ()	2,816.	3,836.	4,409.	5,954.
	30"	24"	72"	RC733C- () () () () () () ()	3,109.	4,237.	4,872.	6,576.
	36"	20"	72"	RC762C- () () () () () () ()	3,096.	4,220.	4,854.	6,552.
	36"	24"	72"	RC763C- () () () () () () ()	3,422.	4,661.	5,359.	7,236.

Requires one lock core per cabinet

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () () () () () ()	3,284.	4,475.	5,146.	6,947.
	30"	24"	72"	RC733E(L/R)-() () () () () () ()	3,655.	4,982.	5,730.	7,734.
	36"	20"	72"	RC762E(L/R)-() () () () () () ()	3,587.	4,887.	5,621.	7,589.
	36"	24"	72"	RC763E(L/R)-() () () () () () ()	3,990.	5,436.	6,252.	8,440.

Requires one lock core per cabinet

Left hand shown

 Wardrobe cabinet	16"	20"	72"	RC712D(L/R)-() () () ()	1,841.	2,512.	2,888.	3,898.
	16"	24"	72"	RC713D(L/R)-() () () ()	2,027.	2,763.	3,175.	4,287.
	30"	20"	72"	RC732D- () () () ()	2,320.	3,162.	3,633.	4,905.
	30"	24"	72"	RC733D- () () () ()	2,549.	3,472.	3,994.	5,394.
	36"	20"	72"	RC762D- () () () ()	2,550.	3,476.	3,997.	5,398.
	36"	24"	72"	RC763D- () () () ()	2,804.	3,820.	4,394.	5,931.

Requires one lock core per cabinet.
Order coat rod and boot tray from accessories.

Wood interior only

Order Code	Specification Information	Application Notes
Example: RC712C(L/R) () () () () () ()	<i>To order, please specify pattern number including:</i>	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	*Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 309.
7 72" high	3. <i>Interior options:</i> W = Wood Interior	
1 15" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
C Hinge Door Cab. w/ adjustable shelves	6. <i>Cabinet finish:</i> Wood or Laminate	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
L Finish Type: Laminate	7. <i>Pull finish:</i> Painted or Plated	
W Wood Interior	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
D Pull option; D	9. <i>Right hand drill:</i> Same as above	
N Lock option; No		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
118 Cabinet Finish		
PZ Pull finish		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
N Left hand drill		
N Right hand drill		20" deep Wardrobe Cabinets provide only 18" of clear storage space.


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning
72" high, wood interiors
Audio Visual Cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-() () () () () ()	\$2,562.	\$4,852.	\$5,579.	\$7,532.
	30"	24"	72"	RC733I-() () () () () ()	3,930.	5,357.	6,162.	8,318.
	36"	20"	72"	RC762I-() () () () () ()	3,863.	5,265.	6,056.	8,176.
	36"	24"	72"	RC763I-() () () () () ()	4,265.	5,814.	6,686.	9,026.



Requires two lock cores per cabinet
Hinge opening 110°
Wood interior only


Order Code	Specification Information	Application Notes
Example: RC732I () () () () () ()	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinets	2. <i>Interior option:</i> W = Wood Interior	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. * Audio Visual cabinets require two lock cores per cabinet.
7 72" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated	
2 Finish Type: V2		
W Wood Interior		
D Pull option; D		
N Lock option; No		
V316 Cabinet finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning


49", 64" and 72" high metal interior

Freestanding Multifunction Cabinets


description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M(L/R)() () () () ()	\$2,832.	\$4,086.	\$4,733.	\$5,682.
	Box/Box/File	24"	24"	49"	RC423N(L/R)() () () () ()	3,030.	4,302.	4,978.	5,973.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M(L/R)() () () () ()	3,050.	4,442.	5,270.	6,324.
	Box/Box/File	24"	24"	64"	RC623N(L/R)() () () () ()	3,251.	4,658.	5,483.	6,580.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M(L/R)() () () () ()	3,205.	4,666.	5,574.	6,689.
	Box/Box/File	24"	24"	72"	RC723N() () ()	3,405.	4,884.	5,795.	6,953.



Order Code	Specification Information	Application Notes
Example: RC423ML () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Interior options:</i> M = Metal Interior	Refer to page 348 for keying instructions.
4 49" high	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	Drawers are always drilled for locks.
2 24" wide	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	File drawers include file bars for front to back and side to side filing.
3 24" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	File drawers do not support bottom loading.
M Multifunction Cabinet	6. <i>Lock finish:</i> B = Black S = Matte Silver	Wardrobe cabinets do not come equipped with boot tray.
L/R Left or Right hand	7. <i>Cabinet finish:</i> Wood or Laminate	Coat rod is included.
L Finish Type: Laminate	8. <i>Pull Finish:</i> Painted or Plated	Applicable finishes are listed on page 5 and 6.
M Metal Interior		
D Pull option: D		
L Lock option files		
N Lock options Doors		
B Lock Finish		
118 Cabinet Finish: Maple		
PT Pull Finish		


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning


49", 64" and 72" high wood interior

Freestanding Multifunction Cabinet


description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M(L/R)() () () () () ()	\$3,258.	\$4,532.	\$5,180.	\$6,215.
	Box/Box/File	24"	24"	49"	RC423N(L/R)() () () () () ()	3,654.	4,951.	5,626.	6,750.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M(L/R)() () () () () ()	3,478.	4,887.	5,716.	6,859.
	Box/Box/File	24"	24"	64"	RC623N(L/R)() () () () () ()	3,873.	5,306.	6,132.	7,357.




Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M(L/R)() () () () () ()	3,633.	5,112.	6,018.	7,221.
	Box/Box/File	24"	24"	72"	RC723N() () ()	4,028.	5,531.	6,443.	7,730.




Order Code	Specification Information	Application Notes
Example: RC423ML () () () () () ()	<i>To order, please specify pattern number including:</i>	
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinets	2. <i>Interior options:</i> W = Wood Interior	
4 49" high	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
2 24" wide	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
3 24" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
M Multifunction Cabinet	6. <i>Cabinet finish:</i> Wood or Laminate	Refer to page 348 for keying instructions.
L/R Left or Right hand	7. <i>Pull Finish:</i> Painted or Plated	Drawers are always drilled for locks.
L Finish Type: Laminate	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	File drawers include file bars for front to back and side to side filing.
W Wood Interior		File drawers do not support bottom loading.
D Pull option: D		Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 309.
L Lock option files		Coat rod is included.
N Lock options Doors		Applicable finishes are listed on page and .
118 Cabinet Finish: Maple		
PT Pull Finish		

Overhead, 26 1/2" planning

Wall hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
 Wall-hung overhead cabinet (open) with back	30"	15"	19"			ROMO30S0(-)(-)(-)	\$1,782.	\$1,882.	\$2,162.	\$2,917.
	36"	15"	19"			ROMO36S0(-)(-)(-)	1,828.	1,930.	2,217.	2,993.
	42"	15"	19"			ROMO42S0(-)(-)(-)	1,875.	1,980.	2,275.	3,071.
	48"	15"	19"			ROMO48S0(-)(-)(-)	1,927.	2,028.	2,338.	3,155.
	60"	15"	19"			ROMO60S0(-)(-)(-)	2,127.	2,241.	2,580.	3,481.
	72"	15"	19"			ROMO72S0(-)(-)(-)	2,245.	2,373.	2,726.	3,679.



 Wall-hung overhead cabinet (hinged door) with back	30"	15"	19"	1	2	ROMH30S0(-)(-)(-)	2,591.	2,732.	3,138.	4,237.
	36"	15"	19"	1	2	ROMH36S0(-)(-)(-)	2,758.	2,911.	3,347.	4,518.
	60"	15"	19"	2	4	ROMH60S0(-)(-)(-)	3,098.	3,265.	3,757.	5,072.
	72"	15"	19"	2	4	ROMH72S0(-)(-)(-)	3,278.	3,457.	3,977.	5,367.

Wall-hung overhead cabinet (flip door) with back	30"	15"	19"	1	1	ROMF30S0(-)(-)(-)	1,898.	2,002.	2,301.	3,108.
	36"	15"	19"	1	1	ROMF36S0(-)(-)(-)	2,021.	2,132.	2,452.	3,311.
	42"	15"	19"	1	1	ROMF42S0(-)(-)(-)	2,139.	2,261.	2,599.	3,509.
	48"	15"	19"	1	1	ROMF48S0(-)(-)(-)	2,265.	2,388.	2,746.	3,708.
	60"	15"	19"	2	2	ROMF60S0(-)(-)(-)	2,497.	2,635.	3,028.	4,090.
	72"	15"	19"	2	2	ROMF72S0(-)(-)(-)	2,642.	2,787.	3,205.	4,327.

Order Code	Specification Information	Application Notes
Example: ROMO30S0 R Reff O Overhead M Wall hung O Open 30 30" wide S Standard height, 19"h 0 15" deep Dimensions are nominal.	<i>To order please specify pattern number including:</i> 1. Configuration option (<i>embedded in pattern no.</i>) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i> 2. Storage option (<i>embedded in pattern no.</i>) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i> 3. Finish type L = Laminate 1 = V1 2 = V2 3 = V3 4. Pull option applicable hinged doors only D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	5. Lock option L = Lock hole drilled N = No lockdrilling 6. Lock Finish 7. Finish, case 8. Pull Finish 9. Keying instructions Applicable finishes are listed on page 5 and 6. Sliding rails order separately on page 320. Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. Overheads with flip doors, come with J-pull option only. Woodgrain Laminate is not available on any flip door units.
		Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled. Open cabinets require no locks. Tasklights are not included. Hardware included for overhead cabinets. Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 328. *Keying instructions must accompany all cabinet orders. Random keys are factory installed. Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning

Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	30"	14"	19"			ROPO30S0(-)(-)(-)	\$1,278.	\$1,345.	\$1,547.	\$2,090.
	36"	14"	19"			ROPO36S0(-)(-)(-)	1,564.	1,648.	1,896.	2,560.
	42"	14"	19"			ROPO42S0(-)(-)(-)	1,718.	1,813.	2,086.	2,815.
	48"	14"	19"			ROPO48S0(-)(-)(-)	1,782.	1,877.	2,160.	2,915.
	60"	14"	19"			ROPO60S0(-)(-)(-)	1,820.	1,921.	2,211.	2,986.
	60"	14"	23"			ROPO60T0(-)(-)(-)	1,945.	2,053.	2,360.	3,185.
	72"	14"	19"			ROPO72S0(-)(-)(-)	2,232.	2,351.	2,705.	3,651.
	72"	14"	23"			ROPO72T0(-)(-)(-)	2,652.	2,800.	3,218.	4,346.
	90"	14"	19"			ROPO90S0(-)(-)(-)	2,456.	2,588.	2,975.	4,018.
	90"	14"	23"			ROPO90T0(-)(-)(-)	3,011.	3,172.	3,649.	4,928.
96"	14"	19"			ROPO96S0(-)(-)(-)	2,545.	2,684.	3,084.	4,165.	
96"	14"	23"			ROPO96T0(-)(-)(-)	3,120.	3,290.	3,784.	5,109.	
Panel-hung overhead cabinet (hinged door) no back 	30"	14"	19"	1	2	ROPH30S0(-)(-)(-)	1,419.	1,493.	1,716.	2,316.
	36"	14"	19"	1	2	ROPH36S0(-)(-)(-)	1,733.	1,829.	2,106.	2,843.
	60"	14"	19"	2	4	ROPH60S0(-)(-)(-)	2,023.	2,133.	2,453.	3,313.
	60"	14"	23"	2	4	ROPH60T0(-)(-)(-)	2,165.	2,282.	2,625.	3,546.
	72"	14"	19"	2	4	ROPH72S0(-)(-)(-)	2,479.	2,616.	3,008.	4,062.
	72"	14"	23"	2	4	ROPH72T0(-)(-)(-)	2,947.	3,110.	3,574.	4,826.
	90"	14"	19"	3	6	ROPH90S0(-)(-)(-)	2,730.	2,875.	3,307.	4,463.
	90"	14"	23"	3	6	ROPH90T0(-)(-)(-)	3,342.	3,526.	4,050.	5,468.
	96"	14"	19"	3	6	ROPH96S0(-)(-)(-)	2,826.	2,978.	3,429.	4,629.
	96"	14"	23"	3	6	ROPH96T0(-)(-)(-)	3,468.	3,655.	4,202.	5,674.

Order Code	Specification Information
Example: ROPH60S0DLL	
R Reff	
O Overhead	
P Panel hung	
H Hinge door	
60 60" wide	
S Standard height, 19"h	
0 15" deep	
D D-pull	
L Lock hole drilled	
L Laminate finish	

Dimensions are nominal.

- Specification Information**
- To order please specify pattern number including:
- Configuration option (embedded in pattern no.)
H = Hinged door
O = Open
F = Flip door
 - Storage option (embedded in pattern no.)
S0 = 19"h x 14"d open/15"d hinged door
T0 = 23"h x 14"d open/15"d hinged door
 - Finish type
L = Laminate
1 = V1
2 = V2
3 = V3
 - Pull option
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish
S-pull for hinged door only (stainless steel finish only)
 - Lock option
L = Lock hole drilled
N = No lockdrilling
 - Finish, case

Woodgrain Laminate is not available on any flip door units.

Overheads with flip doors, come with J-pull option only.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 320.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Panel hung overheads come with no backs.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 328.

***Keying instructions must accompany all cabinet orders.**



Refer to page 348 for keying instructions.

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning

Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
 Panel-hung overhead flip door cabinet (no back)	30"	14"	18"	1	1	ROPF30S0J-()()	\$1,066.	\$1,428.	\$1,640.	\$2,214.
	36"	14"	18"	1	1	ROPF36S0J-()()	1,084.	1,452.	1,673.	2,257.
	42"	14"	18"	1	1	ROPF42S0J-()()	1,160.	1,558.	1,792.	2,420.
	48"	14"	18"	1	1	ROPF48S0J-()()	1,203.	1,620.	1,862.	2,514.
	60"	14"	18"	2	2	ROPF60S0J-()()	1,397.	1,873.	2,156.	2,911.
	72"	14"	18"	2	2	ROPF72S0J-()()	1,651.	2,216.	2,547.	3,437.
	84"	14"	18"	2	2	ROPF84S0J-()()	1,845.	2,476.	2,846.	3,843.
	96"	14"	18"	2	2	ROPF96S0J-()()	1,967.	2,641.	3,040.	4,101.
 Panel-hung shelves	30"	13"	9"			ROPS30S0NN-()	286.	602.	692.	934.
	36"	13"	9"			ROPS36S0NN-()	309.	625.	719.	970.
	42"	13"	9"			ROPS42S0NN-()	335.	646.	745.	1,006.
	48"	13"	9"			ROPS48S0NN-()	357.	669.	767.	1,036.
	54"	13"	9"			ROPS54S0NN-()	382.	719.	825.	1,114.
	60"	13"	9"			ROPS60S0NN-()	408.	773.	888.	1,200.
	66"	13"	9"			ROPS66S0NN-()	432.	822.	946.	1,276.
	72"	13"	9"			ROPS72S0NN-()	456.	876.	1,005.	1,355.
	78"	13"	9"			ROPS78S0NN-()	481.	949.	1,090.	1,471.
	84"	13"	9"			ROPS84S0NN-()	504.	1,021.	1,176.	1,587.
	90"	13"	9"			ROPS90S0NN-()	529.	1,095.	1,259.	1,700.
96"	13"	9"			ROPS96S0NN-()	537.	1,152.	1,327.	1,791.	

Order Code	Specification Information
Example: ROPF60S0DLL	
R Reff	
O Overhead	
P Panel hung	
H Hinge door	
60 60" wide	
S Standard height, 19"h	
0 15" deep	
D D-pull	
L Lock hole drilled	
L Laminate finish	

Dimensions are nominal.

- Specification Information**
- To order please specify pattern number including:
- Configuration option (embedded in pattern no.)
 H = Hinged door
 O = Open
 F = Flip door
 - Storage option (embedded in pattern no.)
 S0 = 19"h x 14"d open/15"d hinged door
 T0 = 23"h x 14"d open/15"d hinged door
 - Finish type
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
 - Pull option
 D = Metal D-pull for hinged door only
 J = Routed pull
 C = Nickel finish C-pull for hinged door only (nickel finish only)
 S = Stainless steel finish
 S-pull for hinged door only (stainless steel finish only)
 - Lock option
 L = Lock hole drilled
 N = No lockdrilling
 - Finish, case

Application Notes

Woodgrain Laminate is not available on any flip door units.

Overheads with flip doors, come with J-pull option only.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 320.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Panel hung overheads come with no backs.

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 328.

***Keying instructions must accompany all cabinet orders.**


Refer to page 348 for keying instructions.

Random keys are factory installed.


Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning Workwalls

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open)	60"	15"	19"	4	1.8	ROWO60S0(-)(X)(X)	\$2,033.	\$2,165.	\$2,538.	\$3,428.
	60"	15"	23"	4	1.8	ROWO60T0(-)(X)(X)	2,208.	2,351.	2,757.	3,722.
	60"	20"	19"	4	1.8	ROWO60S1(-)(X)(X)	2,186.	2,328.	2,729.	3,682.
	60"	20"	23"	4	1.8	ROWO60T1(-)(X)(X)	2,362.	2,513.	2,944.	3,972.
	72"	15"	19"		2.1	ROWO72S0(-)(X)(X)	2,613.	2,785.	3,256.	4,394.
	72"	15"	23"		2.1	ROWO72T0(-)(X)(X)	2,967.	3,157.	3,687.	4,978.
	72"	20"	19"		2.1	ROWO72S1(-)(X)(X)	2,807.	2,986.	3,489.	4,711.
	72"	20"	23"		2.1	ROWO72T1(-)(X)(X)	3,270.	3,477.	4,055.	5,472.
	90"	15"	19"		2.6	ROWO90S0(-)(X)(X)	2,880.	3,072.	3,615.	4,879.
	90"	15"	23"		2.6	ROWO90T0(-)(X)(X)	3,328.	3,548.	4,157.	5,612.
	90"	20"	19"		2.6	ROWO90S1(-)(X)(X)	3,199.	3,412.	4,006.	5,407.
	90"	20"	23"		2.6	ROWO90T1(-)(X)(X)	3,536.	3,769.	4,413.	5,957.
	96"	15"	19"		2.8	ROWO96S0(-)(X)(X)	2,949.	3,153.	3,712.	5,011.
	96"	15"	23"		2.8	ROWO96T0(-)(X)(X)	3,397.	3,625.	4,255.	5,746.
96"	20"	19"		2.8	ROWO96S1(-)(X)(X)	3,273.	3,492.	4,103.	5,542.	
96"	20"	23"		2.8	ROWO96T1(-)(X)(X)	3,610.	3,845.	4,509.	6,087.	



72" h workwall overhead cabinet (hinged door)	60"	15"	19"	4	1.8	ROWH60S0(-)(X)(X)	2,623.	2,789.	3,257.	4,396.
	60"	15"	23"	4	1.8	ROWH60T0(-)(X)(X)	2,844.	3,022.	3,528.	4,762.
	60"	20"	19"	4	1.8	ROWH60S1(-)(X)(X)	2,816.	2,992.	3,492.	4,715.
	60"	20"	23"	4	1.8	ROWH60T1(-)(X)(X)	3,039.	3,227.	3,760.	5,077.
	72"	15"	19"	4	2.1	ROWH72S0(-)(X)(X)	3,362.	3,569.	4,163.	5,619.
	72"	15"	23"	4	2.1	ROWH72T0(-)(X)(X)	3,806.	4,039.	4,699.	6,345.
	72"	20"	19"	4	2.1	ROWH72S1(-)(X)(X)	3,603.	3,825.	4,453.	6,012.
	72"	20"	23"	4	2.1	ROWH72T1(-)(X)(X)	4,184.	4,438.	5,158.	6,965.
	90"	15"	19"	6	2.6	ROWH90S0(-)(X)(X)	3,732.	3,977.	4,653.	6,280.
	90"	15"	23"	6	2.6	ROWH90T0(-)(X)(X)	4,294.	4,565.	5,332.	7,197.
	90"	20"	19"	6	2.6	ROWH90S1(-)(X)(X)	4,136.	4,401.	5,139.	6,938.
	90"	20"	23"	6	2.6	ROWH90T1(-)(X)(X)	4,558.	4,843.	5,649.	7,628.
	96"	15"	19"	6	2.8	ROWH96S0(-)(X)(X)	3,836.	4,086.	4,789.	6,464.
	96"	15"	23"	6	2.8	ROWH96T0(-)(X)(X)	4,396.	4,678.	5,467.	7,381.
	96"	20"	19"	6	2.8	ROWH96S1(-)(X)(X)	4,239.	4,510.	5,276.	7,123.
	96"	20"	23"	6	2.8	ROWH96T1(-)(X)(X)	4,658.	4,952.	5,784.	7,809.



60" w and 72" w units have four hinged doors, two lock cores required.
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L	To order please specify pattern number including:	3. Finish type: L = Laminate
R Reff	1. Configuration option	1 = V1
O Overhead	2. Storage option (embedded in pattern no.)	2 = V2
W Workwall	S0 = 19" h x 15" d	3 = V3
O Open	S1 = 19" h x 20" d	4. Pull Options:
60 60" wide	T0 = 23" h x 15" d	D = Metal D-pull for hinged door only
S Standard height	T1 = 23" h x 20" d	J = Routed pull
0 15" deep	3. Finish type	C = Nickel C-pull for hinged door only (nickel finish only)
L Laminate finish	4. Pull option for hinged door only.	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
Y = Yardage required	*After specifying product code, provide keying instructions. 1. Configuration options: O = Open H = Hinged door	5. Lock options: L = Lockhole drilled N = No lock drilling
		Keying instructions * See Planning Guide for keying examples.
		Shipped knocked-down.
		Open cabinets require no locks.
		Tasklights not included.
		Tackboard included, fabric railroded.
		Locks are not factory installed.
		If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
		Applicable finishes are listed on page 5 and 6.
		Product on this page excluding J-pull and any vertical surface over 48", option and any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.

Overhead storage

Overhead, 26 1/2" planning Shoulders

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	-	15"	19"	RWEA7220(L/R)-()	\$379.	\$398.	\$457.	\$617.
	-	15"	23"	RWEB7220(L/R)-()	379.	398.	457.	617.
	-	20"	19"	RWEC7220(L/R)-()	379.	398.	457.	617.
	-	20"	23"	RWED7220(L/R)-()	379.	398.	457.	617.



Workwall support endpanels for 72"H x 24"D workwall cabinets	-	15"	19"	RWEA7224(L/R)-()	412.	436.	500.	675.
	-	15"	23"	RWEB7224(L/R)-()	412.	436.	500.	675.
	-	20"	19"	RWEC7224(L/R)-()	412.	436.	500.	675.
	-	20"	23"	RWED7224(L/R)-()	412.	436.	500.	675.



Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.1.	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	


Overhead, 26 1/2" planning

Overdesk Unit

Use with 1 1/4" worksurfaces


Need line place holder to allow for following page

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	ROAH60T0(-)(-)(-)	\$2,567.	\$3,286.	\$3,840.	\$5,185.
	60"	20"	44 1/4"	1.7	2	4	ROAH60T1(-)(-)(-)	2,716.	3,475.	4,052.	5,469.
	72"	15"	44 1/4"	2.0	2	4	ROAH72T0(-)(-)(-)	3,253.	4,157.	4,848.	6,546.
	72"	20"	44 1/4"	2.0	2	4	ROAH72T1(-)(-)(-)	3,434.	4,387.	5,112.	6,901.
	90"	15"	44 1/4"	2.5	3	6	ROAH90T0(-)(-)(-)	3,617.	4,626.	5,418.	7,314.
	90"	20"	44 1/4"	2.5	3	6	ROAH90T1(-)(-)(-)	3,826.	4,895.	5,724.	7,730.
	96"	15"	44 1/4"	2.7	3	6	ROAH96T0(-)(-)(-)	3,767.	4,826.	5,657.	7,636.
	96"	20"	44 1/4"	2.7	3	6	ROAH96T1(-)(-)(-)	3,988.	5,106.	5,976.	8,068.



For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			ROAO60T0(-)(-)(-)	1,697.	2,179.	2,568.	3,467.
	60"	20"	44 1/4"	1.7			ROAO60T1(-)(-)(-)	1,804.	2,311.	2,718.	3,671.
	72"	15"	44 1/4"	2.0			ROAO72T0(-)(-)(-)	2,166.	2,774.	3,260.	4,401.
	72"	20"	44 1/4"	2.0			ROAO72T1(-)(-)(-)	2,293.	2,938.	3,446.	4,653.
	90"	15"	44 1/4"	2.5			ROAO90T0(-)(-)(-)	2,370.	3,048.	3,605.	4,866.
	90"	20"	44 1/4"	2.5			ROAO90T1(-)(-)(-)	2,515.	3,235.	3,812.	5,147.
	96"	15"	44 1/4"	2.7			ROAO96T0(-)(-)(-)	2,460.	3,167.	3,747.	5,057.
	96"	20"	44 1/4"	2.7			ROAO96T1(-)(-)(-)	2,612.	3,364.	3,970.	5,359.

For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	ROAF60S0(-)(-)(-)	2,197.	3,053.	3,569.	4,820.
	60"	20"	44 1/4"	1.7	2	2	ROAF60S1(-)(-)(-)	2,326.	3,232.	3,776.	5,099.
	72"	15"	44 1/4"	2.0	2	2	ROAF72S0(-)(-)(-)	2,609.	3,869.	4,517.	6,098.
	72"	20"	44 1/4"	2.0	2	2	ROAF72S1(-)(-)(-)	2,756.	4,086.	4,766.	6,435.
	84"	15"	44 1/4"	2.5	2	2	ROAF84S0(-)(-)(-)	3,380.	4,410.	5,157.	6,962.
	84"	20"	44 1/4"	2.5	2	2	ROAF84S1(-)(-)(-)	3,574.	4,664.	5,451.	7,357.
	96"	15"	44 1/4"	2.7	2	2	ROAF96S0(-)(-)(-)	3,462.	4,530.	5,315.	7,175.
	96"	20"	44 1/4"	2.7	2	2	ROAF96S1(-)(-)(-)	3,666.	4,798.	5,623.	7,590.





Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118(-)	To order please specify pattern number including:	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
A For 1 1/4" top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	All flip door cabinets on this page are nominal 19"H not 23"H.
60 60" wide	2. Width	Overhead cabinets with flip doors, come with J-pull option only.
S Standard height	3. Storage option	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. Finish type	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Woodgrain Laminate is not available on any flip door units.	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 5 and 6.	

Y = Yardage required

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

*Overdesk Unit**Use with 1 1/4" worksurfaces**Modesty Panels for L and U Configuration*

description	w	h	th	pattern no.	L	V1	V2	V3
Half Height Modesty, 26 1/2" h 	36"	17"	1"	RBR36H()	\$286.	\$413.	\$478.	\$654.
	42"	17"	1"	RBR42H()	310.	451.	521.	713.
	48"	17"	1"	RBR48H()	351.	510.	591.	806.
	54"	17"	1"	RBR54H()	369.	537.	619.	846.
	60"	17"	1"	RBR60H()	385.	554.	641.	872.
	66"	17"	1"	RBR66H()	401.	578.	672.	918.
	72"	17"	1"	RBR72H()	443.	641.	740.	1,009.
Full Height Modesty, 26 1/2" h 	36"	26"	1"	RBR36M()	311.	439.	504.	679.
	42"	26"	1"	RBR42M()	335.	476.	547.	738.
	48"	26"	1"	RBR48M()	377.	536.	616.	831.
	54"	26"	1"	RBR54M()	394.	562.	645.	871.
	60"	26"	1"	RBR60M()	410.	579.	666.	898.
	66"	26"	1"	RBR66M()	426.	604.	698.	944.
	72"	26"	1"	RBR72M()	469.	666.	765.	1,034.

Order Code

Example: RBR36	
R	Reff
B	Bridge
R	Return
36	36" wide
M	Full Height Modesty Placement for 28 3/8"
()	Finish

Ordering Information

To order please specify pattern number including:


- Modesty Finish:
L, V1, V2, V3

Products on this page **Excluding any vertical surface, ie; modesty panels over 48"** will accept wood grain laminate, where laminate is currently an option.


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces






U-shaped / Triple: Spanning 3 worksurfaces



Workwall units

Rectilinear worksurfaces - 1 1/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$592.	\$623.	\$714.	\$966.
	60"	24"	RSWWA602()	637.	669.	771.	1,040.
	72"	20"	RSWWA721()	644.	678.	779.	1,051.
	72"	24"	RSWWA722()	688.	727.	832.	1,124.
	90"	20"	RSWWA901()	746.	786.	905.	1,221.
	90"	24"	RSWWA902()	791.	832.	960.	1,295.
	96"	20"	RSWWA961()	847.	891.	1,025.	1,385.
	96"	24"	RSWWA962()	893.	941.	1,081.	1,460.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	0.	1,871.	2,152.	2,905.
	60"	24"	RSWWAWF602()	0.	2,008.	2,311.	3,120.
	72"	20"	RSWWAWF721()	0.	2,034.	2,340.	3,157.
	72"	24"	RSWWAWF722()	0.	2,175.	2,503.	3,381.
	90"	20"	RSWWAWF901()	0.	2,361.	2,716.	3,668.
	90"	24"	RSWWAWF902()	0.	2,503.	2,880.	3,887.
	96"	20"	RSWWAWF961()	0.	2,753.	3,077.	4,154.
	96"	24"	RSWWAWF962()	0.	2,822.	3,247.	4,381.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	0.	714.	825.	1,114.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	0.	770.	887.	1,199.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	0.	779.	897.	1,211.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	0.	833.	960.	1,295.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	0.	905.	1,040.	1,405.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	0.	959.	1,104.	1,489.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	0.	1,025.	1,181.	1,594.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	0.	1,081.	1,244.	1,679.

Order Code

Example: RSWWA60100L	
R	Reff
S	Straight top
WW	Workwall top
A	1 1/4" thick
60	60" wide
1	20" deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:

A = 1 1/4"

2. Finish type:

L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

3. Specify edge detail where applicable, for RSWWA(). See page 0 for available profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.


No grommets available.

Applicable finishes are listed on page 5 and 6.


Hardware included.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()L		\$734.	\$734.	\$770.	\$1,103.
		30"	14 1/4"	14 3/4"	RO3-M30() ()L		821.	821.	859.	1,187.
		36"	14 1/4"	14 3/4"	RO3-M36() ()L		946.	946.	992.	1,328.
		42"	14 1/4"	14 3/4"	RO3-M42() ()L		1,093.	1,093.	1,146.	1,474.
		48"	14 1/4"	14 3/4"	RO3-M48() ()L		1,216.	1,216.	1,277.	1,615.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() ()L		1,542.	1,542.	1,616.	2,221.
		66"	14 1/4"	14 3/4"	RO3-M66() ()L		1,678.	1,678.	1,765.	2,379.
		72"	14 1/4"	14 3/4"	RO3-M72() ()L		1,797.	1,797.	1,886.	2,510.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()N		664.	664.	696.	
		30"	14 1/4"	14 3/4"	RO3-M30() ()N		751.	751.	789.	
		36"	14 1/4"	14 3/4"	RO3-M36() ()N		877.	877.	918.	
		42"	14 1/4"	14 3/4"	RO3-M42() ()N		1,022.	1,022.	1,072.	
		48"	14 1/4"	14 3/4"	RO3-M48() ()N		1,145.	1,145.	1,202.	



Order Code

Example: RO3-M48-612-M-L
RO3 Reuter overhead cabinet
M Morrison panel mounted
48 Width
612 Case finish
M Front finish
L With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 275) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 ³ / ₄ "	14 ³ / ₄ "	RO3-M60() (JN)		\$1,398.	\$1,398.	\$1,467.	n/a
		66"	14 ³ / ₄ "	14 ³ / ₄ "	RO3-M66() (JN)		1,539.	1,539.	1,612.	n/a
		72"	14 ³ / ₄ "	14 ³ / ₄ "	RO3-M72() (JN)		1,651.	1,651.	1,736.	n/a



description	type	w	d	h	pattern no.	black
Interior partitions	Horizontal, set of 10	6"	11"	-	RO1-HP6	141.
	Horizontal, set of 10	9"	11"	-	RO1-HP9	177.
	Horizontal, set of 10	12"	11"	-	RO1-HP12	211.
	Horizontal, set of 10	15"	11"	-	RO1-HP15	246.
	Vertical, set of 5	-	11"	12"	RO3-VP	91.



Order Code

Example:	RO3-M48-612-M-L
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1¹/₂" increments of width anywhere across shelf, 1¹/₂" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 275) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.


Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24()L		\$720.	\$720.	\$755.	\$1,084.
		30"	14 1/4"	14 3/4"	RO3-N30()L		801.	801.	844.	1,170.
		36"	14 1/4"	14 3/4"	RO3-N36()L		927.	927.	974.	1,311.
		42"	14 1/4"	14 3/4"	RO3-N42()L		1,075.	1,075.	1,131.	1,458.
		48"	14 1/4"	14 3/4"	RO3-N48()L		1,202.	1,202.	1,260.	1,601.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60()L		1,520.	1,520.	1,599.	2,206.
		66"	14 1/4"	14 3/4"	RO3-N66()L		1,665.	1,665.	1,744.	2,365.
		72"	14 1/4"	14 3/4"	RO3-N72()L		1,778.	1,778.	1,867.	2,495.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24()N		647.	647.	678.	n/a
		30"	14 1/4"	14 3/4"	RO3-N30()N		733.	733.	769.	n/a
		36"	14 1/4"	14 3/4"	RO3-N36()N		857.	857.	900.	n/a
		42"	14 1/4"	14 3/4"	RO3-N42()N		1,006.	1,006.	1,056.	n/a
		48"	14 1/4"	14 3/4"	RO3-N48()N		1,129.	1,129.	1,187.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60()N		1,379.	1,379.	1,449.	n/a
		66"	14 1/4"	14 3/4"	RO3-N66()N		1,519.	1,519.	1,596.	n/a
		72"	14 1/4"	14 3/4"	RO3-N72()N		1,639.	1,639.	1,721.	n/a



Order Code

Example:	RO3-N48-613-613-L
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.


Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Interior partitions 	Vertical, set of 5	–	11"	12"	RO3-VP	\$91.				
	Horizontal, set of 10	6"	11"	–	RO1-HP6	141.				
	Horizontal, set of 10	9"	11"	–	RO1-HP9	177.				
	Horizontal, set of 10	12"	11"	–	RO1-HP12	211.				
	Horizontal, set of 10	15"	11"	–	RO1-HP15	246.				

Order Code

Example:	RO3-N48-613-613-L
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.




Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf Morrison panel brackets		24"	13"	8"	RS1-M24()		\$326.	\$326.	\$343.
		30"	13"	8"	RS1-M30()		357.	357.	375.
		36"	13"	8"	RS1-M36()		403.	403.	424.
		42"	13"	8"	RS1-M42()		436.	436.	457.
		48"	13"	8"	RS1-M48()		467.	467.	490.
		60"	13"	8"	RS1-M60()		545.	545.	573.
 Open shelf no mounting hardware		24"	13"	8"	RS1-N24()		311.	311.	326.
		30"	13"	8"	RS1-N30()		344.	344.	360.
		36"	13"	8"	RS1-N36()		390.	390.	408.
		42"	13"	8"	RS1-N42()		420.	420.	440.
		48"	13"	8"	RS1-N48()		452.	452.	474.
		60"	13"	8"	RS1-N60()		529.	529.	557.
 Interior partitions	Vertical, set of 5	–	12"	6"	RS1-VP	85.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	141.			
		9"	12"	–	RO1-HP9	177.			
		12"	12"	–	RO1-HP12	211.			
		15"	12"	–	RO1-HP15	246.			

Order Code

Example:	RS1-N48-612
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.




Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter open overhead

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
 Open overhead Morrison panel brackets		30"	13"	14 ³ / ₄ "	RO3-OM30()		\$529.	\$529.	\$557.	
		36"	13"	14 ³ / ₄ "	RO3-OM36()		607.	607.	636.	
		42"	13"	14 ³ / ₄ "	RO3-OM42()		685.	685.	720.	
		48"	13"	14 ³ / ₄ "	RO3-OM48()		761.	761.	800.	
		60"	13"	14 ³ / ₄ "	RO3-OM60()		887.	887.	930.	
		72"	13"	14 ³ / ₄ "	RO3-OM72()		1,043.	1,043.	1,095.	
 Open overhead no mounting hardware		30"	13"	14 ³ / ₄ "	RO3-ON30()		515.	515.	539.	
		36"	13"	14 ³ / ₄ "	RO3-ON36()		590.	590.	620.	
		42"	13"	14 ³ / ₄ "	RO3-ON42()		670.	670.	704.	
		48"	13"	14 ³ / ₄ "	RO3-ON48()		749.	749.	784.	
		60"	13"	14 ³ / ₄ "	RO3-ON60()		870.	870.	916.	
		72"	13"	14 ³ / ₄ "	RO3-ON72()		1,026.	1,026.	1,076.	
 Interior partitions	Vertical, set of 5	–	11"	12"	RO3-VP		91.			
	Horizontal, set of 10	6"	11"	–	RO1-HP6		141.			
		9"	11"	–	RO1-HP9		177.			
		12"	11"	–	RO1-HP12		211.			
		15"	11"	–	RO1-HP15		246.			
Door retrofit kit, with lock	For open overhead	30"			RO3-RD30()L		360.	360.	380.	695.
		36"			RO3-RD36()L		390.	390.	408.	755.
		42"			RO3-RD42()L		455.	455.	476.	819.
		48"			RO3-RD48()L		498.	498.	521.	879.
		60"			RO3-RD60()L		760.	760.	798.	1,412.
		72"			RO3-RD72()L		854.	854.	896.	1,539.
Door retrofit kit, no lock	For open overhead	30"			RO3-RD30()N		275.	275.	289.	n/a
		36"			RO3-RD36()N		318.	318.	334.	n/a
		42"			RO3-RD42()N		385.	385.	403.	n/a
		48"			RO3-RD48()N		426.	426.	447.	n/a
		60"			RO3-RD60()N		618.	618.	651.	n/a
		72"			RO3-RD72()N		714.	714.	751.	n/a

Order Code	Specification Information	Application Notes
Example: RO3-ON30-612	<i>Specify finish for case and door.</i>	Interior partitions are black painted steel finish.
RO3-O Reuter open overhead		Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.
N No mounting hardware		Reuter storage is a universal product applicable to Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.
30 Width		Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.
612 Finish		Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.



Reuter overhead storage
desk and panel mounting options
Designed by Robert Reuter


description	type	w	d	h	pattern no.	black	paint
Stanchions for Network desk mount, pair	1 1/4" worksurface	5"	5"	20 1/2"	RO2-NS21()		\$488.
	1 3/4" worksurface	5"	5"	20"	RO2-NS20()		488.
Stanchion outlets cover	1 1/4" worksurface	7"	1/2"	15 1/2"	MN2SO21()	44.	
	1 3/4" worksurface	7"	1/2"	15"	MN2SO20()	44.	
Panel mount brackets, pair, overhead cabinet	For Dividends panels				RO1-DPB	58.	
	For Equity panels				RO1-EPB	47.	
	For Morrison panels				RO1-MPB	47.	
	For Reff System panels				RO1-RPB	47.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Dividends panels				RS1-DPB	58.	
	For Equity panels				RS1-EPB	39.	
	For Morrison panels				RS1-MPB	39.	
	For Reff / AutoStrada panels				RS1-RPB	39.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Equity panels				RO1-ECB()		101.
	For Morrison panels	1/2"	10"	10"	RO1-CB()		101.
	For Reff / AutoStrada panels				RO1-RCB()		101.






Order Code	Specification Information	Application Notes
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
RO2 Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
NS Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
21 Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
612 Paint finish		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$88.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	96.
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	101.
	24"W shelf	23"	1 1/2"	6"	RS1-WMF24	88.
	30"W shelf	29"	1 1/2"	6"	RS1-WMF30	93.
	36"W shelf	35"	1 1/2"	6"	RS1-WMF36	96.
	42"W shelf	41"	1 1/2"	6"	RS1-WMF42	99.
	48"W shelf	47"	1 1/2"	6"	RS1-WMF48	101.
	60"W shelf	59"	1 1/2"	6"	RS1-WMF60	107.
Wall mount wire manager, set of 10					MWM-J	161.
						
	Ganging bracket				RO1-GB	13.
ADA pull					RO1-PULL	51.





Order Code	Specification Information	Application Notes
Example: RO1-GB		
RO1 Reuter overhead	Wall mount frames are painted black finish.	Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66" - and 72"-wide Reuter overheads.
GB Ganging bracket	ADA pull is stainless steel.	Reuter open shelves 66" and 72"W are for stanchion support only. Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only). Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.
		ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72". ADA pull cannot be mounted on wood front Reuter doors.

description	type	w	d	h	pattern no.	list
 <p>T5 Standard Task Light</p>	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19S	\$232.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25S	249.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37S	269.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49S	291.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61S	310.
 <p>T5 Advanced Task Light</p>	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25A	430.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37A	452.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49A	470.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61A	489.
 <p>LED Task Light</p>	Use with 24" and wider overhead (3 LED's)	19"	2"	5/8"	ML3L193M	310.
	Use with 24" and wider overhead (6 LED's)	19"	2"	5/8"	ML3L196M	391.
	Use with 24" and wider overhead (9 LED's)	19"	2"	5/8"	ML3L199M	533.
	Use with 42" and wider overhead (6 LED's)	37"	2"	5/8"	ML3L376M	625.
	Use with 42" and wider overhead (12 LED's)	37"	2"	5/8"	ML3L3712M	707.
	Use with 42" and wider overhead (18 LED's)	37"	2"	5/8"	ML3L3718M	876.



Order Code	Specification Information	Application Notes
<p>T5 Standard Task Light</p> <p>Example: RTAT5E25S</p> <p>RTA Task Light</p> <p>T5 T5 lamp</p> <p>E Electronic ballast</p> <p>25 Width</p> <p>S Standard</p> <p>LED Task Light</p> <p>Example: ML3L193M</p> <p>ML3 Task Light</p> <p>L LED</p> <p>19 Width</p> <p>3 # of LED's</p> <p>M Metal Overhead Attachment</p>	<p>T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.</p> <p>LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.</p>	<p>T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH</p> <p>Cordset is center exit. On smaller units cord exit is off-center, but still not handed.</p> <p>T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.</p> <p>LED Task Lights: Power cord is able to attach to either end of fixture.</p> <p>Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.</p> <p>All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.</p>

Transaction tops for use with 42" H panel heights

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24(-)(-)	\$333.	\$351.	\$351.	\$404.	\$546.
	30"	15"	1 1/4"	RTTA30(-)(-)	364.	381.	381.	442.	596.
	36"	15"	1 1/4"	RTTA36(-)(-)	396.	418.	418.	479.	650.
	42"	15"	1 1/4"	RTTA42(-)(-)	428.	450.	450.	517.	697.
	48"	15"	1 1/4"	RTTA48(-)(-)	456.	485.	485.	556.	750.
	54"	15"	1 1/4"	RTTA54(-)(-)	488.	516.	516.	592.	799.
	60"	15"	1 1/4"	RTTA60(-)(-)	520.	548.	548.	632.	854.
	66"	15"	1 1/4"	RTTA66(-)(-)	552.	580.	580.	667.	901.
	72"	15"	1 1/4"	RTTA72(-)(-)	581.	614.	614.	706.	953.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	RTTAWF24(-)(-)			701.	806.	1,088.
	30"	15"	1 1/4"	RTTAWF30(-)(-)			768.	884.	1,194.
	36"	15"	1 1/4"	RTTAWF36(-)(-)			832.	960.	1,295.
	42"	15"	1 1/4"	RTTAWF42(-)(-)			898.	1,032.	1,393.
	48"	15"	1 1/4"	RTTAWF48(-)(-)			967.	1,112.	1,500.
	54"	15"	1 1/4"	RTTAWF54(-)(-)			1,030.	1,183.	1,597.
	60"	15"	1 1/4"	RTTAWF60(-)(-)			1,098.	1,262.	1,704.
	66"	15"	1 1/4"	RTTAWF66(-)(-)			1,161.	1,336.	1,804.
	72"	15"	1 1/4"	RTTAWF72(-)(-)			1,228.	1,411.	1,904.



Not available in laminate or mixed finishes

Order Code

Example:	RTTA24 (-)(-)
R	Reff
TT	Transaction top
24	24" wide
L	Type, left side Mitre
2	V2 finish
V316	Light Maple finish

Specification Information

- To order please specify pattern number including:
1. Width
 2. Type:
L = Left side Mitre
R = Right side Mitre
S = Straight
 3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3
 4. Finish = Laminate or Veneer

Application Notes

- Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.
- No grommets included.
- Tops may be used to span more than one consecutive panel.
- Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the tops. This can be done in the field or through Custom Product Development.
- Applicable finishes are listed on page 5 and 6.
- Product on this page will accept wood grain laminate, where laminate is currently an option.

Transaction tops

Brackets for Alternative Material


description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$60.
	* Each panel need 2 brackets * Available in all core paints			
Foam Tape			RAMTT	23.
Transaction Top Bracket Cover			RAMTC24()()	44.
			RAMTC30()()	47.
			RAMTC36()()	50.
			RAMTC42()()	54.
			RAMTC48()()	57.
			RAMTC54()()	60.
			RAMTC60()()	63.
			RAMTC66()()	67.
			RAMTC72()()	69.
Transaction Top Bracket Cover Hilo			RAMTCH24()()	60.
			RAMTCH30()()	63.
			RAMTCH36()()	67.
			RAMTCH42()()	70.
			RAMTCH48()()	73.
			RAMTCH54()()	77.
			RAMTCH60()()	80.
			RAMTCH66()()	83.
			RAMTCH72()()	85.

Order Code	Specification Information	Application Notes
Example: RAMTC	<i>To order please specify pattern number including:</i>	Spline piece included in the right "R" hand pattern number.
R Reff		
A Alternative	1. End treatment option	Installation instructions available on Knoll Exchange.
M Material	2. Finish type: Core paint finishes	
T Transaction Top		When a solid material is installed the "RAMTB" is required.
C Cover		When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.
24 Width		
L/R/M Left/Right/Mitered		

Gallery desk surrounds


1 1/4" worksurface

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,369.	\$1,663.	\$1,663.	\$1,828.	\$1,915.	\$2,469.	\$2,585.
	68"	25"	42"	RGAF682-()	1,416.	1,723.	1,723.	1,893.	1,984.	2,554.	2,678.
	74"	25"	42"	RGAF742-()	1,469.	1,789.	1,789.	1,965.	2,056.	2,653.	2,773.
	80"	25"	42"	RGAF802-()	1,522.	1,847.	1,847.	2,027.	2,128.	2,737.	2,871.
	86"	25"	42"	RGAF862-()	1,569.	1,911.	1,911.	2,093.	2,198.	2,825.	2,967.
	92"	25"	42"	RGAF922-()	1,621.	1,974.	1,974.	2,160.	2,270.	2,915.	3,061.
	98"	25"	42"	RGAF982-()	1,673.	2,035.	2,035.	2,230.	2,343.	3,009.	3,162.
	62"	31"	42"	RGAF623-()	1,455.	1,770.	1,770.	1,939.	2,036.	2,618.	2,748.
	68"	31"	42"	RGAF683-()	1,511.	1,841.	1,841.	2,017.	2,117.	2,722.	2,859.
	74"	31"	42"	RGAF743-()	1,568.	1,910.	1,910.	2,093.	2,196.	2,825.	2,964.
	80"	31"	42"	RGAF803-()	1,625.	1,974.	1,974.	2,166.	2,274.	2,925.	3,069.
	86"	31"	42"	RGAF863-()	1,684.	2,047.	2,047.	2,243.	2,355.	3,028.	3,181.
	92"	31"	42"	RGAF923-()	1,740.	2,118.	2,118.	2,316.	2,435.	3,127.	3,286.
	98"	31"	42"	RGAF983-()	1,797.	2,186.	2,186.	2,396.	2,512.	3,235.	3,392.




If shelf is not ordered and no drillings are required, you must order through specials.

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	RGS60-()	331.		402.		465.		628.
	66"	12"	1"	RGS66-()	343.		417.		479.		650.
	72"	12"	1"	RGS72-()	354.		431.		495.		668.
	78"	12"	1"	RGS78-()	365.		444.		512.		690.
	84"	12"	1"	RGS84-()	373.		458.		525.		709.
	90"	12"	1"	RGS90-()	386.		468.		539.		727.
	96"	12"	1"	RGS96-()	396.		480.		553.		748.



description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Bridge top assembly	54"	21"	42"	RGAB541-()	390.	1,080.	1,080.	1,168.	1,242.	1,576.	1,678.
	42"	21"	42"	RGAB421-()	781.	948.	948.	1,023.	1,089.	1,382.	1,470.
	48"	21"	42"	RGAB481-()	836.	1,014.	1,014.	1,092.	1,166.	1,475.	1,573.
	60"	21"	42"	RGAB601-()	943.	1,146.	1,146.	1,242.	1,323.	1,678.	1,784.
	66"	21"	42"	RGAB661-()	999.	1,215.	1,215.	1,312.	1,397.	1,772.	1,885.
	72"	21"	42"	RGAB721-()	1,052.	1,279.	1,279.	1,386.	1,470.	1,871.	1,985.
	78"	21"	42"	RGAB781-()	1,103.	1,344.	1,344.	1,460.	1,546.	1,971.	2,088.
	84"	21"	42"	RGAB841-()	1,158.	1,407.	1,407.	1,524.	1,619.	2,056.	2,186.
	90"	21"	42"	RGAB901-()	1,209.	1,471.	1,471.	1,597.	1,692.	2,155.	2,286.
	96"	21"	42"	RGAB961-()	1,259.	1,532.	1,532.	1,662.	1,764.	2,244.	2,381.



Order Code	Specification Information	Application Notes
Example: RGAF622NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, components: (surround components)</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type, top	1 = V1
A 1 1/4" top thickness	3. Finish type, components	2 = V2
F Freestanding	4. Finish, top	3 = V3
62 62" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
2 25" deep	<i>1. Grommet options:</i>	Product on this page Excluding any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
L Finish type top, laminate	F = Flush front grommet	Hardware included.
L Finish type components	<i>2. Finish type, top:</i>	Shipped knocked-down.
114 Folkstone grey (top)	L = Laminate	
114 Folkstone grey (components)	M = Mixed (laminat top w/wood edge)	

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.


Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431- () ()	\$955.	\$1,162.	\$1,162.	\$1,267.	\$1,333.	\$1,711.	\$1,799.
		49"	42"	RGAR491- () ()	1,002.	1,221.	1,221.	1,333.	1,405.	1,799.	1,896.
		55"	42"	RGAR551- () ()	1,054.	1,280.	1,280.	1,399.	1,471.	1,889.	1,986.
		61"	42"	RGAR611- () ()	1,101.	1,338.	1,338.	1,462.	1,543.	1,973.	2,082.
		67"	42"	RGAR671- () ()	1,151.	1,403.	1,403.	1,530.	1,613.	2,063.	2,176.
		73"	42"	RGAR731- () ()	1,200.	1,460.	1,460.	1,595.	1,677.	2,151.	2,264.
		79"	42"	RGAR791- () ()	1,248.	1,517.	1,517.	1,661.	1,750.	2,242.	2,364.
		85"	42"	RGAR851- () ()	1,298.	1,579.	1,579.	1,722.	1,817.	2,324.	2,451.
		91"	42"	RGAR911- () ()	1,348.	1,641.	1,641.	1,790.	1,896.	2,418.	2,560.
		97"	42"	RGAR971- () ()	1,401.	1,701.	1,701.	1,854.	1,953.	2,502.	2,638.
25"	43"	42"	RGAR432- () ()	1,048.	1,273.	1,273.	1,393.	1,464.	1,880.	1,977.	
	49"	42"	RGAR492- () ()	1,094.	1,332.	1,332.	1,457.	1,531.	1,966.	2,066.	
	55"	42"	RGAR552- () ()	1,144.	1,391.	1,391.	1,517.	1,602.	2,051.	2,163.	
	61"	42"	RGAR612- () ()	1,195.	1,452.	1,452.	1,581.	1,669.	2,135.	2,250.	
	67"	42"	RGAR672- () ()	1,243.	1,512.	1,512.	1,650.	1,737.	2,228.	2,346.	
	73"	42"	RGAR732- () ()	1,293.	1,571.	1,571.	1,716.	1,808.	2,316.	2,443.	
	79"	42"	RGAR792- () ()	1,339.	1,627.	1,627.	1,776.	1,876.	2,396.	2,532.	
	85"	42"	RGAR852- () ()	1,388.	1,692.	1,692.	1,843.	1,946.	2,488.	2,625.	
	91"	42"	RGAR912- () ()	1,441.	1,753.	1,753.	1,906.	2,016.	2,574.	2,720.	
	97"	42"	RGAR972- () ()	1,492.	1,814.	1,814.	1,974.	2,086.	2,664.	2,815.	
31"	43"	42"	RGAR433- () ()	1,113.	1,354.	1,354.	1,476.	1,556.	1,991.	2,100.	
	49"	42"	RGAR493- () ()	1,161.	1,410.	1,410.	1,541.	1,623.	2,080.	2,192.	
	55"	42"	RGAR553- () ()	1,209.	1,471.	1,471.	1,600.	1,692.	2,160.	2,286.	
	61"	42"	RGAR613- () ()	1,256.	1,530.	1,530.	1,662.	1,762.	2,244.	2,378.	
	67"	42"	RGAR673- () ()	1,304.	1,590.	1,590.	1,727.	1,828.	2,332.	2,469.	
	73"	42"	RGAR733- () ()	1,354.	1,649.	1,649.	1,791.	1,893.	2,419.	2,554.	
	79"	42"	RGAR793- () ()	1,404.	1,705.	1,705.	1,854.	1,964.	2,502.	2,652.	
	85"	42"	RGAR853- () ()	1,451.	1,766.	1,766.	1,921.	2,031.	2,592.	2,742.	
	91"	42"	RGAR913- () ()	1,501.	1,826.	1,826.	1,983.	2,095.	2,675.	2,829.	
	97"	42"	RGAR973- () ()	1,549.	1,882.	1,882.	2,047.	2,166.	2,764.	2,925.	




Order Code	Specification Information	Application Notes
Example: RGAR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, top	F = Flush front grommet	Hardware included.
L Finish type, components	2. <i>Finish type top:</i>	All requests for special grommet locations must be approved through custom product development.
	L = Laminate	M (mixed finish) includes laminate worksurface, wood edge and wood surround.
	M = Wood/laminate mixed	Specify only 26 1/2" pedestals and support components as required when using gallery desk surround products on this page.
	1 = V1	Applicable finishes are listed on page 5 and 6.
	2 = V2	
	3 = V3	

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431- () ()	\$955.	\$1,162.	\$1,162.	\$1,267.	\$1,333.	\$1,711.	\$1,799.
		49"	42"	RGAL491- () ()	1,002.	1,221.	1,221.	1,333.	1,405.	1,799.	1,896.
		55"	42"	RGAL551- () ()	1,054.	1,280.	1,280.	1,399.	1,471.	1,889.	1,986.
		61"	42"	RGAL611- () ()	1,101.	1,338.	1,338.	1,462.	1,543.	1,973.	2,082.
		67"	42"	RGAL671- () ()	1,151.	1,403.	1,403.	1,530.	1,613.	2,063.	2,176.
		73"	42"	RGAL731- () ()	1,200.	1,460.	1,460.	1,595.	1,677.	2,151.	2,264.
		79"	42"	RGAL791- () ()	1,248.	1,517.	1,517.	1,661.	1,750.	2,242.	2,364.
		85"	42"	RGAL851- () ()	1,298.	1,579.	1,579.	1,722.	1,817.	2,324.	2,451.
		91"	42"	RGAL911- () ()	1,348.	1,641.	1,641.	1,790.	1,896.	2,418.	2,560.
		97"	42"	RGAL971- () ()	1,401.	1,701.	1,701.	1,854.	1,953.	2,502.	2,638.
	25"	43"	42"	RGAL432- () ()	1,048.	1,273.	1,273.	1,393.	1,464.	1,880.	1,977.
		49"	42"	RGAL492- () ()	1,094.	1,332.	1,332.	1,457.	1,531.	1,966.	2,066.
		55"	42"	RGAL552- () ()	1,144.	1,391.	1,391.	1,517.	1,602.	2,051.	2,163.
		61"	42"	RGAL612- () ()	1,195.	1,452.	1,452.	1,581.	1,669.	2,135.	2,250.
		67"	42"	RGAL672- () ()	1,243.	1,512.	1,512.	1,650.	1,737.	2,228.	2,346.
		73"	42"	RGAL732- () ()	1,293.	1,571.	1,571.	1,716.	1,808.	2,316.	2,443.
		79"	42"	RGAL792- () ()	1,339.	1,627.	1,627.	1,776.	1,876.	2,396.	2,532.
		85"	42"	RGAL852- () ()	1,388.	1,692.	1,692.	1,843.	1,946.	2,488.	2,625.
		91"	42"	RGAL912- () ()	1,441.	1,753.	1,753.	1,906.	2,016.	2,574.	2,720.
		97"	42"	RGAL972- () ()	1,492.	1,814.	1,814.	1,974.	2,086.	2,664.	2,815.
	31"	43"	42"	RGAL433- () ()	1,113.	1,354.	1,354.	1,476.	1,556.	1,991.	2,100.
		49"	42"	RGAL493- () ()	1,161.	1,410.	1,410.	1,541.	1,623.	2,080.	2,192.
		55"	42"	RGAL553- () ()	1,209.	1,471.	1,471.	1,600.	1,692.	2,160.	2,286.
		61"	42"	RGAL613- () ()	1,256.	1,530.	1,530.	1,662.	1,762.	2,244.	2,378.
		67"	42"	RGAL673- () ()	1,304.	1,590.	1,590.	1,727.	1,828.	2,332.	2,469.
		73"	42"	RGAL733- () ()	1,354.	1,649.	1,649.	1,791.	1,893.	2,419.	2,554.
		79"	42"	RGAL793- () ()	1,404.	1,705.	1,705.	1,854.	1,964.	2,502.	2,652.
		85"	42"	RGAL853- () ()	1,451.	1,766.	1,766.	1,921.	2,031.	2,592.	2,742.
		91"	42"	RGAL913- () ()	1,501.	1,826.	1,826.	1,983.	2,095.	2,675.	2,829.
		97"	42"	RGAL973- () ()	1,549.	1,882.	1,882.	2,047.	2,166.	2,764.	2,925.




Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, top	F = Flush front grommet	Hardware included.
L Finish type, components	2. <i>Finish type top:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = Wood	
	2 = V2	
	3 = V3	
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

gallery towers

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	RGTL4636 () () () ()	\$2,570.	\$3,206.	\$3,684.	\$4,975.



Actual depth of Gallery Tower is 32".


Gallery Tower, right hand	32"	12"	46"	RGTR4636 () () () ()	2,570.	3,206.	3,684.	4,975.
---------------------------	-----	-----	-----	---------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32".
Must be used with panels only.

Order Code	Specification Information	Application Notes
Example: RGTL46362V319CL	<i>To order please specify pattern number including:</i>	
R Reff		
GT Gallery Tower		
L Left hand	1. Finish type	
46 46" h	2. Finish	
36 36" d	3. Pull option	
2 V2 finish type	4. Pull finish (if applicable)	
V319 Medium Cherry	5. Lock option	
C C-pull	1. <i>Finish type:</i>	
L Lock	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	3. <i>Pull options:</i>	
	D = Metal D-pull	
	J = Routed J-pull	
	C = Nickel finish C-pull (nickel finish only)	
	S = Stainless steel finish S-pull (stainless steel finish only)	
	Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 28 7/8" h desk height products.	
	Applicable finishes are listed on page 5 and 6.	
	Product on this page will accept woodgrain laminate where laminate is currently an option.	
		Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .
		Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d
		Overall depth includes top overhang, accommodates 30" d worksurfaces.
		Gallery towers are to be used with panel applications.

Classic Desks

With Full Recessed Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	RCDFMR60301 () () ()	\$1,616.	\$2,720.	\$3,128.	\$4,067.
	30"	72"	26 1/2"	RCDFMR72301 () () ()	1,696.	2,855.	3,283.	4,268.
	30"	84"	26 1/2"	RCDFMR84301 () () ()	1,771.	2,980.	3,427.	4,456.
	30"	96"	26 1/2"	RCDFMR96301 () () ()	1,840.	3,097.	3,562.	4,630.
	36"	60"	26 1/2"	RCDFMR60361 () () ()	1,711.	2,879.	3,311.	4,304.
	36"	72"	26 1/2"	RCDFMR72361 () () ()	1,795.	3,021.	3,475.	4,518.
	36"	84"	26 1/2"	RCDFMR84361 () () ()	1,875.	3,156.	3,629.	4,719.
	36"	96"	26 1/2"	RCDFMR96361 () () ()	1,951.	3,282.	3,775.	4,907.

Order Code

Example:	RCDFMR60301
R	Reff
CD	Classic Desk
FMR	Full Modesty Recessed
60	Width
30	Depth
1	26 1/2" high, 2 = 28 3/8" high
()	Grommet Option
()	Grommet Finish
()	Finish

Specification Information

To order please specify pattern number including:

- Grommet Option
F=Flush or Standard Corner location
N=No Grommet
R=Recessed Grommet
- Grommet Finish:
Painted or Plated
- Finish: L,V1,V2,V3

Classic Desks ship knocked down, with all hardware.

Worksurface is 1 1/2" thick.

Grommets are located 20" in from the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26 1/2" high desk will only work with 26 1/2" high lower storage.

28 3/8" high desk will only work with 28 3/8" high lower storage.

30" deep desk with recessed modesty will accept 20" and 24" deep pedestals.


36" deep desk with recessed modesty will accept 20", 24" and 30" deep pedestals.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Classic Desks


With Half Recessed Modesty

description	d	w	h	y	pattern number	L	V1	V2	V3
	30"	60"	26 1/2"	1.8	RCDHMR60301() () ()	\$1,567.	\$2,638.	\$3,032.	\$3,942.
	30"	72"	26 1/2"	2.1	RCDHMR72301() () ()	1,634.	2,750.	3,162.	4,111.
	30"	84"	26 1/2"	2.6	RCDHMR84301() () ()	1,700.	2,860.	3,290.	4,276.
	30"	96"	26 1/2"	2.8	RCDHMR96301() () ()	1,756.	2,955.	3,399.	4,418.
	36"	60"	26 1/2"	1.8	RCDHMR60361() () ()	1,661.	2,796.	3,215.	4,180.
	36"	72"	26 1/2"	2.1	RCDHMR72361() () ()	1,733.	2,916.	3,354.	4,361.
	36"	84"	26 1/2"	2.6	RCDHMR84361() () ()	1,804.	3,036.	3,491.	4,539.
	36"	96"	26 1/2"	2.8	RCDHMR96361() () ()	1,866.	3,141.	3,612.	4,695.

Order Code	Specification Information	Application Notes
Example: RCDHMR60301	<i>To order please specify pattern number including:</i>	<p>Classic Desks ship knocked down, with all hardware.</p> <p>Worksurface is 1 1/2" thick.</p> <p>Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.</p> <p>Lower storage sold separately.</p> <p>26 1/2" high desk will only work with 26 1/2" high lower storage.</p> <p>28 3/8" high desk will only work with 28 3/8" high lower storage.</p> <p>Classic desks with half recessed modesty, accepts <u>NO</u> lower storage.</p> <p>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Product on this page Excluding any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p>
R	Reff	
CD	Classic Desk	
HMR	Half Modesty Recessed	
60	Width	
30	Depth	
1	26 1/2" high, 2 = 28 3/8" high	
()	Grommet Option	
()	Grommet Finish	
()	Finish	
	1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet	
	2. Grommet Finish: Painted or Plated	
	3. Finish: L,V1,V2,V3	

Classic Desks


With Quarter Recessed Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	RCDQMR60301 () () ()	\$1,497.	\$2,519.	\$2,898.	\$3,767.
	30"	72"	26 1/2"	RCDQMR72301 () () ()	1,554.	2,616.	3,008.	3,900.
	30"	84"	26 1/2"	RCDQMR84301 () () ()	1,608.	2,707.	3,113.	4,046.
	30"	96"	26 1/2"	RCDQMR96301 () () ()	1,655.	2,786.	3,204.	4,165.
	36"	60"	26 1/2"	RCDQMR60361 () () ()	1,591.	2,679.	3,080.	4,004.
	36"	72"	26 1/2"	RCDQMR72361 () () ()	1,654.	2,783.	3,201.	4,161.
	36"	84"	26 1/2"	RCDQMR84361 () () ()	1,712.	2,883.	3,314.	4,308.
	36"	96"	26 1/2"	RCDQMR96361 () () ()	1,766.	2,971.	3,417.	4,442.

Order Code	Specification Information	Application Notes
Example: RCDQMR60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
R Reff	1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet	Worksurface is 1 1/2" thick.
CD Classic Desk	2. Grommet Finish: Painted or Plated	Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
QMR Quarter Modesty Recessed	3. Finish: L,V1,V2,V3	Lower storage sold separately.
60 Width		26 1/2" high desk will only work with 26 1/2" high lower storage.
30 Depth		28 3/8" high desk will only work with 28 3/8" high lower storage.
1 26 1/2" high, 2 = 28 3/8" high		Classic desks with quarter recessed modesty accepts <u>NO</u> lower storage.
() Grommet Option		Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
() Grommet Finish		Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
() Finish		

Classic Desks

With Full Flush Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	RCDFMF60301 () ()	\$1,616.	\$2,720.	\$3,128.	\$4,067.
	30"	72"	26 1/2"	RCDFMF72301 () ()	1,696.	2,855.	3,283.	4,268.
	30"	84"	26 1/2"	RCDFMF84301 () ()	1,771.	2,980.	3,427.	4,456.
	30"	96"	26 1/2"	RCDFMF96301 () ()	1,840.	3,097.	3,562.	4,630.
	36"	60"	26 1/2"	RCDFMF60361 () ()	1,616.	2,720.	3,128.	4,067.
	36"	72"	26 1/2"	RCDFMF72361 () ()	1,696.	2,855.	3,283.	4,268.
	36"	84"	26 1/2"	RCDFMF84361 () ()	1,771.	2,980.	3,427.	4,456.
	36"	96"	26 1/2"	RCDFMF96361 () ()	1,840.	3,097.	3,562.	4,630.

Order Code

Example:	RCDFMF60301
R	Reff
CD	Classic Desk
FMF	Full Modesty Flush
60	Width
30	Depth
1	26 1/2" high, 2 = 28 3/8" high
()	Grommet Option
()	Grommet Finish
()	Finish

Specification Information

To order please specify pattern number including:

- Grommet Option
F=Flush or Standard Corner location
N=No Grommet
R=Recessed Grommet
- Grommet Finish:
Painted or Plated
- Finish: L,V1,V2,V3

Application Notes

Classic Desks ship knocked down, with all hardware.

Worksurface is 1 1/2" thick.

Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.

Lower storage sold separately.

26 1/2" high desk will only work with 26 1/2" high lower storage.

28 3/8" high desk will only work with 28 3/8" high lower storage.


30" deep desk with flush modesty can accept up to 29" deep pedestals.


36" deep desk with flush modesty can accept up to 30" deep pedestals.


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Single pedestal desks
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W) ()1() () () () ()	\$2,701.	\$3,091.	\$3,662.	\$2,855.	\$3,245.	\$3,813.
	72"	30"	RDSP7230J(A,B,W) ()1() () () () ()	2,808.	3,249.	3,813.	2,962.	3,401.	3,967.
	84"	30"	RDSP8430J(A,B,W) ()1() () () () ()	2,946.	3,431.	4,040.	3,100.	3,583.	4,193.
	96"	30"	RDSP9630J(A,B,W) ()1() () () () ()	3,066.	3,593.	4,250.	3,218.	3,746.	4,403.


Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W) ()1() () () () ()	2,865.	3,278.	3,973.	3,088.	3,498.	4,194.
	72"	36"	RDSP7236J(A,B,W) ()1() () () () ()	2,997.	3,480.	4,180.	3,218.	3,702.	4,401.
	84"	36"	RDSP8436J(A,B,W) ()1() () () () ()	3,130.	3,695.	4,394.	3,352.	3,915.	4,614.
	96"	36"	RDSP9636J(A,B,W) ()1() () () () ()	3,251.	3,906.	4,600.	3,470.	4,125.	4,822.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W) ()1() () () () ()	3,535.	3,786.	5,044.	3,755.	4,008.	5,263.
	72"	30"	RBSP7230J(A,B,W) ()1() () () () ()	3,656.	3,934.	5,324.	3,878.	4,155.	5,544.
	84"	30"	RBSP8430J(A,B,W) ()1() () () () ()	3,847.	4,151.	5,685.	4,067.	4,373.	5,907.
	96"	30"	RBSP9630J(A,B,W) ()1() () () () ()	4,023.	4,364.	6,066.	4,242.	4,585.	6,287.


Preconfigured Reff
Deskings

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 1 = V1	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = D-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.
R Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
Y316 Finish		
111 Pull Finish		
111 Grommet Finish		

Single pedestal desks
27³/₄" high overall
V2 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W) ()2() () () () ()	\$2,969.	\$3,398.	\$4,026.	\$3,139.	\$3,566.	\$4,192.
	72"	30"	RDSP7230J(A,B,W) ()2() () () () ()	3,088.	3,571.	4,192.	3,256.	3,739.	4,363.
	84"	30"	RDSP8430J(A,B,W) ()2() () () () ()	3,237.	3,772.	4,443.	3,407.	3,938.	4,610.
	96"	30"	RDSP9630J(A,B,W) ()2() () () () ()	3,369.	3,950.	4,674.	3,537.	4,119.	4,841.


Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W) ()2() () () () ()	3,150.	3,604.	4,369.	3,394.	3,846.	4,611.
	72"	36"	RDSP7236J(A,B,W) ()2() () () () ()	3,295.	3,826.	4,596.	3,537.	4,069.	4,839.
	84"	36"	RDSP8436J(A,B,W) ()2() () () () ()	3,441.	4,063.	4,833.	3,684.	4,304.	5,075.
	96"	36"	RDSP9636J(A,B,W) ()2() () () () ()	3,573.	4,294.	5,057.	3,816.	4,536.	5,301.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W) ()2() () () () ()	3,886.	4,164.	5,546.	4,129.	4,406.	5,787.
	72"	30"	RBSP7230J(A,B,W) ()2() () () () ()	4,020.	4,327.	5,855.	4,264.	4,568.	6,097.
	84"	30"	RBSP8430J(A,B,W) ()2() () () () ()	4,230.	4,563.	6,254.	4,473.	4,807.	6,494.
	96"	30"	RBSP9630J(A,B,W) ()2() () () () ()	4,422.	4,797.	6,670.	4,664.	5,042.	6,913.

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	6. Lock option:	30"D rectilinear desk pedestals are 24"D including modesty panel.
SP Single pedestal	L = Locks are always drilled for lock	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	8. Pull Finish: Painted or plated	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	9. Grommet finish: Painted or plated	All desks are non-handed.
A 1 1/4" regular edge top	Applicable finishes are listed on page 5 and 6.	All hardware included.
R Recessed grommets	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.	All waterfall desks have waterfall detail on front and back.
2 Finish type	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
W Wood interiors		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
J Routed pulls		
L Lock		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

Single pedestal desks
27³/₄" high overall
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W) ()3() () () () ()	\$3,706.	\$4,241.	\$5,028.	\$3,917.	\$4,452.	\$5,235.
	72"	30"	RDSP7230J(A,B,W) ()3() () () () ()	3,854.	4,458.	5,235.	4,065.	4,668.	5,447.
	84"	30"	RDSP8430J(A,B,W) ()3() () () () ()	4,042.	4,709.	5,548.	4,252.	4,918.	5,757.
	96"	30"	RDSP9630J(A,B,W) ()3() () () () ()	4,208.	4,932.	5,837.	4,417.	5,144.	6,047.


Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W) ()3() () () () ()	3,932.	4,499.	5,455.	4,237.	4,802.	5,758.
	72"	36"	RDSP7236J(A,B,W) ()3() () () () ()	4,113.	4,777.	5,740.	4,417.	5,082.	6,044.
	84"	36"	RDSP8436J(A,B,W) ()3() () () () ()	4,297.	5,073.	6,035.	4,600.	5,374.	6,337.
	96"	36"	RDSP9636J(A,B,W) ()3() () () () ()	4,460.	5,362.	6,317.	4,764.	5,665.	7,076.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W) ()3() () () () ()	4,853.	5,199.	6,928.	5,155.	5,503.	7,230.
	72"	30"	RBSP7230J(A,B,W) ()3() () () () ()	5,019.	5,402.	7,313.	5,323.	5,706.	7,615.
	84"	30"	RBSP8430J(A,B,W) ()3() () () () ()	5,283.	5,701.	7,811.	5,585.	6,004.	8,115.
	96"	30"	RBSP9630J(A,B,W) ()3() () () () ()	5,522.	5,991.	8,333.	5,826.	6,297.	8,637.


Preconfigured Reff
Deskings

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 3 = V3	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.
R Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
3 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

Double pedestal desks
27³/₄" high overall
V1 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)()1() () () () ()	\$3,486.	\$3,876.	\$4,446.	\$3,823.	\$4,212.	\$4,784.
	72"	30"	RDDP7230JK(A,B,W)()1() () () () ()	3,596.	4,033.	4,599.	3,931.	4,371.	4,936.
	84"	30"	RDDP8430JK(A,B,W)()1() () () () ()	3,731.	4,215.	4,825.	4,067.	4,550.	5,160.
	96"	30"	RDDP9630JK(A,B,W)()1() () () () ()	3,851.	4,379.	5,035.	4,187.	4,715.	5,370.


 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)()1() () () () ()	3,706.	4,118.	4,810.	3,706.	4,572.	5,266.
	72"	36"	RDDP7236JK(A,B,W)()1() () () () ()	3,837.	4,320.	5,018.	4,291.	4,774.	5,473.
	84"	36"	RDDP8436JK(A,B,W)()1() () () () ()	3,969.	4,533.	5,232.	4,424.	4,988.	5,685.
	96"	36"	RDDP9636JK(A,B,W)()1() () () () ()	4,088.	4,743.	5,438.	4,544.	5,198.	5,893.


 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)()1() () () () ()	4,125.	4,378.	5,632.	4,581.	4,832.	6,088.
	72"	30"	RBDP7230JK(A,B,W)()1() () () () ()	4,246.	4,525.	5,915.	4,700.	4,979.	6,367.
	84"	30"	RBDP8430JK(A,B,W)()1() () () () ()	4,438.	4,741.	6,276.	4,891.	5,196.	6,730.
	96"	30"	RBDP9630JK(A,B,W)()1() () () () ()	4,612.	4,953.	6,656.	5,067.	5,407.	7,109.

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 1 = V1	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.
R Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		

Double pedestal desks
27³/₄" high overall
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)()2() () () () ()	\$3,832.	\$4,262.	\$4,889.	\$4,202.	\$4,631.	\$5,259.
	72"	30"	RDDP7230JK(A,B,W)()2() () () () ()	3,953.	4,435.	5,056.	4,322.	4,805.	5,426.
	84"	30"	RDDP8430JK(A,B,W)()2() () () () ()	4,102.	4,634.	5,306.	4,473.	5,003.	5,675.
	96"	30"	RDDP9630JK(A,B,W)()2() () () () ()	4,234.	4,814.	5,537.	4,603.	5,185.	5,907.


 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)()2() () () () ()	4,075.	4,527.	5,290.	4,574.	5,027.	5,791.
	72"	36"	RDDP7236JK(A,B,W)()2() () () () ()	4,219.	4,750.	5,518.	4,718.	5,250.	6,019.
	84"	36"	RDDP8436JK(A,B,W)()2() () () () ()	4,366.	4,984.	5,753.	4,864.	5,486.	6,254.
	96"	36"	RDDP9636JK(A,B,W)()2() () () () ()	4,495.	5,215.	5,980.	4,996.	5,715.	6,480.


 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)()2() () () () ()	4,536.	4,813.	6,194.	5,037.	5,312.	6,694.
	72"	30"	RBDP7230JK(A,B,W)()2() () () () ()	4,669.	4,975.	6,505.	5,167.	5,474.	7,002.
	84"	30"	RBDP8430JK(A,B,W)()2() () () () ()	4,879.	5,213.	6,901.	5,378.	5,713.	7,401.
	96"	30"	RBDP9630JK(A,B,W)()2() () () () ()	5,071.	5,448.	7,319.	5,571.	5,946.	7,817.


Preconfigured Reff
Deskings

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 2 = V2	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6. Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions. These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
A 1 1/4" regular edge top		30"D rectilinear desk pedestals are 24"D including modesty panel. 36"D rectilinear desk pedestals are 30"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
R Recessed grommet option		Bowed front desk pedestals are 30"D with finished backs.
2 Finish type		All desks are non-handed.
W Wood interior option		All hardware included.
J Pull option		All waterfall desks have waterfall detail on front and back.
L Lock option		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

Double pedestal desks
27³/₄" high overall
V3 finish options




description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)()3() () () () ()	\$4,787.	\$5,320.	\$6,105.	\$5,249.	\$5,783.	\$6,569.
	72"	30"	RDDP7230JK(A,B,W)()3() () () () ()	4,936.	5,539.	6,316.	5,397.	6,001.	6,779.
	84"	30"	RDDP8430JK(A,B,W)()3() () () () ()	5,122.	5,787.	6,626.	5,585.	6,249.	7,088.
	96"	30"	RDDP9630JK(A,B,W)()3() () () () ()	5,287.	6,014.	6,916.	5,750.	6,476.	7,378.

 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)()3() () () () ()	5,088.	5,653.	6,608.	5,711.	6,277.	7,235.
	72"	36"	RDDP7236JK(A,B,W)()3() () () () ()	5,268.	5,932.	6,892.	5,892.	6,557.	7,519.
	84"	36"	RDDP8436JK(A,B,W)()3() () () () ()	5,451.	6,226.	7,186.	6,074.	6,851.	7,811.
	96"	36"	RDDP9636JK(A,B,W)()3() () () () ()	5,614.	6,514.	7,469.	6,239.	7,140.	8,095.

 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)()3() () () () ()	5,665.	6,013.	7,738.	6,292.	6,634.	8,363.
	72"	30"	RBDP7230JK(A,B,W)()3() () () () ()	5,832.	6,213.	8,125.	6,454.	6,839.	8,748.
	84"	30"	RBDP8430JK(A,B,W)()3() () () () ()	6,095.	6,512.	8,621.	6,717.	7,137.	9,247.
	96"	30"	RBDP9630JK(A,B,W)()3() () () () ()	6,333.	6,803.	9,143.	6,959.	7,427.	9,768.

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	6. Lock option:	30"D rectilinear desk pedestals are 24"D including modesty panel.
DP Double pedestal	L = Locks are always drilled for lock	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	8. Pull Finish: Painted or plated	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	9. Grommet finish: Painted or plated	All desks are non-handed.
A 1 1/4" regular edge top	Applicable finishes are listed on page 5 and 6.	All hardware included.
R Recessed grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.	All waterfall desks have waterfall detail on front and back.
3 Finish type	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
W Wood interior option	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
J Pull option	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
L Lock option	3. Finish type: 3 = V3	
V512 Finish	4. Interior option: M = Metal W = Wood	
111 Pull Finish	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
111 Grommet Finish		




Desk returns
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)()1() () () () ()	\$1,986.	\$2,297.	\$2,900.	\$2,170.	\$2,480.	\$3,083.
	42"	24"	RRSP4224K(A,B,W)()1() () () () ()	2,036.	2,387.	2,976.	2,220.	2,569.	3,160.
	48"	24"	RRSP4824K(A,B,W)()1() () () () ()	2,122.	2,498.	3,133.	2,304.	2,681.	3,317.
	54"	24"	RRSP5424K(A,B,W)()1() () () () ()	2,179.	2,559.	3,258.	2,362.	2,742.	3,441.
	60"	24"	RRSP6024K(A,B,W)()1() () () () ()	2,234.	2,616.	3,389.	2,417.	2,800.	3,574.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)()1() () () () ()	2,112.	2,458.	3,140.	2,347.	2,691.	3,371.
	42"	30"	RRSP4230K(A,B,W)()1() () () () ()	2,170.	2,540.	3,234.	2,402.	2,771.	3,469.
	48"	30"	RRSP4830K(A,B,W)()1() () () () ()	2,260.	2,636.	3,398.	2,492.	2,870.	3,632.
	54"	30"	RRSP5430K(A,B,W)()1() () () () ()	2,326.	2,699.	3,559.	2,558.	2,931.	3,790.
	60"	30"	RRSP6030K(A,B,W)()1() () () () ()	2,367.	2,754.	3,642.	2,600.	2,988.	3,878.
 End panel return	36"	24"	RREP3624(A,B,W)()1() ()				1,201.	1,511.	2,115.
	42"	24"	RREP4224(A,B,W)()1() ()				1,252.	1,601.	2,193.
	48"	24"	RREP4824(A,B,W)()1() ()				1,336.	1,712.	2,348.
	54"	24"	RREP5424(A,B,W)()1() ()				1,395.	1,775.	2,474.
	60"	24"	RREP6024(A,B,W)()1() ()				1,449.	1,831.	2,604.
	36"	30"	RREP3630(A,B,W)()1() ()				1,275.	1,619.	2,300.
	42"	30"	RREP4230(A,B,W)()1() ()				1,330.	1,700.	2,396.
	48"	30"	RREP4830(A,B,W)()1() ()				1,420.	1,797.	2,559.
	54"	30"	RREP5430(A,B,W)()1() ()				1,486.	1,858.	2,720.
60"	30"	RREP6030(A,B,W)()1() ()				1,528.	1,915.	2,805.	

Preconfigured Reff
Deskings




Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 1 = V1	3. Finish type: 1 = V1
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		

Desk returns
27³/₄" high overall
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)(J)(X)(X)(X)(X)	\$2,184.	\$2,527.	\$3,190.	\$2,387.	\$2,729.	\$3,393.
	42"	24"	RRSP4224K(A,B,W)(J)(X)(X)(X)(X)	2,240.	2,625.	3,275.	2,443.	2,826.	3,476.
	48"	24"	RRSP4824K(A,B,W)(J)(X)(X)(X)(X)	2,335.	2,747.	3,447.	2,535.	2,948.	3,649.
	54"	24"	RRSP5424K(A,B,W)(J)(X)(X)(X)(X)	2,396.	2,815.	3,584.	2,599.	3,017.	3,785.
	60"	24"	RRSP6024K(A,B,W)(J)(X)(X)(X)(X)	2,456.	2,877.	3,728.	2,659.	3,080.	3,931.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)(J)(X)(X)(X)(X)	2,324.	2,705.	3,455.	2,582.	2,961.	3,709.
	42"	30"	RRSP4230K(A,B,W)(J)(X)(X)(X)(X)	2,387.	2,794.	3,559.	2,641.	3,049.	3,816.
	48"	30"	RRSP4830K(A,B,W)(J)(X)(X)(X)(X)	2,485.	2,900.	3,737.	2,741.	3,157.	3,995.
	54"	30"	RRSP5430K(A,B,W)(J)(X)(X)(X)(X)	2,559.	2,968.	3,914.	2,814.	3,225.	4,170.
	60"	30"	RRSP6030K(A,B,W)(J)(X)(X)(X)(X)	2,603.	3,028.	4,007.	2,860.	3,286.	4,266.
 End panel return	36"	24"	RREP3624(A,B,W)(J)(X)				1,322.	1,662.	2,327.
	42"	24"	RREP4224(A,B,W)(J)(X)				1,376.	1,762.	2,412.
	48"	24"	RREP4824(A,B,W)(J)(X)				1,470.	1,882.	2,584.
	54"	24"	RREP5424(A,B,W)(J)(X)				1,534.	1,952.	2,720.
	60"	24"	RREP6024(A,B,W)(J)(X)				1,594.	2,015.	2,865.
	36"	30"	RREP3630(A,B,W)(J)(X)				1,404.	1,781.	2,530.
	42"	30"	RREP4230(A,B,W)(J)(X)				1,464.	1,870.	2,636.
	48"	30"	RREP4830(A,B,W)(J)(X)				1,563.	1,977.	2,815.
	54"	30"	RREP5430(A,B,W)(J)(X)				1,636.	2,044.	2,992.
60"	30"	RREP6030(A,B,W)(J)(X)				1,679.	2,106.	3,084.	

Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 2 = V2	3. Finish type: 2 = V2
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
2 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		


Desk returns
27³/₄" high overall
V3 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24" d	36"	24"	RRSP3624K(A,B,W)()3() () () () ()	\$2,731.	\$3,158.	\$3,988.	\$2,982.	\$3,410.	\$4,241.
	42"	24"	RRSP4224K(A,B,W)()3() () () () ()	2,800.	3,282.	4,093.	3,053.	3,534.	4,346.
	48"	24"	RRSP4824K(A,B,W)()3() () () () ()	2,917.	3,435.	4,308.	3,170.	3,684.	4,560.
	60"	24"	RRSP6024K(A,B,W)()3() () () () ()	3,071.	3,598.	4,661.	3,324.	3,852.	4,914.
	54"	24"	RRSP5424K(A,B,W)()3() () () () ()	3,996.	3,520.	4,481.	3,250.	3,772.	4,733.
 Single pedestal return, 30" d	36"	30"	RRSP3630K(A,B,W)()3() () () () ()	2,905.	3,382.	4,318.	3,227.	3,701.	4,636.
	42"	30"	RRSP4230K(A,B,W)()3() () () () ()	2,982.	3,492.	4,448.	3,302.	3,811.	4,771.
	48"	30"	RRSP4830K(A,B,W)()3() () () () ()	3,107.	3,625.	4,672.	3,426.	3,946.	4,996.
	54"	30"	RRSP5430K(A,B,W)()3() () () () ()	3,200.	3,710.	4,893.	3,518.	4,032.	5,212.
	60"	30"	RRSP6030K(A,B,W)()3() () () () ()	3,255.	3,786.	5,008.	3,574.	4,109.	5,332.
 End panel return	36"	24"	RREP3624(A,B,W)()3() ()				1,651.	2,078.	2,910.
	42"	24"	RREP4224(A,B,W)()3() ()				1,720.	2,201.	3,015.
	48"	24"	RREP4824(A,B,W)()3() ()				1,839.	2,352.	3,229.
	54"	24"	RREP5424(A,B,W)()3() ()				1,918.	2,441.	3,400.
	60"	24"	RREP6024(A,B,W)()3() ()				1,992.	2,518.	3,580.
	36"	30"	RREP3630(A,B,W)()3() ()				1,754.	2,227.	3,162.
	42"	30"	RREP4230(A,B,W)()3() ()				1,829.	2,338.	3,295.
	48"	30"	RREP4830(A,B,W)()3() ()				1,953.	2,472.	3,520.
	54"	30"	RREP5430(A,B,W)()3() ()				2,044.	2,556.	3,739.
60"	30"	RREP6030(A,B,W)()3() ()				2,100.	2,633.	3,857.	


Preconfigured Reff
Deskings

Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 3 = V3	3. Finish type: 3 = V3
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
3 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

Single pedestal credenzas
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCSP6024K(A,B,W) ()1() () () () ()	\$2,566.	\$2,950.	\$3,146.	\$2,752.	\$3,133.	\$3,328.
	72"	24"	RCSP7224K(A,B,W) ()1() () () () ()	2,694.	3,109.	3,318.	2,877.	3,292.	3,502.
	84"	24"	RCSP8424K(A,B,W) ()1() () () () ()	2,825.	3,290.	3,503.	3,009.	3,474.	3,686.
	96"	24"	RCSP9624K(A,B,W) ()1() () () () ()	2,943.	3,455.	3,682.	3,125.	3,639.	3,864.


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCS3L6024K(A,B,W) ()1() () () () ()	2,707.	3,090.	3,284.	3,127.	3,510.	3,706.
	72"	24"	RCS3L7224K(A,B,W) ()1() () () () ()	2,834.	3,249.	3,458.	3,254.	3,670.	3,880.
	84"	24"	RCS3L8424K(A,B,W) ()1() () () () ()	2,965.	3,431.	3,642.	3,385.	3,851.	4,064.
	96"	24"	RCS3L9624K(A,B,W) ()1() () () () ()	3,081.	3,594.	3,823.	3,502.	4,015.	4,243.


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCS6L6024K(A,B,W) ()1() () () () ()	2,785.	3,168.	3,362.	3,513.	3,895.	4,091.
	72"	24"	RCS6L7224K(A,B,W) ()1() () () () ()	2,911.	3,326.	3,537.	3,640.	4,057.	4,265.
	84"	24"	RCS6L8424K(A,B,W) ()1() () () () ()	3,043.	3,509.	3,720.	3,772.	4,237.	4,450.
	96"	24"	RCS6L9624K(A,B,W) ()1() () () () ()	3,158.	3,673.	3,898.	3,889.	4,401.	4,628.


Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
SP Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
24 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
K File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
R Recessed grommet option	3. Finish type: 1 = V1	
1 Finish type	4. Interior option: M = Metal W = Wood	
W Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
J Pull option		
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Single pedestal credenzas
27³/₄" high overall
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W)()2() () () () ()	\$2,824.	\$3,245.	\$3,460.	\$3,025.	\$3,447.	\$3,661.
	72"	24"	RCSP7224K(A,B,W)()2() () () () ()	2,964.	3,420.	3,650.	3,165.	3,621.	3,853.
	84"	24"	RCSP8424K(A,B,W)()2() () () () ()	3,108.	3,619.	3,854.	3,311.	3,822.	4,057.
	96"	24"	RCSP9624K(A,B,W)()2() () () () ()	3,236.	3,801.	4,050.	3,437.	4,002.	4,250.


Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W)()2() () () () ()	2,977.	3,398.	3,613.	3,440.	3,861.	4,075.
	72"	24"	RCS3L7224K(A,B,W)()2() () () () ()	3,117.	3,573.	3,804.	3,578.	4,036.	4,268.
	84"	24"	RCS3L8424K(A,B,W)()2() () () () ()	3,261.	3,774.	4,007.	3,723.	4,235.	4,470.
	96"	24"	RCS3L9624K(A,B,W)()2() () () () ()	3,389.	3,954.	4,204.	3,853.	4,416.	4,668.


Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W)()2() () () () ()	3,061.	3,485.	3,699.	3,864.	4,285.	4,501.
	72"	24"	RCS6L7224K(A,B,W)()2() () () () ()	3,202.	3,658.	3,890.	4,005.	4,460.	4,691.
	84"	24"	RCS6L8424K(A,B,W)()2() () () () ()	3,347.	3,859.	4,092.	4,148.	4,660.	4,895.
	96"	24"	RCS6L9624K(A,B,W)()2() () () () ()	3,474.	4,039.	4,288.	4,278.	4,841.	5,090.


Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
SP Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
24 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
K File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
R Recessed grommet option	3. Finish type: 2 = V2	
2 Finish type	4. Interior option: M = Metal W = Wood	
W Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Single pedestal credenzas
27³/₄" high overall
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W) ()3() () () () ()	\$3,530.	\$4,057.	\$4,324.	\$3,782.	\$4,308.	\$4,577.
	72"	24"	RCSP7224K(A,B,W) ()3() () () () ()	3,705.	4,275.	4,562.	3,958.	4,527.	4,816.
	84"	24"	RCSP8424K(A,B,W) ()3() () () () ()	3,885.	4,525.	4,817.	4,138.	4,777.	5,070.
	96"	24"	RCSP9624K(A,B,W) ()3() () () () ()	4,046.	4,750.	5,063.	4,297.	5,003.	5,314.


Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W) ()3() () () () ()	3,722.	4,247.	4,516.	4,301.	4,827.	5,094.
	72"	24"	RCS3L7224K(A,B,W) ()3() () () () ()	3,895.	4,467.	4,754.	4,474.	5,046.	5,335.
	84"	24"	RCS3L8424K(A,B,W) ()3() () () () ()	4,076.	4,718.	5,008.	4,654.	5,294.	5,588.
	96"	24"	RCS3L9624K(A,B,W) ()3() () () () ()	4,237.	4,942.	5,256.	4,816.	5,521.	5,835.

Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W) ()3() () () () ()	3,827.	4,355.	4,623.	4,831.	5,358.	5,626.
	72"	24"	RCS6L7224K(A,B,W) ()3() () () () ()	4,002.	4,574.	4,864.	5,006.	5,576.	5,863.
	84"	24"	RCS6L8424K(A,B,W) ()3() () () () ()	4,182.	4,824.	5,115.	5,187.	5,824.	6,119.
	96"	24"	RCS6L9624K(A,B,W) ()3() () () () ()	4,344.	5,050.	5,360.	5,348.	6,052.	6,364.

Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	6. Lock option: L = Locks are always drilled for lock
RC Reff Credenza	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	7. Veneer finish
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	8. Pull Finish: Painted or plated
60 60" wide	3. Finish type: 3 = V3	9. Grommet finish: Painted or plated
24 24" deep	4. Interior option: M = Metal W = Wood	Applicable finishes are listed on page 5 and 6.
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.
A 1 1/4" regular edge top		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Recessed grommet option		
3 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Bridge assemblies
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()1()	\$860.	\$1,170.	\$1,176.
	42"	24"	RBR4224(A,B,W)()1()	911.	1,261.	1,853.
	48"	24"	RBR4824(A,B,W)()1()	996.	1,371.	2,007.
	36"	30"	RBR3630(A,B,W)()1()	916.	1,261.	1,942.
	42"	30"	RBR4230(A,B,W)()1()	970.	1,340.	2,038.
	48"	30"	RBR4830(A,B,W)()1()	1,061.	1,439.	2,203.

Preconfigured Reff
Deskings

Order Code

Example:	RBR3624 (A,B,W)
RBR	Reff Bridge Assembly
48	48" wide
30	30" deep
W	Waterfall edge 1 1/4"
A	1 1/4" regular edge top
F	Flush grommet option
1	Finish type
Y319	Finish
111	Grommet Finish

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Specification Information

To order, please specify pattern number including:

- Top thickness option:
A = 1 1/4"
B = 1 3/4"
C = 1 1/4" waterfall
- Grommet options:
F = Flush or standard corner location
N = No Grommet
R = Recessed
- Finish type:
1 = V1
- Finish: V1
- Grommet finish: Painted or plated


Applicable finishes are listed on page 5 and 6.

Application Notes

Bridge assemblies are non-handed.
All hardware included.
Waterfall option on all 3 sides.
Shipped with full height modesty.


Product on this page will accept wood grain laminate, where laminate is currently an option.

Bridge assemblies
 27³/₄" high overall
 V2 finish options

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	RBR3624(A,B,W)()2() ()	\$946.	\$1,287.	\$1,953.
	42"	24"	RBR4224(A,B,W)()2() ()	1,002.	1,387.	2,038.
	48"	24"	RBR4824(A,B,W)()2() ()	1,095.	1,508.	2,208.
	36"	30"	RBR3630(A,B,W)()2() ()	1,009.	1,387.	2,136.
	42"	30"	RBR4230(A,B,W)()2() ()	1,067.	1,475.	2,242.
	48"	30"	RBR4830(A,B,W)()2() ()	1,167.	1,583.	2,423.

Order Code	Specification Information	Application Notes
Example: RBR3624 (A,B,W)	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed. All hardware included. Waterfall option on all 3 sides. Shipped with full height modesty. Product on this page will accept wood grain laminate, where laminate is currently an option.
RBR Reff Bridge Assembly	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
48 48" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
30 30" deep	3. Finish type: 2 = V2	
W Waterfall edge 1 1/4"	4. Finish: V2	
A 1 1/4" regular edge top	5. Grommet finish: Painted or plated	
F Flush grommet option		
2 Finish type		
V316 Finish		
111 Grommet Finish		
S3L = Single 30"w lateral file	Applicable finishes are listed on page 5 and 6.	
S6L = Single 36"w lateral file		

Bridge assemblies
 27³/₄" high overall
 V3 finish options

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	RBR3624(A,B,W)()3() ()	\$1,182.	\$1,610.	\$2,442.
	42"	24"	RBR4224(A,B,W)()3() ()	1,253.	1,735.	2,549.
	48"	24"	RBR4824(A,B,W)()3() ()	1,370.	1,884.	2,760.
	36"	30"	RBR3630(A,B,W)()3() ()	1,260.	1,735.	2,669.
	42"	30"	RBR4230(A,B,W)()3() ()	1,334.	1,844.	2,803.
	48"	30"	RBR4830(A,B,W)()3() ()	1,460.	1,980.	3,027.

Preconfigured Reff
Deskings

Order Code

Example:	RBR3624 (A,B,W)
RBR	Reff Bridge Assembly
48	48" wide
30	30" deep
W	Waterfall edge 1 ¹ / ₄ "
A	1 ¹ / ₄ " regular edge top
F	Flush grommet option
3	Finish type
V512	Finish
111	Grommet Finish

S3L = Single 30" w lateral file
 S6L = Single 36" w lateral file

Specification Information

To order, please specify pattern number including:

- Top thickness option:
 A = 1¹/₄"
 B = 1³/₄"
 C = 1¹/₄" waterfall
- Grommet options:
 F = Flush or standard corner location
 N = No Grommet
 R = Recessed
- Finish type:
 3 = V3
- Finish: V3
- Grommet finish: Painted or plated

Applicable finishes are listed on page 5 and 6.

Application Notes


Bridge assemblies are non-handed.
 All hardware included.
 Waterfall option on all 3 sides.
 Shipped with full height modesty.


Product on this page will accept wood grain laminate, where laminate is currently an option.

Double pedestal credenzas


27³/₄" high overall

V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCDP6024K(A,B,W) ()1() () () () ()	\$3,355.	\$3,734.	\$3,930.	\$3,719.	\$4,101.	\$4,298.
	72"	24"	RCDP7224K(A,B,W) ()1() () () () ()	3,477.	3,893.	4,102.	3,452.	4,263.	4,472.
	84"	24"	RCDP8424K(A,B,W) ()1() () () () ()	3,611.	4,076.	4,288.	3,978.	4,442.	4,656.
	96"	24"	RCDP9624K(A,B,W) ()1() () () () ()	3,727.	4,239.	4,468.	4,095.	4,606.	4,833.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCD3L6024K(A,B,W) ()1() () () () ()	3,631.	4,014.	4,209.	4,473.	4,855.	5,050.
	84"	24"	RCD3L8424K(A,B,W) ()1() () () () ()	3,890.	4,355.	4,568.	4,730.	5,195.	5,407.
	96"	24"	RCD3L9624K(A,B,W) ()1() () () () ()	4,008.	4,517.	4,746.	4,847.	5,359.	5,589.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	72"	24"	RCD6L7224K(A,B,W) ()1() () () () ()	3,914.	4,329.	4,538.	5,371.	5,785.	5,995.
	96"	24"	RCD6L9624K(A,B,W) ()1() () () () ()	4,162.	4,673.	4,901.	5,619.	6,130.	6,360.

96" w shown; 72" w has no knee space


Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza		Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal		Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	All waterfall credenzas have waterfall detail on front only.
K File/file	3. Finish type: 1 = V1	
A 1 1/4" regular edge top	4. Interior option: M = Metal W = Wood	
R Recessed grommet option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
1 Finish type	6. Lock option: L = Locks are always drilled for lock	
W Wood interior option	7. Finish: V1	
J Pull option	8. Pull Finish: Painted or plated	
L Lock option	9. Grommet finish: Painted or plated	
Y319 Finish	Applicable finishes are listed on page 5 and 6.	
111 Pull Finish	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.	
111 Grommet Finish	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	


S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Double pedestal credenzas


27³/₄" high overall

V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCDP6024K(A,B,W) ()2() () () () ()	\$3,689.	\$4,108.	\$4,323.	\$4,091.	\$4,512.	\$4,728.
	72"	24"	RCDP7224K(A,B,W) ()2() () () () ()	3,826.	4,283.	4,514.	4,230.	4,688.	4,917.
	84"	24"	RCDP8424K(A,B,W) ()2() () () () ()	3,971.	4,484.	4,718.	4,375.	4,887.	5,120.
	96"	24"	RCDP9624K(A,B,W) ()2() () () () ()	4,099.	4,662.	4,914.	4,505.	5,066.	5,317.

	60"	24"	RCD3L6024K(A,B,W) ()2() () () () ()	3,994.	4,415.	4,631.	4,919.	5,342.	5,555.
	84"	24"	RCD3L8424K(A,B,W) ()2() () () () ()	4,279.	4,792.	5,025.	5,204.	5,715.	5,949.
	96"	24"	RCD3L9624K(A,B,W) ()2() () () () ()	4,408.	4,969.	5,220.	5,333.	5,895.	6,148.

96" w shown; 60" w has no knee space

	72"	24"	RCD6L7224K(A,B,W) ()2() () () () ()	4,304.	4,761.	4,993.	5,910.	6,365.	6,594.
	96"	24"	RCD6L9624K(A,B,W) ()2() () () () ()	4,578.	5,141.	5,392.	6,180.	6,744.	6,995.

96" w shown; 72" w has no knee space


Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza		Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	3. Finish type: 2 = V2	All waterfall credenzas have waterfall detail on front only.
K File/file	4. Interior option: M = Metal W = Wood	
A 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
R Recessed grommet option	6. Lock option: L = Locks are always drilled for lock	
2 Finish type	7. Finish: V1	
W Wood interior option	8. Pull Finish: Painted or plated	
J Pull option	9. Grommet finish: Painted or plated	
L Lock option	Applicable finishes are listed on page 5 and 6.	
V316 Finish	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.	
111 Pull Finish	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
111 Grommet Finish		


S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Double pedestal credenzas


27³/₄" high overall

V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCDP6024K(A,B,W) ()3() () () () ()	\$4,612.	\$5,135.	\$5,403.	\$5,113.	\$5,641.	\$5,911.
	72"	24"	RCDP7224K(A,B,W) ()3() () () () ()	4,783.	5,354.	5,642.	5,288.	5,860.	6,148.
	84"	24"	RCDP8424K(A,B,W) ()3() () () () ()	4,964.	5,605.	5,896.	5,468.	6,108.	6,403.
	96"	24"	RCDP9624K(A,B,W) ()3() () () () ()	5,124.	5,828.	6,142.	5,631.	6,333.	6,646.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCD3L6024K(A,B,W) ()3() () () () ()	4,994.	5,519.	5,789.	6,151.	6,677.	6,943.
	84"	24"	RCD3L8424K(A,B,W) ()3() () () () ()	5,349.	5,989.	6,281.	6,505.	7,144.	7,436.
	96"	24"	RCD3L9624K(A,B,W) ()3() () () () ()	5,510.	6,211.	6,525.	6,666.	7,368.	7,684.


96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	RCD6L7224K(A,B,W) ()3() () () () ()	5,381.	5,951.	6,239.	7,387.	7,956.	8,243.
	96"	24"	RCD6L9624K(A,B,W) ()3() () () () ()	5,720.	6,427.	6,739.	7,727.	8,429.	8,744.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza		
DP Double Pedestal		Credenzas with lateral files or pedestals are non handed.
60 60" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
24 24" deep	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
K File/file	3. Finish type: 3 = V3	All waterfall credenzas have waterfall detail on front only.
A 1 1/4" regular edge top	4. Interior option: M = Metal W = Wood	
R Recessed grommet option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
3 Finish type	6. Lock option: L = Locks are always drilled for lock	
W Wood interior option	7. Finish: V3	
J Pull option	8. Pull Finish: Painted or plated	
L Lock option	9. Grommet finish: Painted or plated	
V512 Finish	Applicable finishes are listed on page 5 and 6.	
111 Pull Finish	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 348 for keying instructions.	
111 Grommet Finish	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	

S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

description	w	d	th	pattern no.	A	B	C	D	E	F	G	H	I
 Lower Credenza Cushion Top	30"	18"	1 1/4"	RLCCT3018()	\$375.	\$407.	\$430.	\$467.	\$477.	\$522.	\$550.	\$597.	\$674.
	30"	22"	1 1/4"	RLCCT3022()	382.	414.	437.	474.	484.	529.	557.	604.	680.
	36"	18"	1 1/4"	RLCCT3618()	393.	425.	449.	485.	495.	540.	569.	616.	692.
	36"	22"	1 1/4"	RLCCT3622()	402.	434.	457.	494.	504.	549.	577.	624.	701.

Preconfigured Reff
Deskings

Order Code	Specification Information	Application Notes
<i>Example:</i> RLCCT3018	To order please specify pattern number including: 1. Fabric : See matrix on page 6.	These Cushions are for use on lower credenzas only. 18" deep cushions recommended to be used on 20" credenzas 22" deep cushions recommended to be used on 24" credenzas tops Suitable only for the lower credenza
R Reff		
LC Lower Credenza		
CT Cushion Top		
30 Width		
18 18" deep		
Fabric		

J-Wire Troughs are available in two types, Wall Mount & Under Mount. Wall mount J-wire troughs may be attached to both architectural walls and fixed modesty panels. Under mount J-wire troughs may be attached directly under worksurfaces.

Both types are available in 6" increments, in lengths ranging from 24" to 72". Troughs are 3" high by 3" deep. They are constructed of 18-gauge cold rolled steel. Wall mount is available in black. Under mount is available in all Reff Profiles core paint finishes.

Application notes:

Wires may run along the length of the trough and may exit at the trough ends or over the open front of the trough at any point. Under mount troughs also have a 1 1/2" diameter, U-shaped mouse hole for wire entry/exit.

Wall mount J-wire troughs are attached to a vertical surface such as a full modesty panel, suspended modesty panel, or architectural wall. Refer to Figure 1 and 2.

Fasteners are not included with wall mount J-wire troughs. Attachment fasteners should be selected with consideration given to the vertical surface's material type and thickness. Care should be taken so that screws will not protrude through or damage the visitor side of a modesty panel.




Figure 1: Partial Height Modesty Applications

Figure 2: Wire Trough Wall Mounted Applications

Under mount J-wire troughs have two tabs at the top that allow them to be attached to the underside of a worksurface. Wood screws are included with under mount J-wire troughs.

Under mount J-wire troughs are designed to work with worksurfaces specified with flush, recessed, edge or no grommets. When edge grommets are specified, the trough is attached

with the opening towards the wall which will enable the ability to run wires anywhere along the opening in the worksurface while still allowing the ability to run wires through the grommet of the wire manager. Refer to Figure 5.

Under mount J-wire troughs may be specified when a desk screen (i.e. Antenna) is to be used as a modesty panel. Refer to Figure 6.

The width of the J-wire trough should be specified so that the trough spans and falls beneath grommet locations, but does not interfere with leg or pedestal positions. (i.e. A 72" w double letter-wide pedestal desk with flush grommets would be get a 36" trough.) Refer to Figure 3 and 4.

Wire troughs may not be used to stiffen a worksurface.




Figure 3: Peninsula




Figure 4: Top with Desktop Grommet




Figure 5: Top with Edge Grommet




Figure 6: Desk Screen

Accessories and Client Samples

The wire manager for credenza may be specified for use with a 1" or 1 ½" thick credenza top with edge grommet. Wires, transformers, or personal accessory chargers may then be pushed off the worksurface, but will not drop all the way to the floor.


The wire manager for credenza top is 24" wide, 1" high and 1 ¼" deep, and will fit any standard width credenza top with edge grommet. It is constructed of 24-gauge cold rolled steel and is available in black.

Application notes:


The wire manager for credenza is intended to be mounted to the inside edge of the edge grommet. Wires may run along the length of the trough, exiting at the trough ends between the trough and the un-notched portion of the worksurface top.

Note: There will be a visible black lip (approx. 1/8" wide) at the edge of the worksurface where the wire manager is mounted.


For installation, wood screws and double sided tape are included with the wire manager.



Application of Wire Manager for Credenza Top










Wire Manager Dimensions



Wire Manager

Accessories


cabinet extras and undermount accessories

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$74.
	29"	17"		RCABT2917						124.
Cabinet coat rod 	Half of 30" cabinets			RCACR30H						72.
	Half of 36" cabinets			RCACR36H						79.
	16" cabinets			RCACR16						74.
	30" cabinets			RCACR30						99.
	36" cabinets			RCACR36						111.
Articulated keyboard arm 	10" x 22 1/4" keyboard tray			RKBA1022()						882.
	10" x 20" keyboard tray			RKBA1020()						882.
Available in laminate, techwood (V1), or veneer (V2)										
CRT turntable 	31" diameter			RKT31						545.
Pencil drawer used under worktop 	16"	17"	1"	RPAD-()		305.	542.	542.	702.	
	Specify wood or laminate finish									
Reff Profiles Spacer kit for Pencil drawer				RPADKIT						33.
Wall rails (paint options only) 	-	-	8 7/8"	RWHRA-()						38.
	-	-	17 5/8"	RWHRB-()						41.
	-	-	18 1/4"	RWHRC-()						41.
	-	-	21 1/16"	RWHRD-()						43.
	-	-	22"	RWHRE-()						43.
	-	-	59 1/2"	RWHRF-()						97.
	-	-	67"	RWHRG-()						97.
Striplight (black only) for transaction tops 	26"	2"	2"	RCASL						345.

Accessories and Client Samples






Order Code	Specification Information	Application Notes
Example: RCABT1417	<i>To order please specify pattern number including:</i> 1. Finish, where applicable	See Reff Planning Guide for more information. Pencil drawer includes slides. Applicable finishes are listed on page 5 and 6.
R Reff		
CA Cabinet		
BT Boot tray		
14 Width		
17 Depth	Note: The spacer kit (RPADKIT) is required to mount pencil drawer (RPAD) to a table with an open frame leg.	

Accessories
presentation samples
Worksurfaces

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Presentation wood sample, 16" x 16"	16"	16"	–	RSAMP1616-() ()	\$134.	\$191.	\$246.	\$285.	
	Optional edge details available								
Presentation stackable/tiled mini panel (for demonstrations)	24"	–	34"	R3SMP () ()					1,100.
	Specify trim profile, base height, base type and applicable finishes								
Presentation monolithic mini panel	4"H base			RR3MP4 ()					602.
	6"H base			RR3MP6 ()					644.
	Specify trim profile and applicable finishes								
Presentation worksurface cutaway sample	12"	12"	1 1/4"	RTOP2 ()	110.	168.	224.	264.	
	12"	12"	1 3/4"	RTOP1 ()	110.	168.	224.	264.	
Presentation waterfall edge sample	11"	8 1/2"		R921655 ()					335.
Sample, cascade edge worksurface	12"	12"		RCE1R1212G	125.				
									
Rangeboard	27"	12"	1 1/4"	RRBRD2712 ()					302.
	Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)								

Order Code	Specification Information	Specification Information
Example: RWHRA ()	<i>To order please specify pattern number including:</i> 1. Finish, where applicable	See Reff Planning Guide for more information. Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613) Specify board finish in laminate, techwood, conventional or laminate with a wood edge.
R Reff		
WH Wall Hung		
R Rails		
A Height		
() Paint options only		Specify edge detail if applicable for presentation wood samples. Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. The wall rails will accept <u>two sets</u> of brackets for panel hung components.

Accessories
presentation samples
Pull Samples

description	type	w	d	pattern no.	L	V1	V2	V3
Presentation drawer front with pull samples	Grommet pull	8"	8"	RPULLSMPG() ()	\$145.	\$184.	\$199.	\$230.
								
	Bar pull	8"	8"	RPULLSMPF() ()	145.	184.	199.	230.
								
	Outline pull	8"	8"	RPULLSMPH() ()	145.	184.	199.	230.
								
	Cylinder pull	8"	8"	RPULLSMPR() ()	145.	184.	199.	230.
								
	Tab pull	8"	8"	RPULLSMPT() ()	145.	184.	199.	230.
								

Accessories and Client Samples

Presentation metal D-pull sample board
 Includes 6 different color handles; (PT, 111, 118, 611, 612, 613). Optional veneer for board

R917762 ()

Order Code

Example:	RPULLSMPG() ()
R	Reff Profiles
PULL	Pull
SM	Sample
PG	Pull Grommet

Specification Information

To order please specify pattern number including:







1. Drawer Front finish:
Wood or Laminate
2. Pull Finish:
Painted or plated

Applicable finishes are listed on page 5 and 6

Product on this page will accept wood grain laminate, where laminate is currently an option.

Accessories

wire management

description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	RWMWT24	\$43.
	30"	4 1/2"	5 3/4"	RWMWT30	49.
	36"	4 1/2"	5 3/4"	RWMWT36	54.
	Available black only				
 Hinged vertical wire	24"	1"	3/8"	RWMV24 ()	35.
	Ships with overdesk unit. Specify paint finish.				
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	RWMMP24	38.
	30"	2 1/2"	1 1/4"	RWMMP30	43.
	36"	2 1/2"	1 1/4"	RWMMP36	44.
	Available black only				
 Panel-hung vertical wire	24"	–	–	RWMVP24	35.
	not available in finish codes: 112,116,117,611, 612, 613				
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	41.
	30"	1 1/2"	3/4"	RWMVH30	45.
	36"	1 1/2"	3/4"	RWMVH36	49.
	Available black only				
 Power bar, fits into wire manager				RWMPB	149.
Replacement hardware	Top to endpanel disk			RBDD	5.
	Top to workwall endpanel disk			RBDW	5.
	Panel to endpanel bracket			RBPE(L/R)()	20.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Order Code	Specification Information	Application Notes
Example: RWMWT24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 5. Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.
R Reff	1. Pattern number	
WM Wire Manager	2. Finish: painted finishes, where applicable	
W Wall and Modesty mount		
T Top Mount		
24 Width		

Accessories

wire management

description	w	d	h	pattern no.	list price
-------------	---	---	---	-------------	------------


Flexible Vertical Wire Manager with Functional height range; for 26 1/2" and 28 3/8"H				RWMVF	\$130.
---	--	--	--	--------------	--------

*translucent with metallic silver base (613)




* Tree wire manager package of 10 2 shipped per panel	2"			RBWM	11.
--	----	--	--	-------------	-----

used in Beltway

J-Wire Trough Wall Mount 	24"			RJBW24()	64.
	30"			RJBW30()	66.
	36"			RJBW36()	72.
	42"			RJBW42()	85.
	48"			RJBW48()	90.
	54"			RJBW54()	92.
	60"			RJBW60()	93.
	66"			RJBW66()	105.
	72"			RJBW72()	106.

*Installation Instruction Sheet: 6TP00078

J-Wire Trough Under Mount 	24"			RJBU24()	78.
	30"			RJBU30()	80.
	36"			RJBU36()	87.
	42"			RJBU42()	100.
	48"			RJBU48()	107.
	54"			RJBU54()	109.
	60"			RJBU60()	111.
	66"			RJBU66()	123.
	72"			RJBU72()	125.

*Installation Instruction Sheet: 6TP00079

*Available in painted colors.

Order Code	Specification Information	Application Notes
Example: RMMWT24	<i>To order please specify:</i> 1. Pattern number 2. Finish: painted finishes, where applicable	Specify color for hinged vertical wire management only from paint finish list on page 5. Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.
R Reff		
WM Wire Manager		
W Wall and Modesty mount		
T Top Mount		
24 Width		


Accessories and Client Samples

Accessories


wire management

description	w	d	h	pattern no.	list price
-------------	---	---	---	-------------	------------

Wire manager for credenza top	24"			RWMCT24	\$128.
-------------------------------	-----	--	--	----------------	--------




Cable Basket Kits Under Mounted	15"	12"	1"	RWMT1512U	52.
	27"	12"	1"	RWMT2712U	92.
	39"	12"	1"	RWMT3912U	112.



*All hardware included
*Baskets and hardware are painted med. grey (115)

Cable Basket Kits Rail Mounted	15"	12"	1"	RWMT1512R	259.
	27"	12"	1"	RWMT2712R	308.
	39"	12"	1"	RWMT3912R	474.








*All hardware included
*Baskets and hardware are painted med. grey (115)

Order Code	Specification Information	Application Notes
Example: RMMWT24	<i>To order please specify:</i> 1. Pattern number 2. Finish: painted finishes, where applicable	Specify color for hinged vertical wire management only from paint finish list on page 5. Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.
R Reff		
WM Wire Manager		
W Wall and Modesty mount		
T Top Mount		
24 Width		

Accessories

Power and Data for Tables

description	type	w	d	h	pattern no.	list
Electrical component for Table Drop-In 	2 + 2				RDTE2272	\$414.
	2 + 2				RDTE22120	431.
	2 + 2				RDTE22H	492.
	3 + 3				RDTE3372	528.
	3 + 3				RDTE33120	545.
	3 + 3				RDTE33H	606.
Electrical component for Table Drop-In, with USB 	2 + USB + Blank				RDTE2U72	740.
	2 + USB + Blank				RDTE2U120	757.
	2 + USB + Blank				RDTE2UH	818.
	3 + USB + 2 Blank				RDTE3U72	854.
	3 + USB + 2 Blank				RDTE3U120	871.
	3 + USB + 2 Blank				RDTE3UH	932.
Desktop Outlets for Tables Undermounted 	2 + 2				RDTUME2272	395.
	2 + 2				RDTUME22120	429.
	2 + 2				RDTUME22H	531.
	3 + 3				RDTUME3372	572.
	3 + 3				RDTUME33120	588.
	3 + 3				RDTUME33H	648.
Desktop Outlets for Tables Undermounted, with USB 	2 + USB + Blank				RDTUME2U72	780.
	2 + USB + Blank				RDTUME2U120	797.
	2 + USB + Blank				RDTUME2UH	858.
	3 + USB + Blank				RDTUME3U72	898.
	3 + USB + Blank				RDTUME3U120	914.
	3 + USB + Blank				RDTUME3UH	975.
Desktop Outlets for Tables Rail Mounted 	2 + 2				RDTRME2272	437.
	2 + 2				RDTRME22120	472.
	2 + 2				RDTRME22H	574.
	3 + 3				RDTRME3372	614.
	3 + 3				RDTRME33120	630.
	3 + 3				RDTRME33H	691.


Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RDTE2272	<i>No specification required.</i>	USB outlet is for charging purposes only. No data transfer.
R Reff	Installation instruction sheets available on Knoll Exchange. Fro Electrical component for Table Drop in refer to part number 6TP00388.	The Rail mounted outlets are for use with Table with 4 x 4 legs, only.
D Desktop Outlet		
DE Drop in Electrical, UM = Under mounted, RM = Table rail mounted		Brackets and hardware are included. Brackets come in Black.
2 2 Electrical, 3 = 3 Electrical		
2 2 Blank, U = 1 Double USB, 3 = 3 Blank		
72 72" cord, 120 = 120" cord, H = Hardwire		

Accessories

Power and Data for Tables


description	type	w	d	h	pattern no.	list
Desktop Outlets for Tables	2 + USB + Blank				RDTRME2U72	\$822.
Rail Mounted, with USB	2 + USB + Blank				RDTRME2U120	839.
	2 + USB + Blank				RDTRME2UH	900.
	3 + USB + Blank				RDTRME3U72	940.
	3 + USB + Blank				RDTRME3U120	956.
	3 + USB + Blank				RDTRME3UH	1,017.



Order Code	Specification Information	Application Notes
Example: RDTE2272	<i>No specification required.</i>	USB outlet is for charging purposes only. No data transfer.
R Reff	Installation instruction sheets available on Knoll Exchange.	The Rail mounted outlets are for use with Table with 4 x 4 legs, only.
D Desktop Outlet	Fro Electrical component for Table	Brackets and hardware are included. Brackets come in Black.
DE Drop in Electrical, UM = Under mounted, RM = Table rail mounted	Drop in refer to part number 6TP00388.	
2 2 Electrical, 3 = 3 Electrical		
2 2 Blank, U = 1 Double USB, 3 = 3 Blank		
72 72" cord, 120 = 120" cord, H = Hardwire		

Accessories

Grommet and Stand off

description	type	w	d	h	pattern no.	list
 Desktop Grommet	For 1 1/2" thick top			1 1/2"	RD TGA()	\$34.
	For 1 1/4" thick top			1 1/4"	RD TGB()	34.
	For 1" thick top			1"	RD TGC()	34.

Order Code

Example: RST
R Reff
ST Stand Off
() Finish

Specification Information

To order please specify pattern number including;
 1. Stand Off Finish: Painted options only
 For Grommets;
 1. Grommet Finish: Painted or plated options

Application Notes

Installation instruction sheet available on Knoll Exchange.
 For Power Center stand off, refer to reference number 6TP00081.

Accessories




interior components

description	y	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)					RPHCHH	\$35.
Not intended to work with (AA) Aluminum top trim						
Panel-hung coat hook (panel top)					RPHCHT	35.
Panel-hung tackboard	0.9		30"	24"	RPHTB3024	292.
Note: Fabric railroaded	1.3		42"	24"	RPHTB4224	359.
All standard grades of fabric						
Panel-hung whiteboard			30"	24"	RPHWB3024	453.
			42"	24"	RPHWB4224	554.
Wall-hung tackboard	0.9		30"	24"	RWHTB3024	323.
Note: Fabric railroaded Velcro supplied	1.1		36"	24"	RWHTB3624	359.
Panel-hung whiteboard	1.3		42"	24"	RWHTB4224	394.
	1.5		48"	24"	RWHTB4824	428.
for use with 26 1/2" h support planning module						
Box drawer dividers, wood box drawers (Acrylic)			16"	–	RPADSS	51.
File bars, wood file drawers (replacement)			16"	–	RPAHFB16	29.
			30"	–	RPAHFB30	55.
			36"	–	RPAHFB36	85.
File bars, metal file drawers (replacement)			16"	–	RPAHFM162 *	20.
			30"	–	RPAHFM30	29.
			36"	–	RPAHFM36	29.
Sold as individuals						

Order Code	Specification Information	Application Notes
Example: RWHTB3024	<i>To order please specify pattern number including:</i> 1. Finish: Fabric	See Reff Planning Guide for more information. Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.
R Reff		
WH Wall Hung		
TB Tack Board		
30 Width		
24 Height	Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.	

Accessories





interior components

description	y	type	w	h	pattern no.	list price
Plate divider 					RPD11	\$22.
					RPD14	22.
RPD11 to be used with 15" D open cabinet/bookcase with metal shelves. RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.						
Pencil tray, wood (ordered separately)			12"	–	RPAPT	99.
Pencil tray, plastic 		black	13 1/4"	–	RPETRAY3N	38.
		clear	12"	–	RPETRAY3C	45.
Recommended for use with metal drawer interiors on 16" w peds. Letter width pedestal.						
Pencil tray adapter 					RPETAD	82.
Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals. Available in painted and anodized finishes.						

Order Code	Specification Information	Application Notes
Example: RWHTB3024	<i>To order please specify pattern number including:</i> 1. Finish: Fabric	See Reff Planning Guide for more information. Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted. Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.
R Reff		
WH Wall Hung		
TB Tack Board		
30 Width		
24 Height		

Accessories

Sliding Rails

description	width	pattern no.	list price
Sliding rail for open shelves 	30"	RSDR30	\$54.
	36"	RSDR36	54.
	42"	RSDR42	54.
	48"	RSDR48	54.
	54"	RSDR54	54.
	60"	RSDR60	85.
	66"	RSDR66	85.
	72"	RSDR72	85.
	78"	RSDR78	85.
	84"	RSDR84	95.
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	54.
	36"	ROHDR36	54.
	42"	ROHDR42	54.
	48"	ROHDR48	54.
	60"	ROHDR60	95.
	72"	ROHDR72	95.
	90"	ROHDR90	129.
	96"	ROHDR96	129.
Sliding rail for flip door overhead cabinets 	30"	RFDR30	54.
	36"	RFDR36	54.
	42"	RFDR42	54.
	48"	RFDR48	54.
	60"	RFDR60	95.
	72"	RFDR72	95.
	96"	RFDR96	95.
Sliding rail divider 		R5ZNNE (3 dividers)	22.

Order Code

Example:	RSDR30
R	Reff
SDR	Sliding rail for open shelves
30	For 30" shelf

Specification Information

To order please specify pattern number.

Application Notes

Match cabinet width to rail width.




Parts come in black only.

These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

Accessories

Task Light

Reff

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTL5E19S	\$275.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25S	282.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37S	287.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49S	292.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61S	309.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73S	337.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85S	420.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25A	404.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37A	425.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49A	443.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61A	460.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73A	476.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85A	494.
	Use with 24" and wider overhead (3 LED's)	19"	2"	1/16"	RTL193W	312.
	Use with 24" and wider overhead (6 LED's)	19"	2"	1/16"	RTL196W	394.
	Use with 24" and wider overhead (9 LED's)	19"	2"	1/16"	RTL199W	537.
	Use with 42" and wider overhead (6 LED's)	37"	2"	1/16"	RTL376W	629.
	Use with 42" and wider overhead (12 LED's)	37"	2"	1/16"	RTL3712W	711.
	Use with 42" and wider overhead (18 LED's)	37"	2"	1/16"	RTL3718W	881.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTL5E19S RTL Task Light T5 T5 lamp E Electronic ballast 19 Width S Standard LED Task Light Example: RTL193W RTL Task Light L LED 19 Width 3 # of LED's W Wood Overhead Attachment	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black. LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed. T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content. LED Task Lights: Power cord is able to attach to either end of fixture. Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.


description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30" and 36"	30"	10"	RDTC3010()	\$854.	\$1,067.	\$1,227.	\$1,594.
	36"	10"	RDTC3610()	964.	1,076.	1,238.	1,609.



Desk Top Cubbies 60" and 72"	60"	10"	RDTC6010()	1,048.	1,310.	1,506.	1,958.
	72"	10"	RDTC7210()	1,069.	1,337.	1,537.	1,998.



Desk Top Cubbies Open	60"	10"	RDTCO6010()	1,158.	1,448.	1,664.	2,164.
	72"	10"	RDTCO7210()	1,174.	1,467.	1,687.	2,193.



Wall Mounted Cubbies 30" and 36"	30"	10"	RRMC3010()	936.	1,170.	1,345.	1,749.
	36"	10"	RRMC3610()	945.	1,180.	1,358.	1,764.




Wall Mounted Cubbies 60" and 72"	60"	10"	RRMC6010()	1,077.	1,345.	1,549.	2,014.
	72"	10"	RRMC7210()	1,099.	1,374.	1,580.	2,055.



Under Mounted Cubbies 30" and 36"	30"	10"	RUMC3010()	905.	1,132.	1,302.	1,692.
	36"	10"	RUMC3610()	916.	1,145.	1,317.	1,712.



Under Mounted Cubbies 60" and 72"	60"	10"	RUMC6010()	1,028.	1,284.	1,477.	1,921.
	72"	10"	RUMC7210()	1,054.	1,316.	1,514.	1,968.



Order Code	Specification Information	Application Notes
Example: RDTC3010()	<i>To order please specify pattern number including:</i> 1. Finish: Laminate or wood	Installation instruction sheets available on Knoll Exchange. For Wall Mounted cubbies, please refer to reference number 6TP00086. For Under Mounted cubbies, please refer to reference number 6TP00087.
R Reff		
DT Desk Top		
C Cubby		
30 Width		
10 Depth	Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
Finish		

Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".




Bracket and frame paint finish codes with suffix "T" indicate textured.

Construction



Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.

Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.



Desk Screens
Fabric
 For 42" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon 	24"	1 1/4"	20"	YPSB2024F	\$584.	\$613.	\$643.	\$672.	\$700.
	27"	1 1/4"	20"	YPSB2027F	601.	630.	660.	690.	720.
	30"	1 1/4"	20"	YPSB2030F	616.	648.	678.	710.	740.
	36"	1 1/4"	20"	YPSB2036F	687.	721.	756.	790.	824.
	42"	1 1/4"	20"	YPSB2042F	714.	750.	785.	821.	857.
	48"	1 1/4"	20"	YPSB2048F	735.	772.	809.	845.	882.
	54"	1 1/4"	20"	YPSB2054F	790.	830.	868.	908.	947.
	60"	1 1/4"	20"	YPSB2060F	838.	880.	923.	964.	1,006.
	66"	1 1/4"	20"	YPSB2066FRR	876.	921.	964.	1,008.	1,051.
	72"	1 1/4"	20"	YPSB2072FRR	903.	948.	994.	1,038.	1,084.
Fabric Screens with Half Modesty For Desks, 42" High Horizon 	24"	1 1/4"	32"	YPSB3224F	676.	710.	744.	778.	812.
	27"	1 1/4"	32"	YPSB3227F	725.	761.	797.	834.	869.
	30"	1 1/4"	32"	YPSB3230F	747.	784.	821.	859.	896.
	36"	1 1/4"	32"	YPSB3236F	843.	886.	928.	970.	1,012.
	42"	1 1/4"	32"	YPSB3242F	893.	937.	982.	1,026.	1,071.
	48"	1 1/4"	32"	YPSB3248F	898.	943.	987.	1,033.	1,077.
	54"	1 1/4"	32"	YPSB3254F	973.	1,022.	1,071.	1,119.	1,168.
	60"	1 1/4"	32"	YPSB3260F	1,054.	1,108.	1,160.	1,213.	1,265.
	66"	1 1/4"	32"	YPSB3266FRR	1,200.	1,261.	1,321.	1,381.	1,441.
	72"	1 1/4"	32"	YPSB3272FRR	1,265.	1,329.	1,392.	1,455.	1,518.

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2048F, W351, W351, 118T, 118T**

YPSB	Desk Screen
20	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With

Desk Screens
 Brackets
 Hardware


Options

Desk Screens


The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens
Fabric
For 49" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon	24"	1 1/4"	26"	YPSB2624F	\$638.	\$671.	\$701.	\$734.	\$765.
	27"	1 1/4"	26"	YPSB2627F	665.	698.	732.	764.	798.
	30"	1 1/4"	26"	YPSB2630F	681.	716.	750.	784.	818.
	36"	1 1/4"	26"	YPSB2636F	762.	800.	839.	877.	915.
	42"	1 1/4"	26"	YPSB2642F	800.	840.	880.	921.	961.
	48"	1 1/4"	26"	YPSB2648F	860.	903.	946.	988.	1,032.
	54"	1 1/4"	26"	YPSB2654F	920.	966.	1,011.	1,057.	1,104.
	60"	1 1/4"	26"	YPSB2660F	958.	1,005.	1,053.	1,101.	1,149.
	66"	1 1/4"	26"	YPSB2666FRR	1,001.	1,050.	1,101.	1,151.	1,200.
	72"	1 1/4"	26"	YPSB2672FRR	1,044.	1,095.	1,149.	1,200.	1,253.



Fabric Screens with Half Modesty For Desks, 49" High Horizon	24"	1 1/4"	38"	YPSB3824F	730.	767.	803.	839.	876.
	27"	1 1/4"	38"	YPSB3827F	784.	823.	863.	902.	941.
	30"	1 1/4"	38"	YPSB3830F	805.	845.	887.	927.	967.
	36"	1 1/4"	38"	YPSB3836F	920.	966.	1,011.	1,057.	1,104.
	42"	1 1/4"	38"	YPSB3842F	973.	1,022.	1,071.	1,119.	1,168.
	48"	1 1/4"	38"	YPSB3848F	1,049.	1,103.	1,154.	1,206.	1,259.
	54"	1 1/4"	38"	YPSB3854F	1,104.	1,158.	1,214.	1,268.	1,324.
	60"	1 1/4"	38"	YPSB3860F	1,162.	1,221.	1,279.	1,337.	1,395.
	66"	1 1/4"	38"	YPSB3866FRR	1,303.	1,368.	1,434.	1,499.	1,563.
	72"	1 1/4"	38"	YPSB3872FRR	1,373.	1,443.	1,511.	1,580.	1,649.



Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648F, W351, W351, 118T, 118T**

YPSB	Desk Screen
26	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With



Desk Screens
Brackets
Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens
Laminate, Markerboard or Veneer
For 42" High Horizon

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon 	24"	3/4"	20"	YPSB2024()	\$239.	\$413.	\$458.	\$527.	\$685.
	27"	3/4"	20"	YPSB2027()	243.	417.	467.	538.	699.
	30"	3/4"	20"	YPSB2030()	245.	419.	478.	550.	715.
	36"	3/4"	20"	YPSB2036()	275.	529.	499.	573.	747.
	42"	3/4"	20"	YPSB2042()	281.	534.	536.	615.	800.
	48"	3/4"	20"	YPSB2048()	363.	856.	560.	644.	836.
	54"	3/4"	20"	YPSB2054()	370.	862.	581.	669.	868.
	60"	3/4"	20"	YPSB2060()	375.	867.	628.	722.	940.
	66"	3/4"	20"	YPSB2066()	382.	873.	656.	755.	981.
	72"	3/4"	20"	YPSB2072()	387.	879.	677.	779.	1,011.
Screens with Half Modesty For Desks, 42" High Horizon 	24"	3/4"	32"	YPSB3224()	268.	634.	532.	612.	796.
	27"	3/4"	32"	YPSB3227()	273.	638.	555.	639.	832.
	30"	3/4"	32"	YPSB3230()	311.	643.	572.	658.	856.
	36"	3/4"	32"	YPSB3236()	366.	859.	606.	696.	905.
	42"	3/4"	32"	YPSB3242()	375.	867.	664.	763.	993.
	48"	3/4"	32"	YPSB3248()	395.	1,503.	696.	800.	1,042.
	54"	3/4"	32"	YPSB3254()	403.	1,511.	735.	845.	1,100.
	60"	3/4"	32"	YPSB3260()	550.	1,517.	812.	932.	1,213.
	66"	3/4"	32"	YPSB3266()	560.	1,526.	851.	978.	1,271.
	72"	3/4"	32"	YPSB3272()	568.	1,536.	882.	1,014.	1,320.

Ordering Information

- Desk Screens**
1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

Order Code

Desk Screens
Example: **YPSB2048V, V316, 118T**
YPSB Desk Screen
20 Height
48 Width
V Veneer
V316 Maple
118T Bright White Paint

Included With


Desk Screens
Brackets
Hardware

Options


Desk Screens
Finish Options:
(L)= Laminate
(LM)= Markerboard
(V)= Veneer

Desk Screens
Laminate, Markerboard or Veneer
For 49" High Horizon

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon	24"	3/4"	26"	YPSB2624()	\$261.	\$627.	\$508.	\$585.	\$760.
	27"	3/4"	26"	YPSB2627()	265.	632.	521.	600.	780.
	30"	3/4"	26"	YPSB2630()	269.	635.	543.	625.	813.
	36"	3/4"	26"	YPSB2636()	276.	643.	570.	655.	853.
	42"	3/4"	26"	YPSB2642()	317.	650.	617.	710.	923.
	48"	3/4"	26"	YPSB2648()	347.	1,491.	651.	750.	974.
	54"	3/4"	26"	YPSB2654()	354.	1,499.	678.	779.	1,013.
	60"	3/4"	26"	YPSB2660()	373.	1,504.	755.	868.	1,128.
	66"	3/4"	26"	YPSB2666()	381.	1,513.	782.	899.	1,169.
	72"	3/4"	26"	YPSB2672()	488.	1,518.	809.	930.	1,210.



Screens with Half Modesty For Desks, 49" High Horizon	24"	3/4"	38"	YPSB3824()	310.	643.	568.	653.	849.
	27"	3/4"	38"	YPSB3827()	315.	647.	587.	676.	878.
	30"	3/4"	38"	YPSB3830()	319.	652.	607.	697.	906.
	36"	3/4"	38"	YPSB3836()	377.	868.	653.	751.	977.
	42"	3/4"	38"	YPSB3842()	389.	879.	718.	826.	1,074.
	48"	3/4"	38"	YPSB3848()	483.	1,514.	757.	870.	1,131.
	54"	3/4"	38"	YPSB3854()	495.	1,525.	802.	923.	1,199.
	60"	3/4"	38"	YPSB3860()	568.	1,536.	905.	1,041.	1,353.
	66"	3/4"	38"	YPSB3866()	578.	1,547.	950.	1,093.	1,421.
	72"	3/4"	38"	YPSB3872()	588.	1,557.	989.	1,138.	1,479.



Ordering Information

Desk Screens

1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648V, V316, 118T**

YPSB Desk Screen

26 Height

48 Width

V Veneer

V316 Maple

118T Bright White Paint

Included With

Desk Screens

- Brackets
- Hardware

Options

Desk Screens

Finish Options:

- (L)= Laminate
- (LM)= Markerboard
- (V)= Veneer

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

	EXISTING CONSTRUCTION					
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	214	R2APT3436	78	R2ES49(A/B/C/E)(4/6)(E/N)	107	R3120Y42	106
ASBC24 (L/R)	214	R2APT3442	78	R2ES64(A/B/C/E)(4/6)(E/N)	107	R3120Y49	106
ML3L193M	276	R2APT3448	78	R2ES79(A/B/C/E)(4/6)(E/N)	107	R3120Y64	106
ML3L196M	276	R2APT4218	78	R2HK0008	109	R3120Y79	106
ML3L199M	276	R2APT4220	78	R2HK0015	109	R3135V34F	105
ML3L3712M	276	R2APT4224	78	R2HK0034	109	R3135V34T	105
ML3L3718M	276	R2APT4230	78	R2HK0042	109	R3135V42F	105
ML3L376M	276	R2APT4236	78	R2HK0049	109	R3135V42T	105
MN2SO20	274	R2APT4242	78	R2HK0064	109	R3135V49F	105
MN2SO21	274	R2APT4248	78	R2HK0079	109	R3135V49T	105
MWM-J	275	R2APT4918	78	R2HKB042	109	R3135V64F	105
R113B	216	R2APT4920	78	R2HKB049	109	R3135V64T	105
R234PKIT	115	R2APT4924	78	R2HKB064	109	R3135V79F	105
R2AETK34	79	R2APT4930	78	R2HKB079	109	R3135V79T	105
R2AETK42	79	R2APT4936	78	R2HL3442ES(A/B/C/E)	107	R334PKIT	115
R2AETK49	79	R2APT4942	78	R2HL3442(F)CS	108	R3AK	115
R2AETK64	79	R2APT4948	78	R2HL3449ES(A/B/C/E)	107	R3BOPAA42 18	17
R2AETK79	79	R2APT6418	78	R2HL3449(F)CS	108	R3BOPAA42 20	17
R2AHBW18	80	R2APT6420	78	R2HL3464ES(A/B/C/E)	107	R3BOPAA42 24	17
R2AHBW20	80	R2APT6424	78	R2HL3464(F/T)CS	108	R3BOPAA42 30	17
R2AHBW24	80	R2APT6430	78	R2HL3479ES(A/B/C/E)	107	R3BOPAA42 36	17
R2AHBW30	80	R2APT6436	78	R2HL3479(F/T)CS	108	R3BOPAA42 42	17
R2AHBW36	80	R2APT6442	78	R2HL4249ES(A/B/C/E)	107	R3BOPAA42 48	17
R2AHBW42	80	R2APT6448	78	R2HL4249ETS(A/B/C/E)	108	R3BOPAA42 60	17
R2AHBW48	80	R2APT7918	79	R2HL4249(F)CS	108	R3BOPAA42 66	17
R2AHCR34	79	R2APT7920	79	R2HL4264ES(A/B/C/E)	107	R3BOPAA42 72	17
R2AHCR42	79	R2APT7924	79	R2HL4264ETS(A/B/C/E)	108	R3BOPAA49 18	24
R2AHCR49	79	R2APT7930	79	R2HL4264(F/T)CS	108	R3BOPAA49 20	24
R2AHCR64	79	R2APT7936	79	R2HL4279ES(A/B/C/E)	107	R3BOPAA49 24	24
R2AHCR79	79	R2APT7942	79	R2HL4279ETS(A/B/C/E)	108	R3BOPAA49 30	24
R2AHSR18	80	R2APT7948	79	R2HL4279(F/T)CS	108	R3BOPAA49 36	24
R2AHSR20	80	R2ATPK34	79	R2HL4964ES(A/B/C/E)	107	R3BOPAA49 42	24
R2AHSR24	80	R2ATPK42	79	R2HL4964(F)CS	108	R3BOPAA49 48	24
R2AHSR30	80	R2ATPK49	79	R2HL4979ES(A/B/C/E)	107	R3BOPAA49 60	24
R2AHSR36	80	R2ATPK64	79	R2HL4979(F/T)CS	108	R3BOPAA49 66	24
R2AHSR42	80	R2ATPK79	79	R2HL6479ES(A/B/C/E)	107	R3BOPAA49 72	24
R2AHSR48	80	R2BOTWA34 18	46	R2HL6479(F)CS	108	R3BOPAA64 18	31
R2AHTR18	80	R2BOTWA34 20	46	R2L42C(F/T)(F/T)-(4/6)	110	R3BOPAA64 20	31
R2AHTR20	80	R2BOTWA34 24	46	R2L49C(F/T)(F/T)-(4/6)	110	R3BOPAA64 24	31
R2AHTR24	80	R2BOTWA34 30	46	R2L64C(F/T)(F/T)-(4/6)	110	R3BOPAA64 30	31
R2AHTR30	80	R2BOTWA34 36	46	R2L79C(F/T)(F/T)-(4/6)	110	R3BOPAA64 36	31
R2AHTR36	80	R2BOTWA34 42	46	R2S42C(F/T)(F/T)-(4/6)	110	R3BOPAA64 42	31
R2AHTR42	80	R2BOTWA34 48	46	R2S49C(F/T)(F/T)-(4/6)	110	R3BOPAA64 48	31
R2AHTR48	80	R2BOTWB34 30	46	R2S64C(F/T)(F/T)-(4/6)	110	R3BOPAA64 60	31
R2AHWR18	80	R2BOTWB34 36	46	R2S79C(F/T)(F/T)-(4/6)	110	R3BOPAA64 66	31
R2AHWR20	80	R2BOTWB34 42	46	R2SWS0008	112	R3BOPAA64 72	31
R2AHWR24	80	R2BOTWB34 48	46	R2SWS0015	112	R3BOPAA79 18	38
R2AHWR30	80	R2BOTWC34 18	46	R2SWS0034	112	R3BOPAA79 20	38
R2AHWR36	80	R2BOTWC34 20	46	R2SWS0042	112	R3BOPAA79 24	38
R2AHWR42	80	R2BOTWC34 24	46	R2SWS0049	112	R3BOPAA79 30	38
R2AHWR48	80	R2BOTWC34 30	46	R2SWS0064	112	R3BOPAA79 36	38
R2AK	115	R2BOTWC34 36	46	R2SWS0079	112	R3BOPAA79 42	38
R2ALPK34	79	R2BOTWC34 42	46	R2T42C(F/T)-(4/6)	110	R3BOPAA79 48	38
R2ALPK42	79	R2BOTWC34 48	46	R2T49C(F/T)-(4/6)	110	R3BOPAA79 60	38
R2ALPK49	79	R2CCG	115	R2T64C(F/T)-(4/6)	110	R3BOPAA79 66	38
R2ALPK64	79	R2DLS7936	114	R2T79C(F/T)-(4/6)	110	R3BOPAA79 72	38
R2ALPK79	79	R2DLS7942	114	R2X42C	110	R3BOPF13418	13
R2APT3418	78	R2DRS7936	114	R2X49C	110	R3BOPF13420	13
R2APT3420	78	R2DRS7942	114	R2X64C	110	R3BOPF13424	13
R2APT3424	78	R2ES34(A/B/C/E)(4/6)(E/N)	107	R2X79C	110	R3BOPF13430	13
R2APT3430	78	R2ES42(A/B/C/E)(4/6)(E/N)	107	R3120Y34	106	R3BOPF13436	13

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF13442	13	R3BOPF249 48	28	R3BOPF379 36	43	R3BOPFL42 42	19
R3BOPF13448	13	R3BOPF249 60	28	R3BOPF379 42	43	R3BOPFL42 48	19
R3BOPF142 18	20	R3BOPF249 66	28	R3BOPF379 48	43	R3BOPFL42 60	19
R3BOPF142 20	20	R3BOPF249 72	28	R3BOPF379 60	43	R3BOPFL42 66	19
R3BOPF142 24	20	R3BOPF264 18	35	R3BOPF379 66	43	R3BOPFL42 72	19
R3BOPF142 30	20	R3BOPF264 20	35	R3BOPF379 72	43	R3BOPFL49 18	26
R3BOPF142 36	20	R3BOPF264 24	35	R3BOPFF3418	11	R3BOPFL49 20	26
R3BOPF142 42	20	R3BOPF264 30	35	R3BOPFF3420	11	R3BOPFL49 24	26
R3BOPF142 48	20	R3BOPF264 36	35	R3BOPFF3424	11	R3BOPFL49 30	26
R3BOPF142 60	20	R3BOPF264 42	35	R3BOPFF3430	11	R3BOPFL49 36	26
R3BOPF142 66	20	R3BOPF264 48	35	R3BOPFF3436	11	R3BOPFL49 42	26
R3BOPF142 72	20	R3BOPF264 60	35	R3BOPFF3442	11	R3BOPFL49 48	26
R3BOPF149 18	27	R3BOPF264 66	35	R3BOPFF3448	11	R3BOPFL49 60	26
R3BOPF149 20	27	R3BOPF264 72	35	R3BOPFF42 18	17	R3BOPFL49 66	26
R3BOPF149 24	27	R3BOPF279 18	42	R3BOPFF42 20	17	R3BOPFL49 72	26
R3BOPF149 30	27	R3BOPF279 20	42	R3BOPFF42 24	17	R3BOPFL64 18	33
R3BOPF149 36	27	R3BOPF279 24	42	R3BOPFF42 30	17	R3BOPFL64 20	33
R3BOPF149 42	27	R3BOPF279 30	42	R3BOPFF42 36	17	R3BOPFL64 24	33
R3BOPF149 48	27	R3BOPF279 36	42	R3BOPFF42 42	17	R3BOPFL64 30	33
R3BOPF149 60	27	R3BOPF279 42	42	R3BOPFF42 48	17	R3BOPFL64 36	33
R3BOPF149 66	27	R3BOPF279 48	42	R3BOPFF42 60	17	R3BOPFL64 42	33
R3BOPF149 72	27	R3BOPF279 60	42	R3BOPFF42 66	17	R3BOPFL64 48	33
R3BOPF164 18	34	R3BOPF279 66	42	R3BOPFF42 72	17	R3BOPFL64 60	33
R3BOPF164 20	34	R3BOPF279 72	42	R3BOPFF49 18	24	R3BOPFL64 66	33
R3BOPF164 24	34	R3BOPF334 18	15	R3BOPFF49 20	24	R3BOPFL64 72	33
R3BOPF164 30	34	R3BOPF334 20	15	R3BOPFF49 24	24	R3BOPFL79 18	40
R3BOPF164 36	34	R3BOPF334 24	15	R3BOPFF49 30	24	R3BOPFL79 20	40
R3BOPF164 42	34	R3BOPF334 30	15	R3BOPFF49 36	24	R3BOPFL79 24	40
R3BOPF164 48	34	R3BOPF334 36	15	R3BOPFF49 42	24	R3BOPFL79 30	40
R3BOPF164 60	34	R3BOPF334 42	15	R3BOPFF49 48	24	R3BOPFL79 36	40
R3BOPF164 66	34	R3BOPF334 48	15	R3BOPFF49 60	24	R3BOPFL79 42	40
R3BOPF164 72	34	R3BOPF342 18	22	R3BOPFF49 66	24	R3BOPFL79 48	40
R3BOPF179 18	41	R3BOPF342 20	22	R3BOPFF49 72	24	R3BOPFL79 60	40
R3BOPF179 20	41	R3BOPF342 24	22	R3BOPFF64 18	31	R3BOPFL79 66	40
R3BOPF179 24	41	R3BOPF342 30	22	R3BOPFF64 20	31	R3BOPFL79 72	40
R3BOPF179 30	41	R3BOPF342 36	22	R3BOPFF64 24	31	R3BOPLL3418	16
R3BOPF179 36	41	R3BOPF342 42	22	R3BOPFF64 30	31	R3BOPLL3420	16
R3BOPF179 42	41	R3BOPF342 48	22	R3BOPFF64 36	31	R3BOPLL3424	16
R3BOPF179 48	41	R3BOPF342 60	22	R3BOPFF64 42	31	R3BOPLL3430	16
R3BOPF179 60	41	R3BOPF342 66	22	R3BOPFF64 48	31	R3BOPLL3436	16
R3BOPF179 66	41	R3BOPF342 72	22	R3BOPFF64 60	31	R3BOPLL3442	16
R3BOPF179 72	41	R3BOPF349 18	29	R3BOPFF64 66	31	R3BOPLL3448	16
R3BOPF234 18	14	R3BOPF349 20	29	R3BOPFF64 72	31	R3BOPLL4218	23
R3BOPF234 20	14	R3BOPF349 24	29	R3BOPFF79 18	38	R3BOPLL4220	23
R3BOPF234 24	14	R3BOPF349 30	29	R3BOPFF79 20	38	R3BOPLL4224	23
R3BOPF234 30	14	R3BOPF349 36	29	R3BOPFF79 24	38	R3BOPLL4230	23
R3BOPF234 36	14	R3BOPF349 42	29	R3BOPFF79 30	38	R3BOPLL4236	23
R3BOPF234 42	14	R3BOPF349 48	29	R3BOPFF79 36	38	R3BOPLL4242	23
R3BOPF234 48	14	R3BOPF349 60	29	R3BOPFF79 42	38	R3BOPLL4248	23
R3BOPF242 18	21	R3BOPF349 66	29	R3BOPFF79 48	38	R3BOPLL4260	23
R3BOPF242 20	21	R3BOPF349 72	29	R3BOPFF79 60	38	R3BOPLL4266	23
R3BOPF242 24	21	R3BOPF364 18	36	R3BOPFF79 66	38	R3BOPLL4272	23
R3BOPF242 30	21	R3BOPF364 20	36	R3BOPFF79 72	38	R3BOPLL4918	30
R3BOPF242 36	21	R3BOPF364 24	36	R3BOPFL3418	12	R3BOPLL4920	30
R3BOPF242 42	21	R3BOPF364 30	36	R3BOPFL3420	12	R3BOPLL4924	30
R3BOPF242 48	21	R3BOPF364 36	36	R3BOPFL3424	12	R3BOPLL4930	30
R3BOPF242 60	21	R3BOPF364 42	36	R3BOPFL3430	12	R3BOPLL4936	30
R3BOPF242 66	21	R3BOPF364 48	36	R3BOPFL3436	12	R3BOPLL4942	30
R3BOPF242 72	21	R3BOPF364 60	36	R3BOPFL3442	12	R3BOPLL4948	30
R3BOPF249 18	28	R3BOPF364 66	36	R3BOPFL3448	12	R3BOPLL4960	30
R3BOPF249 20	28	R3BOPF364 72	36	R3BOPFL42 18	19	R3BOPLL4966	30
R3BOPF249 24	28	R3BOPF379 18	43	R3BOPFL42 20	19	R3BOPLL4972	30
R3BOPF249 30	28	R3BOPF379 20	43	R3BOPFL42 24	19	R3BOPLL6418	37
R3BOPF249 36	28	R3BOPF379 24	43	R3BOPFL42 30	19	R3BOPLL6420	37
R3BOPF249 42	28	R3BOPF379 30	43	R3BOPFL42 36	19	R3BOPLL6424	37

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPLL6430	37	R3B0TF149 48	60	R3B0TF349 20	62	R3B0TFL42 30	52
R3BOPLL6436	37	R3B0TF164 18	67	R3B0TF349 24	62	R3B0TFL42 36	52
R3BOPLL6442	37	R3B0TF164 20	67	R3B0TF349 30	62	R3B0TFL42 42	52
R3BOPLL6448	37	R3B0TF164 24	67	R3B0TF349 36	62	R3B0TFL42 48	52
R3BOPLL6460	37	R3B0TF164 30	67	R3B0TF349 42	62	R3B0TFL49 18	59
R3BOPLL6466	37	R3B0TF164 36	67	R3B0TF349 48	62	R3B0TFL49 20	59
R3BOPLL6472	37	R3B0TF164 42	67	R3B0TF364 18	69	R3B0TFL49 24	59
R3BOPLL7918	44	R3B0TF164 48	67	R3B0TF364 20	69	R3B0TFL49 30	59
R3BOPLL7920	44	R3B0TF179 18	74	R3B0TF364 24	69	R3B0TFL49 36	59
R3BOPLL7924	44	R3B0TF179 20	74	R3B0TF364 30	69	R3B0TFL49 42	59
R3BOPLL7930	44	R3B0TF179 24	74	R3B0TF364 36	69	R3B0TFL49 48	59
R3BOPLL7936	44	R3B0TF179 30	74	R3B0TF364 42	69	R3B0TFL64 18	66
R3BOPLL7942	44	R3B0TF179 36	74	R3B0TF364 48	69	R3B0TFL64 20	66
R3BOPLL7948	44	R3B0TF179 42	74	R3B0TF379 18	76	R3B0TFL64 24	66
R3BOPLL7960	44	R3B0TF179 48	74	R3B0TF379 20	76	R3B0TFL64 30	66
R3BOPLL7966	44	R3B0TF234 18	48	R3B0TF379 24	76	R3B0TFL64 36	66
R3BOPLL7972	44	R3B0TF234 20	48	R3B0TF379 30	76	R3B0TFL64 42	66
R3BOTAA42 18	50	R3B0TF234 24	48	R3B0TF379 36	76	R3B0TFL64 48	66
R3BOTAA42 20	50	R3B0TF234 30	48	R3B0TF379 42	76	R3B0TFL79 18	73
R3BOTAA42 24	50	R3B0TF234 36	48	R3B0TF379 48	76	R3B0TFL79 20	73
R3BOTAA42 30	50	R3B0TF234 42	48	R3B0TFF34 18	45	R3B0TFL79 24	73
R3BOTAA42 36	50	R3B0TF234 48	48	R3B0TFF34 20	45	R3B0TFL79 30	73
R3BOTAA42 42	50	R3B0TF242 18	54	R3B0TFF34 24	45	R3B0TFL79 36	73
R3BOTAA42 48	50	R3B0TF242 20	54	R3B0TFF34 30	45	R3B0TFL79 42	73
R3BOTAA49 18	57	R3B0TF242 24	54	R3B0TFF34 36	45	R3B0TFL79 48	73
R3BOTAA49 20	57	R3B0TF242 30	54	R3B0TFF34 42	45	R3BOTLL3418	49
R3BOTAA49 24	57	R3B0TF242 36	54	R3B0TFF34 48	45	R3BOTLL3420	49
R3BOTAA49 30	57	R3B0TF242 42	54	R3B0TFF42 18	50	R3BOTLL3424	49
R3BOTAA49 36	57	R3B0TF242 48	54	R3B0TFF42 20	50	R3BOTLL3430	49
R3BOTAA49 42	57	R3B0TF249 18	61	R3B0TFF42 24	50	R3BOTLL3436	49
R3BOTAA49 48	57	R3B0TF249 20	61	R3B0TFF42 30	50	R3BOTLL3442	49
R3BOTAA64 18	64	R3B0TF249 24	61	R3B0TFF42 36	50	R3BOTLL3448	49
R3BOTAA64 20	64	R3B0TF249 30	61	R3B0TFF42 42	50	R3BOTLL4218	56
R3BOTAA64 24	64	R3B0TF249 36	61	R3B0TFF42 48	50	R3BOTLL4220	56
R3BOTAA64 30	64	R3B0TF249 42	61	R3B0TFF49 18	57	R3BOTLL4224	56
R3BOTAA64 36	64	R3B0TF249 48	61	R3B0TFF49 20	57	R3BOTLL4230	56
R3BOTAA64 42	64	R3B0TF264 18	68	R3B0TFF49 24	57	R3BOTLL4236	56
R3BOTAA64 48	64	R3B0TF264 20	68	R3B0TFF49 30	57	R3BOTLL4242	56
R3BOTAA79 18	71	R3B0TF264 24	68	R3B0TFF49 36	57	R3BOTLL4248	56
R3BOTAA79 20	71	R3B0TF264 30	68	R3B0TFF49 42	57	R3BOTLL4918	63
R3BOTAA79 24	71	R3B0TF264 36	68	R3B0TFF49 48	57	R3BOTLL4920	63
R3BOTAA79 30	71	R3B0TF264 42	68	R3B0TFF64 18	64	R3BOTLL4924	63
R3BOTAA79 36	71	R3B0TF264 48	68	R3B0TFF64 20	64	R3BOTLL4930	63
R3BOTAA79 42	71	R3B0TF279 18	75	R3B0TFF64 24	64	R3BOTLL4936	63
R3BOTAA79 48	71	R3B0TF279 20	75	R3B0TFF64 30	64	R3BOTLL4942	63
R3B0TF134 18	47	R3B0TF279 24	75	R3B0TFF64 36	64	R3BOTLL4948	63
R3B0TF134 20	47	R3B0TF279 30	75	R3B0TFF64 42	64	R3BOTLL6418	70
R3B0TF134 24	47	R3B0TF279 36	75	R3B0TFF64 48	64	R3BOTLL6420	70
R3B0TF134 30	47	R3B0TF279 42	75	R3B0TFF79 18	71	R3BOTLL6424	70
R3B0TF134 36	47	R3B0TF279 48	75	R3B0TFF79 20	71	R3BOTLL6430	70
R3B0TF134 42	47	R3B0TF334 18	48	R3B0TFF79 24	71	R3BOTLL6436	70
R3B0TF134 48	47	R3B0TF334 20	48	R3B0TFF79 30	71	R3BOTLL6442	70
R3B0TF142 18	53	R3B0TF334 24	48	R3B0TFF79 36	71	R3BOTLL6448	70
R3B0TF142 20	53	R3B0TF334 30	48	R3B0TFF79 42	71	R3BOTLL7918	77
R3B0TF142 24	53	R3B0TF334 36	48	R3B0TFF79 48	71	R3BOTLL7920	77
R3B0TF142 30	53	R3B0TF334 42	48	R3B0TFL34 18	47	R3BOTLL7924	77
R3B0TF142 36	53	R3B0TF334 48	48	R3B0TFL34 20	47	R3BOTLL7930	77
R3B0TF142 42	53	R3B0TF342 18	55	R3B0TFL34 24	47	R3BOTLL7936	77
R3B0TF142 48	53	R3B0TF342 20	55	R3B0TFL34 30	47	R3BOTLL7942	77
R3B0TF149 18	60	R3B0TF342 24	55	R3B0TFL34 36	47	R3BOTLL7948	77
R3B0TF149 20	60	R3B0TF342 30	55	R3B0TFL34 42	47	R3B1PF142 18	20
R3B0TF149 24	60	R3B0TF342 36	55	R3B0TFL34 48	47	R3B1PF142 20	20
R3B0TF149 30	60	R3B0TF342 42	55	R3B0TFL42 18	52	R3B1PF142 24	20
R3B0TF149 36	60	R3B0TF342 48	55	R3B0TFL42 20	52	R3B1PF142 30	20
R3B0TF149 42	60	R3B0TF349 18	62	R3B0TFL42 24	52	R3B1PF142 36	20

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF142 42	20	R3B1PF2A49 30	92	R3B1PFF64 36	32	R3B1TF142 42	53
R3B1PF142 48	20	R3B1PF2A49 36	92	R3B1PFF64 42	32	R3B1TF142 48	53
R3B1PF149 18	27	R3B1PF2A49 42	92	R3B1PFF64 48	32	R3B1TF149 18	60
R3B1PF149 20	27	R3B1PF2A49 48	92	R3B1PFF79 18	39	R3B1TF149 20	60
R3B1PF149 24	27	R3B1PF2B49 30	92	R3B1PFF79 20	39	R3B1TF149 24	60
R3B1PF149 30	27	R3B1PF2B49 36	92	R3B1PFF79 24	39	R3B1TF149 30	60
R3B1PF149 36	27	R3B1PF2B49 42	92	R3B1PFF79 30	39	R3B1TF149 36	60
R3B1PF149 42	27	R3B1PF2B49 48	92	R3B1PFF79 36	39	R3B1TF149 42	60
R3B1PF149 48	27	R3B1PF342 18	22	R3B1PFF79 42	39	R3B1TF149 48	60
R3B1PF164 18	34	R3B1PF342 20	22	R3B1PFF79 48	39	R3B1TF164 18	67
R3B1PF164 20	34	R3B1PF342 24	22	R3B1PFFA49 18	83	R3B1TF164 20	67
R3B1PF164 24	34	R3B1PF342 30	22	R3B1PFFA49 20	83	R3B1TF164 24	67
R3B1PF164 30	34	R3B1PF342 36	22	R3B1PFFA49 24	83	R3B1TF164 30	67
R3B1PF164 36	34	R3B1PF342 42	22	R3B1PFFA49 30	83	R3B1TF164 36	67
R3B1PF164 42	34	R3B1PF342 48	22	R3B1PFFA49 36	83	R3B1TF164 42	67
R3B1PF164 48	34	R3B1PF349 18	29	R3B1PFFA49 42	83	R3B1TF164 48	67
R3B1PF179 18	41	R3B1PF349 20	29	R3B1PFFA49 48	83	R3B1TF179 18	74
R3B1PF179 20	41	R3B1PF349 24	29	R3B1PFFB49 30	83	R3B1TF179 20	74
R3B1PF179 24	41	R3B1PF349 30	29	R3B1PFFB49 36	83	R3B1TF179 24	74
R3B1PF179 30	41	R3B1PF349 36	29	R3B1PFFB49 42	83	R3B1TF179 30	74
R3B1PF179 36	41	R3B1PF349 42	29	R3B1PFFB49 48	83	R3B1TF179 36	74
R3B1PF179 42	41	R3B1PF349 48	29	R3B1PFL42 18	19	R3B1TF179 42	74
R3B1PF179 48	41	R3B1PF364 18	36	R3B1PFL42 20	19	R3B1TF179 48	74
R3B1PFA49 18	89	R3B1PF364 20	36	R3B1PFL42 24	19	R3B1TFA49 18	87
R3B1PFA49 20	89	R3B1PF364 24	36	R3B1PFL42 30	19	R3B1TFA49 20	87
R3B1PFA49 24	89	R3B1PF364 30	36	R3B1PFL42 36	19	R3B1TFA49 24	87
R3B1PFA49 30	89	R3B1PF364 36	36	R3B1PFL42 42	19	R3B1TFA49 30	87
R3B1PFA49 36	89	R3B1PF364 42	36	R3B1PFL42 48	19	R3B1TFA49 36	87
R3B1PFA49 42	89	R3B1PF364 48	36	R3B1PFL49 18	26	R3B1TFA49 42	87
R3B1PFA49 48	89	R3B1PF379 18	43	R3B1PFL49 20	26	R3B1TFA49 48	87
R3B1PFB49 30	89	R3B1PF379 20	43	R3B1PFL49 24	26	R3B1TF1B49 30	88
R3B1PFB49 36	89	R3B1PF379 24	43	R3B1PFL49 30	26	R3B1TF1B49 36	88
R3B1PFB49 42	89	R3B1PF379 30	43	R3B1PFL49 36	26	R3B1TF1B49 42	88
R3B1PFB49 48	89	R3B1PF379 36	43	R3B1PFL49 42	26	R3B1TF1B49 48	88
R3B1PF242 18	21	R3B1PF379 42	43	R3B1PFL49 48	26	R3B1TF242 18	54
R3B1PF242 20	21	R3B1PF379 48	43	R3B1PFL64 18	33	R3B1TF242 20	54
R3B1PF242 24	21	R3B1PF3A49 18	94	R3B1PFL64 20	33	R3B1TF242 24	54
R3B1PF242 30	21	R3B1PF3A49 20	94	R3B1PFL64 24	33	R3B1TF242 30	54
R3B1PF242 36	21	R3B1PF3A49 24	94	R3B1PFL64 30	33	R3B1TF242 36	54
R3B1PF242 42	21	R3B1PF3A49 30	94	R3B1PFL64 36	33	R3B1TF242 42	54
R3B1PF242 48	21	R3B1PF3A49 36	94	R3B1PFL64 42	33	R3B1TF242 48	54
R3B1PF249 18	28	R3B1PF3A49 42	94	R3B1PFL64 48	33	R3B1TF249 18	61
R3B1PF249 20	28	R3B1PF3A49 48	94	R3B1PFL79 18	40	R3B1TF249 20	61
R3B1PF249 24	28	R3B1PF3B49 30	94	R3B1PFL79 20	40	R3B1TF249 24	61
R3B1PF249 30	28	R3B1PF3B49 36	94	R3B1PFL79 24	40	R3B1TF249 30	61
R3B1PF249 36	28	R3B1PF3B49 42	94	R3B1PFL79 30	40	R3B1TF249 36	61
R3B1PF249 42	28	R3B1PF3B49 48	94	R3B1PFL79 36	40	R3B1TF249 42	61
R3B1PF249 48	28	R3B1PFF42 18	18	R3B1PFL79 42	40	R3B1TF249 48	61
R3B1PF264 18	35	R3B1PFF42 20	18	R3B1PFL79 48	40	R3B1TF264 18	68
R3B1PF264 20	35	R3B1PFF42 24	18	R3B1PFLA49 18	86	R3B1TF264 20	68
R3B1PF264 24	35	R3B1PFF42 30	18	R3B1PFLA49 20	86	R3B1TF264 24	68
R3B1PF264 30	35	R3B1PFF42 36	18	R3B1PFLA49 24	86	R3B1TF264 30	68
R3B1PF264 36	35	R3B1PFF42 42	18	R3B1PFLA49 30	86	R3B1TF264 36	68
R3B1PF264 42	35	R3B1PFF42 48	18	R3B1PFLA49 36	86	R3B1TF264 42	68
R3B1PFF264 48	35	R3B1PFF49 18	25	R3B1PFLA49 42	86	R3B1TF264 48	68
R3B1PF279 18	42	R3B1PFF49 20	25	R3B1PFLA49 48	86	R3B1TF279 18	75
R3B1PF279 20	42	R3B1PFF49 24	25	R3B1PFLB49 30	86	R3B1TF279 20	75
R3B1PF279 24	42	R3B1PFF49 30	25	R3B1PFLB49 36	86	R3B1TF279 24	75
R3B1PF279 30	42	R3B1PFF49 36	25	R3B1PFLB49 42	86	R3B1TF279 30	75
R3B1PF279 36	42	R3B1PFF49 42	25	R3B1PFLB49 48	86	R3B1TF279 36	75
R3B1PF279 42	42	R3B1PFF49 48	25	R3B1TF142 18	53	R3B1TF279 42	75
R3B1PF279 48	42	R3B1PFF64 18	32	R3B1TF142 20	53	R3B1TF279 48	75
R3B1PF2A49 18	92	R3B1PFF64 20	32	R3B1TF142 24	53	R3B1TF2A49 18	90
R3B1PF2A49 20	92	R3B1PFF64 24	32	R3B1TF142 30	53	R3B1TF2A49 20	90
R3B1PF2A49 24	92	R3B1PFF64 30	32	R3B1TF142 36	53	R3B1TF2A49 24	90

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF2A49 30	90	R3BITFF64 36	65	R3B2PFF42 42	18	R3B2TFFA49 30	95
R3BITF2A49 36	90	R3BITFF64 42	65	R3B2PFF42 48	18	R3B2TFFA49 36	95
R3BITF2A49 42	90	R3BITFF64 48	65	R3B2PFF49 18	25	R3B2TFFA49 42	95
R3BITF2A49 48	90	R3BITFF79 18	72	R3B2PFF49 20	25	R3B2TFFA49 48	95
R3BITF2B49 30	91	R3BITFF79 20	72	R3B2PFF49 24	25	R3B2TFFB49 30	95
R3BITF2B49 36	91	R3BITFF79 24	72	R3B2PFF49 30	25	R3B2TFFB49 36	95
R3BITF2B49 42	91	R3BITFF79 30	72	R3B2PFF49 36	25	R3B2TFFB49 42	95
R3BITF2B49 48	91	R3BITFF79 36	72	R3B2PFF49 42	25	R3B2TFFB49 48	95
R3BITF342 18	55	R3BITFF79 42	72	R3B2PFF49 48	25	R3CRTT60	99
R3BITF342 20	55	R3BITFF79 48	72	R3B2PFF64 18	32	R3CRTT72	99
R3BITF342 24	55	R3BITTFFA49 18	81	R3B2PFF64 20	32	R3CRTT84	99
R3BITF342 30	55	R3BITTFFA49 20	81	R3B2PFF64 24	32	R3CRTT96	99
R3BITF342 36	55	R3BITTFFA49 24	81	R3B2PFF64 30	32	R3FTCE104(F/T)(F/T)(F/T)	122
R3BITF342 42	55	R3BITTFFA49 30	81	R3B2PFF64 36	32	R3FTCE108(F/T)(F/T)(F/T)	122
R3BITF342 48	55	R3BITTFFA49 36	81	R3B2PFF64 42	32	R3FTCE120(F/T)(F/T)(F/T)	122
R3BITF349 18	62	R3BITTFFA49 42	81	R3B2PFF64 48	32	R3FTCE21	122
R3BITF349 20	62	R3BITTFFA49 48	81	R3B2PFF79 18	39	R3FTCE25	122
R3BITF349 24	62	R3BITTFFB49 30	82	R3B2PFF79 20	39	R3FTCE37	122
R3BITF349 30	62	R3BITTFFB49 36	82	R3B2PFF79 24	39	R3FTCF12118	119
R3BITF349 36	62	R3BITTFFB49 42	82	R3B2PFF79 30	39	R3FTCF12120	119
R3BITF349 42	62	R3BITTFFB49 48	82	R3B2PFF79 36	39	R3FTCF12124	119
R3BITF349 48	62	R3BITTFL42 18	52	R3B2PFF79 42	39	R3FTCF12130	119
R3BITF364 18	69	R3BITTFL42 20	52	R3B2PFF79 48	39	R3FTCF12136	119
R3BITF364 20	69	R3BITTFL42 24	52	R3B2PFFA49 18	96	R3FTCF12142	119
R3BITF364 24	69	R3BITTFL42 30	52	R3B2PFFA49 20	96	R3FTCF12148	119
R3BITF364 30	69	R3BITTFL42 36	52	R3B2PFFA49 24	96	R3FTCF12518	120
R3BITF364 36	69	R3BITTFL42 42	52	R3B2PFFA49 30	96	R3FTCF12520	120
R3BITF364 42	69	R3BITTFL42 48	52	R3B2PFFA49 36	96	R3FTCF12524	120
R3BITF364 48	69	R3BITTFL49 18	59	R3B2PFFA49 42	96	R3FTCF12530	120
R3BITF379 18	76	R3BITTFL49 20	59	R3B2PFFA49 48	96	R3FTCF12536	120
R3BITF379 20	76	R3BITTFL49 24	59	R3B2PFFB49 30	96	R3FTCF12542	120
R3BITF379 24	76	R3BITTFL49 30	59	R3B2PFFB49 36	96	R3FTCF12548	120
R3BITF379 30	76	R3BITTFL49 36	59	R3B2PFFB49 42	96	R3FTCF13718	121
R3BITF379 36	76	R3BITTFL49 42	59	R3B2PFFB49 48	96	R3FTCF13720	121
R3BITF379 42	76	R3BITTFL49 48	59	R3B2TFF42 18	51	R3FTCF13724	121
R3BITF379 48	76	R3BITTFL64 18	66	R3B2TFF42 20	51	R3FTCF13730	121
R3BITF3A49 18	93	R3BITTFL64 20	66	R3B2TFF42 24	51	R3FTCF13736	121
R3BITF3A49 20	93	R3BITTFL64 24	66	R3B2TFF42 30	51	R3FTCF13742	121
R3BITF3A49 24	93	R3BITTFL64 30	66	R3B2TFF42 36	51	R3FTCF13748	121
R3BITF3A49 30	93	R3BITTFL64 36	66	R3B2TFF42 42	51	R3FTCF22118	119
R3BITF3A49 36	93	R3BITTFL64 42	66	R3B2TFF42 48	51	R3FTCF22120	119
R3BITF3A49 42	93	R3BITTFL64 48	66	R3B2TFF49 18	58	R3FTCF22124	119
R3BITF3A49 48	93	R3BITTFL79 18	73	R3B2TFF49 20	58	R3FTCF22130	119
R3BITF3B49 30	93	R3BITTFL79 20	73	R3B2TFF49 24	58	R3FTCF22136	119
R3BITF3B49 36	93	R3BITTFL79 24	73	R3B2TFF49 30	58	R3FTCF22142	119
R3BITF3B49 42	93	R3BITTFL79 30	73	R3B2TFF49 36	58	R3FTCF22148	119
R3BITF3B49 48	93	R3BITTFL79 36	73	R3B2TFF49 42	58	R3FTCF22518	120
R3BITFF42 18	51	R3BITTFL79 42	73	R3B2TFF49 48	58	R3FTCF22520	120
R3BITFF42 20	51	R3BITTFL79 48	73	R3B2TFF64 18	65	R3FTCF22524	120
R3BITFF42 24	51	R3BITTFLA49 18	84	R3B2TFF64 20	65	R3FTCF22530	120
R3BITFF42 30	51	R3BITTFLA49 20	84	R3B2TFF64 24	65	R3FTCF22536	120
R3BITFF42 36	51	R3BITTFLA49 24	84	R3B2TFF64 30	65	R3FTCF22542	120
R3BITFF42 42	51	R3BITTFLA49 30	84	R3B2TFF64 36	65	R3FTCF22548	120
R3BITFF42 48	51	R3BITTFLA49 36	84	R3B2TFF64 42	65	R3FTCF23718	121
R3BITFF49 18	58	R3BITTFLA49 42	84	R3B2TFF64 48	65	R3FTCF23720	121
R3BITFF49 20	58	R3BITTFLA49 48	84	R3B2TFF79 18	72	R3FTCF23724	121
R3BITFF49 24	58	R3BITTFLB49 30	85	R3B2TFF79 20	72	R3FTCF23730	121
R3BITFF49 30	58	R3BITTFLB49 36	85	R3B2TFF79 24	72	R3FTCF23736	121
R3BITFF49 36	58	R3BITTFLB49 42	85	R3B2TFF79 30	72	R3FTCF23742	121
R3BITFF49 42	58	R3BITTFLB49 48	85	R3B2TFF79 36	72	R3FTCF23748	121
R3BITFF49 48	58	R3B2PFF42 18	18	R3B2TFF79 42	72	R3FTCF321 18	119
R3BITFF64 18	65	R3B2PFF42 20	18	R3B2TFF79 48	72	R3FTCF321 20	119
R3BITFF64 20	65	R3B2PFF42 24	18	R3B2TFFA49 18	95	R3FTCF321 24	119
R3BITFF64 24	65	R3B2PFF42 30	18	R3B2TFFA49 20	95	R3FTCF321 30	119
R3BITFF64 30	65	R3B2PFF42 36	18	R3B2TFFA49 24	95	R3FTCF321 36	119

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF321 42	119	R3FTCS108(F/T)(F/T)	122	R3SF30836	100	R3X15	103
R3FTCF321 48	119	R3FTCS120(F/T)(F/T)	122	R3SF30842	100	R3X34	103
R3FTCF325 18	120	R3FTCS21	122	R3SF30848	100	R3X42(B)	103
R3FTCF325 20	120	R3FTCS25	122	R3SF315 18	101	R3X49(B)	103
R3FTCF325 24	120	R3FTCS37	122	R3SF315 20	101	R3X64(B)	103
R3FTCF325 30	120	R3FTCSM (Pair) for G3 only	123	R3SF315 24	101	R3X79(B)	103
R3FTCF325 36	120	R3FTCT104(F/T)	122	R3SF315 30	101	R5ZNNE (3 dividers)	320
R3FTCF325 42	120	R3FTCT108(F/T)	122	R3SF315 36	101	R917762	311
R3FTCF325 48	120	R3FTCT120(F/T)	122	R3SF315 42	101	R921655	310
R3FTCF337 18	121	R3FTCT21	122	R3SF315 48	101	RAMTB	278
R3FTCF337 20	121	R3FTCT25	122	R3SFF08 18	97	RAMTC24	278
R3FTCF337 24	121	R3FTCT37	122	R3SFF08 20	97	RAMTC30	278
R3FTCF337 30	121	R3FTCX104	122	R3SFF08 24	97	RAMTC36	278
R3FTCF337 36	121	R3FTCX108	122	R3SFF08 30	97	RAMTC42	278
R3FTCF337 42	121	R3FTCX120	122	R3SFF08 36	97	RAMTC48	278
R3FTCF337 48	121	R3FTCX21	122	R3SFF08 42	97	RAMTC54	278
R3FTCF2118	116	R3FTCX25	122	R3SFF08 48	97	RAMTC60	278
R3FTCF2120	116	R3FTCX37	122	R3SFF15 18	97	RAMTC66	278
R3FTCF2124	116	R3L08TT	102	R3SFF15 20	97	RAMTC72	278
R3FTCF2130	116	R3L15TT	102	R3SFF15 24	97	RAMTCH24	278
R3FTCF2136	116	R3L34(F/T)(F/T)	102	R3SFF15 30	97	RAMTCH30	278
R3FTCF2142	116	R3L42(B)(F/T)(F/T)	102	R3SFF15 36	97	RAMTCH36	278
R3FTCF2148	116	R3L49(B)(F/T)(F/T)	102	R3SFF15 42	97	RAMTCH42	278
R3FTCF2518	117	R3L64(B)(F/T)(F/T)	102	R3SFF15 48	97	RAMTCH48	278
R3FTCF2520	117	R3L79(B)(F/T)(F/T)	102	R3SFL0818	100	RAMTCH54	278
R3FTCF2524	117	R3R2SLV	104, 115	R3SFL0820	100	RAMTCH60	278
R3FTCF2530	117	R3S08TT	103	R3SFL0824	100	RAMTCH66	278
R3FTCF2536	117	R3S15TT	103	R3SFL0830	100	RAMTCH72	278
R3FTCF2542	117	R3S34(F/T)(F/T)	103	R3SFL0836	100	RAMTT	278
R3FTCF2548	117	R3S42(B)(F/T)(F/T)	103	R3SFL0842	100	RB24(M/H)(F/R)	218
R3FTCF3718	118	R3S49(B)(F/T)(F/T)	103	R3SFL0848	100	RB30(M/H)(F/R)	218
R3FTCF3720	118	R3S64(B)(F/T)(F/T)	103	R3SFL1518	101	RB3636	218
R3FTCF3724	118	R3S79(B)(F/T)(F/T)	103	R3SFL1520	101	RB3642	218
R3FTCF3730	118	R3SF10818	100	R3SFL1524	101	RB3648	218
R3FTCF3736	118	R3SF10820	100	R3SFL1530	101	RB36(M/H)(F/R)	218
R3FTCF3742	118	R3SF10824	100	R3SFL1536	101	RB40MR	184
R3FTCF3748	118	R3SF10830	100	R3SFL1542	101	RB4236	218
R3FTCFL2118	119	R3SF10836	100	R3SFL1548	101	RB4242	218
R3FTCFL2120	119	R3SF10842	100	R3SLL0818	100	RB4248	218
R3FTCFL2124	119	R3SF10848	100	R3SLL0820	100	RB42(M/H)(F/R)	218
R3FTCFL2130	119	R3SF11518	101	R3SLL0824	100	RB4836	218
R3FTCFL2136	119	R3SF11520	101	R3SLL0830	100	RB4842	218
R3FTCFL2142	119	R3SF11524	101	R3SLL0836	100	RB4848	218
R3FTCFL2148	119	R3SF11530	101	R3SLL0842	100	RB48(M/H)(F/R)	218
R3FTCFL2518	120	R3SF11536	101	R3SLL0848	100	RB52MR	184
R3FTCFL2520	120	R3SF11542	101	R3SLL1518	101	RB54(M/H)(F/R)	218
R3FTCFL2524	120	R3SF11548	101	R3SLL1520	101	RB60(M/H)(F/R)	218
R3FTCFL2530	120	R3SF20818	100	R3SLL1524	101	RB64MR	184
R3FTCFL2536	120	R3SF20820	100	R3SLL1530	101	RB66(M/H)(F/R)	218
R3FTCFL2542	120	R3SF20824	100	R3SLL1536	101	RB72(M/H)(F/R)	218
R3FTCFL2548	120	R3SF20830	100	R3SLL1542	101	RB78(M/H)(F/R)	218
R3FTCFL3718	121	R3SF20836	100	R3SLL1548	101	RB84(M/H)(F/R)	218
R3FTCFL3720	121	R3SF20842	100	R3SMP	310	RB90(M/H)(F/R)	218
R3FTCFL3724	121	R3SF20848	100	R3SPABPT	113	RB96(M/H)(F/R)	218
R3FTCFL3730	121	R3SF21518	101	R3SPABTD	113	RBC18 (L/R)	214
R3FTCFL3736	121	R3SF21520	101	R3SPABTT	113	RBC24 (L/R)	214
R3FTCFL3742	121	R3SF21524	101	R3SPABTW	113	RBCC	214
R3FTCFL3748	121	R3SF21530	101	R3T08T	102	RBCCP (Pair)	214
R3FTCL104(F/T)(F/T)	122	R3SF21536	101	R3T15T	102	RBDD	312
R3FTCL108(F/T)(F/T)	122	R3SF21542	101	R3T34(F/T)	102	RBDP6030JK(A,B,W)	290, 291, 292
R3FTCL120(F/T)(F/T)	122	R3SF21548	101	R3T42(B)(F/T)	102	RBDP7230JK(A,B,W)	290, 291, 292
R3FTCL21	122	R3SF30818	100	R3T49(B)(F/T)	102	RBDP8430JK(A,B,W)	290, 291, 292
R3FTCL25	122	R3SF30820	100	R3T64(B)(F/T)	102	RBDP9630JK(A,B,W)	290, 291, 292
R3FTCL37	122	R3SF30824	100	R3T79(B)(F/T)	102	RBDW	312
R3FTCS104(F/T)(F/T)	122	R3SF30830	100	R3X08	103	RBF (Pair)	216

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RBPE(L/R)	312	RC632B	243, 246	RC762B	250, 254	RCA(A/B/C/D/E/F/G)F364812	160
RBPP (L/R)	215	RC632C	245, 248	RC762C	253, 256	RCA(A/B/C/D/E/F/G)F364821	161
RBRP (Pair)	216	RC632D	248	RC762D	256	RCA(A/B/C/D/E/F/G)F364822	161
RBRPS (L/R)	216	RC632E(L/R)	245, 248	RC762E(L/R)	253, 256	RCA(A/B/C/D/E/F/G)F423611	160
RBR3624(A,B,W)	299, 300, 301	RC632F	244, 247	RC762F	251, 255	RCA(A/B/C/D/E/F/G)F423612	160
RBR3630(A,B,W)	299, 300, 301	RC632G	244, 247	RC762G	252, 255	RCA(A/B/C/D/E/F/G)F423621	161
RBR36H	266	RC632H	243, 246	RC762H	250, 254	RCA(A/B/C/D/E/F/G)F423622	161
RBR36M	266	RC632I	249	RC762I	257	RCA(A/B/C/D/E/F/G)F424211	160
RBR4224(A,B,W)	299, 300, 301	RC632P	244, 247	RC762P	252, 255	RCA(A/B/C/D/E/F/G)F424212	160
RBR4230(A,B,W)	299, 300, 301	RC633B	243, 246	RC763B	250, 254	RCA(A/B/C/D/E/F/G)F424221	161
RBR42H	266	RC633C	245, 248	RC763C	253, 256	RCA(A/B/C/D/E/F/G)F424222	161
RBR42M	266	RC633D	248	RC763D	256	RCA(A/B/C/D/E/F/G)F424811	160
RBR4824(A,B,W)	299, 300, 301	RC633E(L/R)	245, 248	RC763E(L/R)	253, 256	RCA(A/B/C/D/E/F/G)F424812	160
RBR4830(A,B,W)	299, 300, 301	RC633F	244, 247	RC763F	251, 255	RCA(A/B/C/D/E/F/G)F424821	161
RBR48H	266	RC633G	244, 247	RC763G	252, 255	RCA(A/B/C/D/E/F/G)F424822	161
RBR48M	266	RC633H	243, 246	RC763H	250, 254	RCA(A/B/C/D/E/F/G)F483611	160
RBR54H	266	RC633I	249	RC763I	257	RCA(A/B/C/D/E/F/G)F483612	160
RBR54M	266	RC633P	244, 247	RC763P	252, 255	RCA(A/B/C/D/E/F/G)F483621	161
RBR60H	266	RC661B	243, 246	RCA363611	142	RCA(A/B/C/D/E/F/G)F483622	161
RBR60M	266	RC662B	243, 246	RCA363612	143	RCA(A/B/C/D/E/F/G)F484211	160
RBR66H	266	RC662C	245, 248	RCA363621	142	RCA(A/B/C/D/E/F/G)F484212	160
RBR66M	266	RC662D	248	RCA363622	143	RCA(A/B/C/D/E/F/G)F484221	161
RBR72H	266	RC662E(L/R)	245, 248	RCA364211	142	RCA(A/B/C/D/E/F/G)F484222	161
RBR72M	266	RC662F	244, 247	RCA364212	143	RCA(A/B/C/D/E/F/G)F484811	160
RBSP6030J(A,B,W)	287, 288, 289	RC662G	244, 247	RCA364221	142	RCA(A/B/C/D/E/F/G)F484812	160
RBSP7230J(A,B,W)	287, 288, 289	RC662H	243, 246	RCA364222	143	RCA(A/B/C/D/E/F/G)F484821	161
RBSP8430J(A,B,W)	287, 288, 289	RC662I	249	RCA364811	142	RCA(A/B/C/D/E/F/G)F484822	161
RBSP9630J(A,B,W)	287, 288, 289	RC662P	244, 247	RCA364812	143	RCABT1417	309
RBWC24	216	RC663B	243, 246	RCA364821	142	RCABT2917	309
RBWC30	217	RC663C	245, 248	RCA364822	143	RCACR16	309
RBWM	313	RC663D	248	RCA423611	142	RCACR30	309
RBZ (A/B) (Pair)	216	RC663E(L/R)	245, 248	RCA423612	143	RCACR30H	309
RC412C(L/R)	238, 240	RC663F	244, 247	RCA423621	142	RCACR36	309
RC413C(L/R)	238, 240	RC663G	244, 247	RCA423622	143	RCACR36H	309
RC423M(L/R)	258, 259	RC663H	243, 246	RCA424211	142	RCASL	309
RC423N(L/R)	258, 259	RC663I	249	RCA424212	143	RCAWF363611	181
RC431B	238, 240	RC663P	244, 247	RCA424221	142	RCAWF363612	181
RC432B	238, 240	RC712C(L/R)	253, 256	RCA424222	143	RCAWF363621	181
RC432C	238, 240	RC712D(L/R)	256	RCA424811	142	RCAWF363622	181
RC432D	241	RC712G(L/R)	252, 255	RCA424812	143	RCAWF364211	181
RC432F	239, 242	RC712P(L/R)	252, 255	RCA424821	142	RCAWF364212	181
RC433B	238, 240	RC713C(L/R)	253, 256	RCA424822	143	RCAWF364221	181
RC433C	238, 240	RC713D(L/R)	256	RCA464623N	146	RCAWF364222	181
RC433D	241	RC713G(L/R)	252, 255	RCA464629N	146	RCAWF364811	181
RC433F	239, 242	RC713P(L/R)	252, 255	RCA483611	142	RCAWF364812	181
RC461B	238, 240	RC723M(L/R)	258, 259	RCA483612	143	RCAWF364821	181
RC462B	238, 240	RC723N	258, 259	RCA483621	142	RCAWF364822	181
RC462C	238, 240	RC732B	250, 254	RCA483622	143	RCAWF423611	181
RC462D	241	RC732C	253, 256	RCA484211	142	RCAWF423612	181
RC462F	239, 242	RC732D	256	RCA484212	143	RCAWF423621	181
RC463B	238, 240	RC732E(L/R)	253, 256	RCA484221	142	RCAWF423622	181
RC463C	238, 240	RC732F	251, 255	RCA484222	143	RCAWF424211	181
RC463D	241	RC732G	252, 255	RCA484811	142	RCAWF424212	181
RC463F	239, 242	RC732H	250, 254	RCA484812	143	RCAWF424221	181
RC612C(L/R)	245, 248	RC732I	257	RCA484821	142	RCAWF424222	181
RC612D(L/R)	248	RC732P	252, 255	RCA484822	143	RCAWF424811	181
RC612G(L/R)	244, 247	RC733B	250, 254	RCA(A/B/C/D/E/F/G)F363611	160	RCAWF424812	181
RC612P(L/R)	244, 247	RC733C	253, 256	RCA(A/B/C/D/E/F/G)F363612	160	RCAWF424821	181
RC613C(L/R)	245, 248	RC733D	256	RCA(A/B/C/D/E/F/G)F363621	161	RCAWF424822	181
RC613D(L/R)	248	RC733E(L/R)	253, 256	RCA(A/B/C/D/E/F/G)F363622	161	RCAWF483611	181
RC613G(L/R)	244, 247	RC733F	251, 255	RCA(A/B/C/D/E/F/G)F364211	160	RCAWF483612	181
RC613P(L/R)	244, 247	RC733G	252, 255	RCA(A/B/C/D/E/F/G)F364212	160	RCAWF483621	181
RC623M(L/R)	258, 259	RC733H	250, 254	RCA(A/B/C/D/E/F/G)F364221	161	RCAWF483622	181
RC623N(L/R)	258, 259	RC733I	257	RCA(A/B/C/D/E/F/G)F364222	161	RCAWF484211	181
RC631B	243, 246	RC733P	252, 255	RCA(A/B/C/D/E/F/G)F364811	160	RCAWF484212	181

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCAWF484221	181	RCDQMR96361	285	RCE1R5424N	188	RDSP7230J(A,B,W)	287, 288, 289
RCAWF484222	181	RCE1BD6648D(L/R)	189	RCE1R5430N	188	RDSP7236J(A,B,W)	287, 288, 289
RCB20T	220	RCE1BD6648S(L/R)	189	RCE1R6024N	188	RDSP8430J(A,B,W)	287, 288, 289
RCB24T	220	RCE1BD7248D(L/R)	189	RCE1R6030N	188	RDSP8436J(A,B,W)	287, 288, 289
RCB24X	222	RCE1BD7248S(L/R)	189	RCE1R6624N	188	RDSP9630J(A,B,W)	287, 288, 289
RCB28X	222	RCE1BD7848D(L/R)	189	RCE1R6630N	188	RDSP9636J(A,B,W)	287, 288, 289
RCB30T	220	RCE1BD7848S(L/R)	189	RCE1R7224N	188	RDTC3010	322
RCB36X	222	RCE1BD8448D(L/R)	189	RCE1R7230N	188	RDTC3610	322
RCB40T	220	RCE1BD8448S(L/R)	189	RCE1R7824N	188	RDTC6010	322
RCCDLA23672	144	RCE1CR24L	192	RCE1R7830N	188	RDTC7210	322
RCCDLA23678	144	RCE1CR24N	192	RCE1R8424N	188	RDTCO6010	322
RCCDLA23684	144	RCE1CR24R	192	RCE1R8430N	188	RDTCO7210	322
RCCDLA23696	144	RCE1H4818	192	RCE1R9024N	188	RDTDE22120	315
RCCDLA33672	144	RCE1H4818P	192	RCE1R9030N	188	RDTDE2272	315
RCCDLA33678	144	RCE1H6024	192	RCE1R9624N	188	RDTDE22H	315
RCCDLA33684	144	RCE1H6024P	192	RCE1R9630N	188	RDTDE2U120	315
RCCDLA33696	144	RCE1L3636SSN	190	RCE1W362430N	193	RDTDE2U72	315
RCCDRA23672	144	RCE1L4242DSN	190	RCE1W363024N	193	RDTDE2UH	315
RCCDRA23678	144	RCE1L4242SDN	190	RCE1W422430N	193	RDTDE33120	315
RCCDRA23684	144	RCE1L4242SSN	190	RCE1W423024N	193	RDTDE3372	315
RCCDRA23696	144	RCE1L4260SSN	191	RCE1W482430N	193	RDTDE33H	315
RCCDRA33672	144	RCE1L4266SSN	191	RCE1W483024N	193	RDTDE3U120	315
RCCDRA33678	144	RCE1L4272SSN	191	RCE1W722430N	193	RDTDE3U72	315
RCCDRA33684	144	RCE1L4278SSN	191	RCE1W723024N	193	RDTDE3UH	315
RCCDRA33696	144	RCE1L4848DDN	190	RCEAL223660	145	RDTGA	317
RCD3L6024K(A,B,W)	302, 303, 304	RCE1L4848DSN	190	RCEAL223672	145	RDTGB	317
RCD3L8424K(A,B,W)	302, 303, 304	RCE1L4848SDN	190	RCEAL224260	145	RDTGC	317
RCD3L9624K(A,B,W)	302, 303, 304	RCE1L4848SSN	190	RCEAL224272	145	RDTRME22120	315
RCD6L7224K(A,B,W)	302, 303, 304	RCE1L4860DSN	191	RCEAL224872	145	RDTRME2272	315
RCD6L9624K(A,B,W)	302, 303, 304	RCE1L4860SDN	191	RCEAL224884	145	RDTRME22H	315
RCDFMF60301	286	RCE1L4860SSN	191	RCEAL224896	145	RDTRME2U120	316
RCDFMF60361	286	RCE1L4866DSN	191	RCEAR223660	145	RDTRME2U72	316
RCDFMF72301	286	RCE1L4866SDN	191	RCEAR223672	145	RDTRME2UH	316
RCDFMF72361	286	RCE1L4866SSN	191	RCEAR224260	145	RDTRME33120	315
RCDFMF84301	286	RCE1L4872DSN	191	RCEAR224272	145	RDTRME3372	315
RCDFMF84361	286	RCE1L4872SDN	191	RCEAR224872	145	RDTRME33H	315
RCDFMF96301	286	RCE1L4872SSN	191	RCEAR224884	145	RDTRME3U120	316
RCDFMF96361	286	RCE1L4878SSN	191	RCEAR224896	145	RDTRME3U72	316
RCDFMR60301	283	RCE1L4884SSN	191	RCOUNTWT	236, 237	RDTRME3UH	316
RCDFMR60361	283	RCE1L6042SSN	191	RCP41-(F/L1/2/3)*	111	RDTUME22120	315
RCDFMR72301	283	RCE1L6048DSN	191	RCP56-(F/L1/2/3)*	111	RDTUME2272	315
RCDFMR72361	283	RCE1L6048SDN	191	RCP71-(F/L1/2/3)*	111	RDTUME22H	315
RCDFMR84301	283	RCE1L6048SSN	191	RCP78-(F/L1/2/3)*	111	RDTUME2U120	315
RCDFMR84361	283	RCE1L6642SSN	191	RCS3L6024K(A,B,W)	296, 297, 298	RDTUME2U72	315
RCDFMR96301	283	RCE1L6648DSN	191	RCS3L7224K(A,B,W)	296, 297, 298	RDTUME2UH	315
RCDFMR96361	283	RCE1L6648SDN	191	RCS3L8424K(A,B,W)	296, 297, 298	RDTUME33120	315
RCDHMR60301	284	RCE1L6648SSN	191	RCS3L9624K(A,B,W)	296, 297, 298	RDTUME3372	315
RCDHMR60361	284	RCE1L7242SSN	191	RCS6L6024K(A,B,W)	296, 297, 298	RDTUME33H	315
RCDHMR72301	284	RCE1L7248DSN	191	RCS6L7224K(A,B,W)	296, 297, 298	RDTUME3U120	315
RCDHMR72361	284	RCE1L7248SDN	191	RCS6L8424K(A,B,W)	296, 297, 298	RDTUME3U72	315
RCDHMR84301	284	RCE1L7248SSN	191	RCS6L9624K(A,B,W)	296, 297, 298	RDTUME3UH	315
RCDHMR84361	284	RCE1L7842SSN	191	RCSP6024K(A,B,W)	296, 297, 298	RE12F	219
RCDHMR96301	284	RCE1L7848SSN	191	RCSP7224K(A,B,W)	296, 297, 298	RE15F	219
RCDHMR96361	284	RCE1L8448SSN	191	RCSP8424K(A,B,W)	296, 297, 298	RE19F	219
RCDP6024K(A,B,W)	302, 303, 304	RCE1R1212G	310	RCSP9624K(A,B,W)	296, 297, 298	RE23F	219
RCDP7224K(A,B,W)	302, 303, 304	RCE1R2424N	188	RDDP6030JK(A,B,W)	290, 291, 292	RE29F	219
RCDP8424K(A,B,W)	302, 303, 304	RCE1R2430N	188	RDDP6036JK(A,B,W)	290, 291, 292	RE30	219
RCDP9624K(A,B,W)	302, 303, 304	RCE1R3024N	188	RDDP7230JK(A,B,W)	290, 291, 292	RE36	219
RCDQMR60301	285	RCE1R3030N	188	RDDP7236JK(A,B,W)	290, 291, 292	REBA6030	149
RCDQMR60361	285	RCE1R3624N	188	RDDP8430JK(A,B,W)	290, 291, 292	REBA7242	149
RCDQMR72301	285	RCE1R3630N	188	RDDP8436JK(A,B,W)	290, 291, 292	REBA7848	149
RCDQMR72361	285	RCE1R4224N	188	RDDP9630JK(A,B,W)	290, 291, 292	REBA(A/B/C/D/E/F/G)A6030	166
RCDQMR84301	285	RCE1R4230N	188	RDDP9636JK(A,B,W)	290, 291, 292	REBA(A/B/C/D/E/F/G)A7242	166
RCDQMR84361	285	RCE1R4824N	188	RDSP6030J(A,B,W)	287, 288, 289	REBA(A/B/C/D/E/F/G)A7848	166
RCDQMR96301	285	RCE1R4830N	188	RDSP6036J(A,B,W)	287, 288, 289	REBAWA6030	185

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
REBAWA7242	185	RGAF622	279	RGAR851	280	RKA 364822	138
REBAWA7848	185	RGAF623	279	RGAR852	280	RKA 423611	138
REBH24	185	RGAF682	279	RGAR853	280	RKA 423612	138
REBH30	185	RGAF683	279	RGAR911	280	RKA 423621	139
RFDR30	320	RGAF742	279	RGAR912	280	RKA 423622	138
RFDR36	320	RGAF743	279	RGAR913	280	RKA 424211	138
RFDR42	320	RGAF802	279	RGAR971	280	RKA 424212	138
RFDR48	320	RGAF803	279	RGAR972	280	RKA 424221	139
RFDR60	320	RGAF862	279	RGAR973	280	RKA 424222	138
RFDR72	320	RGAF863	279	RGMD6	131	RKA 424811	138
RFDR84	320	RGAF922	279	RGMD8	131	RKA 424812	138
RFDR96	320	RGAF923	279	RGMD6	131	RKA 424821	139
RFTCC108	123	RGAF982	279	RGS60	279	RKA 424822	138
RFTCC1IPS	123	RGAF983	279	RGS66	279	RKA 483611	138
RFTCDR (Pair)	123	RGAL431	281	RGS72	279	RKA 483612	138
RFTCG1 (Pair)	123	RGAL432	281	RGS78	279	RKA 483621	139
RFTCSM (Pair) for G2 only	123	RGAL433	281	RGS84	279	RKA 483622	138
RFTCSPACE	123	RGAL491	281	RGS90	279	RKA 484211	138
RFTCWA2118	116	RGAL492	281	RGS96	279	RKA 484212	138
RFTCWA2120	116	RGAL493	281	RGTL4636	282	RKA 484221	139
RFTCWA2124	116	RGAL551	281	RGTR4636	282	RKA 484222	138
RFTCWA2130	116	RGAL552	281	RHSC15	115	RKA 484811	138
RFTCWA2136	116	RGAL553	281	RHSC250	115	RKA 484812	138
RFTCWA2142	116	RGAL611	281	RHSC70	115	RKA 484821	139
RFTCWA2148	116	RGAL612	281	RIB24T	220	RKA 484822	138
RFTCWA2518	117	RGAL613	281	RIB28X	222	RKBA1020	309
RFTCWA2520	117	RGAL671	281	RIB32X	222	RKBA1022	309
RFTCWA2524	117	RGAL672	281	RIPI241	195	RKT31	309
RFTCWA2530	117	RGAL673	281	RIPI301	195	RLCCT3018	305
RFTCWA2536	117	RGAL731	281	RIPI361	195	RLCCT3022	305
RFTCWA2542	117	RGAL732	281	RIPO241	195	RLCCT3618	305
RFTCWA2548	117	RGAL733	281	RIPO301	195	RLCCT3622	305
RFTCWA3718	118	RGAL791	281	RIPO361	195	RM111J	236, 237
RFTCWA3720	118	RGAL792	281	RIPOG241	195	RM112J	236, 237
RFTCWA3724	118	RGAL793	281	RIPOG301	195	RM212J	236, 237
RFTCWA3730	118	RGAL851	281	RIPOG361	195	RM212K	236, 237
RFTCWA3736	118	RGAL852	281	RJBU24	313	RM9A4230	148
RFTCWA3742	118	RGAL853	281	RJBU30	313	RM9A4836	148
RFTCWA3748	118	RGAL911	281	RJBU36	313	RM9A8430	148
RFTCWB2130	116	RGAL912	281	RJBU42	313	RM9A9630	148
RFTCWB2136	116	RGAL913	281	RJBU48	313	RM9A(A/B/C/D/E/F/G)F4230	165
RFTCWB2142	116	RGAL971	281	RJBU54	313	RM9A(A/B/C/D/E/F/G)F4836	165
RFTCWB2148	116	RGAL972	281	RJBU60	313	RM9A(A/B/C/D/E/F/G)F8430	165
RFTCWB2530	117	RGAL973	281	RJBU66	313	RM9A(A/B/C/D/E/F/G)F9630	165
RFTCWB2536	117	RGAR431	280	RJBU72	313	RM9AWF4230	183
RFTCWB2542	117	RGAR432	280	RJBW24	313	RM9AWF8430	183
RFTCWB2548	117	RGAR433	280	RJBW30	313	RM9AWF9630	183
RFTCWB3730	118	RGAR491	280	RJBW36	313	RMB(A)7230	150
RFTCWB3736	118	RGAR492	280	RJBW42	313	RMB(A)7236	150
RFTCWB3742	118	RGAR493	280	RJBW48	313	RMB(A)8430	150
RFTCWB3748	118	RGAR551	280	RJBW54	313	RMB(A)8436	150
RFTCWS21S	123	RGAR552	280	RJBW60	313	RMB(A)9630	150
RFTCWS25S	123	RGAR553	280	RJBW66	313	RMB(A)9636	150
RFTCWS37S	123	RGAR611	280	RJBW72	313	RMB(A/B/C/D/E/F/G)A7230	166
RFTCWT (Pair)	123	RGAR612	280	RKA 363611	138	RMB(A/B/C/D/E/F/G)A7236	166
RCAB421	279	RGAR613	280	RKA 363612	138	RMB(A/B/C/D/E/F/G)A8430	166
RCAB481	279	RGAR671	280	RKA 363621	139	RMB(A/B/C/D/E/F/G)A8436	166
RCAB541	279	RGAR672	280	RKA 363622	138	RMB(A/B/C/D/E/F/G)A9630	166
RCAB601	279	RGAR673	280	RKA 364211	138	RMB(A/B/C/D/E/F/G)A9636	166
RCAB661	279	RGAR731	280	RKA 364212	138	RMBAWA7230	184
RCAB721	279	RGAR732	280	RKA 364221	139	RMBAWA7236	184
RCAB781	279	RGAR733	280	RKA 364222	138	RMBAWA8430	184
RCAB841	279	RGAR791	280	RKA 364811	138	RMBAWA8436	184
RCAB901	279	RGAR792	280	RKA 364812	138	RMBAWA9630	184
RCAB961	279	RGAR793	280	RKA 364821	139	RMBAWA9636	184

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RMDA4221	147	RMDAWF9636	182	RO3-VP	269, 271, 273	ROPH96S0()	261
RMDA4230	147	RMPA4230	148	ROAF60S0()	265	ROPH96T0()	261
RMDA4236	147	RMPA4836	148	ROAF60S1()	265	ROPO30S0()	261
RMDA4830	147	RMPA8430	149	ROAF72S0()	265	ROPO36S0()	261
RMDA4836	147	RMPA9630	149	ROAF72S1()	265	ROPO42S0()	261
RMDA5025	147	RMPA(A/B/C/D/E/F/G)F4230	165	ROAF84S0()	265	ROPO48S0()	261
RMDA5430	147	RMPA(A/B/C/D/E/F/G)F4836	165	ROAF84S1()	265	ROPO60S0()	261
RMDA5436	147	RMPA(A/B/C/D/E/F/G)F8430	165	ROAF96S0()	265	ROPO60T0()	261
RMDA6030	147	RMPA(A/B/C/D/E/F/G)F9630	165	ROAF96S1()	265	ROPO72S0()	261
RMDA6036	147	RMPAWF4230	183	ROAH60T0()	265	ROPO72T0()	261
RMDA6630	147	RMPAWF8430	183	ROAH60T1()	265	ROPO90S0()	261
RMDA6636	147	RMPAWF9630	183	ROAH72T0()	265	ROPO90T0()	261
RMDA7230	147	RMSCB	214	ROAH72T1()	265	ROPO96S0()	261
RMDA7236	147	RO1-CB	274	ROAH90T0()	265	ROPO96T0()	261
RMDA7830	147	RO1-DPB	274	ROAH90T1()	265	ROPS30S0NN	262
RMDA7836	147	RO1-ECB	274	ROAH96T0()	265	ROPS36S0NN	262
RMDA8430	147	RO1-EPB	274	ROAH96T1()	265	ROPS42S0NN	262
RMDA8436	147	RO1-GB	275	ROAO60T0()	265	ROPS48S0NN	262
RMDA9030	147	RO1-HP12	269, 271, 272, 273	ROAO60T1()	265	ROPS54S0NN	262
RMDA9036	147	RO1-HP15	269, 271, 272, 273	ROAO72T0()	265	ROPS60S0NN	262
RMDA9630	147	RO1-HP6	269, 271, 272, 273	ROAO72T1()	265	ROPS66S0NN	262
RMDA9636	147	RO1-HP9	269, 271, 272, 273	ROAO90T0()	265	ROPS72S0NN	262
RMDA(A/B/C/D/E/F/G)F4221	164	RO1-MPB	274	ROAO90T1()	265	ROPS78S0NN	262
RMDA(A/B/C/D/E/F/G)F4230	164	RO1-PULL	275	ROAO96T0()	265	ROPS84S0NN	262
RMDA(A/B/C/D/E/F/G)F4236	164	RO1-RCB	274	ROAO96T1()	265	ROPS90S0NN	262
RMDA(A/B/C/D/E/F/G)F4830	164	RO1-RPB	274	ROHDR30	320	ROPS96S0NN	262
RMDA(A/B/C/D/E/F/G)F4836	164	RO1-WMF2	275	ROHDR36	320	ROWH60S0()	263
RMDA(A/B/C/D/E/F/G)F5025	164	RO1-WMF3	275	ROHDR42	320	ROWH60S1()	263
RMDA(A/B/C/D/E/F/G)F5430	164	RO1-WMF4	275	ROHDR48	320	ROWH60T0()	263
RMDA(A/B/C/D/E/F/G)F5436	164	RO2-NS20	274	ROHDR60	320	ROWH60T1()	263
RMDA(A/B/C/D/E/F/G)F6030	164	RO2-NS21	274	ROHDR72	320	ROWH72S0()	263
RMDA(A/B/C/D/E/F/G)F6036	164	RO3-M24	268	ROHDR90	320	ROWH72S1()	263
RMDA(A/B/C/D/E/F/G)F6630	164	RO3-M30	268	ROHDR96	320	ROWH72T0()	263
RMDA(A/B/C/D/E/F/G)F6636	164	RO3-M36	268	ROMF30S0()	260	ROWH72T1()	263
RMDA(A/B/C/D/E/F/G)F7230	164	RO3-M42	268	ROMF36S0()	260	ROWH90S0()	263
RMDA(A/B/C/D/E/F/G)F7236	164	RO3-M48	268	ROMF42S0()	260	ROWH90S1()	263
RMDA(A/B/C/D/E/F/G)F7830	164	RO3-M60	268, 269	ROMF48S0()	260	ROWH90T0()	263
RMDA(A/B/C/D/E/F/G)F7836	164	RO3-M66	268, 269	ROMF60S0()	260	ROWH90T1()	263
RMDA(A/B/C/D/E/F/G)F8430	164	RO3-M72	268, 269	ROMF72S0()	260	ROWH96S0()	263
RMDA(A/B/C/D/E/F/G)F8436	164	RO3-N24	270	ROMH30S0()	260	ROWH96S1()	263
RMDA(A/B/C/D/E/F/G)F9030	164	RO3-N30	270	ROMH36S0()	260	ROWH96T0()	263
RMDA(A/B/C/D/E/F/G)F9036	164	RO3-N36	270	ROMH60S0()	260	ROWH96T1()	263
RMDA(A/B/C/D/E/F/G)F9630	164	RO3-N42	270	ROMH72S0()	260	ROWO60S0()	263
RMDA(A/B/C/D/E/F/G)F9636	164	RO3-N48	270	ROMO30S0()	260	ROWO60S1()	263
RMDAWF4221	182	RO3-N60	270	ROMO36S0()	260	ROWO60T0()	263
RMDAWF4230	182	RO3-N66	270	ROMO42S0()	260	ROWO60T1()	263
RMDAWF4236	182	RO3-N72	270	ROMO48S0()	260	ROWO72S0()	263
RMDAWF4830	182	RO3-OM30	273	ROMO60S0()	260	ROWO72S1()	263
RMDAWF4836	182	RO3-OM36	273	ROMO72S0()	260	ROWO72T0()	263
RMDAWF5025	182	RO3-OM42	273	ROPF30S0J	262	ROWO72T1()	263
RMDAWF5430	182	RO3-OM48	273	ROPF36S0J	262	ROWO90S0()	263
RMDAWF5436	182	RO3-OM60	273	ROPF42S0J	262	ROWO90S1()	263
RMDAWF6030	182	RO3-OM72	273	ROPF48S0J	262	ROWO90T0()	263
RMDAWF6036	182	RO3-ON30	273	ROPF60S0J	262	ROWO90T1()	263
RMDAWF6630	182	RO3-ON36	273	ROPF72S0J	262	ROWO96S0()	263
RMDAWF6636	182	RO3-ON42	273	ROPF84S0J	262	ROWO96S1()	263
RMDAWF7230	182	RO3-ON48	273	ROPF96S0J	262	ROWO96T0()	263
RMDAWF7236	182	RO3-ON60	273	ROPH30S0()	261	ROWO96T1()	263
RMDAWF7830	182	RO3-ON72	273	ROPH36S0()	261	RP211J	226, 229
RMDAWF7836	182	RO3-RD30	273	ROPH60S0()	261	RP211K	226, 229
RMDAWF8430	182	RO3-RD36	273	ROPH60T0()	261	RP211L(L/R)	232, 234
RMDAWF8436	182	RO3-RD42	273	ROPH72S0()	261	RP211M	232, 234
RMDAWF9030	182	RO3-RD48	273	ROPH72T0()	261	RP212J	226, 229
RMDAWF9036	182	RO3-RD60	273	ROPH90S0()	261	RP212K	226, 229
RMDAWF9630	182	RO3-RD72	273	ROPH90T0()	261	RP212L(L/R)	232, 234

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RP212M	232, 234	RPETRAY3N	319	RR3-E36S	129	RR3-MICON	131
RP213J	226, 229	RPHCHH	318	RR3-E42NS	124	RR3MP4	310
RP213K	226, 229	RPHCHT	318	RR3-E42S	129	RR3MP6	310
RP213L(L/R)	232, 234	RPHL3442(F/T)	112	RR3-E48NS	124	RR3PICON	131
RP213M	232, 234	RPHL3449(F/T)	112	RR3-E48S	129	RR3-REPI	125
RP221J	228, 231	RPHL3464(F/T)	112	RR3-E60-4	124	RR3-RTPI	127
RP221K	228, 231	RPHL3479(F/T)	112	RR3-E66-4	124	RR3-SP-(A, B, C, X, Y, Z)	127
RP222J	228, 231	RPHL4249(F/T)	112	RR3-E72-4	124	RR3-SP-(A,B,X,Y)	125
RP222K	228, 231	RPHL4249S	112	RR3-EBBCL	129	RR3-ST	131
RP223J	228, 231	RPHL4264(F/T)	112	RR3-EBBCS	129	RR3-T24	126
RP223K	228, 231	RPHL4264S	112	RR3EBVC50	133	RR3-T24S	129
RP231K	226, 229	RPHL4279(F/T)	112	RR3EBVC62	133	RR3-T30NS	126
RP231L	232, 234	RPHL4279S	112	RR3EBVC64	133	RR3-T30S	129
RP231M	232, 234	RPHL4964(F/T)	112	RR3EBVC76	133	RR3-T36NS	126
RP232K	226, 229	RPHL4964S	112	RR3EBVC78	133	RR3-T36S	129
RP232L	232, 234	RPHL4979(F/T)	112	RR3EBVC90	133	RR3-T42NS	126
RP232M	232, 234	RPHL4979S	112	RR3-EJ18	125	RR3-T42S	129
RP261K	226, 229	RPHL6479(F/T)	112	RR3-EJ18P	125	RR3-T48NS	126
RP261L	232, 234	RPHL6479S	112	RR3-EJ20	125	RR3-T48S	129
RP261M	232, 234	RPHTB3024	318	RR3-EJ20P	125	RR3-T60-4	126
RP262K	226, 229	RPHTB4224	318	RR3-EJ24	125	RR3-T66-4	126
RP262L	232, 234	RPHWB3024	318	RR3-EJ24P	125	RR3-T72-4	126
RP262M	232, 234	RPHWB4224	318	RR3-EJ30	125	RR3-TBBCL	129
RPAB16	237	RPL1	221	RR3-EJ30P	125	RR3-TBBCS	129
RPAB19	237	RPRL1	221	RR3-EJ36	125	RR3TBVC50	133
RPAB30	237	RPS1	221	RR3-EJ36P	125	RR3TBVC62	133
RPAB36	237	RPULLSMPPF	311	RR3-EJ42	125	RR3TBVC64	133
RPAD	309	RPULLSMPPG	311	RR3-EJ42P	125	RR3TBVC76	133
RPADKIT	309	RPULLSMPPH	311	RR3-EJ48	125	RR3TBVC78	133
RPADSS	318	RPULLSMPPR	311	RR3EJ48	130	RR3TBVC90	133
RPAHFB16	318	RPULLSMPT	311	RR3-EJ48P	125	RR3-TJ18	127
RPAHFB30	318	RR3-2PF	131	RR3-EJ54P	125	RR3-TJ18P	127
RPAHFB36	318	RR3-3PF	131	RR3-EJ60P	125	RR3-TJ20	127
RPAHFM162	318	RR3-BNC	131	RR3EJ60P	130	RR3-TJ20P	127
RPAHFM30	318	RR3-C3C	131	RR3-EJ66P	125	RR3-TJ24	127
RPAHFM36	318	RR3-C5C	131	RR3EJ66P	130	RR3-TJ24P	127
RPAPT	319	RR3-C5C4A	131	RR3-EJ72P	125	RR3-TJ30	127
RPB211J	227, 230	RR3-C5C4B	131	RR3EJ72P	130	RR3-TJ30P	127
RPB211K	227, 230	RR3-C6C	131	RR3-EJ78P	125	RR3-TJ36	127
RPB211L(L/R)	233, 235	RR3CHI241	128	RR3-EJ84P	125	RR3-TJ36P	127
RPB211M	233, 235	RR3CHI242	128	RR3-EJ90P	125	RR3-TJ42	127
RPB212J	227, 230	RR3CHI301	128	RR3-EJ96P	125	RR3-TJ42P	127
RPB212K	227, 230	RR3CHI302	128	RR3-EPC24	124	RR3-TJ48	127
RPB212L(L/R)	233, 235	RR3CHI361	128	RR3-EPCM	124	RR3TJ48	130
RPB212M	233, 235	RR3CHI362	128	RR3-EPCP24	124	RR3-TJ48P	127
RPB213J	227, 230	RR3CHI421	128	RR3-EPCPM	124	RR3-TJ54P	127
RPB213K	227, 230	RR3CHI422	128	RR3-EPCPSM	124	RR3-TJ60P	127
RPB213L(L/R)	233, 235	RR3CHI481	128	RR3-EPCSM	124	RR3TJ60P	130
RPB213M	233, 235	RR3CHI482	128	RR3-EPI	125	RR3-TJ66P	127
RPB231K	227, 230	RR3-DA	124, 126	RR3-EPNY1	125	RR3TJ66P	130
RPB231L	233, 235	RR3-DATSHD	124, 126	RR3-EPNY2	125	RR3-TJ72P	127
RPB231M	233, 235	RR3-DB	124, 126	RR3-EPVR	111, 125	RR3TJ72P	130
RPB232K	227, 230	RR3-DC	126	RR3EVJ	134	RR3-TJ78P	127
RPB232L	233, 235	RR3-DICON	131	RR3EVJ110	134	RR3-TJ84P	127
RPB232M	233, 235	RR3-DX	124, 126	RR3EVJ82	134	RR3-TJ90P	127
RPB261K	227, 230	RR3-DXO	124, 126	RR3EVJ96	134	RR3-TJ96P	127
RPB261L	233, 235	RR3-DY	124, 126	RR3-FB	131	RR3-TPC24	126
RPB261M	233, 235	RR3-DYO	124, 126	RR3FDP	133	RR3-TPCM	126
RPB262K	227, 230	RR3-DZ	126	RR3-FE	131	RR3-TPCP24	126
RPB262L	233, 235	RR3-DZO	126	RR3-FOSC	131	RR3-TPCPM	126
RPB262M	233, 235	RR3-E24	124	RR3-FOST	131	RR3-TPCPS	126
RPD11	319	RR3-E24S	129	RR3-FV	131	RR3-TPCS	126
RPD14	319	RR3-E30NS	124	RR3-LTPC	129	RR3-TPI	127
RPETAD	319	RR3-E30S	129	RR3-LTPC24	129	RR3-TPNY1	127
RPETRAY3C	319	RR3-E36NS	124	RR3-LTPCP	129	RR3-TPNY2	127

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-TPVR	111, 127	RRAW3636-(1/2/3)	187	RS1-WMF42	275	RSA(A/B/C/D/E/F/G)A242	156
RR3TVJ	134	RRAW4242-(1/2/3)	187	RS1-WMF48	275	RSA(A/B/C/D/E/F/G)A243	157
RR3TVJ110	134	RRAW6060-(1/2/3)	187	RS1-WMF60	275	RSA(A/B/C/D/E/F/G)A301	156
RR3TVJ82	134	RRAW7230-(1/2/3)	187	RSA241	135	RSA(A/B/C/D/E/F/G)A302	156
RR3TVJ96	134	RRAW7236-(1/2/3)	187	RSA242	135	RSA(A/B/C/D/E/F/G)A303	157
RR3VDA	133	RRAW7272-(1/2/3)	187	RSA243	136	RSA(A/B/C/D/E/F/G)A361	156
RR3VDB	133	RRAW8430-(1/2/3)	187	RSA301	135	RSA(A/B/C/D/E/F/G)A362	156
RR3VDC	133	RRAW8436-(1/2/3)	187	RSA302	135	RSA(A/B/C/D/E/F/G)A363	157
RR3VDX	133	RRAW8442-(1/2/3)	187	RSA303	136	RSA(A/B/C/D/E/F/G)A421	156
RR3VDXO	133	RRAW9630-(1/2/3)	187	RSA3423N	146	RSA(A/B/C/D/E/F/G)A422	156
RR3VDY	133	RRAW9636-(1/2/3)	187	RSA3429N	146	RSA(A/B/C/D/E/F/G)A423	157
RR3VDYO	133	RRAW9642-(1/2/3)	187	RSA361	135	RSA(A/B/C/D/E/F/G)A481	156
RR3VDZ	133	RRBRD2712	310	RSA362	135	RSA(A/B/C/D/E/F/G)A482	156
RR3VDZO	133	RRD3FTCPPL(L/R)7936	114	RSA363	136	RSA(A/B/C/D/E/F/G)A483	157
RR3VPBK	133	RRD3FTCPPL(L/R)7942	114	RSA4023N	146	RSA(A/B/C/D/E/F/G)A541	156
RRA12036	151	RRD3PPL(L/R)7936	114	RSA4029N	146	RSA(A/B/C/D/E/F/G)A542	156
RRA12042	151	RRD3PPL(L/R)7942	114	RSA421	135	RSA(A/B/C/D/E/F/G)A543	157
RRA12048	151	RRDPPL(L/R)6436	114	RSA422	135	RSA(A/B/C/D/E/F/G)A601	156
RRA14442	151	RRDPPL(L/R)6442	114	RSA423	136	RSA(A/B/C/D/E/F/G)A602	156
RRA14448	151	RRDTH	114	RSA4623N	146	RSA(A/B/C/D/E/F/G)A603	157
RRA16842	151	RRDTH(L/R)	114	RSA4629N	146	RSA(A/B/C/D/E/F/G)A604	157
RRA16848	151	RREP3624(A,B,W)	293, 294, 295	RSA4635N	146	RSA(A/B/C/D/E/F/G)A661	156
RRA19242	151	RREP3630(A,B,W)	293, 294, 295	RSA481	135	RSA(A/B/C/D/E/F/G)A662	156
RRA19248	151	RREP4224(A,B,W)	293, 294, 295	RSA482	135	RSA(A/B/C/D/E/F/G)A663	157
RRA3636	151	RREP4230(A,B,W)	293, 294, 295	RSA483	136	RSA(A/B/C/D/E/F/G)A664	157
RRA4242	151	RREP4824(A,B,W)	293, 294, 295	RSA5223N	146	RSA(A/B/C/D/E/F/G)A721	156
RRA4848	151	RREP4830(A,B,W)	293, 294, 295	RSA5229N	146	RSA(A/B/C/D/E/F/G)A722	156
RRA6060	151	RREP5424(A,B,W)	293, 294, 295	RSA5235N	146	RSA(A/B/C/D/E/F/G)A723	157
RRA7230	151	RREP5430(A,B,W)	293, 294, 295	RSA541	135	RSA(A/B/C/D/E/F/G)A724	157
RRA7236	151	RREP6024(A,B,W)	293, 294, 295	RSA542	135	RSA(A/B/C/D/E/F/G)A781	156
RRA7272	151	RREP6030(A,B,W)	293, 294, 295	RSA543	136	RSA(A/B/C/D/E/F/G)A782	156
RRA8430	151	RRMC3010	322	RSA5823N	146	RSA(A/B/C/D/E/F/G)A783	157
RRA8436	151	RRMC3610	322	RSA5829N	146	RSA(A/B/C/D/E/F/G)A841	156
RRA8442	151	RRMC6010	322	RSA5835N	146	RSA(A/B/C/D/E/F/G)A842	156
RRA9630	151	RRMC7210	322	RSA601	135	RSA(A/B/C/D/E/F/G)A843	157
RRA9636	151	RRSP3624K(A,B,W)	293, 294, 295	RSA602	135	RSA(A/B/C/D/E/F/G)A901	156
RRA9642	151	RRSP3630K(A,B,W)	293, 294, 295	RSA603	136	RSA(A/B/C/D/E/F/G)A902	156
RRA9648	151	RRSP4224K(A,B,W)	293, 294, 295	RSA604	136	RSA(A/B/C/D/E/F/G)A903	157
RRA(A/B/C/D/E/F/G)12036-(1/2/3)	168	RRSP4230K(A,B,W)	293, 294, 295	RSA6423N	146	RSA(A/B/C/D/E/F/G)A961	156
RRA(A/B/C/D/E/F/G)12042-(1/2/3)	168	RRSP4824K(A,B,W)	293, 294, 295	RSA6429N	146	RSA(A/B/C/D/E/F/G)A962	156
RRA(A/B/C/D/E/F/G)12048-(1/2/3)	168	RRSP4830K(A,B,W)	293, 294, 295	RSA6435N	146	RSA(A/B/C/D/E/F/G)A963	157
RRA(A/B/C/D/E/F/G)14442-(1/2/3)	168	RRSP5424K(A,B,W)	293, 294, 295	RSA661	135	RSA(A/B/C/D/E/F/G)B241	158
RRA(A/B/C/D/E/F/G)14448-(1/2/3)	168	RRSP5430K(A,B,W)	293, 294, 295	RSA662	135	RSA(A/B/C/D/E/F/G)B242	158
RRA(A/B/C/D/E/F/G)16842-(1/2/3)	168	RRSP6024K(A,B,W)	293, 294, 295	RSA663	136	RSA(A/B/C/D/E/F/G)B301	158
RRA(A/B/C/D/E/F/G)16848-(1/2/3)	168	RRSP6030K(A,B,W)	293, 294, 295	RSA664	136	RSA(A/B/C/D/E/F/G)B302	158
RRA(A/B/C/D/E/F/G)19242-(1/2/3)	168	RS1-DPB	274	RSA7023N	146	RSA(A/B/C/D/E/F/G)B361	158
RRA(A/B/C/D/E/F/G)19248-(1/2/3)	168	RS1-EPB	274	RSA7029N	146	RSA(A/B/C/D/E/F/G)B362	158
RRA(A/B/C/D/E/F/G)3636-(1/2/3)	168	RS1-M24	272	RSA7035N	146	RSA(A/B/C/D/E/F/G)B421	158
RRA(A/B/C/D/E/F/G)4242-(1/2/3)	168	RS1-M30	272	RSA721	135	RSA(A/B/C/D/E/F/G)B422	158
RRA(A/B/C/D/E/F/G)4848-(1/2/3)	168	RS1-M36	272	RSA722	135	RSA(A/B/C/D/E/F/G)B481	158
RRA(A/B/C/D/E/F/G)6060-(1/2/3)	168	RS1-M42	272	RSA723	136	RSA(A/B/C/D/E/F/G)B482	158
RRA(A/B/C/D/E/F/G)7230-(1/2/3)	168	RS1-M48	272	RSA724	136	RSA(A/B/C/D/E/F/G)F241	154
RRA(A/B/C/D/E/F/G)7236-(1/2/3)	168	RS1-M60	272	RSA781	135	RSA(A/B/C/D/E/F/G)F242	154
RRA(A/B/C/D/E/F/G)7272-(1/2/3)	168	RS1-MPB	274	RSA782	135	RSA(A/B/C/D/E/F/G)F243	155
RRA(A/B/C/D/E/F/G)8430-(1/2/3)	168	RS1-N24	272	RSA783	136	RSA(A/B/C/D/E/F/G)F301	154
RRA(A/B/C/D/E/F/G)8436-(1/2/3)	168	RS1-N30	272	RSA841	135	RSA(A/B/C/D/E/F/G)F302	154
RRA(A/B/C/D/E/F/G)8442-(1/2/3)	168	RS1-N36	272	RSA842	135	RSA(A/B/C/D/E/F/G)F303	155
RRA(A/B/C/D/E/F/G)9630-(1/2/3)	168	RS1-N42	272	RSA843	136	RSA(A/B/C/D/E/F/G)F361	154
RRA(A/B/C/D/E/F/G)9636-(1/2/3)	168	RS1-N48	272	RSA901	135	RSA(A/B/C/D/E/F/G)F362	154
RRA(A/B/C/D/E/F/G)9642-(1/2/3)	168	RS1-N60	272	RSA902	135	RSA(A/B/C/D/E/F/G)F363	155
RRAW12036-(1/2/3)	187	RS1-RPB	274	RSA903	136	RSA(A/B/C/D/E/F/G)F421	154
RRAW12042-(1/2/3)	187	RS1-VP	272	RSA961	135	RSA(A/B/C/D/E/F/G)F422	154
RRAW14442-(1/2/3)	187	RS1-WMF24	275	RSA962	135	RSA(A/B/C/D/E/F/G)F423	155
RRAW16842-(1/2/3)	187	RS1-WMF30	275	RSA963	136	RSA(A/B/C/D/E/F/G)F481	154
RRAW19242-(1/2/3)	187	RS1-WMF36	275	RSA(A/B/C/D/E/F/G)A241	156	RSA(A/B/C/D/E/F/G)F482	154

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA(A/B/C/D/E/F/G)F483	155	RSWA243	172	RSAB664	174	RSAWL361	175
RSA(A/B/C/D/E/F/G)F541	154	RSWA301	171	RSAB721	173	RSAWL362	175
RSA(A/B/C/D/E/F/G)F542	154	RSWA302	171	RSAB722	173	RSAWL363	176
RSA(A/B/C/D/E/F/G)F543	155	RSWA303	172	RSAB723	174	RSAWL421	175
RSA(A/B/C/D/E/F/G)F601	154	RSWA361	171	RSAB724	174	RSAWL422	175
RSA(A/B/C/D/E/F/G)F602	154	RSWA362	171	RSAB781	173	RSAWL423	176
RSA(A/B/C/D/E/F/G)F603	155	RSWA363	172	RSAB782	173	RSAWL481	175
RSA(A/B/C/D/E/F/G)F604	155	RSWA421	171	RSAB783	174	RSAWL482	175
RSA(A/B/C/D/E/F/G)F661	154	RSWA422	171	RSAB841	173	RSAWL483	176
RSA(A/B/C/D/E/F/G)F662	154	RSWA423	172	RSAB842	173	RSAWL541	175
RSA(A/B/C/D/E/F/G)F663	155	RSWA481	171	RSAB843	174	RSAWL542	175
RSA(A/B/C/D/E/F/G)F664	155	RSWA482	171	RSAB901	173	RSAWL543	176
RSA(A/B/C/D/E/F/G)F721	154	RSWA483	172	RSAB902	173	RSAWL601	175
RSA(A/B/C/D/E/F/G)F722	154	RSWA541	171	RSAB903	174	RSAWL602	175
RSA(A/B/C/D/E/F/G)F723	155	RSWA542	171	RSAB961	173	RSAWL603	176
RSA(A/B/C/D/E/F/G)F724	155	RSWA543	172	RSAB962	173	RSAWL604	176
RSA(A/B/C/D/E/F/G)F781	154	RSWA601	171	RSAB963	174	RSAWL661	175
RSA(A/B/C/D/E/F/G)F782	154	RSWA602	171	RSAF241	169	RSAWL662	175
RSA(A/B/C/D/E/F/G)F783	155	RSWA603	172	RSAF242	169	RSAWL663	176
RSA(A/B/C/D/E/F/G)F841	154	RSWA604	172	RSAF243	170	RSAWL664	176
RSA(A/B/C/D/E/F/G)F842	154	RSWA661	171	RSAF301	169	RSAWL721	175
RSA(A/B/C/D/E/F/G)F843	155	RSWA662	171	RSAF302	169	RSAWL722	175
RSA(A/B/C/D/E/F/G)F901	154	RSWA663	172	RSAF303	170	RSAWL723	176
RSA(A/B/C/D/E/F/G)F902	154	RSWA664	172	RSAF361	169	RSAWL724	176
RSA(A/B/C/D/E/F/G)F903	155	RSWA721	171	RSAF362	169	RSAWL781	175
RSA(A/B/C/D/E/F/G)F961	154	RSWA722	171	RSAF363	170	RSAWL782	175
RSA(A/B/C/D/E/F/G)F962	154	RSWA723	172	RSAF421	169	RSAWL783	176
RSA(A/B/C/D/E/F/G)F963	155	RSWA724	172	RSAF422	169	RSAWL841	175
RSA(A/B/C/D/E/F/G)L241	158	RSWA781	171	RSAF423	170	RSAWL842	175
RSA(A/B/C/D/E/F/G)L242	158	RSWA782	171	RSAF481	169	RSAWL843	176
RSA(A/B/C/D/E/F/G)L301	158	RSWA783	172	RSAF482	169	RSAWL901	175
RSA(A/B/C/D/E/F/G)L302	158	RSWA841	171	RSAF483	170	RSAWL902	175
RSA(A/B/C/D/E/F/G)L361	158	RSWA842	171	RSAF541	169	RSAWL903	176
RSA(A/B/C/D/E/F/G)L362	158	RSWA843	172	RSAF542	169	RSAWL961	175
RSA(A/B/C/D/E/F/G)L421	158	RSWA901	171	RSAF543	170	RSAWL962	175
RSA(A/B/C/D/E/F/G)L422	158	RSWA902	171	RSAF601	169	RSAWL963	176
RSA(A/B/C/D/E/F/G)L481	158	RSWA903	172	RSAF602	169	RSAWR241	177
RSA(A/B/C/D/E/F/G)L482	158	RSWA961	171	RSAF603	170	RSAWR242	177
RSA(A/B/C/D/E/F/G)R241	159	RSWA962	171	RSAF604	170	RSAWR243	178
RSA(A/B/C/D/E/F/G)R242	159	RSWA963	172	RSAF661	169	RSAWR301	177
RSA(A/B/C/D/E/F/G)R301	159	RSWB241	173	RSAF662	169	RSAWR302	177
RSA(A/B/C/D/E/F/G)R302	159	RSWB242	173	RSAF663	170	RSAWR303	178
RSA(A/B/C/D/E/F/G)R361	159	RSWB243	174	RSAF664	170	RSAWR361	177
RSA(A/B/C/D/E/F/G)R362	159	RSWB301	173	RSAF721	169	RSAWR362	177
RSA(A/B/C/D/E/F/G)R421	159	RSWB302	173	RSAF722	169	RSAWR363	178
RSA(A/B/C/D/E/F/G)R422	159	RSWB303	174	RSAF723	170	RSAWR421	177
RSA(A/B/C/D/E/F/G)R481	159	RSWB361	173	RSAF724	170	RSAWR422	177
RSA(A/B/C/D/E/F/G)R482	159	RSWB362	173	RSAF781	169	RSAWR423	178
RSAMP1616	310	RSWB363	174	RSAF782	169	RSAWR481	177
RSAR361(H/V)	137	RSWB421	173	RSAF783	170	RSAWR482	177
RSAR362(H/V)	137	RSWB422	173	RSAF841	169	RSAWR483	178
RSAR421(H/V)	137	RSWB423	174	RSAF842	169	RSAWR541	177
RSAR422(H/V)	137	RSWB481	173	RSAF843	170	RSAWR542	177
RSAR481(H/V)	137	RSWB482	173	RSAF901	169	RSAWR543	178
RSAR482(H/V)	137	RSWB483	174	RSAF902	169	RSAWR601	177
RSAR541(H/V)	137	RSWB541	173	RSAF903	170	RSAWR602	177
RSAR542(H/V)	137	RSWB542	173	RSAF961	169	RSAWR603	178
RSAR601(H/V)	137	RSWB543	174	RSAF962	169	RSAWR604	178
RSAR602(H/V)	137	RSWB601	173	RSAF963	170	RSAWR661	177
RSAR661(H/V)	137	RSWB602	173	RSAW1241	175	RSAWR662	177
RSAR662(H/V)	137	RSWB603	174	RSAW1242	175	RSAWR663	178
RSAR721(H/V)	137	RSWB604	174	RSAW1243	176	RSAWR664	178
RSAR722(H/V)	137	RSWB661	173	RSAWL301	175	RSAWR721	177
RSAWA241	171	RSWB662	173	RSAWL302	175	RSAWR722	177
RSAWA242	171	RSWB663	174	RSAWL303	176	RSAWR723	178

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWR724	178	RSL12	223	RSTTWE36541	209	RTA7230	152
RSAWR781	177	RSL15	223	RSTTWE36543	212	RTA7236	152
RSAWR782	177	RSL20	223	RSWA15 18	98	RTA7272	152
RSAWR783	178	RSL24	223	RSWA15 20	98	RTA8430	152
RSAWR841	177	RSL30	223	RSWA15 24	98	RTA8436	152
RSAWR842	177	RSL36	223	RSWA15 30	98	RTA8442	152
RSAWR843	178	RSL42	223	RSWA15 36	98	RTA9630	152
RSAWR901	177	RSL48	223	RSWA15 42	98	RTA9636	152
RSAWR902	177	RSNTT18(A/B/C/E)	107	RSWA15 48	98	RTA9642	152
RSAWR903	178	RSNTT20(A/B/C/E)	107	RSWAD1560	99	RTA9648	152
RSAWR961	177	RSNTT24(A/B/C/E)	107	RSWAD1572	99	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	167
RSAWR962	177	RSNTT30(A/B/C/E)	107	RSWAD1584	99	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	167
RSAWR963	178	RSNTT33(A/B/C/E) (66" wide panels one only)	107	RSWAD1596	99	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	167
RSBC3423	224	RSNTT36(A/B/C/E)	107	RSWAD2260	99	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	167
RSBC3429	224	RSNTT42(A/B/C/E)	107	RSWAD2272	99	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	167
RSBC4023	224	RSNTT48(A/B/C/E)	107	RSWAD2284	99	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	167
RSBC4029	224	RSPABPD	113	RSWAD2296	99	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	167
RSBC4623	224	RSPABPP	113	RSWB15 30	98	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	167
RSBC4629	224	RSPABPT	113	RSWB15 36	98	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	167
RSBC5223	224	RSPABPW	113	RSWB15 42	98	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	167
RSBC5229	224	RSPABTD	113	RSWB15 48	98	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	167
RSBC5823	224	RSPABTT	113	RSWC30 18	98	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	167
RSBC5829	224	RSPABTW	113	RSWC30 20	98	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	167
RSBC6423	224	RSPABWD	113	RSWC30 24	98	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	167
RSBC6429	224	RSPABWW	113	RSWC30 30	98	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	167
RSBC7023	224	RST1	223	RSWC30 36	98	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	167
RSBC7029	224	RST2	223	RSWC30 42	98	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	167
RSBK464616	225	RST3	223	RSWC30 48	98	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	167
RSBT4629	225	RST4	223	RSWWA601	267	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	167
RSBT5229	225	RST5	223	RSWWA602	267	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	167
RSBT5829	225	RST6	223	RSWWA721	267	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	167
RSBT6429	225	RSTRLE361	208	RSWWA722	267	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	167
RSBT7029	225	RSTRLE363	211	RSWWA901	267	RTAT5E19S	276
RSBWH20	216	RSTRLE421	208	RSWWA902	267	RTAT5E25A	276
RSBWH24	216	RSTRLE423	211	RSWWA961	267	RTAT5E25S	276
RSBWH30	216	RSTRSE361	210	RSWWA962	267	RTAT5E37A	276
RSBWH36	216	RSTRSE363	213	RSWWA(A/B/C/D/E/F/G)601	267	RTAT5E37S	276
RSBWH42	216	RSTRSE421	210	RSWWA(A/B/C/D/E/F/G)602	267	RTAT5E49A	276
RSBWH48	216	RSTRSE423	213	RSWWA(A/B/C/D/E/F/G)721	267	RTAT5E49S	276
RSC	220	RSTRSE423	213	RSWWA(A/B/C/D/E/F/G)722	267	RTAT5E61A	276
RSC4	220	RSTRWE361	209	RSWWA(A/B/C/D/E/F/G)901	267	RTAT5E61S	276
RSCC4	220	RSTRWE363	212	RSWWA(A/B/C/D/E/F/G)902	267	RTAW12036-(1/2/3)	186
RSD1427	222, 223	RSTRWE421	209	RSWWA(A/B/C/D/E/F/G)902	267	RTAW12042-(1/2/3)	186
RSD1827	222, 223	RSTRWE423	212	RSWWA(A/B/C/D/E/F/G)961	267	RTAW14442-(1/2/3)	186
RSD2027	222, 223	RSTSLE361	208	RSWWA(A/B/C/D/E/F/G)962	267	RTAW14442-(1/2/3)	186
RSD2427	222, 223	RSTSLE363	211	RSWWAWF601	267	RTAW16842-(1/2/3)	186
RSD3027	222, 223	RSTSLE421	208	RSWWAWF602	267	RTAW19242-(1/2/3)	186
RSDR30	320	RSTSLE423	211	RSWWAWF721	267	RTAW3636-(1/2/3)	186
RSDR36	320	RSTSSE361	210	RSWWAWF722	267	RTAW4242-(1/2/3)	186
RSDR42	320	RSTSSE363	213	RSWWAWF901	267	RTAW6060-(1/2/3)	186
RSDR48	320	RSTSSE421	210	RSWWAWF902	267	RTAW7230-(1/2/3)	186
RSDR54	320	RSTSSE423	213	RSWWAWF961	267	RTAW7236-(1/2/3)	186
RSDR60	320	RSTSWE361	209	RSWWAWF962	267	RTAW7272-(1/2/3)	186
RSDR66	320	RSTSWE363	212	RTA12036	152	RTAW8430-(1/2/3)	186
RSDR72	320	RSTSWE421	209	RTA12042	152	RTAW8436-(1/2/3)	186
RSDR78	320	RSTSWE423	212	RTA12048	152	RTAW8442-(1/2/3)	186
RSDR84	320	RSTTLE30481	208	RTA14442	152	RTAW9630-(1/2/3)	186
RSDR90	320	RSTTLE30483	211	RTA14448	152	RTAW9636-(1/2/3)	186
RSDR96	320	RSTTLE36541	208	RTA16842	152	RTAW9642-(1/2/3)	186
RSE1(L/R)	219	RSTTLE36543	211	RTA16848	152	RTLL193W	321
RSE2(L/R)	219	RSTTSE30481	210	RTA19242	152	RTLL196W	321
RSE3(L/R)	219	RSTTSE30483	213	RTA19248	152	RTLL199W	321
RSE4(L/R)	219	RSTTSE36541	210	RTA3636	152	RTLL3712W	321
RSE5(L/R)	219	RSTTSE36543	213	RTA4242	152	RTLL3718W	321
RSE6(L/R)	219	RSTTWE30481	209	RTA4848	152	RTLL376W	321
		RSTTWE30483	212	RTA6060	152	RTLT5E19S	321

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTLT5E25A	321	RTRDOF72361	194	RWA6621	140	RWEA4831	141
RTLT5E25S	321	RTRDOF78241	194	RWA6623	140	RWEA4862	141
RTLT5E37A	321	RTRDOF78301	194	RWA6632	140	RWEA7220(L/R)	264
RTLT5E37S	321	RTRDOF78361	194	RWA7212	140	RWEA7224(L/R)	264
RTLT5E49A	321	RTRDOF84241	194	RWA7221	140	RWEA(A/B/C/D/E/F/G)F3613	163
RTLT5E49S	321	RTRDOF84301	194	RWA7223	140	RWEA(A/B/C/D/E/F/G)F3626	163
RTLT5E61A	321	RTRDOF84361	194	RWA7232	140	RWEA(A/B/C/D/E/F/G)F3631	162
RTLT5E61S	321	RTRDRL48301	197	RWA(A/B/C/D/E/F/G)F4212	162	RWEA(A/B/C/D/E/F/G)F3662	163
RTLT5E73A	321	RTRDRL60301	197	RWA(A/B/C/D/E/F/G)F4221	162	RWEA(A/B/C/D/E/F/G)F4213	163
RTLT5E73S	321	RTRDRL72301	197	RWA(A/B/C/D/E/F/G)F4223	162	RWEA(A/B/C/D/E/F/G)F4226	163
RTLT5E85A	321	RTRDRL72361	197	RWA(A/B/C/D/E/F/G)F4232	162	RWEA(A/B/C/D/E/F/G)F4231	162
RTLT5E85S	321	RTRDS48301	198	RWA(A/B/C/D/E/F/G)F4812	162	RWEA(A/B/C/D/E/F/G)F4262	163
RTM272361	199	RTRDS60301	198	RWA(A/B/C/D/E/F/G)F4821	162	RWEA(A/B/C/D/E/F/G)F4813	163
RTM272421	199	RTRDS72301	198	RWA(A/B/C/D/E/F/G)F4823	162	RWEA(A/B/C/D/E/F/G)F4826	163
RTM272481	199	RTRDS72361	198	RWA(A/B/C/D/E/F/G)F4832	162	RWEA(A/B/C/D/E/F/G)F4831	162
RTM278361	199	RTSDC42423	206	RWA(A/B/C/D/E/F/G)F5412	162	RWEA(A/B/C/D/E/F/G)F4862	163
RTM278421	199	RTSDC48483	206	RWA(A/B/C/D/E/F/G)F5421	162	RWEAWF3613	180
RTM278481	199	RTSDL42421	201	RWA(A/B/C/D/E/F/G)F5423	162	RWEAWF3626	180
RTM284361	199	RTSDL48481	201	RWA(A/B/C/D/E/F/G)F5432	162	RWEAWF3631	179
RTM284421	199	RTSDRL42421	202	RWA(A/B/C/D/E/F/G)F6012	162	RWEAWF3662	180
RTM284481	199	RTSDRL48481	202	RWA(A/B/C/D/E/F/G)F6021	162	RWEAWF4213	180
RTM290361	199	RTSDS42421	203	RWA(A/B/C/D/E/F/G)F6023	162	RWEAWF4226	180
RTM290421	199	RTSDS48481	203	RWA(A/B/C/D/E/F/G)F6032	162	RWEAWF4231	179
RTM290481	199	RTTA24()	277	RWA(A/B/C/D/E/F/G)F6612	162	RWEAWF4262	180
RTM296361	199	RTTA30()	277	RWA(A/B/C/D/E/F/G)F6621	162	RWEAWF4813	180
RTM296421	199	RTTA36()	277	RWA(A/B/C/D/E/F/G)F6623	162	RWEAWF4826	180
RTM296481	199	RTTA42()	277	RWA(A/B/C/D/E/F/G)F6632	162	RWEAWF4831	179
RTM472361	200	RTTA48()	277	RWA(A/B/C/D/E/F/G)F7212	162	RWEAWF4862	180
RTM472421	200	RTTA54()	277	RWA(A/B/C/D/E/F/G)F7221	162	RWEB7220(L/R)	264
RTM472481	200	RTTA60()	277	RWA(A/B/C/D/E/F/G)F7223	162	RWEB7224(L/R)	264
RTM478361	200	RTTA66()	277	RWA(A/B/C/D/E/F/G)F7232	162	RWEC7220(L/R)	264
RTM478421	200	RTTA72()	277	RWAWF4212	179	RWEC7224(L/R)	264
RTM478481	200	RTTAWF24()	277	RWAWF4221	179	RWED7220(L/R)	264
RTM484361	200	RTTAWF30()	277	RWAWF4223	179	RWED7224(L/R)	264
RTM484421	200	RTTAWF36()	277	RWAWF4232	179	RWHRA	309
RTM484481	200	RTTAWF42()	277	RWAWF4812	179	RWHRB	309
RTM490361	200	RTTAWF48()	277	RWAWF4821	179	RWHRC	309
RTM490421	200	RTTAWF54()	277	RWAWF4823	179	RWHRD	309
RTM496361	200	RTTAWF60()	277	RWAWF4832	179	RWHRE	309
RTM496421	200	RTTAWF66()	277	RWAWF5412	179	RWHRF	309
RTM496481	200	RTTAWF72()	277	RWAWF5421	179	RWHRC	309
RTNDC361	204	RUMC3010	322	RWAWF5423	179	RWHTB3024	318
RTNDC363	207	RUMC3610	322	RWAWF5432	179	RWHTB3624	318
RTNDC421	204	RUMC6010	322	RWAWF6012	179	RWHTB4224	318
RTNDC423	207	RUMC7210	322	RWAWF6021	179	RWHTB4824	318
RTNDC481	204	RUTB	216	RWAWF6023	179	RWMCT24	314
RTNDC483	207	RWA3623	140	RWAWF6032	179	RWMMP24	312
RTOP1	310	RWA3632	140	RWAWF6612	179	RWMMP30	312
RTOP2	310	RWA4212	140	RWAWF6621	179	RWMMP36	312
RTRDC48303	205	RWA4221	140	RWAWF6623	179	RWMPB	312
RTRDC60303	205	RWA4223	140	RWAWF6632	179	RWMT1512R	314
RTRDC72303	205	RWA4232	140	RWAWF7212	179	RWMT1512U	314
RTRDC72363	205	RWA4812	140	RWAWF7221	179	RWMT2712R	314
RTRDL48301	196	RWA4821	140	RWAWF7223	179	RWMT2712U	314
RTRDL60301	196	RWA4823	140	RWAWF7232	179	RWMT3912R	314
RTRDL72301	196	RWA4832	140	RWEA3613	141	RWMT3912U	314
RTRDL72361	196	RWA5412	140	RWEA3626	141	RWMV24	312
RTRDOF60241	194	RWA5421	140	RWEA3631	141	RWMVF	313
RTRDOF60301	194	RWA5423	140	RWEA3662	141	RWMVH24	312
RTRDOF60361	194	RWA5432	140	RWEA4213	141	RWMVH30	312
RTRDOF66241	194	RWA6012	140	RWEA4226	141	RWMVH36	312
RTRDOF66301	194	RWA6021	140	RWEA4231	141	RWMVP24	312
RTRDOF66361	194	RWA6023	140	RWEA4262	141	RWMWT24	312
RTRDOF72241	194	RWA6032	140	RWEA4813	141	RWMWT30	312
RTRDOF72301	194	RWA6612	140	RWEA4826	141	RWMWT36	312

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
YPSB2024	326	YPSB3830F	325
YPSB2024F	324	YPSB3836	327
YPSB2027	326	YPSB3836F	325
YPSB2027F	324	YPSB3842	327
YPSB2030	326	YPSB3842F	325
YPSB2030F	324	YPSB3848	327
YPSB2036	326	YPSB3848F	325
YPSB2036F	324	YPSB3854	327
YPSB2042	326	YPSB3854F	325
YPSB2042F	324	YPSB3860	327
YPSB2048	326	YPSB3860F	325
YPSB2048F	324	YPSB3866	327
YPSB2054	326	YPSB3866FRR	325
YPSB2054F	324	YPSB3872	327
YPSB2060	326	YPSB3872FRR	325
YPSB2060F	324		
YPSB2066	326		
YPSB2066FRR	324		
YPSB2072	326		
YPSB2072FRR	324		
YPSB2624	327		
YPSB2624F	325		
YPSB2627	327		
YPSB2627F	325		
YPSB2630	327		
YPSB2630F	325		
YPSB2636	327		
YPSB2636F	325		
YPSB2642	327		
YPSB2642F	325		
YPSB2648	327		
YPSB2648F	325		
YPSB2654	327		
YPSB2654F	325		
YPSB2660	327		
YPSB2660F	325		
YPSB2666	327		
YPSB2666FRR	325		
YPSB2672	327		
YPSB2672FRR	325		
YPSB3224	326		
YPSB3224F	324		
YPSB3227	326		
YPSB3227F	324		
YPSB3230	326		
YPSB3230F	324		
YPSB3236	326		
YPSB3236F	324		
YPSB3242	326		
YPSB3242F	324		
YPSB3248	326		
YPSB3248F	324		
YPSB3254	326		
YPSB3254F	324		
YPSB3260	326		
YPSB3260F	324		
YPSB3266	326		
YPSB3266FRR	324		
YPSB3272	326		
YPSB3272FRR	324		
YPSB3824	327		
YPSB3824F	325		
YPSB3827	327		
YPSB3827F	325		
YPSB3830	327		

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, RPM and Sapper seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Reff Profiles, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, Spark Series seating structural elements, Richard Schultz outdoor products, KnollExtra CPU storage and all universal storage drawers.</i></p> <p><i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: All other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces. KnollStudio Maya Lin and Spark Series seating finishes.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Changes in surface finishes, including colorfastness due to aging or exposure to light.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
Compliance with Law	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."

