

Introduction	Knoll and Sustainable Design	2
Dividends Horizon System	Dividends Color Program Finishes	4
	Dividends Legacy Finishes	5
	Dividends Worksurfaces	6
	Dividends Table Supports	18
	Dividends Accessories	19
	Dividends Electrical	20
	Dividends T5 Task Lights	25
Equity System	Equity Finishes	26
	Equity service wall accessories	27
	Equity EW1 Worksurfaces	28
	Equity EW3 Worksurfaces	32
	Equity / Dividends style File tops	34
	Equity Task Light	35
Morrison System	Morrison System Finishes	36
	Knoll Color Program	37
	Morrison System Legacy Finishes	38
	Morrison Window Panel	39
	Morrison Connectors, post assemblies	40
	Morrison miscellaneous	44
	Trim Cover	45
	Morrison Rolling Doors	47
	Morrison Worksurfaces, 1 3/4"	49
	Morrison Worksurfaces, 1 1/4"	57
	Morrison Options Worksurfaces, 1 1/4"	71
	Currents System worksurfaces	85
	VDT corner and transitional end panels	86
	Kneehole filler and transitional filler panels	87
	Return filler panels	88
	Intermediate shelves	89
	Morrison shelves and flush counter surface, 1 3/4"	90
	Morrison shelves and flush counter surface, 1 1/4"	91
	Morrison Overhead cabinets	92
	Morrison Network privacy screen	93
	Morrison vertical storage	94
	Morrison Network T5 Task Light	95
	Morrison Options T5 Task Light	96
Reff System	Reff Finish Options	97
	Reff Panels	99
	Reff Worksurfaces	107
	Reff support components	128
	Reff Cabinetry	131
	Reff Overhead storage	152
	Reff accessories	174
AutoStrada System	AutoStrada Finishes	175
	AutoStrada Worksurfaces	176
	AutoStrada Cabinets	177
	AutoStrada Lower Storage	178
	AutoStrada T5 Task Light	179
Reuter	T5 Task Light for Reuter Overhead Storage	180
The Graham Collection	The Graham Collection T5 Task Light	181
Alpha-Numeric Index		182
Selling Policy		192
KnollKey Lock Program		194
General Ordering Information		195

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level™ certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level™ sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

All dimensions in this price list are nominal and follow standard size convention of its respective product line.

Core Paint and Laminate Finishes

Specify Core finishes for all new customers

Order Code	Color Name	Old Order Code	Paint Grade	Paint Finishes	Plastic Panel Trim Finishes	DS1 Pedestal and Overhead Plastic Finishes	Laminate Finishes	2mm Edgeband Finishes	Techwood Finishes	Cascade Worksurface Finishes
611	Beige Mist Metallic		P2	•						
118	Bright White	LH	P3	•		•	•	•		•
112	Brown		P1	•		•				
123	Brushed Grey						•			
122	Brushed Sand						•			
113	Dark Grey	Y3	P1	•	•	•		•		
128	Fog	G					•	•		
114	Folkstone Grey		P1	•		•	•	•		•
111	Jet Black	27	P1	•		•	•	•		
124	Medium Cherry						•	•		•
115	Medium Grey	Y2	P1	•	•	•		•		
612	Medium Metallic Grey	J	P2	•						
121	Micro Grey						•			
129	Micro Sand						•			
126	Natural Cherry						•	•		•
125	Natural Maple						•	•		•
119	Pumice	LB, F					•	•		•
116	Sandstone		P1	•		•				
613	Silver	3	P3	•						
117	Soft Grey	E, M42	P1	•	•	•	•	•		•
127	Walnut						•	•		•
Y811	Natural Techwood								•	
Y821	Blonde Maple Techwood (formerly known as Maple Techwood)								•	
Y831	Light Cherry Techwood (formerly known as Cherry Techwood)								•	
				Panel base raceway covers	Plastic panel trim	DS1 pedestal drawer plugs	2mm Edge Work-surfaces	2mm Edge Work-surfaces	Techwood edge work-surfaces	Cascade edge work-surface
				Steel tile inserts	PVC post assemblies	DS1 pedestal handles	15" deep counters	15" deep counters	15" deep counters	
				D1 style tile supports	Beltway raceway covers	DS1 Overhead door end plugs	Overhead doors		Overhead doors	
				Overhead cabinets	Power pole covers		Credenza top and doors		Credenza tops	
				Pedestal case and fronts			Overdesk doors		Credenza doors	
									Overdesk doors	
									Series 2 overhead door	

Note: All Dividends Horizon products except DS1 and DS2 pedestals and doublewide pedestals are painted with a textured finish excluding 613 Silver which is available as a smooth finish only.

X and Y base tables and the freestanding screen kits are always painted with a textured finish, including 613 Silver.

Note: Laminates and other finishes may vary in color due to different dye lots. Slight variations are to be expected.

Most products introduced after 2004 are not available in Legacy finishes. See individual pricing pages for availability.

Specify Legacy finishes to match existing product only. Legacy finishes are not available for new customers.

Trim Finishes

Panel top caps
Panel post trim
Pedestal drawer top caps
Overhead drawer top caps
Pedestal drawer pulls

Y1 Pewter

Paint Finishes

Panel base raceway covers
Panel tiled insert supports
Solid Steel panel inserts
Perforated steel panel inserts
Embossed steel panel inserts
Overhead storage components
Pedestals
Desk components
Metal panel topcaps and trim

P1 Finishes

Y1 Pewter

P2 Finishes

H Beige Metallic
W Light Tan Metallic

All other Knoll paint finishes and custom finishes (Series 2 components only)

Laminates

Worksurfaces

An upcharge applies where specifying Legacy laminates. Add an amount equal to 10% of the solid PVC edgeband list price to the price of any product specified with a Legacy laminate.

MC	Caramel Maple
CM	Clear Maple
M1	Light Grey
PA	Pearwood
SD	Sand
B	Snow
WM	Warm Cherry
MR6	Winter Grey Matrix

Note: Laminates and other finishes may vary in color due to different dye lots. Slight variations are to be expected.

Worksurface Edges

2mm edgeband

MC	Caramel Maple
CM	Clear Maple
Y3	Dark Grey
Y2	Medium Grey
MT	Metal
Y1	Pewter
SD	Sand
B	Snow
WM	Warm Cherry

Dividends Worksurfaces
Rectangular 18" Deep
Rectangular 18" Deep + Post

Standard Specials Systems

description	w	d	t	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
18" Deep Rectangular, No Grommet 	18"	18"	1 1/4"	D1R1818NQ	\$182.	\$201.	\$219.	\$445.
18" Deep Rectangular, No Grommet Post Condition	21"	18"	1 1/4"	D1R2118NQ	186.	206.	224.	454.
	27"	18"	1 1/4"	D1R2718NQ	195.	213.	234.	477.
	33"	18"	1 1/4"	D1R3318NQ	218.	241.	262.	501.
	39"	18"	1 1/4"	D1R3918NQ	253.	279.	304.	524.
	45"	18"	1 1/4"	D1R4518NQ	281.	309.	337.	547.
	51"	18"	1 1/4"	D1R5118NQ	299.	330.	359.	567.
	57"	18"	1 1/4"	D1R5718NQ	325.	357.	390.	588.
	63"	18"	1 1/4"	D1R6318NQ	350.	385.	420.	610.
	69"	18"	1 1/4"	D1R6918NQ	370.	408.	445.	631.
	75"	18"	1 1/4"	D1R7518NQ	396.	436.	475.	658.
	81"	18"	1 1/4"	D1R8118NQ	417.	459.	501.	683.
	87"	18"	1 1/4"	D1R8718NQ	465.	511.	557.	709.
	93"	18"	1 1/4"	D1R9318NQ	514.	565.	618.	734.
	99"	18"	1 1/4"	D1R9918NQ	577.	634.	691.	797.

Order Code	Ordering Information	Included with:	Options
"D" Worksurface	"D" Worksurface	Worksurfaces	Worksurfaces
<i>Example:</i> D1R 1818N Q, 114, 114	1. Pattern Number		• Center-Located Edge Grommet
D1R Pattern Number	2. Laminate Finish		To specify, replace the "N" suffix from the pattern number with "G" .
1818G Q	3. Edge Band Finish		Add \$18.
114 Folkstone Grey Laminate			• Woodgrain PVC edge
114 Folkstone grey Edge Band			• Metal edge

Dividends Worksurfaces
Rectangular 24" Deep
Rectangular 24" Deep + Post

Standard Specials Systems

description	w	d	t	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
24" Deep Rectangular, No Grommet 	102"	24"	1 1/4"	D1R10224NQ	\$714.	\$786.	\$856.	\$928.
	108"	24"	1 1/4"	D1R10824NQ	776.	854.	931.	1,009.
	120"	24"	1 1/4"	D1R12024NQ	900.	990.	1,082.	1,171.
24" Deep Rectangular, No Grommet Post Condition	21"	24"	1 1/4"	D1R2124NQ	196.	215.	235.	469.
	27"	24"	1 1/4"	D1R2724NQ	226.	248.	270.	496.
	33"	24"	1 1/4"	D1R3324NQ	250.	276.	301.	521.
	39"	24"	1 1/4"	D1R3924NQ	286.	315.	344.	549.
	45"	24"	1 1/4"	D1R4524NQ	320.	352.	384.	576.
	51"	24"	1 1/4"	D1R5124NQ	347.	382.	417.	607.
	57"	24"	1 1/4"	D1R5724NQ	375.	413.	450.	636.
	63"	24"	1 1/4"	D1R6324NQ	406.	446.	486.	664.
	69"	24"	1 1/4"	D1R6924NQ	422.	465.	507.	692.
	75"	24"	1 1/4"	D1R7524NQ	454.	499.	544.	725.
	81"	24"	1 1/4"	D1R8124NQ	479.	528.	576.	757.
	87"	24"	1 1/4"	D1R8724NQ	542.	596.	650.	789.
	93"	24"	1 1/4"	D1R9324NQ	589.	648.	708.	819.
	99"	24"	1 1/4"	D1R9924NQ	651.	717.	782.	882.

Ordering Information

Worksurfaces

1. Pattern Number
2. Laminate Finish
3. Edge Band Finish

Order Code

Worksurfaces

Example: **D1R 4524NQ, 114, 114**

D1R Pattern Number
4524N Q

114 Folkstone Grey
 Laminate

114 Folkstone Grey Edge
 Band

Included with:

Worksurfaces

Options

Worksurfaces

- Center-Located Edge Grommet
 To specify, replace the "N" suffix from the pattern number with "G".
Add \$18.
- Woodgrain PVC edge
- Metal edge

Dividends Worksurfaces
Rectangular 30" Deep
Rectangular 30" Deep + Post

Standard Specials Systems

description	w	d	t	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
30" Deep Rectangular, No Grommet	102"	30"	1 1/4"	D1R10230NQ	\$832.	\$916.	\$999.	\$1,082.
	108"	30"	1 1/4"	D1R10830NQ	894.	984.	1,072.	1,163.
	114"	30"	1 1/4"	D1R11430NQ	957.	1,053.	1,147.	1,243.
	120"	30"	1 1/4"	D1R12030NQ	1,018.	1,120.	1,222.	1,323.
30" Deep Rectangular, No Grommet Post Condition	27"	33"	1 1/4"	D1R2730NQ	281.	308.	337.	523.
	33"	30"	1 1/4"	D1R3330NQ	310.	341.	373.	559.
	39"	30"	1 1/4"	D1R3930NQ	339.	373.	407.	596.
	45"	30"	1 1/4"	D1R4530NQ	375.	413.	450.	634.
	51"	30"	1 1/4"	D1R5130NQ	424.	468.	510.	662.
	57"	30"	1 1/4"	D1R5730NQ	469.	515.	561.	689.
	63"	30"	1 1/4"	D1R6330NQ	520.	574.	625.	717.
	69"	30"	1 1/4"	D1R6930NQ	542.	596.	650.	743.
	75"	30"	1 1/4"	D1R7530NQ	579.	636.	693.	777.
	81"	30"	1 1/4"	D1R8130NQ	615.	676.	736.	811.
	87"	30"	1 1/4"	D1R8730NQ	660.	726.	792.	845.
	93"	30"	1 1/4"	D1R9330NQ	708.	778.	849.	879.
	99"	30"	1 1/4"	D1R9930NQ	769.	847.	924.	1,001.

Ordering Information	Order Code	Included with:	Options:
Worksurfaces	Worksurfaces	Worksurfaces	Worksurfaces
1. Pattern Number	<i>Example:</i> D1R 6330N Q, 114, 114		
2. Laminate Finish	D1R Pattern Number		
3. Edge Band Finish	6330N Q		
	114 Folkstone Grey Laminate		
	114 Folkstone Grey Edge Band		
			- Center-Located Edge Grommet To specify, replace the "N" suffix from the pattern number with "G". Add \$18. - Woodgrain PVC edge - Metal edge

Dividends Worksurfaces
Rectangular 36" Deep
Rectangular 36" Deep + Post

Standard Specials Systems

description	w	d	thickness	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
36" Deep Rectangular, No Grommet	30"	36"	1 1/4"	D1R3036NQ	\$558.	\$615.	\$671.	\$726.
	36"	36"	1 1/4"	D1R3636NQ	584.	642.	701.	759.
	42"	36"	1 1/4"	D1R4236NQ	587.	646.	705.	763.
	48"	36"	1 1/4"	D1R4836NQ	593.	652.	712.	771.
	54"	36"	1 1/4"	D1R5436NQ	600.	661.	721.	818.
	78"	36"	1 1/4"	D1R7836NQ	793.	872.	952.	1,030.
	84"	36"	1 1/4"	D1R8436NQ	855.	940.	1,026.	1,111.
	90"	36"	1 1/4"	D1R9036NQ	918.	1,009.	1,101.	1,193.
	96"	36"	1 1/4"	D1R9636NQ	980.	1,078.	1,176.	1,273.
	102"	36"	1 1/4"	D1R10236NQ	1,042.	1,146.	1,250.	1,354.
	108"	36"	1 1/4"	D1R10836NQ	1,104.	1,215.	1,325.	1,436.
	114"	36"	1 1/4"	D1R11436NQ	1,167.	1,283.	1,400.	1,517.
	120"	36"	1 1/4"	D1R12036NQ	1,229.	1,351.	1,475.	1,598.
36" Deep Rectangular, No Grommet Post Condition	30"	36"	1 1/4"	D1R3336NQ	558.	615.	671.	726.
	39"	36"	1 1/4"	D1R3936NQ	584.	642.	701.	759.
	45"	36"	1 1/4"	D1R4536NQ	587.	646.	705.	763.
	51"	36"	1 1/4"	D1R5136NQ	593.	652.	712.	771.
	57"	36"	1 1/4"	D1R5736NQ	600.	661.	721.	818.
	63"	36"	1 1/4"	D1R6336NQ	663.	729.	795.	861.
	69"	36"	1 1/4"	D1R6936NQ	729.	803.	877.	949.
	75"	36"	1 1/4"	D1R7536NQ	793.	872.	952.	1,030.
	81"	36"	1 1/4"	D1R8136NQ	855.	940.	1,026.	1,111.
	87"	36"	1 1/4"	D1R8736NQ	918.	1,009.	1,101.	1,193.
	93"	36"	1 1/4"	D1R9336NQ	961.	1,057.	1,153.	1,249.
	99"	36"	1 1/4"	D1R9936NQ	1,000.	1,100.	1,199.	1,300.

Ordering Information

Worksurfaces

1. Pattern Number
2. Laminate Finish
3. Edge Band Finish

Order Code

Worksurfaces

Example: **D1R 3036N Q, 114, 114**

D1R Pattern Number
3036N Q

114 Folkstone Grey
Laminate

114 Folkstone Grey Edge
Band

Included with:

Worksurfaces

Options

Worksurfaces


- Center-Located Edge Grommet
To specify, replace the "N" suffix from the pattern number with "G".
Add \$18.
- Woodgrain PVC edge
- Metal edge

Dividends Worksurfaces

Curvilinear Wave End

Left

Standard Specials Systems

description	1	2	3	A	B	t	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
Curvilinear Wave End Left No Grommet	29 1/2"	23 1/2"	29 1/2"	14 15/16"	2 15/16"	1 1/4"	D1W303024NQ	\$528.	\$581.	\$633.	\$686.
	35 13/16"	17 1/2"	23 1/2"	14 15/16"	2 15/16"	1 1/4"	D1W362418NQ	590.	649.	709.	767.
	47 13/16"	23 1/2"	35 13/16"	14 15/16"	14 15/16"	1 1/4"	D1W483624NQ	678.	746.	813.	882.
	53 13/16"	23 1/2"	29 1/2"	14 15/16"	14 15/16"	1 1/4"	D1W543024NQ	685.	754.	822.	891.
	59 13/16"	17 1/2"	29 1/2"	23 7/16"	14 15/16"	1 1/4"	D1W603018NQ	698.	767.	837.	906.
	59 13/16"	23 1/2"	29 1/2"	23 7/16"	18 7/16"	1 1/4"	D1W603024NQ	698.	767.	837.	906.
	59 13/16"	23 1/2"	35 1/2"	17 1/2"	14 15/16"	1 1/4"	D1W603624NQ	780.	858.	936.	1,015.
	65 13/16"	23 1/2"	29 1/2"	23 7/16"	15 15/16"	1 1/4"	D1W663024NQ	732.	805.	880.	953.
	65 13/16"	23 1/2"	35 1/2"	23 7/16"	14 15/16"	1 1/4"	D1W663624NQ	820.	902.	984.	1,066.
	71 13/16"	29 1/2"	35 1/2"	23 7/16"	14 15/16"	1 1/4"	D1W723630NQ	851.	936.	1,021.	1,106.
	77 13/16"	23 1/2"	29 1/2"	23 7/16"	30 7/16"	1 1/4"	D1W783024NQ	825.	906.	989.	1,071.
	77 13/16"	23 1/2"	35 1/2"	23 7/16"	14 15/16"	1 1/4"	D1W783624NQ	918.	1,009.	1,101.	1,193.
	83 13/16"	23 1/2"	35 1/2"	23 7/16"	14 15/16"	1 1/4"	D1W843624NQ	946.	1,041.	1,135.	1,230.
	89 13/16"	23 1/2"	29 1/2"	23 7/16"	30 7/16"	1 1/4"	D1W903024NQ	935.	1,029.	1,123.	1,216.
	95 13/16"	23 1/2"	29 1/2"	23 7/16"	39"	1 1/4"	D1W963024NQ	998.	1,098.	1,197.	1,298.
	95 13/16"	23 1/2"	35 1/2"	23 7/16"	14 15/16"	1 1/4"	D1W963624NQ	1,023.	1,126.	1,228.	1,331.
	95 13/16"	29 1/2"	35 1/2"	23 7/16"	30 7/16"	1 1/4"	D1W963630NQ	1,023.	1,126.	1,228.	1,331.


Order Code	Ordering Information	Included with:	Options
Worksurfaces	Worksurfaces	Worksurfaces	Worksurfaces
<i>Example:</i> D1R 303024N Q, 114, 114	1. Pattern Number		• Center-Located Edge Grommet
D1R Pattern Number	2. Laminate Finish		To specify, replace the "N" suffix from the pattern number with "G".
303024N	3. Edge Band Finish		Add \$18.
114 Folkstone			• Woodgrain PVC edge
Grey Laminate			• Metal edge
114 Folkstone Grey Edge Band			

Dividends Worksurfaces

Curvilinear Wave End

Right

Standard Specials Systems

description	1	2	3	A	B	t	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
Curvilinear Wave End Right No Grommet 	29 1/2"	29 1/2"	23 1/2"	2 15/16"	14 15/16"	1 1/4"	D1W302430NQ	\$528.	\$581.	\$633.	\$686.
	35 13/16"	23 1/2"	17 1/2"	2 15/16"	14 15/16"	1 1/4"	D1W361824NQ	590.	649.	709.	767.
	47 13/16"	35 13/16"	23 1/2"	14 15/16"	14 15/16"	1 1/4"	D1W482436NQ	678.	746.	813.	882.
	53 13/16"	29 1/2"	23 1/2"	14 15/16"	14 15/16"	1 1/4"	D1W542430NQ	685.	754.	822.	891.
	59 13/16"	29 1/2"	17 1/2"	14 15/16"	23 7/16"	1 1/4"	D1W601830NQ	698.	767.	837.	906.
	59 13/16"	29 1/2"	23 1/2"	18 7/16"	23 7/16"	1 1/4"	D1W602430NQ	698.	767.	837.	906.
	59 13/16"	35 1/2"	23 1/2"	14 15/16"	17 1/2"	1 1/4"	D1W602436NQ	780.	858.	936.	1,015.
	65 13/16"	29 1/2"	23 1/2"	15 15/16"	23 7/16"	1 1/4"	D1W662430NQ	732.	805.	880.	953.
	65 13/16"	35 1/2"	23 1/2"	14 15/16"	23 7/16"	1 1/4"	D1W662436NQ	820.	902.	984.	1,066.
	71 13/16"	35 1/2"	29 1/2"	30 7/16"	23 7/16"	1 1/4"	D1W723036NQ	851.	936.	1,021.	1,106.
	77 13/16"	29 1/2"	23 1/2"	30 7/16"	23 7/16"	1 1/4"	D1W782430NQ	825.	906.	989.	1,071.
	77 13/16"	35 1/2"	23 1/2"	14 15/16"	23 7/16"	1 1/4"	D1W782436NQ	918.	1,009.	1,101.	1,193.
	83 13/16"	35 1/2"	23 1/2"	14 15/16"	23 7/16"	1 1/4"	D1W842436NQ	946.	1,041.	1,135.	1,230.
	89 13/16"	29 1/2"	23 1/2"	30 7/16"	23 7/16"	1 1/4"	D1W902430NQ	935.	1,029.	1,123.	1,216.
	95 13/16"	29 1/2"	23 1/2"	39"	23 7/16"	1 1/4"	D1W962430NQ	998.	1,098.	1,197.	1,298.
	95 13/16"	35 1/2"	23 1/2"	14 15/16"	23 7/16"	1 1/4"	D1W962436NQ	1,023.	1,126.	1,228.	1,331.
	95 13/16"	35 1/2"	23 1/2"	30 7/16"	23 7/16"	1 1/4"	D1W963036NQ	1,023.	1,126.	1,228.	1,331.

Ordering Information

Worksurfaces

1. Pattern Number
2. Laminate Finish
3. Edge Band Finish

Order Code

Worksurfaces

Example: **D1R 302430N Q, 114, 114**

D1R Pattern Number

114 Folkstone Grey Laminate

114 Folkstone Grey Edge Band

Included with:

Worksurfaces

Options

Worksurfaces

- Center-Located Edge Grommet
To specify, replace the "N" suffix from the pattern number with "G".
Add \$18.
- Woodgrain PVC edge
- Metal edge

Rectilinear Corner,

Split Top Corner

description	1	2	3	4	t	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
Rectilinear Corner Worksurface. 30" Deep Return Left 30" Deep Return Right With Grommets	42"	42"	30"	30"	1 1/4"	D1C4230GQ	\$646.	\$711.	\$775.	\$1,195.
Rectilinear Corner Worksurface. 30" Deep Return Left 30" Deep Return Right No Grommets	42"	42"	30"	30"	1 1/4"	D1C4230NQ	611.	673.	733.	1,164.
Rectilinear Corner Worksurface. 36" Deep Return Left 36" Deep Return Right With Grommets	48"	48"	36"	36"	1 1/4"	D1C4836GQ	733.	808.	881.	1,340.
Rectilinear Corner Worksurface. 36" Deep Return Left 36" Deep Return Right No Grommets	48"	48"	36"	36"	1 1/4"	D1C4836NQ	699.	768.	838.	1,308.
Split Top Corner Worksurface With Grommets	36"	36"	24"	24"	1 1/4"	D1CS3624GQ	1,876.	2,064.	2,251.	3,254.
Split Top Corner Worksurface No Grommets	36"	36"	24"	24"	1 1/4"	D1CS3624NQ	1,842.	2,025.	2,209.	3,222.



Ordering Information	Order Code	Included with:	Options
Worksurfaces	Worksurfaces	Worksurfaces	Worksurfaces
1. Pattern Number	<i>Example:</i> D1C 4230G Q 117, 115	• Worksurface	• 2 Center-Located Edge Grommets
2. Laminate Finish	D1C Pattern Number	• Panel-to-Worksurface Bracket	• Woodgrain PVC edge
3. Edge Band Finish	4230G Q	Split Top Corner Worksurfaces	• Metal edge
Split Top Corner Worksurfaces	117 Soft Grey Laminate	Split Top Corner Worksurfaces	Worksurfaces
1. Pattern Number	115 Medium Grey Edge Band	• Front Worksurface	• 2 Center-Located Edge Grommets
2. Laminate Finish	Split Top Corner Worksurfaces	• Back Worksurface	• Woodgrain PVC edge
3. Edge Band Finish	<i>Example:</i> D1CS 3624G Q 117, 117	• Split Top Mechanism	• Metal edge
	D1CS Pattern Number	• Flat Brackets	
	3624G Q	• Panel-to-Worksurface Bracket	
	117 Soft Grey Laminate		
	117 Soft Grey Edge Band		

Dividends Worksurfaces

Curvilinear Corner

“L” Shape-24” Depths

Standard Specials Systems

description	1	2	3	4	t	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
Curvilinear Corner “L” Shape Worksurface 24” Deep Returns Left and Right No Grommet	36”	48”	24”	24”	1 ¼”	D1L3648SSNQ	\$657.	\$722.	\$788.	\$1,182.
	36”	54”	24”	24”	1 ¼”	D1L3654SSNQ	740.	813.	887.	1,331.
	36”	60”	24”	24”	1 ¼”	D1L3660SSNQ	814.	895.	976.	1,466.
	36”	72”	24”	24”	1 ¼”	D1L3672SSNQ	867.	954.	1,040.	1,560.
	36”	78”	24”	24”	1 ¼”	D1L3678SSNQ	877.	964.	1,052.	1,577.
	42”	48”	24”	24”	1 ¼”	D1L4248SSNQ	664.	730.	797.	1,195.
	42”	54”	24”	24”	1 ¼”	D1L4254SSNQ	814.	895.	976.	1,466.
	42”	84”	24”	24”	1 ¼”	D1L4284SSNQ	1,094.	1,204.	1,312.	1,969.
	48”	36”	24”	24”	1 ¼”	D1L4836SSNQ	657.	722.	788.	1,182.
	48”	42”	24”	24”	1 ¼”	D1L4842SSNQ	664.	730.	797.	1,195.
	48”	54”	24”	24”	1 ¼”	D1L4854SSNQ	822.	904.	987.	1,480.
	48”	78”	24”	24”	1 ¼”	D1L4878SSNQ	974.	1,071.	1,170.	1,754.
	48”	96”	24”	24”	1 ¼”	D1L4896SSNQ	1,218.	1,340.	1,463.	2,193.
	54”	36”	24”	24”	1 ¼”	D1L5436SSNQ	740.	813.	887.	1,331.
	54”	42”	24”	24”	1 ¼”	D1L5442SSNQ	814.	895.	976.	1,466.
	54”	48”	24”	24”	1 ¼”	D1L5448SSNQ	822.	904.	987.	1,480.
	60”	36”	24”	24”	1 ¼”	D1L6036SSNQ	814.	895.	976.	1,466.
	72”	36”	24”	24”	1 ¼”	D1L7236SSNQ	867.	954.	1,040.	1,560.
	78”	36”	24”	24”	1 ¼”	D1L7836SSNQ	877.	964.	1,052.	1,577.
	84”	42”	24”	24”	1 ¼”	D1L8442SSNQ	1,094.	1,204.	1,312.	1,969.
	96”	48”	24”	24”	1 ¼”	D1L9648SSNQ	1,218.	1,340.	1,463.	2,193.

Ordering Information

1. **Worksurfaces**
2. Pattern Number
3. Laminate Finish
4. Edge Band Finish

Order Code

Worksurfaces	
<i>Example:</i> D1L 3648SSN Q M42, E	
D1L	Pattern Number
3648SSN	
M42	Soft grey laminate
E	Edge Band



Included With:

Worksurfaces
 Worksurface
 Panel-to-Worksurface Bracket

Options

- Worksurfaces**
- 2 center-located edge grommets
 To specify, replace the “N” suffix from the pattern number with “G”
Add \$28
 - Woodgrain PVC edge
 - Metal edge

*Curvilinear Corner**“L” Shape-30” Depths*

description	1	2	3	4	t	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
Curvilinear Corner “L” Shape Worksurface 30”	42”	42”	30”	30”	1 1/4”	D1L4242DDNQ	\$717.	\$789.	\$860.	\$1,291.
Deep Returns Left and Right No Grommet	42”	60”	30”	30”	1 1/4”	D1L4260DDNQ	835.	919.	1,002.	1,504.
	42”	66”	30”	30”	1 1/4”	D1L4266DDNQ	876.	963.	1,051.	1,575.
	42”	72”	30”	30”	1 1/4”	D1L4272DDNQ	917.	1,008.	1,100.	1,649.
	48”	60”	30”	30”	1 1/4”	D1L4860DDNQ	876.	963.	1,051.	1,575.
	48”	66”	30”	30”	1 1/4”	D1L4866DDNQ	916.	1,007.	1,098.	1,648.
	48”	72”	30”	30”	1 1/4”	D1L4872DDNQ	957.	1,053.	1,147.	1,722.
	48”	84”	30”	30”	1 1/4”	D1L4884DDNQ	1,082.	1,189.	1,298.	1,946.
	48”	96”	30”	30”	1 1/4”	D1L4896DDNQ	1,206.	1,326.	1,446.	2,170.
	60”	42”	30”	30”	1 1/4”	D1L6042DDNQ	835.	919.	1,002.	1,504.
	60”	48”	30”	30”	1 1/4”	D1L6048DDNQ	876.	963.	1,051.	1,575.
	66”	42”	30”	30”	1 1/4”	D1L6642DDNQ	876.	963.	1,051.	1,575.
	66”	48”	30”	30”	1 1/4”	D1L6648DDNQ	916.	1,007.	1,098.	1,648.
	72”	42”	30”	30”	1 1/4”	D1L7242DDNQ	917.	1,008.	1,100.	1,649.
	72”	48”	30”	30”	1 1/4”	D1L7248DDNQ	957.	1,053.	1,147.	1,722.
	84”	48”	30”	30”	1 1/4”	D1L8448DDNQ	1,082.	1,189.	1,298.	1,946.
	96”	48”	30”	30”	1 1/4”	D1L9648DDNQ	1,206.	1,326.	1,446.	2,170.

Ordering Information

1. **W**orksurfaces
2. Pattern Number
3. Laminate Finish
4. Edge Band Finish

Order Code**W**orksurfaces

Example: **D1L 4272DDN Q, 117,**
117

D1L Pattern Number
4272DDN

Q17 Soft Grey laminate

117 Soft Grey Edge Band

Included with:**W**orksurfaces

Worksurface
Panel-to-Worksurface Bracket

Options**W**orksurfaces

- 2 center-located edge grommets
To specify, replace the “**N**” suffix from the pattern number with “**G**”
Add \$28
- Woodgrain PVC edge
- Metal edge

Dividends Worksurfaces

Curvilinear Corner

“L” Shape-Mixed Depths

Standard Specials Systems

description	1	2	3	4	t	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
Curvilinear Corner “L” Shape Worksurface 24” Deep Return Left and 30” Deep Return Right	36”	48”	24”	30”	1 1/4”	D1L3648SDNQ	\$692.	\$762.	\$831.	\$1,247.
	36”	54”	24”	30”	1 1/4”	D1L3654SDNQ	770.	848.	925.	1,387.
	42”	42”	24”	30”	1 1/4”	D1L4242SDNQ	700.	769.	840.	1,260.
	42”	48”	24”	30”	1 1/4”	D1L4248SDNQ	708.	778.	849.	1,273.
	42”	66”	24”	30”	1 1/4”	D1L4266SDNQ	849.	933.	1,019.	1,527.
	42”	72”	24”	30”	1 1/4”	D1L4272SDNQ	890.	979.	1,068.	1,602.
	48”	42”	24”	30”	1 1/4”	D1L4842SDNQ	708.	778.	849.	1,273.
	48”	78”	24”	30”	1 1/4”	D1L4878SDNQ	953.	1,048.	1,142.	1,715.
	48”	84”	24”	30”	1 1/4”	D1L4884SDNQ	1,015.	1,115.	1,217.	1,826.
	54”	36”	24”	30”	1 1/4”	D1L5436SDNQ	770.	848.	925.	1,387.
	66”	42”	24”	30”	1 1/4”	D1L6642SDNQ	849.	933.	1,019.	1,527.
	84”	48”	24”	30”	1 1/4”	D1L8448SDNQ	1,015.	1,115.	1,217.	1,826.
Curvilinear Corner “L” Shape Worksurface 30” Deep Return Left and 24” Deep Return Right	36”	48”	30”	24”	1 1/4”	D1L3648DSNQ	692.	762.	831.	1,247.
	42”	42”	30”	24”	1 1/4”	D1L4242DSNQ	700.	769.	840.	1,260.
	42”	48”	30”	24”	1 1/4”	D1L4248DSNQ	708.	778.	849.	1,273.
	42”	66”	30”	24”	1 1/4”	D1L4266DSNQ	849.	933.	1,019.	1,527.
	42”	72”	30”	24”	1 1/4”	D1L4272DSNQ	890.	979.	1,068.	1,602.
	48”	78”	30”	24”	1 1/4”	D1L4878DSNQ	953.	1,048.	1,142.	1,715.
	48”	84”	30”	24”	1 1/4”	D1L4884DSNQ	1,015.	1,115.	1,217.	1,826.
	48”	96”	30”	24”	1 1/4”	D1L4896DSNQ	1,139.	1,254.	1,367.	2,051.
	54”	36”	30”	24”	1 1/4”	D1L5436DSNQ	770.	848.	925.	1,387.
	66”	42”	30”	24”	1 1/4”	D1L6642DSNQ	849.	933.	1,019.	1,527.
	84”	48”	30”	24”	1 1/4”	D1L8448DSNQ	1,015.	1,115.	1,217.	1,826.

Ordering Information

Worksurfaces

1. Pattern Number
2. Laminate Finish
3. Edge Band Finish

Note: “S” = 24”D
“D” = 30”D

Order Code

Worksurfaces

Example: **D1L 4272SDN Q, CH, Y1**

D1L Pattern Number

4272SDN

QH Chiffon Laminate

Y1 Pewter edge band

Included with:

Worksurfaces

- Worksurface
- Panel-to-worksurface bracket

Options


Worksurfaces

- 2 center-located edge grommets
To specify, replace the “N” suffix from the pattern number with “G”
Add \$28
- Woodgrain PVC edge
- Metal edge

Dividends Worksurfaces

“D”, “P” and “9” Peninsula, And Corner Round Worksurface

Standard Specials Systems


description	w	d	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
“D” Peninsula Worksurface 	30	24	D1D3024NQ	\$465.	\$511.	\$557.	\$836.
	30	30	D1D3030NQ	514.	565.	617.	926.
	36	24	D1D3624NQ	486.	535.	583.	874.
	36	30	D1D3630NQ	536.	589.	642.	964.
	54	24	D1D5424NQ	548.	603.	658.	986.
	54	30	D1D5430NQ	683.	752.	819.	1,230.
	54	36	D1D5436NQ	812.	893.	974.	1,462.
	60	24	D1D6024NQ	610.	672.	732.	1,098.
	60	36	D1D6036NQ	837.	921.	1,005.	1,507.
	66	24	D1D6624NQ	673.	741.	806.	1,211.
	66	36	D1D6636NQ	858.	943.	1,030.	1,545.
	72	24	D1D7224NQ	734.	809.	882.	1,323.
	78	24	D1D7824NQ	797.	878.	957.	1,435.
	78	30	D1D7830NQ	848.	932.	1,018.	1,525.
	78	36	D1D7836NQ	921.	1,012.	1,104.	1,657.
	84	24	D1D8424NQ	859.	945.	1,031.	1,547.
	84	30	D1D8430NQ	911.	1,001.	1,092.	1,639.
	84	36	D1D8436NQ	983.	1,082.	1,179.	1,770.
	96	24	D1D9624NQ	982.	1,080.	1,178.	1,767.
	96	30	D1D9630NQ	1,008.	1,109.	1,210.	1,815.
	96	36	D1D9636NQ	1,107.	1,218.	1,329.	1,993.
Conferencing worksurface (left hand shown) 	60	48	DB1BD48DLQ	1,180.	1,299.	1,417.	3,005.
	60	48	DB1BD48DRQ	1,180.	1,299.	1,417.	3,005.
Blended “D” Peninsula Worksurface (left hand shown) 	54	48	D1BD5448SLQ	779.	857.	935.	3,212.
		48	D1BD5448SRQ	779.	857.	935.	3,212.
		48	D1BD5448DLQ	809.	890.	970.	3,264.
		48	D1BD5448DRQ	809.	890.	970.	3,264.
	60	48	D1BD6048SRQ	794.	873.	953.	3,207.
		48	D1BD6048SLQ	794.	873.	953.	3,207.

Ordering Information	Order Code	Included with:	Options
“D” Worksurface 1. Pattern Number 2. Laminate Finish 3. Edge Band Finish	“D” Worksurface <i>Example:</i> D1BD 5448DL Q, 114, 114 D1BD Pattern Number 5448 DL Q 114 Folkstone Grey Laminate 114 Folkstone grey Edge Band	“D” Worksurface • Worksurface Note: Support column and panel-to-worksurface brackets must be ordered separately.	“D” Worksurfaces • Woodgrain PVC edge • Metal edge

Dividends Worksurfaces

“D”, “P” and “9” Peninsula, And Corner Round Worksurface

Standard Specials Systems

description	w	d	pattern no.	PVC edge	woodgrain PVC edge	metal edge	techgrain w/ techgrain edge
Blended “D” Peninsula Worksurface (left hand shown) 	60	48	D1BD6048DRQ	\$835.	\$919.	\$1,002.	\$3,375.
		48	D1BD6048DLQ	835.	919.	1,002.	3,375.
	72	42	D1BD7242SRQ	811.	892.	973.	3,445.
		42	D1BD7242SLQ	811.	892.	973.	3,445.
		42	D1BD7242DLQ	866.	953.	1,039.	3,498.
		42	D1BD7242DRQ	866.	953.	1,039.	3,498.
	78	48	D1BD7848SLQ	873.	961.	1,048.	3,889.
		48	D1BD7848SRQ	873.	961.	1,048.	3,889.
		48	D1BD7848DLQ	928.	1,021.	1,113.	3,942.
		48	D1BD7848DRQ	928.	1,021.	1,113.	3,942.
	84	48	D1BD8448SRQ	935.	1,029.	1,123.	4,035.
		48	D1BD8448SLQ	935.	1,029.	1,123.	4,035.
		48	D1BD8448DRQ	990.	1,090.	1,189.	4,273.
		48	D1BD8448DLQ	990.	1,090.	1,189.	4,273.
Peninsula Worksurface, P-shaped 	54	30	D1P5430NQ	767.	845.	921.	2,110.
	60	30	D1P6030NQ	780.	858.	936.	2,145.
	78	36	D1P7836NQ	979.	1,077.	1,174.	2,691.
	84	30	D1P8430NQ	955.	1,050.	1,145.	2,624.
	90	30	D1P9030NQ	1,017.	1,118.	1,221.	2,795.
Peninsula Worksurface, 9-shaped 	54	30	D195430NQ	767.	845.	921.	2,110.
	60	30	D196030NQ	780.	858.	936.	2,145.
	78	36	D197836NQ	979.	1,077.	1,174.	2,691.
	84	30	D198430NQ	955.	1,050.	1,145.	2,624.
	90	30	D199030NQ	1,017.	1,118.	1,221.	2,795.
Corner Round Worksurface 	30	30	D1CRR30Q	312.	344.	375.	1,375.

Ordering Information

“D” Worksurface

1. Pattern Number
2. Laminate Finish
3. Edge Band Finish

Order Code

“D” Worksurface

Example: **D1BD 5448DL Q, 114, 114**

D1BD Pattern Number
5448 DL Q

114 Folkstone Grey
Laminate

114 Folkstone grey Edge
Band

Included with:

“D” Worksurface

- Worksurface

Note: Support column and panel-to-worksurface brackets must be ordered separately.

Options


“D” Worksurfaces

- Woodgrain PVC edge
- Metal edge

Dividends Table Supports

Double Y Leg Base

Standard Specials Systems

description	type	pattern no.	P1/P2/P3
 Y-Base, Double with stretcher	For use with 60" Wide x 24" or 30" Deep	DT1BYD602430Q	\$1,019.
	For use with 60" Wide x 36" Deep	DT1BYD6036Q	1,024.
	For use with 66" Wide x 24" or 30" Deep	DT1BYD662430Q	1,029.
	For use with 66" Wide x 36" Deep	DT1BYD6636Q	1,035.
	For use with 72" Wide x 24" or 30" Deep	DT1BYD722430Q	1,040.
	For use with 72" Wide x 36" Deep	DT1BYD7236Q	1,045.
	For use with 72" Wide x 42" Deep	DT1BYD7242Q	1,045.
	For use with 78" Wide x 24" or 30" Deep	DT1BYD782430Q	1,051.
	For use with 78" Wide x 36" Deep	DT1BYD7836Q	1,056.
	For use with 78" Wide x 42" Deep	DT1BYD7842Q	1,056.
	For use with 84" Wide x 24" or 30" Deep	DT1BYD842430Q	1,061.
	For use with 84" Wide x 36" Deep	DT1BYD8436Q	1,066.
	For use with 84" Wide x 42" Deep	DT1BYD8442Q	1,066.
	For use with 90" Wide x 24" or 30" Deep	DT1BYD902430Q	1,071.
	For use with 90" Wide x 36" Deep	DT1BYD9036Q	1,077.
	For use with 90" Wide x 42" Deep	DT1BYD9042Q	1,077.
	For use with 96" Wide x 24" or 30" Deep	DT1BYD962430Q	1,083.
	For use with 96" Wide x 36" Deep	DT1BYD9636Q	1,088.
	For use with 96" Wide x 42" Deep	DT1BYD9642Q	1,088.

Ordering Information

Table Supports:

1. Pattern number
2. Paint Finish

Order Code

Double Y Leg Base:

Example: **DT1BYD,114**

DT1 Dividends Horizon
Table


B Base

YD Double Y

114 Paint Finish

Included with:

Note: Table supports are only available in Knoll core finishes.

description	w	d	h	pattern no.	list	P1	P2	P3
Coat hook, 4 per pkg. For Flat top cap				DP5CHQ	\$239.			
Wall mounted bracket with cover For 14"h panel mounted sliding door overheads	30"		14"	DS3WMC1430Q		192.	208.	225.
	33"		14"	DS3WMC1433Q		196.	212.	229.
	36"		14"	DS3WMC1436Q		196.	212.	229.
	42"		14"	DS3WMC1442Q		199.	216.	234.
	48"		14"	DS3WMC1448Q		205.	224.	242.
Wall mounted bracket with cover For 21"h panel mounted sliding door overheads	30"		21"	DS3WMC2130Q		238.	260.	281.
	33"		21"	DS3WMC2133Q		243.	265.	286.
	36"		21"	DS3WMC2136Q		243.	265.	286.
	42"		21"	DS3WMC2142Q		262.	286.	309.
	48"		21"	DS3WMC2148Q		277.	302.	327.
Aluminum shelf with panel brackets 	18"	8"	1"	DS1AS18Q() ()	448.			
	24"	8"	1"	DS1AS24Q() ()	472.			
	30"	8"	1"	DS1AS30Q() ()	503.			
	36"	8"	1"	DS1AS36Q() ()	533.			
	42"	8"	1"	DS1AS42Q() ()	559.			
	48"	8"	1"	DS1AS48Q() ()	584.			
	54"	8"	1"	DS1AS54Q() ()	611.			
	60"	8"	1"	DS1AS60Q() ()	639.			
	66"	8"	1"	DS1AS72Q() ()	664.			
	72"	8"	1"	DS1AS66Q() ()	689.			

Ordering Information

Application Notes

Coat hook

1. Pattern Number
2. Paint Finish

Wall mounted bracket with cover

1. Pattern Number
2. Paint Finish

Aluminum shelf

1. Bracket finish
any standard paint finish
2. Shelf finish
Anodized Aluminum or any
standard paint finish except
Silver (613)

Wall mounted bracket with cover

For 60" wide overhead, use (2x) 30" brackets
For 66" wide overhead, use (2x) 33" brackets
For 72" wide overhead, use (2x) 36" brackets

Cover is required for aesthetics purpose

Aluminum display shelf

Aluminum display shelves provide an additional level of storage between the worksurface and standard overhead storage.

Aluminum display shelves include brackets for support from vertical panel connector tracks.

Shelves may be mounted on any combination of vertical panels of the same total width.

Shelves may extend 12" past the mounting bracket on either side.

Dividends Electrical
Alternative Electrical Specification
8-wire (2+1) and 10-wire (2+2) Electrical Systems


Standard Specials Systems

Dividends Horizon Electrical Specifications

Wiring Diagram

8-wire / 3-circuit (2+1)


INDEPENDENT
NEUTRAL



Wiring Diagram




10-wire / 4-circuit (2+2)

INDEPENDENT
NEUTRAL



Please note that electrical components (i.e. power module, power jumpers and receptacles) from the 8 and 10-wire electrical systems with independent neutrals **cannot** be used with the 8-wire (3+1 and 2+2) and 10-wire (3+3) electrical systems that have shared neutrals.

*Base Raceway**Power Modules, Connectors and Jumpers**8-wire (2+1) and 10-wire (2+2)*

description	type	pattern no.	list	OE	OT
 Power Module - Double sided for raceway on both sides	24"W Panel	DE(0E/0T)PM24Q		\$119.	\$124.
	30"W Panel	DE(0E/0T)PM30Q		127.	128.
	36"W Panel	DE(0E/0T)PM36Q		141.	136.
	42"W Panel	DE(0E/0T)PM42Q		141.	143.
	48"W Panel	DE(0E/0T)PM48Q		149.	152.
 Power Connector (power module-to-power module)	12" no post	DE(0E/0T)PCNPQ		77.	92.
	15" with post	DE(0E/0T)PCWPQ		83.	98.
 Power Jumper	18" W Panel	DE(0E/0T)PJ18NPQ		97.	122.
	24" W Panel	DE(0E/0T)PJ24NPQ		101.	128.
	30" W Panel	DE(0E/0T)PJ30NPQ		106.	133.
	36" W Panel	DE(0E/0T)PJ36NPQ		111.	138.
	42" W Panel	DE(0E/0T)PJ42NPQ		117.	144.
	48" W Panel	DE(0E/0T)PJ48NPQ		125.	150.
 Power Jumper (with post)	18" W Panel + Post	DE(0E/0T)PJ18WPQ		98.	126.
	24" W Panel + Post	DE(0E/0T)PJ24WPQ		103.	129.
	30" W Panel + Post	DE(0E/0T)PJ30WPQ		107.	135.
	36" W Panel + Post	DE(0E/0T)PJ36WPQ		115.	141.
	42" W Panel + Post	DE(0E/0T)PJ42WPQ		123.	148.
	48" W Panel + Post	DE(0E/0T)PJ48WPQ		132.	150.
 Multiple Panel Power Jumper (with or without post)	54"W Panel Run	DE(0E/0T)PJ54WPQ		139.	161.
	60"W Panel Run	DE(0E/0T)PJ60WPQ		145.	168.
	66"W Panel Run	DE(0E/0T)PJ66WPQ		145.	168.
	72"W Panel Run	DE(0E/0T)PJ72WPQ		156.	174.
	78"W Panel Run	DE(0E/0T)PJ78WPQ		157.	192.
	84"W Panel Run	DE(0E/0T)PJ84WPQ		173.	196.
	96"W Panel Run	DE(0E/0T)PJ96WPQ		177.	202.
 Receptacles	Duplex circuit 1	DE0DRAQ	40.		
	Duplex circuit 2	DE0DRBQ	40.		
	Duplex circuit 3	DE0DRCQ	40.		
	Duplex circuit 4	DE0DRXQ	40.		

Ordering Information**Order Code****Included with:****Options****Power Jumper**

1. Pattern Number

Power Jumper*Example:* DE0EPJ18NPQ

DE0E Pattern Number

PJ42NPQ





Power Jumper

Note: Double-sided power module will not fit in a panel base raceway with tile to the floor on one side.

Power Jumper**Options**

(OE) = 8 wire 2+1
(OT) = 10 wire 2+2

*Beltway**Power Modules, Power Connectors and Power Jumpers*

description	type	pattern no.	0E	0T
Beltway Power Module 1-Side 	30"	DE(0E/0T)BPM301Q	\$229.	\$245.
	36"	DE(0E/0T)BPM361Q	238.	253.
	42"	DE(0E/0T)BPM421Q	251.	261.
	48"	DE(0E/0T)BPM481Q	255.	271.
Beltway Power Module 2-Side 	30"	DE(0E/0T)BPM302Q	221.	255.
	36"	DE(0E/0T)BPM362Q	230.	264.
	42"	DE(0E/0T)BPM422Q	248.	272.
	48"	DE(0E/0T)BPM482Q	249.	281.
Beltway Power Connector 	17" no post	DES(0E/0T)BPCNPQ	83.	113.
	20" with post	DES(0E/0T)BPCWPQ	92.	115.
Beltway Power Jumper (no post) 	18"	DES(0E/0T)BPJ18NPQ	110.	125.
	24"	DES(0E/0T)BPJ24NPQ	114.	130.
	30"	DES(0E/0T)BPJ30NPQ	119.	137.
	36"	DES(0E/0T)BPJ36NPQ	125.	141.
	42"	DES(0E/0T)BPJ42NPQ	130.	148.
	48"	DES(0E/0T)BPJ48NPQ	135.	153.
Beltway Power Jumper (with post) 	18"	DES(0E/0T)BPJ18WPQ	113.	128.
	24"	DES(0E/0T)BPJ24WPQ	117.	133.
	30"	DES(0E/0T)BPJ30WPQ	123.	137.
	36"	DES(0E/0T)BPJ36WPQ	127.	141.
	42"	DES(0E/0T)BPJ42WPQ	136.	152.
	48"	DES(0E/0T)BPJ48WPQ	140.	157.
Multiple Panel Power Jumper (with or without post) 	54"	DES(0E/0T)BPJ54WPQ	145.	161.
	60"	DES(0E/0T)BPJ60WPQ	150.	169.
	66"	DES(0E/0T)BPJ66WPQ	156.	174.
	72"	DES(0E/0T)BPJ72WPQ	161.	177.
	78"	DES(0E/0T)BPJ78WPQ	165.	181.
	84"	DES(0E/0T)BPJ84WPQ	175.	184.
	96"	DES(0E/0T)BPJ96WPQ	187.	203.

Ordering Information**Order Code****Included with:****Options****Beltway Power Jumper**

1. Pattern Number

Beltway Power Jumper*Example:* DES0EBPJ18NPQDES0EBP Pattern Number
J18NPQ**Beltway Power Jumper****Beltway Power Jumper****Options**

(0E) = 8 wire 2+1

(0T) = 10 wire 2+2

*Beltway**Power Modules, Power Connectors and Power Jumpers*

description	type	pattern no.	0E	0T
90° Beltway Power Jumper 	30" beltway panel	DE(0E/0T)PJ120WPQ	\$219.	\$251.
	36" beltway panel	DE(0E/0T)PJ126WPQ	227.	260.
	42" beltway panel	DE(0E/0T)PJ138WPQ	238.	272.
	48" beltway panel	DE(0E/0T)PJ144WPQ	247.	279.
Vertical Power Jumper (within same panel) 		DE(0E/0T)VPJQ	187.	195.
Vertical Power Jumper (from adjacent panel) 	30" beltway panel	DE(0E/0T)PJ48WPQ	132.	150.
	36" & 42" beltway panel	DE(0E/0T)PJ54WPQ	139.	161.
	48" beltway panel	DE(0E/0T)PJ60WPQ	145.	168.

Ordering Information**Beltway Power Jumper**

1. Pattern Number

Order Code**Beltway Power Jumper***Example:* **DES0EBPJ18NPQ****DES0EBP** Pattern Number
J18NPQ**Included with:****Beltway Power Jumper****Options****Beltway Power Jumper****Options**

(0E) = 8 wire 2+1

(0T) = 10 wire 2+2

*Infeeds**Base Power and Raceway-to-Ceiling Infeeds*

description	length	pattern no.	0E	0T
Base Power Infeed (specify left or right) 	56"	DE(0E/0T)BI56(L/R)Q	\$199.	\$268.
Base Power Infeed (reversible) 	56"	DE(0E/0T)RBI56Q	264.	319.
Raceway-to-Ceiling Infeed 	19 1/2'	DE(0E/0T)CI144Q	301.	362.

Ordering Information**Base Power Infeed (L/R)**

1. Pattern Number


Order Code**Base Power Infeed (L/R)***Example:* **DE18 BI56(L)****DE18** Pattern Number (left
BI56(L) entry)**Included with:****Base Power Infeed (L/R)****Options****Base Power Infeed****Options**(0E) = 8 wire 2+1
(0T) = 10 wire 2+2Base Power infeed (L/R):
To Specify direction of entry, add
either and "L" or "R" suffix to the
pattern number.

Dividends T5 Task Lights

Daisy Chain


Standard Specials Systems

description	type	w	d	h	pattern no.	Standard	Advanced
Task Light, starter	Use with 24" and wider overhead	19"	4"	1 1/2"	DL3T5E19()DCS()Q	\$325.	n/a
9 ft. cord, fused male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	DL3T5E25()DCS()Q	339.	599.
1 ft. cord, female plug	Use with 42" and wider overhead	37"	4"	1 1/2"	DL3T5E37()DCS()Q	343.	624.
	Use with 60" and wider overhead	49"	4"	1 1/2"	DL3T5E49()DCS()Q	371.	642.




left hand shown

Task Light, adder	Use with 24" and wider overhead	19"	4"	1 1/2"	DL3T5E19()DCA()Q	359.	n/a
2 ft. cord, male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	DL3T5E25()DCA()Q	373.	633.
1 ft. cord, female plug	Use with 42" and wider overhead	37"	4"	1 1/2"	DL3T5E37()DCA()Q	377.	658.
	Use with 60" and wider overhead	49"	4"	1 1/2"	DL3T5E49()DCA()Q	405.	676.



left hand shown

Task Light, ender	Use with 24" and wider overhead	19"	4"	1 1/2"	DL3T5E19()DCE()Q	240.	n/a
2 ft. cord, male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	DL3T5E25()DCE()Q	253.	514.
	Use with 42" and wider overhead	37"	4"	1 1/2"	DL3T5E37()DCE()Q	258.	539.
	Use with 60" and wider overhead	49"	4"	1 1/2"	DL3T5E49()DCE()Q	285.	556.



left hand shown

Order Code	Specification Information	Application Notes
Example: DL3T5E19SDCSLQ	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.
DL3 Dividends Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
T5 T5 lamp	1. Type: (S) Standard (A) Advanced	Cord management clips must be ordered separately.
E Electronic ballast	2. Handedness L= Left handed (male plug on user's left side) R=Right handed (male plug on user's right side)	Task lights are TCLP compliant and meet requirements of California Title 24.
19 Width	All housings are black.	Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.
S Standard		
DC Daisy chain		
S Starter		
L Left handed		
Q Special		

Core finishes**Laminates**

111	Jet Black
114	Folkstone Grey (was LA)
117	Soft Grey (was M42)
118	Bright White
119	Pumice (was LF)
121	Micro Grey
122	Brushed Sand
123	Brushed Grey
124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut
128	Fog
129	Micro Sand

Insert Options

*for insert panels, stack-on panels and
add-on screens.*

Plexiglass

CL	Clear
IC	Ice
SM	Smoked
TR	Translucent

**Lumasite (stack-on panels and
add-on screens only)**

LF	Frost
----	-------

Worksurface Edge

111	Jet Black
113	Dark Grey (was Y3)
114	Folkstone Grey (was LA)
115	Medium Grey (was Y2)
117	Soft Grey (was E)
118	Bright White
119	Pumice (was LF)
124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut
128	Fog

Knoll Color Program Painted Trim**EP3 Panels**

all other painted components

P1 Finishes

111	Jet Black
112	Brown
113	Dark Grey (was Y3)
114	Folkstone Grey (was LA)
115	Med. Grey (was Y2)
116	Sandstone
117	Soft Grey (was E)

P2 Finishes

611	Beige Mist Metallic
612	Medium Metallic Grey

P3 Finishes

118	Bright White
613	Silver (was 3)

Equity service wall accessories

panel starter and end starter

Standard Specials Systems

description	nominal height	pattern no.	list
-------------	----------------	-------------	------

Equity panel starter	80	AA1EPS80Q	\$432.
----------------------	----	------------------	--------



Equity end starter	28	AX1E28Q	308.
--------------------	----	----------------	------

	80	AX1E80Q	432.
--	----	----------------	------



Equity System

Order Code	Specification Information	Application Notes	
Example: AA1EPS80 Q, 613	<i>Specify legacy paint finish for Equity end and panel starters, trim kits and crown end cap:</i>	Equity panel starters attach perpendicular panels to Currents wall structural base covers. Equity panel starter includes clamp bracket and adapter. Both end and panel starters include top clip for added stiffness. No connector post is required for either starter.	Specify trim kit suffix “T” for panels on both sides, “L” or “R” for attached panels only on left or right side of end of the Currents wall (as seen from outside of “T” end). Also specify crown end cap for all end conditions.
AA1	Accessory		
EPS	Equity panel starter		
80	Height		
Q	Equity standard special		
613	Silver trim		
	<i>Note:</i> For more specific application information, please refer to pages 48-49 of the 1999 Equity Planning Guide. Additional finishes are available for crown end caps.	Equity end starter supports perpendicular panel run on the centerline of the end of the wall. Perpendicular panels should be at the same height or higher than the service wall.	Gap fillers fill the gap when attaching a lower height Equity panel at the end of a 64”H Currents service wall.
	*For pricing and discounting refer to the Currents price list.		
	Leadtimes will be consistent with Currents published lead-times.	The Equity end trim kit encloses and flushes out the end of the Currents service wall with attached, end started Equity panels.	

Equity EW1 Worksurfaces

Rectangular

Standard Specials Systems

description	w	d	pattern no.	2mm edge	woodgrain edge	metal edge
15" Deep Rectangular	66"	15"	EW16615Q	\$455.	\$502.	\$546.
18" Deep Rectangular	24"	18"	EW12418Q	237.	261.	284.
grommet	24"	18"	EW12418GQ	259.	285.	310.
36" Deep Rectangular	42"	36"	EW14236Q	715.	787.	858.
grommet	42"	36"	EW14236GQ	737.	812.	885.


Order Code	Specification Information	Application Notes
Example: EW17220G, 117, 117	Specify surface and edge color.	Pattern numbers listed above are for worksurface only. See page 0 for Worksurface Loading and Support Application Information.
EW1 Equity top only	Note: If an edge grommet is not desired remove the "G" and deduct \$20. Worksurface cable baskets may be ordered separately from the standard Equity price list.	For cantilevered worksurfaces, please add a "C" to the end of the pattern number and add \$50 to the list price. Worksurfaces up to 48 inches wide will include one left hand and one right hand cantilever. Worksurfaces greater than 48 inches wide will include two left hand cantilevers and one right hand cantilever. The additional left hand cantilever is required for additional center support on tops spanning a distance greater than 48 inches.
72 Width in inches	Extended worksurfaces not available with support hardware included.	A center support must be used with a 54" wide or larger worksurface.
20 Depth in inches		Note: Extended one end add "E" and \$20. Extended both ends add "EE" and \$40. ("EE" not available on 120".)
G w/grommet		Extended tops are not available with support hardware included.
117 Soft Grey lamination		
117 Soft Grey edge		

Equity EW1 Worksurfaces

Blended corner

Standard Specials Systems

description	A	B	C	D	pattern no.	2mm edge	woodgrain edge	metal edge
Blended corner	24"	36"	72"	30"	EW1BS3672D () GQ	\$929.	\$1,022.	\$1,114.
	24"	36"	78"	24"	EW1BS3678S () GQ	954.	1,050.	1,145.
	24"	42"	72"	24"	EW1BS4272S () GQ	1,001.	1,102.	1,201.
	24"	60"	60"	24"	EW1BS6060S () GQ	1,048.	1,152.	1,257.
	24"	72"	36"	30"	EW1BS7236D () GQ	929.	1,022.	1,114.
	24"	72"	42"	24"	EW1BS7242S () GQ	1,001.	1,102.	1,201.
	24"	78"	36"	24"	EW1BS7836S () GQ	954.	1,050.	1,145.
	30"	36"	72"	24"	EW1BD3672S () GQ	929.	1,022.	1,114.
	30"	48"	60"	30"	EW1BD4860D () GQ	965.	1,061.	1,159.
	30"	48"	72"	30"	EW1BD4872D () GQ	1,053.	1,158.	1,263.
	30"	60"	36"	24"	EW1BD6036S () GQ	876.	963.	1,051.
	30"	60"	48"	30"	EW1BD6048D () GQ	965.	1,061.	1,159.



Equity System

Order Code	Specification Information	Application Notes
Example: EW1BS3672SLG, 117, 117	Specify laminate, vinyl trim, and grommet colors when applicable.	Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.
EW1B Blended worksurface	All support bracketry must be ordered separately.	Blended peninsulas are handed and always cover one post. Hand is determined from seated position. Rounded end is 30" deep.
S 24" left depth	Note: If and edge grommet is not desired remove the "G" and deduct \$20.	Depth options are as follows: S=24"deep D=30"deep
36 48 left width		Center support must be used for all surfaces which exceed 48" in length.
72 72" right width		
S 24" right width		
L Left side post covered		
G Grommet		
117 Soft Grey laminate		
117 Soft Grey edge		
117 Soft Grey trim		

Equity EW1 Worksurfaces

Counter caps, corner

Standard Specials Systems

description	A	B	C	pattern no.	PVC edge	woodgrain PVC edge	metal edge
Counter cap,corner	42"	15"	15"	EW1CC4215Q	\$827.	\$911.	\$994.



Counter cap,corner grommet	48"	24"	30"	EW1CC482430GQ	1,103.	1,213.	1,324.
	48"	30"	24"	EW1CC483024GQ	1,103.	1,213.	1,324.
	48"	30"	30"	EW1CC483030GQ	1,103.	1,213.	1,324.

Counter cap,corner Extended one end	42"	42"	15"	EW1CC4215EQ	853.	938.	1,023.
--	-----	-----	-----	--------------------	------	------	--------



Counter cap,corner Extended both ends	42"	42"	15"	EW1CC4215EEQ	879.	967.	1,055.
--	-----	-----	-----	---------------------	------	------	--------




Order Code	Specification Information	Application Notes
Example: EW1CC3015, 117, 117, 117	Specify surface, trim and cantilever trim color.	Counter caps are designed for mounting on top of panels.
EW1 Worksurface	EW1 counter caps work with all existing counter caps and are for use with Generation 1 or Generation 2 panels. Plastic cantilevers are supplied.	A counter cap extension (E) covers one post.
CC Curved corner		
30 Width		
15 Depth	EW2 counter caps are for use with Generation 3 panels only.	A counter cap extension (EE) covers 2 posts.
117 Soft Grey laminate		
117 Soft Grey edge		
117 Soft Grey cantilever trim		Wood Grain and Metal edge bands: When specifying a top with a wood grain edge band add \$25 to the standard list price. When specifying a top with a metal edge band add \$50 to the standard list price.
		Corner counter caps-(E) extended one end, mount on top of 24", 30" or 36" panels at 90° to each other. They are non-handed and screw holes for the mounting brackets must be field-drilled.
		Steel mounting brackets are supplied.

Equity EW1 Worksurfaces

P+9 tops

Standard Specials Systems

description	width	depth	pattern no.	PVC edge	woodgrain PVC edge	metal edge
P + 9 Top	60"	30"	EW1(9/P)6030Q	\$775.	\$852.	\$929.
	96"	36"	EW1(9/P)9636Q	1,325.	1,456.	1,589.



"9" top shown

Equity System

Order Code	Specification Information	Application Notes
Example: EW1P7230C, 117, 117, 117	Specify surface and trim color. Specify hardware color for bases and stretcher rails.	Designed for use as primary worksurfaces and for conferencing in small groups.
EW1 Gen 1 worksurface		
P P top		
72 Width		
30 Depth		
C Supports included		
117 Soft Grey laminate		
117 Soft Grey edge		
117 Soft Grey trim		

Note:
"P" and "D" worksurfaces cannot be panel wrapped.

Column bases and stretcher rails must be ordered separately.

To specify an EW1 "D", "P" or "9" top with support hardware (fixed-height column and stretcher rail) included add a "C" to the end of the pattern number and add \$200 to the list price.


84" wide "D", "P" and "9" worksurfaces include a "V" support bar mounted on the underside for additional stability.

Equity EW3 Worksurfaces

Blended and Curved corner tops


Standard Specials Systems

description	A	B	C	D	pattern no.	list
Blended corner	24"	36"	78"	24"	EW3BS3678S () GQ	\$1,223.
	24"	78"	36"	24"	EW3BS7836S () GQ	1,223.



Note: EW3 Worksurfaces not available with Woodgrain or Metal edge.

Curved corner	48"	30"	24"		EW3CC483024GQ	1,408.
---------------	-----	-----	-----	--	----------------------	--------



Note: EW3 Worksurfaces not available with Woodgrain or Metal edge.


Order Code	Specification Information	Application Notes	
Example: EW3BS3672SLG, 117, 117	Specify laminate, vinyl trim, and grommet colors when applicable.	Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.	Blended peninsulas are handed and always cover one post. Hand is determined from seated position. Rounded end is 30" deep.
EW3B	Blended worksurface	Blended worksurfaces are handed and may or may not cover a post on either or both sides. Hand is determined from the seated position. Option suffixes for Blended corners are as follows: X=No posts covered L=Left side post covered R=Right side post covered B=Both sides posts covered	Blended peninsulas do not come with grommets. Due to this, the worksurface meeting the "c" side will have a one-half grommet where the return meets the peninsula.
S	24" left depth		Depth options are as follows: S=24" deep D=30" deep
36	48" left width		Center support must be used for all surfaces which exceed 48" in length.
72	72" right width		
S	24" right depth		
L	Left side post covered		
G	Grommet		
117	Soft Grey laminate		
117	Soft Grey edge		

Equity EW3 Worksurfaces

D,P+9 tops


Standard Specials Systems

description	w	d	pattern no.	list
P + 9 Top	66"	30"	EW3(9/P)6630Q	\$993.



Note: EW3 Worksurfaces not available with Woodgrain or Metal edge.

"D" Top	72"	30"	EW3D7230Q	873.
---------	-----	-----	------------------	------



Note: EW3 Worksurfaces not available with Woodgrain or Metal edge.

Equity System

Order Code	Specification Information	Application Notes
Example: EW1P7230C, 117, 117, 117	Specify surface and trim color. Specify hardware color for bases and stretcher rails.	Designed for use as primary worksurfaces and for conferencing in small groups.
EW1 Gen 1 worksurface		
P P top		
72 Width		
30 Depth		
C Supports included		
117 Soft Grey laminate		
117 Soft Grey edge		
117 Soft Grey trim		

Note:
"P" and "D" worksurfaces cannot be panel wrapped.

Column bases and stretcher rails must be ordered separately.

To specify an EW1 "D", "P" or "9" top with support hardware (fixed-height column and stretcher rail) included add a "C" to the end of the pattern number and add \$200 to the list price.

84" wide "D", "P" and "9" worksurfaces include a "V" support bar mounted on the underside for additional stability.

description	w	d	pattern no.	PVC edge	woodgrain PVC edge	metal edge
Calibre file top 18"d	66"	18"	CE6618Q	\$329.	\$362.	\$394.
	78"	18"	CE7818Q	367.	404.	440.
	96"	18"	CE9618Q	474.	521.	569.
	114"	18"	CE11418Q	535.	588.	642.

Note: File tops are designed for use with Calibre Lateral Files with Calibre Fronts.
For Morrioson Fronts and Series 2 Fronts contact CPD.

Calibre file top 36"d	48"	36"	CE4836Q	379.	417.	455.
	54"	36"	CE5436Q	435.	478.	521.
	66"	36"	CE6636Q	491.	541.	589.
	78"	36"	CE7836Q	547.	602.	656.
	96"	36"	CE9636Q	667.	734.	801.
	102"	36"	CE10236Q	707.	778.	848.
	114"	36"	CE11436Q	767.	845.	921.
	120"	36"	CE12036Q	828.	911.	994.

Note: File tops are designed for use with Calibre Lateral Files with Calibre Fronts.
For Morrioson Fronts and Series 2 Fronts contact CPD.


Order Code	Specification Information	Applicaton Notes
30X18 Equity/Dividends Style File Tops (Calibre Files)	CE prefixed lateral file tops are designed to be attached to standard 18" deep (nominal) Calibre lateral files and cabinets. Please note that Calibre bookcases are 15" deep nominal and will not accept a Calibre lateral file laminate tops.	Designed for use with standard 18" deep nominal Calibre lateral files and cabinets only.
Example: CE3018		Actual dimensions are listed in inches
CE Equity/Dividend Edge		
30 30" Wide		
18 18" Deep	Calibre desking surfaces are not designed to serve as lateral file worksurface tops.	

Equity Task Light Daisy Chain

Standard Specials Systems


Equity System

description	type	w	d	h	pattern no.	Standard	Advanced
Task Light, starter	Use with 24" and wider overhead	19"	4"	1 1/2"	EL4T5E19()DCS()Q	\$393.	n/a
9 ft. cord, fused male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	EL4T5E25()DCS()Q	401.	622.
1 ft. cord, female plug	Use with 42" and wider overhead	37"	4"	1 1/2"	EL4T5E37()DCS()Q	407.	643.
	Use with 60" and wider overhead	49"	4"	1 1/2"	EL4T5E49()DCS()Q	422.	670.




left hand shown

Task Light, adder	Use with 24" and wider overhead	19"	4"	1 1/2"	EL4T5E19()DCA()Q	428.	n/a
2 ft. cord, male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	EL4T5E25()DCA()Q	436.	655.
1 ft. cord, female plug	Use with 42" and wider overhead	37"	4"	1 1/2"	EL4T5E37()DCA()Q	442.	680.
	Use with 60" and wider overhead	49"	4"	1 1/2"	EL4T5E49()DCA()Q	457.	698.



left hand shown

Task Light, ender	Use with 24" and wider overhead	19"	4"	1 1/2"	EL4T5E19()DCE()Q	305.	n/a
2 ft. cord, male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	EL4T5E25()DCE()Q	312.	531.
	Use with 42" and wider overhead	37"	4"	1 1/2"	EL4T5E37()DCE()Q	319.	557.
	Use with 60" and wider overhead	49"	4"	1 1/2"	EL4T5E49()DCE()Q	334.	576.



left hand shown

Order Code	Specification Information	Application Notes
Example: EL4T5E19SDCSLQ	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.
EL4 Equity Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	For extra deep (EDP) shelves, order the EDP light bracket for proper installation.
T5 T5 lamp	1. Type:	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
E Electronic ballast	(S) Standard	
19 Width	(A) Advanced	
S Standard	2. Handedness	When used with shelf unit or freestanding overhead unit less than 60" wide, the task light must be specified 12" or less than the width of the shelf or freestanding overhead unit.
DC Daisy chain	L= Left handed (male plug on user's left side)	Task lights are TCLP compliant and meet requirements of California Title 24.
S Starter	R=Right handed (male plug on user's right side)	Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.
L Left handed	All housings are black.	
Q Special		

KNOLLTEXTILES

Approved for vertical panels and privacy screens.

Fabric Group 10

Annex (W1360)
 Bailey II (W359)
 Broadcloth (W288)
 Element (W1077)
 Foundation (W351)
 Growth Spurt (W692)
 Solid Crepe (W257)
 Symbolic Details (W693)
 Tailor Made (W133)
 Versatility (W432)

Fabric Group 15

Regency/Fairfield (W210/B)

Fabric Group 20

Banyan (W443)
 Bauhaus Block (W296)
 Circle Line (W1146)
 Clarity (W281)
 Criss Cross (W305)
 Devon (W809)
 Logic (W1318)
 Melbourne (W228)
 Nematic (W1292)
 panel and trim only
 Outback (W229)
 Photon (W1293)
 Reflect (W884)
 Resolution (W280)
 Walkabout (W230)
 Weave Three (W298)

Fabric Group 30

Basket Draft (W249)
 Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465)
 Progression (W403)
 Relay (W1020)

Fabric Group 40

Amplify (W1215)
 Analogy (K614)
 Bandwidth (W1219)
 Clarkson (W1218)
 panel and trim only
 Foil Rap (W535)
 Hard Rock (W1007)
 Metaphor (K612)
 Ornament (W1078)
 Palladium (W1030)

Fabric Group 45

Backdrop (W302) *
 Dristi (K872) with backing only
 Fast Forward (W301)*

***Not available for upholstered connector trim covers**

Fabric Group 50

Knoll Hopsack (K1206)
 Presto (K1000)
 Ricochet (K498)

Fabric Group 55

Transition (W816)

Ported panels can only be upholstered with textiles approved for application on Reff panels.

Customer's Own Material is subject to an application testing fee of per fabric and a fee for UL testing. Fabric requirements - application test, 10 yards; UL test, 15 yards. COM is also subject to extended leadtimes. COM panels are priced at Group 10 plus cost of fabric.

Core paint and laminate finishes

Specify Core finishes for all new customers

Core	Legacy	Top caps and trim, Panels (veneer only)	Glazed panel, window, door frames (textured)	Desk panels, storage fronts Hinged doors	Desk supports, stanchion, storage, brackets, raceway covers	Work-surfaces and shelves (all)	Work-surfaces and shelves (post-formed)	Cascade Edge work-surfaces	Pedestals	Reuter Overhead
611	Beige Mist Metallic	•	•	•	•				P2	P2
118	Bright White	•	•	•	•	•	•	•	P3	P3
112	Brown	•	•	•	•				P1	P1
113	Dark Grey	Y3	•	•	•				P1	P1
114	Folkstone Grey	LA	•	•	•	•	•	•	P1	P1
111	Jet Black		•	•	•	•	•		P1	P1
115	Medium Grey	Y2	•	•	•				P1	P1
612	Medium Metallic Grey	J	•	•	•				P2	P2
119	Pumice	F				•	•	•		
116	Sandstone		•	•	•				P1	P1
613	Silver	3	•	•	•				P3	P3
117	Soft Grey	E/M42	•	•	•	•	•	•	P1	P1
128	Fog	G				•	•			
129	Micro Sand						•			
121	Micro Grey						•			
122	Brushed Sand						•			
123	Brushed Grey						•			
124	Medium Cherry						•	•		
125	Natural Maple						•	•		
126	Natural Cherry						•	•		
127	Walnut						•	•		

This price list contains pricing for Core finishes. For detailed pricing of Legacy finishes, please refer to the latest release of CAP worksheet or contact your customer service representative.

The new, Core P1 finishes in Morrison have the same list prices as P2. Additionally, Pedestals and Reuter overhead storage have a separate P3 price point for Silver and Bright White.

The new Core finish 113 Dark Grey is not a match to the Morrison Legacy finish NV. It is a match to the Dividends Legacy finish Y3.

The new Core finish 115 Medium Grey is not a match to the Morrison Legacy finish NJ. It is a match to the Dividends Legacy finish Y2.

Patterned laminates (Micro, Brushed and Wood grain laminates) are available on Morrison postformed worksurfaces and shelves (straight, trapezoidal, VDT).

Wood grain laminates are also available on Cascade Edge worksurfaces.

		Work-surfaces	Panels	Desk Panels	Shelves	Top caps/ Trim covers	Glazed Panel/ Window/ Door Frames*	Storage fronts	Storage Cases	Desk Supports, Stanchions, Steel shelves, brackets, raceway covers
Plastic Laminates	Light Grey	L			L					
	Medium Grey	G			G					
	Sand	D			D					
	Pumice	F			F					
	Snow	B			B					
Wood Grain Laminates	Clear Maple (Currents for Morrison worksurfaces only)	CM								
Veneer Group 1	Maple Techgrain®	4/Y821	4/Y821	M/C6J2	4/Y821	4/Y821		M/C6J2		
	Cherry Techgrain®	6/Y831	6/Y831	R/C6J3	6/Y831	6/Y831		R/C6J3		
	Medium brown mahogany Techgrain®	7/C6F3	7/C6F3	I/C6J4	7/C6F3	7/C6F3		I/C6J4		
	Medium red mahogany Techgrain®	8/C6F4	8/C6F4	C/C6J5	8/C6F4	8/C6F4		C/C6J5		
	American cherry Techgrain®	9/C6F5	9/C6F5	P/C6J6	9/C6F5	9/C6F5		P/C6J6		
Veneer Group 2	American cherry	X/C6F6	X/C6F6	X/C6F6	X/C6F6	X/C6F6		X/C6F6		
	Medium red mahogany	Z/C6F7	Z/C6F7	Z/C6F7	Z/C6F7	Z/C6F7		Z/C6F7		
Paint Group 2	Metallic Flint			2		2	2	2	2	2
	Light metallic grey			U		U	U	U	U	U
	Medium metallic grey			J		J	J	J	J	J
	Dark metallic grey			V		V	V	V	V	V
	Light metallic tan			W		W	W	W	W	W
	Metallic beige			H		H	H	H	H	H
Paint Group 3	Silver			3		3	3	3	3	3
	White			B		B	B	B	B	B


* Paint finishes for glazed panels, window and door frames are textured only.

Specify legacy finishes to match existing product only. Legacy finishes are not available for new customers.

This price list contains pricing for Core finishes. For detailed pricing of Legacy finishes, please refer to the latest release of CAP worksheet or contact your customer service representative.

In September 2008 all existing Morrison veneer finishes were transferred to our Toronto plant. All existing finishes were changed to closed pore finishing and assigned new finish codes. The older, semi-open pore finishes are no longer available and legacy finishes must be ordered with the newer finish codes beginning with "C".

As of February 2009 Legacy laminates will be priced 10% higher than Core laminates.

description	w	d	h	pattern no.	C/S	T
 Windows, 8"H	18"	2 1/4"	8"	MP3-W0818-C/S/T-Q-()	\$495.	\$554.
	24"	2 1/4"	8"	MP3-W0824-C/S/T-Q-()	554.	626.
	30"	2 1/4"	8"	MP3-W0830-C/S/T-Q-()	626.	700.
	36"	2 1/4"	8"	MP3-W0836-C/S/T-Q-()	685.	774.
	42"	2 1/4"	8"	MP3-W0842-C/S/T-Q-()	745.	832.
	48"	2 1/4"	8"	MP3-W0848-C/S/T-Q-()	815.	919.
	60"	2 1/4"	8"	MP3-W0860-C/S/T-Q-()	1,050.	1,181.
 Windows, 14"H	18"	2 1/4"	14"	MP3-W1418-C/S/T-Q-()	495.	554.
	24"	2 1/4"	14"	MP3-W1424-C/S/T-Q-()	554.	626.
	30"	2 1/4"	14"	MP3-W1430-C/S/T-Q-()	626.	700.
	36"	2 1/4"	14"	MP3-W1436-C/S/T-Q-()	685.	774.
	42"	2 1/4"	14"	MP3-W1442-C/S/T-Q-()	745.	832.
	48"	2 1/4"	14"	MP3-W1448-C/S/T-Q-()	815.	919.
	60"	2 1/4"	14"	MP3-W1460-C/S/T-Q-()	1,050.	1,181.
 Windows, 26"H	18"	2 1/4"	26"	MP3-W2618-C/S/T-Q-()	495.	554.
	24"	2 1/4"	26"	MP3-W2624-C/S/T-Q-()	554.	626.
	30"	2 1/4"	26"	MP3-W2630-C/S/T-Q-()	626.	700.
	36"	2 1/4"	26"	MP3-W2636-C/S/T-Q-()	685.	774.
	42"	2 1/4"	26"	MP3-W2642-C/S/T-Q-()	745.	832.
	48"	2 1/4"	26"	MP3-W2648-C/S/T-Q-()	815.	919.
	60"	2 1/4"	26"	MP3-W2660-C/S/T-Q-()	1,050.	1,181.

Order Code

Example: **MP3-W2230-C-Q-613**

MP3	Panel
W	Window
22	Height
30	Width
C	Window finish
Q	Standard Special
613	Frame finish

Specification Information

Specify glazing for windows:

C-	Clear tempered glass
S-	Smoked acrylic
T-	Translucent acrylic

Frame finish

Application Notes

Windows mount on any height Morrison vertical panel of the same width with add-on connectors or full height connectors.

All windows are 1/4" less than nominal height to allow for a 1/4" horizontal reveal with light seal.

9"H windows may be mounted on 30"H and 39"H vertical panels and connected, respectively, with standard 39"H and 48"H connector tracks and post assemblies.

16"H windows may be mounted on 48"H and 64"H vertical panels and connected, respectively, with standard 64"H and 80"H connector tracks and post assemblies.

18"H windows may be mounted on 30"H and 56"H vertical panels and connected, respectively, with standard 48"H and 74"H standard connector tracks and post assemblies.

22"H windows may be mounted on 42"H vertical panels and connected with standard 64"H connector tracks and post assemblies.

32"H windows may be mounted on 48"H vertical panels and connected with standard 80"H connector tracks and post assemblies.


Full height 48" and 64" connectors permit cantilevered shelves and overhead cabinets.

Two 16"H windows may be mounted on a 48"H upholstered panel only when using 80"H full height connector tracks and post assemblies.

Morrison Connectors, post assemblies

straight upholstered


Standard Specials Systems

description	w	d	h	pattern no.	10	15	20	30	35	40	45
 Connector track upholstered	2 1/4"	2 1/4"	30"	MC1-30S2-()-Q	\$187.	\$187.	\$187.	\$187.	\$203.	\$203.	\$218.
	2 1/4"	2 1/4"	39"	MC1-39S2-()-Q	194.	194.	194.	194.	207.	207.	222.
	2 1/4"	2 1/4"	42"	MC1-42S2-()-Q	196.	196.	196.	196.	210.	210.	225.
	2 1/4"	2 1/4"	48"	MC1-48S2-()-Q	203.	203.	203.	203.	216.	216.	234.
	2 1/4"	2 1/4"	56"	MC1-56S2-()-Q	210.	210.	210.	210.	225.	225.	241.
	2 1/4"	2 1/4"	64"	MC1-64S2-()-Q	225.	225.	225.	225.	241.	241.	255.
	2 1/4"	2 1/4"	74"	MC1-74S2-()-Q	241.	241.	241.	241.	255.	255.	270.
	2 1/4"	2 1/4"	80"	MC1-80S2-()-Q	255.	255.	255.	255.	270.	270.	285.

Order Code	Specification Information	Application Notes
Example: MC1-42S2-15-W210/20-Q	Surface type:	Post assembly pricing includes connector tracks, posts and trim covers when required. Top caps and raceway covers are specified as separate kits and bulk shipped to facilitate installation
MC1 Connector	10- Fabric group 10	
42 Height	15- Fabric group 15	
S2 2 way "L"	20- Fabric group 20	
15 Surface type and group no.	25- Fabric group 25	
W210/20 Upholstery	30- Fabric group 30	
Q Standard Special	35- Fabric group 35	
	40- Fabric group 40	
	45- Fabric group 45	

Morrison Connectors, post assemblies straight non-upholstered

Standard Specials Systems


description	type	w	d	h	pattern no	Paint	V1
	painted	2 1/4"	2 1/4"	30"	MC1-30S2-()-Q	\$142.	
		2 1/4"	2 1/4"	39"	MC1-39S2-()-Q	146.	
		2 1/4"	2 1/4"	42"	MC1-42S2-()-Q	150.	
		2 1/4"	2 1/4"	48"	MC1-48S2-()-Q	165.	
		2 1/4"	2 1/4"	56"	MC1-56S2-()-Q	180.	
		2 1/4"	2 1/4"	64"	MC1-64S2-()-Q	196.	
		2 1/4"	2 1/4"	74"	MC1-74S2-()-Q	210.	
		2 1/4"	2 1/4"	80"	MC1-80S2-()-Q	224.	
	veneer	2 1/4"	2 1/4"	30"	MC1-30S2V-()-Q		218.
		2 1/4"	2 1/4"	39"	MC1-39S2V-()-Q		222.
		2 1/4"	2 1/4"	42"	MC1-42S2V-()-Q		225.
		2 1/4"	2 1/4"	48"	MC1-48S2V-()-Q		241.
		2 1/4"	2 1/4"	56"	MC1-56S2V-()-Q		255.
		2 1/4"	2 1/4"	64"	MC1-64S2V-()-Q		270.
		2 1/4"	2 1/4"	74"	MC1-74S2V-()-Q		300.
		2 1/4"	2 1/4"	80"	MC1-80S2V-()-Q		314.

Morrison System

Order Code	Specification Information	Application Notes
Example: MC1-42S2-V-4-Q		
MC1	Connector	Post assembly pricing includes connector tracks, posts and trim covers when required. Top caps and raceway covers are specified as separate kits and bulk shipped to facilitate installation.
42	Height	
S2	2 way "L"	
V	Surface type	
4	Veneer	Veneer Group 1 trim covers are quartered Techgrain®.
Q	Standard Special	Veneer Group 2 trim covers are rift cut Techgrain®.

Morrison Connectors, post assemblies variable angle upholstered

Standard Specials Systems


description	w	d	h	pattern no.	10	15	20	30	35	40	45
 Connector track upholstered	2 1/4"	2 1/4"	30"	MC1-30H1-()-Q	\$658.	\$667.	\$667.	\$667.	\$716.	\$716.	\$722.
	2 1/4"	2 1/4"	39"	MC1-39H1-()-Q	670.	680.	680.	680.	716.	716.	732.
	2 1/4"	2 1/4"	42"	MC1-42H1-()-Q	678.	690.	690.	690.	716.	716.	745.
	2 1/4"	2 1/4"	48"	MC1-48H1-()-Q	695.	707.	707.	707.	730.	730.	761.
	2 1/4"	2 1/4"	56"	MC1-56H1-()-Q	707.	719.	719.	719.	745.	745.	775.
	2 1/4"	2 1/4"	74"	MC1-74H1-()-Q	732.	747.	747.	747.	774.	774.	805.
	2 1/4"	2 1/4"	80"	MC1-80H1-()-Q	752.	761.	761.	761.	788.	788.	824.

Order Code	Specification Information	Application Notes
Example: MC1-64H1-15-W210/20-Q	<i>Finishes for variable angle:</i>	Variable angle connector includes connector tracks, continuous hinge, and trim covers. Specify top cap and raceway cover kit separately.
MC1 Morrison accessory	<i>Upholstered:</i>	
64 Height	10- Fabric group 10	
H1 Variable angle	15- Fabric group 15	
15 Surface type and group no.	20- Fabric group 20	
W210/20 Upholstery	30- Fabric group 30	
Q Standard Special	35- Fabric group 35	
	40- Fabric group 40	
	45- Fabric group 45	

Morrison Connectors, post assemblies

variable angle non-upholstered

Standard Specials Systems

description	type	w	d	h	pattern no.	P	V1
Variable angle 	painted	2 1/4"	2 1/4"	30"	MC1-30H1-()-Q	\$626.	
		2 1/4"	2 1/4"	39"	MC1-39H1-()-Q	640.	
		2 1/4"	2 1/4"	42"	MC1-42H1-()-Q	647.	
		2 1/4"	2 1/4"	48"	MC1-48H1-()-Q	665.	
		2 1/4"	2 1/4"	56"	MC1-56H1-()-Q	675.	
		2 1/4"	2 1/4"	74"	MC1-74H1-()-Q	702.	
		2 1/4"	2 1/4"	80"	MC1-80H1-()-Q	719.	
	veneer	2 1/4"	2 1/4"	30"	MC1-30H1V-()-Q		755.
		2 1/4"	2 1/4"	39"	MC1-39H1V-()-Q		769.
		2 1/4"	2 1/4"	42"	MC1-42H1V-()-Q		777.
		2 1/4"	2 1/4"	48"	MC1-48H1V-()-Q		796.
		2 1/4"	2 1/4"	56"	MC1-56H1V-()-Q		809.
		2 1/4"	2 1/4"	74"	MC174H1V-()-Q		840.
		2 1/4"	2 1/4"	80"	MC1-80H1V-()-Q		857.

Morrison System

Order Code	Specification Information	Application Notes
Example: MC1-64H1-15-W210/20-Q		Variable angle connector includes connector tracks, continuous hinge, and trim covers. Specify top cap and raceway cover kit separately.
MC1	Morrison accessory	
64	Height	
H1	Variable angle	
15	Surface type and group no.	
W210/20	Upholstery	
Q	Standard Special	

Morrison miscellaneous
Topcap and Raceway kit
Mid panel connector
Ceiling power components

Standard Specials Systems

description	h	pattern no.	list	P	V1/P1	V2/P1
Mid panel connector	30"	MC1-C30Q	\$322.			
	39"	MC1-C39Q	322.			
	42"	MC1-C42Q	322.			
	48"	MC1-C48Q	336.			
	56"	MC1-C56Q	336.			
	64"	MC1-C64Q	336.			
	74"	MC1-C74Q	350.			
	80"	MC1-C80Q	350.			
Topcap&Raceway kit		MT5-CS2-()-Q		46.	59.	90.
						
Ceiling power pole		MP2-CPP-()-Q	640.			
Earthquake tie down bracket for screen panel (pair) black finish only		MPTIEDOWN	82.			

Order Code	Specification Information	Application Notes
Example: MC1-C30-Q		
MC1	Connector	
C	Mid panel	
30	Height	
Q	Standard Special	
		Earthquake tie down brackets can be used on Morrison, Dividends Horizon and Reff screen panel.

Trim Cover upholstered

Standard Specials Systems

description	h	pattern no.	10	15	20	30	35	40	45
Straight spacer upholstered 	30"	MT1-30S2-()-Q	\$113.	\$113.	\$113.	\$113.	\$129.	\$129.	\$129.
	39"	MT1-39S2-()-Q	116.	116.	116.	116.	133.	133.	133.
	42"	MT1-42S2-()-Q	119.	119.	119.	119.	136.	136.	136.
	48"	MT1-48S2-()-Q	129.	129.	129.	129.	142.	142.	142.
	56"	MT1-56S2-()-Q	136.	136.	136.	136.	150.	150.	150.
	64"	MT1-64S2-()-Q	150.	150.	150.	150.	165.	165.	165.
	74"	MT1-74S2-()-Q	165.	165.	165.	165.	180.	180.	180.
	80"	MT1-80S2-()-Q	179.	179.	179.	179.	196.	196.	196.

Morrison System

Example: **MT1-42S2-15-W210/20-Q**

MT1	Connector
42	Height
S2	2 way "L"
15	Surface type and group no.
W210/20	Upholstery
Q	Standard Special

Surface type:

10-	Fabric group 10
15-	Fabric group 15
20-	Fabric group 20
30-	Fabric group 30
35-	Fabric group 35
40-	Fabric group 40
45-	Fabric group 45

Trim Cover

non-upholstered


Standard Specials Systems

description	type	h	pattern no.	Paint	V1
 Straight spacer	painted	30"	MT1-30S2-()-Q	\$106.	
		39"	MT1-39S2-()-Q	110.	
		42"	MT1-42S2-()-Q	113.	
		48"	MT1-48S2-()-Q	119.	
		56"	MT1-56S2-()-Q	129.	
		64"	MT1-64S2-()-Q	136.	
		74"	MT1-74S2-()-Q	142.	
		80"	MT1-80S2-()-Q	158.	
veneer	30"	MT1-30S2V-()-Q		158.	
	39"	MT1-39S2V-()-Q		163.	
	42"	MT1-42S2V-()-Q		165.	
	48"	MT1-48S2V-()-Q		172.	
	56"	MT1-56S2V-()-Q		180.	
	64"	MT1-64S2V-()-Q		196.	
	74"	MT1-74S2V-()-Q		210.	
	80"	MT1-80S2V-()-Q		224.	

Order Code	Specification Information	Application Notes
Example: MT1-42S2-V-4-Q		Veneer Group 1 trim covers are quartered Techgrain®.
MT1	Connector	
42	Height	
S2	2 way "L"	
V	Surface type	
4	Veneer	
Q	Standard Special	

Morrison Rolling Doors for Dividends Horizon

Standard Specials Systems

description	type	width	pattern number	RC 1-19	RC 20+	C 1-19	C 20+	T 1-19	T 20+
 (right hand shown)	64"H with lock	36"	QDMRD6436(L/R)() ()-L-()	\$4,134.	\$3,594.	\$4,351.	\$3,782.	\$4,432.	\$3,853.
	64"H with lock	42"	QDMRD6442(L/R)() ()-L-()	4,134.	3,594.	4,351.	3,782.	4,432.	3,853.
	64"H with lock	48"	QDMRD6448(L/R)() ()-L-()	4,166.	3,623.	4,382.	3,809.	4,465.	3,882.
	64"H without lock	36"	QDMRD6436(L/R)() ()-N-()	3,991.	3,470.	4,123.	3,584.	4,219.	3,668.
	64"H without lock	42"	QDMRD6442(L/R)() ()-N-()	3,991.	3,470.	4,123.	3,584.	4,219.	3,668.
	64"H without lock	48"	QDMRD6448(L/R)() ()-N-()	4,023.	3,498.	4,155.	3,613.	4,251.	3,697.
	78"H with lock	36"	QDMRD7836(L/R)() ()-L-()	4,308.	3,747.	4,524.	3,934.	4,608.	4,006.
	78"H with lock	42"	QDMRD7842(L/R)() ()-L-()	4,308.	3,747.	4,524.	3,934.	4,608.	4,006.
	78"H with lock	48"	QDMRD7848(L/R)() ()-L-()	4,341.	3,774.	4,558.	3,962.	4,640.	4,035.
	78"H without lock	36"	QDMRD7836(L/R)() ()-N-()	4,166.	3,623.	4,298.	3,736.	4,393.	3,819.
	78"H without lock	42"	QDMRD7842(L/R)() ()-N-()	4,166.	3,623.	4,298.	3,736.	4,393.	3,819.
	78"H without lock	48"	QDMRD7848(L/R)() ()-N-()	4,197.	3,649.	4,331.	3,765.	4,427.	3,847.
Threshold for Rolling door	36"	QDMRDFT36						493.	
	42"	QDMRDFT42						506.	
	48"	QDMRDFT48						511.	

Morrison System

* Order standard trim components separately to fit your door application. See following Trim page for pattern numbers.

Order Code	Specification Information	Application Notes	Discount Notes
Example: QDMRD-7842-L-RC-117-L	<i>Specify:</i>	64"H rolling door kit includes door panel, post with mounting bracket, and door jamb. See Door Trim page for trim options to be specified separately at time of order entry.	Above products are Morrison product and Morrison discount will be applied.
QDM Morrison for Dividends	<i>Left / Right Hand</i>		
RD Rolling door	<i>Glazing for rolling door:</i>		
78 Height	C- Clear acrylic	78"H rolling door kit includes door panel, post with mounting bracket, door jamb, header and top cap for header. See Door Trim page for trim options to be specified at time of order entry.	
42 Width	T- Translucent acrylic		
L Left	RC- Ribbed polycarbonate		
RC Door finish	<i>Frame finish</i>		
117 Frame finish	<i>Lock / No Lock</i>		
N No lock	Rolling doors mount to the outside of Dividends workstations. <i>Trim option:</i>	36" wide doors are not ADA compliant.	
F Trim option			
	<i>code upch. Desc.</i>		
	S- n/c Smooth plastic		
	F- \$42 Flat metal		
	R- \$42 Radius metal		

64" High Door without Header


Jamb Side Trim

Top View


Universal Post DP2APO64
 Universal Post DP7 DP7PO64
 Post Top Cap – One Way DP()PT1
 Post Cover – Corner -DP()PC64L




Universal Post -DP2APO64
 Universal Post DP7 -DP7PO64
 Post Top Cap – One Way -DP()PT1
 Post Cover – Straight -DP()PC64S



Universal Post -DP2APO64
 Universal Post DP7 -DP7PO64
 Post Top Cap – Two Way -DP()PT2
 Post Cover – Straight -DP()PC64S



End Top Cap -DP1 -KR7713C40V01
 -DP2A -KRQCPDD2547~
 -DPV1 -NONE
 -DP4 -KRQCPDD2547~
 -DP5 -KRQCPDD2548~
 DP7 Windows -KRQCPDD290740
 Top Brkts for Jambs




78" High Door w/Header


Jamb Side Trim

Top View

Universal Post -DP2APO78
 Universal Post DP7 -DP7PO78
 Post Top Cap – Two Way -DP()PT2
 Post Cover – Corner -DP()PC78L




Universal Post -DP2APO78
 Universal Post DP7 -DP7PO78
 Post Top Cap – Three Way -DP()PT3
 Post Cover – Straight -DP()PC78S



Universal Post -DP2APO78
 Universal Post DP7 -DP7PO78
 Post Top Cap – Three Way -DP()PT3
 Post Cover – Straight -DP()PC78S





End Top Cap -DP()TCT
 DP7 Windows -KRQCPDD290740
 Top Brkts for Jambs



*See Dividends Horizon price list for component pricing.

Morrison Worksurfaces, 1 3/4" 18" D

Standard Specials Systems



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 18"D	Grommets 	18"	17 5/8"	1 3/4"	MW2-S1818-A-Q-()	\$441.	\$643.	\$864.
		24"	17 5/8"	1 3/4"	MW2-S2418-A-Q-()	441.	643.	864.
		30"	17 5/8"	1 3/4"	MW2-S3018-A-Q-()	487.	685.	928.
		36"	17 5/8"	1 3/4"	MW2-S3618-A-Q-()	534.	727.	991.
		42"	17 5/8"	1 3/4"	MW2-S4218-A-Q-()	580.	789.	1,095.
		48"	17 5/8"	1 3/4"	MW2-S4818-A-Q-()	639.	846.	1,178.
		54"	17 5/8"	1 3/4"	MW2-S5418-A-Q-()	678.	913.	1,262.
		60"	17 5/8"	1 3/4"	MW2-S6018-A-Q-()	699.	949.	1,347.
		66"	17 5/8"	1 3/4"	MW2-S6618-A-Q-()	762.	1,055.	1,490.
		72"	17 5/8"	1 3/4"	MW2-S7218-A-Q-()	824.	1,162.	1,619.
		78"	17 5/8"	1 3/4"	MW2-S7818-A-Q-()	886.	1,267.	1,748.
		84"	17 5/8"	1 3/4"	MW2-S8418-A-Q-()	948.	1,373.	1,876.
		90"	17 5/8"	1 3/4"	MW2-S9018-A-Q-()	1,010.	1,479.	2,004.
		96"	17 5/8"	1 3/4"	MW2-S9618-A-Q-()	1,072.	1,585.	2,133.
		102"	17 5/8"	1 3/4"	MW2-S10218-A-Q-()	1,135.	1,690.	2,262.
		108"	17 5/8"	1 3/4"	MW2-S10818-A-Q-()	1,197.	1,797.	2,390.
		114"	17 5/8"	1 3/4"	MW2-S11418-A-Q-()	1,260.	1,902.	2,518.
		120"	17 5/8"	1 3/4"	MW2-S12018-A-Q-()	1,321.	2,009.	2,646.
	No Grommets 	18"	17 5/8"	1 3/4"	MW2-S1818-B-Q-()	369.	555.	777.
		24"	17 5/8"	1 3/4"	MW2-S2418-B-Q-()	369.	555.	777.
		78"	17 5/8"	1 3/4"	MW2-S7818-B-Q-()	860.	1,179.	1,660.
		84"	17 5/8"	1 3/4"	MW2-S8418-B-Q-()	923.	1,285.	1,788.
		90"	17 5/8"	1 3/4"	MW2-S9018-B-Q-()	985.	1,392.	1,917.
		96"	17 5/8"	1 3/4"	MW2-S9618-B-Q-()	1,048.	1,497.	2,046.
		102"	17 5/8"	1 3/4"	MW2-S10218-B-Q-()	1,109.	1,604.	2,173.
		108"	17 5/8"	1 3/4"	MW2-S10818-B-Q-()	1,172.	1,709.	2,303.
		114"	17 5/8"	1 3/4"	MW2-S11418-B-Q-()	1,234.	1,815.	2,431.
		120"	17 5/8"	1 3/4"	MW2-S12018-B-Q-()	1,297.	1,922.	2,560.

Morrison System

Order Code	Specification Information	Application Notes
Example: MW2-S3618-A-Q-117	<i>Grommets/no grommets:</i>	18"D worksurfaces are used interchangeably in desk and panel system applications as shallow main surfaces, extensions, or credenza tops. They must be supported at each end by a pedestal, end panel, end support cantilever or cantilever bridging bracket with a maximum span of 60" between supports.
MW2 Worksurface 1 3/4" thick	A- Worksurfaces include 3" grommet in each back corner leading into desk support or wire manager.	All worksurfaces have threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.
S Worksurface type	B- Worksurface does not include grommets.	
36 Width	Specify surface finish	Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately.
18 Depth	All worksurfaces are U.L.-listed.	18"D worksurfaces with desk supports or filler panels do not accept pedestals.
A Grommets		All worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
Q Standare Special		
117 Surface finish		

Morrison Worksurfaces, 1 3/4" 24" D



Standard Specials Systems



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 24"D	Grommets 	18"	23 5/8"	1 3/4"	MW2-S1824-A-Q-()	\$495.	\$746.	\$1,008.
		102"	23 5/8"	1 3/4"	MW2-S10224-A-Q-()	1,377.	1,937.	2,688.
		108"	23 5/8"	1 3/4"	MW2-S10824-A-Q-()	1,502.	2,100.	2,899.
		114"	23 5/8"	1 3/4"	MW2-S11424-A-Q-()	1,626.	2,264.	3,110.
		120"	23 5/8"	1 3/4"	MW2-S12024-A-Q-()	1,750.	2,427.	3,321.
	No Grommets 	18"	23 5/8"	1 3/4"	MW2-S1824-B-Q-()	408.	658.	923.
		102"	23 5/8"	1 3/4"	MW2-S10224-B-Q-()	1,290.	1,853.	2,604.
		108"	23 5/8"	1 3/4"	MW2-S10824-B-Q-()	1,413.	2,016.	2,815.
		114"	23 5/8"	1 3/4"	MW2-S11424-B-Q-()	1,538.	2,179.	3,025.
		120"	23 5/8"	1 3/4"	MW2-S12024-B-Q-()	1,662.	2,341.	3,235.

Order Code	Specification Information	Application Notes
Example: MW2-S1824-A-Q-117	<i>Grommets/no grommets:</i>	24"D worksurfaces are used interchangeably as shallow main surfaces, extensions or credenza tops. They must be supported at each end by a pedestal, end panel, end support cantilever or cantilever bridging bracket with a maximum span of 60" between supports.
MW2 Worksurface, 1 3/4" thick	A- Worksurfaces include 3" grommet in each back corner leading into desk support or wire manager.	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.
S Straight worksurface	B- Worksurface does not include grommets.	Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately.
18 Width	Specify surface finish	
24 Depth		
A Grommets		
Q Standard Special		
117 Surface finish	All worksurfaces are U.L.-listed.	All worksurfaces have threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations. Use 18"D pedestals with 24"D worksurfaces for full wire management capability in desk or panel applications. All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens. Plastic laminate worksurfaces are post-formed top and bottom, front and back.

Morrison Worksurfaces, 1 3/4" 30" D

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 30"D		18"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S1830-A-Q-()	\$550.	\$766.	\$1,072.
		24"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S2430-A-Q-()	550.	766.	1,072.
		102"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S10230-A-Q-()	1,516.	2,124.	3,040.
		108"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S10830-A-Q-()	1,641.	2,290.	3,289.
		114"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S11430-A-Q-()	1,765.	2,456.	3,538.
		120"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S12030-A-Q-()	1,890.	2,621.	3,787.
		18"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S1830-B-Q-()	466.	683.	991.
		24"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S2430-B-Q-()	466.	683.	991.
		102"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S10230-B-Q-()	1,428.	2,034.	2,957.
		108"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S10830-B-Q-()	1,552.	2,200.	3,206.
		114"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S11430-B-Q-()	1,677.	2,366.	3,456.
		120"	29 ⁵ / ₈ "	1 ³ / ₄ "	MW2-S12030-B-Q-()	1,801.	2,532.	3,705.





Morrison System

Order Code	Specification Information	Application Notes
Example: MW2-S4230A-Q-117	<i>Grommets/no grommets:</i>	30"D worksurfaces are used interchangeably in desk and panel system applications as main surfaces, extensions or credenza tops. They must be supported at each end by a pedestal, end panel, end support cantilever or cantilever bridging bracket with a maximum span of 60" between supports.
MW2 Worksurface, 1 3/4" thick	A- worksurface includes 3" grommet in each back corner leading into desk support or wire manager clips.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
S Straight worksurface	B- worksurface does not include grommets	
42 Width	Specify surface finish.	Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately.
30 Depth	All worksurfaces are U.L.-listed.	Plastic laminate worksurfaces are post-formed top and bottom, front and back.
A Grommets		
Q Standard Special		
117 Surface finish		

Morrison Worksurfaces, 1 3/4"

36" D



Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 36"D	Recessed Grommets 	36"	35 5/8"	1 3/4"	MW2-S3636-R-Q-()	\$922.	\$982.	\$1,465.
		42"	35 5/8"	1 3/4"	MW2-S4236-R-Q-()	968.	1,107.	1,607.
		48"	35 5/8"	1 3/4"	MW2-S4836-R-Q-()	1,015.	1,233.	1,750.
		54"	35 5/8"	1 3/4"	MW2-S5436-R-Q-()	1,060.	1,359.	1,894.
		60"	35 5/8"	1 3/4"	MW2-S6036-R-Q-()	1,106.	1,485.	2,036.
		84"	35 5/8"	1 3/4"	MW2-S8436-R-Q-()	1,378.	1,897.	2,555.
		90"	35 5/8"	1 3/4"	MW2-S9036-R-Q-()	1,483.	2,040.	2,699.
		96"	35 5/8"	1 3/4"	MW2-S9636-R-Q-()	1,590.	2,185.	2,842.
		102"	35 5/8"	1 3/4"	MW2-S10236-R-Q-()	1,695.	2,327.	2,985.
		108"	35 5/8"	1 3/4"	MW2-S10836-R-Q-()	1,801.	2,471.	3,128.
		114"	35 5/8"	1 3/4"	MW2-S11436-R-Q-()	1,908.	2,614.	3,271.
		120"	35 5/8"	1 3/4"	MW2-S12036-R-Q-()	2,014.	2,756.	3,414.
	No Grommets 	36"	35 5/8"	1 3/4"	MW2-S3636-B-Q-()	760.	895.	1,451.
		42"	35 5/8"	1 3/4"	MW2-S4236-B-Q-()	825.	1,022.	1,577.
		48"	35 5/8"	1 3/4"	MW2-S4836-B-Q-()	890.	1,147.	1,703.
		54"	35 5/8"	1 3/4"	MW2-S5436-B-Q-()	955.	1,273.	1,828.
		60"	35 5/8"	1 3/4"	MW2-S6036-B-Q-()	1,019.	1,399.	1,954.
		84"	35 5/8"	1 3/4"	MW2-S8436-B-Q-()	1,291.	1,813.	2,473.
		90"	35 5/8"	1 3/4"	MW2-S9036-B-Q-()	1,397.	1,956.	2,616.
		96"	35 5/8"	1 3/4"	MW2-S9636-B-Q-()	1,503.	2,099.	2,759.
		102"	35 5/8"	1 3/4"	MW2-S10236-B-Q-()	1,608.	2,242.	2,903.
		108"	35 5/8"	1 3/4"	MW2-S10836-B-Q-()	1,715.	2,387.	3,046.
		114"	35 5/8"	1 3/4"	MW2-S11436-B-Q-()	1,820.	2,529.	3,190.
		120"	35 5/8"	1 3/4"	MW2-S12036-B-Q-()	1,926.	2,672.	3,333.

Order Code	Specification Information	Application Notes
Example: MW2-S6036R-Q-117	<i>Grommets/no grommets:</i>	36"D desks may be planned with 6" recessed desk support and 24"D pedestals or end panels, or 29" or 35"W universal end panels with knee-hole filler. 36"D worksurfaces do not accept privacy screens.
MW2 Worksurface, 1 3/4" thick	B- worksurface does not include grommets	Plastic laminate worksurfaces are post-formed top and bottom, front and back.
S Straight worksurface	R- worksurface includes 3" grommets recessed for use with 6" recessed desk support.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
60 Width	Specify surface finish.	Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately.
36 Depth	All worksurfaces are U.L.-listed.	
R Grommets		
Q Standare Special		
117 Surface finish		

Morrison Worksurfaces, 1 3/4" 18" D + Post

Standard Specials Systems



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 18"D + Post	Grommets 	20"	17 3/8"	1 3/4"	MW2-S2018-A-Q-()	\$441.	\$643.	\$864.
		26"	17 3/8"	1 3/4"	MW2-S2618-A-Q-()	487.	685.	928.
		32"	17 3/8"	1 3/4"	MW2-S3218-A-Q-()	534.	727.	991.
		38"	17 3/8"	1 3/4"	MW2-S3818-A-Q-()	580.	789.	1,095.
		44"	17 3/8"	1 3/4"	MW2-S4418-A-Q-()	639.	846.	1,178.
		50"	17 3/8"	1 3/4"	MW2-S5018-A-Q-()	678.	913.	1,262.
		56"	17 3/8"	1 3/4"	MW2-S5618-A-Q-()	699.	949.	1,347.
		62"	17 3/8"	1 3/4"	MW2-S6218-A-Q-()	762.	1,055.	1,490.
		68"	17 3/8"	1 3/4"	MW2-S6818-A-Q-()	824.	1,162.	1,619.
		74"	17 3/8"	1 3/4"	MW2-S7418-A-Q-()	886.	1,267.	1,748.
		80"	17 3/8"	1 3/4"	MW2-S8018-A-Q-()	948.	1,373.	1,876.
		86"	17 3/8"	1 3/4"	MW2-S8618-A-Q-()	1,010.	1,479.	2,004.
		92"	17 3/8"	1 3/4"	MW2-S9218-A-Q-()	1,072.	1,585.	2,133.
		98"	17 3/8"	1 3/4"	MW2-S9818-A-Q-()	1,135.	1,690.	2,262.
		104"	17 3/8"	1 3/4"	MW2-S10418-A-Q-()	1,197.	1,797.	2,390.
		110"	17 3/8"	1 3/4"	MW2-S11018-A-Q-()	1,260.	1,902.	2,518.
		116"	17 3/8"	1 3/4"	MW2-S11618-A-Q-()	1,321.	2,009.	2,646.
	No Grommets 	20"	17 3/8"	1 3/4"	MW2-S2018-B-Q-()	369.	555.	777.
		26"	17 3/8"	1 3/4"	MW2-S2618-B-Q-()	408.	597.	842.
		32"	17 3/8"	1 3/4"	MW2-S3218-B-Q-()	446.	641.	904.
		38"	17 3/8"	1 3/4"	MW2-S3818-B-Q-()	492.	701.	1,008.
		44"	17 3/8"	1 3/4"	MW2-S4418-B-Q-()	552.	759.	1,092.
		50"	17 3/8"	1 3/4"	MW2-S5018-B-Q-()	590.	825.	1,175.
		56"	17 3/8"	1 3/4"	MW2-S5618-B-Q-()	611.	862.	1,260.
		62"	17 3/8"	1 3/4"	MW2-S6218-B-Q-()	676.	968.	1,404.
		68"	17 3/8"	1 3/4"	MW2-S6818-B-Q-()	798.	1,073.	1,532.
		74"	17 3/8"	1 3/4"	MW2-S7418-B-Q-()	860.	1,179.	1,660.
		80"	17 3/8"	1 3/4"	MW2-S8018-B-Q-()	923.	1,285.	1,788.
		86"	17 3/8"	1 3/4"	MW2-S8618-B-Q-()	985.	1,392.	1,917.
		92"	17 3/8"	1 3/4"	MW2-S9218-B-Q-()	1,048.	1,497.	2,046.
		98"	17 3/8"	1 3/4"	MW2-S9818-B-Q-()	1,109.	1,604.	2,173.
		104"	17 3/8"	1 3/4"	MW2-S10418-B-Q-()	1,172.	1,709.	2,303.
		110"	17 3/8"	1 3/4"	MW2-S11018-B-Q-()	1,234.	1,815.	2,431.
		116"	17 3/8"	1 3/4"	MW2-S11618-B-Q-()	1,297.	1,922.	2,560.

Morrison System

Order Code	Specification Information	Application Notes
Example: MW2-S3818-B-Q-117	<i>Grommets/no grommets:</i>	18"D worksurfaces are used interchangeably in desk and panel system applications as shallow main surfaces, extensions, or credenza tops. They must be supported at each end by a pedestal, end panel, end support cantilever or cantilever bridging bracket with a maximum span of 60" between supports.
MW2 Worksurface 1 3/4" thick	A- Worksurfaces include 3" grommet in each back corner leading into desk support or wire manager.	18"D worksurfaces with desk supports or filler panels do not accept pedestals.
S Worksurface type	B- Worksurface does not include grommets.	All worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
38 Width	Specify surface finish	
18 Depth		
B No grommets		
Q Standard Special		
117 Surface finish	All worksurfaces are U.L.-listed.	All worksurfaces have threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations. Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately.

Morrison Worksurfaces, 1 3/4" 24" D + Post

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 24"D + Post	Grommets 	20"	23 5/8"	1 3/4"	MW2-S2024-A-Q-()	\$495.	\$746.	\$1,008.
		26"	23 5/8"	1 3/4"	MW2-S2624-A-Q-()	535.	765.	1,050.
		32"	23 5/8"	1 3/4"	MW2-S3224-A-Q-()	579.	809.	1,094.
		38"	23 5/8"	1 3/4"	MW2-S3824-A-Q-()	639.	847.	1,177.
		44"	23 5/8"	1 3/4"	MW2-S4424-A-Q-()	678.	929.	1,306.
		50"	23 5/8"	1 3/4"	MW2-S5024-A-Q-()	720.	1,011.	1,409.
		56"	23 5/8"	1 3/4"	MW2-S5624-A-Q-()	780.	1,078.	1,490.
		62"	23 5/8"	1 3/4"	MW2-S6224-A-Q-()	843.	1,177.	1,640.
		68"	23 5/8"	1 3/4"	MW2-S6824-A-Q-()	925.	1,278.	1,809.
		74"	23 5/8"	1 3/4"	MW2-S7424-A-Q-()	1,005.	1,383.	1,931.
		80"	23 5/8"	1 3/4"	MW2-S8024-A-Q-()	1,066.	1,485.	2,078.
		86"	23 5/8"	1 3/4"	MW2-S8624-A-Q-()	1,147.	1,611.	2,269.
		92"	23 5/8"	1 3/4"	MW2-S9224-A-Q-()	1,252.	1,774.	2,478.
		98"	23 5/8"	1 3/4"	MW2-S9824-A-Q-()	1,377.	1,937.	2,688.
		104"	23 5/8"	1 3/4"	MW2-S10424-A-Q-()	1,502.	2,100.	2,899.
		110"	23 5/8"	1 3/4"	MW2-S11024-A-Q-()	1,626.	2,264.	3,110.
		116"	23 5/8"	1 3/4"	MW2-S11624-A-Q-()	1,750.	2,427.	3,321.
	No Grommets 	20"	23 5/8"	1 3/4"	MW2-S2024-B-Q-()	408.	658.	923.
		26"	23 5/8"	1 3/4"	MW2-S2624-B-Q-()	446.	679.	967.
		32"	23 5/8"	1 3/4"	MW2-S3224-B-Q-()	492.	721.	1,008.
		38"	23 5/8"	1 3/4"	MW2-S3824-B-Q-()	552.	759.	1,092.
		44"	23 5/8"	1 3/4"	MW2-S4424-B-Q-()	590.	845.	1,218.
		50"	23 5/8"	1 3/4"	MW2-S5024-B-Q-()	636.	926.	1,323.
		56"	23 5/8"	1 3/4"	MW2-S5624-B-Q-()	691.	993.	1,404.
		62"	23 5/8"	1 3/4"	MW2-S6224-B-Q-()	755.	1,092.	1,553.
		68"	23 5/8"	1 3/4"	MW2-S6824-B-Q-()	835.	1,195.	1,723.
		74"	23 5/8"	1 3/4"	MW2-S7424-B-Q-()	919.	1,297.	1,850.
		80"	23 5/8"	1 3/4"	MW2-S8024-B-Q-()	982.	1,399.	1,994.
		86"	23 5/8"	1 3/4"	MW2-S8624-B-Q-()	1,059.	1,526.	2,183.
		92"	23 5/8"	1 3/4"	MW2-S9224-B-Q-()	1,165.	1,689.	2,394.
		98"	23 5/8"	1 3/4"	MW2-S9824-B-Q-()	1,290.	1,853.	2,604.
		104"	23 5/8"	1 3/4"	MW2-S10424-B-Q-()	1,413.	2,016.	2,815.
		110"	23 5/8"	1 3/4"	MW2-S11024-B-Q-()	1,538.	2,179.	3,025.
		116"	23 5/8"	1 3/4"	MW2-S11624-B-Q-()	1,662.	2,341.	3,235.



Order Code	Specification Information	Application Notes
Example: MW2-S7424-A-Q-117	<i>Grommets/no grommets:</i>	24"D worksurfaces are used interchangeably as shallow main surfaces, extensions or credenza tops. They must be supported at each end by a pedestal, end panel, end support cantilever or cantilever bridging bracket with a maximum span of 60" between supports.
MW2 Worksurface, 1 3/4" thick	A- Worksurfaces include 3" grommet in each back corner leading into desk support or wire manager.	Plastic laminate worksurfaces are post-formed top and bottom, front and back.
S Straight worksurface	B- Worksurface does not include grommets.	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.
74 Width	Specify surface finish	Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately.
24 Depth		
A Grommets		
Q Standard Special		
117 Surface finish	All worksurfaces are U.L.-listed.	All worksurfaces have threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations. Use 18"D pedestals with 24"D worksurfaces for full wire management capability in desk or panel applications. All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.

Morrison Worksurfaces, 1 3/4"

30" D + Post

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 30"D + Post	Grommets	20"	29 5/8"	1 3/4"	MW2-S2030-A-Q-()	\$550.	\$766.	\$1,072.
		26"	29 5/8"	1 3/4"	MW2-S2630-A-Q-()	595.	828.	1,157.
		32"	29 5/8"	1 3/4"	MW2-S3230-A-Q-()	659.	888.	1,241.
		38"	29 5/8"	1 3/4"	MW2-S3830-A-Q-()	698.	951.	1,323.
		44"	29 5/8"	1 3/4"	MW2-S4430-A-Q-()	759.	1,031.	1,428.
		50"	29 5/8"	1 3/4"	MW2-S5030-A-Q-()	797.	1,114.	1,509.
		56"	29 5/8"	1 3/4"	MW2-S5630-A-Q-()	843.	1,177.	1,640.
		62"	29 5/8"	1 3/4"	MW2-S6230-A-Q-()	905.	1,261.	1,785.
		68"	29 5/8"	1 3/4"	MW2-S6830-A-Q-()	1,005.	1,383.	1,931.
		74"	29 5/8"	1 3/4"	MW2-S7430-A-Q-()	1,088.	1,509.	2,099.
		80"	29 5/8"	1 3/4"	MW2-S8030-A-Q-()	1,169.	1,632.	2,290.
		86"	29 5/8"	1 3/4"	MW2-S8630-A-Q-()	1,272.	1,792.	2,541.
		92"	29 5/8"	1 3/4"	MW2-S9230-A-Q-()	1,392.	1,958.	2,790.
		98"	29 5/8"	1 3/4"	MW2-S9830-A-Q-()	1,516.	2,124.	3,040.
		104"	29 5/8"	1 3/4"	MW2-S10430-A-Q-()	1,641.	2,290.	3,289.
		110"	29 5/8"	1 3/4"	MW2-S11030-A-Q-()	1,765.	2,456.	3,538.
		116"	29 5/8"	1 3/4"	MW2-S11630-A-Q-()	1,890.	2,621.	3,787.
	No Grommets	20"	29 5/8"	1 3/4"	MW2-S2030-B-Q-()	466.	683.	991.
		26"	29 5/8"	1 3/4"	MW2-S2630-B-Q-()	512.	744.	1,073.
		32"	29 5/8"	1 3/4"	MW2-S3230-B-Q-()	574.	804.	1,156.
		38"	29 5/8"	1 3/4"	MW2-S3830-B-Q-()	611.	862.	1,240.
		44"	29 5/8"	1 3/4"	MW2-S4430-B-Q-()	673.	943.	1,344.
		50"	29 5/8"	1 3/4"	MW2-S5030-B-Q-()	714.	1,030.	1,424.
		56"	29 5/8"	1 3/4"	MW2-S5630-B-Q-()	755.	1,092.	1,553.
		62"	29 5/8"	1 3/4"	MW2-S6230-B-Q-()	821.	1,175.	1,701.
		68"	29 5/8"	1 3/4"	MW2-S6830-B-Q-()	919.	1,297.	1,850.
		74"	29 5/8"	1 3/4"	MW2-S7430-B-Q-()	1,002.	1,424.	2,014.
		80"	29 5/8"	1 3/4"	MW2-S8030-B-Q-()	1,085.	1,545.	2,202.
		86"	29 5/8"	1 3/4"	MW2-S8630-B-Q-()	1,185.	1,707.	2,458.
		92"	29 5/8"	1 3/4"	MW2-S9230-B-Q-()	1,303.	1,868.	2,708.
		98"	29 5/8"	1 3/4"	MW2-S9830-B-Q-()	1,428.	2,034.	2,957.
		104"	29 5/8"	1 3/4"	MW2-S10430-B-Q-()	1,552.	2,200.	3,206.
		110"	29 5/8"	1 3/4"	MW2-S11030-B-Q-()	1,677.	2,366.	3,456.
		116"	29 5/8"	1 3/4"	MW2-S11630-B-Q-()	1,801.	2,532.	3,705.





Morrison System

Order Code	Specification Information	Application Notes
Example: MW2-S4430A-Q-117	<i>Grommets/no grommets:</i>	30"D worksurfaces are used interchangeably in desk and panel system applications as main surfaces, extensions or credenza tops. They must be supported at each end by a pedestal, end panel, end support cantilever or cantilever bridging bracket with a maximum span of 60" between supports.
MW2 Worksurface, 1 3/4" thick	A- worksurface includes 3" grommet in each back corner leading into desk support or wire manager clips.	Plastic laminate worksurfaces are post-formed top and bottom, front and back.
S Straight worksurface	B- worksurface does not include grommets	
44 Width	Specify surface finish.	
30 Depth		
A Grommets		
Q Standard Special		
117 Surface finish		
	All worksurfaces are U.L.-listed.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens. Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately.

Morrison Worksurfaces, 1 3/4"

36" D + Post



Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 36"D + Post	Recessed Grommets 	38"	35 3/8"	1 3/4"	MW2-S3836-R-Q-()	\$968.	\$1,107.	\$1,607.
		44"	35 3/8"	1 3/4"	MW2-S4436-R-Q-()	1,015.	1,233.	1,750.
		50"	35 3/8"	1 3/4"	MW2-S5036-R-Q-()	1,060.	1,359.	1,894.
		56"	35 3/8"	1 3/4"	MW2-S5636-R-Q-()	1,106.	1,485.	2,036.
		62"	35 3/8"	1 3/4"	MW2-S6236-R-Q-()	1,137.	1,549.	2,153.
		68"	35 3/8"	1 3/4"	MW2-S6836-R-Q-()	1,169.	1,611.	2,269.
		74"	35 3/8"	1 3/4"	MW2-S7436-R-Q-()	1,272.	1,754.	2,411.
		80"	35 3/8"	1 3/4"	MW2-S8036-R-Q-()	1,378.	1,897.	2,555.
		86"	35 3/8"	1 3/4"	MW2-S8636-R-Q-()	1,483.	2,040.	2,699.
		92"	35 3/8"	1 3/4"	MW2-S9236-R-Q-()	1,590.	2,185.	2,842.
		98"	35 3/8"	1 3/4"	MW2-S9836-R-Q-()	1,695.	2,327.	2,985.
		104"	35 3/8"	1 3/4"	MW2-S10436-R-Q-()	1,801.	2,471.	3,128.
		110"	35 3/8"	1 3/4"	MW2-S11036-R-Q-()	1,908.	2,614.	3,271.
		116"	35 3/8"	1 3/4"	MW2-S11636-R-Q-()	2,014.	2,756.	3,414.
	No Grommets 	38"	35 3/8"	1 3/4"	MW2-S3836-B-Q-()	825.	1,022.	1,577.
		44"	35 3/8"	1 3/4"	MW2-S4436-B-Q-()	890.	1,147.	1,703.
		50"	35 3/8"	1 3/4"	MW2-S5036-B-Q-()	955.	1,273.	1,828.
		56"	35 3/8"	1 3/4"	MW2-S5636-B-Q-()	1,019.	1,399.	1,954.
		62"	35 3/8"	1 3/4"	MW2-S6236-B-Q-()	1,052.	1,463.	2,069.
		68"	35 3/8"	1 3/4"	MW2-S6836-B-Q-()	1,085.	1,526.	2,183.
		74"	35 3/8"	1 3/4"	MW2-S7436-B-Q-()	1,185.	1,670.	2,330.
		80"	35 3/8"	1 3/4"	MW2-S8036-B-Q-()	1,291.	1,813.	2,473.
		86"	35 3/8"	1 3/4"	MW2-S8636-B-Q-()	1,397.	1,956.	2,616.
		92"	35 3/8"	1 3/4"	MW2-S9236-B-Q-()	1,503.	2,099.	2,759.
		98"	35 3/8"	1 3/4"	MW2-S9836-B-Q-()	1,608.	2,242.	2,903.
		104"	35 3/8"	1 3/4"	MW2-S10436-B-Q-()	1,715.	2,387.	3,046.
		110"	35 3/8"	1 3/4"	MW2-S11036-B-Q-()	1,820.	2,529.	3,190.
		116"	35 3/8"	1 3/4"	MW2-S11636-B-Q-()	1,926.	2,672.	3,333.

Order Code	Specificatin Information	Application Notes
Example: MW2-S6836R-Q-117	<i>Grommets/no grommets:</i>	36"D desks may be planned with 6" recessed desk support and 24"D pedestals or end panels, or 29" or 35"W universal end panels with kneehole filler. 36"D worksurfaces do not accept privacy screens.
MW2 Worksurface, 1 3/4" thick	B- worksurface does not include grommets	Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately.
S Straight worksurface	R- worksurface includes 3" grommets recessed for use with 6" recessed desk support.	
68 Width	Specify surface finish.	Plastic laminate worksurfaces are post-formed top and bottom, front and back.
36 Depth	All worksurfaces are U.L.-listed.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
R Grommets		
Q Standard Special		
117 Surface finish		

Morrison Worksurfaces, 1 1/4" 18" D

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 18"D	 Grommets	18"	17 5/8"	1 1/4"	MU1-S1818-A-Q-()	\$370.	\$540.	\$744.
		24"	17 5/8"	1 1/4"	MU1-S2418-A-Q-()	370.	540.	744.
		30"	17 5/8"	1 1/4"	MU1-S3018-A-Q-()	403.	577.	801.
		36"	17 5/8"	1 1/4"	MU1-S3618-A-Q-()	436.	615.	858.
		42"	17 5/8"	1 1/4"	MU1-S4218-A-Q-()	454.	658.	936.
		48"	17 5/8"	1 1/4"	MU1-S4818-A-Q-()	514.	715.	1,018.
		54"	17 5/8"	1 1/4"	MU1-S5418-A-Q-()	534.	754.	1,078.
		60"	17 5/8"	1 1/4"	MU1-S6018-A-Q-()	555.	794.	1,160.
		66"	17 5/8"	1 1/4"	MU1-S6618-A-Q-()	593.	873.	1,274.
		72"	17 5/8"	1 1/4"	MU1-S7218-A-Q-()	651.	968.	1,398.
		78"	17 5/8"	1 1/4"	MU1-S7818-A-Q-()	714.	1,063.	1,522.
		84"	17 5/8"	1 1/4"	MU1-S8418-A-Q-()	776.	1,157.	1,647.
		90"	17 5/8"	1 1/4"	MU1-S9018-A-Q-()	838.	1,252.	1,772.
		96"	17 5/8"	1 1/4"	MU1-S9618-A-Q-()	900.	1,347.	1,896.
		102"	17 5/8"	1 1/4"	MU1-S10218-A-Q-()	963.	1,441.	2,021.
		108"	17 5/8"	1 1/4"	MU1-S10818-A-Q-()	1,025.	1,536.	2,145.
		114"	17 5/8"	1 1/4"	MU1-S11418-A-Q-()	1,088.	1,632.	2,270.
		120"	17 5/8"	1 1/4"	MU1-S12018-A-Q-()	1,149.	1,725.	2,395.
	 No Grommets	18"	17 5/8"	1 1/4"	MU1-S1818-B-Q-()	282.	452.	657.
		78"	17 5/8"	1 1/4"	MU1-S7818-B-Q-()	689.	975.	1,435.
		84"	17 5/8"	1 1/4"	MU1-S8418-B-Q-()	752.	1,070.	1,559.
		90"	17 5/8"	1 1/4"	MU1-S9018-B-Q-()	814.	1,165.	1,684.
		96"	17 5/8"	1 1/4"	MU1-S9618-B-Q-()	877.	1,260.	1,809.
		102"	17 5/8"	1 1/4"	MU1-S10218-B-Q-()	938.	1,354.	1,933.
		108"	17 5/8"	1 1/4"	MU1-S10818-B-Q-()	1,001.	1,448.	2,058.
		114"	17 5/8"	1 1/4"	MU1-S11418-B-Q-()	1,063.	1,544.	2,183.
		120"	17 5/8"	1 1/4"	MU1-S12018-B-Q-()	1,126.	1,639.	2,307.

Morrison System

Order Code

Example:	MU1-S4818-A-Q-117
MU1	Worksurface 1 1/4" thick
S	Worksurface type
48	Width
18	Depth
A	Grommets
Q	Standard Special
117	Surface finish
Q	Standard Special

Specification Information

Grommets/no grommets:

A- Worksurfaces include 3" grommet in each back corner leading into desk support or wire manager.

B- Worksurface does not include grommets.

Specify surface finish.
1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.

Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.

All worksurfaces are U.L.-listed.

Application Notes

18"D worksurfaces are used interchangeably in desk and panel system applications as shallow main surfaces, extensions, or credenza tops. They may be supported at each end by an 18" end support bracket, 18" cantilever bracket, 18"W conference end panel, 18"D pedestal, or 12"W end panel (MN2-E12) in conjunction with a desk support.

18"D worksurfaces with desk supports do not accept pedestals.



All worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.

Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.

Suspended pedestals may not be used with 1 1/4" worksurfaces

Morrison Worksurfaces, 1 1/4" 24" D



Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 24"D	Grommets 	18"	23 5/8"	1 1/4"	MU1-S1824-A-Q-()	\$397.	\$636.	\$877.
		102"	23 5/8"	1 1/4"	MU1-S10224-A-Q-()	1,058.	1,566.	2,258.
		108"	23 5/8"	1 1/4"	MU1-S10824-A-Q-()	1,139.	1,690.	2,439.
		114"	23 5/8"	1 1/4"	MU1-S11424-A-Q-()	1,220.	1,815.	2,620.
		120"	23 5/8"	1 1/4"	MU1-S12024-A-Q-()	1,301.	1,939.	2,801.
	No Grommets 	18"	23 5/8"	1 1/4"	MU1-S1824-B-Q-()	315.	552.	794.
		102"	23 5/8"	1 1/4"	MU1-S10224-B-Q-()	970.	1,480.	2,175.
		108"	23 5/8"	1 1/4"	MU1-S10824-B-Q-()	1,052.	1,605.	2,356.
		114"	23 5/8"	1 1/4"	MU1-S11424-B-Q-()	1,133.	1,729.	2,536.
		120"	23 5/8"	1 1/4"	MU1-S12024-B-Q-()	1,213.	1,854.	2,717.

Order Code	Specification Information	Application Notes
Example: MU1-S10224-B-Q-117	<i>Grommets/no grommets:</i>	24"D worksurfaces are used interchangeably as shallow main surfaces, extensions or credenza tops. They can be supported at each end by 24" end support bracket, 24" cantilever bracket, 24"W end panel, 18"D pedestal or end panel in conjunction with desk support.
MU1 Worksurface, 1 1/4" thick	A- Worksurfaces include 3" grommet in each back corner leading into desk support or wire manager.	Suspended pedestals may not be used with 1 1/4" worksurfaces
S Straight worksurface	B- Worksurface does not include grommets.	
102 Width	Specify surface finish.	
24 Depth	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	Use 18"D pedestals with 24"D worksurfaces for full wire management capability in desk or panel applications.
B No grommets	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
Q Standard Special	All worksurfaces are U.L.-listed.	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.
117 Surface finish		

Morrison Worksurfaces, 1 1/4" 30" D

Standard Specials Systems



description	type	w	d	h	pattern no.	lam,	V1	V2
Straight, 30"D	Grommets 	18"	29 5/8"	1 1/4"	MU1-S1830-A-Q-()	\$437.	\$648.	\$934.
		24"	29 5/8"	1 1/4"	MU1-S2430-A-Q-()	437.	648.	934.
		102"	29 5/8"	1 1/4"	MU1-S10230-A-Q-()	1,135.	1,669.	2,456.
		108"	29 5/8"	1 1/4"	MU1-S10830-A-Q-()	1,223.	1,792.	2,638.
		114"	29 5/8"	1 1/4"	MU1-S11430-A-Q-()	1,309.	1,917.	2,822.
		120"	29 5/8"	1 1/4"	MU1-S12030-A-Q-()	1,397.	2,041.	3,005.
	No Grommets 	18"	29 5/8"	1 1/4"	MU1-S1830-B-Q-()	354.	565.	852.
		24"	29 5/8"	1 1/4"	MU1-S2430-B-Q-()	354.	565.	852.
		102"	29 5/8"	1 1/4"	MU1-S10230-B-Q-()	1,050.	1,584.	2,372.
		108"	29 5/8"	1 1/4"	MU1-S10830-B-Q-()	1,136.	1,708.	2,555.
		114"	29 5/8"	1 1/4"	MU1-S11430-B-Q-()	1,224.	1,832.	2,739.
		120"	29 5/8"	1 1/4"	MU1-S12030-B-Q-()	1,310.	1,957.	2,921.

Morrison System

Order Code	Specification Information	Application Notes
Example: MU1-S2430B-Q-117		
MU1 Worksurface, 1 1/4" thick	Grommets/no grommets: A- worksurface includes 3" grommet in each back corner leading into desk support or wire manager clips. B- worksurface does not include grommets	30"D worksurfaces are used interchangeably in desk and panel system applications as main surfaces, extensions or credenza tops. They can be supported at each end by 30" end support bracket, 30" cantilever bracket, 30" flat bracket, 30"W end panel, 24"D pedestal or end panel in conjunction with desk support, or 30"D pedestal.
S Straight worksurface		
24 Width	Specify surface finish.	Suspended pedestals may not be used with 1 1/4" worksurfaces.
30 Depth		
B No grommets	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations. All worksurfaces are U.L.-listed. Plastic laminate worksurfaces are post-formed top and bottom, front and back.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens. Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately. Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.
Q Standard Specials		
117 Surface finish		

Morrison Worksurfaces, 1 1/4" 36" D



Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 36"D	Recessed Grommets 	36"	35 5/8"	1 1/4"	MU1-S3636-R-Q-()	\$599.	\$836.	\$1,251.
		42"	35 5/8"	1 1/4"	MU1-S4236-R-Q-()	641.	894.	1,328.
		48"	35 5/8"	1 1/4"	MU1-S4836-R-Q-()	677.	951.	1,409.
		54"	35 5/8"	1 1/4"	MU1-S5436-R-Q-()	715.	1,028.	1,508.
		60"	35 5/8"	1 1/4"	MU1-S6036-R-Q-()	754.	1,092.	1,605.
		66"	35 5/8"	1 1/4"	MU1-S6636-R-Q-()	792.	1,148.	1,724.
		72"	35 5/8"	1 1/4"	MU1-S7236-R-Q-()	870.	1,247.	1,843.
		78"	35 5/8"	1 1/4"	MU1-S7836-R-Q-()	933.	1,343.	2,012.
		84"	35 5/8"	1 1/4"	MU1-S8436-R-Q-()	999.	1,439.	2,157.
		90"	35 5/8"	1 1/4"	MU1-S9036-R-Q-()	1,052.	1,522.	2,284.
		96"	35 5/8"	1 1/4"	MU1-S9636-R-Q-()	1,135.	1,647.	2,466.
		102"	35 5/8"	1 1/4"	MU1-S10236-R-Q-()	1,223.	1,772.	2,650.
		108"	35 5/8"	1 1/4"	MU1-S10836-R-Q-()	1,309.	1,896.	2,833.
		114"	35 5/8"	1 1/4"	MU1-S11436-R-Q-()	1,397.	2,021.	3,016.
		120"	35 5/8"	1 1/4"	MU1-S12036-R-Q-()	1,483.	2,145.	3,199.
	No Grommets 	36"	35 5/8"	1 1/4"	MU1-S3636-B-Q-()	514.	752.	1,169.
		42"	35 5/8"	1 1/4"	MU1-S4236-B-Q-()	555.	810.	1,246.
		48"	35 5/8"	1 1/4"	MU1-S4836-B-Q-()	593.	870.	1,326.
		54"	35 5/8"	1 1/4"	MU1-S5436-B-Q-()	630.	946.	1,426.
		60"	35 5/8"	1 1/4"	MU1-S6036-B-Q-()	671.	1,009.	1,523.
		66"	35 5/8"	1 1/4"	MU1-S6636-B-Q-()	709.	1,061.	1,641.
		72"	35 5/8"	1 1/4"	MU1-S7236-B-Q-()	785.	1,164.	1,759.
		78"	35 5/8"	1 1/4"	MU1-S7836-B-Q-()	846.	1,259.	1,925.
		84"	35 5/8"	1 1/4"	MU1-S8436-B-Q-()	913.	1,354.	2,068.
		90"	35 5/8"	1 1/4"	MU1-S9036-B-Q-()	969.	1,441.	2,200.
		96"	35 5/8"	1 1/4"	MU1-S9636-B-Q-()	1,050.	1,563.	2,382.
		102"	35 5/8"	1 1/4"	MU1-S10236-B-Q-()	1,136.	1,687.	2,567.
		108"	35 5/8"	1 1/4"	MU1-S10836-B-Q-()	1,224.	1,812.	2,749.
		114"	35 5/8"	1 1/4"	MU1-S11436-B-Q-()	1,310.	1,936.	2,932.
		120"	35 5/8"	1 1/4"	MU1-S12036-B-Q-()	1,398.	2,061.	3,116.

Order Code	Specification Information	Application Notes
Example: MU1-S3636B-Q-117	<i>Grommets/no grommets:</i>	36"D worksurfaces are used interchangeably in desk and panel system applications as main surfaces, extensions or credenza tops. They can be supported at each end by 30" end support bracket, 30" cantilever bracket, 36" flat bracket, 30"W end panel, 24"D pedestal or end panel in conjunction with desk support, or 30"D pedestal.
MU1 Worksurface, 1 1/4" thick	A- worksurface includes 3" grommet in each back corner leading into desk support or wire manager clips.	
S Straight worksurface	B- worksurface does not include grommets	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
36 Width	Specify surface finish.	
36 Depth		Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.
B No grommets		
Q Standard Specials		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.
117 Surface finish		
	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	
	All worksurfaces are U.L.-listed. Plastic laminate worksurfaces are post-formed top and bottom, front and back.	

Morrison Worksurfaces, 1 1/4" 18" D + Post

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 18"D + Post	Grommets 	20"	17 3/8"	1 1/4"	MU1-S2018-A-Q-()	\$370.	\$540.	\$744.
		26"	17 3/8"	1 1/4"	MU1-S2618-A-Q-()	403.	577.	801.
		32"	17 3/8"	1 1/4"	MU1-S3218-A-Q-()	436.	615.	858.
		38"	17 3/8"	1 1/4"	MU1-S3818-A-Q-()	454.	658.	936.
		44"	17 3/8"	1 1/4"	MU1-S4418-A-Q-()	514.	715.	1,018.
		50"	17 3/8"	1 1/4"	MU1-S5018-A-Q-()	534.	754.	1,078.
		56"	17 3/8"	1 1/4"	MU1-S5618-A-Q-()	555.	794.	1,160.
		62"	17 3/8"	1 1/4"	MU1-S6218-A-Q-()	593.	873.	1,274.
		68"	17 3/8"	1 1/4"	MU1-S6818-A-Q-()	651.	968.	1,398.
		74"	17 3/8"	1 1/4"	MU1-S7418-A-Q-()	714.	1,063.	1,522.
		80"	17 3/8"	1 1/4"	MU1-S8018-A-Q-()	776.	1,157.	1,647.
		86"	17 3/8"	1 1/4"	MU1-S8618-A-Q-()	838.	1,252.	1,772.
		92"	17 3/8"	1 1/4"	MU1-S9218-A-Q-()	900.	1,347.	1,896.
		98"	17 3/8"	1 1/4"	MU1-S9818-A-Q-()	963.	1,441.	2,021.
		104"	17 3/8"	1 1/4"	MU1-S10418-A-Q-()	1,025.	1,536.	2,145.
		110"	17 3/8"	1 1/4"	MU1-S11018-A-Q-()	1,088.	1,632.	2,270.
		116"	17 3/8"	1 1/4"	MU1-S11618-A-Q-()	1,149.	1,725.	2,395.
	No Grommets 	20"	17 3/8"	1 1/4"	MU1-S2018-B-Q-()	282.	452.	657.
		26"	17 3/8"	1 1/4"	MU1-S2618-B-Q-()	315.	490.	714.
		32"	17 3/8"	1 1/4"	MU1-S3218-B-Q-()	348.	526.	770.
		38"	17 3/8"	1 1/4"	MU1-S3818-B-Q-()	367.	571.	850.
		44"	17 3/8"	1 1/4"	MU1-S4418-B-Q-()	427.	628.	930.
		50"	17 3/8"	1 1/4"	MU1-S5018-B-Q-()	446.	666.	990.
		56"	17 3/8"	1 1/4"	MU1-S5618-B-Q-()	469.	707.	1,072.
		62"	17 3/8"	1 1/4"	MU1-S6218-B-Q-()	506.	787.	1,188.
		68"	17 3/8"	1 1/4"	MU1-S6818-B-Q-()	627.	881.	1,310.
		74"	17 3/8"	1 1/4"	MU1-S7418-B-Q-()	689.	975.	1,435.
		80"	17 3/8"	1 1/4"	MU1-S8018-B-Q-()	752.	1,070.	1,559.
		86"	17 3/8"	1 1/4"	MU1-S8618-B-Q-()	814.	1,165.	1,684.
		92"	17 3/8"	1 1/4"	MU1-S9218-B-Q-()	877.	1,260.	1,809.
		98"	17 3/8"	1 1/4"	MU1-S9818-B-Q-()	938.	1,354.	1,933.
		104"	17 3/8"	1 1/4"	MU1-S10418-B-Q-()	1,001.	1,448.	2,058.
		110"	17 3/8"	1 1/4"	MU1-S11018-B-Q-()	1,063.	1,544.	2,183.
		116"	17 3/8"	1 1/4"	MU1-S11618-B-Q-()	1,126.	1,639.	2,307.

Order Code

Example:	MU1-S4418-B-Q-117
MU1	Worksurface 1 1/4" thick
S	Worksurface type
44	Width
18	Depth
B	No grommets
Q	Standard Specials
117	Surface finish

Specification Information

B: Worksurface does not include grommets.

Specify surface finish.

1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.

All worksurfaces are U.L.-listed.

Application Notes

18"D worksurfaces are used interchangeably in desk and panel system applications as shallow main surfaces, extensions, or credenza tops. They may be supported at each end by an 18" end support bracket, 18" cantilever bracket, 18"W conference end panel, 18"D pedestal, or 12"W end panel (MN2-E12) in conjunction with a desk support.

Suspended pedestals may not be used with 1 1/4" worksurfaces

18"D worksurfaces with desk supports do not accept pedestals.

All worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.

Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.

Morrison Worksurfaces, 1 1/4"

24" D + Post

Standard Specials Systems



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 24"D + Post	Grommets	20"	23 5/8"	1 1/4"	MU1-S2024-A-Q-()	\$397.	\$636.	\$877.
		26"	23 5/8"	1 1/4"	MU1-S2624-A-Q-()	432.	655.	916.
		32"	23 5/8"	1 1/4"	MU1-S3224-A-Q-()	452.	672.	935.
		38"	23 5/8"	1 1/4"	MU1-S3824-A-Q-()	512.	713.	1,012.
		44"	23 5/8"	1 1/4"	MU1-S4424-A-Q-()	530.	769.	1,134.
		50"	23 5/8"	1 1/4"	MU1-S5024-A-Q-()	574.	847.	1,215.
		56"	23 5/8"	1 1/4"	MU1-S5624-A-Q-()	610.	887.	1,272.
		62"	23 5/8"	1 1/4"	MU1-S6224-A-Q-()	666.	988.	1,410.
		68"	23 5/8"	1 1/4"	MU1-S6824-A-Q-()	727.	1,065.	1,552.
		74"	23 5/8"	1 1/4"	MU1-S7424-A-Q-()	789.	1,156.	1,656.
		80"	23 5/8"	1 1/4"	MU1-S8024-A-Q-()	844.	1,239.	1,780.
		86"	23 5/8"	1 1/4"	MU1-S8624-A-Q-()	894.	1,319.	1,897.
		92"	23 5/8"	1 1/4"	MU1-S9224-A-Q-()	976.	1,441.	2,078.
		98"	23 5/8"	1 1/4"	MU1-S9824-A-Q-()	1,058.	1,566.	2,258.
		104"	23 5/8"	1 1/4"	MU1-S10424-A-Q-()	1,139.	1,690.	2,439.
		110"	23 5/8"	1 1/4"	MU1-S11024-A-Q-()	1,220.	1,815.	2,620.
		116"	23 5/8"	1 1/4"	MU1-S11624-A-Q-()	1,301.	1,939.	2,801.
No Grommets	No Grommets	20"	23 5/8"	1 1/4"	MU1-S2024-B-Q-()	315.	552.	794.
		26"	23 5/8"	1 1/4"	MU1-S2624-B-Q-()	348.	571.	833.
		32"	23 5/8"	1 1/4"	MU1-S3224-B-Q-()	367.	590.	850.
		38"	23 5/8"	1 1/4"	MU1-S3824-B-Q-()	427.	628.	930.
		44"	23 5/8"	1 1/4"	MU1-S4424-B-Q-()	446.	686.	1,052.
		50"	23 5/8"	1 1/4"	MU1-S5024-B-Q-()	487.	766.	1,131.
		56"	23 5/8"	1 1/4"	MU1-S5624-B-Q-()	525.	804.	1,188.
		62"	23 5/8"	1 1/4"	MU1-S6224-B-Q-()	583.	905.	1,329.
		68"	23 5/8"	1 1/4"	MU1-S6824-B-Q-()	643.	983.	1,468.
		74"	23 5/8"	1 1/4"	MU1-S7424-B-Q-()	700.	1,072.	1,572.
		80"	23 5/8"	1 1/4"	MU1-S8024-B-Q-()	756.	1,155.	1,697.
		86"	23 5/8"	1 1/4"	MU1-S8624-B-Q-()	811.	1,236.	1,815.
		92"	23 5/8"	1 1/4"	MU1-S9224-B-Q-()	890.	1,355.	1,994.
		98"	23 5/8"	1 1/4"	MU1-S9824-B-Q-()	970.	1,480.	2,175.
		104"	23 5/8"	1 1/4"	MU1-S10424-B-Q-()	1,052.	1,605.	2,356.
		110"	23 5/8"	1 1/4"	MU1-S11024-B-Q-()	1,133.	1,729.	2,536.
		116"	23 5/8"	1 1/4"	MU1-S11624-B-Q-()	1,213.	1,854.	2,717.

Order Code	Specification Information	Application Notes
Example: MU1-S3824-B-Q-117	<i>Grommets/no grommets:</i>	24"D worksurfaces are used interchangeably as shallow main surfaces, extensions or credenza tops. They can be supported at each end by 24" end support bracket, 24" cantilever bracket, 24"W end panel, 18"D pedestal or end panel in conjunction with desk support.
MU1 Worksurface, 1 1/4" thick	A- Worksurfaces include 3" grommet in each back corner leading into desk support or wire manager.	Suspended pedestals may not be used with 1 1/4" worksurfaces.
S Straight worksurface	B- Worksurface does not include grommets.	
38 Width	Specify surface finish.	
24 Depth	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	Use 18"D pedestals with 24"D worksurfaces for full wire management capability in desk or panel applications.
B No grommets	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
Q Standard Specials	All worksurfaces are U.L.-listed.	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.
117 Surface finish		

Morrison Worksurfaces, 1 1/4"

30" D + Post

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 30"D + Post	 Grommets	20"	29 3/8"	1 1/4"	MU1-S2030-A-Q-()	\$437.	\$648.	\$934.
		26"	29 3/8"	1 1/4"	MU1-S2630-A-Q-()	475.	690.	996.
		32"	29 3/8"	1 1/4"	MU1-S3230-A-Q-()	512.	732.	1,057.
		38"	29 3/8"	1 1/4"	MU1-S3830-A-Q-()	553.	791.	1,134.
		44"	29 3/8"	1 1/4"	MU1-S4430-A-Q-()	589.	847.	1,215.
		50"	29 3/8"	1 1/4"	MU1-S5030-A-Q-()	628.	925.	1,313.
		56"	29 3/8"	1 1/4"	MU1-S5630-A-Q-()	666.	988.	1,410.
		62"	29 3/8"	1 1/4"	MU1-S6230-A-Q-()	706.	1,045.	1,530.
		68"	29 3/8"	1 1/4"	MU1-S6830-A-Q-()	783.	1,143.	1,648.
		74"	29 3/8"	1 1/4"	MU1-S7430-A-Q-()	846.	1,239.	1,816.
		80"	29 3/8"	1 1/4"	MU1-S8030-A-Q-()	913.	1,336.	1,962.
		86"	29 3/8"	1 1/4"	MU1-S8630-A-Q-()	964.	1,419.	2,089.
		92"	29 3/8"	1 1/4"	MU1-S9230-A-Q-()	1,048.	1,544.	2,272.
		98"	29 3/8"	1 1/4"	MU1-S9830-A-Q-()	1,135.	1,669.	2,456.
		104"	29 3/8"	1 1/4"	MU1-S10430-A-Q-()	1,223.	1,792.	2,638.
		110"	29 3/8"	1 1/4"	MU1-S11030-A-Q-()	1,309.	1,917.	2,822.
		116"	29 3/8"	1 1/4"	MU1-S11630-A-Q-()	1,397.	2,041.	3,005.
	 No Grommets	20"	29 3/8"	1 1/4"	MU1-S2030-B-Q-()	354.	565.	852.
		26"	29 3/8"	1 1/4"	MU1-S2630-B-Q-()	391.	607.	914.
		32"	29 3/8"	1 1/4"	MU1-S3230-B-Q-()	427.	648.	974.
		38"	29 3/8"	1 1/4"	MU1-S3830-B-Q-()	469.	707.	1,052.
		44"	29 3/8"	1 1/4"	MU1-S4430-B-Q-()	506.	766.	1,131.
		50"	29 3/8"	1 1/4"	MU1-S5030-B-Q-()	543.	843.	1,231.
		56"	29 3/8"	1 1/4"	MU1-S5630-B-Q-()	583.	905.	1,329.
		62"	29 3/8"	1 1/4"	MU1-S6230-B-Q-()	622.	958.	1,446.
		68"	29 3/8"	1 1/4"	MU1-S6830-B-Q-()	698.	1,060.	1,565.
		74"	29 3/8"	1 1/4"	MU1-S7430-B-Q-()	759.	1,155.	1,730.
		80"	29 3/8"	1 1/4"	MU1-S8030-B-Q-()	825.	1,251.	1,874.
		86"	29 3/8"	1 1/4"	MU1-S8630-B-Q-()	882.	1,338.	2,006.
		92"	29 3/8"	1 1/4"	MU1-S9230-B-Q-()	962.	1,460.	2,189.
		98"	29 3/8"	1 1/4"	MU1-S9830-B-Q-()	1,050.	1,584.	2,372.
		104"	29 3/8"	1 1/4"	MU1-S10430-B-Q-()	1,136.	1,708.	2,555.
		110"	29 3/8"	1 1/4"	MU1-S11030-B-Q-()	1,224.	1,832.	2,739.
		116"	29 3/8"	1 1/4"	MU1-S11630-B-Q-()	1,310.	1,957.	2,921.

Order Code

Example:	MU1-S3830B-Q-117
MU1	Worksurface, 1 1/4" thick
S	Straight worksurface
38	Width
30	Depth
B	No grommets
Q	Standard Specials
117	Surface finish

Specification Information

Grommets/no grommets:

A- worksurface includes 3" grommet in each back corner leading into desk support or wire manager clips.

B- worksurface does not include grommets

Specify surface finish.

1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.

All worksurfaces are U.L.-listed.

Plastic laminate worksurfaces are post-formed top and bottom, front and back.

Application Notes

30"D worksurfaces are used interchangeably in desk and panel system applications as main surfaces, extensions or credenza tops. They can be supported at each end by 30" end support bracket, 30" cantilever bracket, 30" flat bracket, 30"W end panel, 24"D pedestal or end panel in conjunction with desk support, or 30"D pedestal.

Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.



Suspended pedestals may not be used with 1 1/4" worksurfaces.

All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.

Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.

Morrison Worksurfaces, 1 1/4" 36" D + Post




Standard Specials Systems

description	type	w	d	h	pattern no,	lam.	V1	V2
Straight, 36"D + Post	Recessed Grommets 	38"	35 5/8"	1 1/4"	MU1-S3836-R-Q-()	\$641.	\$894.	\$1,328.
		44"	35 5/8"	1 1/4"	MU1-S4436-R-Q-()	677.	951.	1,409.
		50"	35 5/8"	1 1/4"	MU1-S5036-R-Q-()	715.	1,028.	1,508.
		56"	35 5/8"	1 1/4"	MU1-S5636-R-Q-()	754.	1,092.	1,605.
		62"	35 5/8"	1 1/4"	MU1-S6236-R-Q-()	792.	1,148.	1,724.
		68"	35 5/8"	1 1/4"	MU1-S6836-R-Q-()	870.	1,247.	1,843.
		74"	35 5/8"	1 1/4"	MU1-S7436-R-Q-()	933.	1,343.	2,012.
		80"	35 5/8"	1 1/4"	MU1-S8036-R-Q-()	999.	1,439.	2,157.
		86"	35 5/8"	1 1/4"	MU1-S8636-R-Q-()	1,052.	1,522.	2,284.
		92"	35 5/8"	1 1/4"	MU1-S9236-R-Q-()	1,135.	1,647.	2,466.
		98"	35 5/8"	1 1/4"	MU1-S9836-R-Q-()	1,223.	1,772.	2,650.
		104"	35 5/8"	1 1/4"	MU1-S10436-R-Q-()	1,309.	1,896.	2,833.
		110"	35 5/8"	1 1/4"	MU1-S11036-R-Q-()	1,397.	2,021.	3,016.
		116"	35 5/8"	1 1/4"	MU1-S11636-R-Q-()	1,483.	2,145.	3,199.
	No Grommets 	38"	35 5/8"	1 1/4"	MU1-S3836-B-Q-()	555.	810.	1,246.
		44"	35 5/8"	1 1/4"	MU1-S4436-B-Q-()	593.	870.	1,326.
		50"	35 5/8"	1 1/4"	MU1-S5036-B-Q-()	630.	946.	1,426.
		56"	35 5/8"	1 1/4"	MU1-S5636-B-Q-()	671.	1,009.	1,523.
		62"	35 5/8"	1 1/4"	MU1-S6236-B-Q-()	709.	1,061.	1,641.
		68"	35 5/8"	1 1/4"	MU1-S6836-B-Q-()	785.	1,164.	1,759.
		74"	35 5/8"	1 1/4"	MU1-S7436-B-Q-()	846.	1,259.	1,925.
		80"	35 5/8"	1 1/4"	MU1-S8036-B-Q-()	913.	1,354.	2,068.
		86"	35 5/8"	1 1/4"	MU1-S8636-B-Q-()	969.	1,441.	2,200.
		92"	35 5/8"	1 1/4"	MU1-S9236-B-Q-()	1,050.	1,563.	2,382.
		98"	35 5/8"	1 1/4"	MU1-S9836-B-Q-()	1,136.	1,687.	2,567.
		104"	35 5/8"	1 1/4"	MU1-S10436-B-Q-()	1,224.	1,812.	2,749.
		110"	35 5/8"	1 1/4"	MU1-S11036-B-Q-()	1,310.	1,936.	2,932.
		116"	35 5/8"	1 1/4"	MU1-S11636-B-Q-()	1,398.	2,061.	3,116.

Order Code	Specification Information	Application Notes	
Example: MU1-S3836B-Q-117	<i>Grommets/no grommets:</i>		
MU1 Worksurface, 1 1/4" thick	A- worksurface includes 3" grommet in each back corner leading into desk support or wire manager clips.	30"D worksurfaces are used interchangeably in desk and panel system applications as main surfaces, extensions or credenza tops. They can be supported at each end by 30" end support bracket, 30" cantilever bracket, 30" flat bracket, 30"W end panel, 24"D pedestal or end panel in conjunction with desk support, or 30"D pedestal.	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.
S Straight worksurface	B- worksurface does not include grommets		Suspended pedestals may not be used with 1 1/4" worksurfaces.
38 Width	Specify surface finish.		
36 Depth			
B No grommets	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.	
Q Standard Specials	All worksurfaces are U.L.-listed.	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.	
117 Surface finish	Plastic laminate worksurfaces are post-formed top and bottom, front and back.		

Morrison Worksurfaces, 1 1/4"
rounded end worksurfaces 30" D + 36" D

Standard Specials Systems



description	type	w	d	h	pattern no.	lam.	V1	V2
Rounded end	End Grommets 	87"	30"	1 1/4"	MU1-R8730-E-Q-()	\$1,428.	\$1,938.	\$2,767.
		66"	36"	1 1/4"	MU1-R6636-E-Q-()	1,391.	1,901.	2,728.
		78"	36"	1 1/4"	MU1-R7836-E-Q-()	1,452.	1,964.	2,790.
		90"	36"	1 1/4"	MU1-R9036-E-Q-()	1,577.	2,088.	2,915.
	Recessed Grommets 	87"	30"	1 1/4"	MU1-R8730-R-Q-()(L/R)	1,428.	1,938.	2,767.
		66"	36"	1 1/4"	MU1-R6636-R-Q-()(L/R)	1,391.	1,901.	2,728.
		78"	36"	1 1/4"	MU1-R7836-R-Q-()(L/R)	1,452.	1,964.	2,790.
		90"	36"	1 1/4"	MU1-R9036-R-Q-()(L/R)	1,577.	2,088.	2,915.
	No Grommets 	87"	30"	1 1/4"	MU1-R8730-B-Q-()(L/R)	1,342.	1,850.	2,679.
		66"	36"	1 1/4"	MU1-R6636-B-Q-()(L/R)	1,304.	1,813.	2,643.
		78"	36"	1 1/4"	MU1-R7836-B-Q-()(L/R)	1,366.	1,875.	2,705.
		90"	36"	1 1/4"	MU1-R9036-B-Q-()(L/R)	1,490.	1,999.	2,829.

Morrison System

Order Code	Specification Information	Application Notes
Example: MU1-R6636E-Q-117		
MU1 Worksurface, 1 1/4" thick	<i>Grommets/no grommets:</i>	End grommets have inserts to accept desk support at straight end and no pedestal inserts. Plastic laminate worksurfaces have radiused T mold edge and a flat self-edge in the straight edge.
R Rounded end	E- rounded end worksurface includes 3" grommet in each straight end corner.	Rounded end worksurfaces are used interchangeably in desk and panel system applications as main surfaces or extensions. They may be supported by 30" end support brackets, 30" cantilever bracket, 30" flat bracket or 30" conference end panel, and by a support column at the rounded end.
66 Width	R- rounded end worksurface includes 3" grommets recessed for use with 6" recessed desk support.	Use 18"D pedestal or end panel with desk support under rounded end worksurfaces with recessed grommets. Use 48"D desk support with 63" rounded end and 60"W desk support with 75" rounded end.
36 Depth	B- rounded end worksurface does not include grommets	Worksurfaces with end grommets may not be supported by conference end panel.
E End grommets	Specify surface finish.	Suspended pedestals may not be used with 1 1/4" worksurfaces.
Q Standard Specials	Rounded end worksurfaces with recessed or no grommets are specified left or right to determine position of grommets and pedestal drilling. Rounded end when seated at desk defines L/R hand (Right hand shown above).	Rounded end worksurfaces have threaded metal inserts for desk support, end panel each end, and at all bracket locations. End grommet worksurfaces have no pedestal inserts.
117 Surface finish	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	
	MU1- worksurfaces are supported by brackets with machine screws.	
	All worksurfaces are U.L.-listed.	

Morrison Worksurfaces, 1 1/4"
P-shape curvilinear

Standard Specials Systems



description	type	w	d	h	pattern no.	lam.	V1	V2
	24" D return	48"	66"	1 1/4"	MU1-P66SA-L-Q-()	\$2,195.	\$2,818.	\$3,950.
	24" D return	48"	78"	1 1/4"	MU1-P78SA-L-Q-()	2,257.	2,899.	4,062.
	30" D return	48"	66"	1 1/4"	MU1-P66DA-L-Q-()	2,224.	2,860.	4,005.
	30" D return	48"	72"	1 1/4"	MU1-P72DA-L-Q-()	2,286.	2,942.	4,118.
	24" D return	48"	66"	1 1/4"	MU1-P66SA-R-Q-()	2,195.	2,818.	3,950.
	24" D return	48"	78"	1 1/4"	MU1-P78SA-R-Q-()	2,257.	2,899.	4,062.
	30" D return	48"	66"	1 1/4"	MU1-P66DA-R-Q-()	2,224.	2,860.	4,005.
	30" D return	48"	72"	1 1/4"	MU1-P72DA-R-Q-()	2,286.	2,942.	4,118.

Order Code	Specification Information	Application Notes
Example: MU1-P66SA-L-Q-117	S- 24"D side edge	P-shape curvilinear worksurfaces may be used interchangeably in desk and panel system applications. They may be supported by a 48" VDT support bracket kit, or 48" desk support and 6" end panel, in conjunction with rounded end support column. Use flat bracket or bridging bracket to join to adjacent 1 1/4" worksurface.
MU1 Worksurface, 1 1/4"	D- 30"D side edge	
P P-shape curvilinear	Specify surface finish.	
66 Overall length	1 1/4" curvilinear surfaces are solid core construction with threaded metal inserts at desk support and all bracket locations.	
S Depth of return	All worksurfaces are U.L.-listed.	
A Grommets	All P-shape worksurfaces have 2 grommets at 48" end for use with 48" desk and overhead supports.	P-shape laminate surfaces have continuous T-mold edge in profile to match adjacent 1 1/4" worksurfaces.
L Rounded end left		
Q Standard Special		
117 Surface finish		

Morrison Worksurfaces, 1 1/4"

L-shape curvilinear

Standard Specials Systems



description	type	w	d	h	pattern no.	lam.	V1	V2
24"D returns left and right 	3 Grommets	42"	48"	1 1/4"	MU1-C4248SS-Q-()	\$1,095.	\$1,410.	\$1,970.
		42"	60"	1 1/4"	MU1-C4260SS-Q-()	1,244.	1,600.	2,240.
		42"	66"	1 1/4"	MU1-C4266SS-Q-()	1,337.	1,719.	2,410.
		42"	72"	1 1/4"	MU1-C4272SS-Q-()	1,428.	1,840.	2,580.
		48"	42"	1 1/4"	MU1-C4842SS-Q-()	1,095.	1,410.	1,970.
		48"	66"	1 1/4"	MU1-C4866SS-Q-()	1,428.	1,840.	2,580.
		60"	42"	1 1/4"	MU1-C6042SS-Q-()	1,244.	1,600.	2,240.
		66"	42"	1 1/4"	MU1-C6642SS-Q-()	1,337.	1,719.	2,410.
		66"	48"	1 1/4"	MU1-C6648SS-Q-()	1,428.	1,840.	2,580.
24"D return left, 30"D right 	3 Grommets	42"	42"	1 1/4"	MU1-C4242SD-Q-()	1,020.	1,315.	1,834.
		42"	48"	1 1/4"	MU1-C4248SD-Q-()	1,095.	1,410.	1,970.
		42"	60"	1 1/4"	MU1-C4260SD-Q-()	1,244.	1,600.	2,240.
		42"	66"	1 1/4"	MU1-C4266SD-Q-()	1,337.	1,719.	2,410.
		42"	72"	1 1/4"	MU1-C4272SD-Q-()	1,428.	1,840.	2,580.
		48"	42"	1 1/4"	MU1-C4842SD-Q-()	1,095.	1,410.	1,970.
		48"	66"	1 1/4"	MU1-C4866SD-Q-()	1,428.	1,840.	2,580.
		60"	42"	1 1/4"	MU1-C6042SD-Q-()	1,244.	1,600.	2,240.
		66"	42"	1 1/4"	MU1-C6642SD-Q-()	1,337.	1,719.	2,410.
		66"	48"	1 1/4"	MU1-C6648SD-Q-()	1,428.	1,840.	2,580.
		72"	42"	1 1/4"	MU1-C7242SD-Q-()	1,428.	1,840.	2,580.

Order Code	Specification Information	Application Notes
Example: MU1-C4248SD-Q-117 MU1 Worksurface, 1 1/4" C L-shape curvilinear 42 Width left 48 Width right S Depth of left return D Depth of right return Q Standard Specials 117 Surface finish	Width dimension (W) refers to width of left-side back edge; depth dimension (D) indicates width of right-side back edge. S- 24"D side edge D- 30"D side edge Specify surface finish. 1 1/4" curvilinear surfaces are solid core construction with threaded metal inserts at desk support and all bracket locations. All worksurfaces are U.L.-listed. All L-shape curvilinear worksurfaces have three grommets.	L-shape curvilinear worksurfaces may be used interchangeably in desk and panel system applications. They may be supported by corner desk supports or by VDT end support bracket kit. Use cantilever bridging brackets or flat brackets to join to adjacent worksurfaces. L-shape surfaces may also be supported by MN1- end panel in conjunction with desk support, or cantilever bracket in panel planning. L-shape surfaces are veneer or post-formed plastic laminate on both back edges, matching profile T-mold on curvilinear front, and self-edge on sides. Curvilinear worksurfaces are available only in 1 1/4" thickness. L-shape surfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens. If specifying privacy screens on both back edges, one or both must be 48" back-of-VDT type.

Morrison Worksurfaces, 1 1/4"

L-shape curvilinear

Standard Specials Systems


description	type	w	d	h	pattern no.	lam.	V1	V2
30"D return left, 24"D right 	3 Grommets	42"	42"	1 1/4"	MU1-C4242DS-Q-()	\$1,020.	\$1,315.	\$1,834.
		42"	48"	1 1/4"	MU1-C4248DS-Q-()	1,095.	1,410.	1,970.
		42"	60"	1 1/4"	MU1-C4260DS-Q-()	1,244.	1,600.	2,240.
		42"	66"	1 1/4"	MU1-C4266DS-Q-()	1,337.	1,719.	2,410.
		42"	72"	1 1/4"	MU1-C4272DS-Q-()	1,428.	1,840.	2,580.
		48"	42"	1 1/4"	MU1-C4842DS-Q-()	1,095.	1,410.	1,970.
		48"	66"	1 1/4"	MU1-C4866DS-Q-()	1,428.	1,840.	2,580.
		60"	42"	1 1/4"	MU1-C6042DS-Q-()	1,244.	1,600.	2,240.
		66"	42"	1 1/4"	MU1-C6642DS-Q-()	1,337.	1,719.	2,410.
		66"	48"	1 1/4"	MU1-C6648DS-Q-()	1,428.	1,840.	2,580.
		72"	42"	1 1/4"	MU1-C7242DS-Q-()	1,428.	1,840.	2,580.
30"D return left and right 	3 Grommets	42"	42"	1 1/4"	MU1-C4242DD-Q-()	1,020.	1,315.	1,834.
		42"	48"	1 1/4"	MU1-C4248DD-Q-()	1,095.	1,410.	1,970.
		42"	60"	1 1/4"	MU1-C4260DD-Q-()	1,244.	1,600.	2,240.
		42"	66"	1 1/4"	MU1-C4266DD-Q-()	1,337.	1,719.	2,410.
		42"	72"	1 1/4"	MU1-C4272DD-Q-()	1,428.	1,840.	2,580.
		48"	42"	1 1/4"	MU1-C4842DD-Q-()	1,095.	1,410.	1,970.
		48"	60"	1 1/4"	MU1-C4860DD-Q-()	1,319.	1,695.	2,374.
		48"	66"	1 1/4"	MU1-C4866DD-Q-()	1,428.	1,840.	2,580.
		48"	72"	1 1/4"	MU1-C4872DD-Q-()	1,503.	1,935.	2,714.
		60"	42"	1 1/4"	MU1-C6042DD-Q-()	1,244.	1,600.	2,240.
		60"	48"	1 1/4"	MU1-C6048DD-Q-()	1,319.	1,695.	2,374.
		66"	42"	1 1/4"	MU1-C6642DD-Q-()	1,337.	1,719.	2,410.
		66"	48"	1 1/4"	MU1-C6648DD-Q-()	1,428.	1,840.	2,580.
		72"	42"	1 1/4"	MU1-C7242DD-Q-()	1,428.	1,840.	2,580.
		72"	48"	1 1/4"	MU1-C7248DD-Q-()	1,503.	1,935.	2,714.

Order Code	Specification Information	Application Notes
Example: MU1-C4248SD-Q-117 MU1 Worksurface, 1 1/4" C L-shape curvilinear 42 Width left 48 Width right S Depth of left return D Depth of right return Q Standard Specials 117 Surface finish	Width dimension (W) refers to width of left-side back edge; depth dimension (D) indicates width of right-side back edge. S- 24"D side edge D- 30"D side edge Specify surface finish. 1 1/4" curvilinear surfaces are solid core construction with threaded metal inserts at desk support and all bracket locations. All worksurfaces are U.L.-listed. All L-shape curvilinear worksurfaces have three grommets.	L-shape curvilinear worksurfaces may be used interchangeably in desk and panel system applications. They may be supported by corner desk supports or by VDT end support bracket kit. Use cantilever bridging brackets or flat brackets to join to adjacent worksurfaces. L-shape surfaces may also be supported by MN1- end panel in conjunction with desk support, or cantilever bracket in panel planning. L-shape surfaces are veneer or post-formed plastic laminate on both back edges, matching profile T-mold on curvilinear front, and self-edge on sides. Curvilinear worksurfaces are available only in 1 1/4" thickness. L-shape surfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens. If specifying privacy screens on both back edges, one or both must be 48" back-of-VDT type.

Morrison Worksurfaces, 1 1/4"

J-shape surfaces

Standard Specials Systems



description	w	d	h	pattern no.	lam.	V1	V2
J-shape - Rounded left 	24"	23 5/8"	1 1/4"	MU1-J24A-L-Q-()	\$784.	\$956.	\$1,291.
	30"	23 5/8"	1 1/4"	MU1-J30A-L-Q-()	n/a	1,029.	1,389.
	36"	23 5/8"	1 1/4"	MU1-J36A-L-Q-()	n/a	1,093.	1,475.
	42"	23 5/8"	1 1/4"	MU1-J42A-L-Q-()	n/a	1,160.	1,566.
	48"	23 5/8"	1 1/4"	MU1-J48A-L-Q-()	n/a	1,236.	1,670.
	54"	23 5/8"	1 1/4"	MU1-J54A-L-Q-()	1,012.	1,312.	1,773.
	60"	23 5/8"	1 1/4"	MU1-J60A-L-Q-()	1,074.	1,388.	1,876.
	66"	23 5/8"	1 1/4"	MU1-J66A-L-Q-()	1,137.	1,465.	1,980.
	72"	23 5/8"	1 1/4"	MU1-J72A-L-Q-()	1,199.	1,539.	2,083.
	78"	23 5/8"	1 1/4"	MU1-J78A-L-Q-()	1,262.	1,615.	2,187.
	84"	23 5/8"	1 1/4"	MU1-J84A-L-Q-()	1,324.	1,691.	2,290.
	90"	23 5/8"	1 1/4"	MU1-J90A-L-Q-()	1,386.	1,767.	2,394.
	96"	23 5/8"	1 1/4"	MU1-J96A-L-Q-()	1,448.	1,844.	2,497.
J-shape - Rounded right 	24"	23 5/8"	1 1/4"	MU1-J24A-R-Q-()	784.	956.	1,291.
	30"	23 5/8"	1 1/4"	MU1-J30A-R-Q-()	n/a	1,029.	1,389.
	36"	23 5/8"	1 1/4"	MU1-J36A-R-Q-()	n/a	1,093.	1,475.
	42"	23 5/8"	1 1/4"	MU1-J42A-R-Q-()	n/a	1,160.	1,566.
	48"	23 5/8"	1 1/4"	MU1-J48A-R-Q-()	n/a	1,236.	1,670.
	54"	23 5/8"	1 1/4"	MU1-J54A-R-Q-()	1,012.	1,312.	1,773.
	60"	23 5/8"	1 1/4"	MU1-J60A-R-Q-()	1,074.	1,388.	1,876.
	66"	23 5/8"	1 1/4"	MU1-J66A-R-Q-()	1,137.	1,465.	1,980.
	72"	23 5/8"	1 1/4"	MU1-J72A-R-Q-()	1,199.	1,539.	2,083.
	78"	23 5/8"	1 1/4"	MU1-J78A-R-Q-()	1,262.	1,615.	2,187.
	84"	23 5/8"	1 1/4"	MU1-J84A-R-Q-()	1,324.	1,691.	2,290.
	90"	23 5/8"	1 1/4"	MU1-J90A-R-Q-()	1,386.	1,767.	2,394.
	96"	23 5/8"	1 1/4"	MU1-J96A-R-Q-()	1,448.	1,844.	2,497.

Order Code	Specification Information	Application Notes
Example: MU1-J30A-L-Q-117		
MU1 Worksurface, 1 1/4"	1 1/4" curvilinear surfaces are solid core construction with threaded metal inserts at desk support and all bracket locations and pilot holes at pedestal locations.	J-shape curvilinear worksurfaces may be used interchangeably in desk and panel system applications. They may be supported by straight desk support or cantilever brackets. J-shapes also require 9" Network end panel in desk or panel planning.
J J-shape	Specify surface finish.	
30 Width		
A With grommets		
L Left		
Q Standard Specials	All worksurfaces are U.L.-listed.	Use flat bracket or bridging bracket to join to adjacent 1 1/4" worksurface. Also specify VDT end support bracket kit for optimal stability of vertical panel behind J-shape worksurface.
117 Surface finish	J-shape worksurfaces have 2 grommets for use with freestanding desk and overhead supports.	J-shape surfaces are post-formed on back edge, matching profile T-mold on curvilinear front, and self-edge on sides. J-shapes are available only in plastic laminate, 1 1/4" thickness. J-shape surfaces are 3/8" less than nominal depth for wire clearance or privacy screens.

Morrison Worksurfaces, 1 1/4"

Wave-end surfaces



Standard Specials Systems

description	w	d	h	pattern no.	lam.
Left wave-end 	30"	29 5/8"	1 1/4"	MU1-W30A-L-Q-()	\$951.
	54"	29 5/8"	1 1/4"	MU1-W54A-L-Q-()	1,126.
	60"	29 5/8"	1 1/4"	MU1-W60A-L-Q-()	1,188.
	66"	29 5/8"	1 1/4"	MU1-W66A-L-Q-()	1,250.
	72"	29 5/8"	1 1/4"	MU1-W72A-L-Q-()	1,312.
	78"	29 5/8"	1 1/4"	MU1-W78A-L-Q-()	1,375.
	84"	29 5/8"	1 1/4"	MU1-W84A-L-Q-()	1,437.
	90"	29 5/8"	1 1/4"	MU1-W90A-L-Q-()	1,500.
	96"	29 5/8"	1 1/4"	MU1-W96A-L-Q-()	1,561.
Right wave-end 	30"	29 5/8"	1 1/4"	MU1-W30A-R-Q-()	951.
	54"	29 5/8"	1 1/4"	MU1-W54A-R-Q-()	1,126.
	60"	29 5/8"	1 1/4"	MU1-W60A-R-Q-()	1,188.
	66"	29 5/8"	1 1/4"	MU1-W66A-R-Q-()	1,250.
	72"	29 5/8"	1 1/4"	MU1-W72A-R-Q-()	1,312.
	78"	29 5/8"	1 1/4"	MU1-W78A-R-Q-()	1,375.
	84"	29 5/8"	1 1/4"	MU1-W84A-R-Q-()	1,437.
	90"	29 5/8"	1 1/4"	MU1-W90A-R-Q-()	1,500.
	96"	29 5/8"	1 1/4"	MU1-W96A-R-Q-()	1,561.

Order Code	Specification Information	Application Notes
Example: MU1-W48A-L-Q-117		
MU1 Worksurface, 1 1/4"	1 1/4" curvilinear surfaces are solid core construction with threaded metal inserts at desk support, and all bracket locations and pilot holes at pedestal locations.	Wave-end curvilinear worksurfaces may be used interchangeably in desk and panel system applications. They may be supported by straight desk support or cantilever brackets.
W Wave-end curvilinear		
48 Width	Specify surface finish.	Use flat bracket or bridging bracket to join to adjacent 1 1/4" worksurface.
A With grommets		
L Left	All worksurfaces are U.L.-listed.	Wave-end surfaces are post-formed on back edge, matching profile T-mold on curvilinear front, and self-edge on sides.
Q Standard Special	Wave-end worksurfaces have 2 grommets for use with freestanding desk and overhead supports.	Wave-end surfaces are available only in plastic laminate, 1 1/4" thickness.
117 Surface finish		Wave-end surfaces are nominal 30"D at left or right, and align with 24"D surface at the other end. Inserts for 24"D pedestal are standard at the wave end.
		Wave-end surfaces are 3/8" less than nominal depth for wire clearance or privacy screens.

Morrison Options Worksurfaces, 1 1/4" 18" D

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 18"D	Grommets 	18"	17 3/8"	1 1/4"	LU1-S1818-A-Q-()	\$244.	\$410.	\$604.
		24"	17 3/8"	1 1/4"	LU1-S2418-A-Q-()	244.	410.	604.
		102"	17 3/8"	1 1/4"	LU1-S10218-A-Q-()	644.	1,022.	1,567.
		114"	17 3/8"	1 1/4"	LU1-S11418-A-Q-()	676.	1,077.	1,654.
	No Grommets 	18"	17 3/8"	1 1/4"	LU1-S1818-B-Q-()	206.	379.	573.
		24"	17 3/8"	1 1/4"	LU1-S2418-B-Q-()	206.	379.	573.
		102"	17 3/8"	1 1/4"	LU1-S10218-B-Q-()	614.	990.	1,534.
		114"	17 3/8"	1 1/4"	LU1-S11418-B-Q-()	644.	1,048.	1,623.



Morrison System

Order Code	Specification Information	Application Notes
Example: LU1-S2418-B-Q-117		
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	18"D worksurfaces are used in panel system applications as shallow main surfaces, extensions or credenza tops. They may be supported at each end by an 18" end support bracket, 18" cantilever bracket, 18"W desk end panel or 18"D pedestal.
S Straight worksurface	B- worksurface does not include grommet	
24 Width		
18 Depth		
B No grommet	Specify surface finish.	Options worksurfaces cannot be used in conjunction with Network desk supports.
Q Standard Specials	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	
117 Surface finish	Edge grommets are centered at rear of worksurface.	
		All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance.
		Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.
		Panel-supported 1 1/4" worksurfaces over 96" must be pedestal or MB2-C24 cantilever bracket supported every 48".
		Suspended pedestals may not be used with 1 1/4" worksurfaces.

Morrison Options Worksurfaces, 1 1/4" 24" D

Standard Specials Systems



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 24"D	Grommets	18"	23 5/8"	1 1/4"	LU1-S1824-A-Q-()	\$288.	\$516.	\$746.
		102"	23 5/8"	1 1/4"	LU1-S10224-A-Q-()	706.	1,123.	1,719.
		114"	23 5/8"	1 1/4"	LU1-S11424-A-Q-()	752.	1,192.	1,816.
	No Grommets	24"	23 5/8"	1 1/4"	LU1-S1824-B-Q-()	258.	482.	718.
		102"	23 5/8"	1 1/4"	LU1-S10224-B-Q-()	676.	1,091.	1,688.
		114"	23 5/8"	1 1/4"	LU1-S11424-B-Q-()	718.	1,160.	1,785.



Order Code	Specification Information	Application Notes
Example: LU1-S1824-B-Q-117		
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	Options worksurfaces cannot be used in conjunction with Network desk supports.
S Straight worksurface	B- worksurface does not include grommet	
18 Width	Specify surface finish.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance.
24 Depth		
B No grommet	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.
Q Standard Specials		
117 Surface finish	Edge grommets are centered at rear of worksurface.	Panel-supported 1 1/4" worksurfaces over 96" must be pedestal or MB2-C24 cantilever bracket supported every 48".
		Suspended pedestals may not be used with 1 1/4" worksurfaces.

Morrison Options Worksurfaces, 1 1/4" 30" D

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 30"D	Grommets 	18"	29 5/8"	1 1/4"	LU1-S1830-A-Q-()	\$306.	\$503.	\$784.
		24"	29 5/8"	1 1/4"	LU1-S2430-A-Q-()	306.	503.	784.
		102"	29 5/8"	1 1/4"	LU1-S10230-A-Q-()	767.	1,185.	1,792.
		108"	29 5/8"	1 1/4"	LU1-S10830-A-Q-()	830.	1,247.	1,881.
		114"	29 5/8"	1 1/4"	LU1-S11430-A-Q-()	892.	1,309.	1,967.
		120"	29 5/8"	1 1/4"	LU1-S12030-A-Q-()	955.	1,371.	2,055.
	No Grommets 	18"	29 5/8"	1 1/4"	LU1-S1830-B-Q-()	276.	479.	752.
		24"	29 5/8"	1 1/4"	LU1-S2430-B-Q-()	276.	479.	752.
		102"	29 5/8"	1 1/4"	LU1-S10230-B-Q-()	737.	1,153.	1,762.
		108"	29 5/8"	1 1/4"	LU1-S10830-B-Q-()	800.	1,215.	1,849.
		114"	29 5/8"	1 1/4"	LU1-S11430-B-Q-()	862.	1,277.	1,936.
		120"	29 5/8"	1 1/4"	LU1-S12030-B-Q-()	925.	1,340.	2,023.



Morrison System

Order Code	Specification Information	Application Notes
Example: LU1-S1830B-Q-117	<i>Grommets/no grommets:</i>	30"D worksurfaces are used in panel system applications as main surfaces, extensions or credenza tops. They can be supported at each end by 30" end support bracket, 30" cantilever bracket or 30"W end panel.
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	Options worksurfaces cannot be used in conjunction with Network desk supports.
S Straight worksurface	B- worksurface does not include grommets	
18 Width	Specify surface finish.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance.
30 Depth	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C24 bracket, specified separately.
B No grommets	Edge grommets are centered at rear of worksurface.	Suspended pedestals may not be used with 1 1/4" worksurfaces.
Q Standard Specials		
117 Surface finish		

Morrison Options Worksurfaces, 1 1/4"

36" D



Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 36"D	 Grommets	36"	35 5/8"	1 1/4"	LU1-S3636-A-Q-()	\$456.	\$685.	\$1,048.
		42"	35 5/8"	1 1/4"	LU1-S4236-A-Q-()	490.	740.	1,117.
		48"	35 5/8"	1 1/4"	LU1-S4836-A-Q-()	519.	788.	1,190.
		54"	35 5/8"	1 1/4"	LU1-S5436-A-Q-()	553.	856.	1,279.
		60"	35 5/8"	1 1/4"	LU1-S6036-A-Q-()	584.	912.	1,368.
		66"	35 5/8"	1 1/4"	LU1-S6636-A-Q-()	617.	957.	1,479.
		72"	35 5/8"	1 1/4"	LU1-S7236-A-Q-()	666.	1,026.	1,564.
		78"	35 5/8"	1 1/4"	LU1-S7836-A-Q-()	699.	1,068.	1,635.
		84"	35 5/8"	1 1/4"	LU1-S8436-A-Q-()	731.	1,122.	1,716.
		90"	35 5/8"	1 1/4"	LU1-S9036-A-Q-()	762.	1,175.	1,781.
		96"	35 5/8"	1 1/4"	LU1-S9636-A-Q-()	792.	1,228.	1,867.
		102"	35 5/8"	1 1/4"	LU1-S10236-A-Q-()	854.	1,291.	1,954.
		108"	35 5/8"	1 1/4"	LU1-S10836-A-Q-()	917.	1,352.	2,041.
		114"	35 5/8"	1 1/4"	LU1-S11436-A-Q-()	979.	1,415.	2,129.
		120"	35 5/8"	1 1/4"	LU1-S12036-A-Q-()	1,041.	1,477.	2,216.
	No Grommets 	36"	35 5/8"	1 1/4"	LU1-S3636-B-Q-()	424.	656.	1,018.
		42"	35 5/8"	1 1/4"	LU1-S4236-B-Q-()	457.	707.	1,087.
		48"	35 5/8"	1 1/4"	LU1-S4836-B-Q-()	490.	756.	1,158.
		54"	35 5/8"	1 1/4"	LU1-S5436-B-Q-()	519.	829.	1,250.
		60"	35 5/8"	1 1/4"	LU1-S6036-B-Q-()	554.	880.	1,340.
		66"	35 5/8"	1 1/4"	LU1-S6636-B-Q-()	584.	928.	1,446.
		72"	35 5/8"	1 1/4"	LU1-S7236-B-Q-()	632.	995.	1,532.
		78"	35 5/8"	1 1/4"	LU1-S7836-B-Q-()	666.	1,040.	1,606.
		84"	35 5/8"	1 1/4"	LU1-S8436-B-Q-()	700.	1,092.	1,684.
		90"	35 5/8"	1 1/4"	LU1-S9036-B-Q-()	731.	1,143.	1,754.
		96"	35 5/8"	1 1/4"	LU1-S9636-B-Q-()	762.	1,196.	1,835.
		102"	35 5/8"	1 1/4"	LU1-S10236-B-Q-()	825.	1,259.	1,924.
		108"	35 5/8"	1 1/4"	LU1-S10836-B-Q-()	887.	1,320.	2,012.
		114"	35 5/8"	1 1/4"	LU1-S11436-B-Q-()	949.	1,383.	2,098.
		120"	35 5/8"	1 1/4"	LU1-S12036-B-Q-()	1,011.	1,445.	2,186.

Order Code	Specification Information		Application Notes
Example: LU1-S3636B-Q-117	<i>Grommets/no grommets:</i>		30"D worksurfaces are used in panel system applications as main surfaces, extensions or credenza tops. They can be supported at each end by 30" end support bracket, 30" cantilever bracket or 30"W end panel.
LU1	Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	
S	Straight worksurface	B- worksurface does not include grommets	
36	Width	Specify surface finish.	Options worksurfaces cannot be used in conjunction with Network desk supports.
36	Depth		
B	No grommets	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	
Q	Standard Specials	Edge grommets are centered at rear of worksurface.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance.
117	Surface finish		

Morrison Options Worksurfaces, 1 1/4" 18" D + Post

Standard Specials Systems



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 18"D + Post	 Grommets	20"	17 5/8"	1 1/4"	LU1-S2018-A-Q-()	\$244.	\$410.	\$604.
		26"	17 5/8"	1 1/4"	LU1-S2618-A-Q-()	258.	427.	641.
		32"	17 5/8"	1 1/4"	LU1-S3218-A-Q-()	271.	445.	677.
		38"	17 5/8"	1 1/4"	LU1-S3818-A-Q-()	305.	499.	767.
		44"	17 5/8"	1 1/4"	LU1-S4418-A-Q-()	338.	526.	817.
		50"	17 5/8"	1 1/4"	LU1-S5018-A-Q-()	369.	581.	887.
		56"	17 5/8"	1 1/4"	LU1-S5618-A-Q-()	403.	632.	981.
		62"	17 5/8"	1 1/4"	LU1-S6218-A-Q-()	432.	699.	1,086.
		68"	17 5/8"	1 1/4"	LU1-S6818-A-Q-()	466.	769.	1,176.
		74"	17 5/8"	1 1/4"	LU1-S7418-A-Q-()	497.	810.	1,238.
		80"	17 5/8"	1 1/4"	LU1-S8018-A-Q-()	530.	849.	1,301.
		86"	17 5/8"	1 1/4"	LU1-S8618-A-Q-()	562.	905.	1,385.
		92"	17 5/8"	1 1/4"	LU1-S9218-A-Q-()	595.	955.	1,465.
		98"	17 5/8"	1 1/4"	LU1-S9818-A-Q-()	644.	1,022.	1,567.
		104"	17 5/8"	1 1/4"	LU1-S10418-A-Q-()	660.	1,050.	1,611.
		110"	17 5/8"	1 1/4"	LU1-S11018-A-Q-()	676.	1,077.	1,654.
		116"	17 5/8"	1 1/4"	LU1-S11618-A-Q-()	706.	1,102.	1,697.
	 No Grommets	20"	17 5/8"	1 1/4"	LU1-S2018-B-Q-()	206.	379.	573.
		26"	17 5/8"	1 1/4"	LU1-S2618-B-Q-()	224.	396.	608.
		32"	17 5/8"	1 1/4"	LU1-S3218-B-Q-()	243.	414.	644.
		38"	17 5/8"	1 1/4"	LU1-S3818-B-Q-()	271.	466.	733.
		44"	17 5/8"	1 1/4"	LU1-S4418-B-Q-()	306.	499.	787.
		50"	17 5/8"	1 1/4"	LU1-S5018-B-Q-()	338.	552.	858.
		56"	17 5/8"	1 1/4"	LU1-S5618-B-Q-()	370.	600.	947.
		62"	17 5/8"	1 1/4"	LU1-S6218-B-Q-()	403.	667.	1,053.
		68"	17 5/8"	1 1/4"	LU1-S6818-B-Q-()	432.	735.	1,143.
		74"	17 5/8"	1 1/4"	LU1-S7418-B-Q-()	468.	779.	1,204.
		80"	17 5/8"	1 1/4"	LU1-S8018-B-Q-()	497.	818.	1,268.
		86"	17 5/8"	1 1/4"	LU1-S8618-B-Q-()	531.	873.	1,352.
		92"	17 5/8"	1 1/4"	LU1-S9218-B-Q-()	562.	923.	1,434.
		98"	17 5/8"	1 1/4"	LU1-S9818-B-Q-()	614.	990.	1,534.
		104"	17 5/8"	1 1/4"	LU1-S10418-B-Q-()	629.	1,019.	1,578.
		110"	17 5/8"	1 1/4"	LU1-S11018-B-Q-()	644.	1,048.	1,623.
		116"	17 5/8"	1 1/4"	LU1-S11618-B-Q-()	676.	1,073.	1,667.

Morrison System

Order Code	Specification Information	Application Notes
Example: LU1-S4418-B-Q-117	<i>Grommet/no grommet:</i>	18"D worksurfaces are used in panel system applications as shallow main surfaces, extensions or credenza tops. They may be supported at each end by an 18" end support bracket, 18" cantilever bracket, 18"W desk end panel or 18"D pedestal.
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.
S Straight worksurface	B- worksurface does not include grommet	Panel-supported 1 1/4" worksurfaces over 96" must be pedestal or MB2-C24 cantilever bracket supported every 48".
44 Width		Suspended pedestals may not be used with 1 1/4" worksurfaces.
18 Depth		
B No grommet		
Q Standard Specials		
117 Surface finish		
	Specify surface finish.	
	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	Options worksurfaces cannot be used in conjunction with Network desk supports.
	Edge grommets are centered at rear of worksurface.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance.

Morrison Options Worksurfaces, 1 1/4" 24" D + Post



Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 24"D + Post	Grommets 	20"	23 5/8"	1 1/4"	LU1-S2024-A-Q-()	\$288.	\$516.	\$746.
		26"	23 5/8"	1 1/4"	LU1-S2624-A-Q-()	305.	533.	766.
		32"	23 5/8"	1 1/4"	LU1-S3224-A-Q-()	323.	554.	782.
		38"	23 5/8"	1 1/4"	LU1-S3824-A-Q-()	353.	573.	833.
		44"	23 5/8"	1 1/4"	LU1-S4424-A-Q-()	385.	615.	943.
		50"	23 5/8"	1 1/4"	LU1-S5024-A-Q-()	418.	683.	1,030.
		56"	23 5/8"	1 1/4"	LU1-S5624-A-Q-()	451.	718.	1,083.
		62"	23 5/8"	1 1/4"	LU1-S6224-A-Q-()	483.	790.	1,191.
		68"	23 5/8"	1 1/4"	LU1-S6824-A-Q-()	516.	838.	1,302.
		74"	23 5/8"	1 1/4"	LU1-S7424-A-Q-()	545.	864.	1,357.
		80"	23 5/8"	1 1/4"	LU1-S8024-A-Q-()	580.	939.	1,431.
		86"	23 5/8"	1 1/4"	LU1-S8624-A-Q-()	611.	1,001.	1,520.
		92"	23 5/8"	1 1/4"	LU1-S9224-A-Q-()	644.	1,058.	1,607.
		98"	23 5/8"	1 1/4"	LU1-S9824-A-Q-()	706.	1,123.	1,719.
		104"	23 5/8"	1 1/4"	LU1-S10424-A-Q-()	727.	1,157.	1,767.
		110"	23 5/8"	1 1/4"	LU1-S11024-A-Q-()	752.	1,192.	1,816.
		116"	23 5/8"	1 1/4"	LU1-S11624-A-Q-()	774.	1,226.	1,863.
	No Grommets 	20"	23 5/8"	1 1/4"	LU1-S2024-B-Q-()	258.	482.	718.
		26"	23 5/8"	1 1/4"	LU1-S2624-B-Q-()	271.	504.	732.
		32"	23 5/8"	1 1/4"	LU1-S3224-B-Q-()	290.	521.	749.
		38"	23 5/8"	1 1/4"	LU1-S3824-B-Q-()	323.	539.	800.
		44"	23 5/8"	1 1/4"	LU1-S4424-B-Q-()	353.	582.	914.
		50"	23 5/8"	1 1/4"	LU1-S5024-B-Q-()	386.	652.	998.
		56"	23 5/8"	1 1/4"	LU1-S5624-B-Q-()	418.	685.	1,051.
		62"	23 5/8"	1 1/4"	LU1-S6224-B-Q-()	452.	757.	1,162.
		68"	23 5/8"	1 1/4"	LU1-S6824-B-Q-()	483.	809.	1,271.
		74"	23 5/8"	1 1/4"	LU1-S7424-B-Q-()	516.	832.	1,327.
		80"	23 5/8"	1 1/4"	LU1-S8024-B-Q-()	546.	908.	1,399.
		86"	23 5/8"	1 1/4"	LU1-S8624-B-Q-()	580.	973.	1,488.
		92"	23 5/8"	1 1/4"	LU1-S9224-B-Q-()	614.	1,025.	1,577.
		98"	23 5/8"	1 1/4"	LU1-S9824-B-Q-()	676.	1,091.	1,688.
		104"	23 5/8"	1 1/4"	LU1-S10424-B-Q-()	697.	1,126.	1,737.
		110"	23 5/8"	1 1/4"	LU1-S11024-B-Q-()	718.	1,160.	1,785.
		116"	23 5/8"	1 1/4"	LU1-S11624-B-Q-()	740.	1,192.	1,831.

Order Code	Specification Information	Application Notes
Example: LU1-S3224-B-Q-117	<i>Grommet/no grommet:</i>	Options worksurfaces cannot be used in conjunction with Network desk supports.
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	All straight worksurfaces are 5/8" less than nominal depth for rear wire clearance.
S Straight worksurface	B- worksurface does not include grommet	
32 Width	Specify surface finish.	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.
24 Depth		
B No grommet	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	Panel-supported 1 1/4" worksurfaces over 96" must be pedestal or MB2-C24 cantilever bracket supported every 48".
Q Standard Specials		
117 Surface finish		
	Edge grommets are centered at rear of worksurface.	Suspended pedestals may not be used with 1 1/4" worksurfaces

Morrison Options Worksurfaces, 1 1/4" 30" D + Post



Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 30"D + Post	Grommets 	20"	29 5/8"	1 1/4"	LU1-S2030-A-Q-()	\$306.	\$503.	\$784.
		26"	29 5/8"	1 1/4"	LU1-S2630-A-Q-()	338.	541.	835.
		32"	29 5/8"	1 1/4"	LU1-S3230-A-Q-()	369.	580.	886.
		38"	29 5/8"	1 1/4"	LU1-S3830-A-Q-()	403.	632.	956.
		44"	29 5/8"	1 1/4"	LU1-S4430-A-Q-()	432.	681.	1,028.
		50"	29 5/8"	1 1/4"	LU1-S5030-A-Q-()	466.	750.	1,117.
		56"	29 5/8"	1 1/4"	LU1-S5630-A-Q-()	497.	804.	1,206.
		62"	29 5/8"	1 1/4"	LU1-S6230-A-Q-()	530.	851.	1,316.
		68"	29 5/8"	1 1/4"	LU1-S6830-A-Q-()	580.	921.	1,402.
		74"	29 5/8"	1 1/4"	LU1-S7430-A-Q-()	611.	963.	1,473.
		80"	29 5/8"	1 1/4"	LU1-S8030-A-Q-()	644.	1,016.	1,553.
		86"	29 5/8"	1 1/4"	LU1-S8630-A-Q-()	676.	1,068.	1,619.
		92"	29 5/8"	1 1/4"	LU1-S9230-A-Q-()	706.	1,123.	1,705.
		98"	29 5/8"	1 1/4"	LU1-S9830-A-Q-()	767.	1,185.	1,792.
		104"	29 5/8"	1 1/4"	LU1-S10430-A-Q-()	830.	1,247.	1,881.
		110"	29 5/8"	1 1/4"	LU1-S11030-A-Q-()	892.	1,309.	1,967.
		116"	29 5/8"	1 1/4"	LU1-S11630-A-Q-()	955.	1,371.	2,055.
	No Grommets 	20"	29 5/8"	1 1/4"	LU1-S2030-B-Q-()	276.	479.	752.
		26"	29 5/8"	1 1/4"	LU1-S2630-B-Q-()	306.	514.	802.
		32"	29 5/8"	1 1/4"	LU1-S3230-B-Q-()	338.	549.	856.
		38"	29 5/8"	1 1/4"	LU1-S3830-B-Q-()	370.	600.	925.
		44"	29 5/8"	1 1/4"	LU1-S4430-B-Q-()	403.	650.	997.
		50"	29 5/8"	1 1/4"	LU1-S5030-B-Q-()	432.	722.	1,088.
		56"	29 5/8"	1 1/4"	LU1-S5630-B-Q-()	468.	774.	1,177.
		62"	29 5/8"	1 1/4"	LU1-S6230-B-Q-()	497.	822.	1,284.
		68"	29 5/8"	1 1/4"	LU1-S6830-B-Q-()	546.	888.	1,370.
		74"	29 5/8"	1 1/4"	LU1-S7430-B-Q-()	580.	934.	1,444.
		80"	29 5/8"	1 1/4"	LU1-S8030-B-Q-()	614.	985.	1,522.
		86"	29 5/8"	1 1/4"	LU1-S8630-B-Q-()	644.	1,038.	1,592.
		92"	29 5/8"	1 1/4"	LU1-S9230-B-Q-()	676.	1,091.	1,675.
		98"	29 5/8"	1 1/4"	LU1-S9830-B-Q-()	737.	1,153.	1,762.
		104"	29 5/8"	1 1/4"	LU1-S10430-B-Q-()	800.	1,215.	1,849.
		110"	29 5/8"	1 1/4"	LU1-S11030-B-Q-()	862.	1,277.	1,936.
		116"	29 5/8"	1 1/4"	LU1-S11630-B-Q-()	925.	1,340.	2,023.

Order Code	Specification Information	Application Notes
Example: LU1-S3230B-Q-117	<i>Grommets/no grommets:</i>	30"D worksurfaces are used in panel system applications as main surfaces, extensions or credenza tops. They can be supported at each end by 30" end support bracket, 30" cantilever bracket or 30"W end panel.
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	Options worksurfaces cannot be used in conjunction with Network desk supports.
S Straight worksurface	B- worksurface does not include grommets	
32 Width	Specify surface finish.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance.
30 Depth	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C24 bracket, specified separately.
B No grommets	Edge grommets are centered at rear of worksurface.	Suspended pedestals may not be used with 1 1/4" worksurfaces.
Q Standard Specials		
117 Surface finish		

Morrison Options Worksurfaces, 1 1/4" 36" D + Post

Standard Specials Systems


description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 36"D + Post	Grommets 	38"	35 3/8"	1 1/4"	LU1-S3836-A-Q-()	\$490.	\$740.	\$1,117.
		44"	35 3/8"	1 1/4"	LU1-S4436-A-Q-()	519.	788.	1,190.
		50"	35 3/8"	1 1/4"	LU1-S5036-A-Q-()	553.	856.	1,279.
		56"	35 3/8"	1 1/4"	LU1-S5636-A-Q-()	584.	912.	1,368.
		62"	35 3/8"	1 1/4"	LU1-S6236-A-Q-()	617.	957.	1,479.
		68"	35 3/8"	1 1/4"	LU1-S6836-A-Q-()	666.	1,026.	1,564.
		74"	35 3/8"	1 1/4"	LU1-S7436-A-Q-()	699.	1,068.	1,635.
		80"	35 3/8"	1 1/4"	LU1-S8036-A-Q-()	731.	1,122.	1,716.
		86"	35 3/8"	1 1/4"	LU1-S8636-A-Q-()	762.	1,175.	1,781.
		92"	35 3/8"	1 1/4"	LU1-S9236-A-Q-()	792.	1,228.	1,867.
		98"	35 3/8"	1 1/4"	LU1-S9836-A-Q-()	854.	1,291.	1,954.
		104"	35 3/8"	1 1/4"	LU1-S10436-A-Q-()	917.	1,352.	2,041.
		110"	35 3/8"	1 1/4"	LU1-S11036-A-Q-()	979.	1,415.	2,129.
		116"	35 3/8"	1 1/4"	LU1-S11636-A-Q-()	1,041.	1,477.	2,216.
	No Grommets 	38"	35 3/8"	1 1/4"	LU1-S3836-B-Q-()	457.	707.	1,087.
		44"	35 3/8"	1 1/4"	LU1-S4436-B-Q-()	490.	756.	1,158.
		50"	35 3/8"	1 1/4"	LU1-S5036-B-Q-()	519.	829.	1,250.
		56"	35 3/8"	1 1/4"	LU1-S5636-B-Q-()	554.	880.	1,340.
		62"	35 3/8"	1 1/4"	LU1-S6236-B-Q-()	584.	928.	1,446.
		68"	35 3/8"	1 1/4"	LU1-S6836-B-Q-()	632.	995.	1,532.
		74"	35 3/8"	1 1/4"	LU1-S7436-B-Q-()	666.	1,040.	1,606.
		80"	35 3/8"	1 1/4"	LU1-S8036-B-Q-()	700.	1,092.	1,684.
		86"	35 3/8"	1 1/4"	LU1-S8636-B-Q-()	731.	1,143.	1,754.
		92"	35 3/8"	1 1/4"	LU1-S9236-B-Q-()	762.	1,196.	1,835.
		98"	35 3/8"	1 1/4"	LU1-S9836-B-Q-()	825.	1,259.	1,924.
		104"	35 3/8"	1 1/4"	LU1-S10436-B-Q-()	887.	1,320.	2,012.
		110"	35 3/8"	1 1/4"	LU1-S11036-B-Q-()	949.	1,383.	2,098.
		116"	35 3/8"	1 1/4"	LU1-S11636-B-Q-()	1,011.	1,445.	2,186.

Order Code	Specification Information	Application Notes
Example: LU1-S3836B-Q-117	<i>Grommets/no grommets:</i>	30"D worksurfaces are used in panel system applications as main surfaces, extensions or credenza tops. They can be supported at each end by 30" end support bracket, 30" cantilever bracket or 30"W end panel.
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	
S Straight worksurface	B- worksurface does not include grommets	Options worksurfaces cannot be used in conjunction with Network desk supports.
38 Width		
36 Depth	Specify surface finish.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance.
B No grommets		
Q Standard Specials	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C24 bracket, specified separately.
117 Surface finish	Edge grommets are centered at rear of worksurface.	
		Suspended pedestals may not be used with 1 1/4" worksurfaces.

Morrison Options Worksurfaces, 1 1/4" Rounded end 30" and 36"D

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
30"D rounded end	No Grommets	87"	30"	1 1/4"	LU1-R8730B-(L/R)-Q-()	\$1,052.	\$1,538.	\$2,403.
36"D rounded end	No Grommets	66"	36"	1 1/4"	LU1-R6636B-(L/R)-Q-()	1,015.	1,502.	2,340.
	No Grommets	78"	36"	1 1/4"	LU1-R7836B-(L/R)-Q-()	1,077.	1,564.	2,441.
	No Grommets	90"	36"	1 1/4"	LU1-R9036B-(L/R)-Q-()	1,201.	1,688.	2,640.




Order Code	Specification Information	Application Notes
Example: LU1-R8730B-L-Q-117	B- worksurface does not include grommets.	Rounded end worksurfaces may be supported by 30" end support brackets, 30" flat bracket or 30" conference end panel, and by a support column at the rounded end.
LU1 Options worksurface, 1 1/4" thick	Specify surface finish.	
R Rounded end		
87 Width	1 1/4" worksurfaces are 3-ply, solid core construction. Plastic laminate worksurfaces have radiused T mold edge.	Suspended pedestals may not be used with 1 1/4" worksurfaces.
30 Depth		Conference worksurfaces must be supported by support column and flat bracket or bridging bracket to adjacent desk.
B No grommets		
L Left hand	Rounded end worksurfaces have a flat self-edge in the straight end.	
Q Standard Special		
117 Surface finish		

Morrison Options Worksurfaces, 1 1/4"


P-shape curvilinear

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Rounded end left	24"D return	48"	72"	1 1/4"	LU1-P72SA-L-Q-()	\$1,514.	\$1,944.	\$2,724.
	30"D return	48"	78"	1 1/4"	LU1-P78DA-L-Q-()	1,577.	2,029.	2,840.



Rounded end right	24"D return	48"	72"	1 1/4"	LU1-P72SA-R-Q-()	1,514.	1,944.	2,724.
	30"D return	48"	78"	1 1/4"	LU1-P78DA-R-Q-()	1,577.	2,029.	2,840.






Order Code	Specification Information	Application Notes
Example: LU1-P72SA-L-Q-117	S- 24"D side edge D- 30"D side edge	P-shape curvilinear worksurfaces may be used interchangeably in desk and panel system applications. They may be supported by a 48" VDT support bracket kit, or 48" desk support and 6" end panel, in conjunction with rounded end support column. Use flat bracket or bridging bracket to join to adjacent 1 1/4" work surface.
LU1 Worksurface, 1 1/4"	Specify surface finish.	
P P-shape curvilinear	1 1/4" curvilinear surfaces are solid core construction with threaded metal inserts at desk support and all bracket locations.	P-shape laminate surfaces have continuous T-mold edge in profile to match adjacent 1 1/4" worksurfaces.
72 Overall length		
S Depth of return	All worksurfaces are U.L.-listed.	
A Grommets		
L Rounded end left		
Q Standard Special		
117 Surface finish		

Morrison Options Worksurfaces, 1 1/4"

L-shape curvilinear

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
24"D returns left and right 	2 Grommets	42"	48"	1 1/4"	LU1-C4248SS-Q-()	\$835.	\$1,136.	\$1,670.
		42"	60"	1 1/4"	LU1-C4260SS-Q-()	947.	1,286.	1,897.
		42"	66"	1 1/4"	LU1-C4266SS-Q-()	1,018.	1,384.	2,040.
		42"	72"	1 1/4"	LU1-C4272SS-Q-()	1,089.	1,481.	2,185.
		48"	42"	1 1/4"	LU1-C4842SS-Q-()	835.	1,136.	1,670.
		48"	66"	1 1/4"	LU1-C4866SS-Q-()	1,089.	1,481.	2,185.
		60"	42"	1 1/4"	LU1-C6042SS-Q-()	947.	1,286.	1,897.
		66"	42"	1 1/4"	LU1-C6642SS-Q-()	1,018.	1,384.	2,040.
		66"	48"	1 1/4"	LU1-C6648SS-Q-()	1,089.	1,481.	2,185.
24"D returns left, 30"D right 	2 Grommets	42"	42"	1 1/4"	LU1-C4242SD-Q-()	779.	1,061.	1,556.
		42"	48"	1 1/4"	LU1-C4248SD-Q-()	835.	1,136.	1,670.
		42"	60"	1 1/4"	LU1-C4260SD-Q-()	947.	1,286.	1,897.
		42"	66"	1 1/4"	LU1-C4266SD-Q-()	1,018.	1,384.	2,040.
		42"	72"	1 1/4"	LU1-C4272SD-Q-()	1,089.	1,481.	2,185.
		48"	42"	1 1/4"	LU1-C4842SD-Q-()	835.	1,136.	1,670.
		48"	66"	1 1/4"	LU1-C4866SD-Q-()	1,089.	1,481.	2,185.
		60"	42"	1 1/4"	LU1-C6042SD-Q-()	947.	1,286.	1,897.
		66"	42"	1 1/4"	LU1-C6642SD-Q-()	1,018.	1,384.	2,040.
30"D returns left, 24"D right 	2 Grommets	42"	42"	1 1/4"	LU1-C4242DS-Q-()	779.	1,061.	1,556.
		42"	48"	1 1/4"	LU1-C4248DS-Q-()	835.	1,136.	1,670.
		42"	60"	1 1/4"	LU1-C4260DS-Q-()	947.	1,286.	1,897.
		42"	66"	1 1/4"	LU1-C4266DS-Q-()	1,018.	1,384.	2,040.
		42"	72"	1 1/4"	LU1-C4272DS-Q-()	1,089.	1,481.	2,185.
		48"	42"	1 1/4"	LU1-C4842DS-Q-()	835.	1,136.	1,670.
		48"	66"	1 1/4"	LU1-C4866DS-Q-()	1,089.	1,481.	2,185.
		60"	42"	1 1/4"	LU1-C6042DS-Q-()	947.	1,286.	1,897.
		66"	42"	1 1/4"	LU1-C6642DS-Q-()	1,018.	1,384.	2,040.
30"D returns left, 30"D right 	2 Grommets	42"	42"	1 1/4"	LU1-C4242SS-Q-()	779.	1,061.	1,556.
		42"	48"	1 1/4"	LU1-C4248SS-Q-()	835.	1,136.	1,670.
		42"	60"	1 1/4"	LU1-C4260SS-Q-()	947.	1,286.	1,897.
		42"	66"	1 1/4"	LU1-C4266SS-Q-()	1,018.	1,384.	2,040.
		42"	72"	1 1/4"	LU1-C4272SS-Q-()	1,089.	1,481.	2,185.
		48"	42"	1 1/4"	LU1-C4842SS-Q-()	835.	1,136.	1,670.
		48"	66"	1 1/4"	LU1-C4866SS-Q-()	1,089.	1,481.	2,185.
		60"	42"	1 1/4"	LU1-C6042SS-Q-()	947.	1,286.	1,897.
		66"	42"	1 1/4"	LU1-C6642SS-Q-()	1,018.	1,384.	2,040.


Morrison System

Order Code	Specification Information	Application Notes
Example: LU1-C4866SD-Q-117	Width dimension (W) refers to width of left-side back edge; depth dimension (D) indicates width of right-side back edge.	Options L-shaped curvilinear worksurfaces may be supported by left- or right-hand cantilever brackets at the rear corner and cantilever bridging bracket on each side edge. Use mid-span support whenever Options worksurfaces span more than 48".
LU1 Options worksurface, 1 1/4"	S- 24"D side edge D- 30"D side edge	L-shape surfaces are veneer or post-formed plastic laminate on both back edges, matching profile T-mold on curvilinear front, and self-edge on sides.
C L-shape curvilinear	Specify surface finish.	Curvilinear worksurfaces are available only in 1 1/4" thickness.
48 Width left	1 1/4" curvilinear surfaces are solid core construction with pilot holes at all bracket locations.	L-shape surfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
66 Width right		
S Depth of left return		
D Depth of right return		
Q Standard Special		
117 Surface finish		

Morrison Options Worksurfaces, 1 1/4"

L-shape curvilinear

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
30"D returns left and right	Corner Grommets	42"	42"	1 1/4"	LU1-C4242DD-Q-()	\$779.	\$1,061.	\$1,556.
	2 Grommets	42"	48"	1 1/4"	LU1-C4248DD-Q-()	835.	1,136.	1,670.
		42"	60"	1 1/4"	LU1-C4260DD-Q-()	947.	1,286.	1,897.
		42"	66"	1 1/4"	LU1-C4266DD-Q-()	1,018.	1,384.	2,040.
		42"	72"	1 1/4"	LU1-C4272DD-Q-()	1,089.	1,481.	2,185.
		48"	42"	1 1/4"	LU1-C4842DD-Q-()	835.	1,136.	1,670.
		48"	60"	1 1/4"	LU1-C4860DD-Q-()	1,018.	1,384.	2,040.
		48"	66"	1 1/4"	LU1-C4866DD-Q-()	1,089.	1,481.	2,185.
		48"	72"	1 1/4"	LU1-C4872DD-Q-()	1,160.	1,578.	2,327.
		60"	42"	1 1/4"	LU1-C6042DD-Q-()	947.	1,286.	1,897.
		60"	48"	1 1/4"	LU1-C6048DD-Q-()	1,018.	1,384.	2,040.
		66"	42"	1 1/4"	LU1-C6642DD-Q-()	1,018.	1,384.	2,040.
		66"	48"	1 1/4"	LU1-C6648DD-Q-()	1,089.	1,481.	2,185.
		72"	42"	1 1/4"	LU1-C7242DD-Q-()	1,089.	1,481.	2,185.
		72"	48"	1 1/4"	LU1-C7248DD-Q-()	1,160.	1,578.	2,327.

Order Code	Specification Information	Application Notes
Example: LU1-C4866SD-Q-117		
LU1 Options worksurface, 1 1/4"	Width dimension (W) refers to width of left-side back edge; depth dimension (D) indicates width of right-side back edge.	Options L-shaped curvilinear worksurfaces may be supported by left- or right-hand cantilever brackets at the rear corner and cantilever bridging bracket on each side edge. Use mid-span support whenever Options worksurfaces span more than 48".
C L-shape curvilinear	S- 24"D side edge	
48 Width left	D- 30"D side edge	
66 Width right		
S Depth of left return	Specify surface finish.	L-shape surfaces are veneer or post-formed plastic laminate on both back edges, matching profile T-mold on curvilinear front, and self-edge on sides.
D Depth of right return	1 1/4" curvilinear surfaces are solid core construction with pilot holes at all bracket locations.	
Q Standard Special		
117 Surface finish		


Curvilinear worksurfaces are available only in 1 1/4" thickness.

L-shape surfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.

Morrison Options Worksurfaces, 1 1/4"

J-shape surfaces

Standard Specials Systems

description	w	d	h	pattern no.	lam.	V1	V2
J-shape - Rounded left/right	24"	23 5/8"	1 1/4"	LU1-J24A-(L/R)-Q-()	\$516.	\$630.	\$851.
	30"	23 5/8"	1 1/4"	LU1-J30A-(L/R)-Q-()	559.	683.	922.
	36"	23 5/8"	1 1/4"	LU1-J36A-(L/R)-Q-()	603.	734.	993.
	42"	23 5/8"	1 1/4"	LU1-J42A-(L/R)-Q-()	641.	782.	1,054.
 Rounded Left	48"	23 5/8"	1 1/4"	LU1-J48A-(L/R)-Q-()	679.	829.	1,120.
	54"	23 5/8"	1 1/4"	LU1-J54A-(L/R)-Q-()	742.	916.	1,243.
	60"	23 5/8"	1 1/4"	LU1-J60A-(L/R)-Q-()	803.	1,003.	1,368.
	66"	23 5/8"	1 1/4"	LU1-J66A-(L/R)-Q-()	866.	1,091.	1,492.
 Rounded Right	72"	23 5/8"	1 1/4"	LU1-J72A-(L/R)-Q-()	928.	1,177.	1,617.
	78"	23 5/8"	1 1/4"	LU1-J78A-(L/R)-Q-()	990.	1,265.	1,742.
	84"	23 5/8"	1 1/4"	LU1-J84A-(L/R)-Q-()	1,053.	1,351.	1,866.
	90"	23 5/8"	1 1/4"	LU1-J90A-(L/R)-Q-()	1,114.	1,439.	1,991.
	96"	23 5/8"	1 1/4"	LU1-J96A-(L/R)-Q-()	1,177.	1,526.	2,116.



Morrison System

Order Code	Specification Information	Application Notes
Example: LU1-J36A-L-Q-117		
LU1 Worksurface, 1 1/4"	1 1/4" curvilinear surfaces are solid core construction with pilot holes at bracket and pedestal locations.	J-shape curvilinear worksurfaces may be used interchangeably in desk and panel system applications. They may be supported by straight desk support or cantilever brackets. J-shapes also require 9" Network end panel in desk or panel planning.
J J-shape		
36 Width		
A With grommets	Grommets/no grommets:	
L Left	A- Worksurface includes one edge grommet	
Q Standard Special	Specify surface finish.	Use flat bracket or bridging bracket to join to adjacent 1 1/4" worksurface. Also specify VDT end support bracket kit for optimal stability of vertical panel behind J-shape worksurface.
117 Surface finish	Edge grommet is centered at rear of worksurface.	J-shape surfaces are post-formed on back edge, matching profile T-mold on curvilinear front, and self-edge on sides.
		J-shapes are available only in plastic laminate, 1 1/4" thickness.
		J-shape surfaces are 3/8" less than nominal depth for wire clearance or privacy screens.

Morrison Options Worksurfaces, 1 1/4"

Wave-end surfaces

Standard Specials Systems

description	width	depth	height	pattern number	lam.
Wave-end left/right	30"	29 5/8"	1 1/4"	LU1-W30A-(L/R)-Q-()	\$641.
	36"	29 5/8"	1 1/4"	LU1-W36A-(L/R)-Q-()	679.
	42"	29 5/8"	1 1/4"	LU1-W42A-(L/R)-Q-()	718.
	48"	29 5/8"	1 1/4"	LU1-W48A-(L/R)-Q-()	759.
Wave-end Left	54"	29 5/8"	1 1/4"	LU1-W54A-(L/R)-Q-()	821.
	60"	29 5/8"	1 1/4"	LU1-W60A-(L/R)-Q-()	884.
	66"	29 5/8"	1 1/4"	LU1-W66A-(L/R)-Q-()	946.
Wave-end Right	72"	29 5/8"	1 1/4"	LU1-W72A-(L/R)-Q-()	1,008.
	78"	29 5/8"	1 1/4"	LU1-W78A-(L/R)-Q-()	1,070.
	84"	29 5/8"	1 1/4"	LU1-W84A-(L/R)-Q-()	1,133.
	90"	29 5/8"	1 1/4"	LU1-W90A-(L/R)-Q-()	1,195.
	96"	29 5/8"	1 1/4"	LU1-W96A-(L/R)-Q-()	1,258.

Order Code	Specification Information	Application Notes
Example: LU1-W42AL-Q-117	1 1/4" curvilinear surfaces are solid core construction with pilot holes at bracket and pedestal locations.	Options wave-end curvilinear worksurfaces are for panel planning only and cannot be used in conjunction with Network desk supports.
LU1 Options worksurface, 1 1/4"		
W Wave-end curvilinear	<i>Grommets/no grommets:</i>	
42 Width	A- Worksurface includes one edge grommet	Use cantilever bridging bracket to join to adjacent 1 1/4" worksurface.
A With grommets		
L Left	Specify surface finish.	Wave-end surfaces are post-formed on back edge, matching profile T-mold on curvilinear front, and self-edge on sides.
Q Standard Special		
117 Surface finish	Edge grommet is centered at rear of worksurface.	Wave-end surfaces are available only in plastic laminate, 1 1/4" thickness.

Wave-end surfaces are nominal 30"D at left or right, and align with 24"D surface at the other end.



Currents System worksurfaces
curved, flat front and counter surface
1 3/4" wire drop

Standard Specials Systems

description	width	depth	pattern number	lam.	V1	V2
30"D straight worksurface, curved front	24"	30"	AW1-S2430Q()	\$379.	\$614.	\$814.
	30"	30"	AW1-S3030Q()	441.	662.	880.
	42"	30"	AW1-S4230Q()	505.	759.	1,012.
	54"	30"	AW1-S5430Q()	589.	880.	1,175.
	66"	30"	AW1-S6630Q()	685.	1,026.	1,371.
	78"	30"	AW1-S7830Q()	787.	1,176.	1,570.
24"D straight worksurface, curved front	54"	24"	AW1-S5424Q()	521.	784.	1,045.
	78"	24"	AW1-S7824Q()	655.	981.	1,304.
30"D straight worksurface, flat front	24"	30"	AW1-F2430Q()	379.	614.	814.
	30"	30"	AW1-F3030Q()	441.	662.	880.
	42"	30"	AW1-F4230Q()	505.	759.	1,012.
	54"	30"	AW1-F5430Q()	589.	880.	1,175.
	66"	30"	AW1-F6630Q()	685.	1,026.	1,371.
	78"	30"	AW1-F7830Q()	787.	1,176.	1,570.
Counter surface	24"	12"	AW1-CS2412Q()	262.	414.	556.
	30"	12"	AW1-CS3012Q()	294.	438.	589.
	42"	12"	AW1-CS4212Q()	327.	490.	655.
	54"	12"	AW1-CS5412Q()	359.	539.	720.
	66"	12"	AW1-CS6612Q()	392.	589.	782.



Morrison System

Order Code	Specification Information	Application Notes	
Example: AW1 S2430-Q-119	Worksurface edges are trim grey.	Worksurfaces may be end-supported, cantilevered from Currents service wall, or supported by C-leg or pedestal at each end. Universal worksurfaces are interchangeable with Currents desks. Specify supports separately. Straight worksurfaces have a 1"D curved front for additional surface area, or a flat front. Flat front allows two straight worksurfaces to meet at right angles.	
AW1 Worksurface	<i>Specify top finish</i>		24"D straight worksurfaces may be cantilevered with two cantilever brackets.
S Straight			24" and 30"D straight worksurfaces may be end supported with two Currents end support brackets.
24 Width			Universal straight worksurfaces 36" wide and greater include a steel stiffener that doubles as a horizontal cable manager.
30 Depth			Counter surface with curved front is designed to mount on either side of 39"H wall crown with counter surface brackets.
Q Standard Special			
119 Top finish			


description	type	width	depth	height	pattern number	P1	V1	V2
VDT corner panels 	Desk height	48"	1 1/4"	24"	MK4-V2448-P/V-Q-()	\$1,225.	\$1,576.	\$2,233.
	Desk height	48"	1 1/4"	26"	MK4-V2648-P/V-Q-()	1,370.	1,763.	2,491.
VDT transitional end panel 	Desk height	48"	1 1/8"	24"	MK4-X2448-P/V-Q-()	631.	796.	1,096.
	Desk height	48"	1 1/8"	26"	MK4-X2648-P/V-Q-()	650.	884.	1,217.

Order Code	Specification Information	Application Notes
Example: MK4-V2648-P-Q-612	<i>Surface type:</i>	VDT corner panels are wood desk panels ordered and shipped in pairs: one left and one right. VDT corner end panels include 2 MB1-T brackets, VDT corner end panels/worksurface and bracket MB1-L1, filler/desk end panel. VDT transitional end panels are used when one back edge of a VDT surface is supported by a vertical panel.
MK4 Desk panel V Desk panel type 26 Height 48 Width P Surface type Q Standard Special 612 Finish	P- Painted V- Veneer	



A VDT transitional end panel includes bracket MB1-T, desk end panel/ worksurface. Specify bracket MB1-W 18 or 20(L or R) separately.

description	type	width	depth	height	pattern number	P1	V1	V2
Kneehole filler 	Desk height	18"	1 1/8"	26"	MK4-K1826-P/V-Q-()	\$166.	\$392.	\$608.
		24"	1 1/8"	26"	MK4-K2426-P/V-Q-()	228.	459.	694.
		30"	1 1/8"	26"	MK4-K3026-P/V-Q-()	290.	526.	783.
		36"	1 1/8"	26"	MK4-K3626-P/V-Q-()	352.	594.	870.
		42"	1 1/8"	26"	MK4-K4226-P/V-Q-()	415.	662.	957.
		48"	1 1/8"	26"	MK4-K4826-P/V-Q-()	477.	728.	1,044.
		54"	1 1/8"	26"	MK4-K5426-P/V-Q-()	540.	796.	1,131.
		84"	1 1/8"	26"	MK4-K8426-P/V-Q-()	852.	1,105.	1,580.
		90"	1 1/8"	26"	MK4-K9026-P/V-Q-()	941.	1,221.	1,746.
		96"	1 1/8"	26"	MK4-K9626-P/V-Q-()	1,031.	1,337.	1,912.
		102"	1 1/8"	26"	MK4-K10226-P/V-Q-()	1,122.	1,452.	2,078.
		108"	1 1/8"	26"	MK4-K10826-P/V-Q-()	1,211.	1,569.	2,243.
		114"	1 1/8"	26"	MK4-K11426-P/V-Q-()	1,301.	1,684.	2,409.
		120"	1 1/8"	26"	MK4-K12026-P/V-Q-()	1,391.	1,800.	2,575.
Transitional filler 	Desk height	18"	1 1/8"	26"	MK4-T1826-P/V-Q-()	166.	392.	608.
		24"	1 1/8"	26"	MK4-T2426-P/V-Q-()	228.	459.	694.
		30"	1 1/8"	26"	MK4-T3026-P/V-Q-()	290.	526.	783.
		36"	1 1/8"	26"	MK4-T3626-P/V-Q-()	352.	594.	870.
		42"	1 1/8"	26"	MK4-T4226-P/V-Q-()	415.	662.	957.
		48"	1 1/8"	26"	MK4-T4826-P/V-Q-()	477.	728.	1,044.
		54"	1 1/8"	26"	MK4-T5426-P/V-Q-()	540.	796.	1,131.
		84"	1 1/8"	26"	MK4-T8426-P/V-Q-()	852.	1,105.	1,580.
		90"	1 1/8"	26"	MK4-T9026-P/V-Q-()	941.	1,221.	1,746.
		96"	1 1/8"	26"	MK4-T9626-P/V-Q-()	1,031.	1,337.	1,912.
		102"	1 1/8"	26"	MK4-T10226-P/V-Q-()	1,122.	1,452.	2,078.
		108"	1 1/8"	26"	MK4-T10826-P/V-Q-()	1,211.	1,569.	2,243.
		114"	1 1/8"	26"	MK4-T11426-P/V-Q-()	1,301.	1,684.	2,409.
		120"	1 1/8"	26"	MK4-T12026-P/V-Q-()	1,391.	1,800.	2,575.

Order Code	Specification Information	Application Notes
Example: MK4-T5426-P-Q-612 MK4 Desk panel T Desk panel type 54 Width 26 Height P Surface type Q Standard Special 612 Finish	P- Painted V- Veneer	Kneehole filler panels span use between two universal desk end panels to construct a freestanding wood desk. A kneehole panel includes 2 brackets MB1-L1, filler panel/desk end panel. All 69", 75" and 84" w kneehole filler panels are shipped with a center stabilizing bracket, MB1-AUX-D. Transitional filler panels are used between a universal desk end panel and a vertical panel. A transitional filler panel includes bracket MB1-L1, filler panel/desk end panel. Specify bracket MB1-W 18 or 20(L or R) separately. A transitional filler panel over 84"W is shipped with a center stabilizing bracket, MB1-AUX-D.

description	type	width	depth	height	pattern number	P1	V1	V2
Return filler 	Desk height	18"	1 1/8"	26"	MK4-R1826-P/V-L/R-Q-()	\$411.	\$535.	\$760.
		24"	1 1/8"	26"	MK4-R2426-P/V-L/R-Q-()	428.	581.	828.
		54"	1 1/8"	26"	MK4-R5426-P/V-L/R-Q-()	583.	888.	1,218.
		78"	1 1/8"	26"	MK4-R7826-P/V-L/R-Q-()	831.	1,140.	1,615.
		84"	1 1/8"	26"	MK4-R8426-P/V-L/R-Q-()	921.	1,265.	1,792.
		90"	1 1/8"	26"	MK4-R9026-P/V-L/R-Q-()	1,010.	1,389.	1,970.
		96"	1 1/8"	26"	MK4-R9626-P/V-L/R-Q-()	1,100.	1,514.	2,147.
		102"	1 1/8"	26"	MK4-R10226-P/V-L/R-Q-()	1,190.	1,639.	2,324.
		108"	1 1/8"	26"	MK4-R10826-P/V-L/R-Q-()	1,279.	1,763.	2,500.
		114"	1 1/8"	26"	MK4-R11426-P/V-L/R-Q-()	1,369.	1,888.	2,677.
		120"	1 1/8"	26"	MK4-R12026-P/V-L/R-Q-()	1,460.	2,013.	2,854.



Order Code	Specification Information		Application Notes
Example: MK4-R2426-P-L-Q-612	<i>Return filler panel widths:</i>	<i>Corresponding worksurface widths</i>	Return filler panels provide enclosure between a universal desk end panel and the end panel of a return.
MK4 Desk panel	32 3/4"	30"	
R Desk panel type	38 3/4"	36"	Return filler panels may also be connected to a vertical panel to provide enclosure for a desk or machine height return off a panel supported workstation. Specify MB1-FV brackets separately.
24 Width	44 3/4"	42"	
26 Height	50 3/4"	48"	
P Surface type	62 3/4"	60"	
L Left	68 3/4"	66"	
Q Standard Special	74 3/4"	72"	All 69", 75" and 78"W return filler panels are shipped with a center stabilizing bracket, MB1-AUX-D.
612 Paint			
	<i>Bridge filler panel widths:</i>	<i>Corresponding worksurface widths:</i>	A return filler panel includes bracket MB1-L1, filler panel/desk end panel and all connecting hardware.
	38 1/2"	30"	
	44 1/2"	36"	
	50 1/2"	42"	
	56 1/2"	48"	
	68 1/2"	60"	
	74 1/2"	66"	
	80 1/2"	72"	
	<i>Surface type:</i>		
	P- Painted		
	V- Veneer		

description	type	width	depth	height	pattern no.	P2
Full width 	42"	42"	10"	3/4"	MM3-IS42F-Q-()	\$309.
	48"	48"	10"	3/4"	MM3-IS48F-Q-()	365.
	54"	54"	10"	3/4"	MM3-IS54F-Q-()	418.
	84"	84"	10"	3/4"	MM3-IS84F-Q-()	683.
	90"	90"	10"	3/4"	MM3-IS90F-Q-()	761.
	96"	96"	10"	3/4"	MM3-IS96F-Q-()	839.
Returns 	54"	54"	10"	3/4"	MM3-IS54R-Q-()	369.
	84"	84"	10"	3/4"	MM3-IS84R-Q-()	579.
	90"	90"	10"	3/4"	MM3-IS90R-Q-()	630.
	96"	96"	10"	3/4"	MM3-IS96R-Q-()	683.

Order Code	Specification Information	Application Notes
Example: MM3-IS54R-612-Q	<i>Specify paint finish.</i>	Intermediate shelves provide an additional level of storage between the worksurface and standard overhead storage.
MM3 Accessory	Specify return shelves by number that corresponds to total return dimension (depth of desk and width of return).	Intermediate shelves include brackets for cantilever support from vertical panel connector tracks.
IS Intermediate shelves		Intermediate shelves may be mounted on 1" increments of height up to 1" from top of panel. Recommended position is 6" - 7" above the worksurface.
54 Width		Use full width shelves with back panels of the same total width. Add returns to form a continuous "L". Half-round endpiece joins back-to-back shelves over a half-round conference worksurface. Quarter round terminates an intermediate shelf at a straight panel connection.
R Return		Intermediate shelves cannot be mounted to freestanding desks or overhead supports.
612 Paint finish		
Q Standard Special		

Morrison shelves and flush counter surface, 1 3/4"
panel or wall mounted lam. and ven. shelves

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Panel mounted shelves and flush counter surfaces	without holes 	54"	13"	1 3/4"	MS2-W5413-Q-()	\$497.	\$887.	\$1,271.
		96"	13"	1 3/4"	MS2-W9613-Q-()	783.	1,405.	1,991.
		102"	13"	1 3/4"	MS2-W10213-Q-()	845.	1,495.	2,109.
		108"	13"	1 3/4"	MS2-W10813-Q-()	906.	1,585.	2,228.
		114"	13"	1 3/4"	MS2-W11413-Q-()	969.	1,675.	2,346.
		120"	13"	1 3/4"	MS2-W12013-Q-()	1,031.	1,764.	2,464.
	with holes 	54"	13"	1 3/4"	MS2-W5413-H-Q-()	513.	903.	1,286.
		96"	13"	1 3/4"	MS2-W9613-H-Q-()	800.	1,423.	2,002.
		102"	13"	1 3/4"	MS2-W10213-H-Q-()	862.	1,513.	2,122.
		108"	13"	1 3/4"	MS2-W10813-H-Q-()	925.	1,602.	2,240.
		114"	13"	1 3/4"	MS2-W11413-H-Q-()	987.	1,691.	2,359.
		120"	13"	1 3/4"	MS2-W12013-H-Q-()	1,050.	1,781.	2,477.

Order Code	Specification Information	Application Notes
Example: MS2-W5413-H-Q-612	<i>Specify paint finish for brackets and steel shelves.</i>	13"D shelves hold binders, books and other reference material. Order brackets and shelf organizers, if applicable, separately.
MS2W Shelf		
54 Width		
13 Depth		
H With holes		
Q Standard Special		
612 Surface finish		



Standard 13" deep shelves double as flush counter surfaces. Specify undershelf or transaction shelf brackets for this application. Each set supports a maximum span of 48". Shelves over 60"W require MB1-AUX-S auxiliary support brackets.

All shelf brackets accept task light fixtures with the exception of the transaction shelf brackets MB2-TS-(). Adjacent bookend-style shelf brackets require MB1-TC tie clip to secure full-width task light.

Desk mounted counter surfaces do not accept task lights.

Morrison shelves and flush counter surface, 1 1/4" panel or wall mounted lam. and ven. shelves

Standard Specials Systems

description	type	w	d	h	pattern no.	lam.	V1	V2
Panel mounted shelves and flush counter surfaces	without holes 	54"	13"	1 1/4"	MS2-U5413-Q-()	\$417.	\$740.	\$1,082.
		96"	13"	1 1/4"	MS2-U9613-Q-()	642.	1,091.	1,585.
		102"	13"	1 1/4"	MS2-U10213-Q-()	705.	1,153.	1,673.
		108"	13"	1 1/4"	MS2-U10813-Q-()	766.	1,215.	1,759.
		114"	13"	1 1/4"	MS2-U11413-Q-()	829.	1,277.	1,847.
		120"	13"	1 1/4"	MS2-U12013-Q-()	891.	1,340.	1,933.
	with holes 	54"	13"	1 1/4"	MS2-U5413-H-Q-()	435.	756.	1,098.
		96"	13"	1 1/4"	MS2-U9613-H-Q-()	659.	1,103.	1,604.
		102"	13"	1 1/4"	MS2-U10213-H-Q-()	721.	1,166.	1,690.
		108"	13"	1 1/4"	MS2-U10813-H-Q-()	784.	1,228.	1,778.
		114"	13"	1 1/4"	MS2-U11413-H-Q-()	846.	1,291.	1,864.
		120"	13"	1 1/4"	MS2-U12013-H-Q-()	908.	1,352.	1,952.

Morrison System


Order Code	Specification Information	Application Notes
Example: MS2-U-5413-H-Q-612	<i>Specify finish.</i>	Panel mounted shelves are cantilevered from vertical panel connector tracks with bookend or undershelf brackets. 1 1/4" shelves must be midspan supported every 48".
MS2 Shelf	Specify suffix H for shelf holes that accept shelf organizers.	13"D shelves hold binders, books and other reference material. Order brackets and shelf organizers, if applicable, separately.
U 1 1/4" thick		Bookend-style brackets keep material upright when vertical panels are not used at the ends of shelves (brackets are shipped in pairs.)
54 Width		Standard 13" deep shelves double as flush counter surfaces. Specify undershelf brackets or desk-mount stanchions for this application.
13 Depth		All shelves accept task lights. Adjacent bookend-style shelves require MB1-TC tie clip to secure full width task light.
H With holes		Transaction shelf brackets support panel-mounted shelves without holes. Each set supports a maximum span of 48".
Q Standard Special		
612 Surface finish		

Morrison Overhead cabinets

panel and desk mounted


Standard Specials Systems

description	locks	w	d	h	pattern no.	P1	V1	V2
Painted or veneer front, panel mounted		24"	14"	17 ³ / ₄ "	MO8-24-()-()-N-N-Q	\$833.	\$1,008.	\$1,139.
		24"	14"	17 ³ / ₄ "	MO8-24-()-()-N-L-Q	919.	1,088.	1,220.



shown with lock

Painted or veneer front, stanchion mounted		24"	14"	17 ³ / ₄ "	MO8-N24-()-()-N-N-Q	833.	1,008.	1,139.
		24"	14"	17 ³ / ₄ "	MO8-N24-()-()-N-L-Q	919.	1,088.	1,220.




shown with lock

Order Code	Specification Information	Application Notes
Example: MO8-N24-612-612-N-N-Q	<i>Specify finish for case and front.</i>	Stanchion mounted overhead cabinets attach to overhead supports. Specify overhead backs separately for finished appearance in back-to-back or exposed applications.
MO8 Overhead cabinet	Order overhead cabinet locks with a KnollKey order form.	Specify conversion kit MO7-SMB only if converting panel hung overheads to stanchion mounted.
N Network mounted		Wall-mounting Morrison overhead cabinets: Use MO8-WMR to mount up to 120" of MO8 overheads. Specify one MO8-WMB for each overhead.
24 Width		For Options overheads or Morrison or Options shelves, use MO6-WMSK to wall mount up to 9' of shelves or overheads. Kit includes wall mount rail and one vertical standard. Specify one additional MO6 WMSB for each shelf or overhead. Morrison shelves also require MB1-B13 shelf brackets.
612 Paint finish for case		Wall mount rails may be trimmed to length.
612 Surface finish for door		Specify conversion kit MO7-PMB only if converting stanchion mounted overheads to panel hung.
N Black pulls		Wall mount wire manager is two-part wire concealment kit, 22"H.
N No lock		
Q Standard Special		

Morrison Network privacy screen back screens

Standard Specials Systems

description	w	d	h	pattern no.	10	15	20	30	35	40	45
Back of worksurface screens to 42"H	24"	3/4"	15"	MZ1-B2415-()-Q	\$207.	\$233.	\$237.	\$263.	\$277.	\$294.	\$339.
	24"	3/4"	19"	MZ1-B2419-()-Q	264.	286.	294.	321.	339.	351.	383.
	24"	3/4"	22"	MZ1-B2422-()-Q	321.	338.	348.	383.	401.	411.	517.



Morrison System

Order Code

Specification Information

Example:	MZ1-B2415-15-W210/20-Q
MZ1	Morrison Network privacy screen
B	Back of worksurface
24	Width
15	Height
15	Surface type and group no.
W210/20	Upholstery
Q	Standard Special

Surface type:

10-	Fabric group 10
15-	Fabric group 15
20-	Fabric group 20
30-	Fabric group 30
35-	Fabric group 35
40-	Fabric group 40
45-	Fabric group 45

Back of worksurface screens provide visual barrier and tackable surface from underside of worksurface to a height of 42", 46" or 49".

Screen widths should correspond to straight worksurface width, or sum of VDT corner and return widths.

Use back of worksurface screen for VDT applications where one side is backed by a vertical panel.

VDT worksurfaces will accept back screens on only one back edge.

Back screens may not be used at the end of a straight worksurface; use end screens in this application.

Privacy screens are not available in a combination of fabrics.

Back of worksurface screens are full dimension: two smaller screens may be substituted for a larger one. For example, if using fabric grades 20-70, specify two 36" screens for a 72" surface.

Between back-to-back straight or VDT worksurfaces specify a single 3/4" back screen. This allows back-to-back 23 5/8"D or 29 5/8"D worksurfaces to plan on a precise 6" module.

15" high screens are used for a 42" horizon.

19"H screens are used to fill in space between worksurface and Morrison overhead.

22"H screens fill the space between worksurface and Reuter overhead.

All but shared end screens start at the bottom of the worksurface.

Privacy screens are supported by brackets fastened at worksurface inserts. Privacy screens include mounting brackets, insert kit, and stiffener clip.

For replacement screen stiffeners see Accessories page.


Privacy screens may be specified to achieve ASTM E-84 Class "A" flamespread rating.

Morrison vertical storage

options kiosk

Standard Specials Systems

description	width	depth	height	pattern number	Paint
Options Kiosk	24"	24"	18"	LV3-S18S-(L/R)-()-Q	\$1,305.
	24"	24"	56"	LV3-S56-(L/R)-()-Q	4,060.
	24"	30"	64"	LV3-D64-(L/R)-()-Q	4,395.
	30"	24"	64"	LV3-W64-(L/R)-()-Q	5,480.




Order Code	Specification Information	Application Notes
Example: MV3-D64F-R612-Q	<i>Specify Melamine finishes for sides, top, and back of Options Kiosk.</i>	Options Kiosks are freestanding wood construction vertical storage with four Morrison file drawers, hinged door cabinet, and coat storage with door. Options Kiosks have painted fronts and melamine sides, back and interior. The melamine top is finished, with lock cams and a few pilot holes visible.
MV3 Vertical storage	Options Kiosk fronts may be specified in any standard Morrison painted finish. Sides, top and back are available in melamine only. Kiosk storage is available in full painted finishes only.	Flat top caps may be specified separately to coordinate with Morrison panel top caps; vault-shaped cupolas may also be used to prevent storage above kiosk.
D 30" deep		Kiosk back panels and extended depth top caps or cupolas are used with adjacent vertical panels.
64 Height		Back panel is notched to connect to panel with brackets and trim included.
F Front access		Specify straight connector track same height as vertical panel, and hi/low top cap for post configurations, in width of adjacent panel.
R Right door hinge		
612 Case and front finish		
Q Standard Special		
	S- 24"W x 24"D D- 24"W x 30"D L- Hinged door for coats (shelves) on left R- Hinged door for coats (shelves) on right All kiosks have KnollKey lock for door, and internal sliding lock switch for files.	Kiosks are identical to Options kiosks but painted on all surfaces. 64"H Kiosks include cabinet with hinged door over the file drawers. 18"H top cabinet attaches to 56"H Kiosk to create 74"H storage unit. Top cabinet includes front access hinged door storage over the coat storage and open shelves accessible from the sides. File supports for kiosk drawers must be ordered separately.

Morrison Network T5 Task Light

Daisy Chain


Standard Specials Systems

description	type	w	d	h	pattern no.	Standard	Advanced
Task Light, starter	Use with 24" and wider overhead	19"	4"	1 1/2"	MN2T5E19()DCS()Q	\$362.	n/a
9 ft. cord, fused male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	MN2T5E25()DCS()Q	376.	562.
1 ft. cord, female plug	Use with 42" and wider overhead	37"	4"	1 1/2"	MN2T5E37()DCS()Q	412.	585.
	Use with 60" and wider overhead	49"	4"	1 1/2"	MN2T5E49()DCS()Q	481.	602.




left hand shown

Task Light, adder	Use with 24" and wider overhead	19"	4"	1 1/2"	MN2T5E19()DCA()Q	394.	n/a
2 ft. cord, male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	MN2T5E25()DCA()Q	410.	596.
1 ft. cord, female plug	Use with 42" and wider overhead	37"	4"	1 1/2"	MN2T5E37()DCA()Q	446.	619.
	Use with 60" and wider overhead	49"	4"	1 1/2"	MN2T5E49()DCA()Q	515.	636.



left hand shown

Task Light, ender	Use with 24" and wider overhead	19"	4"	1 1/2"	MN2T5E19()DCE()Q	276.	n/a
2 ft. cord, male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	MN2T5E25()DCE()Q	290.	477.
	Use with 42" and wider overhead	37"	4"	1 1/2"	MN2T5E37()DCE()Q	327.	500.
	Use with 60" and wider overhead	49"	4"	1 1/2"	MN2T5E49()DCE()Q	396.	516.



left hand shown

Order Code	Specification Information	Application Notes
Example: MN2T5E19SDCSLQ	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.
MN2 Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
T5 T5 lamp	1. Type:	Task lights are TCLP compliant and meet requirements of California Title 24.
E Electronic ballast	(S) Standard	
19 Width	(A) Advanced	
S Standard	2. Handedness	
DC Daisy chain	L= Left handed (male plug on user's left side)	
S Starter	R=Right handed (male plug on user's right side)	
L Left handed		
Q Special		
	All housings are black.	Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.

Morrison Network task lights are mounted inside the horizontal beam of the overhead support.


Task light cord may be managed in either stanchion to desk support wireway.

Morrison Options T5 Task Light

Daisy Chain


Standard Specials Systems

description	type	w	d	h	pattern no.	Standard	Advanced
Task Light, starter	Use with 24" and wider overhead	19"	4"	1 1/2"	LL2T5E19()DCS()Q	\$317.	n/a
9 ft. cord, fused male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	LL2T5E25()DCS()Q	363.	562.
1 ft. cord, female plug	Use with 42" and wider overhead	37"	4"	1 1/2"	LL2T5E37()DCS()Q	388.	585.
	Use with 60" and wider overhead	49"	4"	1 1/2"	LL2T5E49()DCS()Q	434.	602.




left hand shown

Task Light, adder	Use with 24" and wider overhead	19"	4"	1 1/2"	LL2T5E19()DCA()Q	350.	n/a
2 ft. cord, male plug	Use with 24" and wider overhead	25"	4"	1 1/2"	LL2T5E25()DCA()Q	396.	596.
1 ft. cord, female plug	Use with 42" and wider overhead	37"	4"	1 1/2"	LL2T5E37()DCA()Q	422.	619.
	Use with 60" and wider overhead	49"	4"	1 1/2"	LL2T5E49()DCA()Q	468.	636.



left hand shown

Task Light, ender	Use with 24" and wider overhead	19"	4"	1 1/2"	LL2T5E19()DCE()Q	231.	n/a
2 ft. cord, male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	LL2T5E25()DCE()Q	277.	477.
	Use with 42" and wider overhead	37"	4"	1 1/2"	LL2T5E37()DCE()Q	303.	500.
	Use with 60" and wider overhead	49"	4"	1 1/2"	LL2T5E49()DCE()Q	348.	516.



left hand shown

Order Code	Specification Information	Application Notes
Example: LL2T5E19SDCSLQ	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.
LL2 Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
T5 T5 lamp	1. Type: (S) Standard (A) Advanced	Task light cordset is center exit. On smaller units cord exit is off-center, but still not handed.
E Electronic ballast	2. Handedness: L= Left handed (male plug on user's left side) R=Right handed (male plug on user's right side)	Task lights are TCLP compliant and meet requirements of California Title 24.
19 Width	All housings are black.	Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.
S Standard		
DC Daisy chain		
S Starter		
L Left handed		
Q Special		

Wood Finishes:

V1 Techwood Closed Pore

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

*Not available on Reff optional Edges and Waterfall Edge.

V1 - Techwood Closed Pore

Surface with matching synthetic edge:

Options applicable for 1 1/4" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneers/Premium Techwood Veneers Closed Pore

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)
Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

V439	Straight Anigre
------	-----------------

V2 Natural Veneer with synthetic edge

Options applicable for 1 1/4" thick worksurfaces with standard flat edge only.

Flat Cut:

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3 Exotic Veneer

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

(all above are quarter cut)

Glass Options:

TEMP	Clear Tempered (G1)
------	---------------------

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3)

GL11	Back Painted Black
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

Locks

Black and Silver

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut
128	Fog
129	Micro Sand with 119 Pumice edge band

Paint Classifications:

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver
PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel
AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

See matrix next page for finishes applicable by component

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V449
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427
85	for Y851
Y1	for Y341
62	for Y342
44	for Y344

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options

Grade 10

Bailey II (W359) ø
Broadcloth (W288)
Foundation (W351)
Growth Spurt (W692)
Newbury (W812) ø
Solid Crepe (W257) ø
Symbolic Detail (W693)
Tailor Made (W133)
Versatility (W432)

Grade 15

Regency (W210)

Grade 20

Banyan (W443)
Bauhaus Block (W296A)
Circle Line (W1146)
Clarity (W281)
Criss Cross (W305)
Devon (W809) ø
Labyrinth (W352)
Melbourne (W228)
Outback (W229)
Reflect (W884) ø
Resolution (W280)
Walkabout (W230)
Weave Three (W298)

Grade 30

Basket Draft (W249)
Flow (W565)
Harmony (W232)
Interknit (W1090)
Match Point (W1145)
Micro (W465)*
Progression (W403)
Raku Cloth (W566) ø
Relay (W1020) ▲

Grade 40

Clarkson (W1218)
Ornament (W1078)
Palladium (W1030)
Sennit (W337)
Spinoff Nuance (W319)

Grade 45

Casual Elegance (W920)
Dristi (K872)* ø

**with backing only*

▲ Monolithic panels and tackboards only

ø May not be available in all colors.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50

Knoll Hopsack (K1206)
Ricochet (W498)

Grade 55

Knoll Felt (K1207)
Transition (W816)

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Non-Wood Finishes

26 1/2" h planning Finishes

	Panel Tiles, Worksurfaces & Components	Panel Top Trims Window Frames	Panel Base Side Plates	Panel Beltway Side Plates*	Leg and Bases	Interaction Style Legs	Pulls	Grommets
Jet Black	111	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	115	115	115	115	115	115	115	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Plated Finishes

Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ●	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT●	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD

n/a = not available

* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only




● PZ and PT Pulls only for 'D' Pulls.

Reff Panels

Monolithic

34", 42" and 49" high

Standard Specials Systems

description	h	w	pattern no.	V1	V2	V3
Wood/Wood Regular Accoustics		18"	QR3B0P (11/22/33) 3418 () ()	\$854.	\$877.	\$1,183.
		20"	QR3B0P (11/22/33) 3420 () ()	854.	877.	1,183.
		24"	QR3B0P (11/22/33) 3424 () ()	912.	936.	1,263.
		30"	QR3B0P (11/22/33) 3430 () ()	976.	1,004.	1,357.
		36"	QR3B0P (11/22/33) 3436 () ()	1,038.	1,068.	1,441.
		42"	QR3B0P (11/22/33) 3442 () ()	1,196.	1,230.	1,660.
		48"	QR3B0P (11/22/33) 3448 () ()	1,242.	1,278.	1,724.
	42"	18"	QR3B0P (11/22/33) 4218 () ()	755.	779.	1,051.
		20"	QR3B0P (11/22/33) 4220 () ()	755.	779.	1,051.
		24"	QR3B0P (11/22/33) 4224 () ()	767.	788.	1,065.
		30"	QR3B0P (11/22/33) 4230 () ()	919.	947.	1,279.
		36"	QR3B0P (11/22/33) 4236 () ()	996.	1,023.	1,381.
		42"	QR3B0P (11/22/33) 4242 () ()	1,110.	1,137.	1,535.
		48"	QR3B0P (11/22/33) 4248 () ()	1,216.	1,251.	1,690.
		60"	QR3B0P (11/22/33) 4260 () () *	1,324.	1,361.	1,838.
		66"	QR3B0P (11/22/33) 4266 () () *	1,373.	1,412.	1,908.
		72"	QR3B0P (11/22/33) 4272 () () *	1,419.	1,461.	1,972.
	49"	18"	QR3B0P (11/22/33) 4918 () ()	839.	863.	1,165.
		20"	QR3B0P (11/22/33) 4920 () ()	839.	863.	1,165.
		24"	QR3B0P (11/22/33) 4924 () ()	863.	947.	1,279.
		30"	QR3B0P (11/22/33) 4930 () ()	1,038.	1,068.	1,441.
		36"	QR3B0P (11/22/33) 4936 () ()	1,121.	1,153.	1,555.
		42"	QR3B0P (11/22/33) 4942 () ()	1,237.	1,273.	1,718.
		48"	QR3B0P (11/22/33) 4948 () ()	1,400.	1,435.	1,938.
		60"	QR3B0P (11/22/33) 4960 () () *	1,510.	1,552.	2,095.
		66"	QR3B0P (11/22/33) 4966 () () *	1,559.	1,565.	2,112.
		72"	QR3B0P (11/22/33) 4972 () () *	1,608.	1,654.	2,232.

Reff System

Order Code	Specification Information	Application Notes
Example: QR3B0PLL3418-A4K	<i>To order please specify pattern number including:</i>	
QR3	Reff Generation 3	
B0	No Beltway	
P	Monolithic panel	
LL	Lamination on both sides	
34	34" high	
18	18" wide	
(A)	Flat style top trim	
(4)	4" base height	
(K)	Include knockouts in base	
118	Laminate selection - side 1	
118	Laminate selection - side 2	
V316	Maple (top trim finish)	
118	Bright White (base finish)	
	- Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum, anodized finish only - Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	All panels on this page accept stacking modules except those indicated with an asterisk. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from standard Reff price list. 79"H hookstrip reveal strips are ordered separately from page the standard Reff price list at no charge. * These panel widths do not accept stacking modules.
	Optional: specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Applicable finishes are listed on page 97 and 98. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on Laminate/Laminate base panel price.

Reff Panels

Monolithic

64" and 79" high

Standard Specials Systems

description	h	w	pattern no.	V1	V2	V3
Wood/Wood Regular Accoustics		18"	QR3B0P (11/22/33) 6418 () ()	\$999.	\$1,025.	\$1,384.
		20"	QR3B0P (11/22/33) 6420 () ()	999.	1,025.	1,384.
		24"	QR3B0P (11/22/33) 6424 () ()	1,091.	1,122.	1,514.
		30"	QR3B0P (11/22/33) 6430 () ()	1,236.	1,272.	1,717.
		36"	QR3B0P (11/22/33) 6436 () ()	1,333.	1,373.	1,854.
		42"	QR3B0P (11/22/33) 6442 () ()	1,477.	1,521.	2,053.
		48"	QR3B0P (11/22/33) 6448 () ()	1,663.	1,713.	2,313.
		60"	QR3B0P (11/22/33) 6460 () () *	1,803.	1,854.	2,501.
		66"	QR3B0P (11/22/33) 6466 () () *	1,864.	1,917.	2,589.
		72"	QR3B0P (11/22/33) 6472 () () *	1,926.	1,982.	2,676.
		18"	QR3B0P (11/22/33) 7918 () () *	1,257.	1,296.	1,748.
		20"	QR3B0P (11/22/33) 7920 () () *	1,254.	1,296.	1,748.
		24"	QR3B0P (11/22/33) 7924 () () *	1,376.	1,416.	1,912.
		30"	QR3B0P (11/22/33) 7930 () () *	1,554.	1,600.	2,158.
		36"	QR3B0P (11/22/33) 7936 () () *	1,690.	1,741.	2,349.
		42"	QR3B0P (11/22/33) 7942 () () *	1,873.	1,926.	2,601.
		48"	QR3B0P (11/22/33) 7948 () () *	2,093.	2,153.	2,906.
		60"	QR3B0P (11/22/33) 7960 () () *	2,252.	2,319.	3,128.
		66"	QR3B0P (11/22/33) 7966 () () *	2,300.	2,365.	3,192.
		72"	QR3B0P (11/22/33) 7972 () () *	2,343.	2,413.	3,260.




Order Code	Specification Information	Application Notes
Example: QR3B0PLL3418-A4K	<i>To order please specify pattern number including:</i>	All panels on this page accept stacking modules.
QR3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B0 No Beltway	2. Base height	All panels on this page have no high acoustical option or Beltway option except those indicated with an asterisk.
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from the standard Reff price list.
LL Laminate on both sides	4. Panel side 1 finish(s) inside	79"H hookstrip reveal strips are ordered separately from page standard Reff price list at no charge.
34 34" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish	
(A) Flat style top trim	7. Base finish	
(4) 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
(K) Include knockouts in base		
118 Laminate selection - side 1		
118 Laminate selection - side 2		
V316 Maple (top trim finish)		
118 Bright White (base finish)		

Reff Panels

Tiled

34", 42" and 49" High

Standard Specials Systems

description	h	w	pattern no.	V1	V2	V3
Wood/Wood Regular Accoustics		18"	QR3B0T (11/22/33) 3418 () ()	\$950.	\$977.	\$1,320.
		20"	QR3B0T (11/22/33) 3420 () ()	950.	977.	1,320.
		24"	QR3B0T (11/22/33) 3424 () ()	1,016.	1,044.	1,409.
		30"	QR3B0T (11/22/33) 3430 () ()	1,080.	1,109.	1,500.
		36"	QR3B0T (11/22/33) 3436 () ()	1,143.	1,175.	1,587.
		42"	QR3B0T (11/22/33) 3442 () ()	1,300.	1,337.	1,807.
		48"	QR3B0T (11/22/33) 3448 () ()	1,340.	1,379.	1,862.
	42"	18"	QR3B0T (11/22/33) 4218 () ()	1,068.	1,097.	1,481.
		20"	QR3B0T (11/22/33) 4220 () ()	1,068.	1,097.	1,481.
		24"	QR3B0T (11/22/33) 4224 () ()	1,134.	1,166.	1,575.
		30"	QR3B0T (11/22/33) 4230 () ()	1,212.	1,246.	1,682.
		36"	QR3B0T (11/22/33) 4236 () ()	1,280.	1,315.	1,777.
		42"	QR3B0T (11/22/33) 4242 () ()	1,429.	1,467.	1,982.
		48"	QR3B0T (11/22/33) 4248 () ()	1,497.	1,539.	2,078.
	49"	18"	QR3B0T (11/22/33) 4918 () ()	1,194.	1,229.	1,659.
		20"	QR3B0T (11/22/33) 4920 () ()	1,194.	1,229.	1,659.
		24"	QR3B0T (11/22/33) 4924 () ()	1,267.	1,302.	1,757.
		30"	QR3B0T (11/22/33) 4930 () ()	1,355.	1,394.	1,881.
		36"	QR3B0T (11/22/33) 4936 () ()	1,429.	1,467.	1,982.
		42"	QR3B0T (11/22/33) 4942 () ()	1,592.	1,639.	2,211.
		48"	QR3B0T (11/22/33) 4948 () ()	1,673.	1,723.	2,326.


Order Code	Specification Information	Application Notes
Example: QR3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page standard Reff price list.
QR3	Reff Generation 3	
B0	No Beltway	
T	Tiled panel	
FF	Fabric on both sides	
34	34" high	
18	18" wide	
A	Flat style top trim	
4	4" base height	
K	Include knockouts in base	
W281	Fabric selection - side 1	
W281	Fabric selection - side 2	
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
	- Top trim profile - Base height - Knockout option (K = with knockouts, N = without knockouts) - Panel side 1 finish(s) inside - Panel side 2 finish(s) outside - Top trim finish - Base finish - Optional: specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	34"h add per panel: \$28 for 18w and 20w \$30 for 24w and 30w \$32 for 36w and 42w \$44 for 48w 42"h add per panel: \$50 for 18w and 20w \$56 for 24w and 30w \$68 for 36w and 42w \$84 for 48w 49"h add per panel: \$50 for 18w and 20w \$56 for 24w and 30w \$68 for 36w and 42w \$84 for 48w
	- Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only - Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel) - Tile divider: (E option) applies to both sides	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. 79"H hookstrip reveal strips are ordered separately from standard Reff price list at no charge.
		All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 97 and 98. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on Laminate/Laminate base panel price.


Reff Panels

Tiled

64" and 79" High

Standard Specials Systems

description	h	w	pattern no.	V1	V2	V3
Wood/Wood Regular Accoustics		18"	QR3B0T (11/22/33) 6418 () ()	\$1,397.	\$1,436.	\$1,939.
		20"	QR3B0T (11/22/33) 6420 () ()	1,397.	1,436.	1,939.
		24"	QR3B0T (11/22/33) 6424 () ()	1,480.	1,523.	2,056.
		30"	QR3B0T (11/22/33) 6430 () ()	1,578.	1,621.	2,190.
		36"	QR3B0T (11/22/33) 6436 () ()	1,662.	1,712.	2,309.
		42"	QR3B0T (11/22/33) 6442 () ()	1,864.	1,917.	2,589.
		48"	QR3B0T (11/22/33) 6448 () ()	1,956.	2,013.	2,715.

	18"	QR3B0T (11/22/33) 7918 () ()	1,738.	1,787.	2,411.
	20"	QR3B0T (11/22/33) 7920 () ()	1,738.	1,787.	2,411.
	24"	QR3B0T (11/22/33) 7924 () ()	1,836.	1,890.	2,551.
	30"	QR3B0T (11/22/33) 7930 () ()	1,926.	1,982.	2,676.
	36"	QR3B0T (11/22/33) 7936 () ()	2,022.	2,081.	2,809.
	42"	QR3B0T (11/22/33) 7942 () ()	2,263.	2,327.	3,142.
	48"	QR3B0T (11/22/33) 7948 () ()	2,363.	2,432.	3,285.

Order Code

Example:	QR3B0TFF3418-A4K
QR3	Reff Generation 3
	Special
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts,
N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. *Top trim profile:*

- A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel)

3. *Tile divider: (E option) applies to both sides*

64"h add per panel:
\$78 for 18w and 20w
\$86 for 24w and 30w
\$96 for 36w and 42w
\$124 for 48w

79"h add per panel:
\$100 for 18w and 20w
\$116 for 24w and 30w
\$124 for 36w and 42w
\$168 for 48w

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 97 and 98.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on Laminate/Laminate base panel price.

Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from the standard Reff price list.



The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

79"H hookstrip reveal strips are ordered separately from the standard Reff price list at no charge.

Reff Panels

Stacking modules and Slatwall

Standard Specials Systems

description	height	width	pattern no.	Paint	AA	V1	V2	V3
Wood/Wood Regular Acoustics 	8"	18"	QR3S (11/22/33) 0818 () ()			\$306.	\$314.	\$425.
	8"	20"	QR3S (11/22/33) 0820 () ()			306.	314.	425.
	8"	24"	QR3S (11/22/33) 0824 () ()			318.	325.	440.
	8"	30"	QR3S (11/22/33) 0830 () ()			352.	361.	487.
	8"	36"	QR3S (11/22/33) 0836 () ()			388.	401.	540.
	8"	42"	QR3S (11/22/33) 0842 () ()			418.	431.	582.
	8"	48"	QR3S (11/22/33) 0848 () ()			449.	462.	625.
	15"	18"	QR3S (11/22/33) 1518 () ()			411.	424.	572.
	15"	20"	QR3S (11/22/33) 1520 () ()			411.	424.	572.
	15"	24"	QR3S (11/22/33) 1524 () ()			432.	444.	599.
	15"	30"	QR3S (11/22/33) 1530 () ()			478.	490.	662.
	15"	36"	QR3S (11/22/33) 1536 () ()			520.	536.	724.
	15"	42"	QR3S (11/22/33) 1542 () ()			568.	585.	789.
	15"	48"	QR3S (11/22/33) 1548 () ()			609.	627.	846.
Slatwall 	15"	18"	QR2 SLAT 1518 ()	222.	265.			
	15"	20"	QR2 SLAT 1520 ()	236.	279.			
	15"	24"	QR2 SLAT 1524 ()	256.	301.			
	15"	30"	QR2 SLAT 1530 ()	308.	363.			
	15"	36"	QR2 SLAT 1536 ()	342.	405.			
	15"	42"	QR2 SLAT 1542 ()	396.	468.			
	15"	48"	QR2 SLAT 1548 ()	448.	529.			

Available in anodized aluminum (AA)& painted finishes
Screws directly to panel frame

Reff System

Order Code	Specification Information	Application Notes
Example: QR3SLL0820	<i>To order please specify:</i>	
QR3 Reff Generation 3	1. Pattern number	* Not for use on 79"H panels.
S Stacking module	<i>including height and width</i>	* * Suitable only for top of any panel. Cannot be stacked upon.
LL Laminate/Laminate	2. Panel side 1 finish	8"h module will not accept additional modules on top.
08 8" high	3. Panel side 2 finish	Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.
20 20" wide		Stacking modules on this page are high acoustic with a hard board septum and fiberglass.
118 Laminate selection - side 1		Slatwall can be retrofitted on Reff panels only and is not compatible with other product lines.
118 Laminate selection - side 2		

Reff Panels

Midspan Off-set T-connectors

Standard Specials Systems


description	h	pattern no.	list
Mid-Span Connector	42"	QS9G5875	\$335.
To be used with Generation 3 panels only	49"	QS9G5498	359.
	64"	QS9G5499	469.
	79"	QS9G5876	507.
<i>attach mid-span of a panel</i>			
Offset T-connectors	42"	QS994873	461.
	49"	QS9A8003	488.
	64"	QS9A8002	527.
	79"	QS9B2960	565.

Order Code	Specification Information	Application Notes
		To be used in creating a panel run for visual separation only. Panels running off above connectors are not loadbearing! Spine panel must be 1 piece and not a stackable creation. Perpendicular panel can be 1 piece made of stackable modules.

Reff Panels

End trim, base drape&base raceway

Standard Specials Systems

description	h	w	pattern no.	Profile (A/B/C)	Profile (E)	list
 End trim with hookstrip	57"		QR2ES4215 ()()()	\$388.	\$269.	
	57"		QR2ES498 ()()()	388.	269.	
	72"		QR2ES49158 ()()()	474.	304.	
	72"		QR2ES648 ()()()	474.	304.	
1" h base drape&rigidizer	1"	96"	QS990981			178.
2" h base drape&rigidizer	2"	96"	QS9A5986			350.
Base raceway with 2 extra date knockouts	4"	36"	QS9G2425			155.
	4"	42"	QS9G2320			177.
	4"	48"	QS9G2321			183.

Reff System

Order Code	Specification Information	Application Notes
Example: QR2ES49158-A-6-V316-111	<i>To order please specify pattern number including:</i>	Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
QR2 Reff Generation 2	End trim:	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.
ES End trim	1. Trim profile	
49158 49+15+8=72" high	<i>A = flat</i>	
A Flat profile	<i>B = square</i>	
6 6" base height	<i>C = bullnose</i>	
N Non electrical base	<i>E = extruded aluminum</i>	
V316 Trim finish, Maple	2. Base height option	
111 Jet Black (base finish)	<i>4 = 4"</i>	
	<i>6 = 6"</i>	
	3. Base type	
	<i>E = electrical entry</i>	
	<i>N = standard base</i>	
	4. Finish, end trim	
	<i>If profile A, B or C specify V1, V2, V3 or painted to match laminate</i>	
	<i>If profile E specify AA-anodized aluminum or painted finish from page0 excluding silver</i>	
	5. Finish, end trim base	
	<i>painted or plated finish</i>	
		End trim is for combination of panel and stackable module.
		Eg. QR2ES49158 is a 72"high end trim for a 49"h panel + 15"h stackable + 8" h stackable module. End trim for other panel combinations must be quoted thru custom product development.
		Base drape is for preventing light gap at base of a panel of a panel. Available in 8ft length and can be cut in field. Black finish only.
		Base raceway has 4 knockouts: 2 knockouts for electrical at standard location, 2 knockouts for data/communication at special location (5 3/4" from each end). Includes 4 standard knockout cover plates.
		Other panel widths are not available with extra data knockouts.

Reff Panels

U-channel wall starter cover

Standard Specials Systems


description	h	w	d	pattern no.	list
U-channel wall starter cover (does not cover hookstrip)	34"	2 1/2"	13/16"	QRWSU34() ()	\$433.
	42"	2 1/2"	13/16"	QRWSU42() ()	530.
	49"	2 1/2"	13/16"	QRWSU49() ()	620.
	64"	2 1/2"	13/16"	QRWSU64() ()	813.
	79"	2 1/2"	13/16"	QRWSU79() ()	1,000.
U-channel wall starter cover (covers hookstrip)	34"	2 1/2"	1 1/16"	QRWSUH34() ()	433.
	42"	2 1/2"	1 1/16"	QRWSUH42() ()	530.
	49"	2 1/2"	1 1/16"	QRWSUH49() ()	620.
	64"	2 1/2"	1 1/16"	QRWSUH64() ()	813.
	79"	2 1/2"	1 1/16"	QRWSUH79() ()	1,000.
U-channel wall starter cover Field to ceiling	21"	2 1/2"	1 1/16"	QRFTCWSUH21()	275.
	25"	2 1/2"	1 1/16"	QRFTCWSUH25()	323.
	37"	2 1/2"	1 1/16"	QRFTCWSUH37()	469.

Order Code	Specification Information	Application Notes
Example: QRWSUH79-6-111	<i>To order please specify pattern number including:</i>	The U-channel is for covering up a wall starter. Hookstrip portion can be covered as well. Please note that if hookstrip portion is covered, panel-hung components and brackets cannot be used.
QR Reff	1. Base height option	
WS Wall starter	<i>4 = 4"</i>	The U-channel is placed between drywall and wall starter. Slots in channel align with pre-drilled holds on wall on wall starter to allow for in-field leveling. There is an electrical entry at base of channel.
U U-channel cover	<i>6 = 6" (add \$24 for this option)</i>	
H Hookstrip portion covered	2. Paint finish only	Field to ceiling wall starter cover is intended for 4" h base wall starter only.
6 6" base height		
111 Paint finish, jet black		

Reff Worksurfaces

1 1/4" thick straight rectilinear

Standard Specials Systems

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectilinear work top 	20"	16"	QRSA161-N-()*	\$376.	\$410.	\$471.	\$637.
		102"	QRSA1021-() ()	736.	796.	916.	1,236.
		108"	QRSA1081-() ()	799.	860.	989.	1,335.
		114"	QRSA1141-() ()	863.	923.	1,062.	1,433.
		120"	QRSA1201-() ()	926.	987.	1,134.	1,532.
	24"	16"	QRSA162-N-()*	394.	431.	494.	668.
		102"	QRSA1022-() ()	814.	881.	1,014.	1,369.
		108"	QRSA1082-() ()	877.	945.	1,087.	1,466.
		114"	QRSA1142-() ()	940.	1,007.	1,159.	1,565.
		120"	QRSA1202-() ()	1,003.	1,071.	1,232.	1,662.
	30"	16"	QRSA163-N-()*	432.	469.	540.	727.
		102"	QRSA1023-() ()	864.	938.	1,078.	1,456.
		108"	QRSA1083-() ()	927.	1,001.	1,152.	1,554.
		114"	QRSA1143-() ()	991.	1,065.	1,225.	1,653.
		120"	QRSA1203-() ()	1,054.	1,128.	1,298.	1,752.
	36"	48"	QRSA484-() ()	723.	789.	906.	1,225.
		54"	QRSA544-() ()	748.	817.	939.	1,268.
		78"	QRSA784-() ()	863.	937.	1,077.	1,454.
		84"	QRSA844-() ()	926.	1,000.	1,151.	1,553.
		90"	QRSA904-() ()	990.	1,064.	1,224.	1,652.
		96"	QRSA964-() ()	1,053.	1,127.	1,297.	1,749.
		102"	QRSA1024-() ()	1,117.	1,191.	1,369.	1,848.
		108"	QRSA1084-() ()	1,179.	1,254.	1,441.	1,946.
		114"	QRSA1144-() ()	1,243.	1,317.	1,514.	2,045.
		120"	QRSA1204-() ()	1,306.	1,380.	1,587.	2,143.


* For creating freestanding pedestal using standard Reff pedestal. Counterweights must be ordered separately.

Order Code	Specification Information	Application Notes
Example: QRSA903RL	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
QR Reff Standard Special	1. Top thickness	Applicable finishes are listed on page 97 and 98.
S Straight top	2. Grommet option	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
A 1 1/4" thick	3. Top finish type	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
90 90" wide	4. Top finish	
3 30" deep	5. Grommet finish	
R Recessed grommet location	1. Thickness options: A = 1 1/4"	
L Laminate finish	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops) A = Alternate location (for 36"D tops only)	
114 Folkstone grey	3. Finish type: L = Laminate M = Wood/laminate mixed	
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	

Reff Worksurfaces

1 1/4" thick straight rectilinear + Post

Standard Specials Systems


description	d	w	pattern no.	lam.	M/V1	V2	V3
Straight rectilinear work top + Post 	20"	26 1/2"	QRSAP261-() ()	\$412.	\$451.	\$518.	\$699.
		32 1/2"	QRSAP321-() ()	436.	476.	546.	739.
		38 1/2"	QRSAP381-() ()	452.	497.	573.	773.
		44 1/2"	QRSAP441-() ()	476.	515.	592.	799.
		50 1/2"	QRSAP501-() ()	493.	536.	616.	832.
		56 1/2"	QRSAP561-() ()	534.	580.	666.	899.
		62 1/2"	QRSAP621-() ()	546.	597.	688.	928.
		68 1/2"	QRSAP681-() ()	578.	629.	723.	976.
		74 1/2"	QRSAP741-() ()	585.	636.	731.	987.
		80 1/2"	QRSAP801-() ()	619.	681.	783.	1,056.
		86 1/2"	QRSAP861-() ()	648.	707.	813.	1,097.
		92 1/2"	QRSAP921-() ()	673.	733.	843.	1,138.
		98 1/2"	QRSAP981-() ()	736.	796.	916.	1,236.
		104 1/2"	QRSAP1041-() ()	799.	860.	989.	1,335.
		110 1/2"	QRSAP1101-() ()	863.	923.	1,062.	1,433.
		24"	QRSAP262-() ()	448.	486.	559.	755.
		32 1/2"	QRSAP322-() ()	462.	509.	585.	790.
		38 1/2"	QRSAP382-() ()	481.	522.	602.	812.
		44 1/2"	QRSAP442-() ()	511.	562.	647.	873.
		50 1/2"	QRSAP502-() ()	546.	597.	688.	928.
		56 1/2"	QRSAP562-() ()	589.	643.	740.	998.
		62 1/2"	QRSAP622-() ()	605.	662.	762.	1,028.
		68 1/2"	QRSAP682-() ()	634.	691.	795.	1,073.
		74 1/2"	QRSAP742-() ()	662.	724.	833.	1,125.
		80 1/2"	QRSAP802-() ()	690.	755.	867.	1,171.
		86 1/2"	QRSAP862-() ()	724.	788.	905.	1,224.
		92 1/2"	QRSAP922-() ()	750.	818.	940.	1,270.
		98 1/2"	QRSAP982-() ()	814.	881.	1,014.	1,369.
		104 1/2"	QRSAP1042-() ()	877.	945.	1,087.	1,466.
		110 1/2"	QRSAP1102-() ()	940.	1,007.	1,159.	1,565.
		30"	QRSAP263-() ()	485.	528.	608.	820.
		32 1/2"	QRSAP323-() ()	520.	570.	656.	885.
		38 1/2"	QRSAP383-() ()	542.	591.	681.	918.

Order Code	Specification Information	Application Notes
Example: QRSAP263RL	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
QR Reff Standard Special	1. Top thickness	List price for woodgrain laminate options will be current published laminate list price plus 10%.
S Straight top	2. Grommet option	Applicable finishes are listed on page 97 and 98.
A 1 1/4" thick	3. Top finish type	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
P Post	4. Top finish	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
26 26 1/2" wide	5. Grommet finish	
3 30" deep	1. Thickness options: A = 1 1/4"	
R Recessed grommet location	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops) A = Alternate location (for 36"D tops only)	
L Laminate finish	3. Finish type: L = Laminate M = Wood/laminate mixed	
114 Folkstone grey	1 = V1 2 = V2 3 = V3	
111 Jet Black (grommet)		

Reff Worksurfaces

1 1/4" thick straight rectilinear + Post

Standard Specials Systems

description	d	w	pattern no.	lam.	M/V1	V2	V3
Straight rectilinear work top + Post 	30"	44 1/2"	QRSAP443-() ()	\$580.	\$632.	\$726.	\$981.
		50 1/2"	QRSAP503-() ()	627.	684.	787.	1,062.
		56 1/2"	QRSAP563-() ()	649.	709.	815.	1,100.
		62 1/2"	QRSAP623-() ()	661.	723.	832.	1,123.
		68 1/2"	QRSAP683-() ()	681.	741.	851.	1,149.
		74 1/2"	QRSAP743-() ()	711.	776.	892.	1,204.
		80 1/2"	QRSAP803-() ()	739.	808.	928.	1,252.
		86 1/2"	QRSAP863-() ()	774.	844.	970.	1,309.
		92 1/2"	QRSAP923-() ()	800.	874.	1,005.	1,358.
		98 1/2"	QRSAP983-() ()	864.	938.	1,078.	1,456.
		104 1/2"	QRSAP1043-() ()	927.	1,001.	1,152.	1,554.
		110 1/2"	QRSAP1103-() ()	991.	1,065.	1,225.	1,653.


Reff System

Order Code	Specification Information	Application Notes
Example: QRSAP263RL	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
QR Reff Standard Special	1. Top thickness	List price for woodgrain laminate options will be current published laminate list price plus 10%.
S Straight top	2. Grommet option	Applicable finishes are listed on page 97 and 98.
A 1 1/4" thick	3. Top finish type	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
P Post	4. Top finish	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
26 26 1/2" wide	5. Grommet finish	
3 30" deep	1. Thickness options: A = 1 1/4"	
R Recessed grommet location	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops) A = Alternate location (for 36"D tops only)	
L Laminate finish	3. Finish type: L = Laminate M = Wood/laminate mixed	
114 Folkstone grey	1 = V1 2 = V2 3 = V3	
111 Jet Black (grommet)		

Reff Worksurfaces

1 3/4" thick straight rectilinear

Standard Specials Systems

description	d	w	pattern no.	lam.	M/V1	V2	V3
Straight rectilinear work top 	20"	16"	QRSB161-N-()*	\$488.	\$709.	\$815.	\$1,100.
		102"	QRSB1021-()()	966.	1,371.	1,577.	2,128.
		108"	QRSB1081-()()	1,029.	1,434.	1,649.	2,226.
		114"	QRSB1141-()()	1,093.	1,498.	1,721.	2,325.
		120"	QRSB1201-()()	1,156.	1,560.	1,794.	2,423.
	24"	16"	QRSB162-N-()*	511.	742.	853.	1,152.
		102"	QRSB1022-()()	1,020.	1,450.	1,668.	2,251.
		108"	QRSB1082-()()	1,083.	1,513.	1,740.	2,349.
		114"	QRSB1142-()()	1,146.	1,577.	1,813.	2,448.
		120"	QRSB1202-()()	1,209.	1,640.	1,886.	2,546.
	30"	16"	QRSB163-N-()*	611.	888.	1,021.	1,378.
		102"	QRSB1023-()()	1,068.	1,524.	1,753.	2,367.
		108"	QRSB1083-()()	1,131.	1,587.	1,825.	2,464.
		114"	QRSB1143-()()	1,195.	1,651.	1,898.	2,563.
		120"	QRSB1203-()()	1,258.	1,714.	1,971.	2,660.
	36"	48"	QRSB484-()()	852.	1,238.	1,424.	1,923.
		54"	QRSB544-()()	878.	1,273.	1,464.	1,976.
		78"	QRSB784-()()	1,034.	1,471.	1,691.	2,282.
		84"	QRSB844-()()	1,098.	1,534.	1,763.	2,381.
		90"	QRSB904-()()	1,161.	1,597.	1,836.	2,479.
		96"	QRSB964-()()	1,225.	1,660.	1,910.	2,578.
		102"	QRSB1024-()()	1,288.	1,723.	1,983.	2,676.
		108"	QRSB1084-()()	1,351.	1,787.	2,055.	2,775.
		114"	QRSB1144-()()	1,414.	1,850.	2,128.	2,873.
		120"	QRSB1204-()()	1,478.	1,914.	2,200.	2,971.

* For creating freestanding pedestal using standard Reff pedestal. Counterweights must be ordered separately.

Order Code

Example:	QRSB903RL
QR	Reff Standard Special
S	Straight top
B	1 3/4" thick
90	90" wide
3	30" deep
R	Recessed grommet location
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness options:
B = 1 3/4"

2. Grommet options:
N = No grommets
F = Flush front grommet location
R = Recessed front (not recommended for 20"D and 24"D tops)

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 97 and 98.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Products on this page are shipped without hardware which must be ordered separately from the support components section in standard Reff price list.


1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

Reff Worksurfaces

1 3/4" thick straight rectilinear + Post

Standard Specials Systems

description	d	w	pattern no.	lam.	M/V1	V2	V3
Straight rectilinear work top + Post 	20"	26 1/2"	QRSBP261-() ()	\$507.	\$737.	\$848.	\$1,145.
		32 1/2"	QRSBP321-() ()	536.	774.	890.	1,201.
		38 1/2"	QRSBP381-() ()	579.	838.	964.	1,302.
		44 1/2"	QRSBP441-() ()	619.	900.	1,036.	1,399.
		50 1/2"	QRSBP501-() ()	653.	943.	1,085.	1,465.
		56 1/2"	QRSBP561-() ()	684.	992.	1,141.	1,540.
		62 1/2"	QRSBP621-() ()	713.	1,039.	1,195.	1,613.
		68 1/2"	QRSBP681-() ()	744.	1,078.	1,241.	1,675.
		74 1/2"	QRSBP741-() ()	783.	1,134.	1,305.	1,761.
		80 1/2"	QRSBP801-() ()	823.	1,195.	1,374.	1,855.
		86 1/2"	QRSBP861-() ()	859.	1,251.	1,439.	1,943.
		92 1/2"	QRSBP921-() ()	902.	1,307.	1,504.	2,029.
		98 1/2"	QRSBP981-() ()	966.	1,371.	1,577.	2,128.
		104 1/2"	QRSBP1041-() ()	1,029.	1,434.	1,649.	2,226.
		110 1/2"	QRSBP1101-() ()	1,093.	1,498.	1,721.	2,325.
	24"	26 1/2"	QRSBP262-() ()	561.	814.	936.	1,263.
		32 1/2"	QRSBP322-() ()	586.	851.	979.	1,321.
		38 1/2"	QRSBP382-() ()	629.	917.	1,054.	1,423.
		44 1/2"	QRSBP442-() ()	673.	975.	1,122.	1,514.
		50 1/2"	QRSBP502-() ()	703.	1,020.	1,173.	1,583.
		56 1/2"	QRSBP562-() ()	734.	1,064.	1,224.	1,652.
		62 1/2"	QRSBP622-() ()	766.	1,110.	1,277.	1,724.
		68 1/2"	QRSBP682-() ()	795.	1,154.	1,327.	1,791.
		74 1/2"	QRSBP742-() ()	836.	1,210.	1,392.	1,880.
		80 1/2"	QRSBP802-() ()	874.	1,269.	1,458.	1,969.
		86 1/2"	QRSBP862-() ()	915.	1,330.	1,530.	2,065.
		92 1/2"	QRSBP922-() ()	956.	1,386.	1,594.	2,153.
		98 1/2"	QRSBP982-() ()	1,020.	1,450.	1,668.	2,251.
		104 1/2"	QRSBP1042-() ()	1,083.	1,513.	1,741.	2,349.
		110 1/2"	QRSBP1102-() ()	1,146.	1,577.	1,813.	2,448.
	30"	26 1/2"	QRSBP263-() ()	631.	919.	1,056.	1,427.
		32 1/2"	QRSBP323-() ()	656.	952.	1,095.	1,478.
		38 1/2"	QRSBP383-() ()	690.	1,003.	1,154.	1,558.


Order Code	Specification Information	Application Notes
Example: QRSBP503RL	<i>To order please specify pattern number including:</i>	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
QR Reff Standare Special	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section in standard Reff price list.
S Straight top	2. Grommet option	1 3/4" tops require support at mid point to reduce spans to 66" or less.
B 1 3/4" thick	3. Top finish type	Mixed finish 1 3/4" tops are not post-formed.
P Post	4. Top finish	
50 24" wide	5. Grommet finish	
3 30" deep	1. Thickness options: B = 1 3/4"	
R Recessed grommet location	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
L Laminate finish	3. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
114 Folkstone grey	Applicable finishes are listed on page 97 and 98.	
111 Jet Black (grommet)	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Reff Worksurfaces

1 3/4" thick straight rectilinear + Post

Standard Specials Systems

description	d	w	pattern no.	lam.	M/V1	V2	V3
Straight rectilinear work top + Post 	30"	44 1/2"	QRSBP443-()()	\$725.	\$1,050.	\$1,207.	\$1,629.
		50 1/2"	QRSBP503-()()	759.	1,097.	1,261.	1,704.
		56 1/2"	QRSBP563-()()	784.	1,135.	1,306.	1,763.
		62 1/2"	QRSBP623-()()	816.	1,183.	1,361.	1,838.
		68 1/2"	QRSBP683-()()	847.	1,227.	1,410.	1,906.
		74 1/2"	QRSBP743-()()	887.	1,286.	1,480.	1,997.
		80 1/2"	QRSBP803-()()	928.	1,346.	1,548.	2,090.
		86 1/2"	QRSBP863-()()	965.	1,402.	1,612.	2,176.
		92 1/2"	QRSBP923-()()	1,004.	1,461.	1,680.	2,268.
		98 1/2"	QRSBP983-()()	1,068.	1,524.	1,753.	2,367.
		104 1/2"	QRSBP1043-()()	1,131.	1,587.	1,825.	2,464.
		110 1/2"	QRSBP1103-()()	1,195.	1,651.	1,898.	2,563.

Order Code	Specification Information	Application Notes
Example: QRSBP503RL	<i>To order please specify pattern number including:</i>	
QR Reff Standare Special	1. Top thickness	3. <i>Finish type:</i>
S Straight top	2. Grommet option	L = Laminate
B 1 3/4" thick	3. Top finish type	M = Wood/laminate mixed
P Post	4. Top finish	1 = V1
50 24" wide	5. Grommet finish	2 = V2
3 30" deep		3 = V3
R Recessed grommet location	1. <i>Thickness options:</i>	Applicable finishes are listed on page 97 and 98.
L Laminate finish	B = 1 3/4"	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
114 Folkstone grey	2. <i>Grommet options:</i>	
111 Jet Black (grommet)	N = No grommets	
	F = Flush front grommet location	
	R = Recessed front (not recommended for 20"D and 24"D tops)	

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Products on this page are shipped without hardware which must be ordered separately from the support components section in standard Reff price list.


1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Reff Worksurfaces
for calibre file
1 1/4" thick

Standard Specials Systems


description	d	w	pattern no.	lam.	M/V1	V2	V3
File top, 1 1/4" thick 	18"	30"	QRSAC3018-() ()	\$412.	\$451.	\$518.	\$699.
		36"	QRSAC3618-() ()	436.	476.	546.	739.
		42"	QRSAC4218-() ()	452.	497.	573.	773.
		48"	QRSAC4818-() ()	476.	515.	592.	799.
		54"	QRSAC5418-() ()	493.	536.	616.	832.
		60"	QRSAC6018-() ()	534.	580.	666.	899.
		66"	QRSAC6618-() ()	547.	597.	688.	928.
		72"	QRSAC7218-() ()	578.	629.	723.	976.
		78"	QRSAC7818-() ()	589.	636.	731.	987.
		84"	QRSAC8418-() ()	619.	681.	783.	1,056.
		90"	QRSAC9018-() ()	648.	707.	813.	1,097.
		96"	QRSAC9618-() ()	673.	733.	843.	1,138.
		102"	QRSAC10218-() ()	736.	796.	916.	1,236.
		108"	QRSAC10818-() ()	799.	860.	989.	1,335.
	36"	36"	QRSAC3636-() ()	673.	733.	843.	1,138.
		42"	QRSAC4236-() ()	697.	761.	874.	1,181.
		54"	QRSAC5436-() ()	723.	789.	906.	1,225.
		60"	QRSAC6036-() ()	748.	817.	939.	1,268.
		66"	QRSAC6636-() ()	774.	845.	971.	1,311.
		72"	QRSAC7236-() ()	799.	873.	1,004.	1,357.
		78"	QRSAC7836-() ()	863.	937.	1,077.	1,454.
		84"	QRSAC8436-() ()	926.	1,000.	1,151.	1,553.
		90"	QRSAC9036-() ()	990.	1,064.	1,224.	1,652.

Reff System

Order Code	Specification Information	Application Notes
Example: QRSAC3018	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
QR Reff Standard Special	1. Top thickness	List price for woodgrain laminate options will be current published laminate list price plus 10%.
S Straight top	2. Top finish type	Applicable finishes are listed on page 97 and 98.
A 1 1/4" thick	3. Top finish	
C For calibre file		
30 30" wide	1. Thickness options:	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
18 18" deep	A = 1 1/4"	Products on this page are exact width and depth and have no grommet or drilling.
L Laminate finish	B = 1 3/4"	Mixed finish 1 3/4" tops are not post-formed.
114 Folkstone grey	3. Finish type:	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

Reff Worksurfaces
for calibre file
1 3/4" thick

Standard Specials Systems

description	d	w	pattern no.	lam.	M/V1	V2	V3
File top, 1 3/4" thick 	18"	30"	QRSBC3018-()()	\$507.	\$737.	\$848.	\$1,145.
		36"	QRSBC3618-()()	536.	774.	890.	1,201.
		42"	QRSBC4218-()()	579.	838.	964.	1,302.
		48"	QRSBC4818-()()	619.	900.	1,036.	1,399.
		54"	QRSBC5418-()()	653.	943.	1,085.	1,465.
		60"	QRSBC6018-()()	684.	992.	1,141.	1,540.
		66"	QRSBC6618-()()	713.	1,039.	1,195.	1,613.
		72"	QRSBC7218-()()	744.	1,078.	1,241.	1,675.
		78"	QRSBC7818-()()	783.	1,134.	1,305.	1,761.
		84"	QRSBC8418-()()	823.	1,195.	1,374.	1,855.
		90"	QRSBC9018-()()	859.	1,251.	1,439.	1,943.
		96"	QRSBC9618-()()	902.	1,307.	1,504.	2,029.
		102"	QRSBC10218-()()	966.	1,371.	1,577.	2,128.
		108"	QRSBC10818-()()	1,029.	1,434.	1,649.	2,226.
	36"	36"	QRSBC3636-()()	801.	1,170.	1,346.	1,816.
		42"	QRSBC4236-()()	827.	1,204.	1,384.	1,869.
		54"	QRSBC5436-()()	852.	1,238.	1,424.	1,923.
		60"	QRSBC6036-()()	878.	1,273.	1,464.	1,976.
		66"	QRSBC6636-()()	902.	1,307.	1,504.	2,029.
		72"	QRSBC7236-()()	971.	1,407.	1,618.	2,184.
		78"	QRSBC7836-()()	1,034.	1,471.	1,691.	2,282.
		84"	QRSBC8436-()()	1,098.	1,534.	1,763.	2,381.
		90"	QRSBC9036-()()	1,161.	1,597.	1,836.	2,479.

Order Code	Specification Information	Application Notes
Example: QRSBC3018	<i>To order please specify pattern number including:</i>	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
QR Reff Standard Special	1. Top thickness	Products on this page are exact width and depth and have no grommet or drilling.
S Straight top	2. Top finish type	
B 1 3/4" thick	3. Top finish	
C For calibre file		Mixed finish 1 3/4" tops are not post-formed.
30 30" wide		
18 18" deep		
L Laminate finish		
114 Folkstone grey		

1. Thickness options:

A = 1 1/4"

B = 1 3/4"

3. Finish type:

L = Laminate
M = Wood/laminate mixed



1 = V1

2 = V2

3 = V3

Applicable finishes are listed on page 97 and 98.

*1 1/4" thick extended curvilinear corner tops**Left hand*

description	w	d	pattern no.	lam.	M/V1	V2	V3
Extended corner worktop, LH 24" deep return, 30" deep rounded 	36"	60"	QRCCDLA23660 () () ()	\$2,049.	\$2,718.	\$3,126.	\$4,220.
		66"	QRCCDLA23666 () () ()	2,133.	2,831.	3,256.	4,395.
		90"	QRCCDLA23690 () () ()	2,401.	3,186.	3,663.	4,946.
	42"	60"	QRCCDLA24260 () () ()	2,280.	2,984.	3,431.	4,632.
		66"	QRCCDLA24266 () () ()	2,324.	3,041.	3,497.	4,720.
		72"	QRCCDLA24272 () () ()	2,367.	3,097.	3,562.	4,809.
		78"	QRCCDLA24278 () () ()	2,408.	3,153.	3,627.	4,896.
		84"	QRCCDLA24284 () () ()	2,498.	3,272.	3,763.	5,081.
		90"	QRCCDLA24290 () () ()	2,545.	3,333.	3,834.	5,176.
		96"	QRCCDLA24296 () () ()	2,590.	3,394.	3,903.	5,268.
	48"	60"	QRCCDLA24860 () () ()	2,471.	3,193.	3,672.	4,957.
		66"	QRCCDLA24866 () () ()	2,513.	3,250.	3,737.	5,045.
		72"	QRCCDLA24872 () () ()	2,556.	3,306.	3,803.	5,134.
		78"	QRCCDLA24878 () () ()	2,599.	3,363.	3,867.	5,220.
		84"	QRCCDLA24884 () () ()	2,687.	3,481.	4,005.	5,405.
		90"	QRCCDLA24890 () () ()	2,735.	3,542.	4,073.	5,498.
		96"	QRCCDLA24896 () () ()	2,781.	3,603.	4,144.	5,594.
Extended corner worktop, LH 30" deep return, 30" deep rounded 	36"	60"	QRCCDLA33660 () () ()	2,049.	2,718.	3,126.	4,220.
		66"	QRCCDLA33666 () () ()	2,133.	2,831.	3,256.	4,395.
		90"	QRCCDLA33690 () () ()	2,401.	3,186.	3,663.	4,946.
	42"	60"	QRCCDLA34260 () () ()	2,280.	2,984.	3,431.	4,632.
		66"	QRCCDLA34266 () () ()	2,324.	3,041.	3,497.	4,720.
		72"	QRCCDLA34272 () () ()	2,367.	3,097.	3,562.	4,809.
		78"	QRCCDLA34278 () () ()	2,408.	3,153.	3,627.	4,896.
		84"	QRCCDLA34284 () () ()	2,498.	3,272.	3,763.	5,081.
		90"	QRCCDLA34290 () () ()	2,545.	3,333.	3,834.	5,176.
		96"	QRCCDLA34296 () () ()	2,590.	3,394.	3,903.	5,268.
	48"	60"	QRCCDLA34860 () () ()	2,471.	3,193.	3,672.	4,957.
		66"	QRCCDLA34866 () () ()	2,513.	3,250.	3,737.	5,045.
		72"	QRCCDLA34872 () () ()	2,556.	3,306.	3,803.	5,134.
		78"	QRCCDLA34878 () () ()	2,599.	3,363.	3,867.	5,220.
		84"	QRCCDLA34884 () () ()	2,687.	3,481.	4,005.	5,405.
		90"	QRCCDLA34890 () () ()	2,735.	3,542.	4,073.	5,498.
		96"	QRCCDLA34896 () () ()	2,781.	3,603.	4,144.	5,594.

Order Code

Specification Information

Example:	QRCCDLA23660N2
QR	Reff Standard Special
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

To order please specify pattern number including:



1. Depth
 2. Grommet option
 3. Finish type
 4. Finish
 5. Grommet finish
2. Grommet options:
N = No grommets
F = Flush front grommet location

3. Finish type:
L = Laminate
M = Mixed (laminate surface with wood edge)
1 = V1
2 = V2
3 = V3

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 97 and 98.

*1 1/4" thick extended curvilinear corner tops
right hand*

description	w	d	pattern no.	lam.	M/V1	V2	V3
Extended corner worktop, RH 24" deep return, 30" deep rounded 	36"	60"	QRCCDRA23660 () () ()	\$2,049.	\$2,718.	\$3,126.	\$4,220.
		66"	QRCCDRA23666 () () ()	2,133.	2,831.	3,256.	4,395.
		90"	QRCCDRA23690 () () ()	2,401.	3,186.	3,663.	4,946.
	42"	60"	QRCCDRA24260 () () ()	2,280.	2,984.	3,431.	4,632.
		66"	QRCCDRA24266 () () ()	2,324.	3,041.	3,497.	4,720.
		72"	QRCCDRA24272 () () ()	2,367.	3,097.	3,562.	4,809.
		78"	QRCCDRA24278 () () ()	2,408.	3,153.	3,627.	4,896.
		84"	QRCCDRA24284 () () ()	2,498.	3,272.	3,763.	5,081.
		90"	QRCCDRA24290 () () ()	2,545.	3,333.	3,834.	5,176.
		96"	QRCCDRA24296 () () ()	2,590.	3,394.	3,903.	5,268.
	48"	60"	QRCCDRA24860 () () ()	2,471.	3,193.	3,672.	4,957.
		66"	QRCCDRA24866 () () ()	2,513.	3,250.	3,737.	5,045.
		72"	QRCCDRA24872 () () ()	2,556.	3,306.	3,803.	5,134.
		78"	QRCCDRA24878 () () ()	2,599.	3,363.	3,867.	5,220.
		84"	QRCCDRA24884 () () ()	2,687.	3,481.	4,005.	5,405.
		90"	QRCCDRA24890 () () ()	2,735.	3,542.	4,073.	5,498.
		96"	QRCCDRA24896 () () ()	2,781.	3,603.	4,144.	5,594.
Extended corner worktop, RH 30" deep return, 30" deep rounded 	36"	60"	QRCCDRA33660 () () ()	2,049.	2,718.	3,126.	4,220.
		66"	QRCCDRA33666 () () ()	2,133.	2,831.	3,256.	4,395.
		90"	QRCCDRA33690 () () ()	2,401.	3,186.	3,663.	4,946.
	42"	60"	QRCCDRA34260 () () ()	2,280.	2,984.	3,431.	4,632.
		66"	QRCCDRA34266 () () ()	2,324.	3,041.	3,497.	4,720.
		72"	QRCCDRA34272 () () ()	2,367.	3,097.	3,562.	4,809.
		78"	QRCCDRA34278 () () ()	2,408.	3,153.	3,627.	4,896.
		84"	QRCCDRA34284 () () ()	2,498.	3,272.	3,763.	5,081.
		90"	QRCCDRA34290 () () ()	2,545.	3,333.	3,834.	5,176.
		96"	QRCCDRA34296 () () ()	2,590.	3,394.	3,903.	5,268.
	48"	60"	QRCCDRA34860 () () ()	2,471.	3,193.	3,672.	4,957.
		66"	QRCCDRA34866 () () ()	2,513.	3,250.	3,737.	5,045.
		72"	QRCCDRA34872 () () ()	2,556.	3,306.	3,803.	5,134.
		78"	QRCCDRA34878 () () ()	2,599.	3,363.	3,867.	5,220.
		84"	QRCCDRA34884 () () ()	2,687.	3,481.	4,005.	5,405.
		90"	QRCCDRA34890 () () ()	2,735.	3,542.	4,073.	5,498.
		96"	QRCCDRA34896 () () ()	2,781.	3,603.	4,144.	5,594.

Order Code

Specification Information

Example:	QRCCDRA23660N2
QR	Reff Standard Special
CC	Curved corner
D	D top
R	Right Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

To order please specify pattern number including:

1. Depth
 2. Grommet option
 3. Finish type
 4. Finish
 5. Grommet finish
2. Grommet options:
N = No grommets
F = Flush front grommet location


3. Finish type:
L = Laminate
M = Mixed (laminate surface with wood edge)
1 = V1
2 = V2
3 = V3

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 97 and 98.

*1 1/4" thick extended straight corner tops
left and right hand*

description	d	w	pattern no.	lam.	M/V1	V2	V3
Extended straight corner top, LH curved front corner 12" radius 24" deep return	54"	36"	QRCEAL223654 () () ()	\$790.	\$1,167.	\$1,342.	\$1,812.
	54"	42"	QRCEAL224254 () () ()	868.	1,288.	1,481.	1,999.
	60"	48"	QRCEAL224860 () () ()	1,028.	1,539.	1,770.	2,389.
	66"	36"	QRCEAL223666 () () ()	948.	1,414.	1,627.	2,196.
	66"	42"	QRCEAL224266 () () ()	1,027.	1,539.	1,770.	2,389.
	66"	48"	QRCEAL224866 () () ()	1,106.	1,662.	1,912.	2,581.
	78"	36"	QRCEAL223678 () () ()	1,011.	1,560.	1,794.	2,423.
	78"	42"	QRCEAL224278 () () ()	1,091.	1,684.	1,936.	2,614.
	78"	48"	QRCEAL224878 () () ()	1,264.	1,912.	2,198.	2,967.
	84"	36"	QRCEAL223684 () () ()	1,074.	1,706.	1,961.	2,648.
	84"	42"	QRCEAL224284 () () ()	1,154.	1,830.	2,104.	2,841.
	90"	36"	QRCEAL223690 () () ()	1,138.	1,851.	2,129.	2,874.
	90"	42"	QRCEAL224290 () () ()	1,217.	1,976.	2,272.	3,067.
	90"	48"	QRCEAL224890 () () ()	1,452.	2,202.	2,533.	3,420.
	96"	36"	QRCEAL223696 () () ()	1,201.	1,997.	2,297.	3,100.
	96"	42"	QRCEAL224296 () () ()	1,280.	2,122.	2,441.	3,294.



Extended straight corner top, RH
curved front corner 12" radius
24" deep return



Extended straight corner top, RH curved front corner 12" radius 24" deep return	54"	36"	QRCEAR223654 () () ()	790.	1,167.	1,342.	1,812.
	54"	42"	QRCEAR224254 () () ()	868.	1,288.	1,481.	1,999.
	60"	48"	QRCEAR224860 () () ()	1,028.	1,539.	1,770.	2,389.
	66"	36"	QRCEAR223666 () () ()	948.	1,414.	1,627.	2,196.
	66"	42"	QRCEAR224266 () () ()	1,027.	1,539.	1,770.	2,389.
	66"	48"	QRCEAR224866 () () ()	1,106.	1,662.	1,912.	2,581.
	78"	36"	QRCEAR223678 () () ()	1,011.	1,560.	1,794.	2,423.
	78"	42"	QRCEAR224278 () () ()	1,091.	1,684.	1,936.	2,614.
	78"	48"	QRCEAR224878 () () ()	1,264.	1,912.	2,198.	2,967.
	84"	36"	QRCEAR223684 () () ()	1,074.	1,706.	1,961.	2,648.
	84"	42"	QRCEAR224284 () () ()	1,154.	1,830.	2,104.	2,841.
	90"	36"	QRCEAR223690 () () ()	1,138.	1,851.	2,129.	2,874.
	90"	42"	QRCEAR224290 () () ()	1,217.	1,976.	2,272.	3,067.
	90"	48"	QRCEAR224890 () () ()	1,452.	2,202.	2,533.	3,420.
	96"	36"	QRCEAR223696 () () ()	1,201.	1,997.	2,297.	3,100.
	96"	42"	QRCEAR224296 () () ()	1,280.	2,122.	2,441.	3,294.

Order Code

Example:	QRCEAL223654N2
QR	Reff Standard Special
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
54	54" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

N = No grommets
F = Flush front grommet location

6. Finish type:


L = Laminate
M = Mixed (laminated surface with wood edge)
1 = V1
2 = V2
3 = V3

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 97 and 98.

Meeting tops



1 1/4" thick

description	w	d	pattern no.	lam.	M/V1	V2	V3
Worksurface 9-top	54"	30"	QRM9A5430 N () () ()	\$1,803.	\$1,957.	\$2,250.	\$3,037.
	54"	36"	QRM9A5436 N () () ()	1,803.	1,957.	2,250.	3,037.
	60"	30"	QRM9A6030 N () () ()	1,828.	1,985.	2,281.	3,082.
	60"	36"	QRM9A6036 N () () ()	1,828.	1,985.	2,281.	3,082.
42" diameter	66"	30"	QRM9A6630 () () ()	1,852.	2,013.	2,314.	3,124.
	66"	36"	QRM9A6636 () () ()	1,852.	2,013.	2,314.	3,124.
	72"	30"	QRM9A7230 () () ()	1,879.	2,040.	2,346.	3,167.
	72"	36"	QRM9A7236 () () ()	1,879.	2,040.	2,346.	3,167.
	78"	30"	QRM9A7830 () () ()	1,904.	2,068.	2,378.	3,212.
	78"	36"	QRM9A7836 () () ()	1,904.	2,068.	2,378.	3,212.
	84"	36"	QRM9A8436 () () ()	1,957.	2,130.	2,450.	3,307.
	96"	36"	QRM9A9636 () () ()	1,983.	2,158.	2,482.	3,351.
Worksurface P-top	54"	30"	QRMPA5430 N () () ()	1,803.	1,957.	2,250.	3,037.
	54"	36"	QRMPA5436 N () () ()	1,803.	1,957.	2,250.	3,037.
	60"	30"	QRMPA6030 N () () ()	1,828.	1,985.	2,281.	3,082.
	60"	36"	QRMPA6036 N () () ()	1,828.	1,985.	2,281.	3,082.
42" diameter	66"	30"	QRMPA6630 () () ()	1,852.	2,013.	2,314.	3,124.
	66"	36"	QRMPA6636 () () ()	1,852.	2,013.	2,314.	3,124.
	72"	30"	QRMPA7230 () () ()	1,879.	2,040.	2,346.	3,167.
	72"	36"	QRMPA7236 () () ()	1,879.	2,040.	2,346.	3,167.
	78"	30"	QRMPA7830 () () ()	1,904.	2,068.	2,378.	3,212.
	78"	36"	QRMPA7836 () () ()	1,904.	2,068.	2,378.	3,212.
	84"	36"	QRMPA8436 () () ()	1,957.	2,130.	2,450.	3,307.
	96"	36"	QRMPA9636 () () ()	1,983.	2,158.	2,482.	3,351.

Order Code	Specification Information	Application Information
Example: QRMPA5430N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
QR Reff Standard Special	1. Top thickness	Product on this page will accept woodgrain laminate where laminate is currently an option.
M9 Meeting 9-top	2. Width	List price for woodgrain laminate options will be current published laminate list price plus 10%.
A 1 1/4" thick	3. Depth	Applicable finishes are listed on page 97 and 98.
54 54" wide	4. Grommet option	See Planning Guide for standard grommet locations.
30 30" deep	5. Top finish type	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
N No grommet	6. Top finish	
1 V1	7. Grommet finish	
Y311 Beech	1. Thickness options: A = 1 1/4" B = 1 3/4"	Refer to Planning Guide for modesty panel size requirements and all other support options. 1 3/4" laminate tops on this page are edge banded to match post-formed contours. Products on this page are shipped without hardware which must be ordered separately from the support components section in standard Reff price list. 1 1/4" tops require support at mid point to reduce 48" spans or less. 1 3/4" tops require support at mid point to reduce spans to 66" or less. Mixed finish 1 3/4" tops are not post-formed.
	4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location	
	5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Meeting tops

1 3/4" thick

description	w	d	pattern no.	lam.	M/V1	V2	V3
 42" diameter	54"	30"	QRMPB5430 N () ()	\$1,993.	\$2,441.	\$2,807.	\$3,788.
	54"	36"	QRMPB5436 N () ()	1,993.	2,441.	2,807.	3,788.
	60"	30"	QRMPB6030 N () ()	2,019.	2,469.	2,839.	3,833.
	60"	36"	QRMPB6036 N () ()	2,019.	2,469.	2,839.	3,833.
	66"	30"	QRMPB6630 () () ()	2,045.	2,497.	2,871.	3,876.
	66"	36"	QRMPB6636 () () ()	2,045.	2,497.	2,871.	3,876.
	72"	30"	QRMPB7230 () () ()	2,069.	2,525.	2,904.	3,918.
	72"	36"	QRMPB7236 () () ()	2,069.	2,525.	2,904.	3,918.
	78"	30"	QRMPB7830 () () ()	2,095.	2,552.	2,936.	3,962.
	78"	36"	QRMPB7836 () () ()	2,095.	2,552.	2,936.	3,962.
	84"	36"	QRMPB8436 () () ()	2,154.	2,631.	3,025.	4,084.
 42" diameter	54"	30"	QRMPB5430 N () ()	1,993.	2,441.	2,807.	3,788.
	54"	36"	QRMPB5436 N () ()	1,993.	2,441.	2,807.	3,788.
	60"	30"	QRMPB6030 N () ()	2,019.	2,469.	2,839.	3,833.
	60"	36"	QRMPB6036 N () ()	2,019.	2,469.	2,839.	3,833.
	66"	30"	QRMPB6630 () () ()	2,045.	2,497.	2,871.	3,876.
	66"	36"	QRMPB6636 () () ()	2,045.	2,497.	2,871.	3,876.
	72"	30"	QRMPB7230 () () ()	2,069.	2,525.	2,904.	3,918.
	72"	36"	QRMPB7236 () () ()	2,069.	2,525.	2,904.	3,918.
	78"	30"	QRMPB7830 () () ()	2,095.	2,552.	2,936.	3,962.
	78"	36"	QRMPB7836 () () ()	2,095.	2,552.	2,936.	3,962.
	84"	36"	QRMPB8436 () () ()	2,154.	2,631.	3,025.	4,084.
	96"	36"	QRMPB9636 () () ()	2,179.	2,658.	3,058.	4,128.

Order Code

Specification Information

Application Notes

Example: **QRMPB5430N1****QR** Reff Standard Special**MP** Meeting P-top**B** 1 3/4" thick**54** 54" wide**30** 30" deep**N** No grommet**1** V1**Y311** Beech

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish

1. Thickness options:

A = 1 1/4"

B = 1 3/4"

4. Grommet options:

N = No grommet

F = Flush front grommet location

R = Recessed grommet location

5. Finish type:

L = Laminate

M = Wood/laminate mixed

1 = V1

2 = V2

3 = V3

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.

A = Flat

B = Square

C = Bullnose

E = Extruded Aluminum

Applicable finishes are listed on page 97 and 98.

See Planning Guide for standard grommet locations.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

Reff Worksurfaces

straight front corner tops

Standard Specials Systems

description	Return d	d	Back w	w	pattern no.	lam.	M/V1	V2	V3
1 1/4" thick corner worksurface straight front corners	24"	30"	36"	36"	QRKA 363623-() ()	\$878.	\$985.	\$1,132.	\$1,529.
	24"	30"	36"	42"	QRKA 364223-() ()	922.	1,039.	1,195.	1,613.
	24"	30"	42"	36"	QRKA 423623-() ()	922.	1,039.	1,195.	1,613.
	24"	30"	42"	42"	QRKA 424223-() ()	971.	1,095.	1,259.	1,701.
	24"	30"	42"	48"	QRKA 424823-() ()	1,049.	1,183.	1,361.	1,838.
	24"	30"	48"	42"	QRKA 484223-() ()	1,049.	1,183.	1,361.	1,838.
	24"	30"	48"	48"	QRKA 484823-() ()	1,102.	1,241.	1,427.	1,926.
	30"	24"	36"	36"	QRKA 363632-() ()	878.	985.	1,132.	1,529.
	30"	24"	36"	42"	QRKA 364232-() ()	922.	1,039.	1,195.	1,613.
	30"	24"	42"	36"	QRKA 423632-() ()	922.	1,039.	1,195.	1,613.
	30"	24"	42"	42"	QRKA 424232-() ()	971.	1,095.	1,259.	1,701.
	30"	24"	42"	48"	QRKA 424832-() ()	1,049.	1,183.	1,361.	1,838.
	30"	24"	48"	42"	QRKA 484232-() ()	1,049.	1,183.	1,361.	1,838.
	30"	24"	48"	48"	QRKA 484832-() ()	1,102.	1,241.	1,427.	1,926.
	30"	30"	42"	42"	QRKA 424233-() ()	971.	1,095.	1,259.	1,701.
	30"	30"	48"	48"	QRKA 484833-() ()	1,102.	1,241.	1,427.	1,926.

1 3/4" thick corner worksurface straight front corners	24"	30"	36"	36"	QRKB 363623-() ()	1,049.	1,330.	1,530.	2,065.
	24"	30"	36"	42"	QRKB 364223-() ()	1,105.	1,387.	1,595.	2,154.
	24"	30"	42"	36"	QRKB 423623-() ()	1,105.	1,387.	1,595.	2,154.
	24"	30"	42"	42"	QRKB 424223-() ()	1,167.	1,457.	1,677.	2,263.
	24"	30"	42"	48"	QRKB 424823-() ()	1,262.	1,561.	1,795.	2,425.
	24"	30"	48"	42"	QRKB 484223-() ()	1,262.	1,561.	1,795.	2,425.
	24"	30"	48"	48"	QRKB 484823-() ()	1,324.	1,630.	1,875.	2,531.
	30"	24"	36"	36"	QRKB 363632-() ()	1,049.	1,330.	1,530.	2,065.
	30"	24"	36"	42"	QRKB 364232-() ()	1,105.	1,387.	1,595.	2,154.
	30"	24"	42"	36"	QRKB 423632-() ()	1,105.	1,387.	1,595.	2,154.
	30"	24"	42"	42"	QRKB 424232-() ()	1,167.	1,457.	1,677.	2,263.
	30"	24"	42"	48"	QRKB 424832-() ()	1,262.	1,561.	1,795.	2,425.
	30"	24"	48"	42"	QRKB 484232-() ()	1,262.	1,561.	1,795.	2,425.
	30"	24"	48"	48"	QRKB 484832-() ()	1,324.	1,630.	1,875.	2,531.
	30"	30"	42"	42"	QRKB 424233-() ()	1,167.	1,457.	1,677.	2,263.
	30"	30"	48"	48"	QRKB 484833-() ()	1,324.	1,630.	1,875.	2,531.

Order Code	Specification Information	Application Notes
Example: QRKB363623N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
QR Reff Standard Special	1. Top thickness	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
K Straight front corner	2. Left hand width	
B 1 3/4" top thickness	3. Right hand width	
36 36" wide on left back	4. Return left hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide on right back	5. Return right hand depth	
2 24" deep on left side	6. Grommet option	
3 30" deep on right side	7. Finish type	Mixed finish 1 3/4" tops are not post-formed.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	
Y324 Ash	<i>1. Top thickness:</i> A = 1 1/4" B = 1 3/4"	
	<i>6. Grommet options:</i> N = No grommets F = Standard corner location	
	<i>7. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Actual widths are 1/16" less all around on corner worksurfaces.

1 1/4" Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 97 and 98.

Reff Worksurfaces

curvilinear corner tops

Standard Specials Systems

description	Return d	d	Back w	w	pattern no.	lam.	M/V1	V2	V3
1 1/4" thick corner worksurface curved front corners	24"	30"	36"	36"	QRCA 363623-() ()	\$878.	\$985.	\$1,132.	\$1,529.
	24"	30"	36"	42"	QRCA 364223-() ()	922.	1,039.	1,195.	1,613.
	24"	30"	42"	36"	QRCA 423623-() ()	922.	1,039.	1,195.	1,613.
	24"	30"	42"	42"	QRCA 424223-() ()	971.	1,095.	1,259.	1,701.
	24"	30"	42"	48"	QRCA 424823-() ()	1,049.	1,183.	1,361.	1,838.
	24"	30"	48"	42"	QRCA 484223-() ()	1,049.	1,183.	1,361.	1,838.
	24"	30"	48"	48"	QRCA 484823-() ()	1,102.	1,241.	1,427.	1,926.
	30"	24"	36"	36"	QRCA 363632-() ()	878.	985.	1,132.	1,529.
	30"	24"	36"	42"	QRCA 364232-() ()	922.	1,039.	1,195.	1,613.
	30"	24"	42"	36"	QRCA 423632-() ()	922.	1,039.	1,195.	1,613.
	30"	24"	42"	42"	QRCA 424232-() ()	971.	1,095.	1,259.	1,701.
	30"	24"	42"	48"	QRCA 424832-() ()	1,049.	1,183.	1,361.	1,838.
	30"	24"	48"	42"	QRCA 484232-() ()	1,049.	1,183.	1,361.	1,838.
	30"	24"	48"	48"	QRCA 484832-() ()	1,102.	1,241.	1,427.	1,926.
	30"	30"	42"	42"	QRCA 424233-() ()	971.	1,095.	1,259.	1,701.
	30"	30"	48"	48"	QRCA 484833-() ()	1,102.	1,241.	1,427.	1,926.



Reff System

Order Code	Specification Information	Application Notes
Example: QRCA363636N1	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
QR Reff Standard Special	1. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	2. Right hand width	Curvilinear worksurfaces only available in 1 1/4" thick.
A 1 1/4" thick	3. Return left hand depth	See Planning Guide for grommet locations.
36 36" wide on left back	4. Return right hand depth	
36 36" wide on right back	5. Grommet option	
2 24" deep on left side	6. Top finish type	
3 30" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	5. <i>Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	6. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 97 and 98.

Reff Worksurfaces

split curvilinear corner tops

Standard Specials Systems

description	Return d	d	Back w	w	pattern no.	lam.	M/V1	V2	V3
1 1/4" thick split curvilinear corner worksurface with 10" D split front	24"	24"	36"	36"	QRCAS 363622-()()	\$1,511.	\$1,617.	\$1,860.	\$2,511.
	24"	24"	42"	42"	QRCAS 424222-()()	1,605.	1,728.	1,988.	2,683.
	24"	24"	48"	48"	QRCAS 484822-()()	1,736.	1,874.	2,155.	2,910.
	30"	30"	42"	42"	QRCAS 424233-()()	1,605.	1,728.	1,988.	2,683.
	30"	30"	48"	48"	QRCAS 484833-()()	1,736.	1,874.	2,155.	2,910.



NOTE: Split Top Mechanism to be ordered separately from the Interaction Price List


Order IBST18 split-top mechanism for QRCAS363622, QRCAS424233

Order IBST22 split-top mechanism for QRCAS424222, QRCAS484822

Order IBST28 split-top mechanism for QRCAS484833

Order Code	Specification Information	Application Notes
Example: QRCAS363622N1	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
QR Reff Standard Special	1. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	2. Right hand width	Curvilinear worksurfaces only available in 1 1/4" thick.
A 1 1/4" thick	3. Return left hand depth	See Planning Guide for grommet locations.
S Split Top	4. Return right hand depth	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
36 36" wide on left back	5. Grommet option	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
36 36" wide on right back	6. Top finish type	Please call Custom Product Development for special grommet locations.
2 24" deep on left side	7. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
2 24" deep on right side	8. Grommet finish	List price for woodgrain laminate options will be current published laminate list price plus 10%.
N No grommet	5. <i>Grommet options:</i>	Applicable finishes are listed on page 97 and 98.
1 V1 finish	N = No grommets	
Y324 Ash	F = Standard corner location	
	6. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

description	d	pattern no.	P1	P2	P3
Cantilever bracket, panel hung	11"	QRBC11 (L/R)	\$104.		
	18"	RBC18 (L/R)	93.	97.	101.
specify paint finish					




Corner top corner bracket	RBCC	19.
available in black only		



Order Code	Specification Information	Application Notes
Example: QRBC11L 115	<i>To order please specify pattern number including:</i> 1. Left or right-hand, where applicable. 2. Finish	Applicable finishes are listed on page 97 and 98.
QR Reff Standard Special		
B Bracket		
C Cantilever		
11 18" deep		
L Left hand		
115 Medium Grey		

*Optional edge worksurface tops**1 1/4" thick curvilinear corner**2" Waterfall edge detail front only*

description	d left	d right	w left	w right	pattern no.	V1	V2	V3
Curved corner work top	20"	20"	48"	48"	QRCAWF484811 () () ()	\$2,535.	\$2,915.	\$3,936.
Profile edge on front only	20"	24"	48"	48"	QRCAWF484812 () () ()	2,622.	3,015.	4,071.
	24"	20"	48"	48"	QRCAWF484821 () () ()	2,622.	3,015.	4,071.
	24"	24"	48"	48"	QRCAWF484822 () () ()	2,790.	3,209.	4,333.




Radii of front edge varies with top dimensions

Order Code	Specification Information	Application Notes
Example: QRCAWF484811F2	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
QR Reff Standard Special	1. Grommet option	Curvilinear worksurfaces only available in 1 1/4" thick.
C Curved front corner	2. Top finish type	See Planning Guide for grommet locations.
A 1 1/4" thick	3. Top finish	Waterfall tops cannot be specified with semi-open pore finish.
WF Waterfall front	4. Grommet finish	
48 48" wide on left back	<i>1. Grommet options:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
48 48" wide on right back	N = No grommet	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
1 20" deep on left side	F = Standard corner location	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
1 20" deep on right side	<i>2. Finish type:</i>	
F Standard grommet	1 = V1	
2 V2 finish	2 = V2	
V319 Medium cherry	3 = V3	
111 Jet Black (grommet)	Applicable finishes are listed on page 97 and 98.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

conference room tops




1 1/4" and 1 3/4" thick round - No Grommets - No Drilling

description	h	dia	pattern no.	lam.	M/V1	V2	V3
Round tops 	1 1/4"	24"	QRTA2424 () ()	\$718.	\$782.	\$898.	\$1,212.
		30"	QRTA3030 () ()	750.	816.	938.	1,267.
		54"	QRTA5454 () () *	2,245.	2,441.	2,807.	3,788.
	1 3/4"	* top in two pieces					
		24"	QRTB2424 () ()	868.	1,255.	1,442.	1,948.
		30"	QRTB3030 () ()	900.	1,289.	1,482.	2,001.
		54"	QRTB5454 () () *	2,693.	3,372.	3,878.	5,235.
		* top in two pieces					

Order Code	Specification Information	Application Notes
Example: QRTA30302	<i>To order please specify pattern number including:</i>	Top to top brackets included.
QR Reff Standard Special	1. Top thickness	See table base matrix in Planning Guide pages 140 and 141.
T Rounded top	2. Width	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Depth	Tops have no radius on edges that adjoin.
36 36" wide	4. Finish type	1 3/4" tops require support at mid point to reduce spans to 66" or less.
30 30" deep	5. Finish	Laminate and mixed finish 1 3/4" tops on this page are not post formed.
2 V2 finish	<i>1. Thickness options:</i>	
V319 Medium cherry	A = 1 1/4"	
	B = 1 3/4"	
	<i>4. Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	*Round tops in two pieces.	
		All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		1 1/4" Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
		Applicable finishes are listed on page 97 and 98.

Reff Worksurfaces
conference room tops
1 1/4" thick
round and racetrack with 2" waterfall edge



Standard Specials Systems

description	w	d	pattern no.	V1	V2	V3
Round top 	48"	48"	QRTAW4848 () ()	\$3,544.	\$4,075.	\$5,501.
Racetrack top- 1 piece 	96"	48"	QRTAW9648 () ()	10,211.	11,743.	15,852.
Racetrack top- 2 piece	120"	48"	QRTAW12048 () ()	11,323.	13,022.	17,579.
Profile edge on all sides except on parting lines 	144"	48"	QRTAW14448 () ()	12,291.	14,135.	19,082.
Racetrack top- 3 piece	168"	48"	QRTAW16848 () ()	15,563.	17,897.	24,163.
Profile edge on all sides except on parting lines 	192"	48"	QRTAW19248 () ()	16,533.	19,013.	25,667.

Order Code	Specification Information	Application Notes
Example: QRTAW96482	<i>To order please specify pattern number including:</i>	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
QR Reff Standard Speical	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
T Racetrack top	2. Finish type	Top to top brackets included.
A 1 1/4" thick	3. Finish	Tops have no radius on edges that adjoin.
W Waterfall all sides	1. Thickness option: A = 1 1/4"	See table base matrix in Planning Guide for base supports recommended.
96 96" wide	2. Finish type: 1 = V1	1 1/4" tops require support at mid point to reduce spans to 48" or less.
42 42" deep	2 = V2	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	3 = V3	
V319 Medium cherry	Applicable finishes are listed on page 97 and 98.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Reff Worksurfaces
conference room tops
1 1/4" thick
square and rectangular with 2" waterfall edge

Standard Specials Systems

description	w	d	pattern no.	V1	V2	V3
Square top 	48"	48"	QRRRAW4848 ()()	\$3,115.	\$3,581.	\$4,835.
Rectangular top- 1 piece 	96"	48"	QRRRAW9648 ()()	6,963.	8,007.	10,811.
Rectangular top- 2 piece Profile edge on all sides except on parting lines 	120"	48"	QRRRAW12048 ()()	9,779.	11,246.	15,181.
	144"	48"	QRRRAW14448 ()()	10,719.	12,327.	16,642.
Rectangular top- 3 piece Profile edge on all sides except on parting lines 	168"	48"	QRRRAW16848 ()()	13,765.	15,829.	21,369.
	192"	48"	QRRRAW19248 ()()	14,703.	16,910.	22,827.


Order Code	Specification Information	Application Notes
Example: QRRRAW96482	<i>To order please specify pattern number including:</i>	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
QR Reff Standard Special	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Rectangular	2. Finish type	Top to top brackets included.
A 1 1/4" thick	3. Finish	Tops have no radius on edges that adjoin.
W Waterfall all sides	1. <i>Thickness option:</i>	See table base matrix in Planning Guide for base supports recommended.
96 96" wide	A = 1 1/4"	1 1/4" tops require support at mid point to reduce spans to 48" or less.
48 48" deep	2. <i>Finish type:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 97 and 98.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Reff support components end panels


Standard Specials Systems

description	d	w	h	pattern no.	lam.	M/V1	V2	V3
-------------	---	---	---	-------------	------	------	----	----

Endpanel, for use in building flush or cantilevered worksurfaces. Standard height	1"	35"	26 1/2"	QRE35F-() ()	\$298.	\$490.	\$564.	\$761.
---	----	-----	---------	-----------------------	--------	--------	--------	--------




Endpanel, for use in building flush or cantilevered worksurfaces. Desk height	1"	35"	28 3/8"	QREDH35F-() ()	312.	515.	592.	799.
---	----	-----	---------	-------------------------	------	------	------	------




Endpanel, for recessed modesty worksurfaces. Standard height	1"	24"	26 1/2"	QRE24-() ()	561.	913.	1,050.	1,416.
--	----	-----	---------	----------------------	------	------	--------	--------

*sold in pairs
with 3" recess*



Endpanel, for recessed modesty worksurfaces. Desk height	1"	24"	28 3/8"	QREDH24-() ()	589.	959.	1,102.	1,487.
--	----	-----	---------	------------------------	------	------	--------	--------

*sold in pairs
with 3" recess*




Order Code	Specification Information	Application Notes		
Example: QRE35FL118	<i>To order please specify pattern number including:</i> 1. <i>Finish type</i> 2. <i>Finish</i>	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	Glides ship with all supports on this page except the recessed modesty panel. Please see Planning Guide for freestanding planning instruction.	
QR				Reff Standard Special
E				End panel
35				35" panel dimension
F	Flush modesty placement	Applicable finishes are listed on page 97 and 98.		
L	Laminate			
118	Bright White			
	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	End panels come with all hardware necessary to attach to tops and each		

Reff support components modesty panels


Standard Specials Systems

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness (standard height)	1"	102"	26 1/2"	QRB102(M/H)(F/R)() ()	\$736.	\$1,011.	\$1,162.	\$1,569.
	1"	108"	26 1/2"	QRB108(M/H)(F/R)() ()	800.	1,079.	1,241.	1,676.
	1"	114"	26 1/2"	QRB114(M/H)(F/R)() ()	866.	1,147.	1,320.	1,782.
	1"	120"	26 1/2"	QRB120(M/H)(F/R)() ()	930.	1,216.	1,399.	1,888.



Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness (desk height)	1"	102"	28 3/8"	QRBDH102M(F/R)() ()	773.	1,062.	1,221.	1,647.
	1"	108"	28 3/8"	QRBDH108M(F/R)() ()	842.	1,133.	1,303.	1,759.
	1"	114"	28 3/8"	QRBDH114M(F/R)() ()	909.	1,205.	1,385.	1,870.
	1"	120"	28 3/8"	QRBDH120M(F/R)() ()	977.	1,277.	1,468.	1,983.

Short modesty panel
(standard height)



1"	28"	26 1/2"	QRB28MR() ()	329.	462.	531.	718.
1"	34"	26 1/2"	QRB34MR() ()	364.	507.	582.	786.
1"	46"	26 1/2"	QRB46MR() ()	440.	619.	713.	962.
1"	58"	26 1/2"	QRB58MR() ()	478.	668.	769.	1,038.

Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

28" modesty for 60" bow top

34" modesty for 66" bow top

46" modesty for 78" bow top

58" modesty for 90" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

Short modesty panel (desk height)	1"	28"	28 3/8"	QRBDH28MR() ()	344.	485.	558.	753.
	1"	34"	28 3/8"	QRBDH34MR() ()	382.	531.	611.	825.
	1"	46"	28 3/8"	QRBDH46MR() ()	462.	650.	748.	1,010.
	1"	58"	28 3/8"	QRBDH58MR() ()	502.	701.	808.	1,091.

Example: QRBDH120MFL114	
QR	Reff Standard Special
B	Back panel
DH	Desk height (28 3/8")
120	120"
M	Full height
F	Modesty placement, flush
L	Finish type, laminate
114	Finish, Folkstone grey

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish type
4. Finish

1. Modesty type:
M = Full height (26 1/2"H or 28 3/8")
H = Half height

2. Modesty placement:
F = Flush, cantilevered
R = Recessed

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Modesty panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to bridge assemblies to desk, hardware must be ordered separately.

Modesty panel lengths are nominal, length changes on option selected.





Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.

Reff support components

drum bases

Standard Specials Systems

description	dia	h	pattern no.	V1	V2	V3
 Drum base (standard height)	24"	26 1/2"	QR9C7798 () ()	n/a	\$5,831.	n/a
	20"	26 1/2"	QR9C7801 () ()	n/a	5,675.	n/a
	30"	26 1/2"	QR9C7919 () ()	n/a	6,049.	n/a
	20"	26 1/2"	QR9G6777 () ()	n/a	n/a	7,661.
	24"	26 1/2"	QR9G6778 () ()	n/a	n/a	7,872.
	30"	26 1/2"	QR9G6779 () ()	n/a	n/a	8,166.
	20"	26 1/2"	QR9D5459 () ()	4,935.	n/a	n/a
	24"	26 1/2"	QR9C7794 () ()	5,071.	n/a	n/a
	30"	26 1/2"	QR9C7917 () ()	5,260.	n/a	n/a
	36"	26 1/2"	QRSDA3627 () ()	5,449.	6,267.	8,460.
 Drum base (desk height)	20"	28 3/8"	QR9G1171 () ()	n/a	5,741.	n/a
	24"	28 3/8"	QR9G1173 () ()	n/a	5,946.	n/a
	30"	28 3/8"	QR9G1499 () ()	n/a	6,155.	n/a
	20"	28 3/8"	QR9G6780 () ()	n/a	n/a	7,750.
	24"	28 3/8"	QR9G6781 () ()	n/a	n/a	8,027.
	30"	28 3/8"	QR9G6782 () ()	n/a	n/a	8,309.
	20"	28 3/8"	QR9G0413 () ()	4,992.	n/a	n/a
	24"	28 3/8"	QR9G1295 () ()	5,171.	n/a	n/a
	30"	28 3/8"	QR9G2826 () ()	5,352.	n/a	n/a
	36"	28 3/8"	QRSDHDA3628 () ()	5,722.	6,581.	8,884.
Drum base (standard height) No hinged access door	36"	26 1/2"	QRSD3627 () ()	3,103.	3,570.	4,819.
 Drum base (desk height) No hinged access door	36"	28 3/8"	QRSDHD3628 ()	3,260.	3,749.	5,061.
						

Order Code

Example: QR9C78012 V319
QR9C7801 Reff Standard Special
2 V2 Finish
V319 Medium Cherry

Specification Information

To order please specify pattern number including:

1. *Finish Type*,
1 = V1
2 = V2
3 = V3

2. *Finish*

Applicable finishes are listed on page 97 and 98.

Application Notes

All Drum bases include sandbags for counterweight.


Features for drum with door only:

- 9" w x 16" h piano hinged access door with catch closure hardware & black knob pull.
- 8" dia. cutout at bottom.
- 2" dia. hole located centered above door
- 16" dia. cutout in top of 20" dia. Drum base
- 20" dia. cutout in top of 24" dia. Drum base
- 24" dia. cutout in top of 30" and 36" dia. Drum base


Reff Cabinetry
pedestals, 17" W
wood interiors, standard height

Standard Specials Systems


description	w	d	h	pattern no.	L	V1	V2	V3
Pedestal for UK filing standard height BBF	17"	19"	26 1/2"	QR211JUK-() W () L	\$1,433.	\$1,533.	\$1,762.	\$2,379.
	17"	23"	26 1/2"	QR212JUK-() W () L	1,594.	1,710.	1,966.	2,654.
	17"	29"	26 1/2"	QR213JUK-() W () L	1,737.	1,862.	2,141.	2,891.



Pedestal for UK filing standard height FF	17"	19"	26 1/2"	QR211KUK-() W () L	1,334.	1,430.	1,644.	2,220.
	17"	23"	26 1/2"	QR212KUK-() W () L	1,574.	1,686.	1,939.	2,617.
	17"	29"	26 1/2"	QR213KUK-() W () L	1,715.	1,841.	2,117.	2,858.



Pedestal back for UK	17"	1"	26 1/2"	QRPAB17UK-() ()	150.	157.	179.	242.
----------------------	-----	----	---------	-------------------	------	------	------	------



Reff System

Order Code	Specification Information	Application Notes	
Example: QR211JUKLWDL	<i>To order please specify pattern number including:</i>	3. Pull Option (where applicable) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Random locks are factory installed. Keyalike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
QR Reff Standard Special	1. Finish type		
2 26 1/2"H	2. Pull option		
1 17" wide	3. Keying instructions		
1 19" deep	4. Finish		
J Box box file config.	*After specifying product code, provide keying instructions.		
L Laminate finish	1. Finish type:		
W Wood interior	L = Laminate		
D Metal D-pull	1 = V1		
L Lock hole drilled	2 = V2		
	3 = V3		
	2. Interior options:		
	W = Wood		
		4. Lock options: L = Drilled to accept lock	
		6. Refer to page 194 for keying instructions.	
		Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
		Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.	
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.	


Applicable finishes are listed on page 97 and 98.

Applicable finishes are listed on page 97 and 98.


Reff Cabinetry
pedestals, 17" W
wood interiors, desk height

Standard Specials Systems


description	w	d	h	pattern no.	L	V1	V2	V3
Pedestal for UK filing	17"	19"	28 ³ / ₈ "	QR111JUK-() W () L	\$1,505.	\$1,610.	\$1,851.	\$2,500.
desk height	17"	23"	28 ³ / ₈ "	QR112JUK-() W () L	1,673.	1,795.	2,065.	2,787.
BBF	17"	29"	28 ³ / ₈ "	QR113JUK-() W () L	1,822.	1,957.	2,250.	3,037.



Pedestal for UK filing	17"	19"	28 ³ / ₈ "	QR111KUK-() W () L	1,402.	1,501.	1,726.	2,329.
desk height	17"	23"	28 ³ / ₈ "	QR112KUK-() W () L	1,651.	1,769.	2,034.	2,746.
FF	17"	29"	28 ³ / ₈ "	QR113KUK-() W () L	1,799.	1,933.	2,223.	3,000.



Pedestal back for UK	17"	1"	28 ³ / ₈ "	QRPDHB17UK-() ()	159.	164.	190.	253.
----------------------	-----	----	----------------------------------	---------------------------	------	------	------	------



Order Code	Specification Information	Application Notes
Example: QR211JUKLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull Option (where applicable)</i>
QR Reff Standard Special	1. Finish type	D = metal D-pull (finish optional)
2 26 ¹ / ₂ "H	2. Pull option	J = routed J-pull (finish matches case)
1 17" wide	3. Keying instructions	C = nickel finish C-pull (nickel finish only)
1 19" deep	4. Finish	S = S-pull (stainless steel finish only)
J Box box file config.	*After specifying product code, provide keying instructions.	R = Cylinder
L Laminate finish	1. <i>Finish type:</i>	T = Tab
W Wood interior	L = Laminate	F = Bar
D Metal D-pull	1 = V1	H = Out Line
L Lock hole drilled	2 = V2	
	3 = V3	
	2. <i>Interior options:</i>	
	W = Wood	
		4. <i>Lock options:</i>
		L = Drilled to accept lock
		6. Refer to page 194 for keying instructions.
		Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
		List price for woodgrain laminate options will be current published laminate list price plus 10%.
		Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Applicable finishes are listed on page 97 and 98.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.



Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Reff Cabinetry
pedestals, 30" and 36" W
wood interiors

Standard Specials Systems

description	w	d	h	pattern no.	L	V1	V2	V3
Pedestal standard height BBF 	30"	19"	26 1/2"	QRP231J-() () L () ()	\$1,872.	\$2,002.	\$2,299.	\$3,096.
	30"	23"	26 1/2"	QRP232J-() () L () ()	2,075.	2,224.	2,554.	3,441.
	36"	19"	26 1/2"	QRP261J-() () L () ()	2,310.	2,470.	2,837.	3,823.
	36"	23"	26 1/2"	QRP262J-() () L () ()	2,539.	2,721.	3,126.	4,213.
Pedestal desk height BBF 	30"	19"	28 3/8"	QRP301J-() () L () ()	1,964.	2,100.	2,413.	3,250.
	30"	23"	28 3/8"	QRP302J-() () L () ()	2,178.	2,335.	2,681.	3,613.
	36"	19"	28 3/8"	QRP361J-() () L () ()	2,425.	2,594.	2,980.	4,014.
	36"	23"	28 3/8"	QRP362J-() () L () ()	2,664.	2,856.	3,282.	4,413.

Reff System

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull Option (where applicable)</i>
R Reff	1. Hinge location, where applicable	D = metal D-pull (finish optional)
P Pedestal	2. Finish type	J = routed J-pull (finish matches case)
2 26 1/2"H	3. Interior option	C = nickel finish C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	R = Cylinder
J Box box file config.	6. Keying instructions	T = Tab
L Laminate finish	7. Finish	F = Bar
W Wood interior	*After specifying product code, provide keying instructions.	H = Out Line
D Metal D-pull	<i>1. Hinge location:</i>	<i>5. Lock options:</i>
L Lock hole drilled	L = Left hand	L = Drilled to accept lock
	R = Right hand	N = No drilling
	<i>2. Finish type:</i>	<i>6. Refer to page 194 for keying instructions.</i>
	L = Laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
	1 = V1	List price for woodgrain laminate options will be current published laminate list price plus 10%.
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood	

Applicable finishes are listed on page 97 and 98.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.



Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Reff Cabinetry
pedestals, 30" and 36" W
metal interiors

Standard Specials Systems

description	w	d	h	pattern no.	L	V1	V2	V3
Pedestal standard height BBF 	30"	19"	26 1/2"	QRP231J-() () L () ()	\$1,563.	\$1,674.	\$1,921.	\$2,586.
	30"	23"	26 1/2"	QRP232J-() () L () ()	1,606.	1,722.	1,978.	2,662.
	36"	19"	26 1/2"	QRP261J-() () L () ()	1,667.	1,784.	2,048.	2,758.
	36"	23"	26 1/2"	QRP262J-() () L () ()	1,703.	1,826.	2,096.	2,823.
Pedestal desk height BBF 	30"	19"	28 3/8"	QRP301J-() () L () ()	1,640.	1,756.	2,017.	2,714.
	30"	23"	28 3/8"	QRP302J-() () L () ()	1,686.	1,807.	2,074.	2,792.
	36"	19"	28 3/8"	QRP361J-() () L () ()	1,750.	1,872.	2,150.	2,894.
	36"	23"	28 3/8"	QRP362J-() () L () ()	1,786.	1,915.	2,199.	2,961.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL R Reff P Pedestal 2 26 1/2"H 1 16" wide 1 19" deep J Box box file config. L Laminate finish W Wood interior D Metal D-pull L Lock hole drilled	<i>To order please specify pattern number including:</i> 1. Hinge location, where applicable 2. Finish type 3. Interior option 4. Pull option 5. Lock option, applicable hinged doors only 6. Keying instructions 7. Finish *After specifying product code, provide keying instructions. 1. <i>Hinge location:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> M = Metal	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line 5. <i>Lock options:</i> L = Drilled to accept lock N = No drilling 6. Refer to page 194 for keying instructions. Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.


Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 97 and 98.

*Cabinets (use with 26¹/₂" h support components)**38" high**wood interior*

description	w	d	h	pattern no.	L	V1	V2	V3
3 Drawer lateral file with anit-tip bar device	30"	20"	38"	QRC332F -() () L () ()	\$2,597.	\$3,404.	\$3,915.	\$5,286.
	30"	24"	38"	QRC333F -() () L () ()	2,851.	3,742.	4,303.	5,810.
	36"	20"	38"	QRC362F -() () L () ()	3,248.	4,254.	4,893.	6,604.
	36"	24"	38"	QRC363F -() () L () ()	3,568.	4,674.	5,375.	7,256.

**Order Code**

Example:	QRC332FLWJL
QR	Reff Standard Special
C	Cabinets
3	38" high
3	30" wide
2	20" deep
F	File drawer
L	Laminate finish type
W	Wood interior
J	Routed pull
L	Lock drilling

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:

W = Wood

4. Pull Option (where applicable)

D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
R = Cylinder
T = Tab
F = Bar
H = Out Line

5. Lock options:

L = Lock hole drilled
N = No lock drilling

8. Refer to page 194 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately from standard Reff price list.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 97 and 98.

Reff Cabinetry


Standard Specials Systems

Cabinets (use with 26 1/2" h support components)

38" high

metal interior

description	width	depth	height	pattern no.	L	V1	V2	V3
3 Drawer lateral file with anit-tip bar device	30"	20"	38"	QRC332F-() () L () ()	\$2,427.	\$3,180.	\$3,657.	\$4,937.
	30"	24"	38"	QRC333F-() () L () ()	2,678.	3,510.	4,038.	5,450.
	36"	20"	38"	QRC362F-() () L () ()	3,077.	4,032.	4,637.	6,260.
	36"	24"	38"	QRC363F-() () L () ()	3,397.	4,455.	5,124.	6,916.




Order Code	Specification Information	Application Notes
Example: QRC332FLWJL	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
QR Reff Standard Special	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 38" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately from standard Reff price list.
3 30" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
F File drawer	6. Finish, cabinet	Applicable finishes are listed on page 97 and 98.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
L Lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal	
	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 194 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Reff Cabinetry


Standard Specials Systems

*Cabinets (use with 26 1/2" h support components)
64" high
wood interior*

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, FF below	16"	20"	64"	QRC612G-() () L () ()	\$2,396.	\$3,114.	\$3,580.	\$4,834.
	16"	24"	64"	QRC613G-() () L () ()	2,625.	3,410.	3,923.	5,295.
	30"	20"	64"	QRC632G-() () L () ()	2,975.	3,873.	4,453.	6,011.
	30"	24"	64"	QRC633G-() () L () ()	3,282.	4,275.	4,915.	6,637.
	36"	20"	64"	QRC662G-() () L () ()	3,264.	4,249.	4,886.	6,596.
	36"	24"	64"	QRC663G-() () L () ()	3,602.	4,695.	5,398.	7,288.



Storage open above w/2 adj shelves, BBF below	16"	20"	64"	QRC612P-() () L () ()	2,465.	3,201.	3,681.	4,971.
	16"	24"	64"	QRC613P-() () L () ()	2,710.	3,525.	4,054.	5,471.
	30"	20"	64"	QRC632P-() () L () ()	2,861.	3,724.	4,283.	5,781.
	30"	24"	64"	QRC633P-() () L () ()	3,135.	4,082.	4,694.	6,337.
	36"	20"	64"	QRC662P-() () L () ()	3,142.	4,087.	4,700.	6,345.
	36"	24"	64"	QRC663P-() () L () ()	3,435.	4,482.	5,154.	6,958.





Order Code	Specification Information	Application Notes
Example: QRC332FLWJL	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
QR Reff Standard Special	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 38" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately from standard Reff price list.
3 30" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
F File drawer	6. Finish, cabinet	Applicable finishes are listed on page 97 and 98.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
L Lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood	
	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 194 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Reff Cabinetry

Standard Specials Systems


*Cabinets (use with 26 1/2" h support components)
64" high
metal interior*


description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, FF below	16"	20"	64"	QRC612G- () () L () ()	\$2,254.	\$2,923.	\$3,363.	\$4,539.
	16"	24"	64"	QRC613G- () () L () ()	2,479.	3,223.	3,706.	5,004.
	30"	20"	64"	QRC632G- () () L () ()	2,831.	3,683.	4,236.	5,719.
	30"	24"	64"	QRC633G- () () L () ()	3,140.	4,086.	4,699.	6,343.
	36"	20"	64"	QRC662G- () () L () ()	3,119.	4,059.	4,668.	6,303.
	36"	24"	64"	QRC663G- () () L () ()	3,459.	4,506.	5,183.	6,997.


Storage open above w/2 adj shelves, BBF below	16"	20"	64"	QRC612P- () () L () ()	2,321.	3,013.	3,465.	4,677.
	16"	24"	64"	QRC613P- () () L () ()	2,566.	3,339.	3,840.	5,184.
	30"	20"	64"	QRC632P- () () L () ()	2,716.	3,533.	4,063.	5,486.
	30"	24"	64"	QRC633P- () () L () ()	2,988.	3,891.	4,475.	6,041.
	36"	20"	64"	QRC662P- () () L () ()	2,995.	3,900.	4,484.	6,053.
	36"	24"	64"	QRC663P- () () L () ()	3,294.	4,289.	4,932.	6,659.

Order Code	Specification Information	Application Notes
Example: QRC332FLWJL	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
QR Reff Standard Special	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 38" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately from standard Reff price list.
3 30" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
F File drawer	6. Finish, cabinet	Applicable finishes are listed on page 97 and 98.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
L Lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal	
	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 194 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

*Cabinets (use with 26 1/2" h support components)**72" high**wood interior*

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, FF below 	16"	20"	72"	QRC712G- () () L () () ()	\$2,525.	\$3,281.	\$3,774.	\$5,093.
	16"	24"	72"	QRC713G- () () L () () ()	2,774.	3,607.	4,148.	5,600.
	30"	20"	72"	QRC732G- () () L () () ()	3,143.	4,088.	4,701.	6,346.
	30"	24"	72"	QRC733G- () () L () () ()	3,430.	4,470.	5,141.	6,940.
	36"	20"	72"	QRC762G- () () L () () ()	3,393.	4,419.	5,082.	6,860.
	36"	24"	72"	QRC763G- () () L () () ()	3,684.	4,802.	5,522.	7,455.

Storage open above w/2 adj shelves, BBF below 	16"	20"	72"	QRC712P- () () L () () ()	2,609.	3,394.	3,903.	5,268.
	16"	24"	72"	QRC713P- () () L () () ()	2,855.	3,715.	4,272.	5,769.
	30"	20"	72"	QRC732P- () () L () () ()	3,042.	3,959.	4,553.	6,147.
	30"	24"	72"	QRC733P- () () L () () ()	3,330.	4,337.	4,987.	6,734.
	36"	20"	72"	QRC762P- () () L () () ()	3,334.	4,342.	4,993.	6,741.
	36"	24"	72"	QRC763P- () () L () () ()	3,654.	4,762.	5,477.	7,392.

Cabinet with open shelves 	30"	15"	72"	QRC731B- () () () ()	2,500.	3,259.	3,747.	5,058.
	36"	15"	72"	QRC761B- () () () ()	2,801.	3,650.	4,197.	5,667.

Note: Cabinet must be secured to wall to prevent tipping. Hardware is included.

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	
3 30" wide	4. Pull option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
2 20" deep	5. Lock option, where applicable	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately from standard Reff price list.
B Full bookcase	6. Finish, cabinet	File drawers include file bars for front to back and side to side filing.
L Laminate finish	7. Finish, pull when applicable	File drawers do not support bottom loading.
M Metal interior	8. Left hand side of cabinet drilling:	Applicable finishes are listed on page 97 and 98.
N No drilling	N = No drilling	
N No drilling	Size to drill for each workwall:	
	S0 = 19"H x 15"D	
	S1 = 19"H x 20"D	
	T0 = 23"H x 15"D	
	T1 = 23"H x 20"D	
	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	
	*After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

1. Hinge location:

L = Left hand

R = Right hand

2. Finish type:

L = Laminate

1 = V1

2 = V2

3 = V3

3. Interior options:

W = Wood

4. Pull Option (where applicable)

D = metal D-pull (finish optional)

J = routed J-pull (finish matches case)

C = nickel finish C-pull (nickel finish only)

S = S-pull (stainless steel finish only)

R = Cylinder

T = Tab

F = Bar

H = Out Line

5. Lock options:

L = Lock hole drilled

N = No lock drilling

10. Refer to page 194 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Reff Cabinetry

Standard Specials Systems

Cabinets (use with 26 1/2" h support components)


72" high

metal interior


description	w	d	h	pattern no.	L, metal interiors	V1	V2	V3
Storage open above w/2 adj shelves, FF below	16"	20"	72"	QRC712G-() () L () () ()	\$2,379.	\$3,089.	\$3,552.	\$4,796.
	16"	24"	72"	QRC713G-() () L () () ()	2,600.	3,420.	3,933.	5,309.
	30"	20"	72"	QRC732G-() () L () () ()	2,996.	3,904.	4,490.	6,059.
	30"	24"	72"	QRC733G-() () L () () ()	3,288.	4,282.	4,923.	6,647.
	36"	20"	72"	QRC762G-() () L () () ()	3,248.	4,228.	4,863.	6,565.
	36"	24"	72"	QRC763G-() () L () () ()	3,538.	4,611.	5,305.	7,160.



Storage open above w/2 adj shelves, BBF below	16"	20"	72"	QRC712P-() () L () () ()	2,468.	3,203.	3,684.	4,974.
	16"	24"	72"	QRC713P-() () L () () ()	2,710.	3,525.	4,054.	5,471.
	30"	20"	72"	QRC732P-() () L () () ()	2,895.	3,767.	4,332.	5,848.
	30"	24"	72"	QRC733P-() () L () () ()	3,186.	4,149.	4,772.	6,442.
	36"	20"	72"	QRC762P-() () L () () ()	3,191.	4,155.	4,778.	6,450.
	36"	24"	72"	QRC763P-() () L () () ()	3,511.	4,571.	5,257.	7,097.



Cabinet with open shelves	30"	15"	72"	QRC731B-() () () ()	2,330.	3,037.	3,494.	4,716.
	36"	15"	72"	QRC761B-() () () ()	2,630.	3,426.	3,940.	5,319.



Note: Cabinet must be secured to wall to prevent tipping. Hardware is included.

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	
3 30" wide	4. Pull option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
2 20" deep	5. Lock option, where applicable	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately from standard Reff price list.
B Full bookcase	6. Finish, cabinet	File drawers include file bars for front to back and side to side filing.
L Laminate finish	7. Finish, pull when applicable	File drawers do not support bottom loading.
M Metal interior	8. Left hand side of cabinet drilling:	Applicable finishes are listed on page 97 and 98.
N No drilling	N = No drilling	
N No drilling	Size to drill for each workwall:	
	S0 = 19"H x 15"D	
	S1 = 19"H x 20"D	
	T0 = 23"H x 15"D	
	T1 = 23"H x 20"D	
	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	
	*After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:

M = Metal

4. Pull Option (where applicable)

D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
R = Cylinder
T = Tab
F = Bar
H = Out Line

5. Lock options:

L = Lock hole drilled
N = No lock drilling


10. Refer to page 194 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Reff Cabinetry
Cabinets (use with 28³/₈" h support components)
40¹/₂" high
wood interior

Standard Specials Systems

description	w	d	h	pattern no.	L	V1	V2	V3
3 Drawer lateral file with anit-tip bar device	30"	20"	40 ¹ / ₂ "	QRC332DHF () () L () ()	\$2,354.	\$3,086.	\$3,548.	\$4,790.
	30"	24"	40 ¹ / ₂ "	QRC333DHF () () L () ()	2,596.	3,402.	3,913.	5,282.
	36"	20"	40 ¹ / ₂ "	QRC362DHF () () L () ()	2,998.	3,934.	4,524.	6,107.
	36"	24"	40 ¹ / ₂ "	QRC363DHF () () L () ()	3,291.	4,315.	4,962.	6,698.



Order Code	Specification Notes	Application Notes
Example: QRC332DHFLWJL	<i>To order please specify pattern number including:</i>	
QR	Reff Standard Special	
C	Cabinets	
3	40 1/2" high	
3	30" wide	
2	20" deep	
DH	Desk height	
F	File drawer	
L	Laminate finish type	
W	Wood interior	
J	Routed pull	
L	Lock drilling	
	<i>1. Finish type:</i> L = Laminate 1 = V1 2 = V2 2 = V3	
	<i>2. Interior options:</i> W = Wood	
	*After specifying product code, provide keying instructions.	
	<i>3. Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
		Key alike are field installed using the KnollKey order form. Random locks are factory installed.
		File drawers include file bars for front to back and side to side filing.
		Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Reff Cabinetry


Standard Specials Systems

Cabinets (use with 28³/₈" h support components)

40¹/₂" high

metal interior


description	w	d	h	pattern no.	L	V1	V2	V3
3 Drawer lateral file with anit-tip bar device	30"	20"	40 ¹ / ₂ "	QRC332DHF () () L () ()	\$2,186.	\$2,864.	\$3,294.	\$4,448.
	30"	24"	40 ¹ / ₂ "	QRC333DHF () () L () ()	2,433.	3,189.	3,668.	4,950.
	36"	20"	40 ¹ / ₂ "	QRC362DHF () () L () ()	2,821.	3,701.	4,256.	5,745.
	36"	24"	40 ¹ / ₂ "	QRC363DHF () () L () ()	3,115.	4,084.	4,697.	6,340.




Order Code	Specification Information	Application Notes
Example: QRC332DHFLWJL	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
QR Reff Standard Special	1. Finish type	
C Cabinets	2. Interior option	File drawers include file bars for front to back and side to side filing.
3 40 ¹ / ₂ " high	3. Pull option	
3 30" wide	4. Finish, cabinet	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
2 20" deep	5. Finish, pull when applicable	
DH Desk height	6. Keying instructions	
F File drawer	*After specifying product code, provide keying instructions.	
L Laminate finish type	<i>1. Finish type:</i>	
W Wood interior	L = Laminate	
J Routed pull	1 = V1	
L Lock drilling	2 = V2	
	2 = V3	
	<i>2. Interior options:</i>	
	W = Wood	

Cabinets (use with 28³/₈" h support components)
68" high
wood interior


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors for coat rod and boot tray*	16"	20"	68"	QRC612DHD (L/R) () W () () ()	\$2,106.	\$2,759.	\$3,173.	\$4,284.
	16"	24"	68"	QRC613DHD (L/R) () W () () ()	2,307.	3,024.	3,478.	4,696.
	30"	20"	68"	QRC632DHD () W () () ()	2,573.	3,371.	3,877.	5,233.
	30"	24"	68"	QRC633DHD () W () () ()	2,650.	3,478.	4,001.	5,400.
	36"	20"	68"	QRC662DHD () W () () ()	2,848.	3,735.	4,295.	5,799.
	36"	24"	68"	QRC663DHD () W () () ()	2,911.	3,841.	4,418.	5,963.



Cabinet with hinged doors and 3 adj. shelves	16"	20"	68"	QRC612DHC (L/R) () () ()	2,405.	3,152.	3,626.	4,895.
	16"	24"	68"	QRC613DHC (L/R) () () ()	2,665.	3,492.	4,015.	5,421.
	30"	20"	68"	QRC632DHC () () ()	3,133.	4,106.	4,722.	6,374.
	30"	24"	68"	QRC633DHC () () ()	3,443.	4,516.	5,192.	7,009.
	36"	20"	68"	QRC662DHC () () ()	3,409.	4,466.	5,136.	6,933.
	36"	24"	68"	QRC663DHC () () ()	3,720.	4,876.	5,606.	7,569.



Cabinet with full height doors half wardrobe and half shelves	30"	20"	68"	QRC632DHE (L/R) () () ()	3,612.	4,733.	5,444.	7,349.
	30"	24"	68"	QRC633DHE (L/R) () () ()	3,986.	5,227.	6,010.	8,114.
	36"	20"	68"	QRC662DHE (L/R) () () ()	3,975.	5,206.	5,985.	8,080.
	36"	24"	68"	QRC663DHE (L/R) () () ()	4,385.	5,749.	6,613.	8,926.



Left hand shown

Order Code	Specification Information	Application Notes
Example: QRC612DHDLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
QR Reff Standard Special	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 68" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately from standard Reff price list.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
DH Desk height	6. Finish, cabinet	Applicable finishes are listed on page 97 and 98.
D Wardrobe	7. Finish, pull when applicable	
L Left hand hinge location	8. Keying instructions	
L Laminate finish type	*After specifying product code, provide keying instructions.	
W Wood interior	1. <i>Hinge location:</i> L = Left hand R = Right hand	
J Routed pull	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
N No lock drilling	3. <i>Interior options:</i> W = Wood	
	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 194 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Reff Cabinetry


Standard Specials Systems

Cabinets (use with 28³/₈" h support components)


68" high

wood interior


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with two 24 ¹ / ₄ " doors and two adj. shelves	30"	20"	68"	QRC632DHH () () ()	\$2,812.	\$3,689.	\$4,244.	\$5,729.
	30"	24"	68"	QRC633DHH () () ()	3,088.	4,048.	4,655.	6,284.
	36"	20"	68"	QRC662DHH () () ()	3,088.	4,048.	4,655.	6,284.
	36"	24"	68"	QRC663DHH () () ()	3,363.	4,411.	5,074.	6,848.



Cabinet with two sets of hinged doors, two pull-out shelves and ventilation. Audio visual cabinet	30"	20"	68"	QRC632DHI () () ()	3,942.	5,166.	5,942.	8,021.
	30"	24"	68"	QRC633DHI () () ()	4,339.	5,687.	6,539.	8,828.
	36"	20"	68"	QRC662DHI () () ()	4,217.	5,529.	6,359.	8,585.
	36"	24"	68"	QRC663DHI () () ()	4,614.	6,050.	6,958.	9,394.



Cabinet with BBF below and hinged doors above	16"	20"	68"	QRC612DHP (L/R) () () ()	2,947.	3,859.	4,439.	5,992.
	16"	24"	68"	QRC613DHP (L/R) () () ()	3,251.	4,261.	4,900.	6,615.
	30"	20"	68"	QRC632DHP () () ()	3,440.	4,507.	5,184.	6,999.
	30"	24"	68"	QRC633DHP () () ()	3,778.	4,951.	5,694.	7,686.
	36"	20"	68"	QRC662DHP () () ()	3,785.	4,957.	5,701.	7,697.
	36"	24"	68"	QRC663DHP () () ()	4,151.	5,447.	6,263.	8,455.




Order Code	Specification Information	Application Notes
Example: QRC612DHDLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
QR Reff Standard Special	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 68" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately from standard Reff price list.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
DH Desk height	6. Finish, cabinet	Applicable finishes are listed on page 97 and 98.
D Wardrobe	7. Finish, pull when applicable	
L Left hand hinge location	8. Keying instructions	
L Laminate finish type	*After specifying product code, provide keying instructions.	
W Wood interior	1. <i>Hinge location:</i> L = Left hand R = Right hand	
J Routed pull	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
N No lock drilling	3. <i>Interior options:</i> W = Wood	
	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 194 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	


Reff Cabinetry
Cabinets (use with 28³/₈" h support components)
68" high
metal interior

Standard Specials Systems

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors and 3 adj. shelves	16"	20"	68"	QRC612DHC (L/R)() () ()	\$2,230.	\$2,916.	\$3,354.	\$4,528.
	16"	24"	68"	QRC613DHC (L/R)() () ()	2,485.	3,259.	3,748.	5,059.
	30"	20"	68"	QRC632DHC () () () ()	2,956.	3,876.	4,456.	6,016.
	30"	24"	68"	QRC633DHC () () () ()	3,265.	4,282.	4,923.	6,646.
	36"	20"	68"	QRC662DHC () () () ()	3,230.	4,235.	4,871.	6,574.
	36"	24"	68"	QRC663DHC () () () ()	3,538.	4,642.	5,337.	7,206.



Cabinet with full height doors half wardrobe and half shelves	30"	20"	68"	QRC632DHE (L/R)() () ()	3,434.	4,499.	5,174.	6,984.
	30"	24"	68"	QRC633DHE (L/R)() () ()	3,809.	4,990.	5,740.	7,748.
	36"	20"	68"	QRC662DHE (L/R)() () ()	3,793.	4,971.	5,717.	7,717.
	36"	24"	68"	QRC663DHE (L/R)() () ()	4,208.	5,517.	6,344.	8,564.




Left hand shown

Order Code	Specification Information	Application Notes
Example: QRC612DHCLLMJL-114	<i>To order please specify pattern number including:</i>	Specify finish of metal shelves to match laminate.
QR Reff Standard Special	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 68" high	3. Interior option	*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 0.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
DH Desk height	6. Finish, cabinet	Applicable finishes are listed on page 0 and 0.
C Hinged door w/ 3 adj. shelves	7. Finish, pull when applicable	
L Left hand hinge location	8. Keying instructions	
L Laminate finish type	*After specifying product code, provide keying instructions.	
M Metal interior	<i>1. Hinge location:</i>	
J Routed pull	L = Left hand	
L Locking	R = Right hand	
114 Finish, Folkstone grey	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	<i>4. Pull Option (where applicable)</i>	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	R = Cylinder	
	T = Tab	
	F = Bar	
	H = Out Line	
	<i>5. Lock options:</i>	
	L = Lock hole drilled	
	N = No drilling	
	<i>8. Refer to page 194 for keying instructions.</i>	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	


Reff Cabinetry
Cabinets (use with 28³/₈" h support components)
68" high
metal interior

Standard Specials Systems

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with two 24 ¹ / ₄ " doors and two adj. shelves	30"	20"	68"	QRC632DHH () () ()	\$2,634.	\$3,456.	\$3,975.	\$5,365.
	30"	24"	68"	QRC633DHH () () ()	2,912.	3,812.	4,385.	5,918.
	36"	20"	68"	QRC662DHH () () ()	2,912.	3,812.	4,385.	5,918.
	36"	24"	68"	QRC663DHH () () ()	3,188.	4,177.	4,804.	6,485.



Cabinet with BBF below and hinged doors above	16"	20"	68"	QRC612DHP (L/R) () () ()	2,769.	3,627.	4,170.	5,630.
	16"	24"	68"	QRC613DHP (L/R) () () ()	3,072.	4,030.	4,635.	6,257.
	30"	20"	68"	QRC632DHP () () ()	3,260.	4,271.	4,913.	6,633.
	30"	24"	68"	QRC633DHP () () ()	3,597.	4,716.	5,423.	7,322.
	36"	20"	68"	QRC662DHP () () ()	3,606.	4,724.	5,432.	7,334.
	36"	24"	68"	QRC663DHP () () ()	3,976.	5,208.	5,988.	8,084.



Order Code	Specification Information	Application Notes
Example: QRC612DHCLLMJL-114	<i>To order please specify pattern number including:</i>	Specify finish of metal shelves to match laminate.
QR Reff Standard Special	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 68" high	3. Interior option	*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 0.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
DH Desk height	6. Finish, cabinet	Applicable finishes are listed on page 0 and 0.
C Hinged door w/ 3 adj. shelves	7. Finish, pull when applicable	
L Left hand hinge location	8. Keying instructions	
L Laminate finish type	*After specifying product code, provide keying instructions.	
M Metal interior	<i>1. Hinge location:</i>	
J Routed pull	L = Left hand	
L Locking	R = Right hand	
114 Finish, Folkstone grey	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	<i>4. Pull Option (where applicable)</i>	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	R = Cylinder	
	T = Tab	
	F = Bar	
	H = Out Line	
	<i>5. Lock options:</i>	
	L = Lock hole drilled	
	N = No drilling	
	<i>8. Refer to page 194 for keying instructions.</i>	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Reff Cabinetry


Standard Specials Systems

Cabinets (use with 28³/₈" h support components)

75" high

wood interior


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with adjustable shelving wood interior	30"	15"	75"	QRC731DHBW () () ()	\$2,625.	\$3,422.	\$3,935.	\$5,312.
	36"	15"	75"	QRC761DHBW () () ()	2,941.	3,833.	4,407.	5,950.



4 adjustable shelves

Note: Cabinet must be secured to wall to prevent tipping. Hardware is included.

Cabinet with hinged doors for coat rod and boot tray*	16"	20"	75"	QRC712DHD (L/R) () W () () ()	2,323.	3,025.	3,479.	4,697.
	16"	24"	75"	QRC713DHD (L/R) () W () () ()	2,551.	3,323.	3,821.	5,159.



Requires one lock core per cabinet

Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately from standard Reff price list.

Order Code	Specification Information	Application Notes
Example: QRC731DHBW(2)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
QR Reff Standard Special	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
C Cabinet	6. <i>Cabinet finish</i>	75" nominal height - actual height 75.125"
7 75" h (nominal)	7. <i>Optional pull finish where applicable</i>	
3 30" w (nominal)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
1 15" d (nominal)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
DH Desk height	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	File drawers include file bars for front to back and side to side filing.
B Open bookcase	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
W Interior option, wood	3. <i>Interior Option</i> W = wood (shelves match case finish or wood drawer interiors)	File drawers support bottom loading.
2 Finish type, V2	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
V316 Finish, light maple		

Applicable finishes are listed on page 97 and 98.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 194.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Reff Cabinetry


Standard Specials Systems

*Cabinets (use with 28³/₈" h support components)
75" high
wood interior*

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged door and 4 adj. shelves	16"	20"	75"	QRC712DHC(L/R) () () ()	\$2,689.	\$3,524.	\$4,052.	\$5,469.
	16"	24"	75"	QRC713DHC(L/R) () () ()	2,962.	3,885.	4,468.	6,032.
	30"	20"	75"	QRC732DHC () () ()	3,456.	4,527.	5,206.	7,028.
	30"	24"	75"	QRC733DHC () () ()	3,814.	4,999.	5,747.	7,760.
	36"	20"	75"	QRC762DHC () () ()	3,799.	4,981.	5,728.	7,733.
	36"	24"	75"	QRC763DHC () () ()	4,196.	5,499.	6,325.	8,538.



Cabinet with two hinged 24 ¹ / ₄ " doors and two open adj. shelves	30"	20"	75"	QRC732DHH () () ()	3,317.	4,350.	5,003.	6,753.
	30"	24"	75"	QRC733DHH () () ()	3,647.	4,785.	5,502.	7,429.
	36"	20"	75"	QRC762DHH () () ()	3,630.	4,754.	5,468.	7,382.
	36"	24"	75"	QRC763DHH () () ()	3,960.	5,189.	5,968.	8,056.




Order Code	Specification Information	Application Notes
Example: QRC731DHBW(2)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
QR Reff Standard Special	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
C Cabinet	6. <i>Cabinet finish</i>	75" nominal height - actual height 75.125"
7 75" h (nominal)	7. <i>Optional pull finish where applicable</i>	
3 30" w (nominal)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
1 15" d (nominal)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
DH Desk height	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
B Open bookcase	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
W Interior option, wood		
2 Finish type, V2		
V316 Finish, light maple		

Applicable finishes are listed on page 97 and 98.


Cabinets (use with 28³/₈" h support components)
75" high
wood interior

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation. Audio visual cabinet	30"	20"	75"	QRC732DHI () () ()	\$4,369.	\$5,724.	\$6,583.	\$8,887.
	30"	24"	75"	QRC733DHI () () ()	4,822.	6,320.	7,268.	9,813.
	36"	20"	75"	QRC762DHI () () ()	4,738.	6,213.	7,145.	9,645.
	36"	24"	75"	QRC763DHI () () ()	5,233.	6,862.	7,891.	10,652.



Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above	16"	20"	75"	QRC712DHP(L/R) () () ()	3,125.	4,097.	4,712.	6,362.
	16"	24"	75"	QRC713DHP(L/R) () () ()	3,431.	4,498.	5,172.	6,982.
	30"	20"	75"	QRC732DHP () () ()	3,662.	4,800.	5,520.	7,452.
	30"	24"	75"	QRC733DHP () () ()	4,020.	5,266.	6,056.	8,177.
	36"	20"	75"	QRC762DHP () () ()	4,025.	5,274.	6,065.	8,187.
	36"	24"	75"	QRC763DHP () () ()	4,422.	5,795.	6,664.	8,996.



Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: QRC731DHBW(2)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
QR Reff Standard Special		
C Cabinet	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	75" nominal height - actual height 75.125"
7 75" h (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
3 30" w (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish or wood drawer interiors)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
1 15" d (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
DH Desk height	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers include file bars for front to back and side to side filing.
B Open bookcase	6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i> 8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
W Interior option, wood	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	File drawers support bottom loading.
2 Finish type, V2		
V316 Finish, light maple		

Applicable finishes are listed on page 97 and 98.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 194.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Reff Cabinetry

Standard Specials Systems

Cabinets (use with 28³/₈" h support components) 75" high metal interior


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with adjustable shelving metal interior	30"	15"	75"	QRC731DHBM () () ()	\$2,447.	\$3,190.	\$3,669.	\$4,952.
	36"	15"	75"	QRC761DHBM () () ()	2,760.	3,598.	4,138.	5,586.



4 adjustable shelves

Note: Cabinet must be secured to wall to prevent tipping. Hardware is included.

Cabinet with hinged door and 4 adj. shelves	16"	20"	75"	QRC712DHC(L/R) () () ()	2,509.	3,287.	3,779.	5,102.
	16"	24"	75"	QRC713DHC(L/R) () () ()	2,786.	3,651.	4,198.	5,668.
	30"	20"	75"	QRC732DHC () () ()	3,275.	4,295.	4,939.	6,668.
	30"	24"	75"	QRC733DHC () () ()	3,634.	4,762.	5,477.	7,393.
	36"	20"	75"	QRC762DHC () () ()	3,621.	4,748.	5,460.	7,371.
	36"	24"	75"	QRC763DHC () () ()	4,018.	5,262.	6,052.	8,170.




Requires one lock core per cabinet

Shelves painted metal


Order Code	Specification Information	Application Notes
Example: QRC731DHBM(2)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
QR Reff Standard Special	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
C Cabinet	6. <i>Cabinet finish</i>	
7 75" h (nominal)	7. <i>Optional pull finish where applicable</i>	
3 30" w (nominal)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
1 15" d (nominal)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	75" nominal height - actual height 75.125" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
DH Desk height	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) *If laminate case, specify finish of metal shelves to match; if case V1 or V2 finish, shelves are black	
B Open bookcase	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
M Interior option, metal		
2 Finish type, V2		
V316 Finish, light maple		
Applicable finishes are listed on page 97 and 98.		Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Cabinets (use with 28³/₈" h support components)
75" high
metal interior

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with two hinged 24 ¹ / ₄ " doors and two open adj. shelves	30"	20"	75"	QRC732DHH () () ()	\$3,147.	\$4,118.	\$4,736.	\$6,393.
	30"	24"	75"	QRC733DHH () () ()	3,476.	4,551.	5,233.	7,065.
	36"	20"	75"	QRC762DHH () () ()	3,457.	4,527.	5,206.	7,028.
	36"	24"	75"	QRC763DHH () () ()	3,789.	4,959.	5,703.	7,699.



Cabinet with BBF below and hinged doors above	16"	20"	75"	QRC712DHP(L/R) () () ()	2,950.	3,863.	4,442.	5,997.
	16"	24"	75"	QRC713DHP(L/R) () () ()	3,251.	4,261.	4,900.	6,615.
	30"	20"	75"	QRC732DHP () () ()	3,480.	4,562.	5,245.	7,081.
	30"	24"	75"	QRC733DHP () () ()	3,840.	5,034.	5,790.	7,816.
	36"	20"	75"	QRC762DHP () () ()	3,847.	5,041.	5,798.	7,826.
	36"	24"	75"	QRC763DHP () () ()	4,245.	5,557.	6,391.	8,628.



Order Code	Specification Information	Application Notes
Example: QRC731DHBM(2)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
QR Reff Standard Special	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
C Cabinet	6. <i>Cabinet finish</i>	75" nominal height - actual height 75.125"
7 75" h (nominal)	7. <i>Optional pull finish where applicable</i>	
3 30" w (nominal)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
1 15" d (nominal)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
DH Desk height	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) *If laminate case, specify finish of metal shelves to match; if case V1 or V2 finish, shelves are black	File drawers include file bars for front to back and side to side filing.
B Open bookcase	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
M Interior option, metal		File drawers support bottom loading.
2 Finish type, V2		
V316 Finish, light maple		

Applicable finishes are listed on page 97 and 98.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 194.
Random locks are factory installed.
Key-alike are field installed using the KnollKey order form.

Reff Overhead storage
overdesk units, standard height planning model
use with 1 1/4" worksurfaces and 26 1/2" h support


Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 1/4" worksurfaces Open, 14" deep	14"	30"	44 1/4"		QROAO30T0 () () ()	\$1,680.	\$2,099.	\$2,413.	\$3,260.
	14"	36"	44 1/4"		QROAO36T0 () () ()	1,760.	2,204.	2,535.	3,423.
	14"	42"	44 1/4"		QROAO42T0 () () ()	1,842.	2,309.	2,656.	3,585.
	14"	48"	44 1/4"		QROAO48T0 () () ()	1,922.	2,415.	2,778.	3,749.
	14"	54"	44 1/4"		QROAO54T0 () () ()	2,003.	2,520.	2,897.	3,912.
	14"	66"	44 1/4"		QROAO66T0 () () ()	2,555.	3,211.	3,692.	4,984.
	14"	78"	44 1/4"		QROAO78T0 () () ()	2,717.	2,898.	3,333.	4,500.
	14"	84"	44 1/4"		QROAO84T0 () () ()	2,795.	3,526.	4,055.	5,473.



center divider on 42" and wider.

For 1 1/4" worksurfaces Hinged doors, 15" deep	15"	30"	44 1/4"	2	QROAH30T0 () () () () ()	2,457.	3,077.	3,538.	4,777.
	15"	36"	44 1/4"	2	QROAH36T0 () () () () ()	2,601.	3,259.	3,747.	5,058.
	15"	42"	44 1/4"	3	QROAH42T0 () () () () ()	2,743.	3,440.	3,956.	5,341.
	15"	48"	44 1/4"	3	QROAH48T0 () () () () ()	2,886.	3,621.	4,164.	5,622.
	15"	54"	44 1/4"	3	QROAH54T0 () () () () ()	3,030.	3,802.	4,371.	5,902.
	15"	66"	44 1/4"	4	QROAH66T0 () () () () ()	3,839.	4,808.	5,529.	7,464.
	15"	78"	44 1/4"	4	QROAH78T0 () () () () ()	4,124.	5,171.	5,947.	8,028.
	15"	84"	44 1/4"	6	QROAH84T0 () () () () ()	4,268.	5,352.	6,155.	8,309.




Order Code	Specification Information	Application Notes
Example: QROAF30S0LJLBF118 ()	To order please specify pattern number including:	Shipped knocked-down.
QR Reff Standard Special	1. Configuration option	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
A For 1 1/4" top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	C, D and S pulls are not available for flip door units.
30 30" wide	2. Width	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	3. Storage option	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. Finish type	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 97 and 98.	
	Odd numbered hinged door is always on left side, left hinged.	


Reff Overhead storage
overdesk units, standard height planning model
use with 1 1/4" worksurfaces and 26 1/2" h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 1/4" worksurfaces	15"	30"	44 1/4"	1	QROAF30S0 () () () ()	\$1,619.	\$2,209.	\$2,541.	\$3,431.
Flip doors, 15" deep	15"	36"	44 1/4"	1	QROAF36S0 () () () ()	1,863.	2,540.	2,921.	3,944.
	15"	42"	44 1/4"	1	QROAF42S0 () () () ()	2,105.	2,871.	3,301.	4,457.
	15"	48"	44 1/4"	1	QROAF48S0 () () () ()	2,349.	3,201.	3,681.	4,971.
	15"	54"	44 1/4"	2	QROAF54S0 () () () ()	2,591.	3,532.	4,062.	5,484.
	15"	66"	44 1/4"	2	QROAF66S0 () () () ()	3,079.	4,476.	5,148.	6,949.
	15"	78"	44 1/4"	2	QROAF78S0 () () () ()	3,989.	5,103.	5,868.	7,922.
	15"	90"	44 1/4"	2	QROAF90S0 () () () ()	4,086.	5,241.	6,027.	8,136.



For 1 1/4" worksurfaces	19"	30"	44 1/4"		QROAO30T1 () () () ()	1,779.	2,212.	2,544.	3,434.
Open, 19" deep	19"	36"	44 1/4"		QROAO36T1 () () () ()	1,865.	2,328.	2,677.	3,613.
	19"	42"	44 1/4"		QROAO42T1 () () () ()	1,953.	2,443.	2,809.	3,791.
	19"	48"	44 1/4"		QROAO48T1 () () () ()	2,040.	2,559.	2,943.	3,972.
	19"	54"	44 1/4"		QROAO54T1 () () () ()	2,127.	2,674.	3,075.	4,150.
	19"	66"	44 1/4"		QROAO66T1 () () () ()	2,705.	3,398.	3,908.	5,275.
	19"	78"	44 1/4"		QROAO78T1 () () () ()	2,792.	3,629.	4,173.	5,633.
	19"	84"	44 1/4"		QROAO84T1 () () () ()	2,968.	3,743.	4,304.	5,811.




center divider on 42" and wider.

Order Code	Specification Information	Application Notes
Example: QROAF30S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
QR Reff Standard Special	1. Configuration option	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
A For 1 1/4" top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	C, D and S pulls are not available for flip door units.
30 30" wide	2. Width	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	3. Storage option	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. Finish type	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 97 and 98.	
	Odd numbered hinged door is always on left side, left hinged.	


Reff Overhead storage
overdesk units, standard height planning model
use with 1 1/4" worksurfaces and 26 1/2"h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 1/4" worksurfaces	20"	30"	44 1/4"	2	QROAH30T1 () () () () ()	\$2,587.	\$3,241.	\$3,728.	\$5,033.
Hinged doors, 20" deep	20"	36"	44 1/4"	2	QROAH36T1 () () () () ()	2,742.	3,435.	3,951.	5,334.
	20"	42"	44 1/4"	3	QROAH42T1 () () () () ()	2,896.	3,631.	4,175.	5,637.
	20"	48"	44 1/4"	3	QROAH48T1 () () () () ()	3,051.	3,826.	4,400.	5,940.
	20"	54"	44 1/4"	3	QROAH54T1 () () () () ()	3,205.	4,021.	4,625.	6,243.
	20"	66"	44 1/4"	4	QROAH66T1 () () () () ()	4,053.	5,076.	5,836.	7,880.
	20"	78"	44 1/4"	4	QROAH78T1 () () () () ()	4,208.	5,467.	6,287.	8,487.
	20"	84"	44 1/4"	6	QROAH84T1 () () () () ()	4,516.	5,663.	6,512.	8,791.



For 1 1/4" worksurfaces	20"	30"	44 1/4"	1	QROAF30S1 () () () ()	1,726.	2,351.	2,705.	3,651.
Flip doors, 20" deep	20"	36"	44 1/4"	1	QROAF36S1 () () () ()	1,982.	2,700.	3,103.	4,191.
	20"	42"	44 1/4"	1	QROAF42S1 () () () ()	2,235.	3,046.	3,503.	4,729.
	20"	48"	44 1/4"	1	QROAF48S1 () () () ()	2,490.	3,393.	3,902.	5,266.
	20"	54"	44 1/4"	2	QROAF54S1 () () () ()	2,744.	3,740.	4,301.	5,806.
	20"	66"	44 1/4"	2	QROAF66S1 () () () ()	3,252.	4,727.	5,436.	7,338.
	20"	78"	44 1/4"	2	QROAF78S1 () () () ()	4,217.	5,396.	6,206.	8,378.
	20"	90"	44 1/4"	2	QROAF90S1 () () () ()	4,326.	5,551.	6,384.	8,618.




Order Code	Specification Information	Application Notes
Example: QROAF30S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
QR Reff Standard Special	1. Configuration option	Open cabinets require no locks.
O Overhead	0 = Open	Tasklights not included.
A For 1 1/4" top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	C, D and S pulls are not available for flip door units.
30 30" wide	2. Width	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	3. Storage option	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. Finish type	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	Overdesk unit will achieve 72" nominal height when used with correct top.
	J = Routed pull	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".
	C = Nickel C-pull (nickel finish only, for hinged doors only)	Applicable finishes are listed on page 97 and 98.
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	Odd numbered hinged door is always on left side, left hinged.
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	*After specifying product code, provide keying instructions.	

Reff Overhead storage
overdesk units, standard height planning model
use with 1³/₄" worksurfaces and 26¹/₂"h support


Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 ³ / ₄ " worksurfaces Open, 14" deep	14"	30"	43 ³ / ₄ "		QROBO30T0 () () ()	\$1,534.	\$1,942.	\$2,232.	\$3,014.
	14"	36"	43 ³ / ₄ "		QROBO36T0 () () ()	1,656.	2,095.	2,409.	3,252.
	14"	42"	43 ³ / ₄ "		QROBO42T0 () () ()	1,780.	2,248.	2,585.	3,491.
	14"	48"	43 ³ / ₄ "		QROBO48T0 () () ()	1,901.	2,401.	2,761.	3,728.
	14"	54"	43 ³ / ₄ "		QROBO54T0 () () ()	2,025.	2,554.	2,938.	3,966.
	14"	66"	43 ³ / ₄ "		QROBO66T0 () () ()	2,567.	3,249.	3,736.	5,043.
	14"	78"	43 ³ / ₄ "		QROBO78T0 () () ()	2,813.	3,555.	4,088.	5,519.
	14"	84"	43 ³ / ₄ "		QROBO84T0 () () ()	2,936.	3,708.	4,264.	5,757.



center divider on 42" and wider.

For 1 ³ / ₄ " worksurfaces Hinged doors, 15" deep	15"	30"	43 ³ / ₄ "	2	QROBH30T0 () () () () ()	2,485.	3,109.	3,574.	4,826.
	15"	36"	43 ³ / ₄ "	2	QROBH36T0 () () () () ()	2,631.	3,292.	3,785.	5,111.
	15"	42"	43 ³ / ₄ "	3	QROBH42T0 () () () () ()	2,775.	3,475.	3,996.	5,395.
	15"	48"	43 ³ / ₄ "	3	QROBH48T0 () () () () ()	2,919.	3,659.	4,208.	5,679.
	15"	54"	43 ³ / ₄ "	3	QROBH54T0 () () () () ()	3,063.	3,842.	4,419.	5,965.
	15"	66"	43 ³ / ₄ "	4	QROBH66T0 () () () () ()	3,883.	4,862.	5,592.	7,548.
	15"	78"	43 ³ / ₄ "	4	QROBH78T0 () () () () ()	4,172.	5,230.	6,014.	8,119.
	15"	84"	43 ³ / ₄ "	6	QROBH84T0 () () () () ()	4,315.	5,415.	6,227.	8,406.




Order Code	Specification Information	Application Notes
Example: QROBF30S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
QR Reff Standard Special	1. Configuration option	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
B For 1 ³ / ₄ " top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	C, D and S pulls are not available for flip door units.
30 30" wide	2. Width	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	3. Storage option	Open/hinge doors are nominal 23"H, actual 22 ³ / ₈ ".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. Finish type	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 ³ / ₄ ".	
	Applicable finishes are listed on page 97 and 98.	
	Odd numbered hinged door is always on left side, left hinged.	


Reff Overhead storage
overdesk units, standard height planning model
use with 1³/₄" worksurfaces and 26¹/₂"h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 ³ / ₄ " worksurfaces	15"	30"	43 ³ / ₄ "	1	QROBF30S0 () () () ()	\$1,634.	\$2,231.	\$2,566.	\$3,465.
Flip doors, 15" deep	15"	36"	43 ³ / ₄ "	1	QROBF36S0 () () () ()	1,881.	2,567.	2,953.	3,986.
	15"	42"	43 ³ / ₄ "	1	QROBF42S0 () () () ()	2,127.	2,904.	3,339.	4,507.
	15"	48"	43 ³ / ₄ "	1	QROBF48S0 () () () ()	2,375.	3,238.	3,724.	5,027.
	15"	54"	43 ³ / ₄ "	2	QROBF54S0 () () () ()	2,622.	3,574.	4,110.	5,549.
	15"	66"	43 ³ / ₄ "	2	QROBF66S0 () () () ()	3,115.	4,528.	5,208.	7,030.
	15"	78"	43 ³ / ₄ "	2	QROBF78S0 () () () ()	4,035.	5,156.	5,930.	8,004.
	15"	90"	43 ³ / ₄ "	2	QROBF90S0 () () () ()	4,134.	5,306.	6,101.	8,236.



For 1 ³ / ₄ " worksurfaces	19"	30"	43 ³ / ₄ "		QROBO30T1 () () ()	1,881.	2,343.	2,693.	3,637.
Open, 19" deep	19"	36"	43 ³ / ₄ "		QROBO36T1 () () ()	1,948.	2,434.	2,800.	3,779.
	19"	42"	43 ³ / ₄ "		QROBO42T1 () () ()	2,015.	2,526.	2,905.	3,920.
	19"	48"	43 ³ / ₄ "		QROBO48T1 () () ()	2,082.	2,616.	3,010.	4,062.
	19"	54"	43 ³ / ₄ "		QROBO54T1 () () ()	2,149.	2,708.	3,114.	4,204.
	19"	66"	43 ³ / ₄ "		QROBO66T1 () () ()	2,737.	3,438.	3,953.	5,337.
	19"	78"	43 ³ / ₄ "		QROBO78T1 () () ()	2,872.	3,621.	4,164.	5,622.
	19"	84"	43 ³ / ₄ "		QROBO84T1 () () ()	2,940.	3,712.	4,269.	5,764.




center divider on 42" and wider.

Order Code	Specification Information	Application Notes
Example: QROBF30S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
QR Reff Standard Special	1. Configuration option	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
B For 1 ³ / ₄ " top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	C, D and S pulls are not available for flip door units.
30 30" wide	2. Width	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	3. Storage option	Open/hinge doors are nominal 23"H, actual 22 ³ / ₈ ".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. Finish type	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 ³ / ₄ ".	
	Applicable finishes are listed on page 97 and 98.	
	Odd numbered hinged door is always on left side, left hinged.	


Reff Overhead storage
overdesk units, standard height planning model
use with 1³/₄" worksurfaces and 26¹/₂"h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 ³ / ₄ " worksurfaces	20"	30"	43 ³ / ₄ "	2	QROBH30T1 () () () () ()	\$2,620.	\$3,265.	\$3,754.	\$5,069.
Hinged doors, 20" deep	20"	36"	43 ³ / ₄ "	2	QROBH36T1 () () () () ()	2,777.	3,464.	3,983.	5,377.
	20"	42"	43 ³ / ₄ "	3	QROBH42T1 () () () () ()	2,932.	3,663.	4,213.	5,688.
	20"	48"	43 ³ / ₄ "	3	QROBH48T1 () () () () ()	3,088.	3,861.	4,441.	5,996.
	20"	54"	43 ³ / ₄ "	3	QROBH54T1 () () () () ()	3,243.	4,060.	4,669.	6,304.
	20"	66"	43 ³ / ₄ "	4	QROBH66T1 () () () () ()	4,099.	5,134.	5,903.	7,970.
	20"	78"	43 ³ / ₄ "	4	QROBH78T1 () () () () ()	4,411.	5,530.	6,360.	8,586.
	20"	84"	43 ³ / ₄ "	4	QROBH84T1 () () () () ()	4,566.	5,729.	6,589.	8,894.



For 1 ³ / ₄ " worksurfaces	20"	30"	43 ³ / ₄ "	1	QROBF30S1 () () () ()	1,749.	2,379.	2,737.	3,695.
Flip doors, 20" deep	20"	36"	43 ³ / ₄ "	1	QROBF36S1 () () () ()	2,005.	2,730.	3,138.	4,237.
	20"	42"	43 ³ / ₄ "	1	QROBF42S1 () () () ()	2,264.	3,079.	3,541.	4,780.
	20"	48"	43 ³ / ₄ "	1	QROBF48S1 () () () ()	2,520.	3,428.	3,942.	5,322.
	20"	54"	43 ³ / ₄ "	2	QROBF54S1 () () () ()	2,778.	3,778.	4,345.	5,866.
	20"	66"	43 ³ / ₄ "	2	QROBF66S1 () () () ()	3,291.	4,779.	5,496.	7,419.
	20"	78"	43 ³ / ₄ "	2	QROBF78S1 () () () ()	4,269.	5,461.	6,280.	8,478.
	20"	90"	43 ³ / ₄ "	2	QROBF90S1 () () () ()	4,378.	5,615.	6,457.	8,716.




Order Code	Specification Information	Application Notes
Example: QROBF30S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
QR Reff Standard Special	1. Configuration option	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
B For 1 ³ / ₄ " top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	C, D and S pulls are not available for flip door units.
30 30" wide	2. Width	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	3. Storage option	Open/hinge doors are nominal 23"H, actual 22 ³ / ₈ ".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. Finish type	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 ³ / ₄ ".	
	Applicable finishes are listed on page 97 and 98.	
	Odd numbered hinged door is always on left side, left hinged.	

Reff Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 1/4" worksurfaces	14"	30"	45 1/2"		QROAO30T0DH () () ()	\$1,763.	\$2,204.	\$2,535.	\$3,423.
Open, 14" deep	14"	36"	45 1/2"		QROAO36T0DH () () ()	1,849.	2,315.	2,663.	3,595.
	14"	42"	45 1/2"		QROAO42T0DH () () ()	1,934.	2,426.	2,789.	3,766.
	14"	48"	45 1/2"		QROAO48T0DH () () ()	2,019.	2,536.	2,916.	3,938.
	14"	54"	45 1/2"		QROAO54T0DH () () ()	2,103.	2,647.	3,044.	4,109.
	14"	66"	45 1/2"		QROAO66T0DH () () ()	2,683.	3,371.	3,877.	5,233.
	14"	78"	45 1/2"		QROAO78T0DH () () ()	2,854.	3,593.	4,131.	5,576.
	14"	84"	45 1/2"		QROAO84T0DH () () ()	2,936.	3,702.	4,257.	5,747.



center divider on 42" and wider.


Order Code	Specification Information	Application Notes
Example: QROAO30T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the work surface, specify 28 3/8" h products. ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
QR Reff Standard Special		
O Overhead	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	
A For mounting on 1 1/4" thick top	2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
O Open	3. Finish type L = laminate I = V1 2 = V2 3 = V3	Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.
30 30" wide	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Clearance below overhead storage to top of work surface is approximately 23 1/8" h.
T 23" h storage		Applicable finishes are listed on page 97 and 98.
0 15" d storage		Odd numbered hinged door is always on left side, left hinged.
DH desk height, 75" height overall	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Reff Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 1/4" worksurfaces	15"	30"	45 1/2"	2	QROAH30T0DH () () () () ()	\$2,580.	\$3,231.	\$3,716.	\$5,017.
Hinged doors, 15" deep	15"	36"	45 1/2"	2	QROAH36T0DH () () () () ()	2,731.	3,422.	3,935.	5,312.
	15"	42"	45 1/2"	3	QROAH42T0DH () () () () ()	2,880.	3,611.	4,154.	5,606.
	15"	48"	45 1/2"	3	QROAH48T0DH () () () () ()	3,031.	3,802.	4,371.	5,902.
	15"	54"	45 1/2"	3	QROAH54T0DH () () () () ()	3,181.	3,991.	4,591.	6,198.
	15"	66"	45 1/2"	4	QROAH66T0DH () () () () ()	4,031.	5,049.	5,806.	7,838.
	15"	78"	45 1/2"	4	QROAH78T0DH () () () () ()	4,332.	5,429.	6,244.	8,430.
	15"	84"	45 1/2"	6	QROAH84T0DH () () () () ()	4,482.	5,620.	6,462.	8,724.



Order Code	Specification Information	Application Notes
Example: QROAO30T0DHLBF118()	To order please specify pattern number including:	
QR Reff Standard Special		
O Overhead	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	6. Tasklight cord escape BF = back feed FF = front feed
A For mounting on 1 1/4" thick top	2. Storage option (embedded in pattern number) S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. Finish
O Open	3. Finish type L = laminate I = V1 2 = V2 3 = V3	8. Optional pull finish, where applicable
30 30" wide	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. Fabric for tackboard
T 23"h storage		Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
0 15"d storage		List price for woodgrain laminate options will be current published laminate list price plus 10%.
DH desk height, 75" height overall		Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
L Finish type, laminate		Products on this page shipped knocked-down.
BF Cord escape, back feed		Tasklights not included.
118 Finish, Bright White		Tackboard included, fabric orientation applied railroaded.
() Fabric selection		Wire manager included and mounts adjacent to tackboard. Specify color.
	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"

dimensions noted nominal

Products on this page are engineered to align with 75"h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products. ; **do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.


Applicable finishes are listed on page 97 and 98.

Odd numbered hinged door is always on left side, left hinged.

Reff Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 1/4" worksurfaces	15"	30"	45 1/2"	1	QROAF30S0DH () () () ()	\$1,702.	\$2,321.	\$2,668.	\$3,603.
Flip doors, 15" deep	15"	36"	45 1/2"	1	QROAF36S0DH () () () ()	1,957.	2,667.	3,067.	4,141.
	15"	42"	45 1/2"	1	QROAF42S0DH () () () ()	2,211.	3,015.	3,467.	4,680.
	15"	48"	45 1/2"	1	QROAF48S0DH () () () ()	2,468.	3,362.	3,866.	5,218.
	15"	54"	45 1/2"	2	QROAF54S0DH () () () ()	2,722.	3,709.	4,265.	5,758.
	15"	66"	45 1/2"	2	QROAF66S0DH () () () ()	3,234.	4,701.	5,406.	7,299.
	15"	78"	45 1/2"	2	QROAF78S0DH () () () ()	4,189.	5,358.	6,161.	8,318.
	15"	90"	45 1/2"	2	QROAF90S0DH () () () ()	4,290.	5,502.	6,328.	8,543.




Order Code	Specification Information	Application Notes
Example: QROAO30T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the work surface, specify 28 3/8" h products. ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
QR Reff Standard Special	1. Configuration option (embedded in pattern number)	6. Tasklight cord escape BF = back feed FF = front feed
O Overhead	O = Open	7. Finish
A For mounting on 1 1/4" thick top	H = Hinged doors	8. Optional pull finish, where applicable
O Open	F = Flip doors	9. Fabric for tackboard
30 30" wide	2. Storage option (embedded in pattern number)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
T 23" h storage	S0 = 19" h x 15" d	List price for woodgrain laminate options will be current published laminate list price plus 10%.
0 15" d storage	S1 = 19" h x 20" d	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
DH desk height, 75" height overall	T0 = 23" h x 15" d	
L Finish type, laminate	T1 = 23" h x 20" d	
BF Cord escape, back feed	3. Finish type	
118 Finish, Bright White	L = laminate	
() Fabric selection	I = V1	
	2 = V2	
	3 = V3	
	4. Pull option	
	(Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. Lock option	
	(Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	

dimensions noted nominal

Reff Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 1/4" worksurfaces	19"	30"	45 1/2"		QROAO30T1DH () () ()	\$1,866.	\$2,324.	\$2,673.	\$3,607.
Open, 19" deep	19"	36"	45 1/2"		QROAO36T1DH () () ()	1,959.	2,444.	2,811.	3,793.
	19"	42"	45 1/2"		QROAO42T1DH () () ()	2,050.	2,565.	2,950.	3,982.
	19"	48"	45 1/2"		QROAO48T1DH () () ()	2,143.	2,686.	3,089.	4,170.
	19"	54"	45 1/2"		QROAO54T1DH () () ()	2,234.	2,808.	3,228.	4,359.
	19"	66"	45 1/2"		QROAO66T1DH () () ()	2,841.	3,568.	4,104.	5,539.
	19"	78"	45 1/2"		QROAO78T1DH () () ()	2,932.	3,810.	4,382.	5,914.
	19"	84"	45 1/2"		QROAO84T1DH () () ()	3,117.	3,930.	4,520.	6,102.



center divider on 42" and wider.

Order Code	Specification Information	Application Notes
Example: QROAO30T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products. ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
QR Reff Standard Special	1. Configuration option (embedded in pattern number)	6. Tasklight cord escape BF = back feed FF = front feed
O Overhead	O = Open	7. Finish
A For mounting on 1 1/4" thick top	H = Hinged doors	8. Optional pull finish, where applicable
O Open	F = Flip doors	9. Fabric for tackboard
30 30" wide	2. Storage option (embedded in pattern number)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
T 23" h storage	S0 = 19" h x 15" d	List price for woodgrain laminate options will be current published laminate list price plus 10%.
0 15" d storage	S1 = 19" h x 20" d	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
DH desk height, 75" height overall	T0 = 23" h x 15" d	
L Finish type, laminate	T1 = 23" h x 20" d	
BF Cord escape, back feed	3. Finish type	
118 Finish, Bright White	L = laminate	
() Fabric selection	I = V1	
	2 = V2	
	3 = V3	
	4. Pull option	
	(Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. Lock option	
	(Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	

dimensions noted nominal

Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.

Applicable finishes are listed on page 97 and 98.

Odd numbered hinged door is always on left side, left hinged.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.


Wire manager included and mounts adjacent to tackboard. Specify color.

Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"

Reff Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 1/4" worksurfaces	20"	30"	45 1/2"	2	QROAH30T1DH () () () () ()	\$2,716.	\$3,403.	\$3,914.	\$5,284.
Hinged doors, 20" deep	20"	36"	45 1/2"	2	QROAH36T1DH () () () () ()	2,879.	3,607.	4,148.	5,600.
	20"	42"	45 1/2"	3	QROAH42T1DH () () () () ()	3,041.	3,812.	4,385.	5,918.
	20"	48"	45 1/2"	3	QROAH48T1DH () () () () ()	3,202.	4,017.	4,620.	6,237.
	20"	54"	45 1/2"	3	QROAH54T1DH () () () () ()	3,366.	4,222.	4,855.	6,556.
	20"	66"	45 1/2"	4	QROAH66T1DH () () () () ()	4,256.	5,330.	6,130.	8,275.
	20"	78"	45 1/2"	4	QROAH78T1DH () () () () ()	4,418.	5,741.	6,601.	8,913.
	20"	84"	45 1/2"	6	QROAH84T1DH () () () () ()	4,741.	5,946.	6,838.	9,231.




Order Code	Specification Information	Application Notes
Example: QROAO30T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the work surface, specify 28 3/8" h products. ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
QR Reff Standard Special	1. Configuration option (embedded in pattern number)	6. Tasklight cord escape BF = back feed FF = front feed
O Overhead	O = Open	7. Finish
A For mounting on 1 1/4" thick top	H = Hinged doors	8. Optional pull finish, where applicable
O Open	F = Flip doors	9. Fabric for tackboard
30 30" wide	2. Storage option (embedded in pattern number)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
T 23" h storage	S0 = 19" h x 15" d	List price for woodgrain laminate options will be current published laminate list price plus 10%.
0 15" d storage	S1 = 19" h x 20" d	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
DH desk height, 75" height overall	T0 = 23" h x 15" d	
L Finish type, laminate	T1 = 23" h x 20" d	
BF Cord escape, back feed	3. Finish type	
118 Finish, Bright White	L = laminate	
() Fabric selection	I = V1	
	2 = V2	
	3 = V3	
	4. Pull option	
	(Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. Lock option	
	(Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	
		Products on this page shipped knocked-down.
		Tasklights not included.
		Tackboard included, fabric orientation applied railroaded.
		Wire manager included and mounts adjacent to tackboard. Specify color.
		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"

dimensions noted nominal

Reff Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	lam.	V1	V2	V3
For 1 1/4" worksurfaces	20"	30"	45 1/2"	1	QROAF30S1DH () () () ()	\$1,813.	\$2,470.	\$2,840.	\$3,834.
Flip doors, 20" deep	20"	36"	45 1/2"	1	QROAF36S1DH () () () ()	2,080.	2,834.	3,259.	4,399.
	20"	42"	45 1/2"	1	QROAF42S1DH () () () ()	2,347.	3,198.	3,678.	4,965.
	20"	48"	45 1/2"	1	QROAF48S1DH () () () ()	2,614.	3,562.	4,096.	5,530.
	20"	54"	45 1/2"	2	QROAF54S1DH () () () ()	2,882.	3,927.	4,517.	6,098.
	20"	66"	45 1/2"	2	QROAF66S1DH () () () ()	3,414.	4,963.	5,707.	7,705.
	20"	78"	45 1/2"	2	QROAF78S1DH () () () ()	4,428.	5,666.	6,516.	8,796.
	20"	90"	45 1/2"	2	QROAF90S1DH () () () ()	4,543.	5,829.	6,703.	9,050.



Order Code	Specification Information	Application Notes
Example: QROAO30T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products. ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
QR Reff Standard Special	1. Configuration option (embedded in pattern number)	6. Tasklight cord escape BF = back feed FF = front feed
O Overhead	O = Open	7. Finish
A For mounting on 1 1/4" thick top	H = Hinged doors	8. Optional pull finish, where applicable
O Open	F = Flip doors	9. Fabric for tackboard
30 30" wide	2. Storage option (embedded in pattern number)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
T 23" h storage	S0 = 19" h x 15" d	List price for woodgrain laminate options will be current published laminate list price plus 10%.
0 15" d storage	S1 = 19" h x 20" d	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
DH desk height, 75" height overall	T0 = 23" h x 15" d	
L Finish type, laminate	T1 = 23" h x 20" d	
BF Cord escape, back feed	3. Finish type	
118 Finish, Bright White	L = laminate	
() Fabric selection	I = V1	
	2 = V2	
	3 = V3	
	4. Pull option	
	(Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. Lock option	
	(Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	

dimensions noted nominal

Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.

Applicable finishes are listed on page 97 and 98.

Odd numbered hinged door is always on left side, left hinged.

Products on this page shipped knocked-down.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.


Wire manager included and mounts adjacent to tackboard. Specify color.

Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"

Reff Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	L	V1	V2	V3
For 1 ³ / ₄ " worksurfaces	14"	30"	45"		QROBO30T0DH () () ()	\$1,611.	\$2,038.	\$2,344.	\$3,164.
Open, 14" deep	14"	36"	45"		QROBO36T0DH () () ()	1,739.	2,199.	2,529.	3,414.
	14"	42"	45"		QROBO42T0DH () () ()	1,868.	2,360.	2,714.	3,664.
	14"	48"	45"		QROBO48T0DH () () ()	1,997.	2,521.	2,898.	3,914.
	14"	54"	45"		QROBO54T0DH () () ()	2,126.	2,682.	3,085.	4,164.
	14"	66"	45"		QROBO66T0DH () () ()	2,694.	3,410.	3,923.	5,295.
	14"	78"	45"		QROBO78T0DH () () ()	2,954.	3,733.	4,293.	5,796.
	14"	84"	45"		QROBO84T0DH () () ()	3,083.	3,893.	4,477.	6,045.



center divider on 42" and wider.


Order Code	Specification Information	Application Notes
Example: QROBO30T0DHLBF118()	<i>To order please specify pattern number including:</i>	
QR	Reff Standard Special	
O	Overhead	
B	For mounting on 1 3/4" thick top	
O	Open	
30	30" wide	
T	23"h storage	
0	15"d storage	
DH	desk height, 75" height overall	
L	Finish type, laminate	
BF	Cord escape, back feed	
118	Finish, Bright White	
()	Fabric selection	
<i>dimensions noted nominal</i>		
	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i> 8. <i>Optional pull finish, where applicable</i> 9. <i>Fabric for tackboard</i>
	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down.
	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Tasklights not included.
		Tackboard included, fabric orientation applied railroaded.
		Wire manager included and mounts adjacent to tackboard. Specify color.
		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
		Products on this page are engineered to align with 75"h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8"h products; do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
		Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.
		Clearance below overhead storage to top of worksurface is approximately 22 5/8"h.
		Applicable finishes are listed on page 97 and 98.
		Odd numbered hinged door is always on left side, left hinged.

dimensions noted nominal

Reff Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	L	V1	V2	V3
For 1 ³ / ₄ " worksurfaces	15"	30"	45"	2	QROBH30T0DH () () () () ()	\$2,610.	\$3,264.	\$3,753.	\$5,067.
Hinged doors, 15" deep	15"	36"	45"	2	QROBH36T0DH () () () () ()	2,762.	3,456.	3,975.	5,365.
	15"	42"	45"	3	QROBH42T0DH () () () () ()	2,914.	3,649.	4,196.	5,666.
	15"	48"	45"	3	QROBH48T0DH () () () () ()	3,065.	3,841.	4,418.	5,963.
	15"	54"	45"	3	QROBH54T0DH () () () () ()	3,217.	4,035.	4,640.	6,263.
	15"	66"	45"	4	QROBH66T0DH () () () () ()	4,077.	5,106.	5,872.	7,926.
	15"	78"	45"	4	QROBH78T0DH () () () () ()	4,381.	5,492.	6,316.	8,526.
	15"	84"	45"	4	QROBH84T0DH () () () () ()	4,530.	5,685.	6,538.	8,826.




Order Code	Specification Information	Application Notes
Example: QROBO30T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75"h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
QR Reff Standard Special	1. Configuration option (embedded in pattern number)	6. Tasklight cord escape BF = back feed FF = front feed
O Overhead	O = Open	7. Finish
B For mounting on 1 ³ / ₄ " thick top	H = Hinged doors	8. Optional pull finish, where applicable
O Open	F = Flip doors	9. Fabric for tackboard
30 30" wide	2. Storage option (embedded in pattern number)	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23"h storage	S0 = 19"h x 15"d	Products on this page shipped knocked-down.
0 15"d storage	S1 = 19"h x 20"d	Tasklights not included.
DH desk height, 75" height overall	T0 = 23"h x 15"d	Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate	T1 = 23"h x 20"d	Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed	3. Finish type	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
118 Finish, Bright White	L = laminate	
() Fabric selection	1 = V1	
	2 = V2	
	3 = V3	
	4. Pull option (Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. Lock option (Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	

dimensions noted nominal

Reff Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	L	V1	V2	V3
For 1 ³ / ₄ " worksurfaces	15"	30"	45"	1	QROBF30S0DH () () () ()	\$1,716.	\$2,343.	\$2,693.	\$3,637.
Flip doors, 15" deep	15"	36"	45"	1	QROBF36S0DH () () () ()	1,975.	2,694.	3,099.	4,184.
	15"	42"	45"	1	QROBF42S0DH () () () ()	2,234.	3,048.	3,505.	4,732.
	15"	48"	45"	1	QROBF48S0DH () () () ()	2,494.	3,400.	3,910.	5,279.
	15"	54"	45"	2	QROBF54S0DH () () () ()	2,753.	3,752.	4,315.	5,826.
	15"	66"	45"	2	QROBF66S0DH () () () ()	3,270.	4,753.	5,466.	7,380.
	15"	78"	45"	2	QROBF78S0DH () () () ()	4,236.	5,414.	6,226.	8,405.
	15"	90"	45"	2	QROBF90S0DH () () () ()	4,340.	5,570.	6,407.	8,647.




Order Code	Specification Information	Application Notes		
Example: QROBO30T0DHLBF118()	<i>To order please specify pattern number including:</i>			
QR	Reff Standard Special			
O	Overhead			
B	For mounting on 1 3/4" thick top			
O	Open			
30	30" wide			
T	23"h storage			
0	15"d storage			
DH	desk height, 75" height overall			
L	Finish type, laminate			
BF	Cord escape, back feed			
118	Finish, Bright White			
()	Fabric selection			
<i>dimensions noted nominal</i>				
	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	Products on this page are engineered to align with 75"h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8"h products; do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.	
	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i> 8. <i>Optional pull finish, where applicable</i> 9. <i>Fabric for tackboard</i> Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.		Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.
	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Products on this page shipped knocked-down.		
	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color.	Clearance below overhead storage to top of worksurface is approximately 22 5/8"h.	
	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"		Applicable finishes are listed on page 97 and 98. Odd numbered hinged door is always on left side, left hinged.

dimensions noted nominal

Reff Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	L	V1	V2	V3
For 1 ³ / ₄ " worksurfaces	19"	30"	45"		QROBO30T1DH () () ()	\$1,975.	\$2,460.	\$2,829.	\$3,818.
Open, 19" deep	19"	36"	45"		QROBO36T1DH () () ()	2,046.	2,555.	2,939.	3,968.
	19"	42"	45"		QROBO42T1DH () () ()	2,117.	2,652.	3,050.	4,117.
	19"	48"	45"		QROBO48T1DH () () ()	2,187.	2,748.	3,160.	4,265.
	19"	54"	45"		QROBO54T1DH () () ()	2,257.	2,843.	3,269.	4,415.
	19"	66"	45"		QROBO66T1DH () () ()	2,873.	3,609.	4,150.	5,603.
	19"	78"	45"		QROBO78T1DH () () ()	3,016.	3,802.	4,371.	5,902.
	19"	84"	45"		QROBO84T1DH () () ()	3,087.	3,899.	4,483.	6,052.



center divider on 42" and wider.


Order Code	Specification Information	Application Notes		
Example: QROBO30T0DHLBF118()	<i>To order please specify pattern number including:</i>			
QR	Reff Standard Special			
O	Overhead			
B	For mounting on 1 3/4" thick top			
O	Open			
30	30" wide			
T	23"h storage			
0	15"d storage			
DH	desk height, 75" height overall			
L	Finish type, laminate			
BF	Cord escape, back feed			
118	Finish, Bright White			
()	Fabric selection			
<i>dimensions noted nominal</i>				
	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	Products on this page are engineered to align with 75"h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8"h products; do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.	
	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i> 8. <i>Optional pull finish, where applicable</i> 9. <i>Fabric for tackboard</i> Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.		Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.
	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Products on this page shipped knocked-down.		
	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Tasklights not included.		
	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Tackboard included, fabric orientation applied railroaded.	Applicable finishes are listed on page 97 and 98.	
		Wire manager included and mounts adjacent to tackboard. Specify color.		Odd numbered hinged door is always on left side, left hinged.
		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"		

dimensions noted nominal

Reff Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	L	V1	V2	V3
For 1 ³ / ₄ " worksurfaces	20"	30"	45"	2	QROBH30T1DH () () () () ()	\$2,751.	\$3,428.	\$3,942.	\$5,322.
Hinged doors, 20" deep	20"	36"	45"	2	QROBH36T1DH () () () () ()	2,915.	3,637.	4,183.	5,646.
	20"	42"	45"	3	QROBH42T1DH () () () () ()	3,079.	3,845.	4,422.	5,971.
	20"	48"	45"	3	QROBH48T1DH () () () () ()	3,242.	4,055.	4,663.	6,294.
	20"	54"	45"	3	QROBH54T1DH () () () () ()	3,405.	4,263.	4,903.	6,619.
	20"	66"	45"	4	QROBH66T1DH () () () () ()	4,304.	5,390.	6,199.	8,368.
	20"	78"	45"	4	QROBH78T1DH () () () () ()	4,631.	5,807.	6,679.	9,017.
	20"	84"	45"	6	QROBH84T1DH () () () () ()	4,794.	6,015.	6,919.	9,339.




Order Code	Specification Information	Application Notes
Example: QROBO30T0DHLBF118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
QR Reff Standard Special	1. <i>Configuration option (embedded in pattern number)</i>	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	O = Open	7. <i>Finish</i>
B For mounting on 1 ³ / ₄ " thick top	H = Hinged doors	8. <i>Optional pull finish, where applicable</i>
O Open	F = Flip doors	9. <i>Fabric for tackboard</i>
30 30" wide	2. <i>Storage option (embedded in pattern number)</i>	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23"h storage	S0 = 19"h x 15"d	
0 15"d storage	S1 = 19"h x 20"d	
DH desk height, 75" height overall	T0 = 23"h x 15"d	
L Finish type, laminate	T1 = 23"h x 20"d	
BF Cord escape, back feed	3. <i>Finish type</i>	Products on this page shipped knocked-down.
118 Finish, Bright White	L = laminate	Tasklights not included.
() Fabric selection	1 = V1	Tackboard included, fabric orientation applied railroaded.
	2 = V2	Wire manager included and mounts adjacent to tackboard. Specify color.
	3 = V3	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
	4. <i>Pull option</i> (Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. <i>Lock option</i> (Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	

dimensions noted nominal

Reff Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Standard Specials Systems

description	d	w	h	doors	pattern no.	L	V1	V2	V3
For 1 ³ / ₄ " worksurfaces	20"	30"	45"	1	QROBF30S1DH () () () ()	\$1,836.	\$2,499.	\$2,873.	\$3,879.
Flip doors, 20" deep	20"	36"	45"	1	QROBF36S1DH () () () ()	2,105.	2,865.	3,296.	4,449.
	20"	42"	45"	1	QROBF42S1DH () () () ()	2,376.	3,233.	3,717.	5,018.
	20"	48"	45"	1	QROBF48S1DH () () () ()	2,647.	3,600.	4,140.	5,589.
	20"	54"	45"	2	QROBF54S1DH () () () ()	2,917.	3,967.	4,562.	6,158.
	20"	66"	45"	2	QROBF66S1DH () () () ()	3,455.	5,018.	5,771.	7,791.
	20"	78"	45"	2	QROBF78S1DH () () () ()	4,483.	5,734.	6,594.	8,902.
	20"	90"	45"	2	QROBF90S1DH () () () ()	4,597.	5,895.	6,778.	9,151.




Order Code	Specification Information	Application Notes
Example: QROBO30T0DHLBF118 ()	To order please specify pattern number including:	Products on this page are engineered to align with 75"h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
QR Reff Standard Special	1. Configuration option (embedded in pattern number)	6. Tasklight cord escape BF = back feed FF = front feed
O Overhead	O = Open	7. Finish
B For mounting on 1 ³ / ₄ " thick top	H = Hinged doors	8. Optional pull finish, where applicable
O Open	F = Flip doors	9. Fabric for tackboard
30 30" wide	2. Storage option (embedded in pattern number)	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 194. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23"h storage	S0 = 19"h x 15"d	Products on this page shipped knocked-down.
0 15"d storage	S1 = 19"h x 20"d	Tasklights not included.
DH desk height, 75" height overall	T0 = 23"h x 15"d	Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate	T1 = 23"h x 20"d	Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed	3. Finish type	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
118 Finish, Bright White	L = laminate	
() Fabric selection	1 = V1	
	2 = V2	
	3 = V3	
	4. Pull option (Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. Lock option (Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	

dimensions noted nominal


Reff Overhead storage panel hung and wall hung cabinets

Standard Specials Systems

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel hung overhead cabinet (hinged door, no back)	19"	24"	14"	1	2	QROPH24S0 () () () ()	\$1,675.	\$1,728.	\$1,988.	\$2,683.
		42"	14"	2	3	QROPH42S0 () () () ()	2,202.	2,272.	2,613.	3,528.
		48"	14"	2	3	QROPH48S0 () () () ()	2,345.	2,421.	2,783.	3,757.
		54"	14"	2	3	QROPH54S0 () () () ()	2,387.	2,468.	2,838.	3,831.
		84"	14"	3	5	QROPH84S0 () () () ()	3,221.	3,327.	3,826.	5,165.




Wall hung overhead cabinet (hinged door, with back)	19"	24"	15"	1	2	QROMH24S0 () () () ()	3,059.	3,160.	3,634.	4,906.
		42"	15"	2	3	QROMH42S0 () () () ()	3,520.	3,631.	4,175.	5,637.
		48"	15"	2	3	QROMH48S0 () () () ()	3,638.	3,755.	4,319.	5,830.
		54"	15"	2	3	QROMH54S0 () () () ()	3,657.	3,778.	4,345.	5,866.
		66"	15"	2	4	QROMH66S0 () () () ()	3,869.	3,997.	4,598.	6,207.
		78"	15"	2	4	QROMH78S0 () () () ()	4,476.	4,624.	5,317.	7,178.
		84"	15"	3	6	QROMH84S0 () () () ()	4,983.	5,148.	5,921.	7,993.
		90"	15"	3	6	QROMH90S0 () () () ()	5,237.	5,411.	6,221.	8,400.
		96"	15"	3	6	QROMH96S0 () () () ()	5,490.	5,672.	6,523.	8,807.



Order Code	Specification Information	Application Notes
Example: QROPH24S0DLL	<i>To order please specify pattern number including:</i>	Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
QR Reff Standard Special	1. Configuration option (<i>embedded in pattern no.</i>)	Open cabinets require no locks.
O Overhead	<i>H = Hinged door</i>	Tasklights are not included.
P Panel hung	<i>O = Open</i>	D-Pulls are not available for flip door units.
H Hinge door	<i>F = Flip door</i>	Hardware included for overhead cabinets.
24 24" wide	2. Storage option (<i>embedded in pattern no.</i>)	The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.
S Standard height, 19"h	<i>S0 = 19"h x 14"d open/15"d hinged door</i>	*Keying instructions must accompany all cabinet orders.
0 15" deep	<i>T0 = 23"h x 14"d open/15"d hinged door</i>	Panel-hung overheads come with no backs.
D D-pull	3. Finish type	Random keys are factory installed.
L Lock hole drilled	4. Pull option <i>applicable hinged doors only</i>	Order overheads with a KnollKey order form.
L Laminate finish	5. Lock option	
	6. Finish, case	
	7. Finish, pull when applicable	
	8. Keying instructions	
	*After specifying product code, provide keying instructions.	
	Dimensions are nominal.	
	Product not available where prices do not appear.	
	3. <i>Finish type options:</i>	
	L = Laminate	
	1 = V1 techwood	
	2 = V2 conventional veneer	
	3 = V3 exotic veneer	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel finish C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lock hole drilled	
	N = No lockdrilling	
	8. Refer to page 194 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Applicable finishes are listed on page 97 and 98.	
	Sliding rails order separately on page from Reff price list.	

open hutch
wood interior

description	h	w	d	pattern no.	L	V1	V2	V3
Hutch for 1 1/4" top, 26 1/2" h component	44 1/4"	30"	14"	QROAO30BW () ()	\$1,965.	\$2,576.	\$2,962.	\$3,998.
	44 1/4"	36"	14"	QROAO36BW () ()	2,163.	2,837.	3,262.	4,403.




No baseboard
No bottom shelf
2 adjustable shelves

Hutch for 1 1/4" top, 28 3/8" h component	45 1/2"	30"	14"	QROAO30DHBW () ()	2,064.	2,705.	3,111.	4,198.
	45 1/2"	36"	14"	QROAO36DHBW () ()	2,271.	2,979.	3,425.	4,624.

No baseboard
No bottom shelf
2 adjustable shelves

Hutch for 1 3/4" top, 26 1/2" h component	43 3/4"	30"	14"	QROBO30BW () ()	1,965.	2,576.	2,962.	3,998.
	43 3/4"	36"	14"	QROBO36BW () ()	2,163.	2,837.	3,262.	4,403.



No baseboard
No bottom shelf
2 adjustable shelves

Hutch for 1 3/4" top, 28 3/8" h component	45"	30"	14"	QROBO30DHBW () ()	2,064.	2,705.	3,111.	4,198.
	45"	36"	14"	QROBO36DHBW () ()	2,271.	2,979.	3,425.	4,624.

No baseboard
No bottom shelf
2 adjustable shelves


Order Code	Specification Information	Application Notes	
Example: QROAO30BW(2)(V316)	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	14" deep gable aligns with the gable depth of standard 15" deep overdesk.
QR	Reff Standard Special		
O	Overhead storage		
A	for 1 1/4" top		
O	Open hutch		
30	30" w (<i>nominal</i>)		
B	Bookcase		
W	Interior option, wood		
2	Finish type, V2		
V316	Finish, light maple		

Reff Overhead storage

Standard Specials Systems

open hutch
metal interior

description	h	w	d	pattern no.	L	V1	V2	V3
Hutch for 1 1/4" top, 26 1/2" h component	44 1/4"	30"	14"	QROAO30BM () ()	\$1,798.	\$2,355.	\$2,708.	\$3,655.
	44 1/4"	36"	14"	QROAO36BM () ()	1,990.	2,612.	3,005.	4,056.




No baseboard
No bottom shelf
2 adjustable shelves

Hutch for 1 1/4" top, 28 3/8" h component	45 1/2"	30"	14"	QROAO30DHBM () ()	1,888.	2,472.	2,842.	3,837.
	45 1/2"	36"	14"	QROAO36DHBM () ()	2,090.	2,743.	3,154.	4,259.

No baseboard
No bottom shelf
2 adjustable shelves

Hutch for 1 3/4" top, 26 1/2" h component	43 3/4"	30"	14"	QROBO30BM () ()	1,798.	2,355.	2,708.	3,655.
	43 3/4"	36"	14"	QROBO36BM () ()	1,990.	2,612.	3,005.	4,056.



No baseboard
No bottom shelf
2 adjustable shelves

Hutch for 1 3/4" top, 28 3/8" h component	45"	30"	14"	QROBO30DHBM () ()	1,888.	2,472.	2,842.	3,837.
	45"	36"	14"	QROBO36DHBM () ()	2,090.	2,743.	3,154.	4,259.

No baseboard
No bottom shelf
2 adjustable shelves

Order Code	Specification Information	Application Notes
Example: QROAO30BM(2)(V316)	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
QR Reff Standard Special	1. <i>Interior Option</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
O Overhead storage	M = metal shelves	
A for 1 1/4" top	*If laminate case, finish of metal shelves to match; if case V1 or V2 finish, shelves are black)	
O Open hutch	2. <i>Finish type</i>	14" deep gable aligns with the gable depth of standard 15" deep overdesk.
30 30" w (nominal)	L = laminate	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
B Bookcase	1 = V1	
M Interior option, metal	2 = V2	
2 Finish type, V2	3 = V3	
V316 Finish, light maple	3. <i>Cabinet finish</i>	


Reff Overhead storage

T5 Task Light for Reff

Daisy Chain


Standard Specials Systems

description	type	w	d	h	pattern no.	Standard	Advanced
Task Light, starter 9 ft. cord, fused male plug 1 ft. cord, female plug	Use with 24" and wider overhead	19"	4"	1 1/2"	RTLT5E19()DCS()Q	\$417.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTLT5E25()DCS()Q	424.	544.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTLT5E37()DCS()Q	430.	565.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTLT5E49()DCS()Q	435.	582.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTLT5E61()DCS()Q	451.	598.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTLT5E73()DCS()Q	478.	615.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTLT5E85()DCS()Q	560.	632.




left hand shown

Task Light, adder 2 ft. cord, male plug 1 ft. cord, female plug	Use with 24" and wider overhead	19"	4"	1 1/2"	RTLT5E19()DCA()Q	452.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTLT5E25()DCA()Q	458.	579.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTLT5E37()DCA()Q	464.	599.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTLT5E49()DCA()Q	469.	616.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTLT5E61()DCA()Q	485.	633.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTLT5E73()DCA()Q	512.	649.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTLT5E85()DCA()Q	594.	666.



left hand shown

Task Light, ender 2 ft. cord, male plug	Use with 24" and wider overhead	19"	4"	1 1/2"	RTLT5E19()DCE()Q	331.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTLT5E25()DCE()Q	337.	457.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTLT5E37()DCE()Q	342.	479.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTLT5E49()DCE()Q	348.	494.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTLT5E61()DCE()Q	364.	512.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTLT5E73()DCE()Q	390.	528.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTLT5E85()DCE()Q	474.	545.



left hand shown

Reff System

Order Code	Specification Information	Application Notes
Example: RTLT5E19SDCSLQ	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.
RTL Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	Task lights fit to overhead cabinets without the use of filler panels.
T5 T5 lamp	1. Type: (S) Standard (A) Advanced	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
E Electronic ballast	2. Handedness L= Left handed (male plug on user's left side) R=Right handed (male plug on user's right side)	Cord management clips must be ordered separately.
19 Width	All housings are black.	Task lights are TCLP compliant and meet requirements of California Title 24.
S Standard		Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.
DC Daisy chain		
S Starter		
L Left handed		
Q Special		

description	w	h	pattern no.	list
Panel hung tackboard	24"	24"	QRPHTB2424 ()	\$338.
Note: Fabric railroaded	36"	24"	QRPHTB3624 ()	415.
	48"	24"	QRPHTB4824 ()	507.
	54"	24"	QRPHTB5424 ()	552.
	60"	24"	QRPHTB6024 ()	597.
	72"	24"	QRPHTB7224 ()	689.
available in all standard grades of fabric				
Wall hung tackboard	24"	24"	QRWHTB2424 ()	375.
Note: Fabric railroaded Velcro supplied	54"	24"	QRWHTB5424 ()	542.
	60"	24"	QRWHTB6024 ()	588.
	72"	24"	QRWHTB7224 ()	679.
available in all standard grades of fabric				

Order Code**Specification Information****Application Notes**

To order please specify:

1. Pattern number
2. Fabric (Tackboards)

Finishes**L - Laminate**

Matching edge band unless noted otherwise

117	Soft Grey
118	Bright White
114	Folkstone Grey
111	Jet Black
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
128	Fog
129	Micro Sand with 119 Pumice edge band
124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

V1 - Techwood Veneer

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge
Y342	Medium Teak
Y343	Dark Grey Oak
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

V2 – Natural Veneer/**Premium Techwood Veneer**

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
<i>(above V2's are flat cut)</i>	
V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak
<i>(above V2 Oaks are rift cut)</i>	
V439	Straight Anigre
V440	Natural Hemlock
<i>(above V2's are quarter cut)</i>	
Y841	Ebony
Y861	Grigio
Y871	Iced Sycamore
<i>(above Premium techwoods are straight grain)</i>	

V3 – Exotic veneer

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V513	Graphite Oak
<i>(rift cut)</i>	
V517	Natural Sapele
V518	Natural Chestnut
<i>(all V3s are quarter cut)</i>	

Paint**P1**

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

Anodized

AA	Anodized Aluminum
----	-------------------

Plated

PT	Brushed Pewter
----	----------------

Glass G1

TEMP	Clear Tempered
------	----------------

Architectural Glass G2

GL6	Block Matrix
GL13	Powder

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
52	for V512
53	for V513
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Conference room top

1 1/4" Thick - No grommet, no drilling

description	w	d	dia.	pattern no.	L	M	V1	V2	V3
Square top - tapered 4 sides	30"	30"		QAW1T43030 () ()	\$794.	\$1,088.	\$1,088.	\$1,251.	\$1,688.
	36"	36"		QAW1T43636 () ()	873.	1,196.	1,196.	1,376.	1,857.
	42"	42"		QAW1T44242 () ()	1,005.	1,377.	1,377.	1,584.	2,138.
	48"	48"		QAW1T44848 () ()	1,157.	1,586.	1,586.	1,823.	2,461.
Rectangular top - tapered 4 sides	48"	30"		QAW1T44830 () ()	1,043.	1,430.	1,430.	1,644.	2,219.
	60"	30"		QAW1T46030 () ()	1,144.	1,568.	1,568.	1,804.	2,435.
	72"	30"		QAW1T47230 () ()	1,244.	1,705.	1,705.	1,961.	2,648.
	72"	36"		QAW1T47236 () ()	1,294.	1,772.	1,772.	2,037.	2,750.
Round top - tapered edge			24"	QAW1TR24 () ()	1,008.	1,381.	1,381.	1,589.	2,144.
			30"	QAW1TR30 () ()	1,041.	1,427.	1,427.	1,640.	2,213.
			36"	QAW1TR36 () ()	1,073.	1,471.	1,471.	1,691.	2,284.
			42"	QAW1TR42 () ()	1,164.	1,594.	1,594.	1,832.	2,475.
			48"	QAW1TR48 () ()	1,326.	1,817.	1,817.	2,089.	2,820.

Order Code	Specification Information	Application Notes
Example: QAW1T43030-V-V316	<i>To order please specify pattern number including:</i>	5. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>
QA AutoStrada	1. Width	Product on this page will accept wood grain laminate where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%. Grommets are not optional for tables.
W Worksurface	2. Depth	
1 Generation 1	3. Surface type <i>L = Laminate</i> <i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i> <i>V = V1, V2 or V3</i>	
T4 Tapered edge 4 sides	4. Finish, Surface Laminate, Mixed, V1, V2 or V3 finish	
30 30" wide		Stiffener included with rectangular tables 60"w and over.
30 30" deep		
V Surface type, veneer		
V316 Maple		


Note: Metal inserts are required in order to create freestanding tables. Table legs must be positioned in accordance with BIFMA guidelines.

AutoStrada Cabinets


Freestanding cabinets for private office

Standard Specials Systems

description	h	w	d	pattern no.	L	V1	V2	V3
File drawers (2) with hinged doors and wood shelves above	70"	30"	24"	QACG722WE () ()	\$4,147.	\$5,377.	\$6,373.	\$8,603.
	70"	36"	24"	QACG723WE () ()	4,263.	5,528.	6,550.	8,843.
	84"	30"	24"	QACG822WE () ()	4,872.	6,314.	7,481.	10,099.
	84"	36"	24"	QACG823WE () ()	5,009.	6,490.	7,690.	10,382.



Wardrobe, with hinged door	70"	16"	24"	QACDL720 () ()	2,967.	3,710.	4,396.	5,936.
	70"	16"	24"	QACDR720 () ()	2,967.	3,710.	4,396.	5,936.
	70"	19"	24"	QACDL721 () ()	2,967.	3,710.	4,396.	5,936.
	70"	19"	24"	QACDR721 () ()	2,967.	3,710.	4,396.	5,936.
	84"	16"	24"	QACDL820 () ()	3,543.	4,461.	5,286.	7,136.
	84"	16"	24"	QACDR820 () ()	3,543.	4,461.	5,286.	7,136.
	84"	19"	24"	QACDL821 () ()	3,543.	4,461.	5,286.	7,136.
	84"	19"	24"	QACDR821 () ()	3,543.	4,461.	5,286.	7,136.





Order Code	Specification Information	Application Notes
Example: QACG722WE316AAAA	<i>To order please specify pattern number including:</i>	
QA AutoStrada	5. Finish	Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 0. Specify 70" high cabinets for use with single high overhead storage and 84" high cabinets for use with double high overhead storage.
C Cabinet	6. Finish, Aluminum trim (trim & if pull)	No pull in hinged doors.
G 2 file drawers below, hinged doors above	7. Finish, cabinet feet	84" high cabinets include wall cleat for stability.
7 70" high	AA - Anodized aluminum or painted finish option from page 0 excluding silver	Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers dilled for locks, keying instructions must accompany order.
2 24" deep	See page 0 for finish options applicable.	Coat rod included in wardrobes.
2 30" wide	Product on this page will accept wood grain laminate where laminate is currently an option.	
W Wood interior only	List price for wood grain laminate options will be current published laminate list price plus 10%.	
E Extruded Aluminum Pull		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		
AA Finish, cabinet feet, anodized alum		

AutoStrada Lower Storage

Wood or laminate case

Standard Specials Systems

description	type	h	w	d	pattern no.	L	V1	V2	V3
 Lower storage, open with an adj. shelf	19" deep	26"	16"	19"	QAFPO10W ()	\$934.	\$1,000.	\$1,149.	\$1,552.
	19" deep	26"	19"	19"	QAFPO11W ()	934.	1,000.	1,149.	1,552.
	19" deep	26"	30"	19"	QAFPO12W ()	1,128.	1,206.	1,387.	1,873.
	19" deep	26"	36"	19"	QAFPO13W ()	1,434.	1,535.	1,765.	2,382.
	23" deep	26"	16"	23"	QAFPO20W ()	1,089.	1,165.	1,340.	1,808.
	23" deep	26"	19"	23"	QAFPO21W ()	1,089.	1,165.	1,340.	1,808.
	23" deep	26"	30"	23"	QAFPO22W ()	1,309.	1,401.	1,611.	2,175.
	23" deep	26"	36"	23"	QAFPO23W ()	1,663.	1,780.	2,047.	2,762.
 Lower storage, full height hinged doors	19" deep	26"	16"	19"	QAFPD10()()W()()	1,102.	1,179.	1,355.	1,830.
	19" deep	26"	16"	19"	QAFPD10()()W()()	1,102.	1,179.	1,355.	1,830.
	19" deep	26"	19"	19"	QAFPD11()()W()()	1,102.	1,179.	1,355.	1,830.
	19" deep	26"	19"	19"	QAFPD11()()W()()	1,102.	1,179.	1,355.	1,830.
	19" deep	26"	30"	19"	QAFPD12()()W()()	1,295.	1,385.	1,593.	2,151.
	19" deep	26"	36"	19"	QAFPD13()()W()()	1,602.	1,714.	1,971.	2,660.
	23" deep	26"	16"	23"	QAFPD20()()W()()	1,257.	1,344.	1,546.	2,086.
	23" deep	26"	16"	23"	QAFPD20()()W()()	1,257.	1,344.	1,546.	2,086.
	23" deep	26"	19"	23"	QAFPD21()()W()()	1,257.	1,344.	1,546.	2,086.
	23" deep	26"	19"	23"	QAFPD21()()W()()	1,257.	1,344.	1,546.	2,086.
	23" deep	26"	30"	23"	QAFPD22()()W()()	1,477.	1,580.	1,818.	2,453.
	23" deep	26"	36"	23"	QAFPD23()()W()()	1,830.	1,959.	2,253.	3,042.
	23" deep	26"	36"	23"	QAFPD23()()W()()	1,830.	1,959.	2,253.	3,042.

Example: **QAFPO10W-114**

QA	AutoStrada
F	Floor standing
P	Pedestal
O	Open with an adj. shelf
W	Wood interior only
1	20" deep nominal
0	16" wide
114	Finish, Folkstone grey

To order please specify pattern number including:

- Hand (applicable 16" and 19" wide units)
L = hinges on left
R = hinges on right
- Depth
1 = 20" deep
2 = 24" deep
- Width
0 = 16" wide
1 = 19" wide
2 = 30" wide
3 = 36" wide
4 = 42" wide
- Pull
E = Extruded aluminum pull
P = Extruded aluminum protruding pull

- Lock option
L = drilled for locks
N = not drilled for locks
- Interior
W = wood interior (only)
- Finish
Laminate, V1, V2 or V3 finish
- Finish, pull
Anodized aluminum or painted finish options listed on page 0 excluding silver.

Optional lock drilled to be specified. If drilled for locks selected, keying instructions must accompany order.

See page 0 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Units on this page include a finished sub-top and anti-tip spacer. Height to underside of work surface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anti-tip spacer) are specified separately from page 0.

Primary finished top required in freestanding applications, ordered separately when item stands alone.


Note: Optional cabinet feet are recommended when units used in free-standing applications to achieve overall desk height of 29⁵/₈" (see page 0).

Note: Above pedestals do not allow for 2 rows of binder storage.

AutoStrada T5 Task Light Daisy Chain


Standard Specials Systems

description	type	w	d	h	pattern no.	Standard	Advanced
Task Light, starter 9 ft. cord, fused male plug 1 ft. cord, female plug	Use with 24" and wider overhead	19"	4"	1 1/2"	AL1T5E19()DCS()Q	\$419.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	AL1T5E25()DCS()Q	424.	547.
	Use with 42" and wider overhead	37"	4"	1 1/2"	AL1T5E37()DCS()Q	430.	568.
	Use with 60" and wider overhead	49"	4"	1 1/2"	AL1T5E49()DCS()Q	435.	585.
	Use with 72" and wider overhead	61"	4"	1 1/2"	AL1T5E61()DCS()Q	452.	602.
	Use with 84" and wider overhead	73"	4"	1 1/2"	AL1T5E73()DCS()Q	479.	620.
	Use with 96" and wider overhead	85"	4"	1 1/2"	AL1T5E85()DCS()Q	562.	637.




left hand shown

Task Light, adder 2 ft. cord, male plug 1 ft. cord, female plug	Use with 24" and wider overhead	19"	4"	1 1/2"	AL1T5E19()DCA()Q	453.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	AL1T5E25()DCA()Q	458.	581.
	Use with 42" and wider overhead	37"	4"	1 1/2"	AL1T5E37()DCA()Q	464.	602.
	Use with 60" and wider overhead	49"	4"	1 1/2"	AL1T5E49()DCA()Q	469.	619.
	Use with 72" and wider overhead	61"	4"	1 1/2"	AL1T5E61()DCA()Q	486.	636.
	Use with 84" and wider overhead	73"	4"	1 1/2"	AL1T5E73()DCA()Q	513.	653.
	Use with 96" and wider overhead	85"	4"	1 1/2"	AL1T5E85()DCA()Q	596.	671.



left hand shown

Task Light, ender 2 ft. cord, male plug	Use with 24" and wider overhead	19"	4"	1 1/2"	AL1T5E19()DCE()Q	334.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	AL1T5E25()DCE()Q	339.	461.
	Use with 42" and wider overhead	37"	4"	1 1/2"	AL1T5E37()DCE()Q	344.	482.
	Use with 60" and wider overhead	49"	4"	1 1/2"	AL1T5E49()DCE()Q	349.	500.
	Use with 72" and wider overhead	61"	4"	1 1/2"	AL1T5E61()DCE()Q	367.	516.
	Use with 84" and wider overhead	73"	4"	1 1/2"	AL1T5E73()DCE()Q	393.	535.
	Use with 84" and wider overhead	85"	4"	1 1/2"	AL1T5E85()DCE()Q	477.	551.



left hand shown


Order Code	Specification Information	Application Notes
Example: AL1T5E19SDCSLQ	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.
AL1 AutoStrada Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
T5 T5 lamp	1. Type: (S) Standard (A) Advanced	Task lights are TCLP compliant and meet requirements of California Title 24.
E Electronic ballast	2. Handedness L= Left handed (male plug on user's left side) R=Right handed (male plug on user's right side)	Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.
19 Width	All housings are black.	
S Standard		
DC Daisy chain		
S Starter		
L Left handed		
Q Special		

T5 Task Light for Reuter Overhead Storage

Daisy Chain


Standard Specials Systems

description	type	w	d	h	pattern no.	Standard	Advanced
Task Light, starter	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19()DCS()Q	\$371.	n/a
9 ft. cord, fused male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25()DCS()Q	387.	562.
1 ft. cord, female plug	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37()DCS()Q	407.	585.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49()DCS()Q	428.	602.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61()DCS()Q	447.	621.




left hand shown

Task Light, adder	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19()DCA()Q	405.	n/a
2 ft. cord, male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25()DCA()Q	421.	596.
1 ft. cord, female plug	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37()DCA()Q	440.	619.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49()DCA()Q	462.	636.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61()DCA()Q	480.	655.



left hand shown

Task Light, ender	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19()DCE()Q	285.	n/a
2 ft. cord, male plug	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25()DCE()Q	302.	477.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37()DCE()Q	321.	500.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49()DCE()Q	343.	516.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61()DCE()Q	362.	536.



left hand shown


Order Code	Specification Information	Application Notes
Example: RTAT5E19SDCSLQ	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.
RTA Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
T5 T5 lamp	1. Type: (S) Standard (A) Advanced	Task lights are TCLP compliant and meet requirements of California Title 24.
E Electronic ballast	2. Handedness L= Left handed (male plug on user's left side) R=Right handed (male plug on user's right side)	Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.
19 Width	All housings are black.	
S Standard		
DC Daisy chain		
S Starter		
L Left handed		
Q Special		

The Graham Collection T5 Task Light

Daisy Chain


Standard Specials Systems

description	type	w	d	h	pattern no.	Standard	Advanced
Task Light, starter 9 ft. cord, fused male plug 1 ft. cord, female plug	Use with 24" and wider overhead	19"	4"	1 1/2"	GTLT5E19()DCS()Q	\$422.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	GTLT5E25()DCS()Q	428.	553.
	Use with 42" and wider overhead	37"	4"	1 1/2"	GTLT5E37()DCS()Q	435.	575.
	Use with 60" and wider overhead	49"	4"	1 1/2"	GTLT5E49()DCS()Q	440.	591.
	Use with 72" and wider overhead	61"	4"	1 1/2"	GTLT5E61()DCS()Q	456.	609.
	Use with 84" and wider overhead	73"	4"	1 1/2"	GTLT5E73()DCS()Q	483.	627.
	Use with 96" and wider overhead	85"	4"	1 1/2"	GTLT5E85()DCS()Q	568.	643.




left hand shown

Task Light, adder 2 ft. cord, male plug 1 ft. cord, female plug	Use with 24" and wider overhead	19"	4"	1 1/2"	GTLT5E19()DCA()Q	456.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	GTLT5E25()DCA()Q	462.	587.
	Use with 42" and wider overhead	37"	4"	1 1/2"	GTLT5E37()DCA()Q	469.	608.
	Use with 60" and wider overhead	49"	4"	1 1/2"	GTLT5E49()DCA()Q	474.	625.
	Use with 72" and wider overhead	61"	4"	1 1/2"	GTLT5E61()DCA()Q	490.	643.
	Use with 84" and wider overhead	73"	4"	1 1/2"	GTLT5E73()DCA()Q	517.	661.
	Use with 96" and wider overhead	85"	4"	1 1/2"	GTLT5E85()DCA()Q	602.	677.



left hand shown

Task Light, ender 2 ft. cord, male plug	Use with 24" and wider overhead	19"	4"	1 1/2"	GTLT5E19()DCE()Q	337.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	GTLT5E25()DCE()Q	343.	468.
	Use with 42" and wider overhead	37"	4"	1 1/2"	GTLT5E37()DCE()Q	349.	489.
	Use with 60" and wider overhead	49"	4"	1 1/2"	GTLT5E49()DCE()Q	354.	506.
	Use with 72" and wider overhead	61"	4"	1 1/2"	GTLT5E61()DCE()Q	371.	523.
	Use with 84" and wider overhead	73"	4"	1 1/2"	GTLT5E73()DCE()Q	398.	542.
	Use with 96" and wider overhead	85"	4"	1 1/2"	GTLT5E85()DCE()Q	482.	557.



left hand shown

Order Code	Specification Information	Application Notes
Example: GTLT5E19SDCSLQ G Graham Collection TL Task light T5 T5 lamp E Electronic ballast 19 Width S Standard DC Daisy chain S Starter L Left handed Q Special	Specify: Width - Task Lights mount in cabinets and shelves at least 5" wider than light width. 1. Type: (S) Standard (A) Advanced 2. Handedness L= Left handed (male plug on user's left side) R=Right handed (male plug on user's right side)	T5 tasklights are TCLP compliant and meet requirements of California Title 24. * Advanced tasklights are fitted with ballast and lamp compliant with LEED requirements. T5 tasklight include T5 cool white (4100K) fluorescent lamp; electronic ballast, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.

All housings are black.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AA1EPS80Q	27	D1BD7848SRQ	17	D1L4866DDNQ	14	D1R3918NQ	6
AL1T5E19	179	D1BD8448DLQ	17	D1L4872DDNQ	14	D1R3924NQ	7
AL1T5E25	179	D1BD8448DRQ	17	D1L4878DSNQ	15	D1R3930NQ	8
AL1T5E37	179	D1BD8448SLQ	17	D1L4878SDNQ	15	D1R3936NQ	9
AL1T5E49	179	D1BD8448SRQ	17	D1L4878SSNQ	13	D1R4236NQ	9
AL1T5E61	179	D1C4230GQ	12	D1L4884DDNQ	14	D1R4518NQ	6
AL1T5E73	179	D1C4230NQ	12	D1L4884DSNQ	15	D1R4524NQ	7
AL1T5E85	179	D1C4836GQ	12	D1L4884SDNQ	15	D1R4530NQ	8
AW1-CS2412Q	85	D1C4836NQ	12	D1L4896DDNQ	14	D1R4536NQ	9
AW1-CS3012Q	85	D1CRR30Q	17	D1L4896DSNQ	15	D1R4836NQ	9
AW1-CS4212Q	85	D1CS3624GQ	12	D1L4896SSNQ	13	D1R5118NQ	6
AW1-CS5412Q	85	D1CS3624NQ	12	D1L5436DSNQ	15	D1R5124NQ	7
AW1-CS6612Q	85	D1D3024NQ	16	D1L5436SDNQ	15	D1R5130NQ	8
AW1-F2430Q	85	D1D3030NQ	16	D1L5436SSNQ	13	D1R5136NQ	9
AW1-F3030Q	85	D1D3624NQ	16	D1L5442SSNQ	13	D1R5436NQ	9
AW1-F4230Q	85	D1D3630NQ	16	D1L5448SSNQ	13	D1R5718NQ	6
AW1-F5430Q	85	D1D5424NQ	16	D1L6036SSNQ	13	D1R5724NQ	7
AW1-F6630Q	85	D1D5430NQ	16	D1L6042DDNQ	14	D1R5730NQ	8
AW1-F7830Q	85	D1D5436NQ	16	D1L6048DDNQ	14	D1R5736NQ	9
AW1-S2430Q	85	D1D6024NQ	16	D1L6642DDNQ	14	D1R6318NQ	6
AW1-S3030Q	85	D1D6036NQ	16	D1L6642DSNQ	15	D1R6324NQ	7
AW1-S4230Q	85	D1D6624NQ	16	D1L6642SDNQ	15	D1R6330NQ	8
AW1-S5424Q	85	D1D6636NQ	16	D1L6648DDNQ	14	D1R6336NQ	9
AW1-S5430Q	85	D1D7224NQ	16	D1L7236SSNQ	13	D1R6918NQ	6
AW1-S6630Q	85	D1D7824NQ	16	D1L7242DDNQ	14	D1R6924NQ	7
AW1-S7824Q	85	D1D7830NQ	16	D1L7248DDNQ	14	D1R6930NQ	8
AW1-S7830Q	85	D1D7836NQ	16	D1L7836SSNQ	13	D1R6936NQ	9
AX1E28Q	27	D1D8424NQ	16	D1L8442SSNQ	13	D1R7518NQ	6
AX1E80Q	27	D1D8430NQ	16	D1L8448DDNQ	14	D1R7524NQ	7
CE10236Q	34	D1D8436NQ	16	D1L8448DSNQ	15	D1R7530NQ	8
CE11418Q	34	D1D9624NQ	16	D1L8448SDNQ	15	D1R7536NQ	9
CE11436Q	34	D1D9630NQ	16	D1L9648DDNQ	14	D1R7836NQ	9
CE12036Q	34	D1D9636NQ	16	D1L9648SSNQ	13	D1R8118NQ	6
CE4836Q	34	D1L3648DSNQ	15	D1P5430NQ	17	D1R8124NQ	7
CE5436Q	34	D1L3648SDNQ	15	D1P6030NQ	17	D1R8130NQ	8
CE6618Q	34	D1L3648SSNQ	13	D1P7836NQ	17	D1R8136NQ	9
CE6636Q	34	D1L3654SDNQ	15	D1P8430NQ	17	D1R8436NQ	9
CE7818Q	34	D1L3654SSNQ	13	D1P9030NQ	17	D1R8718NQ	6
CE7836Q	34	D1L3660SSNQ	13	D1R10224NQ	7	D1R8724NQ	7
CE9618Q	34	D1L3672SSNQ	13	D1R10230NQ	8	D1R8730NQ	8
CE9636Q	34	D1L3678SSNQ	13	D1R10236NQ	9	D1R8736NQ	9
D195430NQ	17	D1L4242DDNQ	14	D1R10824NQ	7	D1R9036NQ	9
D196030NQ	17	D1L4242DSNQ	15	D1R10830NQ	8	D1R9318NQ	6
D197836NQ	17	D1L4242SDNQ	15	D1R10836NQ	9	D1R9324NQ	7
D198430NQ	17	D1L4248DSNQ	15	D1R11430NQ	8	D1R9330NQ	8
D199030NQ	17	D1L4248SDNQ	15	D1R11436NQ	9	D1R9336NQ	9
D1BD5448DLQ	16	D1L4248SSNQ	13	D1R12024NQ	7	D1R9636NQ	9
D1BD5448DRQ	16	D1L4254SSNQ	13	D1R12030NQ	8	D1R9918NQ	6
D1BD5448SLQ	16	D1L4260DDNQ	14	D1R12036NQ	9	D1R9924NQ	7
D1BD5448SRQ	16	D1L4266DDNQ	14	D1R1818NQ	6	D1R9930NQ	8
D1BD6048DLQ	17	D1L4266DSNQ	15	D1R2118NQ	6	D1R9936NQ	9
D1BD6048DRQ	17	D1L4266SDNQ	15	D1R2124NQ	7	D1W302430NQ	11
D1BD6048SLQ	16	D1L4272DDNQ	14	D1R2718NQ	6	D1W303024NQ	10
D1BD6048SRQ	16	D1L4272DSNQ	15	D1R2724NQ	7	D1W361824NQ	11
D1BD7242DLQ	17	D1L4272SDNQ	15	D1R2730NQ	8	D1W362418NQ	10
D1BD7242DRQ	17	D1L4284SSNQ	13	D1R3036NQ	9	D1W482436NQ	11
D1BD7242SLQ	17	D1L4836SSNQ	13	D1R3318NQ	6	D1W483624NQ	10
D1BD7242SRQ	17	D1L4842SDNQ	15	D1R3324NQ	7	D1W542430NQ	11
D1BD7848DLQ	17	D1L4842SSNQ	13	D1R3330NQ	8	D1W543024NQ	10
D1BD7848DRQ	17	D1L4854SSNQ	13	D1R3336NQ	9	D1W601830NQ	11
D1BD7848SLQ	17	D1L4860DDNQ	14	D1R3636NQ	9	D1W602430NQ	11

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
D1W602436NQ	11	DE(0E/0T)PM24Q	21	DT1BYD8442Q	18	LU1-C4266SD-Q	81
D1W603018NQ	10	DE(0E/0T)PM30Q	21	DT1BYD902430Q	18	LU1-C4266SS-Q	81
D1W603024NQ	10	DE(0E/0T)PM36Q	21	DT1BYD9036Q	18	LU1-C4272DD-Q	82
D1W603624NQ	10	DE(0E/0T)PM42Q	21	DT1BYD9042Q	18	LU1-C4272DS-Q	81
D1W662430NQ	11	DE(0E/0T)PM48Q	21	DT1BYD962430Q	18	LU1-C4272SD-Q	81
D1W662436NQ	11	DE(0E/0T)RBI56Q	24	DT1BYD9636Q	18	LU1-C4272SS-Q	81
D1W663024NQ	10	DE(0E/0T)VPJQ	23	DT1BYD9642Q	18	LU1-C4842DD-Q	82
D1W663624NQ	10	DES(0E/0T)BPCNPQ	22	EL4T5E19	35	LU1-C4842DS-Q	81
D1W723036NQ	11	DES(0E/0T)BPCWPQ	22	EL4T5E25	35	LU1-C4842SD-Q	81
D1W723630NQ	10	DES(0E/0T)BPJ18NPQ	22	EL4T5E37	35	LU1-C4842SS-Q	81
D1W782430NQ	11	DES(0E/0T)BPJ18WPQ	22	EL4T5E49	35	LU1-C4860DD-Q	82
D1W782436NQ	11	DES(0E/0T)BPJ24NPQ	22	EW12418GQ	28	LU1-C4866DD-Q	82
D1W783024NQ	10	DES(0E/0T)BPJ24WPQ	22	EW12418Q	28	LU1-C4866DS-Q	81
D1W783624NQ	10	DES(0E/0T)BPJ30NPQ	22	EW14236GQ	28	LU1-C4866SD-Q	81
D1W842436NQ	11	DES(0E/0T)BPJ30WPQ	22	EW14236Q	28	LU1-C4866SS-Q	81
D1W843624NQ	10	DES(0E/0T)BPJ36NPQ	22	EW16615Q	28	LU1-C4872DD-Q	82
D1W902430NQ	11	DES(0E/0T)BPJ36WPQ	22	EW1(9/P)6030Q	31	LU1-C6042DD-Q	82
D1W903024NQ	10	DES(0E/0T)BPJ42NPQ	22	EW1(9/P)9636Q	31	LU1-C6042DS-Q	81
D1W962430NQ	11	DES(0E/0T)BPJ42WPQ	22	EW1BD3672S	29	LU1-C6042SD-Q	81
D1W962436NQ	11	DES(0E/0T)BPJ48NPQ	22	EW1BD4860D	29	LU1-C6042SS-Q	81
D1W963024NQ	10	DES(0E/0T)BPJ48WPQ	22	EW1BD4872D	29	LU1-C6048DD-Q	82
D1W963036NQ	11	DES(0E/0T)BPJ54WPQ	22	EW1BD6036S	29	LU1-C6642DD-Q	82
D1W963624NQ	10	DES(0E/0T)BPJ60WPQ	22	EW1BD6048D	29	LU1-C6642DS-Q	81
D1W963630NQ	10	DES(0E/0T)BPJ66WPQ	22	EW1BS3672D	29	LU1-C6642SD-Q	81
DB1BD48DLQ	16	DES(0E/0T)BPJ72WPQ	22	EW1BS3678S	29	LU1-C6642SS-Q	81
DB1BD48DRQ	16	DES(0E/0T)BPJ78WPQ	22	EW1BS4272S	29	LU1-C6648DD-Q	82
DE0DRAQ	21	DES(0E/0T)BPJ84WPQ	22	EW1BS6060S	29	LU1-C6648DS-Q	81
DE0DRBQ	21	DES(0E/0T)BPJ96WPQ	22	EW1BS7236D	29	LU1-C6648SD-Q	81
DE0DRCQ	21	DL3T5E19	25	EW1BS7242S	29	LU1-C6648SS-Q	81
DE0DRXQ	21	DL3T5E25	25	EW1BS7836S	29	LU1-C7242DD-Q	82
DE(0E/0T)BI56(L/R)Q	24	DL3T5E37	25	EW1CC4215EEQ	30	LU1-C7242DS-Q	81
DE(0E/0T)BPM301Q	22	DL3T5E49	25	EW1CC4215EQ	30	LU1-C7242SD-Q	81
DE(0E/0T)BPM302Q	22	DP5CHQ	19	EW1CC4215Q	30	LU1-C7242SS-Q	81
DE(0E/0T)BPM361Q	22	DS1AS18Q	19	EW1CC482430GQ	30	LU1-C7248DD-Q	82
DE(0E/0T)BPM362Q	22	DS1AS24Q	19	EW1CC483024GQ	30	LU1-J24A-(L/R)-Q	83
DE(0E/0T)BPM421Q	22	DS1AS30Q	19	EW1CC483030GQ	30	LU1-J30A-(L/R)-Q	83
DE(0E/0T)BPM422Q	22	DS1AS36Q	19	EW3(9/P)6630Q	33	LU1-J36A-(L/R)-Q	83
DE(0E/0T)BPM481Q	22	DS1AS42Q	19	EW3BS3678S	32	LU1-J42A-(L/R)-Q	83
DE(0E/0T)BPM482Q	22	DS1AS48Q	19	EW3BS7836S	32	LU1-J48A-(L/R)-Q	83
DE(0E/0T)CH144Q	24	DS1AS54Q	19	EW3CC483024GQ	32	LU1-J54A-(L/R)-Q	83
DE(0E/0T)PCNPQ	21	DS1AS60Q	19	EW3D7230Q	33	LU1-J60A-(L/R)-Q	83
DE(0E/0T)PCWPQ	21	DS1AS66Q	19	GTLT5E19	181	LU1-J66A-(L/R)-Q	83
DE(0E/0T)PJ120WPQ	23	DS1AS72Q	19	GTLT5E25	181	LU1-J72A-(L/R)-Q	83
DE(0E/0T)PJ126WPQ	23	DS3WMC1430Q	19	GTLT5E37	181	LU1-J78A-(L/R)-Q	83
DE(0E/0T)PJ138WPQ	23	DS3WMC1433Q	19	GTLT5E49	181	LU1-J84A-(L/R)-Q	83
DE(0E/0T)PJ144WPQ	23	DS3WMC1436Q	19	GTLT5E61	181	LU1-J90A-(L/R)-Q	83
DE(0E/0T)PJ18NPQ	21	DS3WMC1442Q	19	GTLT5E73	181	LU1-J96A-(L/R)-Q	83
DE(0E/0T)PJ18WPQ	21	DS3WMC1448Q	19	GTLT5E85	181	LU1-P72SA-L-Q	80
DE(0E/0T)PJ24NPQ	21	DS3WMC2130Q	19	LL2T5E19	96	LU1-P72SA-R-Q	80
DE(0E/0T)PJ24WPQ	21	DS3WMC2133Q	19	LL2T5E25	96	LU1-P78DA-L-Q	80
DE(0E/0T)PJ30NPQ	21	DS3WMC2136Q	19	LL2T5E37	96	LU1-P78DA-R-Q	80
DE(0E/0T)PJ30WPQ	21	DS3WMC2142Q	19	LL2T5E49	96	LU1-R6636B-(L/R)-Q	79
DE(0E/0T)PJ36NPQ	21	DS3WMC2148Q	19	LU1-C4242DD-Q	82	LU1-R7836B-(L/R)-Q	79
DE(0E/0T)PJ36WPQ	21	DT1BYD602430Q	18	LU1-C4242DS-Q	81	LU1-R8730B-(L/R)-Q	79
DE(0E/0T)PJ42NPQ	21	DT1BYD6036Q	18	LU1-C4242SD-Q	81	LU1-R9036B-(L/R)-Q	79
DE(0E/0T)PJ42WPQ	21	DT1BYD662430Q	18	LU1-C4248DD-Q	82	LU1-S10218-A-Q	71
DE(0E/0T)PJ48NPQ	21	DT1BYD6636Q	18	LU1-C4248DS-Q	81	LU1-S10218-B-Q	71
DE(0E/0T)PJ48WPQ	21, 23	DT1BYD722430Q	18	LU1-C4248SD-Q	81	LU1-S10224-A-Q	72
DE(0E/0T)PJ54WPQ	21, 23	DT1BYD7236Q	18	LU1-C4248SS-Q	81	LU1-S10224-B-Q	72
DE(0E/0T)PJ60WPQ	21, 23	DT1BYD7242Q	18	LU1-C4260DD-Q	82	LU1-S10230-A-Q	73
DE(0E/0T)PJ66WPQ	21	DT1BYD782430Q	18	LU1-C4260DS-Q	81	LU1-S10230-B-Q	73
DE(0E/0T)PJ72WPQ	21	DT1BYD7836Q	18	LU1-C4260SD-Q	81	LU1-S10236-A-Q	74
DE(0E/0T)PJ78WPQ	21	DT1BYD7842Q	18	LU1-C4260SS-Q	81	LU1-S10236-B-Q	74
DE(0E/0T)PJ84WPQ	21	DT1BYD842430Q	18	LU1-C4266DD-Q	82	LU1-S10418-A-Q	75
DE(0E/0T)PJ96WPQ	21	DT1BYD8436Q	18	LU1-C4266DS-Q	81	LU1-S10418-B-Q	75

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
LU1-S10424-A-Q	76	LU1-S3230-B-Q	77	LU1-S7424-A-Q	76	MC1-30S2V	41
LU1-S10424-B-Q	76	LU1-S3636-A-Q	74	LU1-S7424-B-Q	76	MC1-39H1	42, 43
LU1-S10430-A-Q	77	LU1-S3636-B-Q	74	LU1-S7430-A-Q	77	MC1-39H1V	43
LU1-S10430-B-Q	77	LU1-S3818-A-Q	75	LU1-S7430-B-Q	77	MC1-39S2	40, 41
LU1-S10436-A-Q	78	LU1-S3818-B-Q	75	LU1-S7436-A-Q	78	MC1-39S2V	41
LU1-S10436-B-Q	78	LU1-S3824-A-Q	76	LU1-S7436-B-Q	78	MC1-42H1	42, 43
LU1-S10830-A-Q	73	LU1-S3824-B-Q	76	LU1-S7836-A-Q	74	MC1-42H1V	43
LU1-S10830-B-Q	73	LU1-S3830-A-Q	77	LU1-S7836-B-Q	74	MC1-42S2	40, 41
LU1-S10836-A-Q	74	LU1-S3830-B-Q	77	LU1-S8018-A-Q	75	MC1-42S2V	41
LU1-S10836-B-Q	74	LU1-S3836-A-Q	78	LU1-S8018-B-Q	75	MC1-48H1	42, 43
LU1-S11018-A-Q	75	LU1-S3836-B-Q	78	LU1-S8024-A-Q	76	MC1-48H1V	43
LU1-S11018-B-Q	75	LU1-S4236-A-Q	74	LU1-S8024-B-Q	76	MC1-48S2	40, 41
LU1-S11024-A-Q	76	LU1-S4236-B-Q	74	LU1-S8030-A-Q	77	MC1-48S2V	41
LU1-S11024-B-Q	76	LU1-S4418-A-Q	75	LU1-S8030-B-Q	77	MC1-56H1	42, 43
LU1-S11030-A-Q	77	LU1-S4418-B-Q	75	LU1-S8036-A-Q	78	MC1-56H1V	43
LU1-S11030-B-Q	77	LU1-S4424-A-Q	76	LU1-S8036-B-Q	78	MC1-56S2	40, 41
LU1-S11036-A-Q	78	LU1-S4424-B-Q	76	LU1-S8436-A-Q	74	MC1-56S2V	41
LU1-S11036-B-Q	78	LU1-S4430-A-Q	77	LU1-S8436-B-Q	74	MC1-64S2	40, 41
LU1-S11418-A-Q	71	LU1-S4430-B-Q	77	LU1-S8618-A-Q	75	MC1-64S2V	41
LU1-S11418-B-Q	71	LU1-S4436-A-Q	78	LU1-S8618-B-Q	75	MC1-74H1	42, 43
LU1-S11424-A-Q	72	LU1-S4436-B-Q	78	LU1-S8624-A-Q	76	MC174H1V	43
LU1-S11424-B-Q	72	LU1-S4836-A-Q	74	LU1-S8624-B-Q	76	MC1-74S2	40, 41
LU1-S11430-A-Q	73	LU1-S4836-B-Q	74	LU1-S8630-A-Q	77	MC1-74S2V	41
LU1-S11430-B-Q	73	LU1-S5018-A-Q	75	LU1-S8630-B-Q	77	MC1-80H1	42, 43
LU1-S11436-A-Q	74	LU1-S5018-B-Q	75	LU1-S8636-A-Q	78	MC1-80H1V	43
LU1-S11436-B-Q	74	LU1-S5024-A-Q	76	LU1-S8636-B-Q	78	MC1-80S2	40, 41
LU1-S11618-A-Q	75	LU1-S5024-B-Q	76	LU1-S9036-A-Q	74	MC1-80S2V	41
LU1-S11618-B-Q	75	LU1-S5030-A-Q	77	LU1-S9036-B-Q	74	MC1-C30Q	44
LU1-S11624-A-Q	76	LU1-S5030-B-Q	77	LU1-S9218-A-Q	75	MC1-C39Q	44
LU1-S11624-B-Q	76	LU1-S5036-A-Q	78	LU1-S9218-B-Q	75	MC1-C42Q	44
LU1-S11630-A-Q	77	LU1-S5036-B-Q	78	LU1-S9224-A-Q	76	MC1-C48Q	44
LU1-S11630-B-Q	77	LU1-S5436-A-Q	74	LU1-S9224-B-Q	76	MC1-C56Q	44
LU1-S11636-A-Q	78	LU1-S5436-B-Q	74	LU1-S9230-A-Q	77	MC1-C64Q	44
LU1-S11636-B-Q	78	LU1-S5618-A-Q	75	LU1-S9230-B-Q	77	MC1-C74Q	44
LU1-S12030-A-Q	73	LU1-S5618-B-Q	75	LU1-S9236-A-Q	78	MC1-C80Q	44
LU1-S12030-B-Q	73	LU1-S5624-A-Q	76	LU1-S9236-B-Q	78	MK4-K10226-P/V-Q	87
LU1-S12036-A-Q	74	LU1-S5624-B-Q	76	LU1-S9636-A-Q	74	MK4-K10826-P/V-Q	87
LU1-S12036-B-Q	74	LU1-S5630-A-Q	77	LU1-S9636-B-Q	74	MK4-K11426-P/V-Q	87
LU1-S1818-A-Q	71	LU1-S5630-B-Q	77	LU1-S9818-A-Q	75	MK4-K12026-P/V-Q	87
LU1-S1818-B-Q	71	LU1-S5636-A-Q	78	LU1-S9818-B-Q	75	MK4-K1826-P/V-Q	87
LU1-S1824-A-Q	72	LU1-S5636-B-Q	78	LU1-S9824-A-Q	76	MK4-K2426-P/V-Q	87
LU1-S1824-B-Q	72	LU1-S6036-A-Q	74	LU1-S9824-B-Q	76	MK4-K3026-P/V-Q	87
LU1-S1830-A-Q	73	LU1-S6036-B-Q	74	LU1-S9830-A-Q	77	MK4-K3626-P/V-Q	87
LU1-S1830-B-Q	73	LU1-S6218-A-Q	75	LU1-S9830-B-Q	77	MK4-K4226-P/V-Q	87
LU1-S2018-A-Q	75	LU1-S6218-B-Q	75	LU1-S9836-A-Q	78	MK4-K4826-P/V-Q	87
LU1-S2018-B-Q	75	LU1-S6224-A-Q	76	LU1-S9836-B-Q	78	MK4-K5426-P/V-Q	87
LU1-S2024-A-Q	76	LU1-S6224-B-Q	76	LU1-W30A-(L/R)-Q	84	MK4-K8426-P/V-Q	87
LU1-S2024-B-Q	76	LU1-S6230-A-Q	77	LU1-W36A-(L/R)-Q	84	MK4-K9026-P/V-Q	87
LU1-S2030-A-Q	77	LU1-S6230-B-Q	77	LU1-W42A-(L/R)-Q	84	MK4-K9626-P/V-Q	87
LU1-S2030-B-Q	77	LU1-S6236-A-Q	78	LU1-W48A-(L/R)-Q	84	MK4-R10226-P/V-L/R-Q	88
LU1-S2418-A-Q	71	LU1-S6236-B-Q	78	LU1-W54A-(L/R)-Q	84	MK4-R10826-P/V-L/R-Q	88
LU1-S2418-B-Q	71	LU1-S6636-A-Q	74	LU1-W60A-(L/R)-Q	84	MK4-R11426-P/V-L/R-Q	88
LU1-S2430-A-Q	73	LU1-S6636-B-Q	74	LU1-W66A-(L/R)-Q	84	MK4-R12026-P/V-L/R-Q	88
LU1-S2430-B-Q	73	LU1-S6818-A-Q	75	LU1-W72A-(L/R)-Q	84	MK4-R1826-P/V-L/R-Q	88
LU1-S2618-A-Q	75	LU1-S6818-B-Q	75	LU1-W78A-(L/R)-Q	84	MK4-R2426-P/V-L/R-Q	88
LU1-S2618-B-Q	75	LU1-S6824-A-Q	76	LU1-W84A-(L/R)-Q	84	MK4-R5426-P/V-L/R-Q	88
LU1-S2624-A-Q	76	LU1-S6824-B-Q	76	LU1-W90A-(L/R)-Q	84	MK4-R7826-P/V-L/R-Q	88
LU1-S2624-B-Q	76	LU1-S6830-A-Q	77	LU1-W96A-(L/R)-Q	84	MK4-R8426-P/V-L/R-Q	88
LU1-S2630-A-Q	77	LU1-S6830-B-Q	77	LV3-D64-(L/R)	94	MK4-R9026-P/V-L/R-Q	88
LU1-S2630-B-Q	77	LU1-S6836-A-Q	78	LV3-S18S-(L/R)	94	MK4-R9626-P/V-L/R-Q	88
LU1-S3218-A-Q	75	LU1-S6836-B-Q	78	LV3-S56-(L/R)	94	MK4-T10226-P/V-Q	87
LU1-S3218-B-Q	75	LU1-S7236-A-Q	74	LV3-W64-(L/R)	94	MK4-T10826-P/V-Q	87
LU1-S3224-A-Q	76	LU1-S7236-B-Q	74	MC1-30H1	42, 43	MK4-T11426-P/V-Q	87
LU1-S3224-B-Q	76	LU1-S7418-A-Q	75	MC1-30H1V	43	MK4-T12026-P/V-Q	87
LU1-S3230-A-Q	77	LU1-S7418-B-Q	75	MC1-30S2	40, 41	MK4-T1826-P/V-Q	87

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
MK4-T2426-P/V-Q	87	MS2-W10213-Q	90	MU1-C6642SS-Q	67	MU1-S10418-B-Q	61
MK4-T3026-P/V-Q	87	MS2-W10813-H-Q	90	MU1-C6648DD-Q	68	MU1-S10424-A-Q	62
MK4-T3626-P/V-Q	87	MS2-W10813-Q	90	MU1-C6648DS-Q	68	MU1-S10424-B-Q	62
MK4-T4226-P/V-Q	87	MS2-W11413-H-Q	90	MU1-C6648SD-Q	67	MU1-S10430-A-Q	63
MK4-T4826-P/V-Q	87	MS2-W11413-Q	90	MU1-C6648SS-Q	67	MU1-S10430-B-Q	63
MK4-T5426-P/V-Q	87	MS2-W12013-H-Q	90	MU1-C7242DD-Q	68	MU1-S10436-B-Q	64
MK4-T8426-P/V-Q	87	MS2-W12013-Q	90	MU1-C7242DS-Q	68	MU1-S10436-R-Q	64
MK4-T9026-P/V-Q	87	MS2-W5413-H-Q	90	MU1-C7242SD-Q	67	MU1-S10818-A-Q	57
MK4-T9626-P/V-Q	87	MS2-W5413-Q	90	MU1-C7242SS-Q	67	MU1-S10818-B-Q	57
MK4-V2448-P/V-Q	86	MS2-W9613-H-Q	90	MU1-C7248DD-Q	68	MU1-S10824-A-Q	58
MK4-V2648-P/V-Q	86	MS2-W9613-Q	90	MU1-J24A-L-Q	69	MU1-S10824-B-Q	58
MK4-X2448-P/V-Q	86	MT1-30S2	45, 46	MU1-J24A-R-Q	69	MU1-S10830-A-Q	59
MK4-X2648-P/V-Q	86	MT1-30S2V	46	MU1-J30A-L-Q	69	MU1-S10830-B-Q	59
MM3-IS42F-Q	89	MT1-39S2	45, 46	MU1-J30A-R-Q	69	MU1-S10836-B-Q	60
MM3-IS48F-Q	89	MT1-39S2V	46	MU1-J36A-L-Q	69	MU1-S10836-R-Q	60
MM3-IS54F-Q	89	MT1-42S2	45, 46	MU1-J36A-R-Q	69	MU1-S11018-A-Q	61
MM3-IS54R-Q	89	MT1-42S2V	46	MU1-J42A-L-Q	69	MU1-S11018-B-Q	61
MM3-IS84F-Q	89	MT1-48S2	45, 46	MU1-J42A-R-Q	69	MU1-S11024-A-Q	62
MM3-IS84R-Q	89	MT1-48S2V	46	MU1-J48A-L-Q	69	MU1-S11024-B-Q	62
MM3-IS90F-Q	89	MT1-56S2	45, 46	MU1-J48A-R-Q	69	MU1-S11030-A-Q	63
MM3-IS90R-Q	89	MT1-56S2V	46	MU1-J54A-L-Q	69	MU1-S11030-B-Q	63
MM3-IS96F-Q	89	MT1-64S2	45, 46	MU1-J54A-R-Q	69	MU1-S11036-B-Q	64
MM3-IS96R-Q	89	MT1-64S2V	46	MU1-J60A-L-Q	69	MU1-S11036-R-Q	64
MN2T5E19	95	MT1-74S2	45, 46	MU1-J60A-R-Q	69	MU1-S11418-A-Q	57
MN2T5E25	95	MT1-74S2V	46	MU1-J66A-L-Q	69	MU1-S11418-B-Q	57
MN2T5E37	95	MT1-80S2	45, 46	MU1-J66A-R-Q	69	MU1-S11424-A-Q	58
MN2T5E49	95	MT1-80S2V	46	MU1-J72A-L-Q	69	MU1-S11424-B-Q	58
MO8-24	92	MT5-CS2	44	MU1-J72A-R-Q	69	MU1-S11430-A-Q	59
MO8-N24	92	MU1-C4242DD-Q	68	MU1-J78A-L-Q	69	MU1-S11430-B-Q	59
MP2-CPP	44	MU1-C4242DS-Q	68	MU1-J78A-R-Q	69	MU1-S11436-B-Q	60
MP3-W0818-C/S/T-Q	39	MU1-C4242SD-Q	67	MU1-J84A-L-Q	69	MU1-S11436-R-Q	60
MP3-W0824-C/S/T-Q	39	MU1-C4248DD-Q	68	MU1-J84A-R-Q	69	MU1-S11618-A-Q	61
MP3-W0830-C/S/T-Q	39	MU1-C4248DS-Q	68	MU1-J90A-L-Q	69	MU1-S11618-B-Q	61
MP3-W0836-C/S/T-Q	39	MU1-C4248SD-Q	67	MU1-J90A-R-Q	69	MU1-S11624-A-Q	62
MP3-W0842-C/S/T-Q	39	MU1-C4248SS-Q	67	MU1-J96A-L-Q	69	MU1-S11624-B-Q	62
MP3-W0848-C/S/T-Q	39	MU1-C4260DD-Q	68	MU1-J96A-R-Q	69	MU1-S11630-A-Q	63
MP3-W0860-C/S/T-Q	39	MU1-C4260DS-Q	68	MU1-P66DA-L-Q	66	MU1-S11630-B-Q	63
MP3-W1418-C/S/T-Q	39	MU1-C4260SD-Q	67	MU1-P66DA-R-Q	66	MU1-S11636-B-Q	64
MP3-W1424-C/S/T-Q	39	MU1-C4260SS-Q	67	MU1-P66SA-L-Q	66	MU1-S11636-R-Q	64
MP3-W1430-C/S/T-Q	39	MU1-C4266DD-Q	68	MU1-P66SA-R-Q	66	MU1-S12018-A-Q	57
MP3-W1436-C/S/T-Q	39	MU1-C4266DS-Q	68	MU1-P72DA-L-Q	66	MU1-S12018-B-Q	57
MP3-W1442-C/S/T-Q	39	MU1-C4266SD-Q	67	MU1-P72DA-R-Q	66	MU1-S12024-A-Q	58
MP3-W1448-C/S/T-Q	39	MU1-C4266SS-Q	67	MU1-P78SA-L-Q	66	MU1-S12024-B-Q	58
MP3-W1460-C/S/T-Q	39	MU1-C4272DD-Q	68	MU1-P78SA-R-Q	66	MU1-S12030-A-Q	59
MP3-W2618-C/S/T-Q	39	MU1-C4272DS-Q	68	MU1-R6636-B-Q	65	MU1-S12030-B-Q	59
MP3-W2624-C/S/T-Q	39	MU1-C4272SD-Q	67	MU1-R6636-E-Q	65	MU1-S12036-B-Q	60
MP3-W2630-C/S/T-Q	39	MU1-C4272SS-Q	67	MU1-R6636-R-Q	65	MU1-S12036-R-Q	60
MP3-W2636-C/S/T-Q	39	MU1-C4842DD-Q	68	MU1-R7836-B-Q	65	MU1-S1818-A-Q	57
MP3-W2642-C/S/T-Q	39	MU1-C4842DS-Q	68	MU1-R7836-E-Q	65	MU1-S1818-B-Q	57
MP3-W2648-C/S/T-Q	39	MU1-C4842SD-Q	67	MU1-R7836-R-Q	65	MU1-S1824-A-Q	58
MP3-W2660-C/S/T-Q	39	MU1-C4842SS-Q	67	MU1-R8730-B-Q	65	MU1-S1824-B-Q	58
MPTIEDOWN	44	MU1-C4860DD-Q	68	MU1-R8730-E-Q	65	MU1-S1830-A-Q	59
MS2-U10213-H-Q	91	MU1-C4866DD-Q	68	MU1-R8730-R-Q	65	MU1-S1830-B-Q	59
MS2-U10213-Q	91	MU1-C4866DS-Q	68	MU1-R9036-B-Q	65	MU1-S2018-A-Q	61
MS2-U10813-H-Q	91	MU1-C4866SD-Q	67	MU1-R9036-E-Q	65	MU1-S2018-B-Q	61
MS2-U10813-Q	91	MU1-C4866SS-Q	67	MU1-R9036-R-Q	65	MU1-S2024-A-Q	62
MS2-U11413-H-Q	91	MU1-C4872DD-Q	68	MU1-S10218-A-Q	57	MU1-S2024-B-Q	62
MS2-U11413-Q	91	MU1-C6042DD-Q	68	MU1-S10218-B-Q	57	MU1-S2030-A-Q	63
MS2-U12013-H-Q	91	MU1-C6042DS-Q	68	MU1-S10224-A-Q	58	MU1-S2030-B-Q	63
MS2-U12013-Q	91	MU1-C6042SD-Q	67	MU1-S10224-B-Q	58	MU1-S2418-A-Q	57
MS2-U5413-H-Q	91	MU1-C6042SS-Q	67	MU1-S10230-A-Q	59	MU1-S2430-A-Q	59
MS2-U5413-Q	91	MU1-C6048DD-Q	68	MU1-S10230-B-Q	59	MU1-S2430-B-Q	59
MS2-U9613-H-Q	91	MU1-C6642DD-Q	68	MU1-S10236-B-Q	60	MU1-S2618-A-Q	61
MS2-U9613-Q	91	MU1-C6642DS-Q	68	MU1-S10236-R-Q	60	MU1-S2618-B-Q	61
MS2-W10213-H-Q	90	MU1-C6642SD-Q	67	MU1-S10418-A-Q	61	MU1-S2624-A-Q	62

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
MU1-S2624-B-Q	62	MU1-S6618-A-Q	57	MU1-S9824-B-Q	62	MW2-S11624-A-Q	54
MU1-S2630-A-Q	63	MU1-S6636-B-Q	60	MU1-S9830-A-Q	63	MW2-S11624-B-Q	54
MU1-S2630-B-Q	63	MU1-S6636-R-Q	60	MU1-S9830-B-Q	63	MW2-S11630-A-Q	55
MU1-S3018-A-Q	57	MU1-S6818-A-Q	61	MU1-S9836-B-Q	64	MW2-S11630-B-Q	55
MU1-S3218-A-Q	61	MU1-S6818-B-Q	61	MU1-S9836-R-Q	64	MW2-S11636-B-Q	56
MU1-S3218-B-Q	61	MU1-S6824-A-Q	62	MU1-W30A-L-Q	70	MW2-S11636-R-Q	56
MU1-S3224-A-Q	62	MU1-S6824-B-Q	62	MU1-W30A-R-Q	70	MW2-S12018-A-Q	49
MU1-S3224-B-Q	62	MU1-S6830-A-Q	63	MU1-W54A-L-Q	70	MW2-S12018-B-Q	49
MU1-S3230-A-Q	63	MU1-S6830-B-Q	63	MU1-W54A-R-Q	70	MW2-S12024-A-Q	50
MU1-S3230-B-Q	63	MU1-S6836-B-Q	64	MU1-W60A-L-Q	70	MW2-S12024-B-Q	50
MU1-S3618-A-Q	57	MU1-S6836-R-Q	64	MU1-W60A-R-Q	70	MW2-S12030-A-Q	51
MU1-S3636-B-Q	60	MU1-S7218-A-Q	57	MU1-W66A-L-Q	70	MW2-S12030-B-Q	51
MU1-S3636-R-Q	60	MU1-S7236-B-Q	60	MU1-W66A-R-Q	70	MW2-S12036-B-Q	52
MU1-S3818-A-Q	61	MU1-S7236-R-Q	60	MU1-W72A-L-Q	70	MW2-S12036-R-Q	52
MU1-S3818-B-Q	61	MU1-S7418-A-Q	61	MU1-W72A-R-Q	70	MW2-S1818-A-Q	49
MU1-S3824-A-Q	62	MU1-S7418-B-Q	61	MU1-W78A-L-Q	70	MW2-S1818-B-Q	49
MU1-S3824-B-Q	62	MU1-S7424-A-Q	62	MU1-W78A-R-Q	70	MW2-S1824-A-Q	50
MU1-S3830-A-Q	63	MU1-S7424-B-Q	62	MU1-W84A-L-Q	70	MW2-S1824-B-Q	50
MU1-S3830-B-Q	63	MU1-S7430-A-Q	63	MU1-W84A-R-Q	70	MW2-S1830-A-Q	51
MU1-S3836-B-Q	64	MU1-S7430-B-Q	63	MU1-W90A-L-Q	70	MW2-S1830-B-Q	51
MU1-S3836-R-Q	64	MU1-S7436-B-Q	64	MU1-W90A-R-Q	70	MW2-S2018-A-Q	53
MU1-S4218-A-Q	57	MU1-S7436-R-Q	64	MU1-W96A-L-Q	70	MW2-S2018-B-Q	53
MU1-S4236-B-Q	60	MU1-S7818-A-Q	57	MU1-W96A-R-Q	70	MW2-S2024-A-Q	54
MU1-S4236-R-Q	60	MU1-S7818-B-Q	57	MW2-S10218-A-Q	49	MW2-S2024-B-Q	54
MU1-S4418-A-Q	61	MU1-S7836-B-Q	60	MW2-S10218-B-Q	49	MW2-S2030-A-Q	55
MU1-S4418-B-Q	61	MU1-S7836-R-Q	60	MW2-S10224-A-Q	50	MW2-S2030-B-Q	55
MU1-S4424-A-Q	62	MU1-S8018-A-Q	61	MW2-S10224-B-Q	50	MW2-S2418-A-Q	49
MU1-S4424-B-Q	62	MU1-S8018-B-Q	61	MW2-S10230-A-Q	51	MW2-S2418-B-Q	49
MU1-S4430-A-Q	63	MU1-S8024-A-Q	62	MW2-S10230-B-Q	51	MW2-S2430-A-Q	51
MU1-S4430-B-Q	63	MU1-S8024-B-Q	62	MW2-S10236-B-Q	52	MW2-S2430-B-Q	51
MU1-S4436-B-Q	64	MU1-S8030-A-Q	63	MW2-S10236-R-Q	52	MW2-S2618-A-Q	53
MU1-S4436-R-Q	64	MU1-S8030-B-Q	63	MW2-S10418-A-Q	53	MW2-S2618-B-Q	53
MU1-S4818-A-Q	57	MU1-S8036-B-Q	64	MW2-S10418-B-Q	53	MW2-S2624-A-Q	54
MU1-S4836-B-Q	60	MU1-S8036-R-Q	64	MW2-S10424-A-Q	54	MW2-S2624-B-Q	54
MU1-S4836-R-Q	60	MU1-S8418-A-Q	57	MW2-S10424-B-Q	54	MW2-S2630-A-Q	55
MU1-S5018-A-Q	61	MU1-S8418-B-Q	57	MW2-S10430-A-Q	55	MW2-S2630-B-Q	55
MU1-S5018-B-Q	61	MU1-S8436-B-Q	60	MW2-S10430-B-Q	55	MW2-S3018-A-Q	49
MU1-S5024-A-Q	62	MU1-S8436-R-Q	60	MW2-S10436-B-Q	56	MW2-S3218-A-Q	53
MU1-S5024-B-Q	62	MU1-S8618-A-Q	61	MW2-S10436-R-Q	56	MW2-S3218-B-Q	53
MU1-S5030-A-Q	63	MU1-S8618-B-Q	61	MW2-S10818-A-Q	49	MW2-S3224-A-Q	54
MU1-S5030-B-Q	63	MU1-S8624-A-Q	62	MW2-S10818-B-Q	49	MW2-S3224-B-Q	54
MU1-S5036-B-Q	64	MU1-S8624-B-Q	62	MW2-S10824-A-Q	50	MW2-S3230-A-Q	55
MU1-S5036-R-Q	64	MU1-S8630-A-Q	63	MW2-S10824-B-Q	50	MW2-S3230-B-Q	55
MU1-S5418-A-Q	57	MU1-S8630-B-Q	63	MW2-S10830-A-Q	51	MW2-S3618-A-Q	49
MU1-S5436-B-Q	60	MU1-S8636-B-Q	64	MW2-S10830-B-Q	51	MW2-S3636-B-Q	52
MU1-S5436-R-Q	60	MU1-S8636-R-Q	64	MW2-S10836-B-Q	52	MW2-S3636-R-Q	52
MU1-S5618-A-Q	61	MU1-S9018-A-Q	57	MW2-S10836-R-Q	52	MW2-S3818-A-Q	53
MU1-S5618-B-Q	61	MU1-S9018-B-Q	57	MW2-S11018-A-Q	53	MW2-S3818-B-Q	53
MU1-S5624-A-Q	62	MU1-S9036-B-Q	60	MW2-S11018-B-Q	53	MW2-S3824-A-Q	54
MU1-S5624-B-Q	62	MU1-S9036-R-Q	60	MW2-S11024-A-Q	54	MW2-S3824-B-Q	54
MU1-S5630-A-Q	63	MU1-S9218-A-Q	61	MW2-S11024-B-Q	54	MW2-S3830-A-Q	55
MU1-S5630-B-Q	63	MU1-S9218-B-Q	61	MW2-S11030-A-Q	55	MW2-S3830-B-Q	55
MU1-S5636-B-Q	64	MU1-S9224-A-Q	62	MW2-S11030-B-Q	55	MW2-S3836-B-Q	56
MU1-S5636-R-Q	64	MU1-S9224-B-Q	62	MW2-S11036-B-Q	56	MW2-S3836-R-Q	56
MU1-S6018-A-Q	57	MU1-S9230-A-Q	63	MW2-S11036-R-Q	56	MW2-S4218-A-Q	49
MU1-S6036-B-Q	60	MU1-S9230-B-Q	63	MW2-S11418-A-Q	49	MW2-S4236-B-Q	52
MU1-S6036-R-Q	60	MU1-S9236-B-Q	64	MW2-S11418-B-Q	49	MW2-S4236-R-Q	52
MU1-S6218-A-Q	61	MU1-S9236-R-Q	64	MW2-S11424-A-Q	50	MW2-S4418-A-Q	53
MU1-S6218-B-Q	61	MU1-S9618-A-Q	57	MW2-S11424-B-Q	50	MW2-S4418-B-Q	53
MU1-S6224-A-Q	62	MU1-S9618-B-Q	57	MW2-S11430-A-Q	51	MW2-S4424-A-Q	54
MU1-S6224-B-Q	62	MU1-S9636-B-Q	60	MW2-S11430-B-Q	51	MW2-S4424-B-Q	54
MU1-S6230-A-Q	63	MU1-S9636-R-Q	60	MW2-S11436-B-Q	52	MW2-S4430-A-Q	55
MU1-S6230-B-Q	63	MU1-S9818-A-Q	61	MW2-S11436-R-Q	52	MW2-S4430-B-Q	55
MU1-S6236-B-Q	64	MU1-S9818-B-Q	61	MW2-S11618-A-Q	53	MW2-S4436-B-Q	56
MU1-S6236-R-Q	64	MU1-S9824-A-Q	62	MW2-S11618-B-Q	53	MW2-S4436-R-Q	56

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
MW2-S4818-A-Q	49	MW2-S8618-A-Q	53	QAFPO22W	178	QR3B0P (11/22/33) 4242	99
MW2-S4836-B-Q	52	MW2-S8618-B-Q	53	QAFPO23W	178	QR3B0P (11/22/33) 4248	99
MW2-S4836-R-Q	52	MW2-S8624-A-Q	54	QAW1T43030	176	QR3B0P (11/22/33) 4260	99
MW2-S5018-A-Q	53	MW2-S8624-B-Q	54	QAW1T43636	176	QR3B0P (11/22/33) 4266	99
MW2-S5018-B-Q	53	MW2-S8630-A-Q	55	QAW1T44242	176	QR3B0P (11/22/33) 4272	99
MW2-S5024-A-Q	54	MW2-S8630-B-Q	55	QAW1T44830	176	QR3B0P (11/22/33) 4918	99
MW2-S5024-B-Q	54	MW2-S8636-B-Q	56	QAW1T44848	176	QR3B0P (11/22/33) 4920	99
MW2-S5030-A-Q	55	MW2-S8636-R-Q	56	QAW1T46030	176	QR3B0P (11/22/33) 4924	99
MW2-S5030-B-Q	55	MW2-S9018-A-Q	49	QAW1T47230	176	QR3B0P (11/22/33) 4930	99
MW2-S5036-B-Q	56	MW2-S9018-B-Q	49	QAW1T47236	176	QR3B0P (11/22/33) 4936	99
MW2-S5036-R-Q	56	MW2-S9036-B-Q	52	QAW1TR24	176	QR3B0P (11/22/33) 4942	99
MW2-S5418-A-Q	49	MW2-S9036-R-Q	52	QAW1TR30	176	QR3B0P (11/22/33) 4948	99
MW2-S5436-B-Q	52	MW2-S9218-A-Q	53	QAW1TR36	176	QR3B0P (11/22/33) 4960	99
MW2-S5436-R-Q	52	MW2-S9218-B-Q	53	QAW1TR42	176	QR3B0P (11/22/33) 4966	99
MW2-S5618-A-Q	53	MW2-S9224-A-Q	54	QAW1TR48	176	QR3B0P (11/22/33) 4972	99
MW2-S5618-B-Q	53	MW2-S9224-B-Q	54	QDMRD6436(L/R)()(-)-L	47	QR3B0P (11/22/33) 6418	100
MW2-S5624-A-Q	54	MW2-S9230-A-Q	55	QDMRD6436(L/R)()(-)-N	47	QR3B0P (11/22/33) 6420	100
MW2-S5624-B-Q	54	MW2-S9230-B-Q	55	QDMRD6442(L/R)()(-)-L	47	QR3B0P (11/22/33) 6424	100
MW2-S5630-A-Q	55	MW2-S9236-B-Q	56	QDMRD6442(L/R)()(-)-N	47	QR3B0P (11/22/33) 6430	100
MW2-S5630-B-Q	55	MW2-S9236-R-Q	56	QDMRD6448(L/R)()(-)-L	47	QR3B0P (11/22/33) 6436	100
MW2-S5636-B-Q	56	MW2-S9618-A-Q	49	QDMRD6448(L/R)()(-)-N	47	QR3B0P (11/22/33) 6442	100
MW2-S5636-R-Q	56	MW2-S9618-B-Q	49	QDMRD7836(L/R)()(-)-L	47	QR3B0P (11/22/33) 6448	100
MW2-S6018-A-Q	49	MW2-S9636-B-Q	52	QDMRD7836(L/R)()(-)-N	47	QR3B0P (11/22/33) 6460	100
MW2-S6036-B-Q	52	MW2-S9636-R-Q	52	QDMRD7842(L/R)()(-)-L	47	QR3B0P (11/22/33) 6466	100
MW2-S6036-R-Q	52	MW2-S9818-A-Q	53	QDMRD7842(L/R)()(-)-N	47	QR3B0P (11/22/33) 6472	100
MW2-S6218-A-Q	53	MW2-S9818-B-Q	53	QDMRD7848(L/R)()(-)-L	47	QR3B0P (11/22/33) 7918	100
MW2-S6218-B-Q	53	MW2-S9824-A-Q	54	QDMRD7848(L/R)()(-)-N	47	QR3B0P (11/22/33) 7920	100
MW2-S6224-A-Q	54	MW2-S9824-B-Q	54	QDMRDFT36	47	QR3B0P (11/22/33) 7924	100
MW2-S6224-B-Q	54	MW2-S9830-A-Q	55	QDMRDFT42	47	QR3B0P (11/22/33) 7930	100
MW2-S6230-A-Q	55	MW2-S9830-B-Q	55	QDMRDFT48	47	QR3B0P (11/22/33) 7936	100
MW2-S6230-B-Q	55	MW2-S9836-B-Q	56	QR111JUK	132	QR3B0P (11/22/33) 7942	100
MW2-S6236-B-Q	56	MW2-S9836-R-Q	56	QR111KUK	132	QR3B0P (11/22/33) 7948	100
MW2-S6236-R-Q	56	MZ1-B2415	93	QR112JUK	132	QR3B0P (11/22/33) 7960	100
MW2-S6618-A-Q	49	MZ1-B2419	93	QR112KUK	132	QR3B0P (11/22/33) 7966	100
MW2-S6818-A-Q	53	MZ1-B2422	93	QR113JUK	132	QR3B0P (11/22/33) 7972	100
MW2-S6818-B-Q	53	QACDL720	177	QR113KUK	132	QR3B0T (11/22/33) 3418	101
MW2-S6824-A-Q	54	QACDL721	177	QR2 SLAT 1518	103	QR3B0T (11/22/33) 3420	101
MW2-S6824-B-Q	54	QACDL820	177	QR2 SLAT 1520	103	QR3B0T (11/22/33) 3424	101
MW2-S6830-A-Q	55	QACDL821	177	QR2 SLAT 1524	103	QR3B0T (11/22/33) 3430	101
MW2-S6830-B-Q	55	QACDR720	177	QR2 SLAT 1530	103	QR3B0T (11/22/33) 3436	101
MW2-S6836-B-Q	56	QACDR721	177	QR2 SLAT 1536	103	QR3B0T (11/22/33) 3442	101
MW2-S6836-R-Q	56	QACDR820	177	QR2 SLAT 1542	103	QR3B0T (11/22/33) 3448	101
MW2-S7218-A-Q	49	QACDR821	177	QR2 SLAT 1548	103	QR3B0T (11/22/33) 4218	101
MW2-S7418-A-Q	53	QACG722WE	177	QR211JUK	131	QR3B0T (11/22/33) 4220	101
MW2-S7418-B-Q	53	QACG723WE	177	QR211KUK	131	QR3B0T (11/22/33) 4224	101
MW2-S7424-A-Q	54	QACG822WE	177	QR212JUK	131	QR3B0T (11/22/33) 4230	101
MW2-S7424-B-Q	54	QACG823WE	177	QR212KUK	131	QR3B0T (11/22/33) 4236	101
MW2-S7430-A-Q	55	QAFPD12	178	QR213JUK	131	QR3B0T (11/22/33) 4242	101
MW2-S7430-B-Q	55	QAFPD13	178	QR213KUK	131	QR3B0T (11/22/33) 4248	101
MW2-S7436-B-Q	56	QAFPD22	178	QR2ES4215	105	QR3B0T (11/22/33) 4918	101
MW2-S7436-R-Q	56	QAFPD23	178	QR2ES49158	105	QR3B0T (11/22/33) 4920	101
MW2-S7818-A-Q	49	QAFDDL10	178	QR2ES498	105	QR3B0T (11/22/33) 4924	101
MW2-S7818-B-Q	49	QAFDDL11	178	QR2ES648	105	QR3B0T (11/22/33) 4930	101
MW2-S8018-A-Q	53	QAFDDL20	178	QR3B0P (11/22/33) 3418	99	QR3B0T (11/22/33) 4936	101
MW2-S8018-B-Q	53	QAFDDL21	178	QR3B0P (11/22/33) 3420	99	QR3B0T (11/22/33) 4942	101
MW2-S8024-A-Q	54	QAFPPDR10	178	QR3B0P (11/22/33) 3424	99	QR3B0T (11/22/33) 4948	101
MW2-S8024-B-Q	54	QAFPPDR11	178	QR3B0P (11/22/33) 3430	99	QR3B0T (11/22/33) 6418	102
MW2-S8030-A-Q	55	QAFPPDR20	178	QR3B0P (11/22/33) 3436	99	QR3B0T (11/22/33) 6420	102
MW2-S8030-B-Q	55	QAFPPDR21	178	QR3B0P (11/22/33) 3442	99	QR3B0T (11/22/33) 6424	102
MW2-S8036-B-Q	56	QAFPO10W	178	QR3B0P (11/22/33) 3448	99	QR3B0T (11/22/33) 6430	102
MW2-S8036-R-Q	56	QAFPO11W	178	QR3B0P (11/22/33) 4218	99	QR3B0T (11/22/33) 6436	102
MW2-S8418-A-Q	49	QAFPO12W	178	QR3B0P (11/22/33) 4220	99	QR3B0T (11/22/33) 6442	102
MW2-S8418-B-Q	49	QAFPO13W	178	QR3B0P (11/22/33) 4224	99	QR3B0T (11/22/33) 6448	102
MW2-S8436-B-Q	52	QAFPO20W	178	QR3B0P (11/22/33) 4230	99	QR3B0T (11/22/33) 7918	102
MW2-S8436-R-Q	52	QAFPO21W	178	QR3B0P (11/22/33) 4236	99	QR3B0T (11/22/33) 7920	102

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
QR3B0T (11/22/33) 7924	102	QRC612G	137, 138	QRC761DHBM	150	QRCCDLA34296	115
QR3B0T (11/22/33) 7930	102	QRC612P	137, 138	QRC761DHBW	147	QRCCDLA34860	115
QR3B0T (11/22/33) 7936	102	QRC613DHC (L/R)	143, 145	QRC762DHC	148, 150	QRCCDLA34866	115
QR3B0T (11/22/33) 7942	102	QRC613DHD (L/R)	143	QRC762DHH	148, 151	QRCCDLA34872	115
QR3B0T (11/22/33) 7948	102	QRC613DHP (L/R)	144, 146	QRC762DHI	149	QRCCDLA34878	115
QR3S (11/22/33) 0818	103	QRC613G	137, 138	QRC762DHP	149, 151	QRCCDLA34884	115
QR3S (11/22/33) 0820	103	QRC613P	137, 138	QRC762G	139, 140	QRCCDLA34890	115
QR3S (11/22/33) 0824	103	QRC632DHC	143, 145	QRC762P	139, 140	QRCCDLA34896	115
QR3S (11/22/33) 0830	103	QRC632DHD	143	QRC763DHC	148, 150	QRCCDRA23660	116
QR3S (11/22/33) 0836	103	QRC632DHE (L/R)	143, 145	QRC763DHH	148, 151	QRCCDRA23666	116
QR3S (11/22/33) 0842	103	QRC632DHH	144, 146	QRC763DHI	149	QRCCDRA23690	116
QR3S (11/22/33) 0848	103	QRC632DHI	144	QRC763DHP	149, 151	QRCCDRA24260	116
QR3S (11/22/33) 1518	103	QRC632DHP	144, 146	QRC763G	139, 140	QRCCDRA24266	116
QR3S (11/22/33) 1520	103	QRC632G	137, 138	QRC763P	139, 140	QRCCDRA24272	116
QR3S (11/22/33) 1524	103	QRC632P	137, 138	QRCA 363623	121	QRCCDRA24278	116
QR3S (11/22/33) 1530	103	QRC633DHC	143, 145	QRCA 363632	121	QRCCDRA24284	116
QR3S (11/22/33) 1536	103	QRC633DHD	143	QRCA 364223	121	QRCCDRA24290	116
QR3S (11/22/33) 1542	103	QRC633DHE (L/R)	143, 145	QRCA 364232	121	QRCCDRA24296	116
QR3S (11/22/33) 1548	103	QRC633DHH	144, 146	QRCA 423623	121	QRCCDRA24860	116
QR9C7794	130	QRC633DHI	144	QRCA 423632	121	QRCCDRA24866	116
QR9C7798	130	QRC633DHP	144, 146	QRCA 424223	121	QRCCDRA24872	116
QR9C7801	130	QRC633G	137, 138	QRCA 424232	121	QRCCDRA24878	116
QR9C7917	130	QRC633P	137, 138	QRCA 424233	121	QRCCDRA24884	116
QR9C7919	130	QRC662DHC	143, 145	QRCA 424823	121	QRCCDRA24890	116
QR9D5459	130	QRC662DHD	143	QRCA 424832	121	QRCCDRA24896	116
QR9G0413	130	QRC662DHE (L/R)	143, 145	QRCA 484223	121	QRCCDRA33660	116
QR9G1171	130	QRC662DHH	144, 146	QRCA 484232	121	QRCCDRA33666	116
QR9G1173	130	QRC662DHI	144	QRCA 484823	121	QRCCDRA33690	116
QR9G1295	130	QRC662DHP	144, 146	QRCA 484832	121	QRCCDRA34260	116
QR9G1499	130	QRC662G	137, 138	QRCA 484833	121	QRCCDRA34266	116
QR9G2826	130	QRC662P	137, 138	QRCA 363622	122	QRCCDRA34272	116
QR9G6777	130	QRC663DHC	143, 145	QRCA 424222	122	QRCCDRA34278	116
QR9G6778	130	QRC663DHD	143	QRCA 424233	122	QRCCDRA34284	116
QR9G6779	130	QRC663DHE (L/R)	143, 145	QRCA 484822	122	QRCCDRA34290	116
QR9G6780	130	QRC663DHH	144, 146	QRCA 484833	122	QRCCDRA34296	116
QR9G6781	130	QRC663DHI	144	QRCAWF484811	124	QRCCDRA34860	116
QR9G6782	130	QRC663DHP	144, 146	QRCAWF484812	124	QRCCDRA34866	116
QRB102(M/H)(F/R)	129	QRC663G	137, 138	QRCAWF484821	124	QRCCDRA34872	116
QRB108(M/H)(F/R)	129	QRC663P	137, 138	QRCAWF484822	124	QRCCDRA34878	116
QRB114(M/H)(F/R)	129	QRC712DHC(L/R)	148, 150	QRCCDLA23660	115	QRCCDRA34884	116
QRB120(M/H)(F/R)	129	QRC712DHD (L/R)	147	QRCCDLA23666	115	QRCCDRA34890	116
QRB28MR	129	QRC712DHP(L/R)	149, 151	QRCCDLA23690	115	QRCCDRA34896	116
QRB34MR	129	QRC712G	139, 140	QRCCDLA24260	115	QRCEAL223654	117
QRB46MR	129	QRC712P	139, 140	QRCCDLA24266	115	QRCEAL223666	117
QRB58MR	129	QRC713DHC(L/R)	148, 150	QRCCDLA24272	115	QRCEAL223678	117
QRCB11 (L/R)	123	QRC713DHD (L/R)	147	QRCCDLA24278	115	QRCEAL223684	117
QRB102M(F/R)	129	QRC713DHP(L/R)	149, 151	QRCCDLA24284	115	QRCEAL223690	117
QRB108M(F/R)	129	QRC713G	139, 140	QRCCDLA24290	115	QRCEAL223696	117
QRB114M(F/R)	129	QRC713P	139, 140	QRCCDLA24296	115	QRCEAL224254	117
QRB120M(F/R)	129	QRC731B	139, 140	QRCCDLA24860	115	QRCEAL224266	117
QRB128MR	129	QRC731DHBM	150	QRCCDLA24866	115	QRCEAL224278	117
QRB134MR	129	QRC731DHBW	147	QRCCDLA24872	115	QRCEAL224284	117
QRB146MR	129	QRC732DHC	148, 150	QRCCDLA24878	115	QRCEAL224290	117
QRB158MR	129	QRC732DHH	148, 151	QRCCDLA24884	115	QRCEAL224296	117
QRC332DHF	141, 142	QRC732DHI	149	QRCCDLA24890	115	QRCEAL224360	117
QRC332F	135, 136	QRC732DHP	149, 151	QRCCDLA24896	115	QRCEAL224366	117
QRC333DHF	141, 142	QRC732G	139, 140	QRCCDLA33660	115	QRCEAL224378	117
QRC333F	135, 136	QRC732P	139, 140	QRCCDLA33666	115	QRCEAL224390	117
QRC362DHF	141, 142	QRC733DHC	148, 150	QRCCDLA33690	115	QRCEAR223654	117
QRC362F	135, 136	QRC733DHH	148, 151	QRCCDLA34260	115	QRCEAR223666	117
QRC363DHF	141, 142	QRC733DHI	149	QRCCDLA34266	115	QRCEAR223678	117
QRC363F	135, 136	QRC733DHP	149, 151	QRCCDLA34272	115	QRCEAR223684	117
QRC612DHC (L/R)	143, 145	QRC733G	139, 140	QRCCDLA34278	115	QRCEAR223690	117
QRC612DHD (L/R)	143	QRC733P	139, 140	QRCCDLA34284	115	QRCEAR223696	117
QRC612DHP (L/R)	144, 146	QRC761B	139, 140	QRCCDLA34290	115	QRCEAR224254	117

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
QRCEAR224266	117	QRM9B6636	119	QROAH30T1	154	QROAO78T1DH	161
QRCEAR224278	117	QRM9B7230	119	QROAH30T1DH	162	QROAO84T0	152
QRCEAR224284	117	QRM9B7236	119	QROAH36T0	152	QROAO84T0DH	158
QRCEAR224290	117	QRM9B7830	119	QROAH36T0DH	159	QROAO84T1	153
QRCEAR224296	117	QRM9B7836	119	QROAH36T1	154	QROAO84T1DH	161
QRCEAR224860	117	QRM9B8436	119	QROAH36T1DH	162	QROBF30S0	156
QRCEAR224866	117	QRM9B9636	119	QROAH42T0	152	QROBF30S0DH	166
QRCEAR224878	117	QRMPA5430 N	118	QROAH42T0DH	159	QROBF30S1	157
QRCEAR224890	117	QRMPA5436 N	118	QROAH42T1	154	QROBF30S1DH	169
QRE24	128	QRMPA6030 N	118	QROAH42T1DH	162	QROBF36S0	156
QRE35F	128	QRMPA6036 N	118	QROAH48T0	152	QROBF36S0DH	166
QREDH24	128	QRMPA6630	118	QROAH48T0DH	159	QROBF36S1	157
QREDH35F	128	QRMPA6636	118	QROAH48T1	154	QROBF36S1DH	169
QRFTCWSUH21	106	QRMPA7230	118	QROAH48T1DH	162	QROBF42S0	156
QRFTCWSUH25	106	QRMPA7236	118	QROAH54T0	152	QROBF42S0DH	166
QRFTCWSUH37	106	QRMPA7830	118	QROAH54T0DH	159	QROBF42S1	157
QRKA 363623	120	QRMPA7836	118	QROAH54T1	154	QROBF42S1DH	169
QRKA 363632	120	QRMPA8436	118	QROAH54T1DH	162	QROBF48S0	156
QRKA 364223	120	QRMPA9636	118	QROAH66T0	152	QROBF48S0DH	166
QRKA 364232	120	QRMPB5430 N	119	QROAH66T0DH	159	QROBF48S1	157
QRKA 423623	120	QRMPB5436 N	119	QROAH66T1	154	QROBF48S1DH	169
QRKA 423632	120	QRMPB6030 N	119	QROAH66T1DH	162	QROBF54S0	156
QRKA 424223	120	QRMPB6036 N	119	QROAH78T0	152	QROBF54S0DH	166
QRKA 424232	120	QRMPB6630	119	QROAH78T0DH	159	QROBF54S1	157
QRKA 424233	120	QRMPB6636	119	QROAH78T1	154	QROBF54S1DH	169
QRKA 424823	120	QRMPB7230	119	QROAH78T1DH	162	QROBF66S0	156
QRKA 424832	120	QRMPB7236	119	QROAH84T0	152	QROBF66S0DH	166
QRKA 484223	120	QRMPB7830	119	QROAH84T0DH	159	QROBF66S1	157
QRKA 484232	120	QRMPB7836	119	QROAH84T1	154	QROBF66S1DH	169
QRKA 484823	120	QRMPB8436	119	QROAH84T1DH	162	QROBF78S0	156
QRKA 484832	120	QRMPB9636	119	QROAO30BM	172	QROBF78S0DH	166
QRKA 484833	120	QROAF30S0	153	QROAO30BW	171	QROBF78S1	157
QRKB 363623	120	QROAF30S0DH	160	QROAO30DHBM	172	QROBF78S1DH	169
QRKB 363632	120	QROAF30S1	154	QROAO30DHBW	171	QROBF90S0	156
QRKB 364223	120	QROAF30S1DH	163	QROAO30T0	152	QROBF90S0DH	166
QRKB 364232	120	QROAF36S0	153	QROAO30T0DH	158	QROBF90S1	157
QRKB 423623	120	QROAF36S0DH	160	QROAO30T1	153	QROBF90S1DH	169
QRKB 423632	120	QROAF36S1	154	QROAO30T1DH	161	QROBH30T0	155
QRKB 424223	120	QROAF36S1DH	163	QROAO36BM	172	QROBH30T0DH	165
QRKB 424232	120	QROAF42S0	153	QROAO36BW	171	QROBH30T1	157
QRKB 424233	120	QROAF42S0DH	160	QROAO36DHBM	172	QROBH30T1DH	168
QRKB 424823	120	QROAF42S1	154	QROAO36DHBW	171	QROBH36T0	155
QRKB 424832	120	QROAF42S1DH	163	QROAO36T0	152	QROBH36T0DH	165
QRKB 484223	120	QROAF48S0	153	QROAO36T0DH	158	QROBH36T1	157
QRKB 484232	120	QROAF48S0DH	160	QROAO36T1	153	QROBH36T1DH	168
QRKB 484823	120	QROAF48S1	154	QROAO36T1DH	161	QROBH42T0	155
QRKB 484832	120	QROAF48S1DH	163	QROAO42T0	152	QROBH42T0DH	165
QRKB 484833	120	QROAF54S0	153	QROAO42T0DH	158	QROBH42T1	157
QRM9A5430 N	118	QROAF54S0DH	160	QROAO42T1	153	QROBH42T1DH	168
QRM9A5436 N	118	QROAF54S1	154	QROAO42T1DH	161	QROBH48T0	155
QRM9A6030 N	118	QROAF54S1DH	163	QROAO48T0	152	QROBH48T0DH	165
QRM9A6036 N	118	QROAF66S0	153	QROAO48T0DH	158	QROBH48T1	157
QRM9A6630	118	QROAF66S0DH	160	QROAO48T1	153	QROBH48T1DH	168
QRM9A6636	118	QROAF66S1	154	QROAO48T1DH	161	QROBH54T0	155
QRM9A7230	118	QROAF66S1DH	163	QROAO54T0	152	QROBH54T0DH	165
QRM9A7236	118	QROAF78S0	153	QROAO54T0DH	158	QROBH54T1	157
QRM9A7830	118	QROAF78S0DH	160	QROAO54T1	153	QROBH54T1DH	168
QRM9A7836	118	QROAF78S1	154	QROAO54T1DH	161	QROBH66T0	155
QRM9A8436	118	QROAF78S1DH	163	QROAO66T0	152	QROBH66T0DH	165
QRM9A9636	118	QROAF90S0	153	QROAO66T0DH	158	QROBH66T1	157
QRM9B5430 N	119	QROAF90S0DH	160	QROAO66T1	153	QROBH66T1DH	168
QRM9B5436 N	119	QROAF90S1	154	QROAO66T1DH	161	QROBH78T0	155
QRM9B6030 N	119	QROAF90S1DH	163	QROAO78T0	152	QROBH78T0DH	165
QRM9B6036 N	119	QROAH30T0	152	QROAO78T0DH	158	QROBH78T1	157
QRM9B6630	119	QROAH30T0DH	159	QROAO78T1	153	QROBH78T1DH	168

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
QROBH84T0	155	QRP362J	133, 134	QRSAP1043	109	QRSB844	110
QROBH84T0DH	165	QRPAB17UK	131	QRSAP1101	108	QRSB904	110
QROBH84T1	157	QRPDHB17UK	132	QRSAP1102	108	QRSB964	110
QROBH84T1DH	168	QRPHTB2424	174	QRSAP1103	109	QRSBC10218	114
QROBO30BM	172	QRPHTB3624	174	QRSAP261	108	QRSBC10818	114
QROBO30BW	171	QRPHTB4824	174	QRSAP262	108	QRSBC3018	114
QROBO30DHBM	172	QRPHTB5424	174	QRSAP263	108	QRSBC3618	114
QROBO30DHBW	171	QRPHTB6024	174	QRSAP321	108	QRSBC3636	114
QROBO30T0	155	QRPHTB7224	174	QRSAP322	108	QRSBC4218	114
QROBO30T0DH	164	QRRAW12048	127	QRSAP323	108	QRSBC4236	114
QROBO30T1	156	QRRAW14448	127	QRSAP381	108	QRSBC4818	114
QROBO30T1DH	167	QRRAW16848	127	QRSAP382	108	QRSBC5418	114
QROBO36BM	172	QRRAW19248	127	QRSAP383	108	QRSBC5436	114
QROBO36BW	171	QRRAW4848	127	QRSAP441	108	QRSBC6018	114
QROBO36DHBM	172	QRRAW9648	127	QRSAP442	108	QRSBC6036	114
QROBO36DHBW	171	QRSA1021	107	QRSAP443	109	QRSBC6618	114
QROBO36T0	155	QRSA1022	107	QRSAP501	108	QRSBC6636	114
QROBO36T0DH	164	QRSA1023	107	QRSAP502	108	QRSBC7218	114
QROBO36T1	156	QRSA1024	107	QRSAP503	109	QRSBC7236	114
QROBO36T1DH	167	QRSA1081	107	QRSAP561	108	QRSBC7818	114
QROBO42T0	155	QRSA1082	107	QRSAP562	108	QRSBC7836	114
QROBO42T0DH	164	QRSA1083	107	QRSAP563	109	QRSBC8418	114
QROBO42T1	156	QRSA1084	107	QRSAP621	108	QRSBC8436	114
QROBO42T1DH	167	QRSA1141	107	QRSAP622	108	QRSBC9018	114
QROBO48T0	155	QRSA1142	107	QRSAP623	109	QRSBC9036	114
QROBO48T0DH	164	QRSA1143	107	QRSAP681	108	QRSBC9618	114
QROBO48T1	156	QRSA1144	107	QRSAP682	108	QRSBP1041	111
QROBO48T1DH	167	QRSA1201	107	QRSAP683	109	QRSBP1042	111
QROBO54T0	155	QRSA1202	107	QRSAP741	108	QRSBP1043	112
QROBO54T0DH	164	QRSA1203	107	QRSAP742	108	QRSBP1101	111
QROBO54T1	156	QRSA1204	107	QRSAP743	109	QRSBP1102	111
QROBO54T1DH	167	QRSA161-N	107	QRSAP801	108	QRSBP1103	112
QROBO66T0	155	QRSA162-N	107	QRSAP802	108	QRSBP261	111
QROBO66T0DH	164	QRSA163-N	107	QRSAP803	109	QRSBP262	111
QROBO66T1	156	QRSA484	107	QRSAP861	108	QRSBP263	111
QROBO66T1DH	167	QRSA544	107	QRSAP862	108	QRSBP321	111
QROBO78T0	155	QRSA784	107	QRSAP863	109	QRSBP322	111
QROBO78T0DH	164	QRSA844	107	QRSAP921	108	QRSBP323	111
QROBO78T1	156	QRSA904	107	QRSAP922	108	QRSBP381	111
QROBO78T1DH	167	QRSA964	107	QRSAP923	109	QRSBP382	111
QROBO84T0	155	QRSAC10218	113	QRSAP981	108	QRSBP383	111
QROBO84T0DH	164	QRSAC10818	113	QRSAP982	108	QRSBP441	111
QROBO84T1	156	QRSAC3018	113	QRSAP983	109	QRSBP442	111
QROBO84T1DH	167	QRSAC3618	113	QRSB1021	110	QRSBP443	112
QROMH24S0	170	QRSAC3636	113	QRSB1022	110	QRSBP501	111
QROMH42S0	170	QRSAC4218	113	QRSB1023	110	QRSBP502	111
QROMH48S0	170	QRSAC4236	113	QRSB1024	110	QRSBP503	112
QROMH54S0	170	QRSAC4818	113	QRSB1081	110	QRSBP561	111
QROMH66S0	170	QRSAC5418	113	QRSB1082	110	QRSBP562	111
QROMH78S0	170	QRSAC5436	113	QRSB1083	110	QRSBP563	112
QROMH84S0	170	QRSAC6018	113	QRSB1084	110	QRSBP621	111
QROMH90S0	170	QRSAC6036	113	QRSB1141	110	QRSBP622	111
QROMH96S0	170	QRSAC6618	113	QRSB1142	110	QRSBP623	112
QROPH24S0	170	QRSAC6636	113	QRSB1143	110	QRSBP681	111
QROPH42S0	170	QRSAC7218	113	QRSB1144	110	QRSBP682	111
QROPH48S0	170	QRSAC7236	113	QRSB1201	110	QRSBP683	112
QROPH54S0	170	QRSAC7818	113	QRSB1202	110	QRSBP741	111
QROPH84S0	170	QRSAC7836	113	QRSB1203	110	QRSBP742	111
QRP231J	133, 134	QRSAC8418	113	QRSB1204	110	QRSBP743	112
QRP232J	133, 134	QRSAC8436	113	QRSB161-N	110	QRSBP801	111
QRP261J	133, 134	QRSAC9018	113	QRSB162-N	110	QRSBP802	111
QRP262J	133, 134	QRSAC9036	113	QRSB163-N	110	QRSBP803	112
QRP301J	133, 134	QRSAC9618	113	QRSB484	110	QRSBP861	111
QRP302J	133, 134	QRSAP1041	108	QRSB544	110	QRSBP862	111
QRP361J	133, 134	QRSAP1042	108	QRSB784	110	QRSBP863	112

<i>pattern no.</i>	<i>page</i>
QRSBP921	111
QRSBP922	111
QRSBP923	112
QRSBP981	111
QRSBP982	111
QRSBP983	112
QRSD3627	130
QRSDA3627	130
QRSDHD3628	130
QRSDHDA3628	130
QRTA2424	125
QRTA3030	125
QRTA5454	125
QRTAW12048	126
QRTAW14448	126
QRTAW16848	126
QRTAW19248	126
QRTAW4848	126
QRTAW9648	126
QRTB2424	125
QRTB3030	125
QRTB5454	125
QRWHTB2424	174
QRWHTB5424	174
QRWHTB6024	174
QRWHTB7224	174
QRWSU34	106
QRWSU42	106
QRWSU49	106
QRWSU64	106
QRWSU79	106
QRWSUH34	106
QRWSUH42	106
QRWSUH49	106
QRWSUH64	106
QRWSUH79	106
QS990981	105
QS994873	104
QS9A5986	105
QS9A8002	104
QS9A8003	104
QS9B2960	104
QS9C2320	105
QS9C2321	105
QS9C2425	105
QS9G5498	104
QS9G5499	104
QS9G5875	104
QS9G5876	104
RBC18 (L/R)	123
RBCC	123
RTAT5E19	180
RTAT5E25	180
RTAT5E37	180
RTAT5E49	180
RTAT5E61	180
RTLT5E19	173
RTLT5E25	173
RTLT5E37	173
RTLT5E49	173
RTLT5E61	173
RTLT5E73	173
RTLT5E85	173

Selling Policy

This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.	
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.
Freight Prepaid	Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.
Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below. Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair). Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts. <i>Product and Period of Warranty</i> <i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template, Antenna Workspaces and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i> <i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, RPM and Sapper seating (except seating upholstery, textiles, leathers and finishes, see below).</i> <i>10 Years: Antenna Workspaces, AutoStrada, Crinion Open Table, Reff Profiles wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (Magnusson, The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i> <i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, CPU storage and all universal storage drawers.</i> <i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i> <i>2 Years: All other KnollExtra product</i> <i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces.</i> This warranty does not apply to: • Damage caused by a carrier other than the Seller. • Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products). • COM or other third party materials applied to Products. • Products not installed by or under the auspices of a Knoll Dealer. • Dramatic temperature variations or exposure to unusual conditions. • Changes in surface finishes, including colorfastness due to aging or exposure to light. • Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE. The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. The foregoing indemnity does not apply to the following: • Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$5
HLKRKMASTER*	Master Key	\$7

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."