

Introduction	General Specifications	3
	Reff finish options	4
Panels	Monolithic panels 34" H	6
	Monolithic panels 42" H	10
	Monolithic panels 49" H	15
	Monolithic panels 64" H	20
	Monolithic panels 79" H	25
	Tiled panels 34" H	30
	Tiled panels 42" H	33
	Tiled panels 49" H	38
	Tiled panels 64" H	43
	Tiled panels 79" H	48
	Aluminum Reveal kits	53
	Beltway one side, window panel 49" H	56
	Beltway two sides, window panel 49" H	67
	Stacking modules	69
	Panel connection posts	73
	Panel trims and post covers	75
	Ceiling cable entry posts, poles and cable infeed	77
	Ceiling cable entry post covers	79
	Rolling door and hinged door	80
	Attachment kits	81
	Floor to ceiling modules	82
	Required components	89
	Power distribution components	90
	Beltway electrical components	94
	Data and Communications	96
	Reff Ported Panel Components	97
Worksurfaces	Worksurface tops	100
	Worksurface tops and support	113
	Conference room tops	114
	Optional edge details	116
	Optional edge worksurface tops	117
	Optional edge conference room tops	130
	Waterfall edge	132
	Cascade edge	151
Support components	Top support components	157
	Top support components, 28 ³ / ₈ " high	162
	Bases, 26 ¹ / ₂ " high	164
	Bases, 28 ³ / ₈ " high	166
Transaction tops, regular and waterfall edge	Transaction tops	168
Gallery desk surrounds	Gallery desk surrounds	169
Cabinetry	Pedestals	176
	Pedestals, "desk height" 28 ³ / ₈ " high	179
	Cabinets (use with 26 ¹ / ₂ " h support components)	182
	Cabinets (use with 28 ³ / ₈ " h support components)	190
	Companion and office towers	195
Overhead storage	Overhead storage	196
	T5 Task Light for Reuter Overhead Storage	214
	T5 Task Light for Reff	215
	Sliding rails for Reff overhead cabinets	216
	Mini desk height storage	217

Preconfigured Reff Desking	Single pedestal desks	218
	Double pedestal desks	219
	Desk returns	220
	Single pedestal credenzas	221
	Bridge assemblies	222
	Double pedestal credenzas	223
Accessories and Client Samples	Accessories	224
Reff Original finish options	Reff Original finish options	230
Alpha-Numeric Index		231
Selling Policy		245
KnollKey Lock Program		247
General Ordering Information		248

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel,

thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 3/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see *support* section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Ultra Clear Polyur Wood Finishes:

V1 Techwood Closed Pore

Y324	Ash
Y311	Beech
Y319	Cherry
Y325	Chestnut
Y326	Dark Mahogany
Y327	Light Oak
Y328	Mahogany
Y316	Maple
Y329	Medium Oak
Y323	Medium Walnut

V1 - Techwood Closed Pore

Surface with matching synthetic edge:

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Conventional Veneer Closed Pore

V311	Beech
V312	Bronzed Cherry
V313	Burnt Walnut
V314	Dark Cherry
V315	Light Cherry
V316	Light Maple
V318	Mahogany on Walnut
V319	Medium Cherry
V323	Medium Walnut on Walnut
V342	Qtr. cut/Slip match, Bronzed Cherry
V344	Qtr. cut/Slip match, Dark Cherry
V345	Qtr. cut/Slip match, Light Cherry
V349	Qtr. cut/Slip match, Medium Cherry

V2 Conventional Veneer with synthetic edge

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut

Glass Options:

TEMP Clear Tempered

Architectural Glass Options:

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Locks

Black only

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
128	Fog
129	Micro Sand with 119 Pumice edge band

Paint Classifications:

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

See matrix next page for finishes applicable by component

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

11	for V311, Y311
12	for V312, V342
13	for V313
14	for V314, V344
15	for V315, V345
16	for V316, Y316
17	for V317
18	for V318
19	for V319, V349
Y9	for Y319
21	for V321
22	for V322
23	for V323
Y3	for Y323
24	for Y324
25	for Y325
26	for Y326
27	for Y327
28	for Y328
29	for Y329
52	for V512
53	for V513
54	for V514
55	for V515
56	for V516

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options

Grade 10

Bailey II (W359)
 Broadcloth (W288)
 Foundation (W351)
 Growth Spurt (W692)
 Newbury (W812)
 Solid Crepe (W257)
 Symbolic Detail (W693)
 Tailor Made (W133)
 Taurus (T)
 Versatility (W432)

Grade 15

Marche (W321)
 Regency (W210)

Grade 20

Banyan (W443)
 Bauhaus Block (W296A)
 Boardwalk (W911)
 Clarity (W281)
 Criss Cross (W305)
 Devon (W809)
 Frequency (W340)
 Labyrinth (W352)
 Litchfield (W808)
 Melbourne (W228)
 Outback (W229)
 Playa (W422)
 Reflect (W884)
 Resolution (W280)
 Walkabout (W230)
 Weave Three (W298)

Grade 30

Basket Draft (W249)
 Elan (W444)
 Flow (W565)
 Harmony (W232)
 Micro (W465)*
 Progression (W403)
 Promenade (W913)
 Raku Cloth (W566)
 Relay (W1020) ▲
 Walls of Rain (W923)

Grade 35

Saxony Plus (S)

Grade 40

Boxstep (W325)
 Eurythmic (W268)
 Freefall (W922)
 Palladium (W1030) ▲
 Sennit (W337)
 Sierra (R)
 Spinoff Nuance (W319)

Grade 45

Casual Elegance (W920)
 Dristi (K872)*
 Mezzo (W543)

**with backing only*

▲ Monolithic panels and tackboards only

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50

Glo (K757)
 Ricochet (W498)

Grade 55

Transition (W816)

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Non-Wood Finishes

Finishes	<i>Panel Tiles, Worksurfaces & Components</i>								
	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Pulls</i>	<i>Grommets</i>		
Jet Black	111	111	111	111	111	111	111		
Dark grey	n/a	113	113	113	113	n/a	113		
Medium grey	n/a	115	115	115	115	n/a	115		
Soft grey	117	117	117	117	117	n/a	117		
Folkstone grey	114	114	114	114	114	n/a	114		
Pumice	119	119	119	119	119	n/a	119		
Sandstone	n/a	116	116	116	116	n/a	116		
Brown	n/a	112	112	112	112	112	112		
Medium metallic grey	n/a	612	612	612	612	612	612		
Silver	n/a	613	613	613	613	613	613		
Bright White	118	118	118	118	118	118	118		
Beige metallic mist	n/a	611	611	611	611	611	611		
Micro Grey*	121	n/a	n/a	n/a	n/a	n/a	n/a		
Brushed Sand*	122	n/a	n/a	n/a	n/a	n/a	n/a		
Brushed Grey*	123	n/a	n/a	n/a	n/a	n/a	n/a		
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a		
Micro Sand*	129	n/a	n/a	n/a	n/a	n/a	n/a		
Plated Finishes									
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ	
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT	
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	PD	PD	


n/a = not available

* = matching edge band not available

Monolithic panels 34" H

fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF34 18- () ()	\$476.	\$490.	\$522.	\$592.	\$632.	\$694.	\$736.
Regular acoustics	20"	34"	R3B0PFF34 20- () ()	476.	490.	522.	592.	632.	694.	736.
	24"	34"	R3B0PFF34 24- () ()	513.	527.	559.	629.	669.	731.	773.
	30"	34"	R3B0PFF34 30- () ()	548.	562.	594.	664.	704.	766.	808.
	36"	34"	R3B0PFF34 36- () ()	584.	598.	630.	700.	740.	802.	844.
	42"	34"	R3B0PFF34 42- () ()	670.	684.	716.	786.	826.	888.	930.
	48"	34"	R3B0PFF34 48- () ()	695.	709.	741.	811.	851.	913.	955.

Order Code

Example:	R3B0PFF3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
34	34" high
18	18" wide
(A)	Flat style top trim
(4)	4" base height
(K)	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum, anodized finish only

2. Base height:
4 = 4" base height
6 = 6" base height (add \$39 per panel for this option)

Applicable finishes are listed on page 4 and 5.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 81.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 34" H

fabric one side, laminate other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PFL34 18-() ()	\$528.	\$534.	\$551.	\$586.	\$607.	\$638.	\$660.
Regular acoustics	20"	34"	R3B0PFL34 20-() ()	528.	534.	551.	586.	607.	638.	660.
	24"	34"	R3B0PFL34 24-() ()	562.	568.	585.	620.	641.	672.	694.
	30"	34"	R3B0PFL34 30-() ()	599.	605.	622.	657.	678.	709.	731.
	36"	34"	R3B0PFL34 36-() ()	632.	638.	655.	690.	711.	742.	764.
	42"	34"	R3B0PFL34 42-() ()	719.	725.	742.	777.	798.	829.	851.
	48"	34"	R3B0PFL34 48-() ()	740.	746.	763.	798.	819.	850.	872.

Order Code

Example:	R3B0PFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts,
N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

2. Base height:
4 = 4" base height
6 = 6" base height (add \$39 per panel for this option).

Applicable finishes are listed on page 4 and 5.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 81.

79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 34" H

fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF134 18-()()	\$536.	\$542.	\$559.	\$594.	\$615.	\$646.	\$668.
Regular acoustics	20"	34"	R3B0PF134 20-()()	538.	544.	561.	596.	617.	648.	670.
	24"	34"	R3B0PF134 24-()()	573.	579.	596.	631.	652.	683.	705.
	30"	34"	R3B0PF134 30-()()	610.	616.	633.	668.	689.	720.	742.
	36"	34"	R3B0PF134 36-()()	645.	651.	668.	703.	724.	755.	777.
	42"	34"	R3B0PF134 42-()()	733.	739.	756.	791.	812.	843.	865.
	48"	34"	R3B0PF134 48-()()	757.	763.	780.	815.	836.	867.	889.

Order Code

Example:	R3B0PF13418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts,
N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$39 per panel for this option)

Applicable finishes are listed on page 4 and 5.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 81.

79"H hookstrip reveal strips are ordered separately from page 81 at no charge.


Monolithic panels 34" H

fabric one side, conventional veneer other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-()()	\$546.	\$552.	\$569.	\$604.	\$625.	\$656.	\$678.
Regular acoustics	20"	34"	R3B0PF234 20-()()	548.	554.	571.	606.	627.	658.	680.
	24"	34"	R3B0PF234 24-()()	583.	589.	606.	641.	662.	693.	715.
	30"	34"	R3B0PF234 30-()()	622.	628.	645.	680.	701.	732.	754.
	36"	34"	R3B0PF234 36-()()	657.	663.	680.	715.	736.	767.	789.
	42"	34"	R3B0PF234 42-()()	749.	755.	772.	807.	828.	859.	881.
	48"	34"	R3B0PF234 48-()()	771.	777.	794.	829.	850.	881.	903.



Order Code

Example:	R3B0PF23418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum, anodized finish only

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$39 per panel for this option)

Applicable finishes are listed on page 4 and 5.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".



All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 81.

79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 42" H fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B0PFF42 18-() ()	\$435.	\$449.	\$485.	\$555.	\$611.	\$673.	\$717.
Regular acoustics	20"	42"	R3B0PFF42 20-() ()	435.	449.	486.	555.	611.	673.	717.
	24"	42"	R3B0PFF42 24-() ()	464.	478.	514.	584.	640.	702.	746.
	30"	42"	R3B0PFF42 30-() ()	504.	518.	554.	624.	680.	742.	786.
	36"	42"	R3B0PFF42 36-() ()	545.	559.	595.	665.	721.	783.	827.
	42"	42"	R3B0PFF42 42-() ()	585.	599.	635.	705.	761.	823.	867.
	48"	42"	R3B0PFF42 48-() ()	627.	641.	677.	747.	803.	865.	909.
	60"	42"	R3B0PFF42 60-() () *	711.	749.	819.	959.	1,063.	1,197.	1,277.
	66"	42"	R3B0PFF42 66-() () *	736.	774.	844.	984.	1,088.	1,222.	1,302.
	72"	42"	R3B0PFF42 72-() () *	760.	798.	868.	1,008.	1,112.	1,246.	1,326.
Monolithic, fabric both sides	18"	42"	R3B0PAA42 18-() ()	477.	491.	527.	597.	653.	715.	759.
High acoustics	20"	42"	R3B0PAA42 20-() ()	477.	491.	527.	597.	653.	715.	759.
	24"	42"	R3B0PAA42 24-() ()	507.	521.	557.	627.	683.	745.	789.
	30"	42"	R3B0PAA42 30-() ()	551.	565.	601.	671.	727.	789.	833.
	36"	42"	R3B0PAA42 36-() ()	597.	611.	647.	717.	773.	835.	879.
	42"	42"	R3B0PAA42 42-() ()	642.	656.	692.	762.	818.	880.	924.
	48"	42"	R3B0PAA42 48-() ()	688.	702.	738.	808.	864.	926.	970.
	60"	42"	R3B0PAA42 60-() () *	776.	814.	884.	1,024.	1,128.	1,262.	1,342.
	66"	42"	R3B0PAA42 66-() () *	802.	840.	910.	1,050.	1,154.	1,288.	1,368.
	72"	42"	R3B0PAA42 72-() () *	828.	866.	936.	1,076.	1,180.	1,314.	1,394.


Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 168).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 81.
42 42" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish	Remember to specify Beltway paint finish when applicable.
(A) Flat style top trim	7. Base finish	
(4) 4" base height	8. Beltway finish	*These panel widths do not accept stacking modules. *Fabric inserts of these panels are two pieces, split vertically.
(K) Include knockouts in base	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable	
W281 Fabric selection - side 1	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only	
W281 Fabric selection - side 2	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Monolithic panels 42" H

fabric both sides

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-() ()	\$858.	\$878.	\$924.	\$1,018.	\$1,072.	\$1,150.	\$1,200.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-() ()	858.	878.	924.	1,018.	1,072.	1,150.	1,200.
	24"	42"	R3B2PFF42 24-() ()	876.	896.	942.	1,036.	1,090.	1,168.	1,218.
	30"	42"	R3B2PFF42 30-() ()	919.	939.	985.	1,079.	1,133.	1,211.	1,261.
	36"	42"	R3B2PFF42 36-() ()	1,075.	1,095.	1,141.	1,235.	1,289.	1,367.	1,417.
	42"	42"	R3B2PFF42 42-() ()	1,156.	1,176.	1,222.	1,316.	1,370.	1,448.	1,498.
	48"	42"	R3B2PFF42 48-() ()	1,197.	1,217.	1,263.	1,357.	1,411.	1,489.	1,539.
	Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-() ()	844.	861.	902.	984.	1,039.	1,109.
Beltway one side	20"	42"	R3B1PFF42 20-() ()	844.	861.	902.	984.	1,039.	1,109.	1,156.
	24"	42"	R3B1PFF42 24-() ()	859.	876.	917.	999.	1,054.	1,124.	1,171.
	30"	42"	R3B1PFF42 30-() ()	902.	919.	960.	1,042.	1,097.	1,167.	1,214.
	36"	42"	R3B1PFF42 36-() ()	1,055.	1,072.	1,113.	1,195.	1,250.	1,320.	1,367.
	42"	42"	R3B1PFF42 42-() ()	1,133.	1,150.	1,191.	1,273.	1,328.	1,398.	1,445.
	48"	42"	R3B1PFF42 48-() ()	1,170.	1,187.	1,228.	1,310.	1,365.	1,435.	1,482.

Order Code

Example:	R3B0PFF4218-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
42	42" high
18	18" wide
(A)	Flat style top trim
(4)	4" base height
(K)	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
7. Base finish
8. Beltway finish
9. *Optional:* specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

2. Base height:
4 = 4" base height
6 = 6" base height (add \$39 per panel for this option)

Application Notes

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 168).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

*Fabric inserts of these panels are two pieces, split vertically.



79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Applicable finishes are listed on page 4 and 5.

Monolithic panels 42" H

fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PFL42 18-()()	\$431.	\$439.	\$457.	\$493.	\$522.	\$553.	\$576.
	20"	42"	R3B0PFL42 20-()()	431.	439.	457.	493.	522.	553.	576.
	24"	42"	R3B0PFL42 24-()()	437.	445.	463.	499.	528.	559.	582.
	30"	42"	R3B0PFL42 30-()()	524.	532.	550.	586.	615.	646.	669.
	36"	42"	R3B0PFL42 36-()()	567.	575.	593.	629.	658.	689.	712.
	42"	42"	R3B0PFL42 42-()()	637.	645.	663.	699.	728.	759.	782.
	48"	42"	R3B0PFL42 48-()()	693.	701.	719.	755.	784.	815.	838.
	60"	42"	R3B0PFL42 60-()()	754.	773.	809.	881.	933.	1,001.	1,043.
	66"	42"	R3B0PFL42 66-()()	780.	799.	835.	907.	959.	1,027.	1,069.
	72"	42"	R3B0PFL42 72-()()	810.	829.	865.	937.	989.	1,057.	1,099.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PFL42 18-()()	851.	861.	884.	932.	958.	999.	1,026.
	20"	42"	R3B1PFL42 20-()()	851.	861.	884.	932.	958.	999.	1,026.
	24"	42"	R3B1PFL42 24-()()	872.	882.	905.	953.	979.	1,020.	1,047.
	30"	42"	R3B1PFL42 30-()()	937.	947.	970.	1,018.	1,044.	1,085.	1,112.
	36"	42"	R3B1PFL42 36-()()	1,093.	1,103.	1,126.	1,174.	1,200.	1,241.	1,268.
	42"	42"	R3B1PFL42 42-()()	1,119.	1,129.	1,152.	1,200.	1,226.	1,267.	1,294.
	48"	42"	R3B1PFL42 48-()()	1,258.	1,268.	1,291.	1,339.	1,365.	1,406.	1,433.



Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option) Applicable finishes are listed on page 4 and 5. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.) 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 81 at no charge. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, techwood other side

Reff

Panels



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF142 18-()	\$439.	\$447.	\$465.	\$501.	\$530.	\$561.	\$584.
	20"	42"	R3B0PF142 20-()	439.	447.	465.	501.	530.	561.	584.
	24"	42"	R3B0PF142 24-()	444.	452.	470.	506.	535.	566.	589.
	30"	42"	R3B0PF142 30-()	534.	542.	560.	596.	625.	656.	679.
	36"	42"	R3B0PF142 36-()	578.	586.	604.	640.	669.	700.	723.
	42"	42"	R3B0PF142 42-()	650.	658.	676.	712.	741.	772.	795.
	48"	42"	R3B0PF142 48-()	707.	715.	733.	769.	798.	829.	852.
	60"	42"	R3B0PF142 60-()*	769.	788.	824.	896.	948.	1,016.	1,058.
	66"	42"	R3B0PF142 66-()*	799.	818.	854.	926.	978.	1,046.	1,088.
	72"	42"	R3B0PF142 72-()*	827.	846.	882.	954.	1,006.	1,074.	1,116.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF142 18-()	863.	873.	896.	944.	970.	1,011.	1,038.
	20"	42"	R3B1PF142 20-()	863.	873.	896.	944.	970.	1,011.	1,038.
	24"	42"	R3B1PF142 24-()	888.	898.	921.	969.	995.	1,036.	1,063.
	30"	42"	R3B1PF142 30-()	955.	965.	988.	1,036.	1,062.	1,103.	1,130.
	36"	42"	R3B1PF142 36-()	1,111.	1,121.	1,144.	1,192.	1,218.	1,259.	1,286.
	42"	42"	R3B1PF142 42-()	1,140.	1,150.	1,173.	1,221.	1,247.	1,288.	1,315.
	48"	42"	R3B1PF142 48-()	1,283.	1,293.	1,316.	1,364.	1,390.	1,431.	1,458.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option) Applicable finishes are listed on page 4 and 5.
		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 81 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-()	\$446.	\$454.	\$472.	\$508.	\$537.	\$568.	\$591.
	20"	42"	R3B0PF242 20-()	446.	454.	472.	508.	537.	568.	591.
	24"	42"	R3B0PF242 24-()	453.	461.	479.	515.	544.	575.	598.
	30"	42"	R3B0PF242 30-()	544.	552.	570.	606.	635.	666.	689.
	36"	42"	R3B0PF242 36-()	588.	596.	614.	650.	679.	710.	733.
	42"	42"	R3B0PF242 42-()	662.	670.	688.	724.	753.	784.	807.
	48"	42"	R3B0PF242 48-()	722.	730.	748.	784.	813.	844.	867.
	60"	42"	R3B0PF242 60-()*	780.	799.	835.	907.	959.	1,027.	1,069.
	66"	42"	R3B0PF242 66-()*	812.	831.	867.	939.	991.	1,059.	1,101.
	72"	42"	R3B0PF242 72-()*	840.	859.	895.	967.	1,019.	1,087.	1,129.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-()	883.	893.	916.	964.	990.	1,031.	1,058.
	20"	42"	R3B1PF242 20-()	883.	893.	916.	964.	990.	1,031.	1,058.
	24"	42"	R3B1PF242 24-()	902.	912.	935.	983.	1,009.	1,050.	1,077.
	30"	42"	R3B1PF242 30-()	974.	984.	1,007.	1,055.	1,081.	1,122.	1,149.
	36"	42"	R3B1PF242 36-()	1,133.	1,143.	1,166.	1,214.	1,240.	1,281.	1,308.
	42"	42"	R3B1PF242 42-()	1,162.	1,172.	1,195.	1,243.	1,269.	1,310.	1,337.
	48"	42"	R3B1PF242 48-()	1,306.	1,316.	1,339.	1,387.	1,413.	1,454.	1,481.




Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F2 Fabric one side, V2 other	4. Panel side 1 finish(s) inside	E = Extruded Aluminum, anodized finish only
42 42" high	5. Panel side 2 finish(s) outside	<i>2. Base height:</i>
18 18" wide	6. Top trim finish	4 = 4" base height
A Flat style top trim	7. Base finish	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	8. Beltway finish	Applicable finishes are listed on page 4 and 5.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).
W281 Fabric selection - side 1		6" Raceway option increases panel height by 2 3/4".
V316 Maple surface - side 2		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
V316 Maple (top trim finish)		Remember to specify Beltway paint finish when applicable.
111 Jet Black (base finish)		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H

fabric both sides

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	49"	R3B0PFF49 18-() ()	\$486.	\$508.	\$550.	\$638.	\$694.	\$772.	\$820.
	20"	49"	R3B0PFF49 20-() ()	486.	508.	550.	638.	694.	772.	820.
	24"	49"	R3B0PFF49 24-() ()	518.	540.	582.	670.	726.	804.	852.
	30"	49"	R3B0PFF49 30-() ()	564.	586.	628.	716.	772.	850.	898.
	36"	49"	R3B0PFF49 36-() ()	589.	611.	653.	741.	797.	875.	923.
	42"	49"	R3B0PFF49 42-() ()	635.	657.	699.	787.	843.	921.	969.
	48"	49"	R3B0PFF49 48-() ()	697.	719.	761.	849.	905.	983.	1,031.
	60"	49"	R3B0PFF49 60-() ()*	809.	845.	929.	1,101.	1,219.	1,373.	1,467.
	66"	49"	R3B0PFF49 66-() ()*	834.	870.	954.	1,126.	1,244.	1,398.	1,492.
	72"	49"	R3B0PFF49 72-() ()*	860.	896.	980.	1,152.	1,270.	1,424.	1,518.
Monolithic, fabric both sides High acoustics 	18"	49"	R3B0PAA49 18-() ()	530.	552.	594.	682.	738.	816.	864.
	20"	49"	R3B0PAA49 20-() ()	530.	552.	594.	682.	738.	816.	864.
	24"	49"	R3B0PAA49 24-() ()	566.	588.	630.	718.	774.	852.	900.
	30"	49"	R3B0PAA49 30-() ()	615.	637.	679.	767.	823.	901.	949.
	36"	49"	R3B0PAA49 36-() ()	645.	667.	709.	797.	853.	931.	979.
	42"	49"	R3B0PAA49 42-() ()	696.	718.	760.	848.	904.	982.	1,030.
	48"	49"	R3B0PAA49 48-() ()	766.	788.	830.	918.	974.	1,052.	1,100.
	60"	49"	R3B0PAA49 60-() ()*	879.	915.	999.	1,171.	1,289.	1,443.	1,537.
	66"	49"	R3B0PAA49 66-() ()*	909.	945.	1,029.	1,201.	1,319.	1,473.	1,567.
	72"	49"	R3B0PAA49 72-() ()*	939.	975.	1,059.	1,231.	1,349.	1,503.	1,597.
Monolithic, fabric both sides Beltway two sides, regular acoustics 	18"	49"	R3B2PFF49 18-() ()	882.	910.	962.	1,060.	1,124.	1,220.	1,280.
	20"	49"	R3B2PFF49 20-() ()	882.	910.	962.	1,060.	1,124.	1,220.	1,280.
	24"	49"	R3B2PFF49 24-() ()	901.	929.	981.	1,079.	1,143.	1,239.	1,299.
	30"	49"	R3B2PFF49 30-() ()	946.	974.	1,026.	1,124.	1,188.	1,284.	1,344.
	36"	49"	R3B2PFF49 36-() ()	1,117.	1,145.	1,197.	1,295.	1,359.	1,455.	1,515.
	42"	49"	R3B2PFF49 42-() ()	1,201.	1,229.	1,281.	1,379.	1,443.	1,539.	1,599.
	48"	49"	R3B2PFF49 48-() ()	1,244.	1,272.	1,324.	1,422.	1,486.	1,582.	1,642.
Monolithic, fabric both sides Beltway one side	18"	49"	R3B1PFF49 18-() ()	864.	889.	936.	1,029.	1,089.	1,176.	1,230.
	20"	49"	R3B1PFF49 20-() ()	864.	889.	936.	1,029.	1,089.	1,176.	1,230.
	24"	49"	R3B1PFF49 24-() ()	882.	907.	954.	1,047.	1,107.	1,194.	1,248.
	30"	49"	R3B1PFF49 30-() ()	925.	950.	997.	1,090.	1,150.	1,237.	1,291.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside	
49 49" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish	
A Flat style top trim	7. Base finish	
4 4" base height	8. Beltway finish	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	
W281 Fabric selection - side 1		1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only
W281 Fabric selection - side 2		2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
V316 Maple (top trim finish)		6" Raceway option increases panel height by 2 ³ / ₄ ".
111 Jet Black (base finish)		Applicable finishes are listed on page 4 and 5. *Fabric inserts of these panels are two pieces, split vertically.

Monolithic panels 49" H *fabric both sides*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	36"	49"	R3B1PFF49 36-()()	\$1,094.	\$1,119.	\$1,166.	\$1,259.	\$1,319.	\$1,406.	\$1,460.
Beltway one side	42"	49"	R3B1PFF49 42-()()	1,175.	1,200.	1,247.	1,340.	1,400.	1,487.	1,541.
	48"	49"	R3B1PFF49 48-()()	1,216.	1,241.	1,288.	1,381.	1,441.	1,528.	1,582.



Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3		<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only
B0 No Beltway	1. Top trim profile	
P Monolithic panel	2. Base height	
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
18 18" wide	5. Panel side 2 finish(s) outside	
A Flat style top trim	6. Top trim finish	
4 4" base height	7. Base finish	
K Include knockouts in base	8. Beltway finish	6" Raceway option increases panel height by 2 ³ / ₄ ".
W281 Fabric selection - side 1	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
W281 Fabric selection - side 2		Remember to specify Beltway paint finish when applicable.
V316 Maple (top trim finish)		*These panel widths do not accept stacking modules.
111 Jet Black (base finish)		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 49" H

fabric one side, laminate other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PFL49 18-() ()	\$477.	\$490.	\$510.	\$555.	\$585.	\$623.	\$648.
	20"	49"	R3B0PFL49 20-() ()	477.	490.	510.	555.	585.	623.	648.
	24"	49"	R3B0PFL49 24-() ()	522.	535.	555.	600.	630.	668.	693.
	30"	49"	R3B0PFL49 30-() ()	591.	604.	624.	669.	699.	737.	762.
	36"	49"	R3B0PFL49 36-() ()	638.	651.	671.	716.	746.	784.	809.
	42"	49"	R3B0PFL49 42-() ()	704.	717.	737.	782.	812.	850.	875.
	48"	49"	R3B0PFL49 48-() ()	793.	806.	826.	871.	901.	939.	964.
	60"	49"	R3B0PFL49 60-() () *	863.	882.	926.	1,012.	1,072.	1,151.	1,199.
	66"	49"	R3B0PFL49 66-() () *	888.	907.	951.	1,037.	1,097.	1,176.	1,224.
	72"	49"	R3B0PFL49 72-() () *	919.	938.	982.	1,068.	1,128.	1,207.	1,255.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PFL49 18-() ()	866.	879.	907.	956.	988.	1,037.	1,069.
	20"	49"	R3B1PFL49 20-() ()	866.	879.	907.	956.	988.	1,037.	1,069.
	24"	49"	R3B1PFL49 24-() ()	899.	912.	940.	989.	1,021.	1,070.	1,102.
	30"	49"	R3B1PFL49 30-() ()	967.	980.	1,008.	1,057.	1,089.	1,138.	1,170.
	36"	49"	R3B1PFL49 36-() ()	1,162.	1,175.	1,203.	1,252.	1,284.	1,333.	1,365.
	42"	49"	R3B1PFL49 42-() ()	1,268.	1,281.	1,309.	1,358.	1,390.	1,439.	1,471.
	48"	49"	R3B1PFL49 48-() ()	1,336.	1,349.	1,377.	1,426.	1,458.	1,507.	1,539.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 4 and 5.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.



*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 49" H

fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF149 18-() ()	\$486.	\$499.	\$519.	\$564.	\$594.	\$632.	\$657.
	20"	49"	R3B0PF149 20-() ()	486.	499.	519.	564.	594.	632.	657.
	24"	49"	R3B0PF149 24-() ()	532.	545.	565.	610.	640.	678.	703.
	30"	49"	R3B0PF149 30-() ()	606.	619.	639.	684.	714.	752.	777.
	36"	49"	R3B0PF149 36-() ()	649.	662.	682.	727.	757.	795.	820.
	42"	49"	R3B0PF149 42-() ()	718.	731.	751.	796.	826.	864.	889.
	48"	49"	R3B0PF149 48-() ()	808.	821.	841.	886.	916.	954.	979.
	60"	49"	R3B0PF149 60-() () *	879.	898.	942.	1,028.	1,088.	1,167.	1,215.
	66"	49"	R3B0PF149 66-() () *	906.	925.	969.	1,055.	1,115.	1,194.	1,242.
	72"	49"	R3B0PF149 72-() () *	936.	955.	999.	1,085.	1,145.	1,224.	1,272.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF149 18-() ()	884.	897.	925.	974.	1,006.	1,055.	1,087.
	20"	49"	R3B1PF149 20-() ()	884.	897.	925.	974.	1,006.	1,055.	1,087.
	24"	49"	R3B1PF149 24-() ()	917.	930.	958.	1,007.	1,039.	1,088.	1,120.
	30"	49"	R3B1PF149 30-() ()	984.	997.	1,025.	1,074.	1,106.	1,155.	1,187.
	36"	49"	R3B1PF149 36-() ()	1,183.	1,196.	1,224.	1,273.	1,305.	1,354.	1,386.
	42"	49"	R3B1PF149 42-() ()	1,294.	1,307.	1,335.	1,384.	1,416.	1,465.	1,497.
	48"	49"	R3B1PF149 48-() ()	1,360.	1,373.	1,401.	1,450.	1,482.	1,531.	1,563.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top rim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 4 and 5.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.



79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 49" H

fabric one side, conventional veneer other side

Reff

Panels


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF249 18-() ()	\$494.	\$507.	\$527.	\$572.	\$602.	\$640.	\$665.
	20"	49"	R3B0PF249 20-() ()	494.	507.	527.	572.	602.	640.	665.
	24"	49"	R3B0PF249 24-() ()	541.	554.	574.	619.	649.	687.	712.
	30"	49"	R3B0PF249 30-() ()	614.	627.	647.	692.	722.	760.	785.
	36"	49"	R3B0PF249 36-() ()	661.	674.	694.	739.	769.	807.	832.
	42"	49"	R3B0PF249 42-() ()	731.	744.	764.	809.	839.	877.	902.
	48"	49"	R3B0PF249 48-() ()	824.	837.	857.	902.	932.	970.	995.
	60"	49"	R3B0PF249 60-() () *	896.	915.	959.	1,045.	1,105.	1,184.	1,232.
	66"	49"	R3B0PF249 66-() () *	924.	943.	987.	1,073.	1,133.	1,212.	1,260.
	72"	49"	R3B0PF249 72-() () *	953.	972.	1,016.	1,102.	1,162.	1,241.	1,289.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF249 18-() ()	899.	912.	940.	989.	1,021.	1,070.	1,102.
	20"	49"	R3B1PF249 20-() ()	899.	912.	940.	989.	1,021.	1,070.	1,102.
	24"	49"	R3B1PF249 24-() ()	932.	945.	973.	1,022.	1,054.	1,103.	1,135.
	30"	49"	R3B1PF249 30-() ()	1,004.	1,017.	1,045.	1,094.	1,126.	1,175.	1,207.
	36"	49"	R3B1PF249 36-() ()	1,207.	1,220.	1,248.	1,297.	1,329.	1,378.	1,410.
	42"	49"	R3B1PF249 42-() ()	1,316.	1,329.	1,357.	1,406.	1,438.	1,487.	1,519.
	48"	49"	R3B1PF249 48-() ()	1,384.	1,397.	1,425.	1,474.	1,506.	1,555.	1,587.


Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 4 and 5.
		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 81 at no charge.


Monolithic panels 64" H

fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	64"	R3B0PFF64 18-() ()	\$560.	\$588.	\$640.	\$750.	\$828.	\$928.	\$994.
	20"	64"	R3B0PFF64 20-() ()	560.	588.	640.	750.	828.	928.	994.
	24"	64"	R3B0PFF64 24-() ()	594.	622.	674.	784.	862.	962.	1,028.
	30"	64"	R3B0PFF64 30-() ()	639.	667.	719.	829.	907.	1,007.	1,073.
	36"	64"	R3B0PFF64 36-() ()	655.	683.	735.	845.	923.	1,023.	1,089.
	42"	64"	R3B0PFF64 42-() ()	762.	790.	842.	952.	1,030.	1,130.	1,196.
	48"	64"	R3B0PFF64 48-() ()	807.	835.	887.	997.	1,075.	1,175.	1,241.
	60"	64"	R3B0PFF64 60-() ()*	936.	996.	1,100.	1,330.	1,488.	1,688.	1,818.
	66"	64"	R3B0PFF64 66-() ()*	966.	1,026.	1,130.	1,360.	1,518.	1,718.	1,848.
	72"	64"	R3B0PFF64 72-() ()*	997.	1,057.	1,161.	1,391.	1,549.	1,749.	1,879.

Monolithic, fabric both sides High acoustics 	18"	64"	R3B0PAA64 18-() ()	610.	638.	690.	800.	878.	978.	1,044.
	20"	64"	R3B0PAA64 20-() ()	610.	638.	690.	800.	878.	978.	1,044.
	24"	64"	R3B0PAA64 24-() ()	651.	679.	731.	841.	919.	1,019.	1,085.
	30"	64"	R3B0PAA64 30-() ()	699.	727.	779.	889.	967.	1,067.	1,133.
	36"	64"	R3B0PAA64 36-() ()	716.	744.	796.	906.	984.	1,084.	1,150.
	42"	64"	R3B0PAA64 42-() ()	837.	865.	917.	1,027.	1,105.	1,205.	1,271.
	48"	64"	R3B0PAA64 48-() ()	886.	914.	966.	1,076.	1,154.	1,254.	1,320.
	60"	64"	R3B0PAA64 60-() ()*	1,016.	1,076.	1,180.	1,410.	1,568.	1,768.	1,898.
	66"	64"	R3B0PAA64 66-() ()*	1,049.	1,109.	1,213.	1,443.	1,601.	1,801.	1,931.
	72"	64"	R3B0PAA64 72-() ()*	1,085.	1,145.	1,249.	1,479.	1,637.	1,837.	1,967.

Monolithic, fabric both sides Beltway two sides, regular acoustics 	18"	64"	R3B2PFF64 18-() ()	961.	991.	1,053.	1,193.	1,275.	1,399.	1,479.
	20"	64"	R3B2PFF64 20-() ()	961.	991.	1,053.	1,193.	1,275.	1,399.	1,479.
	24"	64"	R3B2PFF64 24-() ()	1,008.	1,038.	1,100.	1,240.	1,322.	1,446.	1,526.
	30"	64"	R3B2PFF64 30-() ()	1,032.	1,062.	1,124.	1,264.	1,346.	1,470.	1,550.
	36"	64"	R3B2PFF64 36-() ()	1,248.	1,278.	1,340.	1,480.	1,562.	1,686.	1,766.
	42"	64"	R3B2PFF64 42-() ()	1,336.	1,366.	1,428.	1,568.	1,650.	1,774.	1,854.
	48"	64"	R3B2PFF64 48-() ()	1,381.	1,411.	1,473.	1,613.	1,695.	1,819.	1,899.

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FF Fabric on both sides 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 W281 Fabric selection - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 4 and 5. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 64" H fabric both sides

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-()()	\$941.	\$970.	\$1,027.	\$1,152.	\$1,232.	\$1,344.	\$1,417.
Beltway one side	20"	64"	R3B1PFF64 20-()()	941.	970.	1,027.	1,152.	1,232.	1,344.	1,417.
	24"	64"	R3B1PFF64 24-()()	985.	1,014.	1,071.	1,196.	1,276.	1,388.	1,461.
	30"	64"	R3B1PFF64 30-()()	1,006.	1,035.	1,092.	1,217.	1,297.	1,409.	1,482.
	36"	64"	R3B1PFF64 36-()()	1,223.	1,252.	1,309.	1,434.	1,514.	1,626.	1,699.
	42"	64"	R3B1PFF64 42-()()	1,307.	1,336.	1,393.	1,518.	1,598.	1,710.	1,783.
	48"	64"	R3B1PFF64 48-()()	1,348.	1,377.	1,434.	1,559.	1,639.	1,751.	1,824.



Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	
R3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only
B0	2. Base height	
P	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
FF	4. Panel side 1 finish(s) inside	
64	5. Panel side 2 finish(s) outside	6" Raceway option increases panel height by 2 ³ / ₄ ".
18	6. Top trim finish	Applicable finishes are listed on page 4 and 5.
A	7. Base finish	
4	8. Beltway finish	
K	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	
W281		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
W281		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
V316		Remember to specify Beltway paint finish when applicable.
111		*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 64" H

fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PFL64 18-() ()	\$568.	\$582.	\$609.	\$665.	\$704.	\$756.	\$789.
	20"	64"	R3B0PFL64 20-() ()	568.	582.	609.	665.	704.	756.	789.
	24"	64"	R3B0PFL64 24-() ()	623.	637.	664.	720.	759.	811.	844.
	30"	64"	R3B0PFL64 30-() ()	704.	718.	745.	801.	840.	892.	925.
	36"	64"	R3B0PFL64 36-() ()	759.	773.	800.	856.	895.	947.	980.
	42"	64"	R3B0PFL64 42-() ()	842.	856.	883.	939.	978.	1,030.	1,063.
	48"	64"	R3B0PFL64 48-() ()	947.	961.	988.	1,044.	1,083.	1,135.	1,168.
	60"	64"	R3B0PFL64 60-() () *	1,026.	1,057.	1,110.	1,228.	1,307.	1,410.	1,476.
	66"	64"	R3B0PFL64 66-() () *	1,061.	1,092.	1,145.	1,263.	1,342.	1,445.	1,511.
	72"	64"	R3B0PFL64 72-() () *	1,095.	1,126.	1,179.	1,297.	1,376.	1,479.	1,545.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PFL64 18-() ()	964.	977.	1,010.	1,080.	1,122.	1,185.	1,228.
	20"	64"	R3B1PFL64 20-() ()	964.	977.	1,010.	1,080.	1,122.	1,185.	1,228.
	24"	64"	R3B1PFL64 24-() ()	1,029.	1,042.	1,075.	1,145.	1,187.	1,250.	1,293.
	30"	64"	R3B1PFL64 30-() ()	1,091.	1,104.	1,137.	1,207.	1,249.	1,312.	1,355.
	36"	64"	R3B1PFL64 36-() ()	1,354.	1,367.	1,400.	1,470.	1,512.	1,575.	1,618.
	42"	64"	R3B1PFL64 42-() ()	1,408.	1,421.	1,454.	1,524.	1,566.	1,629.	1,672.
	48"	64"	R3B1PFL64 48-() ()	1,521.	1,534.	1,567.	1,637.	1,679.	1,742.	1,785.



Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 4 and 5.
		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 64" H

fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF164 18-() ()	\$579.	\$593.	\$620.	\$676.	\$715.	\$767.	\$800.
	20"	64"	R3B0PF164 20-() ()	579.	593.	620.	676.	715.	767.	800.
	24"	64"	R3B0PF164 24-() ()	634.	648.	675.	731.	770.	822.	855.
	30"	64"	R3B0PF164 30-() ()	718.	732.	759.	815.	854.	906.	939.
	36"	64"	R3B0PF164 36-() ()	775.	789.	816.	872.	911.	963.	996.
	42"	64"	R3B0PF164 42-() ()	858.	872.	899.	955.	994.	1,046.	1,079.
	48"	64"	R3B0PF164 48-() ()	967.	981.	1,008.	1,064.	1,103.	1,155.	1,188.
	60"	64"	R3B0PF164 60-() ()*	1,046.	1,077.	1,130.	1,248.	1,327.	1,430.	1,496.
	66"	64"	R3B0PF164 66-() ()*	1,083.	1,114.	1,167.	1,285.	1,364.	1,467.	1,533.
	72"	64"	R3B0PF164 72-() ()*	1,118.	1,149.	1,202.	1,320.	1,399.	1,502.	1,568.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF164 18-() ()	981.	994.	1,027.	1,097.	1,139.	1,202.	1,245.
	20"	64"	R3B1PF164 20-() ()	981.	994.	1,027.	1,097.	1,139.	1,202.	1,245.
	24"	64"	R3B1PF164 24-() ()	1,046.	1,059.	1,092.	1,162.	1,204.	1,267.	1,310.
	30"	64"	R3B1PF164 30-() ()	1,110.	1,123.	1,156.	1,226.	1,268.	1,331.	1,374.
	36"	64"	R3B1PF164 36-() ()	1,378.	1,391.	1,424.	1,494.	1,536.	1,599.	1,642.
	42"	64"	R3B1PF164 42-() ()	1,434.	1,447.	1,480.	1,550.	1,592.	1,655.	1,698.
	48"	64"	R3B1PF164 48-() ()	1,549.	1,562.	1,595.	1,665.	1,707.	1,770.	1,813.

Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 4 and 5.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 64" H

fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF264 18-() ()	\$590.	\$604.	\$631.	\$687.	\$726.	\$778.	\$811.
	20"	64"	R3B0PF264 20-() ()	590.	604.	631.	687.	726.	778.	811.
	24"	64"	R3B0PF264 24-() ()	646.	660.	687.	743.	782.	834.	867.
	30"	64"	R3B0PF264 30-() ()	730.	744.	771.	827.	866.	918.	951.
	36"	64"	R3B0PF264 36-() ()	788.	802.	829.	885.	924.	976.	1,009.
	42"	64"	R3B0PF264 42-() ()	873.	887.	914.	970.	1,009.	1,061.	1,094.
	48"	64"	R3B0PF264 48-() ()	986.	1,000.	1,027.	1,083.	1,122.	1,174.	1,207.
	60"	64"	R3B0PF264 60-() () *	1,062.	1,093.	1,146.	1,264.	1,343.	1,446.	1,512.
	66"	64"	R3B0PF264 66-() () *	1,100.	1,131.	1,184.	1,302.	1,381.	1,484.	1,550.
	72"	64"	R3B0PF264 72-() () *	1,139.	1,170.	1,223.	1,341.	1,420.	1,523.	1,589.

Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF264 18-() ()	999.	1,012.	1,045.	1,115.	1,157.	1,220.	1,263.
	20"	64"	R3B1PF264 20-() ()	999.	1,012.	1,045.	1,115.	1,157.	1,220.	1,263.
	24"	64"	R3B1PF264 24-() ()	1,065.	1,078.	1,111.	1,181.	1,223.	1,286.	1,329.
	30"	64"	R3B1PF264 30-() ()	1,130.	1,143.	1,176.	1,246.	1,288.	1,351.	1,394.
	36"	64"	R3B1PF264 36-() ()	1,402.	1,415.	1,448.	1,518.	1,560.	1,623.	1,666.
	42"	64"	R3B1PF264 42-() ()	1,459.	1,472.	1,505.	1,575.	1,617.	1,680.	1,723.
	48"	64"	R3B1PF264 48-() ()	1,577.	1,590.	1,623.	1,693.	1,735.	1,798.	1,841.

Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option) 6" Raceway option increases panel height by 2 ³ / ₄ ". Applicable finishes are listed on page 4 and 5.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.


Monolithic panels 79" H fabric both sides

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	79"	R3B0PFF79 18-() ()	\$701.	\$739.	\$803.	\$941.	\$1,033.	\$1,157.	\$1,233.
	20"	79"	R3B0PFF79 20-() ()	701.	739.	803.	941.	1,033.	1,157.	1,233.
	24"	79"	R3B0PFF79 24-() ()	745.	783.	847.	985.	1,077.	1,201.	1,277.
	30"	79"	R3B0PFF79 30-() ()	805.	843.	907.	1,045.	1,137.	1,261.	1,337.
	36"	79"	R3B0PFF79 36-() ()	826.	864.	928.	1,066.	1,158.	1,282.	1,358.
	42"	79"	R3B0PFF79 42-() ()	887.	925.	989.	1,127.	1,219.	1,343.	1,419.
	48"	79"	R3B0PFF79 48-() ()	983.	1,021.	1,085.	1,223.	1,315.	1,439.	1,515.
	60"	79"	R3B0PFF79 60-() ()	1,138.	1,210.	1,340.	1,614.	1,808.	2,056.	2,206.
	66"	79"	R3B0PFF79 66-() ()	1,165.	1,237.	1,367.	1,641.	1,835.	2,083.	2,233.
	72"	79"	R3B0PFF79 72-() ()	1,191.	1,263.	1,393.	1,667.	1,861.	2,109.	2,259.

Monolithic, fabric both sides High acoustics 	18"	79"	R3B0PAA79 18-() ()	765.	803.	867.	1,005.	1,097.	1,221.	1,297.
	20"	79"	R3B0PAA79 20-() ()	765.	803.	867.	1,005.	1,097.	1,221.	1,297.
	24"	79"	R3B0PAA79 24-() ()	814.	852.	916.	1,054.	1,146.	1,270.	1,346.
	30"	79"	R3B0PAA79 30-() ()	880.	918.	982.	1,120.	1,212.	1,336.	1,412.
	36"	79"	R3B0PAA79 36-() ()	906.	944.	1,008.	1,146.	1,238.	1,362.	1,438.
	42"	79"	R3B0PAA79 42-() ()	972.	1,010.	1,074.	1,212.	1,304.	1,428.	1,504.
	48"	79"	R3B0PAA79 48-() ()	1,081.	1,119.	1,183.	1,321.	1,413.	1,537.	1,613.
	60"	79"	R3B0PAA79 60-() ()	1,238.	1,310.	1,440.	1,714.	1,908.	2,156.	2,306.
	66"	79"	R3B0PAA79 66-() ()	1,266.	1,338.	1,468.	1,742.	1,936.	2,184.	2,334.
	72"	79"	R3B0PAA79 72-() ()	1,294.	1,366.	1,496.	1,770.	1,964.	2,212.	2,362.

Monolithic, fabric both sides Beltway one side 	18"	79"	R3B1PFF79 18-() ()	1,009.	1,049.	1,119.	1,275.	1,373.	1,513.	1,602.
	20"	79"	R3B1PFF79 20-() ()	1,009.	1,049.	1,119.	1,275.	1,373.	1,513.	1,602.
	24"	79"	R3B1PFF79 24-() ()	1,055.	1,095.	1,165.	1,321.	1,419.	1,559.	1,648.
	30"	79"	R3B1PFF79 30-() ()	1,076.	1,116.	1,186.	1,342.	1,440.	1,580.	1,669.
	36"	79"	R3B1PFF79 36-() ()	1,291.	1,331.	1,401.	1,557.	1,655.	1,795.	1,884.
	42"	79"	R3B1PFF79 42-() ()	1,376.	1,416.	1,486.	1,642.	1,740.	1,880.	1,969.
	48"	79"	R3B1PFF79 48-() ()	1,417.	1,457.	1,527.	1,683.	1,781.	1,921.	2,010.

Order Code

Example:	R3B0PFF7918-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
7. Base finish
8. Beltway finish
9. *Optional:* specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

2. Base height:

4 = 4" base height
6 = 6" base height (add \$39 per panel for this option)

Applicable finishes are listed on page 4 and 5.

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 79" H

fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	79"	R3B2PFF79 18-()()	\$1,061.	\$1,103.	\$1,179.	\$1,353.	\$1,457.	\$1,613.	\$1,715.
Beltway two sides	20"	79"	R3B2PFF79 20-()()	1,061.	1,103.	1,179.	1,353.	1,457.	1,613.	1,715.
	24"	79"	R3B2PFF79 24-()()	1,106.	1,148.	1,224.	1,398.	1,502.	1,658.	1,760.
	30"	79"	R3B2PFF79 30-()()	1,129.	1,171.	1,247.	1,421.	1,525.	1,681.	1,783.
	36"	79"	R3B2PFF79 36-()()	1,347.	1,389.	1,465.	1,639.	1,743.	1,899.	2,001.
	42"	79"	R3B2PFF79 42-()()	1,433.	1,475.	1,551.	1,725.	1,829.	1,985.	2,087.
	48"	79"	R3B2PFF79 48-()()	1,478.	1,520.	1,596.	1,770.	1,874.	2,030.	2,132.





Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 4 and 5.
FF Fabric on both sides	4. Panel side 1 finish(s) inside	
79 79" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish	
A Flat style top trim	7. Base finish	
4 4" base height	8. Beltway finish	
K Include knockouts in base	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable	
W281 Fabric selection - side 1		The panels on this page are not designed to be stacked upon.
W281 Fabric selection - side 2		Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
V316 Maple (top trim finish)		6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 79" H

fabric one side, laminate other side

Reff

Panels



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PFL79 18-()()	\$716.	\$735.	\$768.	\$838.	\$885.	\$949.	\$988.
	20"	79"	R3B0PFL79 20-()()	716.	735.	768.	838.	885.	949.	988.
	24"	79"	R3B0PFL79 24-()()	785.	804.	837.	907.	954.	1,018.	1,057.
	30"	79"	R3B0PFL79 30-()()	884.	903.	936.	1,006.	1,053.	1,117.	1,156.
	36"	79"	R3B0PFL79 36-()()	962.	981.	1,014.	1,084.	1,131.	1,195.	1,234.
	42"	79"	R3B0PFL79 42-()()	1,066.	1,085.	1,118.	1,188.	1,235.	1,299.	1,338.
	48"	79"	R3B0PFL79 48-()()	1,191.	1,211.	1,244.	1,314.	1,361.	1,425.	1,464.
	60"	79"	R3B0PFL79 60-()()	1,283.	1,321.	1,386.	1,525.	1,625.	1,751.	1,827.
	66"	79"	R3B0PFL79 66-()()	1,308.	1,346.	1,411.	1,550.	1,650.	1,776.	1,852.
	72"	79"	R3B0PFL79 72-()()	1,335.	1,373.	1,438.	1,577.	1,677.	1,803.	1,879.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PFL79 18-()()	1,037.	1,057.	1,097.	1,185.	1,239.	1,319.	1,371.
	20"	79"	R3B1PFL79 20-()()	1,037.	1,057.	1,097.	1,185.	1,239.	1,319.	1,371.
	24"	79"	R3B1PFL79 24-()()	1,109.	1,129.	1,169.	1,257.	1,311.	1,391.	1,443.
	30"	79"	R3B1PFL79 30-()()	1,174.	1,194.	1,234.	1,322.	1,376.	1,456.	1,508.
	36"	79"	R3B1PFL79 36-()()	1,454.	1,474.	1,514.	1,602.	1,656.	1,736.	1,788.
	42"	79"	R3B1PFL79 42-()()	1,586.	1,606.	1,646.	1,734.	1,788.	1,868.	1,920.
	48"	79"	R3B1PFL79 48-()()	1,659.	1,679.	1,719.	1,807.	1,861.	1,941.	1,993.

Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish only
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	7. Base finish	Applicable finishes are listed on page 4 and 5.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	The panels on this page are not designed to be stacked upon.
114 Folkstone grey - side 2		Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.
V316 Maple (top trim finish)		6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 79" H

fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF179 18-() ()	\$730.	\$749.	\$782.	\$852.	\$899.	\$963.	\$1,002.
	20"	79"	R3B0PF179 20-() ()	730.	749.	782.	852.	899.	963.	1,002.
	24"	79"	R3B0PF179 24-() ()	798.	817.	850.	920.	967.	1,031.	1,070.
	30"	79"	R3B0PF179 30-() ()	902.	921.	954.	1,024.	1,071.	1,135.	1,174.
	36"	79"	R3B0PF179 36-() ()	983.	1,002.	1,035.	1,105.	1,152.	1,216.	1,255.
	42"	79"	R3B0PF179 42-() ()	1,085.	1,104.	1,137.	1,207.	1,254.	1,318.	1,357.
	48"	79"	R3B0PF179 48-() ()	1,216.	1,235.	1,268.	1,338.	1,385.	1,449.	1,488.
	60"	79"	R3B0PF179 60-() ()	1,307.	1,345.	1,410.	1,549.	1,649.	1,775.	1,851.
	66"	79"	R3B0PF179 66-() ()	1,335.	1,373.	1,438.	1,577.	1,677.	1,803.	1,879.
	72"	79"	R3B0PF179 72-() ()	1,358.	1,396.	1,461.	1,600.	1,700.	1,826.	1,902.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF179 18-() ()	1,054.	1,074.	1,114.	1,202.	1,256.	1,336.	1,388.
	20"	79"	R3B1PF179 20-() ()	1,054.	1,074.	1,114.	1,202.	1,256.	1,336.	1,388.
	24"	79"	R3B1PF179 24-() ()	1,127.	1,147.	1,187.	1,275.	1,329.	1,409.	1,461.
	30"	79"	R3B1PF179 30-() ()	1,197.	1,217.	1,257.	1,345.	1,399.	1,479.	1,531.
	36"	79"	R3B1PF179 36-() ()	1,483.	1,503.	1,543.	1,631.	1,685.	1,765.	1,817.
	42"	79"	R3B1PF179 42-() ()	1,616.	1,636.	1,676.	1,764.	1,818.	1,898.	1,950.
	48"	79"	R3B1PF179 48-() ()	1,688.	1,708.	1,748.	1,836.	1,890.	1,970.	2,022.



Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish only
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	7. Base finish	Applicable finishes are listed on page 4 and 5.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. <i>Optional non-beltway panels:</i>	
Y328 Mahogany - side 2	specify (M) for panel frame to be milled for ported components,	The panels on this page are not designed to be stacked upon.
V316 Maple (top trim finish)	\$12 list upcharge applicable	Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.
111 Jet Black (base finish)		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Monolithic panels 79" H

fabric one side, conventional veneer other side

Reff


Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF279 18-() ()	\$742.	\$761.	\$794.	\$864.	\$911.	\$975.	\$1,014.
	20"	79"	R3B0PF279 20-() ()	742.	761.	794.	864.	911.	975.	1,014.
	24"	79"	R3B0PF279 24-() ()	814.	833.	866.	936.	983.	1,047.	1,086.
	30"	79"	R3B0PF279 30-() ()	918.	937.	970.	1,040.	1,087.	1,151.	1,190.
	36"	79"	R3B0PF279 36-() ()	1,001.	1,020.	1,053.	1,123.	1,170.	1,234.	1,273.
	42"	79"	R3B0PF279 42-() ()	1,106.	1,125.	1,158.	1,228.	1,275.	1,339.	1,378.
	48"	79"	R3B0PF279 48-() ()	1,239.	1,258.	1,291.	1,361.	1,408.	1,472.	1,511.
	60"	79"	R3B0PF279 60-() ()	1,331.	1,369.	1,434.	1,573.	1,673.	1,799.	1,875.
	66"	79"	R3B0PF279 66-() ()	1,357.	1,395.	1,460.	1,599.	1,699.	1,825.	1,901.
	72"	79"	R3B0PF279 72-() ()	1,385.	1,423.	1,488.	1,627.	1,727.	1,853.	1,929.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF279 18-() ()	1,074.	1,094.	1,134.	1,222.	1,276.	1,356.	1,408.
	20"	79"	R3B1PF279 20-() ()	1,074.	1,094.	1,134.	1,222.	1,276.	1,356.	1,408.
	24"	79"	R3B1PF279 24-() ()	1,148.	1,168.	1,208.	1,296.	1,350.	1,430.	1,482.
	30"	79"	R3B1PF279 30-() ()	1,217.	1,237.	1,277.	1,365.	1,419.	1,499.	1,551.
	36"	79"	R3B1PF279 36-() ()	1,507.	1,527.	1,567.	1,655.	1,709.	1,789.	1,841.
	42"	79"	R3B1PF279 42-() ()	1,644.	1,664.	1,704.	1,792.	1,846.	1,926.	1,978.
	48"	79"	R3B1PF279 48-() ()	1,720.	1,740.	1,780.	1,868.	1,922.	2,002.	2,054.

Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	7. Base finish	Applicable finishes are listed on page 4 and 5.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. <i>Optional non-beltway panels:</i>	
V316 Maple surface - side 2	specify (M) for panel frame to be milled for ported components,	The panels on this page are not designed to be stacked upon.
V316 Maple (top trim finish)	\$12 list upcharge applicable	Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
111 Jet Black (base finish)		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Tiled panels 34" H fabric

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-() ()	\$468.	\$492.	\$536.	\$592.	\$636.	\$704.	\$748.
Regular acoustics	20"	34"	R3B0TFF34 20-() ()	468.	492.	536.	592.	636.	704.	748.
	24"	34"	R3B0TFF34 24-() ()	505.	529.	573.	629.	673.	741.	785.
	30"	34"	R3B0TFF34 30-() ()	540.	564.	608.	664.	708.	776.	820.
	36"	34"	R3B0TFF34 36-() ()	576.	600.	644.	700.	744.	812.	856.
	42"	34"	R3B0TFF34 42-() ()	662.	686.	730.	786.	830.	898.	942.
	48"	34"	R3B0TFF34 48-() ()	687.	711.	755.	811.	855.	923.	967.


Order Code	Specification Information	Application Notes
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	2. Base height: 4 = 4" base height 6 = 6" base height (add \$39 per panel)
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	All panels on this page accept stacking modules.
FF Fabric on both sides	4. Panel side 1 finish(s) inside	6" Raceway option increases panel height by 2 3/4".
34 34" high	5. Panel side 2 finish(s) outside	Applicable finishes are listed on page 4 and 5.
18 18" wide	6. Top trim finish	
A Flat style top trim	7. Base finish	
4 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 81.
K Include knockouts in base		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
W281 Fabric selection - side 1		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only	

Tiled panels 34" H glass

Reff

Panels

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A)	18"	34"	R2B0TWA34 18-() ()	\$733.	\$872.	\$31.	\$62.	\$78.
	20"	34"	R2B0TWA34 20-() ()	733.	872.	31.	62.	78.
	24"	34"	R2B0TWA34 24-() ()	767.	933.	31.	62.	83.
	30"	34"	R2B0TWA34 30-() ()	889.	1,095.	31.	62.	94.
	36"	34"	R2B0TWA34 36-() ()	922.	1,169.	31.	62.	96.
	42"	34"	R2B0TWA34 42-() ()	968.	1,260.	31.	62.	101.
	48"	34"	R2B0TWA34 48-() ()	1,003.	1,336.	31.	62.	106.
Tiled, two 15" high glass sections with center mullion (type B)	30"	34"	R2B0TWB34 30-() ()	1,064.	1,272.	31.	62.	113.
	36"	34"	R2B0TWB34 36-() ()	1,109.	1,357.	31.	62.	117.
	42"	34"	R2B0TWB34 42-() ()	1,161.	1,450.	31.	62.	121.
	48"	34"	R2B0TWB34 48-() ()	1,204.	1,540.	31.	62.	127.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C	18"	34"	R2B0TWC34 18-() ()	578.	753.	25.	50.	94.
	20"	34"	R2B0TWC34 20-() ()	578.	753.	25.	50.	94.
	24"	34"	R2B0TWC34 24-() ()	609.	794.	25.	50.	101.
	30"	34"	R2B0TWC34 30-() ()	752.	977.	31.	62.	129.
	36"	34"	R2B0TWC34 36-() ()	836.	1,086.	31.	62.	144.
	42"	34"	R2B0TWC34 42-() ()	885.	1,149.	31.	62.	156.
	48"	34"	R2B0TWC34 48-() ()	928.	1,208.	31.	62.	163.



Order Code

Example:	R2B0TWA3418-A4K
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information

- To order please specify pattern number including:
1. Top trim profile
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only
 2. Base height
4 = 4" base height
6 = 6" base height (add \$39 per panel)
 3. Knockout option
(K = with knockouts, N = without knockouts)
 4. Divider option (applicable R2B0TWA and R2B0TWB)
B = Black reveal
E = Extruded anodized aluminum reveal outside (black reveal interior side, upcharge applicable)
 5. Top trim finish
 6. Base finish
 7. Window frame finish (Painted or Anodized aluminum finishes)
If AA finish (anodized) upcharge applicable as noted in AA price column
 8. Glass type

4. Tile divider: (E option)
Add for:
\$12 for 18w and 20w
\$13 for 24w and 30w
\$14 for 36w and 42w
\$19 for 48w
 8. Glass type
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass
- All panels on this page accept stacking modules.
- 6" Raceway option increases panel height by 2³/₁₆".
- Applicable finishes are listed on page 4 and 5.

Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 81.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.




Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass ³/₁₆" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Tiled panels 34" H

fabric one side, hard opposite side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18-() ()	\$538.	\$550.	\$574.	\$602.	\$624.	\$658.	\$680.
	20"	34"	R3B0TFL34 20-() ()	538.	550.	574.	602.	624.	658.	680.
	24"	34"	R3B0TFL34 24-() ()	572.	584.	608.	636.	658.	692.	714.
	30"	34"	R3B0TFL34 30-() ()	609.	621.	645.	673.	695.	729.	751.
	36"	34"	R3B0TFL34 36-() ()	644.	656.	680.	708.	730.	764.	786.
	42"	34"	R3B0TFL34 42-() ()	733.	745.	769.	797.	819.	853.	875.
	48"	34"	R3B0TFL34 48-() ()	758.	770.	794.	822.	844.	878.	900.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18-() ()	547.	559.	583.	611.	633.	667.	689.
	20"	34"	R3B0TF134 20-() ()	547.	559.	583.	611.	633.	667.	689.
	24"	34"	R3B0TF134 24-() ()	583.	595.	619.	647.	669.	703.	725.
	30"	34"	R3B0TF134 30-() ()	622.	634.	658.	686.	708.	742.	764.
	36"	34"	R3B0TF134 36-() ()	656.	668.	692.	720.	742.	776.	798.
	42"	34"	R3B0TF134 42-() ()	749.	761.	785.	813.	835.	869.	891.
	48"	34"	R3B0TF134 48-() ()	773.	785.	809.	837.	859.	893.	915.
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	R3B0TF234 18-() ()	558.	570.	594.	622.	644.	678.	700.
	20"	34"	R3B0TF234 20-() ()	558.	570.	594.	622.	644.	678.	700.
	24"	34"	R3B0TF234 24-() ()	595.	607.	631.	659.	681.	715.	737.
	30"	34"	R3B0TF234 30-() ()	632.	644.	668.	696.	718.	752.	774.
	36"	34"	R3B0TF234 36-() ()	667.	679.	703.	731.	753.	787.	809.
	42"	34"	R3B0TF234 42-() ()	761.	773.	797.	825.	847.	881.	903.
	48"	34"	R3B0TF234 48-() ()	787.	799.	823.	851.	873.	907.	929.

Order Code

Example:	R3B0TFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = Black reveal
E = Extruded anodized aluminum reveal (upcharge applicable)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
- Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1 or V2 specify wood finish, one finish per side (not per insert)
- Top trim finish
- Base finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".


All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 81.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Applicable finishes are listed on page 4 and 5.

Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B0TFF42 18-() ()	\$523.	\$551.	\$611.	\$691.	\$747.	\$831.	\$887.
Regular acoustics	20"	42"	R3B0TFF42 20-() ()	523.	551.	611.	691.	747.	831.	887.
	24"	42"	R3B0TFF42 24-() ()	562.	590.	650.	730.	786.	870.	926.
	30"	42"	R3B0TFF42 30-() ()	602.	630.	690.	770.	826.	910.	966.
	36"	42"	R3B0TFF42 36-() ()	641.	669.	729.	809.	865.	949.	1,005.
	42"	42"	R3B0TFF42 42-() ()	724.	752.	812.	892.	948.	1,032.	1,088.
	48"	42"	R3B0TFF42 48-() ()	762.	790.	850.	930.	986.	1,070.	1,126.

Tiled, fabric both sides	18"	42"	R3B0TAA42 18-() ()	573.	601.	661.	741.	797.	881.	937.
High acoustics	20"	42"	R3B0TAA42 20-() ()	573.	601.	661.	741.	797.	881.	937.
	24"	42"	R3B0TAA42 24-() ()	616.	644.	704.	784.	840.	924.	980.
	30"	42"	R3B0TAA42 30-() ()	663.	691.	751.	831.	887.	971.	1,027.
	36"	42"	R3B0TAA42 36-() ()	706.	734.	794.	874.	930.	1,014.	1,070.
	42"	42"	R3B0TAA42 42-() ()	799.	827.	887.	967.	1,023.	1,107.	1,163.
	48"	42"	R3B0TAA42 48-() ()	841.	869.	929.	1,009.	1,065.	1,149.	1,205.

Tiled, fabric both sides	18"	42"	R3B1TFF42 18-() ()	941.	969.	1,028.	1,109.	1,165.	1,249.	1,305.
Beltway one side	20"	42"	R3B1TFF42 20-() ()	941.	969.	1,028.	1,109.	1,165.	1,249.	1,305.
	24"	42"	R3B1TFF42 24-() ()	961.	989.	1,048.	1,129.	1,185.	1,269.	1,325.
	30"	42"	R3B1TFF42 30-() ()	1,011.	1,039.	1,098.	1,179.	1,235.	1,319.	1,375.
	36"	42"	R3B1TFF42 36-() ()	1,194.	1,222.	1,281.	1,362.	1,418.	1,502.	1,558.
	42"	42"	R3B1TFF42 42-() ()	1,290.	1,318.	1,377.	1,458.	1,514.	1,598.	1,654.
	48"	42"	R3B1TFF42 48-() ()	1,335.	1,363.	1,422.	1,503.	1,559.	1,643.	1,699.

Order Code

Example:	R3B0TFF4218-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
42	42" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Fabric side, finish (specify selection per insert)
 - tile 1A bottom
 - tile 1B middle
 - tile 1C top
- Fabric side, finish (specify selection per insert)
 - tile 2A bottom
 - tile 2B middle
 - tile 2C top
- Top trim finish
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable

Application Notes

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum, anodized finish only

2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$39 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Applicable finishes are listed on page 4 and 5.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Tiled panels 42" H

fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B2TFF42 18-() ()	\$958.	\$986.	\$1,044.	\$1,126.	\$1,182.	\$1,266.	\$1,322.
Beltway two sides	20"	42"	R3B2TFF42 20-() ()	958.	986.	1,044.	1,126.	1,182.	1,266.	1,322.
	24"	42"	R3B2TFF42 24-() ()	939.	967.	1,025.	1,107.	1,163.	1,247.	1,303.
	30"	42"	R3B2TFF42 30-() ()	1,030.	1,058.	1,116.	1,198.	1,254.	1,338.	1,394.
	36"	42"	R3B2TFF42 36-() ()	1,215.	1,243.	1,301.	1,383.	1,439.	1,523.	1,579.
	42"	42"	R3B2TFF42 42-() ()	1,314.	1,342.	1,400.	1,482.	1,538.	1,622.	1,678.
	48"	42"	R3B2TFF42 48-() ()	1,361.	1,389.	1,447.	1,529.	1,585.	1,669.	1,725.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
42 42" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C top	Applicable finishes are listed on page 4 and 5.
18 18" wide	6. Top trim finish	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
A Flat style top trim	7. Base finish	
4 4" base height	8. Beltway finish	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		


Tiled panels 42" H

fabric one side, laminate other side


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	42"	R3B0TFL42 18-() ()	\$602.	\$617.	\$648.	\$689.	\$716.	\$759.	\$787.
	20"	42"	R3B0TFL42 20-() ()	602.	617.	648.	689.	716.	759.	787.
	24"	42"	R3B0TFL42 24-() ()	640.	655.	686.	727.	754.	797.	825.
	30"	42"	R3B0TFL42 30-() ()	682.	697.	728.	769.	796.	839.	867.
	36"	42"	R3B0TFL42 36-() ()	722.	737.	768.	809.	836.	879.	907.
	42"	42"	R3B0TFL42 42-() ()	805.	820.	851.	892.	919.	962.	990.
	48"	42"	R3B0TFL42 48-() ()	847.	862.	893.	934.	961.	1,004.	1,032.



Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,026.	1,041.	1,072.	1,113.	1,140.	1,183.	1,211.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,026.	1,041.	1,072.	1,113.	1,140.	1,183.	1,211.
	24"	42"	R3B1TFL42 24-() ()	1,047.	1,062.	1,093.	1,134.	1,161.	1,204.	1,232.
	30"	42"	R3B1TFL42 30-() ()	1,099.	1,114.	1,145.	1,186.	1,213.	1,256.	1,284.
	36"	42"	R3B1TFL42 36-() ()	1,285.	1,300.	1,331.	1,372.	1,399.	1,442.	1,470.
	42"	42"	R3B1TFL42 42-() ()	1,382.	1,397.	1,428.	1,469.	1,496.	1,539.	1,567.
	48"	42"	R3B1TFL42 48-() ()	1,427.	1,442.	1,473.	1,514.	1,541.	1,584.	1,612.





Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish only
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black reveal	4 = 4" base height
A Flat style top trim	E = extruded anodized aluminum reveal (upcharge applicable)	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	5. Fabric side, finish (specify selection per insert)	<i>4. Tile divider: (E option)</i>
K Include knockouts in base	i) tile 1A bottom	Optional for non fabric side only
B Tile divider, black reveal	ii) tile 1B middle	(fabric side always black)
W281 Fabric selection - side 1	iii) tile 1C top	42"h add per panel:
114 Folkstone grey - side 2	6. Laminate side, finish (specify selection per insert)	\$23 for 18w and 20w
V316 Maple (top trim finish)	i) tile 2A bottom	\$26 for 24w and 30w
111 Jet Black (base finish)	ii) tile 2B middle	\$30 for 36w and 42w
	iii) tile 2C top	\$38 for 48w
	7. Top trim finish	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	
		<i>6" Raceway option increases panel height by 2 3/4".</i>
		Applicable finishes are listed on page 4 and 5.
		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 168).
		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Tiled panels 42" H

fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18- () ()	\$612.	\$627.	\$658.	\$699.	\$726.	\$769.	\$797.
Regular acoustics	20"	42"	R3B0TF142 20- () ()	612.	627.	658.	699.	726.	769.	797.
	24"	42"	R3B0TF142 24- () ()	652.	667.	698.	739.	766.	809.	837.
	30"	42"	R3B0TF142 30- () ()	696.	711.	742.	783.	810.	853.	881.
	36"	42"	R3B0TF142 36- () ()	735.	750.	781.	822.	849.	892.	920.
	42"	42"	R3B0TF142 42- () ()	822.	837.	868.	909.	936.	979.	1,007.
	48"	42"	R3B0TF142 48- () ()	859.	874.	905.	946.	973.	1,016.	1,044.

Tiled, fabric one side	18"	42"	R3B1TF142 18- () ()	1,047.	1,062.	1,093.	1,134.	1,161.	1,204.	1,232.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20- () ()	1,047.	1,062.	1,093.	1,134.	1,161.	1,204.	1,232.
	24"	42"	R3B1TF142 24- () ()	1,067.	1,082.	1,113.	1,154.	1,181.	1,224.	1,252.
	30"	42"	R3B1TF142 30- () ()	1,118.	1,133.	1,164.	1,205.	1,232.	1,275.	1,303.
	36"	42"	R3B1TF142 36- () ()	1,306.	1,321.	1,352.	1,393.	1,420.	1,463.	1,491.
	42"	42"	R3B1TF142 42- () ()	1,408.	1,423.	1,454.	1,495.	1,522.	1,565.	1,593.
	48"	42"	R3B1TF142 48- () ()	1,455.	1,470.	1,501.	1,542.	1,569.	1,612.	1,640.

Order Code	Specification Information	Application Notes
Example: R3B0TF14218-A4K	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)</p> <p>4. <i>Tile divider: (E option)</i> Optional for non fabric side only (fabric side always black) 42" h add per panel: \$23 for 18w and 20w \$26 for 24w and 30w \$30 for 36w and 42w \$38 for 48w</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 4 and 5.</p>
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F1 Fabric one side	4. Tile divider B = black reveal E = extruded anodized aluminum reveal (upcharge applicable)	
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
A Flat style top trim	7. Top trim finish	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	
W281 Fabric selection - side 1		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 168).
Y328 Mahogany - side 2		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
V316 Maple (top trim finish)		Remember to specify Beltway paint finish when applicable.
111 Jet Black (base finish)		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.


Tiled panels 42" H

fabric one side, conventional veneer other side


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	42"	R3B0TF242 18-() ()	\$623.	\$638.	\$669.	\$710.	\$737.	\$780.	\$808.
	20"	42"	R3B0TF242 20-() ()	623.	638.	669.	710.	737.	780.	808.
	24"	42"	R3B0TF242 24-() ()	664.	679.	710.	751.	778.	821.	849.
	30"	42"	R3B0TF242 30-() ()	708.	723.	754.	795.	822.	865.	893.
	36"	42"	R3B0TF242 36-() ()	751.	766.	797.	838.	865.	908.	936.
	42"	42"	R3B0TF242 42-() ()	836.	851.	882.	923.	950.	993.	1,021.
	48"	42"	R3B0TF242 48-() ()	877.	892.	923.	964.	991.	1,034.	1,062.




Tiled, fabric one side Beltway one side (fabric side)	18"	42"	R3B1TF242 18-() ()	1,066.	1,081.	1,112.	1,153.	1,180.	1,223.	1,251.
	20"	42"	R3B1TF242 20-() ()	1,066.	1,081.	1,112.	1,153.	1,180.	1,223.	1,251.
	24"	42"	R3B1TF242 24-() ()	1,085.	1,100.	1,131.	1,172.	1,199.	1,242.	1,270.
	30"	42"	R3B1TF242 30-() ()	1,139.	1,154.	1,185.	1,226.	1,253.	1,296.	1,324.
	36"	42"	R3B1TF242 36-() ()	1,333.	1,348.	1,379.	1,420.	1,447.	1,490.	1,518.
	42"	42"	R3B1TF242 42-() ()	1,433.	1,448.	1,479.	1,520.	1,547.	1,590.	1,618.
	48"	42"	R3B1TF242 48-() ()	1,483.	1,498.	1,529.	1,570.	1,597.	1,640.	1,668.





Order Code	Specification Information	Application Notes
Example: R3B0TF24218-A4K	<i>To order please specify pattern number including:</i>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 168).</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 81 at no charge.</p>
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F2 Fabric one side	4. Tile divider B = black reveal E = extruded anodized aluminum reveal (upcharge applicable)	
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
18 18" wide	6. Conventional veneer, finish (specify one V2 finish for side)	
A Flat style top trim	7. Top trim finish	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)</p> <p>4. <i>Tile divider: (E option)</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$23 for 18w and 20w \$26 for 24w and 30w \$30 for 36w and 42w \$38 for 48w</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 4 and 5.</p>

Tiled panels 49" H fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B0TFF49 18-() ()	\$587.	\$623.	\$689.	\$773.	\$839.	\$941.	\$1,007.
Regular acoustics	20"	49"	R3B0TFF49 20-() ()	587.	623.	689.	773.	839.	941.	1,007.
	24"	49"	R3B0TFF49 24-() ()	627.	663.	729.	813.	879.	981.	1,047.
	30"	49"	R3B0TFF49 30-() ()	675.	711.	777.	861.	927.	1,029.	1,095.
	36"	49"	R3B0TFF49 36-() ()	718.	754.	820.	904.	970.	1,072.	1,138.
	42"	49"	R3B0TFF49 42-() ()	811.	847.	913.	997.	1,063.	1,165.	1,231.
	48"	49"	R3B0TFF49 48-() ()	855.	891.	957.	1,041.	1,107.	1,209.	1,275.

Tiled, fabric both sides	18"	49"	R3B0TAA49 18-() ()	643.	679.	745.	829.	895.	997.	1,063.
High acoustics	20"	49"	R3B0TAA49 20-() ()	643.	679.	745.	829.	895.	997.	1,063.
	24"	49"	R3B0TAA49 24-() ()	687.	723.	789.	873.	939.	1,041.	1,107.
	30"	49"	R3B0TAA49 30-() ()	741.	777.	843.	927.	993.	1,095.	1,161.
	36"	49"	R3B0TAA49 36-() ()	789.	825.	891.	975.	1,041.	1,143.	1,209.
	42"	49"	R3B0TAA49 42-() ()	889.	925.	991.	1,075.	1,141.	1,243.	1,309.
	48"	49"	R3B0TAA49 48-() ()	941.	977.	1,043.	1,127.	1,193.	1,295.	1,361.

Tiled, fabric both sides	18"	49"	R3B1TFF49 18-() ()	966.	1,002.	1,067.	1,152.	1,218.	1,320.	1,386.
Beltway one side	20"	49"	R3B1TFF49 20-() ()	966.	1,002.	1,067.	1,152.	1,218.	1,320.	1,386.
	24"	49"	R3B1TFF49 24-() ()	986.	1,022.	1,087.	1,172.	1,238.	1,340.	1,406.
	30"	49"	R3B1TFF49 30-() ()	1,039.	1,075.	1,140.	1,225.	1,291.	1,393.	1,459.
	36"	49"	R3B1TFF49 36-() ()	1,243.	1,279.	1,344.	1,429.	1,495.	1,597.	1,663.
	42"	49"	R3B1TFF49 42-() ()	1,342.	1,378.	1,443.	1,528.	1,594.	1,696.	1,762.
	48"	49"	R3B1TFF49 48-() ()	1,390.	1,426.	1,491.	1,576.	1,642.	1,744.	1,810.

Order Code

Example:	R3B0TFF4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts,
N = without knockouts)
- Fabric side finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
- Fabric side, finish (specify selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C top
- Top trim finish
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

2. Base height:
4 = 4" base height
6 = 6" base height (add \$39 per panel for this option)

6" Raceway option increases panel height by 2³/₄".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 4 and 5.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Tiled panels 49" H

fabric both sides

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B2TFF49 18-()()	\$981.	\$1,071.	\$1,081.	\$1,167.	\$1,233.	\$1,335.	\$1,401.
Beltway two sides	20"	49"	R3B2TFF49 20-()()	981.	1,071.	1,081.	1,167.	1,233.	1,335.	1,401.
	24"	49"	R3B2TFF49 24-()()	1,003.	1,039.	1,103.	1,189.	1,255.	1,357.	1,423.
	30"	49"	R3B2TFF49 30-()()	1,058.	1,094.	1,158.	1,244.	1,310.	1,412.	1,478.
	36"	49"	R3B2TFF49 36-()()	1,264.	1,300.	1,364.	1,450.	1,516.	1,618.	1,684.
	42"	49"	R3B2TFF49 42-()()	1,364.	1,400.	1,464.	1,550.	1,616.	1,718.	1,784.
	48"	49"	R3B2TFF49 48-()()	1,417.	1,453.	1,517.	1,603.	1,669.	1,771.	1,837.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish only
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim	ii) tile 1B middle	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric selection - side 1	i) tile 2A bottom	Applicable finishes are listed on page 4 and 5.
W281 Fabric selection - side 2	ii) tile 2B middle	
V316 Maple (top trim finish)	iii) tile 2C top	
111 Jet Black (base finish)	6. Top trim finish	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.


Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics 	18"	49"	R3B0TFL49 18-() ()	\$674.	\$692.	\$728.	\$770.	\$803.	\$854.	\$887.
	20"	49"	R3B0TFL49 20-() ()	674.	692.	728.	770.	803.	854.	887.
	24"	49"	R3B0TFL49 24-() ()	714.	732.	768.	810.	843.	894.	927.
	30"	49"	R3B0TFL49 30-() ()	764.	782.	818.	860.	893.	944.	977.
	36"	49"	R3B0TFL49 36-() ()	806.	824.	860.	902.	935.	986.	1,019.
	42"	49"	R3B0TFL49 42-() ()	899.	917.	953.	995.	1,028.	1,079.	1,112.
	48"	49"	R3B0TFL49 48-() ()	946.	964.	1,000.	1,042.	1,075.	1,126.	1,159.

Tiled, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1TFL49 18-() ()	1,059.	1,077.	1,113.	1,155.	1,188.	1,239.	1,272.
	20"	49"	R3B1TFL49 20-() ()	1,059.	1,077.	1,113.	1,155.	1,188.	1,239.	1,272.
	24"	49"	R3B1TFL49 24-() ()	1,081.	1,099.	1,135.	1,177.	1,210.	1,261.	1,294.
	30"	49"	R3B1TFL49 30-() ()	1,135.	1,153.	1,189.	1,231.	1,264.	1,315.	1,348.
	36"	49"	R3B1TFL49 36-() ()	1,341.	1,359.	1,395.	1,437.	1,470.	1,521.	1,554.
	42"	49"	R3B1TFL49 42-() ()	1,439.	1,457.	1,493.	1,535.	1,568.	1,619.	1,652.
	48"	49"	R3B1TFL49 48-() ()	1,492.	1,510.	1,546.	1,588.	1,621.	1,672.	1,705.


Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K R3 Reff Generation 3 B0 No Beltway T Tiled panel FL Fabric one side, laminate other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base B Tile divider, black reveal W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider B = black reveal E = extruded anodized aluminum reveal (upcharge applicable) 5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top 6. Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top 7. Top trim finish 8. Base finish 9. Beltway finish 10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option) 4. <i>Tile divider: (E option)</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$23 for 18w and 20w \$26 for 24w and 30w \$30 for 36w and 42w \$38 for 48w 6" Raceway option increases panel height by 2 ³ / ₄ ". Applicable finishes are listed on page 4 and 5.
		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 81 at no charge.


Tiled panels 49" H

fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics 	18"	49"	R3B0TF149 18-()	\$684.	\$702.	\$738.	\$780.	\$813.	\$864.	\$897.
	20"	49"	R3B0TF149 20-()	684.	702.	738.	780.	813.	864.	897.
	24"	49"	R3B0TF149 24-()	727.	745.	781.	823.	856.	907.	940.
	30"	49"	R3B0TF149 30-()	776.	794.	830.	872.	905.	956.	989.
	36"	49"	R3B0TF149 36-()	821.	839.	875.	917.	950.	1,001.	1,034.
	42"	49"	R3B0TF149 42-()	919.	937.	973.	1,015.	1,048.	1,099.	1,132.
	48"	49"	R3B0TF149 48-()	963.	981.	1,017.	1,059.	1,092.	1,143.	1,176.


Tiled, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1TF149 18-()	1,078.	1,096.	1,132.	1,174.	1,207.	1,258.	1,291.
	20"	49"	R3B1TF149 20-()	1,078.	1,096.	1,132.	1,174.	1,207.	1,258.	1,291.
	24"	49"	R3B1TF149 24-()	1,102.	1,120.	1,156.	1,198.	1,231.	1,282.	1,315.
	30"	49"	R3B1TF149 30-()	1,156.	1,174.	1,210.	1,252.	1,285.	1,336.	1,369.
	36"	49"	R3B1TF149 36-()	1,368.	1,386.	1,422.	1,464.	1,497.	1,548.	1,581.
	42"	49"	R3B1TF149 42-()	1,469.	1,487.	1,523.	1,565.	1,598.	1,649.	1,682.
	48"	49"	R3B1TF149 48-()	1,520.	1,538.	1,574.	1,616.	1,649.	1,700.	1,733.


Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Tile divider: (E option)</i> Optional for non fabric side only (fabric side always black) 49" h add per panel: \$23 for 18w and 20w \$26 for 24w and 30w \$30 for 36w and 42w \$38 for 48w
F1 Fabric one side, V1 other	4. Tile divider B = black reveal E = extruded anodized aluminum reveal (upcharge applicable)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
49 49" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 4 and 5.
W281 Fabric selection - side 1		
Y328 Mahogany - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Tiled panels 49" H

fabric one side, conventional veneer other side

Reff


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics 	18"	49"	R3B0TF249 18-() ()	\$698.	\$716.	\$752.	\$794.	\$827.	\$878.	\$911.
	20"	49"	R3B0TF249 20-() ()	698.	716.	752.	794.	827.	878.	911.
	24"	49"	R3B0TF249 24-() ()	740.	758.	794.	836.	869.	920.	953.
	30"	49"	R3B0TF249 30-() ()	794.	812.	848.	890.	923.	974.	1,007.
	36"	49"	R3B0TF249 36-() ()	837.	855.	891.	933.	966.	1,017.	1,050.
	42"	49"	R3B0TF249 42-() ()	932.	950.	986.	1,028.	1,061.	1,112.	1,145.
	48"	49"	R3B0TF249 48-() ()	981.	999.	1,035.	1,077.	1,110.	1,161.	1,194.

Tiled, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1TF249 18-() ()	1,099.	1,117.	1,153.	1,195.	1,228.	1,279.	1,312.
	20"	49"	R3B1TF249 20-() ()	1,099.	1,117.	1,153.	1,195.	1,228.	1,279.	1,312.
	24"	49"	R3B1TF249 24-() ()	1,122.	1,140.	1,176.	1,218.	1,251.	1,302.	1,335.
	30"	49"	R3B1TF249 30-() ()	1,176.	1,194.	1,230.	1,272.	1,305.	1,356.	1,389.
	36"	49"	R3B1TF249 36-() ()	1,391.	1,409.	1,445.	1,487.	1,520.	1,571.	1,604.
	42"	49"	R3B1TF249 42-() ()	1,495.	1,513.	1,549.	1,591.	1,624.	1,675.	1,708.
	48"	49"	R3B1TF249 48-() ()	1,549.	1,567.	1,603.	1,645.	1,678.	1,729.	1,762.


Order Code	Specification Information	Application Notes
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 81 at no charge. 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 4 and 5.
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F2 Fabric one side, V2 other	4. Tile divider B = black reveal E = extruded anodized aluminum reveal (upcharge applicable)	
49 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
18 18" wide	6. Conventional veneer, finish (specify one V2 finish for side)	
A Flat style top trim	7. Top trim finish	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	

Tiled panels 64" H fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	64"	R3B0TFF64 18-() ()	\$673.	\$721.	\$809.	\$921.	\$1,009.	\$1,145.	\$1,233.
	20"	64"	R3B0TFF64 20-() ()	673.	721.	809.	921.	1,009.	1,145.	1,233.
	24"	64"	R3B0TFF64 24-() ()	719.	767.	855.	967.	1,055.	1,191.	1,279.
	30"	64"	R3B0TFF64 30-() ()	772.	820.	908.	1,020.	1,108.	1,244.	1,332.
	36"	64"	R3B0TFF64 36-() ()	819.	867.	955.	1,067.	1,155.	1,291.	1,379.
	42"	64"	R3B0TFF64 42-() ()	935.	983.	1,071.	1,183.	1,271.	1,407.	1,495.
	48"	64"	R3B0TFF64 48-() ()	982.	1,030.	1,118.	1,230.	1,318.	1,454.	1,542.



Tiled, fabric both sides High acoustics	18"	64"	R3B0TAA64 18-() ()	736.	784.	872.	984.	1,072.	1,208.	1,296.
	20"	64"	R3B0TAA64 20-() ()	736.	784.	872.	984.	1,072.	1,208.	1,296.
	24"	64"	R3B0TAA64 24-() ()	788.	836.	924.	1,036.	1,124.	1,260.	1,348.
	30"	64"	R3B0TAA64 30-() ()	847.	895.	983.	1,095.	1,183.	1,319.	1,407.
	36"	64"	R3B0TAA64 36-() ()	902.	950.	1,038.	1,150.	1,238.	1,374.	1,462.
	42"	64"	R3B0TAA64 42-() ()	1,027.	1,075.	1,163.	1,275.	1,363.	1,499.	1,587.
	48"	64"	R3B0TAA64 48-() ()	1,082.	1,130.	1,218.	1,330.	1,418.	1,554.	1,642.



Tiled, fabric both sides Beltway one side	18"	64"	R3B1TFF64 18-() ()	1,047.	1,095.	1,182.	1,295.	1,383.	1,519.	1,607.
	20"	64"	R3B1TFF64 20-() ()	1,047.	1,095.	1,182.	1,295.	1,383.	1,519.	1,607.
	24"	64"	R3B1TFF64 24-() ()	1,101.	1,149.	1,236.	1,349.	1,437.	1,573.	1,661.
	30"	64"	R3B1TFF64 30-() ()	1,128.	1,176.	1,263.	1,376.	1,464.	1,600.	1,688.
	36"	64"	R3B1TFF64 36-() ()	1,385.	1,433.	1,520.	1,633.	1,721.	1,857.	1,945.
	42"	64"	R3B1TFF64 42-() ()	1,488.	1,536.	1,623.	1,736.	1,824.	1,960.	2,048.
	48"	64"	R3B1TFF64 48-() ()	1,541.	1,589.	1,676.	1,789.	1,877.	2,013.	2,101.



Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B0 No Beltway	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish only
64 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	<i>i</i>) tile 1A bottom	4 = 4" base height
A Flat style top trim	<i>ii</i>) tile 1B middle	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	<i>iii</i>) tile 1C middle	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	<i>iv</i>) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric selection - side 1	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 4 and 5.
W281 Fabric selection - side 2	<i>i</i>) tile 2A bottom	
V316 Maple (top trim finish)	<i>ii</i>) tile 2B middle	
111 Jet Black (base finish)	<i>iii</i>) tile 2C middle	
	<i>iv</i>) tile 2D top	
	6. Top trim finish	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Tiled panels 64" H

fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B2TFF64 18-() ()	\$1,064.	\$1,112.	\$1,198.	\$1,312.	\$1,400.	\$1,536.	\$1,624.
Beltway two sides	20"	64"	R3B2TFF64 20-() ()	1,064.	1,112.	1,198.	1,312.	1,400.	1,536.	1,624.
	24"	64"	R3B2TFF64 24-() ()	1,118.	1,166.	1,252.	1,366.	1,454.	1,590.	1,678.
	30"	64"	R3B2TFF64 30-() ()	1,146.	1,194.	1,280.	1,394.	1,482.	1,618.	1,706.
	36"	64"	R3B2TFF64 36-() ()	1,409.	1,457.	1,543.	1,657.	1,745.	1,881.	1,969.
	42"	64"	R3B2TFF64 42-() ()	1,510.	1,558.	1,644.	1,758.	1,846.	1,982.	2,070.
	48"	64"	R3B2TFF64 48-() ()	1,566.	1,614.	1,700.	1,814.	1,902.	2,038.	2,126.



Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B0 No Beltway	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish only
64 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	<i>i</i>) tile 1A bottom	4 = 4" base height
A Flat style top trim	<i>ii</i>) tile 1B middle	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	<i>iii</i>) tile 1C middle	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	<i>iv</i>) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric selection - side 1	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 4 and 5.
W281 Fabric selection - side 2	<i>i</i>) tile 2A bottom	
V316 Maple (top trim finish)	<i>ii</i>) tile 2B middle	
111 Jet Black (base finish)	<i>iii</i>) tile 2C middle	
	<i>iv</i>) tile 2D top	
	6. Top trim finish	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$12 list upcharge applicable	

Application Notes

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Tiled panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-() ()	\$785.	\$809.	\$857.	\$913.	\$957.	\$1,025.	\$1,169.
Regular acoustics	20"	64"	R3B0TFL64 20-() ()	785.	809.	857.	913.	957.	1,025.	1,169.
	24"	64"	R3B0TFL64 24-() ()	832.	856.	904.	960.	1,004.	1,072.	1,116.
	30"	64"	R3B0TFL64 30-() ()	888.	912.	960.	1,016.	1,060.	1,128.	1,172.
	36"	64"	R3B0TFL64 36-() ()	937.	961.	1,009.	1,065.	1,109.	1,177.	1,221.
	42"	64"	R3B0TFL64 42-() ()	1,054.	1,078.	1,126.	1,182.	1,226.	1,294.	1,338.
	48"	64"	R3B0TFL64 48-() ()	1,103.	1,127.	1,175.	1,231.	1,275.	1,343.	1,387.

Tiled, fabric one side	18"	64"	R3B1TFL64 18-() ()	1,167.	1,191.	1,239.	1,295.	1,339.	1,407.	1,451.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-() ()	1,167.	1,191.	1,239.	1,295.	1,339.	1,407.	1,451.
	24"	64"	R3B1TFL64 24-() ()	1,224.	1,248.	1,296.	1,352.	1,396.	1,464.	1,508.
	30"	64"	R3B1TFL64 30-() ()	1,249.	1,273.	1,321.	1,377.	1,421.	1,489.	1,533.
	36"	64"	R3B1TFL64 36-() ()	1,515.	1,539.	1,587.	1,643.	1,687.	1,755.	1,799.
	42"	64"	R3B1TFL64 42-() ()	1,615.	1,639.	1,687.	1,743.	1,787.	1,855.	1,899.
	48"	64"	R3B1TFL64 48-() ()	1,669.	1,693.	1,741.	1,797.	1,841.	1,909.	1,953.

Order Code

Example: R3B0TFL6418-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
FL Fabric one side, laminate other
64 64" high
18 18" wide
A Flat style top trim
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric selection - side 1
114 Folkstone grey - side 2
V316 Maple (top trim finish)
111 Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black reveal
E = extruded anodized aluminum reveal (upcharge applicable)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
- Laminate side, finish (specify selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C middle
iv) tile 2D top
- Top trim finish
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable

Application Notes

- Top trim profile:**
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only
- Base height:**
4 = 4" base height
6 = 6" base height (add \$39 per panel for this option)
- Tile divider: (E option)**
Optional for non fabric side only (fabric side always black)
64" h add per panel:
\$35 for 18w and 20w
\$39 for 24w and 30w
\$44 for 36w and 42w
\$57 for 48w
- 6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 4 and 5.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.


Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Tiled panels 64" H

fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-() ()	\$800.	\$824.	\$872.	\$928.	\$972.	\$1,040.	\$1,084.
Regular acoustics	20"	64"	R3B0TF164 20-() ()	800.	824.	872.	928.	972.	1,040.	1,084.
	24"	64"	R3B0TF164 24-() ()	847.	871.	919.	975.	1,019.	1,087.	1,131.
	30"	64"	R3B0TF164 30-() ()	904.	928.	976.	1,032.	1,076.	1,144.	1,188.
	36"	64"	R3B0TF164 36-() ()	953.	977.	1,025.	1,081.	1,125.	1,193.	1,237.
	42"	64"	R3B0TF164 42-() ()	1,073.	1,097.	1,145.	1,201.	1,245.	1,313.	1,357.
	48"	64"	R3B0TF164 48-() ()	1,123.	1,147.	1,195.	1,251.	1,295.	1,363.	1,407.

Tiled, fabric one side	18"	64"	R3B1TF164 18-() ()	1,188.	1,212.	1,260.	1,316.	1,360.	1,428.	1,472.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-() ()	1,188.	1,212.	1,260.	1,316.	1,360.	1,428.	1,472.
	24"	64"	R3B1TF164 24-() ()	1,246.	1,270.	1,318.	1,374.	1,418.	1,486.	1,530.
	30"	64"	R3B1TF164 30-() ()	1,272.	1,296.	1,344.	1,400.	1,444.	1,512.	1,556.
	36"	64"	R3B1TF164 36-() ()	1,542.	1,566.	1,614.	1,670.	1,714.	1,782.	1,826.
	42"	64"	R3B1TF164 42-() ()	1,645.	1,669.	1,717.	1,773.	1,817.	1,885.	1,929.
	48"	64"	R3B1TF164 48-() ()	1,704.	1,728.	1,776.	1,832.	1,876.	1,944.	1,988.

Order Code	Specification Information	Application Notes
Example: R3B0TF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B0 No Beltway	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish only
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black reveal	4 = 4" base height
A Flat style top trim	E = extruded anodized aluminum reveal (upcharge applicable)	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	5. Fabric side, finish (specify selection per insert)	<i>4. Tile divider: (E option)</i>
K Include knockouts in base	i) tile 1A bottom	Optional for non fabric side only
B Tile divider, black reveal	ii) tile 1B middle	(fabric side always black)
W281 Fabric selection - side 1	iii) tile 1C middle	64"h add per panel:
Y328 Mahogany - side 2	iv) tile 1D top	\$39 for 24w and 30w
V316 Maple (top trim finish)	6. Techwood side, finish (specify one V1 finish for side)	\$44 for 36w and 42w
111 Jet Black (base finish)	7. Top trim finish	\$57 for 48w
	8. Base finish	6" Raceway option increases panel height by 2 3/4".
	9. Beltway finish	Applicable finishes are listed on page 4 and 5.
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.


Tiled panels 64" H

fabric one side, conventional veneer other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18-()()	\$815.	\$839.	\$887.	\$943.	\$987.	\$1,055.	\$1,099.
Regular acoustics	20"	64"	R3B0TF264 20-()()	815.	839.	887.	943.	987.	1,055.	1,099.
	24"	64"	R3B0TF264 24-()()	862.	886.	934.	990.	1,034.	1,102.	1,146.
	30"	64"	R3B0TF264 30-()()	918.	942.	990.	1,046.	1,090.	1,158.	1,202.
	36"	64"	R3B0TF264 36-()()	971.	995.	1,043.	1,099.	1,143.	1,211.	1,255.
	42"	64"	R3B0TF264 42-()()	1,092.	1,116.	1,164.	1,220.	1,264.	1,332.	1,376.
	48"	64"	R3B0TF264 48-()()	1,143.	1,167.	1,215.	1,271.	1,315.	1,383.	1,427.

Tiled, fabric one side	18"	64"	R3B1TF264 18-()()	1,210.	1,234.	1,282.	1,338.	1,382.	1,450.	1,494.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20-()()	1,210.	1,234.	1,282.	1,338.	1,382.	1,450.	1,494.
	24"	64"	R3B1TF264 24-()()	1,269.	1,293.	1,341.	1,397.	1,441.	1,509.	1,553.
	30"	64"	R3B1TF264 30-()()	1,295.	1,319.	1,367.	1,423.	1,467.	1,535.	1,579.
	36"	64"	R3B1TF264 36-()()	1,571.	1,595.	1,643.	1,699.	1,743.	1,811.	1,855.
	42"	64"	R3B1TF264 42-()()	1,676.	1,700.	1,748.	1,804.	1,848.	1,916.	1,960.
	48"	64"	R3B1TF264 48-()()	1,730.	1,754.	1,802.	1,858.	1,902.	1,970.	2,014.


Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" raceway option increases panel height by 2 ³ / ₄ ".
F2 Fabric one side, V2 other	4. Tile divider B = black reveal E = extruded anodized aluminum reveal (upcharge applicable)	4. <i>Tile divider: (E option)</i> Optional for non fabric side only 64"h add per panel: \$35 for 18w and 20w \$39 for 24w and 30w \$44 for 36w and 42w \$57 for 48w
64 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
18 18" wide	6. Conventional veneer, finish (specify one V2 finish for side)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
A Flat style top trim	7. Top trim finish	Remember to specify Beltway paint finish when applicable.
4 4" base height	8. Base finish	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	Applicable finishes are listed on page 4 and 5.
W281 Fabric selection - side 1		
V316 Maple surface - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Tiled panels 79" H


fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18-() ()	\$837.	\$897.	\$1,007.	\$1,147.	\$1,257.	\$1,427.	\$1,537.
Regular acoustics	20"	79"	R3B0TFF79 20-() ()	837.	897.	1,007.	1,147.	1,257.	1,427.	1,537.
	24"	79"	R3B0TFF79 24-() ()	889.	949.	1,059.	1,199.	1,309.	1,479.	1,589.
	30"	79"	R3B0TFF79 30-() ()	940.	1,000.	1,110.	1,250.	1,360.	1,530.	1,640.
	36"	79"	R3B0TFF79 36-() ()	994.	1,054.	1,164.	1,304.	1,414.	1,584.	1,694.
	42"	79"	R3B0TFF79 42-() ()	1,128.	1,188.	1,298.	1,438.	1,548.	1,718.	1,828.
	48"	79"	R3B0TFF79 48-() ()	1,186.	1,246.	1,356.	1,496.	1,606.	1,776.	1,886.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18-() ()	913.	973.	1,083.	1,223.	1,333.	1,503.	1,613.
High acoustics	20"	79"	R3B0TAA79 20-() ()	913.	973.	1,083.	1,223.	1,333.	1,503.	1,613.
	24"	79"	R3B0TAA79 24-() ()	975.	1,035.	1,145.	1,285.	1,395.	1,565.	1,675.
	30"	79"	R3B0TAA79 30-() ()	1,030.	1,090.	1,200.	1,340.	1,450.	1,620.	1,730.
	36"	79"	R3B0TAA79 36-() ()	1,089.	1,149.	1,259.	1,399.	1,509.	1,679.	1,789.
	42"	79"	R3B0TAA79 42-() ()	1,239.	1,299.	1,409.	1,549.	1,659.	1,829.	1,939.
	48"	79"	R3B0TAA79 48-() ()	1,304.	1,364.	1,474.	1,614.	1,724.	1,894.	2,004.



Order Code

Example:	R3B0TFF7918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
 - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle
 - v) tile 2E top

6. Top trim finish
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

2. Base height:

4 = 4" base height
6 = 6" base height (add \$39 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 4 and 5.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

Tiled panels 79" H fabric both sides


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18-() ()	\$1,088.	\$1,148.	\$1,257.	\$1,398.	\$1,508.	\$1,678.	\$1,788.
Beltway one side	20"	79"	R3B1TFF79 20-() ()	1,088.	1,148.	1,257.	1,398.	1,508.	1,678.	1,788.
	24"	79"	R3B1TFF79 24-() ()	1,142.	1,202.	1,311.	1,452.	1,562.	1,732.	1,842.
	30"	79"	R3B1TFF79 30-() ()	1,167.	1,227.	1,336.	1,477.	1,587.	1,757.	1,867.
	36"	79"	R3B1TFF79 36-() ()	1,425.	1,485.	1,594.	1,735.	1,845.	2,015.	2,125.
	42"	79"	R3B1TFF79 42-() ()	1,528.	1,588.	1,697.	1,838.	1,948.	2,118.	2,228.
	48"	79"	R3B1TFF79 48-() ()	1,580.	1,640.	1,749.	1,890.	2,000.	2,170.	2,280.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18-() ()	1,103.	1,163.	1,271.	1,413.	1,523.	1,693.	1,803.
Beltway two sides	20"	79"	R3B2TFF79 20-() ()	1,103.	1,163.	1,271.	1,413.	1,523.	1,693.	1,803.
	24"	79"	R3B2TFF79 24-() ()	1,160.	1,220.	1,328.	1,470.	1,580.	1,750.	1,860.
	30"	79"	R3B2TFF79 30-() ()	1,185.	1,245.	1,353.	1,495.	1,605.	1,775.	1,885.
	36"	79"	R3B2TFF79 36-() ()	1,446.	1,506.	1,614.	1,756.	1,866.	2,036.	2,146.
	42"	79"	R3B2TFF79 42-() ()	1,551.	1,611.	1,719.	1,861.	1,971.	2,141.	2,251.
	48"	79"	R3B2TFF79 48-() ()	1,608.	1,668.	1,776.	1,918.	2,028.	2,198.	2,308.



Order Code

Example:	R3B0TFF7918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
 - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle
 - v) tile 2E top

6. Top trim finish
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

2. Base height:

4 = 4" base height
6 = 6" base height (add \$39 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 4 and 5.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 81 at no charge.


Tiled panels 79" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-()()	\$975.	\$1,005.	\$1,065.	\$1,135.	\$1,190.	\$1,275.	\$1,330.
Regular acoustics	20"	79"	R3B0TFL79 20-()()	975.	1,005.	1,065.	1,135.	1,190.	1,275.	1,330.
	24"	79"	R3B0TFL79 24-()()	1,034.	1,064.	1,124.	1,194.	1,249.	1,334.	1,389.
	30"	79"	R3B0TFL79 30-()()	1,084.	1,114.	1,174.	1,244.	1,299.	1,384.	1,439.
	36"	79"	R3B0TFL79 36-()()	1,137.	1,167.	1,227.	1,297.	1,352.	1,437.	1,492.
	42"	79"	R3B0TFL79 42-()()	1,275.	1,305.	1,365.	1,435.	1,490.	1,575.	1,630.
	48"	79"	R3B0TFL79 48-()()	1,334.	1,364.	1,424.	1,494.	1,549.	1,634.	1,689.



Tiled, fabric one side	18"	79"	R3B1TFL79 18-()()	1,233.	1,263.	1,323.	1,393.	1,448.	1,533.	1,588.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-()()	1,233.	1,263.	1,323.	1,393.	1,448.	1,533.	1,588.
	24"	79"	R3B1TFL79 24-()()	1,289.	1,319.	1,379.	1,449.	1,504.	1,589.	1,644.
	30"	79"	R3B1TFL79 30-()()	1,316.	1,346.	1,406.	1,476.	1,531.	1,616.	1,671.
	36"	79"	R3B1TFL79 36-()()	1,580.	1,610.	1,670.	1,740.	1,795.	1,880.	1,935.
	42"	79"	R3B1TFL79 42-()()	1,682.	1,712.	1,772.	1,842.	1,897.	1,982.	2,037.
	48"	79"	R3B1TFL79 48-()()	1,735.	1,765.	1,825.	1,895.	1,950.	2,035.	2,090.




Order Code	Specification Information	Application Notes
Example: R3B0TFL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish only
79 79" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black reveal	4 = 4" base height
A Flat style top trim	E = extruded anodized aluminum reveal (upcharge applicable)	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	5. Fabric side, finish (specify selection per insert)	<i>4. Tile divider: (E option)</i>
K Include knockouts in base	i) tile 1A bottom	Optional for non fabric side only
B Tile divider, black reveal	ii) tile 1B middle	(fabric side always black)
W281 Fabric selection - side 1	iii) tile 1C middle	79"h add per panel:
114 Folkstone grey - side 2	iv) tile 1D middle	\$46 for 18w and 20w
V316 Maple (top trim finish)	v) tile 1E top	\$52 for 24w and 30w
111 Jet Black (base finish)	6. Lanimate side, finish (specify selection per insert)	\$57 for 36w and 42w
	i) tile 2A bottom	\$78 for 48w
	ii) tile 2B middle	Applicable finishes are listed on page 4 and 5.
	iii) tile 2C middle	
	iv) tile 2D middle	
	v) tile 2E top	
	7. Top trim finish	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	


Tiled panels 79" H

fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$995.	\$1,025.	\$1,085.	\$1,155.	\$1,210.	\$1,295.	\$1,350.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	995.	1,025.	1,085.	1,155.	1,210.	1,295.	1,350.
	24"	79"	R3B0TF179 24-() ()	1,051.	1,081.	1,141.	1,211.	1,266.	1,351.	1,406.
	30"	79"	R3B0TF179 30-() ()	1,104.	1,134.	1,194.	1,264.	1,319.	1,404.	1,459.
	36"	79"	R3B0TF179 36-() ()	1,159.	1,189.	1,249.	1,319.	1,374.	1,459.	1,514.
	42"	79"	R3B0TF179 42-() ()	1,300.	1,330.	1,390.	1,460.	1,515.	1,600.	1,655.
	48"	79"	R3B0TF179 48-() ()	1,360.	1,390.	1,450.	1,520.	1,575.	1,660.	1,715.

Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,256.	1,286.	1,346.	1,416.	1,471.	1,556.	1,611.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,256.	1,286.	1,346.	1,416.	1,471.	1,556.	1,611.
	24"	79"	R3B1TF179 24-() ()	1,313.	1,343.	1,403.	1,473.	1,528.	1,613.	1,668.
	30"	79"	R3B1TF179 30-() ()	1,337.	1,367.	1,427.	1,497.	1,552.	1,637.	1,692.
	36"	79"	R3B1TF179 36-() ()	1,609.	1,639.	1,699.	1,769.	1,824.	1,909.	1,964.
	42"	79"	R3B1TF179 42-() ()	1,714.	1,744.	1,804.	1,874.	1,929.	2,014.	2,069.
	48"	79"	R3B1TF179 48-() ()	1,767.	1,797.	1,857.	1,927.	1,982.	2,067.	2,122.


Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish only
79 79" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black reveal	4 = 4" base height
A Flat style top trim	E = extruded anodized aluminum reveal (upcharge applicable)	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	5. Fabric side, finish (specify selection per insert)	<i>4. Tile divider: (E option)</i>
K Include knockouts in base	i) tile 1A bottom	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	ii) tile 1B middle	79" h add per panel:
W281 Fabric selection - side 1	iii) tile 1C middle	\$46 for 18w and 20w
Y328 Mahogany - side 2	iv) tile 1D middle	\$52 for 24w and 30w
V316 Maple (top trim finish)	v) tile 1E top	\$57 for 36w and 42w
111 Jet Black (base finish)	6. Techwood side, finish (specify one V1 finish for side)	\$78 for 48w
	7. Top trim finish	Applicable finishes are listed on page 4 and 5.
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	

Tiled panels 79" H


fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,011.	\$1,041.	\$1,101.	\$1,171.	\$1,226.	\$1,311.	\$1,366.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,011.	1,041.	1,101.	1,171.	1,226.	1,311.	1,366.
	24"	79"	R3B0TF279 24-() ()	1,070.	1,100.	1,160.	1,230.	1,285.	1,370.	1,425.
	30"	79"	R3B0TF279 30-() ()	1,123.	1,153.	1,213.	1,283.	1,338.	1,423.	1,478.
	36"	79"	R3B0TF279 36-() ()	1,180.	1,210.	1,270.	1,340.	1,395.	1,480.	1,535.
	42"	79"	R3B0TF279 42-() ()	1,322.	1,352.	1,412.	1,482.	1,537.	1,622.	1,677.
	48"	79"	R3B0TF279 48-() ()	1,383.	1,413.	1,473.	1,543.	1,598.	1,683.	1,738.



Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	1,279.	1,309.	1,369.	1,439.	1,494.	1,579.	1,634.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	1,279.	1,309.	1,369.	1,439.	1,494.	1,579.	1,634.
	24"	79"	R3B1TF279 24-() ()	1,336.	1,366.	1,426.	1,496.	1,551.	1,636.	1,691.
	30"	79"	R3B1TF279 30-() ()	1,364.	1,394.	1,454.	1,524.	1,579.	1,664.	1,719.
	36"	79"	R3B1TF279 36-() ()	1,639.	1,669.	1,729.	1,799.	1,854.	1,939.	1,994.
	42"	79"	R3B1TF279 42-() ()	1,743.	1,773.	1,833.	1,903.	1,958.	2,043.	2,098.
	48"	79"	R3B1TF279 48-() ()	1,800.	1,830.	1,890.	1,960.	2,015.	2,100.	2,155.



Order Code	Specification Information	Application Notes
Example: R3B0TF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum, anodized finish only
79 79" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black reveal	4 = 4" base height
A Flat style top trim	E = extruded anodized aluminum reveal (upcharge applicable)	6 = 6" base height (add \$39 per panel for this option)
4 4" base height	5. Fabric side, finish (specify selection per insert)	<i>4. Tile divider: (E option)</i>
K Include knockouts in base	i) tile 1A bottom	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	ii) tile 1B middle	79" h add per panel:
W281 Fabric selection - side 1	iii) tile 1C middle	\$46 for 18w and 20w
V316 Maple surface - side 2	iv) tile 1D middle	\$52 for 24w and 30w
V316 Maple (top trim finish)	v) tile 1E top	\$57 for 36w and 42w
111 Jet Black (base finish)	6. Conventional veneer, finish (specify one V2 finish for side)	\$78 for 48w
	7. Top trim finish	Applicable finishes are listed on page 4 and 5.
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$12 list upcharge applicable	

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79" H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 81 at no charge.

description	width	height	pattern no.	AA finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	R2APT3418	\$86.	
	20"	34"	R2APT3420	86.	
	24"	34"	R2APT3424	89.	
	30"	34"	R2APT3430	90.	
	36"	34"	R2APT3436	94.	
	42"	34"	R2APT3442	96.	
	48"	34"	R2APT3448	100.	
Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	R2APT4218	131.	
	20"	42"	R2APT4220	131.	
	24"	42"	R2APT4224	136.	
	30"	42"	R2APT4230	138.	
	36"	42"	R2APT4236	146.	
	42"	42"	R2APT4242	150.	
	48"	42"	R2APT4248	156.	
Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	R2APT4918	141.	
	20"	49"	R2APT4920	141.	
	24"	49"	R2APT4924	147.	
	30"	49"	R2APT4930	149.	
	36"	49"	R2APT4936	155.	
	42"	49"	R2APT4942	161.	
	48"	49"	R2APT4948	167.	
Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	R2APT6418	200.	
	20"	64"	R2APT6420	200.	
	24"	64"	R2APT6424	207.	
	30"	64"	R2APT6430	211.	
	36"	64"	R2APT6436	221.	
	42"	64"	R2APT6442	229.	
	48"	64"	R2APT6448	238.	

Order Code	Specification Information	Application Notes
Example: R2APT3418	<p><i>To order specify pattern number including height and width as applicable.</i></p> <p>Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.</p> <p>34" h 1:1 42" h 1:2 49" h 1:2 64" h 1:3 79" h 1:4</p> <p>Aluminum reveal kits and hookstrip covers best suited for laminate, V1 or V2 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and</p>	<p>when aluminum vertical hookstrip cover installed, forfeit panel hung capability.</p> <p>When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)</p> <p>Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.</p>
R2 Reff Generation 2		
A Aluminum		
PT Panel trim		
34 for 34" h		
18 for 18" w		
	<p>R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.</p> <p>R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.</p> <p>Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.</p>	

description	width	height	pattern no.	AA finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	R2APT7918	\$258.	
	20"	79"	R2APT7920	258.	
	24"	79"	R2APT7924	268.	
	30"	79"	R2APT7930	272.	
	36"	79"	R2APT7936	287.	
	42"	79"	R2APT7942	296.	
	48"	79"	R2APT7948	311.	
Aluminum reveal kit for T post with 4" or 6" h raceway		34"	R2ATPK34		57.
		42"	R2ATPK42		72.
		49"	R2ATPK49		82.
		64"	R2ATPK64		112.
		79"	R2ATPK79		141.
Aluminum reveal kit for L post with 4" or 6" h raceway		34"	R2ALPK34		56.
		42"	R2ALPK42		78.
		49"	R2ALPK49		86.
		64"	R2ALPK64		118.
		79"	R2ALPK79		150.
Alum vertical reveal for end trim with 4" or 6" h raceway		34"	R2AETK34		55.
		42"	R2AETK42		68.
		49"	R2AETK49		79.
		64"	R2AETK64		105.
		79"	R2AETK79		132.
Aluminum hookstrip cover condition including stacking modules with 4" or 6" h base raceway		30"	R2AHCR34	55.	
		38"	R2AHCR42	68.	
		45"	R2AHCR49	79.	
		60"	R2AHCR64	105.	
		75"	R2AHCR79	132.	

Order Code	Specification Information	Application Notes
Example: R2APT3418	<i>To order specify pattern number including height and width as applicable.</i>	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
R2 Reff Generation 2		
A Aluminum		
PT Panel trim		
34 for 34" h		R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.
18 for 18" w		
	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height. 34" h 1:1 42" h 1:2 49" h 1:2 64" h 1:3 79" h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for laminate, V1 or V2 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

description	width	height	pattern no.	AA finish	list
Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18	\$37.	
	20"		R2AHTR20	37.	
	24"		R2AHTR24	39.	
	30"		R2AHTR30	43.	
	36"		R2AHTR36	47.	
	42"		R2AHTR42	49.	
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18	32.	
	20"		R2AHWR20	32.	
	24"		R2AHWR24	34.	
	30"		R2AHWR30	35.	
	36"		R2AHWR36	38.	
	42"		R2AHWR42	40.	
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18	32.	
	20"		R2AHBW20	32.	
	24"		R2AHBW24	34.	
	30"		R2AHBW30	35.	
	36"		R2AHBW36	38.	
	42"		R2AHBW42	40.	
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18	32.	
	20"		R2AHSR20	32.	
	24"		R2AHSR24	34.	
	30"		R2AHSR30	35.	
	36"		R2AHSR36	38.	
	42"		R2AHSR42	40.	
48"		R2AHSR48	45.		

Order Code	Specification Information	Application Notes
Example: R2APT3418	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 Reff Generation 2	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height. 34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
A Aluminum		R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
PT Panel trim		Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
34 for 34"h		Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
18 for 18"w		
	Aluminum reveal kits and hookstrip covers best suited for laminate, V1 or V2 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	

Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFFA49 18-() ()	\$1,009.	\$1,033.	\$1,076.	\$1,133.	\$1,177.	\$1,245.	\$1,289.
	20"	49"	R3B1TFFFA49 20-() ()	1,009.	1,033.	1,076.	1,133.	1,177.	1,245.	1,289.
	24"	49"	R3B1TFFFA49 24-() ()	1,044.	1,068.	1,111.	1,168.	1,212.	1,280.	1,324.
	30"	49"	R3B1TFFFA49 30-() ()	1,115.	1,139.	1,182.	1,239.	1,283.	1,351.	1,395.
	36"	49"	R3B1TFFFA49 36-() ()	1,342.	1,366.	1,409.	1,466.	1,510.	1,578.	1,622.
	42"	49"	R3B1TFFFA49 42-() ()	1,462.	1,486.	1,529.	1,586.	1,630.	1,698.	1,742.
	48"	49"	R3B1TFFFA49 48-() ()	1,530.	1,554.	1,597.	1,654.	1,698.	1,766.	1,810.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	1,203.	1,227.	1,270.	1,327.	1,371.	1,439.	1,483.
	36"	49"	R3B1TFFB49 36-() ()	1,436.	1,460.	1,503.	1,560.	1,604.	1,672.	1,716.
	42"	49"	R3B1TFFB49 42-() ()	1,556.	1,580.	1,623.	1,680.	1,724.	1,792.	1,836.
	48"	49"	R3B1TFFB49 48-() ()	1,632.	1,656.	1,699.	1,756.	1,800.	1,868.	1,912.



Monolithic, fabric both sides, Type A window on top, Beltway one side	18"	49"	R3B1PFFFA49 18-() ()	910.	925.	956.	1,026.	1,067.	1,129.	1,190.
	20"	49"	R3B1PFFFA49 20-() ()	910.	925.	956.	1,026.	1,067.	1,129.	1,190.
	24"	49"	R3B1PFFFA49 24-() ()	943.	958.	989.	1,059.	1,100.	1,162.	1,223.
	30"	49"	R3B1PFFFA49 30-() ()	1,004.	1,019.	1,050.	1,120.	1,161.	1,223.	1,284.
	36"	49"	R3B1PFFFA49 36-() ()	1,196.	1,211.	1,242.	1,312.	1,353.	1,415.	1,476.
	42"	49"	R3B1PFFFA49 42-() ()	1,298.	1,313.	1,344.	1,414.	1,455.	1,517.	1,578.
	48"	49"	R3B1PFFFA49 48-() ()	1,359.	1,374.	1,405.	1,475.	1,516.	1,578.	1,639.




Order Code	Specification Information	Application Notes
Example: R3B1TFFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish	Applicable finishes are listed on page 4 and 5.
18 18" wide	7. Base finish	
A Flat style top trim	8. Beltway finish	
4 4" base height	9. Glass window frame finish	
K Include knockouts in base	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
TEMP Glass option		

Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type B window on top, Beltway one side	30"	49"	R3B1PFFB49 30-() ()	\$1,092.	\$1,107.	\$1,138.	\$1,208.	\$1,249.	\$1,311.	\$1,372.
	36"	49"	R3B1PFFB49 36-() ()	1,290.	1,305.	1,336.	1,406.	1,447.	1,509.	1,570.
	42"	49"	R3B1PFFB49 42-() ()	1,392.	1,407.	1,438.	1,508.	1,549.	1,611.	1,672.
	48"	49"	R3B1PFFB49 48-() ()	1,461.	1,476.	1,507.	1,577.	1,618.	1,680.	1,741.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish	Applicable finishes are listed on page 4 and 5.
18 18" wide	7. Base finish	
A Flat style top trim	8. Beltway finish	
4 4" base height	9. Glass window frame finish	
K Include knockouts in base	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
TEMP Glass option		

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-()()	\$1,116.	\$1,128.	\$1,152.	\$1,180.	\$1,202.	\$1,236.	\$1,267.
	20"	49"	R3B1TFLA49 20-()()	1,116.	1,128.	1,152.	1,180.	1,202.	1,236.	1,267.
	24"	49"	R3B1TFLA49 24-()()	1,153.	1,165.	1,189.	1,217.	1,239.	1,273.	1,304.
	30"	49"	R3B1TFLA49 30-()()	1,226.	1,238.	1,262.	1,290.	1,312.	1,346.	1,377.
	36"	49"	R3B1TFLA49 36-()()	1,456.	1,468.	1,492.	1,520.	1,542.	1,576.	1,607.
	42"	49"	R3B1TFLA49 42-()()	1,575.	1,587.	1,611.	1,639.	1,661.	1,695.	1,726.
	48"	49"	R3B1TFLA49 48-()()	1,649.	1,661.	1,685.	1,713.	1,735.	1,769.	1,800.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
R3 Reff Generation 3	1. Top trim profile	Add upcharge for architectural glass: (as applicable by width)
B1 Beltway one side	2. Base height	Width Add
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	18" \$70
FL Fabric BW side, laminate other	4. Tile divider (where optional) B = black reveal	20" \$70
A Type A window	E = extruded anodized aluminum reveal (upcharge applicable, optional "tiled" style products only)	24" \$83
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	30" \$100
18 18" wide	6. Laminate side finish (specify selection per insert; bottom up.)	36" \$121
A Flat style top trim	7. Top trim finish	42" \$143
4 4" base height	8. Base finish	48" \$164
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. Window frame finish	
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp	
114 Folkstone grey - side 2	<i>Architectural options:</i> GL13 = Powder glass	
V316 Maple (top trim finish)	GL6 = Block matrix glass	
111 Jet Black (base finish)	GL8 = Wafer glass	
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-() ()	\$1,317.	\$1,329.	\$1,353.	\$1,381.	\$1,403.	\$1,437.	\$1,468.
	36"	49"	R3B1TFLB49 36-() ()	1,550.	1,562.	1,586.	1,614.	1,636.	1,670.	1,701.
	42"	49"	R3B1TFLB49 42-() ()	1,671.	1,683.	1,707.	1,735.	1,757.	1,791.	1,822.
	48"	49"	R3B1TFLB49 48-() ()	1,751.	1,763.	1,787.	1,815.	1,837.	1,871.	1,902.





Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
R3 Reff Generation 3	1. Top trim profile	Add upcharge for architectural glass: (as applicable by width)
B1 Beltway one side	2. Base height	Width Add
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	18" \$70
FL Fabric BW side, laminate other	4. Tile divider (where optional) B = black reveal	20" \$70
A Type A window	E = extruded anodized aluminum reveal (upcharge applicable, optional "tiled" style products only)	24" \$83
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	30" \$100
18 18" wide	6. Laminate side finish (specify selection per insert; bottom up.)	36" \$121
A Flat style top trim	7. Top trim finish	42" \$143
4 4" base height	8. Base finish	48" \$164
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. Window frame finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp	6" Raceway option increases panel height by 2 3/4".
114 Folkstone grey - side 2	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
V316 Maple (top trim finish)		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
111 Jet Black (base finish)		Applicable finishes are listed on page 4 and 5.
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PFLA49 18-() ()	\$923.	\$930.	\$946.	\$981.	\$1,002.	\$1,034.	\$1,055.
	20"	49"	R3B1PFLA49 20-() ()	923.	930.	946.	981.	1,002.	1,034.	1,055.
	24"	49"	R3B1PFLA49 24-() ()	971.	978.	994.	1,029.	1,050.	1,082.	1,103.
	30"	49"	R3B1PFLA49 30-() ()	1,058.	1,065.	1,081.	1,116.	1,137.	1,169.	1,190.
	36"	49"	R3B1PFLA49 36-() ()	1,277.	1,284.	1,300.	1,335.	1,356.	1,388.	1,409.
	42"	49"	R3B1PFLA49 42-() ()	1,404.	1,411.	1,427.	1,462.	1,483.	1,515.	1,536.
	48"	49"	R3B1PFLA49 48-() ()	1,493.	1,500.	1,516.	1,551.	1,572.	1,604.	1,625.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PFLB49 30-() ()	1,149.	1,156.	1,172.	1,207.	1,228.	1,260.	1,281.
	36"	49"	R3B1PFLB49 36-() ()	1,371.	1,378.	1,394.	1,429.	1,450.	1,482.	1,503.
	42"	49"	R3B1PFLB49 42-() ()	1,500.	1,507.	1,523.	1,558.	1,579.	1,611.	1,632.
	48"	49"	R3B1PFLB49 48-() ()	1,595.	1,602.	1,618.	1,653.	1,674.	1,706.	1,727.

Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
R3 Reff Generation 3	1. Top trim profile	Add upcharge for architectural glass: (as applicable by width)
B1 Beltway one side	2. Base height	Width Add
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	18" \$70
FL Fabric BW side, laminate other	4. Tile divider (where optional) B = black reveal E = extruded anodized aluminum reveal (upcharge applicable, optional "tiled" style products only)	20" \$70 24" \$83 30" \$100 36" \$121 42" \$143 48" \$164
A Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
49 49" high	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 ³ / ₄ ".
18 18" wide	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
A Flat style top trim	8. Base finish	Add to all products on this page: upcharge of \$30 per panel for P2 paint class options or \$55 per panel for P3 paint class options.
4 4" base height	9. Beltway finish	
K Include knockouts in base	10. Window frame finish	Add upcharge for extruded anodized aluminum reveal/tile divider: (as applicable by width) <i>Optional non fabric tiled side only, fabric side always black</i>
B Tile divider, black reveal	11. Glass option Temp = Clear temp	
W281 Fabric selection - side 1	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
114 Folkstone grey - side 2		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
V316 Maple (top trim finish)		Applicable finishes are listed on page 4 and 5.
111 Jet Black (base finish)		Width Add
111 Jet Black (beltway finish)		18" \$12 20" \$12 24" \$13 30" \$13 36" \$14 42" \$14 48" \$19
111 Jet Black (window frame finish)		
TEMP Glass option		


1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,135.	\$1,147.	\$1,171.	\$1,199.	\$1,221.	\$1,255.	\$1,286.
	20"	49"	R3B1TF1A49 20-() ()	1,135.	1,147.	1,171.	1,199.	1,221.	1,255.	1,286.
	24"	49"	R3B1TF1A49 24-() ()	1,174.	1,186.	1,210.	1,238.	1,260.	1,294.	1,325.
	30"	49"	R3B1TF1A49 30-() ()	1,247.	1,259.	1,283.	1,311.	1,333.	1,367.	1,398.
	36"	49"	R3B1TF1A49 36-() ()	1,483.	1,495.	1,519.	1,547.	1,569.	1,603.	1,634.
	42"	49"	R3B1TF1A49 42-() ()	1,605.	1,617.	1,641.	1,669.	1,691.	1,725.	1,756.
	48"	49"	R3B1TF1A49 48-() ()	1,677.	1,689.	1,713.	1,741.	1,763.	1,797.	1,828.



Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
R3 Reff Generation 3	1. Top trim profile	Add upcharge for architectural glass: (as applicable by width)
B1 Beltway one side	2. Base height	Width Add
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	18" \$70
F1 Fabric one side, V1 other	4. Tile divider (where optional) B = black reveal E = extruded anodized aluminum reveal (upcharge applicable, optional "tiled" style products only)	20" \$70
A Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	24" \$83
49 49" high	6. Techwood side, finish (specify one V1 finish for side)	30" \$100
18 18" wide	7. Top trim finish	36" \$121
A Flat style top trim	8. Base finish	42" \$143
4 4" base height	9. Beltway finish	48" \$164
K Include knockouts in base	10. Window frame finish	
B Tile divider, black reveal	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
W281 Fabric selection - side 1		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
Y328 Mahogany - side 2		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
V316 Maple (top trim finish)		Applicable finishes are listed on page 4 and 5.
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-()()	\$1,338.	\$1,350.	\$1,374.	\$1,402.	\$1,424.	\$1,458.	\$1,489.
	36"	49"	R3B1TF1B49 36-()()	1,577.	1,589.	1,613.	1,641.	1,663.	1,697.	1,728.
	42"	49"	R3B1TF1B49 42-()()	1,701.	1,713.	1,737.	1,765.	1,787.	1,821.	1,852.
	48"	49"	R3B1TF1B49 48-()()	1,779.	1,791.	1,815.	1,843.	1,865.	1,899.	1,930.



Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
R3	Reff Generation 3	Add upcharge for architectural glass: (as applicable by width)
B1	Beltway one side	Width Add
T	Tiled panel	18" \$70
F1	Fabric one side, V1 other	20" \$70
A	Type A window	24" \$83
49	49" high	30" \$100
18	18" wide	36" \$121
A	Flat style top trim	42" \$143
4	4" base height	48" \$164
K	Include knockouts in base	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
B	Tile divider, black reveal	6" Raceway option increases panel height by 2 3/4".
W281	Fabric selection - side 1	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
Y328	Mahogany - side 2	Add to all products on this page: upcharge of \$30 per panel for P2 paint class options or \$55 per panel for P3 paint class options.
V316	Maple (top trim finish)	Add upcharge for extruded anodized aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
111	Jet Black (base finish)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
111	Jet Black (beltway finish)	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
111	Jet Black (window frame finish)	Applicable finishes are listed on page 4 and 5.
TEMP	Glass option	
	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum, anodized finish only	Width Add 18" \$12 20" \$12 24" \$13 30" \$13 36" \$14 42" \$14 48" \$19

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, techwood other side


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF1A49 18-() ()	\$941.	\$948.	\$964.	\$999.	\$1,020.	\$1,052.	\$1,073.
	20"	49"	R3B1PF1A49 20-() ()	941.	948.	964.	999.	1,020.	1,052.	1,073.
	24"	49"	R3B1PF1A49 24-() ()	989.	996.	1,012.	1,047.	1,068.	1,100.	1,121.
	30"	49"	R3B1PF1A49 30-() ()	1,075.	1,082.	1,098.	1,133.	1,154.	1,186.	1,207.
	36"	49"	R3B1PF1A49 36-() ()	1,298.	1,305.	1,321.	1,356.	1,377.	1,409.	1,430.
	42"	49"	R3B1PF1A49 42-() ()	1,430.	1,437.	1,453.	1,488.	1,509.	1,541.	1,562.
	48"	49"	R3B1PF1A49 48-() ()	1,517.	1,524.	1,540.	1,575.	1,596.	1,628.	1,649.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF1B49 30-() ()	1,166.	1,173.	1,189.	1,224.	1,245.	1,277.	1,298.
	36"	49"	R3B1PF1B49 36-() ()	1,392.	1,399.	1,415.	1,450.	1,471.	1,503.	1,524.
	42"	49"	R3B1PF1B49 42-() ()	1,526.	1,533.	1,549.	1,584.	1,605.	1,637.	1,658.
	48"	49"	R3B1PF1B49 48-() ()	1,619.	1,626.	1,642.	1,677.	1,698.	1,730.	1,751.



Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
R3 Reff Generation 3	1. Top trim profile	Add upcharge for architectural glass: (as applicable by width)
B1 Beltway one side	2. Base height	Width Add
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	18" \$70
F1 Fabric one side, V1 other	4. Tile divider (where optional) B = black reveal E = extruded anodized aluminum reveal (upcharge applicable, optional "tiled" style products only)	20" \$70 24" \$83 30" \$100 36" \$121 42" \$143 48" \$164
A Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
49 49" high	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
18 18" wide	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
A Flat style top trim	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
4 4" base height	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
K Include knockouts in base	10. Window frame finish	Applicable finishes are listed on page 4 and 5.
B Tile divider, black reveal	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for extruded anodized aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
W281 Fabric selection - side 1		Width Add
Y328 Mahogany - side 2		18" \$12 20" \$12 24" \$13 30" \$13 36" \$14 42" \$14 48" \$19
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, conventional
 veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,156.	\$1,168.	\$1,192.	\$1,220.	\$1,242.	\$1,276.	\$1,307.
	20"	49"	R3B1TF2A49 20-() ()	1,156.	1,168.	1,192.	1,220.	1,242.	1,276.	1,307.
	24"	49"	R3B1TF2A49 24-() ()	1,194.	1,206.	1,230.	1,258.	1,280.	1,314.	1,345.
	30"	49"	R3B1TF2A49 30-() ()	1,267.	1,279.	1,303.	1,331.	1,353.	1,387.	1,418.
	36"	49"	R3B1TF2A49 36-() ()	1,506.	1,518.	1,542.	1,570.	1,592.	1,626.	1,657.
	42"	49"	R3B1TF2A49 42-() ()	1,631.	1,643.	1,667.	1,695.	1,717.	1,751.	1,782.
	48"	49"	R3B1TF2A49 48-() ()	1,706.	1,718.	1,742.	1,770.	1,792.	1,826.	1,857.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
R3	Reff Generation 3	Add upcharge for architectural glass: (as applicable by widths)
B1	Beltway one side	Width Add
T	Tiled panel	18" \$70
F2	Fabric one side, V2 other	20" \$70
A	Type A window	24" \$83
49	49" high	30" \$100
18	18" wide	36" \$121
A	Flat style top trim	42" \$143
4	4" base height	48" \$164
K	Include knockouts in base	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
B	Tile divider, black reveal	6" Raceway option increases panel height by 2 3/4".
W281	Fabric selection - side 1	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
V316	Maple surface - side 2	Add to all products on this page: upcharge of \$30 per panel for P2 paint class options or \$55 per panel for P3 paint class options.
V316	Maple (top trim finish)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
111	Jet Black (base finish)	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
111	Jet Black (beltway finish)	Applicable finishes are listed on page 4 and 5.
111	Jet Black (window frame finish)	Width Add
TEMP	Glass option	18" \$12
		20" \$12
		24" \$13
		30" \$13
		36" \$14
		42" \$14
		48" \$19

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum, anodized finish only

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, conventional
 veneer other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-()()	\$1,358.	\$1,370.	\$1,394.	\$1,422.	\$1,444.	\$1,478.	\$1,509.
	36"	49"	R3B1TF2B49 36-()()	1,600.	1,612.	1,636.	1,664.	1,686.	1,720.	1,751.
	42"	49"	R3B1TF2B49 42-()()	1,727.	1,739.	1,763.	1,791.	1,813.	1,847.	1,878.
	48"	49"	R3B1TF2B49 48-()()	1,808.	1,820.	1,844.	1,872.	1,894.	1,928.	1,959.




Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
R3 Reff Generation 3	1. Top trim profile	Add upcharge for architectural glass: (as applicable by widths)
B1 Beltway one side	2. Base height	Width Add
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	18" \$70
F2 Fabric one side, V2 other	4. Tile divider (where optional) B = black reveal E = extruded anodized aluminum reveal (upcharge applicable, optional "tiled" style products only)	20" \$70
A Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	24" \$83
49 49" high	6. Conventional veneer side, finish (specify one V2 finish for side)	30" \$100
18 18" wide	7. Top trim finish	36" \$121
A Flat style top trim	8. Base finish	42" \$143
4 4" base height	9. Beltway finish	48" \$164
K Include knockouts in base	10. Window frame finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
B Tile divider, black reveal	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1		79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
V316 Maple surface - side 2		Applicable finishes are listed on page 4 and 5.
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

1. *Top trim profile:*
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum, anodized finish only

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, conventional
 veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF2A49 18-() ()	\$956.	\$963.	\$979.	\$1,014.	\$1,035.	\$1,067.	\$1,088.
	20"	49"	R3B1PF2A49 20-() ()	956.	963.	979.	1,014.	1,035.	1,067.	1,088.
	24"	49"	R3B1PF2A49 24-() ()	1,004.	1,011.	1,027.	1,062.	1,083.	1,115.	1,136.
	30"	49"	R3B1PF2A49 30-() ()	1,095.	1,102.	1,118.	1,153.	1,174.	1,206.	1,227.
	36"	49"	R3B1PF2A49 36-() ()	1,322.	1,329.	1,345.	1,380.	1,401.	1,433.	1,454.
	42"	49"	R3B1PF2A49 42-() ()	1,452.	1,459.	1,475.	1,510.	1,531.	1,563.	1,584.
	48"	49"	R3B1PF2A49 48-() ()	1,541.	1,548.	1,564.	1,599.	1,620.	1,652.	1,673.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF2B49 30-() ()	1,186.	1,193.	1,209.	1,244.	1,265.	1,297.	1,318.
	36"	49"	R3B1PF2B49 36-() ()	1,416.	1,423.	1,439.	1,474.	1,495.	1,527.	1,548.
	42"	49"	R3B1PF2B49 42-() ()	1,548.	1,555.	1,571.	1,606.	1,627.	1,659.	1,680.
	48"	49"	R3B1PF2B49 48-() ()	1,643.	1,650.	1,666.	1,701.	1,722.	1,754.	1,775.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 per panel for this option)
R3 Reff Generation 3	1. Top trim profile	Add upcharge for architectural glass: (as applicable by widths)
B1 Beltway one side	2. Base height	Width Add
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	18" \$70
F2 Fabric one side, V2 other	4. Tile divider (where optional) B = black reveal E = extruded anodized aluminum reveal (upcharge applicable, optional "tiled" style products only)	20" \$70 24" \$83 30" \$100 36" \$121 42" \$143 48" \$164
A Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
49 49" high	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
18 18" wide	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
A Flat style top trim	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
4 4" base height	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
K Include knockouts in base	10. Window frame finish	Applicable finishes are listed on page 4 and 5.
B Tile divider, black reveal	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for extruded anodized aluminum reveal/tile divider: (as applicable by width) <i>Optional non fabric tiled side only, fabric side always black</i>
W281 Fabric selection - side 1		Width Add
V316 Maple surface - side 2		18" \$12 20" \$12 24" \$13 30" \$13 36" \$14 42" \$14 48" \$19
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

1. *Top trim profile:*
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum, anodized finish only

Beltway two sides, window panel 49" H tiled and monolithic with glass at top


Reff

Panels


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,024.	\$1,048.	\$1,090.	\$1,148.	\$1,192.	\$1,260.	\$1,304.
	20"	49"	R3B2TFFA49 20-() ()	1,024.	1,048.	1,090.	1,148.	1,192.	1,260.	1,304.
	24"	49"	R3B2TFFA49 24-() ()	1,061.	1,085.	1,127.	1,185.	1,229.	1,297.	1,341.
	30"	49"	R3B2TFFA49 30-() ()	1,134.	1,158.	1,200.	1,258.	1,302.	1,370.	1,414.
	36"	49"	R3B2TFFA49 36-() ()	1,363.	1,387.	1,429.	1,487.	1,531.	1,599.	1,643.
	42"	49"	R3B2TFFA49 42-() ()	1,484.	1,508.	1,550.	1,608.	1,652.	1,720.	1,764.
	48"	49"	R3B2TFFA49 48-() ()	1,557.	1,581.	1,623.	1,681.	1,725.	1,793.	1,837.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	1,222.	1,246.	1,288.	1,346.	1,390.	1,458.	1,502.
	36"	49"	R3B2TFFB49 36-() ()	1,457.	1,481.	1,523.	1,581.	1,625.	1,693.	1,737.
	42"	49"	R3B2TFFB49 42-() ()	1,578.	1,602.	1,644.	1,702.	1,746.	1,814.	1,858.
	48"	49"	R3B2TFFB49 48-() ()	1,659.	1,683.	1,725.	1,783.	1,827.	1,895.	1,939.



Monolithic, fabric both sides, Type A window on top, Beltway two sides	18"	49"	R3B2PFFA49 18-() ()	925.	941.	971.	1,041.	1,083.	1,145.	1,183.
	20"	49"	R3B2PFFA49 20-() ()	925.	941.	971.	1,041.	1,083.	1,145.	1,183.
	24"	49"	R3B2PFFA49 24-() ()	959.	975.	1,005.	1,075.	1,117.	1,179.	1,217.
	30"	49"	R3B2PFFA49 30-() ()	1,022.	1,038.	1,068.	1,138.	1,180.	1,242.	1,280.
	36"	49"	R3B2PFFA49 36-() ()	1,216.	1,232.	1,262.	1,332.	1,374.	1,436.	1,474.
	42"	49"	R3B2PFFA49 42-() ()	1,321.	1,337.	1,367.	1,437.	1,479.	1,541.	1,579.
	48"	49"	R3B2PFFA49 48-() ()	1,384.	1,400.	1,430.	1,500.	1,542.	1,604.	1,642.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B2 Beltway two sides	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
A Type A window	5. Panel side 2 finish (specify selection per insert)	
49 49" high	6. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
18 18" wide	7. Base finish	
A Flat style top trim	8. Beltway finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
4 4" base height	9. Window frame finish	
K Include knockouts in base	10. Glass option Temp = clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Applicable finishes are listed on page 4 and 5.
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

2. Base height:
4 = 4" base height
6 = 6" base height (add \$39 per panel for this option)

Beltway two sides, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type B window on top, Beltway two sides	30"	49"	R3B2PFFB49 30-() ()	\$1,110.	\$1,126.	\$1,156.	\$1,226.	\$1,268.	\$1,330.	\$1,368.
	36"	49"	R3B2PFFB49 36-() ()	1,310.	1,326.	1,356.	1,426.	1,468.	1,530.	1,568.
	42"	49"	R3B2PFFB49 42-() ()	1,415.	1,431.	1,461.	1,531.	1,573.	1,635.	1,673.
	48"	49"	R3B2PFFB49 48-() ()	1,486.	1,502.	1,532.	1,602.	1,644.	1,706.	1,744.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B2 Beltway two sides	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 81.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
A Type A window	5. Panel side 2 finish (specify selection per insert)	
49 49" high	6. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 81 at no charge.
18 18" wide	7. Base finish	
A Flat style top trim	8. Beltway finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
4 4" base height	9. Window frame finish	
K Include knockouts in base	10. Glass option Temp = clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Applicable finishes are listed on page 4 and 5.
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by width)



Width	Add
18"	\$70
20"	\$70
24"	\$83
30"	\$100
36"	\$121
42"	\$143
48"	\$164

Add to all products on this page: upcharge of \$30 per panel for P2 paint class options or \$55 per panel for P3 paint class options.

Stacking modules *fabric*

Reff

Panels

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	R3SFF08 18	\$166.	\$170.	\$186.	\$210.	\$222.	\$238.	\$250.
	20"	8"	R3SFF08 20	166.	170.	186.	210.	222.	238.	250.
	24"	8"	R3SFF08 24	174.	178.	194.	218.	230.	246.	258.
	30"	8"	R3SFF08 30	193.	197.	213.	237.	249.	265.	277.
	36"	8"	R3SFF08 36	212.	216.	232.	256.	268.	284.	296.
	42"	8"	R3SFF08 42	230.	234.	250.	274.	286.	302.	314.
	48"	8"	R3SFF08 48	248.	252.	268.	292.	304.	320.	332.
Stacking modules* Fabric both sides	18"	15"	R3SFF15 18	225.	237.	259.	287.	309.	343.	365.
	20"	15"	R3SFF15 20	225.	237.	259.	287.	309.	343.	365.
	24"	15"	R3SFF15 24	237.	249.	271.	299.	321.	355.	377.
	30"	15"	R3SFF15 30	261.	273.	295.	323.	345.	379.	401.
	36"	15"	R3SFF15 36	287.	299.	321.	349.	371.	405.	427.
	42"	15"	R3SFF15 42	310.	322.	344.	372.	394.	428.	450.
	48"	15"	R3SFF15 48	337.	349.	371.	399.	421.	455.	477.

Order Code

Example: R3SFF0820
R3 Reff Generation 3
S Stacking module
FF Fabric/fabric
08 8" high
20 20" wide
W281 Fabric selection - side 1
W281 Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

Application Notes

* Not for use on 79"H panels.

* * Suitable only for top of any panel. Cannot be stacked upon.





8" module will not accept additional modules on top.

Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window

Reff

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	RSWA15 18	\$365.	\$437.	\$12.	\$25.	\$39.
	20"	15"	RSWA15 20	365.	437.	12.	25.	39.
	24"	15"	RSWA15 24	384.	467.	12.	25.	42.
	30"	15"	RSWA15 30	444.	520.	12.	25.	47.
	36"	15"	RSWA15 36	461.	586.	12.	25.	48.
	42"	15"	RSWA15 42	485.	628.	12.	25.	50.
	48"	15"	RSWA15 48	502.	668.	12.	25.	53.
Stacking window module* Center mullion, type "B" 	30"	15"	RSWB15 30	532.	636.	12.	25.	56.
	36"	15"	RSWB15 36	556.	679.	12.	25.	59.
	42"	15"	RSWB15 42	580.	724.	12.	25.	61.
	48"	15"	RSWB15 48	602.	768.	12.	25.	63.
Stacking window module*   18" - 24" 30" - 48"	18"	30"	RSWC30 18	439.	509.	20.	31.	47.
	20"	30"	RSWC30 20	439.	509.	20.	31.	47.
	24"	30"	RSWC30 24	469.	554.	20.	31.	50.
	30"	30"	RSWC30 30	610.	714.	20.	31.	65.
	36"	30"	RSWC30 36	695.	821.	20.	31.	72.
	42"	30"	RSWC30 42	744.	889.	20.	31.	78.
	48"	30"	RSWC30 48	788.	956.	20.	31.	82.






Order Code	Specification Information	Application Notes
Example: RSWA1518 111 TEMP	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
A Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection on page 4.
18 18" wide	3. Glass type Temp = Clear tempered glass	
111 Jet Black, frame finish	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
TEMP Clear tempered glass		

Stacking modules

Reff

fabric one side/laminate, techwood or conventional veneer other side

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stacking modules **, ** Fabric and laminate 	18"	8"	R3SFL0818	\$188.	\$193.	\$207.	\$233.	\$244.	\$261.	\$275.
	20"	8"	R3SFL0820	188.	193.	207.	233.	244.	261.	275.
	24"	8"	R3SFL0824	204.	209.	223.	249.	260.	277.	291.
	30"	8"	R3SFL0830	228.	233.	247.	273.	284.	301.	315.
	36"	8"	R3SFL0836	250.	255.	269.	295.	306.	323.	337.
	42"	8"	R3SFL0842	272.	277.	291.	317.	328.	345.	359.
	48"	8"	R3SFL0848	295.	300.	314.	340.	351.	368.	382.
Stacking modules **, ** Fabric and techwood 	18"	8"	R3SF10818	192.	197.	211.	237.	248.	265.	279.
	20"	8"	R3SF10820	192.	197.	211.	237.	248.	265.	279.
	24"	8"	R3SF10824	207.	212.	226.	252.	263.	280.	294.
	30"	8"	R3SF10830	232.	237.	251.	277.	288.	305.	319.
	36"	8"	R3SF10836	254.	259.	273.	299.	310.	327.	341.
	42"	8"	R3SF10842	277.	282.	296.	322.	333.	350.	364.
	48"	8"	R3SF10848	299.	304.	318.	344.	355.	372.	386.
Stacking modules **, ** Fabric and conventional veneer 	18"	8"	R3SF20818	195.	200.	214.	240.	251.	268.	282.
	20"	8"	R3SF20820	195.	200.	214.	240.	251.	268.	282.
	24"	8"	R3SF20824	212.	217.	231.	257.	268.	285.	299.
	30"	8"	R3SF20830	235.	240.	254.	280.	291.	308.	322.
	36"	8"	R3SF20836	260.	265.	279.	305.	316.	333.	347.
	42"	8"	R3SF20842	283.	288.	302.	328.	339.	356.	370.
	48"	8"	R3SF20848	304.	309.	323.	349.	360.	377.	391.
Stacking modules* Fabric and laminate 	18"	15"	R3SFL1518	271.	282.	306.	334.	357.	393.	413.
	20"	15"	R3SFL1520	271.	282.	306.	334.	358.	393.	413.
	24"	15"	R3SFL1524	282.	293.	317.	345.	369.	404.	424.
	30"	15"	R3SFL1530	308.	319.	343.	371.	395.	430.	450.
	36"	15"	R3SFL1536	335.	346.	370.	398.	422.	457.	477.
	42"	15"	R3SFL1542	360.	371.	395.	423.	447.	482.	502.
	48"	15"	R3SFL1548	385.	396.	420.	448.	472.	507.	527.
Stacking modules* Fabric and techwood 	18"	15"	R3SF11518	277.	288.	312.	340.	364.	399.	419.
	20"	15"	R3SF11520	277.	288.	312.	340.	364.	399.	419.
	24"	15"	R3SF11524	287.	298.	322.	350.	374.	409.	429.
	30"	15"	R3SF11530	313.	324.	348.	376.	400.	435.	455.
	36"	15"	R3SF11536	340.	351.	375.	403.	427.	462.	482.
	42"	15"	R3SF11542	366.	377.	401.	429.	453.	488.	508.
	48"	15"	R3SF11548	392.	403.	427.	455.	479.	514.	534.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	* * Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.
S Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
FL Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
08 8" high		
18 18" wide		
W281 Fabric selection - side 1		
114 Folkstone Grey - side 2		


Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 4 and 5.

Stacking modules

Reff

fabric one side/laminate, techwood or conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stacking modules*	18"	15"	R3SF21518	\$280.	\$291.	\$315.	\$343.	\$367.	\$402.	\$422.
Fabric and conventional veneer	20"	15"	R3SF21520	280.	291.	315.	343.	367.	402.	422.
	24"	15"	R3SF21524	293.	304.	328.	356.	380.	415.	435.
	30"	15"	R3SF21530	320.	331.	355.	383.	407.	442.	462.
	36"	15"	R3SF21536	347.	358.	382.	410.	434.	469.	489.
	42"	15"	R3SF21542	374.	385.	409.	437.	461.	496.	516.
	48"	15"	R3SF21548	398.	409.	433.	461.	485.	520.	540.

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Application Notes

* Not for use on 79"H panels.

* * Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.




Applicable finishes are listed on page 4 and 5.

Panel connection posts

Generation 3

Reff

Panels

description	h		pattern no.	Reg. post list	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$57.	n/a
	15"	stacking module post	R3L15TT	112.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	143.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	215.	248.
	49"		R3L49(B)(F/T)(F/T)-() () ()	238.	275.
	64"		R3L64(B)(F/T)(F/T)-() () ()	264.	303.
	79"		R3L79(B)(F/T)(F/T)-() () ()	295.	339.
 T-Post	8"	stacking module post	R3T08T	72.	n/a
	15"	stacking module post	R3T15T	133.	n/a
	34"		R3T34(F/T)-() () ()	173.	n/a
	42"		R3T42(B)(F/T)-() () ()	190.	217.
	49"		R3T49(B)(F/T)-() () ()	215.	248.
	64"		R3T64(B)(F/T)-() () ()	238.	275.
	79"		R3T79(B)(F/T)-() () ()	265.	305.
 X-Post	8"	stacking module post	R3X08	63.	n/a
	15"	stacking module post	R3X15	122.	n/a
	34"		R3X34-() ()	162.	n/a
	42"		R3X42(B)-() ()	175.	203.
	49"		R3X49(B)-() ()	190.	217.
	64"		R3X64(B)-() ()	215.	248.
	79"		R3X79(B)-() ()	245.	280.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 224.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. Base height option
5. Base infeed knock-out (optional)
6. Tile divider option, if face type T
7. Finish, face covers (fabric, V1, V2 or painted to match laminate)
8. Top cap finish
9. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)

4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)

5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

4. *Base height:*
4 = 4" base height
6 = 6" base height (add \$39 list for this option)

5. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

6. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black reveal
E = Anodized alum look reveal

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 81. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).


Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 4 and 5.

Panel connection posts

Generation 3

Reff

description	h		pattern no.	Reg. post list	Beltway post list (B)
Straight post 	8"	stacking module post	R3S08TT	\$57.	n/a
	15"	stacking module post	R3S15TT	112.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	143.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	215.	248.
	49"		R3S49(B)(F/T)(F/T)-() () ()	238.	275.
	64"		R3S64(B)(F/T)(F/T)-() () ()	264.	303.
	79"		R3S79(B)(F/T)(F/T)-() () ()	295.	339.
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV		n/c

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 224.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. Base height option
5. Base infeed knock-out (optional)
6. Tile divider option, if face type T
7. Finish, face covers (fabric, V1, V2 or painted to match laminate)
8. Top cap finish
9. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum, anodized finish only

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)

4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

4. *Base height:*
4 = 4" base height
6 = 6" base height (add \$39 list for this option)

5. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

6. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black reveal
E = Anodized alum look reveal

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 81. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).


Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.


Applicable finishes are listed on page 4 and 5.

Panel trims and post covers for all applications


Reff


Panels

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
 End trim with hookstrip	-	34"		R2ES34(A/B/C/D/E)(4/6)(E/N)	\$196.	\$118.
	-	42"		R2ES42(A/B/C/D/E)(4/6)(E/N)	219.	138.
	-	49"		R2ES49(A/B/C/D/E)(4/6)(E/N)	242.	159.
	-	64"		R2ES64(A/B/C/D/E)(4/6)(E/N)	258.	178.
	-	79"		R2ES79(A/B/C/D/E)(4/6)(E/N)	315.	202.

 End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		R2HL3442ES(A/B/C/E)	102.	104.
	34"	49"		R2HL3449ES(A/B/C/E)	143.	106.
	34"	64"		R2HL3464ES(A/B/C/E)	183.	109.
	34"	79"		R2HL3479ES(A/B/C/E)	196.	120.
	42"	49"		R2HL4249ES(A/B/C/E)	102.	104.
	42"	64"		R2HL4264ES(A/B/C/E)	247.	106.
	42"	79"		R2HL4279ES(A/B/C/E)	284.	120.
	49"	64"		R2HL4964ES(A/B/C/E)	143.	109.
	49"	79"		R2HL4979ES(A/B/C/E)	183.	120.
	64"	79"		R2HL6479ES(A/B/C/E)	143.	106.

Application: for height changes that DO NOT involve a post

 Top trim for Hi-Lo conditions (Notched one side)	-		18"	RSNTT18(A/B/C/E)	73.	20.
	-	-	20"	RSNTT20(A/B/C/E)	73.	22.
	-	-	24"	RSNTT24(A/B/C/E)	81.	25.
	-	-	30"	RSNTT30(A/B/C/E)	90.	30.
	-	-	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	94.	38.
	-	-	36"	RSNTT36(A/B/C/E)	100.	38.
	-	-	42"	RSNTT42(A/B/C/E)	113.	39.
	-	-	48"	RSNTT48(A/B/C/E)	123.	56.

 End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	102.	104.
	42"	64"		R2HL4264ETS(A/B/C/E)	247.	106.
	42"	79"		R2HL4279ETS(A/B/C/E)	284.	120.

Order Code

Example:	R2ES34A6N
R2	Reff Generation 2
ES	End trim
34	34" high
A	Flat profile
6	6" base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

- To order please specify pattern number including:
- End trim:
- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum, anodized aluminum finish only
 - Base height option
4 = 4"
6 = 6"
 - Base type
E = electrical entry
N = standard base
 - Finish, end trim
V1, V2 or painted to match laminate
 - Finish, end trim base
painted or plated finish

Applicable finishes are listed on page 4 and 5.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
E = painted silver to match AA extruded aluminum panel reveal

Select paint or plated finish from page 4.

Add \$20 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.


Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail.

Panel trims and post covers for all applications

Reff

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
Post cover trim for tiled and monolithic posts	34"	42"		R2HL3442(F)CS ()	\$30.	
Hi-Lo applications	34"	49"		R2HL3449(F)CS ()	42.	
	34"	64"		R2HL3464(F/T)CS ()()	85.	
	34"	79"		R2HL3479(F/T)CS ()()	125.	
	42"	49"		R2HL4249(F)CS ()	30.	
	42"	64"		R2HL4264(F/T)CS ()()	70.	
	42"	79"		R2HL4279(F/T)CS ()()	113.	
	49"	64"		R2HL4964(F)CS ()	42.	
	49"	79"		R2HL4979(F/T)CS ()()	85.	
	64"	79"		R2HL6479(F)CS ()	42.	

Application: for height changes involving a post

Order Code

Example: R2ES34A6N	
R2	Reff Generation 2
ES	End trim
34	34" high
A	Flat profile
6	6" base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum, anodized aluminum finish only
- Base height option
4 = 4"
6 = 6"
- Base type
E = electrical entry
N = standard base
- Finish, end trim
V1, V2 or painted to match laminate
- Finish, end trim base
painted or plated finish

Applicable finishes are listed on page 4 and 5.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
E = painted silver to match AA extruded aluminum panel reveal

Select paint or plated finish from page 4.

Add \$20 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.


Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.


Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.


E profile end trim does not have base detail.

description	h	pattern no.	list price
 Ceiling entry L-post.	42"	R2L42C(F/T)(F/T)-(4/6)	\$215.
	49"	R2L49C(F/T)(F/T)-(4/6)	230.
	64"	R2L64C(F/T)(F/T)-(4/6)	244.
	79"	R2L79C(F/T)(F/T)-(4/6)	289.


Cable not included

 Ceiling entry T-post.	42"	R2T42C(F/T)-(4/6)	190.
	49"	R2T49C(F/T)-(4/6)	215.
	64"	R2T64C(F/T)-(4/6)	230.
	79"	R2T79C(F/T)-(4/6)	268.

Cable not included

 Ceiling entry X-post.	42"	R2X42C	175.
	49"	R2X49C	190.
	64"	R2X64C	215.
	79"	R2X79C	255.

Cable not included

 Ceiling entry straight line post.	42"	R2S42C(F/T)(F/T)-(4/6)	215.
	49"	R2S49C(F/T)(F/T)-(4/6)	230.
	64"	R2S64C(F/T)(F/T)-(4/6)	244.
	79"	R2S79C(F/T)(F/T)-(4/6)	289.

Cable not included

Order Code	Specification Information	Application Notes
Example: R2L42CTT4 R2 Reff Generation 2 L L-post 42 42" high C Ceiling power entry T Tiled style face T Tiled style face 4 Base height W230 Fabric selection 111 Jet Black (base finish)	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Post face option Base height option Finish type, where applicable Finish, where applicable Base finish Canopy finish (ceiling entry pole only) <p>1. <i>Face type:</i> F = Full height T = Tiled</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height</p> <p>3. <i>Finish type:</i> F = Fabric L = Laminate 1 = V1 2 = V2</p>	<p>Data cable application requires the post and the pole only.</p> <p>*Must order post, pole and cable for electrical application.</p> <p>The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.</p> <p>To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.</p> <p>6"H base raceway option increase entire post height by 2 3/4". (Please add \$39 list per post for this option). Price does not apply to X-post.</p> <p>The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).</p> <p>Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.</p> <p>Hi-lo ceiling post covers must be ordered in hi-lo applications from 79.</p>

Applicable finishes are listed on page 4 and 5.

description	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet	41"	RCP41-(F/L/1/2)*	\$430.
	56"	RCP56-(F/L/1/2)*	446.
	71"	RCP71-(F/L/1/2)*	501.
	78"	RCP78-(F/L/1/2)*	517.



Cable not included

Ceiling power cable infeed. For use with Ceiling entry Pole and Post combination	RR3EPVR-(Eight wire)	251.
	RR3TPVR-(Ten wire)	304.



One size fits all post sizes (13' of cable)

Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
42 42" high	3. Finish type, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
C Ceiling power entry	4. Finish, where applicable	6"H base raceway option increase entire post height by 2 3/4". (Please add \$39 list per post for this option). Price does not apply to X-post.
T Tiled style face	5. Base finish	The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
T Tiled style face	6. Canopy finish (ceiling entry pole only)	Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
4 Base height	1. <i>Face type:</i> F = Full height T = Tiled	Hi-lo ceiling post covers must be ordered in hi-lo applications from 79.
W230 Fabric selection	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height	
111 Jet Black (base finish)	3. <i>Finish type:</i> F = Fabric L = Laminate 1 = V1 2 = V2	


Applicable finishes are listed on page 4 and 5.


Ceiling cable entry post covers

Alignment kits and wall starters

Reff

Panels

description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$30.
	34"	49"			RPHL3449(F/T)	42.
	34"	64"			RPHL3464(F/T)	85.
	34"	79"			RPHL3479(F/T)	125.
	42"	49"			RPHL4249(F/T)	58.
	42"	64"			RPHL4264(F/T)	81.
	42"	79"			RPHL4279(F/T)	88.
	49"	64"			RPHL4964(F/T)	81.
	49"	79"			RPHL4979(F/T)	88.
	64"	79"			RPHL6479(F/T)	63.

Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	30.
	42"	64"			RPHL4264S	70.
	42"	79"			RPHL4279S	113.
	49"	64"			RPHL4964S	42.
	49"	79"			RPHL4979S	85.
	64"	79"			RPHL6479S	42.

Wall starter			7/8"	8"	R2SWS0008	40.
			7/8"	15"	R2SWS0015	54.
			7/8"	34"	R2SWS0034	106.
			7/8"	42"	R2SWS0042	130.
			7/8"	49"	R2SWS0049	152.
			7/8"	64"	R2SWS0064	199.
			7/8"	79"	R2SWS0079	245.

Panel alignment kits 					R3SPABPT	5.
					R3SPABTD	5.
					R3SPABTT	5.
					R3SPABTW	5.
					RSPABPD	5.
					RSPABPP	5.
					RSPABPT	5.
					RSPABPW	5.
					RSPABTD	5.
					RSPABTT	5.
					RSPABTW	5.
					RSPABWD	5.
				RSPABWW	5.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	1. Face type	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	2. Select finish fabric, laminate or veneer	Alignment kits help to improve the stability of panel runs.
HL Hi lo cover	<i>1. Face type options:</i>	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
42 42" low panel	F = Full	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	T = Tiled	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
T Tiled face type	Applicable finishes are listed on page 4 and 5.	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64"	RRDPPL(L/R)6436()		\$2,338.	\$2,421.	\$3,236.
		36"	79"	RRD3PPL(L/R)7936()()		2,549.	2,641.	3,565.
		42"	64"	RRDPPL(L/R)6442()		2,383.	2,465.	3,277.
		42"	79"	RRD3PPL(L/R)7942()()		2,589.	2,679.	3,604.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		2,549.	2,641.	3,565.
		42"	79"	RRD3FTCPPL(L/R)7942()		2,589.	2,679.	3,604.
Partial width threshold (full width threshold)		3"	50"	RRDTH()		271.		
		3"	96"	RRDTH(L/R)()		347.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()			3,045.
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()			3,538.
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()			3,045.
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()			3,538.



Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
B = Square
C = Bullnose

2. Base height:

- 4 = 4" base
6 = 6" base (add \$36 for this option)

3. Lock option:

- N = Not drilled
D = Drilled *
L = Drilled lock set included
D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
GL6 = Block matrix
GL8 = Wafer glass
P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 4 and 5.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 79).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$101.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	101.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	(Qty of 15)	3/8"	79"	RHSC15	n/c
	(Qty of 250)	3/8"	79"	RHSC250	n/c
	(Qty of 70)	3/8"	79"	RHSC70	n/c
	Carpet gripper(Pack of 10)			R2CG	18.

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

Application Notes

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.




R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

Floor to ceiling modules

21" high, for 104" ceiling height and 79" high panels
fabric and glass

Reff

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	R3FTCFF2118			\$277.	\$281.	\$293.	\$345.	\$361.	\$411.	\$463.
	20"	21"	R3FTCFF2120			277.	281.	293.	345.	361.	411.	463.
	24"	21"	R3FTCFF2124			292.	296.	308.	360.	376.	426.	478.
	30"	21"	R3FTCFF2130			323.	327.	339.	391.	407.	457.	509.
	36"	21"	R3FTCFF2136			347.	351.	363.	415.	431.	481.	533.
	42"	21"	R3FTCFF2142			378.	382.	394.	446.	462.	512.	564.
	48"	21"	R3FTCFF2148			406.	410.	422.	474.	490.	540.	592.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	RFTCWA2118	390.	460.							
	20"	21"	RFTCWA2120	390.	460.							
	24"	21"	RFTCWA2124	410.	495.							
	30"	21"	RFTCWA2130	477.	581.							
	36"	21"	RFTCWA2136	499.	620.							
	42"	21"	RFTCWA2142	526.	671.							
	48"	21"	RFTCWA2148	550.	712.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	RFTCWB2130	556.	658.							
	36"	21"	RFTCWB2136	603.	726.							
	42"	21"	RFTCWB2142	638.	779.							
	48"	21"	RFTCWB2148	667.	833.							




Order Code	Specification Information	Application Notes
Example: R3FTCFF2118	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (³ / ₁₆ " thick).
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	Specify the finish for frames from paint selection on page 4.
18 18" wide		Add to all ceiling window modules on this page an upcharge of \$30 per module for P2 paint class options or \$55 per module per P3 paint class options.
W281 Fabric selection - side 1	<i>For window panel:</i>	Provide elevation drawing for mixed fabrics or veneers.
W281 Fabric selection - side 2	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
111 Jet Black soffit	2. Frame finish	
	3. Glass type	
		Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.
		Use of Reff FTC modules must be approved by local building authorities.
		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
		No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

25" high, for 108" ceiling height and 79" high panels
fabric and glass

Reff

Panels


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$311.	\$315.	\$323.	\$393.	\$407.	\$473.	\$529.
	20"	25"	R3FTCFF2520			311.	315.	323.	393.	407.	473.	529.
	24"	25"	R3FTCFF2524			329.	333.	341.	411.	425.	491.	547.
	30"	25"	R3FTCFF2530			358.	362.	370.	440.	454.	520.	576.
	36"	25"	R3FTCFF2536			390.	394.	402.	472.	486.	552.	608.
	42"	25"	R3FTCFF2542			422.	426.	434.	504.	518.	584.	640.
	48"	25"	R3FTCFF2548			452.	456.	464.	534.	548.	614.	670.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	408.	478.							
	20"	25"	RFTCWA2520	408.	478.							
	24"	25"	RFTCWA2524	435.	518.							
	30"	25"	RFTCWA2530	503.	607.							
	36"	25"	RFTCWA2536	527.	650.							
	42"	25"	RFTCWA2542	561.	703.							
	48"	25"	RFTCWA2548	585.	748.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	579.	679.							
	36"	25"	RFTCWB2536	640.	764.							
	42"	25"	RFTCWB2542	680.	823.							
	48"	25"	RFTCWB2548	718.	882.							


Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (3/16" thick). Specify the finish for frames from paint selection on page 4. Add to all ceiling window modules on this page an upcharge of \$30 per module for P2 paint class options or \$55 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim.
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
25 25" high	4. Soffit finish (paint)	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors. Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying. No additional acoustic rating occurs on FTC installations.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	


Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

Reff

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$405.	\$409.	\$419.	\$519.	\$537.	\$635.	\$727.
	20"	37"	R3FTCFF3720			405.	409.	419.	519.	537.	635.	727.
	24"	37"	R3FTCFF3724			429.	433.	443.	543.	561.	659.	751.
	30"	37"	R3FTCFF3730			466.	470.	480.	580.	598.	696.	788.
	36"	37"	R3FTCFF3736			506.	510.	520.	620.	638.	736.	828.
	42"	37"	R3FTCFF3742			544.	548.	558.	658.	676.	774.	866.
	48"	37"	R3FTCFF3748			582.	586.	596.	696.	714.	812.	904.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	467.	536.
	20"	37"	RFTCWA3720	467.	536.
	24"	37"	RFTCWA3724	502.	584.
	30"	37"	RFTCWA3730	593.	683.
	36"	37"	RFTCWA3736	616.	738.
	42"	37"	RFTCWA3742	657.	798.
48"	37"	RFTCWA3748	692.	858.	

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	639.	742.
	36"	37"	RFTCWB3736	753.	876.
	42"	37"	RFTCWB3742	812.	953.
	48"	37"	RFTCWB3748	864.	1,029.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (3/16" thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 4.
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
37 37" high	4. Soffit finish (paint)	
18 18" wide		Add to all ceiling window modules on this page an upcharge of \$30 per module for P2 paint class options or \$55 per module per P3 paint class options.
W281 Fabric selection - side 1	<i>For window panel:</i>	Provide elevation drawing for mixed fabrics or veneers.
W281 Fabric selection - side 2	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
111 Jet Black soffit	2. Frame finish	
	3. Glass type	
		Ceiling height includes 4" allowance for trim.

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules


21" and 25" high modules, fabric one side,
laminated, techwood or conventional veneer other side


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	R3FTCFL2118	\$317.	\$319.	\$323.	\$351.	\$360.	\$386.	\$414.
	20"	21"	R3FTCFL2120	317.	319.	323.	351.	360.	386.	414.
	24"	21"	R3FTCFL2124	328.	330.	334.	362.	371.	397.	425.
	30"	21"	R3FTCFL2130	368.	370.	374.	402.	411.	437.	465.
	36"	21"	R3FTCFL2136	400.	402.	406.	434.	443.	469.	497.
	42"	21"	R3FTCFL2142	435.	437.	441.	469.	478.	504.	532.
	48"	21"	R3FTCFL2148	468.	470.	474.	502.	511.	537.	565.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	R3FTCF12118	323.	325.	329.	357.	366.	392.	420.
	20"	21"	R3FTCF12120	323.	325.	329.	357.	366.	392.	420.
	24"	21"	R3FTCF12124	335.	337.	341.	369.	378.	404.	432.
	30"	21"	R3FTCF12130	374.	376.	380.	408.	417.	443.	471.
	36"	21"	R3FTCF12136	405.	407.	411.	439.	448.	474.	502.
	42"	21"	R3FTCF12142	440.	442.	446.	474.	483.	509.	537.
	48"	21"	R3FTCF12148	478.	480.	484.	512.	521.	547.	575.


Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	R3FTCF22118	329.	331.	335.	363.	372.	398.	426.
	20"	21"	R3FTCF22120	329.	331.	335.	363.	372.	398.	426.
	24"	21"	R3FTCF22124	340.	342.	346.	374.	383.	409.	437.
	30"	21"	R3FTCF22130	382.	384.	388.	416.	425.	451.	479.
	36"	21"	R3FTCF22136	412.	414.	418.	446.	455.	481.	509.
	42"	21"	R3FTCF22142	449.	451.	455.	483.	492.	518.	546.
	48"	21"	R3FTCF22148	484.	486.	490.	518.	527.	553.	581.


Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	R3FTCFL2518	341.	343.	349.	385.	392.	426.	456.
	20"	25"	R3FTCFL2520	341.	343.	349.	385.	392.	426.	456.
	24"	25"	R3FTCFL2524	352.	354.	360.	396.	403.	437.	467.
	30"	25"	R3FTCFL2530	402.	404.	410.	446.	453.	487.	517.
	36"	25"	R3FTCFL2536	435.	437.	443.	479.	486.	520.	550.
	42"	25"	R3FTCFL2542	477.	479.	485.	521.	528.	562.	592.
	48"	25"	R3FTCFL2548	516.	518.	524.	560.	567.	601.	631.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) <p>Applicable finishes are listed on page 4 and 5.</p>	<p>Provide elevation drawing for mixed fabrics or veneers.</p> <p>Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.</p> <p>Ceiling height includes 4" allowance for trim.</p> <p>Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.</p> <p>Modules on this page will not support the hanging of panel mount product.</p>
R3 Reff Generation 3		
FTC Floor to ceiling		
FL Fabric/laminate		
21 21" high		
18 18" wide		
W281 Fabric selection - side 1		
114 Folkstone grey - side 2		
111 Jet Black soffit		

Floor to ceiling modules
 21" and 25" high modules, fabric one side,
 laminate, techwood or conventional veneer other side


Reff


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	25"	R3FTCF12518	\$347.	\$349.	\$355.	\$391.	\$398.	\$432.	\$462.
Fabric one side, techwood other side, 25"	20"	25"	R3FTCF12520	347.	349.	355.	391.	398.	432.	462.
	24"	25"	R3FTCF12524	357.	359.	365.	401.	408.	442.	472.
	30"	25"	R3FTCF12530	408.	410.	416.	452.	459.	493.	523.
	36"	25"	R3FTCF12536	441.	443.	449.	485.	492.	526.	556.
	42"	25"	R3FTCF12542	486.	488.	494.	530.	537.	571.	601.
	48"	25"	R3FTCF12548	523.	525.	531.	567.	574.	608.	638.


Stack-on floor to ceiling module	18"	25"	R3FTCF22518	352.	354.	360.	396.	403.	437.	467.
Fabric one side, conventional veneer other side, 25"	20"	25"	R3FTCF22520	352.	354.	360.	396.	403.	437.	467.
	24"	25"	R3FTCF22524	364.	366.	372.	408.	415.	449.	479.
	30"	25"	R3FTCF22530	415.	417.	423.	459.	466.	500.	530.
	36"	25"	R3FTCF22536	450.	452.	458.	494.	501.	535.	565.
	42"	25"	R3FTCF22542	493.	495.	501.	537.	544.	578.	608.
	48"	25"	R3FTCF22548	533.	535.	541.	577.	584.	618.	648.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	Ceiling height includes 4" allowance for trim.
FL Fabric/laminate	3. Panel side 2 finish	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
21 21" high	4. Soffit finish (paint)	Modules on this page will not support the hanging of panel mount product.
18 18" wide	Applicable finishes are listed on page 4 and 5.	Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.
W281 Fabric selection - side 1		Use of Reff FTC modules must be approved by local building authorities.
114 Folkstone grey - side 2		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
111 Jet Black soffit		

Floor to ceiling modules
 37" high modules, fabric one side,
 laminate, techwood or conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	R3FTCFL3718	\$415.	\$417.	\$422.	\$474.	\$483.	\$535.	\$582.
	20"	37"	R3FTCFL3720	415.	417.	422.	474.	483.	535.	582.
	24"	37"	R3FTCFL3724	423.	425.	430.	482.	481.	543.	590.
	30"	37"	R3FTCFL3730	502.	504.	509.	561.	570.	622.	669.
	36"	37"	R3FTCFL3736	543.	545.	550.	602.	611.	663.	710.
	42"	37"	R3FTCFL3742	606.	608.	613.	665.	674.	726.	773.
	48"	37"	R3FTCFL3748	661.	663.	668.	720.	729.	781.	828.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	R3FTCF13718	422.	424.	429.	481.	490.	542.	589.
	20"	37"	R3FTCF13720	422.	424.	429.	481.	490.	542.	589.
	24"	37"	R3FTCF13724	428.	430.	435.	487.	496.	548.	595.
	30"	37"	R3FTCF13730	509.	511.	516.	568.	577.	629.	676.
	36"	37"	R3FTCF13736	553.	555.	560.	612.	621.	673.	720.
	42"	37"	R3FTCF13742	620.	622.	627.	679.	688.	740.	787.
	48"	37"	R3FTCF13748	674.	676.	681.	733.	742.	794.	841.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	R3FTCF23718	427.	429.	434.	486.	495.	547.	594.
	20"	37"	R3FTCF23720	427.	429.	434.	486.	495.	547.	594.
	24"	37"	R3FTCF23724	438.	440.	445.	497.	506.	558.	605.
	30"	37"	R3FTCF23730	518.	520.	525.	577.	586.	638.	685.
	36"	37"	R3FTCF23736	561.	563.	568.	620.	629.	681.	728.
	42"	37"	R3FTCF23742	628.	630.	635.	687.	696.	748.	795.
	48"	37"	R3FTCF23748	686.	688.	693.	745.	754.	806.	853.

Order Code	Specification Information	Application Notes
Example: R3FTCFL3718 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 37 37" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 4 and 5.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.






Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

Reff

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$163.
	add on	25"	R3FTCL25	182.
	add on	37"	R3FTCL37	235.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	371.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	371.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	371.
 T-Post	add on	21"	R3FTCT21	177.
	add on	25"	R3FTCT25	193.
	add on	37"	R3FTCT37	248.
	full height	104"	R3FTCT104(F/T)-() ()	334.
	full height	108"	R3FTCT108(F/T)-() ()	334.
	full height	120"	R3FTCT120(F/T)-() ()	334.
 X-Post	add on	21"	R3FTCX21	162.
	add on	25"	R3FTCX25	179.
	add on	37"	R3FTCX37	234.
	full height	104"	R3FTCX104	306.
	full height	108"	R3FTCX108	306.
	full height	120"	R3FTCX120	306.
 Straight post	add on	21"	R3FTCS21	163.
	add on	25"	R3FTCS25	182.
	add on	37"	R3FTCS37	235.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	371.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	371.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	371.
 End post	add on	21"	R3FTCE21	177.
	add on	25"	R3FTCE25	193.
	add on	37"	R3FTCE37	248.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	334.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	334.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	334.

Order Code	Specification Information	Application Notes
Example: R3FTCL104TT-6N R3FTC Reff Gen 3 Floor to ceiling L Corner post 104 104" high (one piece) TT Tiled appearance 6 6" base height N No base infeed raceway knock-out W808 Fabric selection 111 Jet Black (base finish)	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Post face option Base height option Base infeed raceway knock-out, (optional) Fabric selection Base color <p><i>1. Face type:</i> F = Full height (monolithic look) T = Tiled</p> <p><i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$39 list for this option)</p> <p><i>3. Electrical infeed post:</i> L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None</p>	<p>The posts on this page do not support the hanging of panel mount product above the 79"H panels.</p> <p>The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.</p> <p>If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.</p> <p>Left and Right hand locations are determined by facing the post in question from the outside of the station.</p> <p>Hookstrip cover reveal strips are no charge but must be ordered separately from page 81.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>

Required components for floor to ceiling applications

Reff

Panels

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$54.
	25"	RFTCWS25S	69.
	37"	RFTCWS37S	83.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	199.
Caddy clips (box of 100)		RFTCCLIPS	289.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSPACE	91.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		R3FTCSM (Pair) for G3 only	7.
		RFTCSM (Pair) for G2 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.


Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Fabric/laminate/wood options 2. Paint option for metal soffit <p>All floor to ceiling posts mimic the panel system post application.</p>	<p>*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.</p> <p>Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.</p> <p>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</p> <p>Use of Reff FTC components must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		


Power distribution components

2+2 Base Raceway

four circuit, eight-wire raceway for panels

power rails and connector


description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-E24	\$129.
	30" panel	12"	2"	2"	RR3-E30	143.
	36" panel	18"	2"	2"	RR3-E36	156.
	42" panel	24"	2"	2"	RR3-E42	163.
	48" panel	30"	2"	2"	RR3-E48	170.
	60" panel	42"	2"	2"	RR3-E60-4	258.
	66" panel	48"	2"	2"	RR3-E66-4	272.
	72" panel	54"	2"	2"	RR3-E72-4	292.

	Straight	16 1/2"	2"	2"	RR3-EPC24	75.
		18 1/2"	2"	2"	RR3-EPCS	75.
		20 1/4"	2"	2"	RR3-EPC	75.

Use **RR3-EPC24** for straight 24" to 24" wide panel.
 Use **RR3-EPCS** for straight 24" to any other width panel and for 30" to 30" wide panels.
 Use **RR3-EPC** for all other straight power connection configurations.

Through post	19"	2"	2"	RR3-EPCP24	75.
	21"	2"	2"	RR3-EPCPS	75.
	22 3/4"	2"	2"	RR3-EPCP	75.

Use **RR3-EPCP24** for through post 24" to 24" wide panels.
 Use **RR3-EPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.
 Use **RR3-EPCP** for all other through post power connection configurations.

	Circuit A	RR3-DA	35.
	Circuit B	RR3-DB	35.
	Circuit X	RR3-DX	35.
	Circuit Y	RR3-DY	35.

	Circuit X	RR3-DXO	40.
	Circuit Y	RR3-DYO	40.

Order Code	Specification Information	Application Notes
Example: RR3-E-30 RR3 Reff raceway E Eight wire 2+2 30 for 30" panel	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting. Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway, shielded from power conductors and outlets by grounded steel barriers. Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard




outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.


*Power connectors must be specified according to the panel widths in the specified orientation.


Power distribution components
 2+2 Base Raceway
 four circuit, eight-wire raceway for panels
 jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-EJ18	\$94.
	20" panel	40"	2"	2"	RR3-EJ20	94.
	24" panel	44"	2"	2"	RR3-EJ24	101.
	30" panel	50"	2"	2"	RR3-EJ30	108.
	36" panel	56"	2"	2"	RR3-EJ36	117.
	42" panel	62"	2"	2"	RR3-EJ42	123.
	48" panel	68"	2"	2"	RR3-EJ48	129.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	136.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	143.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	150.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	156.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	163.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	170.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	177.
96" panel run	118 1/2"	2"	2"	RR3-EJ96P	184.	
	18" + post	40 1/2"	2"	2"	RR3-EJ18P	94.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	94.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	101.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	108.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	117.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	123.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	129.
	Ceiling power cable infeed				RR3-EPVR	251.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	189.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	284.
	Panel base end feed				RR3-REPI	225.
	Panel base side infeed				RR3-EPI	225.
	Surge suppressors				RR3-SP-(A,B,X,Y)	163.

Order Code	Specification Information	Application Notes
Example: RR3-EPVR RR3 Reff raceway E Eight wire 2+2 P power infeed VR for vertical raceway	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground. For use in Canada, all circuits are CGA rated 15 amp capacity. <i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H. Beltway panels can use jumpers at the panel base in a straight run or around a corner.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post. Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection
		into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately. Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. RR3-EPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-EPNY1 includes only one power connector. Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-T24	\$150.
	30" panel	12"	2"	2"	RR3-T30	163.
	36" panel	18"	2"	2"	RR3-T36	177.
	42" panel	24"	2"	2"	RR3-T42	189.
	48" panel	30"	2"	2"	RR3-T48	197.
	60" panel	42"	2"	2"	RR3-T60-4	306.
	66" panel	48"	2"	2"	RR3-T66-4	319.
	72" panel	54"	2"	2"	RR3-T72-4	341.

	Straight	16 1/2"	2"	2"	RR3-TPC24	94.
		18 1/2"	2"	2"	RR3-TPCS	94.
		20 1/4"	2"	2"	RR3-TPC	94.

Use **RR3-TPC24** for through post 24" to 24" wide panels.

Use **RR3-TPCS** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-TPC** for all other through post power connection configurations.


Through post	19"	2"	2"	RR3-TPCP24	94.
	21"	2"	2"	RR3-TPCPS	94.
	22 3/4"	2"	2"	RR3-TPCP	94.

Use **RR3-TPCP24** for through post 24" to 24" wide panels.

Use **RR3-TPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-TPCP** for all other through post power connection configurations.

	Circuit A	RR3-DA	35.
	Circuit B	RR3-DB	35.
	Circuit C	RR3-DC	35.
	Circuit X	RR3-DX	35.
	Circuit Y	RR3-DY	35.
	Circuit Z	RR3-DZ	35.

	Circuit X	RR3-DXO	40.
	Circuit Y	RR3-DYO	40.
	Circuit Z	RR3-DZO	40.

Order Code

Example: RR3-T-30	
RR3	Reff raceway
T	Ten wire 3+3
30	for 30" panel

Specification Information

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Note:

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway, shielded from power conductors and outlets by grounded steel septums.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.

*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.




Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.

Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels

jumpers and infeed


description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-TJ18	\$108.
	20" panel	40"	2"	2"	RR3-TJ20	108.
	24" panel	44"	2"	2"	RR3-TJ24	117.
	30" panel	50"	2"	2"	RR3-TJ30	123.
	36" panel	56"	2"	2"	RR3-TJ36	129.
	42" panel	62"	2"	2"	RR3-TJ42	143.
	48" panel	68"	2"	2"	RR3-TJ48	156.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	163.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	170.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	177.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	184.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	189.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	206.
90" panel run	112 1/2"	2"	2"	RR3-TJ90P	211.	
96" panel run	118 1/2"	2"	2"	RR3-TJ96P	217.	
	18" + post	40 1/2"	2"	2"	RR3-TJ18P	108.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	108.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	117.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	123.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	129.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	143.
	Ceiling power cable infeed				RR3-TPVR	304.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	217.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	313.
	Panel base end feed				RR3-RTPI	258.
	Panel base side infeed				RR3-TPI	258.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	163.

* Select which circuit needs protecting and order the specified surge processor.


** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$136.
	30" panel		RR3-E30S	156.
	36" panel		RR3-E36S	170.
	42" panel		RR3-E42S	184.
	48" panel		RR3-E48S	189.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	163.
	30" panel		RR3-T30S	177.
	36" panel		RR3-T36S	189.
	42" panel		RR3-T42S	206.
	48" panel		RR3-T48S	211.




Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	94.
	Beltway post	19 1/2"	RR3-LTPC	94.
	Beltway post	21 1/2"	RR3-LTPCP	94.



Only necessary for post applications where cable will turn 90°ree.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	136.
	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	128.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCL	144.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	136.

Order Code	Specification Information	Application Notes
Example: RR3-T42S	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector. Two side beltway panels use power rail for base. Single side beltway panel use one sided power rail for base. <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages. Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.
RR3 Reff raceway		
T Ten wire 3+3		
42 For 42" panel		
S Single sided power		
*Power connectors must be specified according to the panel widths in the specified orientation.		Vertical Adjacent Jumper * *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers. Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$129.
	24" wide Ten Wire		RR3TJ48	156.
	30" wide Eight Wire		RR3EJ60P	143.
	30" wide Ten Wire		RR3TJ60P	170.
	36" wide Eight Wire		RR3EJ60P	143.
	36" wide Ten Wire		RR3TJ60P	170.
	42" wide Eight Wire		RR3EJ66P	150.
	42" wide Ten Wire		RR3TJ66P	177.
	48" wide Eight Wire		RR3EJ72P	156.
	48" wide Ten Wire		RR3TJ72P	184.

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.






Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper


* **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$13.
	Faceplate extender, black	RR3-FE	32.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
 Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	19.
	Cat 3 RJ11/14/25, black	RR3-C3C	12.
	CAT 5 RJ45 universal	RR3-C5C	19.
	CAT 6 universal	RR3-C6C	33.
	F series video coupler, black	RR3-FV	19.
	ST style coupler, black	RR3-ST	33.
 Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	13.
	Mixed icons, 16 piece black	RR3-MICON	13.
	Phone icons, 16 piece black	RR3PICON	13.
 Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	127.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	127.
 Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	160.
	ST style dual fiber optic side mount	RR3-FOST	91.
 Desktop duplex monument	2-RJ11 (telephone)	RGMD6	97.
	2-RJ45's (phone and intercom)	RGMD8	107.
	Duplex outlet (electrical)	RGMDE	116.

Order Code	Specification Information	Application Notes
Example: RR3-2PF	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
RR3 Reff raceway		
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
RR3 Reff raceway		
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in either wood or fabric inserts. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.





Vertical power port bracket kit and duplex.

Reff Ported Panel Components

port, vertical duplex and panel jumpers

Reff

description	type	pattern no.	list price
Port 	Floating data port	RR3FDP	\$50.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	79.
Vertical Duplex 	Vertical Duplex A (8/10 wire applications)	RR3VDA	27.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	27.
	Vertical Duplex C (10 wire applications)	RR3VDC	27.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	27.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	27.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	27.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	27.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	27.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	27.
Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	RR3EBVC50	136.
	30" same Panel Jumper 64" 8w	RR3EBVC64	148.
	30" same Panel Jumper 78" 8w	RR3EBVC78	160.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	147.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	159.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	173.
Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	155.
	30" same Panel Jumper 64" 10w	RR3TBVC64	170.
	30" same Panel Jumper 78" 10w	RR3TBVC78	186.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	166.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	182.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	197.

Order Code	Specification Information	Application Note
Example: RR3VPBK RR3 Reff VP Vertical port BK Bracket kit	For data and communications specify product listed on page 96.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h 36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h
		If harness is in base of 24" panel you can not jump vertically, must remove harness Internal panel jumper to be used within a panel, between two ports approximate span 48" Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.


Reff Ported Panel Components

port, vertical duplex and panel jumpers

Reff


Panels

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$213.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	183.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	199.



Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	187.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	163.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	176.


Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	137.
	Internal Panel Jumper 8 w	RR3EVJ	127.



Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 96.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h</p> <p>64" will support port location in extreme top corner of 64"h</p> <p>78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h</p> <p>76" will support port location in extreme top corner of 64"h</p> <p>90" will support port location in extreme top corner of 79"h</p>
RR3 Reff		
VP Vertical port		
BK Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48"</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

Worksurface tops
rectilinear
20" and 24" deep


Reff

description	d	w	pattern no.	Option A	Option A	Option A	Option B	Option B	Option B	
				1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2	1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V2	
Straight rectangular work tops 	20"	24"	RS(A/B)241-() ()	\$279.	\$289.	\$332.	\$362.	\$499.	\$573.	
		30"	RS(A/B)301-() ()	305.	318.	364.	375.	519.	596.	
		36"	RS(A/B)361-() ()	322.	334.	385.	397.	545.	627.	
		42"	RS(A/B)421-() ()	335.	350.	402.	428.	590.	678.	
		48"	RS(A/B)481-() ()	351.	363.	417.	459.	633.	731.	
		54"	RS(A/B)541-() ()	365.	378.	437.	483.	665.	764.	
		60"	RS(A/B)601-() ()	395.	408.	470.	507.	698.	801.	
		66"	RS(A/B)661-() ()	405.	421.	485.	528.	731.	840.	
		72"	RS(A/B)721-() ()	427.	443.	509.	550.	760.	875.	
		78"	RS(A/B)781-() ()	433.	448.	516.	580.	800.	921.	
		84"	RS(A/B)841-() ()	459.	479.	549.	609.	841.	965.	
		90"	RS(A/B)901-() ()	480.	498.	572.	636.	881.	1,013.	
		96"	RS(A/B)961-() ()	498.	516.	593.	668.	921.	1,059.	
		24"	24"	RS(A/B)242-() ()	292.	303.	350.	378.	523.	602.
			30"	RS(A/B)302-() ()	331.	343.	395.	415.	573.	658.
			36"	RS(A/B)362-() ()	343.	358.	410.	434.	599.	689.
			42"	RS(A/B)422-() ()	356.	368.	424.	466.	645.	739.
48"	RS(A/B)482-() ()		378.	395.	454.	498.	687.	791.		
54"	RS(A/B)542-() ()		405.	421.	485.	520.	717.	826.		
60"	RS(A/B)602-() ()		436.	452.	519.	544.	750.	862.		
66"	RS(A/B)662-() ()		448.	466.	537.	567.	782.	900.		
72"	RS(A/B)722-() ()		470.	487.	562.	589.	813.	935.		
78"	RS(A/B)782-() ()		490.	511.	589.	618.	853.	982.		
84"	RS(A/B)842-() ()		511.	531.	611.	649.	894.	1,029.		
90"	RS(A/B)902-() ()	537.	555.	637.	677.	936.	1,075.			
96"	RS(A/B)962-() ()	555.	576.	664.	708.	977.	1,124.			

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2
R Reff	1. Top thickness	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
S Straight top	2. Grommet option	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
24 24" wide	4. Top finish	1 3/4" tops require support at mid point to reduce spans to 66" or less.
1 20" deep	5. Grommet finish	Mixed finish 1 3/4" tops are not post-formed.
R Recessed grommet location	1. <i>Thickness options:</i> A = 1 1/4" B = 1 3/4"	
L Laminate finish	2. <i>Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
114 Folkstone grey		Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
111 Jet Black (grommet)		Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Worksurface tops
rectilinear
30" and 36" deep

Reff

description	d	w	pattern no.	Option A	Option A	Option A	Option B	Option B	Option B	
				1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2	1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V2	
Straight rectangular work tops 	30"	24"	RS(A/B)243-() ()	\$319.	\$331.	\$379.	\$452.	\$625.	\$717.	
		30"	RS(A/B)303-() ()	359.	372.	428.	467.	646.	740.	
		36"	RS(A/B)363-() ()	385.	401.	460.	485.	670.	770.	
		42"	RS(A/B)423-() ()	402.	416.	480.	511.	706.	812.	
		48"	RS(A/B)483-() ()	429.	445.	512.	538.	740.	852.	
		54"	RS(A/B)543-() ()	464.	482.	552.	561.	772.	886.	
		60"	RS(A/B)603-() ()	481.	499.	573.	581.	801.	922.	
		66"	RS(A/B)663-() ()	489.	510.	588.	604.	834.	959.	
		72"	RS(A/B)723-() ()	504.	522.	600.	627.	864.	993.	
		78"	RS(A/B)783-() ()	526.	547.	629.	656.	906.	1,042.	
		84"	RS(A/B)843-() ()	547.	569.	654.	687.	947.	1,088.	
		90"	RS(A/B)903-() ()	573.	594.	685.	715.	988.	1,135.	
		96"	RS(A/B)963-() ()	593.	617.	709.	744.	1,029.	1,182.	
		36"	60"	RS(A/B)604-() ()	554.	575.	660.	650.	897.	1,030.
			66"	RS(A/B)664-() ()	573.	595.	686.	668.	921.	1,059.
			72"	RS(A/B)724-() ()	592.	616.	708.	719.	992.	1,141.




Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSA243RL	<i>To order please specify pattern number including:</i>	
R Reff	1. Top thickness	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2
S Straight top	2. Grommet option	Applicable finishes are listed on page 4 and 5.
A 1 1/4" thick	3. Top finish type	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
24 24" wide	4. Top finish	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
3 30" deep	5. Grommet finish	
R Recessed grommet location	1. <i>Thickness options:</i> A = 1 1/4" B = 1 3/4"	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
L Laminate finish	2. <i>Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
114 Folkstone grey		1 1/4" tops require support at mid point to reduce spans to 48" or less.
111 Jet Black (grommet)		1 3/4" tops require support at mid point to reduce spans to 66" or less.

Worksurface tops

rectilinear corner tops

Reff

description	Return d	d	Back w	w	pattern no.	Option A	Option A	Option A	Option B	Option B	Option B
						1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2	1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V2
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RK(A/B) 363611-() ()	\$572.	\$612.	\$704.	\$687.	\$734.	\$844.
	20"	20"	36"	42"	RK(A/B) 364211-() ()	605.	649.	744.	728.	880.	1,012.
	20"	20"	36"	48"	RK(A/B) 364811-() ()	643.	688.	792.	771.	927.	1,068.
	20"	20"	42"	36"	RK(A/B) 423611-() ()	605.	649.	744.	728.	880.	1,012.
	20"	20"	42"	42"	RK(A/B) 424211-() ()	643.	688.	792.	771.	927.	1,068.
	20"	20"	42"	48"	RK(A/B) 424811-() ()	701.	752.	864.	842.	1,003.	1,155.
	20"	20"	48"	36"	RK(A/B) 483611-() ()	643.	688.	792.	771.	927.	1,068.
	20"	20"	48"	42"	RK(A/B) 484211-() ()	701.	752.	864.	842.	1,003.	1,155.
	20"	20"	48"	48"	RK(A/B) 484811-() ()	738.	792.	909.	885.	1,049.	1,208.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RK(A/B) 363622-() ()	650.	693.	798.	777.	936.	1,075.
	24"	24"	36"	42"	RK(A/B) 364222-() ()	683.	731.	840.	818.	978.	1,125.
	24"	24"	36"	48"	RK(A/B) 364822-() ()	719.	770.	884.	863.	1,027.	1,179.
	24"	24"	42"	36"	RK(A/B) 423622-() ()	683.	731.	840.	818.	978.	1,125.
	24"	24"	42"	42"	RK(A/B) 424222-() ()	719.	770.	884.	863.	1,027.	1,179.
	24"	24"	42"	48"	RK(A/B) 424822-() ()	777.	834.	959.	935.	1,100.	1,266.
	24"	24"	48"	36"	RK(A/B) 483622-() ()	719.	770.	884.	863.	1,027.	1,179.
	24"	24"	48"	42"	RK(A/B) 484222-() ()	777.	834.	959.	935.	1,100.	1,266.
	24"	24"	48"	48"	RK(A/B) 484822-() ()	816.	874.	1,003.	981.	1,148.	1,319.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RK(A/B) 363612-() ()	596.	637.	735.	716.	872.	1,001.
	20"	24"	36"	42"	RK(A/B) 364212-() ()	630.	675.	775.	758.	912.	1,049.
	20"	24"	36"	48"	RK(A/B) 364812-() ()	668.	715.	822.	801.	961.	1,105.
	20"	24"	42"	36"	RK(A/B) 423612-() ()	630.	675.	775.	758.	912.	1,049.
	20"	24"	42"	42"	RK(A/B) 424212-() ()	668.	715.	822.	801.	961.	1,105.
	20"	24"	42"	48"	RK(A/B) 424812-() ()	729.	777.	897.	874.	1,034.	1,192.
	20"	24"	48"	36"	RK(A/B) 483612-() ()	668.	715.	822.	801.	961.	1,105.
	20"	24"	48"	42"	RK(A/B) 484212-() ()	729.	777.	897.	874.	1,034.	1,192.
	20"	24"	48"	48"	RK(A/B) 484812-() ()	764.	818.	941.	981.	1,084.	1,246.

Order Code	Specification Information	Application Notes
Example: RKB363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
B 1 3/4" top thickness	3. Right hand width	Applicable finishes are listed on page 4 and 5.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	Mixed finish 1 3/4" tops are not post-formed.
Y324 Ash		

1. *Top thickness:*
A = 1 1/4"
B = 1 3/4"


6. *Grommet options:*
N = No grommets
F = Standard corner location

7. *Finish type:*
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2

Worksurface tops

rectilinear corner tops

Reff

description	Return d	Back		pattern no.	Option A	Option A	Option A	Option B	Option B	Option B	
		d	w		w	1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2	1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V2
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RK(A/B) 363621-()()	\$596.	\$637.	\$735.	\$716.	\$872.	\$1,001.
	24"	20"	36"	42"	RK(A/B) 364221-()()	630.	675.	775.	758.	912.	1,049.
	24"	20"	36"	48"	RK(A/B) 364821-()()	668.	715.	822.	801.	961.	1,105.
	24"	20"	42"	36"	RK(A/B) 423621-()()	630.	675.	775.	758.	912.	1,049.
	24"	20"	42"	42"	RK(A/B) 424221-()()	668.	715.	822.	801.	961.	1,105.
	24"	20"	42"	48"	RK(A/B) 424821-()()	729.	777.	897.	874.	1,034.	1,192.
	24"	20"	48"	36"	RK(A/B) 483621-()()	668.	715.	822.	801.	961.	1,105.
	24"	20"	48"	42"	RK(A/B) 484221-()()	729.	777.	897.	874.	1,034.	1,192.
	24"	20"	48"	48"	RK(A/B) 484821-()()	764.	818.	941.	918.	1,084.	1,246.





Worksurfaces

Order Code	Specification Information	Application Notes
Example: RKB363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
B 1 3/4" top thickness	3. Right hand width	Applicable finishes are listed on page 4 and 5.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Mixed finish 1 3/4" tops are not post-formed.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	
Y324 Ash	<p>1. <i>Top thickness:</i> A = 1 1/4" B = 1 3/4"</p> <p>6. <i>Grommet options:</i> N = No grommets F = Standard corner location</p> <p>7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2</p>	

Worksurface tops

transition wave tops

Reff

description	d	w	d	pattern no.	Option A 1 1/4" thickness L	Option A 1 1/4" thickness M/V1	Option A 1 1/4" thickness V2
	24"	42"	20"	RWA4221-()()	\$344.	\$370.	\$426.
	24"	48"	20"	RWA4821-()()	363.	389.	446.
	24"	54"	20"	RWA5421-()()	390.	415.	479.
	24"	60"	20"	RWA6021-()()	414.	444.	511.
	24"	66"	20"	RWA6621-()()	428.	458.	526.
	24"	72"	20"	RWA7221-()()	447.	480.	550.
	24"	36"	30"	RWA3623()()	357.	384.	441.
	24"	42"	30"	RWA4223-()()	372.	399.	458.
	24"	48"	30"	RWA4823-()()	389.	414.	476.
	24"	54"	30"	RWA5423-()()	416.	446.	513.
	24"	60"	30"	RWA6023-()()	446.	479.	549.
	24"	66"	30"	RWA6623-()()	462.	495.	570.
	20"	42"	24"	RWA4212-()()	344.	370.	426.
	20"	48"	24"	RWA4812-()()	363.	389.	446.
	20"	54"	24"	RWA5412-()()	390.	415.	479.
	20"	60"	24"	RWA6012-()()	414.	444.	511.
	20"	66"	24"	RWA6612-()()	428.	458.	526.
	20"	72"	24"	RWA7212-()()	447.	480.	550.
	30"	36"	24"	RWA3632()()	357.	384.	441.
	30"	42"	24"	RWA4232-()()	372.	399.	458.
	30"	48"	24"	RWA4832-()()	389.	414.	476.
	30"	54"	24"	RWA5432-()()	416.	446.	513.
	30"	60"	24"	RWA6032-()()	446.	479.	549.
	30"	66"	24"	RWA6632-()()	462.	495.	570.
30"	72"	24"	RWA7232-()()	485.	520.	597.	





Order Code	Specification Information	Application Notes
Example: RWA4221FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Grommet option	Curvilinear worksurfaces only available in 1 1/4" thick.
42 42" wide	4. Top finish type	See Planning Guide for grommet locations.
2 24" deep on left side	5. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
1 20" deep on right side	6. Grommet finish	
F Flush grommet location	3. <i>Grommet options:</i>	
L Laminate finish	N = No grommet	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	Applicable finishes are listed on page 4 and 5.	

Worksurface tops

transition wave tops

Reff

Worksurfaces

description	d	w	d	pattern no.	Option A 1 1/4" thickness L	Option A 1 1/4" thickness M/V1	Option A 1 1/4" thickness V2
Wave top end, (right 20") 	32"	36"	20"	RWEA3631- () ()	\$458.	\$489.	\$564.
	32"	42"	20"	RWEA4231- () ()	476.	510.	588.
	32"	48"	20"	RWEA4831- () ()	502.	538.	618.
Wave top end, (right 24") 	36"	36"	24"	RWEA3662- () ()	474.	508.	583.
	36"	42"	24"	RWEA4262- () ()	488.	523.	602.
	36"	48"	24"	RWEA4862- () ()	519.	554.	636.
Wave top end, (left 20") 	20"	36"	32"	RWEA3613- () ()	458.	489.	564.
	20"	42"	32"	RWEA4213- () ()	476.	510.	588.
	20"	48"	32"	RWEA4813- () ()	502.	538.	618.
Wave top end, (left 24") 	24"	36"	36"	RWEA3626- () ()	474.	508.	583.
	24"	42"	36"	RWEA4226- () ()	488.	523.	602.
	24"	48"	36"	RWEA4826- () ()	519.	554.	636.

Order Code

Example:	RWA4221FL
R	Reff
W	Wave top transition
A	1 1/4" thick
42	42" wide
2	24" deep on left side
1	20" deep on right side
F	Flush grommet location
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. Grommet options:
 N = No grommet
 F = Flush front grommet location

4. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2

Applicable finishes are listed on page 4 and 5.

Application Notes

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Please call Custom Product Development for special grommet locations.


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface tops

curvilinear corner tops

Reff

description	Return d	d	Back w	w	pattern no.	Option A 1 1/4" thickness L	Option A 1 1/4" thickness M/V1	Option A 1 1/4" thickness V2
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611-() ()	\$572.	\$612.	\$704.
	20"	20"	36"	42"	RCA364211-() ()	605.	649.	744.
	20"	20"	36"	48"	RCA364811-() ()	643.	688.	792.
	20"	20"	42"	36"	RCA423611-() ()	605.	649.	744.
	20"	20"	42"	42"	RCA424211-() ()	643.	688.	792.
	20"	20"	42"	48"	RCA424811-() ()	701.	752.	864.
	20"	20"	48"	36"	RCA483611-() ()	643.	688.	792.
	20"	20"	48"	42"	RCA484211-() ()	701.	752.	864.
	20"	20"	48"	48"	RCA484811-() ()	738.	792.	909.
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-() ()	596.	637.	735.
	20"	24"	36"	42"	RCA364212-() ()	630.	675.	775.
	20"	24"	36"	48"	RCA364812-() ()	668.	715.	822.
	20"	24"	42"	36"	RCA423612-() ()	630.	675.	775.
	20"	24"	42"	42"	RCA424212-() ()	668.	715.	822.
	20"	24"	42"	48"	RCA424812-() ()	729.	777.	897.
	20"	24"	48"	36"	RCA483612-() ()	668.	715.	822.
	20"	24"	48"	42"	RCA484212-() ()	729.	777.	897.
	20"	24"	48"	48"	RCA484812-() ()	764.	818.	941.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621-() ()	596.	637.	735.
	24"	20"	36"	42"	RCA364221-() ()	630.	675.	775.
	24"	20"	36"	48"	RCA364821-() ()	668.	715.	822.
	24"	20"	42"	36"	RCA423621-() ()	630.	675.	775.
	24"	20"	42"	42"	RCA424221-() ()	668.	715.	822.
	24"	20"	42"	48"	RCA424821-() ()	729.	777.	897.
	24"	20"	48"	36"	RCA483621-() ()	668.	715.	822.
	24"	20"	48"	42"	RCA484221-() ()	729.	777.	897.
	24"	20"	48"	48"	RCA484821-() ()	764.	818.	941.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-() ()	650.	693.	798.
	24"	24"	36"	42"	RCA364222-() ()	683.	731.	840.
	24"	24"	36"	48"	RCA364822-() ()	719.	770.	884.
	24"	24"	42"	36"	RCA423622-() ()	683.	731.	840.
	24"	24"	42"	42"	RCA424222-() ()	719.	770.	884.

Order Code	Specification Information	Application Notes
Example: RCA363611N1	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
C Curved front corner	2. Right hand width	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
A 1 1/4" thick	3. Return left hand depth	Please call Custom Product Development for special grommet locations.
36 36" wide on left back	4. Return right hand depth	Applicable finishes are listed on page 4 and 5.
36 36" wide on right back	5. Grommet option	
1 20" deep on left side	6. Top finish type	
1 20" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	5. <i>Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	6. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	

Worksurface tops

curvilinear corner tops

Reff

description	Return d	d	Back w	w	pattern no.	Option A	Option A	Option A
						1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	42"	48"	RCA424822-() ()	\$777.	\$834.	\$959.
	24"	24"	48"	36"	RCA483622-() ()	719.	770.	884.
	24"	24"	48"	42"	RCA484222-() ()	777.	834.	959.
	24"	24"	48"	48"	RCA484822-() ()	816.	874.	1,003.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCA363611N1	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
C Curved front corner	2. Right hand width	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
A 1 1/4" thick	3. Return left hand depth	Please call Custom Product Development for special grommet locations.
36 36" wide on left back	4. Return right hand depth	Applicable finishes are listed on page 4 and 5.
36 36" wide on right back	5. Grommet option	
1 20" deep on left side	6. Top finish type	
1 20" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	<i>5. Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	<i>6. Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	

Worksurface tops

extended curvilinear corner tops

Reff

description	w	d	pattern no.	Option A	Option A	Option A
				1 1/4" thick L	1 1/4" thick M/V1	1 1/4" thick V2
Extended corner worktop, LH curved front corner (return 24") 	36"	72"	RCCDLA23672() () ()	\$1,580.	\$1,994.	\$2,814.
	36"	78"	RCCDLA23678() () ()	1,643.	2,074.	2,926.
	36"	84"	RCCDLA23684() () ()	1,709.	2,157.	3,043.
	36"	96"	RCCDLA23696() () ()	1,778.	2,243.	3,165.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672() () ()	1,582.	2,000.	2,822.
	36"	78"	RCCDLA33678() () ()	1,645.	2,080.	2,936.
	36"	84"	RCCDLA33684() () ()	1,712.	2,163.	3,053.
	36"	96"	RCCDLA33696() () ()	1,780.	2,249.	3,175.
Extended corner worktop, RH curved front corner (return 24") 	36"	72"	RCCDRA23672() () ()	1,580.	1,994.	2,814.
	36"	78"	RCCDRA23678() () ()	1,643.	2,074.	2,926.
	36"	84"	RCCDRA23684() () ()	1,709.	2,157.	3,043.
	36"	96"	RCCDRA23696() () ()	1,778.	2,243.	3,165.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672() () ()	1,582.	2,000.	2,822.
	36"	78"	RCCDRA33678() () ()	1,645.	2,080.	2,936.
	36"	84"	RCCDRA33684() () ()	1,712.	2,163.	3,053.
	36"	96"	RCCDRA33696() () ()	1,780.	2,249.	3,175.

Order Code

Example:	RCCDLA23672N2
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Depth
2. Grommet option
3. Finish type
4. Finish
5. Grommet finish

2. Grommet options:
N = No grommets
F = Flush front grommet location

3. Finish type:
L = Laminate
M = Mixed (laminated surface with wood edge)
1 = V1
2 = V2


Applicable finishes are listed on page 4 and 5.

Worksurface tops


extended straight corner tops

Reff

description	d	w	d, return	pattern no.	Option A	Option A	Option A
					1 1/4" thick L	1 1/4" thick M/V1	1 1/4" thick V2
Extended straight corner top, LH curved front corner (returns 24")	36"	60"	24"	RCEAL223660() () ()	\$585.	\$821.	\$1,113.
	36"	72"	24"	RCEAL223672() () ()	702.	995.	1,346.
	42"	60"	24"	RCEAL224260() () ()	644.	907.	1,229.
	42"	72"	24"	RCEAL224272() () ()	760.	1,084.	1,464.
	48"	72"	24"	RCEAL224872() () ()	819.	1,172.	1,581.
	48"	84"	24"	RCEAL224884() () ()	936.	1,346.	1,814.
	48"	96"	24"	RCEAL224896() () ()	1,076.	1,550.	2,087.



Extended straight corner top, RH curved front corner (returns 24")	36"	60"	24"	RCEAR223660() () ()	585.	821.	1,113.
	36"	72"	24"	RCEAR223672() () ()	702.	995.	1,346.
	42"	60"	24"	RCEAR224260() () ()	644.	907.	1,229.
	42"	72"	24"	RCEAR224272() () ()	760.	1,084.	1,464.
	48"	72"	24"	RCEAR224872() () ()	819.	1,172.	1,581.
	48"	84"	24"	RCEAR224884() () ()	936.	1,346.	1,814.
	48"	96"	24"	RCEAR224896() () ()	1,076.	1,550.	2,087.



Worksurfaces

Order Code

Example:	RCEAL223660N2
R	Reff
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:


- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2

Applicable finishes are listed on page 4 and 5.

Worksurface tops

Meeting tops

Reff

description	type	w	d	pattern no.	Option A	Option A	Option A	Option B	Option B	Option B
					1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2	1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V2
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMD(A/B)4230-()()	\$506.	\$521.	\$599.	\$554.	\$851.	\$979.
		48"	30"	RMD(A/B)4830-()()	544.	563.	648.	596.	948.	1,089.
		54"	30"	RMD(A/B)5430-()()	583.	604.	693.	641.	1,005.	1,156.
		60"	30"	RMD(A/B)6030-()()	623.	646.	740.	686.	1,063.	1,221.
		66"	30"	RMD(A/B)6630-()()	664.	687.	791.	732.	1,120.	1,287.
		72"	30"	RMD(A/B)7230-()()	706.	730.	839.	775.	1,176.	1,356.
		78"	30"	RMD(A/B)7830-()()	798.	824.	948.	878.	1,295.	1,490.
		84"	30"	RMD(A/B)8430-()()	889.	920.	1,058.	981.	1,336.	1,535.
		90"	30"	RMD(A/B)9030-()()	993.	1,028.	1,181.	1,092.	1,374.	1,581.
	96"	30"	RMD(A/B)9630-()()	1,096.	1,134.	1,304.	1,205.	1,415.	1,628.	
	36" deep	42"	36"	RMD(A/B)4236-()()	555.	574.	659.	612.	1,025.	1,177.
		48"	36"	RMD(A/B)4836-()()	608.	628.	721.	668.	1,142.	1,315.
		54"	36"	RMD(A/B)5436-()()	693.	717.	826.	763.	1,210.	1,392.
		60"	36"	RMD(A/B)6036-()()	779.	804.	926.	857.	1,279.	1,470.
		66"	36"	RMD(A/B)6636-()()	794.	819.	943.	874.	1,392.	1,601.
		72"	36"	RMD(A/B)7236-()()	804.	834.	959.	885.	1,504.	1,730.
		78"	36"	RMD(A/B)7836-()()	908.	938.	1,079.	999.	1,581.	1,820.
		84"	36"	RMD(A/B)8436-()()	1,009.	1,044.	1,200.	1,110.	1,602.	1,841.
		90"	36"	RMD(A/B)9036-()()	1,063.	1,099.	1,265.	1,170.	1,621.	1,866.
96"	36"	RMD(A/B)9636-()()	1,167.	1,204.	1,385.	1,283.	1,643.	1,890.		

Order Code

Example: RMDA4230N1
R Reff
MD Meeting D-top
A 1 1/4" thick
42 42" wide
30 30" deep
N No grommet
1 V1
Y311 Beech

Specification Information

To order please specify pattern number including:

- Top thickness
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Thickness options:
A = 1 1/4"
B = 1 3/4"

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2

Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Applicable finishes are listed on page 4 and 5.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops

Meeting tops

Reff


Worksurfaces

description	type	w	d	pattern no.	Option A	Option A	Option A	Option B	Option B	Option B
					1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2	1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V2
Meeting 9-top		42"	30"	RM9(A/B)4230-() ()	\$692.	\$716.	\$823.	\$762.	\$1,191.	\$1,366.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9(A/B)4836-() ()	770.	796.	916.	846.	1,731.	1,993.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMP(A/B)4230-() ()	692.	716.	823.	762.	1,191.	1,366.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMP(A/B)4836-() ()	770.	796.	916.	846.	1,731.	1,993.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9(A/B)8430-() ()	1,410.	1,456.	1,676.	1,551.	1,797.	2,067.
		96"	30"	RM9(A/B)9630-() ()	1,468.	1,520.	1,745.	1,615.	1,872.	2,153.




42" diameter

Order Code	Specification Information	Application Notes
Example: RMDA4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Additional spec option required for wrap around panel tops; specify mating trim profile.
MD Meeting D-top	2. Width	A = Flat
A 1 1/4" thick	3. Depth	B = Square
42 42" wide	4. Grommet option	C = Bullnose
30 30" deep	5. Top finish type	E = Extruded Aluminum
N No grommet	6. Top finish	Applicable finishes are listed on page 4 and 5.
1 V1	7. Grommet finish	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
Y311 Beech	1. <i>Thickness options:</i> A = 1 1/4" B = 1 3/4"	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Refer to Planning Guide for modesty panel size requirements and all other support options.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		1 1/4" tops require support at mid point to reduce 48" spans or less.
		1 3/4" tops require support at mid point to reduce spans to 66" or less.
		Mixed finish 1 3/4" tops are not post-formed.
		*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops


Meeting tops

Reff


description	type	w	d	pattern no.	Option A	Option A	Option A	Option B	Option B	Option B
					1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2	1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V2
Worksurface P-top 		84"	30"	RMP(A/B)8430-() ()	\$1,410.	\$1,456.	\$1,676.	\$1,551.	\$1,797.	\$2,067.
		96"	30"	RMP(A/B)9630-() ()	1,468.	1,520.	1,745.	1,615.	1,872.	2,153.

84" top uses a 42" modesty, 96 top uses a 54" modesty

42" diameter

Wrap around panel top 	(20" panels)	42 1/2"	21 1/4"	RMD(A/B)4221-() ()	650.	671.	771.	713.	840.	964.
	(24" panels)	50 1/2"	25 1/4"	RMD(A/B)5025-() ()	710.	735.	845.	780.	919.	1,057.

No Grommets

Elliptical tops 		60"	30"	REBA6030-() *	970.	1,021.	1,173.			
		72"	42"	REBA7242-() *	1,381.	1,452.	1,670.			
		78"	48"	REBA7848-() *	1,512.	1,593.	1,832.			

Order Code

Example: RMDA4230N1
R Reff
MD Meeting D-top
A 1 1/4" thick
42 42" wide
30 30" deep
N No grommet
1 V1
Y311 Beech

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish

1. Thickness options:

A = 1 1/4"
B = 1 3/4"

4. Grommet options:

N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. Finish type:

L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2

Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Applicable finishes are listed on page 4 and 5.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.


*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops and support

Bow front


Reff

description	w	d	h	pattern no.	Option A	Option A	Option A	Option B	Option B	Option B
					1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2	1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V2
Bow shaped top	72"	30"		RMB(A/B)7230-(-)(-)	\$809.	\$869.	\$999.	\$1,012.	\$1,086.	\$1,248.
	84"	30"		RMB(A/B)8430-(-)(-)	891.	958.	1,101.	1,115.	1,197.	1,374.
	96"	30"		RMB(A/B)9630-(-)(-)	990.	1,062.	1,220.	1,237.	1,327.	1,527.




Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

Bow shaped top - 36"D	72"	36"		RMB(A/B)7236-(-)(-)	859.	922.	1,061.	1,073.	1,154.	1,326.
	84"	36"		RMB(A/B)8436-(-)(-)	944.	1,012.	1,164.	1,177.	1,266.	1,455.
	96"	36"		RMB(A/B)9636-(-)(-)	1,045.	1,122.	1,288.	1,307.	1,402.	1,499.



Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	40"	1"	26 1/2"	RB40MR-(-)	301.	336.	386.			
	52"	1"	26 1/2"	RB52MR-(-)	355.	396.	455.			
	64"	1"	26 1/2"	RB64MR-(-)	383.	427.	493.			



Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.

When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Bulkhead (false pedestal)*	16"	24"	26 1/2"	REBH24	426.	556.	645.			
	16"	30"	26 1/2"	REBH30	440.	568.	661.			








Order Code	Specification Information	Application Notes
Example: RCBA7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
CB Curved bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	Applicable finishes are listed on page 4 and 5.
R Recessed grommet location	6. Top finish	See Planning Guide for grommet locations.
2 V2 finish	7. Grommet finish	
V319 Medium cherry	<i>1. Thickness options:</i>	1 1/4" tops require support at mid point to reduce spans to 48" or less.
111 Jet Black (grommet)	A = 1 1/4"	
	B = 1 3/4"	
	<i>4. Grommet options:</i>	1 3/4" tops require support at mid point to reduce spans to 66" or less.
	N = No grommet	Mixed finish 1 3/4" tops are not post-formed.
	F = Flush front grommet	1 3/4" laminate tops are equipped with 8mm PVC edge on this page.
	R = Recessed grommet	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	A = Alternate location (only for 36" deep bow front tops)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference room tops

Square and rectangular

Reff

description	w	d	pattern no.	Option A 1 1/4" thickness L	Option A 1 1/4" thickness M/V1	Option A 1 1/4" thickness V2	Option B 1 3/4" thickness L	Option B 1 3/4" thickness M/V1	Option B 1 3/4" thickness V2
Rectangular top 1 piece 	72"	30"	RR(A/B)7230-()	\$522.	\$540.	\$621.	\$627.	\$864.	\$993.
	84"	30"	RR(A/B)8430-()	578.	596.	687.	693.	938.	1,079.
	96"	30"	RR(A/B)9630-()	649.	670.	770.	776.	1,029.	1,182.
	72"	36"	RR(A/B)7236-()	567.	586.	674.	679.	921.	1,059.
	84"	36"	RR(A/B)8436-()	620.	641.	736.	741.	992.	1,141.
	96"	36"	RR(A/B)9636-()	715.	739.	851.	857.	1,120.	1,287.
	84"	42"	RR(A/B)8442-()	917.	948.	1,089.	1,099.	1,386.	1,594.
	96"	42"	RR(A/B)9642-()	1,052.	1,087.	1,250.	1,260.	1,565.	1,799.
	96"	48"	RR(A/B)9648-()	1,119.	1,158.	1,331.	1,343.	1,655.	1,904.
Rectangular top 2 piece 	120"	36"	RR(A/B)12036-()	1,148.	1,185.	1,364.	1,376.	1,694.	1,947.
	120"	42"	RR(A/B)12042-()	1,582.	1,637.	1,882.	1,901.	2,269.	2,610.
	144"	42"	RR(A/B)14442-()	1,778.	1,838.	2,114.	2,132.	2,527.	2,905.
	120"	48"	RR(A/B)12048-()	1,720.	1,779.	2,045.	2,063.	2,451.	2,818.
	144"	48"	RR(A/B)14448-()	1,905.	1,970.	2,266.	2,287.	2,696.	3,101.
Rectangular top 3 piece 	168"	42"	RR(A/B)16842-()	2,330.	2,410.	2,773.	2,795.	3,261.	3,750.
	192"	42"	RR(A/B)19242-()	2,527.	2,612.	3,003.	3,031.	3,520.	4,050.
	168"	48"	RR(A/B)16848-()	2,533.	2,619.	3,011.	3,040.	3,530.	4,060.
	192"	48"	RR(A/B)19248-()	2,720.	2,811.	3,231.	3,261.	3,775.	4,342.
Square tops  	-	36"	RR(A/B)3636-()	403.	416.	480.	484.	706.	812.
	-	42"	RR(A/B)4242-()	522.	540.	621.	627.	864.	993.
	-	48"	RR(A/B)4848-()	686.	708.	814.	820.	1,080.	1,241.
	*	60"	RR(A/B)6060-()	1,069.	1,104.	1,272.	1,282.	1,586.	1,824.
	*	72"	RR(A/B)7272-()	1,260.	1,304.	1,499.	1,513.	1,842.	2,120.

Order Code

Example: RR	72302
R	Reff
R	Rectangular
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:

A = 1 1/4"
B = 1 3/4"

4. Finish type:

L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2

*Square tops in two pieces.

Application Notes

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 4 and 5.

Conference room tops

Round and racetrack

Reff

description	w	d	pattern no.	Option A	Option A	Option A	Option B	Option B	Option B
				1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2	1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V2
Racetrack top 1 piece 	72"	30"	RT(A/B)7230(-)	\$988.	\$1,021.	\$1,173.	\$1,183.	\$1,481.	\$1,702.
	84"	30"	RT(A/B)8430(-)	1,099.	1,136.	1,307.	1,319.	1,628.	1,872.
	96"	30"	RT(A/B)9630(-)	1,221.	1,265.	1,454.	1,467.	1,792.	2,060.
	72"	36"	RT(A/B)7236(-)	1,127.	1,164.	1,338.	1,353.	1,664.	1,913.
	84"	36"	RT(A/B)8436(-)	1,265.	1,309.	1,504.	1,520.	1,849.	2,125.
	96"	36"	RT(A/B)9636(-)	1,404.	1,452.	1,670.	1,686.	2,036.	2,338.
	84"	42"	RT(A/B)8442(-)	1,539.	1,593.	1,832.	1,849.	2,213.	2,545.
	96"	42"	RT(A/B)9642(-)	1,725.	1,783.	2,050.	2,070.	2,458.	2,828.
	96"	48"	RT(A/B)9648(-)	1,892.	1,955.	2,247.	2,271.	2,661.	3,062.
Racetrack top 2 piece 	120"	36"	RT(A/B)12036(-)	1,813.	1,875.	2,157.	2,178.	2,576.	2,961.
	120"	42"	RT(A/B)12042(-)	1,957.	2,021.	2,326.	2,348.	2,766.	3,182.
	144"	42"	RT(A/B)14442(-)	2,158.	2,230.	2,564.	2,587.	3,030.	3,486.
	120"	48"	RT(A/B)12048(-)	2,080.	2,150.	2,473.	2,495.	2,928.	3,367.
	144"	48"	RT(A/B)14448(-)	2,211.	2,287.	2,628.	2,653.	3,103.	3,569.
Racetrack top 3 piece 	168"	42"	RT(A/B)16842(-)	2,705.	2,795.	3,216.	3,246.	3,758.	4,320.
	192"	42"	RT(A/B)19242(-)	2,905.	3,004.	3,456.	3,489.	4,024.	4,628.
	168"	48"	RT(A/B)16848(-)	2,894.	2,990.	3,439.	3,471.	4,009.	4,608.
	192"	48"	RT(A/B)19248(-)	3,025.	3,128.	3,596.	3,630.	4,182.	4,808.
Round tops  	-	36"	RT(A/B)3636(-)	555.	574.	659.	666.	908.	1,045.
	-	42"	RT(A/B)4242(-)	646.	665.	764.	772.	1,025.	1,177.
	-	48"	RT(A/B)4848(-)	1,061.	1,096.	1,260.	1,275.	1,577.	1,813.
	*	60"	RT(A/B)6060(-)	1,663.	1,719.	1,976.	1,995.	2,376.	2,733.
	*	72"	RT(A/B)7272(-)	2,056.	2,126.	2,447.	2,469.	2,897.	3,332.

Worksurfaces

Order Code

Example: RTA72302	
R	Reff
T	Rounded top
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:

A = 1 1/4"
B = 1 3/4"

4. Finish type:

L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2

*Round tops in two pieces.

Application Notes

Top to top brackets included.

See table base matrix in Planning Guide pages 140 and 141.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Tops have no radius on edges that adjoin.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Laminate and mixed finish 1 3/4" tops on this page are not post formed.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.


Applicable finishes are listed on page 4 and 5.

Reff System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Finish. Optional for worksurface tops listed on pages 117 through 131.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma



Alpha



Beta



Chi




Delta



Epsilon



Phi



Gamma


Optional edge worksurface tops

Reff

1 1/4" thick rectilinear

front edge only

20" and 24" deep

description	d	w	pattern no.	M/V1	V2	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2)	\$332.	\$380.	
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2)	365.	419.	
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2)	385.	442.	
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2)	402.	462.	
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2)	418.	480.	
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2)	435.	503.	
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2)	470.	541.	
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2)	484.	558.	
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2)	510.	585.	
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2)	516.	593.	
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2)	549.	631.	
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2)	572.	657.	
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2)	593.	683.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2)	350.	402.
			30"	RSA(A/B/C/D/E/F/G)F302-()(1/2)	395.	455.
			36"	RSA(A/B/C/D/E/F/G)F362-()(1/2)	411.	473.
			42"	RSA(A/B/C/D/E/F/G)F422-()(1/2)	424.	486.
			48"	RSA(A/B/C/D/E/F/G)F482-()(1/2)	455.	521.
			54"	RSA(A/B/C/D/E/F/G)F542-()(1/2)	484.	558.
			60"	RSA(A/B/C/D/E/F/G)F602-()(1/2)	519.	596.
66"	RSA(A/B/C/D/E/F/G)F662-()(1/2)		538.	617.		
72"	RSA(A/B/C/D/E/F/G)F722-()(1/2)		561.	647.		
78"	RSA(A/B/C/D/E/F/G)F782-()(1/2)		588.	677.		
84"	RSA(A/B/C/D/E/F/G)F842-()(1/2)		611.	702.		
90"	RSA(A/B/C/D/E/F/G)F902-()(1/2)		637.	735.		
96"	RSA(A/B/C/D/E/F/G)F962-()(1/2)	663.	764.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGF241F2	To order please specify pattern number including:	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
S Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. F = Front edge with profile only	
G Gamma	3. Width	1 1/4" tops require support at mid point to reduce spans to 48" or less.
F Edge front only	4. Depth	
24 24" wide	5. Grommet option	
1 20" deep	6. Top finish type	
F Flush grommet	7. Top finish	
2 V2 finish	8. Grommet finish	
V319 Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet black (grommet)		


Optional edge worksurface tops

Reff

1 1/4" thick rectilinear

front edge only

30" and 36" deep

description	d	w	pattern no.	M/V1	V2
Straight rectangular work tops	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2)	\$379.	\$437.
Profile edge front only		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2)	428.	491.
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2)	461.	528.
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2)	479.	550.
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2)	512.	590.
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2)	554.	635.
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2)	573.	658.
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2)	586.	675.
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2)	601.	690.
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2)	629.	726.
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2)	654.	754.
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2)	684.	789.
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2)	709.	816.
		36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2)	662.
		66"	RSA(A/B/C/D/E/F/G)F664-()(1/2)	685.	790.
		72"	RSA(A/B/C/D/E/F/G)F724-()(1/2)	708.	815.

Order Code

Specification Information

Application Notes

Example: RSAGF243F2
R Reff
S Straight top
A 1 1/4" thick
G Gamma
F Edge front only
24 24" wide
3 30" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet Black (grommet)

To order please specify pattern number including:

- Edge profile
- F = Front edge with profile only
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

5. Grommet options:

- N = No grommet
- F = Flush front grommet location
- R = Recessed front (not recommended on 20"D and 24"D tops)

6. Finish type:

- M = Mixed (laminated surface / wood edge)
- 1 = V1
- 2 = V2

Applicable finishes are listed on page 4 and 5.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.


Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Optional edge worksurface tops

Reff

*1 1/4" thick rectilinear
front and back edge profiled
20" and 24" deep*

description	d	w	pattern no.	M/V1	V2
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2)	\$332.	\$380.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2)	365.	419.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2)	385.	442.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2)	402.	462.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2)	418.	480.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2)	435.	503.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2)	470.	541.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2)	484.	558.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2)	510.	585.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2)	516.	593.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2)	549.	631.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2)	572.	657.
96"	RSA(A/B/C/D/E/F/G)A961-()(1/2)	593.	683.		
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2)	350.	402.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2)	395.	455.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2)	411.	473.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2)	424.	486.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2)	455.	521.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2)	484.	558.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2)	519.	596.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2)	538.	617.
		72"	RSA(A/B/C/D/E/F/G)A722-()(1/2)	561.	647.
		78"	RSA(A/B/C/D/E/F/G)A782-()(1/2)	588.	677.
		84"	RSA(A/B/C/D/E/F/G)A842-()(1/2)	611.	702.
		90"	RSA(A/B/C/D/E/F/G)A902-()(1/2)	637.	735.
	96"	RSA(A/B/C/D/E/F/G)A962-()(1/2)	663.	764.	

Worksurfaces

Order Code

Example:	RSAGA241F2
R	Reff
S	Straight top
A	1 1/4" thick
G	Gamma
A	Edge front and back
24	24" wide
1	20" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Edge profile
- 5th position A = Edge front and back
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front (not recommended on 20"D and 24"D tops)

6. Finish type:
M = Mixed (laminated surface / wood edge)
1 = V1
2 = V2

Applicable finishes are listed on page 4 and 5.

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.


Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Optional edge worksurface tops

Reff

*1 1/4" thick rectilinear
front and back edge profiled
30" and 36" deep*

description	d	w	pattern no.	M/V1	V2
Straight rectangular work tops	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2)	\$379.	\$437.
Profile edge front and back only		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2)	428.	491.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2)	461.	528.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2)	479.	550.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2)	512.	590.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2)	554.	635.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2)	573.	658.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2)	586.	675.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2)	601.	690.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2)	629.	726.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2)	654.	754.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2)	684.	789.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2)	709.	816.
	36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2)	662.	761.
		66"	RSA(A/B/C/D/E/F/G)A664-()(1/2)	685.	790.
		72"	RSA(A/B/C/D/E/F/G)A724-()(1/2)	708.	815.

Order Code

Example: RSAGA243F2
R Reff
S Straight top
A 1 1/4" thick
G Gamma
A Edge front and back
24 24" wide
3 30" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. 5th position A = Edge front and back
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front (not recommended on 20"D and 24"D tops)

6. Finish type:
M = Mixed (laminated surface / wood edge)
1 = V1
2 = V2

Applicable finishes are listed on page 4 and 5.

Application Notes



Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Optional edge worksurface tops
1 1/4" thick rectilinear
front and attaching edges profiled

Reff


description	d	w	pattern no.	M/V1	V2
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2)	\$332.	\$380.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2)	365.	419.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2)	385.	442.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2)	402.	462.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2)	418.	480.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2)	350.	402.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2)	395.	455.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2)	411.	473.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2)	424.	486.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2)	455.	521.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2)	332.	380.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2)	365.	419.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2)	385.	442.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2)	402.	462.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2)	418.	480.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2)	350.	402.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2)	395.	455.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2)	411.	473.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2)	424.	486.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2)	455.	521.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	2. 5th position options: B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating	
S Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. 5th position indicates how and which edges profiled	
G Gamma	3. Width	1 1/4" tops require support at mid point to reduce spans to 48" or less.
B Both ends accept edge	4. Depth	
24 24" wide	5. Grommet option	Applicable finishes are listed on page 4 and 5.
1 20" deep	6. Top finish type	
F Flush grommet	7. Top finish	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
2 V2 finish	8. Grommet finish	
V319 Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet Black (grommet)	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type: M = Mixed (laminata surface / wood edge) 1 = V1 2 = V2	

Optional edge worksurface tops
1 1/4" thick rectilinear
front and attaching edges profiled


Reff

description	d	w	pattern no.	M/V1	V2
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2)	\$332.	\$380.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2)	365.	419.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2)	385.	442.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2)	402.	462.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2)	418.	480.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2)	350.	402.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2)	395.	455.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2)	411.	473.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2)	424.	486.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2)	455.	521.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p> <p>Applicable finishes are listed on page 4 and 5.</p> <p>Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position indicates how and which edges profiled	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
B Both ends accept edge	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p>	
V319 Medium cherry	<p><i>2. 5th position options:</i></p> <p>B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating</p>	
111 Jet Black (grommet)	<p><i>5. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p><i>6. Finish type:</i></p> <p>M = Mixed (laminata surface / wood edge) 1 = V1 2 = V2</p>	

Optional edge worksurface tops
 1 1/4" thick curvilinear corner tops
 front edge only

Reff

description	d left	d right	w left	w right	pattern no.	M/V1	V2
Curved corner work tops with Profile edge on front only, 20" 20" 	20"	20"	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2)	\$704.	\$809.
	20"	20"	36"	42"	RCA(A/B/C/D/E/F/G)F364211-()(1/2)	744.	856.
	20"	20"	36"	48"	RCA(A/B/C/D/E/F/G)F364811-()(1/2)	792.	909.
	20"	20"	42"	36"	RCA(A/B/C/D/E/F/G)F423611-()(1/2)	744.	856.
	20"	20"	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2)	792.	909.
	20"	20"	42"	48"	RCA(A/B/C/D/E/F/G)F424811-()(1/2)	864.	993.
	20"	20"	48"	36"	RCA(A/B/C/D/E/F/G)F483611-()(1/2)	792.	909.
	20"	20"	48"	42"	RCA(A/B/C/D/E/F/G)F484211-()(1/2)	864.	993.
	20"	20"	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2)	909.	1,046.
Curved corner work tops with Profile edge on front only, 20" 24"	20"	24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2)	735.	845.
	20"	24"	36"	42"	RCA(A/B/C/D/E/F/G)F364212-()(1/2)	775.	891.
	20"	24"	36"	48"	RCA(A/B/C/D/E/F/G)F364812-()(1/2)	823.	945.
	20"	24"	42"	36"	RCA(A/B/C/D/E/F/G)F423612-()(1/2)	775.	891.
	20"	24"	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2)	823.	945.
	20"	24"	42"	48"	RCA(A/B/C/D/E/F/G)F424812-()(1/2)	897.	1,030.
	20"	24"	48"	36"	RCA(A/B/C/D/E/F/G)F483612-()(1/2)	823.	945.
	20"	24"	48"	42"	RCA(A/B/C/D/E/F/G)F484212-()(1/2)	897.	1,030.
	20"	24"	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2)	941.	1,083.
Curved corner work tops with Profile edge on front only, 24" 20"	24"	20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2)	735.	845.
	24"	20"	36"	42"	RCA(A/B/C/D/E/F/G)F364221-()(1/2)	775.	891.
	24"	20"	36"	48"	RCA(A/B/C/D/E/F/G)F364821-()(1/2)	823.	945.
	24"	20"	42"	36"	RCA(A/B/C/D/E/F/G)F423621-()(1/2)	775.	891.
	24"	20"	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2)	823.	945.
	24"	20"	42"	48"	RCA(A/B/C/D/E/F/G)F424821-()(1/2)	897.	1,030.
	24"	20"	48"	36"	RCA(A/B/C/D/E/F/G)F483621-()(1/2)	823.	945.
	24"	20"	48"	42"	RCA(A/B/C/D/E/F/G)F484221-()(1/2)	897.	1,030.
	24"	20"	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2)	941.	1,083.
Curved corner work tops with Profile edge on front only, 24" 24"	24"	24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2)	798.	918.
	24"	24"	36"	42"	RCA(A/B/C/D/E/F/G)F364222-()(1/2)	840.	964.
	24"	24"	36"	48"	RCA(A/B/C/D/E/F/G)F364822-()(1/2)	885.	1,017.
	24"	24"	42"	36"	RCA(A/B/C/D/E/F/G)F423622-()(1/2)	840.	964.
	24"	24"	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2)	885.	1,017.

Radii of front edge varies with top dimensions

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGF363611	To order please specify pattern number including:	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile 2. Left hand width 3. Right hand width 4. Return left hand depth 5. Return right hand depth 6. Grommet option 7. Top finish type 8. Top finish 9. Grommet finish	
S Curvilinear top	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick		
G Gamma	6. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
F Edge Front only	7. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2	
36 36" wide	Applicable finishes are listed on page 4 and 5.	
36 36" wide		
1 20" deep		
1 20" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge worksurface tops
1 1/4" thick curvilinear corner tops
front edge only






Reff

description	d left	d right	w left	w right	pattern no.	M/V1	V2
Curved corner work tops with Profile edge on front only, 24" 24"	24"	24"	42"	48"	RCA(A/B/C/D/E/F/G)F424822-()(1/2)	\$959.	\$1,103.
	24"	24"	48"	36"	RCA(A/B/C/D/E/F/G)F483622-()(1/2)	885.	1,017.
	24"	24"	48"	42"	RCA(A/B/C/D/E/F/G)F484222-()(1/2)	959.	1,103.
	24"	24"	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2)	1,005.	1,154.

Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
S Curvilinear top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	<p>6. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p>7. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2</p> <p>Applicable finishes are listed on page 4 and 5.</p>
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge worksurface tops
 1 1/4" thick curvilinear transition and end tops
 front edge only

Reff




description	d left	d right	w	pattern no.	M/V1	V2
Wave transition top with Profile edge front only (left 24", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4221-()(1/2)	\$425.	\$488.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4821-()(1/2)	446.	513.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5421-()(1/2)	477.	549.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6021-()(1/2)	511.	588.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6621-()(1/2)	526.	605.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7221-()(1/2)	550.	633.
Wave transition top with Profile edge front only (left 30", right 24") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4232-()(1/2)	459.	526.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4832-()(1/2)	476.	547.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5432-()(1/2)	513.	591.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6032-()(1/2)	549.	631.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6632-()(1/2)	569.	655.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7232-()(1/2)	599.	688.
Wave transition top with Profile edge front only (left 20", right 24") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4212-()(1/2)	425.	488.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4812-()(1/2)	446.	513.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5412-()(1/2)	477.	549.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6012-()(1/2)	511.	588.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6612-()(1/2)	526.	605.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7212-()(1/2)	550.	633.
Wave transition top with Profile edge front only (left 24", right 30") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4223-()(1/2)	459.	526.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4823-()(1/2)	476.	547.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5423-()(1/2)	513.	591.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6023-()(1/2)	549.	631.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6623-()(1/2)	569.	655.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7223-()(1/2)	599.	688.
Wave end top with Profile edge front only (20" right) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3631-()(1/2)	564.	649.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4231-()(1/2)	586.	675.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4831-()(1/2)	618.	710.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	6. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
W Wave transition top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. 5th position F = front edge with profile only	
G Gamma	3. Width	1 1/4" tops require support at mid point to reduce spans to 48" or less.
F Edge front only	4. Left hand depth	
42 42" wide	5. Right hand depth	
2 20" deep	6. Grommet option	
1 20" deep	7. Top finish type	
F Flush grommet	8. Top finish	
2 V2 finish	9. Grommet finish	
V319 Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet Black (grommet)		

Optional edge worksurface tops
1 1/4" thick curvilinear transition and end tops
front edge only

Reff

description	d left	d right	w	pattern no.	M/V1	V2
Wave end top with Profile edge front only (24" right) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2)	\$584.	\$671.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2)	602.	692.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2)	636.	734.
Wave end top with Profile edge front only (20" left) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2)	564.	649.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2)	586.	675.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2)	618.	710.
Wave end top with Profile edge front only (24" left) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2)	584.	671.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2)	602.	692.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2)	636.	734.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish		
V319 Medium cherry	1. <i>Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. <i>Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	(not recommended on 20"D and 24"D tops)	
	7. <i>Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	Applicable finishes are listed on page 4 and 5.	


Optional edge worksurface tops

Reff

Meeting tops

1 1/4" thick

description	d	w	pattern no.	M/V1	V2	
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none	30"	42"	RMDA(A/B/C/D/E/F/G)F4230()(1/2)	\$600.	\$689.	
		48"	RMDA(A/B/C/D/E/F/G)F4830()(1/2)	648.	743.	
		54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2)	693.	798.	
		60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2)	741.	852.	
		66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2)	791.	908.	
		72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2)	839.	963.	
		78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2)	947.	1,090.	
		84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2)	1,058.	1,217.	
		90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2)	1,182.	1,359.	
		96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2)	1,304.	1,499.	
		36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2)	660.	759.
			48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2)	721.	830.
			54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2)	825.	950.
			60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2)	926.	1,066.
			66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2)	943.	1,085.
			72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2)	959.	1,103.
			78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2)	1,079.	1,240.
84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2)		1,200.	1,382.		
90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2)		1,265.	1,454.		
96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2)		1,386.	1,592.		
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support)* No	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2)	824.	946.	
	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2)	916.	1,053.	



Grommets



Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support)* No	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2)	824.	946.
	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2)	916.	1,053.

Grommets



Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	<ol style="list-style-type: none"> Edge profile Width Depth Grommet option Top finish type Top finish Grommet finish Applicable "wrap around panel tops" only specify mating panel end trim profile 	
MD Peninsula D-shaped top	<ol style="list-style-type: none"> Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma 	<ol style="list-style-type: none"> Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops) Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 Wrap around panel tops only, specify mating trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum <p>Applicable finishes are listed on page 4 and 5.</p>
A 1 1/4" thick		
G Gamma		
F Edge front only		
42 42" wide		
30 30" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		




Worksurfaces

Optional edge worksurface tops

Reff

Meeting tops




1 1/4" thick

description	d	w	pattern no.	M/V1	V2
Worksurface 9-top 	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2)	\$1,675.	\$1,929.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2)	1,747.	2,008.
Worksurface P-top 	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2)	1,675.	1,929.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2)	1,747.	2,008.
Wrap-around panel top *No Grommets 	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2)()	771.	886.
	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2)()	845.	972.

Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	<ol style="list-style-type: none"> Edge profile Width Depth Grommet option Top finish type Top finish Grommet finish Applicable "wrap around panel tops" only specify mating panel end trim profile 	
MD Peninsula D-shaped top	<ol style="list-style-type: none"> Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma 	<ol style="list-style-type: none"> Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops) Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 Wrap around panel tops only, specify mating trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum Applicable finishes are listed on page 4 and 5.
A 1 1/4" thick		
G Gamma		
F Edge front only		
42 42" wide		
30 30" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge worksurface tops
Bow front tops
1 1/4" thick, front and back edges profiled

Reff





description	w	d	pattern no.	M/V1	V2
 30"D	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2)	\$999.	\$1,148.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430()(1/2)	1,101.	1,267.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630()(1/2)	1,221.	1,402.
 36"D	72"	36"	RMBA(A/B/C/D/E/F/G)A7236()(1/2)	1,061.	1,220.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8496()(1/2)	1,163.	1,339.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2)	1,289.	1,483.
 Profile elliptical tops	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,174.	1,349.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	1,671.	1,920.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	1,832.	2,106.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	<ol style="list-style-type: none"> Edge profile Width Depth Grommet option Top finish type Top finish Grommet finish 	
MB Bow front top	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick		
G Gamma		1 1/4" tops require support at mid point to reduce spans to 48" or less.
A Edge front and back		
72 72" wide		
30 30" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge conference room tops
 1 1/4" thick conference room top
 round and racetrack





Reff

description	w	d	pattern no.	M/V1	V2
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2)	\$1,174.	\$1,349.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2)	1,306.	1,503.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2)	1,454.	1,673.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2)	1,339.	1,537.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2)	1,506.	1,728.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2)	1,671.	1,920.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2)	1,832.	2,106.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2)	2,050.	2,357.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2)	2,157.	2,480.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2)	2,326.	2,674.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2)	2,563.	2,949.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2)	2,473.	2,842.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2)	2,629.	3,022.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2)	3,215.	3,698.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2)	3,456.	3,973.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2)	3,439.	3,954.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2)	3,596.	4,135.
Round tops Profile edge on all sides except on parting lines. 	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2)	660.	759.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2)	765.	879.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2)	1,260.	1,449.
	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2)	1,976.	2,272.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2)	2,445.	2,813.

Order Code	Specification Information	Application Notes
Example: RTAG72302	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	4. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 *Round tops in two pieces. Applicable finishes are listed on page 4 and 5.
T Racetrack top	2. Width	
A 1 1/4" thick	3. Depth	
G Gamma	4. Finish type	
72 22" wide	5. Finish	
30 30" deep	<i>1. Edge profile options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
2 V2 finish	A = Alpha	1 1/4" tops require support at mid point to reduce spans to 48" or less.
V319 Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge conference room tops
 1 1/4" thick conference room top
 square and rectangular

Reff


description	w	d	pattern no.	M/V1	V2
Rectangular top - 1 piece 	72"	30"	RRA(A/B/C/D/E/F/G)7230-(1/2)	\$621.	\$713.
	84"	30"	RRA(A/B/C/D/E/F/G)8430-(1/2)	686.	791.
	96"	30"	RRA(A/B/C/D/E/F/G)9630-(1/2)	770.	885.
	72"	36"	RRA(A/B/C/D/E/F/G)7236-(1/2)	674.	774.
	84"	36"	RRA(A/B/C/D/E/F/G)8436-(1/2)	736.	846.
	96"	36"	RRA(A/B/C/D/E/F/G)9636-(1/2)	851.	979.
	84"	42"	RRA(A/B/C/D/E/F/G)8442-(1/2)	1,090.	1,252.
	96"	42"	RRA(A/B/C/D/E/F/G)9642-(1/2)	1,250.	1,437.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRA(A/B/C/D/E/F/G)12036-(1/2)	1,364.	1,569.
	120"	42"	RRA(A/B/C/D/E/F/G)12042-(1/2)	1,882.	2,163.
	144"	42"	RRA(A/B/C/D/E/F/G)14442-(1/2)	2,113.	2,433.
	120"	48"	RRA(A/B/C/D/E/F/G)12048-(1/2)	2,045.	2,352.
	144"	48"	RRA(A/B/C/D/E/F/G)14448-(1/2)	2,266.	2,605.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRA(A/B/C/D/E/F/G)16842-(1/2)	2,772.	3,188.
	192"	42"	RRA(A/B/C/D/E/F/G)19242-(1/2)	3,003.	3,455.
	168"	48"	RRA(A/B/C/D/E/F/G)16848-(1/2)	3,010.	3,465.
	192"	48"	RRA(A/B/C/D/E/F/G)19248-(1/2)	3,233.	3,717.
Square top Profile edge on all sides except on parting lines 	-	36"	RRA(A/B/C/D/E/F/G)3636-(1/2)	479.	550.
	-	42"	RRA(A/B/C/D/E/F/G)4242-(1/2)	621.	713.
	-	48"	RRA(A/B/C/D/E/F/G)4848-(1/2)	815.	936.
	*	60"	RRA(A/B/C/D/E/F/G)6060-(1/2)	1,271.	1,462.
	*	72"	RRA(A/B/C/D/E/F/G)7272-(1/2)	1,499.	1,724.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAG72302	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge option	4. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 * Square tops in two pieces. Applicable finishes are listed on page 4 and 5.
R Conference Room top	2. Width	
A 1 1/4" thick	3. Depth	
G Gamma	4. Finish type	
72 72" wide	5. Finish	
30 30" deep	<i>1. Edge profile options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
2 V2 finish	A = Alpha	1 1/4" tops require support at mid point to reduce spans to 48" or less.
V319 Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Waterfall edge
 worksurface tops
 1 1/4" thick rectilinear with 2" waterfall edge front only
 20" and 24" deep

Reff


description	d	w	pattern no.	V1	V2	
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-()(1/2)	\$630.	\$726.	
		30"	RSAWF301-()(1/2)	693.	799.	
		36"	RSAWF361-()(1/2)	733.	841.	
		42"	RSAWF421-()(1/2)	765.	877.	
		48"	RSAWF481-()(1/2)	796.	915.	
		54"	RSAWF541-()(1/2)	830.	956.	
		60"	RSAWF601-()(1/2)	895.	1,028.	
		66"	RSAWF661-()(1/2)	922.	1,061.	
		72"	RSAWF721-()(1/2)	967.	1,113.	
		78"	RSAWF781-()(1/2)	984.	1,129.	
		84"	RSAWF841-()(1/2)	1,046.	1,202.	
		90"	RSAWF901-()(1/2)	1,087.	1,250.	
		96"	RSAWF961-()(1/2)	1,129.	1,296.	
		24"	24"	RSAWF242-()(1/2)	664.	765.
			30"	RSAWF302-()(1/2)	752.	864.
			36"	RSAWF362-()(1/2)	781.	897.
			42"	RSAWF422-()(1/2)	805.	924.
48"	RSAWF482-()(1/2)		864.	993.		
54"	RSAWF542-()(1/2)		922.	1,061.		
60"	RSAWF602-()(1/2)		988.	1,134.		
66"	RSAWF662-()(1/2)		1,021.	1,173.		
72"	RSAWF722-()(1/2)		1,067.	1,227.		
78"	RSAWF782-()(1/2)		1,118.	1,285.		
84"	RSAWF842-()(1/2)		1,162.	1,335.		
90"	RSAWF902-()(1/2)		1,217.	1,399.		
96"	RSAWF962-()(1/2)	1,264.	1,453.			

Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)	<i>2. Finish type:</i>	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	1 = V1	
	2 = V2	

Waterfall edge
 worksurface tops
 1 1/4" thick rectilinear with 2" waterfall edge front only
 30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2
Straight rectangular work tops Waterfall edge front only	30"	24"	RSAWF243-()(1/2)	\$722.	\$833.
		30"	RSAWF303-()(1/2)	812.	935.
		36"	RSAWF363-()(1/2)	875.	1,006.
		42"	RSAWF423-()(1/2)	912.	1,048.
		48"	RSAWF483-()(1/2)	973.	1,121.
		54"	RSAWF543-()(1/2)	1,052.	1,212.
		60"	RSAWF603-()(1/2)	1,092.	1,255.
		66"	RSAWF663-()(1/2)	1,116.	1,283.
		72"	RSAWF723-()(1/2)	1,143.	1,314.
		78"	RSAWF783-()(1/2)	1,197.	1,375.
		84"	RSAWF843-()(1/2)	1,243.	1,432.
		90"	RSAWF903-()(1/2)	1,303.	1,495.
		96"	RSAWF963-()(1/2)	1,350.	1,551.
	36"	60"	RSAWF604-()(1/2)	1,261.	1,447.
		66"	RSAWF664-()(1/2)	1,305.	1,499.
		72"	RSAWF724-()(1/2)	1,348.	1,548.




Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide		
3 30" deep	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
F Flush grommet	N = No grommet	
2 V2 finish	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	R = Recessed front (not recommended on 20"D and 24"D tops)	
111 Jet black (grommet)	<i>2. Finish type:</i>	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	1 = V1	
	2 = V2	

Waterfall edge
 worksurface tops
 1 1/4" thick rectilinear with 2" waterfall edge front and back
 20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241-()(1/2)	\$788.	\$909.	
		30"	RSAWA301-()(1/2)	869.	997.	
		36"	RSAWA361-()(1/2)	916.	1,051.	
		42"	RSAWA421-()(1/2)	957.	1,099.	
		48"	RSAWA481-()(1/2)	993.	1,143.	
		54"	RSAWA541-()(1/2)	1,038.	1,194.	
		60"	RSAWA601-()(1/2)	1,119.	1,284.	
		66"	RSAWA661-()(1/2)	1,153.	1,326.	
		72"	RSAWA721-()(1/2)	1,212.	1,394.	
		78"	RSAWA781-()(1/2)	1,230.	1,410.	
		84"	RSAWA841-()(1/2)	1,307.	1,502.	
		90"	RSAWA901-()(1/2)	1,361.	1,564.	
		96"	RSAWA961-()(1/2)	1,410.	1,623.	
		24"	24"	RSAWA242-()(1/2)	830.	957.
			30"	RSAWA302-()(1/2)	938.	1,080.
			36"	RSAWA362-()(1/2)	977.	1,124.
			42"	RSAWA422-()(1/2)	1,006.	1,156.
			48"	RSAWA482-()(1/2)	1,080.	1,242.
			54"	RSAWA542-()(1/2)	1,153.	1,326.
60"	RSAWA602-()(1/2)		1,235.	1,420.		
66"	RSAWA662-()(1/2)		1,277.	1,466.		
72"	RSAWA722-()(1/2)		1,332.	1,534.		
78"	RSAWA782-()(1/2)		1,399.	1,609.		
84"	RSAWA842-()(1/2)		1,453.	1,672.		
90"	RSAWA902-()(1/2)		1,522.	1,749.		
96"	RSAWA962-()(1/2)		1,580.	1,815.		

Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall tops cannot be specified with open pore finish.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry		
111 Jet Black (grommet)		

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 4 and 5.


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and back

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-()(1/2)	\$905.	\$1,041.
		30"	RSAWA303-()(1/2)	1,016.	1,171.
		36"	RSAWA363-()(1/2)	1,095.	1,260.
		42"	RSAWA423-()(1/2)	1,141.	1,311.
		48"	RSAWA483-()(1/2)	1,218.	1,401.
		54"	RSAWA543-()(1/2)	1,316.	1,514.
		60"	RSAWA603-()(1/2)	1,364.	1,570.
		66"	RSAWA663-()(1/2)	1,396.	1,605.
		72"	RSAWA723-()(1/2)	1,429.	1,643.
		78"	RSAWA783-()(1/2)	1,495.	1,721.
		84"	RSAWA843-()(1/2)	1,555.	1,790.
		90"	RSAWA903-()(1/2)	1,626.	1,870.
		96"	RSAWA963-()(1/2)	1,685.	1,939.
	36"	60"	RSAWA604-()(1/2)	1,576.	1,809.
		66"	RSAWA664-()(1/2)	1,630.	1,875.
		72"	RSAWA724-()(1/2)	1,683.	1,935.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall tops cannot be specified with open pore finish.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 4 and 5.


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and two sides

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2)	\$948.	\$1,089.
		30"	RSAWB301-()(1/2)	1,041.	1,195.
		36"	RSAWB361-()(1/2)	1,097.	1,262.
		42"	RSAWB421-()(1/2)	1,147.	1,317.
		48"	RSAWB481-()(1/2)	1,191.	1,371.
		54"	RSAWB541-()(1/2)	1,244.	1,433.
		60"	RSAWB601-()(1/2)	1,345.	1,544.
		66"	RSAWB661-()(1/2)	1,384.	1,591.
		72"	RSAWB721-()(1/2)	1,453.	1,671.
		78"	RSAWB781-()(1/2)	1,471.	1,692.
		84"	RSAWB841-()(1/2)	1,567.	1,804.
		90"	RSAWB901-()(1/2)	1,633.	1,877.
		96"	RSAWB961-()(1/2)	1,692.	1,947.
	24"	24"	RSAWB242-()(1/2)	996.	1,147.
		30"	RSAWB302-()(1/2)	1,127.	1,293.
		36"	RSAWB362-()(1/2)	1,172.	1,348.
		42"	RSAWB422-()(1/2)	1,208.	1,390.
		48"	RSAWB482-()(1/2)	1,293.	1,490.
		54"	RSAWB542-()(1/2)	1,384.	1,591.
		60"	RSAWB602-()(1/2)	1,483.	1,703.
		66"	RSAWB662-()(1/2)	1,531.	1,760.
		72"	RSAWB722-()(1/2)	1,599.	1,841.
		78"	RSAWB782-()(1/2)	1,677.	1,931.
		84"	RSAWB842-()(1/2)	1,743.	2,004.
		90"	RSAWB902-()(1/2)	1,824.	2,098.
		96"	RSAWB962-()(1/2)	1,893.	2,180.

Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Waterfall tops cannot be specified with semi-open pore finish.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Grommet option	
S Straight top	2. Top finish type	
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	
24 24" wide	1. <i>Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.


Applicable finishes are listed on page 4 and 5.

Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and two sides
30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2)	\$1,085.	\$1,248.
		30"	RSAWB303-()(1/2)	1,221.	1,404.
		36"	RSAWB363-()(1/2)	1,314.	1,511.
		42"	RSAWB423-()(1/2)	1,368.	1,572.
		48"	RSAWB483-()(1/2)	1,462.	1,680.
		54"	RSAWB543-()(1/2)	1,581.	1,815.
		60"	RSAWB603-()(1/2)	1,637.	1,882.
		66"	RSAWB663-()(1/2)	1,674.	1,925.
		72"	RSAWB723-()(1/2)	1,714.	1,970.
		78"	RSAWB783-()(1/2)	1,796.	2,067.
		84"	RSAWB843-()(1/2)	1,864.	2,146.
		90"	RSAWB903-()(1/2)	1,951.	2,245.
		96"	RSAWB963-()(1/2)	2,025.	2,326.
		36"	60"	RSAWB604-()(1/2)	1,889.
66"	RSAWB664-()(1/2)		1,954.	2,248.	
72"	RSAWB724-()(1/2)		2,022.	2,323.	

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWB243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Waterfall tops cannot be specified with semi-open pore finish.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Grommet option	
S Straight top	2. Top finish type	
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	
24 24" wide	1. <i>Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.	
	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.	
	Applicable finishes are listed on page 4 and 5.	


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and left side

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()(1/2)	\$869.	\$998.
		30"	RSAWL301-()(1/2)	955.	1,096.
		36"	RSAWL361-()(1/2)	1,006.	1,156.
		42"	RSAWL421-()(1/2)	1,051.	1,208.
		48"	RSAWL481-()(1/2)	1,093.	1,257.
		54"	RSAWL541-()(1/2)	1,142.	1,313.
		60"	RSAWL601-()(1/2)	1,232.	1,415.
		66"	RSAWL661-()(1/2)	1,268.	1,460.
		72"	RSAWL721-()(1/2)	1,331.	1,531.
		78"	RSAWL781-()(1/2)	1,352.	1,552.
		84"	RSAWL841-()(1/2)	1,438.	1,653.
	90"	RSAWL901-()(1/2)	1,495.	1,721.	
	96"	RSAWL961-()(1/2)	1,552.	1,785.	
	24"	24"	RSAWL242-()(1/2)	913.	1,051.
		30"	RSAWL302-()(1/2)	1,033.	1,187.
		36"	RSAWL362-()(1/2)	1,074.	1,235.
		42"	RSAWL422-()(1/2)	1,107.	1,272.
		48"	RSAWL482-()(1/2)	1,187.	1,365.
		54"	RSAWL542-()(1/2)	1,268.	1,460.
		60"	RSAWL602-()(1/2)	1,358.	1,559.
		66"	RSAWL662-()(1/2)	1,403.	1,613.
72"		RSAWL722-()(1/2)	1,466.	1,685.	
78"		RSAWL782-()(1/2)	1,536.	1,769.	
84"	RSAWL842-()(1/2)	1,595.	1,838.		
90"	RSAWL902-()(1/2)	1,673.	1,923.		
96"	RSAWL962-()(1/2)	1,735.	1,998.		


Order Code	Specification Information	Application Notes
Example: RSAWL241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry		1 1/4" tops require support at mid point to reduce spans to 48" or less.
111 Jet Black (grommet)		
	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	

Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and left side
30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-()(1/2)	\$996.	\$1,145.
		30"	RSAWL303-()(1/2)	1,118.	1,285.
		36"	RSAWL363-()(1/2)	1,204.	1,385.
		42"	RSAWL423-()(1/2)	1,253.	1,441.
		48"	RSAWL483-()(1/2)	1,340.	1,543.
		54"	RSAWL543-()(1/2)	1,447.	1,667.
		60"	RSAWL603-()(1/2)	1,500.	1,725.
		66"	RSAWL663-()(1/2)	1,533.	1,766.
		72"	RSAWL723-()(1/2)	1,572.	1,806.
		78"	RSAWL783-()(1/2)	1,645.	1,893.
		84"	RSAWL843-()(1/2)	1,710.	1,968.
		90"	RSAWL903-()(1/2)	1,790.	2,059.
		96"	RSAWL963-()(1/2)	1,855.	2,132.
	36"	60"	RSAWL604-()(1/2)	1,731.	1,991.
		66"	RSAWL664-()(1/2)	1,793.	2,061.
		72"	RSAWL724-()(1/2)	1,852.	2,129.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWL243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 4 and 5.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry		1 1/4" tops require support at mid point to reduce spans to 48" or less.
111 Jet Black (grommet)	<i>2. Finish type:</i> 1 = V1 2 = V2	


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and right side

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()(1/2)	\$869.	\$998.
		30"	RSAWR301-()(1/2)	955.	1,096.
		36"	RSAWR361-()(1/2)	1,006.	1,156.
		42"	RSAWR421-()(1/2)	1,051.	1,208.
		48"	RSAWR481-()(1/2)	1,093.	1,257.
		54"	RSAWR541-()(1/2)	1,142.	1,313.
		60"	RSAWR601-()(1/2)	1,232.	1,415.
		66"	RSAWR661-()(1/2)	1,268.	1,460.
		72"	RSAWR721-()(1/2)	1,331.	1,531.
		78"	RSAWR781-()(1/2)	1,352.	1,552.
		84"	RSAWR841-()(1/2)	1,438.	1,653.
		90"	RSAWR901-()(1/2)	1,495.	1,721.
		96"	RSAWR961-()(1/2)	1,552.	1,785.
			24"	24"	RSAWR242-()(1/2)
30"	RSAWR302-()(1/2)			1,033.	1,187.
36"	RSAWR362-()(1/2)			1,074.	1,235.
42"	RSAWR422-()(1/2)			1,107.	1,272.
48"	RSAWR482-()(1/2)			1,187.	1,365.
54"	RSAWR542-()(1/2)			1,268.	1,460.
60"	RSAWR602-()(1/2)			1,358.	1,559.
66"	RSAWR662-()(1/2)			1,403.	1,613.
72"	RSAWR722-()(1/2)			1,466.	1,685.
78"	RSAWR782-()(1/2)			1,536.	1,769.
84"	RSAWR842-()(1/2)			1,595.	1,838.
90"	RSAWR902-()(1/2)			1,673.	1,923.
96"	RSAWR962-()(1/2)			1,735.	1,998.


Order Code	Specification Information	Application Notes
Example: RSAWR241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall tops cannot be specified with semi-open pore finish.
A 1 1/4" thick	3. Top finish	
WR Waterfall front and right	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	

Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and right side
30" and 36" deep

Reff







description	d	w	pattern no.	V1	V2
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-()(1/2)	\$996.	\$1,145.
		30"	RSAWR303-()(1/2)	1,118.	1,285.
		36"	RSAWR363-()(1/2)	1,204.	1,385.
		42"	RSAWR423-()(1/2)	1,253.	1,441.
		48"	RSAWR483-()(1/2)	1,340.	1,543.
		54"	RSAWR543-()(1/2)	1,447.	1,667.
		60"	RSAWR603-()(1/2)	1,500.	1,725.
		66"	RSAWR663-()(1/2)	1,533.	1,766.
		72"	RSAWR723-()(1/2)	1,572.	1,806.
		78"	RSAWR783-()(1/2)	1,645.	1,893.
		84"	RSAWR843-()(1/2)	1,710.	1,968.
		90"	RSAWR903-()(1/2)	1,790.	2,059.
		96"	RSAWR963-()(1/2)	1,855.	2,132.
	36"	60"	RSAWR604-()(1/2)	1,731.	1,991.
		66"	RSAWR664-()(1/2)	1,793.	2,061.
		72"	RSAWR724-()(1/2)	1,852.	2,129.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWR243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 4 and 5.
WR Waterfall front and right	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	1 1/4" tops require support at mid point to reduce spans to 48" or less.
V319 Medium cherry		
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	

Waterfall edge
 worksurface tops
 1 1/4" thick curvilinear transition and end tops
 with 2" waterfall edge front only

Reff

description	d left	w	d right	pattern no.	V1	V2
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221- ()(1/2)	\$848.	\$977.
	24"	48"	20"	RWAWF4821- ()(1/2)	892.	1,026.
	24"	54"	20"	RWAWF5421- ()(1/2)	955.	1,097.
	24"	60"	20"	RWAWF6021- ()(1/2)	1,020.	1,174.
	24"	66"	20"	RWAWF6621- ()(1/2)	1,051.	1,208.
	24"	72"	20"	RWAWF7221- ()(1/2)	1,101.	1,267.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232- ()(1/2)	915.	1,051.
	30"	48"	24"	RWAWF4832- ()(1/2)	952.	1,094.
	30"	54"	24"	RWAWF5432- ()(1/2)	1,026.	1,182.
	30"	60"	24"	RWAWF6032- ()(1/2)	1,097.	1,265.
	30"	66"	24"	RWAWF6632- ()(1/2)	1,138.	1,308.
	30"	72"	24"	RWAWF7232- ()(1/2)	1,194.	1,374.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212- ()(1/2)	848.	977.
	20"	48"	24"	RWAWF4812- ()(1/2)	892.	1,026.
	20"	54"	24"	RWAWF5412- ()(1/2)	955.	1,097.
	20"	60"	24"	RWAWF6012- ()(1/2)	1,020.	1,174.
	20"	66"	24"	RWAWF6612- ()(1/2)	1,051.	1,208.
	20"	72"	24"	RWAWF7212- ()(1/2)	1,101.	1,267.
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	RWAWF4223- ()(1/2)	915.	1,051.
	24"	48"	30"	RWAWF4823- ()(1/2)	952.	1,094.
	24"	54"	30"	RWAWF5423- ()(1/2)	1,026.	1,182.
	24"	60"	30"	RWAWF6023- ()(1/2)	1,097.	1,265.
	24"	66"	30"	RWAWF6623- ()(1/2)	1,138.	1,308.
	24"	72"	30"	RWAWF7223- ()(1/2)	1,194.	1,374.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631- ()(1/2)	1,127.	1,293.
	32"	42"	20"	RWEAWF4231- ()(1/2)	1,172.	1,349.
	32"	48"	20"	RWEAWF4831- ()(1/2)	1,235.	1,421.
Wave end top with waterfall edge front (right 24") 	36"	36"	24"	RWEAWF3662- ()(1/2)	1,164.	1,339.
	36"	42"	24"	RWEAWF4262- ()(1/2)	1,201.	1,383.
	36"	48"	24"	RWEAWF4862- ()(1/2)	1,276.	1,466.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	<i>2. Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	Applicable finishes are listed on page 4 and 5.	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.



1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall edge
 worksurface tops
 1 1/4" thick curvilinear transition and end tops
 with 2" waterfall edge front only

Reff

description	d left	w	d right	pattern no.	V1	V2
 Wave end top with waterfall edge front (left 20")	20"	36"	32"	RWEAWF3613-()(1/2)	\$1,127.	\$1,293.
	20"	42"	32"	RWEAWF4213-()(1/2)	1,172.	1,349.
	20"	48"	32"	RWEAWF4813-()(1/2)	1,235.	1,421.
 Wave end top with waterfall edge front (left 24")	24"	36"	36"	RWEAWF3626-()(1/2)	1,164.	1,339.
	24"	42"	36"	RWEAWF4226-()(1/2)	1,201.	1,383.
	24"	48"	36"	RWEAWF4826-()(1/2)	1,276.	1,466.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	1. <i>Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	2. <i>Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	Applicable finishes are listed on page 4 and 5.	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall edge
worksurface tops

Reff

1 1/4" thick curvilinear corner tops with 2" waterfall edge front only

description	Return d left	d right	Back w	w	pattern no.	V1	V2
Curved corner work top, with waterfall edge front only (both returns 20") 	20"	20"	36"	36"	RCAWF363611-()(1/2)	\$1,339.	\$1,541.
	20"	20"	36"	42"	RCAWF364211-()(1/2)	1,417.	1,630.
	20"	20"	36"	48"	RCAWF364811-()(1/2)	1,503.	1,730.
	20"	20"	42"	36"	RCAWF423611-()(1/2)	1,417.	1,630.
	20"	20"	42"	42"	RCAWF424211-()(1/2)	1,503.	1,730.
	20"	20"	42"	48"	RCAWF424811-()(1/2)	1,643.	1,890.
	20"	20"	48"	36"	RCAWF483611-()(1/2)	1,503.	1,730.
	20"	20"	48"	42"	RCAWF484211-()(1/2)	1,643.	1,890.
<i>Radii of front edge varies with top dimensions</i>							
Curved corner work top, with waterfall edge front only (both returns 24")	24"	24"	36"	36"	RCAWF363622-()(1/2)	1,517.	1,748.
	24"	24"	36"	42"	RCAWF364222-()(1/2)	1,595.	1,838.
	24"	24"	36"	48"	RCAWF364822-()(1/2)	1,683.	1,937.
	24"	24"	42"	36"	RCAWF423622-()(1/2)	1,595.	1,838.
	24"	24"	42"	42"	RCAWF424222-()(1/2)	1,683.	1,937.
	24"	24"	42"	48"	RCAWF424822-()(1/2)	1,823.	2,098.
	24"	24"	48"	36"	RCAWF483622-()(1/2)	1,683.	1,937.
	24"	24"	48"	42"	RCAWF484222-()(1/2)	1,823.	2,098.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	20"	24"	36"	36"	RCAWF363612-()(1/2)	1,399.	1,608.
	20"	24"	36"	42"	RCAWF364212-()(1/2)	1,479.	1,699.
	20"	24"	36"	48"	RCAWF364812-()(1/2)	1,564.	1,799.
	20"	24"	42"	36"	RCAWF423612-()(1/2)	1,479.	1,699.
	20"	24"	42"	42"	RCAWF424212-()(1/2)	1,564.	1,799.
	20"	24"	42"	48"	RCAWF424812-()(1/2)	1,704.	1,958.
	20"	24"	48"	36"	RCAWF483612-()(1/2)	1,564.	1,799.
	20"	24"	48"	42"	RCAWF484212-()(1/2)	1,704.	1,958.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	24"	20"	36"	36"	RCAWF363621-()(1/2)	1,399.	1,608.
	24"	20"	36"	42"	RCAWF364221-()(1/2)	1,479.	1,699.
	24"	20"	36"	48"	RCAWF364821-()(1/2)	1,564.	1,799.
	24"	20"	42"	36"	RCAWF423621-()(1/2)	1,479.	1,699.
	24"	20"	42"	42"	RCAWF424221-()(1/2)	1,564.	1,799.
	24"	20"	42"	48"	RCAWF424821-()(1/2)	1,704.	1,958.
	24"	20"	48"	36"	RCAWF483621-()(1/2)	1,564.	1,799.
	24"	20"	48"	42"	RCAWF484221-()(1/2)	1,704.	1,958.


Order Code	Specification Information	Application Notes
Example: RCAWF363611F2	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Grommet option	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
C Curved front corner	2. Top finish type	
A 1 1/4" thick	3. Top finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
WF Waterfall front	4. Grommet finish	
36 36" wide on left back	1. <i>Grommet options:</i>	Curvilinear worksurfaces only available in 1 1/4" thick.
36 36" wide on right back	N = No grommet	
1 20" deep on left side	F = Standard corner location	See Planning Guide for grommet locations.
1 20" deep on right side		
F Standard grommet	2. <i>Finish type:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	Applicable finishes are listed on page 4 and 5.	

Waterfall edge

1 1/4" thick meeting tops

with 2" waterfall edge

Reff

description	d	w	pattern no.	V1	V2
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230- ()(1/2)	\$1,710.	\$1,967.
		48"	RMDAWF4830- ()(1/2)	1,844.	2,121.
		54"	RMDAWF5430- ()(1/2)	1,980.	2,277.
		60"	RMDAWF6030- ()(1/2)	2,115.	2,432.
		66"	RMDAWF6630- ()(1/2)	2,253.	2,592.
		72"	RMDAWF7230- ()(1/2)	2,391.	2,751.
		78"	RMDAWF7830- ()(1/2)	2,707.	3,110.
		84"	RMDAWF8430- ()(1/2)	3,022.	3,473.
		90"	RMDAWF9030- ()(1/2)	3,372.	3,878.
	96"	RMDAWF9630- ()(1/2)	3,723.	4,280.	
	36"	42"	RMDAWF4236- ()(1/2)	1,886.	2,167.
		48"	RMDAWF4836- ()(1/2)	2,061.	2,370.
		54"	RMDAWF5436- ()(1/2)	2,355.	2,711.
		60"	RMDAWF6036- ()(1/2)	2,644.	3,040.
		66"	RMDAWF6636- ()(1/2)	2,689.	3,094.
		72"	RMDAWF7236- ()(1/2)	2,734.	3,145.
		78"	RMDAWF7836- ()(1/2)	3,077.	3,538.
		84"	RMDAWF8436- ()(1/2)	3,425.	3,938.
90"		RMDAWF9036- ()(1/2)	3,608.	4,152.	
96"	RMDAWF9636- ()(1/2)	3,954.	4,546.		
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230- ()(1/2)	2,351.	2,702.
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230- ()(1/2)	2,351.	2,702.



Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2 R Reff MD Meeting D-shaped top A 1 1/4" thick WF Waterfall all except flat side 42 42" wide 30 30" deep N No grommet 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Grommet option 3. Top finish type 4. Top finish 5. Grommet finish 1. <i>Thickness option:</i> A = 1 1/4" 2. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops) 3. <i>Finish type:</i> 1 = V1 2 = V2 Note wraps around panel tops only, require specification of mating trim profile.	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Refer to Planning Guide for modesty panel size requirements and all other support options. Waterfall tops cannot be specified with semi-open pore finish. Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.




Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 4 and 5.

Worksurfaces

Waterfall edge
 1 1/4" thick meeting tops
 with 2" waterfall edge

Reff


description	d	w	pattern no.	V1	V2
Worksurface 9-top 	30"	84"	RM9AWF8430-()(1/2)	\$4,783.	\$5,501.
	30"	96"	RM9AWF9630-()(1/2)	4,983.	5,728.
Worksurface P-top 	30"	84"	RMPAWF8430-()(1/2)	4,783.	5,501.
	30"	96"	RMPAWF9630-()(1/2)	4,983.	5,728.
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-()(1/2)()	2,201.	2,529.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2)()	2,412.	2,774.

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	Refer to Planning Guide for modesty panel size requirements and all other support options.
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
N No grommet	2. <i>Grommet options:</i> N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	F = Flush front grommet location	
V319 Medium cherry	R = Recessed front C = Centered (only on D-tops)	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
	3. <i>Finish type:</i> 1 = V1 2 = V2	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	Note wraps around panel tops only, require specification of mating trim profile.	Applicable finishes are listed on page 4 and 5.

Waterfall edge


1 1/4" thick bow front tops

with 2" waterfall edge front and back

description	w	d	h	pattern no.	L	V1	V2
	72"	30"		RMBAWA7230-()(1/2)		\$2,372.	\$2,731.
	84"	30"		RMBAWA8430-()(1/2)		2,619.	3,012.
	96"	30"		RMBAWA9630-()(1/2)		2,905.	3,341.


Use 29" deep pedestals or end panels.

Do not use 23" deep pedestals if using recessed modesty.

	72"	36"		RMBAWA7236-()(1/2)		2,523.	2,901.
	84"	36"		RMBAWA8436-()(1/2)		2,769.	3,184.
	96"	36"		RMBAWA9636-()(1/2)		3,070.	3,528.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).

Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	w	d	h	pattern no.	L	V1	V2
	40"	1"	26 1/2"	RB40MR-()	301.	336.	386.
	52"	1"	26 1/2"	RB52MR-()	355.	396.	455.
	64"	1"	26 1/2"	RB64MR-()	383.	427.	493.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top

52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.



When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Order Code	Specification Information	Application Notes
Example: RCBAWA7230F2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff		
CB Bow front	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	2. Top finish type	
WA Waterfall front/back	3. Top finish	1 1/4" tops require support at mid point to reduce spans to 48" or less.
72 72" wide	4. Grommet finish	
30 30" deep		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
F Flush front grommet position	1. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front A = Alternate location (for 36"D tops only)	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
2 V2 finish		
V319 Medium cherry	2. <i>Finish type:</i> 1 = V1 2 = V2	
111 Jet Black (grommet)		

Applicable finishes are listed on page 4 and 5.

Waterfall edge
 1 1/4" thick bow front tops
 with 2" waterfall edge front and back

Reff





description	w	d	h	pattern no.	L	V1	V2
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	\$426.	\$556.	\$645.
	16"	30"	26 1/2"	REBH30	440.	568.	661.
Waterfall elliptical tops 	60"	30"		REBAWA6030()		3,351.	3,853.
	72"	42"		REBAWA7242()		4,765.	5,482.
	78"	48"		REBAWA7848()		5,228.	6,014.

Order Code	Specification Information	Application Notes
Example: RCBAWA7230F2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
CB Bow front	2. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
WA Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
72 72" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 135 of planning guide for application details.
30 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	

Applicable finishes are listed on page 4 and 5.

Waterfall edge
 1 1/4" thick conference room tops
 round and racetrack
 with 2" waterfall edge

Reff

description	w	d	pattern no.	V1	V2
Racetrack top - one piece 	72"	30"	RTAW7230-(1/2)	\$3,351.	\$3,853.
	84"	30"	RTAW8430-(1/2)	3,729.	4,290.
	96"	30"	RTAW9630-(1/2)	4,152.	4,775.
	72"	36"	RTAW7236-(1/2)	3,820.	4,391.
	84"	36"	RTAW8436-(1/2)	4,295.	4,938.
	96"	36"	RTAW9636-(1/2)	4,765.	5,482.
	84"	42"	RTAW8442-(1/2)	5,228.	6,014.
	96"	42"	RTAW9642-(1/2)	5,853.	6,729.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RTAW12036-(1/2)	6,155.	7,077.
	120"	42"	RTAW12042-(1/2)	6,636.	7,632.
	144"	42"	RTAW14442-(1/2)	7,318.	8,416.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RTAW16842-(1/2)	9,176.	10,554.
	192"	42"	RTAW19242-(1/2)	9,859.	11,339.
RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Round tops, Waterfall edge on all sides except on parting lines 	-	36"	RTAW3636-(1/2)	1,886.	2,528.
	-	42"	RTAW4242-(1/2)	2,184.	2,930.
	*	60"	RTAW6060-(1/2)	5,641.	6,484.
	*	72"	RTAW7272-(1/2)	6,981.	8,027.

Worksurfaces






Order Code	Specification Information	Application Notes
Example: RTAW72302 R Reff T Rounded top A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 *Round tops in two pieces.	Top to top brackets included. See table base matrix in Planning Guide for base supports recommended. 1 1/4" tops require support at mid point to reduce spans to 48" or less. Tops have no radius on edges that adjoin. All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Waterfall tops cannot be specified with semi-open pore finish.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

 Applicable finishes are listed on page 4 and 5.

Waterfall edge
 1 1/4" thick conference room tops
 square and rectangular
 with 2" waterfall edge



Reff

description	w	d	pattern no.	V1	V2
Rectangular top - one piece 	72"	30"	RRAW7230-(1/2)	\$1,770.	\$2,037.
	84"	30"	RRAW8430-(1/2)	1,958.	2,253.
	96"	30"	RRAW9630-(1/2)	2,197.	2,526.
	72"	36"	RRAW7236-(1/2)	1,922.	2,211.
	84"	36"	RRAW8436-(1/2)	2,103.	2,416.
	96"	36"	RRAW9636-(1/2)	2,429.	2,792.
	84"	42"	RRAW8442-(1/2)	3,110.	3,575.
	96"	42"	RRAW9642-(1/2)	3,566.	4,101.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RRAW12036-(1/2)	3,891.	4,478.
	120"	42"	RRAW12042-(1/2)	5,370.	6,176.
	144"	42"	RRAW14442-(1/2)	6,032.	6,938.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RRAW16842-(1/2)	7,910.	9,099.
	192"	42"	RRAW19242-(1/2)	8,571.	9,856.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center				
Square top - one piece 	-	36"	RRAW3636-(1/2)	1,368.	1,834.
	-	42"	RRAW4242-(1/2)	1,770.	2,375.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	RRAW6060-(1/2)	3,624.	4,167.
	-	72"	RRAW7272-(1/2)	4,280.	4,922.

Order Code	Specification Information	Application Notes
Example: RRAW72302	<i>To order please specify pattern number including:</i>	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
R Reff	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Rectangular	2. Finish type	Top to top brackets included.
A 1 1/4" thick	3. Finish	Tops have no radius on edges that adjoin.
W Waterfall all sides	1. Thickness option: A = 1 1/4"	See table base matrix in Planning Guide for base supports recommended.
72 72" wide	2. Finish type: 1 = V1	1 1/4" tops require support at mid point to reduce spans to 48" or less.
30 30" deep	2 = V2	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	Applicable finishes are listed on page 4 and 5.	
V319 Medium cherry		

Cascade edge
worksurface tops
Rectilinear 24" and 30" deep

Reff


description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	RCE1R2424N	\$197.	\$171.
	24"	30"	RCE1R3024N	227.	197.
	24"	36"	RCE1R3624N	251.	218.
	24"	42"	RCE1R4224N	289.	251.
	24"	48"	RCE1R4824N	324.	282.
	24"	54"	RCE1R5424N	348.	303.
	24"	60"	RCE1R6024N	378.	329.
	24"	66"	RCE1R6624N	408.	355.
	24"	72"	RCE1R7224N	427.	371.
	24"	78"	RCE1R7824N	458.	398.
	24"	84"	RCE1R8424N	484.	421.
	24"	90"	RCE1R9024N	546.	475.
	24"	96"	RCE1R9624N	596.	518.
30"D Rectangular  shown with grommet	30"	24"	RCE1R2430N	252.	219.
	30"	30"	RCE1R3030N	282.	245.
	30"	36"	RCE1R3630N	313.	272.
	30"	42"	RCE1R4230N	340.	296.
	30"	48"	RCE1R4830N	378.	329.
	30"	54"	RCE1R5430N	428.	372.
	30"	60"	RCE1R6030N	470.	409.
	30"	66"	RCE1R6630N	524.	456.
	30"	72"	RCE1R7230N	546.	475.
	30"	78"	RCE1R7830N	583.	507.
	30"	84"	RCE1R8430N	619.	538.
	30"	90"	RCE1R9030N	666.	579.
	30"	96"	RCE1R9630N	712.	619.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCE1R3024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
R Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$22.
CE1 Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
R Rectangular	114 Folkstone Grey	Tops require mid span support to reduce spans to 48" or less.
30 Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 157 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Finish	Woodgrain:	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade edge
worksurface tops
blended "D"


Reff

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	66"	48"	24"	RCE1BD6648S(L/R)	\$799.	\$695.
	66"	48"	30"	RCE1BD6648D(L/R)	841.	731.
	72"	48"	24"	RCE1BD7248S(L/R)	818.	711.
	72"	48"	30"	RCE1BD7248D(L/R)	872.	758.
	78"	48"	24"	RCE1BD7848S(L/R)	944.	821.
	78"	48"	30"	RCE1BD7848D(L/R)	975.	848.
	84"	48"	24"	RCE1BD8448S(L/R)	969.	843.
	84"	48"	30"	RCE1BD8448D(L/R)	1,030.	896.

Order Code	Specification Information	Application Notes
Example: RCE1BD6648SR 118	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
R Reff	1. Return depth (dimension C on line art, hard coded in pattern number)	Tops require mid span support to reduce spans to 48" or less.
CE1 Cascade edge	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 157 as required to support Cascade edge worksurfaces for Reff panel hung applications.
BD Blended "D"	D = 30" return	Cascade edge worksurfaces are not recommended for free-standing applications.
66 Width	2. Hand (left or right)	Actual width ¹ / ₁₆ " less nominal. Actual depth ³ / ₈ " less nominal for cord drop.
48 Depth	3. Finish	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
S 24" return	<i>Solid:</i>	
R right hand	114 Folkstone Grey	
118 Finish	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade edge
worksurface tops
curvilinear corner

Reff

description	A	B	C	pattern no.	Woodgrain	Solid
Curvilinear corner	36"	24"	24"	RCE1L3636SSN	\$495.	\$430.
	42"	24"	24"	RCE1L4242SSN	596.	518.
	42"	24"	30"	RCE1L4242SDN	708.	616.
	42"	30"	24"	RCE1L4242DSN	708.	616.
	48"	24"	24"	RCE1L4848SSN	670.	583.
	48"	24"	30"	RCE1L4848SDN	802.	697.
	48"	30"	24"	RCE1L4848DSN	802.	697.
	48"	30"	30"	RCE1L4848DDN	720.	626.


shown with grommets

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCE1L4848SSG 114	<i>To order please specify pattern number including:</i>	Center-located edge grommets, located on center of sides marked A.
RCE1 Reff Cascade Edge worksurface	1. Return depths (hard coded in pattern number) SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right	To specify grommets, replace the "N" suffix in pattern number with "G". Add \$43.
L Curvilinear Corner top	2. Grommets (hard coded in pattern number) N= no grommets G= grommets	All support hardware ordered separately.
48 Width	3. Finish <i>Solid:</i> 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice	Tops require mid span support to reduce spans to 48" or less.
48 Depth	Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut	Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 157 as required to support Cascade edge worksurfaces for Reff panel hung applications.
S 24"d, left side		Cascade edge worksurfaces are not recommended for free-standing applications.
S 24"d, right side		Actual width ¹ / ₁₆ " less nominal. Actual depth ³ / ₈ " less nominal for cord drop.
G Grommet		Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring durring or after installation.
114 Folkstone Grey finish		

Cascade edge
worksurface tops
blended "L"

Reff





description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$819.	\$712.
	42"	66"	24"	24"	RCE1L4266SSN	841.	731.
	42"	72"	24"	24"	RCE1L4272SSN	873.	759.
	42"	78"	24"	24"	RCE1L4278SSN	882.	767.
	48"	60"	24"	24"	RCE1L4860SSN	829.	721.
	48"	60"	24"	30"	RCE1L4860SDN	814.	708.
	48"	60"	30"	24"	RCE1L4860DSN	814.	708.
	48"	66"	24"	24"	RCE1L4866SSN	859.	747.
	48"	66"	24"	30"	RCE1L4866SDN	856.	744.
	48"	66"	30"	24"	RCE1L4866DSN	856.	744.
	48"	72"	24"	24"	RCE1L4872SSN	890.	774.
	48"	72"	24"	30"	RCE1L4872SDN	896.	779.
	48"	72"	30"	24"	RCE1L4872DSN	896.	779.
	48"	78"	24"	24"	RCE1L4878SSN	982.	854.
	48"	84"	24"	24"	RCE1L4884SSN	1,104.	960.
	60"	42"	24"	24"	RCE1L6042SSN	819.	712.
	60"	48"	24"	24"	RCE1L6048SSN	829.	721.
	60"	48"	24"	30"	RCE1L6048SDN	814.	708.
	60"	48"	30"	24"	RCE1L6048DSN	814.	708.
	66"	42"	24"	24"	RCE1L6642SSN	841.	731.
	66"	48"	24"	24"	RCE1L6648SSN	859.	747.
	66"	48"	24"	30"	RCE1L6648SDN	856.	744.
	66"	48"	30"	24"	RCE1L6648DSN	856.	744.
	72"	42"	24"	24"	RCE1L7242SSN	873.	759.
	72"	48"	24"	24"	RCE1L7248SSN	890.	774.
	72"	48"	24"	30"	RCE1L7248SDN	896.	779.
	72"	48"	30"	24"	RCE1L7248DSN	896.	779.
	78"	42"	24"	24"	RCE1L7842SSN	882.	767.
	78"	48"	24"	24"	RCE1L7848SSN	982.	854.
	84"	48"	24"	24"	RCE1L8448SSN	1,104.	960.

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4260SSG 114</p> <p>RCE1 Cascade edge worksurface</p> <p>L Blended "L" top</p> <p>42 Width</p> <p>60 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommets</p> <p>114 Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number): SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right</p> <p>2. Grommets (hard coded in pattern number): N= no grommets G= grommets</p> <p>3. Finishes: Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$43.</p> <p>All support hardware ordered separately.</p> <p>Tops require mid span support to reduce spans to 48" or less.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 157 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge
worksurface tops
half round and corner round

Reff

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	RCE1H4818	\$427.	\$371.
	50 1/2"	18"	RCE1H4818P	427.	371.
	60"	24"	RCE1H6024	588.	511.
	62 1/2"	24"	RCE1H6024P	588.	511.
 LH Corner Round	24"	24"	RCE1CR24L	227.	197.
 RH Corner Round	24"	24"	RCE1CR24R	227.	197.
 Notched Corner Round	24"	24"	RCE1CR24N	227.	197.

Worksurfaces

Order Code

Example:	RCE1H4818P 118
R	Reff
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Information

All support hardware ordered separately.

Tops require mid span support to reduce spans to 48" or less.

Specify cantilever bracket from page 157 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Half round tops with suffix P, notched for panel end trim profile B square only.



Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge
worksurface tops
wave end

Reff

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
 shown with grommet	36"	24"	30"	15"	3"	RCE1W363024N	\$531.	\$462.
	42"	24"	30"	15"	9"	RCE1W423024N	558.	485.
	48"	24"	30"	15"	15"	RCE1W483024N	597.	519.
	72"	24"	30"	23 1/2"	30 1/2"	RCE1W723024N	760.	661.
 shown with grommet	36"	30"	24"	3"	15"	RCE1W362430N	531.	462.
	42"	30"	24"	9"	15"	RCE1W422430N	558.	485.
	48"	30"	24"	15"	15"	RCE1W482430N	597.	519.
	72"	30"	24"	30 1/2"	23 1/2"	RCE1W722430N	760.	661.


Order Code	Specification Information	Application Notes
Example: RCE1W483024N 118	To order please specify pattern number including finish: Available finishes:	Center-located edge grommet.
RCE1 Cascade edge worksurface		To specify grommet, replace the "N" suffix in pattern number with "G". Add \$22.
W Wave end	Solid:	All support hardware ordered separately.
48 Width	114 Folkstone Grey	Tops require mid span support to reduce spans to 48" or less.
30 Depth, left side	117 Soft Grey	
24 Depth, right side	118 Bright White	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 157 as required to support Cascade edge worksurfaces for Reff panel hung applications.
N No grommet	119 Pumice	Cascade edge worksurfaces are not recommended for free-standing applications.
118 Top finish	Woodgrain:	Cascade edge worksurfaces are not recommended for free-standing applications.
	124 Medium Cherry	Actual width 1/16" less nominal.
	125 Natural Maple	Actual depth 3/8" less nominal for cord drop.
	126 Natural Cherry	
	127 Walnut	
		Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Top support components

Bracketry


Reff

description	d	pattern no.	P1 & black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$84.	\$88.	\$92.
	24"	RBC24 (L/R)	92.	98.	103.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	84.	88.	92.
	24"	ASBC24 (L/R) ()	92.	98.	103.



Specify paint finish
 18" for 24" d tops
 24" for 30" d tops

Mid-span cantilever bracket, free standing	17"	RMSCB ()	67.	72.	76.
--	-----	------------------	-----	-----	-----








Support components

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 227 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components

Bracketry

Reff




description	d	pattern no.	P1 & black only	P2	P3
Corner top corner bracket 		RBCC	\$17.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	36.	38.	39.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	4.		
	Black only				
Wall hung support bracket 	20"	RSBWH20	38.	40.	42.
	24"	RSBWH24	40.	44.	46.
	30"	RSBWH30	44.	46.	48.
	36"	RSBWH36	48.	50.	53.
	42"	RSBWH42	50.	53.	56.
	48"	RSBWH48	61.	64.	67.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	33.		
	Black only				

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 227 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components

Bracketry

Reff

description	d	pattern no.	P1 & black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$6.	\$6.	\$7.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	12.	12.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	2.		
		One by one by three bracket			

Support components


Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 227 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components


26 1/2" high

Reff


description	d	w	h	pattern no.	L	V1	V2
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$141.	\$173.	\$197.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	253.	309.	356.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	280.	338.	389.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	301.	368.	422.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	339.	414.	475.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	355.	433.	498.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	368.	447.	514.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	383.	467.	539.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	422.	514.	591.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	450.	547.	632.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	476.	581.	666.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	504.	614.	706.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	517.	630.	723.



Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. ¹ / ₁₆ " actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	165.	249.	286.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	177.	264.	304.
	19"	1"	26 1/2"	RE19F-()	192.	278.	318.
	23"	1"	26 1/2"	RE23F-()	202.	290.	335.
	29"	1"	26 1/2"	RE29F-()	215.	306.	352.



Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	432.	609.	701.
	36"	1"	26 1/2"	RE36-()	456.	638.	734.




Order Code	Specification Information	Application Notes
Example: RB24MFL		
R Reff	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 4 and 5.
B Back panel	1. <i>Modesty type</i>	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
24 48" panel dimension	2. <i>Modesty placement</i>	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
M Full height modesty	3. <i>Finish type</i>	Modesty panel lengths are nominal - length changes on option selected.
F Flush modesty placement	4. <i>Finish</i>	Glides ship with all supports on this page except the recessed modesty panel.
L Laminate	1. <i>Modesty type:</i> M = Standard height (26 1/2"H) H = Half height	Please see Planning Guide for freestanding planning instruction.
114 Folkstone grey	2. <i>Modesty placement:</i> F = Flush, cantilevered R = Recessed	
	3. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2	

Top support components

26 1/2" high


Reff

description	d	w	h	pattern no.	L	V1	V2
Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	\$165.	\$249.	\$286.
	16"	1"	26 1/2"	RSE2(L/R)-()	177.	264.	304.
	20"	1"	26 1/2"	RSE3(L/R)-()	192.	278.	318.
	24"	1"	26 1/2"	RSE4(L/R)-()	202.	290.	335.
	30"	1"	26 1/2"	RSE5(L/R)-()	215.	306.	352.
	36"	1"	26 1/2"	RSE6(L/R)-()	228.	318.	368.






left hand shown

Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	RB3636-()	914.	1,175.	1,352.
	36"	42"	26 1/2"	RB3642-()	935.	1,206.	1,388.
	36"	48"	26 1/2"	RB3648-()	974.	1,252.	1,436.
	42"	36"	26 1/2"	RB4236-()	935.	1,206.	1,388.
	42"	42"	26 1/2"	RB4242-()	958.	1,235.	1,423.
	42"	48"	26 1/2"	RB4248-()	996.	1,280.	1,473.
	48"	36"	26 1/2"	RB4836-()	974.	1,252.	1,436.
	48"	42"	26 1/2"	RB4842-()	996.	1,280.	1,473.
	48"	48"	26 1/2"	RB4848-()	1,034.	1,327.	1,536.



Order Code	Specification Information	Application Notes
Example: RB24MFL		
R Reff	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 4 and 5.
B Back panel	1. <i>Modesty type</i>	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
24 48" panel dimension	2. <i>Modesty placement</i>	Modesty panel lengths are nominal - length changes on option selected.
M Full height modesty	3. <i>Finish type</i>	Glides ship with all supports on this page except the recessed modesty panel.
F Flush modesty placement	4. <i>Finish</i>	Please see Planning Guide for freestanding planning instruction.
L Laminate	1. <i>Modesty type:</i> M = Standard height (26 1/2"H) H = Half height	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
114 Folkstone grey	2. <i>Modesty placement:</i> F = Flush, cantilevered R = Recessed	
	3. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2	

description	d	w	h	pattern no.	L	V1	V2
 <p>Flush/cantilevered with glides</p> <p>recessed (no glides)</p>	1"	24"	28 ³ / ₈ "	RBDH24M(F/R) () ()	\$148.	\$182.	\$207.
	1"	30"	28 ³ / ₈ "	RBDH30M(F/R) () ()	265.	325.	373.
	1"	36"	28 ³ / ₈ "	RBDH36M(F/R) () ()	295.	356.	408.
	1"	42"	28 ³ / ₈ "	RBDH42M(F/R) () ()	316.	386.	444.
	1"	48"	28 ³ / ₈ "	RBDH48M(F/R) () ()	356.	433.	499.
	1"	54"	28 ³ / ₈ "	RBDH54M(F/R) () ()	372.	455.	522.
	1"	60"	28 ³ / ₈ "	RBDH60M(F/R) () ()	387.	468.	539.
	1"	66"	28 ³ / ₈ "	RBDH66M(F/R) () ()	401.	490.	567.
	1"	72"	28 ³ / ₈ "	RBDH72M(F/R) () ()	443.	539.	620.
	1"	78"	28 ³ / ₈ "	RBDH78M(F/R) () ()	473.	573.	664.
	1"	84"	28 ³ / ₈ "	RBDH84M(F/R) () ()	500.	609.	699.
	1"	90"	28 ³ / ₈ "	RBDH90M(F/R) () ()	530.	644.	741.
	1"	96"	28 ³ / ₈ "	RBDH96M(F/R) () ()	541.	662.	759.
 <p>Desk height end panels with hardware for building flush or cantilevered worksurfaces</p>	1"	12"	28 ³ / ₈ "	REDH12F () () *	172.	263.	301.
	1"	15"	28 ³ / ₈ "	REDH15F () () *	186.	277.	321.
	1"	19"	28 ³ / ₈ "	REDH19F () ()	201.	291.	335.
	1"	23"	28 ³ / ₈ "	REDH23F () ()	213.	304.	352.
	1"	29"	28 ³ / ₈ "	REDH29F () ()	226.	323.	369.
 <p>Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)</p>	1"	30"	28 ³ / ₈ "	REDH30 () ()	453.	640.	736.
	1"	36"	28 ³ / ₈ "	REDH36 () ()	479.	670.	770.

Order Code	Specification Information
Example: RBDH24MFL114	
R	Reff
B	Back panel/modesty
DH	Desk height (28 ³ / ₈ ")
24	24"
M	Full height modesty
F	Modesty placement, flush
L	Finish type, laminate
114	Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

- Modesty placement**
F = Flush, cantilevered
R = Recessed
- Finish type**
L = laminate
1 = V1
2 = V2
- Finish**

Applicable finishes are listed on page 4 and 5.

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.


* Half depth end panels

Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.


Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

description	d	w	h	pattern no.	L	V1	V2
Desk height end panel for panel (hardware included)	1"	13"	28 ³ / ₈ "	RSEDH1(L/R) () ()	\$172.	\$263.	\$301.
	1"	16"	28 ³ / ₈ "	RSEDH2(L/R) () ()	186.	277.	321.
	1"	20"	28 ³ / ₈ "	RSEDH3(L/R) () ()	201.	291.	335.
	1"	24"	28 ³ / ₈ "	RSEDH4(L/R) () ()	213.	304.	352.
	1"	30"	28 ³ / ₈ "	RSEDH5(L/R) () ()	226.	323.	369.
	1"	36"	28 ³ / ₈ "	RSEDH6(L/R) () ()	240.	335.	386.




left hand shown

Desk height corner worksurface support	d	w	h	pattern no.	L	V1	V2
	36"	36"	28 ³ / ₈ "	RBDH3636 () ()	959.	1,234.	1,421.
	36"	42"	28 ³ / ₈ "	RBDH3642 () ()	981.	1,267.	1,457.
	36"	48"	28 ³ / ₈ "	RBDH3648 () ()	1,023.	1,314.	1,509.
	42"	36"	28 ³ / ₈ "	RBDH4236 () ()	981.	1,267.	1,457.
	42"	42"	28 ³ / ₈ "	RBDH4242 () ()	1,006.	1,297.	1,493.
	42"	48"	28 ³ / ₈ "	RBDH4248 () ()	1,046.	1,343.	1,548.
	48"	36"	28 ³ / ₈ "	RBDH4836 () ()	1,023.	1,314.	1,509.
	48"	42"	28 ³ / ₈ "	RBDH4842 () ()	1,046.	1,343.	1,548.
	48"	48"	28 ³ / ₈ "	RBDH4848 () ()	1,085.	1,394.	1,613.



depth = left return, width = right return

Desk height bow top front, short modesty (pedestals ordered separately)	d	w	h	pattern no.	L	V1	V2
	1"	40"	28 ³ / ₈ "	RBDH40MR () ()	316.	386.	444.
	1"	52"	28 ³ / ₈ "	RBDH52MR () ()	372.	455.	522.
	1"	64"	28 ³ / ₈ "	RBDH64MR () ()	401.	490.	567.



Use of short modesty panel








Pedestals and finished back for pedestal must each be ordered separately
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location
 When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

Desk height bulkhead (false pedestal)	d	w	h	pattern no.	L	V1	V2
	24"	16"	28 ³ / ₈ "	REDHBH124 () ()	447.	639.	741.
	30"	16"	28 ³ / ₈ "	REDHBH130 () ()	462.	653.	759.



Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application

Order Code	Specification Information	Application Notes
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2	Modesty panel lengths are nominal, length changes on option selected.
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>	* Half depth end panels
24 24"	Applicable finishes are listed on page 4 and 5.	Glides ship with all supports on this page except the recessed modesty panel.
M Full height modesty		Please see Reff Planning Guide for freestanding planning instructions.
F Modesty placement, flush		
L Finish type, laminate		
114 Finish, Folkstone grey		

description	dia	w	h	d	pattern no.	L	V1	V2	P1 paint/ metal	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	-	26 1/2"	-	RSC				\$228.	\$240.	\$251.
4" diameter base, plain cylinder 	4"	-	26 1/2"	-	RCB				239.	250.	262.
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	-	26 1/2"	-	RSC4-()				888.	931.	979.
Drum base 	14"		26 1/2"	-	RSD1427-()	n/a	1,111.	1,278.	1,039.	1,091.	1,146.
	18"		26 1/2"	-	RSD1827-()	n/a	1,206.	1,388.	1,129.	1,186.	1,244.
	20"		26 1/2"	-	RSD2027-()	n/a	1,244.	1,431.	1,164.	1,222.	1,283.
	24"		26 1/2"	-	RSD2427-()	n/a	1,493.	1,717.	1,394.	1,465.	1,538.
	30"		26 1/2"	-	RSD3027-()	n/a	1,667.	1,915.	1,558.	1,636.	1,717.
T-leg, Interaction style 	-		26 1/2"	24"	RIB24T				326.	342.	360.
T-Leg, plain tube style 	-		26 1/2"	20"	RCB20T-()				352.	369.	387.
	-		26 1/2"	24"	RCB24T-()				358.	378.	396.
	-		26 1/2"	30"	RCB30T-()				396.	415.	437.
	-		26 1/2"	40"	RCB40T-()				417.	439.	461.
T-base (hardware included)* 	20"	26 1/2"	12"		RST1-()	388.	402.	470.			
	24"	26 1/2"	12"		RST2-()	416.	433.	498.			
	30"	26 1/2"	12"		RST3-()	489.	502.	581.			
	36"	26 1/2"	12"		RST4-()	555.	576.	661.			
	42"	26 1/2"	12"		RST5-()	616.	641.	739.			
	48"	26 1/2"	12"		RST6-()	687.	707.	816.			

Order Code

Example: RSC	
R	Reff
S	Support
C	Cylinder

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish

Finish type options:
 P = Paint
 1 = V1
 2 = V2
 M = Metal
 L = Laminate

Application Notes

Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.

Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.




Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1 1/2" leveller.

Only the plain cylinder and tube legs can be ordered in plated finishes.

T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 4 and 5.

description	dia	w	h	d	pattern no.	L	V1	V2	P1 paint/ metal	P2	P3
 L-base (hardware included), non-handed*	12"	26 1/2"	12"		RSL12-()	\$388.	\$402.	\$470.			
	15"	26 1/2"	12"		RSL15-()	397.	411.	474.			
	20"	26 1/2"	12"		RSL20-()	416.	425.	492.			
	24"	26 1/2"	12"		RSL24-()	423.	433.	498.			
	30"	26 1/2"	12"		RSL30-()	489.	502.	581.			
	36"	26 1/2"	12"		RSL36-()	555.	576.	661.			
	42"	26 1/2"	12"		RSL42-()	616.	641.	739.			
	48"	26 1/2"	12"		RSL48-()	687.	707.	816.			
 X-base	-	26 1/2"	28"		RIB28X-()				538.	565.	594.
	-	26 1/2"	32"		RIB32X-()				729.	766.	805.
Metal paint finishes only											
 Spider base, plain tube style	-	26 1/2"	24"		RCB24X				550.	578.	607.
	-	26 1/2"	28"		RCB28X				576.	605.	635.
	-	26 1/2"	36"		RCB36X				625.	657.	689.

Support components

Order Code	
Example: RSC	
R	Reff
S	Support
C	Cylinder

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish

Finish type options:
 P = Paint
 1 = V1
 2 = V2
 M = Metal
 L = Laminate

Application Notes

Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.

Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.








Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1 1/2" leveller.

Only the plain cylinder and tube legs can be ordered in plated finishes.

T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 4 and 5.

description	dia	w	h	d	pattern no.	L	V1	V2	P1	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	-	28 ³ / ₈ "		RSDHC () ()				\$240.	\$251.	\$263.
4" Plain Cylinder (desk height) 	4" dia	-	28 ³ / ₈ "		RCDHB () ()				250.	262.	276.
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	-	28 ³ / ₈ "		RSDHC4 () ()				933.	978.	1,028.
T-Leg, plain tube style (desk height) 		-	28 ³ / ₈ "	20"	RCDHB20T () ()				369.	388.	407.
		-	28 ³ / ₈ "	24"	RCDHB24T () ()				377.	396.	416.
		-	28 ³ / ₈ "	30"	RCDHB30T () ()				416.	437.	458.
		-	28 ³ / ₈ "	40"	RCDHB40T () ()				439.	461.	484.
T-Leg, Interaction style (desk height) 		-	28 ³ / ₈ "	24"	RIBDH24T () ()				342.	360.	378.
X-base (desk height) 		-	28 ³ / ₈ "	28"	RIBDH28X () ()				565.	593.	624.
		-	28 ³ / ₈ "	32"	RIBDH32X () ()				766.	804.	844.
Spider base, plain tube style (desk height) 		-	28 ³ / ₈ "	24"	RCBDH24X () ()				578.	607.	637.
		-	28 ³ / ₈ "	28"	RCBDH28X () ()				605.	635.	667.
		-	28 ³ / ₈ "	36"	RCBDH36X () ()				657.	690.	723.

Order Code

Example: RSDHCPLG
R Reff
S Support
DH Desk Height
C Column Leg
P Finish type, paint
111 Finish, Jet Black

Specification Information

To order please specify pattern number including:

1. *Finish Type, where applicable*
P = Paint
1 = V1
2 = V2
M = Metal
L = Laminate
2. *Finish*
see matrix on page 4

Applicable finishes are listed on page 4 and 5.

Application Notes

Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.




Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.

T and L bases are not recommended for supporting conference tops.

All bases include 1 1/2" leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

description	dia	w	h	d	pattern no.	L	V1	V2	P1	P2	P3
Drum Base (desk height) 	14"	–	28 ³ / ₈ "	–	RSDHD1428 ()()	N/A	\$1,166.	\$1,341.	\$1,091.	\$1,146.	\$1,204.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 ()()	N/A	1,267.	1,456.	1,186.	1,244.	1,306.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 ()()	N/A	1,306.	1,502.	1,222.	1,283.	1,347.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 ()()	N/A	1,566.	1,803.	1,465.	1,538.	1,615.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 ()()	N/A	1,751.	2,011.	1,636.	1,718.	1,803.
T-base, desk height (hardware included) 	20"	28 ³ / ₈ "	12"		RSDHT1 ()()	408.	423.	493.			
	24"	28 ³ / ₈ "	12"		RSDHT2 ()()	438.	454.	522.			
	30"	28 ³ / ₈ "	12"		RSDHT3 ()()	513.	528.	610.			
	36"	28 ³ / ₈ "	12"		RSDHT4 ()()	583.	605.	694.			
	42"	28 ³ / ₈ "	12"		RSDHT5 ()()	647.	673.	776.			
	48"	28 ³ / ₈ "	12"		RSDHT6 ()()	721.	744.	858.			
L-base, desk height (hardware included, non-handed) 	12"	28 ³ / ₈ "	12"		RSDHL12 ()()	408.	423.	493.			
	15"	28 ³ / ₈ "	12"		RSDHL15 ()()	417.	430.	498.			
	20"	28 ³ / ₈ "	12"		RSDHL20 ()()	438.	446.	517.			
	24"	28 ³ / ₈ "	12"		RSDHL24 ()()	444.	454.	522.			
	30"	28 ³ / ₈ "	12"		RSDHL30 ()()	513.	528.	610.			
	36"	28 ³ / ₈ "	12"		RSDHL36 ()()	583.	605.	694.			
	42"	28 ³ / ₈ "	12"		RSDHL42 ()()	647.	673.	776.			
	48"	28 ³ / ₈ "	12"		RSDHL48 ()()	721.	744.	858.			

Support components

Order Code

Example: RSDHCLPG
R Reff
S Support
DH Desk Height
C Column Leg
P Finish type, paint
111 Finish, Jet Black

Specification Information

To order please specify pattern number including:

- Finish Type, where applicable*
 P = Paint
 1 = V1
 2 = V2
 M = Metal
 L = Laminate
- Finish*
 see matrix on page 4

Applicable finishes are listed on page 4 and 5.

Application Notes

Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.

Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.

T and L bases are not recommended for supporting conference tops.

All bases include 1 1/2" leveller.



Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.


Transaction tops for use with 42" H panel heights

Reff

description	w	d	t	pattern no.	Option A	Option A	Option A	V1	V2
					1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2		
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24(-)(-)	\$302.	\$313.	\$360.		
	30"	15"	1 1/4"	RTTA30(-)(-)	331.	340.	393.		
	36"	15"	1 1/4"	RTTA36(-)(-)	360.	372.	428.		
	42"	15"	1 1/4"	RTTA42(-)(-)	389.	401.	460.		
	48"	15"	1 1/4"	RTTA48(-)(-)	415.	431.	495.		
	54"	15"	1 1/4"	RTTA54(-)(-)	444.	459.	527.		
	60"	15"	1 1/4"	RTTA60(-)(-)	473.	488.	563.		
	66"	15"	1 1/4"	RTTA66(-)(-)	501.	517.	594.		
	72"	15"	1 1/4"	RTTA72(-)(-)	528.	547.	629.		



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	w	d	t	pattern no.				V1	V2
30"	15"	1 1/4"	RTTAWF30(-)(-)			685.	788.		
36"	15"	1 1/4"	RTTAWF36(-)(-)			742.	855.		
42"	15"	1 1/4"	RTTAWF42(-)(-)			800.	920.		
48"	15"	1 1/4"	RTTAWF48(-)(-)			861.	990.		
54"	15"	1 1/4"	RTTAWF54(-)(-)			918.	1,054.		
60"	15"	1 1/4"	RTTAWF60(-)(-)			978.	1,125.		
66"	15"	1 1/4"	RTTAWF66(-)(-)			1,034.	1,191.		
72"	15"	1 1/4"	RTTAWF72(-)(-)			1,094.	1,257.		



Order Code	
Example: RTTA24S1	
R	Reff
TT	Transaction top
A	1 1/4" thick
24	24" wide
S	Straight end treatment
1	V1 finish
Y311	Beech


Specification Information
<i>To order please specify pattern number including:</i>
1. End treatment type
2. Finish type
3. Finish
<i>1. End treatment options:</i>
S = Straight
L = Left side mitre
R = Right side mitre
<i>2. Finish type:</i>
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2

Application Notes
Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.
Tops with waterfall edge cannot be specified with open pore finish. Available in V1 and V2 finishes only.
Applicable finishes are listed on page 4 and 5.
No grommets included.
Tops may be used to span more than one consecutive panel.
Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.


Gallery desk surrounds


1 1/4" worksurface

Reff

description	w	d	h	pattern no.	Option A 1 1/4" thickness L	Option A 1 1/4" thickness M/V1	Option A 1 1/4" thickness V1	Option A 1 1/4" thickness M/V2	Option A 1 1/4" thickness V2
Freestanding top assembly surround (drilled to accept shelf) 	62"	25"	42"	RGAF622-() ()	\$1,244.	\$1,285.	\$1,285.	\$1,412.	\$1,479.
	68"	25"	42"	RGAF682-() ()	1,287.	1,331.	1,331.	1,462.	1,532.
	74"	25"	42"	RGAF742-() ()	1,336.	1,382.	1,382.	1,517.	1,588.
	80"	25"	42"	RGAF802-() ()	1,383.	1,427.	1,427.	1,566.	1,643.
	86"	25"	42"	RGAF862-() ()	1,426.	1,476.	1,476.	1,617.	1,697.
	92"	25"	42"	RGAF922-() ()	1,474.	1,525.	1,525.	1,668.	1,752.
	98"	25"	42"	RGAF982-() ()	1,521.	1,572.	1,572.	1,722.	1,809.
	62"	31"	42"	RGAF623-() ()	1,323.	1,367.	1,367.	1,498.	1,573.
	68"	31"	42"	RGAF683-() ()	1,373.	1,421.	1,421.	1,558.	1,635.
	74"	31"	42"	RGAF743-() ()	1,425.	1,475.	1,475.	1,617.	1,696.
	80"	31"	42"	RGAF803-() ()	1,477.	1,525.	1,525.	1,674.	1,756.
	86"	31"	42"	RGAF863-() ()	1,531.	1,581.	1,581.	1,733.	1,820.
	92"	31"	42"	RGAF923-() ()	1,581.	1,636.	1,636.	1,790.	1,880.
	98"	31"	42"	RGAF983-() ()	1,634.	1,688.	1,688.	1,851.	1,941.

If shelf is not ordered and no drillings are required, you must order through specials.

Shelf for above (uses keyhole) attachment hardware 	60"	12"	1"	RGS60-()	300.	n/a	312.	n/a	359.
	66"	12"	1"	RGS66-()	312.	n/a	322.	n/a	371.
	72"	12"	1"	RGS72-()	322.	n/a	333.	n/a	382.
	78"	12"	1"	RGS78-()	332.	n/a	343.	n/a	395.
	84"	12"	1"	RGS84-()	339.	n/a	354.	n/a	406.
	90"	12"	1"	RGS90-()	351.	n/a	362.	n/a	416.
	96"	12"	1"	RGS96-()	360.	n/a	372.	n/a	428.

Bridge top assembly 	42"	21"	42"	RGAB421-() ()	709.	732.	732.	791.	841.
	48"	21"	42"	RGAB481-() ()	759.	782.	782.	844.	900.
	54"	21"	42"	RGAB541-() ()	809.	835.	835.	902.	960.
	60"	21"	42"	RGAB601-() ()	857.	886.	886.	960.	1,021.
	66"	21"	42"	RGAB661-() ()	908.	938.	938.	1,014.	1,079.
	72"	21"	42"	RGAB721-() ()	956.	988.	988.	1,070.	1,135.
	78"	21"	42"	RGAB781-() ()	1,003.	1,038.	1,038.	1,127.	1,195.
	84"	21"	42"	RGAB841-() ()	1,052.	1,087.	1,087.	1,176.	1,250.
	90"	21"	42"	RGAB901-() ()	1,099.	1,136.	1,136.	1,233.	1,307.
	96"	21"	42"	RGAB961-() ()	1,145.	1,183.	1,183.	1,284.	1,362.



Order Code	Specification Information	Application Notes
Example: RGAF622NLL	To order please specify pattern number including:	3. Finish type, components: (surround components) L = Laminate 1 = V1 2 = V2
R Reff	1. Grommet option	All requests for special grommet locations must be approved through custom product development.
G Gallery surround	2. Finish type, top	All freestanding top assemblies are drilled to accept shelf.
A 1 1/4" top thickness	3. Finish type, components	M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.
F Freestanding	4. Finish, top	
62 62" wide	5. Finish, components	
2 25" deep	1. Grommet options: N = No grommets F = Flush front grommet	Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.
N No grommet	2. Finish type, top: L = Laminate M = Mixed (laminate top w/wood edge) 1 = V1 2 = V2	Applicable finishes are listed on page 4 and 5.
L Finish type top, laminate		
L Finish type components		
114 Folkstone grey (top)		
114 Folkstone grey (components)		

Gallery desk surrounds

Gallery desk surrounds

1 3/4" worksurface

Reff

description	w	d	h	pattern no.	Option B 1 3/4" thickness L	Option B 1 3/4" thickness M/V1	Option B 1 3/4" thickness V1	Option B 1 3/4" thickness M/V2	Option B 1 3/4" thickness V2
Freestanding top assembly surround drilled to accept shelf 	62"	25"	42"	RGBF622-()()	\$1,427.	\$1,477.	\$1,477.	\$1,586.	\$1,699.
	68"	25"	42"	RGBF682-()()	1,482.	1,532.	1,532.	1,645.	1,763.
	74"	25"	42"	RGBF742-()()	1,535.	1,587.	1,587.	1,704.	1,826.
	80"	25"	42"	RGBF802-()()	1,587.	1,642.	1,642.	1,759.	1,889.
	86"	25"	42"	RGBF862-()()	1,642.	1,696.	1,696.	1,818.	1,950.
	92"	25"	42"	RGBF922-()()	1,694.	1,751.	1,751.	1,873.	2,014.
	98"	25"	42"	RGBF982-()()	1,748.	1,807.	1,807.	1,932.	2,078.
	62"	31"	42"	RGBF623-()()	1,523.	1,573.	1,573.	1,688.	1,810.
	68"	31"	42"	RGBF683-()()	1,580.	1,635.	1,635.	1,754.	1,878.
	74"	31"	42"	RGBF743-()()	1,641.	1,695.	1,695.	1,820.	1,948.
	80"	31"	42"	RGBF803-()()	1,699.	1,756.	1,756.	1,884.	2,019.
	86"	31"	42"	RGBF863-()()	1,759.	1,820.	1,820.	1,949.	2,092.
	92"	31"	42"	RGBF923-()()	1,819.	1,880.	1,880.	2,015.	2,162.
	98"	31"	42"	RGBF983-()()	1,877.	1,940.	1,940.	2,078.	2,232.
	Bridge top assembly 	42"	21"	42"	RGBB421-()()	834.	861.	861.	902.
48"		21"	42"	RGBB481-()()	883.	914.	914.	958.	1,050.
54"		21"	42"	RGBB541-()()	936.	966.	966.	1,013.	1,113.
60"		21"	42"	RGBB601-()()	988.	1,021.	1,021.	1,070.	1,173.
66"		21"	42"	RGBB661-()()	1,043.	1,079.	1,079.	1,130.	1,240.
72"		21"	42"	RGBB721-()()	1,097.	1,135.	1,135.	1,193.	1,306.
78"		21"	42"	RGBB781-()()	1,154.	1,194.	1,194.	1,251.	1,371.
84"		21"	42"	RGBB841-()()	1,209.	1,250.	1,250.	1,313.	1,439.
90"		21"	42"	RGBB901-()()	1,262.	1,307.	1,307.	1,371.	1,503.
96"		21"	42"	RGBB961-()()	1,317.	1,362.	1,362.	1,426.	1,566.

Order Code	Specification Information
Example: RGBF622NLL	
R Reff	
G Gallery surround	
B 1 3/4" top thickness	
F Freestanding	
62 62" wide	
2 25" deep	
N No grommet	
L Finish type, top	
L Finish type, components	

Specification Information

To order please specify pattern number including:

- Grommet option
- Finish type top
- Finish type components
- Finish, top
- Finish, components

1. Grommet options:
 N = No grommets
 F = Flush front grommet

2. Finish type top:
 L = Laminate
 M = Mixed (laminated top with wood edge)
 1 = V1
 2 = V2

3. Finish type, components: (surround components)
 L = Laminate
 1 = V1
 2 = V2

If mixed top finish type, components must be type 1 or 2

Application Notes

Mixed finish 1 3/4" tops are not post formed.

Top and surround must be same finish unless mixed option selected.

Hardware included.

1 3/4" tops require support at midpoint to reduce spans to 72" or less.

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.


Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.

Applicable finishes are listed on page 4 and 5.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

Reff


description	d	w	h	pattern no.	Option A 1 1/4" thickness L	Option A 1 1/4" thickness M/V1	Option A 1 1/4" thickness V1	Option A 1 1/4" thickness M/V2	Option A 1 1/4" thickness V2
Freestanding top assembly end for right hand application 	21"	43"	42"	RGAR431-()()	\$868.	\$897.	\$897.	\$978.	\$1,030.
		49"	42"	RGAR491-()()	911.	943.	943.	1,030.	1,085.
		55"	42"	RGAR551-()()	957.	989.	989.	1,080.	1,136.
		61"	42"	RGAR611-()()	1,001.	1,034.	1,034.	1,129.	1,192.
		67"	42"	RGAR671-()()	1,046.	1,083.	1,083.	1,181.	1,245.
		73"	42"	RGAR731-()()	1,090.	1,127.	1,127.	1,231.	1,295.
		79"	42"	RGAR791-()()	1,135.	1,173.	1,173.	1,283.	1,352.
		85"	42"	RGAR851-()()	1,179.	1,219.	1,219.	1,330.	1,402.
		91"	42"	RGAR911-()()	1,225.	1,268.	1,268.	1,383.	1,464.
		97"	42"	RGAR971-()()	1,273.	1,314.	1,314.	1,432.	1,509.
25"	43"	42"	RGAR432-()()	952.	984.	984.	1,076.	1,131.	
	49"	42"	RGAR492-()()	994.	1,029.	1,029.	1,124.	1,182.	
	55"	42"	RGAR552-()()	1,040.	1,075.	1,075.	1,173.	1,238.	
	61"	42"	RGAR612-()()	1,086.	1,122.	1,122.	1,221.	1,288.	
	67"	42"	RGAR672-()()	1,130.	1,168.	1,168.	1,275.	1,342.	
	73"	42"	RGAR732-()()	1,174.	1,214.	1,214.	1,325.	1,398.	
	79"	42"	RGAR792-()()	1,218.	1,258.	1,258.	1,371.	1,449.	
	85"	42"	RGAR852-()()	1,262.	1,307.	1,307.	1,423.	1,503.	
	91"	42"	RGAR912-()()	1,310.	1,355.	1,355.	1,473.	1,557.	
	97"	42"	RGAR972-()()	1,356.	1,400.	1,400.	1,525.	1,611.	
31"	43"	42"	RGAR433-()()	1,012.	1,046.	1,046.	1,140.	1,202.	
	49"	42"	RGAR493-()()	1,055.	1,090.	1,090.	1,190.	1,254.	
	55"	42"	RGAR553-()()	1,099.	1,136.	1,136.	1,236.	1,307.	
	61"	42"	RGAR613-()()	1,142.	1,181.	1,181.	1,284.	1,360.	
	67"	42"	RGAR673-()()	1,185.	1,229.	1,229.	1,335.	1,412.	
	73"	42"	RGAR733-()()	1,231.	1,274.	1,274.	1,384.	1,462.	
	79"	42"	RGAR793-()()	1,276.	1,317.	1,317.	1,432.	1,516.	
	85"	42"	RGAR853-()()	1,319.	1,364.	1,364.	1,484.	1,569.	
	91"	42"	RGAR913-()()	1,363.	1,410.	1,410.	1,531.	1,619.	
	97"	42"	RGAR973-()()	1,408.	1,454.	1,454.	1,581.	1,674.	

Gallery desk surrounds

Order Code	Specification Information	Application Notes
Example: RGAR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	<i>If mixed top finish type, components must be type 1 or 2; otherwise top and surround must be same finish.</i>
43 43" wide	5. Finish, components	1 1/4" tops require support at mid point to reduce spans to 48" or less.
1 21" deep	<i>1. Grommet options:</i>	Hardware included.
N No grommet	N = No grommets	Gallery desk surrounds are available with waterfall edge as a standard special.
L Finish type, top	F = Flush front grommet	
L Finish type, components	<i>2. Finish type top:</i>	All requests for special grommet locations must be approved through custom product development.
	L = Laminate	M (mixed finish) includes laminate worksurface, wood edge and wood surround.
	M = Wood/laminate mixed	Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
	1 = V1	Applicable finishes are listed on page 4 and 5.
	2 = V2	

Gallery desk surrounds right hand end assembly, 1 3/4" worksurface

Reff

description	d	w	h	pattern no.	Option B 1 3/4" thickness L	Option B 1 3/4" thickness M/V1	Option B 1 3/4" thickness V1	Option B 1 3/4" thickness M/V2	Option B 1 3/4" thickness V2
Freestanding top assembly end for right hand application 	21"	43"	42"	RGBR431-()()	\$995.	\$1,030.	\$1,030.	\$1,095.	\$1,183.
		49"	42"	RGBR491-()()	1,047.	1,084.	1,084.	1,152.	1,246.
		55"	42"	RGBR551-()()	1,099.	1,136.	1,136.	1,208.	1,307.
		61"	42"	RGBR611-()()	1,152.	1,192.	1,192.	1,265.	1,368.
		67"	42"	RGBR671-()()	1,202.	1,243.	1,243.	1,319.	1,427.
		73"	42"	RGBR731-()()	1,253.	1,295.	1,295.	1,374.	1,490.
		79"	42"	RGBR791-()()	1,304.	1,350.	1,350.	1,431.	1,553.
		85"	42"	RGBR851-()()	1,358.	1,402.	1,402.	1,487.	1,613.
		91"	42"	RGBR911-()()	1,409.	1,455.	1,455.	1,541.	1,675.
		97"	42"	RGBR971-()()	1,457.	1,507.	1,507.	1,598.	1,736.
25"	43"	42"	RGBR432-()()	1,092.	1,129.	1,129.	1,201.	1,299.	
	49"	42"	RGBR492-()()	1,143.	1,182.	1,182.	1,256.	1,361.	
	55"	42"	RGBR552-()()	1,197.	1,237.	1,237.	1,314.	1,421.	
	61"	42"	RGBR612-()()	1,247.	1,288.	1,288.	1,371.	1,484.	
	67"	42"	RGBR672-()()	1,299.	1,342.	1,342.	1,426.	1,544.	
	73"	42"	RGBR732-()()	1,352.	1,395.	1,395.	1,483.	1,605.	
	79"	42"	RGBR792-()()	1,401.	1,449.	1,449.	1,537.	1,666.	
	85"	42"	RGBR852-()()	1,453.	1,502.	1,502.	1,593.	1,727.	
	91"	42"	RGBR912-()()	1,504.	1,557.	1,557.	1,649.	1,789.	
	97"	42"	RGBR972-()()	1,557.	1,610.	1,610.	1,703.	1,851.	
31"	43"	42"	RGBR433-()()	1,164.	1,202.	1,202.	1,278.	1,383.	
	49"	42"	RGBR493-()()	1,213.	1,254.	1,254.	1,331.	1,444.	
	55"	42"	RGBR553-()()	1,262.	1,307.	1,307.	1,387.	1,503.	
	61"	42"	RGBR613-()()	1,315.	1,359.	1,359.	1,442.	1,562.	
	67"	42"	RGBR673-()()	1,364.	1,411.	1,411.	1,496.	1,620.	
	73"	42"	RGBR733-()()	1,414.	1,462.	1,462.	1,553.	1,682.	
	79"	42"	RGBR793-()()	1,465.	1,516.	1,516.	1,608.	1,742.	
	85"	42"	RGBR853-()()	1,517.	1,567.	1,567.	1,659.	1,801.	
	91"	42"	RGBR913-()()	1,567.	1,618.	1,618.	1,714.	1,862.	
	97"	42"	RGBR973-()()	1,616.	1,672.	1,672.	1,768.	1,923.	

Order Code	Specification Information	Application Notes
Example: RGBR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
B 1 3/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	<i>If mixed top finish type, components must be type 1 or 2; otherwise top and surround must be same finish.</i>
43 43" wide	5. Finish, components	
1 21" deep		
N No grommet	<i>1. Grommet options:</i>	Mixed finish 1 3/4" tops are not post-formed.
L Finish type, top	N = No grommets	Hardware included.
L Finish type, components	F = Flush front grommet	1 3/4" tops require support at mid point to reduce spans to 66" or less.
	<i>2. Finish type top:</i>	Gallery desk surrounds are available with waterfall edge as a standard special.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.


Specify only 2 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 4 and 5.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

Reff

description	d	w	h	pattern no.	Option A 1 1/4" thickness L	Option A 1 1/4" thickness M/V1	Option A 1 1/4" thickness V1	Option A 1 1/4" thickness M/V2	Option A 1 1/4" thickness V2
Freestanding top assembly end for left hand application 	21"	43"	42"	RGAL431- () ()	\$868.	\$897.	\$897.	\$978.	\$1,030.
		49"	42"	RGAL491- () ()	911.	943.	943.	1,030.	1,085.
		55"	42"	RGAL551- () ()	957.	989.	989.	1,080.	1,136.
		61"	42"	RGAL611- () ()	1,001.	1,034.	1,034.	1,129.	1,192.
		67"	42"	RGAL671- () ()	1,046.	1,083.	1,083.	1,181.	1,245.
		73"	42"	RGAL731- () ()	1,090.	1,127.	1,127.	1,231.	1,295.
		79"	42"	RGAL791- () ()	1,135.	1,173.	1,173.	1,283.	1,352.
		85"	42"	RGAL851- () ()	1,179.	1,219.	1,219.	1,330.	1,402.
		91"	42"	RGAL911- () ()	1,225.	1,268.	1,268.	1,383.	1,464.
		97"	42"	RGAL971- () ()	1,273.	1,314.	1,314.	1,432.	1,509.
25"	43"	42"	RGAL432- () ()	952.	984.	984.	1,076.	1,131.	
	49"	42"	RGAL492- () ()	994.	1,029.	1,029.	1,124.	1,182.	
	55"	42"	RGAL552- () ()	1,040.	1,075.	1,075.	1,173.	1,238.	
	61"	42"	RGAL612- () ()	1,086.	1,122.	1,122.	1,221.	1,288.	
	67"	42"	RGAL672- () ()	1,130.	1,168.	1,168.	1,275.	1,342.	
	73"	42"	RGAL732- () ()	1,174.	1,214.	1,214.	1,325.	1,398.	
	79"	42"	RGAL792- () ()	1,218.	1,258.	1,258.	1,371.	1,449.	
	85"	42"	RGAL852- () ()	1,262.	1,307.	1,307.	1,423.	1,503.	
	91"	42"	RGAL912- () ()	1,310.	1,355.	1,355.	1,473.	1,557.	
	97"	42"	RGAL972- () ()	1,356.	1,400.	1,400.	1,525.	1,611.	
31"	43"	42"	RGAL433- () ()	1,012.	1,046.	1,046.	1,140.	1,202.	
	49"	42"	RGAL493- () ()	1,055.	1,090.	1,090.	1,190.	1,254.	
	55"	42"	RGAL553- () ()	1,099.	1,136.	1,136.	1,236.	1,307.	
	61"	42"	RGAL613- () ()	1,142.	1,181.	1,181.	1,284.	1,360.	
	67"	42"	RGAL673- () ()	1,185.	1,229.	1,229.	1,335.	1,412.	
	73"	42"	RGAL733- () ()	1,231.	1,274.	1,274.	1,384.	1,462.	
	79"	42"	RGAL793- () ()	1,276.	1,317.	1,317.	1,432.	1,516.	
	85"	42"	RGAL853- () ()	1,319.	1,364.	1,364.	1,484.	1,569.	
	91"	42"	RGAL913- () ()	1,363.	1,410.	1,410.	1,531.	1,619.	
	97"	42"	RGAL973- () ()	1,408.	1,454.	1,454.	1,581.	1,674.	

Gallery desk surrounds

Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	<i>If mixed top finish type, components must be type 1 or 2; otherwise top and surround must be same finish.</i>
43 43" wide	5. Finish, components	
1 21" deep	<i>1. Grommet options:</i>	1 1/4" tops require support at mid point to reduce spans to 48" or less.
N No grommet	N = No grommets	Hardware included.
L Finish type, top	F = Flush front grommet	Gallery desk surrounds are available with waterfall edge as a standard special.
L Finish type, components	<i>2. Finish type top:</i>	Applicable finishes are listed on page 4 and 5.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.


Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Gallery desk surrounds

left hand end assembly, 1 3/4" worksurface

Reff

description	d	w	h	pattern no.	Option B	Option B	Option B	Option B	Option B
					1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V1	1 3/4" thickness M/V2	1 3/4" thickness V2
Freestanding top assembly end for left hand application	21"	43"	42"	RGBL431-() ()	\$995.	\$1,030.	\$1,030.	\$1,095.	\$1,183.
		49"	42"	RGBL491-() ()	1,047.	1,084.	1,084.	1,152.	1,246.
		55"	42"	RGBL551-() ()	1,099.	1,136.	1,136.	1,208.	1,307.
		61"	42"	RGBL611-() ()	1,152.	1,192.	1,192.	1,265.	1,368.
		67"	42"	RGBL671-() ()	1,202.	1,243.	1,243.	1,319.	1,427.
		73"	42"	RGBL731-() ()	1,253.	1,295.	1,295.	1,374.	1,490.
		79"	42"	RGBL791-() ()	1,304.	1,350.	1,350.	1,431.	1,553.
		85"	42"	RGBL851-() ()	1,358.	1,402.	1,402.	1,487.	1,613.
		91"	42"	RGBL911-() ()	1,409.	1,455.	1,455.	1,541.	1,675.
		97"	42"	RGBL971-() ()	1,457.	1,507.	1,507.	1,598.	1,736.
25"	43"	42"	RGBL432-() ()	1,092.	1,129.	1,129.	1,201.	1,299.	
	49"	42"	RGBL492-() ()	1,143.	1,182.	1,182.	1,256.	1,361.	
	55"	42"	RGBL552-() ()	1,197.	1,237.	1,237.	1,314.	1,421.	
	61"	42"	RGBL612-() ()	1,247.	1,288.	1,288.	1,371.	1,484.	
	67"	42"	RGBL672-() ()	1,299.	1,342.	1,342.	1,426.	1,544.	
	73"	42"	RGBL732-() ()	1,352.	1,395.	1,395.	1,483.	1,605.	
	79"	42"	RGBL792-() ()	1,401.	1,449.	1,449.	1,537.	1,666.	
	85"	42"	RGBL852-() ()	1,453.	1,502.	1,502.	1,593.	1,727.	
	91"	42"	RGBL912-() ()	1,504.	1,557.	1,557.	1,649.	1,789.	
	97"	42"	RGBL972-() ()	1,557.	1,610.	1,610.	1,703.	1,851.	
31"	43"	42"	RGBL433-() ()	1,164.	1,202.	1,202.	1,278.	1,383.	
	49"	42"	RGBL493-() ()	1,213.	1,254.	1,254.	1,331.	1,444.	
	55"	42"	RGBL553-() ()	1,262.	1,307.	1,307.	1,387.	1,503.	
	61"	42"	RGBL613-() ()	1,315.	1,359.	1,359.	1,442.	1,562.	
	67"	42"	RGBL673-() ()	1,364.	1,411.	1,411.	1,496.	1,620.	
	73"	42"	RGBL733-() ()	1,414.	1,462.	1,462.	1,553.	1,682.	
	79"	42"	RGBL793-() ()	1,465.	1,516.	1,516.	1,608.	1,742.	
	85"	42"	RGBL853-() ()	1,517.	1,567.	1,567.	1,659.	1,801.	
	91"	42"	RGBL913-() ()	1,567.	1,618.	1,618.	1,714.	1,862.	
	97"	42"	RGBL973-() ()	1,616.	1,672.	1,672.	1,768.	1,923.	




Order Code	Specification Information	Application Notes
Example: RGBL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
B 1 3/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	<i>If mixed top finish type, components must be type 1 or 2; otherwise top and surround must be same finish.</i>
43 43" wide	5. Finish, components	
1 21" deep		
N No grommet	<i>1. Grommet options:</i>	Mixed finish 1 3/4" tops are not post-formed.
L Finish type, top	N = No grommets	Hardware included.
L Finish type, components	F = Flush front grommet	1 3/4" tops require support at mid point to reduce spans to 66" or less.
	<i>2. Finish type:</i>	Gallery desk surrounds are available with waterfall edge as a standard special.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 4 and 5.

Gallery desk surrounds

gallery towers

Reff

description	d	w	h	pattern no.	L	V1	V2
Gallery Tower, left hand	36"	12"	46"	RGTL4636() () () ()	\$2,313.	\$2,476.	\$2,846.
							
Gallery Tower, right hand	36"	12"	46"	RGTR4636() () () ()	2,313.	2,476.	2,846.

Gallery desk surrounds


Order Code	Specification Information	Application Notes
Example: RGTL46362V319CL	<i>To order please specify pattern number including:</i>	
R Reff		
GT Gallery Tower		
L Left hand		
46 46" h		
36 36" d		
2 V2 finish type		
V319 Medium Cherry		
C C-pull		
L Lock		
	<p>1. Finish type</p> <p>2. Finish</p> <p>3. Pull option</p> <p>4. Pull finish (if applicable)</p> <p>5. Lock option</p>	<p>3. Pull options: D = Metal D-pull J = Routed J-pull C = Nickel finish C-pull (nickel finish only) S = Stainless steel finish S-pull (stainless steel finish only)</p>
	<p>1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2</p>	<p>Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 7/8" desk height products.</p>
	Applicable finishes are listed on page 4 and 5.	<p>Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .</p> <p>Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d</p> <p>Overall depth includes top overhang, accommodates 30" d worksurfaces</p>


Pedestals

26 1/2" high


Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	wood interiors L	wood interiors V1	wood interiors V2	list
Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT *							\$81.

	Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	901.	965.	1,111.	956.	1,023.	1,178.
		16"	23"	26 1/2"	RP212J-() () L	942.	1,010.	1,163.	1,064.	1,142.	1,313.
		16"	29"	26 1/2"	RP213J-() () L	983.	1,053.	1,212.	1,160.	1,243.	1,430.

	Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	840.	901.	1,037.	890.	954.	1,096.
		16"	23"	26 1/2"	RP212K-() () L	901.	965.	1,111.	1,050.	1,125.	1,292.
		16"	29"	26 1/2"	RP213K-() () L	959.	1,026.	1,181.	1,145.	1,229.	1,412.
		30"	19"	26 1/2"	RP231K-() () L	961.	1,032.	1,186.	1,151.	1,233.	1,419.
		30"	23"	26 1/2"	RP232K-() () L	1,013.	1,088.	1,248.	1,354.	1,450.	1,664.
		36"	19"	26 1/2"	RP261K-() () L	1,025.	1,099.	1,264.	1,423.	1,525.	1,754.
		36"	23"	26 1/2"	RP262K-() () L	1,075.	1,152.	1,325.	1,658.	1,779.	2,045.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

	Pedestal with hinge door configuration, includes one shelf	16"	19"	26 1/2"	RP211L(L/R)-() () ()	738.	790.	909.	807.	864.	996.
		16"	23"	26 1/2"	RP212L(L/R)-() () ()	896.	959.	1,104.	969.	1,039.	1,194.
		16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,025.	1,099.	1,264.	1,097.	1,175.	1,350.
		30"	19"	26 1/2"	RP231L-() () ()	953.	1,020.	1,174.	1,022.	1,096.	1,262.
		30"	23"	26 1/2"	RP232L-() () ()	1,114.	1,195.	1,373.	1,185.	1,273.	1,463.
		36"	19"	26 1/2"	RP261L-() () ()	1,208.	1,294.	1,490.	1,279.	1,370.	1,576.
		36"	23"	26 1/2"	RP262L-() () ()	1,412.	1,514.	1,741.	1,484.	1,590.	1,827.

Inside height clearance top shelf, 10", bottom shelf 10.5" when shelf located in center position


Order Code	Specification Information	Application Notes
<p>Example: RP211JLWDL</p> <p>R Reff</p> <p>P Pedestal</p> <p>2 26 1/2"H</p> <p>1 16" wide</p> <p>1 19" deep</p> <p>J Box box file config.</p> <p>L Laminate finish</p> <p>W Wood interior</p> <p>D Metal D-pull</p> <p>L Lock hole drilled</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, applicable hinged doors only Keying instructions Finish <p>*After specifying product code, provide keying instructions.</p> <p><i>1. Hinge location:</i> L = Left hand R = Right hand</p> <p><i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2</p> <p><i>3. Interior options:</i> M = Metal W = Wood</p>	<p><i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p><i>5. Lock options:</i> L = Drilled to accept lock N = No drilling</p> <p>6. Refer to page 247 for keying instructions.</p> <p>Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.</p> <p>Pedestals must be ordered with back panel to achieve full depth without a modesty panel.</p> <p>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Mobile pedestals are always equipped with finished backs.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Random locks are factory installed.</p> <p>Keyalike are field installed using the KnollKey order form.</p> <p>Each locking pedestal on this page counts for one lock core.</p>

Applicable finishes are listed on page 4 and 5.


Pedestals


26 1/2" high

Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood	list
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2	
 Pedestal with open configuration including shelf	16"	19"	26 1/2"	RP211M-() () N	\$561.	\$602.	\$692.	\$632.	\$675.	\$776.	
	16"	23"	26 1/2"	RP212M-() () N	654.	702.	807.	727.	780.	897.	
	16"	29"	26 1/2"	RP213M-() () N	772.	828.	953.	845.	904.	1,041.	
	30"	19"	26 1/2"	RP231M-() () N	652.	700.	804.	725.	775.	891.	
	30"	23"	26 1/2"	RP232M-() () N	793.	851.	977.	863.	925.	1,064.	
	36"	19"	26 1/2"	RP261M-() () N	833.	895.	1,029.	904.	972.	1,118.	
	36"	23"	26 1/2"	RP262M-() () N	1,008.	1,081.	1,243.	1,080.	1,155.	1,329.	

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position

 Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L	901.	965.	1,111.	1,066.	1,144.	1,316.
	16"	23"	21"	RM112J-() () L	942.	1,010.	1,163.	1,125.	1,206.	1,387.
	16"	23"	26 1/2"	RM212J-() () L	1,265.	1,357.	1,559.	1,523.	1,632.	1,877.
	16"	23"	26 1/2"	RM212K-() () L	1,265.	1,357.	1,559.	1,523.	1,632.	1,877.

 Pedestal backs	16"	1"	26 1/2"	RPAB16-()	96.	100.	116.			
	30"	1"	26 1/2"	RPAB30-()	193.	198.	227.			
	36"	1"	26 1/2"	RPAB36-()	228.	235.	271.			

pedestal backs for pedestals with metal or wood interiors.

Order Code

Example:	RP211JLWDL
R	Reff
P	Pedestal
2	26 1/2"H
1	16" wide
1	19" deep
J	Box box file config.
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock hole drilled

Applicable finishes are listed on page 4 and 5.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, applicable hinged doors only
- Keying instructions
- Finish

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2

3. Interior options:

M = Metal
W = Wood

Application Notes

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Drilled to accept lock
N = No drilling

6. Refer to page 247 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.


Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals


with wood backs, 26 1/2" height

Reff


description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
 Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,005.	\$1,076.	\$1,241.	\$1,062.	\$1,136.	\$1,308.
	16"	24"	26 1/2"	RPB212J () () L	1,046.	1,121.	1,291.	1,168.	1,253.	1,443.
	16"	30"	26 1/2"	RPB213J () () L	1,087.	1,165.	1,342.	1,264.	1,354.	1,558.

 Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	944.	1,012.	1,166.	994.	1,064.	1,226.
	16"	24"	26 1/2"	RPB212K () () L	1,005.	1,076.	1,241.	1,154.	1,236.	1,423.
	16"	30"	26 1/2"	RPB213K () () L	1,064.	1,139.	1,311.	1,250.	1,340.	1,543.
	30"	20"	26 1/2"	RPB231K () () L	1,169.	1,254.	1,440.	1,358.	1,457.	1,675.
	30"	24"	26 1/2"	RPB232K () () L	1,220.	1,309.	1,501.	1,514.	1,674.	1,919.
	36"	20"	26 1/2"	RPB261K () () L	1,270.	1,364.	1,567.	1,670.	1,790.	2,058.
	36"	24"	26 1/2"	RPB262K () () L	1,322.	1,416.	1,628.	1,906.	2,044.	2,349.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

 Pedestal with hinge door configuration, includes one shelf	16"	20"	26 1/2"	RPB211L (L/R)() () ()	842.	900.	1,039.	912.	977.	1,125.
	16"	24"	26 1/2"	RPB212L (L/R)() () ()	1,002.	1,072.	1,233.	1,072.	1,148.	1,323.
	16"	30"	26 1/2"	RPB213L (L/R)() () ()	1,130.	1,210.	1,395.	1,201.	1,286.	1,479.
	30"	20"	26 1/2"	RPB231L () () ()	1,161.	1,243.	1,428.	1,230.	1,317.	1,517.
	30"	24"	26 1/2"	RPB232L () () ()	1,322.	1,416.	1,627.	1,392.	1,494.	1,716.
	36"	20"	26 1/2"	RPB261L () () ()	1,453.	1,558.	1,792.	1,525.	1,633.	1,877.
	36"	24"	26 1/2"	RPB262L () () ()	1,657.	1,778.	2,044.	1,730.	1,853.	2,131.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position

 Pedestal with open configuration including shelf	16"	20"	26 1/2"	RPB211M () () N	666.	711.	822.	736.	787.	908.
	16"	24"	26 1/2"	RPB212M () () N	761.	813.	937.	830.	890.	1,026.
	16"	30"	26 1/2"	RPB213M () () N	877.	940.	1,081.	949.	1,014.	1,170.
	30"	20"	26 1/2"	RPB231M () () N	860.	922.	1,059.	931.	997.	1,145.
	30"	24"	26 1/2"	RPB232M () () N	1,001.	1,072.	1,230.	1,071.	1,147.	1,317.
	36"	20"	26 1/2"	RPB261M () () N	1,081.	1,158.	1,332.	1,151.	1,235.	1,419.
	36"	24"	26 1/2"	RPB262M () () N	1,255.	1,345.	1,546.	1,325.	1,419.	1,631.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position

Order Code	Specification Information	Application Notes
Example: RPB11JLWDL R Reff PB Pedestal with back 2 26 1/2"H 1 16" wide 1 20" deep J Box box file config. L Laminate finish W Wood interior D Metal D-pull L Lock hole drilled	To order please specify pattern number including: 1. Hinge location, where applicable 2. Finish type 3. Interior option 4. Pull option 5. Lock option, applicable hinged doors only 6. Keying instructions 7. Finish *After specifying product code, provide keying instructions. 1. Hinge location: L = Left hand R = Right hand 2. Finish type: L = Laminate 1 = V1 2 = V2 3. Interior options: M = Metal W = Wood	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. Lock options: L = Drilled to accept lock N = No drilling 6. Refer to page 247 for keying instructions. Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 4 and 5.


Pedestals, “desk height” 28³/₈” high

Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood	list
					interiors	interiors	interiors	interiors	interiors	interiors	
					L	V1	V2	L	V1	V2	
Pedestal, (desk height) box/box/file configuration	16"	19"	28 ³ / ₈ "	RP161J () () (L) ()	\$944.	\$1,012.	\$1,166.	\$1,005.	\$1,075.	\$1,236.	
	16"	23"	28 ³ / ₈ "	RP162J () () (L) ()	990.	1,061.	1,222.	1,117.	1,199.	1,379.	
	16"	29"	28 ³ / ₈ "	RP163J () () (L) ()	1,032.	1,106.	1,274.	1,217.	1,306.	1,500.	




Pedestal, (desk height) file/file configuration	16"	19"	28 ³ / ₈ "	RP161K () () (L) ()	882.	946.	1,089.	936.	1,002.	1,152.	
	16"	23"	28 ³ / ₈ "	RP162K () () (L) ()	944.	1,012.	1,166.	1,102.	1,181.	1,357.	
	16"	29"	28 ³ / ₈ "	RP163K () () (L) ()	1,007.	1,077.	1,241.	1,202.	1,290.	1,484.	
	30"	19"	28 ³ / ₈ "	RP301K () () (L) ()	1,009.	1,083.	1,244.	1,209.	1,295.	1,491.	
	30"	23"	28 ³ / ₈ "	RP302K () () (L) ()	1,064.	1,141.	1,311.	1,420.	1,523.	1,747.	
	36"	19"	28 ³ / ₈ "	RP361K () () (L) ()	1,075.	1,155.	1,328.	1,494.	1,600.	1,843.	
	36"	23"	28 ³ / ₈ "	RP362K () () (L) ()	1,130.	1,209.	1,392.	1,741.	1,868.	2,147.	



All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required

Pedestal, (desk height) open shelf configuration adjustable shelf	16"	19"	28 ³ / ₈ "	RP161M () () (JN) ()	588.	633.	726.	665.	709.	817.	
	16"	23"	28 ³ / ₈ "	RP162M () () (JN) ()	687.	737.	847.	763.	820.	943.	
	16"	29"	28 ³ / ₈ "	RP163M () () (JN) ()	810.	869.	1,001.	887.	948.	1,094.	
	30"	19"	28 ³ / ₈ "	RP301M () () (JN) ()	685.	735.	845.	761.	815.	936.	
	30"	23"	28 ³ / ₈ "	RP302M () () (JN) ()	832.	892.	1,026.	907.	973.	1,119.	
	36"	19"	28 ³ / ₈ "	RP361M () () (JN) ()	876.	941.	1,079.	949.	1,020.	1,173.	
	36"	23"	28 ³ / ₈ "	RP362M () () (JN) ()	1,059.	1,136.	1,306.	1,133.	1,212.	1,396.	



Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position

Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.
R Reff	6. Cabinet finish	
P Pedestal	7. Optional pull finish where applicable	
16 16" wide (nominal)	1. Hinge location, where applicable L = left hand R = right hand	File drawers include file bars for front to back and side to side filing.
1 19" deep (nominal)	2. Finish type L = laminate 1 = V1 2 = V2	File drawers support bottom loading.
J Box/Box/File configuration	3. Interior option M = metal W = wood	Applicable finishes are listed on page 4 and 5.
L Finish type, laminate	4. Pull option D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
M Interior option, metal	5. Lock option Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		


Keying instructions must accompany all orders, refer to page 247 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer; box-box-file pedestals with metal drawers includes one pencil tray.


Finished back must be ordered separately to achieve full depth without a modesty.

Pedestals, “desk height” 28³/₈” high

Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood	list
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2	
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$774.	\$829.	\$954.	\$847.	\$908.	\$1,045.	
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	941.	1,008.	1,159.	1,017.	1,090.	1,254.	
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,075.	1,155.	1,328.	1,152.	1,233.	1,417.	
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,001.	1,072.	1,232.	1,072.	1,152.	1,325.	
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,169.	1,255.	1,441.	1,244.	1,336.	1,535.	
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,268.	1,358.	1,564.	1,344.	1,439.	1,653.	
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,482.	1,590.	1,828.	1,558.	1,669.	1,918.	


Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position

Pedestal, (desk height) finished back 	16"	1"	28 ³ / ₈ "	RPDHB16 () ()				102.	104.	121.	
	30"	1"	28 ³ / ₈ "	RPDHB30 () ()				202.	208.	239.	
	36"	1"	28 ³ / ₈ "	RPDHB36 () ()				240.	248.	284.	

pedestal backs for pedestals with metal or wood interiors

Metal box divider, for desk height products 	RDHMBD										27.
--	---------------	--	--	--	--	--	--	--	--	--	-----

for 16" w desk height metal box drawer

Metal file drawer divider, for desk height products 	RDHMFD										27.
--	---------------	--	--	--	--	--	--	--	--	--	-----

for 16" w desk height metal file drawer


Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ " h “desk height” products should not be mixed with 26 ¹ / ₂ " h components. 28 ³ / ₈ " h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ " h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.
R Reff	6. <i>Cabinet finish</i>	
P Pedestal	7. <i>Optional pull finish where applicable</i>	
16 16" wide (<i>nominal</i>)	Keying instructions must accompany all orders, refer to page 247 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	File drawers include file bars for front to back and side to side filing.
1 19" deep (<i>nominal</i>)	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	File drawers support bottom loading.
J Box/Box/File configuration	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2	Applicable finishes are listed on page 4 and 5.
L Finish type, laminate	3. <i>Interior option</i> M = metal W = wood	
M Interior option, metal	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
J Pull option, J	5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	
L Lock hole drilled		
118 Finish, bright white		

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood	list
					interiors	interiors	interiors	interiors	interiors	interiors	
					L	V1	V2	L	V1	V2	
Metal lateral drawer divider, for desk height products				RDHMLD							\$21.
					for 20” and 24” deep metal lateral drawers						

Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	
R Reff		
P Pedestal		
16 16” wide (<i>nominal</i>)	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	
1 19” deep (<i>nominal</i>)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2	
J Box/Box/File configuration	3. <i>Interior option</i> M = metal W = wood	
L Finish type, laminate	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
M Interior option, metal	5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		
	6. <i>Cabinet finish</i>	
	7. <i>Optional pull finish where applicable</i>	
	Keying instructions must accompany all orders, refer to page 247 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	Products on this page are 28-3/8” high. 28 ³ / ₈ ”h “desk height” products should not be mixed with 26 ¹ / ₂ ”h components. 28 ³ / ₈ ”h components when used with 1 ¹ / ₄ ” worksurfaces achieve overall desk height of 29 ³ / ₈ ”h. 28-3/8” “desk height” products may be specified for freestanding or panel based applications.
	Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer; box-box-file pedestals with metal drawers includes one pencil tray.	File drawers include file bars for front to back and side to side filing.
	Finished back must be ordered separately to achieve full depth without a modesty.	File drawers support bottom loading.
		Applicable finishes are listed on page 4 and 5.


Cabinets (use with 26 1/2" h support components) 49" high

Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () ()	\$1,088.	\$1,235.	\$1,423.	\$1,220.	\$1,385.	\$1,591.
	30"	20"	49"	RC432B- () ()	1,227.	1,396.	1,603.	1,358.	1,545.	1,775.
	30"	24"	49"	RC433B- () ()	1,385.	1,572.	1,808.	1,514.	1,720.	1,979.
	36"	15"	49"	RC461B- () ()	1,207.	1,373.	1,579.	1,340.	1,522.	1,750.
	36"	20"	49"	RC462B- () ()	1,362.	1,548.	1,781.	1,494.	1,699.	1,952.
	36"	24"	49"	RC463B- () ()	1,533.	1,745.	2,005.	1,666.	1,894.	2,176.

Open cabinets require no keying instructions

 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () ()	1,095.	1,244.	1,431.	1,226.	1,394.	1,601.
	16"	24"	49"	RC413C(L/R)- () () ()	1,205.	1,367.	1,573.	1,338.	1,519.	1,747.
	30"	20"	49"	RC432C- () () ()	1,604.	1,823.	2,097.	1,734.	1,971.	2,266.
	30"	24"	49"	RC433C- () () ()	1,774.	2,016.	2,319.	1,905.	2,166.	2,489.
	36"	20"	49"	RC462C- () () ()	1,777.	2,021.	2,324.	1,910.	2,169.	2,496.
	36"	24"	49"	RC463C- () () ()	1,959.	2,233.	2,567.	2,095.	2,382.	2,740.


 Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D- () W () ()				1,583.	1,798.	2,068.
	30"	24"	49"	RC433D- () W () ()				1,729.	1,965.	2,261.
	36"	20"	49"	RC462D- () W () ()				1,740.	1,978.	2,274.
	36"	24"	49"	RC463D- () W () ()				1,902.	2,164.	2,487.

Order Code	Specification Information	Application Notes
Example: RC412CLLMDL R Reff C Cabinets 4 49" high 1 16" wide 2 20" deep C Cabinet with hinge doors L Left hand hinge location L Laminate finish type M Metal interior option D Metal D-pull L Lock hole drilled	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, where applicable Finish, cabinet Finish, pull when applicable Keying instructions <p>*After specifying product code, provide keying instructions.</p> <p><i>1. Hinge location:</i> L = Left hand R = Right hand</p> <p><i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2</p> <p><i>3. Interior options:</i> M = Metal W = Wood</p>	<p>Specify finish of metal shelves to match laminate.</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 225.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 4 and 5.</p>
	<p><i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p><i>5. Lock options:</i> L = Lock hole drilled N = No drilling</p> <p>8. Refer to page 247 for keying instructions.</p> <p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>	

Cabinets (use with 26 1/2" h support components) 49" high

Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-() () L	\$1,869.	\$2,123.	\$2,443.	\$2,000.	\$2,272.	\$2,613.
	30"	24"	49"	RC433F-() () L	2,062.	2,344.	2,695.	2,196.	2,498.	2,868.
	36"	20"	49"	RC462F-() () L	2,370.	2,693.	3,096.	2,501.	2,840.	3,266.
	36"	24"	49"	RC463F-() () L	2,616.	2,974.	3,421.	2,748.	3,121.	3,590.



interior height clearance top drawer 10", all others 10 3/4"

Order Code

Example:	RC412CLLMDL
R	Reff
C	Cabinets
4	49" high
1	16" wide
2	20" deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
M	Metal interior option
D	Metal D-pull
L	Lock hole drilled

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2

3. Interior options:

M = Metal
W = Wood

4. Pull options:

D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:

L = Lock hole drilled
N = No drilling

8. Refer to page 247 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 225.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 4 and 5.


Cabinets (use with 26 1/2" h support components) 64" high

Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () () N	\$1,396.	\$1,588.	\$1,827.	\$1,528.	\$1,736.	\$1,997.
	30"	20"	64"	RC632B- () () N	1,571.	1,786.	2,054.	1,703.	1,935.	2,227.
	30"	24"	64"	RC633B- () () N	1,748.	1,986.	2,285.	1,879.	2,134.	2,454.
	36"	15"	64"	RC661B- () () N	1,603.	1,821.	2,094.	1,733.	1,969.	2,265.
	36"	20"	64"	RC662B- () () N	1,782.	2,023.	2,328.	1,912.	2,172.	2,499.
	36"	24"	64"	RC663B- () () N	1,962.	2,230.	2,565.	2,093.	2,379.	2,735.

Open cabinets require no keying instructions

 Cabinet with hinged doors three adjustable shelves	16"	20"	64"	RC612C(L/R)- () () ()	1,636.	1,855.	2,134.	1,764.	2,005.	2,306.
	16"	24"	64"	RC613C(L/R)- () () ()	1,823.	2,072.	2,382.	1,955.	2,220.	2,552.
	30"	20"	64"	RC632C- () () ()	2,168.	2,464.	2,833.	2,298.	2,611.	3,004.
	30"	24"	64"	RC633C- () () ()	2,395.	2,722.	3,127.	2,526.	2,871.	3,300.
	36"	20"	64"	RC662C- () () ()	2,370.	2,693.	3,096.	2,501.	2,840.	3,266.
	36"	24"	64"	RC663C- () () ()	2,596.	2,952.	3,394.	2,729.	3,101.	3,565.


 Cabinet with hinged doors for coat rod and boot tray*	16"	20"	64"	RC612D(L/R)- () () ()				1,546.	1,754.	2,017.
	16"	24"	64"	RC613D(L/R)- () () ()				1,692.	1,922.	2,212.
	30"	20"	64"	RC632D- () () ()				1,887.	2,144.	2,467.
	30"	24"	64"	RC633D- () () ()				1,945.	2,212.	2,542.
	36"	20"	64"	RC662D- () () ()				2,089.	2,375.	2,732.
	36"	24"	64"	RC663D- () () ()				2,136.	2,442.	2,807.

Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
6 64" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
1 16" wide	4. Pull option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 225.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
L Left hand hinge location	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish type	7. Finish, pull when applicable	Applicable finishes are listed on page 4 and 5.
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2	
	3. <i>Interior options:</i> M = Metal W = Wood	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 247 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26 1/2" h support components) 64" high

Reff


description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	RC632F-() () ()	\$2,596.	\$2,952.	\$3,394.	\$2,729.	\$3,101.	\$3,565.
	30"	24"	64"	RC633F-() () ()	2,869.	3,259.	3,749.	3,000.	3,407.	3,918.
	36"	20"	64"	RC662F-() () ()	2,869.	3,259.	3,749.	3,000.	3,407.	3,918.
	36"	24"	64"	RC663F-() () ()	3,169.	3,600.	4,139.	3,300.	3,750.	4,312.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () ()	2,519.	2,861.	3,289.	2,650.	3,010.	3,462.
	30"	24"	64"	RC633E(L/R)-() () ()	2,794.	3,174.	3,650.	2,924.	3,324.	3,820.
	36"	20"	64"	RC662E(L/R)-() () ()	2,783.	3,161.	3,638.	2,915.	3,310.	3,810.
	36"	24"	64"	RC663E(L/R)-() () ()	3,086.	3,508.	4,033.	3,216.	3,656.	4,205.

Requires one lock core per cabinet

Left hand shown

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors 	30"	20"	64"	RC632H-() () ()	1,932.	2,197.	2,526.	2,063.	2,346.	2,698.
	30"	24"	64"	RC633H-() () ()	2,136.	2,424.	2,789.	2,265.	2,574.	2,961.
	36"	20"	64"	RC662H-() () ()	2,136.	2,424.	2,789.	2,265.	2,574.	2,961.
	36"	24"	64"	RC663H-() () ()	2,338.	2,656.	3,055.	2,467.	2,805.	3,224.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 225.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 4 and 5.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2	
	3. <i>Interior options:</i> M = Metal W = Wood	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 247 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26 1/2" h support components) 64" high


Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	wood interiors L	wood interiors V1	wood interiors V2
Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R)-() () ()	\$1,970.	\$2,236.	\$2,572.	\$2,099.	\$2,385.	\$2,743.
	16"	24"	64"	RC613G(L/R)-() () ()	2,175.	2,472.	2,841.	2,308.	2,620.	3,015.
	30"	20"	64"	RC632G-() () ()	2,495.	2,834.	3,259.	2,626.	2,984.	3,430.
	30"	24"	64"	RC633G-() () ()	2,776.	3,152.	3,625.	2,905.	3,300.	3,796.
	36"	20"	64"	RC662G-() () ()	2,756.	3,130.	3,601.	2,888.	3,281.	3,773.
	36"	24"	64"	RC663G-() () ()	3,066.	3,483.	4,005.	3,196.	3,632.	4,177.




Requires two lock cores per cabinet

Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I-() () ()				2,892.	3,285.	3,778.
	30"	24"	64"	RC633I-() () ()				3,183.	3,616.	4,161.
	36"	20"	64"	RC662I-() () ()				3,093.	3,516.	4,043.
	36"	24"	64"	RC663I-() () ()				3,385.	3,847.	4,422.



Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R)-() () ()	2,031.	2,306.	2,652.	2,162.	2,454.	2,823.
	16"	24"	64"	RC613P(L/R)-() () ()	2,254.	2,563.	2,944.	2,385.	2,709.	3,117.
	30"	20"	64"	RC632P-() () ()	2,391.	2,717.	3,123.	2,523.	2,867.	3,297.
	30"	24"	64"	RC633P-() () ()	2,638.	2,999.	3,448.	2,771.	3,148.	3,618.
	36"	20"	64"	RC662P-() () ()	2,645.	3,004.	3,455.	2,777.	3,153.	3,627.
	36"	24"	64"	RC663P-() () ()	2,916.	3,312.	3,811.	3,045.	3,463.	3,981.




Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 225.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 4 and 5.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2	
	3. <i>Interior options:</i> M = Metal W = Wood	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 247 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26 1/2" h support components) 72" high


Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
 Cabinet with open shelving	30"	20"	72"	RC732B- () ()	\$1,747.	\$1,985.	\$2,284.	\$1,877.	\$2,133.	\$2,453.
	30"	24"	72"	RC733B- () ()	1,937.	2,199.	2,530.	2,066.	2,349.	2,700.
	36"	20"	72"	RC762B- () ()	1,976.	2,245.	2,582.	2,108.	2,395.	2,753.
	36"	24"	72"	RC763B- () ()	2,166.	2,460.	2,830.	2,296.	2,609.	3,001.

Open cabinets require no keying instructions

 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)- () () ()	1,841.	2,090.	2,406.	1,973.	2,240.	2,576.
	16"	24"	72"	RC713C(L/R)- () () ()	2,044.	2,322.	2,669.	2,173.	2,471.	2,840.
	30"	20"	72"	RC732C- () () ()	2,403.	2,731.	3,141.	2,535.	2,878.	3,309.
	30"	24"	72"	RC733C- () () ()	2,666.	3,028.	3,483.	2,798.	3,178.	3,655.
	36"	20"	72"	RC762C- () () ()	2,656.	3,019.	3,472.	2,786.	3,167.	3,642.
	36"	24"	72"	RC763C- () () ()	2,948.	3,346.	3,850.	3,078.	3,497.	4,021.

Requires one lock core per cabinet

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)- () () ()	2,825.	3,208.	3,692.	2,954.	3,357.	3,861.
	30"	24"	72"	RC733E(L/R)- () () ()	3,159.	3,589.	4,129.	3,289.	3,739.	4,299.
	36"	20"	72"	RC762E(L/R)- () () ()	3,097.	3,518.	4,045.	3,228.	3,666.	4,218.
	36"	24"	72"	RC763E(L/R)- () () ()	3,456.	3,931.	4,518.	3,590.	4,079.	4,691.

Requires one lock core per cabinet

Left hand shown


Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 225.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 4 and 5.
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling	
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	
	*After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components) 72" high


Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors	interiors	interiors	interiors	interiors	interiors
					L	V1	V2	L	V1	V2
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F-() () ()	\$2,869.	\$3,259.	\$3,749.	\$3,000.	\$3,407.	\$3,918.
	30"	24"	72"	RC733F-() () ()	3,188.	3,621.	4,164.	3,319.	3,770.	4,334.
	36"	20"	72"	RC762F-() () ()	3,169.	3,600.	4,139.	3,300.	3,750.	4,323.
	36"	24"	72"	RC763F-() () ()	3,518.	3,998.	4,597.	3,648.	4,145.	4,770.




Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)-() () ()	2,084.	2,367.	2,723.	2,216.	2,517.	2,894.
	16"	24"	72"	RC713G(L/R)-() () ()	2,284.	2,626.	3,020.	2,443.	2,775.	3,190.
	30"	20"	72"	RC732G-() () ()	2,646.	3,007.	3,457.	2,778.	3,154.	3,628.
	30"	24"	72"	RC733G-() () ()	2,910.	3,305.	3,800.	3,040.	3,454.	3,972.
	36"	20"	72"	RC762G-() () ()	2,873.	3,264.	3,755.	3,005.	3,413.	3,926.
	36"	24"	72"	RC763G-() () ()	3,138.	3,566.	4,100.	3,270.	3,716.	4,272.



Requires two lock cores per cabinet

Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H-() () ()	2,308.	2,619.	3,013.	2,433.	2,766.	3,182.
	30"	24"	72"	RC733H-() () ()	2,550.	2,894.	3,329.	2,675.	3,043.	3,498.
	36"	20"	72"	RC762H-() () ()	2,536.	2,878.	3,309.	2,663.	3,024.	3,478.
	36"	24"	72"	RC763H-() () ()	2,780.	3,154.	3,628.	2,905.	3,300.	3,796.



Requires one lock core per cabinet

Order Code	Specification Information
Example: RC732BLMNN	
R Reff	
C Cabinets	
7 72" high	
3 30" wide	
2 20" deep	
B Full bookcase	
L Laminate finish	
M Metal interior	
N No drilling	
N No drilling	

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Left hand side of cabinet drilling:
N = No drilling
Size to drill for each workwall:
S0 = 19"H x 15"D
S1 = 19"H x 20"D
T0 = 23"H x 15"D
T1 = 23"H x 20"D
- Right hand side of cabinet drilling: same as #8 above.
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2

3. Interior options:

M = Metal
W = Wood

4. Pull options:

D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:

L = Lock hole drilled
N = No lock drilling

10. Refer to page 247 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 225.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Applicable finishes are listed on page 4 and 5.


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components) 72" high


Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
 Wardrobe cabinet	16"	20"	72"	RC712D(L/R)-() () ()				\$1,657.	\$1,884.	\$2,166.
	16"	24"	72"	RC713D(L/R)-() () ()				1,824.	2,073.	2,383.
	30"	20"	72"	RC732D-() () ()				2,087.	2,372.	2,726.
	30"	24"	72"	RC733D-() () ()				2,293.	2,606.	2,997.
	36"	20"	72"	RC762D-() () ()				2,294.	2,608.	3,000.
	36"	24"	72"	RC763D-() () ()				2,523.	2,867.	3,297.

Requires one lock core per cabinet.
Order coat rod and boot tray from accessories

 Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-() () ()				3,205.	3,640.	4,186.
	30"	24"	72"	RC733I-() () ()				3,537.	4,019.	4,623.
	36"	20"	72"	RC762I-() () ()				3,476.	3,951.	4,545.
	36"	24"	72"	RC763I-() () ()				3,839.	4,363.	5,017.

Requires two lock cores per cabinet
Hinge opening 110 degrees

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)-() () ()	2,164.	2,456.	2,826.	2,293.	2,606.	2,997.
	16"	24"	72"	RC713P(L/R)-() () ()	2,385.	2,709.	3,117.	2,517.	2,860.	3,288.
	30"	20"	72"	RC732P-() () ()	2,553.	2,900.	3,337.	2,686.	3,052.	3,509.
	30"	24"	72"	RC733P-() () ()	2,817.	3,201.	3,681.	2,949.	3,349.	3,851.
	36"	20"	72"	RC762P-() () ()	2,822.	3,206.	3,686.	2,952.	3,354.	3,857.
	36"	24"	72"	RC763P-() () ()	3,114.	3,534.	4,066.	3,244.	3,685.	4,238.

Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
7 72" high	3. Interior option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 225.
3 30" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
B Full bookcase	6. Finish, cabinet	Applicable finishes are listed on page 4 and 5.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling	
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Left hand side of cabinet drilling:
N = No drilling
- Right hand side of cabinet drilling: same as #8 above.
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2

3. Interior options:

M = Metal
W = Wood

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:

L = Lock hole drilled
N = No lock drilling

10. Refer to page 247 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 225.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Applicable finishes are listed on page 4 and 5.


Cabinets (use with 28³/₈" h support components) 53" high

Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,143.	\$1,297.	\$1,494.	\$1,281.	\$1,456.	\$1,670.
	30"	20"	53"	RC532DHB () () ()	1,288.	1,465.	1,685.	1,425.	1,622.	1,864.
	30"	24"	53"	RC533DHB () () ()	1,453.	1,650.	1,898.	1,590.	1,807.	2,078.
	36"	15"	53"	RC561DHB () () ()	1,268.	1,441.	1,658.	1,407.	1,597.	1,838.
	36"	20"	53"	RC562DHB () () ()	1,430.	1,625.	1,870.	1,568.	1,783.	2,050.
	36"	24"	53"	RC563DHB () () ()	1,610.	1,832.	2,105.	1,749.	1,987.	2,285.



description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () () L ()	1,963.	2,231.	2,566.	2,099.	2,386.	2,744.
	30"	24"	53"	RC533DHF () () () L ()	2,166.	2,460.	2,830.	2,306.	2,622.	3,010.
	36"	20"	53"	RC562DHF () () () L ()	2,489.	2,827.	3,252.	2,625.	2,983.	3,430.
	36"	24"	53"	RC563DHF () () () L ()	2,748.	3,123.	3,592.	2,885.	3,277.	3,770.




Order Code	Specification Information	Application Notes
Example: RC531DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>53" nominal height - actual height 52.625"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p>
R Reff	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2	
C Cabinet	2. <i>Interior Option</i> M = metal (metal shelves or metal drawers) *If laminate case, specify finish of metal shelves to match; if case V1 or V2 finish, shelves are black) W = wood (shelves match case finish or wood drawer interiors)	
5 53" h (nominal)	3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
3 30" w (nominal)	4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock	
1 15" d (nominal)	5. <i>Cabinet finish</i>	
DH Desk height	6. <i>Optional pull finish (where applicable)</i>	
B Open bookcase	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 247. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
2 Finish type, V2	Applicable finishes are listed on page 4 and 5.	
W Interior option, wood		
V316 Finish, light maple		


Cabinets (use with 28³/₈" h support components) 68" high

Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
Open bookcase w/3 adjustable shelves (for desk height planning)	30"	15"	68"	RC631DHB () () ()	\$1,467.	\$1,667.	\$1,918.	\$1,605.	\$1,824.	\$2,098.
	30"	20"	68"	RC632DHB () () ()	1,650.	1,876.	2,157.	1,789.	2,032.	2,336.
	30"	24"	68"	RC633DHB () () ()	1,836.	2,085.	2,398.	1,972.	2,240.	2,576.
	36"	15"	68"	RC661DHB () () ()	1,682.	1,912.	2,199.	1,820.	2,069.	2,379.
	36"	20"	68"	RC662DHB () () ()	1,870.	2,127.	2,443.	2,007.	2,282.	2,623.
	36"	24"	68"	RC663DHB () () ()	2,060.	2,341.	2,693.	2,198.	2,498.	2,873.




Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	68"	RC612DHG(L/R) () () (L) () ()	2,068.	2,349.	2,700.	2,204.	2,505.	2,879.
	16"	24"	68"	RC613DHG(L/R) () () (L) () ()	2,284.	2,595.	2,984.	2,424.	2,751.	3,165.
	30"	20"	68"	RC632DHG () () (L) () ()	2,619.	2,975.	3,421.	2,757.	3,131.	3,601.
	30"	24"	68"	RC633DHG () () (L) () ()	2,915.	3,309.	3,804.	3,052.	3,465.	3,985.
	36"	20"	68"	RC662DHG () () (L) () ()	2,894.	3,288.	3,782.	3,032.	3,445.	3,962.
	36"	24"	68"	RC663DHG () () (L) () ()	3,220.	3,657.	4,206.	3,357.	3,815.	4,385.



Requires two lock cores per cabinet

Storage w/4 file drwrs & 2 hinged doors (for desk height planning)	30"	20"	68"	RC632DHF () () (L) () ()	2,726.	3,098.	3,564.	2,865.	3,257.	3,743.
	30"	24"	68"	RC633DHF () () (L) () ()	3,012.	3,421.	3,936.	3,150.	3,577.	4,115.
	36"	20"	68"	RC662DHF () () (L) () ()	3,012.	3,421.	3,936.	3,150.	3,577.	4,115.
	36"	24"	68"	RC663DHF () () (L) () ()	3,328.	3,781.	4,347.	3,465.	3,937.	4,528.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC631DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
6 68" h (nominal)		
3 30" w (nominal)		
1 15" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		
	<ol style="list-style-type: none"> <i>Hinge location (where applicable)</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 <i>Interior Option</i> M = metal (metal shelves or metal drawers) *If laminate case, specify finish of metal shelves to match; if case V1 or V2 finish, shelves are black W = wood (shelves match case finish or wood drawer interiors) <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling <i>Cabinet finish</i> <i>Optional pull finish where applicable</i> 	<p>Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>68" nominal height - actual height 67.627"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p>
	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 247. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Applicable finishes are listed on page 4 and 5.</p>	

Cabinets (use with 28³/₈" h support components) 68" high

Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	68"	RC632DHK () () L ()	\$2,532.	\$2,878.	\$3,324.	\$2,670.	\$3,035.	\$3,507.
	30"	24"	68"	RC633DHK () () L ()	2,827.	3,212.	3,708.	2,964.	3,370.	3,888.
	36"	20"	68"	RC662DHK () () L ()	2,807.	3,190.	3,686.	2,945.	3,349.	3,865.
	36"	24"	68"	RC663DHK () () L ()	3,132.	3,561.	4,109.	3,268.	3,718.	4,288.





Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC631DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
6 68" h (nominal)		
3 30" w (nominal)		
1 15" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		
	<ol style="list-style-type: none"> <i>Hinge location (where applicable)</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 <i>Interior Option</i> M = metal (metal shelves or metal drawers) *If laminate case, specify finish of metal shelves to match; if case V1 or V2 finish, shelves are black W = wood (shelves match case finish or wood drawer interiors) <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling <i>Cabinet finish</i> <i>Optional pull finish where applicable</i> 	<p>Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>68" nominal height - actual height 67.627"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p>
	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 247. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Applicable finishes are listed on page 4 and 5.</p>	

Cabinets (use with 28³/₈" h support components) 75" high


Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors	interiors	interiors	interiors	interiors	interiors
					L	V1	V2	L	V1	V2
 Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () () ()	\$1,835.	\$2,084.	\$2,397.	\$1,971.	\$2,239.	\$2,575.
	30"	24"	75"	RC733DHB () () () () ()	2,033.	2,309.	2,655.	2,170.	2,466.	2,835.
	36"	20"	75"	RC762DHB () () () () ()	2,076.	2,357.	2,711.	2,214.	2,515.	2,891.
	36"	24"	75"	RC763DHB () () () () ()	2,274.	2,585.	2,972.	2,411.	2,741.	3,152.

 Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () () ()	2,966.	3,367.	3,876.	3,103.	3,524.	4,054.
	30"	24"	75"	RC733DHE(L/R) () () () () () ()	3,316.	3,768.	4,336.	3,454.	3,926.	4,515.
	36"	20"	75"	RC762DHE(L/R) () () () () () ()	3,252.	3,695.	4,248.	3,390.	3,850.	4,429.
	36"	24"	75"	RC763DHE(L/R) () () () () () ()	3,628.	4,128.	4,743.	3,769.	4,284.	4,926.

Requires one lock core per cabinet

Left hand shown

 Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () () () () ()	2,189.	2,486.	2,860.	2,327.	2,642.	3,038.
	16"	24"	75"	RC713DHG(L/R) () () () () () ()	2,399.	2,756.	3,171.	3,565.	2,912.	3,350.
	30"	20"	75"	RC732DHG () () () () () ()	2,779.	3,157.	3,630.	2,917.	3,311.	3,809.
	30"	24"	75"	RC733DHG () () () () () ()	3,056.	3,470.	3,992.	3,193.	3,627.	4,170.
	36"	20"	75"	RC762DHG () () () () () ()	3,016.	3,427.	3,943.	3,154.	3,584.	4,122.
	36"	24"	75"	RC763DHG () () () () () ()	3,295.	3,744.	4,306.	3,433.	3,901.	4,486.

Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	75" nominal height - actual height 75.125"
C Cabinet	6. <i>Cabinet finish</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
7 75" h (nominal)	7. <i>Optional pull finish where applicable</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	File drawers support bottom loading.
2 20" d (nominal)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 225
DH Desk height	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
B Open bookcase	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2	
2 Finish type, V2	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) *If laminate case, specify finish of metal shelves to match; if case V1 or V2 finish, shelves are black W = wood (shelves match case finish or wood drawer interiors)	
W Interior option, wood	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
V316 Finish, light maple		

Applicable finishes are listed on page 4 and 5.


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 247.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Cabinetry

Cabinets (use with 28³/₈" h support components) 75" high


Reff

description	w	d	h	pattern no.	metal	metal	metal	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors L	interiors V1	interiors V2
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () ()	\$2,691.	\$3,061.	\$3,534.	\$2,829.	\$3,215.	\$3,712.
	30"	24"	75"	RC733DHK () () L () ()	2,968.	3,373.	3,895.	3,105.	3,529.	4,075.
	36"	20"	75"	RC762DHK () () L () ()	2,929.	3,331.	3,847.	3,067.	3,488.	4,027.
	36"	24"	75"	RC763DHK () () L () ()	3,207.	3,648.	4,210.	3,345.	3,804.	4,389.



Requires one lock core per cabinet

Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () ()	3,012.	3,421.	3,936.	3,150.	3,577.	4,115.
	30"	24"	75"	RC733DHF () () L () ()	3,346.	3,801.	4,372.	3,485.	3,959.	4,551.
	36"	20"	75"	RC762DHF () () L () ()	3,328.	3,781.	4,347.	3,465.	3,937.	4,541.
	36"	24"	75"	RC763DHF () () L () ()	3,695.	4,197.	4,827.	3,831.	4,351.	5,008.




Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2	
7 75" h (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) *If laminate case, specify finish of metal shelves to match; if case V1 or V2 finish, shelves are black W = wood (shelves match case finish or wood drawer interiors)	7. <i>Optional pull finish where applicable</i>
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d
2 20" d (nominal)		9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above
DH Desk height		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 247. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
B Open bookcase		Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
2 Finish type, V2		75" nominal height - actual height 75.125"
W Interior option, wood		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
V316 Finish, light maple		File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 225

Applicable finishes are listed on page 4 and 5.

description	w	d	h	pattern no.	L	V1	V2
Office companion	16"	18"	28"	RCOMP1816-()	\$1,832.	\$2,079.	\$2,388.




Office tower with storage door and drawers (left hand)	24"	24"	65 1/4"	RTDL242464-()	4,925.	5,596.	6,435.
	24"	30"	65 1/4"	RTDL243064-()	5,475.	6,219.	7,153.



File drawers come drilled to accept lock. Requires one lock core. Coat and one shelf included.

Office tower with storage door and drawers (right hand)	24"	24"	65 1/4"	RTDR242464-()	4,925.	5,596.	6,435.
	24"	30"	65 1/4"	RTDR243064-()	5,475.	6,219.	7,153.

Office tower without storage door and drawers (left hand)	24"	24"	65 1/4"	RTOL242464-()	4,432.	5,039.	5,792.
	24"	30"	65 1/4"	RTOL243064-()	4,926.	5,597.	6,437.



File drawers come drilled to accept lock. Requires one lock core. Coat rod and one shelf included.

Office tower without storage door and drawers (right hand)	24"	24"	65 1/4"	RTOR242464-()	4,432.	5,039.	5,792.
	24"	30"	65 1/4"	RTOR243064-()	4,926.	5,597.	6,437.

Order Code

Example: RCOMP18161	
R	Reff
COMP	Companion
18	18" wide
16	16" deep
1	V1 finish

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. D-pull finish
4. Keying instructions

1. *Finish type:*
 L = Laminate
 1 = V1
 2 = V2

4. Refer to page 247 for keying instructions.

***After specifying product code, provide keying instructions.**

Application Notes

Office companion designed to facilitate storage and use of portable personal computers. Hinge doors on office tower cannot be locked.

Office tower multiple type storage unit for maximum space utilization. Lock is included in office companion.

Office tower is shown in left hand versions only. (Tower is positioned to the left of work surface). Random Keying is factory installed.


Office companion and towers are only available with metal D-pulls. Key alike orders are field installed using the KnollKey order form.

The office companion is equipped with medium grey nose edge and grommet and a choice in D-pull finish. Locks are black. Applicable finishes are listed on page 4 and 5.


Overhead storage

Reuter overhead cabinets

Reff

description	w	d	h	pattern no.	P1/P2	P3	black only
 Reuter overhead with lock (one door)	24"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N24() (JL)	\$591.	\$620.	
	30"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N30() (JL)	659.	694.	
	36"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N36() (JL)	762.	801.	
	42"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N42() (JL)	884.	929.	
	48"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N48() (JL)	988.	1,036.	

1 pair of brackets required – order separately.

 Reuter overhead with no lock (one door)	24"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N24() (JN)	531.	558.	
	30"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N30() (JN)	602.	633.	
	36"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N36() (JN)	705.	739.	
	42"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N42() (JN)	827.	868.	
	48"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N48() (JN)	928.	974.	

Order Code

Example: RO3N48 111 111 L
RO3 Reuter overhead cabinet
N Panel mounted
48 48" wide
111 Jet black, case finish
111 Jet black, front finish
L With lock

Specification Information

To order please specify pattern number including:

- Case finish, where applicable
- Front finish, where applicable

P1 Paint finishes for case and front doors: (Reuter product only)

111	Jet Black
112	Brown
113	Dark grey
114	Folkstone grey
115	Medium grey
116	Sandstone
117	Soft grey

P2 Paint finishes for case and front doors: (Reuter product only)

611	Beige mist metallic
612	Medium metallic grey

P3 Paint finishes for case and front doors:

118	Bright white
613	Silver

Application Notes

Reuter storage is a universal product applicable on Reff or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Vertical interior partitions may be positioned on 3" increments of width anywhere across shelf 1 1/2" from each side. Vertical partitions at 2" increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Each panel-mounted Reuter overhead must be specified with panel mount bracket kit on page 200.

Interior partitions are black painted steel finish.

Order locks for overheads with a Knoll key order form.


Key alike are field installed. Random locks are factory installed.

Overhead storage


Reuter overhead cabinets

Reff

description	w	d	h	pattern no.	P1/P2	P3	black only
Reuter overhead with no lock (two door)	60"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N60() ()N	\$1,134.	\$1,190.	
	66"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N66() ()N	1,249.	1,312.	
	72"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N72() ()N	1,347.	1,413.	



Reuter overhead with lock (two door)	60"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N60() ()L	1,250.	1,314.	
	66"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N66() ()L	1,368.	1,434.	
	72"	14 ³ / ₄ "	14 ¹ / ₄ "	RO3N72() ()L	1,461.	1,534.	



Order Code

Example:	RO3N48 111 111 L
RO3	Reuter overhead cabinet
N	Panel mounted
48	48" wide
111	Jet black, case finish
111	Jet black, front finish
L	With lock

Specification Information

To order please specify pattern number including:

- Case finish, where applicable
- Front finish, where applicable

P1 Paint finishes for case and front doors: (Reuter product only)

111	Jet Black
112	Brown
113	Dark grey
114	Folkstone grey
115	Medium grey
116	Sandstone
117	Soft grey

P2 Paint finishes for case and front doors: (Reuter product only)

611	Beige mist metallic
612	Medium metallic grey

P3 Paint finishes for case and front doors:

118	Bright white
613	Silver

Application Notes

Reuter storage is a universal product applicable on Reff or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Vertical interior partitions may be positioned on 3" increments of width anywhere across shelf 1 1/2" from each side. Vertical partitions at 2" increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Each panel-mounted Reuter overhead must be specified with panel mount bracket kit on page 200.

Interior partitions are black painted steel finish.




Order locks for overheads with a Knoll key order form.

Key alike are field installed. Random locks are factory installed.

Overhead storage

Reuter overhead cabinets

Reff

description	w	d	h	pattern no.	P1/P2	P3	black only
 Open overhead No mounting hardware	30"	13"	14 3/4"	RO3-ON30()	\$422.	\$443.	
	36"	13"	14 3/4"	RO3-ON36()	486.	510.	
	42"	13"	14 3/4"	RO3-ON42()	550.	578.	
	48"	13"	14 3/4"	RO3-ON48()	614.	644.	
	60"	13"	14 3/4"	RO3-ON60()	714.	753.	
	72"	13"	14 3/4"	RO3-ON72()	843.	885.	
 Interior partitions vertical, set of 5	–	12"	12"	RO3-VP			75.
 Interior partitions horizontal, set of 10	6"	–	12"	RO1-HP6			115.
	9"	–	12"	RO1-HP9			146.
	12"	–	12"	RO1-HP12			173.
	15"	–	12"	RO1-HP15			202.

Order Code

Example: RO3N48 111 111 L
RO3 Reuter overhead cabinet
N Panel mounted
48 48" wide
111 Jet black, case finish
111 Jet black, front finish
L With lock

Specification Information

To order please specify pattern number including:

- Case finish, where applicable
- Front finish, where applicable

P1 Paint finishes for case and front doors: (Reuter product only)

111	Jet Black
112	Brown
113	Dark grey
114	Folkstone grey
115	Medium grey
116	Sandstone
117	Soft grey

P2 Paint finishes for case and front doors: (Reuter product only)

611	Beige mist metallic
612	Medium metallic grey

P3 Paint finishes for case and front doors:

118	Bright white
613	Silver

Application Notes

Reuter storage is a universal product applicable on Reff or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Rueter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Vertical interior partitions may be positioned on 3" increments of width anywhere across shelf 1 1/2" from each side. Vertical partitions at 2" increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Each panel-mounted Reuter overhead must be specified with panel mount bracket kit on page 200.



Interior partitions are black painted steel finish.

Order locks for overheads with a Knoll key order form.

Key alike are field installed. Random locks are factory installed.

Overhead storage Reuter open shelf

Reff






description	w	d	h	pattern no.	P1/P2	P3	list price
Open shelf No mounting hardware 	30"	13"	7 ³ / ₄ "	RS1-N30()	\$282.	\$296.	
	36"	13"	7 ³ / ₄ "	RS1-N36()	320.	337.	
	42"	13"	7 ³ / ₄ "	RS1-N42()	345.	362.	
	48"	13"	7 ³ / ₄ "	RS1-N48()	371.	389.	
	60"	13"	7 ³ / ₄ "	RS1-N60()	435.	458.	
Interior partitions, vertical set of five Horizontal set of ten 	–	6"	12"	RS1-VP			70.
	6"	–	12"	RO1-HP6			115.
	9"	–	12"	RO1-HP9			146.
	12"	–	12"	RO1-HP12			173.
	15"	–	12"	RO1-HP15			202.

Order Code	Specification Information	Application Notes
Example: RS1-N48-111 RS1 Reuter shelf N No mounting hardware, order separately 48 48" wide 111 Finish, Jet black	To order please specify pattern number including: 1. Finish <i>P1 Paint finishes for case and front doors: (Reuter product only)</i> 111 Jet Black 112 Brown 113 Dark grey 114 Folkstone grey 115 Medium grey 116 Sandstone 117 Soft grey <i>P2 Paint finishes for case and front doors: (Reuter product only)</i> 611 Beige mist metallic 612 Medium metallic grey <i>P3 Paint finishes for case and front doors:</i> 118 Bright white 613 Silver	Reuter storage is a universal product applicable on Reff or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width. Reuter open shelves may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify shelves with no mounting hardware, and brackets on page 200. Vertical interior partitions may be positioned on 3" increments of width anywhere across shelf 1 1/2" from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of ten: 6", 9", 12", 15" widths. The Reuter open shelf and open overhead for use on Reff panels require mounting brackets ordered separately. See page 200.

Overhead storage

Reuter overhead cabinet mounting options

Reff

description	type	w	d	h	pattern no.	black	paint
	Panel mount brackets, pair overhead cabinet	for Reff System panels			RO1-RPB	\$37.	
	2 pair required for 60", 66", 72" long Reuters						
	Panel mount brackets, pair open shelf	for Reff System panels			RS1-RPB	31.	
	2 pair required for 60", 66", 72" long Reuters						
	Upmount brackets *	for Reff panels	1/2"	10"	10"	RO1-RCB()	81.
	* also used to support series II upmount overheads.						
	Wall mount frames	for 24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	70.
		for 36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	76.
		for 48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	81.
	Wall mount wire manager, set of 10				MWM-J	126.	

Order Code

Example:	RO1 RCB111
RO1	Reuter overhead
R	for Reff panels
CB	Upmount brackets
111	Jet black

Specification Information

Paint finish applicable only for upmount brackets, refer to page 4 for list of finishes.

Application Notes

Panel mount brackets and wall mount frames are painted black finish. Reuter overhead cabinets may be mounted on other Knoll Group systems, above 42", 48", or 56"H Morrison panels, or wall-mounted. Use bracket kits on this page with Reuter overheads, which do not include panel brackets.

Panel mount brackets adapt Reuter overheads to any Knoll Group system. Note that full 6" modular width Reuter overheads are wider than Equity centerline-width panel surrounds.

Cantilever brackets support bottom of Reuter overhead 1" or 2" above, or flush with top of 42" or 56" higher Morrison, Equity, or Reff panel. Overhead width must correspond to panel width.

Wall mount frames secure Reuter overhead cabinet to wall (mounting hardware is not included). Frame is concealed behind cabinet.




Wall mount wire manager is two-part wire concealment kit. 22"H (Morrison medium grey only).

Reuter overhead cabinets are finished on sides and back; no back panel is required.

To wall mount 72"W Reuter overheads use two RO1-WMF2 wall mount frames.

Overhead storage panel hung and wall hung cabinets

Reff

description	h	w	d	locks req'd	doors	pattern no.	open	open	open	hinge	hinge	hinge	flip	flip	flip
							L	V1	V2	door L	door V1	door V2	door L	door V1	door V2
Panel-hung overhead cabinet (hinged door or open) (no back)  	19"	30"	14"	1	2	ROP(H/O)30S0(-)(-)(-)	\$1,006.	\$1,039.	\$1,196.	\$1,118.	\$1,154.	\$1,325.			
	19"	36"	14"	1	2	ROP(H/O)36S0(-)(-)(-)	1,231.	1,273.	1,464.	1,366.	1,413.	1,627.			
	19"	42"	14"	0	0	ROP(O)42S0(-)(-)(-)	1,354.	1,399.	1,611.						
	19"	48"	14"	0	0	ROP(O)48S0(-)(-)(-)	1,403.	1,450.	1,668.						
	19"	60"	14"	2	4	ROP(H/O)60S0(-)(-)(-)	1,434.	1,484.	1,708.	1,594.	1,647.	1,895.			
	19"	72"	14"	2	4	ROP(H/O)72S0(-)(-)(-)	1,759.	1,816.	2,089.	1,953.	2,021.	2,324.			
	19"	90"	14"	3	6	ROP(H/O)90S0(-)(-)(-)	1,934.	1,999.	2,299.	2,150.	2,221.	2,554.			
	19"	96"	14"	3	6	ROP(H/O)96S0(-)(-)(-)	2,005.	2,073.	2,383.	2,227.	2,301.	2,649.			
	23"	60"	14"	2	4	ROP(H/O)60T0(-)(-)(-)	1,532.	1,585.	1,823.	1,706.	1,762.	2,028.			
	23"	72"	14"	2	4	ROP(H/O)72T0(-)(-)(-)	2,089.	2,163.	2,486.	2,322.	2,402.	2,761.			
	23"	90"	14"	3	6	ROP(H/O)90T0(-)(-)(-)	2,372.	2,450.	2,819.	2,633.	2,723.	3,129.			
	23"	96"	14"	3	6	ROP(H/O)96T0(-)(-)(-)	2,458.	2,541.	2,923.	2,732.	2,824.	3,246.			
	Panel-hung overhead flip door cabinet (no back) 	18"	30"	14"	1	1	ROPF30S0J-(-)(-)							839.	1,103.
18"		36"	14"	1	1	ROPF36S0J-(-)(-)							854.	1,122.	1,292.
18"		42"	14"	1	1	ROPF42S0J-(-)(-)							914.	1,203.	1,385.
18"		48"	14"	1	1	ROPF48S0J-(-)(-)							948.	1,251.	1,439.
18"		60"	14"	2	2	ROPF60S0J-(-)(-)							1,101.	1,447.	1,665.
18"		72"	14"	2	2	ROPF72S0J-(-)(-)							1,301.	1,712.	1,967.
18"		84"	14"	2	2	ROPF84S0J-(-)(-)							1,454.	1,912.	2,199.
18"		96"	14"	2	2	ROPF96S0J-(-)(-)							1,550.	2,040.	2,347.

Order Code	Specification Information	Application Notes
Example: ROPH60S0DLL R Reff O Overhead P Panel hung H Hinged door 60 60" wide S Standard height, 19"h 0 15" deep D D-pull L Lock hole drilled L Laminate finish	To order please specify pattern number including: 1. Configuration option (embedded in pattern no.) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i> 2. Storage option (embedded in pattern no.) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i> 3. Finish type 4. Pull option applicable hinged doors only 5. Lock option 6. Finish, case 7. Finish, pull when applicable 8. Keying instructions *After specifying product code, provide keying instructions. Dimensions are nominal. Product not available where prices do not appear. 3. Finish type options: L = Laminate 1 = V1 techwood 2 = V2 conventional veneer	4. Pull Options: D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only) 5. Lock options: L = Lock hole drilled N = No lockdrilling 8. Refer to page 247 for keying instructions. Applicable finishes are listed on page 4 and 5. Sliding rails order separately on page 216.

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.

***Keying instructions must accompany all cabinet orders.**

Panel-hung overheads come with no backs.


Random keys are factory installed.


Order overheads with a KnollKey order form.

Overhead storage

Overhead storage panel hung and wall hung cabinets

Reff

description	h	w	d	locks req'd	doors	pattern no.	open	open	open	hinge	hinge	hinge	flip	flip	flip
							L	V1	V2	door L	door V1	door V2	door L	door V1	door V2
Wall-hung overhead cabinet (open, hinged door or flip door) with back 	19"	30"	15"	1	2/1	ROM(O/H/F)30S0(-)(-)(-)	\$1,403.	\$1,454.	\$1,670.	\$2,042.	\$2,110.	\$2,424.	\$1,496.	\$1,547.	\$1,778.
	19"	36"	15"	1	2/1	ROM(O/H/F)36S0(-)(-)(-)	1,441.	1,491.	1,713.	2,173.	2,249.	2,585.	1,592.	1,646.	1,894.
	19"	42"	15"	1	1	ROM(O/F)42S0(-)(-)(-)	1,477.	1,528.	1,757.				1,686.	1,746.	2,007.
	19"	48"	15"	1	1	ROM(O/F)48S0(-)(-)(-)	1,518.	1,567.	1,805.				1,784.	1,845.	2,122.
	19"	60"	15"	2	4/2	ROM(O/H/F)60S0(-)(-)(-)	1,676.	1,731.	1,992.	2,441.	2,523.	2,902.	1,967.	2,035.	2,340.
	19"	72"	15"	2	4/2	ROM(O/H/F)72S0(-)(-)(-)	1,769.	1,833.	2,105.	2,583.	2,669.	3,071.	2,082.	2,152.	2,475.


Panel-hung shelves 	h	w	d	pattern no.	open L	open V1	open V2
	9"	30"	13"	ROPS30S0NN(-)	238.	491.	563.
	9"	36"	13"	ROPS36S0NN(-)	257.	509.	585.
	9"	42"	13"	ROPS42S0NN(-)	278.	526.	606.
	9"	48"	13"	ROPS48S0NN(-)	297.	545.	625.
	9"	54"	13"	ROPS54S0NN(-)	318.	585.	672.
	9"	60"	13"	ROPS60S0NN(-)	338.	630.	724.
	9"	66"	13"	ROPS66S0NN(-)	358.	670.	771.
	9"	72"	13"	ROPS72S0NN(-)	379.	713.	817.
	9"	78"	13"	ROPS78S0NN(-)	399.	773.	888.
	9"	84"	13"	ROPS84S0NN(-)	418.	832.	958.
	9"	90"	13"	ROPS90S0NN(-)	440.	892.	1,026.
	9"	96"	13"	ROPS96S0NN(-)	446.	938.	1,080.

Order Code	Specification Information	Application Notes
Example: ROPH60S0DLL	<i>To order please specify pattern number including:</i>	
R Reff	1. Configuration option (<i>embedded in pattern no.</i>) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i>	Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i>	Open cabinets require no locks.
P Panel hung	3. Finish type	Tasklights are not included.
H Hinge door	4. Pull option <i>applicable hinged doors only</i>	D-Pulls are not available for flip door units.
60 60" wide	5. Lock option	Hardware included for overhead cabinets.
S Standard height, 19"h	6. Finish, case	The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.
0 15" deep	7. Finish, pull when applicable	*Keying instructions must accompany all cabinet orders.
D D-pull	8. Keying instructions	Panel-hung overheads come with no backs.
L Lock hole drilled	*After specifying product code, provide keying instructions.	Random keys are factory installed.
L Laminate finish	Dimensions are nominal.	Order overheads with a KnollKey order form.
	Product not available where prices do not appear.	
	3. <i>Finish type options:</i> L = Laminate 1 = V1 techwood 2 = V2 conventional veneer	
	4. <i>Pull Options:</i> D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lockdrilling	
	8. Refer to page 247 for keying instructions.	
	Applicable finishes are listed on page 4 and 5.	
	Sliding rails order separately on page 216.	

Overhead storage workwalls, 26¹/₂" standard height planning model

Reff

description	d	h	w	locks required	doors	pattern no.	open L	open V1	open V2	hinge door L	hinge door V1	hinge door V2
72" h workwall overhead cabinet (open or hinge door)	15"	19"	60"	2	4	ROW(O/H)60S0(-)(X)(X)	\$1,752.	\$1,830.	\$2,146.	\$2,261.	\$2,356.	\$2,752.
	15"	19"	72"	2	4	ROW(O/H)72S0(-)(X)(X)	2,253.	2,352.	2,751.	2,898.	3,016.	3,517.
	15"	19"	90"	3	6	ROW(O/H)90S0(-)(X)(X)	2,482.	2,596.	3,054.	3,217.	3,360.	3,931.
	15"	19"	96"	3	6	ROW(O/H)96S0(-)(X)(X)	2,542.	2,664.	3,137.	3,306.	3,453.	4,046.
	15"	23"	60"	2	4	ROW(O/H)60T0(-)(X)(X)	1,904.	1,987.	2,330.	2,452.	2,554.	2,981.
	15"	23"	72"	2	4	ROW(O/H)72T0(-)(X)(X)	2,558.	2,668.	3,116.	3,281.	3,413.	3,972.
	15"	23"	90"	3	6	ROW(O/H)90T0(-)(X)(X)	2,869.	2,998.	3,513.	3,701.	3,857.	4,505.
	15"	23"	96"	3	6	ROW(O/H)96T0(-)(X)(X)	2,928.	3,063.	3,596.	3,789.	3,953.	4,620.
	20"	19"	60"	2	4	ROW(O/H)60S1(-)(X)(X)	1,884.	1,968.	2,305.	2,427.	2,529.	2,951.
	20"	19"	72"	2	4	ROW(O/H)72S1(-)(X)(X)	2,419.	2,523.	2,948.	3,105.	3,232.	3,763.
	20"	19"	90"	3	6	ROW(O/H)90S1(-)(X)(X)	2,758.	2,884.	3,385.	3,565.	3,719.	4,343.
	20"	19"	96"	3	6	ROW(O/H)96S1(-)(X)(X)	2,822.	2,951.	3,469.	3,654.	3,811.	4,459.
	20"	23"	60"	2	4	ROW(O/H)60T1(-)(X)(X)	2,036.	2,124.	2,487.	2,619.	2,727.	3,177.
	20"	23"	72"	2	4	ROW(O/H)72T1(-)(X)(X)	2,819.	2,939.	3,425.	3,606.	3,750.	4,359.
	20"	23"	90"	3	6	ROW(O/H)90T1(-)(X)(X)	3,048.	3,184.	3,729.	3,929.	4,093.	4,774.
	20"	23"	96"	3	6	ROW(O/H)96T1(-)(X)(X)	3,112.	3,249.	3,810.	4,015.	4,185.	4,888.
Workwall support endpanels for 72"H x 20"D workwall cabinets	15"	19"	-			RWEA7220(L/R)-()	327.	337.	386.			
	15"	23"	-			RWEB7220(L/R)-()	327.	337.	386.			
	20"	19"	-			RWEC7220(L/R)-()	327.	337.	386.			
	20"	23"	-			RWED7220(L/R)-()	327.	337.	386.			




Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19" h x 15" d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19" h x 20" d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23" h x 15" d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23" h x 20" d</i>	Applicable finishes are listed on page 4 and 5.
O 15" deep	3. Finish type	
L Laminate finish	4. Pull option for hinged door only.	
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	1. Configuration options:	
	O = Open	
	H = Hinge door	
	3. Finish type:	
	L = Laminate	
	1 = V1	
	2 = V2	
	4. Pull Options:	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options:	
	L = Lockhole drilled	
	N = No lock drilling	
	Keying instructions *	
	See Planning Guide for keying examples.	

Overhead storage workwalls, 26 1/2" standard height planning model

Reff

description	d	h	w	locks required	doors	pattern no.	open L	open V1	open V2	hinge door L	hinge door V1	hinge door V2
Workwall support endpanels for 72"H x 24"D workwall cabinets	15"	19"	–			RWEA7224(L/R)-()	\$355.	\$368.	\$423.			
	15"	23"	–			RWEB7224(L/R)-()	355.	368.	423.			
	20"	19"	–			RWEC7224(L/R)-()	355.	368.	423.			
	20"	23"	–			RWED7224(L/R)-()	355.	368.	423.			




Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 4 and 5.
0 15" deep	3. Finish type	
L Laminate finish	4. Pull option for hinged door only.	
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	<i>1. Configuration options:</i>	
	O = Open	
	H = Hinge door	
	<i>3. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	<i>4. Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	<i>5. Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	

Overhead storage workwalls, 28³/₈" desk height planning model


Reff

description	d	h	w	overall height	pattern no.	open	open	open	hinge	hinge	hinge
						L	V1	V2	door L	door V1	door V2
Workwall, (for "desk height") 19"h storage (open or hinged door)	15"	19"	60"	75"	ROW(O/H)60S0DH () () () ()	\$1,839.	\$1,921.	\$2,253.	\$2,374.	\$2,474.	\$2,890.
	15"	19"	72"	75"	ROW(O/H)72S0DH () () () ()	2,366.	2,470.	2,889.	3,042.	3,168.	3,694.
	15"	19"	90"	75"	ROW(O/H)90S0DH () () () ()	2,608.	2,726.	3,206.	3,378.	3,528.	4,128.
	15"	19"	96"	75"	ROW(O/H)96S0DH () () () ()	2,670.	2,798.	3,293.	3,472.	3,625.	4,249.
	20"	19"	60"	75"	ROW(O/H)60S1DH () () () ()	1,978.	2,065.	2,420.	2,549.	2,656.	3,099.
	20"	19"	72"	75"	ROW(O/H)72S1DH () () () ()	2,540.	2,648.	3,094.	3,260.	3,394.	3,952.
	20"	19"	90"	75"	ROW(O/H)90S1DH () () () ()	2,896.	3,028.	3,555.	3,744.	3,904.	4,560.
	20"	19"	96"	75"	ROW(O/H)96S1DH () () () ()	2,964.	3,099.	3,642.	3,837.	4,002.	4,681.



60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

description	d	h	w	overall height	pattern no.	open	open	open	hinge	hinge	hinge
						L	V1	V2	door L	door V1	door V2
Workwall, (for "desk height") 23"h storage (open or hinged door)	15"	23"	60"	75"	ROW(O/H)60T0DH () () () ()	2,000.	2,087.	2,447.	2,575.	2,681.	3,131.
	15"	23"	72"	75"	ROW(O/H)72T0DH () () () ()	2,687.	2,801.	3,272.	3,444.	3,583.	4,170.
	15"	23"	90"	75"	ROW(O/H)90T0DH () () () ()	3,012.	3,148.	3,689.	3,886.	4,050.	4,729.
	15"	23"	96"	75"	ROW(O/H)96T0DH () () () ()	3,075.	3,217.	3,777.	3,978.	4,151.	4,851.
	20"	23"	60"	75"	ROW(O/H)60T1DH () () () ()	2,139.	2,230.	2,612.	2,751.	2,864.	3,336.
	20"	23"	72"	75"	ROW(O/H)72T1DH () () () ()	2,961.	3,086.	3,596.	3,786.	3,939.	4,577.
	20"	23"	90"	75"	ROW(O/H)90T1DH () () () ()	3,200.	3,344.	3,916.	4,126.	4,297.	5,013.
	20"	23"	96"	75"	ROW(O/H)96T1DH () () () ()	3,267.	3,411.	4,001.	4,216.	4,394.	5,132.



60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	To order please specify pattern number including:	<p>Products on this page are engineered to align with 75"h cabinets on page 193. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈"h products on page 179 ; do not mix products from 26 1/2" (standard height) planning model with 28 3/8" (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroded.</p> <p>Tasklights to be ordered separately</p>
R	Reff	
O	Overhead	
W	Workwall	
O	Open	
60	60" wide	
S	19" storage height	
0	15" storage depth	
DH	desk height, 75" height overall	
L	Finish type, laminate	
118	Finish, Bright White	
()	Fabric selection	
	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors	
	2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
	3. Finish type L = laminate I = V1 2 = V2	
	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
	6. Finish	
	7. Optional pull finish, where applicable	
	8. Fabric for tackboard	
	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 247. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	Products on this page, shipped knocked-down.	
	Applicable finishes are listed on page 4 and 5.	

dimensions noted nominal

Overhead storage workwalls, 28³/₈" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	open L	open V1	open V2	hinge door L	hinge door V1	hinge door V2
Workwall support end panels for 75"h x 20"d workwall cabinets	15"	19"		75"	RWEA7520(L/R) () ()	\$343.	\$354.	\$406.			
	15"	23"		75"	RWEB7520(L/R) () ()	343.	354.	406.			
	20"	19"		75"	RWEC7520(L/R) () ()	343.	354.	406.			
	20"	23"		75"	RWED7520(L/R) () ()	343.	354.	406.			



depth and width indicate drilled to support workwall with corresponding storage dimensions

description	d	h	w	overall height	pattern no.	open L	open V1	open V2	hinge door L	hinge door V1	hinge door V2
Workwall support end panels for 75"h x 24"d workwall cabinets	15"	19"		75"	RWEA7524(L/R) () ()	372.	387.	444.			
	15"	23"		75"	RWEB7524(L/R) () ()	372.	387.	444.			
	20"	19"		75"	RWEC7524(L/R) () ()	372.	387.	444.			
	20"	23"		75"	RWED7524(L/R) () ()	372.	387.	444.			






depth and width indicate drilled to support workwall with corresponding storage dimensions

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75"h cabinets on page 193. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈"h products on page 179 ; do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
W Workwall	3. <i>Finish type</i> L = laminate I = V1 2 = V2	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 247. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
118 Finish, Bright White	Products on this page, shipped knocked-down.	
() Fabric selection	Applicable finishes are listed on page 4 and 5.	

dimensions noted nominal


Overhead storage rectilinear worksurfaces for workwall units


Reff

description	w	d	pattern no.	Option A	Option A	Option A	Option B	Option B	Option B
				1 1/4" thickness L	1 1/4" thickness M/V1	1 1/4" thickness V2	1 3/4" thickness L	1 3/4" thickness M/V1	1 3/4" thickness V2
Straight workwall Rectangular tops 	60"	20"	RSWW(A/B)601()	\$539.	\$555.	\$637.	\$672.	\$698.	\$801.
	60"	24"	RSWW(A/B)602()	578.	596.	687.	721.	750.	862.
	72"	20"	RSWW(A/B)721()	585.	605.	694.	732.	760.	875.
	72"	24"	RSWW(A/B)722()	626.	648.	742.	780.	813.	935.
	90"	20"	RSWW(A/B)901()	678.	701.	806.	847.	881.	1,013.
	90"	24"	RSWW(A/B)902()	719.	742.	855.	900.	936.	1,075.
	96"	20"	RSWW(A/B)961()	769.	795.	914.	960.	998.	1,147.
	96"	24"	RSWW(A/B)962()	812.	839.	963.	1,014.	1,053.	1,211.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	n/a	1,667.	1,918.			
	60"	24"	RSWWAWF602()	n/a	1,790.	2,059.			
	72"	20"	RSWWAWF721()	n/a	1,813.	2,084.			
	72"	24"	RSWWAWF722()	n/a	1,939.	2,231.			
	90"	20"	RSWWAWF901()	n/a	2,104.	2,420.			
	90"	24"	RSWWAWF902()	n/a	2,231.	2,566.			
	96"	20"	RSWWAWF961()	n/a	2,452.	2,742.			
	96"	24"	RSWWAWF962()	n/a	2,515.	2,892.			
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	n/a	637.	735.			
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	n/a	686.	791.			
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	n/a	694.	799.			
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	n/a	743.	855.			
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	n/a	806.	927.			
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	n/a	854.	983.			
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	n/a	914.	1,052.			
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	n/a	963.	1,108.			

Order Code	Specification Information	Application Notes
Example: RSWWA60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.
R Reff	1. Top thickness	Applicable finishes are listed on page 4 and 5.
S Straight top	2. Top finish type	Hardware included.
WW Workwall top	3. Top finish	
A 1 1/4" thick	1. Thickness options:	No grommets available.
60 60" wide	A = 1 1/4"	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
1 20" deep	B = 1 3/4"	
(L) Laminate finish	2. Finish type:	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3. Specify edge detail where applicable, for RSWWA(). See page 116 for available profiles.	

Overhead storage overdesk units, standard height planning model use with 1 1/4" worksurfaces and 26 1/2" h support

description	d	w	h	locks req'd	doors	pattern no.	open	open	open	hinge	hinge	hinge	flip	flip	flip
							L	V1	V2	door L	door V1	door V2	door L	door V1	door V2
 For 1 1/4" worksurfaces (Open or Hinged door)	15"	60"	44 1/4"	2	4/2	ROA(O/H)60T0(-)(-)	\$1,464.	\$1,683.	\$1,984.	\$2,213.	\$2,538.	\$2,966.			
	15"	72"	44 1/4"	2	4/2	ROA(O/H)72T0(-)(-)	1,867.	2,144.	2,518.	2,804.	3,211.	3,746.			
	15"	90"	44 1/4"	3	6	ROA(O/H)90T0(-)(-)	2,042.	2,355.	2,784.	3,117.	3,574.	4,185.			
	15"	96"	44 1/4"	3/2	6/2	ROA(O/H)96T0(-)(-)	2,120.	2,446.	2,894.	3,247.	3,728.	4,369.			
	20"	60"	44 1/4"	2	4/2	ROA(O/H)60T1(-)(-)	1,554.	1,785.	2,100.	2,342.	2,685.	3,130.			
	20"	72"	44 1/4"	2	4/2	ROA(O/H)72T1(-)(-)	1,976.	2,269.	2,662.	2,961.	3,389.	3,949.			
	20"	90"	44 1/4"	3	6	ROA(O/H)90T1(-)(-)	2,168.	2,499.	2,945.	3,298.	3,781.	4,422.			
	20"	96"	44 1/4"	3/2	6/2	ROA(O/H)96T1(-)(-)	2,252.	2,599.	3,067.	3,438.	3,944.	4,616.			

 For 1 1/4" worksurfaces (flip door)	15"	60"	44 1/4"	2	4/2	ROAF60S0(-)(-)							1,894.	2,358.	2,757.
	15"	72"	44 1/4"	2	4/2	ROAF72S0(-)(-)							2,249.	2,989.	3,489.
	15"	84"	44 1/4"	2	4/2	ROAF84S0(-)(-)							2,914.	3,407.	3,984.
	15"	96"	44 1/4"	3/2	6/2	ROAF96S0(-)(-)							2,984.	3,499.	4,105.
	20"	60"	44 1/4"	2	4/2	ROAF60S1(-)(-)							2,005.	2,496.	2,917.
	20"	72"	44 1/4"	2	4/2	ROAF72S1(-)(-)							2,376.	3,156.	3,682.
	20"	84"	44 1/4"	2	2	ROAF84S1(-)(-)							3,081.	3,603.	4,210.
	20"	96"	44 1/4"	3/2	6/2	ROAF96S1(-)(-)							3,161.	3,706.	4,343.

Order Code

Example: ROAF60S0LJLBF118()
R Reff
O Overhead
A For 1 1/4" top mounting
F Flip door
60 60" wide
S Standard height
0 15" deep
L Finish type, laminate
J J-pull
L Locks included
BF Cord escape, back feed
118 Finish, Bright White
(W250) Fabric

Specification Information

To order please specify pattern number including:

1. Configuration option
O = Open
H = Hinged door
F = Flip door
2. Width
3. Storage option
S0 = 19"h x 15"d
S1 = 19"h x 20"d
T0 = 23"h x 15"d
T1 = 23"h x 20"d
4. Finish type
L = Laminate
1 = V1
2 = V2
5. Pull option for hinged door only
D = Metal D-pull (for hinged doors only)
J = Routed pull
C = Nickel C-pull (nickel finish only, for hinged doors only)
S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)

6. Lock option
L = Lockhole drilled
N = No lock drilling
7. Cord escape option
8. Finish
9. Pull finish where applicable
10. Fabric for tackboard

***After specifying product code, provide keying instructions.**

Overdesk unit will achieve 72" nominal height when used with correct top.

The clearance under the overhead to the top of the worksurface is approximately 20 3/4".

Applicable finishes are listed on page 4 and 5.

Application Notes

Shipped knocked-down.

Open cabinets require no locks.

Tasklights not included.

Tackboard included, fabric railroaded.

C, D and S pulls are not available for flip door units.

All flip door cabinets on this page are nominal 19"H not 23"H.


Open/hinge doors are nominal 23"H, actual 22 3/8".


Locks are not factory installed.

Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."

Wire manager is included and mounts adjacent to tackboard. Specify color.

Overhead storage
overdesk units, standard height planning model
use with 1 3/4" worksurfaces and 26 1/2" h support


description	d	w	h	locks req'd	doors	pattern no.	open			hinge	hinge	hinge	flip	flip	flip
							L	V1	V2	door L	door V1	door V2	door L	door V1	door V2
 For 1 3/4" worksurfaces (Open or Hinged door)	15"	60"	43 3/4"	2	4/2	ROB(O/H)60T0(-)(-)(-)	\$1,479.	\$1,706.	\$2,005.	\$2,238.	\$2,566.	\$2,997.			
	15"	72"	43 3/4"	2	4/2	ROB(O/H)72T0(-)(-)(-)	1,875.	2,169.	2,547.	2,837.	3,246.	3,787.			
	15"	90"	43 3/4"	3	6	ROB(O/H)90T0(-)(-)(-)	2,066.	2,383.	2,816.	3,152.	3,615.	4,231.			
	15"	96"	43 3/4"	3/2	6/2	ROB(O/H)96T0(-)(-)(-)	2,145.	2,476.	2,929.	3,286.	3,771.	4,419.			
	20"	60"	43 3/4"	2	4/2	ROB(O/H)60T1(-)(-)(-)	1,570.	1,807.	2,123.	2,369.	2,711.	3,167.			
	20"	72"	43 3/4"	2	4/2	ROB(O/H)72T1(-)(-)(-)	1,999.	2,295.	2,691.	2,994.	3,427.	3,994.			
	20"	90"	43 3/4"	3	6	ROB(O/H)90T1(-)(-)(-)	2,147.	2,479.	2,933.	3,335.	3,825.	4,471.			
	20"	96"	43 3/4"	3/2	6/2	ROB(O/H)96T1(-)(-)(-)	2,197.	2,530.	2,984.	3,476.	3,988.	4,670.			

 For 1 3/4" worksurfaces (flip door)	15"	60"	43 3/4"	2	4/2	ROBF60S0(-)(-)(-)						1,915.	2,386.	2,790.
	15"	72"	43 3/4"	2	4/2	ROBF72S0(-)(-)(-)						2,275.	3,023.	3,528.
	15"	84"	43 3/4"	2	2	ROBF84S0(-)(-)(-)						2,947.	3,442.	4,027.
	15"	96"	43 3/4"	3/2	6/2	ROBF96S0(-)(-)(-)						3,020.	3,542.	4,154.
	20"	60"	43 3/4"	2	4/2	ROBF60S1(-)(-)(-)						2,029.	2,523.	2,948.
	20"	72"	43 3/4"	2	4/2	ROBF72S1(-)(-)(-)						2,404.	3,191.	3,723.
	20"	84"	43 3/4"	2	2	ROBF84S1(-)(-)(-)						3,118.	3,646.	4,261.
	20"	96"	43 3/4"	3/2	6/2	ROBF96S1(-)(-)(-)						3,198.	3,748.	4,389.

Order Code	Specification Information	Application Notes
Example: ROBF60S0LJLBF118(-)	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	6. <i>Lock option</i> L = Lockhole drilled N = No lock drilling	Open cabinets require no locks.
O Overhead	7. <i>Cord escape option</i>	Tasklights not included.
B For 1 3/4" top mounting	8. <i>Finish</i>	Tackboard included, fabric railroaded.
F Flip door	9. <i>Pull finish where applicable</i>	C, D and S pulls are not available for flip door units.
60 60" wide	10. <i>Fabric for tackboard</i>	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	*After specifying product code, provide keying instructions.	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	Overdesk unit will achieve 72" nominal height when used with correct top.	Locks are not factory installed.
L Finish type, laminate	The clearance under the overhead to the top of the worksurface is approximately 20 3/4".	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	Applicable finishes are listed on page 4 and 5.	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included		
BF Cord escape, back feed		
118 Finish, Bright White		
(W250) Fabric		

Overhead storage overdesk units, desk height planning model use with 1 1/4" worksurfaces and 28 3/8" h support

description	d	w	h	pattern no.	open	open	open	hinge	hinge	hinge	flip	flip	flip
					L	V1	V2	door	door	door	door	door	door
Overdesk unit	15"	60"	45 1/2"	ROA(O/H)60T0DH () () () ()	\$1,537.	\$1,767.	\$2,083.	\$2,322.	\$2,665.	\$3,113.			
(for 1 1/4" worksurface at "desk height")	15"	72"	45 1/2"	ROA(O/H)72T0DH () () () ()	1,960.	2,252.	2,643.	2,945.	3,372.	3,933.			
O=Open, H=Hinged Door	15"	90"	45 1/2"	ROA(O/H)90T0DH () () () ()	2,144.	2,473.	2,923.	3,273.	3,752.	4,395.			
	15"	96"	45 1/2"	ROA(O/H)96T0DH () () () ()	2,226.	2,568.	3,038.	3,410.	3,914.	4,587.			
	20"	60"	45 1/2"	ROA(O/H)60T1DH () () () ()	1,632.	1,875.	2,205.	2,459.	2,819.	3,288.			
	20"	72"	45 1/2"	ROA(O/H)72T1DH () () () ()	2,076.	2,384.	2,795.	3,109.	3,559.	4,147.			
	20"	90"	45 1/2"	ROA(O/H)90T1DH () () () ()	2,276.	2,623.	3,093.	3,461.	3,970.	4,643.			
	20"	96"	45 1/2"	ROA(O/H)96T1DH () () () ()	2,365.	2,728.	3,220.	3,609.	4,140.	4,848.			



60" w and 72" w hinged door units have four hinged doors, two lock cores required
90" w and 96" w hinged door units have six hinged doors, three lock cores required


Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	To order please specify pattern number including:	<p>Products on this page are engineered to align with 75" h cabinets on page 193. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products on page 179 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 20 3/4" h.</p> <p>Applicable finishes are listed on page 4 and 5.</p>
R Reff	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	
O Overhead	2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
A For mounting on 1 1/4" thick top	3. Finish type L = laminate I = V1 2 = V2	
O Open	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
T 23" h storage	6. Tasklight cord escape BF = back feed FF = front feed	
0 15" d storage	7. Finish	
DH desk height, 75" height overall	8. Optional pull finish, where applicable	
L Finish type, laminate	9. Fabric for tackboard	
BF Cord escape, back feed	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 247. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
118 Finish, Bright White	Products on this page shipped knocked-down.	
() Fabric selection	Tasklights not included.	
	Tackboard included, fabric orientation applied railroaded.	
	Wire manager included and mounts adjacent to tackboard. Specify color.	
	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

dimensions noted nominal

Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Reff

description	d	w	h	pattern no.	open	open	open	hinge	hinge	hinge	flip	flip	flip
					L	V1	V2	door	door	door	door	door	door
Overdesk unit	15"	60"	45 1/2"	ROAF60S0DH () () () ()							\$1,988.	\$2,476.	\$2,896.
(for 1 1/4" worksurface	15"	72"	45 1/2"	ROAF72S0DH () () () ()							2,361.	3,139.	3,664.
at "desk height")	15"	84"	45 1/2"	ROAF84S0DH () () () ()							3,059.	3,577.	4,184.
F=Flip door	15"	96"	45 1/2"	ROAF96S0DH () () () ()							3,134.	3,675.	4,311.
	20"	60"	45 1/2"	ROAF60S1DH () () () ()							2,106.	2,620.	3,062.
	20"	72"	45 1/2"	ROAF72S1DH () () () ()							2,496.	3,313.	3,866.
	20"	84"	45 1/2"	ROAF84S1DH () () () ()							3,234.	3,783.	4,420.
	20"	96"	45 1/2"	ROAF96S1DH () () () ()							3,318.	3,892.	4,560.




all flip door units have two flip doors, two lock cores required
 J-pull only, C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	To order please specify pattern number including:	
R Reff		
O Overhead	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	6. Tasklight cord escape BF = back feed FF = front feed
A For mounting on 1 1/4" thick top	2. Storage option (embedded in pattern number) S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. Finish
O Open	3. Finish type L = laminate 1 = V1 2 = V2	8. Optional pull finish, where applicable
60 60" wide	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. Fabric for tackboard
T 23"h storage		Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 247. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
0 15"d storage		Products on this page shipped knocked-down.
DH desk height, 75" height overall		Tasklights not included.
L Finish type, laminate		Tackboard included, fabric orientation applied railroaded.
BF Cord escape, back feed		Wire manager included and mounts adjacent to tackboard. Specify color.
118 Finish, Bright White		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
() Fabric selection		

dimensions noted nominal

Overhead storage overdesk units, desk height planning model use with 1³/₄" worksurfaces and 28³/₈"h support

description	d	w	h	pattern no.	open L	open V1	open V2	hinge door L	hinge door V1	hinge door V2	flip door L	flip door V1	flip door V2
Overdesk unit	15"	60"	45"	ROB(O/H)60T0DH () () () () ()	\$1,553.	\$1,791.	\$2,105.	\$2,352.	\$2,694.	\$3,148.			
(for 1 ³ / ₄ " worksurface at "desk height")	15"	72"	45"	ROB(O/H)72T0DH () () () () ()	1,969.	2,279.	2,674.	2,978.	3,410.	3,977.			
O=Open, H=Hinged Door	15"	90"	45"	ROB(O/H)90T0DH () () () () ()	2,170.	2,501.	2,956.	3,311.	3,796.	4,442.			
	15"	96"	45"	ROB(O/H)96T0DH () () () () ()	2,252.	2,600.	3,076.	3,451.	3,961.	4,640.			
	20"	60"	45"	ROB(O/H)60T1DH () () () () ()	1,649.	1,897.	2,231.	2,487.	2,846.	3,324.			
	20"	72"	45"	ROB(O/H)72T1DH () () () () ()	2,098.	2,409.	2,826.	3,144.	3,598.	4,193.			
	20"	90"	45"	ROB(O/H)90T1DH () () () () ()	2,256.	2,602.	3,079.	3,502.	4,015.	4,696.			
	20"	96"	45"	ROB(O/H)96T1DH () () () () ()	2,307.	2,655.	3,131.	3,650.	4,188.	4,903.			



60"w and 72"w hinged door units have four hinged doors, two lock cores required
90"w and 96"w hinged door units have six hinged doors, three lock cores required


Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate I = V1 2 = V2	8. <i>Optional pull finish, where applicable</i>
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Fabric for tackboard</i>
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 247. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23"h storage		Products on this page shipped knocked-down.
0 15"d storage		Tasklights not included.
DH desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Reff

description	d	w	h	pattern no.	open	open	open	hinge	hinge	hinge	flip	flip	flip
					L	V1	V2	door	door	door	door	door	door
Overdesk unit	15"	60"	45"	ROBF60S0DH () () () ()							\$2,011.	\$2,506.	\$2,930.
(for 1 ³ / ₄ " worksurface	15"	72"	45"	ROBF72S0DH () () () ()							2,388.	3,175.	3,705.
at "desk height")	15"	84"	45"	ROBF84S0DH () () () ()							3,093.	3,614.	4,228.
F=Flip door	15"	96"	45"	ROBF96S0DH () () () ()							3,170.	3,719.	4,363.
	20"	60"	45"	ROBF60S1DH () () () ()							2,130.	2,650.	3,096.
	20"	72"	45"	ROBF72S1DH () () () ()							2,525.	3,353.	3,909.
	20"	84"	45"	ROBF84S1DH () () () ()							3,274.	3,829.	4,473.
	20"	96"	45"	ROBF96S1DH () () () ()							3,359.	3,934.	4,608.




all flip door units have two flip doors, two lock cores required
 J-pull only; C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate I = V1 2 = V2	8. <i>Optional pull finish, where applicable</i>
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Fabric for tackboard</i>
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 247. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23"h storage		Products on this page shipped knocked-down.
0 15"d storage		Tasklights not included.
DH desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
118 Finish, Bright White		
() Fabric selection		


dimensions noted nominal

T5 Task Light for Reuter Overhead Storage





Reff

description	type	w	d	h	pattern no.	Standard List	Advanced List
Task Light 	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19 ()	\$194.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25 ()	209.	360.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37 ()	225.	379.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49 ()	244.	394.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61 ()	260.	410.

Order Code	Specification Information	Application Notes
Example: RTAT5E19S <hr/> RTA Task Light <hr/> T5 T5 lamp <hr/> E Electronic ballast <hr/> 19 Width <hr/> S Standard	<p><i>Specify:</i></p> <p>Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.</p> <p>Type:</p> <p>S Standard A Advanced</p> <p>Specify suffix -CH and add \$45 list for City of Chicago installations. Example: RTAT5E19S-CH</p> <p>All housings are black.</p>	<p>Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.</p> <p>Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded corset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.</p> <p>Task light cordset is center exit. On smaller units cort exit is off-center, but still not handed.</p> <p>Task lights are TCLP compliant and meet requirements of California Title 24.</p> <p>Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.</p>

description	type	w	d	h	pattern no.	standard	advanced
Task Light 	Use with 24" and wider overhead	19"	4"	1 1/2"	RTL5E19 ()	\$245.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25 ()	250.	360.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37 ()	255.	379.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49 ()	260.	394.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61 ()	275.	410.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73 ()	299.	425.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85 ()	374.	440.

Order Code	Specification Information	Application Notes
Example: RTL5E19S <hr/> RTL Task Light <hr/> T5 T5 lamp <hr/> E Electronic ballast <hr/> 19 Width <hr/> S Standard	<p><i>Specify:</i></p> <p>Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.</p> <p>Type:</p> <p>S Standard A Advanced</p> <p>Specify suffix -CH and add \$45 list for City of Chicago installations. Example: RTL5E19S-CH</p> <p>All housings are black.</p>	<p>Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.</p> <p>Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded corset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.</p> <p>Task light cordset is center exit. On smaller units cord exit is off-center, but still not handed.</p> <p>Task lights are TCLP compliant and meet requirements of California Title 24.</p> <p>Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.</p>
		<p>Task lights fit to overhead cabinets without the use of filler panels.</p> <p>Standard mount with slide bars. All lights also feature two screw-mounting keyholes.</p>

description	w	pattern no.	list price
Sliding rail for open shelves 	30"	RSDR30	\$48.
	36"	RSDR36	48.
	42"	RSDR42	48.
	48"	RSDR48	48.
	54"	RSDR54	48.
	60"	RSDR60	76.
	66"	RSDR66	76.
	72"	RSDR72	76.
	78"	RSDR78	76.
	84"	RSDR84	84.
	90"	RSDR90	84.
96"	RSDR96	84.	
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	48.
	36"	ROHDR36	48.
	42"	ROHDR42	48.
	48"	ROHDR48	48.
	60"	ROHDR60	84.
	72"	ROHDR72	84.
	90"	ROHDR90	114.
	96"	ROHDR96	114.
Sliding rail for flip door overhead cabinets 	30"	RFDR30	48.
	36"	RFDR36	48.
	42"	RFDR42	48.
	48"	RFDR48	48.
	60"	RFDR60	84.
	72"	RFDR72	84.
	96"	RFDR96	84.
Sliding rail divider 		R5ZNNE (3 dividers)	20.

Order Code

Example: RSDR30	
R	Reff
SDR	Sliding rail for open shelves
30	For 30" shelf

Specification Information

To order please specify pattern number.


Application Notes

Match cabinet width to rail width.


Parts come in black only.

These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

description	w	d	h	pattern no.	L	V1	V2
Minidesk hutch, open	66"	9"	20"	RMDHO66()	\$1,769.	\$2,543.	\$2,872.
	72"	9"	20"	RMDHO72()	1,836.	2,579.	2,923.



Minidesk hutch, w/drawers	66"	9"	20"	RMDHD66()	2,325.	3,308.	3,427.
	72"	9"	20"	RMDHD72()	2,480.	3,357.	3,495.



Order Code

Example:	RMDHO66L
R	Reff
MDH	Mini desk hutch storage
O	Open
66	66" wide
L	Finish type, laminate
118	Bright White
W281	Fabric

Specification Information


To order please specify pattern number including:


1. *Finish type*
L = laminate
1 = V1
2 = V2
2. *Finish*
3. *Fabric selection for tackboard*


Applicable finishes are listed on page 4 and 5.

Single pedestal desks 27³/₄" high overall

Reff

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W)() () 2	\$2,551.	\$2,921.	\$3,465.	\$2,697.	\$3,067.	\$3,610.
	72"	30"	RDSP7230J(A,B,W)() () 2	2,654.	3,072.	3,610.	2,799.	3,217.	3,756.
	84"	30"	RDSP8430J(A,B,W)() () 2	2,785.	3,245.	3,826.	2,930.	3,390.	3,971.
	96"	30"	RDSP9630J(A,B,W)() () 2	2,898.	3,400.	4,026.	3,043.	3,546.	4,171.

Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W)() () 2	2,708.	3,101.	3,762.	2,918.	3,310.	3,972.
	72"	36"	RDSP7236J(A,B,W)() () 2	2,833.	3,293.	3,959.	3,043.	3,503.	4,169.
	84"	36"	RDSP8436J(A,B,W)() () 2	2,961.	3,497.	4,163.	3,170.	3,707.	4,373.
	96"	36"	RDSP9636J(A,B,W)() () 2	3,074.	3,697.	4,359.	3,284.	3,907.	4,569.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W)() () 2	3,345.	3,585.	4,781.	3,555.	3,795.	4,990.
	72"	30"	RBSP7230J(A,B,W)() () 2	3,461.	3,726.	5,048.	3,671.	3,936.	5,258.
	84"	30"	RBSP8430J(A,B,W)() () 2	3,642.	3,932.	5,393.	3,852.	4,141.	5,603.
	96"	30"	RBSP9630J(A,B,W)() () 2	3,809.	4,134.	5,754.	4,018.	4,344.	5,964.


Order Code	Specification Information	Application Notes
Example: RDSP6030JAR2WJL	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RD Reff desk	1. Width	36"D rectilinear desk pedestals are 30"D including modesty panel.
SP Single pedestal	2. Depth	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	3. File option	Bowed front desk pedestals are 30"D with finished backs.
30 30" deep	<i>J default = BBF</i>	All desks are non-handed.
J Box/box/file	4. Top thickness	All hardware included.
A 1 1/4" regular edge top	5. Grommet option	All waterfall desks have waterfall detail on front and back.
R Recessed grommets	6. Finish type	All components on this page available in V2 only.
2 Finish type	7. Interior option	
W Wood interiors	8. Pull option	
J Routed pulls	9. Locking	
L Lock	<i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options:	
	A = 1 1/4"	
	B = 1 3/4"	
	W = 1 1/4" waterfall	
	5. Grommet Options:	
	R = Recessed grommets	
	N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options:	
	M = Metal	
	W = Wood	
	8. Pull Options:	
	D = Metal D-pull	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only)	
	S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 4 and 5.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	


Double pedestal desks 27³/₄" high overall

Reff

Preconfigured Reff
Deskings

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)() () 2	\$3,299.	\$3,669.	\$4,212.	\$3,619.	\$3,989.	\$4,533.
	72"	30"	RDDP7230JK(A,B,W)() () 2	3,402.	3,819.	4,358.	3,722.	4,139.	4,678.
	84"	30"	RDDP8430JK(A,B,W)() () 2	3,532.	3,992.	4,573.	3,852.	4,312.	4,893.
	96"	30"	RDDP9630JK(A,B,W)() () 2	3,645.	4,148.	4,773.	3,965.	4,468.	5,093.

	60"	36"	RDDP6036JK(A,B,W)() () 2	3,508.	3,899.	4,560.	3,939.	4,331.	4,993.
	72"	36"	RDDP7236JK(A,B,W)() () 2	3,633.	4,092.	4,757.	4,064.	4,524.	5,190.
	84"	36"	RDDP8436JK(A,B,W)() () 2	3,759.	4,295.	4,961.	4,191.	4,728.	5,393.
	96"	36"	RDDP9636JK(A,B,W)() () 2	3,872.	4,495.	5,157.	4,305.	4,928.	5,589.





	60"	30"	RBDP6030JK(A,B,W)() () 2	3,907.	4,147.	5,342.	4,340.	4,579.	5,775.
	72"	30"	RBDP7230JK(A,B,W)() () 2	4,022.	4,287.	5,610.	4,454.	4,719.	6,041.
	84"	30"	RBDP8430JK(A,B,W)() () 2	4,204.	4,493.	5,954.	4,636.	4,926.	6,387.
	96"	30"	RBDP9630JK(A,B,W)() () 2	4,370.	4,696.	6,314.	4,803.	5,127.	6,747.

Order Code	Specification Information	Application Notes	
Example: RDDP7236JKAR2WJL			
RD Reff desk	<i>To order, please specify pattern number including:</i> 1. Width 2. Depth 3. File option <i>JK default = BBF and FF</i> 4. Top thickness 5. Grommet option 6. Finish type 7. Interior option 8. Pull option 9. Locking <i>L default</i> 10. Veneer finish 11. Pull finish, when applicable 12. Grommet finish, when applicable 4. Thickness options: A = 1 ¹ / ₄ " B = 1 ³ / ₄ " W = 1 ¹ / ₄ " waterfall	30"D rectilinear desk pedestals are 24"D including modesty panel.	
DP Double pedestal		5. Grommet Options: R = Recessed grommets N = No grommets	36"D rectilinear desk pedestals are 30"D including modesty panel.
72 72" wide		6. 2 = V2 Veneer Finish	
36 36" deep		7. Interior Options: M = Metal W = Wood	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
J Box/box/file pedestal		8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	Bowed front desk pedestals are 30"D with finished backs. Bow front modesty sits in between the pedestals and is recessed in 6".
K File/file			All hardware included.
A 1 ¹ / ₄ " Thick worksurface		Applicable finishes are listed on page 4 and 5.	All waterfall desks have waterfall detail on front and back.
R Recessed grommets		Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	All components on this page available in V2 only.
2 Finish type, V2			
W Wood interiors			
J Routed pull			
L Lock			

Desk returns

27³/₄" high overall

Reff

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
 Single pedestal return, 24" d	36"	24"	RRSP3624K(A,B,W)() () 2	\$1,890.	\$2,187.	\$2,761.	\$2,065.	\$2,361.	\$2,936.
	42"	24"	RRSP4224K(A,B,W)() () 2	1,938.	2,272.	2,834.	2,113.	2,446.	3,009.
	48"	24"	RRSP4824K(A,B,W)() () 2	2,019.	2,378.	2,983.	2,194.	2,551.	3,158.
	54"	24"	RRSP5424K(A,B,W)() () 2	2,074.	2,437.	3,102.	2,249.	2,611.	3,276.
	60"	24"	RRSP6024K(A,B,W)() () 2	2,126.	2,490.	3,227.	2,301.	2,665.	3,402.
 Single pedestal return, 30" d	36"	30"	RRSP3630K(A,B,W)() () 2	2,012.	2,340.	2,988.	2,234.	2,562.	3,210.
	42"	30"	RRSP4230K(A,B,W)() () 2	2,065.	2,417.	3,079.	2,286.	2,638.	3,302.
	48"	30"	RRSP4830K(A,B,W)() () 2	2,150.	2,510.	3,235.	2,372.	2,732.	3,458.
	54"	30"	RRSP5430K(A,B,W)() () 2	2,214.	2,568.	3,387.	2,436.	2,790.	3,609.
	60"	30"	RRSP6030K(A,B,W)() () 2	2,253.	2,621.	3,467.	2,474.	2,844.	3,690.
 End panel return	36"	24"	RREP3624(A,B,W)(F,N)2				1,143.	1,438.	2,014.
	42"	24"	RREP4224(A,B,W)(F,N)2				1,190.	1,524.	2,087.
	48"	24"	RREP4824(A,B,W)(F,N)2				1,272.	1,629.	2,236.
	54"	24"	RREP5424(A,B,W)(F,N)2				1,327.	1,689.	2,354.
	60"	24"	RREP6024(A,B,W)(F,N)2				1,379.	1,743.	2,479.
 End panel return	36"	30"	RREP3630(A,B,W)(F,N)2				1,214.	1,541.	2,189.
	42"	30"	RREP4230(A,B,W)(F,N)2				1,266.	1,618.	2,281.
	48"	30"	RREP4830(A,B,W)(F,N)2				1,352.	1,711.	2,437.
	54"	30"	RREP5430(A,B,W)(F,N)2				1,415.	1,769.	2,589.
	60"	30"	RREP6030(A,B,W)(F,N)2				1,453.	1,823.	2,669.


Order Code	Specification Information	Application Notes
Example: RREP4830AF2	<i>To order, please specify pattern number including:</i>	
RREP Reff desk return	1. Width	5. Grommet Options: F = Flush grommets N = No grommets
48 48" wide	2. Depth	6. 2 = V2 Veneer Finish
30 30" deep	3. File option where applicable <i>K default = FF</i>	7. Interior Options: M = Metal W = Wood
A 1 1/4" thick worksurface	4. Top thickness	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull
F Flush grommets	5. Grommet option	Applicable finishes are listed on page 4 and 5.
2 Finish type, V2	6. Finish type	
	7. Interior option where applicable	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
	8. Pull option where applicable	All desks are non-handed.
	9. Locking where applicable L default	All hardware included.
	10. Veneer finish	Desk returns with waterfall have waterfall edge 3 sides.
	11. Pull finish, when applicable	All components on this page available in V2 only.
	12. Grommet finish, when applicable	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	


Single pedestal credenzas


27³/₄" high overall

Reff

Preconfigured Reff
Deskings

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W)() () 2	\$2,444.	\$2,808.	\$2,993.	\$2,618.	\$2,983.	\$3,168.
	72"	24"	RCSP7224K(A,B,W)() () 2	2,564.	2,960.	3,159.	2,739.	3,134.	3,334.
	84"	24"	RCSP8424K(A,B,W)() () 2	2,689.	3,132.	3,335.	2,864.	3,307.	3,510.
	96"	24"	RCSP9624K(A,B,W)() () 2	2,801.	3,288.	3,505.	2,975.	3,463.	3,679.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W)() () 2	2,577.	2,940.	3,126.	2,978.	3,341.	3,527.
	72"	24"	RCS3L7224K(A,B,W)() () 2	2,697.	3,092.	3,291.	3,097.	3,493.	3,692.
	84"	24"	RCS3L8424K(A,B,W)() () 2	2,822.	3,265.	3,467.	3,222.	3,665.	3,868.
	96"	24"	RCS3L9624K(A,B,W)() () 2	2,933.	3,421.	3,638.	3,334.	3,821.	4,039.


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W)() () 2	2,650.	3,015.	3,200.	3,344.	3,709.	3,894.
	72"	24"	RCS6L7224K(A,B,W)() () 2	2,771.	3,166.	3,366.	3,465.	3,861.	4,060.
	84"	24"	RCS6L8424K(A,B,W)() () 2	2,896.	3,339.	3,541.	3,590.	4,033.	4,236.
	96"	24"	RCS6L9624K(A,B,W)() () 2	3,007.	3,495.	3,711.	3,702.	4,189.	4,405.

Order Code	Specification Information	Application Notes
Example: RCS6L9624KAF2MDL	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
RC Reff credenza	1. Width	Credenzas with lateral files or pedestals are non-handed.
S6L Single 36" w lateral file	2. Depth	All hardware included.
96 96" wide	3. File option <i>K default = FF</i>	All waterfall credenzas have waterfall detail on front only.
24 24" wide	4. Top thickness	All components on this page available in V2 only.
K File/file	5. Grommet option	
A 1 1/4" thick worksurface	6. Finish type	
F Flush grommets	7. Interior option	
2 Finish type	8. Pull option	
M metal interiors	9. Locking <i>L default</i>	
D D-metal pull	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 4 and 5.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	

Bridge assemblies

27³/₄" high overall

Reff

description	w	d	pattern no.	A	B	W
	36"	24"	RBR3624(A,B,W)(F,N)2	\$818.	\$1,114.	\$1,690.
	42"	24"	RBR4224(A,B,W)(F,N)2	866.	1,200.	1,763.
	48"	24"	RBR4824(A,B,W)(F,N)2	948.	1,305.	1,911.
	36"	30"	RBR3630(A,B,W)(F,N)2	872.	1,200.	1,848.
	42"	30"	RBR4230(A,B,W)(F,N)2	924.	1,276.	1,940.
	48"	30"	RBR4830(A,B,W)(F,N)2	1,010.	1,370.	2,096.

Order Code

Example: RBR4830WF2
RBR Reff bridge assembly
48 48" wide
30 30" deep
W Waterfall edge 1 1/4"
F Flush grommets
2 Conventional veneer

Specification Information

To order, please specify pattern number including:

1. Top thickness
2. Grommet option
3. Finish type
4. Veneer finish
5. Grommet color

1. Thickness options:
 A = 1 1/4" straight edge
 B = 1 3/4" straight edge
 W = 1 1/4" waterfall edge

2. Grommet Options:
 F = Flush grommets
 N = No grommets

3. 2 = V2 Veneer Finish

4. Grommet Color

Applicable finishes are listed on page 4 and 5.

Application Notes

Bridge assemblies are non-handed.

All hardware included.

Waterfall option on all 3 sides.

Available in conventional veneer only.

All components on this page are available in V2 only.


Shipped with full height modesty.


Double pedestal credenzas

27³/₄" high overall


Reff

Preconfigured Reff
Deskings

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCDP6024K(A,B,W)() () J2	\$3,192.	\$3,555.	\$3,741.	\$3,540.	\$3,905.	\$4,091.
	72"	24"	RCDP7224K(A,B,W)() () J2	3,311.	3,707.	3,906.	3,661.	4,057.	4,256.
	84"	24"	RCDP8424K(A,B,W)() () J2	3,437.	3,880.	4,082.	3,786.	4,229.	4,432.
	96"	24"	RCDP9624K(A,B,W)() () J2	3,548.	4,035.	4,253.	3,898.	4,385.	4,601.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCD3L6024K(A,B,W)() () J2	3,457.	3,820.	4,007.	4,258.	4,622.	4,807.
	84"	24"	RCD3L8424K(A,B,W)() () J2	3,703.	4,146.	4,348.	4,503.	4,946.	5,148.
	96"	24"	RCD3L9624K(A,B,W)() () J2	3,814.	4,300.	4,518.	4,614.	5,101.	5,319.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	72"	24"	RCD6L7224K(A,B,W)() () J2	3,725.	4,120.	4,320.	5,113.	5,508.	5,707.
	96"	24"	RCD6L9624K(A,B,W)() () J2	3,961.	4,449.	4,665.	5,349.	5,836.	6,054.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCD6L9624KBF2WDL	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal. All credenzas are non-handed. All hardware included. All waterfall credenzas have waterfall detail on front only. All components on this page available in V2 only. Shipped with full height modesty. Applicable finishes are listed on page 4 and 5. Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
RC Reff credenza	1. Width	
D6L Double 36" w lateral file	2. Depth	
96 96" wide	3. File option	
24 24" wide	<i>K default = FF</i>	
K File file	4. Top thickness	
B 1 3/4" thick worksurface	5. Grommet option	
F Flush grommets	6. Finish type	
2 Finish type	7. Interior option	
W wood drawer interior	8. Pull option	
D D-metal pull	9. Locking	
L Lock	<i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	

Accessories

hookstrips and top caps

Reff

description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$39.
	15"	R2HK0015	63.
	34"	R2HK0034	86.
	42"	R2HK0042	92.
	49"	R2HK0049	99.
	64"	R2HK0064	107.
	79"	R2HK0079	112.
Beltway hookstrips	42"	R2HKB042	99.
	49"	R2HKB049	107.
	64"	R2HKB064	112.
	79"	R2HKB079	118.
Generation 2 top caps		KRR2CAPEND()()	56.
		KRR2CAPL()()	56.
		KRR2CAPSTRAIGHT()()	56.
		KRR2CAPT()()	56.
		KRR2CAPX()()	56.
Generation 3 top caps		KRR3CAPEND()()	56.
		KRR3CAPL()()	56.
		KRR3CAPSTRAIGHT()()	56.
		KRR3CAPT()()	56.
		KRR3CAPX()()	56.

Order Code	Specification Information	Application Notes
Example: KRR3CAPL-2A	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 4 and 5.
KRR3 Reff generation 3		
CAP Top cap	<ol style="list-style-type: none"> 1. L = Laminate paint finish 2. 1 = V1 Techwood 3. 2 = V2 Conventional veneer 	An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.
L Finished 2 adjacent sides		
2 Conventional veneer		
A Flat profile	<i>Top cap profile:</i> A = Flat B = Square C = Bullnose	Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.
V319 Medium cherry		









New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

Accessories

cabinet extras and undermount accessories

Reff

Accessories and Client Samples

description	w	d	h	pattern no.	M	L	V1	V2	list price
Cabinet boot tray 	14"	17"		RCABT1417					\$66.
	29"	17"		RCABT2917					110.
Cabinet coat rod 	16" cabinets			RCACR16					66.
	30" cabinets			RCACR30					88.
	36" cabinets			RCACR36					99.
	Half of 30" cabinets			RCACR30H					64.
	Half of 36" cabinets			RCACR36H					70.
Articulated keyboard arm 	10" x 20" keyboard tray			RKBA1020()					786.
	10" x 22 1/4" keyboard tray			RKBA1022()					786.
	Available in laminate, techwood (V1), or veneer (V2)								
Keyboard platform 	23"	11"		RKBP1020					633.
	26"	11"		RKBP1022					633.
	RKBP1020 accepts 19 1/2"W x 9 1/2"D keyboard. RKBP1022 accepts 22"W x 9 1/2"D keyboard.								
CRT turntable 	31" diameter			RKT31					485.
Pencil drawer used under worktop 	16"	17"	1"	RPAD-()					350.
	Specify wood or laminate finish								
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		RCAS1620-()	61.	116.	123.	142.	
	16"	24"		RCAS1624-()	69.	130.	139.	161.	
	30"	15"		RCAS3015-()	75.	151.	162.	186.	
	30"	20"		RCAS3020-()	73.	130.	139.	161.	
	30"	24"		RCAS3024-()	81.	151.	162.	186.	
	36"	15"		RCAS3615-()	83.	160.	170.	193.	
	36"	20"		RCAS3620-()	83.	138.	148.	170.	
	36"	24"		RCAS3624-()	88.	162.	174.	199.	

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

Specification Information

Pencil drawer includes slides.

Keyboard platform is black for wood and paint to match laminate tops.

Applicable finishes are listed on page 4 and 5.




Application Notes

See Reff Planning Guide for more information.

Accessories

presentation samples

Reff

description	w	d	h	pattern no.	L	M	V2	list price
Wall rails (paint options only) 	-	-	8 ⁷ / ₈ "	RWHRA-()				\$34.
	-	-	17 ⁵ / ₈ "	RWHRB-()				36.
	-	-	18 ¹ / ₄ "	RWHRC-()				36.
	-	-	21 ¹ / ₁₆ "	RWHRD-()				38.
	-	-	22"	RWHRE-()				38.
	-	-	59 ¹ / ₂ "	RWHRF-()				86.
	-	-	67"	RWHRG-()				86.
Striplight (black only) for transaction tops 	26"	2"	2"	RCASL				307.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	-	RSAMP1616-()()	76.	92.	108.	
Presentation stackable/tiled mini panel (for demonstrations)	24"	-	34"	RSMP				933.
Presentation monolithic mini panel	4"H base			RRMP4				498.
	6"H base			RRMP6				536.
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				R917762				373.
Presentation worksurface cutaway sample	12"	12"	1 ¹ / ₄ "	RTOP2	76.	92.	108.	
	12"	12"	1 ³ / ₄ "	RTOP1	76.	92.	108.	
Presentation waterfall edge sample	11"	8 ¹ / ₂ "		R921655				258.
Sample, cascade edge worksurface 	12"	12"		RCE1R1212G	104.			
Rangeboard Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)	27"	12"	1 ¹ / ₄ "	RRBRD2712 ()				228.

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
 2. Finish, where applicable
1. Finish type:
L = Laminate
1 = V1
2 = V2

Specification Information

See Reff Planning Guide for more information.

Metal D-pull sample board represents the 6 standard Reff paint finishes.

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.







Applicable finishes are listed on page 4 and 5.

Accessories

wire management

Reff

Accessories and Client Samples

description	w	d	h	pattern no.	list price
Wire manager used under any top in kneespace* 	24"	4 1/2"	5 3/4"	RWMWT24	\$38.
	30"	4 1/2"	5 3/4"	RWMWT30	44.
	36"	4 1/2"	5 3/4"	RWMWT36	48.
	Available black only				
Hinged vertical wire 	24"	1"	3/8"	RWMV24 ()	32.
Ships with overdesk unit. Specify paint finish.					
Multi-purpose manager* 	24"	2 1/2"	1 1/4"	RWMMP24	34.
	30"	2 1/2"	1 1/4"	RWMMP30	38.
	36"	2 1/2"	1 1/4"	RWMMP36	39.
	Available black only				
Panel-hung vertical wire 	24"	–	–	RWMVP24	32.
not available in finish codes: 112,116,117,611, 612, 613					
Worksurface vertical/horizontal wire manager* 	24"	1 1/2"	3/4"	RWMVH24	36.
	30"	1 1/2"	3/4"	RWMVH30	40.
	36"	1 1/2"	3/4"	RWMVH36	44.
	Available black only				
Power bar, fits into wire manager 				RWMPB	133.
Replacement hardware	Panel to endpanel bracket			RBPE(L/R)()	18.
	Top to endpanel disk			RBDD	4.
	Top to workwall endpanel disk			RBDW	4.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				
Tree wire manager 2 shipped with panel	2"			RBWM	11.
used in Beltway					

Order Code

To order please specify:
1. Pattern number
2. Color if applicable

Specification Information

Specify color for hinged vertical wire management only from paint finish list on page 4.

*Available in Black only.

Application Notes

See Reff Planning Guide for more information on wire managers.

Accessories

interior components

Reff

description	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)			RPHCHH	\$32.
Panel-hung coat hook (panel top)			RPHCHT	32.
Panel-hung tackboard	30"	24"	RPHTB3024	260.
Note: Fabric railroaded	42"	24"	RPHTB4224	320.
All standard grades of fabric				
Panel-hung whiteboard	30"	24"	RPHWB3024	404.
	42"	24"	RPHWB4224	494.
Wall-hung tackboard	30"	24"	RWHTB3024	289.
Note: Fabric railroaded Velcro supplied	36"	24"	RWHTB3624	320.
	42"	24"	RWHTB4224	351.
	48"	24"	RWHTB4824	382.
for use with 26 1/2" h support planning module				
Wall-hung tackboard for desk height (28 3/8" h)	30"	26"	RWHDHTB3026	303.
planning	36"	26"	RWHDHTB3626	336.
Note: Fabric railroaded Velcro supplied	42"	26"	RWHDHTB4226	369.
	48"	26"	RWHDHTB4826	401.
for use with 28 3/8" h support planning module				
Box drawer dividers, wood box drawers (Acrylic)	16"	–	RPADSS	46.
File bars, wood file drawers (replacement)	16"	–	RPAHFB16	26.
	30"	–	RPAHFB30	49.
	36"	–	RPAHFB36	76.
File bars, metal file drawers (replacement)	16"	–	RPAHFM162 *	18.
	30"	–	RPAHFM30	26.
	36"	–	RPAHFM36	26.

Order Code

To order please specify:
 1. Pattern number
 2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

*Only for pedestals shipped August 2001 and forward.


Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

Reff

description	w	h	pattern no.	list price
Plate divider			RPD11	\$20.
			RPD14	20.
<p>RPD11 to be used with 15" D open cabinet/bookcase with metal shelves. RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.</p>				
Pencil tray, wood (ordered separately)	12"	–	RPAPT	88.
Pencil tray, plastic	12"	–	RPETRAY2 *	28.

Accessories and Client Samples

Order Code

To order please specify:
 1. Pattern number
 2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

*Only for pedestals shipped August 2001 and forward.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Non-Wood Finishes								
Finishes	<i>Panel Tiles, Tops & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Handles</i>	<i>Grommets</i>
Black	LG	LG	LG	LG	LG	LG	LG	LG
Dark grey	n/a	DG	DG	DG	DG	DG	n/a	DG
Medium grey	n/a	OI	OI	OI	OI	OI	n/a	OI
Charcoal grey	LD	LD	LD	LD	LD	LD	n/a	LD
Folkstone grey	LA	LA	LA	LA	LA	LA	n/a	LA
Oyster grey	LC	LC	LC	LC	LC	LC	n/a	LC
Pumice	LB	LB	LB	LB	LB	LB	n/a	LB
Willow grey	LE	LE	LE	LE	LE	LE	n/a	LE
Dark grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	V	n/a
Medium grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	J	n/a
Silver (metallic)	n/a	HPF	HPF	HPF	HPF	HPF	HPF	HPF
White	LH	LH	LH	LH	LH	LH	LH	LH
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD
Currents Finishes								
White	n/a	B	B	B	B	B	B	B
Metallic flint	n/a	2	2	2	2	2	2	2
Light metallic grey	n/a	U	U	U	U	U	U	U
Medium metallic grey	n/a	J	J	J	J	J	J	J
Dark metallic grey	n/a	V	V	V	V	V	V	V
Metallic beige	n/a	H	H	H	H	H	H	H
Light metallic tan	n/a	W	W	W	W	W	W	W
Soft grey	n/a	E	E	E	E	E	E	E
Medium Grey	n/a	Y2	Y2	Y2	Y2	Y2	Y2	Y2

n/a = not applicable

*Beltway side plates not available in Satin brass, Brushed pewter or Polished chrome.

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	157	R2APT3424	53	R2ES34(A/B/C/D/E)(4/6)(E/N)	75	R2X79C	77
ASBC24 (L/R)	157	R2APT3430	53	R2ES42(A/B/C/D/E)(4/6)(E/N)	75	R334PKIT	81
KRR2CAPEND	224	R2APT3436	53	R2ES49(A/B/C/D/E)(4/6)(E/N)	75	R3AK	81
KRR2CAPL	224	R2APT3442	53	R2ES64(A/B/C/D/E)(4/6)(E/N)	75	R3BOPAA42 18	10
KRR2CAPSTRAIGHT	224	R2APT3448	53	R2ES79(A/B/C/D/E)(4/6)(E/N)	75	R3BOPAA42 20	10
KRR2CAPT	224	R2APT4218	53	R2HK0008	224	R3BOPAA42 24	10
KRR2CAPX	224	R2APT4220	53	R2HK0015	224	R3BOPAA42 30	10
KRR3CAPEND	224	R2APT4224	53	R2HK0034	224	R3BOPAA42 36	10
KRR3CAPL	224	R2APT4230	53	R2HK0042	224	R3BOPAA42 42	10
KRR3CAPSTRAIGHT	224	R2APT4236	53	R2HK0049	224	R3BOPAA42 48	10
KRR3CAPT	224	R2APT4242	53	R2HK0064	224	R3BOPAA42 60	10
KRR3CAPX	224	R2APT4248	53	R2HK0079	224	R3BOPAA42 66	10
MWM-J	200	R2APT4918	53	R2HKB042	224	R3BOPAA42 72	10
R113B	159	R2APT4920	53	R2HKB049	224	R3BOPAA49 18	15
R234PKIT	81	R2APT4924	53	R2HKB064	224	R3BOPAA49 20	15
R2AETK34	54	R2APT4930	53	R2HKB079	224	R3BOPAA49 24	15
R2AETK42	54	R2APT4936	53	R2HL3442ES(A/B/C/E)	75	R3BOPAA49 30	15
R2AETK49	54	R2APT4942	53	R2HL3442(F)CS	76	R3BOPAA49 36	15
R2AETK64	54	R2APT4948	53	R2HL3449ES(A/B/C/E)	75	R3BOPAA49 42	15
R2AETK79	54	R2APT6418	53	R2HL3449(F)CS	76	R3BOPAA49 48	15
R2AHBW18	55	R2APT6420	53	R2HL3464ES(A/B/C/E)	75	R3BOPAA49 60	15
R2AHBW20	55	R2APT6424	53	R2HL3464(F/T)CS	76	R3BOPAA49 66	15
R2AHBW24	55	R2APT6430	53	R2HL3479ES(A/B/C/E)	75	R3BOPAA49 72	15
R2AHBW30	55	R2APT6436	53	R2HL3479(F/T)CS	76	R3BOPAA64 18	20
R2AHBW36	55	R2APT6442	53	R2HL4249ES(A/B/C/E)	75	R3BOPAA64 20	20
R2AHBW42	55	R2APT6448	53	R2HL4249ETS(A/B/C/E)	75	R3BOPAA64 24	20
R2AHBW48	55	R2APT7918	54	R2HL4249(F)CS	76	R3BOPAA64 30	20
R2AHCR34	54	R2APT7920	54	R2HL4264ES(A/B/C/E)	75	R3BOPAA64 36	20
R2AHCR42	54	R2APT7924	54	R2HL4264ETS(A/B/C/E)	75	R3BOPAA64 42	20
R2AHCR49	54	R2APT7930	54	R2HL4264(F/T)CS	76	R3BOPAA64 48	20
R2AHCR64	54	R2APT7936	54	R2HL4279ES(A/B/C/E)	75	R3BOPAA64 60	20
R2AHCR79	54	R2APT7942	54	R2HL4279ETS(A/B/C/E)	75	R3BOPAA64 66	20
R2AHSR18	55	R2APT7948	54	R2HL4279(F/T)CS	76	R3BOPAA64 72	20
R2AHSR20	55	R2ATPK34	54	R2HL4964ES(A/B/C/E)	75	R3BOPAA79 18	25
R2AHSR24	55	R2ATPK42	54	R2HL4964(F)CS	76	R3BOPAA79 20	25
R2AHSR30	55	R2ATPK49	54	R2HL4979ES(A/B/C/E)	75	R3BOPAA79 24	25
R2AHSR36	55	R2ATPK64	54	R2HL4979(F/T)CS	76	R3BOPAA79 30	25
R2AHSR42	55	R2ATPK79	54	R2HL6479ES(A/B/C/E)	75	R3BOPAA79 36	25
R2AHSR48	55	R2BOTWA34 18	31	R2HL6479(F)CS	76	R3BOPAA79 42	25
R2AHTR18	55	R2BOTWA34 20	31	R2L42C(F/T)(F/T)-(4/6)	77	R3BOPAA79 48	25
R2AHTR20	55	R2BOTWA34 24	31	R2L49C(F/T)(F/T)-(4/6)	77	R3BOPAA79 60	25
R2AHTR24	55	R2BOTWA34 30	31	R2L64C(F/T)(F/T)-(4/6)	77	R3BOPAA79 66	25
R2AHTR30	55	R2BOTWA34 36	31	R2L79C(F/T)(F/T)-(4/6)	77	R3BOPAA79 72	25
R2AHTR36	55	R2BOTWA34 42	31	R2S42C(F/T)(F/T)-(4/6)	77	R3BOPF134 18	8
R2AHTR42	55	R2BOTWA34 48	31	R2S49C(F/T)(F/T)-(4/6)	77	R3BOPF134 20	8
R2AHTR48	55	R2BOTWB34 30	31	R2S64C(F/T)(F/T)-(4/6)	77	R3BOPF134 24	8
R2AHWR18	55	R2BOTWB34 36	31	R2S79C(F/T)(F/T)-(4/6)	77	R3BOPF134 30	8
R2AHWR20	55	R2BOTWB34 42	31	R2SWS0008	79	R3BOPF134 36	8
R2AHWR24	55	R2BOTWB34 48	31	R2SWS0015	79	R3BOPF134 42	8
R2AHWR30	55	R2BOTWC34 18	31	R2SWS0034	79	R3BOPF134 48	8
R2AHWR36	55	R2BOTWC34 20	31	R2SWS0042	79	R3BOPF142 18	13
R2AHWR42	55	R2BOTWC34 24	31	R2SWS0049	79	R3BOPF142 20	13
R2AHWR48	55	R2BOTWC34 30	31	R2SWS0064	79	R3BOPF142 24	13
R2AK	81	R2BOTWC34 36	31	R2SWS0079	79	R3BOPF142 30	13
R2ALPK34	54	R2BOTWC34 42	31	R2T42C(F/T)-(4/6)	77	R3BOPF142 36	13
R2ALPK42	54	R2BOTWC34 48	31	R2T49C(F/T)-(4/6)	77	R3BOPF142 42	13
R2ALPK49	54	R2CCG	81	R2T64C(F/T)-(4/6)	77	R3BOPF142 48	13
R2ALPK64	54	R2DLS7936	80	R2T79C(F/T)-(4/6)	77	R3BOPF142 60	13
R2ALPK79	54	R2DLS7942	80	R2X42C	77	R3BOPF142 66	13
R2APT3418	53	R2DRS7936	80	R2X49C	77	R3BOPF142 72	13
R2APT3420	53	R2DRS7942	80	R2X64C	77	R3BOPF149 18	18

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF149 20	18	R3BOPF264 72	24	R3BOPFL42 18	12	R3B0TAA79 36	48
R3BOPF149 24	18	R3BOPF279 18	29	R3BOPFL42 20	12	R3B0TAA79 42	48
R3BOPF149 30	18	R3BOPF279 20	29	R3BOPFL42 24	12	R3B0TAA79 48	48
R3BOPF149 36	18	R3BOPF279 24	29	R3BOPFL42 30	12	R3BOTF134 18	32
R3BOPF149 42	18	R3BOPF279 30	29	R3BOPFL42 36	12	R3BOTF134 20	32
R3BOPF149 48	18	R3BOPF279 36	29	R3BOPFL42 42	12	R3BOTF134 24	32
R3BOPF149 60	18	R3BOPF279 42	29	R3BOPFL42 48	12	R3BOTF134 30	32
R3BOPF149 66	18	R3BOPF279 48	29	R3BOPFL42 60	12	R3BOTF134 36	32
R3BOPF149 72	18	R3BOPF279 60	29	R3BOPFL42 66	12	R3BOTF134 42	32
R3BOPF164 18	23	R3BOPF279 66	29	R3BOPFL42 72	12	R3BOTF134 48	32
R3BOPF164 20	23	R3BOPF279 72	29	R3BOPFL49 18	17	R3BOTF142 18	36
R3BOPF164 24	23	R3BOPFF34 18	6	R3BOPFL49 20	17	R3BOTF142 20	36
R3BOPF164 30	23	R3BOPFF34 20	6	R3BOPFL49 24	17	R3BOTF142 24	36
R3BOPF164 36	23	R3BOPFF34 24	6	R3BOPFL49 30	17	R3BOTF142 30	36
R3BOPF164 42	23	R3BOPFF34 30	6	R3BOPFL49 36	17	R3BOTF142 36	36
R3BOPF164 48	23	R3BOPFF34 36	6	R3BOPFL49 42	17	R3BOTF142 42	36
R3BOPF164 60	23	R3BOPFF34 42	6	R3BOPFL49 48	17	R3BOTF142 48	36
R3BOPF164 66	23	R3BOPFF34 48	6	R3BOPFL49 60	17	R3BOTF149 18	41
R3BOPF164 72	23	R3BOPFF42 18	10	R3BOPFL49 66	17	R3BOTF149 20	41
R3BOPF179 18	28	R3BOPFF42 20	10	R3BOPFL49 72	17	R3BOTF149 24	41
R3BOPF179 20	28	R3BOPFF42 24	10	R3BOPFL64 18	22	R3BOTF149 30	41
R3BOPF179 24	28	R3BOPFF42 30	10	R3BOPFL64 20	22	R3BOTF149 36	41
R3BOPF179 30	28	R3BOPFF42 36	10	R3BOPFL64 24	22	R3BOTF149 42	41
R3BOPF179 36	28	R3BOPFF42 42	10	R3BOPFL64 30	22	R3BOTF149 48	41
R3BOPF179 42	28	R3BOPFF42 48	10	R3BOPFL64 36	22	R3BOTF164 18	46
R3BOPF179 48	28	R3BOPFF42 60	10	R3BOPFL64 42	22	R3BOTF164 20	46
R3BOPF179 60	28	R3BOPFF42 66	10	R3BOPFL64 48	22	R3BOTF164 24	46
R3BOPF179 66	28	R3BOPFF42 72	10	R3BOPFL64 60	22	R3BOTF164 30	46
R3BOPF179 72	28	R3BOPFF49 18	15	R3BOPFL64 66	22	R3BOTF164 36	46
R3BOPF234 18	9	R3BOPFF49 20	15	R3BOPFL64 72	22	R3BOTF164 42	46
R3BOPF234 20	9	R3BOPFF49 24	15	R3BOPFL79 18	27	R3BOTF164 48	46
R3BOPF234 24	9	R3BOPFF49 30	15	R3BOPFL79 20	27	R3BOTF179 18	51
R3BOPF234 30	9	R3BOPFF49 36	15	R3BOPFL79 24	27	R3BOTF179 20	51
R3BOPF234 36	9	R3BOPFF49 42	15	R3BOPFL79 30	27	R3BOTF179 24	51
R3BOPF234 42	9	R3BOPFF49 48	15	R3BOPFL79 36	27	R3BOTF179 30	51
R3BOPF234 48	9	R3BOPFF49 60	15	R3BOPFL79 42	27	R3BOTF179 36	51
R3BOPF242 18	14	R3BOPFF49 66	15	R3BOPFL79 48	27	R3BOTF179 42	51
R3BOPF242 20	14	R3BOPFF49 72	15	R3BOPFL79 60	27	R3BOTF179 48	51
R3BOPF242 24	14	R3BOPFF64 18	20	R3BOPFL79 66	27	R3BOTF234 18	32
R3BOPF242 30	14	R3BOPFF64 20	20	R3BOPFL79 72	27	R3BOTF234 20	32
R3BOPF242 36	14	R3BOPFF64 24	20	R3B0TAA42 18	33	R3BOTF234 24	32
R3BOPF242 42	14	R3BOPFF64 30	20	R3B0TAA42 20	33	R3BOTF234 30	32
R3BOPF242 48	14	R3BOPFF64 36	20	R3B0TAA42 24	33	R3BOTF234 36	32
R3BOPF242 60	14	R3BOPFF64 42	20	R3B0TAA42 30	33	R3BOTF234 42	32
R3BOPF242 66	14	R3BOPFF64 48	20	R3B0TAA42 36	33	R3BOTF234 48	32
R3BOPF242 72	14	R3BOPFF64 60	20	R3B0TAA42 42	33	R3BOTF242 18	37
R3BOPF249 18	19	R3BOPFF64 66	20	R3B0TAA42 48	33	R3BOTF242 20	37
R3BOPF249 20	19	R3BOPFF64 72	20	R3B0TAA49 18	38	R3BOTF242 24	37
R3BOPF249 24	19	R3BOPFF79 18	25	R3B0TAA49 20	38	R3BOTF242 30	37
R3BOPF249 30	19	R3BOPFF79 20	25	R3B0TAA49 24	38	R3BOTF242 36	37
R3BOPF249 36	19	R3BOPFF79 24	25	R3B0TAA49 30	38	R3BOTF242 42	37
R3BOPF249 42	19	R3BOPFF79 30	25	R3B0TAA49 36	38	R3BOTF242 48	37
R3BOPF249 48	19	R3BOPFF79 36	25	R3B0TAA49 42	38	R3BOTF249 18	42
R3BOPF249 60	19	R3BOPFF79 42	25	R3B0TAA49 48	38	R3BOTF249 20	42
R3BOPF249 66	19	R3BOPFF79 48	25	R3B0TAA64 18	43	R3BOTF249 24	42
R3BOPF249 72	19	R3BOPFF79 60	25	R3B0TAA64 20	43	R3BOTF249 30	42
R3BOPF264 18	24	R3BOPFF79 66	25	R3B0TAA64 24	43	R3BOTF249 36	42
R3BOPF264 20	24	R3BOPFF79 72	25	R3B0TAA64 30	43	R3BOTF249 42	42
R3BOPF264 24	24	R3BOPFL34 18	7	R3B0TAA64 36	43	R3BOTF249 48	42
R3BOPF264 30	24	R3BOPFL34 20	7	R3B0TAA64 42	43	R3BOTF264 18	47
R3BOPF264 36	24	R3BOPFL34 24	7	R3B0TAA64 48	43	R3BOTF264 20	47
R3BOPF264 42	24	R3BOPFL34 30	7	R3B0TAA79 18	48	R3BOTF264 24	47
R3BOPF264 48	24	R3BOPFL34 36	7	R3B0TAA79 20	48	R3BOTF264 30	47
R3BOPF264 60	24	R3BOPFL34 42	7	R3B0TAA79 24	48	R3BOTF264 36	47
R3BOPF264 66	24	R3BOPFL34 48	7	R3B0TAA79 30	48	R3BOTF264 42	47

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOTF264 48	47	R3BOTFL64 20	45	R3B1PF249 48	19	R3B1PFL42 18	12
R3BOTF279 18	52	R3BOTFL64 24	45	R3B1PF264 18	24	R3B1PFL42 20	12
R3BOTF279 20	52	R3BOTFL64 30	45	R3B1PF264 20	24	R3B1PFL42 24	12
R3BOTF279 24	52	R3BOTFL64 36	45	R3B1PF264 24	24	R3B1PFL42 30	12
R3BOTF279 30	52	R3BOTFL64 42	45	R3B1PF264 30	24	R3B1PFL42 36	12
R3BOTF279 36	52	R3BOTFL64 48	45	R3B1PF264 36	24	R3B1PFL42 42	12
R3BOTF279 42	52	R3BOTFL79 18	50	R3B1PF264 42	24	R3B1PFL42 48	12
R3BOTF279 48	52	R3BOTFL79 20	50	R3B1PF264 48	24	R3B1PFL49 18	17
R3BOTFF34 18	30	R3BOTFL79 24	50	R3B1PF279 18	29	R3B1PFL49 20	17
R3BOTFF34 20	30	R3BOTFL79 30	50	R3B1PF279 20	29	R3B1PFL49 24	17
R3BOTFF34 24	30	R3BOTFL79 36	50	R3B1PF279 24	29	R3B1PFL49 30	17
R3BOTFF34 30	30	R3BOTFL79 42	50	R3B1PF279 30	29	R3B1PFL49 36	17
R3BOTFF34 36	30	R3BOTFL79 48	50	R3B1PF279 36	29	R3B1PFL49 42	17
R3BOTFF34 42	30	R3B1PF142 18	13	R3B1PF279 42	29	R3B1PFL49 48	17
R3BOTFF34 48	30	R3B1PF142 20	13	R3B1PF279 48	29	R3B1PFL64 18	22
R3BOTFF42 18	33	R3B1PF142 24	13	R3B1PF2A49 18	66	R3B1PFL64 20	22
R3BOTFF42 20	33	R3B1PF142 30	13	R3B1PF2A49 20	66	R3B1PFL64 24	22
R3BOTFF42 24	33	R3B1PF142 36	13	R3B1PF2A49 24	66	R3B1PFL64 30	22
R3BOTFF42 30	33	R3B1PF142 42	13	R3B1PF2A49 30	66	R3B1PFL64 36	22
R3BOTFF42 36	33	R3B1PF142 48	13	R3B1PF2A49 36	66	R3B1PFL64 42	22
R3BOTFF42 42	33	R3B1PF149 18	18	R3B1PF2A49 42	66	R3B1PFL64 48	22
R3BOTFF42 48	33	R3B1PF149 20	18	R3B1PF2A49 48	66	R3B1PFL79 18	27
R3BOTFF49 18	38	R3B1PF149 24	18	R3B1PF2B49 30	66	R3B1PFL79 20	27
R3BOTFF49 20	38	R3B1PF149 30	18	R3B1PF2B49 36	66	R3B1PFL79 24	27
R3BOTFF49 24	38	R3B1PF149 36	18	R3B1PF2B49 42	66	R3B1PFL79 30	27
R3BOTFF49 30	38	R3B1PF149 42	18	R3B1PF2B49 48	66	R3B1PFL79 36	27
R3BOTFF49 36	38	R3B1PF149 48	18	R3B1PFF42 18	11	R3B1PFL79 42	27
R3BOTFF49 42	38	R3B1PF164 18	23	R3B1PFF42 20	11	R3B1PFL79 48	27
R3BOTFF49 48	38	R3B1PF164 20	23	R3B1PFF42 24	11	R3B1PFLA49 18	60
R3BOTFF64 18	43	R3B1PF164 24	23	R3B1PFF42 30	11	R3B1PFLA49 20	60
R3BOTFF64 20	43	R3B1PF164 30	23	R3B1PFF42 36	11	R3B1PFLA49 24	60
R3BOTFF64 24	43	R3B1PF164 36	23	R3B1PFF42 42	11	R3B1PFLA49 30	60
R3BOTFF64 30	43	R3B1PF164 42	23	R3B1PFF42 48	11	R3B1PFLA49 36	60
R3BOTFF64 36	43	R3B1PF164 48	23	R3B1PFF49 18	15	R3B1PFLA49 42	60
R3BOTFF64 42	43	R3B1PF179 18	28	R3B1PFF49 20	15	R3B1PFLA49 48	60
R3BOTFF64 48	43	R3B1PF179 20	28	R3B1PFF49 24	15	R3B1PFLB49 30	60
R3BOTFF79 18	48	R3B1PF179 24	28	R3B1PFF49 30	15	R3B1PFLB49 36	60
R3BOTFF79 20	48	R3B1PF179 30	28	R3B1PFF49 36	16	R3B1PFLB49 42	60
R3BOTFF79 24	48	R3B1PF179 36	28	R3B1PFF49 42	16	R3B1PFLB49 48	60
R3BOTFF79 30	48	R3B1PF179 42	28	R3B1PFF49 48	16	R3B1TF142 18	36
R3BOTFF79 36	48	R3B1PF179 48	28	R3B1PFF64 18	21	R3B1TF142 20	36
R3BOTFF79 42	48	R3B1PF1A49 18	63	R3B1PFF64 20	21	R3B1TF142 24	36
R3BOTFF79 48	48	R3B1PF1A49 20	63	R3B1PFF64 24	21	R3B1TF142 30	36
R3BOTFL34 18	32	R3B1PF1A49 24	63	R3B1PFF64 30	21	R3B1TF142 36	36
R3BOTFL34 20	32	R3B1PF1A49 30	63	R3B1PFF64 36	21	R3B1TF142 42	36
R3BOTFL34 24	32	R3B1PF1A49 36	63	R3B1PFF64 42	21	R3B1TF142 48	36
R3BOTFL34 30	32	R3B1PF1A49 42	63	R3B1PFF64 48	21	R3B1TF149 18	41
R3BOTFL34 36	32	R3B1PF1A49 48	63	R3B1PFF79 18	25	R3B1TF149 20	41
R3BOTFL34 42	32	R3B1PF1B49 30	63	R3B1PFF79 20	25	R3B1TF149 24	41
R3BOTFL34 48	32	R3B1PF1B49 36	63	R3B1PFF79 24	25	R3B1TF149 30	41
R3BOTFL42 18	35	R3B1PF1B49 42	63	R3B1PFF79 30	25	R3B1TF149 36	41
R3BOTFL42 20	35	R3B1PF1B49 48	63	R3B1PFF79 36	25	R3B1TF149 42	41
R3BOTFL42 24	35	R3B1PF242 18	14	R3B1PFF79 42	25	R3B1TF149 48	41
R3BOTFL42 30	35	R3B1PF242 20	14	R3B1PFF79 48	25	R3B1TF164 18	46
R3BOTFL42 36	35	R3B1PF242 24	14	R3B1PFFA49 18	56	R3B1TF164 20	46
R3BOTFL42 42	35	R3B1PF242 30	14	R3B1PFFA49 20	56	R3B1TF164 24	46
R3BOTFL42 48	35	R3B1PF242 36	14	R3B1PFFA49 24	56	R3B1TF164 30	46
R3BOTFL49 18	40	R3B1PF242 42	14	R3B1PFFA49 30	56	R3B1TF164 36	46
R3BOTFL49 20	40	R3B1PF242 48	14	R3B1PFFA49 36	56	R3B1TF164 42	46
R3BOTFL49 24	40	R3B1PF249 18	19	R3B1PFFA49 42	56	R3B1TF164 48	46
R3BOTFL49 30	40	R3B1PF249 20	19	R3B1PFFA49 48	56	R3B1TF179 18	51
R3BOTFL49 36	40	R3B1PF249 24	19	R3B1PFFB49 30	57	R3B1TF179 20	51
R3BOTFL49 42	40	R3B1PF249 30	19	R3B1PFFB49 36	57	R3B1TF179 24	51
R3BOTFL49 48	40	R3B1PF249 36	19	R3B1PFFB49 42	57	R3B1TF179 30	51
R3BOTFL64 18	45	R3B1PF249 42	19	R3B1PFFB49 48	57	R3B1TF179 36	51

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF179 42	51	R3B1TFF49 48	38	R3B2PFF42 18	11	R3B2TFF79 42	49
R3BITF179 48	51	R3B1TFF64 18	43	R3B2PFF42 20	11	R3B2TFF79 48	49
R3BITF1A49 18	61	R3B1TFF64 20	43	R3B2PFF42 24	11	R3B2TFFA49 18	67
R3BITF1A49 20	61	R3B1TFF64 24	43	R3B2PFF42 30	11	R3B2TFFA49 20	67
R3BITF1A49 24	61	R3B1TFF64 30	43	R3B2PFF42 36	11	R3B2TFFA49 24	67
R3BITF1A49 30	61	R3B1TFF64 36	43	R3B2PFF42 42	11	R3B2TFFA49 30	67
R3BITF1A49 36	61	R3B1TFF64 42	43	R3B2PFF42 48	11	R3B2TFFA49 36	67
R3BITF1A49 42	61	R3B1TFF64 48	43	R3B2PFF49 18	15	R3B2TFFA49 42	67
R3BITF1A49 48	61	R3B1TFF79 18	49	R3B2PFF49 20	15	R3B2TFFA49 48	67
R3BITF1B49 30	62	R3B1TFF79 20	49	R3B2PFF49 24	15	R3B2TFFB49 30	67
R3BITF1B49 36	62	R3B1TFF79 24	49	R3B2PFF49 30	15	R3B2TFFB49 36	67
R3BITF1B49 42	62	R3B1TFF79 30	49	R3B2PFF49 36	15	R3B2TFFB49 42	67
R3BITF1B49 48	62	R3B1TFF79 36	49	R3B2PFF49 42	15	R3B2TFFB49 48	67
R3BITF242 18	37	R3B1TFF79 42	49	R3B2PFF49 48	15	R3FTCE104(F/T)(F/T)(F/T)	88
R3BITF242 20	37	R3B1TFF79 48	49	R3B2PFF64 18	20	R3FTCE108(F/T)(F/T)(F/T)	88
R3BITF242 24	37	R3B1TFFA49 18	56	R3B2PFF64 20	20	R3FTCE120(F/T)(F/T)(F/T)	88
R3BITF242 30	37	R3B1TFFA49 20	56	R3B2PFF64 24	20	R3FTCE21	88
R3BITF242 36	37	R3B1TFFA49 24	56	R3B2PFF64 30	20	R3FTCE25	88
R3BITF242 42	37	R3B1TFFA49 30	56	R3B2PFF64 36	20	R3FTCE37	88
R3BITF242 48	37	R3B1TFFA49 36	56	R3B2PFF64 42	20	R3FTCF12118	85
R3BITF249 18	42	R3B1TFFA49 42	56	R3B2PFF64 48	20	R3FTCF12120	85
R3BITF249 20	42	R3B1TFFA49 48	56	R3B2PFF79 18	26	R3FTCF12124	85
R3BITF249 24	42	R3B1TFFB49 30	56	R3B2PFF79 20	26	R3FTCF12130	85
R3BITF249 30	42	R3B1TFFB49 36	56	R3B2PFF79 24	26	R3FTCF12136	85
R3BITF249 36	42	R3B1TFFB49 42	56	R3B2PFF79 30	26	R3FTCF12142	85
R3BITF249 42	42	R3B1TFFB49 48	56	R3B2PFF79 36	26	R3FTCF12148	85
R3BITF249 48	42	R3B1TFL42 18	35	R3B2PFF79 42	26	R3FTCF12518	86
R3BITF264 18	47	R3B1TFL42 20	35	R3B2PFF79 48	26	R3FTCF12520	86
R3BITF264 20	47	R3B1TFL42 24	35	R3B2PFFA49 18	67	R3FTCF12524	86
R3BITF264 24	47	R3B1TFL42 30	35	R3B2PFFA49 20	67	R3FTCF12530	86
R3BITF264 30	47	R3B1TFL42 36	35	R3B2PFFA49 24	67	R3FTCF12536	86
R3BITF264 36	47	R3B1TFL42 42	35	R3B2PFFA49 30	67	R3FTCF12542	86
R3BITF264 42	47	R3B1TFL42 48	35	R3B2PFFA49 36	67	R3FTCF12548	86
R3BITF264 48	47	R3B1TFL49 18	40	R3B2PFFA49 42	67	R3FTCF13718	87
R3BITF279 18	52	R3B1TFL49 20	40	R3B2PFFA49 48	67	R3FTCF13720	87
R3BITF279 20	52	R3B1TFL49 24	40	R3B2PFFB49 30	68	R3FTCF13724	87
R3BITF279 24	52	R3B1TFL49 30	40	R3B2PFFB49 36	68	R3FTCF13730	87
R3BITF279 30	52	R3B1TFL49 36	40	R3B2PFFB49 42	68	R3FTCF13736	87
R3BITF279 36	52	R3B1TFL49 42	40	R3B2PFFB49 48	68	R3FTCF13742	87
R3BITF279 42	52	R3B1TFL49 48	40	R3B2TFF42 18	34	R3FTCF13748	87
R3BITF279 48	52	R3B1TFL64 18	45	R3B2TFF42 20	34	R3FTCF22118	85
R3BITF2A49 18	64	R3B1TFL64 20	45	R3B2TFF42 24	34	R3FTCF22120	85
R3BITF2A49 20	64	R3B1TFL64 24	45	R3B2TFF42 30	34	R3FTCF22124	85
R3BITF2A49 24	64	R3B1TFL64 30	45	R3B2TFF42 36	34	R3FTCF22130	85
R3BITF2A49 30	64	R3B1TFL64 36	45	R3B2TFF42 42	34	R3FTCF22136	85
R3BITF2A49 36	64	R3B1TFL64 42	45	R3B2TFF42 48	34	R3FTCF22142	85
R3BITF2A49 42	64	R3B1TFL64 48	45	R3B2TFF49 18	39	R3FTCF22148	85
R3BITF2A49 48	64	R3B1TFL79 18	50	R3B2TFF49 20	39	R3FTCF22518	86
R3BITF2B49 30	65	R3B1TFL79 20	50	R3B2TFF49 24	39	R3FTCF22520	86
R3BITF2B49 36	65	R3B1TFL79 24	50	R3B2TFF49 30	39	R3FTCF22524	86
R3BITF2B49 42	65	R3B1TFL79 30	50	R3B2TFF49 36	39	R3FTCF22530	86
R3BITF2B49 48	65	R3B1TFL79 36	50	R3B2TFF49 42	39	R3FTCF22536	86
R3BITFF42 18	33	R3B1TFL79 42	50	R3B2TFF49 48	39	R3FTCF22542	86
R3BITFF42 20	33	R3B1TFL79 48	50	R3B2TFF64 18	44	R3FTCF22548	86
R3BITFF42 24	33	R3B1TFLA49 18	58	R3B2TFF64 20	44	R3FTCF23718	87
R3BITFF42 30	33	R3B1TFLA49 20	58	R3B2TFF64 24	44	R3FTCF23720	87
R3BITFF42 36	33	R3B1TFLA49 24	58	R3B2TFF64 30	44	R3FTCF23724	87
R3BITFF42 42	33	R3B1TFLA49 30	58	R3B2TFF64 36	44	R3FTCF23730	87
R3BITFF42 48	33	R3B1TFLA49 36	58	R3B2TFF64 42	44	R3FTCF23736	87
R3BITFF49 18	38	R3B1TFLA49 42	58	R3B2TFF64 48	44	R3FTCF23742	87
R3BITFF49 20	38	R3B1TFLA49 48	58	R3B2TFF79 18	49	R3FTCF23748	87
R3BITFF49 24	38	R3B1TFLB49 30	59	R3B2TFF79 20	49	R3FTCF22118	82
R3BITFF49 30	38	R3B1TFLB49 36	59	R3B2TFF79 24	49	R3FTCF2120	82
R3BITFF49 36	38	R3B1TFLB49 42	59	R3B2TFF79 30	49	R3FTCF2124	82
R3BITFF49 42	38	R3B1TFLB49 48	59	R3B2TFF79 36	49	R3FTCF2130	82

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF2136	82	R3L34(F/T)(F/T)	73	R3SFL1530	71	RBDH42M(F/R)	162
R3FTCF2142	82	R3L42(B)(F/T)(F/T)	73	R3SFL1536	71	RBDH4836	163
R3FTCF2148	82	R3L49(B)(F/T)(F/T)	73	R3SFL1542	71	RBDH4842	163
R3FTCF2518	83	R3L64(B)(F/T)(F/T)	73	R3SFL1548	71	RBDH4848	163
R3FTCF2520	83	R3L79(B)(F/T)(F/T)	73	R3SPABPT	79	RBDH48M(F/R)	162
R3FTCF2524	83	R3R2SLV	74, 81	R3SPABTD	79	RBDH52MR	163
R3FTCF2530	83	R3S08TT	74	R3SPABTT	79	RBDH54M(F/R)	162
R3FTCF2536	83	R3S15TT	74	R3SPABTW	79	RBDH60M(F/R)	162
R3FTCF2542	83	R3S34(F/T)(F/T)	74	R3T08T	73	RBDH64MR	163
R3FTCF2548	83	R3S42(B)(F/T)(F/T)	74	R3T15T	73	RBDH66M(F/R)	162
R3FTCF3718	84	R3S49(B)(F/T)(F/T)	74	R3T34(F/T)	73	RBDH72M(F/R)	162
R3FTCF3720	84	R3S64(B)(F/T)(F/T)	74	R3T42(B)(F/T)	73	RBDH78M(F/R)	162
R3FTCF3724	84	R3S79(B)(F/T)(F/T)	74	R3T49(B)(F/T)	73	RBDH84M(F/R)	162
R3FTCF3730	84	R3SF10818	71	R3T64(B)(F/T)	73	RBDH90M(F/R)	162
R3FTCF3736	84	R3SF10820	71	R3T79(B)(F/T)	73	RBDH96M(F/R)	162
R3FTCF3742	84	R3SF10824	71	R3X08	73	RBDP6030JK(A,B,W)	219
R3FTCF3748	84	R3SF10830	71	R3X15	73	RBDP7230JK(A,B,W)	219
R3FTCFL2118	85	R3SF10836	71	R3X34	73	RBDP8430JK(A,B,W)	219
R3FTCFL2120	85	R3SF10842	71	R3X42(B)	73	RBDP9630JK(A,B,W)	219
R3FTCFL2124	85	R3SF10848	71	R3X49(B)	73	RBDW	227
R3FTCFL2130	85	R3SF11518	71	R3X64(B)	73	RBF (Pair)	158
R3FTCFL2136	85	R3SF11520	71	R3X79(B)	73	RBPE(L/R)	227
R3FTCFL2142	85	R3SF11524	71	R5ZNNE (3 dividers)	216	RBPP (L/R)	158
R3FTCFL2148	85	R3SF11530	71	R917762	226	RBPR (Pair)	159
R3FTCFL2518	85	R3SF11536	71	R921655	226	RBPS (L/R)	159
R3FTCFL2520	85	R3SF11542	71	RB24(M/H)(F/R)	160	RBR3624(A,B,W)(F,N)2	222
R3FTCFL2524	85	R3SF11548	71	RB30(M/H)(F/R)	160	RBR3630(A,B,W)(F,N)2	222
R3FTCFL2530	85	R3SF20818	71	RB3636	161	RBR4224(A,B,W)(F,N)2	222
R3FTCFL2536	85	R3SF20820	71	RB3642	161	RBR4230(A,B,W)(F,N)2	222
R3FTCFL2542	85	R3SF20824	71	RB3648	161	RBR4824(A,B,W)(F,N)2	222
R3FTCFL2548	85	R3SF20830	71	RB36(M/H)(F/R)	160	RBR4830(A,B,W)(F,N)2	222
R3FTCFL3718	87	R3SF20836	71	RB40MR	113, 147	RBSP6030J(A,B,W)	218
R3FTCFL3720	87	R3SF20842	71	RB4236	161	RBSP7230J(A,B,W)	218
R3FTCFL3724	87	R3SF20848	71	RB4242	161	RBSP8430J(A,B,W)	218
R3FTCFL3730	87	R3SF21518	72	RB4248	161	RBSP9630J(A,B,W)	218
R3FTCFL3736	87	R3SF21520	72	RB42(M/H)(F/R)	160	RBWM	227
R3FTCFL3742	87	R3SF21524	72	RB4836	161	RBZ (A/B) (Pair)	158
R3FTCFL3748	87	R3SF21530	72	RB4842	161	RC412C(L/R)	182
R3FTCL104(F/T)(F/T)	88	R3SF21536	72	RB4848	161	RC413C(L/R)	182
R3FTCL108(F/T)(F/T)	88	R3SF21542	72	RB48(M/H)(F/R)	160	RC431B	182
R3FTCL120(F/T)(F/T)	88	R3SF21548	72	RB52MR	113, 147	RC432B	182
R3FTCL21	88	R3SFF08 18	69	RB54(M/H)(F/R)	160	RC432C	182
R3FTCL25	88	R3SFF08 20	69	RB60(M/H)(F/R)	160	RC432D	182
R3FTCL37	88	R3SFF08 24	69	RB64MR	113, 147	RC432F	183
R3FTCS104(F/T)(F/T)	88	R3SFF08 30	69	RB66(M/H)(F/R)	160	RC433B	182
R3FTCS108(F/T)(F/T)	88	R3SFF08 36	69	RB72(M/H)(F/R)	160	RC433C	182
R3FTCS120(F/T)(F/T)	88	R3SFF08 42	69	RB78(M/H)(F/R)	160	RC433D	182
R3FTCS21	88	R3SFF08 48	69	RB84(M/H)(F/R)	160	RC433F	183
R3FTCS25	88	R3SFF15 18	69	RB90(M/H)(F/R)	160	RC461B	182
R3FTCS37	88	R3SFF15 20	69	RB96(M/H)(F/R)	160	RC462B	182
R3FTCSM (Pair) for G3 only	89	R3SFF15 24	69	RBC18 (L/R)	157	RC462C	182
R3FTCT104(F/T)	88	R3SFF15 30	69	RBC24 (L/R)	157	RC462D	182
R3FTCT108(F/T)	88	R3SFF15 36	69	RBCC	158	RC462F	183
R3FTCT120(F/T)	88	R3SFF15 42	69	RBCCP (Pair)	158	RC463B	182
R3FTCT21	88	R3SFF15 48	69	RBDD	227	RC463C	182
R3FTCT25	88	R3SFL0818	71	RBDH24M(F/R)	162	RC463D	182
R3FTCT37	88	R3SFL0820	71	RBDH30M(F/R)	162	RC463F	183
R3FTCX104	88	R3SFL0824	71	RBDH3636	163	RC531DHB	190
R3FTCX108	88	R3SFL0830	71	RBDH3642	163	RC532DHB	190
R3FTCX120	88	R3SFL0836	71	RBDH3648	163	RC532DHF	190
R3FTCX21	88	R3SFL0842	71	RBDH36M(F/R)	162	RC533DHB	190
R3FTCX25	88	R3SFL0848	71	RBDH40MR	163	RC533DHF	190
R3FTCX37	88	R3SFL1518	71	RBDH4236	163	RC561DHB	190
R3L08TT	73	R3SFL1520	71	RBDH4242	163	RC562DHB	190
R3L15TT	73	R3SFL1524	71	RBDH4248	163	RC562DHF	190

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RC563DHB	190	RC663H	185	RC763G	188	RCA(A/B/C/D/E/F/G)F483612	123
RC563DHF	190	RC663I	186	RC763H	188	RCA(A/B/C/D/E/F/G)F483621	123
RC612C(L/R)	184	RC663P	186	RC763I	189	RCA(A/B/C/D/E/F/G)F483622	124
RC612DHG(L/R)	191	RC712C(L/R)	187	RC763P	189	RCA(A/B/C/D/E/F/G)F484211	123
RC612D(L/R)	184	RC712DHG(L/R)	193	RCA363611	106	RCA(A/B/C/D/E/F/G)F484212	123
RC612G(L/R)	186	RC712D(L/R)	189	RCA363612	106	RCA(A/B/C/D/E/F/G)F484221	123
RC612P(L/R)	186	RC712G(L/R)	188	RCA363621	106	RCA(A/B/C/D/E/F/G)F484222	124
RC613C(L/R)	184	RC712P(L/R)	189	RCA363622	106	RCA(A/B/C/D/E/F/G)F484811	123
RC613DHG(L/R)	191	RC713C(L/R)	187	RCA364211	106	RCA(A/B/C/D/E/F/G)F484812	123
RC613D(L/R)	184	RC713DHG(L/R)	193	RCA364212	106	RCA(A/B/C/D/E/F/G)F484821	123
RC613G(L/R)	186	RC713D(L/R)	189	RCA364221	106	RCA(A/B/C/D/E/F/G)F484822	124
RC613P(L/R)	186	RC713G(L/R)	188	RCA364222	106	RCABT1417	225
RC631B	184	RC713P(L/R)	189	RCA364811	106	RCABT2917	225
RC631DHB	191	RC732B	187	RCA364812	106	RCACR16	225
RC632B	184	RC732C	187	RCA364821	106	RCACR30	225
RC632C	184	RC732D	189	RCA364822	106	RCACR30H	225
RC632D	184	RC732DHB	193	RCA423611	106	RCACR36	225
RC632DHB	191	RC732DHE(L/R)	193	RCA423612	106	RCACR36H	225
RC632DHF	191	RC732DHF	194	RCA423621	106	RCAS1620	225
RC632DHC	191	RC732DHC	193	RCA423622	106	RCAS1624	225
RC632DHK	192	RC732DHK	194	RCA424211	106	RCAS3015	225
RC632E(L/R)	185	RC732E(L/R)	187	RCA424212	106	RCAS3020	225
RC632F	185	RC732F	188	RCA424221	106	RCAS3024	225
RC632G	186	RC732G	188	RCA424222	106	RCAS3615	225
RC632H	185	RC732H	188	RCA424811	106	RCAS3620	225
RC632I	186	RC732I	189	RCA424812	106	RCAS3624	225
RC632P	186	RC732P	189	RCA424821	106	RCASL	226
RC633B	184	RC733B	187	RCA424822	107	RCAWF363611	144
RC633C	184	RC733C	187	RCA483611	106	RCAWF363612	144
RC633D	184	RC733D	189	RCA483612	106	RCAWF363621	144
RC633DHB	191	RC733DHB	193	RCA483621	106	RCAWF363622	144
RC633DHF	191	RC733DHE(L/R)	193	RCA483622	107	RCAWF364211	144
RC633DHC	191	RC733DHF	194	RCA484211	106	RCAWF364212	144
RC633DHC	192	RC733DHC	193	RCA484212	106	RCAWF364221	144
RC633E(L/R)	185	RC733DHC	194	RCA484221	106	RCAWF364222	144
RC633F	185	RC733E(L/R)	187	RCA484222	107	RCAWF364811	144
RC633G	186	RC733F	188	RCA484811	106	RCAWF364812	144
RC633H	185	RC733G	188	RCA484812	106	RCAWF364821	144
RC633I	186	RC733H	188	RCA484821	106	RCAWF364822	144
RC633P	186	RC733I	189	RCA484822	107	RCAWF423611	144
RC661B	184	RC733P	189	RCA(A/B/C/D/E/F/G)F363611	123	RCAWF423612	144
RC661DHB	191	RC762B	187	RCA(A/B/C/D/E/F/G)F363612	123	RCAWF423621	144
RC662B	184	RC762C	187	RCA(A/B/C/D/E/F/G)F363621	123	RCAWF423622	144
RC662C	184	RC762D	189	RCA(A/B/C/D/E/F/G)F363622	123	RCAWF424211	144
RC662D	184	RC762DHB	193	RCA(A/B/C/D/E/F/G)F364211	123	RCAWF424212	144
RC662DHB	191	RC762DHE(L/R)	193	RCA(A/B/C/D/E/F/G)F364212	123	RCAWF424221	144
RC662DHF	191	RC762DHF	194	RCA(A/B/C/D/E/F/G)F364221	123	RCAWF424222	144
RC662DHC	191	RC762DHC	193	RCA(A/B/C/D/E/F/G)F364222	123	RCAWF424811	144
RC662DHC	192	RC762DHC	194	RCA(A/B/C/D/E/F/G)F364811	123	RCAWF424812	144
RC662E(L/R)	185	RC762E(L/R)	187	RCA(A/B/C/D/E/F/G)F364812	123	RCAWF424821	144
RC662F	185	RC762F	188	RCA(A/B/C/D/E/F/G)F364821	123	RCAWF424822	144
RC662G	186	RC762G	188	RCA(A/B/C/D/E/F/G)F364822	123	RCAWF483611	144
RC662H	185	RC762H	188	RCA(A/B/C/D/E/F/G)F423611	123	RCAWF483612	144
RC662I	186	RC762I	189	RCA(A/B/C/D/E/F/G)F423612	123	RCAWF483621	144
RC662P	186	RC762P	189	RCA(A/B/C/D/E/F/G)F423621	123	RCAWF483622	144
RC663B	184	RC763B	187	RCA(A/B/C/D/E/F/G)F423622	123	RCAWF484211	144
RC663C	184	RC763C	187	RCA(A/B/C/D/E/F/G)F424211	123	RCAWF484212	144
RC663D	184	RC763D	189	RCA(A/B/C/D/E/F/G)F424212	123	RCAWF484221	144
RC663DHB	191	RC763DHB	193	RCA(A/B/C/D/E/F/G)F424221	123	RCAWF484222	144
RC663DHF	191	RC763DHE(L/R)	193	RCA(A/B/C/D/E/F/G)F424222	123	RCB	164
RC663DHC	191	RC763DHF	194	RCA(A/B/C/D/E/F/G)F424811	123	RCB20T	164
RC663DHC	192	RC763DHC	193	RCA(A/B/C/D/E/F/G)F424812	123	RCB24T	164
RC663E(L/R)	185	RC763DHC	194	RCA(A/B/C/D/E/F/G)F424821	123	RCB24X	165
RC663F	185	RC763E(L/R)	187	RCA(A/B/C/D/E/F/G)F424822	124	RCB28X	165
RC663G	186	RC763F	188	RCA(A/B/C/D/E/F/G)F483611	123	RCB30T	164

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCB36X	165	RCE1L4866DSN	154	RCEAR223660	109	REDH23F	162
RCB40T	164	RCE1L4866SDN	154	RCEAR223672	109	REDH29F	162
RCBDH24X	166	RCE1L4866SSN	154	RCEAR224260	109	REDH30	162
RCBDH28X	166	RCE1L4872DSN	154	RCEAR224272	109	REDH36	162
RCBDH36X	166	RCE1L4872SDN	154	RCEAR224872	109	REDHBH124	163
RCCDLA23672	108	RCE1L4872SSN	154	RCEAR224884	109	REDHBH130	163
RCCDLA23678	108	RCE1L4878SSN	154	RCEAR224896	109	RFDR30	216
RCCDLA23684	108	RCE1L4884SSN	154	RCOMP1816	195	RFDR36	216
RCCDLA23696	108	RCE1L6042SSN	154	RCOUNTWT	176	RFDR42	216
RCCDLA33672	108	RCE1L6048DSN	154	RCP41-(F/L1/2)*	78	RFDR48	216
RCCDLA33678	108	RCE1L6048SDN	154	RCP56-(F/L1/2)*	78	RFDR60	216
RCCDLA33684	108	RCE1L6048SSN	154	RCP71-(F/L1/2)*	78	RFDR72	216
RCCDLA33696	108	RCE1L6642SSN	154	RCP78-(F/L1/2)*	78	RFDR84	216
RCCDRA23672	108	RCE1L6648DSN	154	RCS3L6024K(A,B,W)	221	RFDR96	216
RCCDRA23678	108	RCE1L6648SDN	154	RCS3L7224K(A,B,W)	221	RFTCC108	89
RCCDRA23684	108	RCE1L6648SSN	154	RCS3L8424K(A,B,W)	221	RFTCCCLIPS	89
RCCDRA23696	108	RCE1L7242SSN	154	RCS3L9624K(A,B,W)	221	RFTCDR (Pair)	89
RCCDRA33672	108	RCE1L7248DSN	154	RCS6L6024K(A,B,W)	221	RFTCG1 (Pair)	89
RCCDRA33678	108	RCE1L7248SDN	154	RCS6L7224K(A,B,W)	221	RFTCSM (Pair) for G2 only	89
RCCDRA33684	108	RCE1L7248SSN	154	RCS6L8424K(A,B,W)	221	RFTCSPACE	89
RCCDRA33696	108	RCE1L7842SSN	154	RCS6L9624K(A,B,W)	221	RFTCWA2118	82
RCD3L6024K(A,B,W)	223	RCE1L7848SSN	154	RCSP6024K(A,B,W)	221	RFTCWA2120	82
RCD3L8424K(A,B,W)	223	RCE1L8448SSN	154	RCSP7224K(A,B,W)	221	RFTCWA2124	82
RCD3L9624K(A,B,W)	223	RCE1R1212G	226	RCSP8424K(A,B,W)	221	RFTCWA2130	82
RCD6L7224K(A,B,W)	223	RCE1R2424N	151	RCSP9624K(A,B,W)	221	RFTCWA2136	82
RCD6L9624K(A,B,W)	223	RCE1R2430N	151	RDDP6030JK(A,B,W)	219	RFTCWA2142	82
RCDHB	166	RCE1R3024N	151	RDDP6036JK(A,B,W)	219	RFTCWA2148	82
RCDHB20T	166	RCE1R3030N	151	RDDP7230JK(A,B,W)	219	RFTCWA2518	83
RCDHB24T	166	RCE1R3624N	151	RDDP7236JK(A,B,W)	219	RFTCWA2520	83
RCDHB30T	166	RCE1R3630N	151	RDDP8430JK(A,B,W)	219	RFTCWA2524	83
RCDHB40T	166	RCE1R4224N	151	RDDP8436JK(A,B,W)	219	RFTCWA2530	83
RCDP6024K(A,B,W)	223	RCE1R4230N	151	RDDP9630JK(A,B,W)	219	RFTCWA2536	83
RCDP7224K(A,B,W)	223	RCE1R4824N	151	RDDP9636JK(A,B,W)	219	RFTCWA2542	83
RCDP8424K(A,B,W)	223	RCE1R4830N	151	RDHMBD	180	RFTCWA2548	83
RCDP9624K(A,B,W)	223	RCE1R5424N	151	RDHMFD	180	RFTCWA3718	84
RCE1BD6648D(L/R)	152	RCE1R5430N	151	RDHMLD	181	RFTCWA3720	84
RCE1BD6648S(L/R)	152	RCE1R6024N	151	RDSP6030J(A,B,W)	218	RFTCWA3724	84
RCE1BD7248D(L/R)	152	RCE1R6030N	151	RDSP6036J(A,B,W)	218	RFTCWA3730	84
RCE1BD7248S(L/R)	152	RCE1R6624N	151	RDSP7230J(A,B,W)	218	RFTCWA3736	84
RCE1BD7848D(L/R)	152	RCE1R6630N	151	RDSP7236J(A,B,W)	218	RFTCWA3742	84
RCE1BD7848S(L/R)	152	RCE1R7224N	151	RDSP8430J(A,B,W)	218	RFTCWA3748	84
RCE1BD8448D(L/R)	152	RCE1R7230N	151	RDSP8436J(A,B,W)	218	RFTCWB2130	82
RCE1BD8448S(L/R)	152	RCE1R7824N	151	RDSP9630J(A,B,W)	218	RFTCWB2136	82
RCE1CR24L	155	RCE1R7830N	151	RDSP9636J(A,B,W)	218	RFTCWB2142	82
RCE1CR24N	155	RCE1R8424N	151	RE12F	160	RFTCWB2148	82
RCE1CR24R	155	RCE1R8430N	151	RE15F	160	RFTCWB2530	83
RCE1H4818	155	RCE1R9024N	151	RE19F	160	RFTCWB2536	83
RCE1H4818P	155	RCE1R9030N	151	RE23F	160	RFTCWB2542	83
RCE1H6024	155	RCE1R9624N	151	RE29F	160	RFTCWB2548	83
RCE1H6024P	155	RCE1R9630N	151	RE30	160	RFTCWB3730	84
RCE1L3636SSN	153	RCE1W362430N	156	RE36	160	RFTCWB3736	84
RCE1L4242DSN	153	RCE1W363024N	156	REBA6030	112	RFTCWB3742	84
RCE1L4242SDN	153	RCE1W422430N	156	REBA7242	112	RFTCWB3748	84
RCE1L4242SSN	153	RCE1W423024N	156	REBA7848	112	RFTCWS215	89
RCE1L4260SSN	154	RCE1W482430N	156	REBA(A/B/C/D/E/F/G)A6030	129	RFTCWS25S	89
RCE1L4266SSN	154	RCE1W483024N	156	REBA(A/B/C/D/E/F/G)A7242	129	RFTCWS37S	89
RCE1L4272SSN	154	RCE1W722430N	156	REBA(A/B/C/D/E/F/G)A7848	129	RFTCWT (Pair)	89
RCE1L4278SSN	154	RCE1W723024N	156	REBAWA6030	148	RGAB421	169
RCE1L4848DDN	153	RCEAL223660	109	REBAWA7242	148	RGAB481	169
RCE1L4848DSN	153	RCEAL223672	109	REBAWA7848	148	RGAB541	169
RCE1L4848SDN	153	RCEAL224260	109	REBH24	113, 148	RGAB601	169
RCE1L4848SSN	153	RCEAL224272	109	REBH30	113, 148	RGAB661	169
RCE1L4860DSN	154	RCEAL224872	109	REDH12F	162	RGAB721	169
RCE1L4860SDN	154	RCEAL224884	109	REDH15F	162	RGAB781	169
RCE1L4860SSN	154	RCEAL224896	109	REDH19F	162	RGAB841	169

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCAB901	169	RCAR792	171	RGBR431	172	RK(A/B) 423621	103
RCAB961	169	RCAR793	171	RGBR432	172	RK(A/B) 423622	102
RCAF622	169	RCAR851	171	RGBR433	172	RK(A/B) 424211	102
RCAF623	169	RCAR852	171	RGBR491	172	RK(A/B) 424212	102
RCAF682	169	RCAR853	171	RGBR492	172	RK(A/B) 424221	103
RCAF683	169	RCAR911	171	RGBR493	172	RK(A/B) 424222	102
RCAF742	169	RCAR912	171	RGBR551	172	RK(A/B) 424811	102
RCAF743	169	RCAR913	171	RGBR552	172	RK(A/B) 424812	102
RCAF802	169	RCAR971	171	RGBR553	172	RK(A/B) 424821	103
RCAF803	169	RCAR972	171	RGBR611	172	RK(A/B) 424822	102
RCAF862	169	RCAR973	171	RGBR612	172	RK(A/B) 483611	102
RCAF863	169	RGBB421	170	RGBR613	172	RK(A/B) 483612	102
RCAF922	169	RGBB481	170	RGBR671	172	RK(A/B) 483621	103
RCAF923	169	RGBB541	170	RGBR672	172	RK(A/B) 483622	102
RCAF982	169	RGBB601	170	RGBR673	172	RK(A/B) 484211	102
RCAF983	169	RGBB661	170	RGBR731	172	RK(A/B) 484212	102
RCAL431	173	RGBB721	170	RGBR732	172	RK(A/B) 484221	103
RCAL432	173	RGBB781	170	RGBR733	172	RK(A/B) 484222	102
RCAL433	173	RGBB841	170	RGBR791	172	RK(A/B) 484811	102
RCAL491	173	RGBB901	170	RGBR792	172	RK(A/B) 484812	102
RCAL492	173	RGBB961	170	RGBR793	172	RK(A/B) 484821	103
RCAL493	173	RGBF622	170	RGBR851	172	RK(A/B) 484822	102
RCAL551	173	RGBF623	170	RGBR852	172	RKBA1020	225
RCAL552	173	RGBF682	170	RGBR853	172	RKBA1022	225
RCAL553	173	RGBF683	170	RGBR911	172	RKBP1020	225
RCAL611	173	RGBF742	170	RGBR912	172	RKBP1022	225
RCAL612	173	RGBF743	170	RGBR913	172	RKT31	225
RCAL613	173	RGBF802	170	RGBR971	172	RM111J	177
RCAL671	173	RGBF803	170	RGBR972	172	RM112J	177
RCAL672	173	RGBF862	170	RGBR973	172	RM212J	177
RCAL673	173	RGBF863	170	RGMD6	96	RM212K	177
RCAL731	173	RGBF922	170	RGMD8	96	RM9A(A/B/C/D/E/F/G)F4230	127
RCAL732	173	RGBF923	170	RGMDE	96	RM9A(A/B/C/D/E/F/G)F4836	127
RCAL733	173	RGBF982	170	RGS60	169	RM9A(A/B/C/D/E/F/G)F8430	128
RCAL791	173	RGBF983	170	RGS66	169	RM9A(A/B/C/D/E/F/G)F9630	128
RCAL792	173	RGBL431	174	RGS72	169	RM9(A/B)4230	111
RCAL793	173	RGBL432	174	RGS78	169	RM9(A/B)4836	111
RCAL851	173	RGBL433	174	RGS84	169	RM9(A/B)8430	111
RCAL852	173	RGBL491	174	RGS90	169	RM9(A/B)9630	111
RCAL853	173	RGBL492	174	RGS96	169	RM9AWF4230	145
RCAL911	173	RGBL493	174	RCTL4636	175	RM9AWF8430	146
RCAL912	173	RGBL551	174	RGTR4636	175	RM9AWF9630	146
RCAL913	173	RGBL552	174	RHSC15	81	RMBA(A/B/C/D/E/F/G)A7230	129
RCAL971	173	RGBL553	174	RHSC250	81	RMBA(A/B/C/D/E/F/G)A7236	129
RCAL972	173	RGBL611	174	RHSC70	81	RMBA(A/B/C/D/E/F/G)A8430	129
RCAL973	173	RGBL612	174	RIB24T	164	RMBA(A/B/C/D/E/F/G)A8496	129
RCAR431	171	RGBL613	174	RIB28X	165	RMBA(A/B/C/D/E/F/G)A9630	129
RCAR432	171	RGBL671	174	RIB32X	165	RMBA(A/B/C/D/E/F/G)A9636	129
RCAR433	171	RGBL672	174	RIBDH24T	166	RMB(A/B)7230	113
RCAR491	171	RGBL673	174	RIBDH28X	166	RMB(A/B)7236	113
RCAR492	171	RGBL731	174	RIBDH32X	166	RMB(A/B)8430	113
RCAR493	171	RGBL732	174	RK(A/B) 363611	102	RMB(A/B)8436	113
RCAR551	171	RGBL733	174	RK(A/B) 363612	102	RMB(A/B)9630	113
RCAR552	171	RGBL791	174	RK(A/B) 363621	103	RMB(A/B)9636	113
RCAR553	171	RGBL792	174	RK(A/B) 363622	102	RMBAWA7230	147
RCAR611	171	RGBL793	174	RK(A/B) 364211	102	RMBAWA7236	147
RCAR612	171	RGBL851	174	RK(A/B) 364212	102	RMBAWA8430	147
RCAR613	171	RGBL852	174	RK(A/B) 364221	103	RMBAWA8436	147
RCAR671	171	RGBL853	174	RK(A/B) 364222	102	RMBAWA9630	147
RCAR672	171	RGBL911	174	RK(A/B) 364811	102	RMBAWA9636	147
RCAR673	171	RGBL912	174	RK(A/B) 364812	102	RMBAWA9636	147
RCAR731	171	RGBL913	174	RK(A/B) 364821	103	RMDA(A/B/C/D/E/F/G)F4221	128
RCAR732	171	RGBL971	174	RK(A/B) 364822	102	RMDA(A/B/C/D/E/F/G)F4230	127
RCAR733	171	RGBL972	174	RK(A/B) 423611	102	RMDA(A/B/C/D/E/F/G)F4236	127
RCAR791	171	RGBL973	174	RK(A/B) 423612	102	RMDA(A/B/C/D/E/F/G)F4830	127
						RMDA(A/B/C/D/E/F/G)F4836	127

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RMDA(A/B/C/D/E/F/G)F5025	128	RMPA(A/B/C/D/E/F/G)F4230	127	ROA(O/H)96T0()	208	ROP(H/O)96S0()	201
RMDA(A/B/C/D/E/F/G)F5430	127	RMPA(A/B/C/D/E/F/G)F4836	127	ROA(O/H)96T1DH	210	ROP(H/O)96T0()	201
RMDA(A/B/C/D/E/F/G)F5436	127	RMPA(A/B/C/D/E/F/G)F8430	128	ROA(O/H)96T1()	208	ROP(O)42S0()	201
RMDA(A/B/C/D/E/F/G)F6030	127	RMPA(A/B/C/D/E/F/G)F9630	128	ROBF60S0DH	213	ROP(O)48S0()	201
RMDA(A/B/C/D/E/F/G)F6036	127	RMP(A/B)4230	111	ROBF60S0()	209	ROPS30S0NN	202
RMDA(A/B/C/D/E/F/G)F6630	127	RMP(A/B)4836	111	ROBF60S1DH	213	ROPS36S0NN	202
RMDA(A/B/C/D/E/F/G)F6636	127	RMP(A/B)8430	112	ROBF60S1()	209	ROPS42S0NN	202
RMDA(A/B/C/D/E/F/G)F7230	127	RMP(A/B)9630	112	ROBF72S0DH	213	ROPS48S0NN	202
RMDA(A/B/C/D/E/F/G)F7236	127	RMPAWF4230	145	ROBF72S0()	209	ROPS54S0NN	202
RMDA(A/B/C/D/E/F/G)F7830	127	RMPAWF8430	146	ROBF72S1DH	213	ROPS60S0NN	202
RMDA(A/B/C/D/E/F/G)F7836	127	RMPAWF9630	146	ROBF72S1()	209	ROPS66S0NN	202
RMDA(A/B/C/D/E/F/G)F8430	127	RMSCB	157	ROBF84S0DH	213	ROPS72S0NN	202
RMDA(A/B/C/D/E/F/G)F8436	127	RO1-HP12	198, 199	ROBF84S0()	209	ROPS78S0NN	202
RMDA(A/B/C/D/E/F/G)F9030	127	RO1-HP15	198, 199	ROBF84S1DH	213	ROPS84S0NN	202
RMDA(A/B/C/D/E/F/G)F9036	127	RO1-HP6	198, 199	ROBF84S1()	209	ROPS90S0NN	202
RMDA(A/B/C/D/E/F/G)F9630	127	RO1-HP9	198, 199	ROBF96S0DH	213	ROPS96S0NN	202
RMDA(A/B/C/D/E/F/G)F9636	127	RO1-RCB	200	ROBF96S0()	209	ROW(O/H)60S0DH	205
RMD(A/B)4221	112	RO1-RPB	200	ROBF96S1DH	213	ROW(O/H)60S0()	203
RMD(A/B)4230	110	RO1-WMF2	200	ROBF96S1()	209	ROW(O/H)60S1DH	205
RMD(A/B)4236	110	RO1-WMF3	200	ROB(O/H)60T0DH	212	ROW(O/H)60S1()	203
RMD(A/B)4830	110	RO1-WMF4	200	ROB(O/H)60T0()	209	ROW(O/H)60T0DH	205
RMD(A/B)4836	110	RO3N24	196	ROB(O/H)60T1DH	212	ROW(O/H)60T0()	203
RMD(A/B)5025	112	RO3N30	196	ROB(O/H)60T1()	209	ROW(O/H)60T1DH	205
RMD(A/B)5430	110	RO3N36	196	ROB(O/H)72T0DH	212	ROW(O/H)60T1()	203
RMD(A/B)5436	110	RO3N42	196	ROB(O/H)72T0()	209	ROW(O/H)72S0DH	205
RMD(A/B)6030	110	RO3N48	196	ROB(O/H)72T1DH	212	ROW(O/H)72S0()	203
RMD(A/B)6036	110	RO3N60	197	ROB(O/H)72T1()	209	ROW(O/H)72S1DH	205
RMD(A/B)6630	110	RO3N66	197	ROB(O/H)90T0DH	212	ROW(O/H)72S1()	203
RMD(A/B)6636	110	RO3N72	197	ROB(O/H)90T0()	209	ROW(O/H)72T0DH	205
RMD(A/B)7230	110	RO3-ON30	198	ROB(O/H)90T1DH	212	ROW(O/H)72T0()	203
RMD(A/B)7236	110	RO3-ON36	198	ROB(O/H)90T1()	209	ROW(O/H)72T1DH	205
RMD(A/B)7830	110	RO3-ON42	198	ROB(O/H)96T0DH	212	ROW(O/H)72T1()	203
RMD(A/B)7836	110	RO3-ON48	198	ROB(O/H)96T0()	209	ROW(O/H)90S0DH	205
RMD(A/B)8430	110	RO3-ON60	198	ROB(O/H)96T1DH	212	ROW(O/H)90S0()	203
RMD(A/B)8436	110	RO3-ON72	198	ROB(O/H)96T1()	209	ROW(O/H)90S1DH	205
RMD(A/B)9030	110	RO3-VP	198	ROHDR30	216	ROW(O/H)90S1()	203
RMD(A/B)9036	110	ROAF60S0DH	211	ROHDR36	216	ROW(O/H)90T0DH	205
RMD(A/B)9630	110	ROAF60S0()	208	ROHDR42	216	ROW(O/H)90T0()	203
RMD(A/B)9636	110	ROAF60S1DH	211	ROHDR48	216	ROW(O/H)90T1DH	205
RMDAWF4221	146	ROAF60S1()	208	ROHDR60	216	ROW(O/H)90T1()	203
RMDAWF4230	145	ROAF72S0DH	211	ROHDR72	216	ROW(O/H)96S0DH	205
RMDAWF4236	145	ROAF72S0()	208	ROHDR90	216	ROW(O/H)96S0()	203
RMDAWF4830	145	ROAF72S1DH	211	ROHDR96	216	ROW(O/H)96S1DH	205
RMDAWF4836	145	ROAF72S1()	208	ROM(O/F)42S0()	202	ROW(O/H)96S1()	203
RMDAWF5025	146	ROAF84S0DH	211	ROM(O/F)48S0()	202	ROW(O/H)96T0DH	205
RMDAWF5430	145	ROAF84S0()	208	ROM(O/H/F)30S0()	202	ROW(O/H)96T0()	203
RMDAWF5436	145	ROAF84S1DH	211	ROM(O/H/F)36S0()	202	ROW(O/H)96T1DH	205
RMDAWF6030	145	ROAF84S1()	208	ROM(O/H/F)60S0()	202	ROW(O/H)96T1()	203
RMDAWF6036	145	ROAF96S0DH	211	ROM(O/H/F)72S0()	202	RP161J	179
RMDAWF6630	145	ROAF96S0()	208	ROPF30S0J	201	RP161K	179
RMDAWF6636	145	ROAF96S1DH	211	ROPF36S0J	201	RP161L(L/R)	180
RMDAWF7230	145	ROAF96S1()	208	ROPF42S0J	201	RP161M	179
RMDAWF7236	145	ROA(O/H)60T0DH	210	ROPF48S0J	201	RP162J	179
RMDAWF7830	145	ROA(O/H)60T0()	208	ROPF60S0J	201	RP162K	179
RMDAWF7836	145	ROA(O/H)60T1DH	210	ROPF72S0J	201	RP162L(L/R)	180
RMDAWF8430	145	ROA(O/H)60T1()	208	ROPF84S0J	201	RP162M	179
RMDAWF8436	145	ROA(O/H)72T0DH	210	ROPF96S0J	201	RP163J	179
RMDAWF9030	145	ROA(O/H)72T0()	208	ROP(H/O)30S0()	201	RP163K	179
RMDAWF9036	145	ROA(O/H)72T1DH	210	ROP(H/O)36S0()	201	RP163L(L/R)	180
RMDAWF9630	145	ROA(O/H)72T1()	208	ROP(H/O)60S0()	201	RP163M	179
RMDAWF9636	145	ROA(O/H)90T0DH	210	ROP(H/O)60T0()	201	RP211J	176
RMDHD66	217	ROA(O/H)90T0()	208	ROP(H/O)72S0()	201	RP211K	176
RMDHD72	217	ROA(O/H)90T1DH	210	ROP(H/O)72T0()	201	RP211L(L/R)	176
RMDHO66	217	ROA(O/H)90T1()	208	ROP(H/O)90S0()	201	RP211M	177
RMDHO72	217	ROA(O/H)96T0DH	210	ROP(H/O)90T0()	201	RP212J	176

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RP212K	176	RPB262L	178	RR3EBVC64	98	RR3-T36	92
RP212L(L/R)	176	RPB262M	178	RR3EBVC76	98	RR3-T36S	94
RP212M	177	RPD11	229	RR3EBVC78	98	RR3-T42	92
RP213J	176	RPD14	229	RR3EBVC90	98	RR3-T42S	94
RP213K	176	RPDHB16	180	RR3-EJ18	91	RR3-T48	92
RP213L(L/R)	176	RPDHB30	180	RR3-EJ18P	91	RR3-T48S	94
RP213M	177	RPDHB36	180	RR3-EJ20	91	RR3-T60-4	92
RP231K	176	RPETRAY2	229	RR3-EJ20P	91	RR3-T66-4	92
RP231L	176	RPHCHH	228	RR3-EJ24	91	RR3-T72-4	92
RP231M	177	RPHCHT	228	RR3-EJ24P	91	RR3-TBBCL	94
RP232K	176	RPHL3442(F/T)	79	RR3-EJ30	91	RR3-TBBCS	94
RP232L	176	RPHL3449(F/T)	79	RR3-EJ30P	91	RR3TBVC50	98
RP232M	177	RPHL3464(F/T)	79	RR3-EJ36	91	RR3TBVC62	98
RP261K	176	RPHL3479(F/T)	79	RR3-EJ36P	91	RR3TBVC64	98
RP261L	176	RPHL4249(F/T)	79	RR3-EJ42	91	RR3TBVC76	98
RP261M	177	RPHL4249S	79	RR3-EJ42P	91	RR3TBVC78	98
RP262K	176	RPHL4264(F/T)	79	RR3-EJ48	91	RR3TBVC90	98
RP262L	176	RPHL4264S	79	RR3EJ48	95	RR3-TJ18	93
RP262M	177	RPHL4279(F/T)	79	RR3-EJ48P	91	RR3-TJ18P	93
RP301K	179	RPHL4279S	79	RR3-EJ54P	91	RR3-TJ20	93
RP301L	180	RPHL4964(F/T)	79	RR3-EJ60P	91	RR3-TJ20P	93
RP301M	179	RPHL4964S	79	RR3EJ60P	95	RR3-TJ24	93
RP302K	179	RPHL4979(F/T)	79	RR3-EJ66P	91	RR3-TJ24P	93
RP302L	180	RPHL4979S	79	RR3EJ66P	95	RR3-TJ30	93
RP302M	179	RPHL6479(F/T)	79	RR3-EJ72P	91	RR3-TJ30P	93
RP361K	179	RPHL6479S	79	RR3EJ72P	95	RR3-TJ36	93
RP361L	180	RPHTB3024	228	RR3-EJ78P	91	RR3-TJ36P	93
RP361M	179	RPHTB4224	228	RR3-EJ84P	91	RR3-TJ42	93
RP362K	179	RPHWB3024	228	RR3-EJ90P	91	RR3-TJ42P	93
RP362L	180	RPHWB4224	228	RR3-EJ96P	91	RR3-TJ48	93
RP362M	179	RR3-2PF	96	RR3-EPC	90	RR3TJ48	95
RPAB16	177	RR3-3PF	96	RR3-EPC24	90	RR3-TJ48P	93
RPAB30	177	RR3-BNC	96	RR3-EPCP	90	RR3-TJ54P	93
RPAB36	177	RR3-C3C	96	RR3-EPCP24	90	RR3-TJ60P	93
RPAD	225	RR3-C5C	96	RR3-EPCPS	90	RR3TJ60P	95
RPADSS	228	RR3-C5C4A	96	RR3-EPCS	90	RR3-TJ66P	93
RPAHFB16	228	RR3-C5C4B	96	RR3-EPI	91	RR3TJ66P	95
RPAHFB30	228	RR3-C6C	96	RR3-EPNY1	91	RR3-TJ72P	92
RPAHFB36	228	RR3-DA	90, 92	RR3-EPNY2	91	RR3TJ72P	95
RPAHFM162	228	RR3-DB	90, 92	RR3-EPVR	91	RR3-TJ78P	93
RPAHFM30	228	RR3-DC	92	RR3EPVR-(Eight wire)	78	RR3-TJ84P	93
RPAHFM36	228	RR3-DICON	96	RR3EVJ	99	RR3-TJ90P	93
RPAPT	229	RR3-DX	90, 92	RR3EVJ110	99	RR3-TJ96P	93
RPB211J	178	RR3-DXO	90, 92	RR3EVJ82	99	RR3-TPC	92
RPB211K	178	RR3-DY	90, 92	RR3EVJ96	99	RR3-TPC24	92
RPB211L(L/R)	178	RR3-DYO	90, 92	RR3-FB	96	RR3-TPCP	92
RPB211M	178	RR3-DZ	92	RR3FDP	98	RR3-TPCP24	92
RPB212J	178	RR3-DZO	92	RR3-FE	96	RR3-TPCPS	92
RPB212K	178	RR3-E24	90	RR3-FOSC	96	RR3-TPCS	92
RPB212L(L/R)	178	RR3-E24S	94	RR3-FOST	96	RR3-TPI	93
RPB212M	178	RR3-E30	90	RR3-FV	96	RR3-TPNY1	93
RPB213J	178	RR3-E30S	94	RR3-LTPC	94	RR3-TPNY2	93
RPB213K	178	RR3-E36	90	RR3-LTPC24	94	RR3-TPVR	93
RPB213L(L/R)	178	RR3-E36S	94	RR3-LTPCP	94	RR3TPVR-(Ten wire)	78
RPB213M	178	RR3-E42	90	RR3-MICON	96	RR3TVJ	99
RPB231K	178	RR3-E42S	94	RR3PICON	96	RR3TVJ110	99
RPB231L	178	RR3-E48	90	RR3-REPI	91	RR3TVJ82	99
RPB231M	178	RR3-E48S	94	RR3-RTPI	93	RR3TVJ96	99
RPB232K	178	RR3-E60-4	90	RR3-SP-(A, B, C, X, Y, Z)	93	RR3VDA	98
RPB232L	178	RR3-E66-4	90	RR3-SP-(A,B,X,Y)	91	RR3VDB	98
RPB232M	178	RR3-E72-4	90	RR3-ST	96	RR3VDC	98
RPB261K	178	RR3-EBBCL	94	RR3-T24	92	RR3VDX	98
RPB261L	178	RR3-EBBCS	94	RR3-T24S	94	RR3VDXO	98
RPB261M	178	RR3EBVC50	98	RR3-T30	92	RR3VDY	98
RPB262K	178	RR3EBVC62	98	RR3-T30S	94	RR3VDYO	98

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3VDZ	98	RRBRD2712	226	RSA(A/B/C/D/E/F/G)A722	119	RSA(A/B/C/D/E/F/G)F962	117
RR3VDZO	98	RRD3FTCPPL(L/R)7936	80	RSA(A/B/C/D/E/F/G)A723	120	RSA(A/B/C/D/E/F/G)F963	118
RR3VPBK	98	RRD3FTCPPL(L/R)7942	80	RSA(A/B/C/D/E/F/G)A724	120	RSA(A/B/C/D/E/F/G)L241	121
RRA(A/B/C/D/E/F/G)12036-(1/2)	131	RRD3PPL(L/R)7936	80	RSA(A/B/C/D/E/F/G)A781	119	RSA(A/B/C/D/E/F/G)L242	121
RRA(A/B/C/D/E/F/G)12042-(1/2)	131	RRD3PPL(L/R)7942	80	RSA(A/B/C/D/E/F/G)A782	119	RSA(A/B/C/D/E/F/G)L301	121
RRA(A/B/C/D/E/F/G)12048-(1/2)	131	RRDPPL(L/R)6436	80	RSA(A/B/C/D/E/F/G)A783	120	RSA(A/B/C/D/E/F/G)L302	121
RRA(A/B/C/D/E/F/G)14442-(1/2)	131	RRDPPL(L/R)6442	80	RSA(A/B/C/D/E/F/G)A841	119	RSA(A/B/C/D/E/F/G)L361	121
RRA(A/B/C/D/E/F/G)14448-(1/2)	131	RRDTH	80	RSA(A/B/C/D/E/F/G)A842	119	RSA(A/B/C/D/E/F/G)L362	121
RRA(A/B/C/D/E/F/G)16842-(1/2)	131	RRDTH(L/R)	80	RSA(A/B/C/D/E/F/G)A843	120	RSA(A/B/C/D/E/F/G)L421	121
RRA(A/B/C/D/E/F/G)16848-(1/2)	131	RREP3624(A,B,W)(F,N)2	220	RSA(A/B/C/D/E/F/G)A901	119	RSA(A/B/C/D/E/F/G)L422	121
RRA(A/B/C/D/E/F/G)19242-(1/2)	131	RREP3630(A,B,W)(F,N)2	220	RSA(A/B/C/D/E/F/G)A902	119	RSA(A/B/C/D/E/F/G)L481	121
RRA(A/B/C/D/E/F/G)19248-(1/2)	131	RREP4224(A,B,W)(F,N)2	220	RSA(A/B/C/D/E/F/G)A903	120	RSA(A/B/C/D/E/F/G)L482	121
RRA(A/B/C/D/E/F/G)3636-(1/2)	131	RREP4230(A,B,W)(F,N)2	220	RSA(A/B/C/D/E/F/G)A961	119	RSA(A/B/C/D/E/F/G)R241	122
RRA(A/B/C/D/E/F/G)4242-(1/2)	131	RREP4824(A,B,W)(F,N)2	220	RSA(A/B/C/D/E/F/G)A962	119	RSA(A/B/C/D/E/F/G)R242	122
RRA(A/B/C/D/E/F/G)4848-(1/2)	131	RREP4830(A,B,W)(F,N)2	220	RSA(A/B/C/D/E/F/G)A963	120	RSA(A/B/C/D/E/F/G)R301	122
RRA(A/B/C/D/E/F/G)6060-(1/2)	131	RREP5424(A,B,W)(F,N)2	220	RSA(A/B/C/D/E/F/G)B241	121	RSA(A/B/C/D/E/F/G)R302	122
RRA(A/B/C/D/E/F/G)7230-(1/2)	131	RREP5430(A,B,W)(F,N)2	220	RSA(A/B/C/D/E/F/G)B242	121	RSA(A/B/C/D/E/F/G)R361	122
RRA(A/B/C/D/E/F/G)7236-(1/2)	131	RREP6024(A,B,W)(F,N)2	220	RSA(A/B/C/D/E/F/G)B301	121	RSA(A/B/C/D/E/F/G)R362	122
RRA(A/B/C/D/E/F/G)7272-(1/2)	131	RREP6030(A,B,W)(F,N)2	220	RSA(A/B/C/D/E/F/G)B302	121	RSA(A/B/C/D/E/F/G)R421	122
RRA(A/B/C/D/E/F/G)8430-(1/2)	131	RRMP4	226	RSA(A/B/C/D/E/F/G)B361	121	RSA(A/B/C/D/E/F/G)R422	122
RRA(A/B/C/D/E/F/G)8436-(1/2)	131	RRMP6	226	RSA(A/B/C/D/E/F/G)B362	121	RSA(A/B/C/D/E/F/G)R481	122
RRA(A/B/C/D/E/F/G)8442-(1/2)	131	RRSP3624K(A,B,W)	220	RSA(A/B/C/D/E/F/G)B421	121	RSA(A/B/C/D/E/F/G)R482	122
RRA(A/B/C/D/E/F/G)9630-(1/2)	131	RRSP3630K(A,B,W)	220	RSA(A/B/C/D/E/F/G)B422	121	RS(A/B)241	100
RRA(A/B/C/D/E/F/G)9636-(1/2)	131	RRSP4224K(A,B,W)	220	RSA(A/B/C/D/E/F/G)B481	121	RS(A/B)242	100
RRA(A/B/C/D/E/F/G)9642-(1/2))	131	RRSP4230K(A,B,W)	220	RSA(A/B/C/D/E/F/G)B482	121	RS(A/B)243	101
RR(A/B)12036	114	RRSP4824K(A,B,W)	220	RSA(A/B/C/D/E/F/G)F241	117	RS(A/B)301	100
RR(A/B)12042	114	RRSP4830K(A,B,W)	220	RSA(A/B/C/D/E/F/G)F242	117	RS(A/B)302	100
RR(A/B)12048	114	RRSP5424K(A,B,W)	220	RSA(A/B/C/D/E/F/G)F243	118	RS(A/B)303	101
RR(A/B)14442	114	RRSP5430K(A,B,W)	220	RSA(A/B/C/D/E/F/G)F301	117	RS(A/B)361	100
RR(A/B)14448	114	RRSP6024K(A,B,W)	220	RSA(A/B/C/D/E/F/G)F302	117	RS(A/B)362	100
RR(A/B)16842	114	RRSP6030K(A,B,W)	220	RSA(A/B/C/D/E/F/G)F303	118	RS(A/B)363	101
RR(A/B)16848	114	RS1-N30	199	RSA(A/B/C/D/E/F/G)F361	117	RS(A/B)421	100
RR(A/B)19242	114	RS1-N36	199	RSA(A/B/C/D/E/F/G)F362	117	RS(A/B)422	100
RR(A/B)19248	114	RS1-N42	199	RSA(A/B/C/D/E/F/G)F363	118	RS(A/B)423	101
RR(A/B)3636	114	RS1-N48	199	RSA(A/B/C/D/E/F/G)F421	117	RS(A/B)481	100
RR(A/B)4242	114	RS1-N60	199	RSA(A/B/C/D/E/F/G)F422	117	RS(A/B)482	100
RR(A/B)4848	114	RS1-RPB	200	RSA(A/B/C/D/E/F/G)F423	118	RS(A/B)483	101
RR(A/B)6060	114	RS1-VP	199	RSA(A/B/C/D/E/F/G)F481	117	RS(A/B)541	100
RR(A/B)7230	114	RSA(A/B/C/D/E/F/G)A241	119	RSA(A/B/C/D/E/F/G)F482	117	RS(A/B)542	100
RR(A/B)7236	114	RSA(A/B/C/D/E/F/G)A242	119	RSA(A/B/C/D/E/F/G)F483	118	RS(A/B)543	101
RR(A/B)7272	114	RSA(A/B/C/D/E/F/G)A243	120	RSA(A/B/C/D/E/F/G)F541	117	RS(A/B)601	100
RR(A/B)8430	114	RSA(A/B/C/D/E/F/G)A301	119	RSA(A/B/C/D/E/F/G)F542	117	RS(A/B)602	100
RR(A/B)8436	114	RSA(A/B/C/D/E/F/G)A302	119	RSA(A/B/C/D/E/F/G)F543	118	RS(A/B)603	101
RR(A/B)8442	114	RSA(A/B/C/D/E/F/G)A303	120	RSA(A/B/C/D/E/F/G)F601	117	RS(A/B)604	101
RR(A/B)9630	114	RSA(A/B/C/D/E/F/G)A361	119	RSA(A/B/C/D/E/F/G)F602	117	RS(A/B)661	100
RR(A/B)9636	114	RSA(A/B/C/D/E/F/G)A362	119	RSA(A/B/C/D/E/F/G)F603	118	RS(A/B)662	100
RR(A/B)9642	114	RSA(A/B/C/D/E/F/G)A363	120	RSA(A/B/C/D/E/F/G)F604	118	RS(A/B)663	101
RR(A/B)9648	114	RSA(A/B/C/D/E/F/G)A421	119	RSA(A/B/C/D/E/F/G)F661	117	RS(A/B)664	101
RRAW12036-(1/2)	150	RSA(A/B/C/D/E/F/G)A422	119	RSA(A/B/C/D/E/F/G)F662	117	RS(A/B)721	100
RRAW12042-(1/2)	150	RSA(A/B/C/D/E/F/G)A423	120	RSA(A/B/C/D/E/F/G)F663	118	RS(A/B)722	100
RRAW14442-(1/2)	150	RSA(A/B/C/D/E/F/G)A481	119	RSA(A/B/C/D/E/F/G)F664	118	RS(A/B)723	101
RRAW16842-(1/2)	150	RSA(A/B/C/D/E/F/G)A482	119	RSA(A/B/C/D/E/F/G)F721	117	RS(A/B)724	101
RRAW19242-(1/2)	150	RSA(A/B/C/D/E/F/G)A483	120	RSA(A/B/C/D/E/F/G)F722	117	RS(A/B)781	100
RRAW3636-(1/2)	150	RSA(A/B/C/D/E/F/G)A541	119	RSA(A/B/C/D/E/F/G)F723	118	RS(A/B)782	100
RRAW4242-(1/2)	150	RSA(A/B/C/D/E/F/G)A542	119	RSA(A/B/C/D/E/F/G)F724	118	RS(A/B)783	101
RRAW6060-(1/2)	150	RSA(A/B/C/D/E/F/G)A543	120	RSA(A/B/C/D/E/F/G)F781	117	RS(A/B)841	100
RRAW7230-(1/2)	150	RSA(A/B/C/D/E/F/G)A601	119	RSA(A/B/C/D/E/F/G)F782	117	RS(A/B)842	100
RRAW7236-(1/2)	150	RSA(A/B/C/D/E/F/G)A602	119	RSA(A/B/C/D/E/F/G)F783	118	RS(A/B)843	101
RRAW7272-(1/2)	150	RSA(A/B/C/D/E/F/G)A603	120	RSA(A/B/C/D/E/F/G)F841	117	RS(A/B)901	100
RRAW8430-(1/2)	150	RSA(A/B/C/D/E/F/G)A604	120	RSA(A/B/C/D/E/F/G)F842	117	RS(A/B)902	100
RRAW8436-(1/2)	150	RSA(A/B/C/D/E/F/G)A661	119	RSA(A/B/C/D/E/F/G)F843	118	RS(A/B)903	101
RRAW8442-(1/2)	150	RSA(A/B/C/D/E/F/G)A662	119	RSA(A/B/C/D/E/F/G)F901	117	RS(A/B)961	100
RRAW9630-(1/2)	150	RSA(A/B/C/D/E/F/G)A663	120	RSA(A/B/C/D/E/F/G)F902	117	RS(A/B)962	100
RRAW9636-(1/2)	150	RSA(A/B/C/D/E/F/G)A664	120	RSA(A/B/C/D/E/F/G)F903	118	RS(A/B)963	101
RRAW9642-(1/2)	150	RSA(A/B/C/D/E/F/G)A721	119	RSA(A/B/C/D/E/F/G)F961	117	RSAMP1616	226

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWA241	134	RSAWB662	136	RSAWL302	138	RSAWR722	140
RSAWA242	134	RSAWB663	137	RSAWL303	139	RSAWR723	141
RSAWA243	135	RSAWB664	137	RSAWL361	138	RSAWR724	141
RSAWA301	134	RSAWB721	136	RSAWL362	138	RSAWR781	140
RSAWA302	134	RSAWB722	136	RSAWL363	139	RSAWR782	140
RSAWA303	135	RSAWB723	137	RSAWL421	138	RSAWR783	141
RSAWA361	134	RSAWB724	137	RSAWL422	138	RSAWR841	140
RSAWA362	134	RSAWB781	136	RSAWL423	139	RSAWR842	140
RSAWA363	135	RSAWB782	136	RSAWL481	138	RSAWR843	141
RSAWA421	134	RSAWB783	137	RSAWL482	138	RSAWR901	140
RSAWA422	134	RSAWB841	136	RSAWL483	139	RSAWR902	140
RSAWA423	135	RSAWB842	136	RSAWL541	138	RSAWR903	141
RSAWA481	134	RSAWB843	137	RSAWL542	138	RSAWR961	140
RSAWA482	134	RSAWB901	136	RSAWL543	139	RSAWR962	140
RSAWA483	135	RSAWB902	136	RSAWL601	138	RSAWR963	141
RSAWA541	134	RSAWB903	137	RSAWL602	138	RSBWH20	158
RSAWA542	134	RSAWB961	136	RSAWL603	139	RSBWH24	158
RSAWA543	135	RSAWB962	136	RSAWL604	139	RSBWH30	158
RSAWA601	134	RSAWB963	137	RSAWL661	138	RSBWH36	158
RSAWA602	134	RSAWF241	132	RSAWL662	138	RSBWH42	158
RSAWA603	135	RSAWF242	132	RSAWL663	139	RSBWH48	158
RSAWA604	135	RSAWF243	133	RSAWL664	139	RSC	164
RSAWA661	134	RSAWF301	132	RSAWL721	138	RS4	164
RSAWA662	134	RSAWF302	132	RSAWL722	138	RSD1427	164
RSAWA663	135	RSAWF303	133	RSAWL723	139	RSD1827	164
RSAWA664	135	RSAWF361	132	RSAWL724	139	RSD2027	164
RSAWA721	134	RSAWF362	132	RSAWL781	138	RSD2427	164
RSAWA722	134	RSAWF363	133	RSAWL782	138	RSD3027	164
RSAWA723	135	RSAWF421	132	RSAWL783	139	RSDHC	166
RSAWA724	135	RSAWF422	132	RSAWL841	138	RSDHC4	166
RSAWA781	134	RSAWF423	133	RSAWL842	138	RSDHD1428	167
RSAWA782	134	RSAWF481	132	RSAWL843	139	RSDHD1828	167
RSAWA783	135	RSAWF482	132	RSAWL901	138	RSDHD2028	167
RSAWA841	134	RSAWF483	133	RSAWL902	138	RSDHD2428	167
RSAWA842	134	RSAWF541	132	RSAWL903	139	RSDHD3028	167
RSAWA843	135	RSAWF542	132	RSAWL961	138	RSDHL12	167
RSAWA901	134	RSAWF543	133	RSAWL962	138	RSDHL15	167
RSAWA902	134	RSAWF601	132	RSAWL963	139	RSDHL20	167
RSAWA903	135	RSAWF602	132	RSAWR241	140	RSDHL24	167
RSAWA961	134	RSAWF603	133	RSAWR242	140	RSDHL30	167
RSAWA962	134	RSAWF604	133	RSAWR243	141	RSDHL36	167
RSAWA963	135	RSAWF661	132	RSAWR301	140	RSDHL42	167
RSAWB241	136	RSAWF662	132	RSAWR302	140	RSDHL48	167
RSAWB242	136	RSAWF663	133	RSAWR303	141	RSDHT1	167
RSAWB243	137	RSAWF664	133	RSAWR361	140	RSDHT2	167
RSAWB301	136	RSAWF721	132	RSAWR362	140	RSDHT3	167
RSAWB302	136	RSAWF722	132	RSAWR363	141	RSDHT4	167
RSAWB303	137	RSAWF723	133	RSAWR421	140	RSDHT5	167
RSAWB361	136	RSAWF724	133	RSAWR422	140	RSDHT6	167
RSAWB362	136	RSAWF781	132	RSAWR423	141	RSDR30	216
RSAWB363	137	RSAWF782	132	RSAWR481	140	RSDR36	216
RSAWB421	136	RSAWF783	133	RSAWR482	140	RSDR42	216
RSAWB422	136	RSAWF841	132	RSAWR483	141	RSDR48	216
RSAWB423	137	RSAWF842	132	RSAWR541	140	RSDR54	216
RSAWB481	136	RSAWF843	133	RSAWR542	140	RSDR60	216
RSAWB482	136	RSAWF901	132	RSAWR543	141	RSDR66	216
RSAWB483	137	RSAWF902	132	RSAWR601	140	RSDR72	216
RSAWB541	136	RSAWF903	133	RSAWR602	140	RSDR78	216
RSAWB542	136	RSAWF961	132	RSAWR603	141	RSDR84	216
RSAWB543	137	RSAWF962	132	RSAWR604	141	RSDR90	216
RSAWB601	136	RSAWF963	133	RSAWR661	140	RSDR96	216
RSAWB602	136	RSAWL241	138	RSAWR662	140	RSE1(L/R)	161
RSAWB603	137	RSAWL242	138	RSAWR663	141	RSE2(L/R)	161
RSAWB604	137	RSAWL243	139	RSAWR664	141	RSE3(L/R)	161
RSAWB661	136	RSAWL301	138	RSAWR721	140	RSE4(L/R)	161

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSE5(L/R)	161	RSW WA(A/B/C/D/E/F/G)962	207	RTAT5E49	214	RWA5412	104
RSE6(L/R)	161	RSW W(A/B)601	207	RTAT5E61	214	RWA5421	104
RSEDH1(L/R)	163	RSW W(A/B)602	207	RTAW 12036-(1/2)	149	RWA5423	104
RSEDH2(L/R)	163	RSW W(A/B)721	207	RTAW 12042-(1/2)	149	RWA5432	104
RSEDH3(L/R)	163	RSW W(A/B)722	207	RTAW 14442-(1/2)	149	RWA6012	104
RSEDH4(L/R)	163	RSW W(A/B)901	207	RTAW 16842-(1/2)	149	RWA6021	104
RSEDH5(L/R)	163	RSW W(A/B)902	207	RTAW 19242-(1/2)	149	RWA6023	104
RSEDH6(L/R)	163	RSW W(A/B)961	207	RTAW 3636-(1/2)	149	RWA6032	104
RSL12	165	RSW W(A/B)962	207	RTAW 4242-(1/2)	149	RWA6612	104
RSL15	165	RSW WAWF601	207	RTAW 6060-(1/2)	149	RWA6621	104
RSL20	165	RSW WAWF602	207	RTAW 7230-(1/2)	149	RWA6623	104
RSL24	165	RSW WAWF721	207	RTAW 7236-(1/2)	149	RWA6632	104
RSL30	165	RSW WAWF722	207	RTAW 7272-(1/2)	149	RWA7212	104
RSL36	165	RSW WAWF901	207	RTAW 8430-(1/2)	149	RWA7221	104
RSL42	165	RSW WAWF902	207	RTAW 8436-(1/2)	149	RWA7223	104
RSL48	165	RSW WAWF961	207	RTAW 8442-(1/2)	149	RWA7232	104
RSMP	226	RSW WAWF962	207	RTAW 9630-(1/2)	149	RWA(A/B/C/D/E/F/G)F4212	125
RSNTT18(A/B/C/E)	75	RTA(A/B/C/D/E/F/G)12036-(1/2)	130	RTAW 9636-(1/2)	149	RWA(A/B/C/D/E/F/G)F4221	125
RSNTT20(A/B/C/E)	75	RTA(A/B/C/D/E/F/G)12042-(1/2)	130	RTAW 9642-(1/2)	149	RWA(A/B/C/D/E/F/G)F4223	125
RSNTT24(A/B/C/E)	75	RTA(A/B/C/D/E/F/G)12048-(1/2)	130	RTDL 242464	195	RWA(A/B/C/D/E/F/G)F4232	125
RSNTT30(A/B/C/E)	75	RTA(A/B/C/D/E/F/G)14442-(1/2)	130	RTDL 243064	195	RWA(A/B/C/D/E/F/G)F4812	125
RSNTT33(A/B/C/E) (66" wide panels one only)	75	RTA(A/B/C/D/E/F/G)14448-(1/2)	130	RTDR 242464	195	RWA(A/B/C/D/E/F/G)F4821	125
RSNTT36(A/B/C/E)	75	RTA(A/B/C/D/E/F/G)16842-(1/2)	130	RTDR 243064	195	RWA(A/B/C/D/E/F/G)F4823	125
RSNTT42(A/B/C/E)	75	RTA(A/B/C/D/E/F/G)16848-(1/2)	130	RTLT5E19	215	RWA(A/B/C/D/E/F/G)F4832	125
RSNTT48(A/B/C/E)	75	RTA(A/B/C/D/E/F/G)19242-(1/2)	130	RTLT5E25	215	RWA(A/B/C/D/E/F/G)F5412	125
RSPABPD	79	RTA(A/B/C/D/E/F/G)19248-(1/2)	130	RTLT5E37	215	RWA(A/B/C/D/E/F/G)F5421	125
RSPABPP	79	RTA(A/B/C/D/E/F/G)3636-(1/2)	130	RTLT5E49	215	RWA(A/B/C/D/E/F/G)F5423	125
RSPABPT	79	RTA(A/B/C/D/E/F/G)4242-(1/2)	130	RTLT5E61	215	RWA(A/B/C/D/E/F/G)F5432	125
RSPABPW	79	RTA(A/B/C/D/E/F/G)4848-(1/2)	130	RTLT5E73	215	RWA(A/B/C/D/E/F/G)F6012	125
RSPABTD	79	RTA(A/B/C/D/E/F/G)6060-(1/2)	130	RTLT5E85	215	RWA(A/B/C/D/E/F/G)F6021	125
RSPABTT	79	RTA(A/B/C/D/E/F/G)7230-(1/2)	130	RTOL 242464	195	RWA(A/B/C/D/E/F/G)F6023	125
RSPABTW	79	RTA(A/B/C/D/E/F/G)7236-(1/2)	130	RTOL 243064	195	RWA(A/B/C/D/E/F/G)F6032	125
RSPABWD	79	RTA(A/B/C/D/E/F/G)7272-(1/2)	130	RTOP1	226	RWA(A/B/C/D/E/F/G)F6612	125
RSPABWW	79	RTA(A/B/C/D/E/F/G)8430-(1/2)	130	RTOP2	226	RWA(A/B/C/D/E/F/G)F6621	125
RST1	164	RTA(A/B/C/D/E/F/G)8436-(1/2)	130	RTOR 242464	195	RWA(A/B/C/D/E/F/G)F6623	125
RST2	164	RTA(A/B/C/D/E/F/G)8442-(1/2)	130	RTOR 243064	195	RWA(A/B/C/D/E/F/G)F6632	125
RST3	164	RTA(A/B/C/D/E/F/G)9630-(1/2)	130	RTTA24()	168	RWA(A/B/C/D/E/F/G)F7212	125
RST4	164	RTA(A/B/C/D/E/F/G)9636-(1/2)	130	RTTA30()	168	RWA(A/B/C/D/E/F/G)F7221	125
RST5	164	RTA(A/B/C/D/E/F/G)9642-(1/2)	130	RTTA36()	168	RWA(A/B/C/D/E/F/G)F7223	125
RST6	164	RT(A/B)12036	115	RTTA42()	168	RWA(A/B/C/D/E/F/G)F7232	125
RSWA15 18	70	RT(A/B)12042	115	RTTA48()	168	RWAWF4212	142
RSWA15 20	70	RT(A/B)12048	115	RTTA54()	168	RWAWF4221	142
RSWA15 24	70	RT(A/B)14442	115	RTTA60()	168	RWAWF4223	142
RSWA15 30	70	RT(A/B)14448	115	RTTA66()	168	RWAWF4232	142
RSWA15 36	70	RT(A/B)16842	115	RTTA72()	168	RWAWF4812	142
RSWA15 42	70	RT(A/B)16848	115	RTTAWF24()	168	RWAWF4821	142
RSWA15 48	70	RT(A/B)19242	115	RTTAWF30()	168	RWAWF4823	142
RSWB15 30	70	RT(A/B)19248	115	RTTAWF36()	168	RWAWF4832	142
RSWB15 36	70	RT(A/B)3636	115	RTTAWF42()	168	RWAWF5412	142
RSWB15 42	70	RT(A/B)4242	115	RTTAWF48()	168	RWAWF5421	142
RSWB15 48	70	RT(A/B)4848	115	RTTAWF54()	168	RWAWF5423	142
RSWC30 18	70	RT(A/B)6060	115	RTTAWF60()	168	RWAWF5432	142
RSWC30 20	70	RT(A/B)7230	115	RTTAWF66()	168	RWAWF6012	142
RSWC30 24	70	RT(A/B)7236	115	RTTAWF72()	168	RWAWF6021	142
RSWC30 30	70	RT(A/B)7272	115	RUTB	159	RWAWF6023	142
RSWC30 36	70	RT(A/B)8430	115	RWA3623	104	RWAWF6032	142
RSWC30 42	70	RT(A/B)8436	115	RWA3632	104	RWAWF6612	142
RSWC30 48	70	RT(A/B)8442	115	RWA4212	104	RWAWF6621	142
RSW WA(A/B/C/D/E/F/G)601	207	RT(A/B)9630	115	RWA4221	104	RWAWF6623	142
RSW WA(A/B/C/D/E/F/G)602	207	RT(A/B)9636	115	RWA4223	104	RWAWF6632	142
RSW WA(A/B/C/D/E/F/G)721	207	RT(A/B)9642	115	RWA4232	104	RWAWF7212	142
RSW WA(A/B/C/D/E/F/G)722	207	RT(A/B)9648	115	RWA4812	104	RWAWF7221	142
RSW WA(A/B/C/D/E/F/G)901	207	RTAT5E19	214	RWA4821	104	RWAWF7223	142
RSW WA(A/B/C/D/E/F/G)902	207	RTAT5E25	214	RWA4823	104	RWAWF7232	142
RSW WA(A/B/C/D/E/F/G)961	207	RTAT5E37	214	RWA4832	104	RWEA3613	105

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RWEA3626	105	RWHTB4824	228
RWEA3631	105	RWMMP24	227
RWEA3662	105	RWMMP30	227
RWEA4213	105	RWMMP36	227
RWEA4226	105	RWMPB	227
RWEA4231	105	RWMV24	227
RWEA4262	105	RWMVH24	227
RWEA4813	105	RWMVH30	227
RWEA4826	105	RWMVH36	227
RWEA4831	105	RWMVP24	227
RWEA4862	105	RWMWT24	227
RWEA7220(L/R)	203	RWMWT30	227
RWEA7224(L/R)	204	RWMWT36	227
RWEA7520(L/R)	206		
RWEA7524(L/R)	206		
RWEA(A/B/C/D/E/F/G)F3613	126		
RWEA(A/B/C/D/E/F/G)F3626	126		
RWEA(A/B/C/D/E/F/G)F3631	125		
RWEA(A/B/C/D/E/F/G)F3662	126		
RWEA(A/B/C/D/E/F/G)F4213	126		
RWEA(A/B/C/D/E/F/G)F4226	126		
RWEA(A/B/C/D/E/F/G)F4231	125		
RWEA(A/B/C/D/E/F/G)F4262	126		
RWEA(A/B/C/D/E/F/G)F4813	126		
RWEA(A/B/C/D/E/F/G)F4826	126		
RWEA(A/B/C/D/E/F/G)F4831	125		
RWEA(A/B/C/D/E/F/G)F4862	126		
RWEAWF3613	143		
RWEAWF3626	143		
RWEAWF3631	142		
RWEAWF3662	142		
RWEAWF4213	143		
RWEAWF4226	143		
RWEAWF4231	142		
RWEAWF4262	142		
RWEAWF4813	143		
RWEAWF4826	143		
RWEAWF4831	142		
RWEAWF4862	142		
RWEB7220(L/R)	203		
RWEB7224(L/R)	204		
RWEB7520(L/R)	206		
RWEB7524(L/R)	206		
RWEC7220(L/R)	203		
RWEC7224(L/R)	204		
RWEC7520(L/R)	206		
RWEC7524(L/R)	206		
RWED7220(L/R)	203		
RWED7224(L/R)	204		
RWED7520(L/R)	206		
RWED7524(L/R)	206		
RWHDHTB3026	228		
RWHDHTB3626	228		
RWHDHTB4226	228		
RWHDHTB4826	228		
RWHRA	226		
RWHRB	226		
RWHRC	226		
RWHRD	226		
RWHRE	226		
RWHRF	226		
RWHRG	226		
RWHTB3024	228		
RWHTB3624	228		
RWHTB4224	228		

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a one-third (1/3) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States and Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: AutoStrada, Calibre, Crinion Open Table, Currents, Dividends, Equity, Morrison, Reff</i> laminate and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, special or custom products, see below)</p> <p><i>10 Years: AutoStrada, Crinion Open Table and Reff</i> wood components, wood casegoods, <i>Interaction</i> tables (except height adjustment mechanisms for <i>Counterforce</i>, crank-adjustable, and split-top tables and worksurfaces, see below), <i>Reuter</i> overheads, <i>Reuter</i> vertical storage, <i>Bulldog, Chadwick, Essentials Work Chairs, Life, RPM</i> and <i>Sapper</i> seating structural and operational parts, controls, casters, pneumatic cylinders, seat and back mesh (except seating upholstery, finishes and labor, see below)</p> <p><i>5 Years:</i> Operational parts, controls, electrical (except light ballasts and bulbs, see below), cascade edge worksurfaces, special or custom product, wood veneer products, <i>A3, Currents</i> handcrank, <i>Interaction Counterforce, Interaction</i> crank-adjustable, and split-top mechanisms, <i>KnollStudio, KnollExtra</i> adjustable keyboard supports, VDT carousel, monitor platform, equipment storage drawers and all universal storage drawers, <i>Open Up, Visor</i> and <i>SoHo</i> seating structural and operational parts, controls, pneumatic cylinders (except seating upholstery, finishes and labor, see below)</p> <p><i>3 Years:</i> Upholstery, finishes and labor to repair the following chairs: <i>Bulldog, Chadwick, Life, Open Up, Parachute, RPM, Sapper</i> and <i>SoHo</i>.</p> <p><i>2 Years:</i> All other <i>KnollExtra</i> product</p> <p><i>1 Year:</i> Light ballasts and bulbs and <i>Equity</i> fiberglass panels, seating upholstered armpads and soft armpads, <i>Visor</i> finishes and labor to repair.</p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a certified dealer of Seller.• Dramatic temperature variations or exposure to unusual conditions.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty).• Labor to repair or replace Essential Work Chairs affected part or parts. <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
Compliance with Law	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$18
KCHANGE	Change Key	\$5
KMASTER*	Master Key	\$5

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."