

# Table of Contents

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff finish options	5
	Reff Master Features	7
Panels	Monolithic panels 34" H	8
	Monolithic panels 42" H	13
	Monolithic panels 49" H	19
	Monolithic panels 64" H	25
	Monolithic panels 79" H	31
	Tiled panels 34" H	37
	Tiled panels 42" H	41
	Tiled panels 49" H	47
	Tiled panels 64" H	53
	Tiled panels 79" H	59
	Aluminum Reveal kits	65
	Beltway one side, window panel 49" H	72
	Beltway two sides, window panel 49" H	86
	Stacking modules	89
	Panel connection posts	93
	Panel trims and post covers	96
	Ceiling cable entry posts, poles and cable infeed	98
	Ceiling cable entry post covers	100
	Rolling door and hinged door	102
	Attachment kits	103
Floor to ceiling modules	104	
Required components	111	
Power distribution components	112	
Beltway electrical components	117	
Data and Communications	119	
Reff Ported Panel Components	120	
Worksurfaces	Worksurface tops	123
	Worksurface tops and support	143
	Conference room tops	146
	Optional edge details	150
	Optional edge worksurface tops	151
	Optional edge conference room tops	165
	Waterfall edge	167
	Cascade edge	186
Support components	Top support components	192
	Top support components, 28 <sup>3</sup> / <sub>8</sub> " high	197
	Bases, 26 <sup>1</sup> / <sub>2</sub> " high	200
	Bases, 28 <sup>3</sup> / <sub>8</sub> " high	203
Transaction tops, regular and waterfall edge	Transaction tops	206
Gallery desk surrounds	Gallery desk surrounds	207
Cabinetry	Pedestals	214
	Pedestals, "desk height" 28 <sup>3</sup> / <sub>8</sub> " high	222
	Cabinets (use with 26 <sup>1</sup> / <sub>2</sub> " h support components)	228
	Cabinets (use with 28 <sup>3</sup> / <sub>8</sub> " h support components)	249
	Companion and office towers	261

Overhead storage	Overhead storage	263
	Reuter overhead cabinet	282
	Reuter open shelf	283
	Reuter open overhead	284
	Reuter overhead storage	285
	T5 Task Light for Reuter Overhead Storage	287
	T5 Task Light for Reff	288
	Sliding rails for Reff overhead cabinets	289
	Mini desk height storage	290
Preconfigured Reff Desking	Single pedestal desks	291
	Double pedestal desks	292
	Desk returns	293
	Single pedestal credenzas	294
	Bridge assemblies	295
	Double pedestal credenzas	296
Accessories and Client Samples	Accessories	297
Reff Original finish options	Reff Original finish options	303
Alpha-Numeric Index		304
Selling Policy		320
KnollKey Lock Program		322
General Ordering Information		323

# Knoll and Sustainable Design

---

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC); GREENGUARD® Environmental Institute; and Chicago Climate Exchange (CCX®).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

## 1. Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll is a member of the Chicago Climate Exchange, which promotes greenhouse gas reduction through the trading of credits earned for reducing emissions.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

## 2. Life Cycle Assessment (LCA) Tool

Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use, and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.

- Knoll partners with The Green Standard.org (formerly the International Design Center for the Environment, or IDCE) to develop an affordable, universal, ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry.

An affordable universal LCA tool has enormous potential value to:

- Help stop dangerous and irreversible climate change
- Conserve natural resources and reduce waste
- Improve quality of life
- Eliminate market confusion about green products using real metrics and sound science
- Facilitate design innovation
- Advance the sustainability triple bottom line: environment, economics and social equity

## 3. Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also participates in an ongoing BIFMA (Business and Institutional Furniture Manufacturers Association) initiative to establish sustainability standards for the contract furniture industry.
- Our goal is to encourage all manufacturers in the contract furniture and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll environmental, health and safety programs, visit [knoll.com/environment](http://knoll.com/environment).

### Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

#### Note:

**Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.**

#### Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

#### Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

#### Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

#### Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

#### Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

**All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.**

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

**Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.**

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

### Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. Polyur<sup>TM</sup> provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

**Wood Finishes:**

**V1 Techwood Closed Pore**

Y319	Cherry
Y326	Dark Mahogany
Y327	Light Oak
Y316	Maple
Y329	Medium Oak
Y323	Medium Walnut
Y851	Black Oak
Y341	Wenge
Y342	Medium Teak
Y343	Dark Grey Oak
Y344	Espresso

**V1 - Techwood Closed Pore**

**Surface with matching synthetic edge:**

*Options applicable for 1/4" thick worksurfaces with standard flat edge only.*

S319	Cherry
S325	Chestnut
S328	Mahogany
S316	Maple
S323	Medium Walnut

**V2 Natural Veneer**

**Closed Pore**

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
<i>(all above V2's are flat cut)</i>	
V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak
<i>(all V2 Oak's are rift cut)</i>	
V439	Straight Anigre

**V2 Natural Veneer with synthetic edge**

*Options applicable for 1/4" thick worksurfaces with standard flat edge only.*

**Flat Cut:**

R314	Dark Cherry
R313	Burnt Walnut
R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut

**V3 Exotic Veneer**

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V513	Graphite Oak
V517	Natural Sapele
<i>(all V3's are quarter cut)</i>	

**Glass Options:**

TEMP	Clear Tempered
------	----------------

*Architectural Glass Options:*

GL13	Powder
GL8	Wafer
GL6	Block Matrix

**Locks**

Black only

**Laminate**

*Matching edge band unless noted otherwise*

111	Jet Black
114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery
125	Natural Maple
126	Natural Cherry
127	Walnut
128	Fog
129	Micro Sand with 119 Pumice edge band

**Paint Classifications:**

*Upcharge as applicable for paint class noted on applicable product pages*

**P1**

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

**P2**

611	Beige Mist Metallic
612	Medium Metallic Grey

**P3**

118	Bright White
613	Silver

*See matrix next page for finishes applicable by component*

**Mixed Finishes: (where applicable for work surfaces only)**

*To order mixed finishes, enter four digit finish code as follows:*

*Use 2 digit prefix to indicate surface finish (laminate)*

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

*Use 2 digit suffix to indicate edge finish (wood)*

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V439
52	for V512
53	for V513
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427

**Example:**

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

**Fabric Options**

*Grade 10*

Bailey II (W359)  
 Broadcloth (W288)  
 Foundation (W351)  
 Growth Spurt (W692)  
 Newbury (W812)  
 Solid Crepe (W257)  
 Symbolic Detail (W693)  
 Tailor Made (W133)  
 Versatility (W432)

*Grade 15*

Regency (W210)

*Grade 20*

Banyan (W443)  
 Bauhaus Block (W296A)  
 Circle Line (W1146)  
 Clarity (W281)  
 Criss Cross (W305)  
 Devon (W809)  
 Labyrinth (W352)  
 Melbourne (W228)  
 Outback (W229)  
 Reflect (W884)  
 Resolution (W280)  
 Walkabout (W230)  
 Weave Three (W298)

*Grade 30*

Basket Draft (W249)  
 Flow (W565)  
 Harmony (W232)  
 Interknit (W1090)  
 Match Point (W1145)  
 Micro (W465)\*  
 Progression (W403)  
 Promenade (W913)  
 Raku Cloth (W566)  
 Relay (W1020) ▲

*Grade 35*

Saxony Plus (S)

*Grade 40*

Clarkson (W1218)  
 Ornament (W1078)  
 Palladium (W1030) ▲  
 Sennit (W337)  
 Sierra (R)  
 Spinoff Nuance (W319)

*Grade 45*

Casual Elegance (W920)  
 Digital Tape (W304)  
 Dristi (K872)\*

*\*with backing only*

▲ Monolithic panels and tackboards only

*The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:*

*Grade 50*

Knoll Hopsack (K1206)  
 Ricochet (W498)

*Grade 55*

Knoll Felt (K1207)  
 Transition (W816)

**Customers Own Material**

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.


**Non-Wood Finishes**

<b>Finishes</b>	<i>Panel Tiles, Worksurfaces &amp; Components</i>		<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Pulls</i>	<i>Grommets</i>
	Jet Black	111	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	113	n/a	113
Medium grey	n/a	115	115	115	115	115	115	n/a	115
Soft grey	117	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<b>Plated Finishes</b>									
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	PD	PD	PD


n/a = not available

\* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only


**Panel Trim Profiles**



Flat (Option A)



Square (Option B)




Bullnose (Option C)



Extruded Aluminum (Option E)

**Pull Options**



Integral Wood J-Pull



C-Pull (Nickle Plated Finish Only)  
7<sup>3</sup>/<sub>8</sub>"W x 1<sup>7</sup>/<sub>32</sub>"D



S-Pull (Stainless Steel Finish Only)  
6<sup>5</sup>/<sub>32</sub>"W x 1<sup>1</sup>/<sub>16</sub>"D



D-Pull (Painted and Plated Finishes)  
7<sup>3</sup>/<sub>4</sub>"W x 1<sup>13</sup>/<sub>32</sub>"D

**Worksurface Profiles**



1 1/4" Thick Standard



1 1/4" Thick Waterfall




1 1/4" Thick Cascade

**NOTE:** See page 150 for 7 Optional Edges which are also available.

# Monolithic panels 34" H fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	<b>R3B0PFF34 18-</b> ( ) ( )	\$564.	\$580.	\$618.	\$700.	\$748.	\$820.	\$870.
Regular acoustics	20"	34"	<b>R3B0PFF34 20-</b> ( ) ( )	564.	580.	618.	700.	748.	820.	870.
	24"	34"	<b>R3B0PFF34 24-</b> ( ) ( )	608.	624.	662.	744.	792.	864.	914.
	30"	34"	<b>R3B0PFF34 30-</b> ( ) ( )	650.	666.	704.	786.	834.	906.	956.
	36"	34"	<b>R3B0PFF34 36-</b> ( ) ( )	691.	707.	745.	827.	875.	947.	997.
	42"	34"	<b>R3B0PFF34 42-</b> ( ) ( )	793.	809.	847.	929.	977.	1,049.	1,099.
	48"	34"	<b>R3B0PFF34 48-</b> ( ) ( )	823.	839.	877.	959.	1,007.	1,079.	1,129.



## Order Code

Example:	<b>R3B0PFF3418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>FF</b>	Fabric on both sides
<b>34</b>	34" high
<b>18</b>	18" wide
<b>(A)</b>	Flat style top trim
<b>(4)</b>	4" base height
<b>(K)</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

## Application Notes

1. Top trim profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded aluminum
2. Base height:  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 103.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.




# Monolithic panels 34" H

*fabric one side, laminate other side*

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PFL34 18-( ) ( )</b>	\$541.	\$547.	\$566.	\$601.	\$623.	\$654.	\$677.
Regular acoustics	20"	34"	<b>R3B0PFL34 20-( ) ( )</b>	541.	548.	566.	601.	623.	654.	677.
	24"	34"	<b>R3B0PFL34 24-( ) ( )</b>	575.	582.	600.	635.	657.	688.	711.
	30"	34"	<b>R3B0PFL34 30-( ) ( )</b>	614.	621.	639.	674.	696.	727.	750.
	36"	34"	<b>R3B0PFL34 36-( ) ( )</b>	647.	654.	672.	707.	729.	760.	783.
	42"	34"	<b>R3B0PFL34 42-( ) ( )</b>	736.	743.	761.	796.	818.	849.	872.
	48"	34"	<b>R3B0PFL34 48-( ) ( )</b>	758.	765.	783.	818.	840.	871.	894.



## Order Code

Example:	<b>R3B0PFL3418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>FL</b>	Fabric one side
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>114</b>	Folkstone grey - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

## Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish  
i) Top trim profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

### 1. Top trim profile:

A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

### 2. Base height:

4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option).

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

## Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 103.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.


Ported panel components to be installed below worksurface if panel 36"h.

# Monolithic panels 34" H

*fabric one side, techwood other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PF134 18-()</b> ( )	\$634.	\$641.	\$661.	\$702.	\$727.	\$763.	\$790.
Regular acoustics	20"	34"	<b>R3B0PF134 20-()</b> ( )	637.	644.	664.	705.	730.	766.	793.
	24"	34"	<b>R3B0PF134 24-()</b> ( )	678.	685.	705.	746.	771.	807.	834.
	30"	34"	<b>R3B0PF134 30-()</b> ( )	721.	728.	748.	789.	814.	850.	877.
	36"	34"	<b>R3B0PF134 36-()</b> ( )	764.	771.	791.	832.	857.	893.	920.
	42"	34"	<b>R3B0PF134 42-()</b> ( )	867.	874.	894.	935.	960.	996.	1,023.
	48"	34"	<b>R3B0PF134 48-()</b> ( )	896.	903.	923.	964.	989.	1,025.	1,052.



## Order Code

Example:	<b>R3B0PF13418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>F1</b>	Fabric one side, V1 other side
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>Y328</b>	Mahogany - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

## Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

*1. Top trim profile:*  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded Aluminum

*2. Base height:*  
 4 = 4" base height  
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

## Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 103.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.


Ported panel components to be installed below worksurface if panel 34"h.

# Monolithic panels 34" H

*fabric one side, conventional veneer other side*

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PF234 18-</b> ( ) ( )	\$646.	\$653.	\$673.	\$714.	\$739.	\$775.	\$802.
Regular acoustics	20"	34"	<b>R3B0PF234 20-</b> ( ) ( )	649.	656.	676.	717.	742.	778.	805.
	24"	34"	<b>R3B0PF234 24-</b> ( ) ( )	690.	697.	717.	758.	783.	819.	846.
	30"	34"	<b>R3B0PF234 30-</b> ( ) ( )	736.	743.	763.	804.	829.	865.	892.
	36"	34"	<b>R3B0PF234 36-</b> ( ) ( )	778.	785.	805.	846.	871.	907.	934.
	42"	34"	<b>R3B0PF234 42-</b> ( ) ( )	886.	893.	913.	954.	979.	1,015.	1,042.
	48"	34"	<b>R3B0PF234 48-</b> ( ) ( )	913.	820.	940.	981.	1,006.	1,042.	1,069.

### Order Code

Example:	<b>R3B0PF23418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>F2</b>	Fabric one side, V2 other side
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>V316</b>	Maple surface - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

### Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
  - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

### Application Notes

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded aluminum
2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 103.


79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

# Monolithic panels 34" H



*fabric one side, exotic veneer other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	<b>R3B0PF334 18-</b> ( ) ( )	\$859.	\$866.	\$886.	\$927.	\$952.	\$988.	\$1,015.
	20"	34"	<b>R3B0PF334 20-</b> ( ) ( )	863.	870.	890.	931.	956.	992.	1,019.
	24"	34"	<b>R3B0PF334 24-</b> ( ) ( )	918.	925.	945.	986.	1,011.	1,047.	1,074.
	30"	34"	<b>R3B0PF334 30-</b> ( ) ( )	981.	988.	1,008.	1,049.	1,074.	1,110.	1,137.
	36"	34"	<b>R3B0PF334 36-</b> ( ) ( )	1,037.	1,044.	1,064.	1,105.	1,130.	1,166.	1,193.
	42"	34"	<b>R3B0PF334 42-</b> ( ) ( )	1,183.	1,190.	1,210.	1,251.	1,276.	1,312.	1,339.
	48"	34"	<b>R3B0PF334 48-</b> ( ) ( )	1,218.	1,225.	1,245.	1,286.	1,311.	1,347.	1,374.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF33418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 one side <b>34</b> 34" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional</i> : specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile</i> : A = Flat B = Square C = Bullnose E = Extruded aluminum 2. <i>Base height</i> : 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 103. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge. Ported panel components to be installed below worksurface if panel 34"h.

# Monolithic panels 42" H fabric both sides

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	42"	<b>R3B0PFF42 18-( )()</b>	\$515.	\$531.	\$573.	\$657.	\$723.	\$797.	\$849.	
Regular acoustics	20"	42"	<b>R3B0PFF42 20-( )()</b>	515.	531.	573.	657.	723.	797.	849.	
	24"	42"	<b>R3B0PFF42 24-( )()</b>	550.	566.	608.	692.	758.	832.	884.	
	30"	42"	<b>R3B0PFF42 30-( )()</b>	598.	614.	656.	740.	806.	880.	932.	
	36"	42"	<b>R3B0PFF42 36-( )()</b>	645.	661.	703.	787.	863.	927.	979.	
	42"	42"	<b>R3B0PFF42 42-( )()</b>	692.	708.	750.	834.	900.	974.	1,026.	
	48"	42"	<b>R3B0PFF42 48-( )()</b>	742.	758.	800.	884.	950.	1,024.	1,076.	
	60"	42"	<b>R3B0PFF42 60-( )()</b> *	840.	886.	970.	1,134.	1,256.	1,414.	1,510.	
	66"	42"	<b>R3B0PFF42 66-( )()</b> *	869.	915.	999.	1,163.	1,285.	1,443.	1,539.	
	72"	42"	<b>R3B0PFF42 72-( )()</b> *	897.	943.	1,027.	1,191.	1,313.	1,471.	1,567.	
	Monolithic, fabric both sides	18"	42"	<b>R3B0PAA42 18-( )()</b>	565.	581.	623.	707.	773.	847.	899.
	High acoustics	20"	42"	<b>R3B0PAA42 20-( )()</b>	565.	581.	623.	707.	773.	847.	899.
	24"	42"	<b>R3B0PAA42 24-( )()</b>	601.	617.	659.	743.	809.	883.	935.	
	30"	42"	<b>R3B0PAA42 30-( )()</b>	652.	668.	710.	794.	860.	934.	986.	
	36"	42"	<b>R3B0PAA42 36-( )()</b>	706.	722.	764.	848.	914.	988.	1,040.	
	42"	42"	<b>R3B0PAA42 42-( )()</b>	761.	777.	819.	903.	969.	1,043.	1,095.	
	48"	42"	<b>R3B0PAA42 48-( )()</b>	815.	831.	873.	957.	1,023.	1,097.	1,149.	
	60"	42"	<b>R3B0PAA42 60-( )()</b> *	916.	962.	1,046.	1,210.	1,332.	1,490.	1,586.	
	66"	42"	<b>R3B0PAA42 66-( )()</b> *	947.	993.	1,077.	1,241.	1,363.	1,521.	1,617.	
	72"	42"	<b>R3B0PAA42 72-( )()</b> *	978.	1,024.	1,108.	1,272.	1,394.	1,552.	1,648.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 206).
<b>R3</b>	Reff Generation 3	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.  Applicable finishes are listed on page 5 and 6.
<b>B0</b>	No Beltway	
<b>P</b>	Monolithic panel	
<b>FF</b>	Fabric on both sides	
<b>42</b>	42" high	
<b>18</b>	18" wide	
<b>(A)</b>	Flat style top trim	
<b>(4)</b>	4" base height	
<b>(K)</b>	Include knockouts in base	
<b>W281</b>	Fabric selection - side 1	
<b>W281</b>	Fabric selection - side 2	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 103.
<b>V316</b>	Maple (top trim finish)	Remember to specify Beltway paint finish when applicable.
<b>111</b>	Jet Black (base finish)	*These panel widths do not accept stacking modules.  *Fabric inserts of these panels are two pieces, split vertically.

# Monolithic panels 42" H

*fabric both sides*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	<b>R3B2PFF42 18-( ) ( )</b>	\$1,016.	\$1,038.	\$1,094.	\$1,204.	\$1,270.	\$1,360.	\$1,422.
Beltway two sides, regular acoustics	20"	42"	<b>R3B2PFF42 20-( ) ( )</b>	1,016.	1,038.	1,094.	1,204.	1,270.	1,360.	1,422.
	24"	42"	<b>R3B2PFF42 24-( ) ( )</b>	1,037.	1,059.	1,115.	1,225.	1,291.	1,381.	1,443.
	30"	42"	<b>R3B2PFF42 30-( ) ( )</b>	1,088.	1,110.	1,166.	1,276.	1,342.	1,432.	1,494.
	36"	42"	<b>R3B2PFF42 36-( ) ( )</b>	1,272.	1,294.	1,350.	1,460.	1,526.	1,616.	1,678.
	42"	42"	<b>R3B2PFF42 42-( ) ( )</b>	1,368.	1,390.	1,446.	1,556.	1,622.	1,712.	1,774.
	48"	42"	<b>R3B2PFF42 48-( ) ( )</b>	1,417.	1,439.	1,495.	1,605.	1,671.	1,761.	1,823.
	Monolithic, fabric both sides	18"	42"	<b>R3B1PFF42 18-( ) ( )</b>	1,000.	1,019.	1,068.	1,165.	1,231.	1,313.
Beltway one side	20"	42"	<b>R3B1PFF42 20-( ) ( )</b>	1,000.	1,019.	1,068.	1,165.	1,231.	1,313.	1,370.
	24"	42"	<b>R3B1PFF42 24-( ) ( )</b>	1,017.	1,036.	1,085.	1,182.	1,248.	1,330.	1,387.
	30"	42"	<b>R3B1PFF42 30-( ) ( )</b>	1,068.	1,087.	1,136.	1,233.	1,299.	1,381.	1,438.
	36"	42"	<b>R3B1PFF42 36-( ) ( )</b>	1,248.	1,267.	1,316.	1,413.	1,479.	1,561.	1,618.
	42"	42"	<b>R3B1PFF42 42-( ) ( )</b>	1,342.	1,361.	1,410.	1,507.	1,573.	1,655.	1,712.
	48"	42"	<b>R3B1PFF42 48-( ) ( )</b>	1,384.	1,403.	1,452.	1,549.	1,615.	1,697.	1,754.


Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 206).
<b>R3</b>	Reff Generation 3	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>B0</b>	No Beltway	
<b>P</b>	Monolithic panel	Applicable finishes are listed on page 5 and 6.
<b>FF</b>	Fabric on both sides	
<b>42</b>	42" high	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>18</b>	18" wide	
<b>(A)</b>	Flat style top trim	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 103.
<b>(4)</b>	4" base height	
<b>(K)</b>	Include knockouts in base	Remember to specify Beltway paint finish when applicable.
<b>W281</b>	Fabric selection - side 1	
<b>W281</b>	Fabric selection - side 2	*These panel widths do not accept stacking modules.
<b>V316</b>	Maple (top trim finish)	
<b>111</b>	Jet Black (base finish)	*Fabric inserts of these panels are two pieces, split vertically.
	<ol style="list-style-type: none"> <li>Top trim profile                      (K = with knockouts,                      N = without knockouts)</li> <li>Panel side 1 finish(s) inside</li> <li>Panel side 2 finish(s) outside</li> <li>Top trim finish                      i) Top trim profile A,B or C options:                      V1, V2, V3, P1, P2, P3 finishes                      ii) Top trim profile E options:                      AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver</li> <li>Base finish</li> <li>Beltway finish</li> <li><i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable</li> </ol>	
	<ol style="list-style-type: none"> <li><i>Top trim profile:</i>                      A = Flat                      B = Square                      C = Bullnose                      E = Extruded Aluminum</li> <li><i>Base height:</i>                      4 = 4" base height                      6 = 6" base height (add \$47 per panel for this option)</li> </ol>	

# Monolithic panels 42" H

*fabric one side, laminate other side*

Reff

Panels


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PFL42 18-( )()</b>	\$442.	\$450.	\$469.	\$505.	\$535.	\$567.	\$591.
	20"	42"	<b>R3B0PFL42 20-( )()</b>	442.	450.	469.	505.	535.	567.	591.
	24"	42"	<b>R3B0PFL42 24-( )()</b>	448.	456.	475.	511.	541.	573.	597.
	30"	42"	<b>R3B0PFL42 30-( )()</b>	537.	545.	564.	600.	630.	662.	686.
	36"	42"	<b>R3B0PFL42 36-( )()</b>	581.	589.	608.	644.	674.	706.	730.
	42"	42"	<b>R3B0PFL42 42-( )()</b>	653.	661.	680.	716.	746.	778.	802.
	48"	42"	<b>R3B0PFL42 48-( )()</b>	711.	719.	738.	774.	804.	836.	860.
	60"	42"	<b>R3B0PFL42 60-( )()</b>	773.	792.	829.	903.	956.	1,026.	1,069.
	66"	42"	<b>R3B0PFL42 66-( )()</b>	800.	819.	856.	930.	983.	1,053.	1,096.
	72"	42"	<b>R3B0PFL42 72-( )()</b>	830.	849.	886.	960.	1,013.	1,083.	1,126.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PFL42 18-( )()</b>	871.	882.	906.	954.	982.	1,023.	1,052.
	20"	42"	<b>R3B1PFL42 20-( )()</b>	871.	882.	906.	954.	982.	1,023.	1,052.
	24"	42"	<b>R3B1PFL42 24-( )()</b>	893.	904.	928.	976.	1,004.	1,045.	1,074.
	30"	42"	<b>R3B1PFL42 30-( )()</b>	960.	971.	995.	1,043.	1,071.	1,112.	1,141.
	36"	42"	<b>R3B1PFL42 36-( )()</b>	1,120.	1,131.	1,155.	1,203.	1,231.	1,272.	1,301.
	42"	42"	<b>R3B1PFL42 42-( )()</b>	1,146.	1,157.	1,181.	1,229.	1,257.	1,298.	1,327.
	48"	42"	<b>R3B1PFL42 48-( )()</b>	1,289.	1,300.	1,324.	1,372.	1,400.	1,441.	1,470.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL4218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.) 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H

*fabric one side, techwood other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF142 18-( )</b>	\$520.	\$529.	\$550.	\$593.	\$627.	\$664.	\$691.
	20"	42"	<b>R3B0PF142 20-( )</b>	520.	529.	550.	593.	627.	664.	691.
	24"	42"	<b>R3B0PF142 24-( )</b>	525.	534.	555.	598.	632.	669.	696.
	30"	42"	<b>R3B0PF142 30-( )</b>	632.	641.	662.	705.	739.	776.	803.
	36"	42"	<b>R3B0PF142 36-( )</b>	684.	693.	714.	757.	791.	828.	855.
	42"	42"	<b>R3B0PF142 42-( )</b>	770.	779.	800.	843.	877.	914.	941.
	48"	42"	<b>R3B0PF142 48-( )</b>	837.	846.	867.	910.	944.	981.	1,008.
	60"	42"	<b>R3B0PF142 60-( )*</b>	910.	932.	975.	1,060.	1,121.	1,203.	1,252.
	66"	42"	<b>R3B0PF142 66-( )*</b>	946.	968.	1,011.	1,096.	1,157.	1,239.	1,288.
	72"	42"	<b>R3B0PF142 72-( )*</b>	978.	1,000.	1,043.	1,128.	1,189.	1,271.	1,320.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PF142 18-( )</b>	1,021.	1,032.	1,060.	1,117.	1,148.	1,195.	1,228.
	20"	42"	<b>R3B1PF142 20-( )</b>	1,021.	1,032.	1,060.	1,117.	1,148.	1,195.	1,228.
	24"	42"	<b>R3B1PF142 24-( )</b>	1,051.	1,062.	1,090.	1,147.	1,178.	1,225.	1,258.
	30"	42"	<b>R3B1PF142 30-( )</b>	1,129.	1,140.	1,168.	1,225.	1,256.	1,303.	1,336.
	36"	42"	<b>R3B1PF142 36-( )</b>	1,314.	1,325.	1,353.	1,410.	1,441.	1,488.	1,521.
	42"	42"	<b>R3B1PF142 42-( )</b>	1,349.	1,360.	1,388.	1,445.	1,476.	1,523.	1,556.
	48"	42"	<b>R3B1PF142 48-( )</b>	1,518.	1,529.	1,557.	1,614.	1,645.	1,692.	1,725.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF14218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.



# Monolithic panels 42" H

*fabric one side, conventional veneer other side*

Reff

Panels


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF242 18-( )</b>	\$528.	\$537.	\$558.	\$601.	\$635.	\$672.	\$699.
	20"	42"	<b>R3B0PF242 20-( )</b>	528.	537.	558.	601.	635.	672.	699.
	24"	42"	<b>R3B0PF242 24-( )</b>	536.	545.	566.	609.	643.	680.	707.
	30"	42"	<b>R3B0PF242 30-( )</b>	644.	653.	674.	717.	751.	788.	815.
	36"	42"	<b>R3B0PF242 36-( )</b>	696.	705.	726.	769.	803.	840.	867.
	42"	42"	<b>R3B0PF242 42-( )</b>	784.	793.	814.	857.	891.	928.	955.
	48"	42"	<b>R3B0PF242 48-( )</b>	854.	863.	884.	927.	961.	998.	1,025.
	60"	42"	<b>R3B0PF242 60-( )*</b>	923.	945.	988.	1,073.	1,134.	1,216.	1,265.
	66"	42"	<b>R3B0PF242 66-( )*</b>	961.	983.	1,026.	1,111.	1,172.	1,254.	1,303.
	72"	42"	<b>R3B0PF242 72-( )*</b>	993.	1,015.	1,058.	1,143.	1,204.	1,286.	1,335.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PF242 18-( )</b>	1,045.	1,056.	1,084.	1,141.	1,172.	1,219.	1,252.
	20"	42"	<b>R3B1PF242 20-( )</b>	1,045.	1,056.	1,084.	1,141.	1,172.	1,219.	1,252.
	24"	42"	<b>R3B1PF242 24-( )</b>	1,067.	1,078.	1,106.	1,163.	1,194.	1,241.	1,274.
	30"	42"	<b>R3B1PF242 30-( )</b>	1,152.	1,163.	1,191.	1,248.	1,279.	1,326.	1,359.
	36"	42"	<b>R3B1PF242 36-( )</b>	1,340.	1,351.	1,379.	1,436.	1,467.	1,514.	1,547.
	42"	42"	<b>R3B1PF242 42-( )</b>	1,375.	1,386.	1,414.	1,471.	1,502.	1,549.	1,582.
	48"	42"	<b>R3B1PF242 48-( )</b>	1,544.	1,555.	1,583.	1,640.	1,671.	1,718.	1,751.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF24218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F2</b> Fabric one side, V2 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>V316</b> Maple surface - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H

*fabric one side, exotic veneer other side*

Reff



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF342 18-</b> ( ) ( )	\$698.	\$707.	\$728.	\$771.	\$805.	\$842.	\$869.
	20"	42"	<b>R3B0PF342 20-</b> ( ) ( )	698.	707.	728.	771.	805.	842.	869.
	24"	42"	<b>R3B0PF342 24-</b> ( ) ( )	709.	718.	739.	782.	816.	853.	880.
	30"	42"	<b>R3B0PF342 30-</b> ( ) ( )	854.	863.	884.	927.	961.	998.	1,025.
	36"	42"	<b>R3B0PF342 36-</b> ( ) ( )	924.	933.	954.	997.	1,031.	1,068.	1,095.
	42"	42"	<b>R3B0PF342 42-</b> ( ) ( )	1,043.	1,052.	1,073.	1,116.	1,150.	1,187.	1,214.
	48"	42"	<b>R3B0PF342 48-</b> ( ) ( )	1,138.	1,147.	1,168.	1,211.	1,245.	1,282.	1,309.
	60"	42"	<b>R3B0PF342 60-</b> ( ) ( )*	1,217.	1,239.	1,282.	1,367.	1,428.	1,510.	1,559.
	66"	42"	<b>R3B0PF342 66-</b> ( ) ( )*	1,268.	1,290.	1,333.	1,418.	1,479.	1,561.	1,610.
	72"	42"	<b>R3B0PF342 72-</b> ( ) ( )*	1,312.	1,334.	1,377.	1,462.	1,523.	1,605.	1,654.
Monolithic, fabric one side Beltway fabric side 	18"	42"	<b>R3B1PF342 18-</b> ( ) ( )	1,395.	1,406.	1,434.	1,491.	1,522.	1,569.	1,602.
	20"	42"	<b>R3B1PF342 20-</b> ( ) ( )	1,395.	1,406.	1,434.	1,491.	1,522.	1,569.	1,602.
	24"	42"	<b>R3B1PF342 24-</b> ( ) ( )	1,425.	1,436.	1,464.	1,521.	1,552.	1,599.	1,632.
	30"	42"	<b>R3B1PF342 30-</b> ( ) ( )	1,540.	1,551.	1,579.	1,636.	1,667.	1,714.	1,747.
	36"	42"	<b>R3B1PF342 36-</b> ( ) ( )	1,794.	1,805.	1,833.	1,890.	1,921.	1,968.	2,001.
	42"	42"	<b>R3B1PF342 42-</b> ( ) ( )	1,841.	1,852.	1,880.	1,937.	1,968.	2,015.	2,048.
	48"	42"	<b>R3B1PF342 48-</b> ( ) ( )	2,071.	2,082.	2,110.	2,167.	2,198.	2,245.	2,278.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF34218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum  2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)  Applicable finishes are listed on page 5 and 6.  The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).  6" Raceway option increases panel height by 2 3/4".  Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.  Remember to specify Beltway paint finish when applicable.  79"H hookstrip reveal strips are ordered separately from page 103 at no charge.  Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 49" H fabric both sides

Reff

Panels

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	49"	<b>R3B0PFF49 18-()</b> ( )	\$576.	\$602.	\$650.	\$754.	\$822.	\$912.	\$970.	
Regular acoustics	20"	49"	<b>R3B0PFF49 20-()</b> ( )	576.	602.	650.	754.	822.	912.	970.	
	24"	49"	<b>R3B0PFF49 24-()</b> ( )	614.	640.	688.	792.	860.	950.	1,008.	
	30"	49"	<b>R3B0PFF49 30-()</b> ( )	667.	693.	741.	845.	913.	1,003.	1,061.	
	36"	49"	<b>R3B0PFF49 36-()</b> ( )	698.	724.	772.	876.	944.	1,034.	1,092.	
	42"	49"	<b>R3B0PFF49 42-()</b> ( )	752.	778.	826.	930.	998.	1,088.	1,146.	
	48"	49"	<b>R3B0PFF49 48-()</b> ( )	826.	852.	900.	1,004.	1,072.	1,162.	1,220.	
	60"	49"	<b>R3B0PFF49 60-()</b> ( ) *	956.	998.	1,096.	1,302.	1,440.	1,622.	1,734.	
	66"	49"	<b>R3B0PFF49 66-()</b> ( ) *	987.	1,029.	1,127.	1,333.	1,471.	1,653.	1,765.	
	72"	49"	<b>R3B0PFF49 72-()</b> ( ) *	1,016.	1,058.	1,156.	1,362.	1,500.	1,682.	1,794.	
	Monolithic, fabric both sides	18"	49"	<b>R3B0PAA49 18-()</b> ( )	628.	654.	702.	806.	874.	964.	1,022.
	High acoustics	20"	49"	<b>R3B0PAA49 20-()</b> ( )	628.	654.	702.	806.	874.	964.	1,022.
	24"	49"	<b>R3B0PAA49 24-()</b> ( )	672.	698.	746.	850.	918.	1,008.	1,066.	
	30"	49"	<b>R3B0PAA49 30-()</b> ( )	728.	754.	802.	906.	974.	1,064.	1,122.	
	36"	49"	<b>R3B0PAA49 36-()</b> ( )	764.	790.	838.	942.	1,010.	1,100.	1,158.	
	42"	49"	<b>R3B0PAA49 42-()</b> ( )	825.	851.	899.	1,003.	1,071.	1,161.	1,219.	
	48"	49"	<b>R3B0PAA49 48-()</b> ( )	907.	933.	981.	1,085.	1,153.	1,243.	1,301.	
	60"	49"	<b>R3B0PAA49 60-()</b> ( ) *	1,039.	1,081.	1,179.	1,385.	1,523.	1,705.	1,817.	
	66"	49"	<b>R3B0PAA49 66-()</b> ( ) *	1,075.	1,117.	1,215.	1,421.	1,559.	1,741.	1,853.	
	72"	49"	<b>R3B0PAA49 72-()</b> ( ) *	1,111.	1,153.	1,251.	1,457.	1,595.	1,777.	1,889.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>49</b> 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
<b>A</b> Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	<i>i) Top trim profile A, B or C options:</i>	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1	<i>ii) Top trim profile E options:</i>	*Fabric inserts of these panels are two pieces, split vertically.
<b>W281</b> Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
<b>V316</b> Maple (top trim finish)	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>111</b> Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Monolithic panels 49" H fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	<b>R3B2PFF49 18-( ) ( )</b>	\$1,042.	\$1,074.	\$1,140.	\$1,252.	\$1,330.	\$1,442.	\$1,514.
Beltway two sides, regular acoustics	20"	49"	<b>R3B2PFF49 20-( ) ( )</b>	1,042.	1,074.	1,140.	1,252.	1,330.	1,442.	1,514.
	24"	49"	<b>R3B2PFF49 24-( ) ( )</b>	1,064.	1,096.	1,162.	1,274.	1,352.	1,464.	1,536.
	30"	49"	<b>R3B2PFF49 30-( ) ( )</b>	1,118.	1,150.	1,216.	1,328.	1,406.	1,518.	1,590.
	36"	49"	<b>R3B2PFF49 36-( ) ( )</b>	1,320.	1,352.	1,418.	1,530.	1,608.	1,720.	1,792.
	42"	49"	<b>R3B2PFF49 42-( ) ( )</b>	1,420.	1,452.	1,518.	1,630.	1,708.	1,820.	1,892.
	48"	49"	<b>R3B2PFF49 48-( ) ( )</b>	1,470.	1,502.	1,568.	1,680.	1,758.	1,870.	1,942.
	Monolithic, fabric both sides	18"	49"	<b>R3B1PFF49 18-( ) ( )</b>	1,023.	1,052.	1,109.	1,217.	1,290.	1,391.
Beltway one side	20"	49"	<b>R3B1PFF49 20-( ) ( )</b>	1,023.	1,052.	1,109.	1,217.	1,290.	1,391.	1,456.
	24"	49"	<b>R3B1PFF49 24-( ) ( )</b>	1,043.	1,072.	1,129.	1,237.	1,310.	1,411.	1,476.
	30"	49"	<b>R3B1PFF49 30-( ) ( )</b>	1,094.	1,123.	1,180.	1,288.	1,361.	1,462.	1,527.
	36"	49"	<b>R3B1PFF49 36-( ) ( )</b>	1,294.	1,323.	1,380.	1,488.	1,561.	1,662.	1,727.
	42"	49"	<b>R3B1PFF49 42-( ) ( )</b>	1,390.	1,419.	1,476.	1,584.	1,657.	1,758.	1,823.
	48"	49"	<b>R3B1PFF49 48-( ) ( )</b>	1,439.	1,468.	1,525.	1,633.	1,706.	1,807.	1,872.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>49</b> 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
<b>A</b> Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	<i>i) Top trim profile A, B or C options:</i>	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1	<i>ii) Top trim profile E options:</i>	*Fabric inserts of these panels are two pieces, split vertically.
<b>W281</b> Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
<b>V316</b> Maple (top trim finish)	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>111</b> Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Monolithic panels 49" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PFL49 18-( ) ( )</b>	\$489.	\$503.	\$523.	\$569.	\$599.	\$639.	\$664.
	20"	49"	<b>R3B0PFL49 20-( ) ( )</b>	489.	503.	523.	569.	599.	639.	664.
	24"	49"	<b>R3B0PFL49 24-( ) ( )</b>	535.	549.	569.	615.	645.	685.	710.
	30"	49"	<b>R3B0PFL49 30-( ) ( )</b>	606.	620.	640.	686.	716.	756.	781.
	36"	49"	<b>R3B0PFL49 36-( ) ( )</b>	654.	668.	688.	734.	764.	804.	829.
	42"	49"	<b>R3B0PFL49 42-( ) ( )</b>	722.	736.	756.	802.	832.	872.	897.
	48"	49"	<b>R3B0PFL49 48-( ) ( )</b>	813.	827.	847.	893.	923.	963.	988.
	60"	49"	<b>R3B0PFL49 60-( ) ( ) *</b>	885.	905.	949.	1,038.	1,099.	1,181.	1,229.
	66"	49"	<b>R3B0PFL49 66-( ) ( ) *</b>	910.	930.	974.	1,063.	1,124.	1,206.	1,254.
	72"	49"	<b>R3B0PFL49 72-( ) ( ) *</b>	942.	962.	1,006.	1,095.	1,156.	1,238.	1,286.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PFL49 18-( ) ( )</b>	886.	900.	929.	979.	1,013.	1,062.	1,095.
	20"	49"	<b>R3B1PFL49 20-( ) ( )</b>	886.	900.	929.	979.	1,013.	1,062.	1,095.
	24"	49"	<b>R3B1PFL49 24-( ) ( )</b>	921.	935.	964.	1,014.	1,048.	1,097.	1,130.
	30"	49"	<b>R3B1PFL49 30-( ) ( )</b>	990.	1,004.	1,033.	1,083.	1,117.	1,166.	1,199.
	36"	49"	<b>R3B1PFL49 36-( ) ( )</b>	1,190.	1,204.	1,233.	1,283.	1,317.	1,366.	1,399.
	42"	49"	<b>R3B1PFL49 42-( ) ( )</b>	1,299.	1,313.	1,342.	1,392.	1,426.	1,475.	1,508.
	48"	49"	<b>R3B1PFL49 48-( ) ( )</b>	1,369.	1,383.	1,412.	1,462.	1,496.	1,545.	1,578.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL4918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

\*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 49" H

*fabric one side, techwood other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF149 18-</b> ( ) ( )	\$576.	\$591.	\$614.	\$667.	\$704.	\$747.	\$778.
	20"	49"	<b>R3B0PF149 20-</b> ( ) ( )	576.	591.	614.	667.	704.	747.	778.
	24"	49"	<b>R3B0PF149 24-</b> ( ) ( )	630.	645.	668.	721.	758.	801.	832.
	30"	49"	<b>R3B0PF149 30-</b> ( ) ( )	717.	732.	755.	808.	845.	888.	919.
	36"	49"	<b>R3B0PF149 36-</b> ( ) ( )	768.	783.	806.	859.	896.	939.	970.
	42"	49"	<b>R3B0PF149 42-</b> ( ) ( )	850.	865.	888.	941.	978.	1,021.	1,052.
	48"	49"	<b>R3B0PF149 48-</b> ( ) ( )	956.	971.	994.	1,047.	1,084.	1,127.	1,158.
	60"	49"	<b>R3B0PF149 60-</b> ( ) ( ) *	1,040.	1,063.	1,115.	1,217.	1,288.	1,380.	1,437.
	66"	49"	<b>R3B0PF149 66-</b> ( ) ( ) *	1,070.	1,093.	1,145.	1,247.	1,318.	1,410.	1,467.
	72"	49"	<b>R3B0PF149 72-</b> ( ) ( ) *	1,107.	1,130.	1,182.	1,284.	1,355.	1,447.	1,504.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PF149 18-</b> ( ) ( )	1,045.	1,060.	1,095.	1,152.	1,190.	1,247.	1,285.
	20"	49"	<b>R3B1PF149 20-</b> ( ) ( )	1,045.	1,060.	1,095.	1,152.	1,190.	1,247.	1,285.
	24"	49"	<b>R3B1PF149 24-</b> ( ) ( )	1,083.	1,098.	1,133.	1,190.	1,228.	1,285.	1,323.
	30"	49"	<b>R3B1PF149 30-</b> ( ) ( )	1,163.	1,178.	1,213.	1,270.	1,308.	1,365.	1,403.
	36"	49"	<b>R3B1PF149 36-</b> ( ) ( )	1,398.	1,413.	1,448.	1,505.	1,543.	1,600.	1,638.
	42"	49"	<b>R3B1PF149 42-</b> ( ) ( )	1,530.	1,545.	1,580.	1,637.	1,675.	1,732.	1,770.
	48"	49"	<b>R3B1PF149 48-</b> ( ) ( )	1,608.	1,623.	1,658.	1,715.	1,753.	1,810.	1,848.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF14918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top rim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

\*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 49" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF249 18-( )</b> ( )	\$585.	\$600.	\$623.	\$676.	\$713.	\$756.	\$787.
	20"	49"	<b>R3B0PF249 20-( )</b> ( )	585.	600.	623.	676.	713.	756.	787.
	24"	49"	<b>R3B0PF249 24-( )</b> ( )	641.	656.	679.	732.	769.	812.	843.
	30"	49"	<b>R3B0PF249 30-( )</b> ( )	727.	742.	765.	818.	855.	898.	929.
	36"	49"	<b>R3B0PF249 36-( )</b> ( )	782.	797.	820.	873.	910.	953.	984.
	42"	49"	<b>R3B0PF249 42-( )</b> ( )	865.	880.	903.	956.	993.	1,036.	1,067.
	48"	49"	<b>R3B0PF249 48-( )</b> ( )	976.	991.	1,014.	1,067.	1,104.	1,147.	1,178.
	60"	49"	<b>R3B0PF249 60-( )</b> * ( )	1,059.	1,082.	1,134.	1,236.	1,307.	1,399.	1,456.
	66"	49"	<b>R3B0PF249 66-( )</b> * ( )	1,093.	1,116.	1,168.	1,270.	1,341.	1,433.	1,490.
	72"	49"	<b>R3B0PF249 72-( )</b> * ( )	1,127.	1,150.	1,202.	1,304.	1,375.	1,467.	1,524.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PF249 18-( )</b> ( )	1,063.	1,078.	1,113.	1,170.	1,208.	1,265.	1,303.
	20"	49"	<b>R3B1PF249 20-( )</b> ( )	1,036.	1,078.	1,113.	1,170.	1,208.	1,265.	1,303.
	24"	49"	<b>R3B1PF249 24-( )</b> ( )	1,102.	1,117.	1,152.	1,209.	1,247.	1,304.	1,342.
	30"	49"	<b>R3B1PF249 30-( )</b> ( )	1,188.	1,203.	1,238.	1,295.	1,333.	1,390.	1,428.
	36"	49"	<b>R3B1PF249 36-( )</b> ( )	1,427.	1,442.	1,477.	1,534.	1,572.	1,629.	1,667.
	42"	49"	<b>R3B1PF249 42-( )</b> ( )	1,556.	1,571.	1,606.	1,663.	1,701.	1,758.	1,796.
	48"	49"	<b>R3B1PF249 48-( )</b> ( )	1,635.	1,650.	1,685.	1,742.	1,780.	1,837.	1,875.

Order Code	Specification Information	Application Notes	
Example: <b>R3B0PF24918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F2</b> Fabric one side, V2 other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>V316</b> Maple surface - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 49" H

*fabric one side, exotic veneer other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF349 18-</b> ( ) ( )	\$774.	\$789.	\$812.	\$865.	\$902.	\$945.	\$976.
	20"	49"	<b>R3B0PF349 20-</b> ( ) ( )	774.	789.	812.	865.	902.	945.	976.
	24"	49"	<b>R3B0PF349 24-</b> ( ) ( )	848.	863.	886.	939.	976.	1,019.	1,050.
	30"	49"	<b>R3B0PF349 30-</b> ( ) ( )	965.	980.	1,003.	1,056.	1,093.	1,136.	1,167.
	36"	49"	<b>R3B0PF349 36-</b> ( ) ( )	1,040.	1,055.	1,078.	1,131.	1,168.	1,211.	1,242.
	42"	49"	<b>R3B0PF349 42-</b> ( ) ( )	1,151.	1,166.	1,189.	1,242.	1,279.	1,322.	1,353.
	48"	49"	<b>R3B0PF349 48-</b> ( ) ( )	1,299.	1,314.	1,337.	1,390.	1,427.	1,470.	1,501.
	60"	49"	<b>R3B0PF349 60-</b> ( ) (*)	1,395.	1,418.	1,470.	1,572.	1,643.	1,735.	1,792.
	66"	49"	<b>R3B0PF349 66-</b> ( ) (*)	1,441.	1,464.	1,516.	1,618.	1,689.	1,781.	1,838.
	72"	49"	<b>R3B0PF349 72-</b> ( ) (*)	1,485.	1,508.	1,560.	1,662.	1,733.	1,825.	1,882.
Monolithic, fabric one side Beltway fabric side 	18"	49"	<b>R3B1PF349 18-</b> ( ) ( )	1,417.	1,432.	1,467.	1,524.	1,562.	1,619.	1,657.
	20"	49"	<b>R3B1PF349 20-</b> ( ) ( )	1,417.	1,432.	1,467.	1,524.	1,562.	1,619.	1,657.
	24"	49"	<b>R3B1PF349 24-</b> ( ) ( )	1,471.	1,486.	1,521.	1,578.	1,616.	1,673.	1,711.
	30"	49"	<b>R3B1PF349 30-</b> ( ) ( )	1,585.	1,600.	1,635.	1,692.	1,730.	1,787.	1,825.
	36"	49"	<b>R3B1PF349 36-</b> ( ) ( )	1,910.	1,925.	1,960.	2,017.	2,055.	2,112.	2,150.
	42"	49"	<b>R3B1PF349 42-</b> ( ) ( )	2,083.	2,098.	2,133.	2,190.	2,228.	2,285.	2,323.
	48"	49"	<b>R3B1PF349 48-</b> ( ) ( )	2,192.	2,207.	2,242.	2,299.	2,337.	2,394.	2,432.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF34918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.



# Monolithic panels 64" H fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	64"	<b>R3B0PFF64 18-()()</b>	\$663.	\$695.	\$759.	\$889.	\$979.	\$1,097.	\$1,175.
	20"	64"	<b>R3B0PFF64 20-()()</b>	663.	695.	759.	889.	979.	1,097.	1,175.
	24"	64"	<b>R3B0PFF64 24-()()</b>	704.	736.	800.	930.	1,020.	1,138.	1,216.
	30"	64"	<b>R3B0PFF64 30-()()</b>	756.	788.	852.	982.	1,072.	1,190.	1,268.
	36"	64"	<b>R3B0PFF64 36-()()</b>	776.	808.	872.	1,002.	1,092.	1,210.	1,288.
	42"	64"	<b>R3B0PFF64 42-()()</b>	902.	934.	998.	1,128.	1,218.	1,336.	1,414.
	48"	64"	<b>R3B0PFF64 48-()()</b>	955.	987.	1,051.	1,181.	1,271.	1,389.	1,467.
	60"	64"	<b>R3B0PFF64 60-()()*</b>	1,108.	1,178.	1,300.	1,572.	1,760.	1,994.	2,150.
	66"	64"	<b>R3B0PFF64 66-()()*</b>	1,144.	1,214.	1,336.	1,608.	1,796.	2,030.	2,186.
	72"	64"	<b>R3B0PFF64 72-()()*</b>	1,181.	1,251.	1,373.	1,645.	1,833.	2,067.	2,223.
Monolithic, fabric both sides High acoustics 	18"	64"	<b>R3B0PAA64 18-()()</b>	722.	754.	818.	948.	1,038.	1,156.	1,234.
	20"	64"	<b>R3B0PAA64 20-()()</b>	722.	754.	818.	948.	1,038.	1,156.	1,234.
	24"	64"	<b>R3B0PAA64 24-()()</b>	771.	803.	867.	997.	1,087.	1,205.	1,283.
	30"	64"	<b>R3B0PAA64 30-()()</b>	827.	859.	923.	1,053.	1,143.	1,261.	1,339.
	36"	64"	<b>R3B0PAA64 36-()()</b>	847.	879.	943.	1,073.	1,163.	1,281.	1,359.
	42"	64"	<b>R3B0PAA64 42-()()</b>	991.	1,023.	1,087.	1,217.	1,307.	1,425.	1,503.
	48"	64"	<b>R3B0PAA64 48-()()</b>	1,048.	1,080.	1,144.	1,274.	1,364.	1,482.	1,560.
	60"	64"	<b>R3B0PAA64 60-()()*</b>	1,203.	1,273.	1,395.	1,667.	1,855.	2,089.	2,245.
	66"	64"	<b>R3B0PAA64 66-()()*</b>	1,243.	1,313.	1,435.	1,707.	1,895.	2,129.	2,285.
	72"	64"	<b>R3B0PAA64 72-()()*</b>	1,284.	1,354.	1,476.	1,748.	1,936.	2,170.	2,326.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF6418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FF</b> Fabric on both sides <b>64</b> 64" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>W281</b> Fabric selection - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 64" H

*fabric both sides*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	<b>R3B2PFF64 18-( ) ( )</b>	\$1,138.	\$1,172.	\$1,248.	\$1,410.	\$1,510.	\$1,654.	\$1,750.
Beltway two sides, regular acoustics	20"	64"	<b>R3B2PFF64 20-( ) ( )</b>	1,138.	1,172.	1,248.	1,410.	1,510.	1,654.	1,750.
	24"	64"	<b>R3B2PFF64 24-( ) ( )</b>	1,194.	1,228.	1,304.	1,466.	1,566.	1,710.	1,806.
	30"	64"	<b>R3B2PFF64 30-( ) ( )</b>	1,221.	1,255.	1,331.	1,493.	1,593.	1,737.	1,833.
	36"	64"	<b>R3B2PFF64 36-( ) ( )</b>	1,478.	1,512.	1,588.	1,750.	1,850.	1,994.	2,090.
	42"	64"	<b>R3B2PFF64 42-( ) ( )</b>	1,581.	1,615.	1,691.	1,853.	1,953.	2,097.	2,193.
	48"	64"	<b>R3B2PFF64 48-( ) ( )</b>	1,634.	1,668.	1,744.	1,906.	2,006.	2,150.	2,246.
	Monolithic, fabric both sides	18"	64"	<b>R3B1PFF64 18-( ) ( )</b>	1,114.	1,147.	1,217.	1,363.	1,458.	1,589.
Beltway one side	20"	64"	<b>R3B1PFF64 20-( ) ( )</b>	1,114.	1,147.	1,217.	1,363.	1,458.	1,589.	1,676.
	24"	64"	<b>R3B1PFF64 24-( ) ( )</b>	1,165.	1,198.	1,268.	1,414.	1,509.	1,640.	1,727.
	30"	64"	<b>R3B1PFF64 30-( ) ( )</b>	1,191.	1,224.	1,294.	1,440.	1,535.	1,666.	1,753.
	36"	64"	<b>R3B1PFF64 36-( ) ( )</b>	1,447.	1,480.	1,550.	1,696.	1,791.	1,922.	2,009.
	42"	64"	<b>R3B1PFF64 42-( ) ( )</b>	1,547.	1,580.	1,650.	1,796.	1,891.	2,022.	2,109.
	48"	64"	<b>R3B1PFF64 48-( ) ( )</b>	1,595.	1,628.	1,698.	1,844.	1,939.	2,070.	2,157.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>64</b> 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
<b>A</b> Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1	ii) Top trim profile E options:	
<b>W281</b> Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>V316</b> Maple (top trim finish)	7. Base finish	
<b>111</b> Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

\*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.


# Monolithic panels 64" H

*fabric one side, laminate other side*

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PFL64 18-( )</b> ( )	\$583.	\$597.	\$624.	\$682.	\$722.	\$775.	\$809.
	20"	64"	<b>R3B0PFL64 20-( )</b> ( )	583.	597.	624.	682.	722.	775.	809.
	24"	64"	<b>R3B0PFL64 24-( )</b> ( )	640.	654.	681.	739.	779.	832.	866.
	30"	64"	<b>R3B0PFL64 30-( )</b> ( )	723.	737.	764.	822.	862.	915.	949.
	36"	64"	<b>R3B0PFL64 36-( )</b> ( )	779.	793.	820.	878.	918.	971.	1,005.
	42"	64"	<b>R3B0PFL64 42-( )</b> ( )	864.	878.	905.	963.	1,003.	1,056.	1,090.
	48"	64"	<b>R3B0PFL64 48-( )</b> ( )	972.	986.	1,013.	1,071.	1,111.	1,164.	1,198.
	60"	64"	<b>R3B0PFL64 60-( )</b> ( ) *	1,052.	1,083.	1,138.	1,259.	1,340.	1,445.	1,513.
	66"	64"	<b>R3B0PFL64 66-( )</b> ( ) *	1,088.	1,119.	1,174.	1,295.	1,376.	1,481.	1,549.
	72"	64"	<b>R3B0PFL64 72-( )</b> ( ) *	1,123.	1,154.	1,209.	1,330.	1,411.	1,516.	1,584.


Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PFL64 18-( )</b> ( )	987.	1,002.	1,037.	1,107.	1,151.	1,214.	1,259.
	20"	64"	<b>R3B1PFL64 20-( )</b> ( )	987.	1,002.	1,037.	1,107.	1,151.	1,214.	1,259.
	24"	64"	<b>R3B1PFL64 24-( )</b> ( )	1,054.	1,069.	1,104.	1,174.	1,218.	1,281.	1,326.
	30"	64"	<b>R3B1PFL64 30-( )</b> ( )	1,117.	1,132.	1,167.	1,237.	1,281.	1,344.	1,389.
	36"	64"	<b>R3B1PFL64 36-( )</b> ( )	1,387.	1,402.	1,437.	1,507.	1,551.	1,614.	1,659.
	42"	64"	<b>R3B1PFL64 42-( )</b> ( )	1,441.	1,456.	1,491.	1,561.	1,605.	1,668.	1,713.
	48"	64"	<b>R3B1PFL64 48-( )</b> ( )	1,558.	1,573.	1,608.	1,678.	1,722.	1,785.	1,830.

Order Code	Specification Information	Application Notes	
Example: <b>R3B0PFL6418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>64</b> 64" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 64" H

*fabric one side, techwood other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF164 18-( )</b> ( )	\$684.	\$700.	\$733.	\$799.	\$845.	\$906.	\$946.
	20"	64"	<b>R3B0PF164 20-( )</b> ( )	684.	700.	733.	799.	845.	906.	946.
	24"	64"	<b>R3B0PF164 24-( )</b> ( )	750.	766.	799.	865.	911.	972.	1,012.
	30"	64"	<b>R3B0PF164 30-( )</b> ( )	849.	865.	898.	964.	1,010.	1,071.	1,111.
	36"	64"	<b>R3B0PF164 36-( )</b> ( )	917.	933.	966.	1,032.	1,078.	1,139.	1,179.
	42"	64"	<b>R3B0PF164 42-( )</b> ( )	1,015.	1,031.	1,064.	1,130.	1,176.	1,237.	1,277.
	48"	64"	<b>R3B0PF164 48-( )</b> ( )	1,144.	1,160.	1,193.	1,259.	1,305.	1,366.	1,406.
	60"	64"	<b>R3B0PF164 60-( )</b> ( )*	1,237.	1,273.	1,336.	1,475.	1,569.	1,691.	1,769.
	66"	64"	<b>R3B0PF164 66-( )</b> ( )*	1,281.	1,317.	1,380.	1,519.	1,613.	1,735.	1,813.
	72"	64"	<b>R3B0PF164 72-( )</b> ( )*	1,323.	1,359.	1,422.	1,561.	1,655.	1,777.	1,855.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PF164 18-( )</b> ( )	1,161.	1,176.	1,216.	1,298.	1,348.	1,421.	1,473.
	20"	64"	<b>R3B1PF164 20-( )</b> ( )	1,161.	1,176.	1,216.	1,298.	1,348.	1,421.	1,473.
	24"	64"	<b>R3B1PF164 24-( )</b> ( )	1,237.	1,252.	1,292.	1,374.	1,424.	1,497.	1,549.
	30"	64"	<b>R3B1PF164 30-( )</b> ( )	1,313.	1,328.	1,368.	1,450.	1,500.	1,573.	1,625.
	36"	64"	<b>R3B1PF164 36-( )</b> ( )	1,630.	1,645.	1,685.	1,767.	1,817.	1,890.	1,942.
	42"	64"	<b>R3B1PF164 42-( )</b> ( )	1,696.	1,711.	1,751.	1,833.	1,883.	1,956.	2,008.
	48"	64"	<b>R3B1PF164 48-( )</b> ( )	1,832.	1,847.	1,887.	1,969.	2,019.	2,092.	2,144.


Order Code	Specification Information	Application Notes	
Example: <b>R3B0PF16418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>64</b> 64" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 64" H

*fabric one side, conventional veneer other side*

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF264 18-( )</b> ( )	\$697.	\$713.	\$746.	\$812.	\$858.	\$919.	\$959.
	20"	64"	<b>R3B0PF264 20-( )</b> ( )	697.	713.	746.	812.	858.	919.	959.
	24"	64"	<b>R3B0PF264 24-( )</b> ( )	764.	780.	813.	879.	925.	986.	1,026.
	30"	64"	<b>R3B0PF264 30-( )</b> ( )	864.	880.	913.	979.	1,025.	1,086.	1,126.
	36"	64"	<b>R3B0PF264 36-( )</b> ( )	932.	948.	981.	1,047.	1,093.	1,154.	1,194.
	42"	64"	<b>R3B0PF264 42-( )</b> ( )	1,032.	1,048.	1,081.	1,147.	1,193.	1,254.	1,294.
	48"	64"	<b>R3B0PF264 48-( )</b> ( )	1,166.	1,182.	1,215.	1,281.	1,327.	1,388.	1,428.
	60"	64"	<b>R3B0PF264 60-( )</b> * ( )	1,257.	1,293.	1,356.	1,495.	1,589.	1,711.	1,789.
	66"	64"	<b>R3B0PF264 66-( )</b> * ( )	1,301.	1,337.	1,400.	1,539.	1,633.	1,755.	1,833.
	72"	64"	<b>R3B0PF264 72-( )</b> * ( )	1,347.	1,383.	1,446.	1,585.	1,679.	1,801.	1,879.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PF264 18-( )</b> ( )	1,181.	1,196.	1,236.	1,318.	1,368.	1,441.	1,493.
	20"	64"	<b>R3B1PF264 20-( )</b> ( )	1,181.	1,196.	1,236.	1,318.	1,368.	1,441.	1,493.
	24"	64"	<b>R3B1PF264 24-( )</b> ( )	1,261.	1,276.	1,316.	1,398.	1,448.	1,521.	1,573.
	30"	64"	<b>R3B1PF264 30-( )</b> ( )	1,337.	1,352.	1,392.	1,474.	1,524.	1,597.	1,649.
	36"	64"	<b>R3B1PF264 36-( )</b> ( )	1,657.	1,672.	1,712.	1,794.	1,844.	1,917.	1,969.
	42"	64"	<b>R3B1PF264 42-( )</b> ( )	1,726.	1,741.	1,781.	1,863.	1,913.	1,986.	2,038.
	48"	64"	<b>R3B1PF264 48-( )</b> ( )	1,866.	1,881.	1,921.	2,003.	2,053.	2,126.	2,178.


Order Code	Specification Information	Application Notes
Example: <b>R3B0PF26418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F2</b> Fabric one side, V2 other <b>64</b> 64" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>V316</b> Maple surface - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.
		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 64" H

*fabric one side, exotic veneer other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF364 18-</b> ( ) ( )	\$920.	\$936.	\$969.	\$1,035.	\$1,081.	\$1,142.	\$1,182.
	20"	64"	<b>R3B0PF364 20-</b> ( ) ( )	920.	936.	969.	1,035.	1,081.	1,142.	1,182.
	24"	64"	<b>R3B0PF364 24-</b> ( ) ( )	1,009.	1,025.	1,058.	1,124.	1,170.	1,231.	1,271.
	30"	64"	<b>R3B0PF364 30-</b> ( ) ( )	1,143.	1,159.	1,192.	1,258.	1,304.	1,365.	1,405.
	36"	64"	<b>R3B0PF364 36-</b> ( ) ( )	1,235.	1,251.	1,284.	1,350.	1,396.	1,457.	1,497.
	42"	64"	<b>R3B0PF364 42-</b> ( ) ( )	1,372.	1,388.	1,421.	1,487.	1,533.	1,594.	1,634.
	48"	64"	<b>R3B0PF364 48-</b> ( ) ( )	1,551.	1,567.	1,600.	1,666.	1,712.	1,773.	1,813.
	60"	64"	<b>R3B0PF364 60-</b> ( ) ( )*	1,652.	1,688.	1,751.	1,890.	1,984.	2,106.	2,184.
	66"	64"	<b>R3B0PF364 66-</b> ( ) ( )*	1,712.	1,748.	1,811.	1,950.	2,044.	2,166.	2,244.
	72"	64"	<b>R3B0PF364 72-</b> ( ) ( )*	1,774.	1,810.	1,873.	2,012.	2,106.	2,228.	2,306.

Monolithic, fabric one side Beltway fabric side 	18"	64"	<b>R3B1PF364 18-</b> ( ) ( )	1,570.	1,585.	1,625.	1,707.	1,757.	1,830.	1,882.
	20"	64"	<b>R3B1PF364 20-</b> ( ) ( )	1,570.	1,585.	1,625.	1,707.	1,757.	1,830.	1,882.
	24"	64"	<b>R3B1PF364 24-</b> ( ) ( )	1,677.	1,692.	1,732.	1,814.	1,864.	1,937.	1,989.
	30"	64"	<b>R3B1PF364 30-</b> ( ) ( )	1,780.	1,795.	1,835.	1,917.	1,967.	2,040.	2,092.
	36"	64"	<b>R3B1PF364 36-</b> ( ) ( )	2,214.	2,229.	2,269.	2,351.	2,401.	2,474.	2,526.
	42"	64"	<b>R3B1PF364 42-</b> ( ) ( )	2,305.	2,320.	2,360.	2,442.	2,492.	2,565.	2,617.
	48"	64"	<b>R3B1PF364 48-</b> ( ) ( )	2,494.	2,509.	2,549.	2,631.	2,681.	2,754.	2,806.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF36418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>64</b> 64" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 79" H fabric both sides


description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	79"	<b>R3B0PFF79 18-( ) ( )</b>	\$830.	\$874.	\$950.	\$1,112.	\$1,222.	\$1,370.	\$1,460.	
Regular acoustics	20"	79"	<b>R3B0PFF79 20-( ) ( )</b>	830.	874.	950.	1,112.	1,222.	1,370.	1,460.	
	24"	79"	<b>R3B0PFF79 24-( ) ( )</b>	882.	926.	1,002.	1,164.	1,274.	1,422.	1,512.	
	30"	79"	<b>R3B0PFF79 30-( ) ( )</b>	952.	996.	1,072.	1,234.	1,344.	1,492.	1,582.	
	36"	79"	<b>R3B0PFF79 36-( ) ( )</b>	976.	1,020.	1,096.	1,258.	1,368.	1,516.	1,606.	
	42"	79"	<b>R3B0PFF79 42-( ) ( )</b>	1,049.	1,093.	1,169.	1,331.	1,441.	1,589.	1,679.	
	48"	79"	<b>R3B0PFF79 48-( ) ( )</b>	1,163.	1,207.	1,283.	1,445.	1,555.	1,703.	1,793.	
	60"	79"	<b>R3B0PFF79 60-( ) ( )</b>	1,344.	1,432.	1,584.	1,908.	2,138.	2,430.	2,608.	
	66"	79"	<b>R3B0PFF79 66-( ) ( )</b>	1,376.	1,464.	1,616.	1,940.	2,170.	2,462.	2,640.	
	72"	79"	<b>R3B0PFF79 72-( ) ( )</b>	1,407.	1,495.	1,647.	1,971.	2,201.	2,493.	2,671.	
	Monolithic, fabric both sides	18"	79"	<b>R3B0PAA79 18-( ) ( )</b>	905.	949.	1,025.	1,187.	1,297.	1,445.	1,535.
	High acoustics	20"	79"	<b>R3B0PAA79 20-( ) ( )</b>	905.	949.	1,025.	1,187.	1,297.	1,445.	1,535.
	24"	79"	<b>R3B0PAA79 24-( ) ( )</b>	963.	1,007.	1,083.	1,245.	1,355.	1,503.	1,593.	
	30"	79"	<b>R3B0PAA79 30-( ) ( )</b>	1,041.	1,085.	1,161.	1,323.	1,433.	1,581.	1,671.	
	36"	79"	<b>R3B0PAA79 36-( ) ( )</b>	1,072.	1,116.	1,192.	1,354.	1,464.	1,612.	1,702.	
	42"	79"	<b>R3B0PAA79 42-( ) ( )</b>	1,150.	1,194.	1,270.	1,432.	1,542.	1,690.	1,780.	
	48"	79"	<b>R3B0PAA79 48-( ) ( )</b>	1,279.	1,323.	1,399.	1,561.	1,671.	1,819.	1,909.	
	60"	79"	<b>R3B0PAA79 60-( ) ( )</b>	1,463.	1,551.	1,703.	2,027.	2,257.	2,549.	2,727.	
	66"	79"	<b>R3B0PAA79 66-( ) ( )</b>	1,497.	1,585.	1,737.	2,061.	2,291.	2,583.	2,761.	
	72"	79"	<b>R3B0PAA79 72-( ) ( )</b>	1,529.	1,617.	1,769.	2,093.	2,323.	2,615.	2,793.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
<b>A</b> Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
<b>W281</b> Fabric selection - side 1	ii) Top trim profile E options:	
<b>W281</b> Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>V316</b> Maple (top trim finish)	7. Base finish	
<b>111</b> Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
		The panels on this page are not designed to be stacked upon.
		Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 79" H fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	79"	<b>R3B1PFF79 18-()</b> ( )	\$1,193.	\$1,239.	\$1,324.	\$1,506.	\$1,624.	\$1,789.	\$1,895.
Beltway one side	20"	79"	<b>R3B1PFF79 20-()</b> ( )	1,193.	1,239.	1,324.	1,506.	1,624.	1,789.	1,895.
	24"	79"	<b>R3B1PFF79 24-()</b> ( )	1,248.	1,294.	1,379.	1,561.	1,679.	1,844.	1,950.
	30"	79"	<b>R3B1PFF79 30-()</b> ( )	1,273.	1,319.	1,404.	1,586.	1,704.	1,869.	1,975.
	36"	79"	<b>R3B1PFF79 36-()</b> ( )	1,527.	1,573.	1,658.	1,840.	1,958.	2,123.	2,229.
	42"	79"	<b>R3B1PFF79 42-()</b> ( )	1,627.	1,673.	1,758.	1,940.	2,058.	2,223.	2,329.
	48"	79"	<b>R3B1PFF79 48-()</b> ( )	1,676.	1,722.	1,807.	1,989.	2,107.	2,272.	2,378.



Monolithic, fabric both sides	18"	79"	<b>R3B2PFF79 18-()</b> ( )	1,254.	1,302.	1,396.	1,598.	1,724.	1,906.	2,028.
Beltway two sides	20"	79"	<b>R3B2PFF79 20-()</b> ( )	1,254.	1,302.	1,396.	1,598.	1,724.	1,906.	2,028.
	24"	79"	<b>R3B2PFF79 24-()</b> ( )	1,308.	1,356.	1,450.	1,652.	1,778.	1,960.	2,082.
	30"	79"	<b>R3B2PFF79 30-()</b> ( )	1,335.	1,383.	1,477.	1,679.	1,805.	1,987.	2,109.
	36"	79"	<b>R3B2PFF79 36-()</b> ( )	1,593.	1,641.	1,735.	1,937.	2,063.	2,245.	2,367.
	42"	79"	<b>R3B2PFF79 42-()</b> ( )	1,695.	1,743.	1,837.	2,039.	2,165.	2,347.	2,469.
	48"	79"	<b>R3B2PFF79 48-()</b> ( )	1,747.	1,795.	1,889.	2,091.	2,217.	2,399.	2,521.




Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
<b>A</b> Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
<b>W281</b> Fabric selection - side 1	ii) Top trim profile E options:	
<b>W281</b> Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>V316</b> Maple (top trim finish)	7. Base finish	
<b>111</b> Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
		The panels on this page are not designed to be stacked upon.
		Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 103 at no charge.



# Monolithic panels 79" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PFL79 18-( )</b> ( )	\$735.	\$754.	\$788.	\$860.	\$908.	\$974.	\$1,013.
	20"	79"	<b>R3B0PFL79 20-( )</b> ( )	735.	754.	788.	860.	908.	974.	1,013.
	24"	79"	<b>R3B0PFL79 24-( )</b> ( )	805.	824.	858.	930.	978.	1,044.	1,083.
	30"	79"	<b>R3B0PFL79 30-( )</b> ( )	906.	925.	959.	1,031.	1,079.	1,145.	1,184.
	36"	79"	<b>R3B0PFL79 36-( )</b> ( )	987.	1,006.	1,040.	1,112.	1,160.	1,226.	1,265.
	42"	79"	<b>R3B0PFL79 42-( )</b> ( )	1,093.	1,112.	1,146.	1,218.	1,266.	1,332.	1,371.
	48"	79"	<b>R3B0PFL79 48-( )</b> ( )	1,222.	1,241.	1,275.	1,347.	1,395.	1,461.	1,500.
	60"	79"	<b>R3B0PFL79 60-( )</b> ( )	1,315.	1,355.	1,421.	1,564.	1,666.	1,795.	1,873.
	66"	79"	<b>R3B0PFL79 66-( )</b> ( )	1,341.	1,381.	1,447.	1,590.	1,692.	1,821.	1,899.
	72"	79"	<b>R3B0PFL79 72-( )</b> ( )	1,368.	1,408.	1,474.	1,617.	1,719.	1,848.	1,926.


Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PFL79 18-( )</b> ( )	1,062.	1,083.	1,125.	1,214.	1,270.	1,351.	1,405.
	20"	79"	<b>R3B1PFL79 20-( )</b> ( )	1,062.	1,083.	1,125.	1,214.	1,270.	1,351.	1,405.
	24"	79"	<b>R3B1PFL79 24-( )</b> ( )	1,136.	1,157.	1,199.	1,288.	1,344.	1,425.	1,479.
	30"	79"	<b>R3B1PFL79 30-( )</b> ( )	1,203.	1,224.	1,266.	1,355.	1,411.	1,492.	1,546.
	36"	79"	<b>R3B1PFL79 36-( )</b> ( )	1,491.	1,512.	1,554.	1,643.	1,699.	1,780.	1,834.
	42"	79"	<b>R3B1PFL79 42-( )</b> ( )	1,626.	1,647.	1,689.	1,778.	1,834.	1,915.	1,969.
	48"	79"	<b>R3B1PFL79 48-( )</b> ( )	1,701.	1,722.	1,764.	1,853.	1,909.	1,990.	2,044.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL7918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>79</b> 79" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page are not designed to be stacked upon. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 79" H

*fabric one side, techwood other side*


Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF179 18-( )()</b>	\$863.	\$885.	\$924.	\$1,007.	\$1,063.	\$1,138.	\$1,185.
	20"	79"	<b>R3B0PF179 20-( )()</b>	863.	885.	924.	1,007.	1,063.	1,138.	1,185.
	24"	79"	<b>R3B0PF179 24-( )()</b>	944.	966.	1,005.	1,088.	1,144.	1,219.	1,266.
	30"	79"	<b>R3B0PF179 30-( )()</b>	1,067.	1,089.	1,128.	1,211.	1,267.	1,342.	1,389.
	36"	79"	<b>R3B0PF179 36-( )()</b>	1,162.	1,184.	1,223.	1,306.	1,362.	1,437.	1,484.
	42"	79"	<b>R3B0PF179 42-( )()</b>	1,283.	1,305.	1,344.	1,427.	1,483.	1,558.	1,605.
	48"	79"	<b>R3B0PF179 48-( )()</b>	1,438.	1,460.	1,499.	1,582.	1,638.	1,713.	1,760.
	60"	79"	<b>R3B0PF179 60-( )()</b>	1,545.	1,591.	1,668.	1,833.	1,951.	2,099.	2,190.
	66"	79"	<b>R3B0PF179 66-( )()</b>	1,578.	1,624.	1,701.	1,866.	1,984.	2,132.	2,223.
	72"	79"	<b>R3B0PF179 72-( )()</b>	1,604.	1,650.	1,727.	1,892.	2,010.	2,158.	2,249.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PF179 18-( )()</b>	1,247.	1,271.	1,319.	1,423.	1,486.	1,580.	1,643.
	20"	79"	<b>R3B1PF179 20-( )()</b>	1,247.	1,271.	1,319.	1,423.	1,486.	1,580.	1,643.
	24"	79"	<b>R3B1PF179 24-( )()</b>	1,332.	1,356.	1,404.	1,508.	1,571.	1,665.	1,728.
	30"	79"	<b>R3B1PF179 30-( )()</b>	1,415.	1,439.	1,487.	1,591.	1,654.	1,748.	1,811.
	36"	79"	<b>R3B1PF179 36-( )()</b>	1,753.	1,777.	1,825.	1,929.	1,992.	2,086.	2,149.
	42"	79"	<b>R3B1PF179 42-( )()</b>	1,910.	1,934.	1,982.	2,086.	2,149.	2,243.	2,306.
	48"	79"	<b>R3B1PF179 48-( )()</b>	1,996.	2,020.	2,068.	2,172.	2,235.	2,329.	2,392.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF17918-A4K</b> <b>R3</b> Reff Generation 2 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>79</b> 79" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6.
		The panels on this page are not designed to be stacked upon. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 79" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF279 18-()</b> ( )	\$878.	\$900.	\$939.	\$1,022.	\$1,078.	\$1,153.	\$1,200.
	20"	79"	<b>R3B0PF279 20-()</b> ( )	878.	900.	939.	1,022.	1,078.	1,153.	1,200.
	24"	79"	<b>R3B0PF279 24-()</b> ( )	962.	984.	1,023.	1,106.	1,162.	1,237.	1,284.
	30"	79"	<b>R3B0PF279 30-()</b> ( )	1,086.	1,108.	1,147.	1,230.	1,286.	1,361.	1,408.
	36"	79"	<b>R3B0PF279 36-()</b> ( )	1,183.	1,205.	1,244.	1,327.	1,383.	1,458.	1,505.
	42"	79"	<b>R3B0PF279 42-()</b> ( )	1,308.	1,330.	1,369.	1,452.	1,508.	1,583.	1,630.
	48"	79"	<b>R3B0PF279 48-()</b> ( )	1,464.	1,486.	1,525.	1,608.	1,664.	1,739.	1,786.
	60"	79"	<b>R3B0PF279 60-()</b> ( )	1,573.	1,619.	1,696.	1,861.	1,979.	2,127.	2,218.
	66"	79"	<b>R3B0PF279 66-()</b> ( )	1,603.	1,649.	1,726.	1,891.	2,009.	2,157.	2,248.
	72"	79"	<b>R3B0PF279 72-()</b> ( )	1,637.	1,683.	1,760.	1,925.	2,043.	2,191.	2,282.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PF279 18-()</b> ( )	1,269.	1,293.	1,341.	1,445.	1,508.	1,602.	1,665.
	20"	79"	<b>R3B1PF279 20-()</b> ( )	1,269.	1,293.	1,341.	1,445.	1,508.	1,602.	1,665.
	24"	79"	<b>R3B1PF279 24-()</b> ( )	1,356.	1,380.	1,428.	1,532.	1,595.	1,689.	1,752.
	30"	79"	<b>R3B1PF279 30-()</b> ( )	1,439.	1,463.	1,511.	1,615.	1,678.	1,772.	1,835.
	36"	79"	<b>R3B1PF279 36-()</b> ( )	1,782.	1,806.	1,854.	1,958.	2,021.	2,115.	2,178.
	42"	79"	<b>R3B1PF279 42-()</b> ( )	1,944.	1,968.	2,016.	2,120.	2,183.	2,277.	2,340.
	48"	79"	<b>R3B1PF279 48-()</b> ( )	2,033.	2,057.	2,105.	2,209.	2,272.	2,366.	2,429.


Order Code	Specification Information	Application Notes
Example: <b>R3B0PF27918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F2</b> Fabric one side, V2 other <b>79</b> 79" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>V316</b> Maple surface - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Monolithic panels 79" H

*fabric one side, exotic veneer other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF379 18-()</b> ( )	\$1,157.	\$1,179.	\$1,218.	\$1,301.	\$1,357.	\$1,432.	\$1,479.
	20"	79"	<b>R3B0PF379 20-()</b> ( )	1,157.	1,179.	1,218.	1,301.	1,357.	1,432.	1,479.
	24"	79"	<b>R3B0PF379 24-()</b> ( )	1,273.	1,295.	1,334.	1,417.	1,473.	1,548.	1,595.
	30"	79"	<b>R3B0PF379 30-()</b> ( )	1,438.	1,460.	1,499.	1,582.	1,638.	1,713.	1,760.
	36"	79"	<b>R3B0PF379 36-()</b> ( )	1,571.	1,593.	1,632.	1,715.	1,771.	1,846.	1,893.
	42"	79"	<b>R3B0PF379 42-()</b> ( )	1,739.	1,761.	1,800.	1,883.	1,939.	2,014.	2,061.
	48"	79"	<b>R3B0PF379 48-()</b> ( )	1,951.	1,973.	2,012.	2,095.	2,151.	2,226.	2,273.
	60"	79"	<b>R3B0PF379 60-()</b> ( )*	2,069.	2,115.	2,192.	2,357.	2,475.	2,623.	2,714.
	66"	79"	<b>R3B0PF379 66-()</b> ( )*	2,111.	2,157.	2,234.	2,399.	2,517.	2,665.	2,756.
	72"	79"	<b>R3B0PF379 72-()</b> ( )*	2,156.	2,202.	2,279.	2,444.	2,562.	2,710.	2,801.

Monolithic, fabric one side Beltway fabric side 	18"	79"	<b>R3B1PF379 18-()</b> ( )	1,672.	1,696.	1,744.	1,848.	1,911.	2,005.	2,068.
	20"	79"	<b>R3B1PF379 20-()</b> ( )	1,672.	1,696.	1,744.	1,848.	1,911.	2,005.	2,068.
	24"	79"	<b>R3B1PF379 24-()</b> ( )	1,790.	1,814.	1,862.	1,966.	2,029.	2,123.	2,186.
	30"	79"	<b>R3B1PF379 30-()</b> ( )	1,900.	1,924.	1,972.	2,076.	2,139.	2,233.	2,296.
	36"	79"	<b>R3B1PF379 36-()</b> ( )	2,364.	2,388.	2,436.	2,540.	2,603.	2,697.	2,760.
	42"	79"	<b>R3B1PF379 42-()</b> ( )	2,582.	2,606.	2,654.	2,758.	2,821.	2,915.	2,978.
	48"	79"	<b>R3B1PF379 48-()</b> ( )	2,703.	2,727.	2,775.	2,879.	2,942.	3,036.	3,099.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF37918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>79</b> 79" high <b>18</b> 18" wide <b>A</b> Flat style top trim <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric selection - side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 34" H fabric

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	<b>R3B0TFF34 18-()()()</b>	\$552.	\$580.	\$636.	\$700.	\$752.	\$832.	\$884.
Regular acoustics	20"	34"	<b>R3B0TFF34 20-()()()</b>	552.	580.	636.	700.	752.	832.	884.
	24"	34"	<b>R3B0TFF34 24-()()()</b>	596.	624.	680.	744.	796.	876.	928.
	30"	34"	<b>R3B0TFF34 30-()()()</b>	638.	666.	722.	786.	838.	918.	970.
	36"	34"	<b>R3B0TFF34 36-()()()</b>	679.	707.	763.	827.	879.	959.	1,011.
	42"	34"	<b>R3B0TFF34 42-()()()</b>	781.	809.	865.	929.	981.	1,061.	1,113.
	48"	34"	<b>R3B0TFF34 48-()()()</b>	811.	839.	895.	959.	1,011.	1,091.	1,143.



## Order Code

Example: <b>R3B0TFF3418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
  - i) Top trim profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

2. Base height:  
4 = 4" base height  
6 = 6" base height (add \$47 per panel)

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3/4</sup>".

Applicable finishes are listed on page 5 and 6.

## Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 103.


The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

# Tiled panels 34" H glass

Reff

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A) 	18"	34"	<b>R2B0TWA34 18-</b> ( ) ( )	\$867.	\$1,031.	\$35.	\$69.	\$86.
	20"	34"	<b>R2B0TWA34 20-</b> ( ) ( )	867.	1,031.	35.	69.	86.
	24"	34"	<b>R2B0TWA34 24-</b> ( ) ( )	907.	1,103.	35.	69.	91.
	30"	34"	<b>R2B0TWA34 30-</b> ( ) ( )	1,052.	1,295.	35.	69.	105.
	36"	34"	<b>R2B0TWA34 36-</b> ( ) ( )	1,091.	1,382.	35.	69.	107.
	42"	34"	<b>R2B0TWA34 42-</b> ( ) ( )	1,145.	1,490.	35.	69.	112.
	48"	34"	<b>R2B0TWA34 48-</b> ( ) ( )	1,186.	1,580.	35.	69.	117.
Tiled, two 15" high glass sections with center mullion (type B) 	30"	34"	<b>R2B0TWB34 30-</b> ( ) ( )	1,259.	1,504.	35.	69.	126.
	36"	34"	<b>R2B0TWB34 36-</b> ( ) ( )	1,311.	1,606.	35.	69.	130.
	42"	34"	<b>R2B0TWB34 42-</b> ( ) ( )	1,373.	1,714.	35.	69.	134.
	48"	34"	<b>R2B0TWB34 48-</b> ( ) ( )	1,424.	1,822.	35.	69.	140.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C  	18"	34"	<b>R2B0TWC34 18-</b> ( ) ( )	683.	891.	27.	56.	105.
	20"	34"	<b>R2B0TWC34 20-</b> ( ) ( )	683.	891.	27.	56.	105.
	24"	34"	<b>R2B0TWC34 24-</b> ( ) ( )	720.	939.	27.	56.	112.
	30"	34"	<b>R2B0TWC34 30-</b> ( ) ( )	889.	1,155.	35.	69.	142.
	36"	34"	<b>R2B0TWC34 36-</b> ( ) ( )	989.	1,284.	35.	69.	159.
	42"	34"	<b>R2B0TWC34 42-</b> ( ) ( )	1,046.	1,359.	35.	69.	174.
	48"	34"	<b>R2B0TWC34 48-</b> ( ) ( )	1,097.	1,429.	35.	69.	181.

## Order Code

Example: <b>R2B0TWA3418-A4K</b>	
<b>R2</b>	Reff Generation 2
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>WA</b>	Window, type A
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>111</b>	Jet Black (window frame finish)
<b>GL13</b>	Glass option

## Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Divider option (applicable R2B0TWA and R2B0TWB)  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
5. Top trim finish  
i) Top trim profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
6. Base finish
7. Window frame finish (Painted or Anodized aluminum finishes)  
*If AA finish (anodized) upcharge applicable as noted in AA price column*
8. Glass type

## Application Notes

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel)

4. *Extruded aluminum tile divider:*  
Add for:  
\$14 for 18w and 20w  
\$15 for 24w and 30w  
\$16 for 36w and 42w  
\$22 for 48w

3. *Glass type*  
Temp = Cleared tempered glass  
*Architectural options:*  
GL13 = Powder glass  
GL6 = Block matrix glass  
GL8 = Wafer glass

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 103.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 34" H

*fabric one side, hard opposite side*

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	<b>R3B0TFL34 18-</b> ( ) ( )	\$602.	\$616.	\$644.	\$674.	\$700.	\$738.	\$762.
	20"	34"	<b>R3B0TFL34 20-</b> ( ) ( )	602.	616.	644.	674.	700.	738.	762.
	24"	34"	<b>R3B0TFL34 24-</b> ( ) ( )	640.	654.	682.	712.	738.	776.	800.
	30"	34"	<b>R3B0TFL34 30-</b> ( ) ( )	682.	696.	724.	754.	780.	818.	842.
	36"	34"	<b>R3B0TFL34 36-</b> ( ) ( )	721.	735.	763.	793.	819.	857.	881.
	42"	34"	<b>R3B0TFL34 42-</b> ( ) ( )	821.	835.	863.	893.	919.	957.	981.
	48"	34"	<b>R3B0TFL34 48-</b> ( ) ( )	849.	863.	891.	921.	947.	985.	1,009.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	<b>R3B0TF134 18-</b> ( ) ( )	646.	660.	690.	722.	748.	788.	814.
	20"	34"	<b>R3B0TF134 20-</b> ( ) ( )	646.	660.	690.	722.	748.	788.	814.
	24"	34"	<b>R3B0TF134 24-</b> ( ) ( )	689.	703.	733.	765.	791.	831.	857.
	30"	34"	<b>R3B0TF134 30-</b> ( ) ( )	734.	748.	778.	810.	836.	876.	902.
	36"	34"	<b>R3B0TF134 36-</b> ( ) ( )	775.	789.	819.	851.	877.	917.	943.
	42"	34"	<b>R3B0TF134 42-</b> ( ) ( )	885.	899.	929.	961.	987.	1,027.	1,053.
	48"	34"	<b>R3B0TF134 48-</b> ( ) ( )	913.	927.	957.	989.	1,015.	1,055.	1,081.

## Order Code

Example:	<b>R3B0TFL3418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FL</b>	Fabric one side, laminate other
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black
<b>W281</b>	Fabric selection - side 1
<b>114</b>	Folkstone grey - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

## Specification Information

*To order please specify pattern number including:*

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B top
- Hard side, finish  
If laminate:  
i) tile 2A bottom  
ii) tile 2B top  
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
- Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

- Base finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

### 1. Top trim profile:

A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

### 2. Base height:

4 = 4" base height  
6 = 6" base height (add \$47 per panel)

### 4. Extruded aluminum tile divider:

**Optional for non fabric side only** (fabric side always black)  
34" h add per panel:  
\$14 for 18w and 20w  
\$15 for 24w and 30w  
\$16 for 36w and 42w  
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

## Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 103.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

# Tiled panels 34" H

*fabric one side, hard opposite side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	<b>R3B0TF234 18-()</b> ( )	\$659.	\$673.	\$703.	\$735.	\$761.	\$801.	\$827.
	20"	34"	<b>R3B0TF234 20-()</b> ( )	659.	673.	703.	735.	761.	801.	827.
	24"	34"	<b>R3B0TF234 24-()</b> ( )	702.	716.	746.	778.	804.	844.	870.
	30"	34"	<b>R3B0TF234 30-()</b> ( )	747.	761.	791.	823.	849.	889.	915.
	36"	34"	<b>R3B0TF234 36-()</b> ( )	788.	803.	832.	864.	890.	930.	956.
	42"	34"	<b>R3B0TF234 42-()</b> ( )	899.	913.	943.	975.	1,001.	1,041.	1,067.
	48"	34"	<b>R3B0TF234 48-()</b> ( )	930.	944.	974.	1,006.	1,032.	1,072.	1,098.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	<b>R3B0TF334 18-()</b> ( )	880.	894.	924.	956.	982.	1,022.	1,048.
	20"	34"	<b>R3B0TF334 20-()</b> ( )	880.	894.	924.	956.	982.	1,022.	1,048.
	24"	34"	<b>R3B0TF334 24-()</b> ( )	938.	952.	982.	1,014.	1,040.	1,080.	1,106.
	30"	34"	<b>R3B0TF334 30-()</b> ( )	997.	1,011.	1,041.	1,073.	1,099.	1,139.	1,165.
	36"	34"	<b>R3B0TF334 36-()</b> ( )	1,054.	1,068.	1,098.	1,130.	1,156.	1,196.	1,222.
	42"	34"	<b>R3B0TF334 42-()</b> ( )	1,204.	1,218.	1,248.	1,280.	1,306.	1,346.	1,372.
	48"	34"	<b>R3B0TF334 48-()</b> ( )	1,245.	1,259.	1,289.	1,321.	1,347.	1,387.	1,413.

## Order Code

Example:	<b>R3B0TFL3418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FL</b>	Fabric one side, laminate other
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black
<b>W281</b>	Fabric selection - side 1
<b>114</b>	Folkstone grey - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

## Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B top
6. Hard side, finish  
If laminate:  
i) tile 2A bottom  
ii) tile 2B top  
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

### 1. Top trim profile:

A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

### 2. Base height:

4 = 4" base height  
6 = 6" base height (add \$47 per panel)

### 4. Extruded aluminum tile divider:

**Optional for non fabric side only** (fabric side always black)  
34" h add per panel:  
\$14 for 18w and 20w  
\$15 for 24w and 30w  
\$16 for 36w and 42w  
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

## Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 103.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.



# Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics 	18"	42"	<b>R3B0TFF42 18-()</b> ( )	\$618.	\$650.	\$724.	\$818.	\$884.	\$982.	\$1,050.
	20"	42"	<b>R3B0TFF42 20-()</b> ( )	618.	650.	724.	818.	884.	982.	1,050.
	24"	42"	<b>R3B0TFF42 24-()</b> ( )	664.	696.	770.	864.	930.	1,028.	1,096.
	30"	42"	<b>R3B0TFF42 30-()</b> ( )	711.	743.	817.	911.	977.	1,075.	1,143.
	36"	42"	<b>R3B0TFF42 36-()</b> ( )	758.	790.	864.	958.	1,024.	1,122.	1,190.
	42"	42"	<b>R3B0TFF42 42-()</b> ( )	856.	888.	962.	1,056.	1,122.	1,220.	1,288.
	48"	42"	<b>R3B0TFF42 48-()</b> ( )	900.	932.	1,006.	1,100.	1,166.	1,264.	1,332.

Tiled, fabric both sides High acoustics 	18"	42"	<b>R3B0TAA42 18-()</b> ( )	677.	709.	783.	877.	943.	1,041.	1,109.
	20"	42"	<b>R3B0TAA42 20-()</b> ( )	677.	709.	783.	877.	943.	1,041.	1,109.
	24"	42"	<b>R3B0TAA42 24-()</b> ( )	729.	761.	835.	929.	995.	1,093.	1,161.
	30"	42"	<b>R3B0TAA42 30-()</b> ( )	783.	815.	889.	983.	1,049.	1,147.	1,215.
	36"	42"	<b>R3B0TAA42 36-()</b> ( )	834.	866.	940.	1,034.	1,100.	1,198.	1,266.
	42"	42"	<b>R3B0TAA42 42-()</b> ( )	945.	977.	1,051.	1,145.	1,211.	1,309.	1,377.
	48"	42"	<b>R3B0TAA42 48-()</b> ( )	995.	1,027.	1,101.	1,195.	1,261.	1,359.	1,427.

Tiled, fabric both sides Beltway one side 	18"	42"	<b>R3B1TFF42 18-()</b> ( )	1,112.	1,144.	1,216.	1,312.	1,378.	1,476.	1,544.
	20"	42"	<b>R3B1TFF42 20-()</b> ( )	1,112.	1,144.	1,216.	1,312.	1,378.	1,476.	1,544.
	24"	42"	<b>R3B1TFF42 24-()</b> ( )	1,137.	1,169.	1,241.	1,337.	1,403.	1,501.	1,569.
	30"	42"	<b>R3B1TFF42 30-()</b> ( )	1,196.	1,228.	1,300.	1,396.	1,462.	1,560.	1,628.
	36"	42"	<b>R3B1TFF42 36-()</b> ( )	1,412.	1,444.	1,516.	1,612.	1,678.	1,776.	1,844.
	42"	42"	<b>R3B1TFF42 42-()</b> ( )	1,525.	1,557.	1,629.	1,725.	1,791.	1,889.	1,957.
	48"	42"	<b>R3B1TFF42 48-()</b> ( )	1,578.	1,610.	1,682.	1,778.	1,844.	1,942.	2,010.

**Order Code**

Example:	<b>R3B0TFF4218-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>42</b>	42" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

**Specification Information**

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C top
5. Fabric side, finish (specify selection per insert)  
i) tile 2A bottom  
ii) tile 2B middle  
iii) tile 2C top
6. Top trim finish  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

**Application Notes**

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 42" H

*fabric both sides*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	<b>R3B2TFF42 18-( )()</b>	\$1,133.	\$1,165.	\$1,235.	\$1,333.	\$1,399.	\$1,497.	\$1,565.
Beltway two sides	20"	42"	<b>R3B2TFF42 20-( )()</b>	1,133.	1,165.	1,235.	1,333.	1,399.	1,497.	1,565.
	24"	42"	<b>R3B2TFF42 24-( )()</b>	1,110.	1,142.	1,212.	1,310.	1,376.	1,474.	1,542.
	30"	42"	<b>R3B2TFF42 30-( )()</b>	1,219.	1,251.	1,321.	1,419.	1,485.	1,583.	1,651.
	36"	42"	<b>R3B2TFF42 36-( )()</b>	1,437.	1,469.	1,539.	1,637.	1,703.	1,801.	1,869.
	42"	42"	<b>R3B2TFF42 42-( )()</b>	1,554.	1,586.	1,656.	1,754.	1,820.	1,918.	1,986.
	48"	42"	<b>R3B2TFF42 48-( )()</b>	1,610.	1,642.	1,712.	1,810.	1,876.	1,974.	2,042.



## Order Code

Example: <b>R3B0TFF4218-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>42</b>	42" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
  - i) tile 1A bottom
  - ii) tile 1B middle
  - iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
  - i) tile 2A bottom
  - ii) tile 2B middle
  - iii) tile 2C top
6. Top trim finish
  - i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:*  
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## Application Notes

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 42" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	42"	<b>R3B0TFL42 18-( ) ( )</b>	\$673.	\$690.	\$726.	\$771.	\$802.	\$850.	\$882.
	20"	42"	<b>R3B0TFL42 20-( ) ( )</b>	673.	690.	726.	771.	802.	850.	882.
	24"	42"	<b>R3B0TFL42 24-( ) ( )</b>	717.	734.	770.	815.	846.	894.	926.
	30"	42"	<b>R3B0TFL42 30-( ) ( )</b>	764.	781.	817.	862.	893.	941.	973.
	36"	42"	<b>R3B0TFL42 36-( ) ( )</b>	809.	826.	862.	907.	938.	986.	1,018.
	42"	42"	<b>R3B0TFL42 42-( ) ( )</b>	901.	918.	954.	999.	1,030.	1,078.	1,110.
	48"	42"	<b>R3B0TFL42 48-( ) ( )</b>	948.	965.	1,001.	1,046.	1,077.	1,125.	1,157.



Tiled, fabric one side Beltway one side (fabric side)	18"	42"	<b>R3B1TFL42 18-( ) ( )</b>	1,149.	1,166.	1,201.	1,247.	1,278.	1,326.	1,358.
	20"	42"	<b>R3B1TFL42 20-( ) ( )</b>	1,149.	1,166.	1,201.	1,247.	1,278.	1,326.	1,358.
	24"	42"	<b>R3B1TFL42 24-( ) ( )</b>	1,173.	1,190.	1,225.	1,271.	1,302.	1,350.	1,382.
	30"	42"	<b>R3B1TFL42 30-( ) ( )</b>	1,232.	1,249.	1,284.	1,330.	1,361.	1,409.	1,441.
	36"	42"	<b>R3B1TFL42 36-( ) ( )</b>	1,441.	1,458.	1,493.	1,539.	1,570.	1,618.	1,650.
	42"	42"	<b>R3B1TFL42 42-( ) ( )</b>	1,549.	1,566.	1,601.	1,647.	1,678.	1,726.	1,758.
	48"	42"	<b>R3B1TFL42 48-( ) ( )</b>	1,599.	1,616.	1,651.	1,697.	1,728.	1,776.	1,808.



Order Code	Specification Information	Application Notes	
<p>Example: <b>R3B0TFL4218-A4K</b></p> <p><b>R3</b> Reff Generation 3</p> <p><b>B0</b> No Beltway</p> <p><b>T</b> Tiled panel</p> <p><b>FL</b> Fabric one side, laminate other</p> <p><b>42</b> 42" high</p> <p><b>18</b> 18" wide</p> <p><b>A</b> Flat style top trim</p> <p><b>4</b> 4" base height</p> <p><b>K</b> Include knockouts in base</p> <p><b>B</b> Tile divider, black reveal</p> <p><b>W281</b> Fabric selection - side 1</p> <p><b>114</b> Folkstone grey - side 2</p> <p><b>V316</b> Maple (top trim finish)</p> <p><b>111</b> Jet Black (base finish)</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Top trim profile</li> <li>Base height</li> <li>Knockout option (K = with knockouts, N = without knockouts)</li> <li>Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)</li> <li>Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top</li> <li>Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top</li> <li>Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver</li> <li>Base finish</li> <li>Beltway finish</li> <li>Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable</li> </ol>	<p>1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>4. Extruded aluminum tile divider: <b>Optional for non fabric side only</b> (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.</p>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 206).</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 103 at no charge.</p>

# Tiled panels 42" H

*fabric one side, techwood other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF142 18-( )</b> ( )	\$723.	\$740.	\$778.	\$826.	\$858.	\$908.	\$942.
Regular acoustics	20"	42"	<b>R3B0TF142 20-( )</b> ( )	723.	740.	778.	826.	858.	908.	942.
	24"	42"	<b>R3B0TF142 24-( )</b> ( )	771.	788.	826.	874.	906.	956.	990.
	30"	42"	<b>R3B0TF142 30-( )</b> ( )	823.	840.	878.	926.	958.	1,008.	1,042.
	36"	42"	<b>R3B0TF142 36-( )</b> ( )	869.	886.	924.	972.	1,004.	1,054.	1,088.
	42"	42"	<b>R3B0TF142 42-( )</b> ( )	972.	989.	1,027.	1,075.	1,107.	1,157.	1,191.
	48"	42"	<b>R3B0TF142 48-( )</b> ( )	1,016.	1,033.	1,071.	1,119.	1,151.	1,201.	1,235.

Tiled, fabric one side	18"	42"	<b>R3B1TF142 18-( )</b> ( )	1,238.	1,255.	1,293.	1,341.	1,373.	1,423.	1,457.
Beltway one side (fabric side)	20"	42"	<b>R3B1TF142 20-( )</b> ( )	1,238.	1,255.	1,293.	1,341.	1,373.	1,423.	1,457.
	24"	42"	<b>R3B1TF142 24-( )</b> ( )	1,262.	1,279.	1,317.	1,365.	1,397.	1,447.	1,481.
	30"	42"	<b>R3B1TF142 30-( )</b> ( )	1,322.	1,339.	1,377.	1,425.	1,457.	1,507.	1,541.
	36"	42"	<b>R3B1TF142 36-( )</b> ( )	1,545.	1,562.	1,600.	1,648.	1,680.	1,730.	1,764.
	42"	42"	<b>R3B1TF142 42-( )</b> ( )	1,665.	1,682.	1,720.	1,768.	1,800.	1,850.	1,884.
	48"	42"	<b>R3B1TF142 48-( )</b> ( )	1,721.	1,738.	1,776.	1,824.	1,856.	1,906.	1,940.

## Order Code

Example: <b>R3B0TF14218-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F1</b> Fabric one side, V1 other
<b>42</b> 42" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric selection - side 1
<b>Y328</b> Mahogany - side 2
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)

## Specification Information

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option  
(K = with knockouts, N = without knockouts)
  - Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  - Fabric side, finish (specify selection per insert)
    - tile 1A bottom
    - tile 1B middle
    - tile 1C top
  - Techwood side, finish (specify one V1 finish for side)
  - Top trim finish
    - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
    - Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
  - Base finish
  - Beltway finish
  - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## Application Notes

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
  - Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)
  - Extruded aluminum tile divider:*  
**Optional for non fabric side only** (fabric side always black)  
42" h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w
  - 6" Raceway option increases panel height by 2 3/4".
- Applicable finishes are listed on page 5 and 6.
- The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 206).
- Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 42" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF242 18-( ) ( )</b>	\$736.	\$753.	\$791.	\$839.	\$871.	\$921.	\$955.
Regular acoustics	20"	42"	<b>R3B0TF242 20-( ) ( )</b>	736.	753.	791.	839.	871.	921.	955.
	24"	42"	<b>R3B0TF242 24-( ) ( )</b>	785.	802.	840.	888.	920.	970.	1,004.
	30"	42"	<b>R3B0TF242 30-( ) ( )</b>	837.	854.	892.	940.	972.	1,022.	1,057.
	36"	42"	<b>R3B0TF242 36-( ) ( )</b>	888.	905.	943.	991.	1,023.	1,073.	1,107.
	42"	42"	<b>R3B0TF242 42-( ) ( )</b>	988.	1,005.	1,043.	1,091.	1,123.	1,173.	1,207.
	48"	42"	<b>R3B0TF242 48-( ) ( )</b>	1,037.	1,054.	1,092.	1,140.	1,172.	1,222.	1,256.

Tiled, fabric one side	18"	42"	<b>R3B1TF242 18-( ) ( )</b>	1,260.	1,277.	1,315.	1,363.	1,395.	1,445.	1,479.
Beltway one side (fabric side)	20"	42"	<b>R3B1TF242 20-( ) ( )</b>	1,260.	1,277.	1,315.	1,363.	1,395.	1,445.	1,479.
	24"	42"	<b>R3B1TF242 24-( ) ( )</b>	1,283.	1,300.	1,338.	1,386.	1,418.	1,468.	1,502.
	30"	42"	<b>R3B1TF242 30-( ) ( )</b>	1,347.	1,364.	1,402.	1,450.	1,482.	1,532.	1,566.
	36"	42"	<b>R3B1TF242 36-( ) ( )</b>	1,576.	1,593.	1,631.	1,679.	1,711.	1,761.	1,795.
	42"	42"	<b>R3B1TF242 42-( ) ( )</b>	1,695.	1,712.	1,750.	1,798.	1,830.	1,880.	1,914.
	48"	42"	<b>R3B1TF242 48-( ) ( )</b>	1,753.	1,770.	1,808.	1,856.	1,888.	1,938.	1,972.

**Order Code**

Example: <b>R3B0TF24218-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F2</b> Fabric one side, V2 other
<b>42</b> 42" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric selection - side 1
<b>V316</b> Maple surface - side 2
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)

**Specification Information**

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C top
6. Conventional veneer, finish (specify one V2 finish for side)
7. Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

*1. Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

*2. Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

*4. Extruded aluminum tile divider:*  
**Optional for non fabric side only** (fabric side always black)  
42"h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w

6" Raceway option increases panel height by 2 3/4".

**Application Notes**

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 206).

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

Applicable finishes are listed on page 5 and 6.

# Tiled panels 42" H

*fabric one side, exotic veneer other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF342 18-()</b> ( )	\$981.	\$998.	\$1,036.	\$1,084.	\$1,116.	\$1,166.	\$1,200.
Regular acoustics	20"	42"	<b>R3B0TF342 20-()</b> ( )	981.	998.	1,036.	1,084.	1,116.	1,166.	1,200.
	24"	42"	<b>R3B0TF342 24-()</b> ( )	1,045.	1,062.	1,100.	1,148.	1,180.	1,230.	1,264.
	30"	42"	<b>R3B0TF342 30-()</b> ( )	1,116.	1,133.	1,171.	1,219.	1,251.	1,301.	1,335.
	36"	42"	<b>R3B0TF342 36-()</b> ( )	1,185.	1,202.	1,240.	1,288.	1,320.	1,370.	1,404.
	42"	42"	<b>R3B0TF342 42-()</b> ( )	1,320.	1,337.	1,375.	1,423.	1,455.	1,505.	1,539.
	48"	42"	<b>R3B0TF342 48-()</b> ( )	1,386.	1,403.	1,441.	1,489.	1,521.	1,571.	1,605.

Tiled, fabric one side	18"	42"	<b>R3B1TF342 18-()</b> ( )	1,688.	1,705.	1,743.	1,791.	1,823.	1,873.	1,907.
Beltway fabric side	20"	42"	<b>R3B1TF342 20-()</b> ( )	1,688.	1,705.	1,743.	1,791.	1,823.	1,873.	1,907.
	24"	42"	<b>R3B1TF342 24-()</b> ( )	1,719.	1,736.	1,774.	1,822.	1,854.	1,904.	1,938.
	30"	42"	<b>R3B1TF342 30-()</b> ( )	1,804.	1,821.	1,859.	1,907.	1,939.	1,989.	2,023.
	36"	42"	<b>R3B1TF342 36-()</b> ( )	2,115.	2,132.	2,170.	2,218.	2,250.	2,300.	2,334.
	42"	42"	<b>R3B1TF342 42-()</b> ( )	2,274.	2,291.	2,329.	2,377.	2,409.	2,459.	2,493.
	48"	42"	<b>R3B1TF342 48-()</b> ( )	2,353.	2,370.	2,408.	2,456.	2,488.	2,538.	2,572.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF34218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F3</b> Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>42</b> 42" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
<b>A</b> Flat style top trim	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
<b>K</b> Include knockouts in base	ii) tile 1B middle	<b>Optional for non fabric side only</b>
<b>B</b> Tile divider, black reveal	iii) tile 1C top	(fabric side always black)
<b>W281</b> Fabric selection - side 1	6. Exotic veneer, finish (specify one V3 finish for side)	42"h add per panel:
<b>V512</b> Figured Anigre surface - side 2	7. Top trim finish	\$25 for 18w and 20w
<b>V512</b> Figured Anigre (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$28 for 24w and 30w
<b>111</b> Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$34 for 36w and 42w
	8. Base finish	\$42 for 48w
	9. Beltway finish	<i>6" Raceway option increases panel height by 2 3/4".</i>
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 206).

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 49" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics 	18"	49"	<b>R3B0TFF49 18-</b> ( ) ( )	\$692.	\$734.	\$818.	\$914.	\$992.	\$1,112.	\$1,190.
	20"	49"	<b>R3B0TFF49 20-</b> ( ) ( )	692.	734.	818.	914.	992.	1,112.	1,190.
	24"	49"	<b>R3B0TFF49 24-</b> ( ) ( )	740.	782.	866.	962.	1,040.	1,160.	1,238.
	30"	49"	<b>R3B0TFF49 30-</b> ( ) ( )	795.	837.	921.	1,017.	1,095.	1,215.	1,293.
	36"	49"	<b>R3B0TFF49 36-</b> ( ) ( )	847.	889.	973.	1,069.	1,147.	1,267.	1,345.
	42"	49"	<b>R3B0TFF49 42-</b> ( ) ( )	957.	999.	1,083.	1,179.	1,257.	1,377.	1,455.
	48"	49"	<b>R3B0TFF49 48-</b> ( ) ( )	1,009.	1,051.	1,135.	1,231.	1,309.	1,429.	1,507.

Tiled, fabric both sides High acoustics 	18"	49"	<b>R3B0TAA49 18-</b> ( ) ( )	758.	800.	884.	980.	1,058.	1,178.	1,256.
	20"	49"	<b>R3B0TAA49 20-</b> ( ) ( )	758.	800.	884.	980.	1,058.	1,178.	1,256.
	24"	49"	<b>R3B0TAA49 24-</b> ( ) ( )	810.	852.	936.	1,032.	1,110.	1,230.	1,308.
	30"	49"	<b>R3B0TAA49 30-</b> ( ) ( )	874.	916.	1,000.	1,096.	1,174.	1,294.	1,372.
	36"	49"	<b>R3B0TAA49 36-</b> ( ) ( )	931.	973.	1,057.	1,153.	1,231.	1,351.	1,429.
	42"	49"	<b>R3B0TAA49 42-</b> ( ) ( )	1,049.	1,091.	1,175.	1,271.	1,349.	1,469.	1,547.
	48"	49"	<b>R3B0TAA49 48-</b> ( ) ( )	1,110.	1,152.	1,236.	1,332.	1,410.	1,530.	1,608.

Tiled, fabric both sides Beltway one side 	18"	49"	<b>R3B1TFF49 18-</b> ( ) ( )	1,141.	1,183.	1,265.	1,363.	1,441.	1,561.	1,639.
	20"	49"	<b>R3B1TFF49 20-</b> ( ) ( )	1,141.	1,183.	1,265.	1,363.	1,441.	1,561.	1,639.
	24"	49"	<b>R3B1TFF49 24-</b> ( ) ( )	1,164.	1,206.	1,288.	1,386.	1,464.	1,584.	1,662.
	30"	49"	<b>R3B1TFF49 30-</b> ( ) ( )	1,226.	1,268.	1,350.	1,448.	1,526.	1,646.	1,724.
	36"	49"	<b>R3B1TFF49 36-</b> ( ) ( )	1,468.	1,510.	1,592.	1,690.	1,768.	1,888.	1,966.
	42"	49"	<b>R3B1TFF49 42-</b> ( ) ( )	1,585.	1,627.	1,709.	1,807.	1,885.	2,005.	2,083.
	48"	49"	<b>R3B1TFF49 48-</b> ( ) ( )	1,641.	1,683.	1,765.	1,863.	1,941.	2,061.	2,139.

## Order Code

Example:	<b>R3B0TFF4918-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
  - i) tile 1A bottom
  - ii) tile 1B middle
  - iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
  - i) tile 2A bottom
  - ii) tile 2B middle
  - iii) tile 2C top
6. Top trim finish
  - i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## Application Notes

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)  
6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 49" H

*fabric both sides*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	<b>R3B2TFF49 18-( )()</b>	\$1,158.	\$1,200.	\$1,280.	\$1,380.	\$1,458.	\$1,578.	\$1,656.
Beltway two sides	20"	49"	<b>R3B2TFF49 20-( )()</b>	1,158.	1,200.	1,280.	1,380.	1,458.	1,578.	1,656.
	24"	49"	<b>R3B2TFF49 24-( )()</b>	1,184.	1,226.	1,306.	1,406.	1,484.	1,604.	1,682.
	30"	49"	<b>R3B2TFF49 30-( )()</b>	1,249.	1,291.	1,371.	1,471.	1,549.	1,669.	1,747.
	36"	49"	<b>R3B2TFF49 36-( )()</b>	1,494.	1,536.	1,616.	1,716.	1,794.	1,914.	1,992.
	42"	49"	<b>R3B2TFF49 42-( )()</b>	1,612.	1,654.	1,734.	1,834.	1,912.	2,032.	2,110.
	48"	49"	<b>R3B2TFF49 48-( )()</b>	1,673.	1,715.	1,795.	1,895.	1,973.	2,093.	2,171.



## Order Code

Example: <b>R3B0TFF4918-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
  - i) tile 1A bottom
  - ii) tile 1B middle
  - iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
  - i) tile 2A bottom
  - ii) tile 2B middle
  - iii) tile 2C top
6. Top trim finish
  - i) Top trim profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## Application Notes

1. *Top trim profile:*  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded Aluminum

2. *Base height:*  
 4 = 4" base height  
 6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.



# Tiled panels 49" H

*fabric one side, laminate opposite side*

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	49"	<b>R3B0TFL49 18-( ) ( )</b>	\$755.	\$776.	\$818.	\$863.	\$902.	\$959.	\$995.
	20"	49"	<b>R3B0TFL49 20-( ) ( )</b>	755.	776.	818.	863.	902.	959.	995.
	24"	49"	<b>R3B0TFL49 24-( ) ( )</b>	798.	819.	861.	906.	945.	1,002.	1,038.
	30"	49"	<b>R3B0TFL49 30-( ) ( )</b>	855.	876.	918.	963.	1,002.	1,059.	1,095.
	36"	49"	<b>R3B0TFL49 36-( ) ( )</b>	902.	923.	965.	1,010.	1,049.	1,106.	1,142.
	42"	49"	<b>R3B0TFL49 42-( ) ( )</b>	1,006.	1,027.	1,069.	1,114.	1,153.	1,210.	1,246.
	48"	49"	<b>R3B0TFL49 48-( ) ( )</b>	1,059.	1,080.	1,122.	1,167.	1,206.	1,263.	1,299.



Tiled, fabric one side Beltway one side (fabric side)	18"	49"	<b>R3B1TFL49 18-( ) ( )</b>	1,186.	1,207.	1,248.	1,294.	1,333.	1,390.	1,426.
	20"	49"	<b>R3B1TFL49 20-( ) ( )</b>	1,186.	1,207.	1,248.	1,294.	1,333.	1,390.	1,426.
	24"	49"	<b>R3B1TFL49 24-( ) ( )</b>	1,210.	1,231.	1,272.	1,318.	1,357.	1,414.	1,450.
	30"	49"	<b>R3B1TFL49 30-( ) ( )</b>	1,271.	1,292.	1,333.	1,379.	1,418.	1,475.	1,511.
	36"	49"	<b>R3B1TFL49 36-( ) ( )</b>	1,502.	1,523.	1,564.	1,610.	1,649.	1,706.	1,742.
	42"	49"	<b>R3B1TFL49 42-( ) ( )</b>	1,612.	1,633.	1,674.	1,720.	1,759.	1,816.	1,852.
	48"	49"	<b>R3B1TFL49 48-( ) ( )</b>	1,672.	1,693.	1,734.	1,780.	1,819.	1,876.	1,912.



Order Code	Specification Information	Application Notes
<p>Example: <b>R3B0TFL4918-A4K</b></p> <p><b>R3</b> Reff Generation 3</p> <p><b>B0</b> No Beltway</p> <p><b>T</b> Tiled panel</p> <p><b>FL</b> Fabric one side, laminate other</p> <p><b>49</b> 49" high</p> <p><b>18</b> 18" wide</p> <p><b>A</b> Flat style top trim</p> <p><b>4</b> 4" base height</p> <p><b>K</b> Include knockouts in base</p> <p><b>B</b> Tile divider, black reveal</p> <p><b>W281</b> Fabric selection - side 1</p> <p><b>114</b> Folkstone grey - side 2</p> <p><b>V316</b> Maple (top trim finish)</p> <p><b>111</b> Jet Black (base finish)</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Top trim profile</li> <li>Base height</li> <li>Knockout option (K = with knockouts, N = without knockouts)</li> <li>Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)</li> <li>Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top</li> <li>Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top</li> <li>Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver</li> <li>Base finish</li> <li>Beltway finish</li> <li>Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable</li> </ol>	<p>1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>4. Extruded aluminum tile divider: <b>Optional for non fabric side only</b> (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.</p>
		<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.</p> <p>Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 103 at no charge.</p>

# Tiled panels 49" H

*fabric one side, techwood other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF149 18-()</b> ( )	\$808.	\$829.	\$874.	\$922.	\$961.	\$1,021.	\$1,060.
Regular acoustics	20"	49"	<b>R3B0TF149 20-()</b> ( )	808.	829.	874.	922.	961.	1,021.	1,060.
	24"	49"	<b>R3B0TF149 24-()</b> ( )	859.	880.	925.	973.	1,012.	1,072.	1,111.
	30"	49"	<b>R3B0TF149 30-()</b> ( )	916.	937.	982.	1,030.	1,069.	1,129.	1,168.
	36"	49"	<b>R3B0TF149 36-()</b> ( )	971.	992.	1,037.	1,085.	1,124.	1,184.	1,223.
	42"	49"	<b>R3B0TF149 42-()</b> ( )	1,086.	1,107.	1,152.	1,200.	1,239.	1,299.	1,338.
	48"	49"	<b>R3B0TF149 48-()</b> ( )	1,138.	1,159.	1,204.	1,252.	1,291.	1,351.	1,390.

Tiled, fabric one side	18"	49"	<b>R3B1TF149 18-()</b> ( )	1,274.	1,295.	1,340.	1,388.	1,427.	1,487.	1,526.
Beltway one side (fabric side)	20"	49"	<b>R3B1TF149 20-()</b> ( )	1,274.	1,295.	1,340.	1,388.	1,427.	1,487.	1,526.
	24"	49"	<b>R3B1TF149 24-()</b> ( )	1,303.	1,324.	1,369.	1,417.	1,456.	1,516.	1,555.
	30"	49"	<b>R3B1TF149 30-()</b> ( )	1,366.	1,387.	1,432.	1,480.	1,519.	1,579.	1,618.
	36"	49"	<b>R3B1TF149 36-()</b> ( )	1,617.	1,638.	1,683.	1,731.	1,770.	1,830.	1,869.
	42"	49"	<b>R3B1TF149 42-()</b> ( )	1,737.	1,758.	1,803.	1,851.	1,890.	1,950.	1,989.
	48"	49"	<b>R3B1TF149 48-()</b> ( )	1,796.	1,817.	1,862.	1,910.	1,949.	2,009.	2,048.

## Order Code

Example: <b>R3B0TF14918-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F1</b> Fabric one side, V1 other
<b>49</b> 49" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric selection - side 1
<b>Y328</b> Mahogany - side 2
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option  
(K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C top
- Techwood side, finish (specify one V1 finish for side)
- Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## 1. Top trim profile:

A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

## 2. Base height:

4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

## 4. Extruded aluminum tile divider:

**Optional for non fabric side only** (fabric side always black)  
49" h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Applicable finishes are listed on page 5 and 6.

## Application Notes

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 49" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF249 18-()</b> ( )	\$825.	\$846.	\$891.	\$939.	\$978.	\$1,038.	\$1,077.
Regular acoustics	20"	49"	<b>R3B0TF249 20-()</b> ( )	825.	846.	891.	939.	978.	1,038.	1,077.
	24"	49"	<b>R3B0TF249 24-()</b> ( )	874.	895.	940.	988.	1,027.	1,087.	1,126.
	30"	49"	<b>R3B0TF249 30-()</b> ( )	938.	959.	1,004.	1,052.	1,091.	1,151.	1,190.
	36"	49"	<b>R3B0TF249 36-()</b> ( )	989.	1,010.	1,055.	1,103.	1,142.	1,202.	1,241.
	42"	49"	<b>R3B0TF249 42-()</b> ( )	1,102.	1,123.	1,168.	1,216.	1,255.	1,315.	1,354.
	48"	49"	<b>R3B0TF249 48-()</b> ( )	1,159.	1,180.	1,225.	1,273.	1,312.	1,372.	1,411.

Tiled, fabric one side	18"	49"	<b>R3B1TF249 18-()</b> ( )	1,299.	1,320.	1,365.	1,413.	1,452.	1,512.	1,551.
Beltway one side (fabric side)	20"	49"	<b>R3B1TF249 20-()</b> ( )	1,299.	1,320.	1,365.	1,413.	1,452.	1,512.	1,551.
	24"	49"	<b>R3B1TF249 24-()</b> ( )	1,326.	1,347.	1,392.	1,440.	1,479.	1,539.	1,578.
	30"	49"	<b>R3B1TF249 30-()</b> ( )	1,390.	1,411.	1,456.	1,504.	1,543.	1,603.	1,642.
	36"	49"	<b>R3B1TF249 36-()</b> ( )	1,644.	1,665.	1,710.	1,758.	1,797.	1,857.	1,896.
	42"	49"	<b>R3B1TF249 42-()</b> ( )	1,767.	1,788.	1,833.	1,881.	1,920.	1,980.	2,019.
	48"	49"	<b>R3B1TF249 48-()</b> ( )	1,830.	1,851.	1,896.	1,944.	1,983.	2,043.	2,082.

**Order Code**

Example: <b>R3B0TF24918-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F2</b> Fabric one side, V2 other
<b>49</b> 49" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric selection - side 1
<b>V316</b> Maple surface - side 2
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)

**Specification Information**

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option  
(K = with knockouts, N = without knockouts)
  - Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  - Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C top
  - Conventional veneer, finish (specify one V2 finish for side)
  - Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
  - Base finish
  - Beltway finish
  - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

**Application Notes**

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
  - Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)
  - Extruded aluminum tile divider:*  
**Optional for non fabric side only** (fabric side always black)  
49"h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w
  - 6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".
- Applicable finishes are listed on page 5 and 6.
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 49" H

*fabric one side, exotic veneer other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF349 18-()</b> ( )	\$1,097.	\$1,118.	\$1,163.	\$1,211.	\$1,250.	\$1,310.	\$1,349.
Regular acoustics	20"	49"	<b>R3B0TF349 20-()</b> ( )	1,097.	1,118.	1,163.	1,211.	1,250.	1,310.	1,349.
	24"	49"	<b>R3B0TF349 24-()</b> ( )	1,164.	1,185.	1,230.	1,278.	1,317.	1,377.	1,416.
	30"	49"	<b>R3B0TF349 30-()</b> ( )	1,250.	1,271.	1,316.	1,364.	1,403.	1,463.	1,502.
	36"	49"	<b>R3B0TF349 36-()</b> ( )	1,320.	1,341.	1,386.	1,434.	1,473.	1,533.	1,572.
	42"	49"	<b>R3B0TF349 42-()</b> ( )	1,471.	1,492.	1,537.	1,585.	1,624.	1,684.	1,723.
	48"	49"	<b>R3B0TF349 48-()</b> ( )	1,548.	1,569.	1,614.	1,662.	1,701.	1,761.	1,800.

Tiled, fabric one side	18"	49"	<b>R3B1TF349 18-()</b> ( )	1,738.	1,759.	1,804.	1,852.	1,891.	1,951.	1,990.
Beltway fabric side	20"	49"	<b>R3B1TF349 20-()</b> ( )	1,738.	1,759.	1,804.	1,852.	1,891.	1,951.	1,990.
	24"	49"	<b>R3B1TF349 24-()</b> ( )	1,775.	1,796.	1,841.	1,889.	1,928.	1,988.	2,027.
	30"	49"	<b>R3B1TF349 30-()</b> ( )	1,861.	1,882.	1,927.	1,975.	2,014.	2,074.	2,113.
	36"	49"	<b>R3B1TF349 36-()</b> ( )	2,204.	2,225.	2,270.	2,318.	2,357.	2,417.	2,456.
	42"	49"	<b>R3B1TF349 42-()</b> ( )	2,370.	2,391.	2,436.	2,484.	2,523.	2,583.	2,622.
	48"	49"	<b>R3B1TF349 48-()</b> ( )	2,457.	2,478.	2,523.	2,571.	2,610.	2,670.	2,709.

## Order Code

Example: <b>R3B0TF34918-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F3</b> Fabric one side, V3 other
<b>49</b> 49" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric selection - side 1
<b>V512</b> Figured Anigre surface - side 2
<b>V512</b> Figured Anigre (top trim finish)
<b>111</b> Jet Black (base finish)

## Specification Information

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option  
(K = with knockouts, N = without knockouts)
  - Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  - Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C top
  - Exotic veneer, finish (specify one V3 finish for side)
  - Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
  - Base finish
  - Beltway finish
  - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## Application Notes

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

- Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

- Extruded aluminum tile divider:*  
**Optional for non fabric side only**  
(fabric side always black)  
49"h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w

- 6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 64" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	64"	<b>R3B0TFF64 18-()</b> ( )	\$792.	\$848.	\$960.	\$1,088.	\$1,192.	\$1,352.	\$1,456.
	20"	64"	<b>R3B0TFF64 20-()</b> ( )	794.	848.	960.	1,088.	1,192.	1,352.	1,456.
	24"	64"	<b>R3B0TFF64 24-()</b> ( )	848.	904.	1,016.	1,144.	1,248.	1,408.	1,512.
	30"	64"	<b>R3B0TFF64 30-()</b> ( )	911.	967.	1,079.	1,207.	1,311.	1,471.	1,575.
	36"	64"	<b>R3B0TFF64 36-()</b> ( )	965.	1,021.	1,133.	1,261.	1,365.	1,525.	1,629.
	42"	64"	<b>R3B0TFF64 42-()</b> ( )	1,103.	1,159.	1,271.	1,399.	1,503.	1,663.	1,767.
	48"	64"	<b>R3B0TFF64 48-()</b> ( )	1,158.	1,214.	1,326.	1,454.	1,558.	1,718.	1,822.



Tiled, fabric both sides High acoustics	18"	64"	<b>R3B0TAA64 18-()</b> ( )	867.	923.	1,035.	1,163.	1,267.	1,427.	1,531.
	20"	64"	<b>R3B0TAA64 20-()</b> ( )	867.	923.	1,035.	1,163.	1,267.	1,427.	1,531.
	24"	64"	<b>R3B0TAA64 24-()</b> ( )	929.	985.	1,097.	1,225.	1,329.	1,489.	1,593.
	30"	64"	<b>R3B0TAA64 30-()</b> ( )	999.	1,055.	1,167.	1,295.	1,399.	1,559.	1,663.
	36"	64"	<b>R3B0TAA64 36-()</b> ( )	1,064.	1,120.	1,232.	1,360.	1,464.	1,624.	1,728.
	42"	64"	<b>R3B0TAA64 42-()</b> ( )	1,212.	1,268.	1,380.	1,508.	1,612.	1,772.	1,876.
	48"	64"	<b>R3B0TAA64 48-()</b> ( )	1,277.	1,333.	1,445.	1,573.	1,677.	1,837.	1,941.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i</i> ) tile 1A bottom <i>ii</i> ) tile 1B middle <i>iii</i> ) tile 1C middle <i>iv</i> ) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>64</b> 64" high	5. Fabric side, finish (specify selection per insert) <i>i</i> ) tile 2A bottom <i>ii</i> ) tile 2B middle <i>iii</i> ) tile 2C middle <i>iv</i> ) tile 2D top	Applicable finishes are listed on page 5 and 6.
<b>18</b> 18" wide	6. Top trim finish <i>i</i> ) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i> ) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
<b>A</b> Flat style top trim	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>4</b> 4" base height	8. Beltway finish	
<b>K</b> Include knockouts in base	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
<b>W281</b> Fabric selection - side 1		
<b>W281</b> Fabric selection - side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		

# Tiled panels 64" H

## *fabric both sides*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	<b>R3B1TFF64 18-( )</b> ( )	\$1,236.	\$1,292.	\$1,402.	\$1,532.	\$1,636.	\$1,796.	\$1,900.
Beltway one side	20"	64"	<b>R3B1TFF64 20-( )</b> ( )	1,236.	1,292.	1,402.	1,532.	1,636.	1,796.	1,900.
	24"	64"	<b>R3B1TFF64 24-( )</b> ( )	1,299.	1,355.	1,465.	1,595.	1,699.	1,859.	1,963.
	30"	64"	<b>R3B1TFF64 30-( )</b> ( )	1,331.	1,387.	1,497.	1,627.	1,731.	1,891.	1,995.
	36"	64"	<b>R3B1TFF64 36-( )</b> ( )	1,635.	1,691.	1,801.	1,931.	2,035.	2,195.	2,299.
	42"	64"	<b>R3B1TFF64 42-( )</b> ( )	1,756.	1,812.	1,922.	2,052.	2,156.	2,316.	2,420.
	48"	64"	<b>R3B1TFF64 48-( )</b> ( )	1,819.	1,875.	1,985.	2,115.	2,219.	2,379.	2,483.

Tiled, fabric both sides	18"	64"	<b>R3B2TFF64 18-( )</b> ( )	1,255.	1,311.	1,419.	1,551.	1,655.	1,815.	1,919.
Beltway two sides	20"	64"	<b>R3B2TFF64 20-( )</b> ( )	1,255.	1,311.	1,419.	1,551.	1,655.	1,815.	1,919.
	24"	64"	<b>R3B2TFF64 24-( )</b> ( )	1,320.	1,376.	1,484.	1,616.	1,720.	1,880.	1,984.
	30"	64"	<b>R3B2TFF64 30-( )</b> ( )	1,352.	1,408.	1,516.	1,648.	1,752.	1,912.	2,016.
	36"	64"	<b>R3B2TFF64 36-( )</b> ( )	1,664.	1,720.	1,828.	1,960.	2,064.	2,224.	2,328.
	42"	64"	<b>R3B2TFF64 42-( )</b> ( )	1,783.	1,839.	1,947.	2,079.	2,183.	2,343.	2,447.
	48"	64"	<b>R3B2TFF64 48-( )</b> ( )	1,850.	1,906.	2,014.	2,146.	2,250.	2,410.	2,514.

### Order Code

Example: <b>R3B0TFF6418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

### Specification Information

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option  
(K = with knockouts,  
N = without knockouts)
  - Fabric side, finish (specify selection per insert)
    - tile 1A bottom
    - tile 1B middle
    - tile 1C middle
    - tile 1D top
  - Fabric side, finish (specify selection per insert)
    - tile 2A bottom
    - tile 2B middle
    - tile 2C middle
    - tile 2D top
  - Top trim finish
    - Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes
    - Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
  - Base finish
  - Beltway finish
  - Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

### Application Notes

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
  - Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)
- 6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".
- Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
- Applicable finishes are listed on page 5 and 6.
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 64" H

*fabric one side, laminate other side*

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TFL64 18-( )()</b>	\$878.	\$906.	\$962.	\$1,022.	\$1,074.	\$1,150.	\$1,198.
Regular acoustics	20"	64"	<b>R3B0TFL64 20-( )()</b>	878.	906.	962.	1,022.	1,074.	1,150.	1,198.
	24"	64"	<b>R3B0TFL64 24-( )()</b>	931.	959.	1,015.	1,075.	1,127.	1,203.	1,251.
	30"	64"	<b>R3B0TFL64 30-( )()</b>	994.	1,022.	1,078.	1,138.	1,190.	1,266.	1,314.
	36"	64"	<b>R3B0TFL64 36-( )()</b>	1,049.	1,077.	1,133.	1,193.	1,245.	1,321.	1,369.
	42"	64"	<b>R3B0TFL64 42-( )()</b>	1,180.	1,208.	1,264.	1,324.	1,376.	1,452.	1,500.
	48"	64"	<b>R3B0TFL64 48-( )()</b>	1,235.	1,263.	1,319.	1,379.	1,431.	1,507.	1,555.

Tiled, fabric one side	18"	64"	<b>R3B1TFL64 18-( )()</b>	1,306.	1,334.	1,389.	1,450.	1,502.	1,578.	1,626.
Beltway one side (fabric side)	20"	64"	<b>R3B1TFL64 20-( )()</b>	1,306.	1,334.	1,389.	1,450.	1,502.	1,578.	1,626.
	24"	64"	<b>R3B1TFL64 24-( )()</b>	1,370.	1,398.	1,453.	1,514.	1,566.	1,642.	1,690.
	30"	64"	<b>R3B1TFL64 30-( )()</b>	1,399.	1,427.	1,482.	1,543.	1,595.	1,671.	1,719.
	36"	64"	<b>R3B1TFL64 36-( )()</b>	1,697.	1,725.	1,780.	1,841.	1,893.	1,969.	2,017.
	42"	64"	<b>R3B1TFL64 42-( )()</b>	1,809.	1,837.	1,892.	1,953.	2,005.	2,081.	2,129.
	48"	64"	<b>R3B1TFL64 48-( )()</b>	1,870.	1,898.	1,953.	2,014.	2,066.	2,142.	2,190.

## Order Code

Example: <b>R3B0TFL6418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FL</b>	Fabric one side, laminate other
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>W281</b>	Fabric selection - side 1
<b>114</b>	Folkstone grey - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option  
(K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C middle  
iv) tile 1D top
- Laminate side, finish (specify selection per insert)  
i) tile 2A bottom  
ii) tile 2B middle  
iii) tile 2C middle  
iv) tile 2D top
- Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver

- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

### 1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

### 2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 per panel for this option)

### 4. Extruded aluminum tile divider:

- Optional for non fabric side only** (fabric side always black)
- 64" h add per panel:
  - \$39 for 18w and 20w
  - \$43 for 24w and 30w
  - \$48 for 36w and 42w
  - \$62 for 48w

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Applicable finishes are listed on page 5 and 6.

Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

## Application Notes

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 64" H

*fabric one side, techwood other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF164 18-</b> ( ) ( )	\$944.	\$972.	\$1,032.	\$1,096.	\$1,148.	\$1,228.	\$1,280.
Regular acoustics	20"	64"	<b>R3B0TF164 20-</b> ( ) ( )	944.	972.	1,032.	1,096.	1,148.	1,228.	1,280.
	24"	64"	<b>R3B0TF164 24-</b> ( ) ( )	1,001.	1,029.	1,089.	1,153.	1,205.	1,285.	1,337.
	30"	64"	<b>R3B0TF164 30-</b> ( ) ( )	1,068.	1,096.	1,156.	1,220.	1,272.	1,352.	1,404.
	36"	64"	<b>R3B0TF164 36-</b> ( ) ( )	1,126.	1,154.	1,214.	1,278.	1,330.	1,410.	1,462.
	42"	64"	<b>R3B0TF164 42-</b> ( ) ( )	1,268.	1,296.	1,356.	1,420.	1,472.	1,552.	1,604.
	48"	64"	<b>R3B0TF164 48-</b> ( ) ( )	1,327.	1,355.	1,415.	1,479.	1,531.	1,611.	1,663.



Tiled, fabric one side	18"	64"	<b>R3B1TF164 18-</b> ( ) ( )	1,404.	1,432.	1,492.	1,556.	1,608.	1,688.	1,740.
Beltway one side (fabric side)	20"	64"	<b>R3B1TF164 20-</b> ( ) ( )	1,404.	1,432.	1,492.	1,556.	1,608.	1,688.	1,740.
	24"	64"	<b>R3B1TF164 24-</b> ( ) ( )	1,472.	1,500.	1,560.	1,624.	1,676.	1,756.	1,808.
	30"	64"	<b>R3B1TF164 30-</b> ( ) ( )	1,503.	1,531.	1,591.	1,655.	1,707.	1,787.	1,839.
	36"	64"	<b>R3B1TF164 36-</b> ( ) ( )	1,822.	1,850.	1,910.	1,974.	2,026.	2,106.	2,158.
	42"	64"	<b>R3B1TF164 42-</b> ( ) ( )	1,944.	1,972.	2,032.	2,096.	2,148.	2,228.	2,280.
	48"	64"	<b>R3B1TF164 48-</b> ( ) ( )	2,014.	2,042.	2,102.	2,166.	2,218.	2,298.	2,350.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TF16418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$62 for 48w
<b>F1</b> Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
<b>64</b> 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	Applicable finishes are listed on page 5 and 6.
<b>18</b> 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
<b>A</b> Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>W281</b> Fabric selection - side 1		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
<b>Y328</b> Mahogany - side 2		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>V316</b> Maple (top trim finish)		Remember to specify Beltway paint finish when applicable.
<b>111</b> Jet Black (base finish)		79"H hookstrip reveal strips are ordered separately from page 103 at no charge.



# Tiled panels 64" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF264 18-</b> ( ) ( )	\$962.	\$990.	\$1,050.	\$1,114.	\$1,166.	\$1,246.	\$1,298.
Regular acoustics	20"	64"	<b>R3B0TF264 20-</b> ( ) ( )	962.	990.	1,050.	1,114.	1,166.	1,246.	1,298.
	24"	64"	<b>R3B0TF264 24-</b> ( ) ( )	1,018.	1,046.	1,106.	1,170.	1,222.	1,302.	1,354.
	30"	64"	<b>R3B0TF264 30-</b> ( ) ( )	1,084.	1,112.	1,172.	1,236.	1,288.	1,368.	1,420.
	36"	64"	<b>R3B0TF264 36-</b> ( ) ( )	1,146.	1,174.	1,234.	1,298.	1,350.	1,430.	1,482.
	42"	64"	<b>R3B0TF264 42-</b> ( ) ( )	1,290.	1,318.	1,378.	1,442.	1,494.	1,574.	1,626.
	48"	64"	<b>R3B0TF264 48-</b> ( ) ( )	1,351.	1,379.	1,439.	1,503.	1,555.	1,635.	1,687.



Tiled, fabric one side	18"	64"	<b>R3B1TF264 18-</b> ( ) ( )	1,429.	1,457.	1,517.	1,581.	1,633.	1,713.	1,765.
Beltway one side (fabric side)	20"	64"	<b>R3B1TF264 20-</b> ( ) ( )	1,429.	1,457.	1,517.	1,581.	1,633.	1,713.	1,765.
	24"	64"	<b>R3B1TF264 24-</b> ( ) ( )	1,499.	1,527.	1,587.	1,651.	1,703.	1,783.	1,835.
	30"	64"	<b>R3B1TF264 30-</b> ( ) ( )	1,530.	1,558.	1,618.	1,682.	1,734.	1,814.	1,866.
	36"	64"	<b>R3B1TF264 36-</b> ( ) ( )	1,857.	1,885.	1,945.	2,009.	2,061.	2,141.	2,193.
	42"	64"	<b>R3B1TF264 42-</b> ( ) ( )	1,981.	2,009.	2,069.	2,133.	2,185.	2,265.	2,317.
	48"	64"	<b>R3B1TF264 48-</b> ( ) ( )	2,044.	2,072.	2,132.	2,196.	2,248.	2,328.	2,380.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TF26418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" raceway option increases panel height by 2 3/4".
<b>F2</b> Fabric one side, V2 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$62 for 48w
<b>64</b> 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>18</b> 18" wide	6. Conventional veneer, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish when applicable.
<b>A</b> Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>W281</b> Fabric selection - side 1		
<b>V316</b> Maple surface - side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		

# Tiled panels 64" H

*fabric one side, exotic veneer other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF364 18-()</b> ( )	\$1,278.	\$1,306.	\$1,366.	\$1,430.	\$1,482.	\$1,562.	\$1,614.
Regular acoustics	20"	64"	<b>R3B0TF364 20-()</b> ( )	1,278.	1,306.	1,366.	1,430.	1,482.	1,562.	1,614.
	24"	64"	<b>R3B0TF364 24-()</b> ( )	1,353.	1,381.	1,441.	1,505.	1,557.	1,637.	1,689.
	30"	64"	<b>R3B0TF364 30-()</b> ( )	1,442.	1,470.	1,530.	1,594.	1,646.	1,726.	1,778.
	36"	64"	<b>R3B0TF364 36-()</b> ( )	1,527.	1,555.	1,615.	1,679.	1,731.	1,811.	1,863.
	42"	64"	<b>R3B0TF364 42-()</b> ( )	1,721.	1,749.	1,809.	1,873.	1,925.	2,005.	2,057.
	48"	64"	<b>R3B0TF364 48-()</b> ( )	1,802.	1,830.	1,890.	1,954.	2,006.	2,086.	2,138.

Tiled, fabric one side	18"	64"	<b>R3B1TF364 18-()</b> ( )	1,909.	1,937.	1,997.	2,061.	2,113.	2,193.	2,245.
Beltway fabric side	20"	64"	<b>R3B1TF364 20-()</b> ( )	1,909.	1,937.	1,997.	2,061.	2,113.	2,193.	2,245.
	24"	64"	<b>R3B1TF364 24-()</b> ( )	2,004.	2,032.	2,092.	2,156.	2,208.	2,288.	2,340.
	30"	64"	<b>R3B1TF364 30-()</b> ( )	2,044.	2,072.	2,132.	2,196.	2,248.	2,328.	2,380.
	36"	64"	<b>R3B1TF364 36-()</b> ( )	2,486.	2,514.	2,574.	2,638.	2,690.	2,770.	2,822.
	42"	64"	<b>R3B1TF364 42-()</b> ( )	2,653.	2,681.	2,741.	2,805.	2,857.	2,937.	2,989.
	48"	64"	<b>R3B1TF364 48-()</b> ( )	2,740.	2,768.	2,828.	2,892.	2,944.	3,024.	3,076.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF36418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F3</b> Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>64</b> 64" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
<b>A</b> Flat style top trim	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) tile 1A bottom	6" raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>K</b> Include knockouts in base	ii) tile 1B middle	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
<b>B</b> Tile divider, black reveal	iii) tile 1C middle	64" h add per panel:
<b>W281</b> Fabric selection - side 1	iv) tile 1D top	\$39 for 18w and 20w
<b>V512</b> Figured Anigre surface - side 2	6. Exotic veneer, finish (specify one V3 finish for side)	\$43 for 24w and 30w
<b>V512</b> Figured Anigre (top trim finish)	7. Top trim finish	\$48 for 36w and 42w
<b>111</b> Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$62 for 48w
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Tiled panels 79" H

## fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	<b>R3B0TFF79 18-()</b> ( )	\$985.	\$1,055.	\$1,195.	\$1,355.	\$1,485.	\$1,685.	\$1,815.
Regular acoustics	20"	79"	<b>R3B0TFF79 20-()</b> ( )	985.	1,055.	1,195.	1,355.	1,485.	1,685.	1,815.
	24"	79"	<b>R3B0TFF79 24-()</b> ( )	1,047.	1,117.	1,257.	1,417.	1,547.	1,747.	1,877.
	30"	79"	<b>R3B0TFF79 30-()</b> ( )	1,108.	1,178.	1,318.	1,478.	1,608.	1,808.	1,938.
	36"	79"	<b>R3B0TFF79 36-()</b> ( )	1,171.	1,241.	1,381.	1,541.	1,671.	1,871.	2,001.
	42"	79"	<b>R3B0TFF79 42-()</b> ( )	1,330.	1,400.	1,540.	1,700.	1,830.	2,030.	2,160.
	48"	79"	<b>R3B0TFF79 48-()</b> ( )	1,398.	1,468.	1,608.	1,768.	1,898.	2,098.	2,228.



Tiled, fabric both sides	18"	79"	<b>R3B0TAA79 18-()</b> ( )	1,077.	1,147.	1,287.	1,447.	1,577.	1,777.	1,907.
High acoustics	20"	79"	<b>R3B0TAA79 20-()</b> ( )	1,077.	1,147.	1,287.	1,447.	1,577.	1,777.	1,907.
	24"	79"	<b>R3B0TAA79 24-()</b> ( )	1,149.	1,219.	1,359.	1,519.	1,649.	1,849.	1,979.
	30"	79"	<b>R3B0TAA79 30-()</b> ( )	1,215.	1,285.	1,425.	1,585.	1,715.	1,915.	2,045.
	36"	79"	<b>R3B0TAA79 36-()</b> ( )	1,284.	1,354.	1,494.	1,654.	1,784.	1,984.	2,114.
	42"	79"	<b>R3B0TAA79 42-()</b> ( )	1,461.	1,531.	1,671.	1,831.	1,961.	2,161.	2,291.
	48"	79"	<b>R3B0TAA79 48-()</b> ( )	1,538.	1,608.	1,748.	1,908.	2,038.	2,238.	2,368.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
<b>R3</b> Reff Generation 3	1. Top trim profile	7. Base finish
<b>B0</b> No Beltway	2. Base height	8. Beltway finish
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	
<b>18</b> 18" wide		
<b>A</b> Flat style top trim		
<b>4</b> 4" base height		
<b>K</b> Include knockouts in base		
<b>W281</b> Fabric selection - side 1		
<b>W281</b> Fabric selection - side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

# Tiled panels 79" H

## *fabric both sides*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	<b>R3B1TFF79 18-( )()</b>	\$1,283.	\$1,353.	\$1,491.	\$1,653.	\$1,783.	\$1,983.	\$2,113.
Beltway one side	20"	79"	<b>R3B1TFF79 20-( )()</b>	1,283.	1,353.	1,491.	1,653.	1,783.	1,983.	2,113.
	24"	79"	<b>R3B1TFF79 24-( )()</b>	1,347.	1,417.	1,555.	1,717.	1,847.	2,047.	2,177.
	30"	79"	<b>R3B1TFF79 30-( )()</b>	1,377.	1,447.	1,585.	1,747.	1,877.	2,077.	2,207.
	36"	79"	<b>R3B1TFF79 36-( )()</b>	1,682.	1,752.	1,890.	2,052.	2,182.	2,382.	2,512.
	42"	79"	<b>R3B1TFF79 42-( )()</b>	1,804.	1,874.	2,012.	2,174.	2,304.	2,504.	2,634.
	48"	79"	<b>R3B1TFF79 48-( )()</b>	1,864.	1,934.	2,072.	2,234.	2,364.	2,564.	2,694.



Tiled, fabric both sides	18"	79"	<b>R3B2TFF79 18-( )()</b>	1,301.	1,371.	1,507.	1,671.	1,801.	2,001.	2,131.
Beltway two sides	20"	79"	<b>R3B2TFF79 20-( )()</b>	1,301.	1,371.	1,507.	1,671.	1,801.	2,001.	2,131.
	24"	79"	<b>R3B2TFF79 24-( )()</b>	1,368.	1,438.	1,574.	1,738.	1,868.	2,068.	2,198.
	30"	79"	<b>R3B2TFF79 30-( )()</b>	1,397.	1,467.	1,603.	1,767.	1,897.	2,097.	2,227.
	36"	79"	<b>R3B2TFF79 36-( )()</b>	1,707.	1,777.	1,913.	2,077.	2,207.	2,407.	2,537.
	42"	79"	<b>R3B2TFF79 42-( )()</b>	1,831.	1,901.	2,037.	2,201.	2,331.	2,531.	2,661.
	48"	79"	<b>R3B2TFF79 48-( )()</b>	1,898.	1,968.	2,104.	2,268.	2,398.	2,598.	2,728.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
<b>B0</b> No Beltway	2. Base height	7. Base finish
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	8. Beltway finish
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	
<b>18</b> 18" wide		
<b>A</b> Flat style top trim		
<b>4</b> 4" base height		
<b>K</b> Include knockouts in base		
<b>W281</b> Fabric selection - side 1		
<b>W281</b> Fabric selection - side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		

6. Top trim finish  
i) Top trim profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:*  
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

**1. Top trim profile:**

- A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

**2. Base height:**

- 4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by  $2\frac{3}{4}$ ".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 79" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	79"	<b>R3B0TFL79 18-()</b> ( )	\$1,091.	\$1,126.	\$1,196.	\$1,271.	\$1,336.	\$1,431.	\$1,491.
	20"	79"	<b>R3B0TFL79 20-()</b> ( )	1,091.	1,126.	1,196.	1,271.	1,336.	1,431.	1,491.
	24"	79"	<b>R3B0TFL79 24-()</b> ( )	1,157.	1,192.	1,262.	1,337.	1,402.	1,497.	1,557.
	30"	79"	<b>R3B0TFL79 30-()</b> ( )	1,213.	1,248.	1,318.	1,393.	1,458.	1,553.	1,613.
	36"	79"	<b>R3B0TFL79 36-()</b> ( )	1,273.	1,308.	1,378.	1,453.	1,518.	1,613.	1,673.
	42"	79"	<b>R3B0TFL79 42-()</b> ( )	1,427.	1,462.	1,532.	1,607.	1,672.	1,767.	1,827.
	48"	79"	<b>R3B0TFL79 48-()</b> ( )	1,493.	1,528.	1,598.	1,673.	1,738.	1,833.	1,893.



Tiled, fabric one side	18"	79"	<b>R3B1TFL79 18-()</b> ( )	1,380.	1,415.	1,484.	1,560.	1,625.	1,720.	1,780.
Beltway one side (fabric side)	20"	79"	<b>R3B1TFL79 20-()</b> ( )	1,380.	1,415.	1,484.	1,560.	1,625.	1,720.	1,780.
	24"	79"	<b>R3B1TFL79 24-()</b> ( )	1,442.	1,477.	1,546.	1,622.	1,687.	1,782.	1,842.
	30"	79"	<b>R3B1TFL79 30-()</b> ( )	1,474.	1,509.	1,578.	1,654.	1,719.	1,814.	1,874.
	36"	79"	<b>R3B1TFL79 36-()</b> ( )	1,770.	1,805.	1,874.	1,950.	2,015.	2,110.	2,170.
	42"	79"	<b>R3B1TFL79 42-()</b> ( )	1,884.	1,919.	1,988.	2,064.	2,129.	2,224.	2,284.
	48"	79"	<b>R3B1TFL79 48-()</b> ( )	1,943.	1,978.	2,047.	2,123.	2,188.	2,283.	2,343.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	8. Base finish
<b>B0</b> No Beltway	2. Base height	9. Beltway finish
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
<b>FL</b> Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>18</b> 18" wide	6. Lanimate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	4. <i>Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i> 79"h add per panel: \$48 for 18w and 20w \$55 for 24w and 30w \$60 for 36w and 42w \$82 for 48w
<b>A</b> Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.  Remember to specify Beltway paint finish when applicable.  79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>4</b> 4" base height		Applicable finishes are listed on page 5 and 6.
<b>K</b> Include knockouts in base		Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>B</b> Tile divider, black reveal		
<b>W281</b> Fabric selection - side 1		
<b>114</b> Folkstone grey - side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		

# Tiled panels 79" H

*fabric one side, techwood other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF179 18-()</b> ( )	\$1,174.	\$1,209.	\$1,284.	\$1,364.	\$1,429.	\$1,529.	\$1,594.
Regular acoustics	20"	79"	<b>R3B0TF179 20-()</b> ( )	1,174.	1,209.	1,284.	1,364.	1,429.	1,529.	1,594.
	24"	79"	<b>R3B0TF179 24-()</b> ( )	1,241.	1,276.	1,351.	1,431.	1,496.	1,596.	1,661.
	30"	79"	<b>R3B0TF179 30-()</b> ( )	1,304.	1,339.	1,414.	1,494.	1,559.	1,659.	1,724.
	36"	79"	<b>R3B0TF179 36-()</b> ( )	1,369.	1,404.	1,479.	1,559.	1,624.	1,724.	1,789.
	42"	79"	<b>R3B0TF179 42-()</b> ( )	1,536.	1,571.	1,646.	1,726.	1,791.	1,891.	1,956.
	48"	79"	<b>R3B0TF179 48-()</b> ( )	1,607.	1,642.	1,717.	1,797.	1,862.	1,962.	2,027.



Tiled, fabric one side	18"	79"	<b>R3B1TF179 18-()</b> ( )	1,484.	1,519.	1,594.	1,674.	1,739.	1,839.	1,904.
Beltway one side (fabric side)	20"	79"	<b>R3B1TF179 20-()</b> ( )	1,484.	1,519.	1,594.	1,674.	1,739.	1,839.	1,904.
	24"	79"	<b>R3B1TF179 24-()</b> ( )	1,551.	1,586.	1,661.	1,741.	1,806.	1,906.	1,971.
	30"	79"	<b>R3B1TF179 30-()</b> ( )	1,580.	1,615.	1,690.	1,770.	1,835.	1,935.	2,000.
	36"	79"	<b>R3B1TF179 36-()</b> ( )	1,901.	1,936.	2,011.	2,091.	2,156.	2,256.	2,321.
	42"	79"	<b>R3B1TF179 42-()</b> ( )	2,025.	2,060.	2,135.	2,215.	2,280.	2,380.	2,445.
	48"	79"	<b>R3B1TF179 48-()</b> ( )	2,088.	2,123.	2,198.	2,278.	2,343.	2,443.	2,508.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TF17918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F1</b> Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify	4 = 4" base height
<b>A</b> Flat style top trim	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only</i>
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	(fabric side always black)
<b>B</b> Tile divider, black reveal	i) tile 1A bottom	79" h add per panel:
<b>W281</b> Fabric selection - side 1	ii) tile 1B middle	\$50 for 18w and 20w
<b>Y328</b> Mahogany - side 2	iii) tile 1C middle	\$58 for 24w and 30w
<b>V316</b> Maple (top trim finish)	iv) tile 1D middle	\$62 for 36w and 42w
<b>111</b> Jet Black (base finish)	v) tile 1E top	\$84 for 48w
	6. Techwood side, finish (specify one V1 finish for side)	Applicable finishes are listed on page 5 and 6.
	7. Top trim finish	
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

# Tiled panels 79" H

*fabric one side, conventional veneer other side*


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF279 18-()</b> ( )	\$1,194.	\$1,229.	\$1,304.	\$1,384.	\$1,449.	\$1,549.	\$1,614.
Regular acoustics	20"	79"	<b>R3B0TF279 20-()</b> ( )	1,194.	1,229.	1,304.	1,384.	1,449.	1,549.	1,614.
	24"	79"	<b>R3B0TF279 24-()</b> ( )	1,263.	1,298.	1,373.	1,453.	1,518.	1,618.	1,683.
	30"	79"	<b>R3B0TF279 30-()</b> ( )	1,325.	1,360.	1,435.	1,515.	1,580.	1,680.	1,745.
	36"	79"	<b>R3B0TF279 36-()</b> ( )	1,393.	1,428.	1,503.	1,583.	1,648.	1,748.	1,813.
	42"	79"	<b>R3B0TF279 42-()</b> ( )	1,561.	1,596.	1,671.	1,751.	1,816.	1,916.	1,981.
	48"	79"	<b>R3B0TF279 48-()</b> ( )	1,634.	1,669.	1,744.	1,824.	1,889.	1,989.	2,054.



Tiled, fabric one side	18"	79"	<b>R3B1TF279 18-()</b> ( )	1,510.	1,545.	1,620.	1,700.	1,765.	1,865.	1,930.
Beltway one side (fabric side)	20"	79"	<b>R3B1TF279 20-()</b> ( )	1,510.	1,545.	1,620.	1,700.	1,765.	1,865.	1,930.
	24"	79"	<b>R3B1TF279 24-()</b> ( )	1,578.	1,613.	1,688.	1,768.	1,833.	1,933.	1,998.
	30"	79"	<b>R3B1TF279 30-()</b> ( )	1,611.	1,646.	1,721.	1,801.	1,866.	1,966.	2,031.
	36"	79"	<b>R3B1TF279 36-()</b> ( )	1,937.	1,972.	2,047.	2,127.	2,192.	2,292.	2,357.
	42"	79"	<b>R3B1TF279 42-()</b> ( )	2,059.	2,094.	2,169.	2,249.	2,314.	2,414.	2,479.
	48"	79"	<b>R3B1TF279 48-()</b> ( )	2,126.	2,161.	2,236.	2,316.	2,381.	2,481.	2,546.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TF27918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F2</b> Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify	4 = 4" base height
<b>A</b> Flat style top trim	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	AA-anodized aluminum or	<i>4. Extruded aluminum tile divider:</i>
<b>K</b> Include knockouts in base	from page 5 for extruded	(E option)
<b>B</b> Tile divider, black reveal	aluminum divider (upcharge	<b>Optional for non fabric side only</b>
<b>W281</b> Fabric selection - side 1	applicable for extruded	(fabric side always black)
<b>V316</b> Maple surface - side 2	aluminum divider)	79" h add per panel:
<b>V316</b> Maple (top trim finish)	5. Fabric side, finish (specify	\$50 for 18w and 20w
<b>111</b> Jet Black (base finish)	selection per insert)	\$58 for 24w and 30w
	i) tile 1A bottom	\$62 for 36w and 42w
	ii) tile 1B middle	\$84 for 48w
	iii) tile 1C middle	
	iv) tile 1D middle	
	v) tile 1E top	
	6. Conventional veneer, finish	Applicable finishes are listed on
	(specify one V2 finish for side)	page 5 and 6.
	7. Top trim finish	
	i) Profile A, B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options:	
	AA-anodized aluminum or	
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to	
	be milled for ported	
	components, \$14 list upcharge	
	applicable	

# Tiled panels 79" H

*fabric one side, exotic veneer other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF379 18-()</b> ( )	\$1,585.	\$1,620.	\$1,695.	\$1,775.	\$1,840.	\$1,940.	\$2,005.
Regular acoustics	20"	79"	<b>R3B0TF379 20-()</b> ( )	1,585.	1,620.	1,695.	1,775.	1,840.	1,940.	2,005.
	24"	79"	<b>R3B0TF379 24-()</b> ( )	1,679.	1,714.	1,789.	1,869.	1,934.	2,034.	2,099.
	30"	79"	<b>R3B0TF379 30-()</b> ( )	1,765.	1,800.	1,875.	1,955.	2,020.	2,120.	2,185.
	36"	79"	<b>R3B0TF379 36-()</b> ( )	1,855.	1,890.	1,965.	2,045.	2,110.	2,210.	2,275.
	42"	79"	<b>R3B0TF379 42-()</b> ( )	2,082.	2,117.	2,192.	2,272.	2,337.	2,437.	2,502.
	48"	79"	<b>R3B0TF379 48-()</b> ( )	2,180.	2,215.	2,290.	2,370.	2,435.	2,535.	2,600.

Tiled, fabric one side	18"	79"	<b>R3B1TF379 18-()</b> ( )	2,014.	2,049.	2,124.	2,204.	2,269.	2,369.	2,434.
Beltway fabric side	20"	79"	<b>R3B1TF379 20-()</b> ( )	2,014.	2,049.	2,124.	2,204.	2,269.	2,369.	2,434.
	24"	79"	<b>R3B1TF379 24-()</b> ( )	2,105.	2,140.	2,215.	2,295.	2,360.	2,460.	2,525.
	30"	79"	<b>R3B1TF379 30-()</b> ( )	2,150.	2,185.	2,260.	2,340.	2,405.	2,505.	2,570.
	36"	79"	<b>R3B1TF379 36-()</b> ( )	2,588.	2,623.	2,698.	2,778.	2,843.	2,943.	3,008.
	42"	79"	<b>R3B1TF379 42-()</b> ( )	2,755.	2,790.	2,865.	2,945.	3,010.	3,110.	3,175.
	48"	79"	<b>R3B1TF379 48-()</b> ( )	2,846.	2,881.	2,956.	3,036.	3,101.	3,201.	3,266.

## Order Code

Example: <b>R3B0TF37918-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F3</b> Fabric one side, V3 other
<b>79</b> 79" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric selection - side 1
<b>V512</b> Figured Anigre surface - side 2
<b>V512</b> Figured Anigre (top trim finish)
<b>111</b> Jet Black (base finish)

## Specification Information

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option (K = with knockouts, N = without knockouts)
  - Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  - Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C middle  
iv) tile 1D middle  
v) tile 1E top
  - Exotic veneer, finish (specify one V3 finish for side)
  - Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
  - Base finish
  - Beltway finish
  - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## Application Notes

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
- Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)  
79" h add per panel:  
\$50 for 18w and 20w  
\$58 for 24w and 30w  
\$62 for 36w and 42w  
\$84 for 48w

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

Applicable finishes are listed on page 5 and 6.



description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	<b>R2APT3418 ( )</b>	\$95.	
	20"	34"	<b>R2APT3420 ( )</b>	95.	
	24"	34"	<b>R2APT3424 ( )</b>	98.	
	30"	34"	<b>R2APT3430 ( )</b>	100.	
	36"	34"	<b>R2APT3436 ( )</b>	105.	
	42"	34"	<b>R2APT3442 ( )</b>	107.	
	48"	34"	<b>R2APT3448 ( )</b>	111.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	<b>R2APT4218 ( )</b>	146.
	20"	42"	<b>R2APT4220 ( )</b>	146.
	24"	42"	<b>R2APT4224 ( )</b>	151.
	30"	42"	<b>R2APT4230 ( )</b>	153.
	36"	42"	<b>R2APT4236 ( )</b>	161.
	42"	42"	<b>R2APT4242 ( )</b>	166.
	48"	42"	<b>R2APT4248 ( )</b>	174.

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
<b>R2</b> Reff Generation 2	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
<b>A</b> Aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.
<b>PT</b> Panel trim		Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
<b>34</b> for 34" h	34" h 1:1	
<b>18</b> for 18" w	42" h 1:2	
<b>AA</b> Anodized aluminum	49" h 1:2	
	64" h 1:3	
	79" h 1:4	
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	<b>R2APT4918 ( )</b>	\$156.	
	20"	49"	<b>R2APT4920 ( )</b>	156.	
	24"	49"	<b>R2APT4924 ( )</b>	162.	
	30"	49"	<b>R2APT4930 ( )</b>	164.	
	36"	49"	<b>R2APT4936 ( )</b>	173.	
	42"	49"	<b>R2APT4942 ( )</b>	179.	
	48"	49"	<b>R2APT4948 ( )</b>	185.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	<b>R2APT6418 ( )</b>	221.	
	20"	64"	<b>R2APT6420 ( )</b>	221.	
	24"	64"	<b>R2APT6424 ( )</b>	229.	
	30"	64"	<b>R2APT6430 ( )</b>	234.	
	36"	64"	<b>R2APT6436 ( )</b>	245.	
	42"	64"	<b>R2APT6442 ( )</b>	254.	
	48"	64"	<b>R2APT6448 ( )</b>	264.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes										
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
<b>R2</b> Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
<b>A</b> Aluminum												
<b>PT</b> Panel trim	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)										
<b>34</b> for 34" h	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.										
<b>18</b> for 18" w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.										
<b>AA</b> Anodized aluminum	<table border="0"> <tr><td>34" h</td><td>1:1</td></tr> <tr><td>42" h</td><td>1:2</td></tr> <tr><td>49" h</td><td>1:2</td></tr> <tr><td>64" h</td><td>1:3</td></tr> <tr><td>79" h</td><td>1:4</td></tr> </table>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
34" h	1:1											
42" h	1:2											
49" h	1:2											
64" h	1:3											
79" h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	<b>R2APT7918</b> ( )	\$286.	
	20"	79"	<b>R2APT7920</b> ( )	286.	
	24"	79"	<b>R2APT7924</b> ( )	296.	
	30"	79"	<b>R2APT7930</b> ( )	301.	
	36"	79"	<b>R2APT7936</b> ( )	318.	
	42"	79"	<b>R2APT7942</b> ( )	328.	
	48"	79"	<b>R2APT7948</b> ( )	345.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	<b>R2ATPK34</b> ( )	63.
	42"	<b>R2ATPK42</b> ( )	80.
	49"	<b>R2ATPK49</b> ( )	90.
	64"	<b>R2ATPK64</b> ( )	125.
	79"	<b>R2ATPK79</b> ( )	156.

Order Code	Specification Information	Application Notes																						
<p>Example: <b>R2APT3418 AA</b></p> <table border="1"> <tr> <td><b>R2</b></td> <td>Reff Generation 2</td> </tr> <tr> <td><b>A</b></td> <td>Aluminum</td> </tr> <tr> <td><b>PT</b></td> <td>Panel trim</td> </tr> <tr> <td><b>34</b></td> <td>for 34" h</td> </tr> <tr> <td><b>18</b></td> <td>for 18" w</td> </tr> <tr> <td><b>AA</b></td> <td>Anodized aluminum</td> </tr> </table>	<b>R2</b>	Reff Generation 2	<b>A</b>	Aluminum	<b>PT</b>	Panel trim	<b>34</b>	for 34" h	<b>18</b>	for 18" w	<b>AA</b>	Anodized aluminum	<p><i>To order specify pattern number including height and width as applicable.</i></p> <p>1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver</p> <p>Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.</p> <table border="1"> <tr> <td>34" h</td> <td>1:1</td> </tr> <tr> <td>42" h</td> <td>1:2</td> </tr> <tr> <td>49" h</td> <td>1:2</td> </tr> <tr> <td>64" h</td> <td>1:3</td> </tr> <tr> <td>79" h</td> <td>1:4</td> </tr> </table> <p>Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and</p>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	<p>when aluminum vertical hookstrip cover installed, forfeit panel hung capability.</p> <p>When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)</p> <p>Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.</p> <p>R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.</p> <p>R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.</p> <p>Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.</p>
<b>R2</b>	Reff Generation 2																							
<b>A</b>	Aluminum																							
<b>PT</b>	Panel trim																							
<b>34</b>	for 34" h																							
<b>18</b>	for 18" w																							
<b>AA</b>	Anodized aluminum																							
34" h	1:1																							
42" h	1:2																							
49" h	1:2																							
64" h	1:3																							
79" h	1:4																							

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6"h raceway		34"	<b>R2ALPK34 ( )</b>		\$62.
		42"	<b>R2ALPK42 ( )</b>		86.
		49"	<b>R2ALPK49 ( )</b>		95.
		64"	<b>R2ALPK64 ( )</b>		131.
		79"	<b>R2ALPK79 ( )</b>		166.
Alum vertical reveal for end trim with 4" or 6"h raceway		34"	<b>R2AETK34 ( )</b>		61.
		42"	<b>R2AETK42 ( )</b>		75.
		49"	<b>R2AETK49 ( )</b>		87.
		64"	<b>R2AETK64 ( )</b>		116.
		79"	<b>R2AETK79 ( )</b>		147.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes										
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>											
<b>R2</b> Reff Generation 2		when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
<b>A</b> Aluminum												
<b>PT</b> Panel trim	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)										
<b>34</b> for 34"h	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.										
<b>18</b> for 18"w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
<b>AA</b> Anodized aluminum	<table border="0"> <tr> <td>34"h</td> <td>1:1</td> </tr> <tr> <td>42"h</td> <td>1:2</td> </tr> <tr> <td>49"h</td> <td>1:2</td> </tr> <tr> <td>64"h</td> <td>1:3</td> </tr> <tr> <td>79"h</td> <td>1:4</td> </tr> </table>	34"h	1:1	42"h	1:2	49"h	1:2	64"h	1:3	79"h	1:4	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
34"h	1:1											
42"h	1:2											
49"h	1:2											
64"h	1:3											
79"h	1:4											
	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	<b>R2AHCR34 ( )</b>		\$61.
		38"	<b>R2AHCR42 ( )</b>		75.
		45"	<b>R2AHCR49 ( )</b>		87.
		60"	<b>R2AHCR64 ( )</b>		116.
		75"	<b>R2AHCR79 ( )</b>		147.

for use with generation 2 or 3 installations

Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		<b>R2AHTR18 ( )</b>		42.
	20"		<b>R2AHTR20 ( )</b>		42.
	24"		<b>R2AHTR24 ( )</b>		44.
	30"		<b>R2AHTR30 ( )</b>		48.
	36"		<b>R2AHTR36 ( )</b>		52.
	42"		<b>R2AHTR42 ( )</b>		54.
	48"		<b>R2AHTR48 ( )</b>		60.

horizontal reveal only

Order Code	Specification Information	Application Notes										
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
<b>R2</b> Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
<b>A</b> Aluminum												
<b>PT</b> Panel trim												
<b>34</b> for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.										
<b>18</b> for 18"w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
<b>AA</b> Anodized aluminum	<table border="0"> <tr><td>34"h</td><td>1:1</td></tr> <tr><td>42"h</td><td>1:2</td></tr> <tr><td>49"h</td><td>1:2</td></tr> <tr><td>64"h</td><td>1:3</td></tr> <tr><td>79"h</td><td>1:4</td></tr> </table>	34"h	1:1	42"h	1:2	49"h	1:2	64"h	1:3	79"h	1:4	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
34"h	1:1											
42"h	1:2											
49"h	1:2											
64"h	1:3											
79"h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.										

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		<b>R2AHWR18 ( )</b>	\$36.	
	20"		<b>R2AHWR20 ( )</b>	36.	
	24"		<b>R2AHWR24 ( )</b>	38.	
	30"		<b>R2AHWR30 ( )</b>	39.	
	36"		<b>R2AHWR36 ( )</b>	43.	
	42"		<b>R2AHWR42 ( )</b>	45.	
	48"		<b>R2AHWR48 ( )</b>	50.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		<b>R2AHBW18 ( )</b>	36.	
	20"		<b>R2AHBW20 ( )</b>	36.	
	24"		<b>R2AHBW24 ( )</b>	38.	
	30"		<b>R2AHBW30 ( )</b>	39.	
	36"		<b>R2AHBW36 ( )</b>	43.	
	42"		<b>R2AHBW42 ( )</b>	45.	
	48"		<b>R2AHBW48 ( )</b>	50.	
horizontal reveal only					

Order Code	Specification Information	Application Notes										
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
<b>R2</b> Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
<b>A</b> Aluminum												
<b>PT</b> Panel trim												
<b>34</b> for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.										
<b>18</b> for 18"w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
<b>AA</b> Anodized aluminum	<table border="0"> <tr><td>34"h</td><td>1:1</td></tr> <tr><td>42"h</td><td>1:2</td></tr> <tr><td>49"h</td><td>1:2</td></tr> <tr><td>64"h</td><td>1:3</td></tr> <tr><td>79"h</td><td>1:4</td></tr> </table>	34"h	1:1	42"h	1:2	49"h	1:2	64"h	1:3	79"h	1:4	<p>When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)</p> <p>Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.</p>
34"h	1:1											
42"h	1:2											
49"h	1:2											
64"h	1:3											
79"h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		<b>R2AHSR18 ( )</b>	\$36.	
	20"		<b>R2AHSR20 ( )</b>	36.	
	24"		<b>R2AHSR24 ( )</b>	38.	
	30"		<b>R2AHSR30 ( )</b>	39.	
	36"		<b>R2AHSR36 ( )</b>	43.	
	42"		<b>R2AHSR42 ( )</b>	45.	
	48"		<b>R2AHSR48 ( )</b>	50.	

horizontal reveal only

Order Code	Specification Information	Application Notes										
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
<b>R2</b> Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
<b>A</b> Aluminum												
<b>PT</b> Panel trim												
<b>34</b> for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.										
<b>18</b> for 18"w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
<b>AA</b> Anodized aluminum	<table border="0"> <tr><td>34"h</td><td>1:1</td></tr> <tr><td>42"h</td><td>1:2</td></tr> <tr><td>49"h</td><td>1:2</td></tr> <tr><td>64"h</td><td>1:3</td></tr> <tr><td>79"h</td><td>1:4</td></tr> </table>	34"h	1:1	42"h	1:2	49"h	1:2	64"h	1:3	79"h	1:4	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
34"h	1:1											
42"h	1:2											
49"h	1:2											
64"h	1:3											
79"h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.										

# Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	<b>R3B1TFFA49 18-()</b> ( )	\$1,192.	\$1,220.	\$1,274.	\$1,340.	\$1,392.	\$1,472.	\$1,524.
	20"	49"	<b>R3B1TFFA49 20-()</b> ( )	1,192.	1,220.	1,274.	1,340.	1,392.	1,472.	1,524.
	24"	49"	<b>R3B1TFFA49 24-()</b> ( )	1,233.	1,261.	1,315.	1,381.	1,433.	1,513.	1,565.
	30"	49"	<b>R3B1TFFA49 30-()</b> ( )	1,317.	1,345.	1,399.	1,465.	1,517.	1,597.	1,649.
	36"	49"	<b>R3B1TFFA49 36-()</b> ( )	1,586.	1,614.	1,668.	1,734.	1,786.	1,866.	1,918.
	42"	49"	<b>R3B1TFFA49 42-()</b> ( )	1,728.	1,756.	1,810.	1,876.	1,928.	2,008.	2,060.
	48"	49"	<b>R3B1TFFA49 48-()</b> ( )	1,808.	1,836.	1,890.	1,956.	2,008.	2,088.	2,140.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B1</b> Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
<b>FF</b> Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>A</b> Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>49</b> 49" high	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
<b>18</b> 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>A</b> Flat style top trim	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>4</b> 4" base height	7. Base finish	
<b>K</b> Include knockouts in base	8. Beltway finish	
<b>W281</b> Fabric selection - side 1	9. Glass window frame finish	
<b>W281</b> Fabric selection - side 2	10. Glass type	
<b>V316</b> Maple (top trim finish)	Temp = Clear temp	
<b>111</b> Jet Black (base finish)	Architectural options:	
<b>111</b> Jet Black (beltway finish)	GL13 = Powder glass	
<b>TEMP</b> Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	
	1. Top trim profile:	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	2. Base height:	
	4 = 4" base height	
	6 = 6" base height (add \$47 per panel for this option)	



# Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff

Panels


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	<b>R3B1TFFB49 30-()</b> ( )	\$1,421.	\$1,449.	\$1,503.	\$1,569.	\$1,621.	\$1,701.	\$1,753.
	36"	49"	<b>R3B1TFFB49 36-()</b> ( )	1,698.	1,726.	1,780.	1,846.	1,898.	1,978.	2,030.
	42"	49"	<b>R3B1TFFB49 42-()</b> ( )	1,839.	1,867.	1,921.	1,987.	2,039.	2,119.	2,171.
	48"	49"	<b>R3B1TFFB49 48-()</b> ( )	1,928.	1,956.	2,010.	2,076.	2,128.	2,208.	2,260.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B1</b> Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
<b>FF</b> Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>A</b> Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>49</b> 49" high	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
<b>18</b> 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>A</b> Flat style top trim	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>4</b> 4" base height	7. Base finish	
<b>K</b> Include knockouts in base	8. Beltway finish	
<b>W281</b> Fabric selection - side 1	9. Glass window frame finish	
<b>W281</b> Fabric selection - side 2	10. Glass type	
<b>V316</b> Maple (top trim finish)	Temp = Clear temp	
<b>111</b> Jet Black (base finish)	Architectural options:	
<b>111</b> Jet Black (beltway finish)	GL13 = Powder glass	
<b>TEMP</b> Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	
	1. Top trim profile:	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	2. Base height:	
	4 = 4" base height	
	6 = 6" base height (add \$47 per panel for this option)	

# Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	<b>R3B1PFFA49 18-()</b> ( )	\$1,077.	\$1,094.	\$1,132.	\$1,213.	\$1,263.	\$1,335.	\$1,408.
	20"	49"	<b>R3B1PFFA49 20-()</b> ( )	1,077.	1,094.	1,132.	1,213.	1,263.	1,335.	1,408.
	24"	49"	<b>R3B1PFFA49 24-()</b> ( )	1,115.	1,132.	1,170.	1,251.	1,301.	1,373.	1,446.
	30"	49"	<b>R3B1PFFA49 30-()</b> ( )	1,188.	1,205.	1,243.	1,324.	1,374.	1,446.	1,519.
	36"	49"	<b>R3B1PFFA49 36-()</b> ( )	1,415.	1,432.	1,470.	1,551.	1,601.	1,673.	1,746.
	42"	49"	<b>R3B1PFFA49 42-()</b> ( )	1,536.	1,553.	1,591.	1,672.	1,722.	1,794.	1,867.
	48"	49"	<b>R3B1PFFA49 48-()</b> ( )	1,609.	1,626.	1,664.	1,745.	1,795.	1,867.	1,940.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	<b>R3B1PFFB49 30-()</b> ( )	1,292.	1,309.	1,347.	1,428.	1,478.	1,550.	1,623.
	36"	49"	<b>R3B1PFFB49 36-()</b> ( )	1,527.	1,544.	1,582.	1,663.	1,713.	1,785.	1,858.
	42"	49"	<b>R3B1PFFB49 42-()</b> ( )	1,647.	1,664.	1,702.	1,783.	1,833.	1,905.	1,978.
	48"	49"	<b>R3B1PFFB49 48-()</b> ( )	1,729.	1,746.	1,784.	1,865.	1,915.	1,987.	2,060.

## Order Code

Example:	<b>R3B1TFFA4918-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B1</b>	Beltway 1 side
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>A</b>	Type A window
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>111</b>	Jet Black (beltway finish)
<b>TEMP</b>	Glass option

## Specification Information

*To order please specify pattern number including:*

- Top trim profile
- Base height
- Knockout option  
(K = with knockouts, N = without knockouts)
- Panel side 1 finish (specify selection per insert)
- Panel side 2 finish (specify selection per insert)
- Top trim finish
  - Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes
  - Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- Base finish
- Beltway finish
- Glass window frame finish
- Glass type  
Temp = Clear temp  
*Architectural options:*  
GL13 = Powder glass  
GL6 = Block matrix glass  
GL8 = Wafer glass

*1. Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

*2. Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

## Application Notes

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.

Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.

79"H hookstrip reveal strips are ordered separately from page 103 at no charge.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

# Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TFLA49 18-()</b> ( )	\$1,320.	\$1,334.	\$1,364.	\$1,396.	\$1,422.	\$1,462.	\$1,500.
	20"	49"	<b>R3B1TFLA49 20-()</b> ( )	1,320.	1,334.	1,364.	1,396.	1,422.	1,462.	1,500.
	24"	49"	<b>R3B1TFLA49 24-()</b> ( )	1,362.	1,376.	1,406.	1,438.	1,464.	1,504.	1,542.
	30"	49"	<b>R3B1TFLA49 30-()</b> ( )	1,449.	1,463.	1,493.	1,525.	1,551.	1,591.	1,629.
	36"	49"	<b>R3B1TFLA49 36-()</b> ( )	1,721.	1,735.	1,765.	1,797.	1,823.	1,863.	1,901.
	42"	49"	<b>R3B1TFLA49 42-()</b> ( )	1,863.	1,877.	1,907.	1,939.	1,965.	2,005.	2,043.
	48"	49"	<b>R3B1TFLA49 48-()</b> ( )	1,949.	1,963.	1,993.	2,025.	2,051.	2,091.	2,129.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFLA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>FL</b> Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide		6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>4</b> 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base		79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>B</b> Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1	6. Laminate side finish (specify selection per insert; bottom up.)	
<b>114</b> Folkstone grey - side 2	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)	8. Base finish	
<b>111</b> Jet Black (window frame finish)	9. Beltway finish	
<b>TEMP</b> Glass option	10. Window frame finish	
	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
*Optional non fabric tiled side only, fabric side always black*

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

# Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1TFLB49 30-()</b> ( )	\$1,556.	\$1,570.	\$1,600.	\$1,632.	\$1,658.	\$1,698.	\$1,736.
	36"	49"	<b>R3B1TFLB49 36-()</b> ( )	1,833.	1,847.	1,877.	1,909.	1,935.	1,975.	2,013.
	42"	49"	<b>R3B1TFLB49 42-()</b> ( )	1,975.	1,989.	2,019.	2,051.	2,077.	2,117.	2,155.
	48"	49"	<b>R3B1TFLB49 48-()</b> ( )	2,070.	2,084.	2,114.	2,146.	2,172.	2,212.	2,250.




Order Code	Specification Information	Application Notes
Example: <b>R3B1TFLA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side		B = Square
<b>T</b> Tiled panel	1. Top trim profile	C = Bullnose
<b>FL</b> Fabric BW side, laminate other	2. Base height	E = Extruded Aluminum
<b>A</b> Type A window	3. Knockout option (K = with knockouts, N = without knockouts)	2. Base height:
<b>49</b> 49" high	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	4 = 4" base height
<b>18</b> 18" wide	5. Fabric side, finish (specify selection per insert; bottom up.)	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim	6. Laminate side finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>114</b> Folkstone grey - side 2	11. Glass option Temp = Clear temp	Applicable finishes are listed on page 5 and 6.
<b>V316</b> Maple (top trim finish)	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

# Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	<b>R3B1PFLA49 18-()</b> ( )	\$1,092.	\$1,100.	\$1,120.	\$1,161.	\$1,186.	\$1,223.	\$1,248.
	20"	49"	<b>R3B1PFLA49 20-()</b> ( )	1,092.	1,100.	1,120.	1,161.	1,186.	1,223.	1,248.
	24"	49"	<b>R3B1PFLA49 24-()</b> ( )	1,148.	1,156.	1,176.	1,217.	1,242.	1,279.	1,304.
	30"	49"	<b>R3B1PFLA49 30-()</b> ( )	1,251.	1,259.	1,279.	1,320.	1,345.	1,382.	1,407.
	36"	49"	<b>R3B1PFLA49 36-()</b> ( )	1,510.	1,518.	1,538.	1,579.	1,604.	1,641.	1,666.
	42"	49"	<b>R3B1PFLA49 42-()</b> ( )	1,660.	1,668.	1,688.	1,729.	1,754.	1,791.	1,816.
	48"	49"	<b>R3B1PFLA49 48-()</b> ( )	1,766.	1,774.	1,794.	1,835.	1,860.	1,897.	1,922.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	<b>R3B1PFLB49 30-()</b> ( )	1,358.	1,366.	1,386.	1,427.	1,452.	1,489.	1,514.
	36"	49"	<b>R3B1PFLB49 36-()</b> ( )	1,622.	1,630.	1,650.	1,691.	1,716.	1,753.	1,778.
	42"	49"	<b>R3B1PFLB49 42-()</b> ( )	1,772.	1,780.	1,800.	1,841.	1,866.	1,903.	1,928.
	48"	49"	<b>R3B1PFLB49 48-()</b> ( )	1,887.	1,895.	1,915.	1,956.	1,981.	2,018.	2,043.

Order Code	Specification Information	Application Notes
Example: <b>R3B1TFLA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>FL</b> Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
<b>49</b> 49" high		4 = 4" base height
<b>18</b> 18" wide		6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height		6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>B</b> Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1	6. Laminate side finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>114</b> Folkstone grey - side 2	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
<b>V316</b> Maple (top trim finish)	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>111</b> Jet Black (base finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>111</b> Jet Black (beltway finish)	8. Base finish	
<b>111</b> Jet Black (window frame finish)	9. Beltway finish	
<b>TEMP</b> Glass option	10. Window frame finish	
	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H  
 tiled and monolithic with glass at top, fabric one side, techwood other  
 side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TF1A49 18-()</b> ( )	\$1,342.	\$1,356.	\$1,386.	\$1,418.	\$1,444.	\$1,484.	\$1,522.
	20"	49"	<b>R3B1TF1A49 20-()</b> ( )	1,342.	1,356.	1,386.	1,418.	1,444.	1,484.	1,522.
	24"	49"	<b>R3B1TF1A49 24-()</b> ( )	1,388.	1,402.	1,432.	1,464.	1,490.	1,530.	1,568.
	30"	49"	<b>R3B1TF1A49 30-()</b> ( )	1,474.	1,488.	1,518.	1,550.	1,576.	1,616.	1,654.
	36"	49"	<b>R3B1TF1A49 36-()</b> ( )	1,753.	1,767.	1,797.	1,829.	1,855.	1,895.	1,933.
	42"	49"	<b>R3B1TF1A49 42-()</b> ( )	1,899.	1,913.	1,943.	1,975.	2,001.	2,041.	2,079.
	48"	49"	<b>R3B1TF1A49 48-()</b> ( )	1,982.	1,996.	2,026.	2,058.	2,084.	2,124.	2,162.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF1A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side		B = Square
<b>T</b> Tiled panel		C = Bullnose
<b>F1</b> Fabric one side, V1 other		E = Extruded Aluminum
<b>A</b> Type A window		2. Base height:
<b>49</b> 49" high		4 = 4" base height
<b>18</b> 18" wide		6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height		6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>B</b> Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1		79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>Y328</b> Mahogany - side 2		Applicable finishes are listed on page 5 and 6.
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		
	1. Top trim profile	
	2. Base height	
	3. Knockout option (K = with knockouts, N = without knockouts)	
	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	
	5. Fabric side, finish (specify selection per insert; bottom up.)	
	6. Techwood side, finish (specify one V1 finish for side)	
	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. Window frame finish	
	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
		Width Add
		18" \$84
		20" \$84
		24" \$99
		30" \$118
		36" \$142
		42" \$169
		48" \$194
		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
		Add upcharge for architectural glass: (as applicable by width)
		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
		Width Add
		18" \$14
		20" \$14
		24" \$15
		30" \$15
		36" \$16
		42" \$16
		48" \$21

# Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1TF1B49 30-()</b> ( )	\$1,581.	\$1,595.	\$1,625.	\$1,657.	\$1,683.	\$1,723.	\$1,761.
	36"	49"	<b>R3B1TF1B49 36-()</b> ( )	1,865.	1,879.	1,909.	1,941.	1,967.	2,007.	2,045.
	42"	49"	<b>R3B1TF1B49 42-()</b> ( )	2,011.	2,025.	2,055.	2,087.	2,113.	2,153.	2,191.
	48"	49"	<b>R3B1TF1B49 48-()</b> ( )	2,103.	2,117.	2,147.	2,179.	2,205.	2,245.	2,283.




Order Code	Specification Information	Application Notes
Example: <b>R3B1TF1A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side		B = Square
<b>T</b> Tiled panel		C = Bullnose
<b>F1</b> Fabric one side, V1 other	1. Top trim profile	E = Extruded Aluminum
<b>A</b> Type A window	2. Base height	2. Base height:
<b>49</b> 49" high	3. Knockout option (K = with knockouts, N = without knockouts)	4 = 4" base height
<b>18</b> 18" wide	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48" W panels only.
<b>4</b> 4" base height		6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>B</b> Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1	6. Techwood side, finish (specify one V1 finish for side)	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>Y328</b> Mahogany - side 2	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
<b>V316</b> Maple (top trim finish)	i) Top trim profile A,B or C options:	
<b>111</b> Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
<b>111</b> Jet Black (beltway finish)	ii) Top trim profile E options:	
<b>111</b> Jet Black (window frame finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>TEMP</b> Glass option	8. Base finish	
	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

# Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	<b>R3B1PF1A49 18-()</b> ( )	\$1,113.	\$1,121.	\$1,141.	\$1,182.	\$1,207.	\$1,244.	\$1,269.
	20"	49"	<b>R3B1PF1A49 20-()</b> ( )	1,113.	1,121.	1,141.	1,182.	1,207.	1,244.	1,269.
	24"	49"	<b>R3B1PF1A49 24-()</b> ( )	1,168.	1,176.	1,196.	1,237.	1,262.	1,299.	1,324.
	30"	49"	<b>R3B1PF1A49 30-()</b> ( )	1,271.	1,279.	1,299.	1,340.	1,365.	1,402.	1,427.
	36"	49"	<b>R3B1PF1A49 36-()</b> ( )	1,534.	1,542.	1,562.	1,603.	1,628.	1,665.	1,690.
	42"	49"	<b>R3B1PF1A49 42-()</b> ( )	1,692.	1,700.	1,720.	1,761.	1,786.	1,823.	1,848.
	48"	49"	<b>R3B1PF1A49 48-()</b> ( )	1,794.	1,802.	1,822.	1,863.	1,888.	1,925.	1,950.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	<b>R3B1PF1B49 30-()</b> ( )	1,378.	1,386.	1,406.	1,447.	1,472.	1,509.	1,534.
	36"	49"	<b>R3B1PF1B49 36-()</b> ( )	1,646.	1,654.	1,674.	1,715.	1,740.	1,777.	1,802.
	42"	49"	<b>R3B1PF1B49 42-()</b> ( )	1,804.	1,812.	1,832.	1,873.	1,898.	1,935.	1,960.
	48"	49"	<b>R3B1PF1B49 48-()</b> ( )	1,915.	1,923.	1,943.	1,984.	2,009.	2,046.	2,071.

Order Code	Specification Information	Application Notes
Example: <b>R3B1TF1A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side		B = Square
<b>T</b> Tiled panel		C = Bullnose
<b>F1</b> Fabric one side, V1 other		E = Extruded Aluminum
<b>A</b> Type A window		2. Base height:
<b>49</b> 49" high		4 = 4" base height
<b>18</b> 18" wide		6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height		6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>B</b> Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1		79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>Y328</b> Mahogany - side 2		Applicable finishes are listed on page 5 and 6.
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		
	1. Top trim profile	
	2. Base height	
	3. Knockout option (K = with knockouts, N = without knockouts)	
	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	
	5. Fabric side, finish (specify selection per insert; bottom up.)	
	6. Techwood side, finish (specify one V1 finish for side)	
	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. Window frame finish	
	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
		Width Add
		18" \$84
		20" \$84
		24" \$99
		30" \$118
		36" \$142
		42" \$169
		48" \$194
		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
		Add upcharge for architectural glass: (as applicable by width)
		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
		Width Add
		18" \$14
		20" \$14
		24" \$15
		30" \$15
		36" \$16
		42" \$16
		48" \$21



Beltway one side, window panel 49" H  
 tiled and monolithic with glass at top, fabric one side, conventional  
 veneer other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TF2A49 18-()</b> ( )	\$1,367.	\$1,381.	\$1,411.	\$1,443.	\$1,469.	\$1,509.	\$1,547.
	20"	49"	<b>R3B1TF2A49 20-()</b> ( )	1,367.	1,381.	1,411.	1,443.	1,469.	1,509.	1,547.
	24"	49"	<b>R3B1TF2A49 24-()</b> ( )	1,411.	1,425.	1,455.	1,487.	1,513.	1,553.	1,591.
	30"	49"	<b>R3B1TF2A49 30-()</b> ( )	1,498.	1,512.	1,542.	1,574.	1,600.	1,640.	1,678.
	36"	49"	<b>R3B1TF2A49 36-()</b> ( )	1,780.	1,794.	1,824.	1,856.	1,882.	1,922.	1,960.
	42"	49"	<b>R3B1TF2A49 42-()</b> ( )	1,929.	1,943.	1,973.	2,005.	2,031.	2,071.	2,109.
	48"	49"	<b>R3B1TF2A49 48-()</b> ( )	2,016.	2,030.	2,060.	2,092.	2,118.	2,158.	2,196.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F2</b> Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim	7. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	8. Base finish	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1	10. Window frame finish	
<b>V316</b> Maple surface - side 2	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Frame finish:  
Add to all products on this page:  
upcharge of \$35 per panel for P2  
paint class options or \$63 per panel  
for P3 paint class options.

Add upcharge for  
extruded aluminum reveal/tile  
divider: (as applicable by width)  
Optional non fabric tiled side only,  
fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H  
 tiled and monolithic with glass at top, fabric one side, conventional  
 veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1TF2B49 30-()</b> ( )	\$1,605.	\$1,619.	\$1,649.	\$1,681.	\$1,707.	\$1,747.	\$1,785.
	36"	49"	<b>R3B1TF2B49 36-()</b> ( )	1,892.	1,906.	1,936.	1,968.	1,994.	2,034.	2,072.
	42"	49"	<b>R3B1TF2B49 42-()</b> ( )	2,041.	2,055.	2,085.	2,117.	2,143.	2,183.	2,221.
	48"	49"	<b>R3B1TF2B49 48-()</b> ( )	2,137.	2,151.	2,181.	2,213.	2,239.	2,279.	2,317.




Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F2</b> Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
<b>49</b> 49" high		4 = 4" base height
<b>18</b> 18" wide		6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48" W panels only.
<b>4</b> 4" base height		6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79" H as well as panels 42", 49", 64" and 79" H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>B</b> Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1	6. Conventional veneer side, finish (specify one V2 finish for side)	79" H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>V316</b> Maple surface - side 2	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
<b>V316</b> Maple (top trim finish)	i) Top trim profile A, B or C options:	
<b>111</b> Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
<b>111</b> Jet Black (beltway finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>111</b> Jet Black (window frame finish)	8. Base finish	
<b>TEMP</b> Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H  
 tiled and monolithic with glass at top, fabric one side, conventional  
 veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1PF2A49 18-()</b> ( )	\$1,131.	\$1,139.	\$1,159.	\$1,200.	\$1,225.	\$1,262.	\$1,287.
	20"	49"	<b>R3B1PF2A49 20-()</b> ( )	1,131.	1,139.	1,159.	1,200.	1,225.	1,262.	1,287.
	24"	49"	<b>R3B1PF2A49 24-()</b> ( )	1,187.	1,195.	1,215.	1,256.	1,281.	1,318.	1,343.
	30"	49"	<b>R3B1PF2A49 30-()</b> ( )	1,296.	1,304.	1,324.	1,365.	1,390.	1,427.	1,452.
	36"	49"	<b>R3B1PF2A49 36-()</b> ( )	1,563.	1,571.	1,591.	1,632.	1,657.	1,694.	1,719.
	42"	49"	<b>R3B1PF2A49 42-()</b> ( )	1,718.	1,726.	1,746.	1,787.	1,812.	1,849.	1,874.
	48"	49"	<b>R3B1PF2A49 48-()</b> ( )	1,821.	1,829.	1,849.	1,890.	1,915.	1,952.	1,977.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1PF2B49 30-()</b> ( )	1,403.	1,411.	1,431.	1,472.	1,497.	1,534.	1,559.
	36"	49"	<b>R3B1PF2B49 36-()</b> ( )	1,675.	1,683.	1,703.	1,744.	1,769.	1,806.	1,831.
	42"	49"	<b>R3B1PF2B49 42-()</b> ( )	1,830.	1,838.	1,858.	1,899.	1,924.	1,961.	1,986.
	48"	49"	<b>R3B1PF2B49 48-()</b> ( )	1,942.	1,950.	1,970.	2,011.	2,036.	2,073.	2,098.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F2</b> Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
<b>49</b> 49" high		4 = 4" base height
<b>18</b> 18" wide		6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height		6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>B</b> Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1	6. Conventional veneer side, finish (specify one V2 finish for side)	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>V316</b> Maple surface - side 2	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
<b>V316</b> Maple (top trim finish)	i) Top trim profile A,B or C options:	
<b>111</b> Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
<b>111</b> Jet Black (beltway finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>111</b> Jet Black (window frame finish)	8. Base finish	
<b>TEMP</b> Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Frame finish:  
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H  
 tiled and monolithic with glass at top, fabric one side, exotic veneer  
 other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side	18"	49"	<b>R3B1TF3A49 18-( )</b> ( )	\$1,806.	\$1,820.	\$1,850.	\$1,882.	\$1,908.	\$1,948.	\$1,986.
Type A window on top, Regular acoustics	20"	49"	<b>R3B1TF3A49 20-( )</b> ( )	1,806.	1,820.	1,850.	1,882.	1,908.	1,948.	1,986.
	24"	49"	<b>R3B1TF3A49 24-( )</b> ( )	1,860.	1,874.	1,904.	1,936.	1,962.	2,002.	2,040.
	30"	49"	<b>R3B1TF3A49 30-( )</b> ( )	1,969.	1,983.	2,013.	2,045.	2,071.	2,111.	2,149.
	36"	49"	<b>R3B1TF3A49 36-( )</b> ( )	2,340.	2,354.	2,384.	2,416.	2,442.	2,482.	2,520.
	42"	49"	<b>R3B1TF3A49 42-( )</b> ( )	2,532.	2,546.	2,576.	2,608.	2,634.	2,674.	2,712.
	48"	49"	<b>R3B1TF3A49 48-( )</b> ( )	2,643.	2,657.	2,687.	2,719.	2,745.	2,785.	2,823.

Tiled, fabric one side, Beltway fabric side	30"	49"	<b>R3B1TF3B49 30-( )</b> ( )	2,076.	2,090.	2,120.	2,152.	2,178.	2,218.	2,256.
Type B window on top, Regular acoustics	36"	49"	<b>R3B1TF3B49 36-( )</b> ( )	2,452.	2,466.	2,496.	2,528.	2,554.	2,594.	2,632.
	42"	49"	<b>R3B1TF3B49 42-( )</b> ( )	2,644.	2,658.	2,688.	2,720.	2,746.	2,786.	2,824.
	48"	49"	<b>R3B1TF3B49 48-( )</b> ( )	2,764.	2,778.	2,808.	2,840.	2,866.	2,906.	2,944.

Order Code	Specification Information	Application Notes
Example: <b>R3B1TF3A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F3</b> Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>4</b> 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>B</b> Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>V512</b> Figured Anigre surface - side 2		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

# Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, exotic veneer other side


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	<b>R3B1PF3A49 18-( ) ( )</b>	\$1,485.	\$1,493.	\$1,513.	\$1,554.	\$1,579.	\$1,616.	\$1,641.
	20"	49"	<b>R3B1PF3A49 20-( ) ( )</b>	1,485.	1,493.	1,513.	1,554.	1,579.	1,616.	1,641.
	24"	49"	<b>R3B1PF3A49 24-( ) ( )</b>	1,556.	1,564.	1,584.	1,625.	1,650.	1,687.	1,712.
	30"	49"	<b>R3B1PF3A49 30-( ) ( )</b>	1,693.	1,701.	1,721.	1,762.	1,787.	1,824.	1,849.
	36"	49"	<b>R3B1PF3A49 36-( ) ( )</b>	2,046.	2,054.	2,074.	2,115.	2,140.	2,177.	2,202.
	42"	49"	<b>R3B1PF3A49 42-( ) ( )</b>	2,245.	2,253.	2,273.	2,314.	2,339.	2,376.	2,401.
	48"	49"	<b>R3B1PF3A49 48-( ) ( )</b>	2,378.	2,386.	2,406.	2,447.	2,472.	2,509.	2,534.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	<b>R3B1PF3B49 30-( ) ( )</b>	1,800.	1,808.	1,828.	1,869.	1,894.	1,931.	1,956.
	36"	49"	<b>R3B1PF3B49 36-( ) ( )</b>	2,158.	2,166.	2,186.	2,227.	2,252.	2,289.	2,314.
	42"	49"	<b>R3B1PF3B49 42-( ) ( )</b>	2,357.	2,365.	2,385.	2,426.	2,451.	2,488.	2,513.
	48"	49"	<b>R3B1PF3B49 48-( ) ( )</b>	2,499.	2,507.	2,527.	2,568.	2,593.	2,630.	2,655.



Order Code	Specification Information	Application Notes																
Example: <b>R3B1TF3A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>																
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat																
<b>B1</b> Beltway one side	2. Base height	B = Square																
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose																
<b>F3</b> Fabric one side, V3 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum																
<b>A</b> Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)																
<b>49</b> 49" high	6. Exotic veneer side, finish (specify one V3 finish for side)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.																
<b>18</b> 18" wide	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".																
<b>A</b> Flat style top trim	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.																
<b>4</b> 4" base height	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.																
<b>K</b> Include knockouts in base	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.																
<b>B</b> Tile divider, black reveal	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Applicable finishes are listed on page 5 and 6.																
<b>W281</b> Fabric selection - side 1		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.																
<b>V512</b> Figured Anigre surface - side 2		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) <i>Optional non fabric tiled side only, fabric side always black</i>																
<b>V512</b> Figured Anigre (top trim finish)		<table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$84</td></tr> <tr><td>20"</td><td>\$84</td></tr> <tr><td>24"</td><td>\$99</td></tr> <tr><td>30"</td><td>\$118</td></tr> <tr><td>36"</td><td>\$142</td></tr> <tr><td>42"</td><td>\$169</td></tr> <tr><td>48"</td><td>\$194</td></tr> </tbody> </table>	Width	Add	18"	\$84	20"	\$84	24"	\$99	30"	\$118	36"	\$142	42"	\$169	48"	\$194
Width	Add																	
18"	\$84																	
20"	\$84																	
24"	\$99																	
30"	\$118																	
36"	\$142																	
42"	\$169																	
48"	\$194																	
<b>111</b> Jet Black (base finish)		<table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$14</td></tr> <tr><td>20"</td><td>\$14</td></tr> <tr><td>24"</td><td>\$15</td></tr> <tr><td>30"</td><td>\$15</td></tr> <tr><td>36"</td><td>\$16</td></tr> <tr><td>42"</td><td>\$16</td></tr> <tr><td>48"</td><td>\$21</td></tr> </tbody> </table>	Width	Add	18"	\$14	20"	\$14	24"	\$15	30"	\$15	36"	\$16	42"	\$16	48"	\$21
Width	Add																	
18"	\$14																	
20"	\$14																	
24"	\$15																	
30"	\$15																	
36"	\$16																	
42"	\$16																	
48"	\$21																	
<b>111</b> Jet Black (beltway finish)																		
<b>111</b> Jet Black (window frame finish)																		
<b>TEMP</b> Glass option																		

# Beltway two sides, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	<b>R3B2TFFA49 18-()</b> ( )	\$1,209.	\$1,237.	\$1,289.	\$1,357.	\$1,409.	\$1,489.	\$1,541.
	20"	49"	<b>R3B2TFFA49 20-()</b> ( )	1,209.	1,237.	1,289.	1,357.	1,409.	1,489.	1,541.
	24"	49"	<b>R3B2TFFA49 24-()</b> ( )	1,253.	1,281.	1,333.	1,401.	1,453.	1,533.	1,585.
	30"	49"	<b>R3B2TFFA49 30-()</b> ( )	1,340.	1,368.	1,420.	1,488.	1,540.	1,620.	1,672.
	36"	49"	<b>R3B2TFFA49 36-()</b> ( )	1,612.	1,640.	1,692.	1,760.	1,812.	1,892.	1,944.
	42"	49"	<b>R3B2TFFA49 42-()</b> ( )	1,755.	1,783.	1,835.	1,903.	1,955.	2,035.	2,087.
	48"	49"	<b>R3B2TFFA49 48-()</b> ( )	1,840.	1,868.	1,920.	1,988.	2,040.	2,120.	2,172.



Order Code	Specification Information	Application Notes
Example: <b>R3B2TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B2</b> Beltway two sides	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>FF</b> Fabric on both sides	3. Knockout option	E = Extruded Aluminum
<b>A</b> Type A window	(K = with knockouts, N = without knockouts)	<i>2. Base height:</i>
<b>49</b> 49" high	4. Panel side 1 finish (specify selection per insert)	4 = 4" base height
<b>18</b> 18" wide	5. Panel side 2 finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim	6. Top trim finish	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	i) Top trim profile A,B or C options:	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>W281</b> Fabric selection - side 1	ii) Top trim profile E options:	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>V316</b> Maple (top trim finish)	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>111</b> Jet Black (base finish)	8. Beltway finish	Applicable finishes are listed on page 5 and 6.
<b>111</b> Jet Black (beltway finish)	9. Window frame finish	
<b>111</b> Jet Black (window frame finish)	10. Glass option	
<b>TEMP</b> Glass option	Temp = clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

# Beltway two sides, window panel 49" H tiled and monolithic with glass at top

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	<b>R3B2TFFB49 30-()</b> ( )	\$1,444.	\$1,472.	\$1,524.	\$1,592.	\$1,644.	\$1,724.	\$1,776.
	36"	49"	<b>R3B2TFFB49 36-()</b> ( )	1,724.	1,752.	1,804.	1,872.	1,924.	2,004.	2,056.
	42"	49"	<b>R3B2TFFB49 42-()</b> ( )	1,866.	1,894.	1,946.	2,014.	2,066.	2,146.	2,198.
	48"	49"	<b>R3B2TFFB49 48-()</b> ( )	1,960.	1,988.	2,040.	2,108.	2,160.	2,240.	2,292.



Monolithic, fabric both sides, Type A window on top, Beltway two sides	18"	49"	<b>R3B2PFFA49 18-()</b> ( )	1,093.	1,111.	1,149.	1,229.	1,281.	1,353.	1,399.
	20"	49"	<b>R3B2PFFA49 20-()</b> ( )	1,093.	1,111.	1,149.	1,229.	1,281.	1,353.	1,399.
	24"	49"	<b>R3B2PFFA49 24-()</b> ( )	1,133.	1,151.	1,189.	1,269.	1,321.	1,393.	1,439.
	30"	49"	<b>R3B2PFFA49 30-()</b> ( )	1,209.	1,227.	1,265.	1,345.	1,397.	1,469.	1,515.
	36"	49"	<b>R3B2PFFA49 36-()</b> ( )	1,438.	1,456.	1,494.	1,574.	1,626.	1,698.	1,744.
	42"	49"	<b>R3B2PFFA49 42-()</b> ( )	1,563.	1,581.	1,619.	1,699.	1,751.	1,823.	1,869.
	48"	49"	<b>R3B2PFFA49 48-()</b> ( )	1,637.	1,655.	1,693.	1,773.	1,825.	1,897.	1,943.



Order Code	Specification Information	Application Notes
Example: <b>R3B2TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> Beltway two sides	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
<b>49</b> 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
<b>18</b> 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>K</b> Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>W281</b> Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 2	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>V316</b> Maple (top trim finish)	9. Window frame finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>111</b> Jet Black (base finish)	10. Glass option	Applicable finishes are listed on page 5 and 6.
<b>111</b> Jet Black (beltway finish)	Temp = clear temp	
<b>111</b> Jet Black (window frame finish)	<i>Architectural options:</i>	
<b>TEMP</b> Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)


Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

# Beltway two sides, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type B window on top, Beltway two sides	30"	49"	<b>R3B2PFFB49 30-()</b> ( )	\$1,313.	\$1,331.	\$1,369.	\$1,449.	\$1,501.	\$1,573.	\$1,619.
	36"	49"	<b>R3B2PFFB49 36-()</b> ( )	1,550.	1,568.	1,606.	1,686.	1,738.	1,810.	1,856.
	42"	49"	<b>R3B2PFFB49 42-()</b> ( )	1,674.	1,692.	1,730.	1,810.	1,862.	1,934.	1,980.
	48"	49"	<b>R3B2PFFB49 48-()</b> ( )	1,757.	1,775.	1,813.	1,893.	1,945.	2,017.	2,063.



Order Code	Specification Information	Application Notes
Example: <b>R3B2TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> Beltway two sides	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
<b>49</b> 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
<b>18</b> 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>K</b> Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 103.
<b>W281</b> Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 2	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 103 at no charge.
<b>V316</b> Maple (top trim finish)	9. Window frame finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>111</b> Jet Black (base finish)	10. Glass option	Applicable finishes are listed on page 5 and 6.
<b>111</b> Jet Black (beltway finish)	Temp = clear temp	
<b>111</b> Jet Black (window frame finish)	<i>Architectural options:</i>	
<b>TEMP</b> Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194



Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.



# Stacking modules *fabric*

Reff

Panels

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	<b>R3SFF08 18</b>	\$197.	\$201.	\$219.	\$249.	\$261.	\$281.	\$295.
	20"	8"	<b>R3SFF08 20</b>	197.	201.	219.	249.	261.	281.	295.
	24"	8"	<b>R3SFF08 24</b>	206.	210.	228.	258.	270.	290.	304.
	30"	8"	<b>R3SFF08 30</b>	229.	233.	251.	281.	293.	313.	327.
	36"	8"	<b>R3SFF08 36</b>	250.	254.	272.	302.	314.	334.	348.
	42"	8"	<b>R3SFF08 42</b>	272.	276.	294.	324.	336.	356.	370.
	48"	8"	<b>R3SFF08 48</b>	293.	297.	315.	345.	357.	377.	391.
Stacking modules* Fabric both sides	18"	15"	<b>R3SFF15 18</b>	264.	278.	306.	338.	364.	404.	428.
	20"	15"	<b>R3SFF15 20</b>	264.	278.	306.	338.	364.	404.	428.
	24"	15"	<b>R3SFF15 24</b>	279.	293.	321.	353.	379.	419.	443.
	30"	15"	<b>R3SFF15 30</b>	306.	320.	348.	380.	406.	446.	470.
	36"	15"	<b>R3SFF15 36</b>	338.	352.	380.	412.	438.	478.	502.
	42"	15"	<b>R3SFF15 42</b>	365.	379.	407.	439.	465.	505.	529.
	48"	15"	<b>R3SFF15 48</b>	395.	409.	437.	469.	495.	535.	559.

## Order Code

Example: <b>R3SFF0820</b>	
<b>R3</b>	Reff Generation 3
<b>S</b>	Stacking module
<b>FF</b>	Fabric/fabric
<b>08</b>	8" high
<b>20</b>	20" wide
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2

## Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

## Application Notes

\* Not for use on 79"H panels.

\* \* Suitable only for top of any panel. Cannot be stacked upon.


8"h module will not accept additional modules on top.

Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

# Stacking modules window

Reff

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	<b>RSWA15 18</b>	\$431.	\$517.	\$14.	\$27.	\$44.
	20"	15"	<b>RSWA15 20</b>	431.	517.	14.	27.	44.
	24"	15"	<b>RSWA15 24</b>	454.	552.	14.	27.	47.
	30"	15"	<b>RSWA15 30</b>	526.	615.	14.	27.	52.
	36"	15"	<b>RSWA15 36</b>	545.	693.	14.	27.	53.
	42"	15"	<b>RSWA15 42</b>	574.	743.	14.	27.	56.
	48"	15"	<b>RSWA15 48</b>	594.	791.	14.	27.	59.
Stacking window module* Center mullion, type "B" 	30"	15"	<b>RSWB15 30</b>	629.	752.	14.	27.	62.
	36"	15"	<b>RSWB15 36</b>	658.	803.	14.	27.	65.
	42"	15"	<b>RSWB15 42</b>	686.	856.	14.	27.	68.
	48"	15"	<b>RSWB15 48</b>	713.	908.	14.	27.	70.
Stacking window module*  18" - 24"      30" - 48"	18"	30"	<b>RSWC30 18</b>	519.	602.	22.	35.	52.
	20"	30"	<b>RSWC30 20</b>	519.	602.	22.	35.	52.
	24"	30"	<b>RSWC30 24</b>	554.	655.	22.	35.	56.
	30"	30"	<b>RSWC30 30</b>	721.	844.	22.	35.	72.
	36"	30"	<b>RSWC30 36</b>	821.	970.	22.	35.	80.
	42"	30"	<b>RSWC30 42</b>	880.	1,052.	22.	35.	86.
	48"	30"	<b>RSWC30 48</b>	932.	1,131.	22.	35.	90.






Order Code	Specification Information	Application Notes
Example: <b>RSWA1518 111 TEMP</b>	<i>To order please specify:</i>	* Not for use on 79"H panels.
<b>R</b> Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
<b>SW</b> Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
<b>A</b> Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
<b>15</b> 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection on page 5.
<b>18</b> 18" wide	3. Glass type	
<b>111</b> Jet Black, frame finish	Temp = Clear tempered glass	
<b>TEMP</b> Clear tempered glass	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

# Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer*  
*other side*

Reff

Panels

description	w	h	pattern no.	grade	10	15	20	30	35	40	45
Stacking modules **, ** Fabric and laminate 	18"	8"	<b>R3SFL0818</b>	\$222.	\$227.	\$244.	\$275.	\$288.	\$308.	\$325.	
	20"	8"	<b>R3SFL0820</b>	222.	227.	244.	275.	288.	308.	325.	
	24"	8"	<b>R3SFL0824</b>	241.	246.	263.	294.	307.	327.	344.	
	30"	8"	<b>R3SFL0830</b>	270.	275.	292.	323.	336.	356.	373.	
	36"	8"	<b>R3SFL0836</b>	296.	301.	318.	349.	362.	382.	399.	
	42"	8"	<b>R3SFL0842</b>	321.	326.	343.	374.	387.	407.	424.	
	48"	8"	<b>R3SFL0848</b>	349.	354.	371.	402.	415.	435.	452.	
Stacking modules **, ** Fabric and techwood 	18"	8"	<b>R3SF10818</b>	228.	233.	250.	281.	294.	314.	331.	
	20"	8"	<b>R3SF10820</b>	228.	233.	250.	281.	294.	314.	331.	
	24"	8"	<b>R3SF10824</b>	245.	250.	267.	298.	311.	331.	348.	
	30"	8"	<b>R3SF10830</b>	274.	279.	296.	327.	340.	360.	377.	
	36"	8"	<b>R3SF10836</b>	300.	305.	322.	353.	366.	386.	403.	
	42"	8"	<b>R3SF10842</b>	329.	334.	351.	382.	395.	415.	432.	
	48"	8"	<b>R3SF10848</b>	354.	359.	376.	407.	420.	440.	457.	
Stacking modules **, ** Fabric and conventional veneer 	18"	8"	<b>R3SF20818</b>	231.	236.	253.	284.	297.	317.	334.	
	20"	8"	<b>R3SF20820</b>	231.	236.	253.	284.	297.	317.	334.	
	24"	8"	<b>R3SF20824</b>	250.	255.	272.	303.	316.	336.	353.	
	30"	8"	<b>R3SF20830</b>	279.	284.	301.	332.	345.	365.	382.	
	36"	8"	<b>R3SF20836</b>	307.	312.	329.	360.	373.	393.	410.	
	42"	8"	<b>R3SF20842</b>	335.	340.	357.	388.	401.	421.	438.	
	48"	8"	<b>R3SF20848</b>	359.	364.	381.	412.	425.	445.	462.	
Stacking modules **, ** Fabric and exotic veneer 	18"	08"	<b>R3SF308 18</b>	304.	309.	326.	357.	370.	390.	407.	
	20"	08"	<b>R3SF308 20</b>	304.	309.	326.	357.	370.	390.	407.	
	24"	08"	<b>R3SF308 24</b>	332.	337.	354.	385.	398.	418.	435.	
	30"	08"	<b>R3SF308 30</b>	368.	373.	390.	421.	434.	454.	471.	
	36"	08"	<b>R3SF308 36</b>	408.	413.	430.	461.	474.	494.	511.	
	42"	08"	<b>R3SF308 42</b>	445.	450.	467.	498.	511.	531.	548.	
	48"	08"	<b>R3SF308 48</b>	479.	484.	501.	532.	545.	565.	582.	
Stacking modules* Fabric and laminate 	18"	15"	<b>R3SFL1518</b>	319.	333.	361.	394.	423.	465.	488.	
	20"	15"	<b>R3SFL1520</b>	319.	333.	361.	394.	423.	465.	488.	
	24"	15"	<b>R3SFL1524</b>	332.	346.	374.	407.	436.	478.	501.	
	30"	15"	<b>R3SFL1530</b>	364.	378.	406.	439.	468.	510.	533.	
	36"	15"	<b>R3SFL1536</b>	395.	409.	437.	470.	499.	541.	564.	
	42"	15"	<b>R3SFL1542</b>	425.	439.	467.	500.	529.	571.	594.	
	48"	15"	<b>R3SFL1548</b>	455.	469.	497.	530.	559.	601.	624.	

## Order Code

Example:	<b>R3SFL0818</b>
<b>R3</b>	Reff Generation 3
<b>S</b>	Stacking module
<b>FL</b>	Fabric/Laminate
<b>08</b>	8" high
<b>18</b>	18" wide
<b>W281</b>	Fabric selection - side 1
<b>114</b>	Folkstone Grey - side 2

## Specification Information

*To order please specify:*

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

## Application Notes

\* Not for use on 79"H panels.

\* \* Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

# Stacking modules

Reff

*fabric one side/laminate, techwood, conventional or exotic veneer  
other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stacking modules* Fabric and techwood	18"	15"	<b>R3SF11518</b>	\$327.	\$341.	\$369.	\$402.	\$431.	\$473.	\$496.
	20"	15"	<b>R3SF11520</b>	327.	341.	369.	402.	431.	473.	496.
	24"	15"	<b>R3SF11524</b>	340.	354.	382.	415.	444.	486.	509.
	30"	15"	<b>R3SF11530</b>	369.	383.	411.	444.	473.	515.	538.
	36"	15"	<b>R3SF11536</b>	401.	415.	443.	476.	505.	547.	570.
	42"	15"	<b>R3SF11542</b>	432.	446.	474.	507.	536.	578.	601.
	48"	15"	<b>R3SF11548</b>	462.	476.	504.	537.	566.	608.	631.
Stacking modules* Fabric and conventional veneer	18"	15"	<b>R3SF21518</b>	330.	344.	372.	405.	434.	476.	499.
	20"	15"	<b>R3SF21520</b>	330.	344.	372.	405.	434.	476.	499.
	24"	15"	<b>R3SF21524</b>	346.	360.	388.	421.	450.	492.	515.
	30"	15"	<b>R3SF21530</b>	378.	392.	420.	453.	482.	524.	547.
	36"	15"	<b>R3SF21536</b>	410.	424.	452.	485.	514.	556.	579.
	42"	15"	<b>R3SF21542</b>	442.	456.	484.	517.	546.	588.	611.
	48"	15"	<b>R3SF21548</b>	469.	483.	511.	544.	573.	615.	638.
Stacking modules* Fabric and exotic veneer	18"	15"	<b>R3SF315 18</b>	435.	449.	477.	510.	539.	581.	604.
	20"	15"	<b>R3SF315 20</b>	435.	449.	477.	510.	539.	581.	604.
	24"	15"	<b>R3SF315 24</b>	456.	470.	498.	531.	560.	602.	625.
	30"	15"	<b>R3SF315 30</b>	499.	513.	541.	574.	603.	645.	668.
	36"	15"	<b>R3SF315 36</b>	543.	557.	585.	618.	647.	689.	712.
	42"	15"	<b>R3SF315 42</b>	585.	599.	627.	660.	689.	731.	754.
	48"	15"	<b>R3SF315 48</b>	624.	638.	666.	699.	728.	770.	793.

## Order Code

Example: <b>R3SFL0818</b>	
<b>R3</b>	Reff Generation 3
<b>S</b>	Stacking module
<b>FL</b>	Fabric/Laminate
<b>08</b>	8" high
<b>18</b>	18" wide
<b>W281</b>	Fabric selection - side 1
<b>114</b>	Folkstone Grey - side 2

## Specification Information

*To order please specify:*

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

## Application Notes

\* Not for use on 79"H panels.

\* \* Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.



8" module will not accept additional modules.

# Panel connection posts

## Generation 3

Reff

Panels

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	<b>R3L08TT</b>	\$60.	n/a
	15"	stacking module post	<b>R3L15TT</b>	118.	n/a
	34"		<b>R3L34(F/T)(F/T)-( ) ( ) ( )</b>	151.	n/a
	42"		<b>R3L42(B)(F/T)(F/T)-( ) ( ) ( )</b>	227.	262.
	49"		<b>R3L49(B)(F/T)(F/T)-( ) ( ) ( )</b>	252.	290.
	64"		<b>R3L64(B)(F/T)(F/T)-( ) ( ) ( )</b>	279.	320.
	79"		<b>R3L79(B)(F/T)(F/T)-( ) ( ) ( )</b>	312.	358.
 T-Post	8"	stacking module post	<b>R3T08T</b>	76.	n/a
	15"	stacking module post	<b>R3T15T</b>	140.	n/a
	34"		<b>R3T34(F/T)-( ) ( ) ( )</b>	183.	n/a
	42"		<b>R3T42(B)(F/T)-( ) ( ) ( )</b>	201.	229.
	49"		<b>R3T49(B)(F/T)-( ) ( ) ( )</b>	227.	262.
	64"		<b>R3T64(B)(F/T)-( ) ( ) ( )</b>	252.	290.
	79"		<b>R3T79(B)(F/T)-( ) ( ) ( )</b>	280.	322.

### Order Code

Example:	<b>R3L64(B)TT-A16NB</b>
<b>R3</b>	Reff Generation 3
<b>L64</b>	90° post; 64" h connector
<b>(B)</b>	with Beltway channel
<b>(T)(T)</b>	Tiled appearance 2 sides
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

**Note: New top caps are required in these two applications. Refer to page 298.**

### Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
  - 1 = one piece (same finish both sides)
  - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*  
(F) = Full height (monolithic look)  
(T) = Tiled

2. *Top profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$25 list for this option)

3. *Top cap configuration:*  
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)  
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)  
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)  
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*  
L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*  
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 103. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

# Panel connection posts

## Generation 3

Reff

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	<b>R3X08</b>	\$67.	n/a
	15"	stacking module post	<b>R3X15</b>	129.	n/a
	34"		<b>R3X34-( ) ( )</b>	171.	n/a
	42"		<b>R3X42(B)-( ) ( )</b>	185.	214.
	49"		<b>R3X49(B)-( ) ( )</b>	201.	229.
	64"		<b>R3X64(B)-( ) ( )</b>	227.	262.
	79"		<b>R3X79(B)-( ) ( )</b>	259.	295.
 Straight post	8"	stacking module post	<b>R3S08TT</b>	60.	n/a
	15"	stacking module post	<b>R3S15TT</b>	118.	n/a
	34"		<b>R3S34(F/T)(F/T)-( ) ( ) ( )</b>	151.	n/a
	42"		<b>R3S42(B)(F/T)(F/T)-( ) ( ) ( )</b>	227.	262.
	49"		<b>R3S49(B)(F/T)(F/T)-( ) ( ) ( )</b>	252.	290.
	64"		<b>R3S64(B)(F/T)(F/T)-( ) ( ) ( )</b>	279.	320.
	79"		<b>R3S79(B)(F/T)(F/T)-( ) ( ) ( )</b>	312.	358.

### Order Code

Example:	<b>R3L64(B)TT-A16NB</b>
<b>R3</b>	Reff Generation 3
<b>L64</b>	90° post; 64" h connector
<b>(B)</b>	with Beltway channel
<b>(T)(T)</b>	Tiled appearance 2 sides
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

**Note: New top caps are required in these two applications. Refer to page 298.**

### Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
  - 1 = one piece (same finish both sides)
  - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*  
(F) = Full height (monolithic look)  
(T) = Tiled

2. *Top profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$25 list for this option)

3. *Top cap configuration:*  
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)  
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)  
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)  
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*  
L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*  
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 103. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

# Panel connection posts

## Generation 3

Reff

Panels

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	<b>R3R2SLV</b>	n/c



### Order Code

Example:	<b>R3L64(B)TT-A16NB</b>
<b>R3</b>	Reff Generation 3
<b>L64</b>	90° post; 64" h connector
<b>(B)</b>	with Beltway channel
<b>(T)(T)</b>	Tiled appearance 2 sides
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

**Note: New top caps are required in these two applications. Refer to page 298.**

### Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
  - 1 = one piece (same finish both sides)
  - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers  
(fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
  - i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*  
(F) = Full height (monolithic look)  
(T) = Tiled

2. *Top profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$25 list for this option)

3. *Top cap configuration:*  
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)  
2 = Regular T or cap finish 1 side (applicable for T or X posts only)  
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)

4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)  
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*  
L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*  
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 103. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.


Applicable finishes are listed on page 5 and 6.

# Panel trims and post covers for all applications

Reff

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		<b>R2ES34(A/B/C/E)(4/6)(E/N)</b>	\$207.	\$125.
	–	42"		<b>R2ES42(A/B/C/E)(4/6)(E/N)</b>	231.	146.
	–	49"		<b>R2ES49(A/B/C/E)(4/6)(E/N)</b>	256.	167.
	–	64"		<b>R2ES64(A/B/C/E)(4/6)(E/N)</b>	272.	188.
	–	79"		<b>R2ES79(A/B/C/E)(4/6)(E/N)</b>	333.	213.
	End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		<b>R2HL3442ES(A/B/C/E)</b>	108.
	34"	49"		<b>R2HL3449ES(A/B/C/E)</b>	151.	112.
	34"	64"		<b>R2HL3464ES(A/B/C/E)</b>	193.	115.
	34"	79"		<b>R2HL3479ES(A/B/C/E)</b>	207.	127.
	42"	49"		<b>R2HL4249ES(A/B/C/E)</b>	108.	110.
	42"	64"		<b>R2HL4264ES(A/B/C/E)</b>	261.	112.
	42"	79"		<b>R2HL4279ES(A/B/C/E)</b>	299.	127.
	49"	64"		<b>R2HL4964ES(A/B/C/E)</b>	151.	115.
	49"	79"		<b>R2HL4979ES(A/B/C/E)</b>	193.	127.
	64"	79"		<b>R2HL6479ES(A/B/C/E)</b>	151.	112.

\*\*Application: for height changes that DO NOT involve a post\*\*

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
Top trim for Hi-Lo conditions (Notched one side)	–		18"	<b>RSNTT18(A/B/C/E)</b>	77.	21.
	–	–	20"	<b>RSNTT20(A/B/C/E)</b>	77.	23.
	–	–	24"	<b>RSNTT24(A/B/C/E)</b>	85.	26.
	–	–	30"	<b>RSNTT30(A/B/C/E)</b>	95.	31.
	–	–	33"	<b>RSNTT33(A/B/C/E) (66" wide panels one only)</b>	99.	41.
	–	–	36"	<b>RSNTT36(A/B/C/E)</b>	106.	41.
	–	–	42"	<b>RSNTT42(A/B/C/E)</b>	120.	42.
	–	–	48"	<b>RSNTT48(A/B/C/E)</b>	130.	59.

## Order Code

Example: <b>R2ES34A6N</b>	
<b>R2</b>	Reff Generation 2
<b>ES</b>	End trim
<b>34</b>	34" high
<b>A</b>	Flat profile
<b>6</b>	6" base height
<b>N</b>	Non electrical base
<b>V311</b>	Beech
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

End trim:

- Trim profile  
A = flat  
B = square  
C = bullnose  
E = extruded aluminum
- Base height option  
4 = 4"  
6 = 6"
- Base type  
E = electrical entry  
N = standard base
- Finish, end trim  
If profile A, B or C specify V1, V2, V3 or painted to match laminate  
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base  
painted or plated finish

Applicable finishes are listed on page 5 and 6.

## Post cover trim:

- Specify full or tiled face type  
F = full (monolithic)  
T = tiled
- Finish, post cover  
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish  
B = black reveal  
or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

**Add \$24 list for each end trim with 6"H base option.** Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

\*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.



# Panel trims and post covers for all applications

Reff

Panels

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		<b>R2HL4249ETS(A/B/C/E)</b>	\$108.	\$110.
	42"	64"		<b>R2HL4264ETS(A/B/C/E)</b>	261.	112.
	42"	79"		<b>R2HL4279ETS(A/B/C/E)</b>	299.	127.
Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		<b>R2HL3442(F)CS ( )</b>	31.	
	34"	49"		<b>R2HL3449(F)CS ( )</b>	45.	
	34"	64"		<b>R2HL3464(F/T)CS ( )( )</b>	89.	
	34"	79"		<b>R2HL3479(F/T)CS ( )( )</b>	132.	
	42"	49"		<b>R2HL4249(F)CS ( )</b>	31.	
	42"	64"		<b>R2HL4264(F/T)CS ( )( )</b>	74.	
	42"	79"		<b>R2HL4279(F/T)CS ( )( )</b>	120.	
	49"	64"		<b>R2HL4964(F)CS ( )</b>	45.	
	49"	79"		<b>R2HL4979(F/T)CS ( )( )</b>	89.	
	64"	79"		<b>R2HL6479(F)CS ( )</b>	45.	

\*\*Application: for height changes involving a post\*\*

Order Code	Specification Information
Example: <b>R2ES34A6N</b>	<i>To order please specify pattern number including:</i>
<b>R2</b> Reff Generation 2	End trim:
<b>ES</b> End trim	1. Trim profile
<b>34</b> 34" high	<i>A = flat</i>
<b>A</b> Flat profile	<i>B = square</i>
<b>6</b> 6" base height	<i>C = bullnose</i>
<b>N</b> Non electrical base	<i>E = extruded aluminum</i>
<b>V311</b> Beech	2. Base height option
<b>111</b> Jet Black (base finish)	<i>4 = 4"</i>
	<i>6 = 6"</i>
	3. Base type
	<i>E = electrical entry</i>
	<i>N = standard base</i>
	4. Finish, end trim
	<i>If profile A, B or C specify V1, V2, V3 or painted to match laminate</i>
	<i>If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver</i>
	5. Finish, end trim base
	<i>painted or plated finish</i>
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	<i>F = full (monolithic)</i>
	<i>T = tiled</i>
	2. Finish, post cover
	<i>fabric, V1, V2, V3 or painted to match laminate</i>
	3. If tiled cover set, specify reveal finish
	<i>B = black reveal</i>
	<i>or select P1, P2, P3 painted finish from pg. 5</i>
	Select paint or plated finish from page 5.
	<b>Add \$24 list for each end trim with 6"H base option.</b> Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

description	h	pattern no.	list price
 Ceiling entry L-post.	42"	<b>R2L42C(F/T)(F/T)-(4/6)</b>	\$227.
	49"	<b>R2L49C(F/T)(F/T)-(4/6)</b>	243.
	64"	<b>R2L64C(F/T)(F/T)-(4/6)</b>	258.
	79"	<b>R2L79C(F/T)(F/T)-(4/6)</b>	306.

*Cable not included*

 Ceiling entry T-post.	42"	<b>R2T42C(F/T)-(4/6)</b>	201.
	49"	<b>R2T49C(F/T)-(4/6)</b>	227.
	64"	<b>R2T64C(F/T)-(4/6)</b>	243.
	79"	<b>R2T79C(F/T)-(4/6)</b>	283.

*Cable not included*

 Ceiling entry X-post.	42"	<b>R2X42C</b>	185.
	49"	<b>R2X49C</b>	201.
	64"	<b>R2X64C</b>	227.
	79"	<b>R2X79C</b>	269.

*Cable not included*

 Ceiling entry straight line post.	42"	<b>R2S42C(F/T)(F/T)-(4/6)</b>	227.
	49"	<b>R2S49C(F/T)(F/T)-(4/6)</b>	243.
	64"	<b>R2S64C(F/T)(F/T)-(4/6)</b>	258.
	79"	<b>R2S79C(F/T)(F/T)-(4/6)</b>	306.

*Cable not included*

Order Code	
Example: <b>R2L42CTT4</b>	
<b>R2</b>	Reff Generation 2
<b>L</b>	L-post
<b>42</b>	42" high
<b>C</b>	Ceiling power entry
<b>T</b>	Tiled style face
<b>T</b>	Tiled style face
<b>4</b>	Base height
<b>W230</b>	Fabric selection
<b>111</b>	Jet Black (base finish)

Applicable finishes are listed on page 5 and 6.

Specification Information
<i>To order please specify pattern number including:</i>
1. Post face option
2. Base height option
3. Finish type, where applicable
4. Finish, where applicable
5. Base finish
6. Canopy finish (ceiling entry pole only)
<i>1. Face type:</i>
F = Full height
T = Tiled
<i>2. Base height:</i>
4 = 4" base height
6 = 6" base height
<i>3. Finish type:</i>
F = Fabric
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes
Data cable application requires the post and the pole only.
*Must order post, pole and cable for electrical application.
The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
Hi-lo ceiling post covers must be ordered in hi-lo applications from 100.

description	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet	41"	<b>RCP41-(F/L/1/2/3)*</b>	\$454.
	56"	<b>RCP56-(F/L/1/2/3)*</b>	471.
	71"	<b>RCP71-(F/L/1/2/3)*</b>	529.
	78"	<b>RCP78-(F/L/1/2/3)*</b>	546.



*Cable not included*

Ceiling power cable infeed. For use with Ceiling entry Pole and Post combination	<b>RR3EPVR-(Eight wire)</b>	265.
	<b>RR3TPVR-(Ten wire)</b>	321.



One size fits all post sizes (13' of cable)

Order Code	Specification Information	Application Notes
Example: <b>R2L42CTT4</b>	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
<b>R2</b> Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
<b>L</b> L-post	2. Base height option	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
<b>42</b> 42" high	3. Finish type, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
<b>C</b> Ceiling power entry	4. Finish, where applicable	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
<b>T</b> Tiled style face	5. Base finish	
<b>T</b> Tiled style face	6. Canopy finish (ceiling entry pole only)	
<b>4</b> Base height	1. <i>Face type:</i>	The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
<b>W230</b> Fabric selection	F = Full height	Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
<b>111</b> Jet Black (base finish)	T = Tiled	Hi-lo ceiling post covers must be ordered in hi-lo applications from 100.
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

# Ceiling cable entry post covers

## Alignment kits and wall starters

Reff

description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			<b>RPHL3442(F/T)</b>	\$31.
	34"	49"			<b>RPHL3449(F/T)</b>	45.
	34"	64"			<b>RPHL3464(F/T)</b>	89.
	34"	79"			<b>RPHL3479(F/T)</b>	132.
	42"	49"			<b>RPHL4249(F/T)</b>	61.
	42"	64"			<b>RPHL4264(F/T)</b>	85.
	42"	79"			<b>RPHL4279(F/T)</b>	93.
	49"	64"			<b>RPHL4964(F/T)</b>	85.
	49"	79"			<b>RPHL4979(F/T)</b>	93.
	64"	79"			<b>RPHL6479(F/T)</b>	67.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			<b>RPHL4249S</b>	31.
	42"	64"			<b>RPHL4264S</b>	74.
	42"	79"			<b>RPHL4279S</b>	120.
	49"	64"			<b>RPHL4964S</b>	45.
	49"	79"			<b>RPHL4979S</b>	89.
	64"	79"			<b>RPHL6479S</b>	45.
Wall starter			7/8"	8"	<b>R2SWS0008 ( ) ( ) ( )</b>	43.
			7/8"	15"	<b>R2SWS0015 ( ) ( ) ( )</b>	57.
			7/8"	34"	<b>R2SWS0034 ( ) ( ) ( ) ( )</b>	112.
			7/8"	42"	<b>R2SWS0042 ( ) ( ) ( ) ( )</b>	137.
			7/8"	49"	<b>R2SWS0049 ( ) ( ) ( ) ( )</b>	160.
			7/8"	64"	<b>R2SWS0064 ( ) ( ) ( ) ( )</b>	210.
		7/8"	79"	<b>R2SWS0079 ( ) ( ) ( ) ( )</b>	259.	


Order Code	Specification Information	Application Notes
Example: <b>RPHL4249T</b>	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
<b>R</b> Reff		
<b>P</b> Power post	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
<b>HL</b> Hi lo cover	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
<b>42</b> 42" low panel	2. Select finish fabric, laminate or veneer	
<b>49</b> 49" high panel		
<b>T</b> Tiled face type	<i>1. Face type options:</i> F = Full T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	
		Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
		RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
		RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
		R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

# Ceiling cable entry post covers

## Alignment kits and wall starters

Reff

Panels

description	panel h	post h	w	h	pattern no.	list price
					<b>R3SPABPT</b>	\$7.
					<b>R3SPABTD</b>	7.
					<b>R3SPABTT</b>	7.
					<b>R3SPABTW</b>	7.
					<b>RSPABPD</b>	7.
					<b>RSPABPP</b>	7.
					<b>RSPABPT</b>	7.
					<b>RSPABPW</b>	7.
					<b>RSPABTD</b>	7.
					<b>RSPABTT</b>	7.
					<b>RSPABTW</b>	7.
					<b>RSPABWD</b>	7.
				<b>RSPABWW</b>	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: <b>RPHL4249T</b>	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
<b>R</b> Reff		
<b>P</b> Power post	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
<b>HL</b> Hi lo cover	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
<b>42</b> 42" low panel	2. Select finish fabric, laminate or veneer	
<b>49</b> 49" high panel		
<b>T</b> Tiled face type	1. <i>Face type options:</i> F = Full T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64"	<b>RRDPPL(L/R)6436( )</b>		\$2,765.	\$2,863.	\$3,827.
		36"	79"	<b>RRD3PPL(L/R)7936( )( )</b>		3,015.	3,123.	4,216.
		42"	64"	<b>RRDPPL(L/R)6442( )</b>		2,818.	2,915.	3,875.
		42"	79"	<b>RRD3PPL(L/R)7942( )( )</b>		3,061.	3,169.	4,262.
Floor to ceiling rolling door		36"	79"	<b>RRD3FTCPPL(L/R)7936( )</b>		3,015.	3,123.	4,216.
		42"	79"	<b>RRD3FTCPPL(L/R)7942( )</b>		3,061.	3,169.	4,262.
Partial width threshold (full width threshold)		3"	50"	<b>RRDTH( )</b>		320.		
		3"	96"	<b>RRDTH(L/R)( )</b>		411.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	<b>R2DRS7936( )( )</b>		3,601.	
	(36" opening)	1 1/2"	42"	79"	<b>R2DRS7942( )( )</b>		4,185.	
*Panel door left	(30" opening)	1 1/2"	36"	79"	<b>R2DLS7936( )( )</b>		3,601.	
	(36" opening)	1 1/2"	42"	79"	<b>R2DLS7942( )( )</b>		4,185.	



## Order Code

Example:	<b>RRDPPL(L)6436(A)(4)</b>
<b>RRD</b>	Reff rolling door
<b>PPL</b>	Monolithic frame
<b>L</b>	Left hand
<b>64</b>	64" high
<b>36</b>	36" wide
<b>A</b>	Flat style top trim
<b>4"</b>	4" base height

## Specification Information

### Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat  
B = Square  
C = Bullnose

### 2. Base height:

- 4 = 4" base  
6 = 6" base (add \$47 for this option)

### 3. Lock option:

- N = Not drilled  
D = Drilled \*  
L = Drilled lock set included  
D = \*Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

### Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

### Frame Insert Finish

Temp = Cleared tempered glass

### Architectural options:

- GL13 = Powdered glass  
GL6 = Block matrix  
GL8 = Wafer glass  
P5 = Polycarbonate

## Application Notes

Applicable finishes are listed on page 5 and 6.

### Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 100).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

### Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			<b>R234PKIT</b>	\$104.	
Generation 1 34"H panels to Generation 3 Beltway posts			<b>R334PKIT</b>	104.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			<b>R2AK</b>	n/c	
Generation 1 panels to Generation 3 posts			<b>R3AK</b>	n/c	
R3/R2 stacking post sleeve			<b>R3R2SLV</b>	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	(Qty of 15)	3/8"	79"	<b>RHSC15</b>	n/c
	(Qty of 250)	3/8"	79"	<b>RHSC250</b>	n/c
	(Qty of 70)	3/8"	79"	<b>RHSC70</b>	n/c
	Carpet gripper(Pack of 10)			<b>R2CG</b>	18.

**Order Code**

Example:	<b>R234PKIT</b>
<b>R2</b>	Reff, generation 2
<b>34</b>	34" h panel to
<b>P</b>	Beltway post
<b>KIT</b>	Attachment kit

**Application Notes**

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.




R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

# Floor to ceiling modules

21" high, for 104" ceiling height and 79" high panels  
fabric and glass

Reff

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	<b>R3FTCFF2118</b>			\$330.	\$334.	\$348.	\$408.	\$428.	\$488.	\$548.
	20"	21"	<b>R3FTCFF2120</b>			330.	334.	348.	408.	428.	488.	548.
	24"	21"	<b>R3FTCFF2124</b>			347.	351.	365.	425.	445.	505.	565.
	30"	21"	<b>R3FTCFF2130</b>			384.	388.	402.	462.	482.	542.	602.
	36"	21"	<b>R3FTCFF2136</b>			412.	416.	430.	490.	510.	570.	630.
	42"	21"	<b>R3FTCFF2142</b>			449.	453.	467.	527.	547.	607.	667.
	48"	21"	<b>R3FTCFF2148</b>			482.	486.	500.	560.	580.	640.	700.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	<b>RFTCWA2118</b>	462.	544.							
	20"	21"	<b>RFTCWA2120</b>	462.	544.							
	24"	21"	<b>RFTCWA2124</b>	485.	586.							
	30"	21"	<b>RFTCWA2130</b>	564.	687.							
	36"	21"	<b>RFTCWA2136</b>	590.	733.							
	42"	21"	<b>RFTCWA2142</b>	621.	794.							
	48"	21"	<b>RFTCWA2148</b>	651.	842.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	<b>RFTCWB2130</b>	658.	779.							
	36"	21"	<b>RFTCWB2136</b>	714.	859.							
	42"	21"	<b>RFTCWB2142</b>	754.	921.							
	48"	21"	<b>RFTCWB2148</b>	789.	985.							

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF2118</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).  Specify the finish for frames from paint selection on page 5.  Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$62 per module per P3 paint class options.  Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>R3</b> Reff Generation 3	1. Pattern number	
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	
<b>21</b> 21" high	4. Soffit finish (paint)	<b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>  <b>Use of Reff FTC modules must be approved by local building authorities.</b>  Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.  No additional acoustic rating occurs on FTC installations.
<b>18</b> 18" wide	<i>For window panel:</i>	
<b>W281</b> Fabric selection - side 1	1. Pattern number	
<b>W281</b> Fabric selection - side 2	2. Frame finish	
<b>111</b> Jet Black soffit	3. Glass type	






# Floor to ceiling modules

25" high, for 108" ceiling height and 79" high panels  
fabric and glass

Reff

Panels

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	<b>R3FTCFF2518</b>			\$367.	\$373.	\$383.	\$463.	\$481.	\$559.	\$627.
	20"	25"	<b>R3FTCFF2520</b>			367.	373.	383.	463.	481.	559.	627.
	24"	25"	<b>R3FTCFF2524</b>			388.	394.	404.	484.	502.	580.	648.
	30"	25"	<b>R3FTCFF2530</b>			422.	428.	438.	518.	536.	614.	682.
	36"	25"	<b>R3FTCFF2536</b>			461.	467.	477.	557.	575.	653.	721.
	42"	25"	<b>R3FTCFF2542</b>			498.	504.	514.	594.	612.	690.	758.
	48"	25"	<b>R3FTCFF2548</b>			534.	540.	550.	630.	648.	726.	794.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	<b>RFTCWA2518</b>	482.	565.							
	20"	25"	<b>RFTCWA2520</b>	482.	565.							
	24"	25"	<b>RFTCWA2524</b>	515.	613.							
	30"	25"	<b>RFTCWA2530</b>	595.	718.							
	36"	25"	<b>RFTCWA2536</b>	624.	768.							
	42"	25"	<b>RFTCWA2542</b>	664.	831.							
	48"	25"	<b>RFTCWA2548</b>	692.	884.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	<b>RFTCWB2530</b>	684.	803.							
	36"	25"	<b>RFTCWB2536</b>	757.	903.							
	42"	25"	<b>RFTCWB2542</b>	804.	973.							
	48"	25"	<b>RFTCWB2548</b>	849.	1,043.							

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF2518</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).  Specify the finish for frames from paint selection on page 5.  Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$62 per module per P3 paint class options.  Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.
<b>R3</b> Reff Generation 3	1. Pattern number	
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	
<b>25</b> 25" high	4. Soffit finish (paint)	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.  <b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>  <b>Use of Reff FTC modules must be approved by local building authorities.</b>  Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.  No additional acoustic rating occurs on FTC installations.
<b>18</b> 18" wide	<i>For window panel:</i>	
<b>W281</b> Fabric selection - side 1	1. Pattern number	
<b>W281</b> Fabric selection - side 2	2. Frame finish	
<b>111</b> Jet Black soffit	3. Glass type	

# Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels  
fabric and glass

Reff

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	<b>R3FTCFF3718</b>			\$481.	\$485.	\$495.	\$615.	\$635.	\$753.	\$861.
	20"	37"	<b>R3FTCFF3720</b>			481.	485.	495.	615.	635.	753.	861.
	24"	37"	<b>R3FTCFF3724</b>			509.	513.	523.	643.	663.	781.	889.
	30"	37"	<b>R3FTCFF3730</b>			552.	556.	566.	686.	706.	824.	932.
	36"	37"	<b>R3FTCFF3736</b>			600.	604.	614.	734.	754.	872.	980.
	42"	37"	<b>R3FTCFF3742</b>			646.	650.	660.	780.	800.	918.	1,026.
	48"	37"	<b>R3FTCFF3748</b>			689.	693.	703.	823.	843.	961.	1,069.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	<b>RFTCWA3718</b>	552.	633.
	20"	37"	<b>RFTCWA3720</b>	552.	633.
	24"	37"	<b>RFTCWA3724</b>	594.	691.
	30"	37"	<b>RFTCWA3730</b>	701.	808.
	36"	37"	<b>RFTCWA3736</b>	729.	872.
	42"	37"	<b>RFTCWA3742</b>	777.	944.
	48"	37"	<b>RFTCWA3748</b>	818.	1,015.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	<b>RFTCWB3730</b>	755.	878.
	36"	37"	<b>RFTCWB3736</b>	891.	1,035.
	42"	37"	<b>RFTCWB3742</b>	960.	1,128.
	48"	37"	<b>RFTCWB3748</b>	1,021.	1,217.


Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF3718</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
<b>R3</b> Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$62 per module per P3 paint class options.
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
<b>37</b> 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>18</b> 18" wide		Ceiling height includes 4" allowance for trim.
<b>W281</b> Fabric selection - side 1	<i>For window panel:</i>	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.
<b>W281</b> Fabric selection - side 2	1. Pattern number	<b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>
<b>111</b> Jet Black soffit	2. Frame finish	<b>Use of Reff FTC modules must be approved by local building authorities.</b>
	3. Glass type	Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


# Floor to ceiling modules


21" and 25" high modules, fabric one side,  
laminate, techwood, conventional or exotic veneer other side


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	<b>R3FTCFL2118</b>	\$375.	\$377.	\$382.	\$415.	\$425.	\$456.	\$489.
	20"	21"	<b>R3FTCFL2120</b>	375.	377.	382.	415.	425.	456.	489.
	24"	21"	<b>R3FTCFL2124</b>	388.	390.	395.	428.	438.	469.	502.
	30"	21"	<b>R3FTCFL2130</b>	436.	438.	443.	476.	486.	517.	550.
	36"	21"	<b>R3FTCFL2136</b>	473.	475.	480.	513.	523.	554.	587.
	42"	21"	<b>R3FTCFL2142</b>	515.	517.	522.	555.	565.	596.	629.
	48"	21"	<b>R3FTCFL2148</b>	554.	556.	561.	594.	604.	635.	668.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	<b>R3FTCF12118</b>	382.	384.	389.	422.	432.	463.	496.
	20"	21"	<b>R3FTCF12120</b>	382.	384.	389.	422.	432.	463.	496.
	24"	21"	<b>R3FTCF12124</b>	397.	399.	404.	437.	447.	478.	511.
	30"	21"	<b>R3FTCF12130</b>	442.	444.	449.	482.	492.	523.	556.
	36"	21"	<b>R3FTCF12136</b>	480.	482.	487.	520.	530.	561.	594.
	42"	21"	<b>R3FTCF12142</b>	520.	522.	527.	560.	570.	601.	634.
	48"	21"	<b>R3FTCF12148</b>	566.	568.	573.	606.	616.	647.	680.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	<b>R3FTCF22118</b>	389.	391.	396.	429.	439.	470.	503.
	20"	21"	<b>R3FTCF22120</b>	389.	391.	396.	429.	439.	470.	503.
	24"	21"	<b>R3FTCF22124</b>	402.	404.	409.	442.	452.	483.	516.
	30"	21"	<b>R3FTCF22130</b>	452.	454.	459.	492.	502.	533.	566.
	36"	21"	<b>R3FTCF22136</b>	488.	490.	495.	528.	538.	569.	602.
	42"	21"	<b>R3FTCF22142</b>	531.	533.	538.	571.	581.	612.	645.
	48"	21"	<b>R3FTCF22148</b>	573.	575.	580.	613.	623.	654.	687.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	<b>R3FTCF321 18</b>	513.	515.	520.	553.	563.	594.	627.
	20"	21"	<b>R3FTCF321 20</b>	513.	515.	520.	553.	563.	594.	627.
	24"	21"	<b>R3FTCF321 24</b>	530.	532.	537.	570.	580.	611.	644.
	30"	21"	<b>R3FTCF321 30</b>	597.	599.	604.	637.	647.	678.	711.
	36"	21"	<b>R3FTCF321 36</b>	646.	648.	653.	686.	696.	727.	760.
	42"	21"	<b>R3FTCF321 42</b>	704.	706.	711.	744.	754.	785.	818.
	48"	21"	<b>R3FTCF321 48</b>	760.	762.	767.	800.	810.	841.	874.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL2118</b> <b>R3</b> Reff Generation 3 <b>FTC</b> Floor to ceiling <b>FL</b> Fabric/laminate <b>21</b> 21" high <b>18</b> 18" wide <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>111</b> Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint)  Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.  Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.  Modules on this page will not support the hanging of panel mount product.

**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**


**Use of Reff FTC modules must be approved by local building authorities.**


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


# Floor to ceiling modules


*21" and 25" high modules, fabric one side,  
laminate, techwood, conventional or exotic veneer other side*

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	<b>R3FTCFL2518</b>	\$403.	\$406.	\$413.	\$455.	\$464.	\$504.	\$540.
	20"	25"	<b>R3FTCFL2520</b>	403.	406.	413.	455.	464.	504.	540.
	24"	25"	<b>R3FTCFL2524</b>	417.	420.	427.	469.	478.	518.	554.
	30"	25"	<b>R3FTCFL2530</b>	474.	477.	484.	526.	535.	575.	611.
	36"	25"	<b>R3FTCFL2536</b>	514.	517.	524.	566.	575.	615.	651.
	42"	25"	<b>R3FTCFL2542</b>	564.	567.	574.	616.	625.	665.	701.
	48"	25"	<b>R3FTCFL2548</b>	609.	612.	619.	661.	670.	710.	746.

Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	<b>R3FTCF12518</b>	409.	412.	419.	461.	470.	510.	546.
	20"	25"	<b>R3FTCF12520</b>	409.	412.	419.	461.	470.	510.	546.
	24"	25"	<b>R3FTCF12524</b>	422.	425.	432.	474.	483.	523.	559.
	30"	25"	<b>R3FTCF12530</b>	483.	486.	493.	535.	544.	584.	620.
	36"	25"	<b>R3FTCF12536</b>	521.	524.	531.	573.	582.	622.	658.
	42"	25"	<b>R3FTCF12542</b>	574.	577.	584.	626.	635.	675.	711.
	48"	25"	<b>R3FTCF12548</b>	619.	622.	629.	671.	680.	720.	756.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	<b>R3FTCF22518</b>	417.	420.	427.	469.	478.	518.	554.
	20"	25"	<b>R3FTCF22520</b>	417.	420.	427.	469.	478.	518.	554.
	24"	25"	<b>R3FTCF22524</b>	430.	433.	440.	482.	491.	531.	567.
	30"	25"	<b>R3FTCF22530</b>	491.	494.	501.	543.	552.	592.	628.
	36"	25"	<b>R3FTCF22536</b>	532.	535.	542.	584.	593.	633.	669.
	42"	25"	<b>R3FTCF22542</b>	583.	586.	593.	635.	644.	684.	720.
	48"	25"	<b>R3FTCF22548</b>	630.	633.	640.	682.	691.	731.	767.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	<b>R3FTCF325 18</b>	546.	549.	556.	598.	607.	647.	683.
	20"	25"	<b>R3FTCF325 20</b>	546.	549.	556.	598.	607.	647.	683.
	24"	25"	<b>R3FTCF325 24</b>	567.	570.	577.	619.	628.	668.	704.
	30"	25"	<b>R3FTCF325 30</b>	647.	650.	657.	699.	708.	748.	784.
	36"	25"	<b>R3FTCF325 36</b>	704.	707.	714.	756.	765.	805.	841.
	42"	25"	<b>R3FTCF325 42</b>	772.	775.	782.	824.	833.	873.	909.
	48"	25"	<b>R3FTCF325 48</b>	836.	839.	846.	888.	897.	937.	973.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL2118</b> <b>R3</b> Reff Generation 3 <b>FTC</b> Floor to ceiling <b>FL</b> Fabric/laminate <b>21</b> 21" high <b>18</b> 18" wide <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>111</b> Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint)  Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.  Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.  Modules on this page will not support the hanging of panel mount product.

**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**

**Use of Reff FTC modules must be approved by local building authorities.**

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


# Floor to ceiling modules

## 37" high modules, fabric one side, laminate, techwood, conventional or exotic veneer other side


Reff

Panels


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side	18"	37"	<b>R3FTCF3718</b>	\$491.	\$493.	\$499.	\$560.	\$571.	\$632.	\$689.
	20"	37"	<b>R3FTCF3720</b>	491.	493.	499.	560.	571.	632.	689.
	24"	37"	<b>R3FTCF3724</b>	500.	502.	508.	569.	580.	641.	698.
	30"	37"	<b>R3FTCF3730</b>	594.	596.	602.	663.	674.	735.	792.
	36"	37"	<b>R3FTCF3736</b>	643.	645.	651.	712.	722.	784.	841.
	42"	37"	<b>R3FTCF3742</b>	717.	719.	725.	786.	797.	858.	915.
	48"	37"	<b>R3FTCF3748</b>	782.	784.	790.	851.	862.	923.	980.




Stack-on floor to ceiling module Fabric one side, techwood other side	18"	37"	<b>R3FTCF13718</b>	499.	501.	507.	568.	579.	640.	697.
	20"	37"	<b>R3FTCF13720</b>	499.	501.	507.	568.	579.	640.	697.
	24"	37"	<b>R3FTCF13724</b>	507.	509.	515.	576.	587.	648.	705.
	30"	37"	<b>R3FTCF13730</b>	603.	605.	611.	672.	683.	744.	801.
	36"	37"	<b>R3FTCF13736</b>	655.	657.	663.	724.	735.	796.	853.
	42"	37"	<b>R3FTCF13742</b>	733.	735.	741.	802.	813.	874.	931.
	48"	37"	<b>R3FTCF13748</b>	797.	799.	805.	866.	877.	938.	995.



Stack-on floor to ceiling module Fabric one side, conventional veneer other side	18"	37"	<b>R3FTCF23718</b>	506.	508.	514.	575.	586.	647.	704.
	20"	37"	<b>R3FTCF23720</b>	506.	508.	514.	575.	586.	647.	704.
	24"	37"	<b>R3FTCF23724</b>	518.	520.	526.	587.	598.	659.	716.
	30"	37"	<b>R3FTCF23730</b>	613.	615.	621.	682.	693.	754.	811.
	36"	37"	<b>R3FTCF23736</b>	664.	666.	672.	733.	744.	805.	862.
	42"	37"	<b>R3FTCF23742</b>	743.	745.	751.	812.	823.	884.	941.
	48"	37"	<b>R3FTCF23748</b>	812.	814.	820.	881.	892.	953.	1,010.



Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37"	18"	37"	<b>R3FTCF337 18</b>	661.	663.	669.	730.	741.	802.	859.
	20"	37"	<b>R3FTCF337 20</b>	661.	663.	669.	730.	741.	802.	859.
	24"	37"	<b>R3FTCF337 24</b>	678.	680.	686.	747.	758.	819.	876.
	30"	37"	<b>R3FTCF337 30</b>	806.	808.	814.	875.	886.	947.	1,003.
	36"	37"	<b>R3FTCF337 36</b>	875.	877.	883.	944.	955.	1,016.	1,072.
	42"	37"	<b>R3FTCF337 42</b>	982.	984.	990.	1,051.	1,062.	1,123.	1,179.
	48"	37"	<b>R3FTCF337 48</b>	1,074.	1,076.	1,082.	1,143.	1,154.	1,215.	1,271.








Order Code	Specification Information	Application Notes
Example: <b>R3FTCF3718</b>	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
<b>R3</b> Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	Ceiling height includes 4" allowance for trim.
<b>FL</b> Fabric/laminate	3. Panel side 2 finish	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
<b>37</b> 37" high	4. Soffit finish (paint)	Modules on this page will not support the hanging of panel mount product.
<b>18</b> 18" wide	Applicable finishes are listed on page 5 and 6.	<b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>
<b>W281</b> Fabric selection - side 1		<b>Use of Reff FTC modules must be approved by local building authorities.</b>
<b>114</b> Folkstone grey - side 2		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
<b>111</b> Jet Black soffit		

# Floor to ceiling modules

## Panel connection posts

### for floor to ceiling applications

Reff

description		h	pattern no.	list price
 L-Post	add on	21"	<b>R3FTCL21</b>	\$173.
	add on	25"	<b>R3FTCL25</b>	192.
	add on	37"	<b>R3FTCL37</b>	248.
	full height	104"	<b>R3FTCL104(F/T)(F/T)-( ) ( )</b>	392.
	full height	108"	<b>R3FTCL108(F/T)(F/T)-( ) ( )</b>	392.
	full height	120"	<b>R3FTCL120(F/T)(F/T)-( ) ( )</b>	392.
 T-Post	add on	21"	<b>R3FTCT21</b>	204.
	add on	25"	<b>R3FTCT25</b>	204.
	add on	37"	<b>R3FTCT37</b>	262.
	full height	104"	<b>R3FTCT104(F/T)-( ) ( )</b>	352.
	full height	108"	<b>R3FTCT108(F/T)-( ) ( )</b>	352.
	full height	120"	<b>R3FTCT120(F/T)-( ) ( )</b>	352.
 X-Post	add on	21"	<b>R3FTCX21</b>	171.
	add on	25"	<b>R3FTCX25</b>	189.
	add on	37"	<b>R3FTCX37</b>	247.
	full height	104"	<b>R3FTCX104</b>	323.
	full height	108"	<b>R3FTCX108</b>	323.
	full height	120"	<b>R3FTCX120</b>	323.
 Straight post	add on	21"	<b>R3FTCS21</b>	173.
	add on	25"	<b>R3FTCS25</b>	192.
	add on	37"	<b>R3FTCS37</b>	248.
	full height	104"	<b>R3FTCS104(F/T)(F/T)-( ) ( )</b>	392.
	full height	108"	<b>R3FTCS108(F/T)(F/T)-( ) ( )</b>	392.
	full height	120"	<b>R3FTCS120(F/T)(F/T)-( ) ( )</b>	392.
 End post	add on	21"	<b>R3FTCE21</b>	187.
	add on	25"	<b>R3FTCE25</b>	187.
	add on	37"	<b>R3FTCE37</b>	262.
	full height	104"	<b>R3FTCE104(F/T)(F/T)(F/T)-( ) ( )</b>	352.
	full height	108"	<b>R3FTCE108(F/T)(F/T)(F/T)-( ) ( )</b>	352.
	full height	120"	<b>R3FTCE120(F/T)(F/T)(F/T)-( ) ( )</b>	352.

Order Code	Specification Information	Application Notes
<b>Example: R3FTCL104TT-6N</b> <b>R3FTC</b> Reff Gen 3 Floor to ceiling <b>L</b> Corner post <b>104</b> 104" high (one piece) <b>TT</b> Tiled appearance <b>6</b> 6" base height <b>N</b> No base infeed raceway knock-out <b>W808</b> Fabric selection <b>111</b> Jet Black (base finish)	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Post face option</li> <li>Base height option</li> <li>Base infeed raceway knock-out, (optional)</li> <li>Fabric selection</li> <li>Base color</li> </ol> <p>1. <i>Face type:</i>            F = Full height (monolithic look)            T = Tiled</p> <p>2. <i>Base height:</i>            4 = 4" base height            6 = 6" base height (add \$47 list for this option)</p> <p>3. <i>Electrical infeed post:</i>            L = Base infeed left face            M = Base infeed middle face            R = Base infeed right face            N = None</p>	<p>The posts on this page do not support the hanging of panel mount product above the 79"H panels.</p> <p>The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.</p> <p>If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.</p> <p>Left and Right hand locations are determined by facing the post in question from the outside of the station.</p> <p>Hookstrip cover reveal strips are no charge but must be ordered separately from page 103.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>

# Required components for floor to ceiling applications

Reff


Panels

description	h	pattern no.	list price
FTC wall starter	21"	<b>RFTCWS21S</b>	\$56.
	25"	<b>RFTCWS25S</b>	71.
	37"	<b>RFTCWS37S</b>	85.
Ceiling channel 108* and stabilizer beam	108"	<b>RFTCC108</b>	204.
Caddy clips (box of 100)		<b>RFTCCLIPS</b>	296.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		<b>RFTCSPACE</b>	93.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		<b>RFTCWT (Pair)</b>	7.
Floor to ceiling beam bracket for top of a stacking module		<b>R3FTCSM (Pair) for G3 only</b>	7.
		<b>RFTCSM (Pair) for G2 only</b>	7.
Floor to ceiling beam bracket for top of a G1 panel		<b>RFTCG1 (Pair)</b>	7.
Floor to ceiling beam bracket for top of a door panel		<b>RFTCDR (Pair)</b>	7.

Order Code	Specification Information	Application Notes
Example: <b>RFTCWS21S</b>	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>1. Fabric/laminate/wood options</li> <li>2. Paint option for metal soffit</li> </ol> <p>All floor to ceiling posts mimic the panel system post application.</p>	<p>*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.</p> <p>Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.</p> <p><b>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</b></p> <p><b>Use of Reff FTC components must be approved by local building authorities.</b></p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>
<b>R</b> Reff		
<b>FTC</b> Floor to ceiling		
<b>WS</b> Wall starter		
<b>21</b> 21" high		

Power distribution components  
 2+2 Base Raceway  
 four circuit, eight-wire raceway for panels  
 power rails and connector

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	<b>RR3-E24</b>	\$132.
	30" panel	12"	2"	2"	<b>RR3-E30NS</b>	146.
	36" panel	18"	2"	2"	<b>RR3-E36NS</b>	160.
	42" panel	24"	2"	2"	<b>RR3-E42NS</b>	167.
	48" panel	30"	2"	2"	<b>RR3-E48NS</b>	175.
	60" panel	42"	2"	2"	<b>RR3-E60-4</b>	265.
	66" panel	48"	2"	2"	<b>RR3-E66-4</b>	279.
	72" panel	54"	2"	2"	<b>RR3-E72-4</b>	299.

	Straight	16 1/2"	2"	2"	<b>RR3-EPC24</b>	77.
		18 1/2"	2"	2"	<b>RR3-EPCS</b>	77.
		20 1/4"	2"	2"	<b>RR3-EPC</b>	77.

Use **RR3-EPC24** for straight 24" to 24" wide panel.  
 Use **RR3-EPCS** for straight 24" to any other width panel and for 30" to 30" wide panels.  
 Use **RR3-EPC** for all other straight power connection configurations.

Through post	19"	2"	2"	<b>RR3-EPCP24</b>	77.
	21"	2"	2"	<b>RR3-EPCPS</b>	77.
	22 3/4"	2"	2"	<b>RR3-EPCP</b>	77.

Use **RR3-EPCP24** for through post 24" to 24" wide panels.  
 Use **RR3-EPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.  
 Use **RR3-EPCP** for all other through post power connection configurations.

	Circuit A	<b>RR3-DA</b>	36.
	Circuit B	<b>RR3-DB</b>	36.
	Circuit X	<b>RR3-DX</b>	36.
	Circuit Y	<b>RR3-DY</b>	36.

	Circuit X	<b>RR3-DXO</b>	41.
	Circuit Y	<b>RR3-DYO</b>	41.

Data Shield	1 pair	<b>RR3-DATSHD</b>	25.
-------------	--------	-------------------	-----

Order Code	Specification Information	Application Notes
Example: <b>RR3-E-24</b> <b>RR3</b> Reff raceway <b>E</b> Eight wire 2+2 <b>24</b> for 24" panel	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.  Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.  Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.




Power connectors are enclosed in steel flexible conduit.

\*Power connectors must be specified according to the panel widths in the specified orientation.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.



Power distribution components  
 2+2 Base Raceway  
 four circuit, eight-wire raceway for panels  
 jumpers and infeed

description	type	w	d	h	pattern no.	list price
 <p>Jumper</p>	18" panel	38"	2"	2"	<b>RR3-EJ18</b>	\$96.
	20" panel	40"	2"	2"	<b>RR3-EJ20</b>	96.
	24" panel	44"	2"	2"	<b>RR3-EJ24</b>	104.
	30" panel	50"	2"	2"	<b>RR3-EJ30</b>	111.
	36" panel	56"	2"	2"	<b>RR3-EJ36</b>	120.
	42" panel	62"	2"	2"	<b>RR3-EJ42</b>	126.
	48" panel	68"	2"	2"	<b>RR3-EJ48</b>	132.
	54" panel run	76 1/2"	2"	2"	<b>RR3-EJ54P</b>	139.
	60" panel run	82 1/2"	2"	2"	<b>RR3-EJ60P</b>	146.
	66" panel run	88 1/2"	2"	2"	<b>RR3-EJ66P</b>	154.
	72" panel run	94 1/2"	2"	2"	<b>RR3-EJ72P</b>	160.
	78" panel run	100 1/2"	2"	2"	<b>RR3-EJ78P</b>	167.
	84" panel run	106 1/2"	2"	2"	<b>RR3-EJ84P</b>	175.
	90" panel run	112 1/2"	2"	2"	<b>RR3-EJ90P</b>	182.
96" panel run	118 1/2"	2"	2"	<b>RR3-EJ96P</b>	189.	
 <p>Extended jumper (through one post)</p>	18" + post	40 1/2"	2"	2"	<b>RR3-EJ18P</b>	96.
	20" + post	42 1/2"	2"	2"	<b>RR3-EJ20P</b>	96.
	24" + post	46 1/2"	2"	2"	<b>RR3-EJ24P</b>	104.
	30" + post	52 1/2"	2"	2"	<b>RR3-EJ30P</b>	111.
	36" + post	58 1/2"	2"	2"	<b>RR3-EJ36P</b>	120.
	42" + post	64 1/2"	2"	2"	<b>RR3-EJ42P</b>	126.
	48" + post	70 1/2"	2"	2"	<b>RR3-EJ48P</b>	132.
 <p>Power infeeds</p>	Ceiling power cable infeed				<b>RR3-EPVR</b>	258.
	Hardwire infeed (NYC) one direction				<b>RR3-EPNY1</b>	194.
	Hardwire infeed (NYC) two directions				<b>RR3-EPNY2</b>	291.
	Panel base end feed				<b>RR3-REPI</b>	230.
	Panel base side infeed				<b>RR3-EPI</b>	230.
	Surge suppressors				<b>RR3-SP-(A,B,X,Y)</b>	167.

Order Code

Example:	<b>RR3-EPVR</b>
<b>RR3</b>	Reff raceway
<b>E</b>	Eight wire 2+2
<b>P</b>	power infeed
<b>VR</b>	for vertical raceway

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.

For use in Canada, all circuits are CGA rated 15 amp capacity.

*Note:*  
 For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Application Notes

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.



Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-EPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-EPNY1** includes only one power connector.

Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Power distribution components  
**3+3 Base Raceway**  
*six circuit, ten-wire raceway for panels*  
*power rails and connectors*

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	<b>RR3-T24</b>	\$154.	
	30" panel	12"	2"	2"	<b>RR3-T30NS</b>	167.	
	36" panel	18"	2"	2"	<b>RR3-T36NS</b>	182.	
	42" panel	24"	2"	2"	<b>RR3-T42NS</b>	194.	
	48" panel	30"	2"	2"	<b>RR3-T48NS</b>	202.	
	60" panel	42"	2"	2"	<b>RR3-T60-4</b>	314.	
	66" panel	48"	2"	2"	<b>RR3-T66-4</b>	327.	
	72" panel	54"	2"	2"	<b>RR3-T72-4</b>	349.	
	Straight	16 1/2"	2"	2"	<b>RR3-TPC24</b>	96.	
		18 1/2"	2"	2"	<b>RR3-TPCS</b>	96.	
		20 1/4"	2"	2"	<b>RR3-TPC</b>	96.	
	Use <b>RR3-TPC24</b> for through post 24" to 24" wide panels. Use <b>RR3-TPCS</b> for through post 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-TPC</b> for all other through post power connection configurations.						
	Through post	19"	2"	2"	<b>RR3-TPCP24</b>	96.	
		21"	2"	2"	<b>RR3-TPCPS</b>	96.	
		22 3/4"	2"	2"	<b>RR3-TPCP</b>	96.	
	Use <b>RR3-TPCP24</b> for through post 24" to 24" wide panels. Use <b>RR3-TPCPS</b> for through post 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-TPCP</b> for all other through post power connection configurations.						
		Circuit A				<b>RR3-DA</b>	36.
		Circuit B				<b>RR3-DB</b>	36.
Circuit C					<b>RR3-DC</b>	36.	
Circuit X					<b>RR3-DX</b>	36.	
Circuit Y					<b>RR3-DY</b>	36.	
Circuit Z					<b>RR3-DZ</b>	36.	
	Circuit X				<b>RR3-DXO</b>	41.	
	Circuit Y				<b>RR3-DYO</b>	41.	
	Circuit Z				<b>RR3-DZO</b>	41.	
Data Shield	1 pair				<b>RR3-DATSHD</b>	25.	




Order Code	Specification Information	Application Notes
Example: <b>RR3-T-24</b> <b>RR3</b> Reff raceway <b>T</b> Ten wire 3+3 <b>24</b> for 24" panel	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>A, B, X, Y outlets are identical to eight wire, 2+2 components.</p> <p>Duplex outlet circuits are designated by white letters on black background.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p><i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.</p>	<p>Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.</p> <p>Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.</p> <p>*Power connectors must be specified according to the panel widths in the specified orientation.</p> <p>Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.</p> <p>Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.</p> <p>If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.</p>

# Power distribution components

## 3+3 Base Raceway

### six circuit, ten-wire raceway for panels

### jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	<b>RR3-TJ18</b>	\$111.
	20" panel	40"	2"	2"	<b>RR3-TJ20</b>	111.
	24" panel	44"	2"	2"	<b>RR3-TJ24</b>	120.
	30" panel	50"	2"	2"	<b>RR3-TJ30</b>	126.
	36" panel	56"	2"	2"	<b>RR3-TJ36</b>	132.
	42" panel	62"	2"	2"	<b>RR3-TJ42</b>	146.
	48" panel	68"	2"	2"	<b>RR3-TJ48</b>	160.
	54" panel run	76 1/2"	2"	2"	<b>RR3-TJ54P</b>	167.
	60" panel	82 1/2"	2"	2"	<b>RR3-TJ60P</b>	175.
	66" panel run	86 1/2"	2"	2"	<b>RR3-TJ66P</b>	182.
	72" panel run	94 1/2"	2"	2"	<b>RR3-TJ72P</b>	189.
	78" panel run	100 1/2"	2"	2"	<b>RR3-TJ78P</b>	194.
	84" panel run	106 1/2"	2"	2"	<b>RR3-TJ84P</b>	211.
90" panel run	112 1/2"	2"	2"	<b>RR3-TJ90P</b>	216.	
96" panel run	118 1/2"	2"	2"	<b>RR3-TJ96P</b>	222.	
	18" + post	40 1/2"	2"	2"	<b>RR3-TJ18P</b>	111.
	20" + post	46 1/2"	2"	2"	<b>RR3-TJ20P</b>	111.
	24" + post	46 1/2"	2"	2"	<b>RR3-TJ24P</b>	120.
	30" + post	52 1/2"	2"	2"	<b>RR3-TJ30P</b>	126.
	36" + post	58 1/2"	2"	2"	<b>RR3-TJ36P</b>	132.
	42" + post	64 1/2"	2"	2"	<b>RR3-TJ42P</b>	146.
	48" + post	70 1/2"	2"	2"	<b>RR3-TJ48P</b>	160.
	Ceiling power cable infeed				<b>RR3-TPVR</b>	312.
	Hardwire infeed (NYC) one direction **				<b>RR3-TPNY1</b>	222.
	Hardwire infeed (NYC) two directions **				<b>RR3-TPNY2</b>	321.
	Panel base end feed				<b>RR3-RTPI</b>	265.
	Panel base side infeed				<b>RR3-TPI</b>	265.
	Surge suppressors *				<b>RR3-SP-(A, B, C, X, Y, Z)</b>	167.

\* Select which circuit needs protecting and order the specified surge processor.

\*\* For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: <b>RR3-TPVR</b> <b>RR3</b> Reff raceway <b>T</b> Ten wire 3+3 <b>P</b> power infeed <b>VR</b> for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

# Power distribution components

## *Hardwire box*

Reff

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided	24" panel	<b>RR3CHI241</b>	\$0.
	30" panel	<b>RR3CHI301</b>	0.
	36" panel	<b>RR3CHI361</b>	0.
	42" panel	<b>RR3CHI421</b>	0.
	48" panel	<b>RR3CHI481</b>	0.
Chicago Hardwire Box 2 Sided	24" panel	<b>RR3CHI242</b>	0.
	30" panel	<b>RR3CHI302</b>	0.
	36" panel	<b>RR3CHI362</b>	0.
	42" panel	<b>RR3CHI422</b>	0.
	48" panel	<b>RR3CHI482</b>	0.

### Order Code

Example: <b>RR3CHI24</b>	
<b>RR3</b>	Reff/AutoStrada raceway G3
<b>CHI</b>	Chicago Hardwire Box
<b>24</b>	For 24" wide panel
<b>1</b>	One sided raceway


### Specification Information

Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.


### Application Notes

Certified electrician to install.

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		<b>RR3-E24S</b>	\$139.
	30" panel		<b>RR3-E30S</b>	160.
	36" panel		<b>RR3-E36S</b>	175.
	42" panel		<b>RR3-E42S</b>	189.
	48" panel		<b>RR3-E48S</b>	194.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		<b>RR3-T24S</b>	167.
	30" panel		<b>RR3-T30S</b>	182.
	36" panel		<b>RR3-T36S</b>	194.
	42" panel		<b>RR3-T42S</b>	211.
	48" panel		<b>RR3-T48S</b>	216.



Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	<b>RR3-LTPC24</b>	96.
	Beltway post	19 1/2"	<b>RR3-LTPC</b>	96.
	Beltway post	21 1/2"	<b>RR3-LTPCP</b>	96.



Only necessary for post applications where cable will turn 90°ree.  
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		<b>RR3-TBBCS</b>	139.
	For 30" wide Beltway panels (8 Wire)		<b>RR3-EBBCS</b>	131.
	For 36" to 48" wide Beltway panels (10 Wire)		<b>RR3-TBBCL</b>	147.
	For 36" to 48" wide Beltway panels (8 Wire)		<b>RR3-EBBCL</b>	139.

## Order Code

Example: <b>RR3-T42S</b>
<b>RR3</b> Reff raceway
<b>T</b> Ten wire 3+3
<b>42</b> For 42" panel
<b>S</b> Single sided power

\*Power connectors must be specified according to the panel widths in the specified orientation.

## Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

### Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

## Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.


Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

### Vertical Adjacent Jumper

\* \*Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

### Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		<b>RR3EJ48</b>	\$132.
	24" wide Ten Wire		<b>RR3TJ48</b>	160.
	30" wide Eight Wire		<b>RR3EJ60P</b>	146.
	30" wide Ten Wire		<b>RR3TJ60P</b>	175.
	36" wide Eight Wire		<b>RR3EJ60P</b>	146.
	36" wide Ten Wire		<b>RR3TJ60P</b>	175.
	42" wide Eight Wire		<b>RR3EJ66P</b>	154.
	42" wide Ten Wire		<b>RR3TJ66P</b>	182.
	48" wide Eight Wire		<b>RR3EJ72P</b>	160.
48" wide Ten Wire		<b>RR3TJ72P</b>	189.	

**Order Code**

Example: <b>RR3-T42S</b>
<b>RR3</b> Reff raceway
<b>T</b> Ten wire 3+3
<b>42</b> For 42" panel
<b>S</b> Single sided power

\*Power connectors must be specified according to the panel widths in the specified orientation.

**Specification Information**

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

*Note:*

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

**Application Notes**

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.

Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

**Vertical Adjacent Jumper**


\* \*\*Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

**Vertical Jumper**

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	<b>RR3-FB</b>	\$13.
	Faceplate extender, black	<b>RR3-FE</b>	32.
	Three port faceplate, black	<b>RR3-3PF</b>	10.
	Two port faceplate, black	<b>RR3-2PF</b>	10.
Snap in module (must be used with faceplate)	BNC coupler, black	<b>RR3-BNC</b>	19.
	Cat 3 RJ11/14/25, black	<b>RR3-C3C</b>	12.
	CAT 5 RJ45 universal	<b>RR3-C5C</b>	19.
	CAT 6 universal	<b>RR3-C6C</b>	33.
	F series video coupler, black	<b>RR3-FV</b>	19.
	ST style coupler, black	<b>RR3-ST</b>	33.
Icons (sets of 10)	Data icons, 16 piece black	<b>RR3-DICON</b>	13.
	Mixed icons, 16 piece black	<b>RR3-MICON</b>	13.
	Phone icons, 16 piece black	<b>RR3PICON</b>	13.
Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	<b>RR3-C5C4A</b>	130.
	4 Cat 5 RJ45-T568B extended face, black	<b>RR3-C5C4B</b>	130.
Fiber optics	Sc style dual fiber optic side mount	<b>RR3-FOSC</b>	164.
	ST style dual fiber optic side mount	<b>RR3-FOST</b>	93.
Desktop duplex monument	2-RJ11 (telephone)	<b>RGMD6</b>	99.
	2-RJ45's (phone and intercom)	<b>RGMD8</b>	110.
	Duplex outlet (electrical)	<b>RGMDE</b>	119.

Order Code	Specification Information	Application Notes
Example: <b>RR3-2PF</b>	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
<b>RR3</b> Reff raceway		
<b>2PF</b> Two port face	Icons can be ordered to distinguish intended use.	Faceplates are ordered separately from snap in modules and can be configured on sight.
Example: <b>RR3-C5CA</b>	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	
<b>RR3</b> Reff raceway	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.
<b>C5CA</b> Cat5 RJ45s		





### Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in either wood or fabric inserts. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.



**Vertical power port bracket kit and duplex.**




# Reff Ported Panel Components

## port, vertical duplex and panel jumpers


Reff

Panels

description	type	pattern no.	list price
Port	Floating data port	<b>RR3FDP</b>	\$52.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	<b>RR3VPBK</b>	81.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	<b>RR3VDA</b>	27.
	Vertical Duplex B (8/10 wire applications)	<b>RR3VDB</b>	27.
	Vertical Duplex C (10 wire applications)	<b>RR3VDC</b>	27.
	Vertical Duplex X (8/10 wire applications)	<b>RR3VDX</b>	27.
	Vertical Duplex X Iso (8/10 wire applications)	<b>RR3VDXO</b>	27.
	Vertical Duplex Y (8/10 wire applications)	<b>RR3VDY</b>	27.
	Vertical Duplex Y Iso (8/10 wire applications)	<b>RR3VDYO</b>	27.
	Vertical Duplex Z (10 wire applications)	<b>RR3VDZ</b>	27.
	Vertical Duplex Z Iso (10 wire applications)	<b>RR3VDZO</b>	27.



Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	<b>RR3EBVC50</b>	139.
	30" same Panel Jumper 64" 8w	<b>RR3EBVC64</b>	151.
	30" same Panel Jumper 78" 8w	<b>RR3EBVC78</b>	164.
	36" + same Panel Jumper 62" 8w	<b>RR3EBVC62</b>	150.
	36" + same Panel Jumper 76" 8w	<b>RR3EBVC76</b>	163.
	36" + same Panel Jumper 90" 8w	<b>RR3EBVC90</b>	178.

Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	<b>RR3TBVC50</b>	159.
	30" same Panel Jumper 64" 10w	<b>RR3TBVC64</b>	175.
	30" same Panel Jumper 78" 10w	<b>RR3TBVC78</b>	191.
	36" + same Panel Jumper 62" 10w	<b>RR3TBVC62</b>	171.
	36" + same Panel Jumper 76" 10w	<b>RR3TBVC76</b>	187.
	36" + same Panel Jumper 90" 10w	<b>RR3TBVC90</b>	202.


Order Code	Specification Information	Application Note
Example: <b>RR3VPBK</b>	For data and communications specify product listed on page 119.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h</p> <p>64" will support port location in extreme top corner of 64"h</p> <p>78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h</p> <p>76" will support port location in extreme top corner of 64"h</p> <p>90" will support port location in extreme top corner of 79"h</p>
<b>RR3</b> Reff		
<b>VP</b> Vertical port		
<b>BK</b> Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

# Reff Ported Panel Components

## *port, vertical duplex and panel jumpers*


Reff

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	<b>RR3TVJ110</b>	\$218.
	Adjacent Panel Jumper 82" 10w	<b>RR3TVJ82</b>	188.
	Adjacent Panel Jumper 96" 10w	<b>RR3TVJ96</b>	204.



Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	<b>RR3EVJ110</b>	192.
	Adjacent Panel Jumper 82" 8w	<b>RR3EVJ82</b>	167.
	Adjacent Panel Jumper 96" 8w	<b>RR3EVJ96</b>	181.


Internal Panel Jumper	Internal Panel Jumper 10 w	<b>RR3TVJ</b>	140.
	Internal Panel Jumper 8 w	<b>RR3EVJ</b>	130.



Order Code	Specification Information	Application Note
Example: <b>RR3VPBK</b>	For data and communications specify product listed on page 119.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h</p> <p>64" will support port location in extreme top corner of 64"h</p> <p>78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h</p> <p>76" will support port location in extreme top corner of 64"h</p> <p>90" will support port location in extreme top corner of 79"h</p>
<b>RR3</b> Reff		
<b>VP</b> Vertical port		
<b>BK</b> Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

Worksurface tops  
*rectilinear*  
 20" and 24" deep x 1 1/4" thick

Reff


description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	<b>RSA241-</b> (-)(-)	\$297.	\$324.	\$373.	\$502.
		30"	<b>RSA301-</b> (-)(-)	325.	356.	408.	551.
		36"	<b>RSA361-</b> (-)(-)	344.	375.	431.	583.
		42"	<b>RSA421-</b> (-)(-)	357.	393.	451.	609.
		48"	<b>RSA481-</b> (-)(-)	375.	407.	468.	631.
		54"	<b>RSA541-</b> (-)(-)	390.	423.	489.	662.
		60"	<b>RSA601-</b> (-)(-)	421.	458.	527.	713.
		66"	<b>RSA661-</b> (-)(-)	431.	472.	544.	734.
		72"	<b>RSA721-</b> (-)(-)	456.	497.	570.	770.
		78"	<b>RSA781-</b> (-)(-)	462.	502.	579.	782.
		84"	<b>RSA841-</b> (-)(-)	489.	537.	616.	831.
		90"	<b>RSA901-</b> (-)(-)	512.	558.	640.	866.
	96"	<b>RSA961-</b> (-)(-)	531.	579.	665.	897.	
	24"	24"	<b>RSA242-</b> (-)(-)	312.	340.	393.	530.
		30"	<b>RSA302-</b> (-)(-)	353.	384.	444.	598.
		36"	<b>RSA362-</b> (-)(-)	365.	402.	460.	621.
		42"	<b>RSA422-</b> (-)(-)	380.	413.	475.	640.
		48"	<b>RSA482-</b> (-)(-)	403.	444.	510.	687.
		54"	<b>RSA542-</b> (-)(-)	431.	472.	544.	734.
		60"	<b>RSA602-</b> (-)(-)	465.	508.	582.	786.
		66"	<b>RSA662-</b> (-)(-)	477.	523.	603.	813.
		72"	<b>RSA722-</b> (-)(-)	501.	546.	630.	851.
78"		<b>RSA782-</b> (-)(-)	523.	572.	661.	891.	
84"	<b>RSA842-</b> (-)(-)	545.	596.	685.	925.		
90"	<b>RSA902-</b> (-)(-)	572.	622.	715.	964.		
96"	<b>RSA962-</b> (-)(-)	592.	646.	744.	1,004.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSA241RL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Top thickness	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
<b>S</b> Straight top	2. Grommet option	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Top finish type	These worksurfaces are predrilled with metal inserts and use machine screws.
<b>24</b> 24" wide	4. Top finish	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>1</b> 20" deep	5. Grommet finish	1 3/4" tops require support at mid point to reduce spans to 66" or less.
<b>R</b> Recessed grommet location	1. Thickness options: A = 1 1/4"	Mixed finish 1 3/4" tops are not post-formed.
<b>L</b> Laminate finish	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
<b>114</b> Folkstone grey		
<b>111</b> Jet Black (grommet)		
	3. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>	
	<b>Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.</b>	

Worksurface tops  
*rectilinear*  
 20" and 24" deep x 1<sup>3</sup>/<sub>4</sub>" thick

Reff

description	depth	width	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	<b>RSB241-</b> ( ) ( )	\$386.	\$559.	\$642.	\$868.
		30"	<b>RSB301-</b> ( ) ( )	400.	582.	668.	902.
		36"	<b>RSB361-</b> ( ) ( )	423.	611.	703.	948.
		42"	<b>RSB421-</b> ( ) ( )	457.	662.	760.	1,026.
		48"	<b>RSB481-</b> ( ) ( )	489.	711.	820.	1,106.
		54"	<b>RSB541-</b> ( ) ( )	515.	745.	857.	1,156.
		60"	<b>RSB601-</b> ( ) ( )	540.	783.	897.	1,212.
		66"	<b>RSB661-</b> ( ) ( )	563.	820.	942.	1,272.
		72"	<b>RSB721-</b> ( ) ( )	587.	852.	982.	1,325.
		78"	<b>RSB781-</b> ( ) ( )	618.	896.	1,032.	1,394.
		84"	<b>RSB841-</b> ( ) ( )	650.	943.	1,082.	1,461.
		90"	<b>RSB901-</b> ( ) ( )	678.	988.	1,136.	1,535.
	96"	<b>RSB961-</b> ( ) ( )	713.	1,032.	1,188.	1,604.	
	24"	24"	<b>RSB242-</b> ( ) ( )	403.	586.	675.	911.
		30"	<b>RSB302-</b> ( ) ( )	443.	642.	738.	996.
		36"	<b>RSB362-</b> ( ) ( )	463.	672.	772.	1,042.
		42"	<b>RSB422-</b> ( ) ( )	497.	724.	828.	1,120.
		48"	<b>RSB482-</b> ( ) ( )	531.	770.	887.	1,198.
		54"	<b>RSB542-</b> ( ) ( )	555.	805.	927.	1,250.
		60"	<b>RSB602-</b> ( ) ( )	580.	840.	967.	1,305.
		66"	<b>RSB662-</b> ( ) ( )	605.	877.	1,010.	1,362.
		72"	<b>RSB722-</b> ( ) ( )	628.	911.	1,048.	1,415.
78"		<b>RSB782-</b> ( ) ( )	660.	956.	1,101.	1,487.	
84"		<b>RSB842-</b> ( ) ( )	691.	1,002.	1,153.	1,557.	
90"		<b>RSB902-</b> ( ) ( )	722.	1,050.	1,205.	1,626.	
96"	<b>RSB962-</b> ( ) ( )	755.	1,095.	1,260.	1,701.		

**Order Code**

Example: <b>RSB241RL</b>
<b>R</b> Reff
<b>S</b> Straight top
<b>B</b> 1 <sup>3</sup> / <sub>4</sub> " thick
<b>24</b> 24" wide
<b>1</b> 20" deep
<b>R</b> Recessed grommet location
<b>L</b> Laminate finish
<b>114</b> Folkstone grey
<b>111</b> Jet Black (grommet)

**Specification Information**

*To order please specify pattern number including:*

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

*1. Thickness options:*  
 B = 1<sup>3</sup>/<sub>4</sub>"

*2. Grommet options:*  
 N = No grommets  
 F = Flush front grommet location  
 R = Recessed front (not recommended for 20"D and 24"D tops)

*3. Finish type:*  
 L = Laminate  
 M = Wood/laminate mixed  
 1 = V1  
 2 = V2  
 3 = V3

Applicable finishes are listed on page 5 and 6.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Actual widths of worksurfaces are <sup>1</sup>/<sub>16</sub>" less than nominal dimension. Actual depth is <sup>1</sup>/<sub>8</sub>" less.**

**Application Notes**

1<sup>3</sup>/<sub>4</sub>" thick laminate option is double post formed front and back, all others are edgebanded.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.


1<sup>1</sup>/<sub>4</sub>" tops require support at mid point to reduce spans to 48" or less.

1<sup>3</sup>/<sub>4</sub>" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1<sup>3</sup>/<sub>4</sub>" tops are not post-formed.

Worksurface tops  
*rectilinear*  
 30" and 36" deep x 1 1/4" thick

Reff

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	<b>RSA243-</b> ( ) ( )	\$341.	\$370.	\$424.	\$573.
		30"	<b>RSA303-</b> ( ) ( )	383.	417.	480.	649.
		36"	<b>RSA363-</b> ( ) ( )	411.	450.	516.	696.
		42"	<b>RSA423-</b> ( ) ( )	428.	467.	538.	727.
		48"	<b>RSA483-</b> ( ) ( )	458.	499.	573.	774.
		54"	<b>RSA543-</b> ( ) ( )	495.	540.	619.	835.
		60"	<b>RSA603-</b> ( ) ( )	513.	559.	642.	868.
		66"	<b>RSA663-</b> ( ) ( )	522.	571.	660.	890.
		72"	<b>RSA723-</b> ( ) ( )	537.	585.	673.	908.
		78"	<b>RSA783-</b> ( ) ( )	561.	613.	705.	951.
		84"	<b>RSA843-</b> ( ) ( )	583.	637.	733.	990.
		90"	<b>RSA903-</b> ( ) ( )	611.	666.	768.	1,037.
	96"	<b>RSA963-</b> ( ) ( )	632.	691.	795.	1,073.	
	36"	60"	<b>RSA604-</b> ( ) ( )	591.	645.	740.	999.
		66"	<b>RSA664-</b> ( ) ( )	611.	667.	769.	1,038.
		72"	<b>RSA724-</b> ( ) ( )	631.	690.	794.	1,072.

Worksurfaces

**Order Code**

Example: <b>RSA243RL</b>
<b>R</b> Reff
<b>S</b> Straight top
<b>A</b> 1 1/4" thick
<b>24</b> 24" wide
<b>3</b> 30" deep
<b>R</b> Recessed grommet location
<b>L</b> Laminate finish
<b>114</b> Folkstone grey
<b>111</b> Jet Black (grommet)

**Specification Information**

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. *Thickness options:*  
 A = 1 1/4"

2. *Grommet options:*  
 N = No grommets  
 F = Flush front grommet location  
 R = Recessed front (not recommended for 20"D and 24"D tops)

3. *Finish type:*  
 L = Laminate  
 M = Wood/laminate mixed  
 1 = V1  
 2 = V2  
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.**

**Application Notes**

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.


1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.




Worksurface tops  
*rectilinear*  
 30" and 36" deep x 1 3/4" thick

Reff

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	<b>RSB243-()</b> ( )	\$482.	\$701.	\$805.	\$1,085.
		30"	<b>RSB303-()</b> ( )	498.	725.	829.	1,121.
		36"	<b>RSB363-()</b> ( )	518.	752.	864.	1,166.
		42"	<b>RSB423-()</b> ( )	545.	792.	910.	1,229.
		48"	<b>RSB483-()</b> ( )	573.	829.	955.	1,289.
		54"	<b>RSB543-()</b> ( )	599.	866.	994.	1,341.
		60"	<b>RSB603-()</b> ( )	619.	897.	1,034.	1,396.
		66"	<b>RSB663-()</b> ( )	644.	935.	1,076.	1,451.
		72"	<b>RSB723-()</b> ( )	669.	969.	1,113.	1,503.
		78"	<b>RSB783-()</b> ( )	700.	1,016.	1,168.	1,577.
		84"	<b>RSB843-()</b> ( )	733.	1,063.	1,220.	1,647.
		90"	<b>RSB903-()</b> ( )	762.	1,107.	1,273.	1,717.
		96"	<b>RSB963-()</b> ( )	793.	1,153.	1,326.	1,789.
		36"	60"	<b>RSB604-()</b> ( )	693.	1,005.	1,154.
66"	<b>RSB664-()</b> ( )		713.	1,032.	1,188.	1,604.	
72"	<b>RSB724-()</b> ( )		767.	1,111.	1,280.	1,727.	

Order Code	Specification Information	Application Notes
Example: <b>RSB243RL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Top thickness	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed
<b>S</b> Straight top	2. Grommet option	1 = V1
<b>B</b> 1 3/4" thick	3. Top finish type	2 = V2
<b>24</b> 24" wide	4. Top finish	3 = V3
<b>3</b> 30" deep	5. Grommet finish	Applicable finishes are listed on page 5 and 6.
<b>R</b> Recessed grommet location	1. <i>Thickness options:</i> B = 1 3/4"	<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>L</b> Laminate finish	2. <i>Grommet options:</i> N = No grommets	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
<b>114</b> Folkstone grey	F = Flush front grommet location	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
<b>111</b> Jet Black (grommet)	R = Recessed front (not recommended for 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
		These worksurfaces are predrilled with metal inserts and use machine screws.
		1 3/4" tops require support at mid point to reduce spans to 48" or less.
		1 3/4" tops require support at mid point to reduce spans to 66" or less.
		Mixed finish 1 3/4" tops are not post-formed.

Worksurface tops  
*rectilinear corner tops*  
*1 1/4" thick*


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	<b>RKA 363611-()</b> ( )	\$610.	\$686.	\$789.	\$1,066.
	20"	20"	36"	42"	<b>RKA 364211-()</b> ( )	645.	728.	834.	1,126.
	20"	20"	36"	48"	<b>RKA 364811-()</b> ( )	685.	771.	888.	1,199.
	20"	20"	42"	36"	<b>RKA 423611-()</b> ( )	645.	728.	834.	1,126.
	20"	20"	42"	42"	<b>RKA 424211-()</b> ( )	685.	771.	888.	1,199.
	20"	20"	42"	48"	<b>RKA 424811-()</b> ( )	747.	842.	969.	1,307.
	20"	20"	48"	36"	<b>RKA 483611-()</b> ( )	685.	771.	888.	1,199.
	20"	20"	48"	42"	<b>RKA 484211-()</b> ( )	747.	842.	969.	1,307.
	20"	20"	48"	48"	<b>RKA 484811-()</b> ( )	787.	888.	1,019.	1,376.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	<b>RKA 363622-()</b> ( )	693.	777.	894.	1,207.
	24"	24"	36"	42"	<b>RKA 364222-()</b> ( )	728.	820.	942.	1,272.
	24"	24"	36"	48"	<b>RKA 364822-()</b> ( )	767.	864.	991.	1,338.
	24"	24"	42"	36"	<b>RKA 423622-()</b> ( )	728.	820.	942.	1,272.
	24"	24"	42"	42"	<b>RKA 424222-()</b> ( )	767.	864.	991.	1,338.
	24"	24"	42"	48"	<b>RKA 424822-()</b> ( )	828.	935.	1,076.	1,451.
	24"	24"	48"	36"	<b>RKA 483622-()</b> ( )	767.	864.	991.	1,338.
	24"	24"	48"	42"	<b>RKA 484222-()</b> ( )	828.	935.	1,076.	1,451.
	24"	24"	48"	48"	<b>RKA 484822-()</b> ( )	870.	980.	1,125.	1,517.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	<b>RKA 363612-()</b> ( )	635.	715.	824.	1,111.
	20"	24"	36"	42"	<b>RKA 364212-()</b> ( )	672.	757.	869.	1,173.
	20"	24"	36"	48"	<b>RKA 364812-()</b> ( )	713.	801.	922.	1,244.
	20"	24"	42"	36"	<b>RKA 423612-()</b> ( )	672.	757.	869.	1,173.
	20"	24"	42"	42"	<b>RKA 424212-()</b> ( )	713.	801.	922.	1,244.
	20"	24"	42"	48"	<b>RKA 424812-()</b> ( )	777.	871.	1,005.	1,358.
	20"	24"	48"	36"	<b>RKA 483612-()</b> ( )	713.	801.	922.	1,244.
	20"	24"	48"	42"	<b>RKA 484212-()</b> ( )	777.	871.	1,005.	1,358.
	20"	24"	48"	48"	<b>RKA 484812-()</b> ( )	815.	918.	1,055.	1,424.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RKA363611N1</b>	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
<b>R</b> Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
<b>K</b> Straight front corner	2. Left hand width	
<b>A</b> 1 1/4" top thickness	3. Right hand width	Applicable finishes are listed on page 5 and 6.
<b>36</b> 36" wide on left back	4. Return left hand depth	
<b>36</b> 36" wide on right back	5. Return right hand depth	<b>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</b>
<b>1</b> 20" deep on left side	6. Grommet option	
<b>1</b> 20" deep on right side	7. Finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>N</b> No grommet	8. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>1</b> V1 finish	9. Grommet finish	
<b>Y324</b> Ash	1. <i>Top thickness:</i> A = 1 1/4"	Mixed finish 1 3/4" tops are not post-formed.
	6. <i>Grommet options:</i> N = No grommets F = Standard corner location	These worksurfaces are predrilled with metal inserts and use machine screws.
	7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Worksurface tops  
*rectilinear corner tops*  
*1 1/4" thick*

Reff




description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners  	24"	20"	36"	36"	<b>RKA 363621-()()</b>	\$635.	\$715.	\$824.	\$1,111.
	24"	20"	36"	42"	<b>RKA 364221-()()</b>	672.	757.	869.	1,173.
	24"	20"	36"	48"	<b>RKA 364821-()()</b>	713.	801.	922.	1,244.
	24"	20"	42"	36"	<b>RKA 423621-()()</b>	672.	757.	869.	1,173.
	24"	20"	42"	42"	<b>RKA 424221-()()</b>	713.	801.	922.	1,244.
	24"	20"	42"	48"	<b>RKA 424821-()()</b>	777.	871.	1,005.	1,358.
	24"	20"	48"	36"	<b>RKA 483621-()()</b>	713.	801.	922.	1,244.
	24"	20"	48"	42"	<b>RKA 484221-()()</b>	777.	871.	1,005.	1,358.
	24"	20"	48"	48"	<b>RKA 484821-()()</b>	815.	918.	1,055.	1,424.

Order Code	Specification Information	Application Notes
Example: <b>RKA363611N1</b>	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
<b>R</b> Reff	1. Top thickness	<b>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</b>
<b>K</b> Straight front corner	2. Left hand width	
<b>A</b> 1 1/4" top thickness	3. Right hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>36</b> 36" wide on left back	4. Return left hand depth	
<b>36</b> 36" wide on right back	5. Return right hand depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>1</b> 20" deep on left side	6. Grommet option	
<b>1</b> 20" deep on right side	7. Finish type	Mixed finish 1 3/4" tops are not post-formed.
<b>N</b> No grommet	8. Top finish	
<b>1</b> V1 finish	9. Grommet finish	These worksurfaces are predrilled with metal inserts and use machine screws.
<b>Y324</b> Ash	<i>1. Top thickness:</i> A = 1 1/4"  <i>6. Grommet options:</i> N = No grommets F = Standard corner location  <i>7. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	



Worksurface tops  
*rectilinear corner tops*  
*1 3/4" thick*

Reff


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	<b>RKB 363611-</b> ( ) ( )	\$733.	\$823.	\$946.	\$1,278.
	20"	20"	36"	42"	<b>RKB 364211-</b> ( ) ( )	776.	987.	1,135.	1,532.
	20"	20"	36"	48"	<b>RKB 364811-</b> ( ) ( )	822.	1,039.	1,198.	1,617.
	20"	20"	42"	36"	<b>RKB 423611-</b> ( ) ( )	776.	987.	1,135.	1,532.
	20"	20"	42"	42"	<b>RKB 424211-</b> ( ) ( )	822.	1,039.	1,198.	1,617.
	20"	20"	42"	48"	<b>RKB 424811-</b> ( ) ( )	897.	1,125.	1,295.	1,748.
	20"	20"	48"	36"	<b>RKB 483611-</b> ( ) ( )	822.	1,039.	1,198.	1,617.
	20"	20"	48"	42"	<b>RKB 484211-</b> ( ) ( )	897.	1,125.	1,295.	1,748.
	20"	20"	48"	48"	<b>RKB 484811-</b> ( ) ( )	944.	1,176.	1,354.	1,828.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	<b>RKB 363622-</b> ( ) ( )	828.	1,050.	1,205.	1,626.
	24"	24"	36"	42"	<b>RKB 364222-</b> ( ) ( )	873.	1,096.	1,261.	1,703.
	24"	24"	36"	48"	<b>RKB 364822-</b> ( ) ( )	921.	1,151.	1,323.	1,784.
	24"	24"	42"	36"	<b>RKB 423622-</b> ( ) ( )	873.	1,096.	1,261.	1,703.
	24"	24"	42"	42"	<b>RKB 424222-</b> ( ) ( )	921.	1,151.	1,323.	1,784.
	24"	24"	42"	48"	<b>RKB 424822-</b> ( ) ( )	997.	1,233.	1,419.	1,916.
	24"	24"	48"	36"	<b>RKB 483622-</b> ( ) ( )	921.	1,151.	1,323.	1,784.
	24"	24"	48"	42"	<b>RKB 484222-</b> ( ) ( )	997.	1,233.	1,419.	1,916.
	24"	24"	48"	48"	<b>RKB 484822-</b> ( ) ( )	1,045.	1,287.	1,479.	1,998.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	<b>RKB 363612-</b> ( ) ( )	763.	977.	1,123.	1,514.
	20"	24"	36"	42"	<b>RKB 364212-</b> ( ) ( )	809.	1,023.	1,176.	1,588.
	20"	24"	36"	48"	<b>RKB 364812-</b> ( ) ( )	855.	1,078.	1,239.	1,673.
	20"	24"	42"	36"	<b>RKB 423612-</b> ( ) ( )	809.	1,023.	1,176.	1,588.
	20"	24"	42"	42"	<b>RKB 424212-</b> ( ) ( )	855.	1,078.	1,239.	1,673.
	20"	24"	42"	48"	<b>RKB 424812-</b> ( ) ( )	932.	1,159.	1,337.	1,805.
	20"	24"	48"	36"	<b>RKB 483612-</b> ( ) ( )	855.	1,078.	1,239.	1,673.
	20"	24"	48"	42"	<b>RKB 484212-</b> ( ) ( )	932.	1,159.	1,337.	1,805.
	20"	24"	48"	48"	<b>RKB 484812-</b> ( ) ( )	1,045.	1,215.	1,397.	1,886.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RKB363611N1</b>	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
<b>R</b> Reff	1. Top thickness	<p><b>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with metal inserts and use machine screws.</p> <p>Mixed finish 1 3/4" tops are not post-formed.</p>
<b>K</b> Straight front corner	2. Left hand width	
<b>B</b> 1 3/4" top thickness	3. Right hand width	
<b>36</b> 36" wide on left back	4. Return left hand depth	
<b>36</b> 36" wide on right back	5. Return right hand depth	
<b>1</b> 20" deep on left side	6. Grommet option	
<b>1</b> 20" deep on right side	7. Finish type	
<b>N</b> No grommet	8. Top finish	
<b>1</b> V1 finish	9. Grommet finish	
<b>Y324</b> Ash	<p>1. <i>Top thickness:</i> B = 1 3/4"</p> <p>6. <i>Grommet options:</i> N = No grommets F = Standard corner location</p> <p>7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths are 1/16" less all around on corner worksurfaces.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Worksurface tops  
*rectilinear corner tops*  
*1 3/4" thick*





Reff

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners  	24"	20"	36"	36"	<b>RKB 363621-( ) ( )</b>	\$763.	\$977.	\$1,123.	\$1,514.
	24"	20"	36"	42"	<b>RKB 364221-( ) ( )</b>	809.	1,023.	1,176.	1,588.
	24"	20"	36"	48"	<b>RKB 364821-( ) ( )</b>	855.	1,078.	1,239.	1,673.
	24"	20"	42"	36"	<b>RKB 423621-( ) ( )</b>	809.	1,023.	1,176.	1,588.
	24"	20"	42"	42"	<b>RKB 424221-( ) ( )</b>	855.	1,078.	1,239.	1,673.
	24"	20"	42"	48"	<b>RKB 424821-( ) ( )</b>	932.	1,159.	1,337.	1,805.
	24"	20"	48"	36"	<b>RKB 483621-( ) ( )</b>	855.	1,078.	1,239.	1,673.
	24"	20"	48"	42"	<b>RKB 484221-( ) ( )</b>	932.	1,159.	1,337.	1,805.
	24"	20"	48"	48"	<b>RKB 484821-( ) ( )</b>	979.	1,215.	1,397.	1,886.

Order Code	Specification Information	Application Notes
Example: <b>RKB363611N1</b>	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
<b>R</b> Reff	1. Top thickness	<p><b>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with metal inserts and use machine screws.</p> <p>Mixed finish 1 3/4" tops are not post-formed.</p>
<b>K</b> Straight front corner	2. Left hand width	
<b>B</b> 1 3/4" top thickness	3. Right hand width	
<b>36</b> 36" wide on left back	4. Return left hand depth	
<b>36</b> 36" wide on right back	5. Return right hand depth	
<b>1</b> 20" deep on left side	6. Grommet option	
<b>1</b> 20" deep on right side	7. Finish type	
<b>N</b> No grommet	8. Top finish	
<b>1</b> V1 finish	9. Grommet finish	
<b>Y324</b> Ash	<p>1. <i>Top thickness:</i> B = 1 3/4"</p> <p>6. <i>Grommet options:</i> N = No grommets F = Standard corner location</p> <p>7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths are 1/16" less all around on corner worksurfaces.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Worksurface tops  
transition wave tops  
1 1/4" thick

Reff

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	<b>RWA4221-()</b> ( )	\$366.	\$415.	\$477.	\$645.
	24"	48"	20"	<b>RWA4821-()</b> ( )	387.	435.	500.	675.
	24"	54"	20"	<b>RWA5421-()</b> ( )	416.	465.	537.	726.
	24"	60"	20"	<b>RWA6021-()</b> ( )	442.	498.	572.	773.
	24"	66"	20"	<b>RWA6621-()</b> ( )	457.	514.	590.	796.
	24"	72"	20"	<b>RWA7221-()</b> ( )	476.	538.	617.	833.
Wave top transition (left 24") 	24"	36"	30"	<b>RWA3623-()</b> ( )	381.	430.	495.	667.
	24"	42"	30"	<b>RWA4223-()</b> ( )	397.	448.	514.	692.
	24"	48"	30"	<b>RWA4823-()</b> ( )	415.	464.	534.	721.
	24"	54"	30"	<b>RWA5423-()</b> ( )	444.	500.	576.	777.
	24"	60"	30"	<b>RWA6023-()</b> ( )	475.	537.	616.	831.
	24"	66"	30"	<b>RWA6623-()</b> ( )	493.	555.	638.	864.
	24"	72"	30"	<b>RWA7223-()</b> ( )	518.	583.	670.	903.
Wave top transition (left 20") 	20"	42"	24"	<b>RWA4212-()</b> ( )	366.	415.	477.	645.
	20"	48"	24"	<b>RWA4812-()</b> ( )	387.	435.	500.	675.
	20"	54"	24"	<b>RWA5412-()</b> ( )	416.	465.	537.	726.
	20"	60"	24"	<b>RWA6012-()</b> ( )	442.	498.	572.	773.
	20"	66"	24"	<b>RWA6612-()</b> ( )	457.	514.	590.	796.
	20"	72"	24"	<b>RWA7212-()</b> ( )	476.	538.	617.	833.
Wave top transition (right 24") 	30"	36"	24"	<b>RWA3632-()</b> ( )	381.	430.	495.	667.
	30"	42"	24"	<b>RWA4232-()</b> ( )	397.	448.	514.	692.
	30"	48"	24"	<b>RWA4832-()</b> ( )	415.	464.	534.	721.
	30"	54"	24"	<b>RWA5432-()</b> ( )	444.	500.	576.	777.
	30"	60"	24"	<b>RWA6032-()</b> ( )	475.	537.	616.	831.
	30"	66"	24"	<b>RWA6632-()</b> ( )	493.	555.	638.	864.
	30"	72"	24"	<b>RWA7232-()</b> ( )	518.	583.	670.	903.

Order Code

Example: <b>RWA4221FL</b>
<b>R</b> Reff
<b>W</b> Wave top transition
<b>A</b> 1 1/4" thick
<b>42</b> 42" wide
<b>2</b> 24" deep on left side
<b>1</b> 20" deep on right side
<b>F</b> Flush grommet location
<b>L</b> Laminate finish
<b>114</b> Folkstone grey
<b>111</b> Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. Grommet options:  
N = No grommet  
F = Flush front grommet location

4. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

1 1/4" tops require support at mid point to reduce spans to 48" or less.





Please call Custom Product Development for special grommet locations.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.**

Slope section of top remains 2 1/4" on all tops. The straight section grows with length of top.

Worksurface tops  
*transition wave tops*  
*1 1/4" thick*

Reff

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	32"	36"	20"	<b>RWEA3631-()</b> ( )	\$488.	\$549.	\$632.	\$853.
	32"	42"	20"	<b>RWEA4231-()</b> ( )	508.	571.	660.	890.
	32"	48"	20"	<b>RWEA4831-()</b> ( )	535.	604.	692.	935.
Wave top end, (right 24") 	36"	36"	24"	<b>RWEA3662-()</b> ( )	505.	569.	654.	882.
	36"	42"	24"	<b>RWEA4262-()</b> ( )	521.	586.	675.	911.
	36"	48"	24"	<b>RWEA4862-()</b> ( )	554.	621.	714.	963.
Wave top end, (left 20") 	20"	36"	32"	<b>RWEA3613-()</b> ( )	488.	549.	632.	853.
	20"	42"	32"	<b>RWEA4213-()</b> ( )	508.	571.	660.	890.
	20"	48"	32"	<b>RWEA4813-()</b> ( )	535.	604.	692.	935.
Wave top end, (left 24") 	24"	36"	36"	<b>RWEA3626-()</b> ( )	505.	569.	654.	882.
	24"	42"	36"	<b>RWEA4226-()</b> ( )	521.	586.	675.	911.
	24"	48"	36"	<b>RWEA4826-()</b> ( )	554.	621.	714.	963.

**Order Code**

Example: <b>RWA4221FL</b>
<b>R</b> Reff
<b>W</b> Wave top transition
<b>A</b> 1 1/4" thick
<b>42</b> 42" wide
<b>2</b> 24" deep on left side
<b>1</b> 20" deep on right side
<b>F</b> Flush grommet location
<b>L</b> Laminate finish
<b>114</b> Folkstone grey
<b>111</b> Jet Black (grommet)

**Specification Information**

*To order please specify pattern number including:*

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. *Grommet options:*  
 N = No grommet  
 F = Flush front grommet location

4. *Finish type:*  
 L = Laminate  
 M = Wood/laminate mixed  
 1 = V1  
 2 = V2  
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.  
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Application Notes**

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.


1 1/4" tops require support at mid point to reduce spans to 48" or less.

Please call Custom Product Development for special grommet locations.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.**

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface tops  
*curvilinear corner tops*  
*1 1/4" thick*

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	<b>RCA363611-()</b> ( )	\$610.	\$686.	\$789.	\$1,066.
	20"	20"	36"	42"	<b>RCA364211-()</b> ( )	645.	728.	834.	1,126.
	20"	20"	36"	48"	<b>RCA364811-()</b> ( )	685.	771.	888.	1,199.
	20"	20"	42"	36"	<b>RCA423611-()</b> ( )	645.	728.	834.	1,126.
	20"	20"	42"	42"	<b>RCA424211-()</b> ( )	685.	771.	888.	1,199.
	20"	20"	42"	48"	<b>RCA424811-()</b> ( )	747.	842.	969.	1,307.
	20"	20"	48"	36"	<b>RCA483611-()</b> ( )	685.	771.	888.	1,199.
	20"	20"	48"	42"	<b>RCA484211-()</b> ( )	747.	842.	969.	1,307.
	20"	20"	48"	48"	<b>RCA484811-()</b> ( )	787.	888.	1,019.	1,376.
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	<b>RCA363612-()</b> ( )	635.	715.	824.	1,111.
	20"	24"	36"	42"	<b>RCA364212-()</b> ( )	672.	757.	869.	1,173.
	20"	24"	36"	48"	<b>RCA364812-()</b> ( )	713.	801.	922.	1,244.
	20"	24"	42"	36"	<b>RCA423612-()</b> ( )	672.	757.	869.	1,173.
	20"	24"	42"	42"	<b>RCA424212-()</b> ( )	713.	801.	922.	1,244.
	20"	24"	42"	48"	<b>RCA424812-()</b> ( )	777.	871.	1,005.	1,358.
	20"	24"	48"	36"	<b>RCA483612-()</b> ( )	713.	801.	922.	1,244.
	20"	24"	48"	42"	<b>RCA484212-()</b> ( )	777.	871.	1,005.	1,358.
	20"	24"	48"	48"	<b>RCA484812-()</b> ( )	815.	918.	1,055.	1,424.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	<b>RCA363621-()</b> ( )	635.	715.	824.	1,111.
	24"	20"	36"	42"	<b>RCA364221-()</b> ( )	672.	757.	869.	1,173.
	24"	20"	36"	48"	<b>RCA364821-()</b> ( )	713.	801.	922.	1,244.
	24"	20"	42"	36"	<b>RCA423621-()</b> ( )	672.	757.	869.	1,173.
	24"	20"	42"	42"	<b>RCA424221-()</b> ( )	713.	801.	922.	1,244.
	24"	20"	42"	48"	<b>RCA424821-()</b> ( )	777.	871.	1,005.	1,358.
	24"	20"	48"	36"	<b>RCA483621-()</b> ( )	713.	801.	922.	1,244.

Worksurfaces

Order Code	Specification Information
Example: <b>RCA363611N1</b>	
<b>R</b>	Reff
<b>C</b>	Curved front corner
<b>A</b>	1 1/4" thick
<b>36</b>	36" wide on left back
<b>36</b>	36" wide on right back
<b>1</b>	20" deep on left side
<b>1</b>	20" deep on right side
<b>N</b>	No grommet
<b>1</b>	V1 finish
<b>Y324</b>	Ash

**Specification Information**

*To order please specify pattern number including:*

1. Left hand width
2. Right hand width
3. Return left hand depth
4. Return right hand depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

5. *Grommet options:*  
 N = No grommets  
 F = Standard corner location

6. *Finish type:*  
 L = Laminate  
 M = Wood/laminate mixed  
 1 = V1  
 2 = V2  
 3 = V3

**Application Notes**

Radius of curved front changes with overall top size. See Planning Guide.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.**

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface tops  
*curvilinear corner tops*  
*1 1/4" thick*

Reff

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	48"	42"	<b>RCA484221-( ) ( )</b>	\$777.	\$871.	\$1,005.	\$1,358.
	24"	20"	48"	48"	<b>RCA484821-( ) ( )</b>	815.	918.	1,055.	1,424.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	<b>RCA363622-( ) ( )</b>	693.	777.	894.	1,207.
	24"	24"	36"	42"	<b>RCA364222-( ) ( )</b>	728.	820.	942.	1,272.
	24"	24"	36"	48"	<b>RCA364822-( ) ( )</b>	767.	864.	991.	1,338.
	24"	24"	42"	36"	<b>RCA423622-( ) ( )</b>	728.	820.	942.	1,272.
	24"	24"	42"	42"	<b>RCA424222-( ) ( )</b>	767.	864.	991.	1,338.
	24"	24"	42"	48"	<b>RCA424822-( ) ( )</b>	828.	935.	1,076.	1,451.
	24"	24"	48"	36"	<b>RCA483622-( ) ( )</b>	767.	864.	991.	1,338.
	24"	24"	48"	42"	<b>RCA484222-( ) ( )</b>	828.	935.	1,076.	1,451.
	24"	24"	48"	48"	<b>RCA484822-( ) ( )</b>	870.	980.	1,125.	1,517.

Order Code	Specification Information	Application Notes
Example: <b>RCA363611N1</b>	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
<b>R</b> Reff	1. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>C</b> Curved front corner	2. Right hand width	
<b>A</b> 1 1/4" thick	3. Return left hand depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>36</b> 36" wide on left back	4. Return right hand depth	
<b>36</b> 36" wide on right back	5. Grommet option	These worksurfaces are predrilled with metal inserts and use machine screws.
<b>1</b> 20" deep on left side	6. Top finish type	
<b>1</b> 20" deep on right side	7. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>N</b> No grommet	8. Grommet finish	
<b>1</b> V1 finish	5. <i>Grommet options:</i> N = No grommets F = Standard corner location	See Planning Guide for grommet locations.
<b>Y324</b> Ash	6. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.**


Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface tops  
*extended curvilinear corner tops*  
*1 1/4" thick*

Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	<b>RCCDLA23672</b> ( ) ( ) ( )	\$1,685.	\$2,236.	\$3,156.	\$4,259.
	36"	78"	<b>RCCDLA23678</b> ( ) ( ) ( )	1,752.	2,325.	3,280.	4,429.
	36"	84"	<b>RCCDLA23684</b> ( ) ( ) ( )	1,822.	2,419.	3,412.	4,606.
	36"	96"	<b>RCCDLA23696</b> ( ) ( ) ( )	1,896.	2,515.	3,549.	4,792.



Extended corner worktop, LH curved front corner (return 30")	36"	72"	<b>RCCDLA33672</b> ( ) ( ) ( )	1,687.	2,242.	3,164.	4,272.
	36"	78"	<b>RCCDLA33678</b> ( ) ( ) ( )	1,754.	2,332.	3,293.	4,445.
	36"	84"	<b>RCCDLA33684</b> ( ) ( ) ( )	1,825.	2,426.	3,423.	4,621.
	36"	96"	<b>RCCDLA33696</b> ( ) ( ) ( )	1,898.	2,522.	3,561.	4,806.

Extended corner worktop, RH curved front corner (return 24")	36"	72"	<b>RCCDRA23672</b> ( ) ( ) ( )	1,685.	2,236.	3,156.	4,259.
	36"	78"	<b>RCCDRA23678</b> ( ) ( ) ( )	1,752.	2,325.	3,280.	4,429.
	36"	84"	<b>RCCDRA23684</b> ( ) ( ) ( )	1,822.	2,419.	3,412.	4,606.
	36"	96"	<b>RCCDRA23696</b> ( ) ( ) ( )	1,896.	2,515.	3,549.	4,792.



Extended corner worktop, RH curved front corner (return 30")	36"	72"	<b>RCCDRA33672</b> ( ) ( ) ( )	1,687.	2,242.	3,164.	4,272.
	36"	78"	<b>RCCDRA33678</b> ( ) ( ) ( )	1,754.	2,332.	3,293.	4,445.
	36"	84"	<b>RCCDRA33684</b> ( ) ( ) ( )	1,825.	2,426.	3,423.	4,621.
	36"	96"	<b>RCCDRA33696</b> ( ) ( ) ( )	1,898.	2,522.	3,561.	4,806.

Worksurfaces

**Order Code**

**Specification Information**

Example:	<b>RCCDLA23672N2</b>
<b>R</b>	Reff
<b>CC</b>	Curved corner
<b>D</b>	D top
<b>L</b>	Left Hand
<b>A</b>	1 1/4" thick
<b>2</b>	24" return
<b>36</b>	36" d at straight edge of corner, 30" across "D"
<b>72</b>	72" wide
<b>N</b>	No grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium Cherry

*To order please specify pattern number including:*

1. Depth
2. Grommet option
3. Finish type
4. Finish
5. Grommet finish

*2. Grommet options:*  
 N = No grommets  
 F = Flush front grommet location

*3. Finish type:*  
 L = Laminate  
 M = Mixed (laminated surface with wood edge)  
 1 = V1  
 2 = V2  
 3 = V3

Applicable finishes are listed on page 5 and 6.


Product on this page will accept woodgrain laminate where laminate is currently an option.  
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.


Worksurface tops  
*extended straight corner tops*  
*1 1/4" thick*

Reff

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24")	36"	60"	24"	RCEAL223660( ) ( ) ( )	\$624.	\$921.	\$1,247.	\$1,686.
	36"	72"	24"	RCEAL223672( ) ( ) ( )	748.	1,117.	1,509.	2,037.
	42"	60"	24"	RCEAL224260( ) ( ) ( )	686.	1,017.	1,378.	1,860.
	42"	72"	24"	RCEAL224272( ) ( ) ( )	811.	1,215.	1,642.	2,216.
	48"	72"	24"	RCEAL224872( ) ( ) ( )	874.	1,313.	1,772.	2,392.
	48"	84"	24"	RCEAL224884( ) ( ) ( )	998.	1,509.	2,034.	2,746.
48"	96"	24"	RCEAL224896( ) ( ) ( )	1,147.	1,739.	2,340.	3,159.	



Extended straight corner top, RH curved front corner (returns 24")	36"	60"	24"	RCEAR223660( ) ( ) ( )	624.	921.	1,247.	1,686.
	36"	72"	24"	RCEAR223672( ) ( ) ( )	748.	1,117.	1,509.	2,037.
	42"	60"	24"	RCEAR224260( ) ( ) ( )	686.	1,017.	1,378.	1,860.
	42"	72"	24"	RCEAR224272( ) ( ) ( )	811.	1,215.	1,642.	2,216.
	48"	72"	24"	RCEAR224872( ) ( ) ( )	874.	1,313.	1,772.	2,392.
	48"	84"	24"	RCEAR224884( ) ( ) ( )	998.	1,509.	2,034.	2,746.
	48"	96"	24"	RCEAR224896( ) ( ) ( )	1,147.	1,739.	2,340.	3,159.



**Order Code**

Example:	<b>RCEAL223660N2</b>
<b>R</b>	Reff
<b>C</b>	Corner
<b>E</b>	Extended
<b>A</b>	1 1/4" thick
<b>L</b>	Left Hand
<b>22</b>	24" returns
<b>36</b>	36" d at corner straight edge
<b>60</b>	60" wide
<b>N</b>	No grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium Cherry

**Specification Information**

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.



# Worksurface tops

Reff

## Meeting tops

1 1/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3	
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	<b>RMDA4230-</b> ( ) ( )	\$539.	\$584.	\$672.	\$907.	
		48"	30"	<b>RMDA4830-</b> ( ) ( )	580.	631.	727.	982.	
		54"	30"	<b>RMDA5430-</b> ( ) ( )	621.	677.	777.	1,050.	
		60"	30"	<b>RMDA6030-</b> ( ) ( )	665.	725.	829.	1,121.	
		66"	30"	<b>RMDA6630-</b> ( ) ( )	708.	770.	887.	1,198.	
		72"	30"	<b>RMDA7230-</b> ( ) ( )	753.	819.	941.	1,271.	
		78"	30"	<b>RMDA7830-</b> ( ) ( )	851.	924.	1,064.	1,435.	
		84"	30"	<b>RMDA8430-</b> ( ) ( )	948.	1,031.	1,187.	1,602.	
		90"	30"	<b>RMDA9030-</b> ( ) ( )	1,059.	1,152.	1,325.	1,787.	
		96"	30"	<b>RMDA9630-</b> ( ) ( )	1,169.	1,272.	1,462.	1,973.	
		36" deep	42"	36"	<b>RMDA4236-</b> ( ) ( )	592.	644.	739.	998.
			48"	36"	<b>RMDA4836-</b> ( ) ( )	649.	704.	809.	1,091.
			54"	36"	<b>RMDA5436-</b> ( ) ( )	739.	805.	927.	1,250.
			60"	36"	<b>RMDA6036-</b> ( ) ( )	830.	901.	1,038.	1,402.
			66"	36"	<b>RMDA6636-</b> ( ) ( )	847.	919.	1,057.	1,428.
			72"	36"	<b>RMDA7236-</b> ( ) ( )	858.	935.	1,076.	1,451.
			78"	36"	<b>RMDA7836-</b> ( ) ( )	968.	1,052.	1,210.	1,634.
			84"	36"	<b>RMDA8436-</b> ( ) ( )	1,076.	1,171.	1,346.	1,816.
90"	36"		<b>RMDA9036-</b> ( ) ( )	1,134.	1,232.	1,418.	1,915.		
96"	36"		<b>RMDA9636-</b> ( ) ( )	1,244.	1,350.	1,553.	2,097.		

Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: <b>RMDA4230N1</b></p> <p><b>R</b> Reff</p> <p><b>MD</b> Meeting D-top</p> <p><b>A</b> 1 1/4" thick</p> <p><b>42</b> 42" wide</p> <p><b>30</b> 30" deep</p> <p><b>N</b> No grommet</p> <p><b>1</b> V1</p> <p><b>Y311</b> Beech</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Top thickness</li> <li>Width</li> <li>Depth</li> <li>Grommet option</li> <li>Top finish type</li> <li>Top finish</li> <li>Grommet finish</li> </ol> <p>1. Thickness options: A = 1 1/4"</p> <p>4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Additional spec option required for wrap around panel tops; specify mating trim profile. A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b></p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p>

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

\*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

# Worksurface tops

Reff

## Meeting tops

1 1/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	<b>RM9A4230-( ) ( )</b>	\$738.	\$803.	\$923.	\$1,245.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	<b>RM9A4836-( ) ( )</b>	821.	892.	1,027.	1,388.



No Grommets 42" diameter

Meeting P-top		42"	30"	<b>RMPA4230-( ) ( )</b>	738.	803.	923.	1,245.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	<b>RMPA4836-( ) ( )</b>	821.	892.	1,027.	1,388.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	<b>RM9A8430-( ) ( )</b>	1,503.	1,633.	1,879.	2,538.
		96"	30"	<b>RM9A9630-( ) ( )</b>	1,565.	1,704.	1,957.	2,642.



42" diameter

Order Code	Specification Information	Application Notes
Example: <b>RM9A4230N1</b>	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>R</b> Reff	1. Top thickness	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
<b>MD</b> Meeting D-top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Depth	These worksurfaces are predrilled with metal inserts and use machine screws.
<b>42</b> 42" wide	4. Grommet option	1 1/4" tops require support at mid point to reduce 48" spans or less.
<b>30</b> 30" deep	5. Top finish type	1 3/4" tops require support at mid point to reduce spans to 66" or less.
<b>N</b> No grommet	6. Top finish	Mixed finish 1 3/4" tops are not post-formed.
<b>1</b> V1	7. Grommet finish	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
<b>Y311</b> Beech	1. <i>Thickness options:</i> A = 1 1/4"	Applicable finishes are listed on page 5 and 6.
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
		<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
		Refer to Planning Guide for modesty panel size requirements and all other support options.

# Worksurface tops

Reff

## Meeting tops

1 1/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top 		84"	30"	<b>RMPA8430-()()</b>	\$1,503.	\$1,633.	\$1,879.	\$2,538.
		96"	30"	<b>RMPA9630-()()</b>	1,565.	1,704.	1,957.	2,642.
84" top uses a 42" modesty, 96 top uses a 54" modesty 42" diameter								
Wrap around panel top 	(20" panels)	42 1/2"	21 1/4"	<b>RMDA4221-()()</b>	693.	753.	865.	1,167.
	(24" panels)	50 1/2"	25 1/4"	<b>RMDA5025-()()</b>	757.	824.	947.	1,280.
No Grommets								
Elliptical tops 		60"	30"	<b>REBA6030-()*</b>	1,034.	1,145.	1,314.	1,775.
		72"	42"	<b>REBA7242-()*</b>	1,472.	1,628.	1,873.	2,528.
		78"	48"	<b>REBA7848-()*</b>	1,612.	1,786.	2,054.	2,773.

Worksurfaces

### Order Code

Example: <b>RMDA4230N1</b>
<b>R</b> Reff
<b>MD</b> Meeting D-top
<b>A</b> 1 1/4" thick
<b>42</b> 42" wide
<b>30</b> 30" deep
<b>N</b> No grommet
<b>1</b> V1
<b>Y311</b> Beech

### Specification Information

To order please specify pattern number including:

- Top thickness
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Thickness options:  
A = 1 1/4"

4. Grommet options:  
N = No grommet  
F = Flush front grommet location  
R = Recessed grommet location  
C = Centered (only on D-tops)

5. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

### Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

\*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

# Worksurface tops

Reff

## Meeting tops

### 1 3/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3	
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	<b>RMDB4230-</b> ( ) ( )	\$591.	\$954.	\$1,097.	\$1,483.	
		48"	30"	<b>RMDB4830-</b> ( ) ( )	635.	1,064.	1,221.	1,648.	
		54"	30"	<b>RMDB5430-</b> ( ) ( )	683.	1,127.	1,296.	1,751.	
		60"	30"	<b>RMDB6030-</b> ( ) ( )	732.	1,192.	1,368.	1,848.	
		66"	30"	<b>RMDB6630-</b> ( ) ( )	781.	1,256.	1,443.	1,948.	
		72"	30"	<b>RMDB7230-</b> ( ) ( )	826.	1,318.	1,520.	2,053.	
		78"	30"	<b>RMDB7830-</b> ( ) ( )	936.	1,451.	1,671.	2,256.	
		84"	30"	<b>RMDB8430-</b> ( ) ( )	1,045.	1,498.	1,720.	2,323.	
		90"	30"	<b>RMDB9030-</b> ( ) ( )	1,165.	1,541.	1,772.	2,392.	
		96"	30"	<b>RMDB9630-</b> ( ) ( )	1,285.	1,586.	1,825.	2,464.	
		36" deep	42"	36"	<b>RMDB4236-</b> ( ) ( )	653.	1,149.	1,321.	1,781.
			48"	36"	<b>RMDB4836-</b> ( ) ( )	713.	1,281.	1,474.	1,989.
			54"	36"	<b>RMDB5436-</b> ( ) ( )	814.	1,356.	1,561.	2,107.
			60"	36"	<b>RMDB6036-</b> ( ) ( )	915.	1,434.	1,648.	2,226.
			66"	36"	<b>RMDB6636-</b> ( ) ( )	932.	1,561.	1,796.	2,423.
			72"	36"	<b>RMDB7236-</b> ( ) ( )	944.	1,687.	1,940.	2,620.
			78"	36"	<b>RMDB7836-</b> ( ) ( )	1,066.	1,772.	2,040.	2,755.
			84"	36"	<b>RMDB8436-</b> ( ) ( )	1,183.	1,797.	2,065.	2,786.
90"	36"		<b>RMDB9036-</b> ( ) ( )	1,247.	1,818.	2,092.	2,825.		
96"	36"		<b>RMDB9636-</b> ( ) ( )	1,367.	1,842.	2,119.	2,861.		

#### Order Code

Example:	<b>RMDB4230N1</b>
<b>R</b>	Reff
<b>MD</b>	Meeting D-top
<b>B</b>	1 3/4" thick
<b>42</b>	42" wide
<b>30</b>	30" deep
<b>N</b>	No grommet
<b>1</b>	V1
<b>Y311</b>	Beech

#### Specification Information

To order please specify pattern number including:

- Top thickness
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Thickness options:  
B = 1 3/4"

4. Grommet options:  
N = No grommet  
F = Flush front grommet location  
R = Recessed grommet location  
C = Centered (only on D-tops)

5. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

#### Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

\*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

# Worksurface tops

Reff

## Meeting tops

1 3/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	<b>RM9B4230-( )()</b>	\$813.	\$1,336.	\$1,532.	\$2,068.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	<b>RM9B4836-( )()</b>	901.	1,942.	2,234.	3,017.



No Grommets 42" diameter

Meeting P-top		42"	30"	<b>RMPB4230-( )()</b>	813.	1,336.	1,532.	2,068.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	<b>RMPB4836-( )()</b>	901.	1,942.	2,234.	3,017.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	<b>RM9B8430-( )()</b>	1,654.	2,015.	2,318.	3,128.
		96"	30"	<b>RM9B9630-( )()</b>	1,721.	2,099.	2,415.	3,259.



42" diameter

### Order Code

Example: <b>RMDB4230N1</b>	
<b>R</b>	Reff
<b>MD</b>	Meeting D-top
<b>B</b>	1 3/4" thick
<b>42</b>	42" wide
<b>30</b>	30" deep
<b>N</b>	No grommet
<b>1</b>	V1
<b>Y311</b>	Beech

### Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish

1. Thickness options:  
B = 1 3/4"

4. Grommet options:  
N = No grommet  
F = Flush front grommet location  
R = Recessed grommet location  
C = Centered (only on D-tops)

5. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

### Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

\*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

# Worksurface tops

Reff

## Meeting tops

1 3/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top		84"	30"	<b>RMPB8430-</b> ( ) ( )	\$1,654.	\$2,015.	\$2,318.	\$3,128.
		96"	30"	<b>RMPB9630-</b> ( ) ( )	1,721.	2,099.	2,415.	3,259.



42" diameter

84" top uses a 42" modesty, 96 top uses a 54" modesty

Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	<b>RMDB4221-</b> ( ) ( )	760.	942.	1,081.	1,459.
	(24" panels)	50 1/2"	25 1/4"	<b>RMDB5025-</b> ( ) ( )	831.	1,030.	1,186.	1,600.



No Grommets



Order Code	Specification Information	Application Notes
Example: <b>RMDB4230N1</b>	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>R</b> Reff	1. Top thickness	Additional spec option required for wrap around panel tops; specify mating trim profile.
<b>MD</b> Meeting D-top	2. Width	A = Flat
<b>B</b> 1 3/4" thick	3. Depth	B = Square
<b>42</b> 42" wide	4. Grommet option	C = Bullnose
<b>30</b> 30" deep	5. Top finish type	E = Extruded Aluminum
<b>N</b> No grommet	6. Top finish	Applicable finishes are listed on page 5 and 6.
<b>1</b> V1	7. Grommet finish	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
<b>Y311</b> Beech	1. <i>Thickness options:</i> B = 1 3/4"	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Refer to Planning Guide for modesty panel size requirements and all other support options.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		These worksurfaces are predrilled with metal inserts and use machine screws.
		1 1/4" tops require support at mid point to reduce 48" spans or less.
		1 3/4" tops require support at mid point to reduce spans to 66" or less.
		Mixed finish 1 3/4" tops are not post-formed.
		*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

# Worksurface tops and support

Reff

## Bow front

1 1/4" thick

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top 	72"	30"		<b>RMB(A)7230-( ) ( )</b>	\$863.	\$974.	\$1,121.	\$1,512.
	84"	30"		<b>RMB(A)8430-( ) ( )</b>	950.	1,075.	1,234.	1,666.
	96"	30"		<b>RMB(A)9630-( ) ( )</b>	1,056.	1,191.	1,367.	1,847.
				Use 29" deep pedestals or end panels. <b>Do not</b> use 23" deep pedestals if using recessed modesty.				
Bow shaped top - 36"D 	72"	36"		<b>RMB(A)7236-( ) ( )</b>	917.	1,034.	1,190.	1,606.
	84"	36"		<b>RMB(A)8436-( ) ( )</b>	1,006.	1,135.	1,305.	1,761.
	96"	36"		<b>RMB(A)9636-( ) ( )</b>	1,114.	1,258.	1,444.	1,950.
				Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance). Can also be used with 36" deep end panel and recessed modesty.				

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RMBA7230R2</b>	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
<b>R</b> Reff	1. Top thickness	L = Laminate
<b>MB</b> Bowed front	2. Width	M = Wood/laminate mixed
<b>A</b> 1 1/4" thick	3. Depth	1 = V1
<b>72</b> 72" wide	4. Grommet option	2 = V2
<b>30</b> 30" wide	5. Top finish type	3 = V3
<b>R</b> Recessed grommet location	6. Top finish	Applicable finishes are listed on page 5 and 6.
<b>2</b> V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>V319</b> Medium cherry	<i>1. Thickness options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>111</b> Jet Black (grommet)	A = 1 1/4"	These worksurfaces are predrilled with metal inserts and use machine screws.
	<i>4. Grommet options:</i>	See Planning Guide for grommet locations.
	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
		1 3/4" tops require support at mid point to reduce spans to 66" or less.
		Mixed finish 1 3/4" tops are not post-formed.
		1 3/4" laminate tops are equipped with 8mm PVC edge on this page.
		<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.


# Worksurface tops and support

Reff

## Bow front

1 1/4" thick

description	w	d	h	pattern no.	L	M/V1	V2	V3
Short modesty panel	40"	1"	26 1/2"	<b>RB40MR-( )</b>	\$309.	\$398.	\$456.	\$616.
	52"	1"	26 1/2"	<b>RB52MR-( )</b>	364.	468.	538.	727.
	64"	1"	26 1/2"	<b>RB64MR-( )</b>	393.	505.	583.	787.



### Use of short modesty panel

Pedestals must be ordered separately with individual back panels.

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top

52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.

When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Bulkhead (false pedestal)*	16"	24"	26 1/2"	<b>REBH24</b>	436.	658.	763.	1,030.
	16"	30"	26 1/2"	<b>REBH30</b>	451.	671.	782.	1,055.




Order Code	Specification Information	Application Notes
Example: <b>RMBA7230R2</b>	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
<b>R</b> Reff	1. Top thickness	L = Laminate
<b>MB</b> Bowed front	2. Width	M = Wood/laminate mixed
<b>A</b> 1 1/4" thick	3. Depth	1 = V1
<b>72</b> 72" wide	4. Grommet option	2 = V2
<b>30</b> 30" wide	5. Top finish type	3 = V3
<b>R</b> Recessed grommet location	6. Top finish	Applicable finishes are listed on page 5 and 6.
<b>2</b> V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>V319</b> Medium cherry	<i>1. Thickness options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>111</b> Jet Black (grommet)	A = 1 1/4"	These worksurfaces are predrilled with metal inserts and use machine screws.
	<i>4. Grommet options:</i>	See Planning Guide for grommet locations.
	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
		1 3/4" tops require support at mid point to reduce spans to 66" or less.
		Mixed finish 1 3/4" tops are not post-formed.
		1 3/4" laminate tops are equipped with 8mm PVC edge on this page.
		<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.




# Worksurface tops and support

Reff


## Bow front 1 3/4" thick

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top 	72"	30"		<b>RMB(B)7230-( )()</b>	\$1,079.	\$1,218.	\$1,400.	\$1,890.
	84"	30"		<b>RMB(B)8430-( )()</b>	1,189.	1,342.	1,541.	2,080.
	96"	30"		<b>RMB(B)9630-( )()</b>	1,318.	1,488.	1,712.	2,311.

Use 29" deep pedestals or end panels.  
**Do not** use 23" deep pedestals if using recessed modesty.

Bow shaped top - 36"D 	72"	36"		<b>RMB(B)7236-( )()</b>	1,144.	1,294.	1,487.	2,008.
	84"	36"		<b>RMB(B)8436-( )()</b>	1,255.	1,419.	1,632.	2,203.
	96"	36"		<b>RMB(B)9636-( )()</b>	1,394.	1,571.	1,680.	2,270.

Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).  
Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel 	40"	1"	26 1/2"	<b>RB40MR-( )</b>	309.	398.	456.	616.
	52"	1"	26 1/2"	<b>RB52MR-( )</b>	364.	468.	538.	727.
	64"	1"	26 1/2"	<b>RB64MR-( )</b>	393.	505.	583.	787.

### Use of short modesty panel (with 1 1/4" and 1 3/4" thick tops)

Pedestals must be ordered separately with individual back panels.

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top

52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.

When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Bulkhead (false pedestal)* 	16"	24"	26 1/2"	<b>REBH24</b>	436.	658.	763.	1,030.
	16"	30"	26 1/2"	<b>REBH30</b>	451.	671.	782.	1,055.

Use with 1 1/4" and 1 3/4" thick tops

Order Code	Specification Information	Application Notes
Example: <b>RMBB7230R2</b>	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
<b>R</b> Reff	1. Top thickness	L = Laminate
<b>MB</b> Bowed front	2. Width	M = Wood/laminate mixed
<b>B</b> 1 3/4" thick	3. Depth	1 = V1
<b>72</b> 72" wide	4. Grommet option	2 = V2
<b>30</b> 30" wide	5. Top finish type	3 = V3
<b>R</b> Recessed grommet location	6. Top finish	Applicable finishes are listed on page 5 and 6.
<b>2</b> V2 finish	7. Grommet finish	These worksurfaces are predrilled with metal inserts and use machine screws.
<b>V319</b> Medium cherry	<i>1. Thickness options:</i>	See Planning Guide for grommet locations.
<b>111</b> Jet Black (grommet)	B = 1 3/4"	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	<i>4. Grommet options:</i>	*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
	N = No grommet	
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

1 3/4" laminate tops are equipped with 8mm PVC edge on this page.


**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference room tops  
 Square and rectangular  
 1 1/4" thick

Reff


description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	<b>RAA7230(-)</b>	\$557.	\$606.	\$696.	\$940.
	84"	30"	<b>RAA8430(-)</b>	616.	668.	770.	1,039.
	96"	30"	<b>RAA9630(-)</b>	691.	752.	864.	1,166.
	72"	36"	<b>RAA7236(-)</b>	605.	658.	756.	1,021.
	84"	36"	<b>RAA8436(-)</b>	662.	719.	825.	1,115.
	96"	36"	<b>RAA9636(-)</b>	762.	828.	954.	1,288.
	84"	42"	<b>RAA8442(-)</b>	978.	1,064.	1,221.	1,648.
	96"	42"	<b>RAA9642(-)</b>	1,123.	1,219.	1,402.	1,893.
	96"	48"	<b>RAA9648(-)</b>	1,194.	1,298.	1,492.	2,015.
Rectangular top 2 piece 	120"	36"	<b>RAA12036(-)</b>	1,224.	1,329.	1,530.	2,065.
	120"	42"	<b>RAA12042(-)</b>	1,687.	1,835.	2,110.	2,849.
	144"	42"	<b>RAA14442(-)</b>	1,896.	2,061.	2,370.	3,200.
	120"	48"	<b>RAA12048(-)</b>	1,834.	1,995.	2,293.	3,096.
	144"	48"	<b>RAA14448(-)</b>	2,031.	2,210.	2,541.	3,430.
Rectangular top 3 piece 	168"	42"	<b>RAA16842(-)</b>	2,485.	2,702.	3,109.	4,198.
	192"	42"	<b>RAA19242(-)</b>	2,695.	2,929.	3,367.	4,545.
	168"	48"	<b>RAA16848(-)</b>	2,701.	2,936.	3,376.	4,557.
	192"	48"	<b>RAA19248(-)</b>	2,901.	3,152.	3,623.	4,890.
Square tops  	-	36"	<b>RAA3636(-)</b>	429.	467.	538.	727.
	-	42"	<b>RAA4242(-)</b>	557.	606.	696.	940.
	-	48"	<b>RAA4848(-)</b>	732.	794.	914.	1,232.
	*	60"	<b>RAA6060(-)</b>	1,140.	1,238.	1,427.	1,925.
	*	72"	<b>RAA7272(-)</b>	1,344.	1,462.	1,680.	2,270.

Order Code	Specification Information	Application Notes
Example: <b>RAA72302</b> <b>R</b> Reff <b>R</b> Rectangular <b>A</b> 1 1/4" thick <b>72</b> 72" wide <b>30</b> 30" deep <b>2</b> V2 finish <b>V319</b> Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Width 3. Depth 4. Finish type 5. Finish  1. Thickness options: A = 1 1/4"  4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3  *Square tops in two pieces.	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.  All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.  Top to top brackets included.  Tops have no radius on edges that adjoin.  See table base matrix in Planning Guide, pages 140 and 141.  1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.  
 Mixed finish 1 3/4" tops are not post-formed.  
 Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.  
 Applicable finishes are listed on page 5 and 6.

Conference room tops  
Square and rectangular  
1 3/4" thick

Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	<b>RRB7230(-)</b>	\$669.	\$969.	\$1,113.	\$1,503.
	84"	30"	<b>RRB8430(-)</b>	739.	1,052.	1,210.	1,634.
	96"	30"	<b>RRB9630(-)</b>	827.	1,153.	1,326.	1,789.
	72"	36"	<b>RRB7236(-)</b>	724.	1,032.	1,188.	1,604.
	84"	36"	<b>RRB8436(-)</b>	790.	1,111.	1,280.	1,727.
	96"	36"	<b>RRB9636(-)</b>	915.	1,256.	1,443.	1,948.
	84"	42"	<b>RRB8442(-)</b>	1,172.	1,554.	1,787.	2,414.
	96"	42"	<b>RRB9642(-)</b>	1,344.	1,755.	2,017.	2,724.
	96"	48"	<b>RRB9648(-)</b>	1,432.	1,855.	2,135.	2,882.
Rectangular top 2 piece 	120"	36"	<b>RRB12036(-)</b>	1,467.	1,900.	2,183.	2,947.
	120"	42"	<b>RRB12042(-)</b>	2,027.	2,544.	2,927.	3,950.
	144"	42"	<b>RRB14442(-)</b>	2,274.	2,834.	3,257.	4,398.
	120"	48"	<b>RRB12048(-)</b>	2,201.	2,748.	3,160.	4,265.
	144"	48"	<b>RRB14448(-)</b>	2,439.	3,023.	3,476.	4,693.
Rectangular top 3 piece 	168"	42"	<b>RRB16842(-)</b>	2,981.	3,657.	4,204.	5,677.
	192"	42"	<b>RRB19242(-)</b>	3,232.	3,946.	4,541.	6,131.
	168"	48"	<b>RRB16848(-)</b>	3,242.	3,957.	4,552.	6,146.
	192"	48"	<b>RRB19248(-)</b>	3,477.	4,233.	4,868.	6,573.
Square tops  	-	36"	<b>RRB3636(-)</b>	517.	792.	910.	1,229.
	-	42"	<b>RRB4242(-)</b>	669.	969.	1,113.	1,503.
	-	48"	<b>RRB4848(-)</b>	875.	1,211.	1,392.	1,878.
	*	60"	<b>RRB6060(-)</b>	1,366.	1,778.	2,045.	2,760.
	*	72"	<b>RRB7272(-)</b>	1,613.	2,066.	2,377.	3,209.

Worksurfaces

**Order Code**

Example:	<b>RRB72302</b>
<b>R</b>	Reff
<b>R</b>	Rectangular
<b>B</b>	1 3/4" thick
<b>72</b>	72" wide
<b>30</b>	30" deep
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry

**Specification Information**

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:  
B = 1 3/4"

4. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

\*Square tops in two pieces.

**Application Notes**

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.




Mixed finish 1 3/4" tops are not post-formed.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Conference room tops  
*Round and racetrack*  
*1 1/4" thick*





Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Racetrack top 1 piece 	72"	30"	<b>RTA7230-</b> ( )	\$1,054.	\$1,145.	\$1,314.	\$1,775.
	84"	30"	<b>RTA8430-</b> ( )	1,172.	1,274.	1,465.	1,977.
	96"	30"	<b>RTA9630-</b> ( )	1,302.	1,418.	1,631.	2,202.
	72"	36"	<b>RTA7236-</b> ( )	1,202.	1,305.	1,500.	2,025.
	84"	36"	<b>RTA8436-</b> ( )	1,349.	1,468.	1,687.	2,276.
	96"	36"	<b>RTA9636-</b> ( )	1,497.	1,628.	1,873.	2,528.
	84"	42"	<b>RTA8442-</b> ( )	1,641.	1,786.	2,054.	2,773.
	96"	42"	<b>RTA9642-</b> ( )	1,840.	2,000.	2,298.	3,104.
	96"	48"	<b>RTA9648-</b> ( )	2,018.	2,191.	2,520.	3,401.
Racetrack top 2 piece 	120"	36"	<b>RTA12036-</b> ( )	1,933.	2,103.	2,419.	3,265.
	120"	42"	<b>RTA12042-</b> ( )	2,087.	2,266.	2,608.	3,521.
	144"	42"	<b>RTA14442-</b> ( )	2,301.	2,500.	2,875.	3,880.
	120"	48"	<b>RTA12048-</b> ( )	2,218.	2,411.	2,773.	3,743.
	144"	48"	<b>RTA14448-</b> ( )	2,358.	2,565.	2,947.	3,978.
Racetrack top 3 piece 	168"	42"	<b>RTA16842-</b> ( )	2,885.	3,134.	3,606.	4,868.
	192"	42"	<b>RTA19242-</b> ( )	3,098.	3,368.	3,875.	5,231.
	168"	48"	<b>RTA16848-</b> ( )	3,087.	3,353.	3,855.	5,206.
	192"	48"	<b>RTA19248-</b> ( )	3,226.	3,508.	4,032.	5,443.
Round tops  	-	36"	<b>RTA3636-</b> ( )	592.	644.	739.	998.
	-	42"	<b>RTA4242-</b> ( )	688.	745.	857.	1,156.
	-	48"	<b>RTA4848-</b> ( )	1,132.	1,229.	1,413.	1,907.
	*	60"	<b>RTA6060-</b> ( )	1,773.	1,927.	2,216.	2,991.
	*	72"	<b>RTA7272-</b> ( )	2,192.	2,383.	2,744.	3,704.

Order Code	Specification Information	Application Notes
Example: <b>RTA72302</b>	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.  Top to top brackets included.  See table base matrix in Planning Guide pages 140 and 141.  1 1/4" tops require support at mid point to reduce spans to 48" or less.  Tops have no radius on edges that adjoin.  1 3/4" tops require support at mid point to reduce spans to 66" or less.  Laminate and mixed finish 1 3/4" tops on this page are not post formed.
<b>R</b> Reff	1. Top thickness	
<b>T</b> Rounded top	2. Width	
<b>A</b> 1 1/4" thick	3. Depth	
<b>72</b> 72" wide	4. Finish type	
<b>30</b> 30" deep	5. Finish	
<b>2</b> V2 finish	1. <i>Thickness options:</i>	
<b>V319</b> Medium cherry	A = 1 1/4"	
	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	*Round tops in two pieces.	

Conference room tops  
Round and racetrack  
1 3/4" thick

Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Racetrack top 1 piece 	72"	30"	<b>RTB7230-()</b>	\$1,261.	\$1,661.	\$1,908.	\$2,577.
	84"	30"	<b>RTB8430-()</b>	1,407.	1,825.	2,099.	2,834.
	96"	30"	<b>RTB9630-()</b>	1,564.	2,010.	2,310.	3,118.
	72"	36"	<b>RTB7236-()</b>	1,443.	1,866.	2,145.	2,896.
	84"	36"	<b>RTB8436-()</b>	1,621.	2,073.	2,382.	3,217.
	96"	36"	<b>RTB9636-()</b>	1,799.	2,283.	2,622.	3,538.
	84"	42"	<b>RTB8442-()</b>	1,971.	2,482.	2,853.	3,852.
	96"	42"	<b>RTB9642-()</b>	2,208.	2,756.	3,171.	4,281.
	96"	48"	<b>RTB9648-()</b>	2,422.	2,984.	3,433.	4,636.
Racetrack top 2 piece 	120"	36"	<b>RTB12036-()</b>	2,322.	2,889.	3,320.	4,482.
	120"	42"	<b>RTB12042-()</b>	2,503.	3,102.	3,568.	4,817.
	144"	42"	<b>RTB14442-()</b>	2,759.	3,397.	3,909.	5,277.
	120"	48"	<b>RTB12048-()</b>	2,660.	3,283.	3,775.	5,095.
	144"	48"	<b>RTB14448-()</b>	2,830.	3,479.	4,001.	5,402.
Racetrack top 3 piece 	168"	42"	<b>RTB16842-()</b>	3,461.	4,213.	4,845.	6,539.
	192"	42"	<b>RTB19242-()</b>	3,721.	4,512.	5,189.	7,006.
	168"	48"	<b>RTB16848-()</b>	3,702.	4,495.	5,166.	6,975.
	192"	48"	<b>RTB19248-()</b>	3,871.	4,689.	5,391.	7,279.
Round tops  	-	36"	<b>RTB3636-()</b>	711.	1,018.	1,172.	1,582.
	-	42"	<b>RTB4242-()</b>	823.	1,149.	1,321.	1,781.
	-	48"	<b>RTB4848-()</b>	1,359.	1,768.	2,032.	2,745.
	*	60"	<b>RTB6060-()</b>	2,127.	2,663.	3,064.	4,137.
	*	72"	<b>RTB7272-()</b>	2,633.	3,248.	3,736.	5,043.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RTB72302</b> <b>R</b> Reff <b>T</b> Rounded top <b>B</b> 1 3/4" thick <b>72</b> 72" wide <b>30</b> 30" deep <b>2</b> V2 finish <b>V319</b> Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Width 3. Depth 4. Finish type 5. Finish  1. Thickness options: B = 1 3/4"  4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3  *Round tops in two pieces.	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.  Top to top brackets included.  See table base matrix in Planning Guide pages 140 and 141.  1 1/4" tops require support at mid point to reduce spans to 48" or less.  Tops have no radius on edges that adjoin.  1 3/4" tops require support at mid point to reduce spans to 66" or less.  Laminate and mixed finish 1 3/4" tops on this page are not post formed.


All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.  
  
 Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.  
  
 Applicable finishes are listed on page 5 and 6.

Reff System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Finish. Optional for worksurface tops listed on pages 151 through 166.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma



Alpha



Beta



Chi




Delta



Epsilon



Phi



Gamma

# Optional edge worksurface tops

Reff

1 1/4" thick rectilinear

front edge only

20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-( )(1/2/3)	\$373.	\$426.	\$576.	
		30"	RSA(A/B/C/D/E/F/G)F301-( )(1/2/3)	409.	470.	634.	
		36"	RSA(A/B/C/D/E/F/G)F361-( )(1/2/3)	431.	496.	670.	
		42"	RSA(A/B/C/D/E/F/G)F421-( )(1/2/3)	451.	518.	700.	
		48"	RSA(A/B/C/D/E/F/G)F481-( )(1/2/3)	469.	538.	727.	
		54"	RSA(A/B/C/D/E/F/G)F541-( )(1/2/3)	487.	564.	761.	
		60"	RSA(A/B/C/D/E/F/G)F601-( )(1/2/3)	527.	607.	819.	
		66"	RSA(A/B/C/D/E/F/G)F661-( )(1/2/3)	542.	625.	843.	
		72"	RSA(A/B/C/D/E/F/G)F721-( )(1/2/3)	571.	657.	886.	
		78"	RSA(A/B/C/D/E/F/G)F781-( )(1/2/3)	579.	665.	897.	
		84"	RSA(A/B/C/D/E/F/G)F841-( )(1/2/3)	616.	707.	955.	
		90"	RSA(A/B/C/D/E/F/G)F901-( )(1/2/3)	640.	737.	995.	
		96"	RSA(A/B/C/D/E/F/G)F961-( )(1/2/3)	665.	766.	1,034.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-( )(1/2/3)	393.	451.	609.
			30"	RSA(A/B/C/D/E/F/G)F302-( )(1/2/3)	444.	511.	688.
			36"	RSA(A/B/C/D/E/F/G)F362-( )(1/2/3)	461.	530.	717.
			42"	RSA(A/B/C/D/E/F/G)F422-( )(1/2/3)	475.	545.	735.
			48"	RSA(A/B/C/D/E/F/G)F482-( )(1/2/3)	511.	584.	788.
			54"	RSA(A/B/C/D/E/F/G)F542-( )(1/2/3)	542.	625.	843.
60"	RSA(A/B/C/D/E/F/G)F602-( )(1/2/3)		582.	668.	902.		
66"	RSA(A/B/C/D/E/F/G)F662-( )(1/2/3)		604.	691.	934.		
72"	RSA(A/B/C/D/E/F/G)F722-( )(1/2/3)		629.	726.	978.		
78"	RSA(A/B/C/D/E/F/G)F782-( )(1/2/3)		660.	759.	1,025.		
84"	RSA(A/B/C/D/E/F/G)F842-( )(1/2/3)		685.	787.	1,064.		
90"	RSA(A/B/C/D/E/F/G)F902-( )(1/2/3)	715.	824.	1,111.			
96"	RSA(A/B/C/D/E/F/G)F962-( )(1/2/3)	743.	857.	1,156.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAGF241F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. F = Front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>F</b> Edge front only	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>1</b> 20" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<p>1. <i>Edge profile options:</i></p> <p>A = Alpha</p> <p>B = Beta</p> <p>C = Chi</p> <p>D = Delta</p> <p>E = Epsilon</p> <p>F = Phi</p> <p>G = Gamma</p>	
<b>V319</b> Medium cherry	<p>5. <i>Grommet options:</i></p> <p>N = No grommet</p> <p>F = Flush front grommet location</p> <p>R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p>6. <i>Finish type:</i></p> <p>M = Mixed (laminated surface / wood edge)</p> <p>1 = V1</p> <p>2 = V2</p> <p>3 = V3</p>	
<b>111</b> Jet black (grommet)	Applicable finishes are listed on page 5 and 6.	

# Optional edge worksurface tops

Reff

1 1/4" thick rectilinear

front edge only

30" and 36" deep

description	d	w	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-( )(1/2/3)	\$424.	\$489.	\$662.	
		30"	RSA(A/B/C/D/E/F/G)F303-( )(1/2/3)	480.	551.	743.	
		36"	RSA(A/B/C/D/E/F/G)F363-( )(1/2/3)	517.	592.	799.	
		42"	RSA(A/B/C/D/E/F/G)F423-( )(1/2/3)	537.	617.	833.	
		48"	RSA(A/B/C/D/E/F/G)F483-( )(1/2/3)	573.	662.	893.	
		54"	RSA(A/B/C/D/E/F/G)F543-( )(1/2/3)	621.	713.	961.	
		60"	RSA(A/B/C/D/E/F/G)F603-( )(1/2/3)	642.	738.	996.	
		66"	RSA(A/B/C/D/E/F/G)F663-( )(1/2/3)	658.	757.	1,022.	
		72"	RSA(A/B/C/D/E/F/G)F723-( )(1/2/3)	674.	773.	1,044.	
		78"	RSA(A/B/C/D/E/F/G)F783-( )(1/2/3)	705.	814.	1,098.	
		84"	RSA(A/B/C/D/E/F/G)F843-( )(1/2/3)	733.	845.	1,141.	
		90"	RSA(A/B/C/D/E/F/G)F903-( )(1/2/3)	767.	884.	1,194.	
		96"	RSA(A/B/C/D/E/F/G)F963-( )(1/2/3)	795.	916.	1,235.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-( )(1/2/3)	742.	853.	1,151.
			66"	RSA(A/B/C/D/E/F/G)F664-( )(1/2/3)	768.	886.	1,197.
			72"	RSA(A/B/C/D/E/F/G)F724-( )(1/2/3)	794.	915.	1,233.

Order Code	Specification Information	Application Notes
Example: <b>RSAGF243F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. F = Front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>F</b> Edge front only	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>3</b> 30" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>5. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p><i>6. Finish type:</i></p> <p>M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p>	



# Optional edge worksurface tops

Reff

*1 1/4" thick rectilinear  
front and back edge profiled  
20" and 24" deep*

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-( )(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)A301-( )(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)A361-( )(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)A421-( )(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)A481-( )(1/2/3)	469.	538.	727.
		54"	RSA(A/B/C/D/E/F/G)A541-( )(1/2/3)	487.	564.	761.
		60"	RSA(A/B/C/D/E/F/G)A601-( )(1/2/3)	527.	607.	819.
		66"	RSA(A/B/C/D/E/F/G)A661-( )(1/2/3)	542.	625.	843.
		72"	RSA(A/B/C/D/E/F/G)A721-( )(1/2/3)	571.	657.	886.
		78"	RSA(A/B/C/D/E/F/G)A781-( )(1/2/3)	579.	665.	897.
		84"	RSA(A/B/C/D/E/F/G)A841-( )(1/2/3)	616.	707.	955.
	90"	RSA(A/B/C/D/E/F/G)A901-( )(1/2/3)	640.	737.	995.	
	96"	RSA(A/B/C/D/E/F/G)A961-( )(1/2/3)	665.	766.	1,034.	
	24"	24"	RSA(A/B/C/D/E/F/G)A242-( )(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)A302-( )(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)A362-( )(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)A422-( )(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)A482-( )(1/2/3)	511.	584.	788.
		54"	RSA(A/B/C/D/E/F/G)A542-( )(1/2/3)	542.	625.	843.
		60"	RSA(A/B/C/D/E/F/G)A602-( )(1/2/3)	582.	668.	902.
		66"	RSA(A/B/C/D/E/F/G)A662-( )(1/2/3)	604.	691.	934.
72"		RSA(A/B/C/D/E/F/G)A722-( )(1/2/3)	629.	726.	978.	
78"		RSA(A/B/C/D/E/F/G)A782-( )(1/2/3)	660.	759.	1,025.	
84"	RSA(A/B/C/D/E/F/G)A842-( )(1/2/3)	685.	787.	1,064.		
90"	RSA(A/B/C/D/E/F/G)A902-( )(1/2/3)	715.	824.	1,111.		
96"	RSA(A/B/C/D/E/F/G)A962-( )(1/2/3)	743.	857.	1,156.		

Worksurfaces

## Order Code

Example:	<b>RSAGA241F2</b>
<b>R</b>	Reff
<b>S</b>	Straight top
<b>A</b>	1 1/4" thick
<b>G</b>	Gamma
<b>A</b>	Edge front and back
<b>24</b>	24" wide
<b>1</b>	20" deep
<b>F</b>	Flush grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry
<b>111</b>	Jet Black (grommet)

## Specification Information

To order please specify pattern number including:

- Edge profile
- 5th position A = Edge front and back
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

5. Grommet options:

- N = No grommet
- F = Flush front grommet location
- R = Recessed front (not recommended on 20"D and 24"D tops)

6. Finish type:

- M = Mixed (laminated surface / wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 5 and 6.

## Application Notes

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


1 1/4" tops require support at mid point to reduce spans to 48" or less.

# Optional edge worksurface tops

Reff

*1 1/4" thick rectilinear  
front and back edge profiled  
30" and 36" deep*



description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only	30"	24"	RSA(A/B/C/D/E/F/G)A243-( )(1/2/3)	\$424.	\$489.	\$662.
		30"	RSA(A/B/C/D/E/F/G)A303-( )(1/2/3)	480.	551.	743.
		36"	RSA(A/B/C/D/E/F/G)A363-( )(1/2/3)	517.	592.	799.
		42"	RSA(A/B/C/D/E/F/G)A423-( )(1/2/3)	537.	617.	833.
		48"	RSA(A/B/C/D/E/F/G)A483-( )(1/2/3)	573.	662.	893.
		54"	RSA(A/B/C/D/E/F/G)A543-( )(1/2/3)	621.	713.	961.
		60"	RSA(A/B/C/D/E/F/G)A603-( )(1/2/3)	642.	738.	996.
		66"	RSA(A/B/C/D/E/F/G)A663-( )(1/2/3)	658.	757.	1,022.
		72"	RSA(A/B/C/D/E/F/G)A723-( )(1/2/3)	674.	773.	1,044.
		78"	RSA(A/B/C/D/E/F/G)A783-( )(1/2/3)	705.	814.	1,098.
		84"	RSA(A/B/C/D/E/F/G)A843-( )(1/2/3)	733.	845.	1,141.
		90"	RSA(A/B/C/D/E/F/G)A903-( )(1/2/3)	767.	884.	1,194.
96"	RSA(A/B/C/D/E/F/G)A963-( )(1/2/3)	795.	916.	1,235.		
	36"	60"	RSA(A/B/C/D/E/F/G)A604-( )(1/2/3)	742.	853.	1,151.
		66"	RSA(A/B/C/D/E/F/G)A664-( )(1/2/3)	768.	886.	1,197.
		72"	RSA(A/B/C/D/E/F/G)A724-( )(1/2/3)	794.	915.	1,233.



Order Code	Specification Information	Application Notes
Example: <b>RSAGA243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>S</b> Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	2. 5th position A = Edge front and back	
<b>G</b> Gamma	3. Width	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>A</b> Edge front and back	4. Depth	
<b>24</b> 24" wide	5. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>3</b> 30" deep	6. Top finish type	
<b>F</b> Flush grommet	7. Top finish	
<b>2</b> V2 finish	8. Grommet finish	
<b>V319</b> Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Applicable finishes are listed on page 5 and 6.
<b>111</b> Jet Black (grommet)		

Optional edge worksurface tops  
*1 1/4" thick rectilinear*  
*front and attaching edges profiled*

Reff

description	d	w	pattern no.	M/V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-( )(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)B301-( )(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)B361-( )(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)B421-( )(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)B481-( )(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-( )(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)B302-( )(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)B362-( )(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)B422-( )(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)B482-( )(1/2/3)	511.	584.	788.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-( )(1/2/3)	373.	426.	576.
		30"	RSA(A/B/C/D/E/F/G)L301-( )(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)L361-( )(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)L421-( )(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)L481-( )(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-( )(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)L302-( )(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)L362-( )(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)L422-( )(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)L482-( )(1/2/3)	511.	584.	788.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAGB241F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. 5th position indicates how and which edges profiled	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>B</b> Both ends accept edge	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>1</b> 20" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish		
<b>V319</b> Medium cherry	1. <i>Edge profile options:</i>	
<b>111</b> Jet Black (grommet)	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	2. <i>5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	3. <i>Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	4. <i>Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge worksurface tops  
*1 1/4" thick rectilinear*  
*front and attaching edges profiled*


Reff

description	d	w	pattern no.	M/V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	<b>RSA(A/B/C/D/E/F/G)R241-( )(1/2/3)</b>	\$373.	\$426.	\$576.
		30"	<b>RSA(A/B/C/D/E/F/G)R301-( )(1/2/3)</b>	409.	470.	634.
		36"	<b>RSA(A/B/C/D/E/F/G)R361-( )(1/2/3)</b>	431.	496.	670.
		42"	<b>RSA(A/B/C/D/E/F/G)R421-( )(1/2/3)</b>	451.	518.	700.
		48"	<b>RSA(A/B/C/D/E/F/G)R481-( )(1/2/3)</b>	469.	538.	727.
	24"	24"	<b>RSA(A/B/C/D/E/F/G)R242-( )(1/2/3)</b>	393.	451.	609.
		30"	<b>RSA(A/B/C/D/E/F/G)R302-( )(1/2/3)</b>	444.	511.	688.
		36"	<b>RSA(A/B/C/D/E/F/G)R362-( )(1/2/3)</b>	461.	530.	717.
		42"	<b>RSA(A/B/C/D/E/F/G)R422-( )(1/2/3)</b>	475.	545.	735.
		48"	<b>RSA(A/B/C/D/E/F/G)R482-( )(1/2/3)</b>	511.	584.	788.

Order Code	Specification Information	Application Notes
Example: <b>RSAGB241F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. 5th position indicates how and which edges profiled	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>B</b> Both ends accept edge	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>1</b> 20" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish		
<b>V319</b> Medium cherry	<i>1. Edge profile options:</i>	
<b>111</b> Jet Black (grommet)	A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
	<i>2. 5th position options:</i> B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i> M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	

Optional edge worksurface tops  
 1 1/4" thick curvilinear corner tops  
 front edge only

Reff

description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-( )(1/2/3)	\$789.	\$907.	\$1,225.
	36"	42"	RCA(A/B/C/D/E/F/G)F364211-( )(1/2/3)	834.	960.	1,296.
	36"	48"	RCA(A/B/C/D/E/F/G)F364811-( )(1/2/3)	888.	1,019.	1,376.
	42"	36"	RCA(A/B/C/D/E/F/G)F423611-( )(1/2/3)	834.	960.	1,296.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-( )(1/2/3)	888.	1,019.	1,376.
	42"	48"	RCA(A/B/C/D/E/F/G)F424811-( )(1/2/3)	969.	1,113.	1,503.
	48"	36"	RCA(A/B/C/D/E/F/G)F483611-( )(1/2/3)	888.	1,019.	1,376.
	48"	42"	RCA(A/B/C/D/E/F/G)F484211-( )(1/2/3)	969.	1,113.	1,503.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-( )(1/2/3)	1,019.	1,173.	1,583.
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24" Radii of front edge varies with top dimensions	36"	36"	RCA(A/B/C/D/E/F/G)F363612-( )(1/2/3)	824.	947.	1,280.
	36"	42"	RCA(A/B/C/D/E/F/G)F364212-( )(1/2/3)	869.	999.	1,349.
	36"	48"	RCA(A/B/C/D/E/F/G)F364812-( )(1/2/3)	923.	1,059.	1,431.
	42"	36"	RCA(A/B/C/D/E/F/G)F423612-( )(1/2/3)	869.	999.	1,349.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-( )(1/2/3)	923.	1,059.	1,431.
	42"	48"	RCA(A/B/C/D/E/F/G)F424812-( )(1/2/3)	1,005.	1,154.	1,559.
	48"	36"	RCA(A/B/C/D/E/F/G)F483612-( )(1/2/3)	923.	1,059.	1,431.

Worksurfaces

Order Code

Specification Information

Application Notes

Example:	<b>RSAGF363611</b>
<b>R</b>	Reff
<b>S</b>	Curvilinear top
<b>A</b>	1 1/4" thick
<b>G</b>	Gamma
<b>F</b>	Edge Front only
<b>36</b>	36" wide
<b>36</b>	36" wide
<b>1</b>	20" deep
<b>1</b>	20" deep
<b>F</b>	Flush grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry
<b>111</b>	Jet Black (grommet)

To order please specify pattern number including:

1. Edge profile
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Top finish type
8. Top finish
9. Grommet finish

1. Edge profile options:  
 A = Alpha  
 B = Beta  
 C = Chi  
 D = Delta  
 E = Epsilon  
 F = Phi  
 G = Gamma

6. Grommet options:  
 N = No grommet  
 F = Flush front grommet location

7. Finish type:  
 M = Mixed (laminated surface / wood edge)  
 1 = V1  
 2 = V2  
 3 = V3

Applicable finishes are listed on page 5 and 6.

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Optional edge worksurface tops  
 1 1/4" thick curvilinear corner tops  
 front edge only

Reff

description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	48"	42"	<b>RCA(A/B/C/D/E/F/G)F484212-( )(1/2/3)</b>	\$1,005.	\$1,154.	\$1,559.
	48"	48"	<b>RCA(A/B/C/D/E/F/G)F484812-( )(1/2/3)</b>	1,055.	1,214.	1,639.
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	<b>RCA(A/B/C/D/E/F/G)F363621-( )(1/2/3)</b>	824.	947.	1,280.
	36"	42"	<b>RCA(A/B/C/D/E/F/G)F364221-( )(1/2/3)</b>	869.	999.	1,349.
	36"	48"	<b>RCA(A/B/C/D/E/F/G)F364821-( )(1/2/3)</b>	923.	1,059.	1,431.
	42"	36"	<b>RCA(A/B/C/D/E/F/G)F423621-( )(1/2/3)</b>	869.	999.	1,349.
	42"	42"	<b>RCA(A/B/C/D/E/F/G)F424221-( )(1/2/3)</b>	923.	1,059.	1,431.
	42"	48"	<b>RCA(A/B/C/D/E/F/G)F424821-( )(1/2/3)</b>	1,005.	1,154.	1,559.
	48"	36"	<b>RCA(A/B/C/D/E/F/G)F483621-( )(1/2/3)</b>	923.	1,059.	1,431.
	48"	42"	<b>RCA(A/B/C/D/E/F/G)F484221-( )(1/2/3)</b>	1,005.	1,154.	1,559.
	48"	48"	<b>RCA(A/B/C/D/E/F/G)F484821-( )(1/2/3)</b>	1,055.	1,214.	1,639.

Order Code	Specification Information	Application Notes
Example: <b>RSAGF363611</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
<b>R</b> Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
<b>S</b> Curvilinear top	7. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	
<b>A</b> 1 1/4" thick	Applicable finishes are listed on page 5 and 6.	
<b>G</b> Gamma		
<b>F</b> Edge Front only		
<b>36</b> 36" wide		
<b>36</b> 36" wide		
<b>1</b> 20" deep		
<b>1</b> 20" deep		
<b>F</b> Flush grommet	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
<b>2</b> V2 finish		
<b>V319</b> Medium cherry		
<b>111</b> Jet Black (grommet)		

Optional edge worksurface tops  
 1 1/4" thick curvilinear corner tops  
 front edge only

Reff

description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-( )(1/2/3)	\$894.	\$1,029.	\$1,390.
	36"	42"	RCA(A/B/C/D/E/F/G)F364222-( )(1/2/3)	942.	1,081.	1,459.
	36"	48"	RCA(A/B/C/D/E/F/G)F364822-( )(1/2/3)	992.	1,140.	1,540.
	42"	36"	RCA(A/B/C/D/E/F/G)F423622-( )(1/2/3)	942.	1,081.	1,459.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-( )(1/2/3)	992.	1,140.	1,540.
	42"	48"	RCA(A/B/C/D/E/F/G)F424822-( )(1/2/3)	1,076.	1,237.	1,670.
	48"	36"	RCA(A/B/C/D/E/F/G)F483622-( )(1/2/3)	992.	1,140.	1,540.
	48"	42"	RCA(A/B/C/D/E/F/G)F484222-( )(1/2/3)	1,076.	1,237.	1,670.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-( )(1/2/3)	1,127.	1,294.	1,747.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAGF363611</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Curvilinear top	2. Left hand width	
<b>A</b> 1 1/4" thick	3. Right hand width	
<b>G</b> Gamma	4. Return left hand depth	
<b>F</b> Edge Front only	5. Return right hand depth	
<b>36</b> 36" wide	6. Grommet option	
<b>36</b> 36" wide	7. Top finish type	
<b>1</b> 20" deep	8. Top finish	
<b>1</b> 20" deep	9. Grommet finish	
<b>F</b> Flush grommet	<p><i>1. Edge profile options:</i></p> <p>A = Alpha                      B = Beta                      C = Chi                      D = Delta                      E = Epsilon                      F = Phi                      G = Gamma</p>	
<b>2</b> V2 finish	<p><i>6. Grommet options:</i></p> <p>N = No grommet                      F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>M = Mixed (laminate surface / wood edge)                      1 = V1                      2 = V2                      3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p>	

Optional edge worksurface tops  
*1 1/4" thick curvilinear transition and end tops*  
*front edge only*

Reff

description	d left	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4221-( )(1/2/3)	\$476.	\$548.	\$739.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4821-( )(1/2/3)	500.	576.	777.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5421-( )(1/2/3)	535.	616.	831.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6021-( )(1/2/3)	572.	660.	890.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6621-( )(1/2/3)	590.	678.	917.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7221-( )(1/2/3)	617.	711.	959.
Wave transition top with profile edge front only (left 30", right 24") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4232-( )(1/2/3)	515.	590.	796.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4832-( )(1/2/3)	534.	613.	827.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5432-( )(1/2/3)	576.	663.	894.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6032-( )(1/2/3)	616.	707.	955.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6632-( )(1/2/3)	637.	734.	991.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7232-( )(1/2/3)	672.	771.	1,041.
Wave transition top with profile edge front only (left 20", right 24") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4212-( )(1/2/3)	476.	548.	739.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4812-( )(1/2/3)	500.	576.	777.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5412-( )(1/2/3)	535.	616.	831.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6012-( )(1/2/3)	572.	660.	890.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6612-( )(1/2/3)	590.	678.	917.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7212-( )(1/2/3)	617.	711.	959.
Wave transition top with profile edge front only (left 24", right 30") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4223-( )(1/2/3)	515.	590.	796.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4823-( )(1/2/3)	534.	613.	827.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5423-( )(1/2/3)	576.	663.	894.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6023-( )(1/2/3)	616.	707.	955.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6623-( )(1/2/3)	637.	734.	991.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7223-( )(1/2/3)	672.	771.	1,041.
Wave end top with profile edge front only (20" right) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3631-( )(1/2/3)	632.	728.	983.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4231-( )(1/2/3)	658.	757.	1,022.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4831-( )(1/2/3)	692.	796.	1,076.

Order Code	Specification Information	Application Notes
Example: <b>RWAGF422-1F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
<b>R</b> Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
<b>W</b> Wave transition top	7. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	
<b>A</b> 1 1/4" thick	Applicable finishes are listed on page 5 and 6.	
<b>G</b> Gamma	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
<b>F</b> Edge front only	2. 5th position F = front edge with profile only	
<b>42</b> 42" wide	3. Width	
<b>2</b> 20" deep	4. Left hand depth	
<b>1</b> 20" deep	5. Right hand depth	
<b>F</b> Flush grommet	6. Grommet option	
<b>2</b> V2 finish	7. Top finish type	
<b>V319</b> Medium cherry	8. Top finish	
<b>111</b> Jet Black (grommet)	9. Grommet finish	



Optional edge worksurface tops  
 1 1/4" thick curvilinear transition and end tops  
 front edge only

Reff

description	d left	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3662-( )(1/2/3)	\$655.	\$753.	\$1,016.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4262-( )(1/2/3)	675.	775.	1,047.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4862-( )(1/2/3)	714.	823.	1,110.
Wave end top with profile edge front only (20" left) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3613-( )(1/2/3)	632.	728.	983.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4213-( )(1/2/3)	658.	757.	1,022.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4813-( )(1/2/3)	692.	796.	1,076.
Wave end top with profile edge front only (24" left) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3626-( )(1/2/3)	655.	753.	1,016.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4226-( )(1/2/3)	675.	775.	1,047.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4826-( )(1/2/3)	714.	823.	1,110.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RWAGF422-1F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
<b>R</b> Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
<b>W</b> Wave transition top	7. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
<b>A</b> 1 1/4" thick	Applicable finishes are listed on page 5 and 6.	
<b>G</b> Gamma	1. Edge profile	
<b>F</b> Edge front only	2. 5th position F = front edge with profile only	
<b>42</b> 42" wide	3. Width	
<b>2</b> 20" deep	4. Left hand depth	
<b>1</b> 20" deep	5. Right hand depth	
<b>F</b> Flush grommet	6. Grommet option	
<b>2</b> V2 finish	7. Top finish type	
<b>V319</b> Medium cherry	8. Top finish	
<b>111</b> Jet Black (grommet)	9. Grommet finish	
	<p>1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p>	


# Optional edge worksurface tops

Reff

## Meeting tops

1 1/4" thick

description	d	w	pattern no.	M/V1	V2	V3	
Peninsula D-shaped tops Profile edge on all except flat side. <b>Grommet choices are centered (as shown) or none</b>	30"	42"	<b>RMDA(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	\$673.	\$772.	\$1,042.	
		48"	<b>RMDA(A/B/C/D/E/F/G)F4830-( )(1/2/3)</b>	727.	833.	1,125.	
		54"	<b>RMDA(A/B/C/D/E/F/G)F5430-( )(1/2/3)</b>	777.	894.	1,207.	
		60"	<b>RMDA(A/B/C/D/E/F/G)F6030-( )(1/2/3)</b>	831.	955.	1,289.	
		66"	<b>RMDA(A/B/C/D/E/F/G)F6630-( )(1/2/3)</b>	887.	1,018.	1,375.	
		72"	<b>RMDA(A/B/C/D/E/F/G)F7230-( )(1/2/3)</b>	941.	1,080.	1,458.	
		78"	<b>RMDA(A/B/C/D/E/F/G)F7830-( )(1/2/3)</b>	1,063.	1,222.	1,650.	
		84"	<b>RMDA(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	1,187.	1,364.	1,842.	
		90"	<b>RMDA(A/B/C/D/E/F/G)F9030-( )(1/2/3)</b>	1,326.	1,524.	2,057.	
		96"	<b>RMDA(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	1,462.	1,680.	2,270.	
		36"	42"	<b>RMDA(A/B/C/D/E/F/G)F4236-( )(1/2/3)</b>	740.	851.	1,149.
			48"	<b>RMDA(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	809.	931.	1,257.
			54"	<b>RMDA(A/B/C/D/E/F/G)F5436-( )(1/2/3)</b>	925.	1,066.	1,438.
			60"	<b>RMDA(A/B/C/D/E/F/G)F6036-( )(1/2/3)</b>	1,038.	1,195.	1,613.
			66"	<b>RMDA(A/B/C/D/E/F/G)F6636-( )(1/2/3)</b>	1,057.	1,217.	1,643.
			72"	<b>RMDA(A/B/C/D/E/F/G)F7236-( )(1/2/3)</b>	1,076.	1,237.	1,670.
			78"	<b>RMDA(A/B/C/D/E/F/G)F7836-( )(1/2/3)</b>	1,210.	1,391.	1,877.
			84"	<b>RMDA(A/B/C/D/E/F/G)F8436-( )(1/2/3)</b>	1,346.	1,550.	2,092.
			90"	<b>RMDA(A/B/C/D/E/F/G)F9036-( )(1/2/3)</b>	1,418.	1,631.	2,202.
96"	<b>RMDA(A/B/C/D/E/F/G)F9636-( )(1/2/3)</b>		1,554.	1,784.	2,410.		
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support)	30"	42"	<b>RM9A(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	924.	1,062.	1,432.	
	36"	48"	<b>RM9A(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	1,027.	1,180.	1,595.	



Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support)	30"	42"	<b>RMPA(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	924.	1,062.	1,432.
	36"	48"	<b>RMPA(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	1,027.	1,180.	1,595.





Order Code	Specification Information	Application Notes
Example: <b>RMDAGF4230F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)	
<b>MD</b> Peninsula D-shaped top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	2. Width	
<b>G</b> Gamma	3. Depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>F</b> Edge front only	4. Grommet option	
<b>42</b> 42" wide	5. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>30</b> 30" deep	6. Top finish	
<b>C</b> Centered grommet	7. Grommet finish	Applicable finishes are listed on page 5 and 6.
<b>2</b> V2 finish	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	
<b>V319</b> Medium cherry	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
<b>111</b> Jet Black (grommet)	<i>5. Finish type:</i> M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
	<i>8. Wrap around panel tops only, specify mating trim profile</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	

# Optional edge worksurface tops

Reff

## Meeting tops

1 1/4" thick



description	d	w	pattern no.	M/V1	V2	V3
Worksurface 9-top 	30"	84"	<b>RM9A(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	\$1,878.	\$2,163.	\$2,919.
	30"	96"	<b>RM9A(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	1,959.	2,252.	3,040.
Worksurface P-top 	30"	84"	<b>RMPA(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	1,878.	2,163.	2,919.
	30"	96"	<b>RMPA(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	1,959.	2,252.	3,040.
Wrap-around panel top *No Grommet optional 	21 1/4"	42 1/2"	<b>RMDA(A/B/C/D/E/F/G)F4221-( )(1/2/3)( )</b>	865.	994.	1,341.
	25 1/4"	50 1/2"	<b>RMDA(A/B/C/D/E/F/G)F5025-( )(1/2/3)( )</b>	947.	1,090.	1,471.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RMDAGF4230F2</b> <b>R</b> Reff <b>MD</b> Peninsula D-shaped top <b>A</b> 1 1/4" thick <b>G</b> Gamma <b>F</b> Edge front only <b>42</b> 42" wide <b>30</b> 30" deep <b>C</b> Centered grommet <b>2</b> V2 finish <b>V319</b> Medium cherry <b>111</b> Jet Black (grommet)	To order please specify pattern number including: 1. Edge profile 2. Width 3. Depth 4. Grommet option 5. Top finish type 6. Top finish 7. Grommet finish 8. Applicable "wrap around panel tops" only specify mating panel end trim profile  1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)  5. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3  8. Wrap around panel tops only, specify mating trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum  Applicable finishes are listed on page 5 and 6.
		<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>  Products on this page are shipped without hardware which must be ordered separately from the support components section.  Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.  1 1/4" tops require support at mid point to reduce spans to 48" or less.

Optional edge worksurface tops  
*Bow front tops*  
*1 1/4" thick, front and back edges profiled*

Reff





description	w	d	pattern no.	M/V1	V2	V3
 Profile edge on front and back (30"d)	72"	30"	<b>RMBA(A/B/C/D/E/F/G)A7230-( )(1/2/3)</b>	\$1,121.	\$1,287.	\$1,739.
	84"	30"	<b>RMBA(A/B/C/D/E/F/G)A8430( )(1/2/3)</b>	1,234.	1,420.	1,917.
	96"	30"	<b>RMBA(A/B/C/D/E/F/G)A9630( )(1/2/3)</b>	1,368.	1,571.	2,122.
 Profile edge on front and back (36"d)	72"	36"	<b>RMBA(A/B/C/D/E/F/G)A7236( )(1/2/3)</b>	1,190.	1,367.	1,847.
	84"	36"	<b>RMBA(A/B/C/D/E/F/G)A8436( )(1/2/3)</b>	1,304.	1,501.	2,027.
	96"	36"	<b>RMBA(A/B/C/D/E/F/G)A9636-( )(1/2/3)</b>	1,445.	1,663.	2,244.
 Profile elliptical tops	60"	30"	<b>REBA(A/B/C/D/E/F/G)A6030</b>	1,315.	1,512.	2,041.
	72"	42"	<b>REBA(A/B/C/D/E/F/G)A7242</b>	1,874.	2,153.	2,906.
	78"	48"	<b>REBA(A/B/C/D/E/F/G)A7848</b>	2,054.	2,362.	3,188.

Order Code	Specification Information
Example: <b>RMBAGA7230F2</b>	
<b>R</b> Reff	
<b>MB</b> Bow front top	
<b>A</b> 1 1/4" thick	
<b>G</b> Gamma	
<b>A</b> Edge front and back	
<b>72</b> 72" wide	
<b>30</b> 30" deep	
<b>F</b> Flush grommet	
<b>2</b> V2 finish	
<b>V319</b> Medium cherry	
<b>111</b> Jet Black (grommet)	

Specification Information	Application Notes
<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Edge profile</li> <li>Width</li> <li>Depth</li> <li>Grommet option</li> <li>Top finish type</li> <li>Top finish</li> <li>Grommet finish</li> </ol> <p><i>1. Edge profile options:</i>            A = Alpha            B = Beta            C = Chi            D = Delta            E = Epsilon            F = Phi            G = Gamma</p>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
<p><i>4. Grommet options:</i>            N = No grommet            F = Flush front grommet location            R = Recessed front            A = Alternate location (only for 36" deep bow front tops)</p> <p><i>5. Finish type:</i>            M = Mixed (laminated surface / wood edge)            1 = V1            2 = V2            3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p>	

Optional edge conference room tops  
 1 1/4" thick conference room top  
 round and racetrack

Reff





description	w	d	pattern no.	M/V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,315.	\$1,512.	\$2,041.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,464.	1,686.	2,275.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,631.	1,876.	2,532.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,501.	1,723.	2,326.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,689.	1,937.	2,617.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	1,874.	2,153.	2,906.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,054.	2,362.	3,188.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,298.	2,643.	3,568.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,419.	2,781.	3,754.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,608.	2,998.	4,048.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	2,874.	3,307.	4,463.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	2,773.	3,187.	4,302.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	2,948.	3,388.	4,575.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,605.	4,146.	5,597.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	3,875.	4,455.	6,014.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	3,855.	4,434.	5,985.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,032.	4,637.	6,258.
Round tops Profile edge on all sides except on parting lines. 	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	740.	851.	1,149.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	858.	986.	1,332.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,413.	1,624.	2,192.
	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,216.	2,548.	3,439.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	2,742.	3,154.	4,258.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RTAG72302</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>T</b> Racetrack top	2. Width	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>A</b> 1 1/4" thick	3. Depth	
<b>G</b> Gamma	4. Finish type	
<b>72</b> 22" wide	5. Finish	
<b>30</b> 30" deep	<i>1. Edge profile options:</i>	
<b>2</b> V2 finish	A = Alpha	
<b>V319</b> Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	4. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3  *Round tops in two pieces.	
	Applicable finishes are listed on page 5 and 6.	

Optional edge conference room tops  
 1 1/4" thick conference room top  
 square and rectangular

Reff

description	w	d	pattern no.	M/V1	V2	V3
Rectangular top - 1 piece 	72"	30"	<b>RRA(A/B/C/D/E/F/G)7230-(1/2/3)</b>	\$696.	\$799.	\$1,080.
	84"	30"	<b>RRA(A/B/C/D/E/F/G)8430-(1/2/3)</b>	769.	887.	1,198.
	96"	30"	<b>RRA(A/B/C/D/E/F/G)9630-(1/2/3)</b>	864.	992.	1,340.
	72"	36"	<b>RRA(A/B/C/D/E/F/G)7236-(1/2/3)</b>	756.	868.	1,172.
	84"	36"	<b>RRA(A/B/C/D/E/F/G)8436-(1/2/3)</b>	825.	948.	1,281.
	96"	36"	<b>RRA(A/B/C/D/E/F/G)9636-(1/2/3)</b>	954.	1,097.	1,483.
	84"	42"	<b>RRA(A/B/C/D/E/F/G)8442-(1/2/3)</b>	1,222.	1,404.	1,895.
	96"	42"	<b>RRA(A/B/C/D/E/F/G)9642-(1/2/3)</b>	1,402.	1,611.	2,175.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	<b>RRA(A/B/C/D/E/F/G)12036-(1/2/3)</b>	1,530.	1,759.	2,375.
	120"	42"	<b>RRA(A/B/C/D/E/F/G)12042-(1/2/3)</b>	2,110.	2,426.	3,273.
	144"	42"	<b>RRA(A/B/C/D/E/F/G)14442-(1/2/3)</b>	2,369.	2,728.	3,683.
	120"	48"	<b>RRA(A/B/C/D/E/F/G)12048-(1/2/3)</b>	2,293.	2,637.	3,561.
	144"	48"	<b>RRA(A/B/C/D/E/F/G)14448-(1/2/3)</b>	2,541.	2,920.	3,943.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	<b>RRA(A/B/C/D/E/F/G)16842-(1/2/3)</b>	3,108.	3,575.	4,825.
	192"	42"	<b>RRA(A/B/C/D/E/F/G)19242-(1/2/3)</b>	3,367.	3,874.	5,229.
	168"	48"	<b>RRA(A/B/C/D/E/F/G)16848-(1/2/3)</b>	3,375.	3,885.	5,245.
	192"	48"	<b>RRA(A/B/C/D/E/F/G)19248-(1/2/3)</b>	3,625.	4,169.	5,626.
Square top Profile edge on all sides except on parting lines 	-	36"	<b>RRA(A/B/C/D/E/F/G)3636-(1/2/3)</b>	537.	617.	833.
	-	42"	<b>RRA(A/B/C/D/E/F/G)4242-(1/2/3)</b>	696.	799.	1,080.
	-	48"	<b>RRA(A/B/C/D/E/F/G)4848-(1/2/3)</b>	915.	1,050.	1,417.
	*	60"	<b>RRA(A/B/C/D/E/F/G)6060-(1/2/3)</b>	1,425.	1,639.	2,214.
	*	72"	<b>RRA(A/B/C/D/E/F/G)7272-(1/2/3)</b>	1,680.	1,933.	2,609.

Order Code	Specification Information	Application Notes
Example: <b>RSAG72302</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Edge option	
<b>R</b> Conference Room top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Depth	
<b>G</b> Gamma	4. Finish type	
<b>72</b> 72" wide	5. Finish	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>30</b> 30" deep	<i>1. Edge profile options:</i>	
<b>2</b> V2 finish	A = Alpha	
<b>V319</b> Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
		4. Finish type: M = Mixed ( laminate surface / wood edge) 1 = V1 2 = V2 3 = V3 * Square tops in two pieces. Applicable finishes are listed on page 5 and 6.

Waterfall edge  
 worksurface tops  
 1 1/4" thick rectilinear with 2" waterfall edge front only  
 20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-( )(1/2/3)	\$706.	\$814.	\$1,098.	
		30"	RSAWF301-( )(1/2/3)	777.	895.	1,210.	
		36"	RSAWF361-( )(1/2/3)	822.	943.	1,273.	
		42"	RSAWF421-( )(1/2/3)	858.	984.	1,328.	
		48"	RSAWF481-( )(1/2/3)	892.	1,026.	1,385.	
		54"	RSAWF541-( )(1/2/3)	931.	1,072.	1,447.	
		60"	RSAWF601-( )(1/2/3)	1,003.	1,152.	1,556.	
		66"	RSAWF661-( )(1/2/3)	1,034.	1,190.	1,606.	
		72"	RSAWF721-( )(1/2/3)	1,084.	1,247.	1,686.	
		78"	RSAWF781-( )(1/2/3)	1,103.	1,266.	1,708.	
		84"	RSAWF841-( )(1/2/3)	1,173.	1,348.	1,820.	
		90"	RSAWF901-( )(1/2/3)	1,219.	1,402.	1,893.	
		96"	RSAWF961-( )(1/2/3)	1,266.	1,453.	1,962.	
		24"	24"	RSAWF242-( )(1/2/3)	744.	858.	1,158.
			30"	RSAWF302-( )(1/2/3)	842.	969.	1,307.
			36"	RSAWF362-( )(1/2/3)	876.	1,005.	1,358.
			42"	RSAWF422-( )(1/2/3)	902.	1,036.	1,399.
48"	RSAWF482-( )(1/2/3)		969.	1,113.	1,503.		
54"	RSAWF542-( )(1/2/3)		1,034.	1,190.	1,606.		
60"	RSAWF602-( )(1/2/3)		1,107.	1,272.	1,716.		
66"	RSAWF662-( )(1/2/3)		1,145.	1,314.	1,775.		
72"	RSAWF722-( )(1/2/3)		1,197.	1,376.	1,856.		
78"	RSAWF782-( )(1/2/3)		1,254.	1,441.	1,946.		
84"	RSAWF842-( )(1/2/3)		1,302.	1,497.	2,021.		
90"	RSAWF902-( )(1/2/3)		1,364.	1,568.	2,118.		
96"	RSAWF962-( )(1/2/3)		1,417.	1,629.	2,201.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWF241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>2</b> V2 finish	R = Recessed front	
<b>V319</b> Medium cherry	(not recommended on 20"D and 24"D tops)	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>111</b> Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall edge  
 worksurface tops  
 1 1/4" thick rectilinear with 2" waterfall edge front only  
 30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243-( )(1/2/3)	\$810.	\$934.	\$1,261.	
		30"	RSAWF303-( )(1/2/3)	910.	1,048.	1,415.	
		36"	RSAWF363-( )(1/2/3)	982.	1,128.	1,523.	
		42"	RSAWF423-( )(1/2/3)	1,023.	1,175.	1,586.	
		48"	RSAWF483-( )(1/2/3)	1,091.	1,257.	1,697.	
		54"	RSAWF543-( )(1/2/3)	1,179.	1,359.	1,834.	
		60"	RSAWF603-( )(1/2/3)	1,225.	1,407.	1,900.	
		66"	RSAWF663-( )(1/2/3)	1,251.	1,438.	1,943.	
		72"	RSAWF723-( )(1/2/3)	1,282.	1,473.	1,988.	
		78"	RSAWF783-( )(1/2/3)	1,342.	1,542.	2,081.	
		84"	RSAWF843-( )(1/2/3)	1,394.	1,606.	2,167.	
		90"	RSAWF903-( )(1/2/3)	1,461.	1,676.	2,262.	
		96"	RSAWF963-( )(1/2/3)	1,513.	1,740.	2,348.	
		36"	60"	RSAWF604-( )(1/2/3)	1,414.	1,622.	2,189.
			66"	RSAWF664-( )(1/2/3)	1,463.	1,680.	2,270.
72"	RSAWF724-( )(1/2/3)		1,511.	1,736.	2,343.		

Order Code	Specification Information	Application Notes
Example: <b>RSAWF243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>24</b> 24" wide	1. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	Waterfall tops cannot be specified with semi-open pore finish.
<b>3</b> 30" deep		
<b>F</b> Flush grommet	2. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>2</b> V2 finish		
<b>V319</b> Medium cherry		Applicable finishes are listed on page 5 and 6.
<b>111</b> Jet black (grommet)		1 1/4" tops require support at mid point to reduce spans to 48" or less.



Waterfall edge  
 worksurface tops  
 1 1/4" thick rectilinear with 2" waterfall edge front and back  
 20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	<b>RSAWA241-</b> ( )(1/2/3)	\$883.	\$1,019.	\$1,376.	
		30"	<b>RSAWA301-</b> ( )(1/2/3)	974.	1,119.	1,509.	
		36"	<b>RSAWA361-</b> ( )(1/2/3)	1,027.	1,178.	1,592.	
		42"	<b>RSAWA421-</b> ( )(1/2/3)	1,073.	1,232.	1,664.	
		48"	<b>RSAWA481-</b> ( )(1/2/3)	1,113.	1,282.	1,730.	
		54"	<b>RSAWA541-</b> ( )(1/2/3)	1,163.	1,339.	1,808.	
		60"	<b>RSAWA601-</b> ( )(1/2/3)	1,255.	1,440.	1,944.	
		66"	<b>RSAWA661-</b> ( )(1/2/3)	1,293.	1,487.	2,008.	
		72"	<b>RSAWA721-</b> ( )(1/2/3)	1,359.	1,563.	2,110.	
		78"	<b>RSAWA781-</b> ( )(1/2/3)	1,379.	1,581.	2,135.	
		84"	<b>RSAWA841-</b> ( )(1/2/3)	1,465.	1,685.	2,274.	
		90"	<b>RSAWA901-</b> ( )(1/2/3)	1,526.	1,754.	2,367.	
		96"	<b>RSAWA961-</b> ( )(1/2/3)	1,581.	1,820.	2,456.	
		24"	24"	<b>RSAWA242-</b> ( )(1/2/3)	931.	1,073.	1,448.
			30"	<b>RSAWA302-</b> ( )(1/2/3)	1,052.	1,211.	1,635.
			36"	<b>RSAWA362-</b> ( )(1/2/3)	1,095.	1,260.	1,701.
			42"	<b>RSAWA422-</b> ( )(1/2/3)	1,128.	1,296.	1,751.
			48"	<b>RSAWA482-</b> ( )(1/2/3)	1,211.	1,393.	1,880.
			54"	<b>RSAWA542-</b> ( )(1/2/3)	1,293.	1,487.	2,008.
60"	<b>RSAWA602-</b> ( )(1/2/3)		1,385.	1,593.	2,150.		
66"	<b>RSAWA662-</b> ( )(1/2/3)		1,432.	1,644.	2,219.		
72"	<b>RSAWA722-</b> ( )(1/2/3)		1,494.	1,719.	2,322.		
78"	<b>RSAWA782-</b> ( )(1/2/3)		1,568.	1,805.	2,435.		
84"	<b>RSAWA842-</b> ( )(1/2/3)		1,629.	1,875.	2,530.		
90"	<b>RSAWA902-</b> ( )(1/2/3)	1,706.	1,961.	2,647.			
96"	<b>RSAWA962-</b> ( )(1/2/3)	1,771.	2,035.	2,747.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWA241F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p><b>Waterfall tops cannot be specified with open pore finish.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	<p>Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.</p> <p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WA</b> Waterfall front/back	4. Grommet finish	
<b>24</b> 24" wide	1. <i>Grommet options:</i>	
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front	
<b>V319</b> Medium cherry	(not recommended on 20"D and 24"D tops)	
<b>111</b> Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

# Waterfall edge

## worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and back

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	<b>RSAWA243-( ) (1/2/3)</b>	\$1,015.	\$1,167.	\$1,575.	
		30"	<b>RSAWA303-( ) (1/2/3)</b>	1,139.	1,312.	1,772.	
		36"	<b>RSAWA363-( ) (1/2/3)</b>	1,228.	1,413.	1,907.	
		42"	<b>RSAWA423-( ) (1/2/3)</b>	1,280.	1,470.	1,984.	
		48"	<b>RSAWA483-( ) (1/2/3)</b>	1,365.	1,570.	2,120.	
		54"	<b>RSAWA543-( ) (1/2/3)</b>	1,476.	1,698.	2,292.	
		60"	<b>RSAWA603-( ) (1/2/3)</b>	1,530.	1,760.	2,377.	
		66"	<b>RSAWA663-( ) (1/2/3)</b>	1,565.	1,800.	2,430.	
		72"	<b>RSAWA723-( ) (1/2/3)</b>	1,603.	1,842.	2,487.	
		78"	<b>RSAWA783-( ) (1/2/3)</b>	1,676.	1,930.	2,604.	
		84"	<b>RSAWA843-( ) (1/2/3)</b>	1,744.	2,008.	2,710.	
		90"	<b>RSAWA903-( ) (1/2/3)</b>	1,823.	2,097.	2,832.	
		96"	<b>RSAWA963-( ) (1/2/3)</b>	1,890.	2,174.	2,935.	
		36"	60"	<b>RSAWA604-( ) (1/2/3)</b>	1,767.	2,028.	2,738.
			66"	<b>RSAWA664-( ) (1/2/3)</b>	1,827.	2,103.	2,838.
			72"	<b>RSAWA724-( ) (1/2/3)</b>	1,887.	2,170.	2,929.

### Order Code

Example:	<b>RSAWA243F2</b>
<b>R</b>	Reff
<b>S</b>	Straight top
<b>A</b>	1 1/4" thick
<b>WA</b>	Waterfall front/back
<b>24</b>	24" wide
<b>3</b>	30" deep
<b>F</b>	Flush grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry
<b>111</b>	Jet Black (grommet)

### Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:  
 N = No grommet  
 F = Flush front grommet location  
 R = Recessed front (not recommended on 20"D and 24"D tops)

2. Finish type:  
 1 = V1  
 2 = V2  
 3 = V3

### Application Notes

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Waterfall tops cannot be specified with open pore finish.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Waterfall edge  
 worksurface tops  
 1 1/4" thick rectilinear with 2" waterfall edge front and two sides  
 20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-( )(1/2/3)	\$1,064.	\$1,221.	\$1,648.
		30"	RSAWB301-( )(1/2/3)	1,167.	1,340.	1,809.
		36"	RSAWB361-( )(1/2/3)	1,230.	1,415.	1,910.
		42"	RSAWB421-( )(1/2/3)	1,286.	1,477.	1,994.
		48"	RSAWB481-( )(1/2/3)	1,336.	1,538.	2,076.
		54"	RSAWB541-( )(1/2/3)	1,395.	1,607.	2,170.
		60"	RSAWB601-( )(1/2/3)	1,508.	1,731.	2,337.
		66"	RSAWB661-( )(1/2/3)	1,552.	1,783.	2,409.
		72"	RSAWB721-( )(1/2/3)	1,629.	1,874.	2,529.
		78"	RSAWB781-( )(1/2/3)	1,649.	1,897.	2,561.
	84"	RSAWB841-( )(1/2/3)	1,757.	2,023.	2,730.	
	90"	RSAWB901-( )(1/2/3)	1,831.	2,105.	2,841.	
	96"	RSAWB961-( )(1/2/3)	1,897.	2,183.	2,947.	
	24"	24"	RSAWB242-( )(1/2/3)	1,118.	1,286.	1,736.
		30"	RSAWB302-( )(1/2/3)	1,264.	1,449.	1,958.
		36"	RSAWB362-( )(1/2/3)	1,313.	1,511.	2,040.
		42"	RSAWB422-( )(1/2/3)	1,354.	1,558.	2,105.
		48"	RSAWB482-( )(1/2/3)	1,449.	1,671.	2,256.
		54"	RSAWB542-( )(1/2/3)	1,552.	1,783.	2,409.
		60"	RSAWB602-( )(1/2/3)	1,663.	1,909.	2,578.
66"		RSAWB662-( )(1/2/3)	1,716.	1,973.	2,663.	
72"		RSAWB722-( )(1/2/3)	1,794.	2,065.	2,786.	
78"		RSAWB782-( )(1/2/3)	1,880.	2,165.	2,922.	
84"	RSAWB842-( )(1/2/3)	1,955.	2,246.	3,034.		
90"	RSAWB902-( )(1/2/3)	2,045.	2,352.	3,175.		
96"	RSAWB962-( )(1/2/3)	2,122.	2,444.	3,300.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWB241F2</b>	To order please specify pattern number including:	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WB</b> Waterfall front and 2 sides	4. Grommet finish	Applicable finishes are listed on page 5 and 6.
<b>24</b> 24" wide	1. Grommet options:	
<b>1</b> 20" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>V319</b> Medium cherry	2. Finish type:	
<b>111</b> Jet Black (grommet)	1 = V1	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	2 = V2	
	3 = V3	


# Waterfall edge

## worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and two sides

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-( )(1/2/3)	\$1,217.	\$1,400.	\$1,890.
		30"	RSAWB303-( )(1/2/3)	1,368.	1,574.	2,124.
		36"	RSAWB363-( )(1/2/3)	1,473.	1,694.	2,287.
		42"	RSAWB423-( )(1/2/3)	1,535.	1,762.	2,379.
		48"	RSAWB483-( )(1/2/3)	1,639.	1,883.	2,543.
		54"	RSAWB543-( )(1/2/3)	1,772.	2,035.	2,747.
		60"	RSAWB603-( )(1/2/3)	1,835.	2,110.	2,849.
		66"	RSAWB663-( )(1/2/3)	1,877.	2,159.	2,914.
		72"	RSAWB723-( )(1/2/3)	1,921.	2,210.	2,983.
		78"	RSAWB783-( )(1/2/3)	2,014.	2,318.	3,128.
	84"	RSAWB843-( )(1/2/3)	2,090.	2,406.	3,248.	
	90"	RSAWB903-( )(1/2/3)	2,187.	2,517.	3,399.	
	96"	RSAWB963-( )(1/2/3)	2,271.	2,608.	3,521.	
	36"	60"	RSAWB604-( )(1/2/3)	2,118.	2,435.	3,288.
		66"	RSAWB664-( )(1/2/3)	2,190.	2,521.	3,403.
		72"	RSAWB724-( )(1/2/3)	2,268.	2,604.	3,516.

### Order Code

Example:	RSAWB243F2
<b>R</b>	Reff
<b>S</b>	Straight top
<b>A</b>	1 1/4" thick
<b>WB</b>	Waterfall front and 2 sides
<b>24</b>	24" wide
<b>3</b>	30" deep
<b>F</b>	Flush grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry
<b>111</b>	Jet Black (grommet)

### Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:  
 N = No grommet  
 F = Flush front grommet location  
 R = Recessed front (not recommended on 20"D and 24"D tops)

2. Finish type:  
 1 = V1  
 2 = V2  
 3 = V3

### Application Notes

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Waterfall tops cannot be specified with semi-open pore finish.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.


# Waterfall edge

## worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and left side

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()()(1/2/3)	\$974.	\$1,120.	\$1,510.
		30"	RSAWL301-()()(1/2/3)	1,071.	1,229.	1,660.
		36"	RSAWL361-()()(1/2/3)	1,128.	1,296.	1,751.
		42"	RSAWL421-()()(1/2/3)	1,178.	1,354.	1,828.
		48"	RSAWL481-()()(1/2/3)	1,226.	1,409.	1,903.
		54"	RSAWL541-()()(1/2/3)	1,281.	1,472.	1,987.
		60"	RSAWL601-()()(1/2/3)	1,381.	1,586.	2,142.
		66"	RSAWL661-()()(1/2/3)	1,421.	1,637.	2,211.
		72"	RSAWL721-()()(1/2/3)	1,492.	1,716.	2,318.
		78"	RSAWL781-()()(1/2/3)	1,515.	1,741.	2,349.
	84"	RSAWL841-()()(1/2/3)	1,612.	1,853.	2,502.	
	90"	RSAWL901-()()(1/2/3)	1,676.	1,930.	2,604.	
	96"	RSAWL961-()()(1/2/3)	1,741.	2,002.	2,702.	
	24"	24"	RSAWL242-()()(1/2/3)	1,024.	1,178.	1,592.
		30"	RSAWL302-()()(1/2/3)	1,158.	1,332.	1,797.
		36"	RSAWL362-()()(1/2/3)	1,204.	1,385.	1,869.
		42"	RSAWL422-()()(1/2/3)	1,241.	1,427.	1,925.
		48"	RSAWL482-()()(1/2/3)	1,332.	1,531.	2,067.
		54"	RSAWL542-()()(1/2/3)	1,421.	1,637.	2,211.
		60"	RSAWL602-()()(1/2/3)	1,523.	1,748.	2,361.
66"		RSAWL662-()()(1/2/3)	1,572.	1,809.	2,442.	
72"		RSAWL722-()()(1/2/3)	1,644.	1,890.	2,551.	
78"		RSAWL782-()()(1/2/3)	1,721.	1,983.	2,678.	
84"	RSAWL842-()()(1/2/3)	1,788.	2,061.	2,782.		
90"	RSAWL902-()()(1/2/3)	1,876.	2,157.	2,910.		
96"	RSAWL962-()()(1/2/3)	1,946.	2,240.	3,024.		

Worksurfaces

### Order Code

Example:	RSAWL241F2
<b>R</b>	Reff
<b>S</b>	Straight top
<b>A</b>	1 1/4" thick
<b>WL</b>	Waterfall front and left
<b>24</b>	24" wide
<b>1</b>	20" deep
<b>F</b>	Flush grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry
<b>111</b>	Jet Black (grommet)

### Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:  
 N = No grommet  
 F = Flush front grommet location  
 R = Recessed front  
 (not recommended on 20"D and 24"D tops)

2. Finish type:  
 1 = V1  
 2 = V2  
 3 = V3

### Application Notes

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Waterfall tops cannot be specified with semi-open pore finish.**

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

# Waterfall edge

## worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and left side

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-( )(1/2/3)	\$1,118.	\$1,284.	\$1,733.
		30"	RSAWL303-( )(1/2/3)	1,254.	1,441.	1,946.
		36"	RSAWL363-( )(1/2/3)	1,350.	1,553.	2,097.
		42"	RSAWL423-( )(1/2/3)	1,405.	1,616.	2,180.
		48"	RSAWL483-( )(1/2/3)	1,502.	1,730.	2,336.
		54"	RSAWL543-( )(1/2/3)	1,622.	1,869.	2,523.
		60"	RSAWL603-( )(1/2/3)	1,683.	1,934.	2,611.
		66"	RSAWL663-( )(1/2/3)	1,718.	1,980.	2,674.
		72"	RSAWL723-( )(1/2/3)	1,762.	2,025.	2,733.
		78"	RSAWL783-( )(1/2/3)	1,845.	2,122.	2,865.
		84"	RSAWL843-( )(1/2/3)	1,917.	2,207.	2,980.
		90"	RSAWL903-( )(1/2/3)	2,008.	2,309.	3,117.
		96"	RSAWL963-( )(1/2/3)	2,080.	2,390.	3,227.
	36"	60"	RSAWL604-( )(1/2/3)	1,942.	2,232.	3,014.
		66"	RSAWL664-( )(1/2/3)	2,011.	2,311.	3,119.
		72"	RSAWL724-( )(1/2/3)	2,077.	2,387.	3,223.

### Order Code

Example:	RSAWL243F2
<b>R</b>	Reff
<b>S</b>	Straight top
<b>A</b>	1 1/4" thick
<b>WL</b>	Waterfall front and left
<b>24</b>	24" wide
<b>3</b>	30" deep
<b>F</b>	Flush grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry
<b>111</b>	Jet Black (grommet)

### Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:  
 N = No grommet  
 F = Flush front grommet location  
 R = Recessed front  
 (not recommended on 20"D and 24"D tops)

2. Finish type:  
 1 = V1  
 2 = V2  
 3 = V3

### Application Notes

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Waterfall tops cannot be specified with semi-open pore finish.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.


# Waterfall edge

## worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and right side

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()()(1/2/3)	\$974.	\$1,120.	\$1,510.	
		30"	RSAWR301-()()(1/2/3)	1,071.	1,229.	1,660.	
		36"	RSAWR361-()()(1/2/3)	1,128.	1,296.	1,751.	
		42"	RSAWR421-()()(1/2/3)	1,178.	1,354.	1,828.	
		48"	RSAWR481-()()(1/2/3)	1,226.	1,409.	1,903.	
		54"	RSAWR541-()()(1/2/3)	1,281.	1,472.	1,987.	
		60"	RSAWR601-()()(1/2/3)	1,381.	1,586.	2,142.	
		66"	RSAWR661-()()(1/2/3)	1,421.	1,637.	2,211.	
		72"	RSAWR721-()()(1/2/3)	1,492.	1,716.	2,318.	
		78"	RSAWR781-()()(1/2/3)	1,515.	1,741.	2,349.	
		84"	RSAWR841-()()(1/2/3)	1,612.	1,853.	2,502.	
		90"	RSAWR901-()()(1/2/3)	1,676.	1,930.	2,604.	
		96"	RSAWR961-()()(1/2/3)	1,741.	2,002.	2,702.	
		24"	24"	RSAWR242-()()(1/2/3)	1,024.	1,178.	1,592.
				RSAWR302-()()(1/2/3)	1,158.	1,332.	1,797.
				RSAWR362-()()(1/2/3)	1,204.	1,385.	1,869.
RSAWR422-()()(1/2/3)	1,241.			1,427.	1,925.		
RSAWR482-()()(1/2/3)	1,332.			1,531.	2,067.		
RSAWR542-()()(1/2/3)	1,421.			1,637.	2,211.		
RSAWR602-()()(1/2/3)	1,523.			1,748.	2,361.		
RSAWR662-()()(1/2/3)	1,572.			1,809.	2,442.		
RSAWR722-()()(1/2/3)	1,644.			1,890.	2,551.		
RSAWR782-()()(1/2/3)	1,721.			1,983.	2,678.		
RSAWR842-()()(1/2/3)	1,788.			2,061.	2,782.		
RSAWR902-()()(1/2/3)	1,876.			2,157.	2,910.		
RSAWR962-()()(1/2/3)	1,946.	2,240.	3,024.				

Worksurfaces

### Order Code

Example:	RSAWR241F2
R	Reff
S	Straight top
A	1 1/4" thick
WR	Waterfall front and right
24	24" wide
1	20" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

### Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:  
 N = No grommet  
 F = Flush front grommet location  
 R = Recessed front  
 (not recommended on 20"D and 24"D tops)

2. Finish type:  
 1 = V1  
 2 = V2  
 3 = V3

### Application Notes

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Waterfall tops cannot be specified with semi-open pore finish.**

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

# Waterfall edge

## worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and right side

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-( )(1/2/3)	\$1,118.	\$1,284.	\$1,733.
		30"	RSAWR303-( )(1/2/3)	1,254.	1,441.	1,946.
		36"	RSAWR363-( )(1/2/3)	1,350.	1,553.	2,097.
		42"	RSAWR423-( )(1/2/3)	1,405.	1,616.	2,180.
		48"	RSAWR483-( )(1/2/3)	1,502.	1,730.	2,336.
		54"	RSAWR543-( )(1/2/3)	1,622.	1,869.	2,523.
		60"	RSAWR603-( )(1/2/3)	1,683.	1,934.	2,611.
		66"	RSAWR663-( )(1/2/3)	1,718.	1,980.	2,674.
		72"	RSAWR723-( )(1/2/3)	1,762.	2,025.	2,733.
		78"	RSAWR783-( )(1/2/3)	1,845.	2,122.	2,865.
		84"	RSAWR843-( )(1/2/3)	1,917.	2,207.	2,980.
		90"	RSAWR903-( )(1/2/3)	2,008.	2,309.	3,117.
		96"	RSAWR963-( )(1/2/3)	2,080.	2,390.	3,227.
36"	60"	RSAWR604-( )(1/2/3)	1,942.	2,232.	3,014.	
	66"	RSAWR664-( )(1/2/3)	2,011.	2,311.	3,119.	
	72"	RSAWR724-( )(1/2/3)	2,077.	2,387.	3,223.	

### Order Code

Example:	RSAWR243F2
<b>R</b>	Reff
<b>S</b>	Straight top
<b>A</b>	1 1/4" thick
<b>WR</b>	Waterfall front and right
<b>24</b>	24" wide
<b>3</b>	30" deep
<b>F</b>	Flush grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry
<b>111</b>	Jet Black (grommet)

### Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:  
 N = No grommet  
 F = Flush front grommet location  
 R = Recessed front  
 (not recommended on 20"D and 24"D tops)

2. Finish type:  
 1 = V1  
 2 = V2  
 3 = V3

### Application Notes

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Waterfall tops cannot be specified with semi-open pore finish.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.



Waterfall edge  
 worksurface tops  
 1 1/4" thick curvilinear transition and end tops  
 with 2" waterfall edge front only

Reff

Worksurfaces

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	<b>RWAWF4221-( )(1/2/3)</b>	\$950.	\$1,095.	\$1,479.
	24"	48"	20"	<b>RWAWF4821-( )(1/2/3)</b>	1,000.	1,150.	1,553.
	24"	54"	20"	<b>RWAWF5421-( )(1/2/3)</b>	1,071.	1,230.	1,661.
	24"	60"	20"	<b>RWAWF6021-( )(1/2/3)</b>	1,144.	1,315.	1,777.
	24"	66"	20"	<b>RWAWF6621-( )(1/2/3)</b>	1,178.	1,354.	1,828.
	24"	72"	20"	<b>RWAWF7221-( )(1/2/3)</b>	1,234.	1,420.	1,917.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	<b>RWAWF4232-( )(1/2/3)</b>	1,026.	1,178.	1,592.
	30"	48"	24"	<b>RWAWF4832-( )(1/2/3)</b>	1,068.	1,227.	1,656.
	30"	54"	24"	<b>RWAWF5432-( )(1/2/3)</b>	1,150.	1,326.	1,789.
	30"	60"	24"	<b>RWAWF6032-( )(1/2/3)</b>	1,230.	1,418.	1,915.
	30"	66"	24"	<b>RWAWF6632-( )(1/2/3)</b>	1,276.	1,467.	1,980.
	30"	72"	24"	<b>RWAWF7232-( )(1/2/3)</b>	1,339.	1,541.	2,080.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	<b>RWAWF4212-( )(1/2/3)</b>	950.	1,095.	1,479.
	20"	48"	24"	<b>RWAWF4812-( )(1/2/3)</b>	1,000.	1,150.	1,553.
	20"	54"	24"	<b>RWAWF5412-( )(1/2/3)</b>	1,071.	1,230.	1,661.
	20"	60"	24"	<b>RWAWF6012-( )(1/2/3)</b>	1,144.	1,315.	1,777.
	20"	66"	24"	<b>RWAWF6612-( )(1/2/3)</b>	1,178.	1,354.	1,828.
	20"	72"	24"	<b>RWAWF7212-( )(1/2/3)</b>	1,234.	1,420.	1,917.
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	<b>RWAWF4223-( )(1/2/3)</b>	1,026.	1,178.	1,592.
	24"	48"	30"	<b>RWAWF4823-( )(1/2/3)</b>	1,068.	1,227.	1,656.
	24"	54"	30"	<b>RWAWF5423-( )(1/2/3)</b>	1,150.	1,326.	1,789.
	24"	60"	30"	<b>RWAWF6023-( )(1/2/3)</b>	1,230.	1,418.	1,915.
	24"	66"	30"	<b>RWAWF6623-( )(1/2/3)</b>	1,276.	1,467.	1,980.
	24"	72"	30"	<b>RWAWF7223-( )(1/2/3)</b>	1,339.	1,541.	2,080.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	<b>RWEAWF3631-( )(1/2/3)</b>	1,264.	1,449.	1,958.
	32"	42"	20"	<b>RWEAWF4231-( )(1/2/3)</b>	1,313.	1,512.	2,041.
	32"	48"	20"	<b>RWEAWF4831-( )(1/2/3)</b>	1,385.	1,594.	2,151.

Order Code	Specification Information	Application Notes
Example: <b>RWAWF4221F2</b>	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
<b>R</b> Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
<b>W</b> Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>WF</b> Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
<b>42</b> 42" wide	1. <i>Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
<b>2</b> 24" deep on left side	N = No grommet	
<b>1</b> 20" deep on left side	F = Flush front grommet location	
<b>F</b> Flush grommet location	2. <i>Finish type:</i>	
<b>2</b> V2 finish	1 = V1	
<b>V319</b> Medium cherry	2 = V2	
<b>111</b> Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**


1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.


Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall edge  
 worksurface tops  
 1 1/4" thick curvilinear transition and end tops  
 with 2" waterfall edge front only

Reff

description	d left	w	d right	pattern no.	V1	V2	V3
Wave end top with waterfall edge front (right 24") 	36"	36"	24"	<b>RWEAWF3662-( )(1/2/3)</b>	\$1,305.	\$1,501.	\$2,027.
	36"	42"	24"	<b>RWEAWF4262-( )(1/2/3)</b>	1,347.	1,551.	2,093.
	36"	48"	24"	<b>RWEAWF4862-( )(1/2/3)</b>	1,431.	1,644.	2,219.

Wave end top with waterfall edge front (left 20") 	20"	36"	32"	<b>RWEAWF3613-( )(1/2/3)</b>	1,264.	1,449.	1,958.
	20"	42"	32"	<b>RWEAWF4213-( )(1/2/3)</b>	1,313.	1,512.	2,041.
	20"	48"	32"	<b>RWEAWF4813-( )(1/2/3)</b>	1,385.	1,594.	2,151.

Wave end top with waterfall edge front (left 24") 	24"	36"	36"	<b>RWEAWF3626-( )(1/2/3)</b>	1,305.	1,501.	2,027.
	24"	42"	36"	<b>RWEAWF4226-( )(1/2/3)</b>	1,347.	1,551.	2,093.
	24"	48"	36"	<b>RWEAWF4826-( )(1/2/3)</b>	1,431.	1,644.	2,219.

Order Code	Specification Information	Application Notes
Example: <b>RWAWF4221F2</b>	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
<b>R</b> Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
<b>W</b> Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>WF</b> Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
<b>42</b> 42" wide	1. <i>Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
<b>2</b> 24" deep on left side	N = No grommet	
<b>1</b> 20" deep on left side	F = Flush front grommet location	
<b>F</b> Flush grommet location	2. <i>Finish type:</i>	
<b>2</b> V2 finish	1 = V1	
<b>V319</b> Medium cherry	2 = V2	
<b>111</b> Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

# Waterfall edge worksurface tops

Reff

## 1 1/4" thick curvilinear corner tops with 2" waterfall edge front only


description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	<b>RCAWF363611-( )(1/2/3)</b>	\$1,501.	\$1,728.	\$2,332.
	36"	42"	<b>RCAWF364211-( )(1/2/3)</b>	1,589.	1,827.	2,468.
	36"	48"	<b>RCAWF364811-( )(1/2/3)</b>	1,686.	1,940.	2,620.
	42"	36"	<b>RCAWF423611-( )(1/2/3)</b>	1,589.	1,827.	2,468.
	42"	42"	<b>RCAWF424211-( )(1/2/3)</b>	1,686.	1,940.	2,620.
	42"	48"	<b>RCAWF424811-( )(1/2/3)</b>	1,842.	2,119.	2,861.
	48"	36"	<b>RCAWF483611-( )(1/2/3)</b>	1,686.	1,940.	2,620.
	48"	42"	<b>RCAWF484211-( )(1/2/3)</b>	1,842.	2,119.	2,861.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	<b>RCAWF363622-( )(1/2/3)</b>	1,701.	1,960.	2,646.
	36"	42"	<b>RCAWF364222-( )(1/2/3)</b>	1,788.	2,061.	2,782.
	36"	48"	<b>RCAWF364822-( )(1/2/3)</b>	1,887.	2,172.	2,932.
	42"	36"	<b>RCAWF423622-( )(1/2/3)</b>	1,788.	2,061.	2,782.
	42"	42"	<b>RCAWF424222-( )(1/2/3)</b>	1,887.	2,172.	2,932.
	42"	48"	<b>RCAWF424822-( )(1/2/3)</b>	2,043.	2,352.	3,175.
	48"	36"	<b>RCAWF483622-( )(1/2/3)</b>	1,887.	2,172.	2,932.
	48"	42"	<b>RCAWF484222-( )(1/2/3)</b>	2,043.	2,352.	3,175.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	<b>RCAWF363612-( )(1/2/3)</b>	1,568.	1,803.	2,434.
	36"	42"	<b>RCAWF364212-( )(1/2/3)</b>	1,659.	1,905.	2,572.
	36"	48"	<b>RCAWF364812-( )(1/2/3)</b>	1,754.	2,017.	2,724.
	42"	36"	<b>RCAWF423612-( )(1/2/3)</b>	1,659.	1,905.	2,572.
	42"	42"	<b>RCAWF424212-( )(1/2/3)</b>	1,754.	2,017.	2,724.
	42"	48"	<b>RCAWF424812-( )(1/2/3)</b>	1,910.	2,195.	2,963.
	48"	36"	<b>RCAWF483612-( )(1/2/3)</b>	1,754.	2,017.	2,724.
	48"	42"	<b>RCAWF484212-( )(1/2/3)</b>	1,910.	2,195.	2,963.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	<b>RCAWF363621-( )(1/2/3)</b>	1,568.	1,803.	2,434.
	36"	42"	<b>RCAWF364221-( )(1/2/3)</b>	1,659.	1,905.	2,572.
	36"	48"	<b>RCAWF364821-( )(1/2/3)</b>	1,754.	2,017.	2,724.
	42"	36"	<b>RCAWF423621-( )(1/2/3)</b>	1,659.	1,905.	2,572.
	42"	42"	<b>RCAWF424221-( )(1/2/3)</b>	1,754.	2,017.	2,724.
	42"	48"	<b>RCAWF424821-( )(1/2/3)</b>	1,910.	2,195.	2,963.
	48"	36"	<b>RCAWF483621-( )(1/2/3)</b>	1,754.	2,017.	2,724.
	48"	42"	<b>RCAWF484221-( )(1/2/3)</b>	1,910.	2,195.	2,963.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RCAWF363611F2</b>	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
<b>R</b> Reff	1. Grommet option	Waterfall tops cannot be specified with semi-open pore finish.
<b>C</b> Curved front corner	2. Top finish type	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>A</b> 1 1/4" thick	3. Top finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>WF</b> Waterfall front	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>36</b> 36" wide on left back	<i>1. Grommet options:</i>	
<b>36</b> 36" wide on right back	N = No grommet	
<b>1</b> 20" deep on left side	F = Standard corner location	
<b>1</b> 20" deep on right side	<i>2. Finish type:</i>	
<b>F</b> Standard grommet	1 = V1	
<b>2</b> V2 finish	2 = V2	
<b>V319</b> Medium cherry	3 = V3	
<b>111</b> Jet Black (grommet)	Applicable finishes are listed on page 5 and 6.	

Waterfall edge  
 1 1/4" thick meeting tops  
 with 2" waterfall edge

Reff

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	<b>RMDAWF4230-</b> ( )(1/2/3)	\$1,917.	\$2,206.	\$2,977.
		48"	<b>RMDAWF4830-</b> ( )(1/2/3)	2,068.	2,378.	3,210.
		54"	<b>RMDAWF5430-</b> ( )(1/2/3)	2,220.	2,553.	3,447.
		60"	<b>RMDAWF6030-</b> ( )(1/2/3)	2,372.	2,727.	3,680.
		66"	<b>RMDAWF6630-</b> ( )(1/2/3)	2,526.	2,906.	3,923.
		72"	<b>RMDAWF7230-</b> ( )(1/2/3)	2,681.	3,085.	4,164.
		78"	<b>RMDAWF7830-</b> ( )(1/2/3)	3,036.	3,487.	4,709.
		84"	<b>RMDAWF8430-</b> ( )(1/2/3)	3,388.	3,894.	5,258.
		90"	<b>RMDAWF9030-</b> ( )(1/2/3)	3,781.	4,348.	5,870.
	96"	<b>RMDAWF9630-</b> ( )(1/2/3)	4,175.	4,799.	6,479.	
	36"	42"	<b>RMDAWF4236-</b> ( )(1/2/3)	2,115.	2,430.	3,279.
		48"	<b>RMDAWF4836-</b> ( )(1/2/3)	2,311.	2,657.	3,588.
		54"	<b>RMDAWF5436-</b> ( )(1/2/3)	2,640.	3,040.	4,104.
		60"	<b>RMDAWF6036-</b> ( )(1/2/3)	2,964.	3,408.	4,602.
		66"	<b>RMDAWF6636-</b> ( )(1/2/3)	3,015.	3,469.	4,683.
		72"	<b>RMDAWF7236-</b> ( )(1/2/3)	3,065.	3,526.	4,760.
		78"	<b>RMDAWF7836-</b> ( )(1/2/3)	3,450.	3,968.	5,354.
84"		<b>RMDAWF8436-</b> ( )(1/2/3)	3,840.	4,415.	5,960.	
90"		<b>RMDAWF9036-</b> ( )(1/2/3)	4,045.	4,656.	6,284.	
96"	<b>RMDAWF9636-</b> ( )(1/2/3)	4,434.	5,096.	6,881.		

Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	<b>RMPAWF4230-</b> ( )(1/2/3)	2,636.	3,030.	4,090.
---	-----	-----	-------------------------------	--------	--------	--------





Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	<b>RM9AWF4230-</b> ( )(1/2/3)	2,636.	3,030.	4,090.
---	-----	-----	-------------------------------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: <b>RMDAWF4230N2</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
<b>R</b> Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>MD</b> Meeting D-shaped top	2. Grommet option	
<b>A</b> 1 1/4" thick	3. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>WF</b> Waterfall all except flat side	4. Top finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>42</b> 42" wide	5. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>30</b> 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	Applicable finishes are listed on page 5 and 6.
<b>N</b> No grommet	2. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
<b>2</b> V2 finish	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	
<b>V319</b> Medium cherry	Note wraps around panel tops only, require specification of mating trim profile.	

Waterfall edge  
 1 1/4" thick meeting tops  
 with 2" waterfall edge

Reff

description	d	w	pattern no.	V1	V2	V3
Worksurface 9-top 	30"	84"	<b>RM9AWF8430-( )(1/2/3)</b>	\$5,363.	\$6,168.	\$8,326.
	30"	96"	<b>RM9AWF9630-( )(1/2/3)</b>	5,588.	6,422.	8,671.
Worksurface P-top 	30"	84"	<b>RMPAWF8430-( )(1/2/3)</b>	5,363.	6,168.	8,326.
	30"	96"	<b>RMPAWF9630-( )(1/2/3)</b>	5,588.	6,422.	8,671.
Wrap around panel top 	21 1/2"	42 1/2"	<b>RMDAWF4221-( )(1/2/3)( )</b>	2,468.	2,836.	3,828.
	25 1/2"	50 1/2"	<b>RMDAWF5025-( )(1/2/3)( )</b>	2,704.	3,110.	4,199.

Worksurfaces

**Order Code**

Example: <b>RMDAWF4230N2</b>
<b>R</b> Reff
<b>MD</b> Meeting D-shaped top
<b>A</b> 1 1/4" thick
<b>WF</b> Waterfall all except flat side
<b>42</b> 42" wide
<b>30</b> 30" deep
<b>N</b> No grommet
<b>2</b> V2 finish
<b>V319</b> Medium cherry

**Specification Information**

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. *Thickness option:*  
 A = 1 1/4"

2. *Grommet options:*  
 N = No grommet  
 F = Flush front grommet location  
 R = Recessed front  
 C = Centered (only on D-tops)

3. *Finish type:*  
 1 = V1  
 2 = V2  
 3 = V3

Note wraps around panel tops only, require specification of mating trim profile.

**Application Notes**

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Refer to Planning Guide for modesty panel size requirements and all other support options.

Waterfall tops cannot be specified with semi-open pore finish.

Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.


Applicable finishes are listed on page 5 and 6.

Waterfall edge  
 1 1/4" thick bow front tops  
 with 2" waterfall edge front and back


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
 Waterfall edge on front and back 30"D	72"	30"		<b>RMBAWA7230-( )(1/2/3)</b>		\$2,659.	\$3,062.	\$4,134.
	84"	30"		<b>RMBAWA8430-( )(1/2/3)</b>		2,936.	3,377.	4,558.
	96"	30"		<b>RMBAWA9630-( )(1/2/3)</b>		3,257.	3,745.	5,057.

Use 29" deep pedestals or end panels.  
**Do not** use 23" deep pedestals if using recessed modesty.

 Waterfall edge on front and back - 36"D 36"D	72"	36"		<b>RMBAWA7236-( )(1/2/3)</b>		2,829.	3,253.	4,391.
	84"	36"		<b>RMBAWA8436-( )(1/2/3)</b>		3,105.	3,570.	4,819.
	96"	36"		<b>RMBAWA9636-( )(1/2/3)</b>		3,443.	3,955.	5,340.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).  
 Can also be used with 36" deep end panel and recessed modesty.

description	w	d	h	pattern no.	L	V1	V2	V3
 Short modesty panel	40"	1"	26 1/2"	<b>RB40MR-( )</b>	309.	398.	456.	616.
	52"	1"	26 1/2"	<b>RB52MR-( )</b>	364.	468.	538.	727.
	64"	1"	26 1/2"	<b>RB64MR-( )</b>	397.	515.	594.	802.

**Use of short modesty panel**

Pedestals must be ordered separately with individual back panels.  
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.  
 Order:  
 40" modesty for 72" bow top  
 52" modesty for 84" bow top  
 64" modesty for 96" bow top  
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.  
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Order Code	Specification Information	Application Notes
Example: <b>RCBAWA7230F2</b>	To order please specify pattern number including:	See Planning Guide for grommet locations.
<b>R</b> Reff	1. Grommet option	Shipped with hardware. Refer to page 170 of planning guide for application details.
<b>CB</b> Bow front	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
<b>A</b> 1 1/4" thick	3. Top finish	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>WA</b> Waterfall front/back	4. Grommet finish	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>72</b> 72" wide	1. Grommet options:	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
<b>30</b> 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
<b>F</b> Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
<b>2</b> V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>V319</b> Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>111</b> Jet Black (grommet)	2. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Waterfall edge  
 1 1/4" thick bow front tops  
 with 2" waterfall edge front and back

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	<b>REBH24</b>	\$436.	\$658.	\$763.	\$1,030.
	16"	30"	26 1/2"	<b>REBH30</b>	451.	671.	782.	1,055.
Waterfall elliptical tops 	60"	30"		<b>REBAWA6030( )</b>		3,758.	4,320.	5,833.
	72"	42"		<b>REBAWA7242( )</b>		5,342.	6,147.	8,298.
	78"	48"		<b>REBAWA7848( )</b>		5,862.	6,743.	9,104.





Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RCBAWA7230F2</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
<b>R</b> Reff		
<b>CB</b> Bow front	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
<b>A</b> 1 1/4" thick	2. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>WA</b> Waterfall front/back	3. Top finish	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>72</b> 72" wide	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
<b>30</b> 30" deep	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 170 of planning guide for application details.
<b>F</b> Flush front grommet position	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
<b>2</b> V2 finish	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
<b>V319</b> Medium cherry	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>111</b> Jet Black (grommet)	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Waterfall edge  
 1 1/4" thick conference room tops  
 round and racetrack  
 with 2" waterfall edge

Reff





description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	<b>RTAW7230-(1/2/3)</b>	\$3,758.	\$4,320.	\$5,833.
	84"	30"	<b>RTAW8430-(1/2/3)</b>	4,182.	4,810.	6,494.
	96"	30"	<b>RTAW9630-(1/2/3)</b>	4,656.	5,353.	7,228.
	72"	36"	<b>RTAW7236-(1/2/3)</b>	4,283.	4,923.	6,646.
	84"	36"	<b>RTAW8436-(1/2/3)</b>	4,815.	5,537.	7,473.
	96"	36"	<b>RTAW9636-(1/2/3)</b>	5,342.	6,147.	8,298.
	84"	42"	<b>RTAW8442-(1/2/3)</b>	5,862.	6,743.	9,104.
	96"	42"	<b>RTAW9642-(1/2/3)</b>	6,563.	7,546.	10,186.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	<b>RTAW12036-(1/2/3)</b>	6,901.	7,934.	10,712.
	120"	42"	<b>RTAW12042-(1/2/3)</b>	7,441.	8,556.	11,552.
	144"	42"	<b>RTAW14442-(1/2/3)</b>	8,205.	9,436.	12,739.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	<b>RTAW16842-(1/2/3)</b>	10,289.	11,834.	15,976.
	192"	42"	<b>RTAW19242-(1/2/3)</b>	11,054.	12,714.	17,165.
	RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Round tops, Waterfall edge on all sides except on parting lines 	-	36"	<b>RTAW3636-(1/2/3)</b>	2,115.	2,835.	3,827.
	-	42"	<b>RTAW4242-(1/2/3)</b>	2,448.	3,285.	4,436.
	*	60"	<b>RTAW6060-(1/2/3)</b>	6,324.	7,269.	9,814.
	*	72"	<b>RTAW7272-(1/2/3)</b>	7,827.	9,000.	12,150.

Order Code	Specification Information	Application Notes
Example: <b>RTAW72302</b>	<i>To order please specify pattern number including:</i>	Top to top brackets included.
<b>R</b> Reff	1. Top thickness	See table base matrix in Planning Guide for base supports recommended.
<b>T</b> Rounded top	2. Finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>A</b> 1 1/4" thick	3. Finish	Tops have no radius on edges that adjoin.
<b>W</b> Waterfall all sides	1. <i>Thickness option:</i> A = 1 1/4"	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
<b>72</b> 72" wide	2. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Waterfall tops cannot be specified with semi-open pore finish.
<b>30</b> 30" deep		
<b>2</b> V2 finish		
<b>V319</b> Medium cherry	*Round tops in two pieces.	



Waterfall edge  
 1 1/4" thick conference room tops  
 square and rectangular  
 with 2" waterfall edge

Reff

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	<b>RRAW7230-(1/2/3)</b>	\$1,984.	\$2,284.	\$3,084.
	84"	30"	<b>RRAW8430-(1/2/3)</b>	2,195.	2,526.	3,410.
	96"	30"	<b>RRAW9630-(1/2/3)</b>	2,463.	2,833.	3,824.
	72"	36"	<b>RRAW7236-(1/2/3)</b>	2,156.	2,480.	3,347.
	84"	36"	<b>RRAW8436-(1/2/3)</b>	2,359.	2,709.	3,658.
	96"	36"	<b>RRAW9636-(1/2/3)</b>	2,724.	3,130.	4,226.
	84"	42"	<b>RRAW8442-(1/2/3)</b>	3,487.	4,008.	5,412.
	96"	42"	<b>RRAW9642-(1/2/3)</b>	3,998.	4,598.	6,207.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	<b>RRAW12036-(1/2/3)</b>	4,362.	5,021.	6,778.
	120"	42"	<b>RRAW12042-(1/2/3)</b>	6,021.	6,925.	9,349.
	144"	42"	<b>RRAW14442-(1/2/3)</b>	6,764.	7,779.	10,501.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	<b>RRAW16842-(1/2/3)</b>	8,869.	10,202.	13,774.
	192"	42"	<b>RRAW19242-(1/2/3)</b>	9,610.	11,050.	14,918.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Square top - one piece 	-	36"	<b>RRAW3636-(1/2/3)</b>	1,535.	2,056.	2,777.
	-	42"	<b>RRAW4242-(1/2/3)</b>	1,984.	2,662.	3,594.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	<b>RRAW6060-(1/2/3)</b>	4,064.	4,672.	6,307.
	-	72"	<b>RRAW7272-(1/2/3)</b>	4,799.	5,520.	7,451.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RRAW72302</b>	<i>To order please specify pattern number including:</i>	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
<b>R</b> Reff	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>R</b> Rectangular	2. Finish type	Top to top brackets included.
<b>A</b> 1 1/4" thick	3. Finish	Tops have no radius on edges that adjoin.
<b>W</b> Waterfall all sides	1. Thickness option: A = 1 1/4"	See table base matrix in Planning Guide for base supports recommended.
<b>72</b> 72" wide	2. Finish type: 1 = V1 2 = V2 3 = V3	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>30</b> 30" deep	Applicable finishes are listed on page 5 and 6.	Waterfall tops cannot be specified with semi-open pore finish.
<b>2</b> V2 finish		
<b>V319</b> Medium cherry		

Cascade edge  
worksurface tops  
Rectilinear 24" and 30" deep


Reff

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	<b>RCE1R2424N</b>	\$224.	\$195.
	24"	30"	<b>RCE1R3024N</b>	258.	224.
	24"	36"	<b>RCE1R3624N</b>	286.	248.
	24"	42"	<b>RCE1R4224N</b>	329.	286.
	24"	48"	<b>RCE1R4824N</b>	369.	321.
	24"	54"	<b>RCE1R5424N</b>	396.	345.
	24"	60"	<b>RCE1R6024N</b>	430.	374.
	24"	66"	<b>RCE1R6624N</b>	464.	404.
	24"	72"	<b>RCE1R7224N</b>	486.	422.
	24"	78"	<b>RCE1R7824N</b>	521.	453.
	24"	84"	<b>RCE1R8424N</b>	550.	479.
	24"	90"	<b>RCE1R9024N</b>	621.	540.
24"	96"	<b>RCE1R9624N</b>	678.	590.	
30"D Rectangular  shown with grommet	30"	24"	<b>RCE1R2430N</b>	287.	249.
	30"	30"	<b>RCE1R3030N</b>	321.	279.
	30"	36"	<b>RCE1R3630N</b>	357.	310.
	30"	42"	<b>RCE1R4230N</b>	387.	337.
	30"	48"	<b>RCE1R4830N</b>	430.	374.
	30"	54"	<b>RCE1R5430N</b>	487.	423.
	30"	60"	<b>RCE1R6030N</b>	535.	465.
	30"	66"	<b>RCE1R6630N</b>	596.	519.
	30"	72"	<b>RCE1R7230N</b>	621.	540.
	30"	78"	<b>RCE1R7830N</b>	663.	577.
	30"	84"	<b>RCE1R8430N</b>	705.	613.
	30"	90"	<b>RCE1R9030N</b>	758.	659.
30"	96"	<b>RCE1R9630N</b>	810.	705.	

Order Code	Specification Information	Application Notes
Example: <b>RCE1R3024N 118</b>	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
<b>R</b> Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
<b>CE1</b> Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
<b>R</b> Rectangular	114 Folkstone Grey	Tops require mid span support to reduce spans to 48" or less.
<b>30</b> Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 192 as required to support Cascade edge worksurfaces for Reff panel hung applications.
<b>24</b> Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
<b>N</b> No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
<b>118</b> Finish	Woodgrain:	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade edge  
worksurface tops  
blended "D"

Reff

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	66"	48"	24"	<b>RCE1BD6648S(L/R)</b>	\$909.	\$791.
	66"	48"	30"	<b>RCE1BD6648D(L/R)</b>	957.	831.
	72"	48"	24"	<b>RCE1BD7248S(L/R)</b>	931.	808.
	72"	48"	30"	<b>RCE1BD7248D(L/R)</b>	992.	862.
	78"	48"	24"	<b>RCE1BD7848S(L/R)</b>	1,074.	934.
	78"	48"	30"	<b>RCE1BD7848D(L/R)</b>	1,109.	965.
	84"	48"	24"	<b>RCE1BD8448S(L/R)</b>	1,103.	959.
	84"	48"	30"	<b>RCE1BD8448D(L/R)</b>	1,172.	1,020.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RCE1BD6648SR 118</b>	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
<b>R</b> Reff	1. Return depth ( dimension C on line art, hard coded in pattern number )	Tops require mid span support to reduce spans to 48" or less.
<b>CE1</b> Cascade edge	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 192 as required to support Cascade edge worksurfaces for Reff panel hung applications.
<b>BD</b> Blended "D"	D = 30" return	Cascade edge worksurfaces are not recommended for free-standing applications.
<b>66</b> Width	2. Hand ( left or right )	Actual width <sup>1</sup> / <sub>16</sub> " less nominal. Actual depth <sup>3</sup> / <sub>8</sub> " less nominal for cord drop.
<b>48</b> Depth	3. Finish	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
<b>S</b> 24" return	<i>Solid:</i>	
<b>R</b> right hand	114 Folkstone Grey	
<b>118</b> Finish	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade edge  
worksurface tops  
curvilinear corner


Reff

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	36"	24"	24"	<b>RCE1L3636SSN</b>	\$563.	\$489.
	42"	24"	24"	<b>RCE1L4242SSN</b>	678.	590.
	42"	24"	30"	<b>RCE1L4242SDN</b>	805.	701.
	42"	30"	24"	<b>RCE1L4242DSN</b>	805.	701.
	48"	24"	24"	<b>RCE1L4848SSN</b>	763.	663.
	48"	24"	30"	<b>RCE1L4848SDN</b>	912.	793.
	48"	30"	24"	<b>RCE1L4848DSN</b>	912.	793.
	48"	30"	30"	<b>RCE1L4848DDN</b>	819.	712.

Order Code	Specification Information	Application Notes
<p>Example: <b>RCE1L4848SSG 114</b></p> <p><b>RCE1</b> Reff Cascade Edge worksurface</p> <p><b>L</b> Curvilinear Corner top</p> <p><b>48</b> Width</p> <p><b>48</b> Depth</p> <p><b>S</b> 24"d, left side</p> <p><b>S</b> 24"d, right side</p> <p><b>G</b> Grommet</p> <p><b>114</b> Folkstone Grey finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number )</p> <p>SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right</p> <p>2. Grommets ( hard coded in pattern number )</p> <p>N= no grommets G= grommets</p> <p>3. Finish</p> <p><i>Solid:</i></p> <p>114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain:</p> <p>124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked A.</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>All support hardware ordered separately.</p> <p>Tops require mid span support to reduce spans to 48" or less.</p> <p>Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 192 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>
<p>Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.</p>	<p>Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p>	

Cascade edge  
worksurface tops  
blended "L"

Reff

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	<b>RCE1L4260SSN</b>	\$932.	\$810.
	42"	66"	24"	24"	<b>RCE1L4266SSN</b>	957.	831.
	42"	72"	24"	24"	<b>RCE1L4272SSN</b>	993.	863.
	42"	78"	24"	24"	<b>RCE1L4278SSN</b>	1,003.	873.
	48"	60"	24"	24"	<b>RCE1L4860SSN</b>	943.	821.
	48"	60"	24"	30"	<b>RCE1L4860SDN</b>	927.	805.
	48"	60"	30"	24"	<b>RCE1L4860DSN</b>	927.	805.
	48"	66"	24"	24"	<b>RCE1L4866SSN</b>	977.	850.
	48"	66"	24"	30"	<b>RCE1L4866SDN</b>	974.	847.
	48"	66"	30"	24"	<b>RCE1L4866DSN</b>	974.	847.
	48"	72"	24"	24"	<b>RCE1L4872SSN</b>	1,013.	881.
	48"	72"	24"	30"	<b>RCE1L4872SDN</b>	1,020.	886.
	48"	72"	30"	24"	<b>RCE1L4872DSN</b>	1,020.	886.
	48"	78"	24"	24"	<b>RCE1L4878SSN</b>	1,117.	971.
	48"	84"	24"	24"	<b>RCE1L4884SSN</b>	1,256.	1,092.
	60"	42"	24"	24"	<b>RCE1L6042SSN</b>	932.	810.
	60"	48"	24"	24"	<b>RCE1L6048SSN</b>	943.	821.
	60"	48"	24"	30"	<b>RCE1L6048SDN</b>	927.	805.
	60"	48"	30"	24"	<b>RCE1L6048DSN</b>	927.	805.
	66"	42"	24"	24"	<b>RCE1L6642SSN</b>	957.	831.
	66"	48"	24"	24"	<b>RCE1L6648SSN</b>	977.	850.
	66"	48"	24"	30"	<b>RCE1L6648SDN</b>	974.	847.
	66"	48"	30"	24"	<b>RCE1L6648DSN</b>	974.	847.
	72"	42"	24"	24"	<b>RCE1L7242SSN</b>	993.	863.
	72"	48"	24"	24"	<b>RCE1L7248SSN</b>	1,013.	881.
	72"	48"	24"	30"	<b>RCE1L7248SDN</b>	1,020.	886.
	72"	48"	30"	24"	<b>RCE1L7248DSN</b>	1,020.	886.
	78"	42"	24"	24"	<b>RCE1L7842SSN</b>	1,003.	873.
	78"	48"	24"	24"	<b>RCE1L7848SSN</b>	1,117.	971.
	84"	48"	24"	24"	<b>RCE1L8448SSN</b>	1,256.	1,092.

Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: <b>RCE1L4260SSG 114</b></p> <p><b>RCE1</b> Cascade edge worksurface</p> <p><b>L</b> Blended "L" top</p> <p><b>42</b> Width</p> <p><b>60</b> Depth</p> <p><b>S</b> 24"d, left side</p> <p><b>S</b> 24"d, right side</p> <p><b>G</b> Grommets</p> <p><b>114</b> Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number):            SS = 24"d left and right            SD = 24"d left, 30"d right            DS = 30"d left, 24"d right</p> <p>2. Grommets (hard coded in pattern number):            N= no grommets            G= grommets</p> <p>3. Finishes:  <b>Solid:</b>            114 Folkstone Grey            117 Soft Grey            118 Bright White            119 Pumice</p> <p>Woodgrain:            124 Medium Cherry            125 Natural Maple            126 Natural Cherry            127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>All support hardware ordered separately.</p> <p>Tops require mid span support to reduce spans to 48" or less.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 192 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal.            Actual depth 3/8" less nominal for cord drop.</p>

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge  
worksurface tops  
half round and corner round

Reff

description	w	d	pattern no.	Woodgrain	Solid
	48"	18"	<b>RCE1H4818</b>	\$486.	\$422.
	50 1/2"	18"	<b>RCE1H4818P</b>	486.	422.
	60"	24"	<b>RCE1H6024</b>	670.	581.
	62 1/2"	24"	<b>RCE1H6024P</b>	670.	581.
LH Corner Round	24"	24"	<b>RCE1CR24L</b>	258.	224.
					
RH Corner Round	24"	24"	<b>RCE1CR24R</b>	258.	224.
					
Notched Corner Round	24"	24"	<b>RCE1CR24N</b>	258.	224.

**Order Code**

Example:	<b>RCE1H4818P 118</b>
<b>R</b>	Reff
<b>CE1</b>	Cascade edge
<b>H</b>	Half round
<b>48</b>	Width
<b>18</b>	Depth
<b>P</b>	Notch for panel trim
<b>118</b>	Finish

**Specification Information**

To order please specify pattern number including finish:  
Available finishes:

*Solid:*

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

**Application Information**

All support hardware ordered separately.

Tops require mid span support to reduce spans to 48" or less.

Specify cantilever bracket from page 192 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Half round tops with suffix P, notched for panel end trim profile B square only.



Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.  
Actual depth 3/8" less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge  
worksurface tops  
wave end

Reff

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
 <p>shown with grommet</p>	36"	24"	30"	15"	3"	<b>RCE1W363024N</b>	\$604.	\$525.
	42"	24"	30"	15"	9"	<b>RCE1W423024N</b>	635.	551.
	48"	24"	30"	15"	15"	<b>RCE1W483024N</b>	679.	591.
	72"	24"	30"	23 1/2"	30 1/2"	<b>RCE1W723024N</b>	864.	752.
 <p>shown with grommet</p>	36"	30"	24"	3"	15"	<b>RCE1W362430N</b>	604.	525.
	42"	30"	24"	9"	15"	<b>RCE1W422430N</b>	635.	551.
	48"	30"	24"	15"	15"	<b>RCE1W482430N</b>	679.	591.
	72"	30"	24"	30 1/2"	23 1/2"	<b>RCE1W722430N</b>	864.	752.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RCE1W483024N 118</b>	To order please specify pattern number including finish: Available finishes:	Center-located edge grommet.
<b>RCE1</b> Cascade edge worksurface		To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
<b>W</b> Wave end	<b>Solid:</b>	All support hardware ordered separately.
<b>48</b> Width	114 Folkstone Grey	Tops require mid span support to reduce spans to 48" or less.
<b>30</b> Depth, left side	117 Soft Grey	
<b>24</b> Depth, right side	118 Bright White	Specify cantilever bracket ( ASBC18( L/R ) or ASBC24 (L/R)) from page 192 as required to support Cascade edge worksurfaces for Reff panel hung applications.
<b>N</b> No grommet	119 Pumice	Cascade edge worksurfaces are not recommended for free-standing applications.
<b>118</b> Top finish	<b>Woodgrain:</b>	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
	124 Medium Cherry	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

# Top support components

## Bracketry


Reff

description	d	pattern no.	P1 & black only	P2	P3
Cantilever bracket, panel hung	18"	<b>RBC18 (L/R)</b>	\$86.	\$90.	\$94.
	24"	<b>RBC24 (L/R)</b>	94.	100.	106.




Specify paint finish  
 18" for 20" and 24"d tops  
 24" for 30" and 36"d tops  
 Ships with machine screws for fastening to underside of worksurfaces with metal inserts

Cantilever bracket, panel hung for cascade edge worksurface	18"	<b>ASBC18 (L/R) ( )</b>	86.	90.	94.
	24"	<b>ASBC24 (L/R) ( )</b>	94.	100.	106.



Specify paint finish  
 18" for 24"d tops  
 24" for 30" d tops  
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)

Mid-span cantilever bracket, free standing	17"	<b>RMSCB ( )</b>	69.	74.	78.
--	-----	------------------	-----	-----	-----






Order Code	Specification Information	Application Notes
Example: <b>RBC18L</b>	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
<b>R</b> Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
<b>B</b> Bracket	2. Top thickness, where applicable.	Refer to page 301 for replacement hardware.  Cantilever should be specified with top to top brackets.  Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
<b>C</b> Cantilever	3. Finish type	
<b>18</b> 18" deep	4. Finish, where applicable	
<b>L</b> Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	<b>Knoll takes no responsibility for the installation or security of tops to the wall.</b>



# Top support components

## Bracketry

Reff

description	d	pattern no.	P1 & black only	P2	P3
Corner top corner bracket 		<b>RBCC</b>	\$17.		
	Black only				
Side hung support bracket 		<b>RBCCP (Pair)</b>	37.	39.	40.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		<b>RBPP (L/R)</b>	8.		
	Black only				
Top to top bracket 	6" x 1"	<b>RBF (Pair)</b>	5.		
	Black only				
Wall hung support bracket 	20" 24" 30" 36" 42" 48"	<b>RSBWH20</b> <b>RSBWH24</b> <b>RSBWH30</b> <b>RSBWH36</b> <b>RSBWH42</b> <b>RSBWH48</b>	39. 41. 45. 49. 52. 63.	41. 45. 47. 52. 55. 66.	43. 47. 49. 55. 58. 69.
	Specify paint finish				
Z-bracket for bridge applications 		<b>RBZ (A/B) (Pair)</b>	33.		
	Black only				

Support components

Order Code	Specification Information	Application Notes
Example: <b>RBC18L</b>	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
<b>R</b> Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
<b>B</b> Bracket	2. Top thickness, where applicable.	
<b>C</b> Cantilever	3. Finish type	
<b>18</b> 18" deep	4. Finish, where applicable	
<b>L</b> Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	<b>Knoll takes no responsibility for the installation or security of tops to the wall.</b>
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 301 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

# Top support components

## Bracketry

Reff

description	d	pattern no.	P1 & black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		<b>RBPR (Pair)</b>	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		<b>RBPS (L/R)</b>	11.	12.	12.
		Specify paint finish			
Utility bracket		<b>RUTB</b>	11.		
		Black only			
L Bracket for off-module applications		<b>R113B</b>	5.		
		One by one by three bracket			


Order Code	Specification Information	Application Notes
Example: <b>RBC18L</b>	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
<b>R</b> Reff	1. Left or right-hand, where applicable.	Refer to page 301 for replacement hardware.
<b>B</b> Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
<b>C</b> Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
<b>18</b> 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
<b>L</b> Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	<b>Knoll takes no responsibility for the installation or security of tops to the wall.</b>
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

# Top support components


## 26 1/2" high

Reff


description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. <sup>15</sup> / <sub>16</sub> " actual thickness	24"	1"	26 1/2"	<b>RB24(M/H)(F/R)-()</b>	\$144.	\$204.	\$233.	\$316.
	30"	1"	26 1/2"	<b>RB30(M/H)(F/R)-()</b>	260.	365.	420.	567.
	36"	1"	26 1/2"	<b>RB36(M/H)(F/R)-()</b>	287.	400.	461.	621.
	42"	1"	26 1/2"	<b>RB42(M/H)(F/R)-()</b>	309.	435.	499.	675.
	48"	1"	26 1/2"	<b>RB48(M/H)(F/R)-()</b>	347.	489.	562.	759.
	54"	1"	26 1/2"	<b>RB54(M/H)(F/R)-()</b>	364.	513.	589.	796.
	60"	1"	26 1/2"	<b>RB60(M/H)(F/R)-()</b>	378.	529.	608.	820.
	66"	1"	26 1/2"	<b>RB66(M/H)(F/R)-()</b>	393.	552.	637.	862.
	72"	1"	26 1/2"	<b>RB72(M/H)(F/R)-()</b>	432.	608.	699.	944.
	78"	1"	26 1/2"	<b>RB78(M/H)(F/R)-()</b>	462.	647.	747.	1,009.
	84"	1"	26 1/2"	<b>RB84(M/H)(F/R)-()</b>	488.	687.	788.	1,064.
	90"	1"	26 1/2"	<b>RB90(M/H)(F/R)-()</b>	517.	727.	834.	1,127.
	96"	1"	26 1/2"	<b>RB96(M/H)(F/R)-()</b>	530.	745.	855.	1,154.



Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. <sup>1</sup> / <sub>16</sub> " actual thickness	12"	1"	26 1/2"	<b>RE12F-() Half depth end panel</b>	170.	294.	338.	457.
	15"	1"	26 1/2"	<b>RE15F-() Half depth end panel</b>	182.	313.	360.	486.
	19"	1"	26 1/2"	<b>RE19F-()</b>	197.	329.	377.	509.
	23"	1"	26 1/2"	<b>RE23F-()</b>	207.	343.	396.	534.
	29"	1"	26 1/2"	<b>RE29F-()</b>	220.	362.	416.	562.



Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	<b>RE30-()</b>	443.	720.	829.	1,119.
	36"	1"	26 1/2"	<b>RE36-()</b>	468.	754.	868.	1,171.



Support components

### Order Code

Example: <b>RB24MFL</b>	
<b>R</b>	Reff
<b>B</b>	Back panel
<b>24</b>	48" panel dimension
<b>M</b>	Full height modesty
<b>F</b>	Flush modesty placement
<b>L</b>	Laminate
<b>114</b>	Folkstone grey

### Specification Information

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish type
4. Finish

1. Modesty type:  
M = Standard height (26 1/2"H)  
H = Half height

2. Modesty placement:  
F = Flush, cantilevered  
R = Recessed

3. Finish type:  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

### Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.


Glides ship with all supports on this page except the recessed modesty panel.

Please see Planning Guide for freestanding planning instruction.


# Top support components

## 26 1/2" high

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Panel end panels. All hardware included.	13"	1"	26 1/2"	<b>RSE1(L/R)-()</b>	\$170.	\$294.	\$338.	\$457.
	16"	1"	26 1/2"	<b>RSE2(L/R)-()</b>	182.	313.	360.	486.
	20"	1"	26 1/2"	<b>RSE3(L/R)-()</b>	197.	329.	377.	509.
	24"	1"	26 1/2"	<b>RSE4(L/R)-()</b>	207.	343.	396.	534.
	30"	1"	26 1/2"	<b>RSE5(L/R)-()</b>	220.	362.	416.	562.
	36"	1"	26 1/2"	<b>RSE6(L/R)-()</b>	233.	377.	435.	588.

left hand shown

Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	<b>RB3636-()</b>	937.	1,390.	1,599.	2,159.
	36"	42"	26 1/2"	<b>RB3642-()</b>	958.	1,426.	1,641.	2,215.
	36"	48"	26 1/2"	<b>RB3648-()</b>	999.	1,481.	1,698.	2,293.
	42"	36"	26 1/2"	<b>RB4236-()</b>	958.	1,426.	1,641.	2,215.
	42"	42"	26 1/2"	<b>RB4242-()</b>	983.	1,461.	1,683.	2,273.
	42"	48"	26 1/2"	<b>RB4248-()</b>	1,021.	1,513.	1,742.	2,351.
	48"	36"	26 1/2"	<b>RB4836-()</b>	999.	1,481.	1,698.	2,293.
	48"	42"	26 1/2"	<b>RB4842-()</b>	1,021.	1,513.	1,742.	2,351.
	48"	48"	26 1/2"	<b>RB4848-()</b>	1,060.	1,569.	1,816.	2,451.

### Order Code

Example: <b>RB24MFL</b>	
<b>R</b>	Reff
<b>B</b>	Back panel
<b>24</b>	48" panel dimension
<b>M</b>	Full height modesty
<b>F</b>	Flush modesty placement
<b>L</b>	Laminate
<b>114</b>	Folkstone grey

### Specification Information

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish type
4. Finish

1. Modesty type:  
M = Standard height (26 1/2"H)  
H = Half height

2. Modesty placement:  
F = Flush, cantilevered  
R = Recessed

3. Finish type:  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

### Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.



Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.

Glides ship with all supports on this page except the recessed modesty panel.

Please see Planning Guide for freestanding planning instruction.

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware (desk height) 	1"	24"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH24M(F/R) ( ) ( )</b>	\$151.	\$215.	\$245.	\$330.
	1"	30"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH30M(F/R) ( ) ( )</b>	272.	385.	442.	596.
	1"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH36M(F/R) ( ) ( )</b>	302.	420.	482.	651.
	1"	42"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH42M(F/R) ( ) ( )</b>	324.	456.	526.	709.
	1"	48"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH48M(F/R) ( ) ( )</b>	365.	513.	590.	797.
	1"	54"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH54M(F/R) ( ) ( )</b>	382.	538.	617.	833.
	1"	60"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH60M(F/R) ( ) ( )</b>	397.	553.	637.	862.
	1"	66"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH66M(F/R) ( ) ( )</b>	411.	580.	670.	904.
	1"	72"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH72M(F/R) ( ) ( )</b>	454.	637.	733.	989.
	1"	78"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH78M(F/R) ( ) ( )</b>	485.	678.	785.	1,060.
	1"	84"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH84M(F/R) ( ) ( )</b>	513.	720.	827.	1,117.
	1"	90"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH90M(F/R) ( ) ( )</b>	543.	762.	877.	1,183.
	1"	96"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH96M(F/R) ( ) ( )</b>	554.	783.	897.	1,212.
	Desk height end panels with hardware for building flush or cantilevered worksurfaces 	1"	12"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH12F ( ) ( ) *</b>	177.	312.	355.
1"		15"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH15F ( ) ( ) *</b>	191.	328.	380.	513.
1"		19"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH19F ( ) ( )</b>	206.	344.	396.	534.
1"		23"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH23F ( ) ( )</b>	218.	360.	416.	562.
1"		29"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH29F ( ) ( )</b>	231.	382.	436.	589.

Support components

**Order Code**

Example: <b>RBDH24MFL114</b>
<b>R</b> Reff
<b>B</b> Back panel/modesty
<b>DH</b> Desk height (28 <sup>3</sup> / <sub>8</sub> " )
<b>24</b> 24"
<b>M</b> Full height modesty
<b>F</b> Modesty placement, flush
<b>L</b> Finish type, laminate
<b>114</b> Finish, Folkstone grey

**Specification Information**

To order please specify pattern number including:

1. *Modesty placement*  
F = Flush, cantilevered  
R = Recessed
2. *Finish type*  
L = laminate  
1 = V1  
2 = V2  
3 = V3
3. *Finish*

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Application Notes**

**Products on this page are 28-3/8" high.** 28<sup>3</sup>/<sub>8</sub>"h "desk height" products should not be mixed with 26 1/2"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.


Modesty panel lengths are nominal, length changes on option selected.

\* Half depth end panels


Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1"	30"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH30 ( ) ( )</b>	\$465.	\$757.	\$870.	\$1,175.
	1"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH36 ( ) ( )</b>	491.	793.	910.	1,229.




Desk height end panel for panel (hardware included)	1"	13"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH1(L/R) ( ) ( )</b>	177.	312.	355.	480.
	1"	16"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH2(L/R) ( ) ( )</b>	191.	328.	380.	513.
	1"	20"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH3(L/R) ( ) ( )</b>	206.	344.	396.	534.
	1"	24"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH4(L/R) ( ) ( )</b>	218.	360.	416.	562.
	1"	30"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH5(L/R) ( ) ( )</b>	231.	382.	436.	589.
	1"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH6(L/R) ( ) ( )</b>	246.	396.	456.	616.



left hand shown


Desk height corner worksurface support	36"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH3636 ( ) ( )</b>	984.	1,460.	1,681.	2,269.
	36"	42"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH3642 ( ) ( )</b>	1,006.	1,498.	1,723.	2,326.
	36"	48"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH3648 ( ) ( )</b>	1,048.	1,554.	1,784.	2,410.
	42"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4236 ( ) ( )</b>	1,006.	1,498.	1,723.	2,326.
	42"	42"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4242 ( ) ( )</b>	1,031.	1,534.	1,765.	2,383.
	42"	48"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4248 ( ) ( )</b>	1,072.	1,587.	1,831.	2,473.
	48"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4836 ( ) ( )</b>	1,048.	1,554.	1,784.	2,410.
	48"	42"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4842 ( ) ( )</b>	1,072.	1,587.	1,831.	2,473.
48"	48"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4848 ( ) ( )</b>	1,112.	1,648.	1,908.	2,576.	



depth = left return, width = right return

Order Code	Specification Information	Application Notes
Example: <b>RBDH24MFL114</b>	<i>To order please specify pattern number including:</i>	<b>Products on this page are 28-3/8" high.</b> 28 <sup>3</sup> / <sub>8</sub> "h "desk height" products should not be mixed with 26 1/2"h components. 28 <sup>3</sup> / <sub>8</sub> "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
<b>R</b> Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
<b>B</b> Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty panel lengths are nominal, length changes on option selected.
<b>DH</b> Desk height (28 <sup>3</sup> / <sub>8</sub> ")	3. <i>Finish</i>	* Half depth end panels
<b>24</b> 24"	Applicable finishes are listed on page 5 and 6.	Glides ship with all supports on this page except the recessed modesty panel.
<b>M</b> Full height modesty	Product on this page will accept woodgrain laminate where laminate is currently an option.	Please see Reff Planning Guide for freestanding planning instructions.
<b>F</b> Modesty placement, flush	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
<b>L</b> Finish type, laminate		
<b>114</b> Finish, Folkstone grey		

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH40MR ( ) ( )</b>	\$324.	\$456.	\$526.	\$709.
	1"	52"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH52MR ( ) ( )</b>	382.	538.	617.	833.
	1"	64"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH64MR ( ) ( )</b>	411.	580.	670.	904.



**Use of short modesty panel**

Pedestals and finished back for pedestal must each be ordered separately  
Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top

52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bulkhead (false pedestal)	24"	16"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDHBH124 ( ) ( )</b>	458.	755.	877.	1,183.
	30"	16"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDHBH130 ( ) ( )</b>	474.	771.	897.	1,212.




Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application

Order Code	Specification Information	Application Notes
Example: <b>RBDH24MFL114</b>	<i>To order please specify pattern number including:</i>	<b>Products on this page are 28-3/8" high.</b> 28 <sup>3</sup> / <sub>8</sub> "h "desk height" products should not be mixed with 26 1/2"h components. 28 <sup>3</sup> / <sub>8</sub> "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
<b>R</b> Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
<b>B</b> Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty panel lengths are nominal, length changes on option selected.
<b>DH</b> Desk height (28 <sup>3</sup> / <sub>8</sub> ")	3. <i>Finish</i>	* Half depth end panels
<b>24</b> 24"	Applicable finishes are listed on page 5 and 6.	Glides ship with all supports on this page except the recessed modesty panel.
<b>M</b> Full height modesty	Product on this page will accept woodgrain laminate where laminate is currently an option.	Please see Reff Planning Guide for freestanding planning instructions.
<b>F</b> Modesty placement, flush	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
<b>L</b> Finish type, laminate		
<b>114</b> Finish, Folkstone grey		

# Bases, 26 1/2" high painted or plated

Reff

description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	-	26 1/2"	-	<b>RSC</b>	\$233.	\$246.	\$253.
4" diameter base, plain cylinder 	4"	-	26 1/2"	-	<b>RCB</b>	245.	257.	269.
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	-	26 1/2"	-	<b>RSC4-()</b>	910.	954.	1,004.
Drum base 	14"		26 1/2"	-	<b>RSD1427-()</b>	1,065.	1,119.	1,174.
	18"		26 1/2"	-	<b>RSD1827-()</b>	1,157.	1,216.	1,275.
	20"		26 1/2"	-	<b>RSD2027-()</b>	1,194.	1,253.	1,315.
	24"		26 1/2"	-	<b>RSD2427-()</b>	1,429.	1,502.	1,576.
	30"		26 1/2"	-	<b>RSD3027-()</b>	1,598.	1,677.	1,760.
T-leg, Interaction style 	-		26 1/2"	24"	<b>RIB24T</b>	334.	350.	369.
T-Leg, plain tube style 	-		26 1/2"	20"	<b>RCB20T-()</b>	361.	379.	397.
	-		26 1/2"	24"	<b>RCB24T-()</b>	367.	388.	406.
	-		26 1/2"	30"	<b>RCB30T-()</b>	406.	425.	448.
	-		26 1/2"	40"	<b>RCB40T-()</b>	427.	450.	473.

## Order Code

Example: **RSC**

**R** Reff

**S** Support

**C** Cylinder

## Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish

Finish type options:

P = Paint

M = Metal (plated)

## Application Notes

Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.

Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1 1/2" leveller.

Only the plain cylinder and tube legs can be ordered in plated finishes.

Applicable finishes are listed on page 5 and 6.



# Bases, 26 1/2" high painted or plated

Reff



description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
X-base 		–	26 1/2"	28"	<b>RIB28X-()</b>	\$551.	\$580.	\$609.
		–	26 1/2"	32"	<b>RIB32X-()</b>	747.	786.	825.
Metal paint finishes only								
Spider base, plain tube style 		–	26 1/2"	24"	<b>RCB24X</b>	564.	593.	622.
		–	26 1/2"	28"	<b>RCB28X</b>	591.	620.	651.
		–	26 1/2"	36"	<b>RCB36X</b>	640.	674.	706.

Support components

Order Code	Specification Information	Application Notes	
Example: <b>RSC</b>	<i>To order please specify pattern number including:</i> 1. Finish type, where applicable 2. Finish  <i>Finish type options:</i> P = Paint M = Metal (plated)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.  Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.  Refer to Planning Guide for top-base matrix, pages 140 and 141.  All bases include 1 1/2" leveller.	
<b>R</b> Reff			Only the plain cylinder and tube legs can be ordered in plated finishes.
<b>S</b> Support			Applicable finishes are listed on page 5 and 6.
<b>C</b> Cylinder			

Bases, 26 1/2" high  
laminated, V1, V2 or V3

Reff

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum base 	14"		26 1/2"	–	<b>RSD1427-()</b>	n/a	\$1,245.	\$1,433.	\$1,935.
	18"		26 1/2"	–	<b>RSD1827-()</b>	n/a	1,352.	1,556.	2,102.
	20"		26 1/2"	–	<b>RSD2027-()</b>	n/a	1,396.	1,606.	2,167.
	24"		26 1/2"	–	<b>RSD2427-()</b>	n/a	1,674.	1,925.	2,599.
	30"		26 1/2"	–	<b>RSD3027-()</b>	n/a	1,870.	2,148.	2,899.
T-base (hardware included)* 	20"	26 1/2"	12"		<b>RST1-()</b>	398.	451.	527.	713.
	24"	26 1/2"	12"		<b>RST2-()</b>	426.	486.	558.	753.
	30"	26 1/2"	12"		<b>RST3-()</b>	501.	562.	652.	880.
	36"	26 1/2"	12"		<b>RST4-()</b>	569.	646.	741.	1,001.
	42"	26 1/2"	12"		<b>RST5-()</b>	631.	719.	828.	1,120.
	48"	26 1/2"	12"		<b>RST6-()</b>	704.	793.	916.	1,236.
L-base (hardware included), non-handed* 	12"	26 1/2"	12"		<b>RSL12-()</b>	398.	451.	527.	713.
	15"	26 1/2"	12"		<b>RSL15-()</b>	407.	462.	532.	718.
	20"	26 1/2"	12"		<b>RSL20-()</b>	426.	477.	551.	744.
	24"	26 1/2"	12"		<b>RSL24-()</b>	433.	486.	558.	753.
	30"	26 1/2"	12"		<b>RSL30-()</b>	501.	562.	652.	880.
	36"	26 1/2"	12"		<b>RSL36-()</b>	569.	646.	741.	1,001.
	42"	26 1/2"	12"		<b>RSL42-()</b>	631.	719.	828.	1,120.
	48"	26 1/2"	12"		<b>RSL48-()</b>	704.	793.	916.	1,236.

**Order Code**

Example: <b>RSD</b>	
<b>R</b>	Reff
<b>S</b>	Support
<b>D</b>	Drum base

**Specification Information**

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:

- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3

**Application Notes**

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1 1/2" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

# Bases, 28<sup>3</sup>/<sub>8</sub>" high *painted or plated*

Reff

description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	–	28 <sup>3</sup> / <sub>8</sub> "		<b>RSDHC ( ) ( )</b>	\$246.	\$258.	\$270.
4" Plain Cylinder (desk height) 	4" dia	–	28 <sup>3</sup> / <sub>8</sub> "		<b>RCDHB ( ) ( )</b>	257.	269.	283.
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	–	28 <sup>3</sup> / <sub>8</sub> "		<b>RSDHC4 ( ) ( )</b>	956.	1,003.	1,054.
T-Leg, plain tube style (desk height) 		–	28 <sup>3</sup> / <sub>8</sub> "	20"	<b>RCDHB20T ( ) ( )</b>	379.	398.	417.
		–	28 <sup>3</sup> / <sub>8</sub> "	24"	<b>RCDHB24T ( ) ( )</b>	387.	406.	426.
		–	28 <sup>3</sup> / <sub>8</sub> "	30"	<b>RCDHB30T ( ) ( )</b>	426.	448.	470.
		–	28 <sup>3</sup> / <sub>8</sub> "	40"	<b>RCDHB40T ( ) ( )</b>	450.	473.	496.
T-Leg, Interaction style (desk height) 		–	28 <sup>3</sup> / <sub>8</sub> "	24"	<b>RIBDH24T ( ) ( )</b>	350.	369.	388.
X-base (desk height) 		–	28 <sup>3</sup> / <sub>8</sub> "	28"	<b>RIBDH28X ( ) ( )</b>	580.	608.	639.
		–	28 <sup>3</sup> / <sub>8</sub> "	32"	<b>RIBDH32X ( ) ( )</b>	786.	824.	865.

Support components

Order Code	Specification Information	Application Notes
Example: <b>RSDHCP111</b>	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
<b>R</b> Reff	1. <i>Finish Type, where applicable</i>	
<b>S</b> Support	P = Paint	
<b>DH</b> Desk Height	M = Metal (plated)	Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.
<b>C</b> Column Leg	2. <i>Finish</i>	
<b>P</b> Finish type, paint	see matrix on page 5	
<b>111</b> Finish, Jet Black	Applicable finishes are listed on page 5 and 6.	All bases include 1 <sup>1</sup> / <sub>2</sub> " leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

**Products on this page are 28-3/8" high.** 28<sup>3</sup>/<sub>8</sub>"h "desk height" products should not be mixed with 26<sup>1</sup>/<sub>2</sub>"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1<sup>1</sup>/<sub>4</sub>" worksurfaces achieve overall desk height of 29<sup>3</sup>/<sub>8</sub>"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

# Bases, 28<sup>3</sup>/<sub>8</sub>" high *painted or plated*

Reff

description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
Spider base, plain tube style (desk height) 	–	–	28 <sup>3</sup> / <sub>8</sub> "	24"	<b>RCBDH24X ( ) ( )</b>	\$593.	\$622.	\$653.
	–	–	28 <sup>3</sup> / <sub>8</sub> "	28"	<b>RCBDH28X ( ) ( )</b>	620.	651.	684.
	–	–	28 <sup>3</sup> / <sub>8</sub> "	36"	<b>RCBDH36X ( ) ( )</b>	674.	707.	741.
Drum Base (desk height) 	14"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD1428 ( ) ( )</b>	1,119.	1,174.	1,234.
	18"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD1828 ( ) ( )</b>	1,216.	1,275.	1,339.
	20"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD2028 ( ) ( )</b>	1,253.	1,315.	1,380.
	24"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD2428 ( ) ( )</b>	1,502.	1,576.	1,655.
	30"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD3028 ( ) ( )</b>	1,677.	1,761.	1,848.



Order Code	Specification Information	Application Notes
Example: <b>RSDHCP111</b>	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
<b>R</b> Reff	1. <i>Finish Type, where applicable</i>	
<b>S</b> Support	P = Paint	
<b>DH</b> Desk Height	M = Metal (plated)	Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.
<b>C</b> Column Leg	2. <i>Finish</i>	
<b>P</b> Finish type, paint	see matrix on page 5	
<b>111</b> Finish, Jet Black	Applicable finishes are listed on page 5 and 6.	All bases include 1 <sup>1</sup> / <sub>2</sub> " leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

**Products on this page are 28-3/8" high.** 28<sup>3</sup>/<sub>8</sub>"h "desk height" products should not be mixed with 26<sup>1</sup>/<sub>2</sub>"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1<sup>1</sup>/<sub>4</sub>" worksurfaces achieve overall desk height of 29<sup>3</sup>/<sub>8</sub>"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

# Bases, 28<sup>3</sup>/<sub>8</sub>" high laminate, V1, V2 or V3

Reff

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum Base (desk height)	14"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD1428 ( ) ( )</b>	N/A	\$1,308.	\$1,504.	\$2,030.
	18"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD1828 ( ) ( )</b>	N/A	1,421.	1,633.	2,206.
	20"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD2028 ( ) ( )</b>	N/A	1,465.	1,684.	2,275.
	24"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD2428 ( ) ( )</b>	N/A	1,756.	2,022.	2,730.
	30"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD3028 ( ) ( )</b>	N/A	1,964.	2,255.	3,045.
 T-base, desk height (hardware included)	20"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT1 ( ) ( )</b>	418.	475.	552.	747.
	24"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT2 ( ) ( )</b>	449.	510.	586.	791.
	30"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT3 ( ) ( )</b>	526.	593.	684.	924.
	36"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT4 ( ) ( )</b>	598.	679.	779.	1,051.
	42"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT5 ( ) ( )</b>	663.	754.	870.	1,175.
	48"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT6 ( ) ( )</b>	739.	834.	962.	1,299.
 L-base, desk height (hardware included, non-handed)	12"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL12 ( ) ( )</b>	418.	475.	552.	747.
	15"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL15 ( ) ( )</b>	427.	482.	558.	753.
	20"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL20 ( ) ( )</b>	449.	500.	581.	784.
	24"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL24 ( ) ( )</b>	455.	510.	586.	791.
	30"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL30 ( ) ( )</b>	526.	593.	684.	924.
	36"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL36 ( ) ( )</b>	598.	679.	779.	1,051.
	42"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL42 ( ) ( )</b>	663.	754.	870.	1,175.
	48"		28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL48 ( ) ( )</b>	739.	834.	962.	1,299.

Support components

## Order Code

Example: <b>RSDHD</b>	
<b>R</b>	Reff
<b>S</b>	Support
<b>DH</b>	Desk Height
<b>D</b>	Drum base
<b>2</b>	Finish type, V2
<b>V316</b>	Finish, Maple

## Specification Information

To order please specify pattern number including:

1. *Finish Type, where applicable*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
2. *Finish*  
see matrix on page 5

Applicable finishes are listed on page 5 and 6.

## Application Notes

T and L bases are not recommended for supporting conference tops.

All bases include 1 1/2" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.



Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

**Products on this page are 28-3/8" high.** 28<sup>3</sup>/<sub>8</sub>"h "desk height" products should not be mixed with 26 1/2"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29<sup>3</sup>/<sub>8</sub>"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.


# Transaction tops for use with 42" H panel heights

Reff

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	<b>RTTA24( )-( )</b>	\$310.	\$321.	\$321.	\$369.	\$498.
	30"	15"	1 1/4"	<b>RTTA30( )-( )</b>	339.	348.	348.	403.	544.
	36"	15"	1 1/4"	<b>RTTA36( )-( )</b>	369.	382.	382.	438.	593.
	42"	15"	1 1/4"	<b>RTTA42( )-( )</b>	399.	411.	411.	472.	636.
	48"	15"	1 1/4"	<b>RTTA48( )-( )</b>	425.	442.	442.	508.	685.
	54"	15"	1 1/4"	<b>RTTA54( )-( )</b>	455.	471.	471.	540.	729.
	60"	15"	1 1/4"	<b>RTTA60( )-( )</b>	485.	500.	500.	578.	780.
	66"	15"	1 1/4"	<b>RTTA66( )-( )</b>	514.	530.	530.	609.	822.
	72"	15"	1 1/4"	<b>RTTA72( )-( )</b>	541.	560.	560.	645.	870.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	<b>RTTAWF24( )-( )</b>			640.	736.	994.
	30"	15"	1 1/4"	<b>RTTAWF30( )-( )</b>			702.	808.	1,091.
	36"	15"	1 1/4"	<b>RTTAWF36( )-( )</b>			760.	877.	1,183.
	42"	15"	1 1/4"	<b>RTTAWF42( )-( )</b>			820.	943.	1,273.
	48"	15"	1 1/4"	<b>RTTAWF48( )-( )</b>			883.	1,015.	1,370.
	54"	15"	1 1/4"	<b>RTTAWF54( )-( )</b>			941.	1,081.	1,459.
	60"	15"	1 1/4"	<b>RTTAWF60( )-( )</b>			1,003.	1,153.	1,557.
	66"	15"	1 1/4"	<b>RTTAWF66( )-( )</b>			1,060.	1,221.	1,648.
	72"	15"	1 1/4"	<b>RTTAWF72( )-( )</b>			1,122.	1,289.	1,740.



Not available in laminate or mixed finishes


Order Code	Specification Information	Application Notes
Example: <b>RTTA24S1</b>	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.
<b>R</b> Reff	1. End treatment type	Tops with waterfall edge cannot be specified with open pore finish. Available in V1 and V2 finishes only.
<b>TT</b> Transaction top	2. Finish type	Applicable finishes are listed on page 5 and 6.
<b>A</b> 1 1/4" thick	3. Finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>24</b> 24" wide	<i>1. End treatment options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>S</b> Straight end treatment	S = Straight	
<b>1</b> V1 finish	L = Left side mitre	No grommets included.
<b>Y311</b> Beech	R = Right side mitre	Tops may be used to span more than one consecutive panel.
	<i>2. Finish type:</i>	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

# Gallery desk surrounds

## 1 1/4" worksurface


Reff

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	<b>RGAF622-()</b>	\$1,275.	\$1,519.	\$1,519.	\$1,670.	\$1,749.	\$2,255.	\$2,361.
	68"	25"	42"	<b>RGAF682-()</b>	1,320.	1,574.	1,574.	1,729.	1,812.	2,333.	2,446.
	74"	25"	42"	<b>RGAF742-()</b>	1,369.	1,634.	1,634.	1,795.	1,878.	2,423.	2,534.
	80"	25"	42"	<b>RGAF802-()</b>	1,418.	1,687.	1,687.	1,851.	1,943.	2,500.	2,623.
	86"	25"	42"	<b>RGAF862-()</b>	1,462.	1,746.	1,746.	1,912.	2,008.	2,581.	2,710.
	92"	25"	42"	<b>RGAF922-()</b>	1,511.	1,803.	1,803.	1,973.	2,073.	2,663.	2,797.
	98"	25"	42"	<b>RGAF982-()</b>	1,559.	1,859.	1,859.	2,036.	2,140.	2,749.	2,889.
	62"	31"	42"	<b>RGAF623-()</b>	1,356.	1,616.	1,616.	1,772.	1,860.	2,392.	2,511.
	68"	31"	42"	<b>RGAF683-()</b>	1,408.	1,681.	1,681.	1,842.	1,934.	2,487.	2,611.
	74"	31"	42"	<b>RGAF743-()</b>	1,461.	1,745.	1,745.	1,912.	2,006.	2,581.	2,707.
	80"	31"	42"	<b>RGAF803-()</b>	1,514.	1,803.	1,803.	1,979.	2,077.	2,672.	2,803.
	86"	31"	42"	<b>RGAF863-()</b>	1,569.	1,870.	1,870.	2,049.	2,152.	2,767.	2,906.
	92"	31"	42"	<b>RGAF923-()</b>	1,621.	1,935.	1,935.	2,116.	2,224.	2,857.	3,002.
	98"	31"	42"	<b>RGAF983-()</b>	1,675.	1,997.	1,997.	2,189.	2,295.	2,956.	3,098.




If shelf is not ordered and no drillings are required, you must order through specials.

Shelf for above (uses keyhole attachment hardware)	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
60"	12"	1"	<b>RGS60-()</b>	308.	n/a	368.	n/a	425.	n/a	574.	
66"	12"	1"	<b>RGS66-()</b>	320.	n/a	381.	n/a	438.	n/a	593.	
72"	12"	1"	<b>RGS72-()</b>	330.	n/a	394.	n/a	452.	n/a	610.	
78"	12"	1"	<b>RGS78-()</b>	340.	n/a	405.	n/a	467.	n/a	630.	
84"	12"	1"	<b>RGS84-()</b>	347.	n/a	418.	n/a	480.	n/a	648.	
90"	12"	1"	<b>RGS90-()</b>	360.	n/a	428.	n/a	492.	n/a	664.	
96"	12"	1"	<b>RGS96-()</b>	369.	n/a	439.	n/a	505.	n/a	683.	



Bridge top assembly	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
42"	21"	42"	<b>RGAB421-()</b>	727.	866.	866.	935.	995.	1,263.	1,343.	
48"	21"	42"	<b>RGAB481-()</b>	779.	926.	926.	998.	1,065.	1,347.	1,437.	
54"	21"	42"	<b>RGAB541-()</b>	829.	987.	987.	1,067.	1,135.	1,440.	1,533.	
60"	21"	42"	<b>RGAB601-()</b>	879.	1,047.	1,047.	1,135.	1,208.	1,533.	1,630.	
66"	21"	42"	<b>RGAB661-()</b>	931.	1,109.	1,109.	1,199.	1,276.	1,618.	1,722.	
72"	21"	42"	<b>RGAB721-()</b>	980.	1,168.	1,168.	1,266.	1,343.	1,709.	1,813.	
78"	21"	42"	<b>RGAB781-()</b>	1,028.	1,228.	1,228.	1,333.	1,413.	1,800.	1,907.	
84"	21"	42"	<b>RGAB841-()</b>	1,079.	1,285.	1,285.	1,392.	1,479.	1,878.	1,997.	
90"	21"	42"	<b>RGAB901-()</b>	1,127.	1,344.	1,344.	1,459.	1,546.	1,968.	2,088.	
96"	21"	42"	<b>RGAB961-()</b>	1,173.	1,399.	1,399.	1,518.	1,611.	2,050.	2,175.	



Order Code	Specification Information	Application Notes
Example: <b>RGAF622NLL</b>	To order please specify pattern number including:	3. Finish type, components: (surround components) L = Laminate
<b>R</b> Reff	1. Grommet option	1 = V1
<b>G</b> Gallery surround	2. Finish type, top	2 = V2
<b>A</b> 1 1/4" top thickness	3. Finish type, components	3 = V3
<b>F</b> Freestanding	4. Finish, top	If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.
<b>62</b> 62" wide	5. Finish, components	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>2</b> 25" deep	1. Grommet options: N = No grommets F = Flush front grommet	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>N</b> No grommet	2. Finish type, top: L = Laminate M = Mixed (laminated top w/wood edge)	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
<b>L</b> Finish type top, laminate	1 = V1	Hardware included.
<b>L</b> Finish type components	2 = V2	Shipped knocked-down.
<b>114</b> Folkstone grey (top)	3 = V3	
<b>114</b> Folkstone grey (components)		

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.


**Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.**


Applicable finishes are listed on page 5 and 6.

# Gallery desk surrounds

## 1 3/4" worksurface

Reff

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround drilled to accept shelf 	62"	25"	42"	<b>RGBF622-()</b> ( )	\$1,463.	\$1,747.	\$1,747.	\$1,876.	\$2,010.	\$2,531.	\$2,713.
	68"	25"	42"	<b>RGBF682-()</b> ( )	1,519.	1,812.	1,812.	1,946.	2,085.	2,627.	2,815.
	74"	25"	42"	<b>RGBF742-()</b> ( )	1,573.	1,877.	1,877.	2,015.	2,160.	2,720.	2,915.
	80"	25"	42"	<b>RGBF802-()</b> ( )	1,627.	1,942.	1,942.	2,080.	2,234.	2,807.	3,016.
	86"	25"	42"	<b>RGBF862-()</b> ( )	1,683.	2,006.	2,006.	2,150.	2,306.	2,903.	3,113.
	92"	25"	42"	<b>RGBF922-()</b> ( )	1,737.	2,072.	2,072.	2,215.	2,381.	2,990.	3,215.
	98"	25"	42"	<b>RGBF982-()</b> ( )	1,791.	2,138.	2,138.	2,285.	2,457.	3,086.	3,317.
	62"	31"	42"	<b>RGBF623-()</b> ( )	1,561.	1,860.	1,860.	1,997.	2,141.	2,695.	2,890.
	68"	31"	42"	<b>RGBF683-()</b> ( )	1,620.	1,934.	1,934.	2,075.	2,222.	2,800.	2,998.
	74"	31"	42"	<b>RGBF743-()</b> ( )	1,682.	2,005.	2,005.	2,152.	2,304.	2,906.	3,110.
	80"	31"	42"	<b>RGBF803-()</b> ( )	1,742.	2,077.	2,077.	2,228.	2,388.	3,007.	3,224.
	86"	31"	42"	<b>RGBF863-()</b> ( )	1,804.	2,152.	2,152.	2,305.	2,475.	3,111.	3,340.
	92"	31"	42"	<b>RGBF923-()</b> ( )	1,865.	2,224.	2,224.	2,382.	2,557.	3,216.	3,452.
	98"	31"	42"	<b>RGBF983-()</b> ( )	1,924.	2,294.	2,294.	2,457.	2,640.	3,317.	3,564.

Bridge top assembly 	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
42"	21"	42"	<b>RGBB421-()</b> ( )	855.	1,018.	1,018.	1,067.	1,170.	1,440.	1,580.	
48"	21"	42"	<b>RGBB481-()</b> ( )	905.	1,081.	1,081.	1,133.	1,242.	1,530.	1,677.	
54"	21"	42"	<b>RGBB541-()</b> ( )	959.	1,143.	1,143.	1,198.	1,316.	1,617.	1,777.	
60"	21"	42"	<b>RGBB601-()</b> ( )	1,013.	1,208.	1,208.	1,266.	1,386.	1,709.	1,873.	
66"	21"	42"	<b>RGBB661-()</b> ( )	1,069.	1,276.	1,276.	1,336.	1,467.	1,804.	1,980.	
72"	21"	42"	<b>RGBB721-()</b> ( )	1,125.	1,343.	1,343.	1,411.	1,545.	1,905.	2,085.	
78"	21"	42"	<b>RGBB781-()</b> ( )	1,183.	1,412.	1,412.	1,480.	1,622.	1,998.	2,189.	
84"	21"	42"	<b>RGBB841-()</b> ( )	1,239.	1,479.	1,479.	1,552.	1,701.	2,096.	2,297.	
90"	21"	42"	<b>RGBB901-()</b> ( )	1,294.	1,546.	1,546.	1,622.	1,777.	2,189.	2,398.	
96"	21"	42"	<b>RGBB961-()</b> ( )	1,350.	1,611.	1,611.	1,686.	1,851.	2,277.	2,500.	

Order Code	Specification Information	Application Notes
Example: <b>RGBF622NLL</b>	<i>To order please specify pattern number including:</i>	Mixed finish 1 3/4" tops are not post formed.
<b>R</b> Reff	1. Grommet option	Top and surround must be same finish unless mixed option selected.
<b>G</b> Gallery surround	2. Finish type top	<b>Hardware included.</b>
<b>B</b> 1 3/4" top thickness	3. Finish type components	1 3/4" tops require support at midpoint to reduce spans to 72" or less.
<b>F</b> Freestanding	4. Finish, top	Gallery desk surrounds are available with waterfall edge as a standard special.
<b>62</b> 62" wide	5. Finish, components	<b>All requests for special grommet locations must be approved through custom product development.</b>
<b>2</b> 25" deep	<i>1. Grommet options:</i>	M (mixed finish) includes laminate worksurface, wood edge and wood surround.
<b>N</b> No grommet	N = No grommets	<b>Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.</b>
<b>L</b> Finish type, top	F = Flush front grommet	Applicable finishes are listed on page 5 and 6.
<b>L</b> Finish type, components	<i>2. Finish type top:</i>	
	L = Laminate	
	M = Mixed (laminate top with wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Finish type, components: (surround components)</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>If mixed top finish type, components must be type 1, 2 or 3</i>	




# Gallery desk surrounds

## right hand end assembly, 1 1/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	<b>RGAR431-</b> ( ) ( )	\$890.	\$1,061.	\$1,061.	\$1,157.	\$1,218.	\$1,562.	\$1,644.
		49"	42"	<b>RGAR491-</b> ( ) ( )	934.	1,115.	1,115.	1,218.	1,283.	1,644.	1,732.
		55"	42"	<b>RGAR551-</b> ( ) ( )	982.	1,169.	1,169.	1,278.	1,344.	1,726.	1,814.
		61"	42"	<b>RGAR611-</b> ( ) ( )	1,026.	1,223.	1,223.	1,335.	1,410.	1,802.	1,902.
		67"	42"	<b>RGAR671-</b> ( ) ( )	1,072.	1,281.	1,281.	1,397.	1,473.	1,885.	1,988.
		73"	42"	<b>RGAR731-</b> ( ) ( )	1,118.	1,333.	1,333.	1,457.	1,532.	1,965.	2,068.
		79"	42"	<b>RGAR791-</b> ( ) ( )	1,163.	1,386.	1,386.	1,517.	1,599.	2,048.	2,159.
		85"	42"	<b>RGAR851-</b> ( ) ( )	1,209.	1,442.	1,442.	1,573.	1,659.	2,123.	2,239.
		91"	42"	<b>RGAR911-</b> ( ) ( )	1,256.	1,499.	1,499.	1,635.	1,732.	2,209.	2,339.
		97"	42"	<b>RGAR971-</b> ( ) ( )	1,305.	1,554.	1,554.	1,694.	1,784.	2,286.	2,410.
25"	43"	42"	<b>RGAR432-</b> ( ) ( )	976.	1,163.	1,163.	1,273.	1,337.	1,717.	1,806.	
	49"	42"	<b>RGAR492-</b> ( ) ( )	1,019.	1,217.	1,217.	1,330.	1,398.	1,796.	1,887.	
	55"	42"	<b>RGAR552-</b> ( ) ( )	1,066.	1,271.	1,271.	1,386.	1,464.	1,873.	1,976.	
	61"	42"	<b>RGAR612-</b> ( ) ( )	1,113.	1,327.	1,327.	1,444.	1,524.	1,950.	2,056.	
	67"	42"	<b>RGAR672-</b> ( ) ( )	1,158.	1,381.	1,381.	1,508.	1,586.	2,035.	2,143.	
	73"	42"	<b>RGAR732-</b> ( ) ( )	1,204.	1,435.	1,435.	1,567.	1,652.	2,116.	2,231.	
	79"	42"	<b>RGAR792-</b> ( ) ( )	1,248.	1,487.	1,487.	1,622.	1,713.	2,189.	2,313.	
	85"	42"	<b>RGAR852-</b> ( ) ( )	1,294.	1,546.	1,546.	1,683.	1,777.	2,273.	2,398.	
	91"	42"	<b>RGAR912-</b> ( ) ( )	1,343.	1,602.	1,602.	1,742.	1,841.	2,351.	2,485.	
	97"	42"	<b>RGAR972-</b> ( ) ( )	1,391.	1,656.	1,656.	1,803.	1,905.	2,434.	2,572.	
31"	43"	42"	<b>RGAR433-</b> ( ) ( )	1,037.	1,236.	1,236.	1,348.	1,421.	1,819.	1,918.	
	49"	42"	<b>RGAR493-</b> ( ) ( )	1,082.	1,288.	1,288.	1,408.	1,483.	1,900.	2,002.	
	55"	42"	<b>RGAR553-</b> ( ) ( )	1,127.	1,344.	1,344.	1,462.	1,546.	1,973.	2,088.	
	61"	42"	<b>RGAR613-</b> ( ) ( )	1,170.	1,397.	1,397.	1,518.	1,609.	2,050.	2,172.	
	67"	42"	<b>RGAR673-</b> ( ) ( )	1,215.	1,453.	1,453.	1,578.	1,670.	2,130.	2,255.	
	73"	42"	<b>RGAR733-</b> ( ) ( )	1,262.	1,507.	1,507.	1,636.	1,729.	2,210.	2,333.	
	79"	42"	<b>RGAR793-</b> ( ) ( )	1,308.	1,558.	1,558.	1,694.	1,794.	2,286.	2,422.	
	85"	42"	<b>RGAR853-</b> ( ) ( )	1,352.	1,613.	1,613.	1,754.	1,855.	2,368.	2,505.	
	91"	42"	<b>RGAR913-</b> ( ) ( )	1,398.	1,668.	1,668.	1,811.	1,914.	2,444.	2,584.	
	97"	42"	<b>RGAR973-</b> ( ) ( )	1,443.	1,719.	1,719.	1,870.	1,979.	2,525.	2,672.	



Gallery desk surrounds

Order Code	Specification Information	Application Notes
Example: <b>RGAR431NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type components	2 = V2
<b>R</b> Right hand return	4. Finish, top	3 = V3
<b>43</b> 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
<b>1</b> 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>N</b> No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>L</b> Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>L</b> Finish type, components	<i>2. Finish type top:</i>	<b>Hardware included.</b>
	L = Laminate	Gallery desk surrounds are available with waterfall edge as a standard special.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

**All requests for special grommet locations must be approved through custom product development.**

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

**Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.**


Applicable finishes are listed on page 5 and 6.

# Gallery desk surrounds

## right hand end assembly, 1 3/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	<b>RGBR431-()</b>	\$1,020.	\$1,218.	\$1,218.	\$1,295.	\$1,399.	\$1,748.	\$1,889.
		49"	42"	<b>RGBR491-()</b>	1,073.	1,282.	1,282.	1,362.	1,474.	1,839.	1,989.
		55"	42"	<b>RGBR551-()</b>	1,127.	1,344.	1,344.	1,429.	1,546.	1,930.	2,088.
		61"	42"	<b>RGBR611-()</b>	1,181.	1,410.	1,410.	1,496.	1,618.	2,019.	2,184.
		67"	42"	<b>RGBR671-()</b>	1,232.	1,470.	1,470.	1,560.	1,687.	2,106.	2,278.
		73"	42"	<b>RGBR731-()</b>	1,285.	1,532.	1,532.	1,625.	1,762.	2,193.	2,379.
		79"	42"	<b>RGBR791-()</b>	1,337.	1,597.	1,597.	1,693.	1,836.	2,285.	2,480.
		85"	42"	<b>RGBR851-()</b>	1,393.	1,659.	1,659.	1,759.	1,908.	2,374.	2,576.
		91"	42"	<b>RGBR911-()</b>	1,444.	1,720.	1,720.	1,823.	1,980.	2,460.	2,674.
		97"	42"	<b>RGBR971-()</b>	1,494.	1,782.	1,782.	1,890.	2,052.	2,551.	2,772.
25"	43"	42"	<b>RGBR432-()</b>	1,120.	1,335.	1,335.	1,420.	1,536.	1,917.	2,074.	
	49"	42"	<b>RGBR492-()</b>	1,171.	1,398.	1,398.	1,485.	1,610.	2,006.	2,173.	
	55"	42"	<b>RGBR552-()</b>	1,227.	1,463.	1,463.	1,554.	1,681.	2,098.	2,269.	
	61"	42"	<b>RGBR612-()</b>	1,278.	1,524.	1,524.	1,622.	1,754.	2,189.	2,368.	
	67"	42"	<b>RGBR672-()</b>	1,332.	1,586.	1,586.	1,686.	1,826.	2,277.	2,464.	
	73"	42"	<b>RGBR732-()</b>	1,386.	1,649.	1,649.	1,753.	1,898.	2,367.	2,563.	
	79"	42"	<b>RGBR792-()</b>	1,436.	1,713.	1,713.	1,817.	1,970.	2,452.	2,660.	
	85"	42"	<b>RGBR852-()</b>	1,490.	1,776.	1,776.	1,884.	2,042.	2,544.	2,757.	
	91"	42"	<b>RGBR912-()</b>	1,542.	1,841.	1,841.	1,950.	2,115.	2,632.	2,856.	
	97"	42"	<b>RGBR972-()</b>	1,597.	1,903.	1,903.	2,014.	2,189.	2,718.	2,956.	
31"	43"	42"	<b>RGBR433-()</b>	1,194.	1,421.	1,421.	1,511.	1,635.	2,040.	2,209.	
	49"	42"	<b>RGBR493-()</b>	1,243.	1,483.	1,483.	1,574.	1,708.	2,125.	2,306.	
	55"	42"	<b>RGBR553-()</b>	1,294.	1,546.	1,546.	1,640.	1,777.	2,214.	2,398.	
	61"	42"	<b>RGBR613-()</b>	1,348.	1,608.	1,608.	1,706.	1,847.	2,302.	2,494.	
	67"	42"	<b>RGBR673-()</b>	1,399.	1,669.	1,669.	1,769.	1,915.	2,389.	2,585.	
	73"	42"	<b>RGBR733-()</b>	1,449.	1,729.	1,729.	1,836.	1,989.	2,480.	2,685.	
	79"	42"	<b>RGBR793-()</b>	1,502.	1,794.	1,794.	1,901.	2,060.	2,567.	2,781.	
	85"	42"	<b>RGBR853-()</b>	1,555.	1,852.	1,852.	1,962.	2,129.	2,648.	2,875.	
	91"	42"	<b>RGBR913-()</b>	1,607.	1,913.	1,913.	2,027.	2,202.	2,736.	2,973.	
	97"	42"	<b>RGBR973-()</b>	1,656.	1,977.	1,977.	2,091.	2,275.	2,823.	3,070.	




Order Code	Specification Information	Application Notes
Example: <b>RGBR431NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type top	1 = V1
<b>B</b> 1 3/4" top thickness	3. Finish type components	2 = V2
<b>R</b> Right hand return	4. Finish, top	3 = V3
<b>43</b> 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
<b>1</b> 21" deep	<i>1. Grommet options:</i>	Mixed finish 1 3/4" tops are not post-formed.
<b>N</b> No grommet	N = No grommets	<b>Hardware included.</b>
<b>L</b> Finish type, top	F = Flush front grommet	1 3/4" tops require support at mid point to reduce spans to 66" or less.
<b>L</b> Finish type, components	<i>2. Finish type top:</i>	Gallery desk surrounds are available with waterfall edge as a standard special.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		<b>All requests for special grommet locations must be approved through custom product development.</b>
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		<b>Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.</b>
		Applicable finishes are listed on page 5 and 6.

# Gallery desk surrounds

## left hand end assembly, 1 1/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	<b>RGAL431-</b> ( ) ( )	\$890.	\$1,061.	\$1,061.	\$1,157.	\$1,218.	\$1,562.	\$1,644.
		49"	42"	<b>RGAL491-</b> ( ) ( )	934.	1,115.	1,115.	1,218.	1,283.	1,644.	1,732.
		55"	42"	<b>RGAL551-</b> ( ) ( )	982.	1,169.	1,169.	1,278.	1,344.	1,726.	1,814.
		61"	42"	<b>RGAL611-</b> ( ) ( )	1,026.	1,223.	1,223.	1,335.	1,410.	1,802.	1,902.
		67"	42"	<b>RGAL671-</b> ( ) ( )	1,072.	1,281.	1,281.	1,397.	1,473.	1,885.	1,988.
		73"	42"	<b>RGAL731-</b> ( ) ( )	1,118.	1,333.	1,333.	1,457.	1,532.	1,965.	2,068.
		79"	42"	<b>RGAL791-</b> ( ) ( )	1,163.	1,386.	1,386.	1,517.	1,599.	2,048.	2,159.
		85"	42"	<b>RGAL851-</b> ( ) ( )	1,209.	1,442.	1,442.	1,573.	1,659.	2,123.	2,239.
		91"	42"	<b>RGAL911-</b> ( ) ( )	1,256.	1,499.	1,499.	1,635.	1,732.	2,209.	2,339.
		97"	42"	<b>RGAL971-</b> ( ) ( )	1,305.	1,554.	1,554.	1,694.	1,784.	2,286.	2,410.
25"	43"	42"	<b>RGAL432-</b> ( ) ( )	976.	1,163.	1,163.	1,273.	1,337.	1,717.	1,806.	
	49"	42"	<b>RGAL492-</b> ( ) ( )	1,019.	1,217.	1,217.	1,330.	1,398.	1,796.	1,887.	
	55"	42"	<b>RGAL552-</b> ( ) ( )	1,066.	1,271.	1,271.	1,386.	1,464.	1,873.	1,976.	
	61"	42"	<b>RGAL612-</b> ( ) ( )	1,113.	1,327.	1,327.	1,444.	1,524.	1,950.	2,056.	
	67"	42"	<b>RGAL672-</b> ( ) ( )	1,158.	1,381.	1,381.	1,508.	1,586.	2,035.	2,143.	
	73"	42"	<b>RGAL732-</b> ( ) ( )	1,204.	1,435.	1,435.	1,567.	1,652.	2,116.	2,231.	
	79"	42"	<b>RGAL792-</b> ( ) ( )	1,248.	1,487.	1,487.	1,622.	1,713.	2,189.	2,313.	
	85"	42"	<b>RGAL852-</b> ( ) ( )	1,294.	1,546.	1,546.	1,683.	1,777.	2,273.	2,398.	
	91"	42"	<b>RGAL912-</b> ( ) ( )	1,343.	1,602.	1,602.	1,742.	1,841.	2,351.	2,485.	
	97"	42"	<b>RGAL972-</b> ( ) ( )	1,391.	1,656.	1,656.	1,803.	1,905.	2,434.	2,572.	
31"	43"	42"	<b>RGAL433-</b> ( ) ( )	1,037.	1,236.	1,236.	1,348.	1,421.	1,819.	1,918.	
	49"	42"	<b>RGAL493-</b> ( ) ( )	1,082.	1,288.	1,288.	1,408.	1,483.	1,900.	2,002.	
	55"	42"	<b>RGAL553-</b> ( ) ( )	1,127.	1,344.	1,344.	1,462.	1,546.	1,973.	2,088.	
	61"	42"	<b>RGAL613-</b> ( ) ( )	1,170.	1,397.	1,397.	1,518.	1,609.	2,050.	2,172.	
	67"	42"	<b>RGAL673-</b> ( ) ( )	1,215.	1,453.	1,453.	1,578.	1,670.	2,130.	2,255.	
	73"	42"	<b>RGAL733-</b> ( ) ( )	1,262.	1,507.	1,507.	1,636.	1,729.	2,210.	2,333.	
	79"	42"	<b>RGAL793-</b> ( ) ( )	1,308.	1,558.	1,558.	1,694.	1,794.	2,286.	2,422.	
	85"	42"	<b>RGAL853-</b> ( ) ( )	1,352.	1,613.	1,613.	1,754.	1,855.	2,368.	2,505.	
	91"	42"	<b>RGAL913-</b> ( ) ( )	1,398.	1,668.	1,668.	1,811.	1,914.	2,444.	2,584.	
	97"	42"	<b>RGAL973-</b> ( ) ( )	1,443.	1,719.	1,719.	1,870.	1,979.	2,525.	2,672.	



Gallery desk surrounds


Order Code	Specification Information	Application Notes
Example: <b>RGAL431NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type components	2 = V2
<b>L</b> Left hand return	4. Finish, top	3 = V3
<b>43</b> 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
<b>1</b> 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>N</b> No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>L</b> Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>L</b> Finish type, components	2. <i>Finish type top:</i>	<b>Hardware included.</b>
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		Gallery desk surrounds are available with waterfall edge as a standard special.
		<b>All requests for special grommet locations must be approved through custom product development.</b>
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		<b>Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.</b>
		Applicable finishes are listed on page 5 and 6.

# Gallery desk surrounds

## left hand end assembly, 1 3/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	<b>RGBL431-()</b> ( )	\$1,020.	\$1,218.	\$1,218.	\$1,295.	\$1,399.	\$1,748.	\$1,889.
		49"	42"	<b>RGBL491-()</b> ( )	1,073.	1,282.	1,282.	1,362.	1,474.	1,839.	1,989.
		55"	42"	<b>RGBL551-()</b> ( )	1,127.	1,344.	1,344.	1,429.	1,546.	1,930.	2,088.
		61"	42"	<b>RGBL611-()</b> ( )	1,181.	1,410.	1,410.	1,496.	1,618.	2,019.	2,184.
		67"	42"	<b>RGBL671-()</b> ( )	1,232.	1,470.	1,470.	1,560.	1,687.	2,106.	2,278.
		73"	42"	<b>RGBL731-()</b> ( )	1,285.	1,532.	1,532.	1,625.	1,762.	2,193.	2,379.
		79"	42"	<b>RGBL791-()</b> ( )	1,337.	1,597.	1,597.	1,693.	1,836.	2,285.	2,480.
		85"	42"	<b>RGBL851-()</b> ( )	1,393.	1,659.	1,659.	1,759.	1,908.	2,374.	2,576.
		91"	42"	<b>RGBL911-()</b> ( )	1,444.	1,720.	1,720.	1,823.	1,980.	2,460.	2,674.
		97"	42"	<b>RGBL971-()</b> ( )	1,494.	1,782.	1,782.	1,890.	2,052.	2,551.	2,772.
	25"	43"	42"	<b>RGBL432-()</b> ( )	1,120.	1,335.	1,335.	1,420.	1,536.	1,917.	2,074.
		49"	42"	<b>RGBL492-()</b> ( )	1,171.	1,398.	1,398.	1,485.	1,610.	2,006.	2,173.
		55"	42"	<b>RGBL552-()</b> ( )	1,227.	1,463.	1,463.	1,554.	1,681.	2,098.	2,269.
		61"	42"	<b>RGBL612-()</b> ( )	1,278.	1,524.	1,524.	1,622.	1,754.	2,189.	2,368.
		67"	42"	<b>RGBL672-()</b> ( )	1,332.	1,586.	1,586.	1,686.	1,826.	2,277.	2,464.
		73"	42"	<b>RGBL732-()</b> ( )	1,386.	1,649.	1,649.	1,753.	1,898.	2,367.	2,563.
		79"	42"	<b>RGBL792-()</b> ( )	1,436.	1,713.	1,713.	1,817.	1,970.	2,452.	2,660.
		85"	42"	<b>RGBL852-()</b> ( )	1,490.	1,776.	1,776.	1,884.	2,042.	2,544.	2,757.
		91"	42"	<b>RGBL912-()</b> ( )	1,542.	1,841.	1,841.	1,950.	2,115.	2,632.	2,856.
		97"	42"	<b>RGBL972-()</b> ( )	1,597.	1,903.	1,903.	2,014.	2,189.	2,718.	2,956.
	31"	43"	42"	<b>RGBL433-()</b> ( )	1,194.	1,421.	1,421.	1,511.	1,635.	2,040.	2,209.
		49"	42"	<b>RGBL493-()</b> ( )	1,243.	1,483.	1,483.	1,574.	1,708.	2,125.	2,306.
		55"	42"	<b>RGBL553-()</b> ( )	1,294.	1,546.	1,546.	1,640.	1,777.	2,214.	2,398.
		61"	42"	<b>RGBL613-()</b> ( )	1,348.	1,608.	1,608.	1,706.	1,847.	2,302.	2,494.
		67"	42"	<b>RGBL673-()</b> ( )	1,399.	1,669.	1,669.	1,769.	1,915.	2,389.	2,585.
		73"	42"	<b>RGBL733-()</b> ( )	1,449.	1,729.	1,729.	1,836.	1,989.	2,480.	2,685.
		79"	42"	<b>RGBL793-()</b> ( )	1,502.	1,794.	1,794.	1,901.	2,060.	2,567.	2,781.
		85"	42"	<b>RGBL853-()</b> ( )	1,555.	1,852.	1,852.	1,962.	2,129.	2,648.	2,875.
		91"	42"	<b>RGBL913-()</b> ( )	1,607.	1,913.	1,913.	2,027.	2,202.	2,736.	2,973.
		97"	42"	<b>RGBL973-()</b> ( )	1,656.	1,977.	1,977.	2,091.	2,275.	2,823.	3,070.




Order Code	Specification Information	Application Notes
Example: <b>RGBL431NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type top	1 = V1
<b>B</b> 1 3/4" top thickness	3. Finish type components	2 = V2
<b>L</b> Left hand return	4. Finish, top	3 = V3
<b>43</b> 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
<b>1</b> 21" deep	<i>1. Grommet options:</i>	Mixed finish 1 3/4" tops are not post-formed.
<b>N</b> No grommet	N = No grommets	<b>Hardware included.</b>
<b>L</b> Finish type, top	F = Flush front grommet	1 3/4" tops require support at mid point to reduce spans to 66" or less.
<b>L</b> Finish type, components	<i>2. Finish type:</i>	Gallery desk surrounds are available with waterfall edge as a standard special.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		<b>All requests for special grommet locations must be approved through custom product development.</b>
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		<b>Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.</b>
		Applicable finishes are listed on page 5 and 6.

# Gallery desk surrounds

## gallery towers

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	36"	12"	46"	<b>RGTL4636</b> ( ) ( ) ( ) ( )	\$2,371.	\$2,928.	\$3,366.	\$4,544.



Gallery Tower, right hand	36"	12"	46"	<b>RGTR4636</b> ( ) ( ) ( ) ( )	2,371.	2,928.	3,366.	4,544.
---------------------------	-----	-----	-----	---------------------------------	--------	--------	--------	--------

### Order Code

Example:	<b>RGTL46362V319CL</b>
<b>R</b>	Reff
<b>GT</b>	Gallery Tower
<b>L</b>	Left hand
<b>46</b>	46" h
<b>36</b>	36" d
<b>2</b>	V2 finish type
<b>V319</b>	Medium Cherry
<b>C</b>	C-pull
<b>L</b>	Lock

### Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

3. *Pull options:*  
 D = Metal D-pull  
 J = Routed J-pull  
 C = Nickel finish C-pull (nickel finish only)  
 S = Stainless steel finish S-pull (stainless steel finish only)

**Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 3/8" desk height products.**

### Application Notes

Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .

Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d

Overall depth includes top overhang, accommodates 30" d worksurfaces


# Pedestals


## 26 1/2" high

### metal interiors


Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	<b>RCOUNTWT *</b>					\$93.

	Pedestal with box box file configuration	16"	19"	26 1/2"	<b>RP211J-( ) ( ) L</b>	1,066.	1,142.	1,313.	1,773.
		16"	23"	26 1/2"	<b>RP212J-( ) ( ) L</b>	1,114.	1,195.	1,375.	1,856.
		16"	29"	26 1/2"	<b>RP213J-( ) ( ) L</b>	1,162.	1,245.	1,433.	1,935.

	Pedestal with file file configuration	16"	19"	26 1/2"	<b>RP211K-( ) ( ) L</b>	994.	1,066.	1,226.	1,655.
		16"	23"	26 1/2"	<b>RP212K-( ) ( ) L</b>	1,066.	1,142.	1,313.	1,773.
		16"	29"	26 1/2"	<b>RP213K-( ) ( ) L</b>	1,134.	1,213.	1,397.	1,885.
		30"	19"	26 1/2"	<b>RP231K-( ) ( ) L</b>	1,136.	1,220.	1,402.	1,893.
		30"	23"	26 1/2"	<b>RP232K-( ) ( ) L</b>	1,198.	1,286.	1,476.	1,992.
		36"	19"	26 1/2"	<b>RP261K-( ) ( ) L</b>	1,212.	1,299.	1,495.	2,018.
		36"	23"	26 1/2"	<b>RP262K-( ) ( ) L</b>	1,271.	1,362.	1,567.	2,116.

\*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

	Pedestal with hinge door configuration, includes one shelf	16"	19"	26 1/2"	<b>RP211L(L/R)-( ) ( ) ( )</b>	872.	934.	1,075.	1,450.
		16"	23"	26 1/2"	<b>RP212L(L/R)-( ) ( ) ( )</b>	1,060.	1,134.	1,306.	1,763.
		16"	29"	26 1/2"	<b>RP213L(L/R)-( ) ( ) ( )</b>	1,212.	1,299.	1,495.	2,018.
		30"	19"	26 1/2"	<b>RP231L-( ) ( ) ( )</b>	1,128.	1,207.	1,388.	1,874.
		30"	23"	26 1/2"	<b>RP232L-( ) ( ) ( )</b>	1,317.	1,413.	1,624.	2,192.
		36"	19"	26 1/2"	<b>RP261L-( ) ( ) ( )</b>	1,429.	1,531.	1,762.	2,379.
		36"	23"	26 1/2"	<b>RP262L-( ) ( ) ( )</b>	1,670.	1,790.	2,059.	2,780.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
Metal interior means shelf is metal

Order Code	Specification Information	Application Notes
Example: <b>RP211JLMDL</b>	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
<b>R</b> Reff		D = Metal D-pull
<b>P</b> Pedestal	1. Hinge location, where applicable	J = Routed pull
<b>2</b> 26 1/2"H	2. Finish type	C = Nickel C-pull (nickel finish only)
<b>1</b> 16" wide	3. Interior option	S = S-pull (stainless steel finish only)
<b>1</b> 19" deep	4. Pull option	
<b>J</b> Box box file config.	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
<b>L</b> Laminate finish	6. Keying instructions	L = Drilled to accept lock
<b>M</b> Metal interior	7. Finish	N = No drilling
<b>D</b> Metal D-pull	<b>*After specifying product code, provide keying instructions.</b>	6. Refer to page 322 for keying instructions.
<b>L</b> Lock hole drilled	<i>1. Hinge location:</i>	Pencil tray to be ordered separately; see page 302.
	L = Left hand	
	R = Right hand	
	<i>2. Finish type:</i>	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

# Pedestals

## 26 1/2" high


### metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
 Pedestal with open configuration including shelf	16"	19"	26 1/2"	<b>RP211M-( ) ( ) N</b>	\$664.	\$713.	\$818.	\$1,104.	
	16"	23"	26 1/2"	<b>RP212M-( ) ( ) N</b>	772.	830.	954.	1,288.	
	16"	29"	26 1/2"	<b>RP213M-( ) ( ) N</b>	914.	979.	1,128.	1,523.	
	30"	19"	26 1/2"	<b>RP231M-( ) ( ) N</b>	770.	828.	951.	1,284.	
	30"	23"	26 1/2"	<b>RP232M-( ) ( ) N</b>	938.	1,007.	1,155.	1,560.	
	36"	19"	26 1/2"	<b>RP261M-( ) ( ) N</b>	985.	1,059.	1,217.	1,643.	
	36"	23"	26 1/2"	<b>RP262M-( ) ( ) N</b>	1,193.	1,279.	1,470.	1,984.	

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
Metal interior means metal shelf.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
 Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	<b>RM111J-( ) ( ) L</b>	1,066.	1,142.	1,313.	1,773.	
	16"	23"	21"	<b>RM112J-( ) ( ) L</b>	1,114.	1,195.	1,375.	1,856.	
	16"	23"	26 1/2"	<b>RM212J-( ) ( ) L</b>	1,496.	1,606.	1,844.	2,490.	
	16"	23"	26 1/2"	<b>RM212K-( ) ( ) L</b>	1,496.	1,606.	1,844.	2,490.	

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
 Pedestal backs	16"	1"	26 1/2"	<b>RPAB16-( )</b>	114.	118.	137.	0.	
	30"	1"	26 1/2"	<b>RPAB30-( )</b>	228.	234.	268.	0.	
	36"	1"	26 1/2"	<b>RPAB36-( )</b>	269.	278.	320.	0.	

pedestal backs for pedestals with metal or wood interiors.

Order Code	Specification Information	Application Notes
Example: <b>RP211JLMDL</b> <b>R</b> Reff <b>P</b> Pedestal <b>2</b> 26 1/2"H <b>1</b> 16" wide <b>1</b> 19" deep <b>J</b> Box box file config. <b>L</b> Laminate finish <b>M</b> Metal interior <b>D</b> Metal D-pull <b>L</b> Lock hole drilled	To order please specify pattern number including: 1. Hinge location, where applicable 2. Finish type 3. Interior option 4. Pull option 5. Lock option, applicable hinged doors only 6. Keying instructions 7. Finish <b>*After specifying product code, provide keying instructions.</b> 1. <i>Hinge location:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. <i>Lock options:</i> L = Drilled to accept lock N = No drilling 6. Refer to page 322 for keying instructions. Pencil tray to be ordered separately; see page 302. Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.


# Pedestals


## 26 1/2" high

### wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	<b>RCOUNTWT *</b>					\$93.

	Pedestal with box box file configuration	16"	19"	26 1/2"	<b>RP211J-( ) ( ) L</b>	1,131.	1,210.	1,394.	1,881.
		16"	23"	26 1/2"	<b>RP212J-( ) ( ) L</b>	1,259.	1,350.	1,552.	2,096.
		16"	29"	26 1/2"	<b>RP213J-( ) ( ) L</b>	1,371.	1,470.	1,691.	2,282.

	Pedestal with file file configuration	16"	19"	26 1/2"	<b>RP211K-( ) ( ) L</b>	1,053.	1,129.	1,296.	1,750.
		16"	23"	26 1/2"	<b>RP212K-( ) ( ) L</b>	1,242.	1,331.	1,528.	2,062.
		16"	29"	26 1/2"	<b>RP213K-( ) ( ) L</b>	1,354.	1,453.	1,670.	2,255.
		30"	19"	26 1/2"	<b>RP231K-( ) ( ) L</b>	1,361.	1,459.	1,678.	2,264.
		30"	23"	26 1/2"	<b>RP232K-( ) ( ) L</b>	1,601.	1,714.	1,967.	2,656.
		36"	19"	26 1/2"	<b>RP261K-( ) ( ) L</b>	1,683.	1,803.	2,075.	2,800.
		36"	23"	26 1/2"	<b>RP262K-( ) ( ) L</b>	1,961.	2,103.	2,418.	3,264.

\*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

	Pedestal with hinge door configuration, includes one shelf	16"	19"	26 1/2"	<b>RP211L(L/R)-( ) ( ) ( )</b>	954.	1,021.	1,178.	1,592.
		16"	23"	26 1/2"	<b>RP212L(L/R)-( ) ( ) ( )</b>	1,146.	1,229.	1,412.	1,906.
		16"	29"	26 1/2"	<b>RP213L(L/R)-( ) ( ) ( )</b>	1,297.	1,390.	1,597.	2,156.
		30"	19"	26 1/2"	<b>RP231L-( ) ( ) ( )</b>	1,209.	1,296.	1,493.	2,015.
		30"	23"	26 1/2"	<b>RP232L-( ) ( ) ( )</b>	1,401.	1,506.	1,731.	2,336.
		36"	19"	26 1/2"	<b>RP261L-( ) ( ) ( )</b>	1,512.	1,620.	1,864.	2,515.
		36"	23"	26 1/2"	<b>RP262L-( ) ( ) ( )</b>	1,754.	1,880.	2,161.	2,917.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: <b>RP211JLWDL</b>	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	D = Metal D-pull
<b>P</b> Pedestal	2. Finish type	J = Routed pull
<b>2</b> 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
<b>1</b> 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
<b>1</b> 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
<b>J</b> Box box file config.	6. Keying instructions	L = Drilled to accept lock
<b>L</b> Laminate finish	7. Finish	N = No drilling
<b>W</b> Wood interior	<b>*After specifying product code, provide keying instructions.</b>	6. Refer to page 322 for keying instructions.
<b>D</b> Metal D-pull	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
<b>L</b> Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.




# Pedestals

## 26 1/2" high


### wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
 Pedestal with open configuration including shelf	16"	19"	26 1/2"	<b>RP211M-( ) ( ) (N)</b>	\$747.	\$798.	\$918.	\$1,238.	
	16"	23"	26 1/2"	<b>RP212M-( ) ( ) (N)</b>	860.	922.	1,061.	1,431.	
	16"	29"	26 1/2"	<b>RP213M-( ) ( ) (N)</b>	999.	1,069.	1,231.	1,663.	
	30"	19"	26 1/2"	<b>RP231M-( ) ( ) (N)</b>	858.	917.	1,054.	1,423.	
	30"	23"	26 1/2"	<b>RP232M-( ) ( ) (N)</b>	1,020.	1,094.	1,259.	1,698.	
	36"	19"	26 1/2"	<b>RP261M-( ) ( ) (N)</b>	1,069.	1,149.	1,322.	1,784.	
	36"	23"	26 1/2"	<b>RP262M-( ) ( ) (N)</b>	1,278.	1,366.	1,572.	2,122.	

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

 Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	<b>RM111J-( ) ( ) (L)</b>	1,261.	1,353.	1,557.	2,101.	
	16"	23"	21"	<b>RM112J-( ) ( ) (L)</b>	1,331.	1,426.	1,640.	2,214.	
	16"	23"	26 1/2"	<b>RM212J-( ) ( ) (L)</b>	1,801.	1,930.	2,219.	2,996.	
	16"	23"	26 1/2"	<b>RM212K-( ) ( ) (L)</b>	1,801.	1,930.	2,219.	2,996.	

 Pedestal backs	16"	1"	26 1/2"	<b>RPAB16-( )</b>	114.	118.	137.	0.	
	30"	1"	26 1/2"	<b>RPAB30-( )</b>	228.	234.	268.	0.	
	36"	1"	26 1/2"	<b>RPAB36-( )</b>	269.	278.	320.	0.	

pedestal backs for pedestals with metal or wood interiors.

Order Code	Specification Information	Application Notes
Example: <b>RP211JLWDL</b>	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	D = Metal D-pull
<b>P</b> Pedestal	2. Finish type	J = Routed pull
<b>2</b> 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
<b>1</b> 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
<b>1</b> 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
<b>J</b> Box box file config.	6. Keying instructions	L = Drilled to accept lock
<b>L</b> Laminate finish	7. Finish	N = No drilling
<b>W</b> Wood interior	<b>*After specifying product code, provide keying instructions.</b>	6. Refer to page 322 for keying instructions.
<b>D</b> Metal D-pull	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
<b>L</b> Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

# Pedestals


with wood backs, 26 1/2" height  
metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration 	16"	20"	26 1/2"	<b>RPB211J</b> ( ) ( ) ( ) <b>L</b>	\$1,188.	\$1,273.	\$1,468.	\$1,981.
	16"	24"	26 1/2"	<b>RPB212J</b> ( ) ( ) ( ) <b>L</b>	1,236.	1,326.	1,527.	2,060.
	16"	30"	26 1/2"	<b>RPB213J</b> ( ) ( ) ( ) <b>L</b>	1,285.	1,378.	1,586.	2,143.

Pedestal with file file configuration 	16"	20"	26 1/2"	<b>RPB211K</b> ( ) ( ) ( ) <b>L</b>	1,117.	1,197.	1,379.	1,863.
	16"	24"	26 1/2"	<b>RPB212K</b> ( ) ( ) ( ) <b>L</b>	1,188.	1,273.	1,468.	1,981.
	16"	30"	26 1/2"	<b>RPB213K</b> ( ) ( ) ( ) <b>L</b>	1,259.	1,347.	1,550.	2,093.
	30"	20"	26 1/2"	<b>RPB231K</b> ( ) ( ) ( ) <b>L</b>	1,382.	1,483.	1,702.	2,298.
	30"	24"	26 1/2"	<b>RPB232K</b> ( ) ( ) ( ) <b>L</b>	1,443.	1,548.	1,775.	2,396.
	36"	20"	26 1/2"	<b>RPB261K</b> ( ) ( ) ( ) <b>L</b>	1,501.	1,613.	1,852.	2,501.
	36"	24"	26 1/2"	<b>RPB262K</b> ( ) ( ) ( ) <b>L</b>	1,563.	1,675.	1,925.	2,598.

\*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	<b>RPB211L</b> (L/R)( ) ( ) ( )	996.	1,065.	1,229.	1,660.
	16"	24"	26 1/2"	<b>RPB212L</b> (L/R)( ) ( ) ( )	1,185.	1,268.	1,459.	1,968.
	16"	30"	26 1/2"	<b>RPB213L</b> (L/R)( ) ( ) ( )	1,336.	1,431.	1,649.	2,227.
	30"	20"	26 1/2"	<b>RPB231L</b> ( ) ( ) ( )	1,373.	1,470.	1,689.	2,280.
	30"	24"	26 1/2"	<b>RPB232L</b> ( ) ( ) ( )	1,563.	1,675.	1,924.	2,597.
	36"	20"	26 1/2"	<b>RPB261L</b> ( ) ( ) ( )	1,718.	1,842.	2,118.	2,860.
	36"	24"	26 1/2"	<b>RPB262L</b> ( ) ( ) ( )	1,960.	2,102.	2,417.	3,263.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: <b>RPB11JLMDL</b>	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	D = Metal D-pull
<b>PB</b> Pedestal with back	2. Finish type	J = Routed pull
<b>2</b> 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
<b>1</b> 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
<b>1</b> 20" deep	5. Lock option, applicable hinged doors only	
<b>J</b> Box box file config.	6. Keying instructions	<i>5. Lock options:</i>
<b>L</b> Laminate finish	7. Finish	L = Drilled to accept lock
<b>M</b> Metal interior	<b>*After specifying product code, provide keying instructions.</b>	N = No drilling
<b>D</b> Metal D-pull	<i>1. Hinge location:</i>	6. Refer to page 322 for keying instructions.
<b>L</b> Lock hole drilled	L = Left hand	Pencil tray to be ordered separately; see page 302.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals  
with wood backs, 26 1/2" height  
metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with open configuration including shelf	16"	20"	26 1/2"	<b>RPB211M</b> ( ) ( ) <b>N</b>	\$788.	\$841.	\$971.	\$1,312.
	16"	24"	26 1/2"	<b>RPB212M</b> ( ) ( ) <b>N</b>	900.	961.	1,108.	1,496.
	16"	30"	26 1/2"	<b>RPB213M</b> ( ) ( ) <b>N</b>	1,036.	1,111.	1,279.	1,727.
	30"	20"	26 1/2"	<b>RPB231M</b> ( ) ( ) <b>N</b>	1,017.	1,091.	1,253.	1,692.
	30"	24"	26 1/2"	<b>RPB232M</b> ( ) ( ) <b>N</b>	1,183.	1,268.	1,454.	1,964.
	36"	20"	26 1/2"	<b>RPB261M</b> ( ) ( ) <b>N</b>	1,279.	1,369.	1,575.	2,126.
	36"	24"	26 1/2"	<b>RPB262M</b> ( ) ( ) <b>N</b>	1,484.	1,591.	1,828.	2,467.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: <b>RPB11JLMDL</b> <b>R</b> Reff <b>PB</b> Pedestal with back <b>2</b> 26 1/2"H <b>1</b> 16" wide <b>1</b> 20" deep <b>J</b> Box box file config. <b>L</b> Laminate finish <b>M</b> Metal interior <b>D</b> Metal D-pull <b>L</b> Lock hole drilled	<i>To order please specify pattern number including:</i> 1. Hinge location, where applicable 2. Finish type 3. Interior option 4. Pull option 5. Lock option, applicable hinged doors only 6. Keying instructions 7. Finish <b>*After specifying product code, provide keying instructions.</b> 1. <i>Hinge location:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. <i>Lock options:</i> L = Drilled to accept lock N = No drilling 6. Refer to page 322 for keying instructions. Pencil tray to be ordered separately; see page 302.
Applicable finishes are listed on page 5 and 6. Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	<b>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</b> Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Random locks are factory installed. Keyalike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	


Cabinetry

# Pedestals


with wood backs, 26 1/2" height  
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with box box file configuration	16"	20"	26 1/2"	<b>RPB211J</b> ( ) ( ) <b>L</b>	\$1,257.	\$1,344.	\$1,547.	\$2,089.
	16"	24"	26 1/2"	<b>RPB212J</b> ( ) ( ) <b>L</b>	1,381.	1,482.	1,707.	2,305.
	16"	30"	26 1/2"	<b>RPB213J</b> ( ) ( ) <b>L</b>	1,495.	1,601.	1,842.	2,487.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with file file configuration	16"	20"	26 1/2"	<b>RPB211K</b> ( ) ( ) <b>L</b>	1,175.	1,259.	1,449.	1,957.
	16"	24"	26 1/2"	<b>RPB212K</b> ( ) ( ) <b>L</b>	1,364.	1,462.	1,683.	2,273.
	16"	30"	26 1/2"	<b>RPB213K</b> ( ) ( ) <b>L</b>	1,479.	1,584.	1,825.	2,463.
	30"	20"	26 1/2"	<b>RPB231K</b> ( ) ( ) <b>L</b>	1,607.	1,723.	1,980.	2,674.
	30"	24"	26 1/2"	<b>RPB232K</b> ( ) ( ) <b>L</b>	1,790.	1,979.	2,269.	3,063.
	36"	20"	26 1/2"	<b>RPB261K</b> ( ) ( ) <b>L</b>	1,975.	2,116.	2,433.	3,286.
	36"	24"	26 1/2"	<b>RPB262K</b> ( ) ( ) <b>L</b>	2,254.	2,417.	2,778.	3,751.

\*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with hinge door configuration, includes one shelf	16"	20"	26 1/2"	<b>RPB211L</b> (L/R)( ) ( ) ( )	1,079.	1,155.	1,331.	1,797.
	16"	24"	26 1/2"	<b>RPB212L</b> (L/R)( ) ( ) ( )	1,268.	1,358.	1,564.	2,111.
	16"	30"	26 1/2"	<b>RPB213L</b> (L/R)( ) ( ) ( )	1,420.	1,520.	1,749.	2,361.
	30"	20"	26 1/2"	<b>RPB231L</b> ( ) ( ) ( )	1,454.	1,558.	1,795.	2,423.
	30"	24"	26 1/2"	<b>RPB232L</b> ( ) ( ) ( )	1,646.	1,766.	2,029.	2,739.
	36"	20"	26 1/2"	<b>RPB261L</b> ( ) ( ) ( )	1,803.	1,932.	2,219.	2,996.
	36"	24"	26 1/2"	<b>RPB262L</b> ( ) ( ) ( )	2,046.	2,191.	2,520.	3,402.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: <b>RPB11JLWDL</b>	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	D = Metal D-pull
<b>PB</b> Pedestal with back	2. Finish type	J = Routed pull
<b>2</b> 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
<b>1</b> 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
<b>1</b> 20" deep	5. Lock option, applicable hinged doors only	
<b>J</b> Box box file config.	6. Keying instructions	<i>5. Lock options:</i>
<b>L</b> Laminate finish	7. Finish	L = Drilled to accept lock
<b>W</b> Wood interior	<b>*After specifying product code, provide keying instructions.</b>	N = No drilling
<b>D</b> Metal D-pull		6. Refer to page 322 for keying instructions.
<b>L</b> Lock hole drilled		Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

*1. Hinge location:*  
L = Left hand  
R = Right hand


*2. Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

*3. Interior options:*  
W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

Pedestals  
with wood backs, 26 1/2" height  
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf	16"	20"	26 1/2"	<b>RPB211M</b> ( ) ( ) (N)	\$870.	\$931.	\$1,074.	\$1,449.
	16"	24"	26 1/2"	<b>RPB212M</b> ( ) ( ) (N)	982.	1,053.	1,213.	1,637.
	16"	30"	26 1/2"	<b>RPB213M</b> ( ) ( ) (N)	1,122.	1,199.	1,383.	1,868.
	30"	20"	26 1/2"	<b>RPB231M</b> ( ) ( ) (N)	1,101.	1,179.	1,354.	1,829.
	30"	24"	26 1/2"	<b>RPB232M</b> ( ) ( ) (N)	1,267.	1,357.	1,558.	2,102.
	36"	20"	26 1/2"	<b>RPB261M</b> ( ) ( ) (N)	1,361.	1,461.	1,678.	2,264.
	36"	24"	26 1/2"	<b>RPB262M</b> ( ) ( ) (N)	1,567.	1,678.	1,929.	2,603.



Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: <b>RPB11JLWDL</b>	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	D = Metal D-pull
<b>PB</b> Pedestal with back	2. Finish type	J = Routed pull
<b>2</b> 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
<b>1</b> 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
<b>1</b> 20" deep	5. Lock option, applicable hinged doors only	
<b>J</b> Box box file config.	6. Keying instructions	<i>5. Lock options:</i>
<b>L</b> Laminate finish	7. Finish	L = Drilled to accept lock
<b>W</b> Wood interior	<b>*After specifying product code, provide keying instructions.</b>	N = No drilling
<b>D</b> Metal D-pull		6. Refer to page 322 for keying instructions.
<b>L</b> Lock hole drilled		Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

*1. Hinge location:*  
L = Left hand  
R = Right hand

*2. Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

*3. Interior options:*  
W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.


Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

# Pedestals, “desk height” 28<sup>3</sup>/<sub>8</sub>” high metal interiors

Reff


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP161J ( ) ( ) L ( )	\$1,117.	\$1,197.	\$1,379.	\$1,863.	
	16"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP162J ( ) ( ) L ( )	1,170.	1,255.	1,445.	1,951.	
	16"	29"	28 <sup>3</sup> / <sub>8</sub> "	RP163J ( ) ( ) L ( )	1,220.	1,308.	1,507.	2,034.	
 Pedestal, (desk height) file/file configuration	16"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP161K ( ) ( ) L ( )	1,043.	1,119.	1,287.	1,739.	
	16"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP162K ( ) ( ) L ( )	1,117.	1,197.	1,379.	1,863.	
	16"	29"	28 <sup>3</sup> / <sub>8</sub> "	RP163K ( ) ( ) L ( )	1,192.	1,274.	1,468.	1,981.	
	30"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP301K ( ) ( ) L ( )	1,194.	1,281.	1,471.	1,985.	
	30"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP302K ( ) ( ) L ( )	1,259.	1,349.	1,550.	2,093.	
	36"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP361K ( ) ( ) L ( )	1,271.	1,366.	1,570.	2,121.	
	36"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP362K ( ) ( ) L ( )	1,336.	1,430.	1,646.	2,223.	

All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required

Order Code	Specification Information	Application Notes
Example: <b>RP161J(L)(M)(J)L(118)</b> <b>R</b> Reff <b>P</b> Pedestal <b>16</b> 16" wide ( <i>nominal</i> ) <b>1</b> 19" deep ( <i>nominal</i> ) <b>J</b> Box/Box/File configuration <b>L</b> Finish type, laminate <b>M</b> Interior option, metal <b>J</b> Pull option, J <b>L</b> Lock hole drilled <b>118</b> Finish, bright white	To order please specify pattern number including: 1. <i>Hinge location, were applicable</i> L = left hand R = right hand 2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) 4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling 6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i>  Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.  <b>Keying instructions must accompany all orders, refer to page 322. Pedestals do not come with lock included.</b> Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.  Pencil tray to be ordered separately; see page 302.  Finished back must be ordered separately to achieve full depth without a modesty.
		<b>Products on this page are 28-3/8" high.</b> 28 <sup>3</sup> / <sub>8</sub> "h “desk height” products should not be mixed with 26 <sup>1</sup> / <sub>2</sub> "h components. 28 <sup>3</sup> / <sub>8</sub> "h components when used with 1 <sup>1</sup> / <sub>4</sub> " worksurfaces achieve overall desk height of 29 <sup>3</sup> / <sub>8</sub> "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.  File drawers include file bars for front to back and side to side filing.  File drawers support bottom loading.  Applicable finishes are listed on page 5 and 6.

# Pedestals, “desk height” 28<sup>3</sup>/<sub>8</sub>” high metal interiors

Reff


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP161M</b> ( ) ( ) ( <b>N</b> )	\$695.	\$749.	\$859.	\$1,159.	
	16"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP162M</b> ( ) ( ) ( <b>N</b> )	813.	871.	1,002.	1,352.	
	16"	29"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP163M</b> ( ) ( ) ( <b>N</b> )	958.	1,028.	1,183.	1,598.	
	30"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP301M</b> ( ) ( ) ( <b>N</b> )	810.	869.	999.	1,348.	
	30"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP302M</b> ( ) ( ) ( <b>N</b> )	984.	1,055.	1,213.	1,637.	
	36"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP361M</b> ( ) ( ) ( <b>N</b> )	1,035.	1,112.	1,276.	1,722.	
	36"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP362M</b> ( ) ( ) ( <b>N</b> )	1,253.	1,344.	1,545.	2,085.	

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.  
Metal interior means shelf metal.


Order Code	Specification Information	Application Notes
Example: <b>RP161J(L)(M)(J)L(118)</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff		
<b>P</b> Pedestal		
<b>16</b> 16" wide ( <i>nominal</i> )	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	
<b>1</b> 19" deep ( <i>nominal</i> )	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>J</b> Box/Box/File configuration	3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
<b>L</b> Finish type, laminate	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>M</b> Interior option, metal		
<b>J</b> Pull option, J		
<b>L</b> Lock hole drilled		
<b>118</b> Finish, bright white		
	5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	<b>Products on this page are 28-3/8" high.</b> 28 <sup>3</sup> / <sub>8</sub> "h “desk height” products should not be mixed with 26 1/2" h components. 28 <sup>3</sup> / <sub>8</sub> "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.
	6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i>	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	File drawers include file bars for front to back and side to side filing.
	<b>Keying instructions must accompany all orders, refer to page 322. Pedestals do not come with lock included.</b> Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	File drawers support bottom loading.
	Pencil tray to be ordered separately; see page 302.	Applicable finishes are listed on page 5 and 6.
	Finished back must be ordered separately to achieve full depth without a modesty.	

# Pedestals, “desk height” 28<sup>3</sup>/<sub>8</sub>” high metal interiors

Reff

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP161L(L/R) ( ) ( ) ( ) ( )	\$916.	\$980.	\$1,129.	\$1,524.	
	16"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP162L(L/R) ( ) ( ) ( ) ( )	1,112.	1,193.	1,370.	1,850.	
	16"	29"	28 <sup>3</sup> / <sub>8</sub> "	RP163L(L/R) ( ) ( ) ( ) ( )	1,271.	1,366.	1,570.	2,121.	
	30"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP301L ( ) ( ) ( ) ( )	1,183.	1,268.	1,458.	1,967.	
	30"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP302L ( ) ( ) ( ) ( )	1,382.	1,484.	1,703.	2,300.	
	36"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP361L ( ) ( ) ( ) ( )	1,499.	1,607.	1,849.	2,497.	
	36"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP362L ( ) ( ) ( ) ( )	1,752.	1,880.	2,162.	2,919.	

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.  
Metal interior means shelf metal.

Pedestal, (desk height) finished back 	w	d	h	pattern no.	metal	metal	metal	metal
	16"	1"	28 <sup>3</sup> / <sub>8</sub> "	RPDHB16 ( ) ( )	121.	123.	143.	193.
	30"	1"	28 <sup>3</sup> / <sub>8</sub> "	RPDHB30 ( ) ( )	239.	247.	282.	381.
	36"	1"	28 <sup>3</sup> / <sub>8</sub> "	RPDHB36 ( ) ( )	284.	293.	336.	454.

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: <b>RP161J(L)(M)(J)L(118)</b>	<i>To order please specify pattern number including:</i>	<p><b>Products on this page are 28-3/8" high.</b> 28<sup>3</sup>/<sub>8</sub>"h “desk height” products should not be mixed with 26<sup>1</sup>/<sub>2</sub>"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1<sup>1</sup>/<sub>4</sub>" worksurfaces achieve overall desk height of 29<sup>3</sup>/<sub>8</sub>"h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>R</b> Reff	1. <i>Hinge location, where applicable</i> L = left hand R = right hand	
<b>P</b> Pedestal	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>16</b> 16" wide (nominal)	3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
<b>1</b> 19" deep (nominal)	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>J</b> Box/Box/File configuration	5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	
<b>L</b> Finish type, laminate	6. <i>Cabinet finish</i>	
<b>M</b> Interior option, metal	7. <i>Optional pull finish where applicable</i>	
<b>J</b> Pull option, J	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
<b>L</b> Lock hole drilled	<b>Keying instructions must accompany all orders, refer to page 322. Pedestals do not come with lock included.</b> Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	
<b>118</b> Finish, bright white	Pencil tray to be ordered separately; see page 302.	
	Finished back must be ordered separately to achieve full depth without a modesty.	



# Pedestals, “desk height” 28<sup>3</sup>/<sub>8</sub>” high metal interiors


Reff


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Metal box divider, for desk height products 				<b>RDHMBD</b>					\$27.
					for 16”w desk height metal box drawer				
Metal file drawer divider, for desk height products 				<b>RDHMFD</b>					27.
					for 16”w desk height metal file drawer				
Metal lateral drawer divider, for desk height products				<b>RDHMLD</b>					21.
					for 20” and 24” deep metal lateral drawers				

Order Code	Specification Information	Application Notes
Example: <b>RP161J(L)(M)(J)L(118)</b>	<i>To order please specify pattern number including:</i>	<p><b>Products on this page are 28-3/8” high.</b> 28<sup>3</sup>/<sub>8</sub>”h “desk height” products should not be mixed with 26<sup>1</sup>/<sub>2</sub>”h components. 28<sup>3</sup>/<sub>8</sub>”h components when used with 1<sup>1</sup>/<sub>4</sub>” worksurfaces achieve overall desk height of 29<sup>3</sup>/<sub>8</sub>”h. 28-3/8” “desk height” products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>R</b> Reff		
<b>P</b> Pedestal		
<b>16</b> 16” wide ( <i>nominal</i> )		
<b>1</b> 19” deep ( <i>nominal</i> )		
<b>J</b> Box/Box/File configuration		
<b>L</b> Finish type, laminate		
<b>M</b> Interior option, metal		
<b>J</b> Pull option, J		
<b>L</b> Lock hole drilled		
<b>118</b> Finish, bright white		
	<p>1. <i>Hinge location, were applicable</i> L = left hand R = right hand</p> <p>2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p>4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling</p> <p>6. <i>Cabinet finish</i></p> <p>7. <i>Optional pull finish where applicable</i></p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p><b>Keying instructions must accompany all orders, refer to page 322. Pedestals do not come with lock included.</b> Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p> <p>Pencil tray to be ordered separately; see page 302.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty.</p>	


# Pedestals, “desk height” 28<sup>3</sup>/<sub>8</sub>” high wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP161J</b> ( ) ( ) (L) ( )	\$1,188.	\$1,271.	\$1,462.	\$1,973.
	16"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP162J</b> ( ) ( ) (L) ( )	1,321.	1,418.	1,631.	2,202.
	16"	29"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP163J</b> ( ) ( ) (L) ( )	1,439.	1,545.	1,774.	2,394.

 Pedestal, (desk height) file/file configuration	16"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP161K</b> ( ) ( ) (L) ( )	1,107.	1,185.	1,362.	1,839.
	16"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP162K</b> ( ) ( ) (L) ( )	1,303.	1,397.	1,606.	2,167.
	16"	29"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP163K</b> ( ) ( ) (L) ( )	1,421.	1,526.	1,754.	2,368.
	30"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP301K</b> ( ) ( ) (L) ( )	1,430.	1,532.	1,763.	2,380.
	30"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP302K</b> ( ) ( ) (L) ( )	1,679.	1,801.	2,066.	2,789.
	36"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP361K</b> ( ) ( ) (L) ( )	1,766.	1,892.	2,179.	2,942.
	36"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP362K</b> ( ) ( ) (L) ( )	2,059.	2,210.	2,540.	3,428.

All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required


 Pedestal, (desk height) open shelf configuration adjustable shelf	16"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP161M</b> ( ) ( ) (J) ( ) (N)	787.	838.	966.	1,304.
	16"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP162M</b> ( ) ( ) (J) ( ) (N)	902.	969.	1,115.	1,506.
	16"	29"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP163M</b> ( ) ( ) (J) ( ) (N)	1,048.	1,121.	1,294.	1,747.
	30"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP301M</b> ( ) ( ) (J) ( ) (N)	900.	964.	1,107.	1,494.
	30"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP302M</b> ( ) ( ) (J) ( ) (N)	1,072.	1,150.	1,324.	1,785.
	36"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP361M</b> ( ) ( ) (J) ( ) (N)	1,122.	1,207.	1,386.	1,873.
	36"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>RP362M</b> ( ) ( ) (J) ( ) (N)	1,341.	1,433.	1,650.	2,228.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.


Order Code	Specification Information	Application Notes
Example: <b>RP161J(L)(W)(J)L(118)</b> <b>R</b> Reff <b>P</b> Pedestal <b>16</b> 16" wide (nominal) <b>1</b> 19" deep (nominal) <b>J</b> Box/Box/File configuration <b>L</b> Finish type, laminate <b>W</b> Interior option, wood <b>J</b> Pull option, J <b>L</b> Lock hole drilled <b>118</b> Finish, bright white	To order please specify pattern number including: 1. <i>Hinge location, were applicable</i> L = left hand R = right hand 2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior option</i> W = wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer) 4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling 6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i>	<p><b>Products on this page are 28-3/8" high.</b> 28<sup>3</sup>/<sub>8</sub>"h “desk height” products should not be mixed with 26<sup>1</sup>/<sub>2</sub>"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1<sup>1</sup>/<sub>4</sub>" worksurfaces achieve overall desk height of 29<sup>3</sup>/<sub>8</sub>"h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p><b>Keying instructions must accompany all orders, refer to page 322. Pedestals do not come with lock included.</b> Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p> <p>Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty.</p>

# Pedestals, “desk height” 28<sup>3</sup>/<sub>8</sub>” high wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP161L(L/R) ( ) ( ) ( ) ( )	\$1,002.	\$1,074.	\$1,235.	\$1,668.
	16"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP162L(L/R) ( ) ( ) ( ) ( )	1,203.	1,288.	1,483.	2,002.
	16"	29"	28 <sup>3</sup> / <sub>8</sub> "	RP163L(L/R) ( ) ( ) ( ) ( )	1,362.	1,459.	1,676.	2,262.
	30"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP301L ( ) ( ) ( ) ( )	1,268.	1,362.	1,567.	2,116.
	30"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP302L ( ) ( ) ( ) ( )	1,471.	1,580.	1,815.	2,450.
	36"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP361L ( ) ( ) ( ) ( )	1,589.	1,701.	1,955.	2,639.
	36"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP362L ( ) ( ) ( ) ( )	1,842.	1,974.	2,268.	3,061.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.


Pedestal, (desk height) finished back 	16"	1"	28 <sup>3</sup> / <sub>8</sub> "	RPDHB16 ( ) ( )	121.	123.	143.	193.
	30"	1"	28 <sup>3</sup> / <sub>8</sub> "	RPDHB30 ( ) ( )	239.	247.	282.	381.
	36"	1"	28 <sup>3</sup> / <sub>8</sub> "	RPDHB36 ( ) ( )	284.	293.	336.	454.

pedestal backs for pedestals with metal or wood interiors


Order Code	Specification Information	Application Notes
Example: <b>RP161J(L)(W)(J)L(118)</b> <b>R</b> Reff <b>P</b> Pedestal <b>16</b> 16" wide (nominal) <b>1</b> 19" deep (nominal) <b>J</b> Box/Box/File configuration <b>L</b> Finish type, laminate <b>W</b> Interior option, wood <b>J</b> Pull option, J <b>L</b> Lock hole drilled <b>118</b> Finish, bright white	To order please specify pattern number including: 1. Hinge location, were applicable L = left hand R = right hand 2. Finish type L = laminate 1 = V1 2 = V2 3 = V3 3. Interior option W = wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer) 4. Pull option D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. Lock option Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	6. Cabinet finish 7. Optional pull finish where applicable  Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.  <b>Keying instructions must accompany all orders, refer to page 322. Pedestals do not come with lock included.</b> Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.  Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.  Finished back must be ordered separately to achieve full depth without a modesty.
		<b>Products on this page are 28-3/8" high.</b> 28 <sup>3</sup> / <sub>8</sub> "h “desk height” products should not be mixed with 26 <sup>1</sup> / <sub>2</sub> "h components. 28 <sup>3</sup> / <sub>8</sub> "h components when used with 1 <sup>1</sup> / <sub>4</sub> " worksurfaces achieve overall desk height of 29 <sup>3</sup> / <sub>8</sub> "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.  File drawers include file bars for front to back and side to side filing.  File drawers support bottom loading.  Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)  
49" high  
metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	<b>RC431B-()</b> ( )	\$1,115.	\$1,461.	\$1,683.	\$2,273.
	30"	20"	49"	<b>RC432B-()</b> ( )	1,258.	1,650.	1,896.	2,560.
	30"	24"	49"	<b>RC433B-()</b> ( )	1,420.	1,859.	2,139.	2,887.
	36"	15"	49"	<b>RC461B-()</b> ( )	1,237.	1,624.	1,867.	2,520.
	36"	20"	49"	<b>RC462B-()</b> ( )	1,397.	1,831.	2,106.	2,843.
	36"	24"	49"	<b>RC463B-()</b> ( )	1,571.	2,063.	2,371.	3,200.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	<b>RC412C(L/R)-()</b> ( ) ( )	1,123.	1,471.	1,693.	2,285.
	16"	24"	49"	<b>RC413C(L/R)-()</b> ( ) ( )	1,235.	1,616.	1,860.	2,511.
	30"	20"	49"	<b>RC432C-()</b> ( ) ( )	1,644.	2,156.	2,480.	3,347.
	30"	24"	49"	<b>RC433C-()</b> ( ) ( )	1,819.	2,384.	2,743.	3,703.
	36"	20"	49"	<b>RC462C-()</b> ( ) ( )	1,822.	2,390.	2,748.	3,710.
	36"	24"	49"	<b>RC463C-()</b> ( ) ( )	2,009.	2,641.	3,036.	4,098.


Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes
Example: <b>RC412CLLMDL</b> <b>R</b> Reff <b>C</b> Cabinets <b>4</b> 49" high <b>1</b> 16" wide <b>2</b> 20" deep <b>C</b> Cabinet with hinge doors <b>L</b> Left hand hinge location <b>L</b> Laminate finish type <b>M</b> Metal interior option <b>D</b> Metal D-pull <b>L</b> Lock hole drilled	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Hinge location, where applicable</li> <li>Finish type</li> <li>Interior option</li> <li>Pull option</li> <li>Lock option, where applicable</li> <li>Finish, cabinet</li> <li>Finish, pull when applicable</li> <li>Keying instructions</li> </ol> <p><b>*After specifying product code, provide keying instructions.</b></p> <p><i>1. Hinge location:</i> L = Left hand R = Right hand</p> <p><i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p><i>3. Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p><i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p><i>5. Lock options:</i> L = Lock hole drilled N = No drilling</p> <p>8. Refer to page 322 for keying instructions.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>	<p>Specify finish of metal shelves to match laminate.</p> <p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Cabinets (use with 26 1/2" h support components)  
 49" high  
 metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	<b>RC432F-()()L</b>	\$1,916.	\$2,511.	\$2,890.	\$3,902.
	30"	24"	49"	<b>RC433F-()()L</b>	2,114.	2,772.	3,187.	4,303.
	36"	20"	49"	<b>RC462F-()()L</b>	2,430.	3,184.	3,661.	4,942.
	36"	24"	49"	<b>RC463F-()()L</b>	2,682.	3,518.	4,046.	5,462.



interior height clearance top drawer 10", all others 10 3/4"

**Order Code**

Example:	<b>RC412CLLMDL</b>
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>1</b>	16" wide
<b>2</b>	20" deep
<b>C</b>	Cabinet with hinge doors
<b>L</b>	Left hand hinge location
<b>L</b>	Laminate finish type
<b>M</b>	Metal interior option
<b>D</b>	Metal D-pull
<b>L</b>	Lock hole drilled

**Specification Information**

*To order please specify pattern number including:*

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

**\*After specifying product code, provide keying instructions.**

*1. Hinge location:*  
 L = Left hand  
 R = Right hand

*2. Finish type:*  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3

*3. Interior options:*  
 M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

*4. Pull options:*  
 D = Metal D-pull  
 J = Routed pull  
 C = Nickel C-pull (nickel finish only)  
 S = S-pull (stainless steel finish only)

*5. Lock options:*  
 L = Lock hole drilled  
 N = No drilling

8. Refer to page 322 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.  
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

**Application Notes**

Specify finish of metal shelves to match laminate.

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

\*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.


Cabinetry


Cabinets (use with 26 1/2" h support components)  
49" high  
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	<b>RC431B-()()</b>	\$1,250.	\$1,637.	\$1,882.	\$2,541.
	30"	20"	49"	<b>RC432B-()()</b>	1,393.	1,827.	2,099.	2,834.
	30"	24"	49"	<b>RC433B-()()</b>	1,552.	2,034.	2,341.	3,160.
	36"	15"	49"	<b>RC461B-()()</b>	1,373.	1,800.	2,070.	2,794.
	36"	20"	49"	<b>RC462B-()()</b>	1,532.	2,010.	2,308.	3,115.
	36"	24"	49"	<b>RC463B-()()</b>	1,708.	2,240.	2,574.	3,474.

Open cabinets require no keying instructions

 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	<b>RC412C(L/R)-()()()</b>	1,257.	1,648.	1,893.	2,556.
	16"	24"	49"	<b>RC413C(L/R)-()()()</b>	1,371.	1,797.	2,066.	2,789.
	30"	20"	49"	<b>RC432C-()()()</b>	1,777.	2,330.	2,680.	3,618.
	30"	24"	49"	<b>RC433C-()()()</b>	1,953.	2,562.	2,944.	3,974.
	36"	20"	49"	<b>RC462C-()()()</b>	1,958.	2,565.	2,953.	3,986.
	36"	24"	49"	<b>RC463C-()()()</b>	2,148.	2,817.	3,241.	4,375.

 Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	<b>RC432D-()W()()</b>	1,623.	2,126.	2,445.	3,302.
	30"	24"	49"	<b>RC433D-()W()()</b>	1,772.	2,324.	2,675.	3,610.
	36"	20"	49"	<b>RC462D-()W()()</b>	1,783.	2,340.	2,690.	3,631.
	36"	24"	49"	<b>RC463D-()W()()</b>	1,950.	2,559.	2,941.	3,971.

Order Code

Example:	<b>RC412CLLWDL</b>
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>1</b>	16" wide
<b>2</b>	20" deep
<b>C</b>	Cabinet with hinge doors
<b>L</b>	Left hand hinge location
<b>L</b>	Laminate finish type
<b>W</b>	Wood interior option
<b>D</b>	Metal D-pull
<b>L</b>	Lock hole drilled

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

**\*After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand  
R = Right hand

2. Finish type:

L = Laminate  
1 = V1  
2 = V2  
3 = V3

3. Interior options:

W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

4. Pull options:

D = Metal D-pull  
J = Routed pull  
C = Nickel C-pull (nickel finish only)  
S = S-pull (stainless steel finish only)

5. Lock options:

L = Lock hole drilled  
N = No drilling

8. Refer to page 322 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

\*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)  
49" high  
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	<b>RC432F-()()L</b>	\$2,050.	\$2,688.	\$3,091.	\$4,173.
	30"	24"	49"	<b>RC433F-()()L</b>	2,251.	2,955.	3,392.	4,579.
	36"	20"	49"	<b>RC462F-()()L</b>	2,564.	3,359.	3,862.	5,215.
	36"	24"	49"	<b>RC463F-()()L</b>	2,817.	3,691.	4,245.	5,731.



**Order Code**

Example: <b>RC412CLLWDL</b>
<b>R</b> Reff
<b>C</b> Cabinets
<b>4</b> 49" high
<b>1</b> 16" wide
<b>2</b> 20" deep
<b>C</b> Cabinet with hinge doors
<b>L</b> Left hand hinge location
<b>L</b> Laminate finish type
<b>W</b> Wood interior option
<b>D</b> Metal D-pull
<b>L</b> Lock hole drilled

**Specification Information**

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

**\*After specifying product code, provide keying instructions.**

1. Hinge location:  
L = Left hand  
R = Right hand

2. Finish type:  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

3. Interior options:  
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:  
D = Metal D-pull  
J = Routed pull  
C = Nickel C-pull (nickel finish only)  
S = S-pull (stainless steel finish only)

5. Lock options:  
L = Lock hole drilled  
N = No drilling

8. Refer to page 322 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

**Application Notes**

Specify finish of metal shelves to match laminate.

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

\*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)  
64" high  
metal interiors


Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	<b>RC631B-</b> ( ) ( ) (N)	\$1,431.	\$1,878.	\$2,161.	\$2,917.
	30"	20"	64"	<b>RC632B-</b> ( ) ( ) (N)	1,611.	2,112.	2,429.	3,278.
	30"	24"	64"	<b>RC633B-</b> ( ) ( ) (N)	1,791.	2,349.	2,703.	3,648.
	36"	15"	64"	<b>RC661B-</b> ( ) ( ) (N)	1,643.	2,153.	2,477.	3,343.
	36"	20"	64"	<b>RC662B-</b> ( ) ( ) (N)	1,827.	2,392.	2,754.	3,716.
	36"	24"	64"	<b>RC663B-</b> ( ) ( ) (N)	2,012.	2,638.	3,033.	4,095.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinged doors three adjustable shelves	16"	20"	64"	<b>RC612C(L/R)-</b> ( ) ( ) ( )	1,677.	2,193.	2,524.	3,407.
	16"	24"	64"	<b>RC613C(L/R)-</b> ( ) ( ) ( )	1,869.	2,450.	2,817.	3,803.
	30"	20"	64"	<b>RC632C-</b> ( ) ( ) ( )	2,223.	2,914.	3,350.	4,523.
	30"	24"	64"	<b>RC633C-</b> ( ) ( ) ( )	2,455.	3,220.	3,698.	4,992.
	36"	20"	64"	<b>RC662C-</b> ( ) ( ) ( )	2,430.	3,184.	3,661.	4,942.
	36"	24"	64"	<b>RC663C-</b> ( ) ( ) ( )	2,661.	3,491.	4,013.	5,419.

Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	<b>RC632F-</b> ( ) ( ) ( )	2,661.	3,491.	4,013.	5,419.
	30"	24"	64"	<b>RC633F-</b> ( ) ( ) ( )	2,941.	3,854.	4,434.	5,984.
	36"	20"	64"	<b>RC662F-</b> ( ) ( ) ( )	2,941.	3,854.	4,434.	5,984.
	36"	24"	64"	<b>RC663F-</b> ( ) ( ) ( )	3,249.	4,257.	4,894.	6,608.

Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"

Order Code	Specification Information	Application Notes
Example: <b>RC612LLMJN</b>	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
<b>R</b> Reff	1. Hinge location, where applicable	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>C</b> Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>6</b> 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.
<b>1</b> 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
<b>2</b> 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
<b>L</b> Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
<b>L</b> Laminate finish type	7. Finish, pull when applicable	
<b>M</b> Metal interior	8. Keying instructions	
<b>J</b> Routed pull	<b>*After specifying product code, provide keying instructions.</b>	
<b>N</b> No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 322 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	




# Cabinets (use with 26 1/2" h support components)

## 64" high

### metal interiors

Reff


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with full height doors half wardrobe and half shelves	30"	20"	64"	<b>RC632E(L/R)-( ) ( ) ( )</b>	\$2,582.	\$3,383.	\$3,889.	\$5,251.
	30"	24"	64"	<b>RC633E(L/R)-( ) ( ) ( )</b>	2,864.	3,753.	4,317.	5,827.
	36"	20"	64"	<b>RC662E(L/R)-( ) ( ) ( )</b>	2,853.	3,738.	4,303.	5,808.
	36"	24"	64"	<b>RC663E(L/R)-( ) ( ) ( )</b>	3,164.	4,148.	4,769.	6,438.



Left hand shown


Requires one lock core per cabinet  
Shelves painted metal

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	<b>RC632H-( ) ( ) ( )</b>	1,980.	2,598.	2,987.	4,032.
	30"	24"	64"	<b>RC633H-( ) ( ) ( )</b>	2,189.	2,866.	3,298.	4,453.
	36"	20"	64"	<b>RC662H-( ) ( ) ( )</b>	2,189.	2,866.	3,298.	4,453.
	36"	24"	64"	<b>RC663H-( ) ( ) ( )</b>	2,396.	3,141.	3,612.	4,877.



Requires one lock core per cabinet  
Shelves painted metal

Cabinet with hinged 37 1/2" H doors, two adjustable shelves, two file drawers	16"	20"	64"	<b>RC612G(L/R)-( ) ( ) ( )</b>	2,020.	2,644.	3,042.	4,107.
	16"	24"	64"	<b>RC613G(L/R)-( ) ( ) ( )</b>	2,230.	2,923.	3,360.	4,536.
	30"	20"	64"	<b>RC632G-( ) ( ) ( )</b>	2,558.	3,352.	3,854.	5,203.
	30"	24"	64"	<b>RC633G-( ) ( ) ( )</b>	2,846.	3,727.	4,287.	5,788.
	36"	20"	64"	<b>RC662G-( ) ( ) ( )</b>	2,826.	3,702.	4,258.	5,749.
	36"	24"	64"	<b>RC663G-( ) ( ) ( )</b>	3,143.	4,119.	4,736.	6,392.




Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: <b>RC612LLMJN</b>	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
<b>R</b> Reff	1. Hinge location, where applicable	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>C</b> Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>6</b> 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.
<b>1</b> 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
<b>2</b> 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
<b>L</b> Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
<b>L</b> Laminate finish type	7. Finish, pull when applicable	
<b>M</b> Metal interior	8. Keying instructions	
<b>J</b> Routed pull	<b>*After specifying product code, provide keying instructions.</b>	
<b>N</b> No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 322 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26 1/2" h support components)  
64" high  
metal interiors

Reff


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with BBF below and hinged doors above	16"	20"	64"	<b>RC612P(L/R)-( ) ( ) ( )</b>	\$2,082.	\$2,727.	\$3,136.	\$4,234.
	16"	24"	64"	<b>RC613P(L/R)-( ) ( ) ( )</b>	2,311.	3,031.	3,481.	4,700.
	30"	20"	64"	<b>RC632P-( ) ( ) ( )</b>	2,451.	3,212.	3,694.	4,987.
	30"	24"	64"	<b>RC633P-( ) ( ) ( )</b>	2,704.	3,546.	4,077.	5,504.
	36"	20"	64"	<b>RC662P-( ) ( ) ( )</b>	2,711.	3,553.	4,086.	5,517.
	36"	24"	64"	<b>RC663P-( ) ( ) ( )</b>	2,989.	3,916.	4,507.	6,084.

Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: <b>RC612LLMJN</b>	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
<b>R</b> Reff	1. Hinge location, where applicable	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>C</b> Cabinets	2. Finish type	
<b>6</b> 64" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>1</b> 16" wide	4. Pull option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.
<b>2</b> 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
<b>L</b> Left hand hinge location	6. Finish, cabinet	File drawers do not support bottom loading.
<b>L</b> Laminate finish type	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
<b>M</b> Metal interior	8. Keying instructions	
<b>J</b> Routed pull	<b>*After specifying product code, provide keying instructions.</b>	
<b>N</b> No lock drilling	<i>1. Hinge location:</i> L = Left hand R = Right hand	
	<i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	<i>3. Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	<i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	<i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 322 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	


Cabinets (use with 26 1/2" h support components)  
64" high  
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	<b>RC631B-</b> ( ) ( ) (N)	\$1,566.	\$2,052.	\$2,362.	\$3,189.
	30"	20"	64"	<b>RC632B-</b> ( ) ( ) (N)	1,746.	2,289.	2,633.	3,556.
	30"	24"	64"	<b>RC633B-</b> ( ) ( ) (N)	1,926.	2,524.	2,903.	3,919.
	36"	15"	64"	<b>RC661B-</b> ( ) ( ) (N)	1,776.	2,328.	2,679.	3,615.
	36"	20"	64"	<b>RC662B-</b> ( ) ( ) (N)	1,960.	2,568.	2,956.	3,990.
	36"	24"	64"	<b>RC663B-</b> ( ) ( ) (N)	2,146.	2,814.	3,234.	4,367.

Open cabinets require no keying instructions

 Cabinet with hinged doors three adjustable shelves	16"	20"	64"	<b>RC612C(L/R)-</b> ( ) ( ) ( )	1,809.	2,371.	2,727.	3,681.
	16"	24"	64"	<b>RC613C(L/R)-</b> ( ) ( ) ( )	2,005.	2,626.	3,018.	4,074.
	30"	20"	64"	<b>RC632C-</b> ( ) ( ) ( )	2,356.	3,088.	3,553.	4,756.
	30"	24"	64"	<b>RC633C-</b> ( ) ( ) ( )	2,589.	3,395.	3,903.	5,269.
	36"	20"	64"	<b>RC662C-</b> ( ) ( ) ( )	2,564.	3,359.	3,862.	5,215.
	36"	24"	64"	<b>RC663C-</b> ( ) ( ) ( )	2,797.	3,666.	4,216.	5,691.

 Cabinet with hinged doors for coat rod and boot tray*	16"	20"	64"	<b>RC612D(L/R)-</b> ( ) ( ) ( )	1,584.	2,075.	2,385.	3,221.
	16"	24"	64"	<b>RC613D(L/R)-</b> ( ) ( ) ( )	1,735.	2,274.	2,616.	3,531.
	30"	20"	64"	<b>RC632D-</b> ( ) ( ) ( )	1,935.	2,535.	2,917.	3,939.
	30"	24"	64"	<b>RC633D-</b> ( ) ( ) ( )	1,993.	2,616.	3,006.	4,058.
	36"	20"	64"	<b>RC662D-</b> ( ) ( ) ( )	2,142.	2,809.	3,231.	4,361.
	36"	24"	64"	<b>RC663D-</b> ( ) ( ) ( )	2,189.	2,889.	3,320.	4,481.

Requires one lock core per cabinet

Order Code

Example:	<b>RC612LLWJN</b>
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>6</b>	64" high
<b>1</b>	16" wide
<b>2</b>	20" deep
<b>L</b>	Left hand hinge location
<b>L</b>	Laminate finish type
<b>W</b>	Wood interior
<b>J</b>	Routed pull
<b>N</b>	No lock drilling

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

**\*After specifying product code, provide keying instructions.**

1. Hinge location:  
L = Left hand  
R = Right hand

2. Finish type:  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

3. Interior options:  
W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

4. Pull options:  
D = Metal D-pull  
J = Routed pull  
C = Nickel C-pull (nickel finish only)  
S = S-pull (stainless steel finish only)

5. Lock options:  
L = Lock hole drilled  
N = No lock drilling

8. Refer to page 322 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

\*Note:  
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)  
64" high  
wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	<b>RC632F-</b> ( ) ( ) ( )	\$2,797.	\$3,666.	\$4,216.	\$5,691.
	30"	24"	64"	<b>RC633F-</b> ( ) ( ) ( )	3,075.	4,029.	4,633.	6,254.
	36"	20"	64"	<b>RC662F-</b> ( ) ( ) ( )	3,075.	4,029.	4,633.	6,254.
	36"	24"	64"	<b>RC663F-</b> ( ) ( ) ( )	3,383.	4,436.	5,099.	6,884.

Requires two lock cores per cabinet  
Interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with full height doors half wardrobe and half shelves	30"	20"	64"	<b>RC632E(L/R)-</b> ( ) ( ) ( )	2,717.	3,560.	4,093.	5,526.
	30"	24"	64"	<b>RC633E(L/R)-</b> ( ) ( ) ( )	2,997.	3,930.	4,518.	6,099.
	36"	20"	64"	<b>RC662E(L/R)-</b> ( ) ( ) ( )	2,988.	3,914.	4,506.	6,083.
	36"	24"	64"	<b>RC663E(L/R)-</b> ( ) ( ) ( )	3,297.	4,324.	4,972.	6,713.

Requires one lock core per cabinet

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	<b>RC632H-</b> ( ) ( ) ( )	2,115.	2,775.	3,191.	4,308.
	30"	24"	64"	<b>RC633H-</b> ( ) ( ) ( )	2,322.	3,044.	3,502.	4,727.
	36"	20"	64"	<b>RC662H-</b> ( ) ( ) ( )	2,322.	3,044.	3,502.	4,727.
	36"	24"	64"	<b>RC663H-</b> ( ) ( ) ( )	2,529.	3,317.	3,812.	5,146.

Requires one lock core per cabinet


Left hand shown

Order Code	Specification Information	Application Notes
Example: <b>RC612LLWJN</b> <b>R</b> Reff <b>C</b> Cabinets <b>6</b> 64" high <b>1</b> 16" wide <b>2</b> 20" deep <b>L</b> Left hand hinge location <b>L</b> Laminate finish type <b>W</b> Wood interior <b>J</b> Routed pull <b>N</b> No lock drilling	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Hinge location, where applicable</li> <li>Finish type</li> <li>Interior option</li> <li>Pull option</li> <li>Lock option, where applicable</li> <li>Finish, cabinet</li> <li>Finish, pull when applicable</li> <li>Keying instructions</li> </ol> <p><b>*After specifying product code, provide keying instructions.</b></p> <p><i>1. Hinge location:</i> L = Left hand R = Right hand</p> <p><i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p><i>3. Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)</p>	<p><i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p><i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling</p> <p>8. Refer to page 322 for keying instructions.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Specify shelf paint finish on open cabinets with metal interiors.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Cabinets (use with 26 1/2" h support components)  
64" high  
wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R)-( ) ( ) ( )	\$2,152.	\$2,821.	\$3,244.	\$4,379.
	16"	24"	64"	RC613G(L/R)-( ) ( ) ( )	2,366.	3,098.	3,565.	4,812.
	30"	20"	64"	RC632G-( ) ( ) ( )	2,692.	3,528.	4,056.	5,475.
	30"	24"	64"	RC633G-( ) ( ) ( )	2,978.	3,903.	4,489.	6,061.
	36"	20"	64"	RC662G-( ) ( ) ( )	2,961.	3,879.	4,462.	6,024.
	36"	24"	64"	RC663G-( ) ( ) ( )	3,276.	4,294.	4,940.	6,670.




Requires two lock cores per cabinet

Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I-( ) ( ) ( )	2,965.	3,885.	4,468.	6,032.
	30"	24"	64"	RC633I-( ) ( ) ( )	3,263.	4,276.	4,921.	6,642.
	36"	20"	64"	RC662I-( ) ( ) ( )	3,171.	4,158.	4,781.	6,454.
	36"	24"	64"	RC663I-( ) ( ) ( )	3,470.	4,550.	5,229.	7,060.



Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R)-( ) ( ) ( )	2,217.	2,903.	3,338.	4,507.
	16"	24"	64"	RC613P(L/R)-( ) ( ) ( )	2,445.	3,204.	3,686.	4,977.
	30"	20"	64"	RC632P-( ) ( ) ( )	2,586.	3,390.	3,899.	5,263.
	30"	24"	64"	RC633P-( ) ( ) ( )	2,841.	3,723.	4,278.	5,775.
	36"	20"	64"	RC662P-( ) ( ) ( )	2,847.	3,728.	4,289.	5,791.
	36"	24"	64"	RC663P-( ) ( ) ( )	3,121.	4,096.	4,708.	6,355.



Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: <b>RC612LLWJN</b>	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
<b>R</b> Reff	1. Hinge location, where applicable	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>C</b> Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>6</b> 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.
<b>1</b> 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
<b>2</b> 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
<b>L</b> Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
<b>L</b> Laminate finish type	7. Finish, pull when applicable	
<b>W</b> Wood interior	8. Keying instructions	
<b>J</b> Routed pull	<b>*After specifying product code, provide keying instructions.</b>	
<b>N</b> No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 322 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

# Cabinets (use with 26 1/2" h support components)


## 72" high

### metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
 Cabinet with open shelving	30"	20"	72"	<b>RC732B-</b> ( ) ( )	\$1,790.	\$2,348.	\$2,701.	\$3,647.
	30"	24"	72"	<b>RC733B-</b> ( ) ( )	1,985.	2,600.	2,992.	4,040.
	36"	20"	72"	<b>RC762B-</b> ( ) ( )	2,026.	2,655.	3,054.	4,123.
	36"	24"	72"	<b>RC763B-</b> ( ) ( )	2,221.	2,909.	3,346.	4,519.

Open cabinets require no keying instructions  
Shelves painted metal

 Cabinet with hinged doors and shelves	16"	20"	72"	<b>RC712C(L/R)-</b> ( ) ( ) ( )	1,887.	2,472.	2,845.	3,841.
	16"	24"	72"	<b>RC713C(L/R)-</b> ( ) ( ) ( )	2,095.	2,746.	3,157.	4,261.
	30"	20"	72"	<b>RC732C-</b> ( ) ( ) ( )	2,463.	3,230.	3,714.	5,015.
	30"	24"	72"	<b>RC733C-</b> ( ) ( ) ( )	2,733.	3,581.	4,119.	5,560.
	36"	20"	72"	<b>RC762C-</b> ( ) ( ) ( )	2,723.	3,571.	4,106.	5,542.
	36"	24"	72"	<b>RC763C-</b> ( ) ( ) ( )	3,022.	3,957.	4,553.	6,147.

Requires one lock core per cabinet  
Shelves painted metal

Order Code	Specification Information	Application Notes	
Example: <b>RC732BLMNN</b> <b>R</b> Reff <b>C</b> Cabinets <b>7</b> 72" high <b>3</b> 30" wide <b>2</b> 20" deep <b>B</b> Full bookcase <b>L</b> Laminate finish <b>M</b> Metal interior <b>N</b> No drilling <b>N</b> No drilling	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Hinge location, where applicable</li> <li>Finish type</li> <li>Interior option</li> <li>Pull option</li> <li>Lock option, where applicable</li> <li>Finish, cabinet</li> <li>Finish, pull when applicable</li> <li>Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D</li> <li>Right hand side of cabinet drilling: same as #8 above.</li> <li>Keying instructions</li> </ol> <p><b>*After specifying product code, provide keying instructions.</b></p>	<p><i>1. Hinge location:</i> L = Left hand R = Right hand</p> <p><i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p><i>3. Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p><i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p><i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling</p> <p>10. Refer to page 322 for keying instructions.</p>	<p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets (use with 26 1/2" h support components)  
72" high  
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-( ) ( ) ( )	\$2,896.	\$3,794.	\$4,367.	\$5,894.
	30"	24"	72"	RC733E(L/R)-( ) ( ) ( )	3,239.	4,244.	4,883.	6,591.
	36"	20"	72"	RC762E(L/R)-( ) ( ) ( )	3,175.	4,160.	4,784.	6,457.
	36"	24"	72"	RC763E(L/R)-( ) ( ) ( )	3,543.	4,650.	5,343.	7,214.



Left hand shown

Requires one lock core per cabinet  
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: <b>RC732BLMNN</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
<b>C</b> Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
<b>7</b> 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
<b>3</b> 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
<b>2</b> 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
<b>B</b> Full bookcase	6. Finish, cabinet	10. Refer to page 322 for keying instructions.
<b>L</b> Laminate finish	7. Finish, pull when applicable	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>M</b> Metal interior	8. Left hand side of cabinet drilling: N = No drilling	
<b>N</b> No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
<b>N</b> No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	
	<b>*After specifying product code, provide keying instructions.</b>	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)  
72" high  
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with four files and hinged doors above.	30"	20"	72"	<b>RC732F-</b> ( ) ( ) ( )	\$2,941.	\$3,854.	\$4,434.	\$5,984.
	30"	24"	72"	<b>RC733F-</b> ( ) ( ) ( )	3,268.	4,281.	4,924.	6,647.
	36"	20"	72"	<b>RC762F-</b> ( ) ( ) ( )	3,249.	4,257.	4,894.	6,608.
	36"	24"	72"	<b>RC763F-</b> ( ) ( ) ( )	3,606.	4,728.	5,436.	7,338.



Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"  
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: <b>RC732BLMNN</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand
<b>C</b> Cabinets	2. Finish type	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
<b>7</b> 72" high	3. Interior option	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
<b>3</b> 30" wide	4. Pull option	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
<b>2</b> 20" deep	5. Lock option, where applicable	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
<b>B</b> Full bookcase	6. Finish, cabinet	10. Refer to page 322 for keying instructions.
<b>L</b> Laminate finish	7. Finish, pull when applicable	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>M</b> Metal interior	8. Left hand side of cabinet drilling: N = No drilling	
<b>N</b> No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
<b>N</b> No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	
	<b>*After specifying product code, provide keying instructions.</b>	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.



Cabinets (use with 26 1/2" h support components)  
72" high  
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
 Cabinet with two files and hinged doors above	16"	20"	72"	<b>RC712G(L/R)-()()()</b>	\$2,137.	\$2,798.	\$3,221.	\$4,347.
	16"	24"	72"	<b>RC713G(L/R)-()()()</b>	2,342.	3,106.	3,572.	4,821.
	30"	20"	72"	<b>RC732G-()()()</b>	2,712.	3,557.	4,088.	5,520.
	30"	24"	72"	<b>RC733G-()()()</b>	2,983.	3,909.	4,493.	6,067.
	36"	20"	72"	<b>RC762G-()()()</b>	2,946.	3,860.	4,441.	5,995.
	36"	24"	72"	<b>RC763G-()()()</b>	3,217.	4,217.	4,849.	6,546.

Requires two lock cores per cabinet  
Shelves painted metal


Order Code	Specification Information	Application Notes	
Example: <b>RC732BLMNN</b> <b>R</b> Reff <b>C</b> Cabinets <b>7</b> 72" high <b>3</b> 30" wide <b>2</b> 20" deep <b>B</b> Full bookcase <b>L</b> Laminate finish <b>M</b> Metal interior <b>N</b> No drilling <b>N</b> No drilling	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Hinge location, where applicable</li> <li>Finish type</li> <li>Interior option</li> <li>Pull option</li> <li>Lock option, where applicable</li> <li>Finish, cabinet</li> <li>Finish, pull when applicable</li> <li>Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D</li> <li>Right hand side of cabinet drilling: same as #8 above.</li> <li>Keying instructions</li> </ol> <p><b>*After specifying product code, provide keying instructions.</b></p>	<p>1. <i>Hinge location:</i> L = Left hand R = Right hand</p> <p>2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p>3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p>4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling</p> <p>10. Refer to page 322 for keying instructions.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>	<p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)  
72" high  
metal interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H-( ) ( ) ( )	\$2,366.	\$3,097.	\$3,563.	\$4,810.
	30"	24"	72"	RC733H-( ) ( ) ( )	2,615.	3,423.	3,937.	5,316.
	36"	20"	72"	RC762H-( ) ( ) ( )	2,599.	3,404.	3,913.	5,283.
	36"	24"	72"	RC763H-( ) ( ) ( )	2,850.	3,729.	4,290.	5,792.



Requires one lock core per cabinet  
Shelves painted metal

Cabinet with BBF below and hinged doors above.	16"	20"	72"	RC712P(L/R)-( ) ( ) ( )	2,219.	2,905.	3,342.	4,512.
	16"	24"	72"	RC713P(L/R)-( ) ( ) ( )	2,445.	3,204.	3,686.	4,977.
	30"	20"	72"	RC732P-( ) ( ) ( )	2,618.	3,430.	3,946.	5,328.
	30"	24"	72"	RC733P-( ) ( ) ( )	2,888.	3,786.	4,353.	5,876.
	36"	20"	72"	RC762P-( ) ( ) ( )	2,893.	3,791.	4,358.	5,884.
	36"	24"	72"	RC763P-( ) ( ) ( )	3,192.	4,179.	4,808.	6,491.




Requires two lock cores per cabinet  
Shelves and drawer interiors metal

Order Code	Specification Information	Application Notes
Example: <b>RC732BLMNN</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand
<b>C</b> Cabinets	2. Finish type	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
<b>7</b> 72" high	3. Interior option	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
<b>3</b> 30" wide	4. Pull option	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
<b>2</b> 20" deep	5. Lock option, where applicable	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
<b>B</b> Full bookcase	6. Finish, cabinet	10. Refer to page 322 for keying instructions.
<b>L</b> Laminate finish	7. Finish, pull when applicable	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>M</b> Metal interior	8. Left hand side of cabinet drilling: N = No drilling	
<b>N</b> No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
<b>N</b> No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	
	<b>*After specifying product code, provide keying instructions.</b>	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)  
72" high  
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with open shelving	30"	20"	72"	<b>RC732B-</b> ( ) ( )	\$1,924.	\$2,523.	\$2,901.	\$3,916.
	30"	24"	72"	<b>RC733B-</b> ( ) ( )	2,118.	2,778.	3,193.	4,311.
	36"	20"	72"	<b>RC762B-</b> ( ) ( )	2,161.	2,832.	3,256.	4,395.
	36"	24"	72"	<b>RC763B-</b> ( ) ( )	2,354.	3,086.	3,548.	4,791.

Open cabinets require no keying instructions

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	<b>RC712C(L/R)-</b> ( ) ( ) ( )	2,023.	2,649.	3,046.	4,112.
	16"	24"	72"	<b>RC713C(L/R)-</b> ( ) ( ) ( )	2,228.	2,922.	3,359.	4,534.
	30"	20"	72"	<b>RC732C-</b> ( ) ( ) ( )	2,598.	3,404.	3,913.	5,283.
	30"	24"	72"	<b>RC733C-</b> ( ) ( ) ( )	2,868.	3,759.	4,323.	5,836.
	36"	20"	72"	<b>RC762C-</b> ( ) ( ) ( )	2,856.	3,745.	4,307.	5,814.
	36"	24"	72"	<b>RC763C-</b> ( ) ( ) ( )	3,156.	4,136.	4,755.	6,420.

Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: <b>RC732BLWNN</b> <b>R</b> Reff <b>C</b> Cabinets <b>7</b> 72" high <b>3</b> 30" wide <b>2</b> 20" deep <b>B</b> Full bookcase <b>L</b> Laminate finish <b>W</b> Wood interior <b>N</b> No drilling <b>N</b> No drilling	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Hinge location, where applicable</li> <li>Finish type</li> <li>Interior option</li> <li>Pull option</li> <li>Lock option, where applicable</li> <li>Finish, cabinet</li> <li>Finish, pull when applicable</li> <li>Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D</li> <li>Right hand side of cabinet drilling: same as #8 above.</li> <li>Keying instructions</li> </ol> <p><b>*After specifying product code, provide keying instructions.</b></p>	<ol style="list-style-type: none"> <li><b>Hinge location:</b> L = Left hand R = Right hand</li> <li><b>Finish type:</b> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><b>Interior options:</b> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)</li> <li><b>Pull options:</b> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</li> <li><b>Lock options:</b> L = Lock hole drilled N = No lock drilling</li> </ol> <p>10. Refer to page 322 for keying instructions.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>
		<p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)  
72" high  
wood interiors

Reff

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	<b>RC732E(L/R)-( ) ( ) ( )</b>	\$3,029.	\$3,971.	\$4,566.	\$6,164.
	30"	24"	72"	<b>RC733E(L/R)-( ) ( ) ( )</b>	3,372.	4,421.	5,084.	6,863.
	36"	20"	72"	<b>RC762E(L/R)-( ) ( ) ( )</b>	3,309.	4,336.	4,988.	6,734.
	36"	24"	72"	<b>RC763E(L/R)-( ) ( ) ( )</b>	3,680.	4,823.	5,548.	7,489.



Left hand shown

Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: <b>RC732BLWNN</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
<b>C</b> Cabinets	2. Finish type	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>7</b> 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>3</b> 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.
<b>2</b> 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
<b>B</b> Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
<b>L</b> Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
<b>W</b> Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
<b>N</b> No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
<b>N</b> No drilling	10. Keying instructions	
	<b>*After specifying product code, provide keying instructions.</b>	
	<i>1. Hinge location:</i> L = Left hand R = Right hand	
	<i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	<i>3. Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	<i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	<i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 322 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)  
72" high  
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F-( ) ( ) ( )	\$3,075.	\$4,029.	\$4,633.	\$6,254.
	30"	24"	72"	RC733F-( ) ( ) ( )	3,402.	4,458.	5,125.	6,918.
	36"	20"	72"	RC762F-( ) ( ) ( )	3,383.	4,436.	5,112.	6,901.
	36"	24"	72"	RC763F-( ) ( ) ( )	3,739.	4,902.	5,640.	7,615.




Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"

Order Code	Specification Information	Application Notes
Example: <b>RC732BLWNN</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
<b>C</b> Cabinets	2. Finish type	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>7</b> 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>3</b> 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.
<b>2</b> 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
<b>B</b> Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
<b>L</b> Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
<b>W</b> Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
<b>N</b> No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
<b>N</b> No drilling	10. Keying instructions	
	<b>*After specifying product code, provide keying instructions.</b>	
	<i>1. Hinge location:</i> L = Left hand R = Right hand	
	<i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	<i>3. Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	<i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	<i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 322 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)  
72" high  
wood interiors

Reff

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with two files and hinged doors above	16"	20"	72"	<b>RC712G(L/R)-( ) ( ) ( )</b>	\$2,272.	\$2,977.	\$3,423.	\$4,620.
	16"	24"	72"	<b>RC713G(L/R)-( ) ( ) ( )</b>	2,504.	3,281.	3,773.	5,093.
	30"	20"	72"	<b>RC732G-( ) ( ) ( )</b>	2,848.	3,729.	4,290.	5,792.
	30"	24"	72"	<b>RC733G-( ) ( ) ( )</b>	3,116.	4,085.	4,696.	6,341.
	36"	20"	72"	<b>RC762G-( ) ( ) ( )</b>	3,081.	4,037.	4,643.	6,268.
	36"	24"	72"	<b>RC763G-( ) ( ) ( )</b>	3,353.	4,394.	5,053.	6,821.

Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: <b>RC732BLWNN</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
<b>C</b> Cabinets	2. Finish type	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>7</b> 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>3</b> 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 299.
<b>2</b> 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
<b>B</b> Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
<b>L</b> Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
<b>W</b> Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
<b>N</b> No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
<b>N</b> No drilling	10. Keying instructions	
	<b>*After specifying product code, provide keying instructions.</b>	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 322 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)  
72" high  
wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors below and open shelf above.	30"	20"	72"	<b>RC732H-</b> ( ) ( ) ( )	\$2,494.	\$3,271.	\$3,763.	\$5,079.
	30"	24"	72"	<b>RC733H-</b> ( ) ( ) ( )	2,743.	3,598.	4,137.	5,585.
	36"	20"	72"	<b>RC762H-</b> ( ) ( ) ( )	2,730.	3,576.	4,113.	5,553.
	36"	24"	72"	<b>RC763H-</b> ( ) ( ) ( )	2,978.	3,903.	4,489.	6,061.



Requires one lock core per cabinet

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe cabinet	16"	20"	72"	<b>RC712D(L/R)-</b> ( ) ( ) ( )	1,699.	2,228.	2,562.	3,459.
	16"	24"	72"	<b>RC713D(L/R)-</b> ( ) ( ) ( )	1,870.	2,451.	2,818.	3,804.
	30"	20"	72"	<b>RC732D-</b> ( ) ( ) ( )	2,140.	2,805.	3,224.	4,352.
	30"	24"	72"	<b>RC733D-</b> ( ) ( ) ( )	2,351.	3,082.	3,544.	4,786.
	36"	20"	72"	<b>RC762D-</b> ( ) ( ) ( )	2,352.	3,084.	3,547.	4,790.
	36"	24"	72"	<b>RC763D-</b> ( ) ( ) ( )	2,586.	3,390.	3,899.	5,263.



Requires one lock core per cabinet.  
Order coat rod and boot tray from accessories

Order Code	Specification Information	Application Notes
Example: <b>RC732BLWNN</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
<b>C</b> Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
<b>7</b> 72" high	3. Interior option	3. Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)
<b>3</b> 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
<b>2</b> 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
<b>B</b> Full bookcase	6. Finish, cabinet	10. Refer to page 322 for keying instructions.
<b>L</b> Laminate finish	7. Finish, pull when applicable	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>W</b> Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
<b>N</b> No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
<b>N</b> No drilling	10. Keying instructions	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinetry

Cabinets (use with 26 1/2" h support components)  
72" high  
wood interiors


Reff

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-( ) ( ) ( )	\$3,286.	\$4,305.	\$4,950.	\$6,683.
	30"	24"	72"	RC733I-( ) ( ) ( )	3,626.	4,753.	5,468.	7,381.
	36"	20"	72"	RC762I-( ) ( ) ( )	3,564.	4,672.	5,374.	7,255.
	36"	24"	72"	RC763I-( ) ( ) ( )	3,935.	5,159.	5,934.	8,010.



Requires two lock cores per cabinet  
Hinge opening 110°

Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)-( ) ( ) ( )	2,351.	3,082.	3,544.	4,786.
	16"	24"	72"	RC713P(L/R)-( ) ( ) ( )	2,580.	3,382.	3,888.	5,250.
	30"	20"	72"	RC732P-( ) ( ) ( )	2,754.	3,609.	4,150.	5,603.
	30"	24"	72"	RC733P-( ) ( ) ( )	3,023.	3,961.	4,554.	6,149.
	36"	20"	72"	RC762P-( ) ( ) ( )	3,027.	3,966.	4,561.	6,158.
	36"	24"	72"	RC763P-( ) ( ) ( )	3,325.	4,357.	5,011.	6,766.



Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: <b>RC732BLWNN</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
<b>C</b> Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
<b>7</b> 72" high	3. Interior option	3. Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)
<b>3</b> 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
<b>2</b> 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
<b>B</b> Full bookcase	6. Finish, cabinet	10. Refer to page 322 for keying instructions.
<b>L</b> Laminate finish	7. Finish, pull when applicable	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>W</b> Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
<b>N</b> No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
<b>N</b> No drilling	10. Keying instructions	
	<b>*After specifying product code, provide keying instructions.</b>	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.



Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)  
53" high  
metal interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB ( ) ( ) ( )	\$1,171.	\$1,534.	\$1,766.	\$2,384.
	30"	20"	53"	RC532DHB ( ) ( ) ( )	1,321.	1,733.	1,992.	2,690.
	30"	24"	53"	RC533DHB ( ) ( ) ( )	1,490.	1,951.	2,244.	3,030.
	36"	15"	53"	RC561DHB ( ) ( ) ( )	1,300.	1,703.	1,961.	2,647.
	36"	20"	53"	RC562DHB ( ) ( ) ( )	1,466.	1,922.	2,212.	2,986.
	36"	24"	53"	RC563DHB ( ) ( ) ( )	1,650.	2,166.	2,490.	3,361.



Interior shelves painted metal

description	w	d	h	pattern no.	L	V1	V2	V3
4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF ( ) ( ) ( ) L ( )	2,013.	2,639.	3,034.	4,096.
	30"	24"	53"	RC533DHF ( ) ( ) ( ) L ( )	2,221.	2,909.	3,346.	4,519.
	36"	20"	53"	RC562DHF ( ) ( ) ( ) L ( )	2,552.	3,343.	3,846.	5,192.
	36"	24"	53"	RC563DHF ( ) ( ) ( ) L ( )	2,817.	3,694.	4,248.	5,736.




Drawer interiors painted metal

Order Code	Specification Information	Application Notes
Example: <b>RC531DHB(2)(M)(V316)</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. <i>Finish type</i> L = laminate	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> " h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b>
<b>C</b> Cabinet	1 = V1	
<b>5</b> 53" h (nominal)	2 = V2	
<b>3</b> 30" w (nominal)	3 = V3	
<b>1</b> 15" d (nominal)	2. <i>Interior Option</i> M = metal (metal shelves or metal drawers)	
<b>DH</b> Desk height	(If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
<b>B</b> Open bookcase	3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	<b>53" nominal height - actual height 52.625"</b>
<b>2</b> Finish type, V2	4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
<b>M</b> Interior option, metal	5. <i>Cabinet finish</i>	File drawers include file bars for front to back and side to side filing.
<b>V316</b> Finish, light maple	6. <i>Optional pull finish (where applicable)</i>  Product on this page excluding J-pull options will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.  Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.  Applicable finishes are listed on page 5 and 6.	File drawers support bottom loading.


Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)  
53" high  
wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB ( ) ( ) ( )	\$1,313.	\$1,722.	\$1,975.	\$2,665.
	30"	20"	53"	RC532DHB ( ) ( ) ( )	1,461.	1,917.	2,205.	2,976.
	30"	24"	53"	RC533DHB ( ) ( ) ( )	1,630.	2,138.	2,457.	3,317.
	36"	15"	53"	RC561DHB ( ) ( ) ( )	1,442.	1,889.	2,174.	2,934.
	36"	20"	53"	RC562DHB ( ) ( ) ( )	1,608.	2,109.	2,425.	3,273.
	36"	24"	53"	RC563DHB ( ) ( ) ( )	1,792.	2,350.	2,703.	3,648.



description	w	d	h	pattern no.	L	V1	V2	V3
4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF ( ) ( ) ( ) L ( )	2,152.	2,822.	3,245.	4,381.
	30"	24"	53"	RC533DHF ( ) ( ) ( ) L ( )	2,364.	3,101.	3,560.	4,806.
	36"	20"	53"	RC562DHF ( ) ( ) ( ) L ( )	2,691.	3,527.	4,056.	5,475.
	36"	24"	53"	RC563DHF ( ) ( ) ( ) L ( )	2,958.	3,875.	4,458.	6,018.




Order Code	Specification Information	Application Notes
Example: <b>RC531DHB(2)(W)(V316)</b>	<i>To order please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>" h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b></p> <p><b>53" nominal height - actual height 52.625"</b></p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p>
<b>R</b> Reff		
<b>C</b> Cabinet		
<b>5</b> 53" h (nominal)		
<b>3</b> 30" w (nominal)		
<b>1</b> 15" d (nominal)		
<b>DH</b> Desk height		
<b>B</b> Open bookcase		
<b>2</b> Finish type, V2		
<b>W</b> Interior option, wood		
<b>V316</b> Finish, light maple		
	<p>1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>2. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)</p> <p>3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock</p> <p>5. <i>Cabinet finish</i></p> <p>6. <i>Optional pull finish (where applicable)</i></p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Applicable finishes are listed on page 5 and 6.</p>	

# Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)

Reff


68" high  
metal interior

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/3 adjustable shelves (for desk height planning)	30"	15"	68"	RC631DHB ( ) ( )	\$1,504.	\$1,972.	\$2,268.	\$3,061.
	30"	20"	68"	RC632DHB ( ) ( )	1,692.	2,218.	2,551.	3,444.
	30"	24"	68"	RC633DHB ( ) ( )	1,882.	2,465.	2,835.	3,828.
	36"	15"	68"	RC661DHB ( ) ( )	1,724.	2,261.	2,600.	3,511.
	36"	20"	68"	RC662DHB ( ) ( )	1,917.	2,515.	2,890.	3,902.
	36"	24"	68"	RC663DHB ( ) ( )	2,112.	2,768.	3,184.	4,300.




Shelves painted metal

Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	68"	RC612DHG(L/R) ( ) ( )L ( )	2,120.	2,778.	3,193.	4,311.
	16"	24"	68"	RC613DHG(L/R) ( ) ( )L ( )	2,342.	3,069.	3,528.	4,762.
	30"	20"	68"	RC632DHG ( ) ( )L ( )	2,685.	3,519.	4,046.	5,462.
	30"	24"	68"	RC633DHG ( ) ( )L ( )	2,988.	3,913.	4,499.	6,074.
	36"	20"	68"	RC662DHG ( ) ( )L ( )	2,967.	3,888.	4,473.	6,038.
	36"	24"	68"	RC663DHG ( ) ( )L ( )	3,301.	4,325.	4,974.	6,714.



Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

Storage w/4 file drawers&2 hinged doors (for desk height planning)	30"	20"	68"	RC632DHF ( ) ( )L ( )	2,794.	3,663.	4,214.	5,690.
	30"	24"	68"	RC633DHF ( ) ( )L ( )	3,088.	4,046.	4,655.	6,284.
	36"	20"	68"	RC662DHF ( ) ( )L ( )	3,088.	4,046.	4,655.	6,284.
	36"	24"	68"	RC663DHF ( ) ( )L ( )	3,411.	4,471.	5,141.	6,941.



Requires two lock cores per cabinet  
Drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: <b>RC631DHB(2)(M)(V316)</b>	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	<b>68" nominal height - actual height 67.627"</b>
<b>C</b> Cabinet	6. <i>Cabinet finish</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
<b>6</b> 68" h (nominal)	7. <i>Optional pull finish where applicable</i>	File drawers include file bars for front to back and side to side filing.
<b>3</b> 30" w (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	File drawers support bottom loading.
<b>1</b> 15" d (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>DH</b> Desk height	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
<b>B</b> Open bookcase	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>2</b> Finish type, V2		
<b>M</b> Interior option, metal		
<b>V316</b> Finish, light maple		

Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)  
 68" high  
 metal interior

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	68"	<b>RC632DHK</b> ( ) ( ) L ( )	\$2,595.	\$3,404.	\$3,930.	\$5,306.
	30"	24"	68"	<b>RC633DHK</b> ( ) ( ) L ( )	2,898.	3,798.	4,386.	5,920.
	36"	20"	68"	<b>RC662DHK</b> ( ) ( ) L ( )	2,787.	3,773.	4,358.	5,884.
	36"	24"	68"	<b>RC663DHK</b> ( ) ( ) L ( )	3,210.	4,211.	4,859.	6,559.




Requires one lock core per cabinet  
 Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: <b>RC631DHB(2)(M)(V316)</b>	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> " h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
<b>C</b> Cabinet	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	<b>68" nominal height - actual height 67.627"</b>
<b>6</b> 68" h (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>3</b> 30" w (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
<b>1</b> 15" d (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>DH</b> Desk height		File drawers include file bars for front to back and side to side filing.
<b>B</b> Open bookcase		
<b>2</b> Finish type, V2		File drawers support bottom loading.
<b>M</b> Interior option, metal		
<b>V316</b> Finish, light maple		


Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)  
68" high  
wood interior

Reff


description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/3 adjustable shelves (for desk height planning)	30"	15"	68"	RC631DHB ( ) ( ) ( )	\$1,645.	\$2,157.	\$2,481.	\$3,348.
	30"	20"	68"	RC632DHB ( ) ( ) ( )	1,834.	2,403.	2,763.	3,730.
	30"	24"	68"	RC633DHB ( ) ( ) ( )	2,022.	2,649.	3,046.	4,112.
	36"	15"	68"	RC661DHB ( ) ( ) ( )	1,866.	2,446.	2,814.	3,798.
	36"	20"	68"	RC662DHB ( ) ( ) ( )	2,057.	2,699.	3,103.	4,189.
	36"	24"	68"	RC663DHB ( ) ( ) ( )	2,253.	2,955.	3,397.	4,587.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	68"	RC612DHG(L/R) ( ) ( ) (L) ( ) ( )	2,259.	2,962.	3,405.	4,597.
	16"	24"	68"	RC613DHG(L/R) ( ) ( ) (L) ( ) ( )	2,485.	3,254.	3,743.	5,054.
	30"	20"	68"	RC632DHG ( ) ( ) (L) ( ) ( )	2,827.	3,703.	4,258.	5,749.
	30"	24"	68"	RC633DHG ( ) ( ) (L) ( ) ( )	3,129.	4,098.	4,713.	6,363.
	36"	20"	68"	RC662DHG ( ) ( ) (L) ( ) ( )	3,108.	4,074.	4,685.	6,324.
	36"	24"	68"	RC663DHG ( ) ( ) (L) ( ) ( )	3,442.	4,512.	5,186.	7,000.



Storage w/4 file drawers&2 hinged doors (for desk height planning)	30"	20"	68"	RC632DHF ( ) ( ) (L) ( ) ( )	2,937.	3,852.	4,426.	5,975.
	30"	24"	68"	RC633DHF ( ) ( ) (L) ( ) ( )	3,230.	4,230.	4,867.	6,570.
	36"	20"	68"	RC662DHF ( ) ( ) (L) ( ) ( )	3,230.	4,230.	4,867.	6,570.
	36"	24"	68"	RC663DHF ( ) ( ) (L) ( ) ( )	3,553.	4,656.	5,355.	7,230.



Order Code	Specification Information
Example: <b>RC631DHB(2)(W)(V316)</b>	
<b>R</b>	Reff
<b>C</b>	Cabinet
<b>6</b>	68" h (nominal)
<b>3</b>	30" w (nominal)
<b>1</b>	15" d (nominal)
<b>DH</b>	Desk height
<b>B</b>	Open bookcase
<b>2</b>	Finish type, V2
<b>W</b>	Interior option, wood
<b>V316</b>	Finish, light maple

Specification Information

- To order please specify pattern number including:
- Hinge location (where applicable)
    - L = left hand
    - R = right hand
  - Finish type
    - L = laminate
    - 1 = V1
    - 2 = V2
    - 3 = V3
  - Interior Option
    - W = wood (shelves match case finish and drawer interiors cherry veneer)
  - Pull Option (where applicable)
    - D = metal D-pull (finish optional)
    - J = routed J-pull (finish matches case)
    - C = nickel finish C-pull (nickel finish only)
    - S = S-pull (stainless steel finish only)

5. Lock option (where applicable)

- Optional hinged door configurations only
  - Drawers always lock drilled
  - L = drilled to accept lock
  - N = no drilling
6. Cabinet finish
7. Optional pull finish where applicable

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Application Notes

Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

**68" nominal height - actual height 67.627"**

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)  
68" high  
wood interior

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	68"	RC632DHK ( ) ( ) L ( )	\$2,737.	\$3,589.	\$4,147.	\$5,600.
	30"	24"	68"	RC633DHK ( ) ( ) L ( )	3,039.	3,986.	4,597.	6,207.
	36"	20"	68"	RC662DHK ( ) ( ) L ( )	3,019.	3,961.	4,571.	6,170.
	36"	24"	68"	RC663DHK ( ) ( ) L ( )	3,351.	4,396.	5,071.	6,846.



**Order Code**

Example: <b>RC631DHB(2)(W)(V316)</b>	
<b>R</b>	Reff
<b>C</b>	Cabinet
<b>6</b>	68" h (nominal)
<b>3</b>	30" w (nominal)
<b>1</b>	15" d (nominal)
<b>DH</b>	Desk height
<b>B</b>	Open bookcase
<b>2</b>	Finish type, V2
<b>W</b>	Interior option, wood
<b>V316</b>	Finish, light maple

**Specification Information**

To order please specify pattern number including:

- Hinge location (where applicable)*  
L = left hand  
R = right hand
- Finish type*  
L = laminate  
1 = V1  
2 = V2  
3 = V3
- Interior Option*  
W = wood (shelves match case finish and drawer interiors cherry veneer)
- Pull Option (where applicable)*  
D = metal D-pull (finish optional)  
J = routed J-pull (finish matches case)  
C = nickel finish C-pull (nickel finish only)  
S = S-pull (stainless steel finish only)

*5. Lock option (where applicable)*

Optional hinged door configurations only  
Drawers always lock drilled  
L = drilled to accept lock  
N = no drilling

*6. Cabinet finish*

*7. Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

**Application Notes**

Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>" h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

**68" nominal height - actual height 67.627"**

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.


File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)  
75" high  
metal interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB ( ) ( ) ( ) ( )	\$1,881.	\$2,464.	\$2,834.	\$3,827.
	30"	24"	75"	RC733DHB ( ) ( ) ( ) ( )	2,084.	2,730.	3,140.	4,240.
	36"	20"	75"	RC762DHB ( ) ( ) ( ) ( )	2,128.	2,788.	3,206.	4,328.
	36"	24"	75"	RC763DHB ( ) ( ) ( ) ( )	2,331.	3,057.	3,514.	4,744.



Shelves painted metal

Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) ( ) ( ) ( ) ( ) ( )	3,041.	3,981.	4,584.	6,187.
	30"	24"	75"	RC733DHE(L/R) ( ) ( ) ( ) ( ) ( )	3,399.	4,456.	5,128.	6,922.
	36"	20"	75"	RC762DHE(L/R) ( ) ( ) ( ) ( ) ( )	3,334.	4,370.	5,023.	6,781.
	36"	24"	75"	RC763DHE(L/R) ( ) ( ) ( ) ( ) ( )	3,719.	4,882.	5,609.	7,572.



Requires one lock core per cabinet  
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: <b>RC732DHB(2)(M)(V316)</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff		
<b>C</b> Cabinet		
<b>7</b> 75" h (nominal)		
<b>3</b> 30" w (nominal)		
<b>2</b> 20" d (nominal)		
<b>DH</b> Desk height		
<b>B</b> Open bookcase		
<b>2</b> Finish type, V2		
<b>M</b> Interior option, metal		
<b>V316</b> Finish, light maple		
	<ol style="list-style-type: none"> <li><i>Hinge location (where applicable)</i> L = left hand R = right hand</li> <li><i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</li> <li><i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</li> <li><i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</li> <li><i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling</li> <li><i>Cabinet finish</i></li> <li><i>Optional pull finish where applicable</i></li> <li><i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d</li> <li><i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above</li> </ol>	<p>Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>" h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b></p> <p><b>75" nominal height - actual height 75.125"</b></p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 299</p>
Applicable finishes are listed on page 5 and 6.	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>	

Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)  
75" high  
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) ( ) ( ) L ( ) ( ) ( )	\$2,244.	\$2,940.	\$3,382.	\$4,566.
	16"	24"	75"	RC713DHG(L/R) ( ) ( ) L ( ) ( ) ( )	2,459.	3,259.	3,749.	5,062.
	30"	20"	75"	RC732DHG ( ) ( ) L ( ) ( ) ( )	2,849.	3,734.	4,292.	5,795.
	30"	24"	75"	RC733DHG ( ) ( ) L ( ) ( ) ( )	3,133.	4,104.	4,721.	6,372.
	36"	20"	75"	RC762DHG ( ) ( ) L ( ) ( ) ( )	3,092.	4,053.	4,663.	6,296.
	36"	24"	75"	RC763DHG ( ) ( ) L ( ) ( ) ( )	3,378.	4,427.	5,092.	6,875.



Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: <b>RC732DHB(2)(M)(V316)</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> " h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b>
<b>C</b> Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>7</b> 75" h (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
<b>3</b> 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>2</b> 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
<b>DH</b> Desk height	6. <i>Cabinet finish</i>	
<b>B</b> Open bookcase	7. <i>Optional pull finish where applicable</i>	
<b>2</b> Finish type, V2	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
<b>M</b> Interior option, metal	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
<b>V316</b> Finish, light maple	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.  Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	<b>75" nominal height - actual height 75.125"</b>  Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.  File drawers include file bars for front to back and side to side filing.  File drawers support bottom loading.  Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 299

Applicable finishes are listed on page 5 and 6.



Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)  
75" high  
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	<b>RC732DHK</b> ( ) ( ) L ( ) ( ) ( )	\$2,759.	\$3,621.	\$4,179.	\$5,641.
	30"	24"	75"	<b>RC733DHK</b> ( ) ( ) L ( ) ( ) ( )	3,043.	3,989.	4,606.	6,218.
	36"	20"	75"	<b>RC762DHK</b> ( ) ( ) L ( ) ( ) ( )	3,002.	3,939.	4,550.	6,142.
	36"	24"	75"	<b>RC763DHK</b> ( ) ( ) L ( ) ( ) ( )	3,288.	4,314.	4,979.	6,721.



Requires one lock core per cabinet  
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: <b>RC732DHB(2)(M)(V316)</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff		
<b>C</b> Cabinet		
<b>7</b> 75" h (nominal)		
<b>3</b> 30" w (nominal)		
<b>2</b> 20" d (nominal)		
<b>DH</b> Desk height		
<b>B</b> Open bookcase		
<b>2</b> Finish type, V2		
<b>M</b> Interior option, metal		
<b>V316</b> Finish, light maple		
	<p>1. <i>Hinge location (where applicable)</i> L = left hand R = right hand</p> <p>2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p>4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling</p> <p>6. <i>Cabinet finish</i></p> <p>7. <i>Optional pull finish where applicable</i></p> <p>8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d</p> <p>9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>	<p>Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</b></p> <p><b>75" nominal height - actual height 75.125"</b></p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 299</p>

Applicable finishes are listed on page 5 and 6.



# Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)

## 75" high


### wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase (for desk height planning)	30"	20"	75"	<b>RC732DHB</b> ( ) ( ) ( ) ( ) ( )	\$2,021.	\$2,647.	\$3,045.	\$4,111.
	30"	24"	75"	<b>RC733DHB</b> ( ) ( ) ( ) ( ) ( )	2,225.	2,916.	3,353.	4,525.
	36"	20"	75"	<b>RC762DHB</b> ( ) ( ) ( ) ( ) ( )	2,270.	2,974.	3,420.	4,616.
	36"	24"	75"	<b>RC763DHB</b> ( ) ( ) ( ) ( ) ( )	2,472.	3,242.	3,727.	5,032.




Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	<b>RC732DHE(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( )	3,181.	4,168.	4,794.	6,472.
	30"	24"	75"	<b>RC733DHE(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( )	3,541.	4,643.	5,339.	7,208.
	36"	20"	75"	<b>RC762DHE(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( )	3,475.	4,553.	5,237.	7,070.
	36"	24"	75"	<b>RC763DHE(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( )	3,864.	5,067.	5,825.	7,864.



Requires one lock core per cabinet

Left hand shown

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	<b>RC712DHG(L/R)</b> ( ) ( ) ( <b>L</b> ) ( ) ( ) ( )	2,385.	3,124.	3,593.	4,851.
	16"	24"	75"	<b>RC713DHG(L/R)</b> ( ) ( ) ( <b>L</b> ) ( ) ( ) ( )	2,630.	3,444.	3,962.	5,349.
	30"	20"	75"	<b>RC732DHG</b> ( ) ( ) ( <b>L</b> ) ( ) ( ) ( )	2,990.	3,915.	4,505.	6,081.
	30"	24"	75"	<b>RC733DHG</b> ( ) ( ) ( <b>L</b> ) ( ) ( ) ( )	3,273.	4,289.	4,932.	6,657.
	36"	20"	75"	<b>RC762DHG</b> ( ) ( ) ( <b>L</b> ) ( ) ( ) ( )	3,234.	4,239.	4,874.	6,580.
	36"	24"	75"	<b>RC763DHG</b> ( ) ( ) ( <b>L</b> ) ( ) ( ) ( )	3,519.	4,613.	5,305.	7,163.



Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: <b>RC732DHB(2)(W)(V316)</b>	To order please specify pattern number including:	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> " h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff		
<b>C</b> Cabinet		
<b>7</b> 75" h (nominal)	1. Hinge location (where applicable) L = left hand R = right hand	
<b>3</b> 30" w (nominal)	2. Finish type L = laminate 1 = V1 2 = V2 3 = V3	
<b>2</b> 20" d (nominal)	3. Interior Option W = wood (shelves match case finish and drawer interiors cherry veneer)	
<b>DH</b> Desk height	4. Pull Option (where applicable) optional D = metal D-pull (finish matches case) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	<b>75" nominal height - actual height 75.125"</b>
<b>B</b> Open bookcase	5. Lock option (where applicable) Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
<b>2</b> Finish type, V2		File drawers include file bars for front to back and side to side filing.
<b>W</b> Interior option, wood		File drawers support bottom loading.
<b>V316</b> Finish, light maple		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 299
	6. Cabinet finish	
	7. Optional pull finish where applicable	
	8. Optional drilling to support workwall, left side N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
	9. Optional drilling to support workwall, right side *drilling options same as #8 above	
	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)  
75" high  
wood interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	<b>RC732DHK</b> ( ) ( ) L ( ) ( )	\$2,900.	\$3,802.	\$4,390.	\$5,926.
	30"	24"	75"	<b>RC733DHK</b> ( ) ( ) L ( ) ( )	3,183.	4,174.	4,819.	6,505.
	36"	20"	75"	<b>RC762DHK</b> ( ) ( ) L ( ) ( )	3,144.	4,125.	4,762.	6,430.
	36"	24"	75"	<b>RC763DHK</b> ( ) ( ) L ( ) ( )	3,429.	4,499.	5,191.	7,008.



Requires one lock core per cabinet

Storage w/4 file drws& hinged doors above (for desk height planning)	30"	20"	75"	<b>RC732DHF</b> ( ) ( ) L ( ) ( )	3,230.	4,230.	4,867.	6,570.
	30"	24"	75"	<b>RC733DHF</b> ( ) ( ) L ( ) ( )	3,573.	4,682.	5,383.	7,266.
	36"	20"	75"	<b>RC762DHF</b> ( ) ( ) L ( ) ( )	3,553.	4,656.	5,370.	7,250.
	36"	24"	75"	<b>RC763DHF</b> ( ) ( ) L ( ) ( )	3,927.	5,145.	5,923.	7,996.



Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: <b>RC732DHB(2)(W)(V316)</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff		
<b>C</b> Cabinet		
<b>7</b> 75" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
<b>3</b> 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>2</b> 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
<b>DH</b> Desk height	4. <i>Pull Option (where applicable) optional</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>B</b> Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
<b>2</b> Finish type, V2	6. <i>Cabinet finish</i>	
<b>W</b> Interior option, wood	7. <i>Optional pull finish where applicable</i>	
<b>V316</b> Finish, light maple	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> " h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26<sup>1</sup>/<sub>2</sub>" h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>" h (desk height) planning model in any one configuration.</b>
		<b>75" nominal height - actual height 75.125"</b>
		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
		File drawers include file bars for front to back and side to side filing.
		File drawers support bottom loading.
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 299
		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
		Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 28<sup>3</sup>/<sub>8</sub>" h support components)  
75" high  
wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors for coat rod and boot tray	30"	20"	75"	RC732DHD ( ) W ( ) ( ) ( )	\$2,247.	\$2,945.	\$3,385.	\$4,570.
	30"	24"	75"	RC733DHD ( ) W ( ) ( ) ( )	2,469.	3,236.	3,721.	5,025.
	36"	20"	75"	RC762DHD ( ) W ( ) ( ) ( )	2,470.	3,238.	3,724.	5,030.
	36"	24"	75"	RC763DHD ( ) W ( ) ( ) ( )	2,715.	3,560.	4,094.	5,526.



Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: <b>RC732DHB(2)(W)(V316)</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff		
<b>C</b> Cabinet		
<b>7</b> 75" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
<b>3</b> 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>2</b> 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
<b>DH</b> Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>B</b> Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
<b>2</b> Finish type, V2	6. <i>Cabinet finish</i>	
<b>W</b> Interior option, wood	7. <i>Optional pull finish where applicable</i>	
<b>V316</b> Finish, light maple	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> " h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26<sup>1</sup>/<sub>2</sub>" h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>" h (desk height) planning model in any one configuration.</b>
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	<b>75" nominal height - actual height 75.125"</b>  Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.  File drawers include file bars for front to back and side to side filing.  File drawers support bottom loading.  Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 299

Applicable finishes are listed on page 5 and 6.

description	w	d	h	pattern no.	L	V1	V2	V3
Office companion	16"	18"	28"	<b>RCOMP1816-( )</b>	\$1,832.	\$2,274.	\$2,612.	\$3,526.




Office tower with storage door and drawers (left hand)	24"	24"	65 1/4"	<b>RTDL242464-( )</b>	5,049.	6,618.	7,610.	10,274.
	24"	30"	65 1/4"	<b>RTDL243064-( )</b>	5,613.	7,355.	8,459.	11,420.



File drawers come drilled to accept lock. Requires one lock core. Coat and one shelf included.

Office tower with storage door and drawers (right hand)	24"	24"	65 1/4"	<b>RTDR242464-( )</b>	5,049.	6,618.	7,610.	10,274.
	24"	30"	65 1/4"	<b>RTDR243064-( )</b>	5,613.	7,355.	8,459.	11,420.

Office tower without storage door and drawers (left hand)	24"	24"	65 1/4"	<b>RTOL242464-( )</b>	4,543.	5,959.	6,849.	9,247.
	24"	30"	65 1/4"	<b>RTOL243064-( )</b>	5,050.	6,619.	7,613.	10,277.



File drawers come drilled to accept lock. Requires one lock core. Coat rod and one shelf included.

**Order Code**

Example: <b>RCOMP18161</b>	
<b>R</b>	Reff
<b>COMP</b>	Companion
<b>18</b>	18" wide
<b>16</b>	16" deep
<b>1</b>	V1 finish

**Specification Information**

To order please specify pattern number including:

1. Finish type
2. Finish
3. D-pull finish
4. Keying instructions

1. *Finish type:*

- L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3

4. Refer to page 322 for keying instructions.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

**\*After specifying product code, provide keying instructions.**

**Application Notes**

Office companion designed to facilitate storage and use of portable personal computers.

Office tower multiple type storage unit for maximum space utilization.

Office tower is shown in left hand versions only. (Tower is positioned to the left of work surface).

Office companion and towers are only available with metal D-pulls.

The office companion is equipped with medium grey nose edge and grommet and a choice in D-pull finish. Locks are black.

Hinge doors on office tower cannot be locked.

Lock is included in office companion.

Random Keying is factory installed.

Key alike orders are field installed using the KnollKey order form.

Applicable finishes are listed on page 5 and 6.

description	w	d	h	pattern no.	L	V1	V2	V3
Office tower without storage door and drawers (right hand)	24"	24"	65 1/4"	<b>RTOR242464-( )</b>	\$4,543.	\$5,959.	\$6,849.	\$9,247.
	24"	30"	65 1/4"	<b>RTOR243064-( )</b>	5,050.	6,619.	7,613.	10,277.

**Order Code**

Example: <b>R</b>	Reff
<b>COMP</b>	Companion
<b>18</b>	18" wide
<b>16</b>	16" deep
<b>1</b>	V1 finish

**Specification Information**

*To order please specify pattern number including:*

1. Finish type
2. Finish
3. D-pull finish
4. Keying instructions

*1. Finish type:*  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3

4. Refer to page 322 for keying instructions.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

**\*After specifying product code, provide keying instructions.**

**Application Notes**

Office companion designed to facilitate storage and use of portable personal computers.

Office tower multiple type storage unit for maximum space utilization.

Office tower is shown in left hand versions only. (Tower is positioned to the left of work surface).

Office companion and towers are only available with metal D-pulls.

The office companion is equipped with medium grey nose edge and grommet and a choice in D-pull finish. Locks are black.

Hinge doors on office tower cannot be locked.

Lock is included in office companion.



Random Keying is factory installed.

Key alike orders are field installed using the KnollKey order form.

Applicable finishes are listed on page 5 and 6.

# Overhead storage panel hung cabinets

Reff

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	19"	30"	14"			<b>ROPO30S0(-)(-)(-)</b>	\$1,191.	\$1,229.	\$1,414.	\$1,909.
	19"	36"	14"			<b>ROPO36S0(-)(-)(-)</b>	1,457.	1,506.	1,732.	2,339.
	19"	42"	14"			<b>ROPO42S0(-)(-)(-)</b>	1,601.	1,655.	1,905.	2,572.
	19"	48"	14"			<b>ROPO48S0(-)(-)(-)</b>	1,660.	1,714.	1,973.	2,663.
	19"	60"	14"			<b>ROPO60S0(-)(-)(-)</b>	1,696.	1,754.	2,020.	2,727.
	19"	72"	14"			<b>ROPO72S0(-)(-)(-)</b>	2,080.	2,148.	2,471.	3,335.
	19"	90"	14"			<b>ROPO90S0(-)(-)(-)</b>	2,288.	2,364.	2,718.	3,670.
	19"	96"	14"			<b>ROPO96S0(-)(-)(-)</b>	2,371.	2,451.	2,818.	3,804.
	23"	60"	14"			<b>ROPO60T0(-)(-)(-)</b>	1,812.	1,875.	2,156.	2,910.
	23"	72"	14"			<b>ROPO72T0(-)(-)(-)</b>	2,471.	2,558.	2,940.	3,970.
	23"	90"	14"			<b>ROPO90T0(-)(-)(-)</b>	2,805.	2,897.	3,333.	4,501.
	23"	96"	14"			<b>ROPO96T0(-)(-)(-)</b>	2,907.	3,005.	3,457.	4,667.
	Panel-hung overhead cabinet (hinged door) no back 	19"	30"	14"	1	2	<b>ROPH30S0(-)(-)(-)</b>	1,322.	1,364.	1,567.
19"		36"	14"	1	2	<b>ROPH36S0(-)(-)(-)</b>	1,615.	1,671.	1,924.	2,597.
19"		60"	14"	2	4	<b>ROPH60S0(-)(-)(-)</b>	1,885.	1,948.	2,241.	3,026.
19"		72"	14"	2	4	<b>ROPH72S0(-)(-)(-)</b>	2,310.	2,390.	2,748.	3,710.
19"		90"	14"	3	6	<b>ROPH90S0(-)(-)(-)</b>	2,543.	2,627.	3,021.	4,077.
19"		96"	14"	3	6	<b>ROPH96S0(-)(-)(-)</b>	2,633.	2,721.	3,132.	4,228.
23"		60"	14"	2	4	<b>ROPH60T0(-)(-)(-)</b>	2,017.	2,084.	2,398.	3,239.
23"		72"	14"	2	4	<b>ROPH72T0(-)(-)(-)</b>	2,746.	2,841.	3,265.	4,408.
23"		90"	14"	3	6	<b>ROPH90T0(-)(-)(-)</b>	3,114.	3,221.	3,700.	4,995.
23"		96"	14"	3	6	<b>ROPH96T0(-)(-)(-)</b>	3,231.	3,339.	3,839.	5,183.

## Order Code

Example:	<b>ROPH60S0DLL</b>
<b>R</b>	Reff
<b>O</b>	Overhead
<b>P</b>	Panel hung
<b>H</b>	Hinge door
<b>60</b>	60" wide
<b>S</b>	Standard height, 19"h
<b>0</b>	15" deep
<b>D</b>	D-pull
<b>L</b>	Lock hole drilled
<b>L</b>	Laminate finish

## Specification Information

To order please specify pattern number including:

- Configuration option (*embedded in pattern no.*)  
*H = Hinged door*  
*O = Open*  
*F = Flip door*
- Storage option (*embedded in pattern no.*)  
*S0 = 19"h x 14"d open/15"d hinged door*  
*T0 = 23"h x 14"d open/15"d hinged door*
- Finish type
- Pull option *applicable hinged doors only*
- Lock option
- Finish, case
- Finish, pull when applicable
- Keying instructions

**\*After specifying product code, provide keying instructions.**

**Dimensions are nominal.**

Product not available where prices do not appear.

3. *Finish type options:*  
 L = Laminate  
 1 = V1 techwood  
 2 = V2 conventional veneer  
 3 = V3 exotic veneer

## Application Notes

4. *Pull Options:*  
 D = Metal D-pull for hinged door only  
 J = Routed pull  
 C = Nickel finish C-pull for hinged door only (nickel finish only)  
 S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*  
 L = Lock hole drilled  
 N = No lockdrilling

8. Refer to page 322 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 290.

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

**The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.**

**\*Keying instructions must accompany all cabinet orders.**

Panel-hung overheads come with no backs.



Random keys are factory installed.

Order overheads with a KnollKey order form.



# Overhead storage panel hung cabinets

Reff


description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
 Panel-hung overhead flip door cabinet (no back)	18"	30"	14"	1	1	<b>ROPF30S0J-()()</b>	\$993.	\$1,304.	\$1,498.	\$2,023.
	18"	36"	14"	1	1	<b>ROPF36S0J-()()</b>	1,010.	1,327.	1,528.	2,062.
	18"	42"	14"	1	1	<b>ROPF42S0J-()()</b>	1,081.	1,423.	1,637.	2,211.
	18"	48"	14"	1	1	<b>ROPF48S0J-()()</b>	1,121.	1,480.	1,701.	2,297.
	18"	60"	14"	2	2	<b>ROPF60S0J-()()</b>	1,301.	1,711.	1,969.	2,659.
	18"	72"	14"	2	2	<b>ROPF72S0J-()()</b>	1,538.	2,025.	2,326.	3,140.
	18"	84"	14"	2	2	<b>ROPF84S0J-()()</b>	1,719.	2,261.	2,600.	3,511.
	18"	96"	14"	2	2	<b>ROPF96S0J-()()</b>	1,833.	2,413.	2,776.	3,747.
 Panel-hung shelves	9"	30"	13"			<b>ROPS30S0NN-()</b>	267.	550.	631.	853.
	9"	36"	13"			<b>ROPS36S0NN-()</b>	288.	571.	656.	886.
	9"	42"	13"			<b>ROPS42S0NN-()</b>	312.	590.	680.	918.
	9"	48"	13"			<b>ROPS48S0NN-()</b>	333.	611.	701.	946.
	9"	54"	13"			<b>ROPS54S0NN-()</b>	356.	656.	753.	1,017.
	9"	60"	13"			<b>ROPS60S0NN-()</b>	380.	706.	812.	1,096.
	9"	66"	13"			<b>ROPS66S0NN-()</b>	402.	751.	864.	1,166.
	9"	72"	13"			<b>ROPS72S0NN-()</b>	425.	800.	917.	1,237.
	9"	78"	13"			<b>ROPS78S0NN-()</b>	448.	867.	996.	1,344.
	9"	84"	13"			<b>ROPS84S0NN-()</b>	469.	933.	1,074.	1,450.
	9"	90"	13"			<b>ROPS90S0NN-()</b>	493.	1,001.	1,150.	1,553.
	9"	96"	13"			<b>ROPS96S0NN-()</b>	500.	1,052.	1,212.	1,636.

Order Code	Specification Information	Application Notes
Example: <b>ROPH60S0DLL</b> <b>R</b> Reff <b>O</b> Overhead <b>P</b> Panel hung <b>H</b> Hinge door <b>60</b> 60" wide <b>S</b> Standard height, 19"h <b>0</b> 15" deep <b>D</b> D-pull <b>L</b> Lock hole drilled <b>L</b> Laminate finish	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Configuration option (<i>embedded in pattern no.</i>)  <i>H = Hinged door</i>  <i>O = Open</i>  <i>F = Flip door</i></li> <li>Storage option (<i>embedded in pattern no.</i>)  <i>S0 = 19"h x 14"d open/15"d hinged door</i>  <i>T0 = 23"h x 14"d open/15"d hinged door</i></li> <li>Finish type</li> <li>Pull option <i>applicable hinged doors only</i></li> <li>Lock option</li> <li>Finish, case</li> <li>Finish, pull when applicable</li> <li>Keying instructions</li> </ol> <p><b>*After specifying product code, provide keying instructions.</b></p> <p><b>Dimensions are nominal.</b></p> <p>Product not available where prices do not appear.</p> <p>3. <i>Finish type options:</i>            L = Laminate            1 = V1 techwood            2 = V2 conventional veneer            3 = V3 exotic veneer</p>	<p>4. <i>Pull Options:</i>            D = Metal D-pull for hinged door only            J = Routed pull            C = Nickel finish C-pull for hinged door only (nickel finish only)            S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)</p> <p>5. <i>Lock options:</i>            L = Lock hole drilled            N = No lockdrilling</p> <p>8. Refer to page 322 for keying instructions.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.            List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Sliding rails order separately on page 290.</p> <p>Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.</p> <p>Open cabinets require no locks.</p> <p>Tasklights are not included.</p> <p>D-Pulls are not available for flip door units.</p> <p>Hardware included for overhead cabinets.</p> <p><b>The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.</b></p> <p><b>*Keying instructions must accompany all cabinet orders.</b></p> <p>Panel-hung overheads come with no backs.</p> <p>Random keys are factory installed.</p> <p>Order overheads with a KnollKey order form.</p>


# Overhead storage wall hung cabinets

Reff

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (hinged door) with back	19"	30"	15"	1	2	<b>ROMH30S0</b> (-)(-)(-)	\$2,415.	\$2,495.	\$2,866.	\$3,870.
	19"	36"	15"	1	2	<b>ROMH36S0</b> (-)(-)(-)	2,570.	2,659.	3,057.	4,127.
	19"	60"	15"	2	4	<b>ROMH60S0</b> (-)(-)(-)	2,887.	2,983.	3,432.	4,633.
	19"	72"	15"	2	4	<b>ROMH72S0</b> (-)(-)(-)	3,055.	3,157.	3,632.	4,903.



Wall-hung overhead cabinet (open) with back	19"	30"	15"			<b>ROMO30S0</b> (-)(-)(-)	1,660.	1,719.	1,975.	2,665.
	19"	36"	15"			<b>ROMO36S0</b> (-)(-)(-)	1,703.	1,763.	2,026.	2,734.
	19"	42"	15"			<b>ROMO42S0</b> (-)(-)(-)	1,747.	1,808.	2,078.	2,805.
	19"	48"	15"			<b>ROMO48S0</b> (-)(-)(-)	1,796.	1,852.	2,135.	2,882.
	19"	60"	15"			<b>ROMO60S0</b> (-)(-)(-)	1,982.	2,047.	2,356.	3,180.
	19"	72"	15"			<b>ROMO72S0</b> (-)(-)(-)	2,092.	2,167.	2,490.	3,361.



Wall-hung overhead cabinet (flip door) with back	19"	30"	15"	1	1	<b>ROMF30S0</b> (-)(-)(-)	1,769.	1,829.	2,102.	2,839.
	19"	36"	15"	1	1	<b>ROMF36S0</b> (-)(-)(-)	1,883.	1,947.	2,240.	3,024.
	19"	42"	15"	1	1	<b>ROMF42S0</b> (-)(-)(-)	1,993.	2,065.	2,374.	3,205.
	19"	48"	15"	1	1	<b>ROMF48S0</b> (-)(-)(-)	2,110.	2,181.	2,509.	3,387.
	19"	60"	15"	2	2	<b>ROMF60S0</b> (-)(-)(-)	2,326.	2,407.	2,767.	3,736.
	19"	72"	15"	2	2	<b>ROMF72S0</b> (-)(-)(-)	2,462.	2,545.	2,927.	3,952.

Order Code	
Example: <b>ROMO60S0</b>	
<b>R</b>	Reff
<b>O</b>	Overhead
<b>M</b>	Wall hung
<b>O</b>	Open
<b>60</b>	60" wide
<b>S</b>	Standard height, 19"h
<b>0</b>	15" deep

**Specification Information**

To order please specify pattern number including:

- Configuration option (*embedded in pattern no.*)  
H = Hinged door  
O = Open  
F = Flip door
- Storage option (*embedded in pattern no.*)  
S0 = 19"h x 14"d open/15"d hinged door
- Finish type
- Pull option applicable hinged doors only
- Lock option
- Finish, case
- Finish, pull when applicable
- Keying instructions

**\*After specifying product code, provide keying instructions.**

**Dimensions are nominal.**

Product not available where prices do not appear.

3. *Finish type options:*  
L = Laminate  
1 = V1 techwood  
2 = V2 conventional veneer  
3 = V3 exotic veneer

4. *Pull Options:*  
D = Metal D-pull for hinged door only  
J = Routed pull  
C = Nickel finish C-pull for hinged door only (nickel finish only)  
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*  
L = Lock hole drilled  
N = No lockdrilling

8. Refer to page 322 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 290.

## Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

**The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.**

**\*Keying instructions must accompany all cabinet orders.**

Panel-hung overheads come with no backs.


Random keys are factory installed.

Order overheads with a KnollKey order form.


# Overhead storage workwalls, 26 1/2" standard height planning model

Reff

description	d	h	w	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open)	15"	19"	60"	ROWO60S0(-)(-)(-)	\$1,894.	\$1,978.	\$2,319.	\$3,131.
	15"	19"	72"	ROWO72S0(-)(-)(-)	2,435.	2,543.	2,974.	4,014.
	15"	19"	90"	ROWO90S0(-)(-)(-)	2,683.	2,806.	3,302.	4,457.
	15"	19"	96"	ROWO96S0(-)(-)(-)	2,748.	2,880.	3,391.	4,578.
	15"	23"	60"	ROWO60T0(-)(-)(-)	2,058.	2,148.	2,518.	3,400.
	15"	23"	72"	ROWO72T0(-)(-)(-)	2,765.	2,884.	3,369.	4,547.
	15"	23"	90"	ROWO90T0(-)(-)(-)	3,101.	3,241.	3,797.	5,127.
	15"	23"	96"	ROWO96T0(-)(-)(-)	3,165.	3,311.	3,887.	5,249.
	20"	19"	60"	ROWO60S1(-)(-)(-)	2,036.	2,127.	2,492.	3,364.
	20"	19"	72"	ROWO72S1(-)(-)(-)	2,615.	2,727.	3,187.	4,303.
	20"	19"	90"	ROWO90S1(-)(-)(-)	2,981.	3,117.	3,659.	4,940.
	20"	19"	96"	ROWO96S1(-)(-)(-)	3,050.	3,190.	3,749.	5,062.
	20"	23"	60"	ROWO60T1(-)(-)(-)	2,201.	2,296.	2,689.	3,629.
	20"	23"	72"	ROWO72T1(-)(-)(-)	3,047.	3,177.	3,703.	4,999.
	20"	23"	90"	ROWO90T1(-)(-)(-)	3,295.	3,442.	4,031.	5,441.
	20"	23"	96"	ROWO96T1(-)(-)(-)	3,364.	3,512.	4,119.	5,560.



72" h workwall overhead cabinet (hinged door)	15"	19"	60"	ROWH60S0(-)(-)(-)	2,444.	2,547.	2,975.	4,015.
	15"	19"	72"	ROWH72S0(-)(-)(-)	3,132.	3,260.	3,802.	5,133.
	15"	19"	90"	ROWH90S0(-)(-)(-)	3,477.	3,632.	4,250.	5,737.
	15"	19"	96"	ROWH96S0(-)(-)(-)	3,574.	3,732.	4,374.	5,904.
	15"	23"	60"	ROWH60T0(-)(-)(-)	2,650.	2,761.	3,223.	4,350.
	15"	23"	72"	ROWH72T0(-)(-)(-)	3,546.	3,690.	4,293.	5,797.
	15"	23"	90"	ROWH90T0(-)(-)(-)	4,001.	4,170.	4,870.	6,574.
	15"	23"	96"	ROWH96T0(-)(-)(-)	4,096.	4,273.	4,994.	6,742.
	20"	19"	60"	ROWH60S1(-)(-)(-)	2,624.	2,733.	3,190.	4,307.
	20"	19"	72"	ROWH72S1(-)(-)(-)	3,357.	3,494.	4,068.	5,491.
	20"	19"	90"	ROWH90S1(-)(-)(-)	3,854.	4,020.	4,694.	6,338.
	20"	19"	96"	ROWH96S1(-)(-)(-)	3,950.	4,120.	4,820.	6,507.
	20"	23"	60"	ROWH60T1(-)(-)(-)	2,831.	2,948.	3,435.	4,637.
	20"	23"	72"	ROWH72T1(-)(-)(-)	3,898.	4,054.	4,712.	6,362.
	20"	23"	90"	ROWH90T1(-)(-)(-)	4,247.	4,424.	5,160.	6,967.
	20"	23"	96"	ROWH96T1(-)(-)(-)	4,340.	4,524.	5,284.	7,133.



60" w and 72" w units have four hinged doors, two lock cores required.  
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0L</b>	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
<b>R</b> Reff	1. Configuration option	Open cabinets require no locks.
<b>O</b> Overhead	2. Storage option ( <i>embedded in pattern no.</i> )	Tasklights not included.
<b>W</b> Workwall	<i>S0 = 19" h x 15" d</i>	Tackboard included, fabric railroaded.
<b>O</b> Open	<i>S1 = 19" h x 20" d</i>	Locks are not factory installed.
<b>60</b> 60" wide	<i>T0 = 23" h x 15" d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
<b>S</b> Standard height	<i>T1 = 23" h x 20" d</i>	Applicable finishes are listed on page 5 and 6.
<b>0</b> 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
<b>L</b> Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>(W250)</b> Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	<b>*After specifying product code, provide keying instructions. 1.</b>	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	<b>See Planning Guide for keying examples.</b>	

# Overhead storage workwalls, 26 1/2" standard height planning model

Reff

description	d	h	w	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	15"	19"	–	<b>RWEA7220(L/R)-( )</b>	\$353.	\$364.	\$417.	\$563.
	15"	23"	–	<b>RWEB7220(L/R)-( )</b>	353.	364.	417.	563.
	20"	19"	–	<b>RWEC7220(L/R)-( )</b>	353.	364.	417.	563.
	20"	23"	–	<b>RWED7220(L/R)-( )</b>	353.	364.	417.	563.




Workwall support endpanels for 72"H x 24"D workwall cabinets	15"	19"	–	<b>RWEA7224(L/R)-( )</b>	384.	398.	457.	617.
	15"	23"	–	<b>RWEB7224(L/R)-( )</b>	384.	398.	457.	617.
	20"	19"	–	<b>RWEC7224(L/R)-( )</b>	384.	398.	457.	617.
	20"	23"	–	<b>RWED7224(L/R)-( )</b>	384.	398.	457.	617.



Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0L</b>	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
<b>R</b> Reff	1. Configuration option	Open cabinets require no locks.
<b>O</b> Overhead	2. Storage option ( <i>embedded in pattern no.</i> )	Tasklights not included.
<b>W</b> Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
<b>O</b> Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
<b>60</b> 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
<b>S</b> Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
<b>0</b> 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
<b>L</b> Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>(W250)</b> Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	<b>*After specifying product code, provide keying instructions. 1.</b>	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	<b>See Planning Guide for keying examples.</b>	

# Overhead storage workwalls, 28<sup>3</sup>/<sub>8</sub>" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (hinged door) 	15"	19"	60"	75"	<b>ROWH60S0DH</b> ( ) ( ) ( ) ( )	\$2,566.	\$2,675.	\$3,124.	\$4,218.
	15"	19"	72"	75"	<b>ROWH72S0DH</b> ( ) ( ) ( ) ( )	3,289.	3,425.	3,993.	5,391.
	15"	19"	90"	75"	<b>ROWH90S0DH</b> ( ) ( ) ( ) ( )	3,652.	3,813.	4,462.	6,024.
	15"	19"	96"	75"	<b>ROWH96S0DH</b> ( ) ( ) ( ) ( )	3,753.	3,919.	4,593.	6,201.
	20"	19"	60"	75"	<b>ROWH60S1DH</b> ( ) ( ) ( ) ( )	2,756.	2,871.	3,350.	4,523.
	20"	19"	72"	75"	<b>ROWH72S1DH</b> ( ) ( ) ( ) ( )	3,524.	3,669.	4,272.	5,767.
	20"	19"	90"	75"	<b>ROWH90S1DH</b> ( ) ( ) ( ) ( )	4,047.	4,220.	4,929.	6,654.
	20"	19"	96"	75"	<b>ROWH96S1DH</b> ( ) ( ) ( ) ( )	4,147.	4,326.	5,060.	6,831.


60" w and 72" w units have four hinged doors, two lock cores required  
90" w and 96" w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0DHL118</b> ( ) <b>R</b> Reff <b>O</b> Overhead <b>W</b> Workwall <b>O</b> Open <b>60</b> 60" wide <b>S</b> 19" storage height <b>0</b> 15" storage depth <b>DH</b> desk height, 75" height overall <b>L</b> Finish type, laminate <b>118</b> Finish, Bright White <b>( )</b> Fabric selection	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors</li> <li><i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d</li> <li><i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</li> <li><i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</li> </ol>	<ol style="list-style-type: none"> <li><i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling</li> <li><i>Finish</i></li> <li><i>Optional pull finish, where applicable</i></li> <li><i>Fabric for tackboard</i></li> </ol> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Products on this page, shipped knocked-down.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
		<p>Products on this page are engineered to align with 75" h cabinets on page 255. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28<sup>3</sup>/<sub>8</sub>" h products on page 222 ; <b>do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b></p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>

dimensions noted nominal

# Overhead storage workwalls, 28<sup>3</sup>/<sub>8</sub>" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 23"h storage (hinged door) 	15"	23"	60"	75"	<b>ROWH60T0DH</b> ( ) ( ) ( ) ( )	\$2,783.	\$2,898.	\$3,385.	\$4,570.
	15"	23"	72"	75"	<b>ROWH72T0DH</b> ( ) ( ) ( ) ( )	3,723.	3,873.	4,508.	6,086.
	15"	23"	90"	75"	<b>ROWH90T0DH</b> ( ) ( ) ( ) ( )	4,201.	4,378.	5,112.	6,901.
	15"	23"	96"	75"	<b>ROWH96T0DH</b> ( ) ( ) ( ) ( )	4,301.	4,487.	5,243.	7,080.
	20"	23"	60"	75"	<b>ROWH60T1DH</b> ( ) ( ) ( ) ( )	2,974.	3,096.	3,606.	4,869.
	20"	23"	72"	75"	<b>ROWH72T1DH</b> ( ) ( ) ( ) ( )	4,092.	4,258.	4,948.	6,680.
	20"	23"	90"	75"	<b>ROWH90T1DH</b> ( ) ( ) ( ) ( )	4,460.	4,645.	5,419.	7,316.
	20"	23"	96"	75"	<b>ROWH96T1DH</b> ( ) ( ) ( ) ( )	4,557.	4,750.	5,548.	7,489.

60" w and 72" w units have four hinged doors, two lock cores required  
90" w and 96" w units have 6 hinged doors, three lock cores required

Workwall, (for "desk height") 19"h storage (open)	15"	19"	60"	75"	<b>ROWO60S0DH</b> ( ) ( ) ( ) ( )	1,988.	2,077.	2,435.	3,289.
	15"	19"	72"	75"	<b>ROWO72S0DH</b> ( ) ( ) ( ) ( )	2,558.	2,670.	3,123.	4,216.
	15"	19"	90"	75"	<b>ROWO90S0DH</b> ( ) ( ) ( ) ( )	2,820.	2,947.	3,465.	4,678.
	15"	19"	96"	75"	<b>ROWO96S0DH</b> ( ) ( ) ( ) ( )	2,887.	3,025.	3,560.	4,806.
	20"	19"	60"	75"	<b>ROWO60S1DH</b> ( ) ( ) ( ) ( )	2,139.	2,232.	2,616.	3,531.
	20"	19"	72"	75"	<b>ROWO72S1DH</b> ( ) ( ) ( ) ( )	2,746.	2,862.	3,344.	4,516.
	20"	19"	90"	75"	<b>ROWO90S1DH</b> ( ) ( ) ( ) ( )	3,130.	3,273.	3,843.	5,188.

Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0DHL118( )</b> <b>R</b> Reff <b>O</b> Overhead <b>W</b> Workwall <b>O</b> Open <b>60</b> 60" wide <b>S</b> 19" storage height <b>0</b> 15" storage depth <b>DH</b> desk height, 75" height overall <b>L</b> Finish type, laminate <b>118</b> Finish, Bright White <b>( )</b> Fabric selection	To order please specify pattern number including: 1. Configuration option (embedded in pattern number) O = Open H = Hinged doors 2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d 3. Finish type L = laminate 1 = V1 2 = V2 3 = V3 4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page are engineered to align with 75" h cabinets on page 255. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 <sup>3</sup> / <sub>8</sub> " h products on page 222 ; <b>do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b>  75" nominal height - actual height 75.125"  If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.  Tackboard included with workwall; fabric applied railroaded.  Tasklights to be ordered separately  Products on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.  Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.  Products on this page, shipped knocked-down.  Applicable finishes are listed on page 5 and 6.

dimensions noted nominal

# Overhead storage workwalls, 28<sup>3</sup>/<sub>8</sub>" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (open)	20"	19"	96"	75"	<b>ROWO96S1DH</b> ( ) ( ) ( ) ( )	\$3,204.	\$3,350.	\$3,937.	\$5,316.
Workwall, (for "desk height") 23"h storage (open)	15"	23"	60"	75"	<b>ROWO60T0DH</b> ( ) ( ) ( ) ( )	2,162.	2,256.	2,645.	3,571.
	15"	23"	72"	75"	<b>ROWO72T0DH</b> ( ) ( ) ( ) ( )	2,905.	3,028.	3,537.	4,775.
	15"	23"	90"	75"	<b>ROWO90T0DH</b> ( ) ( ) ( ) ( )	3,256.	3,403.	3,988.	5,384.
	15"	23"	96"	75"	<b>ROWO96T0DH</b> ( ) ( ) ( ) ( )	3,324.	3,477.	4,083.	5,511.
	20"	23"	60"	75"	<b>ROWO60T1DH</b> ( ) ( ) ( ) ( )	2,312.	2,411.	2,824.	3,811.
	20"	23"	72"	75"	<b>ROWO72T1DH</b> ( ) ( ) ( ) ( )	3,200.	3,336.	3,887.	5,249.
	20"	23"	90"	75"	<b>ROWO90T1DH</b> ( ) ( ) ( ) ( )	3,459.	3,614.	4,234.	5,715.
	20"	23"	96"	75"	<b>ROWO96T1DH</b> ( ) ( ) ( ) ( )	3,531.	3,687.	4,325.	5,838.

Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0DHL118</b> ( )	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 255. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28<sup>3</sup>/<sub>8</sub>" h products on page 222 ; <b>do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b></p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
<b>R</b> Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
<b>O</b> Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
<b>W</b> Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>O</b> Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>60</b> 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
<b>S</b> 19" storage height	6. <i>Finish</i>	
<b>0</b> 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
<b>DH</b> desk height, 75" height overall	8. <i>Fabric for tackboard</i>  Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
<b>L</b> Finish type, laminate	Products on this page, shipped knocked-down.  Applicable finishes are listed on page 5 and 6.	
<b>118</b> Finish, Bright White		
<b>( )</b> Fabric selection		

dimensions noted nominal

# Overhead storage workwalls, 28<sup>3</sup>/<sub>8</sub>" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 20"d workwall cabinets	15"	19"		75"	<b>RWEA7520(L/R) ( ) ( )</b>	\$370.	\$383.	\$438.	\$593.
	15"	23"		75"	<b>RWEB7520(L/R) ( ) ( )</b>	370.	383.	438.	593.
	20"	19"		75"	<b>RWEC7520(L/R) ( ) ( )</b>	370.	383.	438.	593.
	20"	23"		75"	<b>RWED7520(L/R) ( ) ( )</b>	370.	383.	438.	593.



depth and width indicate drilled to support workwall with corresponding storage dimensions

Workwall support end panels for 75"h x 24"d workwall cabinets	15"	19"		75"	<b>RWEA7524(L/R) ( ) ( )</b>	402.	418.	480.	648.
	15"	23"		75"	<b>RWEB7524(L/R) ( ) ( )</b>	402.	418.	480.	648.
	20"	19"		75"	<b>RWEC7524(L/R) ( ) ( )</b>	402.	418.	480.	648.
	20"	23"		75"	<b>RWED7524(L/R) ( ) ( )</b>	402.	418.	480.	648.



depth and width indicate drilled to support workwall with corresponding storage dimensions




Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0DHL118( )</b>	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75"h cabinets on page 255. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28<sup>3</sup>/<sub>8</sub>"h products on page 222 ; <b>do not mix products from 26<sup>1</sup>/<sub>2</sub>"h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>"h (desk height) planning model in any one configuration.</b></p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
<b>R</b> Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
<b>O</b> Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
<b>W</b> Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>O</b> Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>60</b> 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
<b>S</b> 19" storage height	6. <i>Finish</i>	
<b>0</b> 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
<b>DH</b> desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
<b>L</b> Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
<b>118</b> Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
<b>( )</b> Fabric selection	Products on this page, shipped knocked-down.  Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal



Overhead storage  
*rectilinear worksurfaces for workwall units*  
*1 1/4" thick*


Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	<b>RSWWA601( )</b>	\$552.	\$569.	\$653.	\$882.
	60"	24"	<b>RSWWA602( )</b>	593.	611.	704.	950.
	72"	20"	<b>RSWWA721( )</b>	600.	620.	712.	960.
	72"	24"	<b>RSWWA722( )</b>	641.	664.	760.	1,027.
	90"	20"	<b>RSWWA901( )</b>	695.	719.	826.	1,115.
	90"	24"	<b>RSWWA902( )</b>	737.	760.	877.	1,183.
	96"	20"	<b>RSWWA961( )</b>	789.	815.	937.	1,265.
	96"	24"	<b>RSWWA962( )</b>	832.	860.	988.	1,333.
Waterfall edge workwall tops 	60"	20"	<b>RSWWAWF601( )</b>	n/a	1,709.	1,966.	2,654.
	60"	24"	<b>RSWWAWF602( )</b>	n/a	1,835.	2,111.	2,850.
	72"	20"	<b>RSWWAWF721( )</b>	n/a	1,858.	2,137.	2,884.
	72"	24"	<b>RSWWAWF722( )</b>	n/a	1,987.	2,287.	3,088.
	90"	20"	<b>RSWWAWF901( )</b>	n/a	2,157.	2,481.	3,350.
	90"	24"	<b>RSWWAWF902( )</b>	n/a	2,287.	2,631.	3,551.
	96"	20"	<b>RSWWAWF961( )</b>	n/a	2,514.	2,811.	3,795.
	96"	24"	<b>RSWWAWF962( )</b>	n/a	2,578.	2,965.	4,002.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	<b>RSWWA(A/B/C/D/E/F/G)601( )</b>	n/a	663.	764.	1,032.
	60"	24"	<b>RSWWA(A/B/C/D/E/F/G)602( )</b>	n/a	703.	811.	1,095.
	72"	20"	<b>RSWWA(A/B/C/D/E/F/G)721( )</b>	n/a	712.	819.	1,106.
	72"	24"	<b>RSWWA(A/B/C/D/E/F/G)722( )</b>	n/a	761.	877.	1,083.
	90"	20"	<b>RSWWA(A/B/C/D/E/F/G)901( )</b>	n/a	826.	950.	1,283.
	90"	24"	<b>RSWWA(A/B/C/D/E/F/G)902( )</b>	n/a	876.	1,008.	1,360.
	96"	20"	<b>RSWWA(A/B/C/D/E/F/G)961( )</b>	n/a	937.	1,079.	1,456.
	96"	24"	<b>RSWWA(A/B/C/D/E/F/G)962( )</b>	n/a	988.	1,136.	1,534.

Order Code	Specification Information	Application Notes
Example: <b>RSWWA60100L</b> <b>R</b> Reff <b>S</b> Straight top <b>WW</b> Workwall top <b>A</b> 1 1/4" thick <b>60</b> 60" wide <b>1</b> 20" deep <b>(L)</b> Laminate finish	To order please specify pattern number including: 1. Top thickness 2. Top finish type 3. Top finish  1. Thickness options: A = 1 1/4"  2. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3  3. Specify edge detail where applicable, for RSWWA( ). See page 150 for available profiles.  Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.  No grommets available.  1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.  Applicable finishes are listed on page 5 and 6.  <b>Hardware included.</b>

Overhead storage  
*rectilinear worksurfaces for workwall units*  
*1 3/4" thick*

Reff


description	w	d	pattern no,	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	<b>RSWWB601()</b>	\$689.	\$716.	\$821.	\$1,108.
	60"	24"	<b>RSWWB602()</b>	739.	769.	884.	1,194.
	72"	20"	<b>RSWWB721()</b>	750.	780.	897.	1,211.
	72"	24"	<b>RSWWB722()</b>	800.	833.	958.	1,294.
	90"	20"	<b>RSWWB901()</b>	868.	903.	1,038.	1,403.
	90"	24"	<b>RSWWB902()</b>	923.	959.	1,102.	1,488.
	96"	20"	<b>RSWWB961()</b>	985.	1,023.	1,175.	1,586.
	96"	24"	<b>RSWWB962()</b>	1,039.	1,080.	1,241.	1,676.

Order Code	Specification Information	Application Notes
Example: <b>RSWWB60100L</b> <b>R</b> Reff <b>S</b> Straight top <b>WW</b> Workwall top <b>B</b> 1 3/4" thick <b>60</b> 60" wide <b>1</b> 20" deep <b>(L)</b> Laminate finish	To order please specify pattern number including: 1. Top thickness 2. Top finish type 3. Top finish  1. Thickness options: B = 1 3/4"  2. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3  3. Specify edge detail where applicable, for RSWWA(). See page 150 for available profiles.	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.  No grommets available.  1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.  Applicable finishes are listed on page 5 and 6.  <b>Hardware included.</b>

Overhead storage  
*overdesk units, standard height planning model*  
*use with 1 1/4" worksurfaces and 26 1/2" h support*


Reff

description	d	w	h	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	15"	60"	44 1/4"	2	4	ROAH60T0(-)(-)(-)	\$2,392.	\$3,002.	\$3,508.	\$4,736.
	15"	72"	44 1/4"	2	4	ROAH72T0(-)(-)(-)	3,031.	3,797.	4,429.	5,980.
	15"	90"	44 1/4"	3	6	ROAH90T0(-)(-)(-)	3,370.	4,226.	4,949.	6,681.
	15"	96"	44 1/4"	3	6	ROAH96T0(-)(-)(-)	3,510.	4,408.	5,167.	6,975.
	20"	60"	44 1/4"	2	4	ROAH60T1(-)(-)(-)	2,531.	3,175.	3,702.	4,996.
	20"	72"	44 1/4"	2	4	ROAH72T1(-)(-)(-)	3,200.	4,008.	4,670.	6,304.
	20"	90"	44 1/4"	3	6	ROAH90T1(-)(-)(-)	3,565.	4,471.	5,229.	7,060.
	20"	96"	44 1/4"	3	6	ROAH96T1(-)(-)(-)	3,716.	4,664.	5,459.	7,370.



For 1 1/4" worksurfaces (open)	15"	60"	44 1/4"			ROAO60T0(-)(-)(-)	1,582.	1,990.	2,346.	3,167.
	15"	72"	44 1/4"			ROAO72T0(-)(-)(-)	2,018.	2,535.	2,978.	4,020.
	15"	90"	44 1/4"			ROAO90T0(-)(-)(-)	2,208.	2,784.	3,293.	4,445.
	15"	96"	44 1/4"			ROAO96T0(-)(-)(-)	2,292.	2,893.	3,423.	4,620.
	20"	60"	44 1/4"			ROAO60T1(-)(-)(-)	1,680.	2,111.	2,483.	3,353.
	20"	72"	44 1/4"			ROAO72T1(-)(-)(-)	2,136.	2,683.	3,148.	4,250.
	20"	90"	44 1/4"			ROAO90T1(-)(-)(-)	2,344.	2,956.	3,482.	4,702.
	20"	96"	44 1/4"			ROAO96T1(-)(-)(-)	2,434.	3,073.	3,627.	4,895.

For 1 1/4" worksurfaces (flip door)	15"	60"	44 1/4"	2	2	ROAF60S0(-)(-)(-)	2,047.	2,789.	3,260.	4,402.
	15"	72"	44 1/4"	2	2	ROAF72S0(-)(-)(-)	2,431.	3,535.	4,126.	5,570.
	15"	84"	44 1/4"	2	2	ROAF84S0(-)(-)(-)	3,150.	4,029.	4,711.	6,359.
	15"	96"	44 1/4"	2	2	ROAF96S0(-)(-)(-)	3,226.	4,138.	4,855.	6,554.
	20"	60"	44 1/4"	2	2	ROAF60S1(-)(-)(-)	2,167.	2,953.	3,449.	4,657.
	20"	72"	44 1/4"	2	2	ROAF72S1(-)(-)(-)	2,568.	3,732.	4,354.	5,878.
	20"	84"	44 1/4"	2	2	ROAF84S1(-)(-)(-)	3,330.	4,261.	4,979.	6,721.
	20"	96"	44 1/4"	2	2	ROAF96S1(-)(-)(-)	3,416.	4,383.	5,136.	6,933.




Order Code	Specification Information	Application Notes
Example: <b>ROAF60S0LJLBF118( )</b>	To order please specify pattern number including:	Shipped knocked-down.
<b>R</b> Reff		Open cabinets require no locks.
<b>O</b> Overhead	1. Configuration option	Tasklights not included.
<b>A</b> For 1 1/4" top mounting	O = Open	Tackboard included, fabric railroaded.
<b>F</b> Flip door	H = Hinged door	C, D and S pulls are not available for flip door units.
<b>60</b> 60" wide	F = Flip door	All flip door cabinets on this page are nominal 19"H not 23"H.
<b>S</b> Standard height	2. Width	Open/hinge doors are nominal 23"H, actual 22 3/8".
<b>0</b> 15" deep	3. Storage option	Locks are not factory installed.
<b>L</b> Finish type, laminate	S0 = 19"h x 15"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
<b>J</b> J-pull	S1 = 19"h x 20"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
<b>L</b> Locks included	T0 = 23"h x 15"d	
<b>BF</b> Cord escape, back feed	T1 = 23"h x 20"d	
<b>118</b> Finish, Bright White	4. Finish type	
<b>(W250)</b> Fabric	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	<b>*After specifying product code, provide keying instructions.</b>	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 5 and 6.	

Overhead storage  
*overdesk units, standard height planning model*  
*use with 1<sup>3</sup>/<sub>4</sub>" worksurfaces and 26<sup>1</sup>/<sub>2</sub>"h support*


Reff

description	d	w	h	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 <sup>3</sup> / <sub>4</sub> " worksurfaces (hinged door)	15"	60"	43 <sup>3</sup> / <sub>4</sub> "	2	4	ROBH60T0(-)(-)(-)	\$2,419.	\$3,034.	\$3,544.	\$4,786.
	15"	72"	43 <sup>3</sup> / <sub>4</sub> "	2	4	ROBH72T0(-)(-)(-)	3,066.	3,839.	4,478.	6,046.
	15"	90"	43 <sup>3</sup> / <sub>4</sub> "	3	6	ROBH90T0(-)(-)(-)	3,407.	4,275.	5,004.	6,755.
	15"	96"	43 <sup>3</sup> / <sub>4</sub> "	3	6	ROBH96T0(-)(-)(-)	3,553.	4,459.	5,225.	7,054.
	20"	60"	43 <sup>3</sup> / <sub>4</sub> "	2	4	ROBH60T1(-)(-)(-)	2,561.	3,206.	3,745.	5,057.
	20"	72"	43 <sup>3</sup> / <sub>4</sub> "	2	4	ROBH72T1(-)(-)(-)	3,237.	4,053.	4,723.	6,375.
	20"	90"	43 <sup>3</sup> / <sub>4</sub> "	3	6	ROBH90T1(-)(-)(-)	3,605.	4,524.	5,287.	7,137.
	20"	96"	43 <sup>3</sup> / <sub>4</sub> "	3	6	ROBH96T1(-)(-)(-)	3,758.	4,717.	5,523.	7,455.



For 1 <sup>3</sup> / <sub>4</sub> " worksurfaces (open)	15"	60"	43 <sup>3</sup> / <sub>4</sub> "			ROBO60T0(-)(-)(-)	1,599.	2,017.	2,371.	3,200.
	15"	72"	43 <sup>3</sup> / <sub>4</sub> "			ROBO72T0(-)(-)(-)	2,027.	2,565.	3,012.	4,065.
	15"	90"	43 <sup>3</sup> / <sub>4</sub> "			ROBO90T0(-)(-)(-)	2,233.	2,818.	3,330.	4,495.
	15"	96"	43 <sup>3</sup> / <sub>4</sub> "			ROBO96T0(-)(-)(-)	2,318.	2,928.	3,463.	4,675.
	20"	60"	43 <sup>3</sup> / <sub>4</sub> "			ROBO60T1(-)(-)(-)	1,697.	2,138.	2,511.	3,390.
	20"	72"	43 <sup>3</sup> / <sub>4</sub> "			ROBO72T1(-)(-)(-)	2,161.	2,714.	3,182.	4,295.
	20"	90"	43 <sup>3</sup> / <sub>4</sub> "			ROBO90T1(-)(-)(-)	2,321.	2,931.	3,469.	4,683.
	20"	96"	43 <sup>3</sup> / <sub>4</sub> "			ROBO96T1(-)(-)(-)	2,375.	2,992.	3,528.	4,762.

For 1 <sup>3</sup> / <sub>4</sub> " worksurfaces (flip door)	15"	60"	43 <sup>3</sup> / <sub>4</sub> "	2	2	ROBF60S0(-)(-)(-)	2,070.	2,822.	3,299.	4,454.
	15"	72"	43 <sup>3</sup> / <sub>4</sub> "	2	2	ROBF72S0(-)(-)(-)	2,459.	3,575.	4,173.	5,633.
	15"	84"	43 <sup>3</sup> / <sub>4</sub> "	2	2	ROBF84S0(-)(-)(-)	3,186.	4,071.	4,762.	6,430.
	15"	96"	43 <sup>3</sup> / <sub>4</sub> "	2	2	ROBF96S0(-)(-)(-)	3,264.	4,189.	4,912.	6,631.
	20"	60"	43 <sup>3</sup> / <sub>4</sub> "	2	2	ROBF60S1(-)(-)(-)	2,193.	2,983.	3,487.	4,707.
	20"	72"	43 <sup>3</sup> / <sub>4</sub> "	2	2	ROBF72S1(-)(-)(-)	2,598.	3,774.	4,403.	5,944.
	20"	84"	43 <sup>3</sup> / <sub>4</sub> "	2	2	ROBF84S1(-)(-)(-)	3,371.	4,312.	5,039.	6,804.
	20"	96"	43 <sup>3</sup> / <sub>4</sub> "	2	2	ROBF96S1(-)(-)(-)	3,457.	4,433.	5,191.	7,008.




Order Code	Specification Information	Application Notes
Example: <b>ROBF60S0LJLBF118( )</b>	To order please specify pattern number including:	Shipped knocked-down.
<b>R</b> Reff		Open cabinets require no locks.
<b>O</b> Overhead	1. Configuration option	Tasklights not included.
<b>B</b> For 1 <sup>3</sup> / <sub>4</sub> " top mounting	O = Open	Tackboard included, fabric railroaded.
<b>F</b> Flip door	H = Hinged door	C, D and S pulls are not available for flip door units.
<b>60</b> 60" wide	F = Flip door	All flip door cabinets on this page are nominal 19"H not 23"H.
<b>S</b> Standard height	2. Width	Open/hinge doors are nominal 23"H, actual 22 <sup>3</sup> / <sub>8</sub> ".
<b>0</b> 15" deep	3. Storage option	Locks are not factory installed.
<b>L</b> Finish type, laminate	S0 = 19"h x 15"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
<b>J</b> J-pull	S1 = 19"h x 20"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
<b>L</b> Locks included	T0 = 23"h x 15"d	
<b>BF</b> Cord escape, back feed	T1 = 23"h x 20"d	
<b>118</b> Finish, Bright White	4. Finish type	
<b>(W250)</b> Fabric	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 <sup>3</sup> / <sub>4</sub> ".	
	Applicable finishes are listed on page 5 and 6.	

Overhead storage  
*overdesk units, desk height planning model*  
*use with 1 1/4" worksurfaces and 28 3/8" h support*

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45 1/2"	ROAH60T0DH (X)(X)(X)(X)	\$2,510.	\$3,153.	\$3,681.	\$4,970.
(for 1 1/4" worksurface at "desk height")	15"	72"	45 1/2"	ROAH72T0DH (X)(X)(X)(X)	3,183.	3,988.	4,652.	6,280.
H=Hinged Door	15"	90"	45 1/2"	ROAH90T0DH (X)(X)(X)(X)	3,538.	4,438.	5,198.	7,017.
	15"	96"	45 1/2"	ROAH96T0DH (X)(X)(X)(X)	3,686.	4,628.	5,424.	7,322.
	20"	60"	45 1/2"	ROAH60T1DH (X)(X)(X)(X)	2,658.	3,333.	3,888.	5,250.
	20"	72"	45 1/2"	ROAH72T1DH (X)(X)(X)(X)	3,361.	4,209.	4,904.	6,621.
	20"	90"	45 1/2"	ROAH90T1DH (X)(X)(X)(X)	3,741.	4,694.	5,490.	7,413.
	20"	96"	45 1/2"	ROAH96T1DH (X)(X)(X)(X)	3,902.	4,895.	5,734.	7,739.



60"w and 72"w hinged door units have four hinged doors, two lock cores required  
 90"w and 96"w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: <b>ROAO60T0DHLBF118()</b>	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 255. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products on page 222 ; <b>do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b></p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>R</b> Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
<b>O</b> Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
<b>A</b> For mounting on 1 1/4" thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>O</b> Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>60</b> 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
<b>T</b> 23" h storage	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
<b>0</b> 15" d storage	7. <i>Finish</i>	
<b>DH</b> desk height, 75" height overall	8. <i>Optional pull finish, where applicable</i>	
<b>L</b> Finish type, laminate	9. <i>Fabric for tackboard</i>	
<b>BF</b> Cord escape, back feed	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
<b>118</b> Finish, Bright White	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
<b>()</b> Fabric selection	Products on this page shipped knocked-down.  Tasklights not included.  Tackboard included, fabric orientation applied railroaded.  Wire manager included and mounts adjacent to tackboard. Specify color.  Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

dimensions noted nominal

Overhead storage  
*overdesk units, desk height planning model*  
*use with 1 1/4" worksurfaces and 28 3/8" h support*

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45 1/2"	ROAO60T0DH ( ) ( ) ( ) ( ) ( )	\$1,662.	\$2,090.	\$2,463.	\$3,326.
(for 1 1/4" worksurface	15"	72"	45 1/2"	ROAO72T0DH ( ) ( ) ( ) ( ) ( )	2,118.	2,663.	3,125.	4,219.
at "desk height")	15"	90"	45 1/2"	ROAO90T0DH ( ) ( ) ( ) ( ) ( )	2,317.	2,924.	3,457.	4,667.
O=Open	15"	96"	45 1/2"	ROAO96T0DH ( ) ( ) ( ) ( ) ( )	2,407.	3,037.	3,593.	4,851.
	20"	60"	45 1/2"	ROAO60T1DH ( ) ( ) ( ) ( ) ( )	1,764.	2,217.	2,608.	3,520.
	20"	72"	45 1/2"	ROAO72T1DH ( ) ( ) ( ) ( ) ( )	2,244.	2,820.	3,306.	4,462.
	20"	90"	45 1/2"	ROAO90T1DH ( ) ( ) ( ) ( ) ( )	2,460.	3,103.	3,658.	4,938.
	20"	96"	45 1/2"	ROAO96T1DH ( ) ( ) ( ) ( ) ( )	2,557.	3,226.	3,808.	5,141.


Order Code	Specification Information	Application Notes
Example: <b>ROAO60T0DHLBF118( )</b>	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 255. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products on page 222 ; <b>do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b></p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>R</b> Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
<b>O</b> Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
<b>A</b> For mounting on 1 1/4" thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>O</b> Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>60</b> 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
<b>T</b> 23" h storage	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
<b>0</b> 15" d storage	7. <i>Finish</i>	
<b>DH</b> desk height, 75" height overall	8. <i>Optional pull finish, where applicable</i>	
<b>L</b> Finish type, laminate	9. <i>Fabric for tackboard</i>	
<b>BF</b> Cord escape, back feed	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
<b>118</b> Finish, Bright White	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
<b>( )</b> Fabric selection	Products on this page shipped knocked-down.  Tasklights not included.  Tackboard included, fabric orientation applied railroaded.  Wire manager included and mounts adjacent to tackboard. Specify color.  Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

dimensions noted nominal

Overhead storage  
*overdesk units, desk height planning model*  
*use with 1 1/4" worksurfaces and 28 3/8" h support*

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45 1/2"	ROAF60S0DH ( ) ( ) ( ) ( )	\$2,149.	\$2,928.	\$3,425.	\$4,623.
(for 1 1/4" worksurface at "desk height")	15"	72"	45 1/2"	ROAF72S0DH ( ) ( ) ( ) ( )	2,552.	3,712.	4,333.	5,849.
F=Flip door	15"	84"	45 1/2"	ROAF84S0DH ( ) ( ) ( ) ( )	3,307.	4,230.	4,948.	6,680.
	15"	96"	45 1/2"	ROAF96S0DH ( ) ( ) ( ) ( )	3,388.	4,345.	5,098.	6,883.
	20"	60"	45 1/2"	ROAF60S1DH ( ) ( ) ( ) ( )	2,277.	3,098.	3,622.	4,889.
	20"	72"	45 1/2"	ROAF72S1DH ( ) ( ) ( ) ( )	2,698.	3,918.	4,572.	6,171.
	20"	84"	45 1/2"	ROAF84S1DH ( ) ( ) ( ) ( )	3,496.	4,474.	5,226.	7,055.
	20"	96"	45 1/2"	ROAF96S1DH ( ) ( ) ( ) ( )	3,587.	4,603.	5,393.	7,281.



all flip door units have two flip doors, two lock cores required  
 J-pull only, C, D and S pulls are not optional for flip door units


Order Code	Specification Information	Application Notes
Example: <b>ROAO60T0DHLBF118( )</b>	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 255. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products on page 222 ; <b>do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b></p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>R</b> Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
<b>O</b> Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
<b>A</b> For mounting on 1 1/4" thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>O</b> Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>60</b> 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
<b>T</b> 23" h storage	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
<b>0</b> 15" d storage	7. <i>Finish</i>	
<b>DH</b> desk height, 75" height overall	8. <i>Optional pull finish, where applicable</i>	
<b>L</b> Finish type, laminate	9. <i>Fabric for tackboard</i>	
<b>BF</b> Cord escape, back feed	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
<b>118</b> Finish, Bright White	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
<b>( )</b> Fabric selection	Products on this page shipped knocked-down.  Tasklights not included.  Tackboard included, fabric orientation applied railroaded.  Wire manager included and mounts adjacent to tackboard. Specify color.  Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

dimensions noted nominal

Overhead storage  
*overdesk units, desk height planning model*  
*use with 1<sup>3</sup>/<sub>4</sub>" worksurfaces and 28<sup>3</sup>/<sub>8</sub>"h support*

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 <sup>3</sup> / <sub>4</sub> " worksurface at "desk height") H=Hinged Door	15"	60"	45"	<b>ROBH60T0DH</b> ( ) ( ) ( ) ( ) ( )	\$2,543.	\$3,186.	\$3,723.	\$5,025.
	15"	72"	45"	<b>ROBH72T0DH</b> ( ) ( ) ( ) ( ) ( )	3,220.	4,034.	4,704.	6,350.
	15"	90"	45"	<b>ROBH90T0DH</b> ( ) ( ) ( ) ( ) ( )	3,579.	4,489.	5,254.	7,092.
	15"	96"	45"	<b>ROBH96T0DH</b> ( ) ( ) ( ) ( ) ( )	3,730.	4,684.	5,487.	7,407.
	20"	60"	45"	<b>ROBH60T1DH</b> ( ) ( ) ( ) ( ) ( )	2,689.	3,366.	3,930.	5,306.
	20"	72"	45"	<b>ROBH72T1DH</b> ( ) ( ) ( ) ( ) ( )	3,398.	4,255.	4,958.	6,693.
	20"	90"	45"	<b>ROBH90T1DH</b> ( ) ( ) ( ) ( ) ( )	3,786.	4,747.	5,553.	7,497.
	20"	96"	45"	<b>ROBH96T1DH</b> ( ) ( ) ( ) ( ) ( )	3,945.	4,953.	5,799.	7,828.



60" w and 72" w hinged door units have four hinged doors, two lock cores required  
 90" w and 96" w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: <b>ROBO60T0DHLBF118( )</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
<b>O</b> Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	7. <i>Finish</i>
<b>B</b> For mounting on 1 <sup>3</sup> / <sub>4</sub> " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	8. <i>Optional pull finish, where applicable</i>
<b>O</b> Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Fabric for tackboard</i>
<b>60</b> 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
<b>T</b> 23" h storage		Products on this page shipped knocked-down.
<b>0</b> 15" d storage		Tasklights not included.
<b>DH</b> desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
<b>L</b> Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
<b>BF</b> Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
<b>118</b> Finish, Bright White		Products on this page are engineered to align with 75" h cabinets on page 255. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 <sup>3</sup> / <sub>8</sub> " h products on page 222 ; <b>do not mix products from 26<sup>1</sup>/<sub>2</sub>" h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>" h (desk height) planning model in any one configuration.</b>
<b>( )</b> Fabric selection		Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.
		Clearance below overhead storage to top of worksurface is approximately 22 <sup>3</sup> / <sub>8</sub> " h.
		Applicable finishes are listed on page 5 and 6.

dimensions noted nominal



Overhead storage  
*overdesk units, desk height planning model*  
*use with 1<sup>3</sup>/<sub>4</sub>" worksurfaces and 28<sup>3</sup>/<sub>8</sub>"h support*

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 <sup>3</sup> / <sub>4</sub> " worksurface at "desk height") O=Open	15"	60"	45"	<b>ROBO60T0DH</b> ( ) ( ) ( ) ( ) ( )	\$1,679.	\$2,117.	\$2,490.	\$3,361.
	15"	72"	45"	<b>ROBO72T0DH</b> ( ) ( ) ( ) ( ) ( )	2,128.	2,695.	3,162.	4,269.
	15"	90"	45"	<b>ROBO90T0DH</b> ( ) ( ) ( ) ( ) ( )	2,346.	2,958.	3,496.	4,720.
	15"	96"	45"	<b>ROBO96T0DH</b> ( ) ( ) ( ) ( ) ( )	2,434.	3,074.	3,638.	4,911.
	20"	60"	45"	<b>ROBO60T1DH</b> ( ) ( ) ( ) ( ) ( )	1,782.	2,243.	2,639.	3,562.
	20"	72"	45"	<b>ROBO72T1DH</b> ( ) ( ) ( ) ( ) ( )	2,268.	2,848.	3,342.	4,512.
	20"	90"	45"	<b>ROBO90T1DH</b> ( ) ( ) ( ) ( ) ( )	2,439.	3,077.	3,641.	4,916.
	20"	96"	45"	<b>ROBO96T1DH</b> ( ) ( ) ( ) ( ) ( )	2,494.	3,140.	3,703.	4,999.


Order Code	Specification Information	Application Notes
Example: <b>ROBO60T0DHLBF118( )</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff		
<b>O</b> Overhead		
<b>B</b> For mounting on 1 <sup>3</sup> / <sub>4</sub> " thick top		
<b>O</b> Open		
<b>60</b> 60" wide		
<b>T</b> 23"h storage		
<b>0</b> 15"d storage		
<b>DH</b> desk height, 75" height overall		
<b>L</b> Finish type, laminate		
<b>BF</b> Cord escape, back feed		
<b>118</b> Finish, Bright White		
<b>( )</b> Fabric selection		
	<p>1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors</p> <p>2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d</p> <p>3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling</p> <p>6. <i>Tasklight cord escape</i> BF = back feed FF = front feed</p> <p>7. <i>Finish</i></p> <p>8. <i>Optional pull finish, where applicable</i></p> <p>9. <i>Fabric for tackboard</i></p> <p>Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Products on this page shipped knocked-down.</p> <p>Tasklights not included.</p> <p>Tackboard included, fabric orientation applied railroaded.</p> <p>Wire manager included and mounts adjacent to tackboard. Specify color.</p> <p>Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"</p>	<p>Products on this page are engineered to align with 75"h cabinets on page 255. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28<sup>3</sup>/<sub>8</sub>"h products on page 222 ; <b>do not mix products from 26<sup>1</sup>/<sub>2</sub>"h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>"h (desk height) planning model in any one configuration.</b></p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 22<sup>3</sup>/<sub>8</sub>"h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

dimensions noted nominal

Overhead storage  
*overdesk units, desk height planning model*  
*use with 1<sup>3</sup>/<sub>4</sub>" worksurfaces and 28<sup>3</sup>/<sub>8</sub>"h support*

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45"	<b>ROBF60S0DH</b> ( ) ( ) ( ) ( )	\$2,174.	\$2,964.	\$3,464.	\$4,677.
(for 1 <sup>3</sup> / <sub>4</sub> " worksurface	15"	72"	45"	<b>ROBF72S0DH</b> ( ) ( ) ( ) ( )	2,581.	3,754.	4,381.	5,915.
at "desk height")	15"	84"	45"	<b>ROBF84S0DH</b> ( ) ( ) ( ) ( )	3,343.	4,274.	5,000.	6,750.
F=Flip door	15"	96"	45"	<b>ROBF96S0DH</b> ( ) ( ) ( ) ( )	3,427.	4,398.	5,159.	6,966.
	20"	60"	45"	<b>ROBF60S1DH</b> ( ) ( ) ( ) ( )	2,302.	3,133.	3,661.	4,942.
	20"	72"	45"	<b>ROBF72S1DH</b> ( ) ( ) ( ) ( )	2,729.	3,965.	4,622.	6,240.
	20"	84"	45"	<b>ROBF84S1DH</b> ( ) ( ) ( ) ( )	3,539.	4,528.	5,289.	7,141.
	20"	96"	45"	<b>ROBF96S1DH</b> ( ) ( ) ( ) ( )	3,631.	4,653.	5,450.	7,356.



all flip door units have two flip doors, two lock cores required  
 J-pull only; C, D and S pulls are not optional for flip door units


Order Code	Specification Information	Application Notes
Example: <b>ROBO60T0DHLBF118( )</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
<b>O</b> Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i>
<b>B</b> For mounting on 1 <sup>3</sup> / <sub>4</sub> " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	8. <i>Optional pull finish, where applicable</i>
<b>O</b> Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Fabric for tackboard</i>
<b>60</b> 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 322. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
<b>T</b> 23"h storage		Products on this page shipped knocked-down.
<b>0</b> 15"d storage		Tasklights not included.
<b>DH</b> desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
<b>L</b> Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
<b>BF</b> Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
<b>118</b> Finish, Bright White		
<b>( )</b> Fabric selection		

dimensions noted nominal


Reuter overhead cabinet  
*desk, wall, or other Knoll system mounted*  
*Designed by Robert Reuter*

Reff


description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	<b>RO3-N24( )L</b>	\$650.	\$650.	\$681.	\$978.
		30"	14 1/4"	14 3/4"	<b>RO3-N30( )L</b>	723.	723.	762.	1,056.
		36"	14 1/4"	14 3/4"	<b>RO3-N36( )L</b>	836.	836.	879.	1,183.
		42"	14 1/4"	14 3/4"	<b>RO3-N42( )L</b>	970.	970.	1,020.	1,316.
		48"	14 1/4"	14 3/4"	<b>RO3-N48( )L</b>	1,085.	1,085.	1,137.	1,445.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-N60( )L</b>	1,372.	1,372.	1,443.	1,990.
		66"	14 1/4"	14 3/4"	<b>RO3-N66( )L</b>	1,502.	1,502.	1,574.	2,133.
		72"	14 1/4"	14 3/4"	<b>RO3-N72( )L</b>	1,604.	1,604.	1,684.	2,251.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	<b>RO3-N24( )N</b>	583.	583.	612.	n/a
		30"	14 1/4"	14 3/4"	<b>RO3-N30( )N</b>	661.	661.	694.	n/a
		36"	14 1/4"	14 3/4"	<b>RO3-N36( )N</b>	773.	773.	812.	n/a
		42"	14 1/4"	14 3/4"	<b>RO3-N42( )N</b>	907.	907.	953.	n/a
		48"	14 1/4"	14 3/4"	<b>RO3-N48( )N</b>	1,019.	1,019.	1,070.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-N60( )N</b>	1,244.	1,244.	1,307.	n/a
		66"	14 1/4"	14 3/4"	<b>RO3-N66( )N</b>	1,371.	1,371.	1,440.	n/a
		72"	14 1/4"	14 3/4"	<b>RO3-N72( )N</b>	1,479.	1,479.	1,552.	n/a



**Order Code**

Example:	<b>RO3-N48-613-613-L</b>
<b>RO3</b>	Reuter overhead cabinet
<b>N</b>	No brackets
<b>48</b>	Width
<b>613</b>	Case finish
<b>613</b>	Front finish
<b>L</b>	With lock

**Specification Information**

*Specify finish for case and door.*

**Application Notes**

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

# Reuter open shelf

*Designed by Robert Reuter*

Reff

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf no mounting hardware		30"	13"	8"	<b>RS1-N30( )</b>		\$310.	\$310.	\$325.
		36"	13"	8"	<b>RS1-N36( )</b>		351.	351.	369.
		42"	13"	8"	<b>RS1-N42( )</b>		379.	379.	397.
		48"	13"	8"	<b>RS1-N48( )</b>		407.	407.	427.
		60"	13"	8"	<b>RS1-N60( )</b>		477.	477.	502.
 Interior partitions	Vertical, set of 5	–	12"	6"	<b>RS1-VP</b>	77.			
	Horizontal, set of 10	6"	12"	–	<b>RO1-HP6</b>	127.			
		9"	12"	–	<b>RO1-HP9</b>	160.			
		12"	12"	–	<b>RO1-HP12</b>	190.			
		15"	12"	–	<b>RO1-HP15</b>	221.			

## Order Code

Example: <b>RS1-N48-612</b>	
<b>RS1</b>	Reuter shelf
<b>N</b>	No mounting hardware
<b>48</b>	Width
<b>612</b>	Finish

## Specification Information

*Specify paint finishes for shelf.*

## Application Notes

Interior partitions are black painted steel finish.

Reuter storage is a universal product applicable on Morrison or other Knoll systems.


Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

# Reuter open overhead

*Designed by Robert Reuter*

Reff

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open overhead no mounting hardware		30"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON30( )</b>		\$464.	\$464.	\$486.
		36"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON36( )</b>		533.	533.	559.
		42"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON42( )</b>		604.	604.	634.
		48"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON48( )</b>		675.	675.	707.
		60"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON60( )</b>		785.	785.	826.
		72"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON72( )</b>		926.	926.	971.
 Interior partitions	Vertical, set of 5	–	11"	12"	<b>RO3-VP</b>	82.			
	Horizontal, set of 10	6"	11"	–	<b>RO1-HP6</b>	127.			
		9"	11"	–	<b>RO1-HP9</b>	160.			
		12"	11"	–	<b>RO1-HP12</b>	190.			
		15"	11"	–	<b>RO1-HP15</b>	221.			

## Order Code

Example:	<b>RO3-ON30-612</b>
<b>RO3-O</b>	Reuter open overhead
<b>N</b>	No mounting hardware
<b>30</b>	Width
<b>612</b>	Finish

## Specification Information

*Specify finish for case and door.*

## Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Overhead storage

Reuter overhead storage  
*desk and panel mounting options*  
*Designed by Robert Reuter*

Reff


description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				<b>RO1-RPB</b>	\$43.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				<b>RS1-RPB</b>	35.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				<b>RO1-RCB( )</b>		91.




Order Code	Specification Information	Application Notes
Example: <b>RO2-NS21-612</b>	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
<b>RO2</b> Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
<b>NS</b> Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
<b>21</b> Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
<b>612</b> Paint finish		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage  
*wall-mounting options and ADA pull*  
*Designed by Robert Reuter*

Reff


description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	<b>RO1-WMF2</b>	\$80.
	36" or 42"W overheads	35"	1/2"	13"	<b>RO1-WMF3</b>	86.
	48" or 60"W overheads	47"	1/2"	13"	<b>RO1-WMF4</b>	91.

Wall mount wire manager, set of 10					<b>MWM-J</b>	141.
------------------------------------	--	--	--	--	--------------	------



Ganging bracket					<b>RO1-GB</b>	12.
-----------------	--	--	--	--	---------------	-----

ADA pull					<b>RO1-PULL</b>	47.
----------	--	--	--	--	-----------------	-----



Order Code	Specification Information	Application Notes
Example: <b>RO1-GB</b>	Wall mount frames are painted black finish.	Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.
<b>RO1</b> Reuter overhead	ADA pull is stainless steel.	Reuter open shelves 66" and 72"W are for stanchion support only.
<b>GB</b> Ganging bracket		Reuter open shelves 66" and 72"W are for stanchion support only.
		Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
		Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.
		ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
		ADA pull cannot be mounted on wood front Reuter doors.



description	type	w	d	h	pattern no.	standard	advanced
Task Light 	Use with 24" and wider overhead	19"	4"	1 1/2"	<b>RTAT5E19 ( )</b>	\$213.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTAT5E25 ( )</b>	229.	395.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTAT5E37 ( )</b>	247.	416.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTAT5E49 ( )</b>	268.	432.
	Use with 66" and wider overhead	61"	4"	1 1/2"	<b>RTAT5E61 ( )</b>	285.	450.

Order Code	Specification Information	Application Notes
Example: <b>RTAT5E19S</b> <hr/> <b>RTA</b> Task Light <hr/> <b>T5</b> T5 lamp <hr/> <b>E</b> Electronic ballast <hr/> <b>19</b> Width <hr/> <b>S</b> Standard	Specify: Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.  Type: S Standard A Advanced  Specify suffix -CH and add \$45 list for City of Chicago installations. Example: RTAT5E19S-CH  All housings are black.	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.  Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.  Task light cordset is center exit. On smaller units cort exit is off-center, but still not handed.  Task lights are TCLP compliant and meet requirements of California Title 24.  Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.



description	type	w	d	h	pattern no.	standard	advanced
Task Light 	Use with 24" and wider overhead	19"	4"	1 1/2"	<b>RTL5E19 ( )</b>	\$251.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTL5E25 ( )</b>	257.	369.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTL5E37 ( )</b>	262.	389.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTL5E49 ( )</b>	267.	404.
	Use with 72" and wider overhead	61"	4"	1 1/2"	<b>RTL5E61 ( )</b>	282.	420.
	Use with 84" and wider overhead	73"	4"	1 1/2"	<b>RTL5E73 ( )</b>	307.	435.
	Use with 96" and wider overhead	85"	4"	1 1/2"	<b>RTL5E85 ( )</b>	384.	451.

Order Code	Specification Information	Application Notes
Example: <b>RTL5E19S</b> <hr/> <b>RTL</b> Task Light <hr/> <b>T5</b> T5 lamp <hr/> <b>E</b> Electronic ballast <hr/> <b>19</b> Width <hr/> <b>S</b> Standard	<p><i>Specify:</i></p> <p>Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.</p> <p>Type:                      S Standard                      A Advanced</p> <p>Specify suffix -CH and add \$45 list for City of Chicago installations.                      Example: RTL5E19S-CH</p> <p>All housings are black.</p>	<p>Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.</p> <p>Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded corset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.</p> <p>Task light cordset is center exit. On smaller units cord exit is off-center, but still not handed.</p> <p>Task lights are TCLP compliant and meet requirements of California Title 24.</p> <p>Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.</p>

description	w	pattern no.	list price
Sliding rail for open shelves 	30"	<b>RSDR30</b>	\$49.
	36"	<b>RSDR36</b>	49.
	42"	<b>RSDR42</b>	49.
	48"	<b>RSDR48</b>	49.
	54"	<b>RSDR54</b>	49.
	60"	<b>RSDR60</b>	78.
	66"	<b>RSDR66</b>	78.
	72"	<b>RSDR72</b>	78.
	78"	<b>RSDR78</b>	78.
	84"	<b>RSDR84</b>	86.
	90"	<b>RSDR90</b>	86.
96"	<b>RSDR96</b>	86.	
Sliding rail for open or hinged door overhead cabinets 	30"	<b>ROHDR30</b>	49.
	36"	<b>ROHDR36</b>	49.
	42"	<b>ROHDR42</b>	49.
	48"	<b>ROHDR48</b>	49.
	60"	<b>ROHDR60</b>	86.
	72"	<b>ROHDR72</b>	86.
	90"	<b>ROHDR90</b>	117.
	96"	<b>ROHDR96</b>	117.
Sliding rail for flip door overhead cabinets 	30"	<b>RFDR30</b>	49.
	36"	<b>RFDR36</b>	49.
	42"	<b>RFDR42</b>	49.
	48"	<b>RFDR48</b>	49.
	60"	<b>RFDR60</b>	86.
	72"	<b>RFDR72</b>	86.
	84"	<b>RFDR84</b>	86.
	96"	<b>RFDR96</b>	86.
Sliding rail divider 		<b>R5ZNNE (3 dividers)</b>	20.

**Order Code**

Example: <b>RSDR30</b>	
<b>R</b>	Reff
<b>SDR</b>	Sliding rail for open shelves
<b>30</b>	For 30" shelf

**Specification Information**

*To order please specify pattern number.*


**Application Notes**

Match cabinet width to rail width.


Parts come in black only.

These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

description	w	d	h	pattern no.	L	V1	V2	V3
Minidesk hutch, open	66"	9"	20"	<b>RMDHO66( )</b>	\$1,983.	\$3,007.	\$3,396.	\$4,586.
	72"	9"	20"	<b>RMDHO72( )</b>	2,059.	3,049.	3,457.	4,667.



Minidesk hutch, w/drawers	66"	9"	20"	<b>RMDHD66( )</b>	2,608.	3,912.	4,053.	5,471.
	72"	9"	20"	<b>RMDHD72( )</b>	2,781.	3,971.	4,134.	5,580.



### Order Code

Example:	<b>RMDHO66L</b>
<b>R</b>	Reff
<b>MDH</b>	Mini desk hutch storage
<b>O</b>	Open
<b>66</b>	66" wide
<b>L</b>	Finish type, laminate
<b>118</b>	Bright White
<b>W281</b>	Fabric

### Specification Information


To order please specify pattern number including:


1. *Finish type*  
 L = laminate  
 1 = V1  
 2 = V2  
 3 = V3
2. *Finish*
3. *Fabric selection for tackboard*


Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Single pedestal desks  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 available V2 finish options only

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single pedestal cantilevered desk, 30"d 	60"	30"	<b>RDSP6030J(A,B,W)( ) ( ) 2</b>	\$2,693.	\$3,084.	\$3,658.	\$2,847.	\$3,238.	\$3,810.
	72"	30"	<b>RDSP7230J(A,B,W)( ) ( ) 2</b>	2,801.	3,243.	3,810.	2,955.	3,396.	3,965.
	84"	30"	<b>RDSP8430J(A,B,W)( ) ( ) 2</b>	2,939.	3,426.	4,039.	3,093.	3,579.	4,192.
	96"	30"	<b>RDSP9630J(A,B,W)( ) ( ) 2</b>	3,059.	3,589.	4,250.	3,212.	3,743.	4,403.

Single pedestal cantilevered desk, 36"d 	60"	36"	<b>RDSP6036J(A,B,W)( ) ( ) 2</b>	2,858.	3,273.	3,971.	3,081.	3,494.	4,193.
	72"	36"	<b>RDSP7236J(A,B,W)( ) ( ) 2</b>	2,990.	3,476.	4,179.	3,212.	3,698.	4,401.
	84"	36"	<b>RDSP8436J(A,B,W)( ) ( ) 2</b>	3,125.	3,692.	4,395.	3,346.	3,913.	4,616.
	96"	36"	<b>RDSP9636J(A,B,W)( ) ( ) 2</b>	3,245.	3,903.	4,601.	3,466.	4,124.	4,823.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	<b>RBSP6030J(A,B,W)( ) ( ) 2</b>	3,531.	3,784.	5,047.	3,752.	4,006.	5,268.
	72"	30"	<b>RBSP7230J(A,B,W)( ) ( ) 2</b>	3,653.	3,933.	5,329.	3,875.	4,154.	5,550.
	84"	30"	<b>RBSP8430J(A,B,W)( ) ( ) 2</b>	3,845.	4,150.	5,693.	4,066.	4,372.	5,914.
	96"	30"	<b>RBSP9630J(A,B,W)( ) ( ) 2</b>	4,020.	4,363.	6,074.	4,242.	4,586.	6,296.


Order Code	Specification Information	Application Notes
Example: <b>RDSP6030JAR2WJL</b>	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RD</b> Reff desk	1. Width	36"D rectilinear desk pedestals are 30"D including modesty panel.
<b>SP</b> Single pedestal	2. Depth	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	3. File option	Bowed front desk pedestals are 30"D with finished backs.
<b>30</b> 30" deep	<i>J default = BBF</i>	All desks are non-handed.
<b>J</b> Box/box/file	4. Top thickness	All hardware included.
<b>A</b> 1 1/4" regular edge top	5. Grommet option	All waterfall desks have waterfall detail on front and back.
<b>R</b> Recessed grommets	6. Finish type	All components on this page available in V2 only.
<b>2</b> Finish type	7. Interior option	
<b>W</b> Wood interiors	8. Pull option	
<b>J</b> Routed pulls	9. Locking	
<b>L</b> Lock	<i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options:	
	A = 1 1/4"	
	B = 1 3/4"	
	W = 1 1/4" waterfall	
	5. Grommet Options:	
	R = Recessed grommets	
	N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options:	
	M = Metal	
	W = Wood	
	8. Pull Options:	
	D = Metal D-pull	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only)	
	S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	


Double pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
available V2 finish options only

Reff

Preconfigured Reff  
Deskings

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	<b>RDDP6030JK(A,B,W)( ) ( ) ( 2</b>	\$3,482.	\$3,873.	\$4,446.	\$3,820.	\$4,211.	\$4,785.
	72"	30"	<b>RDDP7230JK(A,B,W)( ) ( ) ( 2</b>	3,591.	4,032.	4,600.	3,929.	4,370.	4,938.
	84"	30"	<b>RDDP8430JK(A,B,W)( ) ( ) ( 2</b>	3,728.	4,214.	4,827.	4,066.	4,551.	5,165.
	96"	30"	<b>RDDP9630JK(A,B,W)( ) ( ) ( 2</b>	3,848.	4,379.	5,038.	4,186.	4,717.	5,376.





	60"	36"	<b>RDDP6036JK(A,B,W)( ) ( ) ( 2</b>	3,703.	4,116.	4,813.	4,158.	4,572.	5,271.
	72"	36"	<b>RDDP7236JK(A,B,W)( ) ( ) ( 2</b>	3,835.	4,320.	5,021.	4,290.	4,776.	5,479.
	84"	36"	<b>RDDP8436JK(A,B,W)( ) ( ) ( 2</b>	3,968.	4,534.	5,236.	4,424.	4,991.	5,693.
	96"	36"	<b>RDDP9636JK(A,B,W)( ) ( ) ( 2</b>	4,087.	4,745.	5,443.	4,544.	5,202.	5,900.

	60"	30"	<b>RBDP6030JK(A,B,W)( ) ( ) ( 2</b>	4,124.	4,378.	5,639.	4,582.	4,833.	6,096.
	72"	30"	<b>RBDP7230JK(A,B,W)( ) ( ) ( 2</b>	4,246.	4,525.	5,922.	4,701.	4,982.	6,377.
	84"	30"	<b>RBDP8430JK(A,B,W)( ) ( ) ( 2</b>	4,438.	4,743.	6,285.	4,893.	5,200.	6,742.
	96"	30"	<b>RBDP9630JK(A,B,W)( ) ( ) ( 2</b>	4,613.	4,957.	6,666.	5,070.	5,412.	7,122.

Order Code	Specification Information	Application Notes	
Example: <b>RDDP7236JKAR2WJL</b>			
<b>RD</b> Reff desk	<p><i>To order, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Width</li> <li>Depth</li> <li>File option <i>JK default = BBF and FF</i></li> <li>Top thickness</li> <li>Grommet option</li> <li>Finish type</li> <li>Interior option</li> <li>Pull option</li> <li>Locking <i>L default</i></li> <li>Veneer finish</li> <li>Pull finish, when applicable</li> <li>Grommet finish, when applicable</li> </ol> <p><i>4. Thickness options:</i> A = 1<sup>1</sup>/<sub>4</sub>" B = 1<sup>3</sup>/<sub>4</sub>" W = 1<sup>1</sup>/<sub>4</sub>" waterfall</p>	<p><i>5. Grommet Options:</i> R = Recessed grommets N = No grommets</p> <p><i>6. 2 = V2 Veneer Finish</i></p> <p><i>7. Interior Options:</i> M = Metal W = Wood</p> <p><i>8. Pull Options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Random locks are factory installed. Keyalike are field installed with the KnollKey order form.</p>	
<b>DP</b> Double pedestal			30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>72</b> 72" wide			36"D rectilinear desk pedestals are 30"D including modesty panel.
<b>36</b> 36" deep			Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>J</b> Box/box/file pedestal			Bowed front desk pedestals are 30"D with finished backs. Bow front modesty sits in between the pedestals and is recessed in 6".
<b>K</b> File/file			All hardware included.
<b>A</b> 1 <sup>1</sup> / <sub>4</sub> " Thick worksurface			All waterfall desks have waterfall detail on front and back.
<b>R</b> Recessed grommets			All components on this page available in V2 only.
<b>2</b> Finish type, V2			
<b>W</b> Wood interiors			
<b>J</b> Routed pull			
<b>L</b> Lock			

Desk returns  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 available V2 finish options only

Reff


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24" d	36"	24"	<b>RRSP3624K(A,B,W)( ) ( ) 2</b>	\$1,995.	\$2,308.	\$2,914.	\$2,180.	\$2,492.	\$3,099.
	42"	24"	<b>RRSP4224K(A,B,W)( ) ( ) 2</b>	2,046.	2,398.	2,991.	2,231.	2,582.	3,176.
	48"	24"	<b>RRSP4824K(A,B,W)( ) ( ) 2</b>	2,132.	2,510.	3,149.	2,316.	2,693.	3,333.
	54"	24"	<b>RRSP5424K(A,B,W)( ) ( ) 2</b>	2,189.	2,572.	3,274.	2,374.	2,756.	3,458.
	60"	24"	<b>RRSP6024K(A,B,W)( ) ( ) 2</b>	2,244.	2,629.	3,406.	2,429.	2,814.	3,591.
 Single pedestal return, 30" d	36"	30"	<b>RRSP3630K(A,B,W)( ) ( ) 2</b>	2,123.	2,471.	3,155.	2,358.	2,704.	3,388.
	42"	30"	<b>RRSP4230K(A,B,W)( ) ( ) 2</b>	2,180.	2,552.	3,250.	2,413.	2,785.	3,486.
	48"	30"	<b>RRSP4830K(A,B,W)( ) ( ) 2</b>	2,270.	2,649.	3,414.	2,504.	2,884.	3,650.
	54"	30"	<b>RRSP5430K(A,B,W)( ) ( ) 2</b>	2,338.	2,711.	3,575.	2,571.	2,946.	3,809.
	60"	30"	<b>RRSP6030K(A,B,W)( ) ( ) 2</b>	2,378.	2,767.	3,660.	2,612.	3,002.	3,896.
 End panel return	36"	24"	<b>RREP3624(A,B,W)(F,N)2</b>				1,207.	1,518.	2,126.
	42"	24"	<b>RREP4224(A,B,W)(F,N)2</b>				1,257.	1,609.	2,203.
	48"	24"	<b>RREP4824(A,B,W)(F,N)2</b>				1,343.	1,719.	2,360.
	54"	24"	<b>RREP5424(A,B,W)(F,N)2</b>				1,401.	1,783.	2,485.
	60"	24"	<b>RREP6024(A,B,W)(F,N)2</b>				1,456.	1,840.	2,617.
 End panel return	36"	30"	<b>RREP3630(A,B,W)(F,N)2</b>				1,282.	1,627.	2,311.
	42"	30"	<b>RREP4230(A,B,W)(F,N)2</b>				1,337.	1,708.	2,408.
	48"	30"	<b>RREP4830(A,B,W)(F,N)2</b>				1,427.	1,806.	2,572.
	54"	30"	<b>RREP5430(A,B,W)(F,N)2</b>				1,494.	1,868.	2,733.
	60"	30"	<b>RREP6030(A,B,W)(F,N)2</b>				1,534.	1,924.	2,818.


Order Code	Specification Information	Application Notes
Example: <b>RREP4830AF2</b>	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>RREP</b> Reff desk return	1. Width	All desks are non-handed.
<b>48</b> 48" wide	2. Depth	All hardware included.
<b>30</b> 30" deep	3. File option where applicable <i>K default = FF</i>	Desk returns with waterfall have waterfall edge 3 sides.
<b>A</b> 1 1/4" thick worksurface	4. Top thickness	All components on this page available in V2 only.
<b>F</b> Flush grommets	5. Grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
<b>2</b> Finish type, V2	6. Finish type	
	7. Interior option where applicable	
	8. Pull option where applicable	
	9. Locking where applicable <i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	


Single pedestal credenzas  
27<sup>3</sup>/<sub>4</sub>" high overall  
available V2 finish options only

Reff

Preconfigured Reff  
Deskings

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	<b>RCSP6024K(A,B,W)( ) ( ) 2</b>	\$2,580.	\$2,964.	\$3,160.	\$2,764.	\$3,149.	\$3,344.
	72"	24"	<b>RCSP7224K(A,B,W)( ) ( ) 2</b>	2,707.	3,124.	3,334.	2,892.	3,308.	3,519.
	84"	24"	<b>RCSP8424K(A,B,W)( ) ( ) 2</b>	2,839.	3,306.	3,520.	3,024.	3,491.	3,705.
	96"	24"	<b>RCSP9624K(A,B,W)( ) ( ) 2</b>	2,957.	3,471.	3,700.	3,140.	3,656.	3,883.

Single lateral file credenza (30" wide lateral file) 	60"	24"	<b>RCS3L6024K(A,B,W)( ) ( ) 2</b>	2,720.	3,104.	3,300.	3,143.	3,527.	3,723.
	72"	24"	<b>RCS3L7224K(A,B,W)( ) ( ) 2</b>	2,847.	3,264.	3,474.	3,269.	3,687.	3,898.
	84"	24"	<b>RCS3L8424K(A,B,W)( ) ( ) 2</b>	2,979.	3,447.	3,660.	3,401.	3,869.	4,083.
	96"	24"	<b>RCS3L9624K(A,B,W)( ) ( ) 2</b>	3,096.	3,611.	3,841.	3,519.	4,034.	4,264.

Single lateral file credenza (36" wide lateral file) 	60"	24"	<b>RCS6L6024K(A,B,W)( ) ( ) 2</b>	2,797.	3,183.	3,378.	3,530.	3,915.	4,111.
	72"	24"	<b>RCS6L7224K(A,B,W)( ) ( ) 2</b>	2,925.	3,342.	3,554.	3,658.	4,075.	4,285.
	84"	24"	<b>RCS6L8424K(A,B,W)( ) ( ) 2</b>	3,057.	3,525.	3,738.	3,790.	4,257.	4,471.
	96"	24"	<b>RCS6L9624K(A,B,W)( ) ( ) 2</b>	3,174.	3,690.	3,917.	3,908.	4,422.	4,650.

Order Code

Example:	<b>RCS6L9624KAF2MDL</b>
<b>RC</b>	Reff credenza
<b>S6L</b>	Single 36" w lateral file
<b>96</b>	96" wide
<b>24</b>	24" wide
<b>K</b>	File/file
<b>A</b>	1 1/4" thick worksurface
<b>F</b>	Flush grommets
<b>2</b>	Finish type
<b>M</b>	metal interiors
<b>D</b>	D-metal pull
<b>L</b>	Lock

Specification Information

To order, please specify pattern number including:

- Width
- Depth
- File option  
*K default = FF*
- Top thickness
- Grommet option
- Finish type
- Interior option
- Pull option
- Locking  
*L default*
- Veneer finish
- Pull finish, when applicable
- Grommet finish, when applicable

4. Thickness options:  
A = 1 1/4"  
B = 1 3/4"  
W = 1 1/4" waterfall

5. Grommet Options:  
F = Flush grommets  
N = No grommets

6. 2 = V2 Veneer Finish

7. Interior Options:  
M = Metal  
W = Wood

8. Pull Options:  
D = Metal D-pull  
J = Routed pull  
C = Nickel C-pull (nickel finish only)  
S = Stainless steel finish S-pull

Applicable finishes are listed on page 5 and 6.

Random locks are factory installed. Keyalike are field installed with the KnollKey order form.

Application Notes

Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Credenzas with lateral files or pedestals are non-handed.


All hardware included.

All waterfall credenzas have waterfall detail on front only.

All components on this page available in V2 only.

Bridge assemblies  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 available V2 finish options only

Reff

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	<b>RBR3624(A,B,W)(F,N)2</b>	\$864.	\$1,176.	\$1,784.
	42"	24"	<b>RBR4224(A,B,W)(F,N)2</b>	915.	1,267.	1,862.
	48"	24"	<b>RBR4824(A,B,W)(F,N)2</b>	1,001.	1,377.	2,017.
	36"	30"	<b>RBR3630(A,B,W)(F,N)2</b>	921.	1,267.	1,951.
	42"	30"	<b>RBR4230(A,B,W)(F,N)2</b>	975.	1,347.	2,048.
	48"	30"	<b>RBR4830(A,B,W)(F,N)2</b>	1,066.	1,446.	2,213.

**Order Code**

Example: <b>RBR4830WF2</b>
<b>RBR</b> Reff bridge assembly
<b>48</b> 48" wide
<b>30</b> 30" deep
<b>W</b> Waterfall edge 1 1/4"
<b>F</b> Flush grommets
<b>2</b> Conventional veneer

**Specification Information**

To order, please specify pattern number including:

1. Top thickness
2. Grommet option
3. Finish type
4. Veneer finish
5. Grommet color

1. Thickness options:  
 A = 1 1/4" straight edge  
 B = 1 3/4" straight edge  
 W = 1 1/4" waterfall edge

2. Grommet Options:  
 F = Flush grommets  
 N = No grommets

3. 2 = V2 Veneer Finish

4. Grommet Color

Applicable finishes are listed on page 5 and 6.

**Application Notes**

Bridge assemblies are non-handed.

All hardware included.

Waterfall option on all 3 sides.

Available in conventional veneer only.

All components on this page are available in V2 only.


Shipped with full height modesty.




Double pedestal credenzas  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 available V2 finish options only


Reff

Preconfigured Reff  
 Desking

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCDP6024K(A,B,W)( ) ( ) J2</b>	\$3,370.	\$3,752.	\$3,949.	\$3,737.	\$4,122.	\$4,319.
	72"	24"	<b>RCDP7224K(A,B,W)( ) ( ) J2</b>	3,495.	3,913.	4,123.	3,864.	4,282.	4,492.
	84"	24"	<b>RCDP8424K(A,B,W)( ) ( ) J2</b>	3,628.	4,096.	4,309.	3,996.	4,464.	4,678.
	96"	24"	<b>RCDP9624K(A,B,W)( ) ( ) J2</b>	3,745.	4,259.	4,489.	4,115.	4,628.	4,857.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCD3L6024K(A,B,W)( ) ( ) J2</b>	3,649.	4,033.	4,230.	4,494.	4,879.	5,074.
	84"	24"	<b>RCD3L8424K(A,B,W)( ) ( ) J2</b>	3,909.	4,377.	4,590.	4,753.	5,221.	5,434.
	96"	24"	<b>RCD3L9624K(A,B,W)( ) ( ) J2</b>	4,027.	4,539.	4,769.	4,871.	5,385.	5,615.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	72"	24"	<b>RCD6L7224K(A,B,W)( ) ( ) J2</b>	3,932.	4,349.	4,560.	5,398.	5,814.	6,024.
	96"	24"	<b>RCD6L9624K(A,B,W)( ) ( ) J2</b>	4,181.	4,696.	4,925.	5,646.	6,160.	6,390.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: <b>RCD6L9624KBF2WDL</b>	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.  All credenzas are non-handed.  All hardware included.  All waterfall credenzas have waterfall detail on front only.  All components on this page available in V2 only.  Shipped with full height modesty.  Applicable finishes are listed on page 5 and 6.  Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
<b>RC</b> Reff credenza	5. Grommet Options: F = Flush grommets N = No grommets	
<b>D6L</b> Double 36" w lateral file	6. 2 = V2 Veneer Finish	
<b>96</b> 96" wide	7. Interior Options: M = Metal W = Wood	
<b>24</b> 24" wide	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
<b>K</b> File file	9. Locking <i>L default</i>	
<b>B</b> 1 3/4" thick worksurface	10. Veneer finish	
<b>F</b> Flush grommets	11. Pull finish, when applicable	
<b>2</b> Finish type	12. Grommet finish, when applicable	
<b>W</b> wood drawer interior	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
<b>D</b> D-metal pull		
<b>L</b> Lock		

# Accessories

## *hookstrips and top caps*

Reff



description	w	pattern no.	list price
Panel hookstrips	8"	<b>R2HK0008</b>	\$40.
	15"	<b>R2HK0015</b>	65.
	34"	<b>R2HK0034</b>	88.
	42"	<b>R2HK0042</b>	94.
	49"	<b>R2HK0049</b>	102.
	64"	<b>R2HK0064</b>	110.
	79"	<b>R2HK0079</b>	115.
Beltway hookstrips	42"	<b>R2HKB042</b>	102.
	49"	<b>R2HKB049</b>	110.
	64"	<b>R2HKB064</b>	115.
	79"	<b>R2HKB079</b>	121.
Generation 2 top caps		<b>KRR2CAPEND( )()</b>	58.
		<b>KRR2CAPL( )()</b>	58.
		<b>KRR2CAPSTRAIGHT( )()</b>	58.
		<b>KRR2CAPT( )()</b>	58.
		<b>KRR2CAPX( )()</b>	58.
Generation 3 top caps		<b>KRR3CAPEND( )()</b>	58.
		<b>KRR3CAPL( )()</b>	58.
		<b>KRR3CAPSTRAIGHT( )()</b>	58.
		<b>KRR3CAPT( )()</b>	58.
		<b>KRR3CAPX( )()</b>	58.

Order Code	Specification Information	Application Notes
Example: <b>KRR3CAPL-2A</b>	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
<b>KRR3</b> Reff generation 3		
<b>CAP</b> Top cap	<ol style="list-style-type: none"> <li>1. L = Laminate paint finish</li> <li>2. 1 = V1 Techwood</li> <li>3. 2 = V2 Conventional veneer</li> </ol>	An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.
<b>L</b> Finished 2 adjacent sides		
<b>2</b> Conventional veneer		
<b>A</b> Flat profile	<i>Top cap profile:</i>	Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.
<b>V319</b> Medium cherry	A = Flat B = Square C = Bullnose	
		New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

# Accessories

## *cabinet extras and undermount accessories*

Reff

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		<b>RCABT1417</b>						\$68.
	29"	17"		<b>RCABT2917</b>						113.
Cabinet coat rod 	16" cabinets			<b>RCACR16</b>						68.
	30" cabinets			<b>RCACR30</b>						90.
	36" cabinets			<b>RCACR36</b>						102.
	Half of 30" cabinets			<b>RCACR30H</b>						66.
	Half of 36" cabinets			<b>RCACR36H</b>						72.
Articulated keyboard arm 	10" x 20" keyboard tray			<b>RKBA1020(-)</b>						806.
	10" x 22 1/4" keyboard tray			<b>RKBA1022(-)</b>						806.
Available in laminate, techwood (V1), or veneer (V2)										
CRT turntable 	31" diameter			<b>RKT31</b>						497.
Pencil drawer used under worktop 	16"	17"	1"	<b>RPAD(-)</b>		275.	490.	490.	635.	
	Specify wood or laminate finish									
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		<b>RCAS1620(-)</b>	69.	130.	138.	159.	214.	
	16"	24"		<b>RCAS1624(-)</b>	77.	145.	156.	181.	244.	
	30"	15"		<b>RCAS3015(-)</b>	84.	170.	182.	208.	281.	
	30"	20"		<b>RCAS3020(-)</b>	82.	145.	156.	181.	244.	
	30"	24"		<b>RCAS3024(-)</b>	91.	170.	182.	208.	281.	
	36"	15"		<b>RCAS3615(-)</b>	93.	180.	191.	216.	292.	
	36"	20"		<b>RCAS3620(-)</b>	93.	155.	166.	191.	258.	
	36"	24"		<b>RCAS3624(-)</b>	98.	182.	195.	223.	301.	

### Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

### Specification Information

Pencil drawer includes slides.

Applicable finishes are listed on page 5 and 6.

### Application Notes

See Reff Planning Guide for more information.

# Accessories

## *presentation samples*

Reff

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only) 	-	-	8 <sup>7</sup> / <sub>8</sub> "	<b>RWHRA-()</b>					\$35.
	-	-	17 <sup>5</sup> / <sub>8</sub> "	<b>RWHRB-()</b>					37.
	-	-	18 <sup>1</sup> / <sub>4</sub> "	<b>RWHRC-()</b>					37.
	-	-	21 <sup>1</sup> / <sub>16</sub> "	<b>RWHRD-()</b>					39.
	-	-	22"	<b>RWHRE-()</b>					39.
	-	-	59 <sup>1</sup> / <sub>2</sub> "	<b>RWHRF-()</b>					88.
	-	-	67"	<b>RWHRG-()</b>					88.
Striplight (black only) for transaction tops 	26"	2"	2"	<b>RCASL</b>					315.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	-	<b>RSAMP1616-()()</b>	125.	175.	225.	260.	
Presentation stackable/tiled mini panel (for demonstrations) Specify trim profile, base height, base type and applicable finishes	24"	-	34"	<b>RSMP ()()()</b>					1,005.
Presentation monolithic mini panel Specify trim profile and applicable finishes	4"H base			<b>RR3MP4 ()</b>					550.
	6"H base			<b>RR3MP6 ()</b>					588.
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				<b>R917762 ()</b>					402.
Presentation worksurface cutaway sample	12"	12"	1 <sup>1</sup> / <sub>4</sub> "	<b>RTOP2 ()</b>	103.	154.	205.	241.	
	12"	12"	1 <sup>3</sup> / <sub>4</sub> "	<b>RTOP1 ()</b>	103.	154.	205.	241.	
Presentation waterfall edge sample	11"	8 <sup>1</sup> / <sub>2</sub> "		<b>R921655 ()</b>					305.
Sample, cascade edge worksurface 	12"	12"		<b>RCE1R1212G</b>	115.				
Rangeboard Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)	27"	12"	1 <sup>1</sup> / <sub>4</sub> "	<b>RRBRD2712 ()</b>					275.

### Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

### Specification Information

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

# Accessories

## wire management

Reff

Accessories and Client Samples

description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	<b>RWMWT24</b>	\$39.
	30"	4 1/2"	5 3/4"	<b>RWMWT30</b>	45.
	36"	4 1/2"	5 3/4"	<b>RWMWT36</b>	49.
	Available black only				
 Hinged vertical wire	24"	1"	3/8"	<b>RWMV24 ( )</b>	32.
	Ships with overdesk unit. Specify paint finish.				
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	<b>RWMMP24</b>	35.
	30"	2 1/2"	1 1/4"	<b>RWMMP30</b>	39.
	36"	2 1/2"	1 1/4"	<b>RWMMP36</b>	40.
	Available black only				
 Panel-hung vertical wire	24"	–	–	<b>RWMVP24</b>	32.
	not available in finish codes: 112,116,117,611, 612, 613				
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	<b>RWMVH24</b>	37.
	30"	1 1/2"	3/4"	<b>RWMVH30</b>	41.
	36"	1 1/2"	3/4"	<b>RWMVH36</b>	45.
	Available black only				
 Power bar, fits into wire manager				<b>RWMPB</b>	136.
Replacement hardware	Panel to endpanel bracket			<b>RBPE(L/R)( )</b>	18.
	Top to endpanel disk			<b>RBDD</b>	5.
	Top to workwall endpanel disk			<b>RBDW</b>	5.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				
Tree wire manager 2 shipped with panel	2"			<b>RBWM</b>	11.
used in Beltway					

### Order Code

To order please specify:  
1. Pattern number  
2. Color if applicable

### Specification Information

Specify color for hinged vertical wire management only from paint finish list on page 5.

\*Available in Black only.

### Application Notes

See Reff Planning Guide for more information on wire managers.

# Accessories

## *interior components*

Reff

description	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)			<b>RPHCHH</b>	\$32.
Panel-hung coat hook (panel top)			<b>RPHCHT</b>	32.
Panel-hung tackboard	30"	24"	<b>RPHTB3024</b>	267.
Note: Fabric railroaded	42"	24"	<b>RPHTB4224</b>	328.
All standard grades of fabric				
Panel-hung whiteboard	30"	24"	<b>RPHWB3024</b>	414.
	42"	24"	<b>RPHWB4224</b>	506.
Wall-hung tackboard	30"	24"	<b>RWHTB3024</b>	296.
Note: Fabric railroaded Velcro supplied	36"	24"	<b>RWHTB3624</b>	328.
	42"	24"	<b>RWHTB4224</b>	360.
	48"	24"	<b>RWHTB4824</b>	392.
for use with 26 1/2" h support planning module				
Wall-hung tackboard for desk height (28 3/8" h) planning	30"	26"	<b>RWHDHTB3026</b>	311.
Note: Fabric railroaded Velcro supplied	36"	26"	<b>RWHDHTB3626</b>	344.
	42"	26"	<b>RWHDHTB4226</b>	379.
	48"	26"	<b>RWHDHTB4826</b>	411.
for use with 28 3/8" h support planning module				
Box drawer dividers, wood box drawers (Acrylic)	16"	–	<b>RPADSS</b>	47.
File bars, wood file drawers (replacement)	16"	–	<b>RPAHFB16</b>	26.
	30"	–	<b>RPAHFB30</b>	50.
	36"	–	<b>RPAHFB36</b>	78.
File bars, metal file drawers (replacement)	16"	–	<b>RPAHFM162 *</b>	18.
	30"	–	<b>RPAHFM30</b>	26.
	36"	–	<b>RPAHFM36</b>	26.

### Order Code

To order please specify:  
 1. Pattern number  
 2. Fabric (Tackboards)

### Application Notes

See Reff Planning Guide for more information.  
 Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.


Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

# Accessories

## *interior components*

Reff

description	w	h	pattern no.	list price
Plate divider			<b>RPD11</b>	\$20.
			<b>RPD14</b>	20.
<p>RPD11 to be used with 15" D open cabinet/bookcase with metal shelves.            RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.</p>				
Pencil tray, wood (ordered separately)	12"	–	<b>RPAPT</b>	90.
Pencil tray, plastic	12"	–	<b>RPETRAY3 *</b>	35.
	recommended for use with metal drawer interiors			

Accessories and Client  
Samples

### Order Code

To order please specify:

1. Pattern number
2. Fabric (Tackboards)

### Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

<b>Non-Wood Finishes</b>								
<b>Finishes</b>	<i>Panel Tiles, Tops &amp; Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Handles</i>	<i>Grommets</i>
Black	LG	LG	LG	LG	LG	LG	LG	LG
Dark grey	n/a	DG	DG	DG	DG	DG	n/a	DG
Medium grey	n/a	OI	OI	OI	OI	OI	n/a	OI
Charcoal grey	LD	LD	LD	LD	LD	LD	n/a	LD
Folkstone grey	LA	LA	LA	LA	LA	LA	n/a	LA
Oyster grey	LC	LC	LC	LC	LC	LC	n/a	LC
Pumice	LB	LB	LB	LB	LB	LB	n/a	LB
Willow grey	LE	LE	LE	LE	LE	LE	n/a	LE
Dark grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	V	n/a
Medium grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	J	n/a
Silver (metallic)	n/a	HPF	HPF	HPF	HPF	HPF	HPF	HPF
White	LH	LH	LH	LH	LH	LH	LH	LH
<b>Plated Finishes</b>								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD
<b>Currents Finishes</b>								
White	n/a	B	B	B	B	B	B	B
Metallic flint	n/a	2	2	2	2	2	2	2
Light metallic grey	n/a	U	U	U	U	U	U	U
Medium metallic grey	n/a	J	J	J	J	J	J	J
Dark metallic grey	n/a	V	V	V	V	V	V	V
Metallic beige	n/a	H	H	H	H	H	H	H
Light metallic tan	n/a	W	W	W	W	W	W	W
Soft grey	n/a	E	E	E	E	E	E	E
Medium Grey	n/a	Y2	Y2	Y2	Y2	Y2	Y2	Y2

n/a = not applicable

\*Beltway side plates not available in Satin brass, Brushed pewter or Polished chrome.



# Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	192	R2APT3424	65	R2ES34(A/B/C/E)(4/6)(E/N)	96	R2X79C	98
ASBC24 (L/R)	192	R2APT3430	65	R2ES42(A/B/C/E)(4/6)(E/N)	96	R334PKIT	103
KRR2CAPEND	297	R2APT3436	65	R2ES49(A/B/C/E)(4/6)(E/N)	96	R3AK	103
KRR2CAPL	297	R2APT3442	65	R2ES64(A/B/C/E)(4/6)(E/N)	96	R3BOPAA42 18	13
KRR2CAPSTRAIGHT	297	R2APT3448	65	R2ES79(A/B/C/E)(4/6)(E/N)	96	R3BOPAA42 20	13
KRR2CAPT	297	R2APT4218	65	R2HK0008	297	R3BOPAA42 24	13
KRR2CAPX	297	R2APT4220	65	R2HK0015	297	R3BOPAA42 30	13
KRR3CAPEND	297	R2APT4224	65	R2HK0034	297	R3BOPAA42 36	13
KRR3CAPL	297	R2APT4230	65	R2HK0042	297	R3BOPAA42 42	13
KRR3CAPSTRAIGHT	297	R2APT4236	65	R2HK0049	297	R3BOPAA42 48	13
KRR3CAPT	297	R2APT4242	65	R2HK0064	297	R3BOPAA42 60	13
KRR3CAPX	297	R2APT4248	65	R2HK0079	297	R3BOPAA42 66	13
MWM-J	286	R2APT4918	66	R2HKB042	297	R3BOPAA42 72	13
R113B	194	R2APT4920	66	R2HKB049	297	R3BOPAA49 18	19
R234PKIT	103	R2APT4924	66	R2HKB064	297	R3BOPAA49 20	19
R2AETK34	68	R2APT4930	66	R2HKB079	297	R3BOPAA49 24	19
R2AETK42	68	R2APT4936	66	R2HL3442ES(A/B/C/E)	96	R3BOPAA49 30	19
R2AETK49	68	R2APT4942	66	R2HL3442(F)CS	97	R3BOPAA49 36	19
R2AETK64	68	R2APT4948	66	R2HL3449ES(A/B/C/E)	96	R3BOPAA49 42	19
R2AETK79	68	R2APT6418	66	R2HL3449(F)CS	97	R3BOPAA49 48	19
R2AHBW18	70	R2APT6420	66	R2HL3464ES(A/B/C/E)	96	R3BOPAA49 60	19
R2AHBW20	70	R2APT6424	66	R2HL3464(F/T)CS	97	R3BOPAA49 66	19
R2AHBW24	70	R2APT6430	66	R2HL3479ES(A/B/C/E)	96	R3BOPAA49 72	19
R2AHBW30	70	R2APT6436	66	R2HL3479(F/T)CS	97	R3BOPAA64 18	25
R2AHBW36	70	R2APT6442	66	R2HL4249ES(A/B/C/E)	96	R3BOPAA64 20	25
R2AHBW42	70	R2APT6448	66	R2HL4249ETS(A/B/C/E)	97	R3BOPAA64 24	25
R2AHBW48	70	R2APT7918	67	R2HL4249(F)CS	97	R3BOPAA64 30	25
R2AHCR34	69	R2APT7920	67	R2HL4264ES(A/B/C/E)	96	R3BOPAA64 36	25
R2AHCR42	69	R2APT7924	67	R2HL4264ETS(A/B/C/E)	97	R3BOPAA64 42	25
R2AHCR49	69	R2APT7930	67	R2HL4264(F/T)CS	97	R3BOPAA64 48	25
R2AHCR64	69	R2APT7936	67	R2HL4279ES(A/B/C/E)	96	R3BOPAA64 60	25
R2AHCR79	69	R2APT7942	67	R2HL4279ETS(A/B/C/E)	97	R3BOPAA64 66	25
R2AHSR18	71	R2APT7948	67	R2HL4279(F/T)CS	97	R3BOPAA64 72	25
R2AHSR20	71	R2ATPK34	67	R2HL4964ES(A/B/C/E)	96	R3BOPAA79 18	31
R2AHSR24	71	R2ATPK42	67	R2HL4964(F)CS	97	R3BOPAA79 20	31
R2AHSR30	71	R2ATPK49	67	R2HL4979ES(A/B/C/E)	96	R3BOPAA79 24	31
R2AHSR36	71	R2ATPK64	67	R2HL4979(F/T)CS	97	R3BOPAA79 30	31
R2AHSR42	71	R2ATPK79	67	R2HL6479ES(A/B/C/E)	96	R3BOPAA79 36	31
R2AHSR48	71	R2BOTWA34 18	38	R2HL6479(F)CS	97	R3BOPAA79 42	31
R2AHTR18	69	R2BOTWA34 20	38	R2L42C(F/T)(F/T)-(4/6)	98	R3BOPAA79 48	31
R2AHTR20	69	R2BOTWA34 24	38	R2L49C(F/T)(F/T)-(4/6)	98	R3BOPAA79 60	31
R2AHTR24	69	R2BOTWA34 30	38	R2L64C(F/T)(F/T)-(4/6)	98	R3BOPAA79 66	31
R2AHTR30	69	R2BOTWA34 36	38	R2L79C(F/T)(F/T)-(4/6)	98	R3BOPAA79 72	31
R2AHTR36	69	R2BOTWA34 42	38	R2S42C(F/T)(F/T)-(4/6)	98	R3BOPF134 18	10
R2AHTR42	69	R2BOTWA34 48	38	R2S49C(F/T)(F/T)-(4/6)	98	R3BOPF134 20	10
R2AHTR48	69	R2BOTWB34 30	38	R2S64C(F/T)(F/T)-(4/6)	98	R3BOPF134 24	10
R2AHWR18	70	R2BOTWB34 36	38	R2S79C(F/T)(F/T)-(4/6)	98	R3BOPF134 30	10
R2AHWR20	70	R2BOTWB34 42	38	R2SWS0008	100	R3BOPF134 36	10
R2AHWR24	70	R2BOTWB34 48	38	R2SWS0015	100	R3BOPF134 42	10
R2AHWR30	70	R2BOTWC34 18	38	R2SWS0034	100	R3BOPF134 48	10
R2AHWR36	70	R2BOTWC34 20	38	R2SWS0042	100	R3BOPF142 18	16
R2AHWR42	70	R2BOTWC34 24	38	R2SWS0049	100	R3BOPF142 20	16
R2AHWR48	70	R2BOTWC34 30	38	R2SWS0064	100	R3BOPF142 24	16
R2AK	103	R2BOTWC34 36	38	R2SWS0079	100	R3BOPF142 30	16
R2ALPK34	68	R2BOTWC34 42	38	R2T42C(F/T)-(4/6)	98	R3BOPF142 36	16
R2ALPK42	68	R2BOTWC34 48	38	R2T49C(F/T)-(4/6)	98	R3BOPF142 42	16
R2ALPK49	68	R2CCG	103	R2T64C(F/T)-(4/6)	98	R3BOPF142 48	16
R2ALPK64	68	R2DLS7936	102	R2T79C(F/T)-(4/6)	98	R3BOPF142 60	16
R2ALPK79	68	R2DLS7942	102	R2X42C	98	R3BOPF142 66	16
R2APT3418	65	R2DRS7936	102	R2X49C	98	R3BOPF142 72	16
R2APT3420	65	R2DRS7942	102	R2X64C	98	R3BOPF149 18	22

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF149 20	22	R3BOPF264 72	29	R3BOPFF42 18	13	R3BOPFL49 66	21
R3BOPF149 24	22	R3BOPF279 18	35	R3BOPFF42 20	13	R3BOPFL49 72	21
R3BOPF149 30	22	R3BOPF279 20	35	R3BOPFF42 24	13	R3BOPFL64 18	27
R3BOPF149 36	22	R3BOPF279 24	35	R3BOPFF42 30	13	R3BOPFL64 20	27
R3BOPF149 42	22	R3BOPF279 30	35	R3BOPFF42 36	13	R3BOPFL64 24	27
R3BOPF149 48	22	R3BOPF279 36	35	R3BOPFF42 42	13	R3BOPFL64 30	27
R3BOPF149 60	22	R3BOPF279 42	35	R3BOPFF42 48	13	R3BOPFL64 36	27
R3BOPF149 66	22	R3BOPF279 48	35	R3BOPFF42 60	13	R3BOPFL64 42	27
R3BOPF149 72	22	R3BOPF279 60	35	R3BOPFF42 66	13	R3BOPFL64 48	27
R3BOPF164 18	28	R3BOPF279 66	35	R3BOPFF42 72	13	R3BOPFL64 60	27
R3BOPF164 20	28	R3BOPF279 72	35	R3BOPFF49 18	19	R3BOPFL64 66	27
R3BOPF164 24	28	R3BOPF334 18	12	R3BOPFF49 20	19	R3BOPFL64 72	27
R3BOPF164 30	28	R3BOPF334 20	12	R3BOPFF49 24	19	R3BOPFL79 18	33
R3BOPF164 36	28	R3BOPF334 24	12	R3BOPFF49 30	19	R3BOPFL79 20	33
R3BOPF164 42	28	R3BOPF334 30	12	R3BOPFF49 36	19	R3BOPFL79 24	33
R3BOPF164 48	28	R3BOPF334 36	12	R3BOPFF49 42	19	R3BOPFL79 30	33
R3BOPF164 60	28	R3BOPF334 42	12	R3BOPFF49 48	19	R3BOPFL79 36	33
R3BOPF164 66	28	R3BOPF334 48	12	R3BOPFF49 60	19	R3BOPFL79 42	33
R3BOPF164 72	28	R3BOPF342 18	18	R3BOPFF49 66	19	R3BOPFL79 48	33
R3BOPF179 18	34	R3BOPF342 20	18	R3BOPFF49 72	19	R3BOPFL79 60	33
R3BOPF179 20	34	R3BOPF342 24	18	R3BOPFF64 18	25	R3BOPFL79 66	33
R3BOPF179 24	34	R3BOPF342 30	18	R3BOPFF64 20	25	R3BOPFL79 72	33
R3BOPF179 30	34	R3BOPF342 36	18	R3BOPFF64 24	25	R3BOTAA42 18	41
R3BOPF179 36	34	R3BOPF342 42	18	R3BOPFF64 30	25	R3BOTAA42 20	41
R3BOPF179 42	34	R3BOPF342 48	18	R3BOPFF64 36	25	R3BOTAA42 24	41
R3BOPF179 48	34	R3BOPF342 60	18	R3BOPFF64 42	25	R3BOTAA42 30	41
R3BOPF179 60	34	R3BOPF342 66	18	R3BOPFF64 48	25	R3BOTAA42 36	41
R3BOPF179 66	34	R3BOPF342 72	18	R3BOPFF64 60	25	R3BOTAA42 42	41
R3BOPF179 72	34	R3BOPF349 18	24	R3BOPFF64 66	25	R3BOTAA42 48	41
R3BOPF234 18	11	R3BOPF349 20	24	R3BOPFF64 72	25	R3BOTAA49 18	47
R3BOPF234 20	11	R3BOPF349 24	24	R3BOPFF79 18	31	R3BOTAA49 20	47
R3BOPF234 24	11	R3BOPF349 30	24	R3BOPFF79 20	31	R3BOTAA49 24	47
R3BOPF234 30	11	R3BOPF349 36	24	R3BOPFF79 24	31	R3BOTAA49 30	47
R3BOPF234 36	11	R3BOPF349 42	24	R3BOPFF79 30	31	R3BOTAA49 36	47
R3BOPF234 42	11	R3BOPF349 48	24	R3BOPFF79 36	31	R3BOTAA49 42	47
R3BOPF234 48	11	R3BOPF349 60	24	R3BOPFF79 42	31	R3BOTAA49 48	47
R3BOPF242 18	17	R3BOPF349 66	24	R3BOPFF79 48	31	R3BOTAA64 18	53
R3BOPF242 20	17	R3BOPF349 72	24	R3BOPFF79 60	31	R3BOTAA64 20	53
R3BOPF242 24	17	R3BOPF364 18	30	R3BOPFF79 66	31	R3BOTAA64 24	53
R3BOPF242 30	17	R3BOPF364 20	30	R3BOPFF79 72	31	R3BOTAA64 30	53
R3BOPF242 36	17	R3BOPF364 24	30	R3BOPFL34 18	9	R3BOTAA64 36	53
R3BOPF242 42	17	R3BOPF364 30	30	R3BOPFL34 20	9	R3BOTAA64 42	53
R3BOPF242 48	17	R3BOPF364 36	30	R3BOPFL34 24	9	R3BOTAA64 48	53
R3BOPF242 60	17	R3BOPF364 42	30	R3BOPFL34 30	9	R3BOTAA79 18	59
R3BOPF242 66	17	R3BOPF364 48	30	R3BOPFL34 36	9	R3BOTAA79 20	59
R3BOPF242 72	17	R3BOPF364 60	30	R3BOPFL34 42	9	R3BOTAA79 24	59
R3BOPF249 18	23	R3BOPF364 66	30	R3BOPFL34 48	9	R3BOTAA79 30	59
R3BOPF249 20	23	R3BOPF364 72	30	R3BOPFL42 18	15	R3BOTAA79 36	59
R3BOPF249 24	23	R3BOPF379 18	36	R3BOPFL42 20	15	R3BOTAA79 42	59
R3BOPF249 30	23	R3BOPF379 20	36	R3BOPFL42 24	15	R3BOTAA79 48	59
R3BOPF249 36	23	R3BOPF379 24	36	R3BOPFL42 30	15	R3BOTF134 18	39
R3BOPF249 42	23	R3BOPF379 30	36	R3BOPFL42 36	15	R3BOTF134 20	39
R3BOPF249 48	23	R3BOPF379 36	36	R3BOPFL42 42	15	R3BOTF134 24	39
R3BOPF249 60	23	R3BOPF379 42	36	R3BOPFL42 48	15	R3BOTF134 30	39
R3BOPF249 66	23	R3BOPF379 48	36	R3BOPFL42 60	15	R3BOTF134 36	39
R3BOPF249 72	23	R3BOPF379 60	36	R3BOPFL42 66	15	R3BOTF134 42	39
R3BOPF264 18	29	R3BOPF379 66	36	R3BOPFL42 72	15	R3BOTF134 48	39
R3BOPF264 20	29	R3BOPF379 72	36	R3BOPFL49 18	21	R3BOTF142 18	44
R3BOPF264 24	29	R3BOPFF34 18	8	R3BOPFL49 20	21	R3BOTF142 20	44
R3BOPF264 30	29	R3BOPFF34 20	8	R3BOPFL49 24	21	R3BOTF142 24	44
R3BOPF264 36	29	R3BOPFF34 24	8	R3BOPFL49 30	21	R3BOTF142 30	44
R3BOPF264 42	29	R3BOPFF34 30	8	R3BOPFL49 36	21	R3BOTF142 36	44
R3BOPF264 48	29	R3BOPFF34 36	8	R3BOPFL49 42	21	R3BOTF142 42	44
R3BOPF264 60	29	R3BOPFF34 42	8	R3BOPFL49 48	21	R3BOTF142 48	44
R3BOPF264 66	29	R3BOPFF34 48	8	R3BOPFL49 60	21	R3BOTF149 18	50

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B0TF149 20	50	R3B0TF342 30	46	R3B0TFL34 42	39	R3B1PF1B49 30	80
R3B0TF149 24	50	R3B0TF342 36	46	R3B0TFL34 48	39	R3B1PF1B49 36	80
R3B0TF149 30	50	R3B0TF342 42	46	R3B0TFL42 18	43	R3B1PF1B49 42	80
R3B0TF149 36	50	R3B0TF342 48	46	R3B0TFL42 20	43	R3B1PF1B49 48	80
R3B0TF149 42	50	R3B0TF349 18	52	R3B0TFL42 24	43	R3B1PF242 18	17
R3B0TF149 48	50	R3B0TF349 20	52	R3B0TFL42 30	43	R3B1PF242 20	17
R3B0TF164 18	56	R3B0TF349 24	52	R3B0TFL42 36	43	R3B1PF242 24	17
R3B0TF164 20	56	R3B0TF349 30	52	R3B0TFL42 42	43	R3B1PF242 30	17
R3B0TF164 24	56	R3B0TF349 36	52	R3B0TFL42 48	43	R3B1PF242 36	17
R3B0TF164 30	56	R3B0TF349 42	52	R3B0TFL49 18	49	R3B1PF242 42	17
R3B0TF164 36	56	R3B0TF349 48	52	R3B0TFL49 20	49	R3B1PF242 48	17
R3B0TF164 42	56	R3B0TF364 18	58	R3B0TFL49 24	49	R3B1PF249 18	23
R3B0TF164 48	56	R3B0TF364 20	58	R3B0TFL49 30	49	R3B1PF249 20	23
R3B0TF179 18	62	R3B0TF364 24	58	R3B0TFL49 36	49	R3B1PF249 24	23
R3B0TF179 20	62	R3B0TF364 30	58	R3B0TFL49 42	49	R3B1PF249 30	23
R3B0TF179 24	62	R3B0TF364 36	58	R3B0TFL49 48	49	R3B1PF249 36	23
R3B0TF179 30	62	R3B0TF364 42	58	R3B0TFL64 18	55	R3B1PF249 42	23
R3B0TF179 36	62	R3B0TF364 48	58	R3B0TFL64 20	55	R3B1PF249 48	23
R3B0TF179 42	62	R3B0TF379 18	64	R3B0TFL64 24	55	R3B1PF264 18	29
R3B0TF179 48	62	R3B0TF379 20	64	R3B0TFL64 30	55	R3B1PF264 20	29
R3B0TF234 18	40	R3B0TF379 24	64	R3B0TFL64 36	55	R3B1PF264 24	29
R3B0TF234 20	40	R3B0TF379 30	64	R3B0TFL64 42	55	R3B1PF264 30	29
R3B0TF234 24	40	R3B0TF379 36	64	R3B0TFL64 48	55	R3B1PF264 36	29
R3B0TF234 30	40	R3B0TF379 42	64	R3B0TFL79 18	61	R3B1PF264 42	29
R3B0TF234 36	40	R3B0TF379 48	64	R3B0TFL79 20	61	R3B1PF264 48	29
R3B0TF234 42	40	R3B0TFF34 18	37	R3B0TFL79 24	61	R3B1PF279 18	35
R3B0TF234 48	40	R3B0TFF34 20	37	R3B0TFL79 30	61	R3B1PF279 20	35
R3B0TF242 18	45	R3B0TFF34 24	37	R3B0TFL79 36	61	R3B1PF279 24	35
R3B0TF242 20	45	R3B0TFF34 30	37	R3B0TFL79 42	61	R3B1PF279 30	35
R3B0TF242 24	45	R3B0TFF34 36	37	R3B0TFL79 48	61	R3B1PF279 36	35
R3B0TF242 30	45	R3B0TFF34 42	37	R3B1PF142 18	16	R3B1PF279 42	35
R3B0TF242 36	45	R3B0TFF34 48	37	R3B1PF142 20	16	R3B1PF279 48	35
R3B0TF242 42	45	R3B0TFF42 18	41	R3B1PF142 24	16	R3B1PF2A49 18	83
R3B0TF242 48	45	R3B0TFF42 20	41	R3B1PF142 30	16	R3B1PF2A49 20	83
R3B0TF249 18	51	R3B0TFF42 24	41	R3B1PF142 36	16	R3B1PF2A49 24	83
R3B0TF249 20	51	R3B0TFF42 30	41	R3B1PF142 42	16	R3B1PF2A49 30	83
R3B0TF249 24	51	R3B0TFF42 36	41	R3B1PF142 48	16	R3B1PF2A49 36	83
R3B0TF249 30	51	R3B0TFF42 42	41	R3B1PF149 18	22	R3B1PF2A49 42	83
R3B0TF249 36	51	R3B0TFF42 48	41	R3B1PF149 20	22	R3B1PF2A49 48	83
R3B0TF249 42	51	R3B0TFF49 18	47	R3B1PF149 24	22	R3B1PF2B49 30	83
R3B0TF249 48	51	R3B0TFF49 20	47	R3B1PF149 30	22	R3B1PF2B49 36	83
R3B0TF264 18	57	R3B0TFF49 24	47	R3B1PF149 36	22	R3B1PF2B49 42	83
R3B0TF264 20	57	R3B0TFF49 30	47	R3B1PF149 42	22	R3B1PF2B49 48	83
R3B0TF264 24	57	R3B0TFF49 36	47	R3B1PF149 48	22	R3B1PF342 18	18
R3B0TF264 30	57	R3B0TFF49 42	47	R3B1PF164 18	28	R3B1PF342 20	18
R3B0TF264 36	57	R3B0TFF49 48	47	R3B1PF164 20	28	R3B1PF342 24	18
R3B0TF264 42	57	R3B0TFF64 18	53	R3B1PF164 24	28	R3B1PF342 30	18
R3B0TF264 48	57	R3B0TFF64 20	53	R3B1PF164 30	28	R3B1PF342 36	18
R3B0TF279 18	63	R3B0TFF64 24	53	R3B1PF164 36	28	R3B1PF342 42	18
R3B0TF279 20	63	R3B0TFF64 30	53	R3B1PF164 42	28	R3B1PF342 48	18
R3B0TF279 24	63	R3B0TFF64 36	53	R3B1PF164 48	28	R3B1PF349 18	24
R3B0TF279 30	63	R3B0TFF64 42	53	R3B1PF179 18	34	R3B1PF349 20	24
R3B0TF279 36	63	R3B0TFF64 48	53	R3B1PF179 20	34	R3B1PF349 24	24
R3B0TF279 42	63	R3B0TFF79 18	59	R3B1PF179 24	34	R3B1PF349 30	24
R3B0TF279 48	63	R3B0TFF79 20	59	R3B1PF179 30	34	R3B1PF349 36	24
R3B0TF334 18	40	R3B0TFF79 24	59	R3B1PF179 36	34	R3B1PF349 42	24
R3B0TF334 20	40	R3B0TFF79 30	59	R3B1PF179 42	34	R3B1PF349 48	24
R3B0TF334 24	40	R3B0TFF79 36	59	R3B1PF179 48	34	R3B1PF364 18	30
R3B0TF334 30	40	R3B0TFF79 42	59	R3B1PF1A49 18	80	R3B1PF364 20	30
R3B0TF334 36	40	R3B0TFF79 48	59	R3B1PF1A49 20	80	R3B1PF364 24	30
R3B0TF334 42	40	R3B0TFL34 18	39	R3B1PF1A49 24	80	R3B1PF364 30	30
R3B0TF334 48	40	R3B0TFL34 20	39	R3B1PF1A49 30	80	R3B1PF364 36	30
R3B0TF342 18	46	R3B0TFL34 24	39	R3B1PF1A49 36	80	R3B1PF364 42	30
R3B0TF342 20	46	R3B0TFL34 30	39	R3B1PF1A49 42	80	R3B1PF364 48	30
R3B0TF342 24	46	R3B0TFL34 36	39	R3B1PF1A49 48	80	R3B1PF379 18	36

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF379 20	36	R3B1PFL49 24	21	R3B1TF1B49 30	79	R3B1TF379 20	64
R3B1PF379 24	36	R3B1PFL49 30	21	R3B1TF1B49 36	79	R3B1TF379 24	64
R3B1PF379 30	36	R3B1PFL49 36	21	R3B1TF1B49 42	79	R3B1TF379 30	64
R3B1PF379 36	36	R3B1PFL49 42	21	R3B1TF1B49 48	79	R3B1TF379 36	64
R3B1PF379 42	36	R3B1PFL49 48	21	R3B1TF242 18	45	R3B1TF379 42	64
R3B1PF379 48	36	R3B1PFL64 18	27	R3B1TF242 20	45	R3B1TF379 48	64
R3B1PF3A49 18	85	R3B1PFL64 20	27	R3B1TF242 24	45	R3B1TF3A49 18	84
R3B1PF3A49 20	85	R3B1PFL64 24	27	R3B1TF242 30	45	R3B1TF3A49 20	84
R3B1PF3A49 24	85	R3B1PFL64 30	27	R3B1TF242 36	45	R3B1TF3A49 24	84
R3B1PF3A49 30	85	R3B1PFL64 36	27	R3B1TF242 42	45	R3B1TF3A49 30	84
R3B1PF3A49 36	85	R3B1PFL64 42	27	R3B1TF242 48	45	R3B1TF3A49 36	84
R3B1PF3A49 42	85	R3B1PFL64 48	27	R3B1TF249 18	51	R3B1TF3A49 42	84
R3B1PF3A49 48	85	R3B1PFL79 18	33	R3B1TF249 20	51	R3B1TF3A49 48	84
R3B1PF3B49 30	85	R3B1PFL79 20	33	R3B1TF249 24	51	R3B1TF3B49 30	84
R3B1PF3B49 36	85	R3B1PFL79 24	33	R3B1TF249 30	51	R3B1TF3B49 36	84
R3B1PF3B49 42	85	R3B1PFL79 30	33	R3B1TF249 36	51	R3B1TF3B49 42	84
R3B1PF3B49 48	85	R3B1PFL79 36	33	R3B1TF249 42	51	R3B1TF3B49 48	84
R3B1PFF42 18	14	R3B1PFL79 42	33	R3B1TF249 48	51	R3B1TFF42 18	41
R3B1PFF42 20	14	R3B1PFL79 48	33	R3B1TF264 18	57	R3B1TFF42 20	41
R3B1PFF42 24	14	R3B1PFLA49 18	77	R3B1TF264 20	57	R3B1TFF42 24	41
R3B1PFF42 30	14	R3B1PFLA49 20	77	R3B1TF264 24	57	R3B1TFF42 30	41
R3B1PFF42 36	14	R3B1PFLA49 24	77	R3B1TF264 30	57	R3B1TFF42 36	41
R3B1PFF42 42	14	R3B1PFLA49 30	77	R3B1TF264 36	57	R3B1TFF42 42	41
R3B1PFF42 48	14	R3B1PFLA49 36	77	R3B1TF264 42	57	R3B1TFF42 48	41
R3B1PFF49 18	20	R3B1PFLA49 42	77	R3B1TF264 48	57	R3B1TFF49 18	47
R3B1PFF49 20	20	R3B1PFLA49 48	77	R3B1TF279 18	63	R3B1TFF49 20	47
R3B1PFF49 24	20	R3B1PFLB49 30	77	R3B1TF279 20	63	R3B1TFF49 24	47
R3B1PFF49 30	20	R3B1PFLB49 36	77	R3B1TF279 24	63	R3B1TFF49 30	47
R3B1PFF49 36	20	R3B1PFLB49 42	77	R3B1TF279 30	63	R3B1TFF49 36	47
R3B1PFF49 42	20	R3B1PFLB49 48	77	R3B1TF279 36	63	R3B1TFF49 42	47
R3B1PFF49 48	20	R3B1TF142 18	44	R3B1TF279 42	63	R3B1TFF49 48	47
R3B1PFF64 18	26	R3B1TF142 20	44	R3B1TF279 48	63	R3B1TFF64 18	54
R3B1PFF64 20	26	R3B1TF142 24	44	R3B1TF2A49 18	81	R3B1TFF64 20	54
R3B1PFF64 24	26	R3B1TF142 30	44	R3B1TF2A49 20	81	R3B1TFF64 24	54
R3B1PFF64 30	26	R3B1TF142 36	44	R3B1TF2A49 24	81	R3B1TFF64 30	54
R3B1PFF64 36	26	R3B1TF142 42	44	R3B1TF2A49 30	81	R3B1TFF64 36	54
R3B1PFF64 42	26	R3B1TF142 48	44	R3B1TF2A49 36	81	R3B1TFF64 42	54
R3B1PFF64 48	26	R3B1TF149 18	50	R3B1TF2A49 42	81	R3B1TFF64 48	54
R3B1PFF79 18	32	R3B1TF149 20	50	R3B1TF2A49 48	81	R3B1TFF79 18	60
R3B1PFF79 20	32	R3B1TF149 24	50	R3B1TF2B49 30	82	R3B1TFF79 20	60
R3B1PFF79 24	32	R3B1TF149 30	50	R3B1TF2B49 36	82	R3B1TFF79 24	60
R3B1PFF79 30	32	R3B1TF149 36	50	R3B1TF2B49 42	82	R3B1TFF79 30	60
R3B1PFF79 36	32	R3B1TF149 42	50	R3B1TF2B49 48	82	R3B1TFF79 36	60
R3B1PFF79 42	32	R3B1TF149 48	50	R3B1TF342 18	46	R3B1TFF79 42	60
R3B1PFF79 48	32	R3B1TF164 18	56	R3B1TF342 20	46	R3B1TFF79 48	60
R3B1PFFA49 18	74	R3B1TF164 20	56	R3B1TF342 24	46	R3B1TFFA49 18	72
R3B1PFFA49 20	74	R3B1TF164 24	56	R3B1TF342 30	46	R3B1TFFA49 20	72
R3B1PFFA49 24	74	R3B1TF164 30	56	R3B1TF342 36	46	R3B1TFFA49 24	72
R3B1PFFA49 30	74	R3B1TF164 36	56	R3B1TF342 42	46	R3B1TFFA49 30	72
R3B1PFFA49 36	74	R3B1TF164 42	56	R3B1TF342 48	46	R3B1TFFA49 36	72
R3B1PFFA49 42	74	R3B1TF164 48	56	R3B1TF349 18	52	R3B1TFFA49 42	72
R3B1PFFA49 48	74	R3B1TF179 18	62	R3B1TF349 20	52	R3B1TFFA49 48	72
R3B1PFFB49 30	74	R3B1TF179 20	62	R3B1TF349 24	52	R3B1TFFB49 30	73
R3B1PFFB49 36	74	R3B1TF179 24	62	R3B1TF349 30	52	R3B1TFFB49 36	73
R3B1PFFB49 42	74	R3B1TF179 30	62	R3B1TF349 36	52	R3B1TFFB49 42	73
R3B1PFFB49 48	74	R3B1TF179 36	62	R3B1TF349 42	52	R3B1TFFB49 48	73
R3B1PFL42 18	15	R3B1TF179 42	62	R3B1TF349 48	52	R3B1TFL42 18	43
R3B1PFL42 20	15	R3B1TF179 48	62	R3B1TF364 18	58	R3B1TFL42 20	43
R3B1PFL42 24	15	R3B1TF1A49 18	78	R3B1TF364 20	58	R3B1TFL42 24	43
R3B1PFL42 30	15	R3B1TF1A49 20	78	R3B1TF364 24	58	R3B1TFL42 30	43
R3B1PFL42 36	15	R3B1TF1A49 24	78	R3B1TF364 30	58	R3B1TFL42 36	43
R3B1PFL42 42	15	R3B1TF1A49 30	78	R3B1TF364 36	58	R3B1TFL42 42	43
R3B1PFL42 48	15	R3B1TF1A49 36	78	R3B1TF364 42	58	R3B1TFL42 48	43
R3B1PFL49 18	21	R3B1TF1A49 42	78	R3B1TF364 48	58	R3B1TFL49 18	49
R3B1PFL49 20	21	R3B1TF1A49 48	78	R3B1TF379 18	64	R3B1TFL49 20	49

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITFLA9 24	49	R3B2PFFB49 30	88	R3FTCF13724	109	R3FTCF3736	106
R3BITFLA9 30	49	R3B2PFFB49 36	88	R3FTCF13730	109	R3FTCF3742	106
R3BITFLA9 36	49	R3B2PFFB49 42	88	R3FTCF13736	109	R3FTCF3748	106
R3BITFLA9 42	49	R3B2PFFB49 48	88	R3FTCF13742	109	R3FTCFL2118	107
R3BITFLA9 48	49	R3B2TFF42 18	42	R3FTCF13748	109	R3FTCFL2120	107
R3BITFL64 18	55	R3B2TFF42 20	42	R3FTCF22118	107	R3FTCFL2124	107
R3BITFL64 20	55	R3B2TFF42 24	42	R3FTCF22120	107	R3FTCFL2130	107
R3BITFL64 24	55	R3B2TFF42 30	42	R3FTCF22124	107	R3FTCFL2136	107
R3BITFL64 30	55	R3B2TFF42 36	42	R3FTCF22130	107	R3FTCFL2142	107
R3BITFL64 36	55	R3B2TFF42 42	42	R3FTCF22136	107	R3FTCFL2148	107
R3BITFL64 42	55	R3B2TFF42 48	42	R3FTCF22142	107	R3FTCFL2518	108
R3BITFL64 48	55	R3B2TFF49 18	48	R3FTCF22148	107	R3FTCFL2520	108
R3BITFL79 18	61	R3B2TFF49 20	48	R3FTCF22518	108	R3FTCFL2524	108
R3BITFL79 20	61	R3B2TFF49 24	48	R3FTCF22520	108	R3FTCFL2530	108
R3BITFL79 24	61	R3B2TFF49 30	48	R3FTCF22524	108	R3FTCFL2536	108
R3BITFL79 30	61	R3B2TFF49 36	48	R3FTCF22530	108	R3FTCFL2542	108
R3BITFL79 36	61	R3B2TFF49 42	48	R3FTCF22536	108	R3FTCFL2548	108
R3BITFL79 42	61	R3B2TFF49 48	48	R3FTCF22542	108	R3FTCFL3718	109
R3BITFL79 48	61	R3B2TFF64 18	54	R3FTCF22548	108	R3FTCFL3720	109
R3BITFLA49 18	75	R3B2TFF64 20	54	R3FTCF23718	109	R3FTCFL3724	109
R3BITFLA49 20	75	R3B2TFF64 24	54	R3FTCF23720	109	R3FTCFL3730	109
R3BITFLA49 24	75	R3B2TFF64 30	54	R3FTCF23724	109	R3FTCFL3736	109
R3BITFLA49 30	75	R3B2TFF64 36	54	R3FTCF23730	109	R3FTCFL3742	109
R3BITFLA49 36	75	R3B2TFF64 42	54	R3FTCF23736	109	R3FTCFL3748	109
R3BITFLA49 42	75	R3B2TFF64 48	54	R3FTCF23742	109	R3FTCL104(F/T)(F/T)	110
R3BITFLA49 48	75	R3B2TFF79 18	60	R3FTCF23748	109	R3FTCL108(F/T)(F/T)	110
R3BITFLB49 30	76	R3B2TFF79 20	60	R3FTCF321 18	107	R3FTCL120(F/T)(F/T)	110
R3BITFLB49 36	76	R3B2TFF79 24	60	R3FTCF321 20	107	R3FTCL21	110
R3BITFLB49 42	76	R3B2TFF79 30	60	R3FTCF321 24	107	R3FTCL25	110
R3BITFLB49 48	76	R3B2TFF79 36	60	R3FTCF321 30	107	R3FTCL37	110
R3B2PFF42 18	14	R3B2TFF79 42	60	R3FTCF321 36	107	R3FTCS104(F/T)(F/T)	110
R3B2PFF42 20	14	R3B2TFF79 48	60	R3FTCF321 42	107	R3FTCS108(F/T)(F/T)	110
R3B2PFF42 24	14	R3B2TFFA49 18	86	R3FTCF321 48	107	R3FTCS120(F/T)(F/T)	110
R3B2PFF42 30	14	R3B2TFFA49 20	86	R3FTCF325 18	108	R3FTCS21	110
R3B2PFF42 36	14	R3B2TFFA49 24	86	R3FTCF325 20	108	R3FTCS25	110
R3B2PFF42 42	14	R3B2TFFA49 30	86	R3FTCF325 24	108	R3FTCS37	110
R3B2PFF42 48	14	R3B2TFFA49 36	86	R3FTCF325 30	108	R3FTCSM (Pair) for G3 only	111
R3B2PFF49 18	20	R3B2TFFA49 42	86	R3FTCF325 36	108	R3FTCT104(F/T)	110
R3B2PFF49 20	20	R3B2TFFA49 48	86	R3FTCF325 42	108	R3FTCT108(F/T)	110
R3B2PFF49 24	20	R3B2TFFB49 30	87	R3FTCF325 48	108	R3FTCT120(F/T)	110
R3B2PFF49 30	20	R3B2TFFB49 36	87	R3FTCF337 18	109	R3FTCT21	110
R3B2PFF49 36	20	R3B2TFFB49 42	87	R3FTCF337 20	109	R3FTCT25	110
R3B2PFF49 42	20	R3B2TFFB49 48	87	R3FTCF337 24	109	R3FTCT37	110
R3B2PFF49 48	20	R3FTCE104(F/T)(F/T)(F/T)	110	R3FTCF337 30	109	R3FTCX104	110
R3B2PFF64 18	26	R3FTCE108(F/T)(F/T)(F/T)	110	R3FTCF337 36	109	R3FTCX108	110
R3B2PFF64 20	26	R3FTCE120(F/T)(F/T)(F/T)	110	R3FTCF337 42	109	R3FTCX120	110
R3B2PFF64 24	26	R3FTCE21	110	R3FTCF337 48	109	R3FTCX21	110
R3B2PFF64 30	26	R3FTCE25	110	R3FTCF337 54	109	R3FTCX25	110
R3B2PFF64 36	26	R3FTCE37	110	R3FTCF337 60	109	R3FTCX37	110
R3B2PFF64 42	26	R3FTCF12118	107	R3FTCF337 66	109	R3L08TT	93
R3B2PFF64 48	26	R3FTCF12120	107	R3FTCF337 72	109	R3L15TT	93
R3B2PFF79 18	32	R3FTCF12124	107	R3FTCF337 78	109	R3L34(F/T)(F/T)	93
R3B2PFF79 20	32	R3FTCF12130	107	R3FTCF337 84	109	R3L42(B)(F/T)(F/T)	93
R3B2PFF79 24	32	R3FTCF12136	107	R3FTCF337 90	109	R3L49(B)(F/T)(F/T)	93
R3B2PFF79 30	32	R3FTCF12142	107	R3FTCF337 96	109	R3L64(B)(F/T)(F/T)	93
R3B2PFF79 36	32	R3FTCF12148	107	R3FTCF337 102	109	R3L79(B)(F/T)(F/T)	93
R3B2PFF79 42	32	R3FTCF12158	108	R3FTCF337 108	109	R3R2SLV	95, 103
R3B2PFF79 48	32	R3FTCF12520	108	R3FTCF337 114	109	R3S08TT	94
R3B2PFFA49 18	87	R3FTCF12524	108	R3FTCF337 120	109	R3S15TT	94
R3B2PFFA49 20	87	R3FTCF12530	108	R3FTCF337 126	109	R3S34(F/T)(F/T)	94
R3B2PFFA49 24	87	R3FTCF12536	108	R3FTCF337 132	109	R3S42(B)(F/T)(F/T)	94
R3B2PFFA49 30	87	R3FTCF12542	108	R3FTCF337 138	109	R3S49(B)(F/T)(F/T)	94
R3B2PFFA49 36	87	R3FTCF12548	108	R3FTCF337 144	109	R3S64(B)(F/T)(F/T)	94
R3B2PFFA49 42	87	R3FTCF13718	109	R3FTCF337 150	109	R3S79(B)(F/T)(F/T)	94
R3B2PFFA49 48	87	R3FTCF13720	109	R3FTCF337 156	109	R3SF10818	91

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3SF10820	91	R3SFL1530	91	RBDH42M(F/R)	197	RC563DHB	249, 250
R3SF10824	91	R3SFL1536	91	RBDH4836	198	RC563DHF	249, 250
R3SF10830	91	R3SFL1542	91	RBDH4842	198	RC612C(L/R)	232, 235
R3SF10836	91	R3SFL1548	91	RBDH4848	198	RC612DHC(L/R)	251, 253
R3SF10842	91	R3SPABPT	101	RBDH48M(F/R)	197	RC612D(L/R)	235
R3SF10848	91	R3SPABTD	101	RBDH52MR	199	RC612C(L/R)	233, 237
R3SF11518	92	R3SPABTT	101	RBDH54M(F/R)	197	RC612P(L/R)	234, 237
R3SF11520	92	R3SPABTW	101	RBDH60M(F/R)	197	RC613C(L/R)	232, 235
R3SF11524	92	R3T08T	93	RBDH64MR	199	RC613DHC(L/R)	251, 253
R3SF11530	92	R3T15T	93	RBDH66M(F/R)	197	RC613D(L/R)	235
R3SF11536	92	R3T34(F/T)	93	RBDH72M(F/R)	197	RC613G(L/R)	233, 237
R3SF11542	92	R3T42(B)(F/T)	93	RBDH78M(F/R)	197	RC613P(L/R)	234, 237
R3SF11548	92	R3T49(B)(F/T)	93	RBDH84M(F/R)	197	RC631B	232, 235
R3SF20818	91	R3T64(B)(F/T)	93	RBDH90M(F/R)	197	RC631DHB	251, 253
R3SF20820	91	R3T79(B)(F/T)	93	RBDH96M(F/R)	197	RC632B	232, 235
R3SF20824	91	R3X08	94	RBDP6030JK(A,B,W)	292	RC632C	232, 235
R3SF20830	91	R3X15	94	RBDP7230JK(A,B,W)	292	RC632D	235
R3SF20836	91	R3X34	94	RBDP8430JK(A,B,W)	292	RC632DHB	251, 253
R3SF20842	91	R3X42(B)	94	RBDP9630JK(A,B,W)	292	RC632DHF	251, 253
R3SF20848	91	R3X49(B)	94	RBDW	300	RC632DHC	251, 253
R3SF21518	92	R3X64(B)	94	RBF (Pair)	193	RC632DHK	252, 254
R3SF21520	92	R3X79(B)	94	RBPE(L/R)	300	RC632E(L/R)	233, 236
R3SF21524	92	R5ZNNE (3 dividers)	289	RBPP (L/R)	193	RC632F	232, 236
R3SF21530	92	R917762	299	RBPR (Pair)	194	RC632G	233, 237
R3SF21536	92	R921655	299	RBPS (L/R)	194	RC632H	233, 236
R3SF21542	92	RB24(M/H)(F/R)	195	RBR3624(A,B,W)(F,N)2	295	RC632I	237
R3SF21548	92	RB30(M/H)(F/R)	195	RBR3630(A,B,W)(F,N)2	295	RC632P	234, 237
R3SF308 18	91	RB3636	196	RBR4224(A,B,W)(F,N)2	295	RC633B	232, 235
R3SF308 20	91	RB3642	196	RBR4230(A,B,W)(F,N)2	295	RC633C	232, 235
R3SF308 24	91	RB3648	196	RBR4824(A,B,W)(F,N)2	295	RC633D	235
R3SF308 30	91	RB36(M/H)(F/R)	195	RBR4830(A,B,W)(F,N)2	295	RC633DHB	251, 253
R3SF308 36	91	RB40MR	144, 145, 182	RBSP6030J(A,B,W)	291	RC633DHF	251, 253
R3SF308 42	91	RB4236	196	RBSP7230J(A,B,W)	291	RC633DHC	251, 253
R3SF308 48	91	RB4242	196	RBSP8430J(A,B,W)	291	RC633DHK	252, 254
R3SF315 18	92	RB4248	196	RBSP9630J(A,B,W)	291	RC633E(L/R)	233, 236
R3SF315 20	92	RB42(M/H)(F/R)	195	RBWM	300	RC633F	232, 236
R3SF315 24	92	RB4836	196	RBZ (A/B) (Pair)	193	RC633G	233, 237
R3SF315 30	92	RB4842	196	RC412C(L/R)	228, 230	RC633H	233, 236
R3SF315 36	92	RB4848	196	RC413C(L/R)	228, 230	RC633I	237
R3SF315 42	92	RB48(M/H)(F/R)	195	RC431B	228, 230	RC633P	234, 237
R3SF315 48	92	RB52MR	144, 145, 182	RC432B	228, 230	RC661B	232, 235
R3SFF08 18	89	RB54(M/H)(F/R)	195	RC432C	228, 230	RC661DHB	251, 253
R3SFF08 20	89	RB60(M/H)(F/R)	195	RC432D	230	RC662B	232, 235
R3SFF08 24	89	RB64MR	144, 145, 182	RC432F	229, 231	RC662C	232, 235
R3SFF08 30	89	RB66(M/H)(F/R)	195	RC433B	228, 230	RC662D	235
R3SFF08 36	89	RB72(M/H)(F/R)	195	RC433C	228, 230	RC662DHB	251, 253
R3SFF08 42	89	RB78(M/H)(F/R)	195	RC433D	230	RC662DHF	251, 253
R3SFF08 48	89	RB84(M/H)(F/R)	195	RC433F	229, 231	RC662DHC	251, 253
R3SFF15 18	89	RB90(M/H)(F/R)	195	RC461B	228, 230	RC662DHK	252, 254
R3SFF15 20	89	RB96(M/H)(F/R)	195	RC462B	228, 230	RC662E(L/R)	233, 236
R3SFF15 24	89	RBC18 (L/R)	192	RC462C	228, 230	RC662F	232, 236
R3SFF15 30	89	RBC24 (L/R)	192	RC462D	230	RC662G	233, 237
R3SFF15 36	89	RBCC	193	RC462F	229, 231	RC662H	233, 236
R3SFF15 42	89	RBCCP (Pair)	193	RC463B	228, 230	RC662I	237
R3SFF15 48	89	RBDD	300	RC463C	228, 230	RC662P	234, 237
R3SFL0818	91	RBDH24M(F/R)	197	RC463D	230	RC663B	232, 235
R3SFL0820	91	RBDH30M(F/R)	197	RC463F	229, 231	RC663C	232, 235
R3SFL0824	91	RBDH3636	198	RC531DHB	249, 250	RC663D	235
R3SFL0830	91	RBDH3642	198	RC532DHB	249, 250	RC663DHB	251, 253
R3SFL0836	91	RBDH3648	198	RC532DHF	249, 250	RC663DHF	251, 253
R3SFL0842	91	RBDH36M(F/R)	197	RC533DHB	249, 250	RC663DHC	251, 253
R3SFL0848	91	RBDH40MR	199	RC533DHF	249, 250	RC663DHK	252, 254
R3SFL1518	91	RBDH4236	198	RC561DHB	249, 250	RC663E(L/R)	233, 236
R3SFL1520	91	RBDH4242	198	RC562DHB	249, 250	RC663F	232, 236
R3SFL1524	91	RBDH4248	198	RC562DHF	249, 250	RC663G	233, 237

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RC663H	233, 236	RC763G	241, 246	RCA(A/B/C/D/E/F/G)F483612	157	RCB36X	201
RC663I	237	RC763H	242, 247	RCA(A/B/C/D/E/F/G)F483621	158	RCB40T	200
RC663P	234, 237	RC763I	248	RCA(A/B/C/D/E/F/G)F483622	159	R CBDH24X	204
RC712C(L/R)	238, 243	RC763P	242, 248	RCA(A/B/C/D/E/F/G)F484211	157	R CBDH28X	204
RC712D(HG/L/R)	256, 259	RCA363611	133	RCA(A/B/C/D/E/F/G)F484212	158	R CBDH36X	204
RC712D(L/R)	247	RCA363612	133	RCA(A/B/C/D/E/F/G)F484221	158	RCCDLA23672	135
RC712G(L/R)	241, 246	RCA363621	133	RCA(A/B/C/D/E/F/G)F484222	159	RCCDLA23678	135
RC712P(L/R)	242, 248	RCA363622	134	RCA(A/B/C/D/E/F/G)F484811	157	RCCDLA23684	135
RC713C(L/R)	238, 243	RCA364211	133	RCA(A/B/C/D/E/F/G)F484812	158	RCCDLA23696	135
RC713D(HG/L/R)	256, 259	RCA364212	133	RCA(A/B/C/D/E/F/G)F484821	158	RCCDLA33672	135
RC713D(L/R)	247	RCA364221	133	RCA(A/B/C/D/E/F/G)F484822	159	RCCDLA33678	135
RC713G(L/R)	241, 246	RCA364222	134	RCABT1417	298	RCCDLA33684	135
RC713P(L/R)	242, 248	RCA364811	133	RCABT2917	298	RCCDLA33696	135
RC732B	238, 243	RCA364812	133	RCACR16	298	RCCDLA33672	135
RC732C	238, 243	RCA364821	133	RCACR30	298	RCCDRA23678	135
RC732D	247	RCA364822	134	RCACR30H	298	RCCDRA23684	135
RC732DHB	255, 259	RCA423611	133	RCACR36	298	RCCDRA23696	135
RC732DHE(L/R)	255, 259	RCA423612	133	RCACR36H	298	RCCDRA33672	135
RC732DHF	258, 260	RCA423621	133	RCASI620	298	RCCDRA33678	135
RC732DHC	256, 259	RCA423622	134	RCASI624	298	RCCDRA33684	135
RC732DHK	257, 260	RCA424211	133	RCAS3015	298	RCCDRA33696	135
RC732E(L/R)	239, 244	RCA424212	133	RCAS3020	298	RCD3L6024K(A,B,W)	296
RC732F	240, 245	RCA424221	133	RCAS3024	298	RCD3L8424K(A,B,W)	296
RC732G	241, 246	RCA424222	134	RCAS3615	298	RCD3L9624K(A,B,W)	296
RC732H	242, 247	RCA424811	133	RCAS3620	298	RCD6L7224K(A,B,W)	296
RC732I	248	RCA424812	133	RCAS3624	298	RCD6L9624K(A,B,W)	296
RC732P	242, 248	RCA424821	133	RCASL	299	RCDHB	203
RC733B	238, 243	RCA424822	134	RCAWF363611	179	RCDHB20T	203
RC733C	238, 243	RCA483611	133	RCAWF363612	179	RCDHB24T	203
RC733D	247	RCA483612	133	RCAWF363621	179	RCDHB30T	203
RC733DHB	255, 259	RCA483621	133	RCAWF363622	179	RCDHB40T	203
RC733DHE(L/R)	255, 259	RCA483622	134	RCAWF364211	179	RCDP6024K(A,B,W)	296
RC733DHF	258, 260	RCA484211	133	RCAWF364212	179	RCDP7224K(A,B,W)	296
RC733DHC	256, 259	RCA484212	133	RCAWF364221	179	RCDP8424K(A,B,W)	296
RC733DHK	257, 260	RCA484221	134	RCAWF364222	179	RCDP9624K(A,B,W)	296
RC733E(L/R)	239, 244	RCA484222	134	RCAWF364811	179	RCE1BD6648D(L/R)	187
RC733F	240, 245	RCA484811	133	RCAWF364812	179	RCE1BD6648S(L/R)	187
RC733G	241, 246	RCA484812	133	RCAWF364821	179	RCE1BD7248D(L/R)	187
RC733H	242, 247	RCA484821	134	RCAWF364822	179	RCE1BD7248S(L/R)	187
RC733I	248	RCA484822	134	RCAWF423611	179	RCE1BD7848D(L/R)	187
RC733P	242, 248	RCA(A/B/C/D/E/F/G)F363611	157	RCAWF423612	179	RCE1BD7848S(L/R)	187
RC762B	238, 243	RCA(A/B/C/D/E/F/G)F363612	157	RCAWF423621	179	RCE1BD8448D(L/R)	187
RC762C	238, 243	RCA(A/B/C/D/E/F/G)F363621	158	RCAWF423622	179	RCE1BD8448S(L/R)	187
RC762D	247	RCA(A/B/C/D/E/F/G)F363622	159	RCAWF424211	179	RCE1CR24L	190
RC762DHB	255, 259	RCA(A/B/C/D/E/F/G)F364211	157	RCAWF424212	179	RCE1CR24N	190
RC762DHE(L/R)	255, 259	RCA(A/B/C/D/E/F/G)F364212	157	RCAWF424221	179	RCE1CR24R	190
RC762DHF	258, 260	RCA(A/B/C/D/E/F/G)F364221	158	RCAWF424222	179	RCE1H4818	190
RC762DHC	256, 259	RCA(A/B/C/D/E/F/G)F364222	159	RCAWF424811	179	RCE1H4818P	190
RC762DHK	257, 260	RCA(A/B/C/D/E/F/G)F364811	157	RCAWF424812	179	RCE1H6024	190
RC762E(L/R)	239, 244	RCA(A/B/C/D/E/F/G)F364812	157	RCAWF424821	179	RCE1H6024P	190
RC762F	240, 245	RCA(A/B/C/D/E/F/G)F364821	158	RCAWF424822	179	RCE1L3636SSN	188
RC762G	241, 246	RCA(A/B/C/D/E/F/G)F364822	159	RCAWF483611	179	RCE1L4242DSN	188
RC762H	242, 247	RCA(A/B/C/D/E/F/G)F423611	157	RCAWF483612	179	RCE1L4242SDN	188
RC762I	248	RCA(A/B/C/D/E/F/G)F423612	157	RCAWF483621	179	RCE1L4242SSN	188
RC762P	242, 248	RCA(A/B/C/D/E/F/G)F423621	158	RCAWF483622	179	RCE1L4260SSN	189
RC763B	238, 243	RCA(A/B/C/D/E/F/G)F423622	159	RCAWF484211	179	RCE1L4266SSN	189
RC763C	238, 243	RCA(A/B/C/D/E/F/G)F424211	157	RCAWF484212	179	RCE1L4272SSN	189
RC763D	247	RCA(A/B/C/D/E/F/G)F424212	157	RCAWF484221	179	RCE1L4278SSN	189
RC763DHB	255, 259	RCA(A/B/C/D/E/F/G)F424221	158	RCAWF484222	179	RCE1L4848DDN	188
RC763DHE(L/R)	255, 259	RCA(A/B/C/D/E/F/G)F424222	159	RCB	200	RCE1L4848DSN	188
RC763DHF	258, 260	RCA(A/B/C/D/E/F/G)F424811	157	RCB20T	200	RCE1L4848SDN	188
RC763DHC	256, 259	RCA(A/B/C/D/E/F/G)F424812	157	RCB24T	200	RCE1L4848SSN	188
RC763DHK	257, 260	RCA(A/B/C/D/E/F/G)F424821	158	RCB24X	201	RCE1L4860DSN	189
RC763E(L/R)	239, 244	RCA(A/B/C/D/E/F/G)F424822	159	RCB28X	201	RCE1L4860SDN	189
RC763F	240, 245	RCA(A/B/C/D/E/F/G)F483611	157	RCB30T	200	RCE1L4860SSN	189

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCEIL4866DSN	189	RCEAR223660	136	REDH23F	197	RCAB901	207
RCEIL4866SDN	189	RCEAR223672	136	REDH29F	197	RCAB961	207
RCEIL4866SSN	189	RCEAR224260	136	REDH30	198	RCAF622	207
RCEIL4872DSN	189	RCEAR224272	136	REDH36	198	RCAF623	207
RCEIL4872SDN	189	RCEAR224872	136	REDHBB124	199	RCAF682	207
RCEIL4872SSN	189	RCEAR224884	136	REDHBB130	199	RCAF683	207
RCEIL4878SSN	189	RCEAR224896	136	RFDR30	289	RCAF742	207
RCEIL4884SSN	189	RCOMP1816	261	RFDR36	289	RCAF743	207
RCEIL6042SSN	189	RCOUNTWT	214, 216	RFDR42	289	RCAF802	207
RCEIL6048DSN	189	RCP41-(F/L/1/2/3)*	99	RFDR48	289	RCAF803	207
RCEIL6048SDN	189	RCP56-(F/L/1/2/3)*	99	RFDR60	289	RCAF862	207
RCEIL6048SSN	189	RCP71-(F/L/1/2/3)*	99	RFDR72	289	RCAF863	207
RCEIL6642SSN	189	RCP78-(F/L/1/2/3)*	99	RFDR84	289	RCAF922	207
RCEIL6648DSN	189	RCS3L6024K(A,B,W)	294	RFDR96	289	RCAF923	207
RCEIL6648SDN	189	RCS3L7224K(A,B,W)	294	RFTCC108	111	RCAF982	207
RCEIL6648SSN	189	RCS3L8424K(A,B,W)	294	RFTCLIPS	111	RCAF983	207
RCEIL7242SSN	189	RCS3L9624K(A,B,W)	294	RFTCDR (Pair)	111	RCAL431	211
RCEIL7248DSN	189	RCS6L6024K(A,B,W)	294	RFTCG1 (Pair)	111	RCAL432	211
RCEIL7248SDN	189	RCS6L7224K(A,B,W)	294	RFTCSM (Pair) for G2 only	111	RCAL433	211
RCEIL7248SSN	189	RCS6L8424K(A,B,W)	294	RFTCSpace	111	RCAL491	211
RCEIL7842SSN	189	RCS6L9624K(A,B,W)	294	RFTCWA2118	104	RCAL492	211
RCEIL7848SSN	189	RCS6L9624K(A,B,W)	294	RFTCWA2120	104	RCAL493	211
RCEIL8448SSN	189	RCS6L9624K(A,B,W)	294	RFTCWA2124	104	RCAL551	211
RCEIR1212C	299	RCS6L9624K(A,B,W)	294	RFTCWA2130	104	RCAL552	211
RCEIR2424N	186	RCS6L9624K(A,B,W)	294	RFTCWA2136	104	RCAL553	211
RCEIR2430N	186	RDDP6030JK(A,B,W)	292	RFTCWA2142	104	RCAL611	211
RCEIR3024N	186	RDDP6036JK(A,B,W)	292	RFTCWA2148	104	RCAL612	211
RCEIR3030N	186	RDDP7230JK(A,B,W)	292	RFTCWA2518	105	RCAL613	211
RCEIR3624N	186	RDDP7236JK(A,B,W)	292	RFTCWA2520	105	RCAL671	211
RCEIR3630N	186	RDDP8430JK(A,B,W)	292	RFTCWA2524	105	RCAL672	211
RCEIR4224N	186	RDDP8436JK(A,B,W)	292	RFTCWA2530	105	RCAL673	211
RCEIR4230N	186	RDDP9630JK(A,B,W)	292	RFTCWA2536	105	RCAL731	211
RCEIR4824N	186	RDDP9636JK(A,B,W)	292	RFTCWA2542	105	RCAL732	211
RCEIR4830N	186	RDHMBD	225	RFTCWA2548	105	RCAL733	211
RCEIR5424N	186	RDHMFD	225	RFTCWA2548	105	RCAL791	211
RCEIR5430N	186	RDHMLD	225	RFTCWA3718	106	RCAL791	211
RCEIR6024N	186	RDSP6030J(A,B,W)	291	RFTCWA3720	106	RCAL792	211
RCEIR6030N	186	RDSP6036J(A,B,W)	291	RFTCWA3724	106	RCAL793	211
RCEIR6624N	186	RDSP7230J(A,B,W)	291	RFTCWA3730	106	RCAL851	211
RCEIR6630N	186	RDSP7236J(A,B,W)	291	RFTCWA3736	106	RCAL852	211
RCEIR7224N	186	RDSP8430J(A,B,W)	291	RFTCWA3742	106	RCAL853	211
RCEIR7230N	186	RDSP8436J(A,B,W)	291	RFTCWA3748	106	RCAL911	211
RCEIR7824N	186	RDSP9630J(A,B,W)	291	RFTCWB2130	104	RCAL912	211
RCEIR7830N	186	RDSP9636J(A,B,W)	291	RFTCWB2136	104	RCAL913	211
RCEIR8424N	186	RE12F	195	RFTCWB2142	104	RCAL971	211
RCEIR8430N	186	RE15F	195	RFTCWB2148	104	RCAL972	211
RCEIR9024N	186	RE19F	195	RFTCWB2530	105	RCAL973	211
RCEIR9030N	186	RE23F	195	RFTCWB2536	105	RCAR431	209
RCEIR9624N	186	RE29F	195	RFTCWB2542	105	RCAR432	209
RCEIR9630N	186	RE30	195	RFTCWB2548	105	RCAR433	209
RCEIW362430N	191	RE36	195	RFTCWB3730	106	RCAR491	209
RCEIW363024N	191	REBA6030	139	RFTCWB3736	106	RCAR492	209
RCEIW422430N	191	REBA7242	139	RFTCWB3742	106	RCAR493	209
RCEIW423024N	191	REBA7848	139	RFTCWB3748	106	RCAR551	209
RCEIW482430N	191	REBA(A/B/C/D/E/F/G)A6030	164	RFTCWS21S	111	RCAR552	209
RCEIW483024N	191	REBA(A/B/C/D/E/F/G)A7242	164	RFTCWS25S	111	RCAR553	209
RCEIW722430N	191	REBA(A/B/C/D/E/F/G)A7848	164	RFTCWS37S	111	RCAR611	209
RCEIW723024N	191	REBAWA6030	183	RFTCWT (Pair)	111	RCAR612	209
RCEAL223660	136	REBAWA7242	183	RGAB421	207	RCAR613	209
RCEAL223672	136	REBAWA7848	183	RGAB481	207	RCAR671	209
RCEAL224260	136	REBH24	144, 145, 183	RGAB541	207	RCAR672	209
RCEAL224272	136	REBH30	144, 145, 183	RGAB601	207	RCAR673	209
RCEAL224872	136	REDH12F	197	RGAB661	207	RCAR731	209
RCEAL224884	136	REDH15F	197	RGAB721	207	RCAR732	209
RCEAL224896	136	REDH19F	197	RGAB781	207	RCAR733	209
				RGAB841	207	RCAR791	209



<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RGAR792	209	RGBR431	210	RKA 423621	128	RM9A4230	138
RGAR793	209	RGBR432	210	RKA 423622	127	RM9A4836	138
RGAR851	209	RGBR433	210	RKA 424211	127	RM9A8430	138
RGAR852	209	RGBR491	210	RKA 424212	127	RM9A9630	138
RGAR853	209	RGBR492	210	RKA 424221	128	RM9A(A/B/C/D/E/F/G)F4230	162
RGAR911	209	RGBR493	210	RKA 424222	127	RM9A(A/B/C/D/E/F/G)F4836	162
RGAR912	209	RGBR551	210	RKA 424811	127	RM9A(A/B/C/D/E/F/G)F8430	163
RGAR913	209	RGBR552	210	RKA 424812	127	RM9A(A/B/C/D/E/F/G)F9630	163
RGAR971	209	RGBR553	210	RKA 424821	128	RM9AWF4230	180
RGAR972	209	RGBR611	210	RKA 424822	127	RM9AWF8430	181
RGAR973	209	RGBR612	210	RKA 483611	127	RM9AWF9630	181
RCBB421	208	RGBR613	210	RKA 483612	127	RM9B4230	141
RCBB481	208	RGBR671	210	RKA 483621	128	RM9B4836	141
RCBB541	208	RGBR672	210	RKA 483622	127	RM9B8430	141
RCBB601	208	RGBR673	210	RKA 484211	127	RM9B9630	141
RCBB661	208	RGBR731	210	RKA 484212	127	RMB(A)7230	143
RCBB721	208	RGBR732	210	RKA 484221	128	RMB(A)7236	143
RCBB781	208	RGBR733	210	RKA 484222	127	RMB(A)8430	143
RCBB841	208	RGBR791	210	RKA 484811	127	RMB(A)8436	143
RCBB901	208	RGBR792	210	RKA 484812	127	RMB(A)9630	143
RCBB961	208	RGBR793	210	RKA 484821	128	RMB(A)9636	143
RCBF622	208	RGBR851	210	RKA 484822	127	RMBA(A/B/C/D/E/F/G)A7230	164
RCBF623	208	RGBR852	210	RKB 363611	129	RMBA(A/B/C/D/E/F/G)A7236	164
RCBF682	208	RGBR853	210	RKB 363612	129	RMBA(A/B/C/D/E/F/G)A8430	164
RCBF683	208	RGBR911	210	RKB 363621	130	RMBA(A/B/C/D/E/F/G)A8436	164
RCBF742	208	RGBR912	210	RKB 363622	129	RMBA(A/B/C/D/E/F/G)A9630	164
RCBF743	208	RGBR913	210	RKB 364211	129	RMBA(A/B/C/D/E/F/G)A9636	164
RCBF802	208	RGBR971	210	RKB 364212	129	RMBAWA7230	182
RCBF803	208	RGBR972	210	RKB 364221	130	RMBAWA7236	182
RCBF862	208	RGBR973	210	RKB 364222	129	RMBAWA8430	182
RCBF863	208	RGMD6	119	RKB 364811	129	RMBAWA8436	182
RCBF922	208	RGMD8	119	RKB 364812	129	RMBAWA9630	182
RCBF923	208	RGMD8	119	RKB 364821	130	RMBAWA9636	182
RCBF982	208	RCS60	207	RKB 364822	129	RMB(B)7230	145
RCBF983	208	RCS66	207	RKB 423611	129	RMB(B)7236	145
RGBL431	212	RCS72	207	RKB 423612	129	RMB(B)8430	145
RGBL432	212	RCS78	207	RKB 423621	130	RMB(B)8436	145
RGBL433	212	RCS84	207	RKB 423622	129	RMB(B)9630	145
RGBL491	212	RCS90	207	RKB 424211	129	RMB(B)9636	145
RGBL492	212	RCS96	207	RKB 424212	129	RMDA4221	139
RGBL493	212	RCTLA636	213	RKB 424221	130	RMDA4230	137
RGBL551	212	RCTR4636	213	RKB 424222	129	RMDA4236	137
RGBL552	212	RHSC15	103	RKB 424811	129	RMDA4830	137
RGBL553	212	RHSC250	103	RKB 424812	129	RMDA4836	137
RGBL611	212	RHSC70	103	RKB 424821	130	RMDA5025	139
RGBL612	212	RIB24T	200	RKB 424822	129	RMDA5430	137
RGBL613	212	RIB28X	201	RKB 483611	129	RMDA5436	137
RGBL671	212	RIB32X	201	RKB 483612	129	RMDA6030	137
RGBL672	212	RIBDH24T	203	RKB 483621	130	RMDA6036	137
RGBL673	212	RIBDH28X	203	RKB 483622	129	RMDA6630	137
RGBL731	212	RIBDH32X	203	RKB 484211	129	RMDA6636	137
RGBL732	212	RKA 363611	127	RKB 484212	129	RMDA7230	137
RGBL733	212	RKA 363612	127	RKB 484221	130	RMDA7236	137
RGBL791	212	RKA 363621	128	RKB 484222	129	RMDA7830	137
RGBL792	212	RKA 363622	127	RKB 484811	129	RMDA7836	137
RGBL793	212	RKA 364211	127	RKB 484812	129	RMDA8430	137
RGBL851	212	RKA 364212	127	RKB 484821	130	RMDA8436	137
RGBL852	212	RKA 364221	128	RKB 484822	129	RMDA9030	137
RGBL853	212	RKA 364222	127	RKBA1020	298	RMDA9036	137
RGBL911	212	RKA 364811	127	RKBA1022	298	RMDA9630	137
RGBL912	212	RKA 364812	127	RKT31	298	RMDA9636	137
RGBL913	212	RKA 364821	128	RM111J	215, 217	RMBA(A/B/C/D/E/F/G)F4221	163
RGBL971	212	RKA 364822	127	RM112J	215, 217	RMBA(A/B/C/D/E/F/G)F4230	162
RGBL972	212	RKA 423611	127	RM212J	215, 217	RMBA(A/B/C/D/E/F/G)F4236	162
RGBL973	212	RKA 423612	127	RM212K	215, 217	RMBA(A/B/C/D/E/F/G)F4830	162

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RMDA(A/B/C/D/E/F/G)F4836	162	RMDHO72	290	ROAH72T1DH	276	ROBO72T1()	275
RMDA(A/B/C/D/E/F/G)F5025	163	RMPA4230	138	ROAH72T1()	274	ROBO90T0DH	280
RMDA(A/B/C/D/E/F/G)F5430	162	RMPA4836	138	ROAH90T0DH	276	ROBO90T0()	275
RMDA(A/B/C/D/E/F/G)F5436	162	RMPA8430	139	ROAH90T0()	274	ROBO90T1DH	280
RMDA(A/B/C/D/E/F/G)F6030	162	RMPA9630	139	ROAH90T1DH	276	ROBO90T1()	275
RMDA(A/B/C/D/E/F/G)F6036	162	RMPA(A/B/C/D/E/F/G)F4230	162	ROAH90T1()	274	ROBO96T0DH	280
RMDA(A/B/C/D/E/F/G)F6630	162	RMPA(A/B/C/D/E/F/G)F4836	162	ROAH96T0DH	276	ROBO96T0()	275
RMDA(A/B/C/D/E/F/G)F6636	162	RMPA(A/B/C/D/E/F/G)F8430	163	ROAH96T0()	274	ROBO96T1DH	280
RMDA(A/B/C/D/E/F/G)F7230	162	RMPA(A/B/C/D/E/F/G)F9630	163	ROAH96T1DH	276	ROBO96T1()	275
RMDA(A/B/C/D/E/F/G)F7236	162	RMPAWF4230	180	ROAH96T1()	274	ROHDR30	289
RMDA(A/B/C/D/E/F/G)F7830	162	RMPAWF8430	181	ROAO60T0DH	277	ROHDR36	289
RMDA(A/B/C/D/E/F/G)F7836	162	RMPAWF9630	181	ROAO60T0()	274	ROHDR42	289
RMDA(A/B/C/D/E/F/G)F8430	162	RMPB4230	141	ROAO60T1DH	277	ROHDR48	289
RMDA(A/B/C/D/E/F/G)F8436	162	RMPB4836	141	ROAO60T1()	274	ROHDR60	289
RMDA(A/B/C/D/E/F/G)F9030	162	RMPB8430	142	ROAO72T0DH	277	ROHDR72	289
RMDA(A/B/C/D/E/F/G)F9036	162	RMPB9630	142	ROAO72T0()	274	ROHDR90	289
RMDA(A/B/C/D/E/F/G)F9630	162	RMSCB	192	ROAO72T1DH	277	ROHDR96	289
RMDA(A/B/C/D/E/F/G)F9636	162	RO1-CB	286	ROAO72T1()	274	ROMF30S0()	265
RMDAWF4221	181	RO1-HP12	283, 284	ROAO90T0DH	277	ROMF36S0()	265
RMDAWF4230	180	RO1-HP15	283, 284	ROAO90T0()	274	ROMF42S0()	265
RMDAWF4236	180	RO1-HP6	283, 284	ROAO90T1DH	277	ROMF48S0()	265
RMDAWF4830	180	RO1-HP9	283, 284	ROAO90T1()	274	ROMF60S0()	265
RMDAWF4836	180	RO1-PULL	286	ROAO96T0DH	277	ROMF72S0()	265
RMDAWF5025	181	RO1-RCB	285	ROAO96T0()	274	ROMH30S0()	265
RMDAWF5430	180	RO1-RPB	285	ROAO96T1DH	277	ROMH36S0()	265
RMDAWF5436	180	RO1-WMF2	286	ROAO96T1()	274	ROMH60S0()	265
RMDAWF6030	180	RO1-WMF3	286	ROBF60S0DH	281	ROMH72S0()	265
RMDAWF6036	180	RO1-WMF4	286	ROBF60S0()	275	ROMO30S0()	265
RMDAWF6630	180	RO3-N24	282	ROBF60S1DH	281	ROMO36S0()	265
RMDAWF6636	180	RO3-N30	282	ROBF60S1()	275	ROMO42S0()	265
RMDAWF7230	180	RO3-N36	282	ROBF72S0DH	281	ROMO48S0()	265
RMDAWF7236	180	RO3-N42	282	ROBF72S0()	275	ROMO60S0()	265
RMDAWF7830	180	RO3-N48	282	ROBF72S1DH	281	ROMO72S0()	265
RMDAWF7836	180	RO3-N60	282	ROBF72S1()	275	ROPF30S0J	264
RMDAWF8430	180	RO3-N66	282	ROBF84S0DH	281	ROPF36S0J	264
RMDAWF8436	180	RO3-N72	282	ROBF84S0()	275	ROPF42S0J	264
RMDAWF9030	180	RO3-ON30	284	ROBF84S1DH	281	ROPF48S0J	264
RMDAWF9036	180	RO3-ON36	284	ROBF84S1()	275	ROPF60S0J	264
RMDAWF9630	180	RO3-ON42	284	ROBF96S0DH	281	ROPF72S0J	264
RMDAWF9636	180	RO3-ON48	284	ROBF96S0()	275	ROPF84S0J	264
RMDB4221	142	RO3-ON60	284	ROBF96S1DH	281	ROPF96S0J	264
RMDB4230	140	RO3-ON72	284	ROBF96S1()	275	ROPH30S0()	263
RMDB4236	140	RO3-VP	284	ROBH60T0DH	279	ROPH36S0()	263
RMDB4830	140	ROAF60S0DH	278	ROBH60T0()	275	ROPH60S0()	263
RMDB4836	140	ROAF60S0()	274	ROBH60T1DH	279	ROPH60T0()	263
RMDB5025	142	ROAF60S1DH	278	ROBH60T1()	275	ROPH72S0()	263
RMDB5430	140	ROAF60S1()	274	ROBH72T0DH	279	ROPH72T0()	263
RMDB5436	140	ROAF72S0DH	278	ROBH72T0()	275	ROPH90S0()	263
RMDB6030	140	ROAF72S0()	274	ROBH72T1DH	279	ROPH90T0()	263
RMDB6036	140	ROAF72S1DH	278	ROBH72T1()	275	ROPH96S0()	263
RMDB6630	140	ROAF72S1()	274	ROBH90T0DH	279	ROPH96T0()	263
RMDB6636	140	ROAF84S0DH	278	ROBH90T0()	275	ROPO30S0()	263
RMDB7230	140	ROAF84S0()	274	ROBH90T1DH	279	ROPO36S0()	263
RMDB7236	140	ROAF84S1DH	278	ROBH90T1()	275	ROPO42S0()	263
RMDB7830	140	ROAF84S1()	274	ROBH96T0DH	279	ROPO48S0()	263
RMDB7836	140	ROAF96S0DH	278	ROBH96T0()	275	ROPO60S0()	263
RMDB8430	140	ROAF96S0()	274	ROBH96T1DH	279	ROPO60T0()	263
RMDB8436	140	ROAF96S1DH	278	ROBH96T1()	275	ROPO72S0()	263
RMDB9030	140	ROAF96S1()	274	ROBO60T0DH	280	ROPO72T0()	263
RMDB9036	140	ROAH60T0DH	276	ROBO60T0()	275	ROPO90S0()	263
RMDB9630	140	ROAH60T0()	274	ROBO60T1DH	280	ROPO90T0()	263
RMDB9636	140	ROAH60T1DH	276	ROBO60T1()	275	ROPO96S0()	263
RMDHD66	290	ROAH60T1()	274	ROBO72T0DH	280	ROPO96T0()	263
RMDHD72	290	ROAH72T0DH	276	ROBO72T0()	275	ROPS30S0NN	264
RMDHO66	290	ROAH72T0()	274	ROBO72T1DH	280	ROPS36S0NN	264

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROPS42S0NN	264	ROWO90T1()	266	RPAHFM162	301	RR3CHI242	116
ROPS48S0NN	264	ROWO96S0DH	269	RPAHFM30	301	RR3CHI301	116
ROPS54S0NN	264	ROWO96S0()	266	RPAHFM36	301	RR3CHI302	116
ROPS60S0NN	264	ROWO96S1DH	270	RPAPT	302	RR3CHI361	116
ROPS66S0NN	264	ROWO96S1()	266	RPB211J	218, 220	RR3CHI362	116
ROPS72S0NN	264	ROWO96T0DH	270	RPB211K	218, 220	RR3CHI421	116
ROPS78S0NN	264	ROWO96T0()	266	RPB211L(L/R)	218, 220	RR3CHI422	116
ROPS84S0NN	264	ROWO96T1DH	270	RPB211M	219, 221	RR3CHI481	116
ROPS90S0NN	264	ROWO96T1()	266	RPB212J	218, 220	RR3CHI482	116
ROPS96S0NN	264	RP161J	222, 226	RPB212K	218, 220	RR3-DA	112, 114
ROWH60S0DH	268	RP161K	222, 226	RPB212L(L/R)	218, 220	RR3-DATSHD	112, 114
ROWH60S0()	266	RP161L(L/R)	224, 227	RPB212M	219, 221	RR3-DB	112, 114
ROWH60S1DH	268	RP161M	223, 226	RPB213J	218, 220	RR3-DC	114
ROWH60S1()	266	RP162J	222, 226	RPB213K	218, 220	RR3-DICON	119
ROWH60T0DH	269	RP162K	222, 226	RPB213L(L/R)	218, 220	RR3-DX	112, 114
ROWH60T0()	266	RP162L(L/R)	224, 227	RPB213M	219, 221	RR3-DXO	112, 114
ROWH60T1DH	269	RP162M	223, 226	RPB231K	218, 220	RR3-DY	112, 114
ROWH60T1()	266	RP163J	222, 226	RPB231L	218, 220	RR3-DYO	112, 114
ROWH72S0DH	268	RP163K	222, 226	RPB231M	219, 221	RR3-DZ	114
ROWH72S0()	266	RP163L(L/R)	224, 227	RPB232K	218, 220	RR3-DZO	114
ROWH72S1DH	268	RP163M	223, 226	RPB232L	218, 220	RR3-E24	112
ROWH72S1()	266	RP211J	214, 216	RPB232M	219, 221	RR3-E24S	117
ROWH72T0DH	269	RP211K	214, 216	RPB261K	218, 220	RR3-E30NS	112
ROWH72T0()	266	RP211L(L/R)	214, 216	RPB261L	218, 220	RR3-E30S	117
ROWH72T1DH	269	RP211M	215, 217	RPB261M	219, 221	RR3-E36NS	112
ROWH72T1()	266	RP212J	214, 216	RPB262K	218, 220	RR3-E36S	117
ROWH90S0DH	268	RP212K	214, 216	RPB262L	218, 220	RR3-E42NS	112
ROWH90S0()	266	RP212L(L/R)	214, 216	RPB262M	219, 221	RR3-E42S	117
ROWH90S1DH	268	RP212M	215, 217	RPD11	302	RR3-E48NS	112
ROWH90S1()	266	RP213J	214, 216	RPD14	302	RR3-E48S	117
ROWH90T0DH	269	RP213K	214, 216	RPDHB16	224, 227	RR3-E60-4	112
ROWH90T0()	266	RP213L(L/R)	214, 216	RPDHB30	224, 227	RR3-E66-4	112
ROWH90T1DH	269	RP213M	215, 217	RPDHB36	224, 227	RR3-E72-4	112
ROWH90T1()	266	RP231K	214, 216	RPETRAY3	302	RR3-EBBCL	117
ROWH96S0DH	268	RP231L	214, 216	RPHCHH	301	RR3-EBBCS	117
ROWH96S0()	266	RP231M	215, 217	RPHCHT	301	RR3EBVC50	121
ROWH96S1DH	268	RP232K	214, 216	RPHL3442(F/T)	100	RR3EBVC62	121
ROWH96S1()	266	RP232L	214, 216	RPHL3449(F/T)	100	RR3EBVC64	121
ROWH96T0DH	269	RP232M	215, 217	RPHL3464(F/T)	100	RR3EBVC76	121
ROWH96T0()	266	RP261K	214, 216	RPHL3479(F/T)	100	RR3EBVC78	121
ROWH96T1DH	269	RP261L	214, 216	RPHL4249(F/T)	100	RR3EBVC90	121
ROWH96T1()	266	RP261M	215, 217	RPHL4249S	100	RR3-EJ18	113
ROWO60S0DH	269	RP262K	214, 216	RPHL4264(F/T)	100	RR3-EJ18P	113
ROWO60S0()	266	RP262L	214, 216	RPHL4264S	100	RR3-EJ20	113
ROWO60S1DH	269	RP262M	215, 217	RPHL4279(F/T)	100	RR3-EJ20P	113
ROWO60S1()	266	RP301K	222, 226	RPHL4279S	100	RR3-EJ24	113
ROWO60T0DH	270	RP301L	224, 227	RPHL4964(F/T)	100	RR3-EJ24P	113
ROWO60T0()	266	RP301M	223, 226	RPHL4964S	100	RR3-EJ30	113
ROWO60T1DH	270	RP302K	222, 226	RPHL4979(F/T)	100	RR3-EJ30P	113
ROWO60T1()	266	RP302L	224, 227	RPHL4979S	100	RR3-EJ36	113
ROWO72S0DH	269	RP302M	223, 226	RPHL6479(F/T)	100	RR3-EJ36P	113
ROWO72S0()	266	RP361K	222, 226	RPHL6479S	100	RR3-EJ42	113
ROWO72S1DH	269	RP361L	224, 227	RPHTB3024	301	RR3-EJ42P	113
ROWO72S1()	266	RP361M	223, 226	RPHTB4224	301	RR3-EJ48	113
ROWO72T0DH	270	RP362K	222, 226	RPHWB3024	301	RR3EJ48	118
ROWO72T0()	266	RP362L	224, 227	RPHWB4224	301	RR3-EJ48P	113
ROWO72T1DH	270	RP362M	223, 226	RR3-2PF	119	RR3-EJ54P	113
ROWO72T1()	266	RPAB16	215, 217	RR3-3PF	119	RR3-EJ60P	113
ROWO90S0DH	269	RPAB30	215, 217	RR3-BNC	119	RR3EJ60P	118
ROWO90S0()	266	RPAB36	215, 217	RR3-C3C	119	RR3-EJ66P	113
ROWO90S1DH	269	RPAD	298	RR3-C5C	119	RR3EJ66P	118
ROWO90S1()	266	RPADSS	301	RR3-C5C4A	119	RR3-EJ72P	113
ROWO90T0DH	270	RPAHFB16	301	RR3-C5C4B	119	RR3EJ72P	118
ROWO90T0()	266	RPAHFB30	301	RR3-C6C	119	RR3-EJ78P	113
ROWO90T1DH	270	RPAHFB36	301	RR3CHI241	116	RR3-EJ84P	113

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-EJ90P	113	RR3-TJ36P	115	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	166	RRD3PPL(L/R)7936	102
RR3-EJ96P	113	RR3-TJ42	115	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	166	RRD3PPL(L/R)7942	102
RR3-EPC	112	RR3-TJ42P	115	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	166	RRDPPL(L/R)6436	102
RR3-EPC24	112	RR3-TJ48	115	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	166	RRDPPL(L/R)6442	102
RR3-EPCP	112	RR3TJ48	118	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	166	RRDTH	102
RR3-EPCP24	112	RR3-TJ48P	115	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	166	RRDTH(L/R)	102
RR3-EPCPS	112	RR3-TJ54P	115	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	166	RREP3624(A,B,W)(F,N)2	293
RR3-EPCS	112	RR3-TJ60P	115	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	166	RREP3630(A,B,W)(F,N)2	293
RR3-EPI	113	RR3TJ60P	118	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	166	RREP4224(A,B,W)(F,N)2	293
RR3-EPNY1	113	RR3-TJ66P	115	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	166	RREP4230(A,B,W)(F,N)2	293
RR3-EPNY2	113	RR3TJ66P	118	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	166	RREP4824(A,B,W)(F,N)2	293
RR3-EPVR	113	RR3-TJ72P	115	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	166	RREP4830(A,B,W)(F,N)2	293
RR3EPVR-(Eight wire)	99	RR3TJ72P	118	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	166	RREP5424(A,B,W)(F,N)2	293
RR3EVJ	122	RR3-TJ78P	115	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	166	RREP5430(A,B,W)(F,N)2	293
RR3EVJ110	122	RR3-TJ84P	115	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	166	RREP6024(A,B,W)(F,N)2	293
RR3EVJ82	122	RR3-TJ90P	115	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	166	RREP6030(A,B,W)(F,N)2	293
RR3EVJ96	122	RR3-TJ96P	115	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	166	RRSP3624K(A,B,W)	293
RR3-FB	119	RR3-TPC	114	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	166	RRSP3630K(A,B,W)	293
RR3FDP	121	RR3-TPC24	114	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	166	RRSP4224K(A,B,W)	293
RR3-FE	119	RR3-TPCP	114	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	166	RRSP4230K(A,B,W)	293
RR3-FOSC	119	RR3-TPCP24	114	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	166	RRSP4824K(A,B,W)	293
RR3-FOST	119	RR3-TPCPS	114	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	166	RRSP4830K(A,B,W)	293
RR3-FV	119	RR3-TPCS	114	RRAW12036-(1/2/3)	185	RRSP5424K(A,B,W)	293
RR3-LTPC	117	RR3-TP1	115	RRAW12042-(1/2/3)	185	RRSP5430K(A,B,W)	293
RR3-LTPC24	117	RR3-TPNY1	115	RRAW14442-(1/2/3)	185	RRSP6024K(A,B,W)	293
RR3-LTPCP	117	RR3-TPNY2	115	RRAW16842-(1/2/3)	185	RRSP6030K(A,B,W)	293
RR3-MICON	119	RR3-TPVR	115	RRAW19242-(1/2/3)	185	RS1-N30	283
RR3MP4	299	RR3TPVR-(Ten wire)	99	RRAW3636-(1/2/3)	185	RS1-N36	283
RR3MP6	299	RR3TVJ	122	RRAW4242-(1/2/3)	185	RS1-N42	283
RR3PICON	119	RR3TVJ110	122	RRAW6060-(1/2/3)	185	RS1-N48	283
RR3-REPI	113	RR3TVJ82	122	RRAW7230-(1/2/3)	185	RS1-N60	283
RR3-RTPI	115	RR3TVJ96	122	RRAW7236-(1/2/3)	185	RS1-RPB	285
RR3-SP-(A, B, C, X, Y, Z)	115	RR3VDA	121	RRAW7272-(1/2/3)	185	RS1-VP	283
RR3-SP-(A,B,X,Y)	113	RR3VDB	121	RRAW8430-(1/2/3)	185	RSA241	123
RR3-ST	119	RR3VDC	121	RRAW8436-(1/2/3)	185	RSA242	123
RR3-T24	114	RR3VDX	121	RRAW8442-(1/2/3)	185	RSA243	125
RR3-T24S	117	RR3VDXO	121	RRAW9630-(1/2/3)	185	RSA301	123
RR3-T30NS	114	RR3VDY	121	RRAW9636-(1/2/3)	185	RSA302	123
RR3-T30S	117	RR3VDYO	121	RRAW9642-(1/2/3)	185	RSA303	125
RR3-T36NS	114	RR3VDZ	121	RRB12036	147	RSA361	123
RR3-T36S	117	RR3VDZO	121	RRB12042	147	RSA362	123
RR3-T42NS	114	RR3VPBK	121	RRB12048	147	RSA363	125
RR3-T42S	117	RRA12036	146	RRB14442	147	RSA421	123
RR3-T48NS	114	RRA12042	146	RRB14448	147	RSA422	123
RR3-T48S	117	RRA12048	146	RRB16842	147	RSA423	125
RR3-T60-4	114	RRA14442	146	RRB16848	147	RSA481	123
RR3-T66-4	114	RRA14448	146	RRB19242	147	RSA482	123
RR3-T72-4	114	RRA16842	146	RRB19248	147	RSA483	125
RR3-TBBCL	117	RRA16848	146	RRB3636	147	RSA541	123
RR3-TBBCS	117	RRA19242	146	RRB4242	147	RSA542	123
RR3TBVC50	121	RRA19248	146	RRB4848	147	RSA543	125
RR3TBVC62	121	RRA3636	146	RRB6060	147	RSA601	123
RR3TBVC64	121	RRA4242	146	RRB7230	147	RSA602	123
RR3TBVC76	121	RRA4848	146	RRB7236	147	RSA603	125
RR3TBVC78	121	RRA6060	146	RRB7272	147	RSA604	125
RR3TBVC90	121	RRA7230	146	RRB8430	147	RSA661	123
RR3-TJ18	115	RRA7236	146	RRB8436	147	RSA662	123
RR3-TJ18P	115	RRA7272	146	RRB8442	147	RSA663	125
RR3-TJ20	115	RRA8430	146	RRB9630	147	RSA664	125
RR3-TJ20P	115	RRA8436	146	RRB9636	147	RSA721	123
RR3-TJ24	115	RRA8442	146	RRB9642	147	RSA722	123
RR3-TJ24P	115	RRA9630	146	RRB9648	147	RSA723	125
RR3-TJ30	115	RRA9636	146	RRBRD2712	299	RSA724	125
RR3-TJ30P	115	RRA9642	146	RRD3FTCPPL(L/R)7936	102	RSA781	123
RR3-TJ36	115	RRA9648	146	RRD3FTCPPL(L/R)7942	102	RSA782	123

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA783	125	RSA(A/B/C/D/E/F/G)F301	151	RSWA303	170	RSAWB723	172
RSA841	123	RSA(A/B/C/D/E/F/G)F302	151	RSWA361	169	RSAWB724	172
RSA842	123	RSA(A/B/C/D/E/F/G)F303	152	RSWA362	169	RSAWB781	171
RSA843	125	RSA(A/B/C/D/E/F/G)F361	151	RSWA363	170	RSAWB782	171
RSA901	123	RSA(A/B/C/D/E/F/G)F362	151	RSWA421	169	RSAWB783	172
RSA902	123	RSA(A/B/C/D/E/F/G)F363	152	RSWA422	169	RSAWB841	171
RSA903	125	RSA(A/B/C/D/E/F/G)F421	151	RSWA423	170	RSAWB842	171
RSA961	123	RSA(A/B/C/D/E/F/G)F422	151	RSWA481	169	RSAWB843	172
RSA962	123	RSA(A/B/C/D/E/F/G)F423	152	RSWA482	169	RSAWB901	171
RSA963	125	RSA(A/B/C/D/E/F/G)F481	151	RSWA483	170	RSAWB902	171
RSA(A/B/C/D/E/F/G)A241	153	RSA(A/B/C/D/E/F/G)F482	151	RSWA541	169	RSAWB903	172
RSA(A/B/C/D/E/F/G)A242	153	RSA(A/B/C/D/E/F/G)F483	152	RSWA542	169	RSAWB961	171
RSA(A/B/C/D/E/F/G)A243	154	RSA(A/B/C/D/E/F/G)F541	151	RSWA543	170	RSAWB962	171
RSA(A/B/C/D/E/F/G)A301	153	RSA(A/B/C/D/E/F/G)F542	151	RSWA601	169	RSAWB963	172
RSA(A/B/C/D/E/F/G)A302	153	RSA(A/B/C/D/E/F/G)F543	152	RSWA602	169	RSAWF241	167
RSA(A/B/C/D/E/F/G)A303	154	RSA(A/B/C/D/E/F/G)F601	151	RSWA603	170	RSAWF242	167
RSA(A/B/C/D/E/F/G)A361	153	RSA(A/B/C/D/E/F/G)F602	151	RSWA604	170	RSAWF243	168
RSA(A/B/C/D/E/F/G)A362	153	RSA(A/B/C/D/E/F/G)F603	152	RSWA661	169	RSAWF301	167
RSA(A/B/C/D/E/F/G)A363	154	RSA(A/B/C/D/E/F/G)F604	152	RSWA662	169	RSAWF302	167
RSA(A/B/C/D/E/F/G)A421	153	RSA(A/B/C/D/E/F/G)F661	151	RSWA663	170	RSAWF303	168
RSA(A/B/C/D/E/F/G)A422	153	RSA(A/B/C/D/E/F/G)F662	151	RSWA664	170	RSAWF361	167
RSA(A/B/C/D/E/F/G)A423	154	RSA(A/B/C/D/E/F/G)F663	152	RSWA721	169	RSAWF362	167
RSA(A/B/C/D/E/F/G)A481	153	RSA(A/B/C/D/E/F/G)F664	152	RSWA722	169	RSAWF363	168
RSA(A/B/C/D/E/F/G)A482	153	RSA(A/B/C/D/E/F/G)F721	151	RSWA723	170	RSAWF421	167
RSA(A/B/C/D/E/F/G)A483	154	RSA(A/B/C/D/E/F/G)F722	151	RSWA724	170	RSAWF422	167
RSA(A/B/C/D/E/F/G)A541	153	RSA(A/B/C/D/E/F/G)F723	152	RSWA781	169	RSAWF423	168
RSA(A/B/C/D/E/F/G)A542	153	RSA(A/B/C/D/E/F/G)F724	152	RSWA782	169	RSAWF481	167
RSA(A/B/C/D/E/F/G)A543	154	RSA(A/B/C/D/E/F/G)F781	151	RSWA783	170	RSAWF482	167
RSA(A/B/C/D/E/F/G)A601	153	RSA(A/B/C/D/E/F/G)F782	151	RSWA841	169	RSAWF483	168
RSA(A/B/C/D/E/F/G)A602	153	RSA(A/B/C/D/E/F/G)F783	152	RSWA842	169	RSAWF541	167
RSA(A/B/C/D/E/F/G)A603	154	RSA(A/B/C/D/E/F/G)F841	151	RSWA843	170	RSAWF542	167
RSA(A/B/C/D/E/F/G)A604	154	RSA(A/B/C/D/E/F/G)F842	151	RSWA901	169	RSAWF543	168
RSA(A/B/C/D/E/F/G)A661	153	RSA(A/B/C/D/E/F/G)F843	152	RSWA902	169	RSAWF601	167
RSA(A/B/C/D/E/F/G)A662	153	RSA(A/B/C/D/E/F/G)F901	151	RSWA903	170	RSAWF602	167
RSA(A/B/C/D/E/F/G)A663	154	RSA(A/B/C/D/E/F/G)F902	151	RSWA961	169	RSAWF603	168
RSA(A/B/C/D/E/F/G)A664	154	RSA(A/B/C/D/E/F/G)F903	152	RSWA962	169	RSAWF604	168
RSA(A/B/C/D/E/F/G)A721	153	RSA(A/B/C/D/E/F/G)F961	151	RSWA963	170	RSAWF661	167
RSA(A/B/C/D/E/F/G)A722	153	RSA(A/B/C/D/E/F/G)F962	151	RSAWB241	171	RSAWF662	167
RSA(A/B/C/D/E/F/G)A723	154	RSA(A/B/C/D/E/F/G)F963	152	RSAWB242	171	RSAWF663	168
RSA(A/B/C/D/E/F/G)A724	154	RSA(A/B/C/D/E/F/G)L241	155	RSAWB243	172	RSAWF664	168
RSA(A/B/C/D/E/F/G)A781	153	RSA(A/B/C/D/E/F/G)L242	155	RSAWB301	171	RSAWF721	167
RSA(A/B/C/D/E/F/G)A782	153	RSA(A/B/C/D/E/F/G)L301	155	RSAWB302	171	RSAWF722	167
RSA(A/B/C/D/E/F/G)A783	154	RSA(A/B/C/D/E/F/G)L302	155	RSAWB303	172	RSAWF723	168
RSA(A/B/C/D/E/F/G)A841	153	RSA(A/B/C/D/E/F/G)L361	155	RSAWB361	171	RSAWF724	168
RSA(A/B/C/D/E/F/G)A842	153	RSA(A/B/C/D/E/F/G)L362	155	RSAWB362	171	RSAWF781	167
RSA(A/B/C/D/E/F/G)A843	154	RSA(A/B/C/D/E/F/G)L421	155	RSAWB363	172	RSAWF782	167
RSA(A/B/C/D/E/F/G)A901	153	RSA(A/B/C/D/E/F/G)L422	155	RSAWB421	171	RSAWF783	168
RSA(A/B/C/D/E/F/G)A902	153	RSA(A/B/C/D/E/F/G)L481	155	RSAWB422	171	RSAWF841	167
RSA(A/B/C/D/E/F/G)A903	154	RSA(A/B/C/D/E/F/G)L482	155	RSAWB423	172	RSAWF842	167
RSA(A/B/C/D/E/F/G)A961	153	RSA(A/B/C/D/E/F/G)R241	156	RSAWB481	171	RSAWF843	168
RSA(A/B/C/D/E/F/G)A962	153	RSA(A/B/C/D/E/F/G)R242	156	RSAWB482	171	RSAWF901	167
RSA(A/B/C/D/E/F/G)A963	154	RSA(A/B/C/D/E/F/G)R301	156	RSAWB483	172	RSAWF902	167
RSA(A/B/C/D/E/F/G)B241	155	RSA(A/B/C/D/E/F/G)R302	156	RSAWB541	171	RSAWF903	168
RSA(A/B/C/D/E/F/G)B242	155	RSA(A/B/C/D/E/F/G)R361	156	RSAWB542	171	RSAWF961	167
RSA(A/B/C/D/E/F/G)B301	155	RSA(A/B/C/D/E/F/G)R362	156	RSAWB543	172	RSAWF962	167
RSA(A/B/C/D/E/F/G)B302	155	RSA(A/B/C/D/E/F/G)R421	156	RSAWB601	171	RSAWF963	168
RSA(A/B/C/D/E/F/G)B361	155	RSA(A/B/C/D/E/F/G)R422	156	RSAWB602	171	RSAWL241	173
RSA(A/B/C/D/E/F/G)B362	155	RSA(A/B/C/D/E/F/G)R481	156	RSAWB603	172	RSAWL242	173
RSA(A/B/C/D/E/F/G)B421	155	RSA(A/B/C/D/E/F/G)R482	156	RSAWB604	172	RSAWL243	174
RSA(A/B/C/D/E/F/G)B422	155	RSAMP1616	299	RSAWB661	171	RSAWL301	173
RSA(A/B/C/D/E/F/G)B481	155	RSAWA241	169	RSAWB662	171	RSAWL302	173
RSA(A/B/C/D/E/F/G)B482	155	RSAWA242	169	RSAWB663	172	RSAWL303	174
RSA(A/B/C/D/E/F/G)F241	151	RSAWA243	170	RSAWB664	172	RSAWL361	173
RSA(A/B/C/D/E/F/G)F242	151	RSAWA301	169	RSAWB721	171	RSAWL362	173
RSA(A/B/C/D/E/F/G)F243	152	RSAWA302	169	RSAWB722	171	RSAWL363	174

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWL421	173	RSAWR783	176	RSDHC	203	RSPABPW	101
RSAWL422	173	RSAWR841	175	RSDHC4	203	RSPABTD	101
RSAWL423	174	RSAWR842	175	RSDHD1428	204, 205	RSPABTT	101
RSAWL481	173	RSAWR843	176	RSDHD1828	204, 205	RSPABTW	101
RSAWL482	173	RSAWR901	175	RSDHD2028	204, 205	RSPABWD	101
RSAWL483	174	RSAWR902	175	RSDHD2428	204, 205	RSPABWW	101
RSAWL541	173	RSAWR903	176	RSDHD3028	204, 205	RST1	202
RSAWL542	173	RSAWR961	175	RSDHL12	205	RST2	202
RSAWL543	174	RSAWR962	175	RSDHL15	205	RST3	202
RSAWL601	173	RSAWR963	176	RSDHL20	205	RST4	202
RSAWL602	173	RSB241	124	RSDHL24	205	RST5	202
RSAWL603	174	RSB242	124	RSDHL30	205	RST6	202
RSAWL604	174	RSB243	126	RSDHL36	205	RSWA15 18	90
RSAWL661	173	RSB301	124	RSDHL42	205	RSWA15 20	90
RSAWL662	173	RSB302	124	RSDHL48	205	RSWA15 24	90
RSAWL663	174	RSB303	126	RSDHT1	205	RSWA15 30	90
RSAWL664	174	RSB361	124	RSDHT2	205	RSWA15 36	90
RSAWL721	173	RSB362	124	RSDHT3	205	RSWA15 42	90
RSAWL722	173	RSB363	126	RSDHT4	205	RSWA15 48	90
RSAWL723	174	RSB421	124	RSDHT5	205	RSWB15 30	90
RSAWL724	174	RSB422	124	RSDHT6	205	RSWB15 36	90
RSAWL781	173	RSB423	126	RSDR30	289	RSWB15 42	90
RSAWL782	173	RSB481	124	RSDR36	289	RSWB15 48	90
RSAWL783	174	RSB482	124	RSDR42	289	RSWC30 18	90
RSAWL841	173	RSB483	126	RSDR48	289	RSWC30 20	90
RSAWL842	173	RSB541	124	RSDR54	289	RSWC30 24	90
RSAWL843	174	RSB542	124	RSDR60	289	RSWC30 30	90
RSAWL901	173	RSB543	126	RSDR66	289	RSWC30 36	90
RSAWL902	173	RSB601	124	RSDR72	289	RSWC30 42	90
RSAWL903	174	RSB602	124	RSDR78	289	RSWC30 48	90
RSAWL961	173	RSB603	126	RSDR84	289	RSWWA601	272
RSAWL962	173	RSB604	126	RSDR90	289	RSWWA602	272
RSAWL963	174	RSB661	124	RSDR96	289	RSWWA721	272
RSAWR241	175	RSB662	124	RSE1(L/R)	196	RSWWA722	272
RSAWR242	175	RSB663	126	RSE2(L/R)	196	RSWWA901	272
RSAWR243	176	RSB664	126	RSE3(L/R)	196	RSWWA902	272
RSAWR301	175	RSB721	124	RSE4(L/R)	196	RSWWA961	272
RSAWR302	175	RSB722	124	RSE5(L/R)	196	RSWWA962	272
RSAWR303	176	RSB723	126	RSE6(L/R)	196	RSWWA(A/B/C/D/E/F/G)601	272
RSAWR361	175	RSB724	126	RSEDH1(L/R)	198	RSWWA(A/B/C/D/E/F/G)602	272
RSAWR362	175	RSB781	124	RSEDH2(L/R)	198	RSWWA(A/B/C/D/E/F/G)721	272
RSAWR363	176	RSB782	124	RSEDH3(L/R)	198	RSWWA(A/B/C/D/E/F/G)722	272
RSAWR421	175	RSB783	126	RSEDH4(L/R)	198	RSWWA(A/B/C/D/E/F/G)901	272
RSAWR422	175	RSB841	124	RSEDH5(L/R)	198	RSWWA(A/B/C/D/E/F/G)902	272
RSAWR423	176	RSB842	124	RSEDH6(L/R)	198	RSWWA(A/B/C/D/E/F/G)961	272
RSAWR481	175	RSB843	126	RSL12	202	RSWWA(A/B/C/D/E/F/G)962	272
RSAWR482	175	RSB901	124	RSL15	202	RSWWAWF601	272
RSAWR483	176	RSB902	124	RSL20	202	RSWWAWF602	272
RSAWR541	175	RSB903	126	RSL24	202	RSWWAWF721	272
RSAWR542	175	RSB961	124	RSL30	202	RSWWAWF722	272
RSAWR543	176	RSB962	124	RSL36	202	RSWWAWF901	272
RSAWR601	175	RSB963	126	RSL42	202	RSWWAWF902	272
RSAWR602	175	RSBWH20	193	RSL48	202	RSWWAWF961	272
RSAWR603	176	RSBWH24	193	RSMP	299	RSWWAWF962	272
RSAWR604	176	RSBWH30	193	RSNTT18(A/B/C/E)	96	RSWWB601	273
RSAWR661	175	RSBWH36	193	RSNTT20(A/B/C/E)	96	RSWWB602	273
RSAWR662	175	RSBWH42	193	RSNTT24(A/B/C/E)	96	RSWWB721	273
RSAWR663	176	RSBWH48	193	RSNTT30(A/B/C/E)	96	RSWWB722	273
RSAWR664	176	RSC	200	RSNTT33(A/B/C/E) (66" wide panels one only)	96	RSWWB901	273
RSAWR721	175	RSC4	200	RSNTT36(A/B/C/E)	96	RSWWB902	273
RSAWR722	175	RSD1427	200, 202	RSNTT42(A/B/C/E)	96	RSWWB961	273
RSAWR723	176	RSD1827	200, 202	RSNTT48(A/B/C/E)	96	RSWWB962	273
RSAWR724	176	RSD2027	200, 202	RSPABPD	101	RTA12036	148
RSAWR781	175	RSD2427	200, 202	RSPABPP	101	RTA12042	148
RSAWR782	175	RSD3027	200, 202	RSPABPT	101	RTA12048	148

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTA14442	148	RTB12042	149	RWA4821	131	RWAWF7223	177
RTA14448	148	RTB12048	149	RWA4823	131	RWAWF7232	177
RTA16842	148	RTB14442	149	RWA4832	131	RWEA3613	132
RTA16848	148	RTB14448	149	RWA5412	131	RWEA3626	132
RTA19242	148	RTB16842	149	RWA5421	131	RWEA3631	132
RTA19248	148	RTB16848	149	RWA5423	131	RWEA3662	132
RTA3636	148	RTB19242	149	RWA5432	131	RWEA4213	132
RTA4242	148	RTB19248	149	RWA6012	131	RWEA4226	132
RTA4848	148	RTB3636	149	RWA6021	131	RWEA4231	132
RTA6060	148	RTB4242	149	RWA6023	131	RWEA4262	132
RTA7230	148	RTB4848	149	RWA6032	131	RWEA4813	132
RTA7236	148	RTB6060	149	RWA6612	131	RWEA4826	132
RTA7272	148	RTB7230	149	RWA6621	131	RWEA4831	132
RTA8430	148	RTB7236	149	RWA6623	131	RWEA4862	132
RTA8436	148	RTB7272	149	RWA6632	131	RWEA7220(L/R)	267
RTA8442	148	RTB8430	149	RWA7212	131	RWEA7224(L/R)	267
RTA9630	148	RTB8436	149	RWA7221	131	RWEA7520(L/R)	271
RTA9636	148	RTB8442	149	RWA7223	131	RWEA7524(L/R)	271
RTA9642	148	RTB9630	149	RWA7232	131	RWEA(A/B/C/D/E/F/G)F3613	161
RTA9648	148	RTB9636	149	RWA(A/B/C/D/E/F/G)F4212	160	RWEA(A/B/C/D/E/F/G)F3626	161
RTA(A/B/C/D/E/F/G)12036-(1/2/3)	165	RTB9642	149	RWA(A/B/C/D/E/F/G)F4221	160	RWEA(A/B/C/D/E/F/G)F3631	160
RTA(A/B/C/D/E/F/G)12042-(1/2/3)	165	RTB9648	149	RWA(A/B/C/D/E/F/G)F4223	160	RWEA(A/B/C/D/E/F/G)F3662	161
RTA(A/B/C/D/E/F/G)12048-(1/2/3)	165	RTDL242464	261	RWA(A/B/C/D/E/F/G)F4232	160	RWEA(A/B/C/D/E/F/G)F4213	161
RTA(A/B/C/D/E/F/G)14442-(1/2/3)	165	RTDL243064	261	RWA(A/B/C/D/E/F/G)F4812	160	RWEA(A/B/C/D/E/F/G)F4226	161
RTA(A/B/C/D/E/F/G)14448-(1/2/3)	165	RTDR242464	261	RWA(A/B/C/D/E/F/G)F4821	160	RWEA(A/B/C/D/E/F/G)F4231	160
RTA(A/B/C/D/E/F/G)16842-(1/2/3)	165	RTDR243064	261	RWA(A/B/C/D/E/F/G)F4823	160	RWEA(A/B/C/D/E/F/G)F4262	161
RTA(A/B/C/D/E/F/G)16848-(1/2/3)	165	RTLT5E19	288	RWA(A/B/C/D/E/F/G)F4832	160	RWEA(A/B/C/D/E/F/G)F4813	161
RTA(A/B/C/D/E/F/G)19242-(1/2/3)	165	RTLT5E25	288	RWA(A/B/C/D/E/F/G)F5412	160	RWEA(A/B/C/D/E/F/G)F4826	161
RTA(A/B/C/D/E/F/G)19248-(1/2/3)	165	RTLT5E37	288	RWA(A/B/C/D/E/F/G)F5421	160	RWEA(A/B/C/D/E/F/G)F4831	160
RTA(A/B/C/D/E/F/G)3636-(1/2/3)	165	RTLT5E49	288	RWA(A/B/C/D/E/F/G)F5423	160	RWEA(A/B/C/D/E/F/G)F4862	161
RTA(A/B/C/D/E/F/G)4242-(1/2/3)	165	RTLT5E61	288	RWA(A/B/C/D/E/F/G)F5432	160	RWEAWF3613	178
RTA(A/B/C/D/E/F/G)4848-(1/2/3)	165	RTLT5E73	288	RWA(A/B/C/D/E/F/G)F6012	160	RWEAWF3626	178
RTA(A/B/C/D/E/F/G)6060-(1/2/3)	165	RTLT5E85	288	RWA(A/B/C/D/E/F/G)F6021	160	RWEAWF3631	177
RTA(A/B/C/D/E/F/G)7230-(1/2/3)	165	RTOL242464	261	RWA(A/B/C/D/E/F/G)F6023	160	RWEAWF3662	178
RTA(A/B/C/D/E/F/G)7236-(1/2/3)	165	RTOL243064	261	RWA(A/B/C/D/E/F/G)F6032	160	RWEAWF4213	178
RTA(A/B/C/D/E/F/G)7272-(1/2/3)	165	RTOP1	299	RWA(A/B/C/D/E/F/G)F6612	160	RWEAWF4226	178
RTA(A/B/C/D/E/F/G)8430-(1/2/3)	165	RTOP2	299	RWA(A/B/C/D/E/F/G)F6621	160	RWEAWF4231	177
RTA(A/B/C/D/E/F/G)8436-(1/2/3)	165	RTOR242464	262	RWA(A/B/C/D/E/F/G)F6623	160	RWEAWF4262	178
RTA(A/B/C/D/E/F/G)8442-(1/2/3)	165	RTOR243064	262	RWA(A/B/C/D/E/F/G)F6632	160	RWEAWF4813	178
RTA(A/B/C/D/E/F/G)9630-(1/2/3)	165	RTTA24( )	206	RWA(A/B/C/D/E/F/G)F7212	160	RWEAWF4826	178
RTA(A/B/C/D/E/F/G)9636-(1/2/3)	165	RTTA30( )	206	RWA(A/B/C/D/E/F/G)F7221	160	RWEAWF4831	177
RTA(A/B/C/D/E/F/G)9642-(1/2/3)	165	RTTA36( )	206	RWA(A/B/C/D/E/F/G)F7223	160	RWEAWF4862	178
RTAT5E19	287	RTTA42( )	206	RWA(A/B/C/D/E/F/G)F7232	160	RWEB7220(L/R)	267
RTAT5E25	287	RTTA48( )	206	RWAWF4212	177	RWEB7224(L/R)	267
RTAT5E37	287	RTTA54( )	206	RWAWF4221	177	RWEB7520(L/R)	271
RTAT5E49	287	RTTA60( )	206	RWAWF4223	177	RWEB7524(L/R)	271
RTAT5E61	287	RTTA66( )	206	RWAWF4232	177	RWEC7220(L/R)	267
RTAW12036-(1/2/3)	184	RTTA72( )	206	RWAWF4812	177	RWEC7224(L/R)	267
RTAW12042-(1/2/3)	184	RTTAWF24( )	206	RWAWF4821	177	RWEC7520(L/R)	271
RTAW14442-(1/2/3)	184	RTTAWF30( )	206	RWAWF4823	177	RWEC7524(L/R)	271
RTAW16842-(1/2/3)	184	RTTAWF36( )	206	RWAWF4832	177	RWED7220(L/R)	267
RTAW19242-(1/2/3)	184	RTTAWF42( )	206	RWAWF5412	177	RWED7224(L/R)	267
RTAW3636-(1/2/3)	184	RTTAWF48( )	206	RWAWF5421	177	RWED7520(L/R)	271
RTAW4242-(1/2/3)	184	RTTAWF54( )	206	RWAWF5423	177	RWED7524(L/R)	271
RTAW6060-(1/2/3)	184	RTTAWF60( )	206	RWAWF5432	177	RWHDHTB3026	301
RTAW7230-(1/2/3)	184	RTTAWF66( )	206	RWAWF6012	177	RWHDHTB3626	301
RTAW7236-(1/2/3)	184	RTTAWF72( )	206	RWAWF6021	177	RWHDHTB4226	301
RTAW7272-(1/2/3)	184	RUTB	194	RWAWF6023	177	RWHDHTB4826	301
RTAW8430-(1/2/3)	184	RWA3623	131	RWAWF6032	177	RWHRA	299
RTAW8436-(1/2/3)	184	RWA3632	131	RWAWF6612	177	RWHRB	299
RTAW8442-(1/2/3)	184	RWA4212	131	RWAWF6621	177	RWHRC	299
RTAW9630-(1/2/3)	184	RWA4221	131	RWAWF6623	177	RWHRD	299
RTAW9636-(1/2/3)	184	RWA4223	131	RWAWF6632	177	RWHRE	299
RTAW9642-(1/2/3)	184	RWA4232	131	RWAWF7212	177	RWHRF	299
RTB12036	149	RWA4812	131	RWAWF7221	177	RWHRC	299

<i>pattern no.</i>	<i>page</i>
RWHTB3024	301
RWHTB3624	301
RWHTB4224	301
RWHTB4824	301
RWMMP24	300
RWMMP30	300
RWMMP36	300
RWMPB	300
RWMV24	300
RWMVH24	300
RWMVH30	300
RWMVH36	300
RWMVP24	300
RWMWT24	300
RWMWT30	300
RWMWT36	300



# Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
<b>Terms &amp; Conditions of Sales</b>	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
<b>Ordering Information</b>	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
<b>Order Confirmation</b>	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
<b>Pricing Policies</b>	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
<b>Taxes</b>	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
<b>Terms of Payment</b>	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a one-third (1/3) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
<b>Changes and Cancellation</b>	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
<b>Freight Prepaid</b>	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
<b>Delivery/Freight Charges</b>	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
<b>Claims</b>	<p>All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.</p>
<b>Seller's Security Interest</b>	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
<b>Returns</b>	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
<b>Held Orders/Storage</b>	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

# Selling Policy

<b>Customer's Own Material</b>	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
<b>Warranty</b>	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below for <i>Bulldog, Chadwick, Essentials Work Chairs, Life, Open Up, RPM, Sapper</i> and <i>SoHo</i> seating is for 24-hour, 7 days a week, multi shift use.</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff</i> laminate, <i>Series 2 Storage</i> and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, <i>Series 2 Veneer Front Storage</i>, special or custom products or other materials specifically called out below, see below)</p> <p><i>10 Years: AutoStrada, Crinion Open Table, Reff</i> wood components, <i>Series 2 Veneer Front Storage, Wood Casegoods (Magnusson, The Graham Collection), Interaction</i> tables (except height adjustment mechanisms for <i>Counterforce</i>, crank-adjustable, and split-top tables and worksurfaces, see below), <i>Reuter</i> overheads, <i>Reuter</i> vertical storage, <i>Bulldog, Chadwick, Essentials Work Chairs, Life, RPM</i> and <i>Sapper</i> seating structural and operational parts, controls, casters, pneumatic cylinders, seat and back mesh (except seating upholstery, finishes and labor, wood casegoods upholstered surfaces, see below)</p> <p><i>5 Years: Operational parts, controls, electrical (except light ballasts and bulbs, see below), cascade edge worksurfaces, special or custom product, wood veneer products, A3, Currents</i> handcrank, <i>Interaction Counterforce, Interaction</i> crank-adjustable, and split-top mechanisms, <i>KnollStudio, KnollExtra</i> adjustable keyboard supports, VDT carousel, monitor platform, equipment storage drawers and all universal storage drawers, <i>Open Up and SoHo</i> seating structural and operational parts, controls, pneumatic cylinders (except seating upholstery, finishes and labor, see below)</p> <p><i>3 Years: Upholstery, finishes and labor to repair the following chairs: Bulldog, Chadwick, Essentials Work Chairs, Life, Open Up, RPM, Sapper</i> and <i>SoHo.</i></p> <p><i>2 Years: All other KnollExtra</i> product</p> <p><i>1 Year: Light ballasts and bulbs, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none"><li>• Damage caused by a carrier other than the Seller.</li><li>• Normal wear and tear or acts or omissions of parties other than Seller (including user modification).</li><li>• COM or other third party materials applied to Products.</li><li>• Products not installed by or under the auspices of a certified dealer of Seller.</li><li>• Dramatic temperature variations or exposure to unusual conditions.</li><li>• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty).</li></ul> <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
<b>Delay/Force Majeure</b>	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
<b>Compliance with Law</b>	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
<b>Patents</b>	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>
<b>Limitations of Liability</b>	<p><b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b></p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

# KnollKey Lock Program

## KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

### Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

**IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.**

**If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.**

### Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

### Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

### Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

### Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


### Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

## How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

**Step 1** - Using the project floorplan, count the number of locks in each workstation.



**Step 2** - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station  
3 workstations with 4 locks per station  
2 workstations with 5 locks per station

**Step 3** - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

**Step 4** - Then enter the pattern number "KSPEC\_ \_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

**Step 5** - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

## Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$18
KCHANGE	Change Key	\$5
KMASTER*	Master Key	\$5

\*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.  
1235 Water Street  
P.O. Box 157  
East Greenville, PA 18041  
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

## Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."