

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
Panels	Monolithic panels 34" H	10
	Monolithic panels 42" H	16
	Monolithic panels 49" H	23
	Monolithic panels 64" H	30
	Monolithic panels 79" H	37
	Tiled panels 34" H	44
	Tiled panels 42" H	49
	Tiled panels 49" H	56
	Tiled panels 64" H	63
	Tiled panels 79" H	70
	Aluminum Reveal kits	77
	Beltway one side, window panel 49" H	84
	Beltway two sides, window panel 49" H	98
	Stacking modules	100
	Panel connection posts	105
	Panel trims and post covers	110
	Ceiling cable entry posts, poles and cable infeed	112
	Ceiling cable entry post covers	114
	Rolling door and hinged door	116
	Attachment kits	117
	Floor to ceiling modules	118
	Required components	125
	Power distribution components	126
Beltway electrical components	131	
Data and Communications	133	
Reff Ported Panel Components	134	
Worksurfaces	Worksurface 1 1/4"	137
	Conference 1 1/4"	151
	Optional edge details 1 1/4"	153
	Optional edge 1 1/4"	154
	Waterfall Edge 1 1/4"	170
	Cascade Edge 1 1/4"	189
	Worksurface 1 1/2"	195
	Worksurface Credenza	198
	Peninsula 1 1/2	201
	Tables, 1 1/2"	237
Support components	Tables, 1"	248
	Top support components	251
Cabinetry	Modesty	265
	Pedestals, 26 1/2" planning	271
	Pedestals, 28 3/8" planning	283
	Credenzas, 28 3/8" planning	299
	Cabinets, 26 1/2" planning	304
	Cabinets, 28 3/8" planning	326
	Cabinets Progressive	353
Desktop towers	Desktop Towers	365
Overhead storage	Overhead, 26 1/2" planning	372
	Overhead, 28 3/8" planning	381
	Reuter overhead cabinet	410
	Reuter open shelf	413
	Reuter open overhead	414
	Reuter overhead storage	415
	Task Lights for Reuter Overhead Storage	417
Progressive Overheads	418	

Transaction tops, regular and waterfall edge	Transaction tops	427
Gallery desk surrounds	Gallery desk surrounds	429
Classic Desks	Classic Desks, 26 1/2" h and 28 3/8" h	433
Preconfigured Reff Desking	Single pedestal desks	437
	Double pedestal desks	438
	Desk returns	439
	Single pedestal credenzas	440
	Bridge assemblies	441
	Double pedestal credenzas	442
Accessories and Client Samples	Accessories	443
	Task Panels	459
	Tackboards	503
	Desk Screens	508
	Cubbies	513
Administrative / Reception	Single Wide Desk	515
	Double Wide Desk	517
	Bridge	519
	Return	521
	Shared Return One Sided	523
	Shared Return Two Sided	525
	Technology Island Peninsula	527
	Infill Panel	529
	Transaction Tops	533
	Accent Tops	536
	Cabinets	538
	Supports	542
	Accessories	543
	Tackboards	545
Wall Mounting of Knoll Products		546
Horizons Planning	Horizons - 28 3/8" Planning	548
Alpha-Numeric Index		551
Selling Policy		576
KnollKey Lock Program		578
General Ordering Information		579

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes:

V1 Techwood

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

**Not available on Reff optional Edges and Waterfall Edge.*

V1 - Techwood Surface with matching synthetic edge:

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneers/Premium Techwood Veneers

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V439	Straight Anigre
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)

Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

V2 Natural Veneer with synthetic edge

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3 Premium Veneer

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

(all above are quarter cut)

Glass

TEMP	Clear Tempered (G1)
------	---------------------

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3)

GL11	Back Painted Black
GL14	Folkstone Grey
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

Locks

Black and Silver

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery *
125	Natural Maple *
126	Natural Cherry *
127	Walnut *
128	Fog
129	Micro Sand with 119 Pumice edge band

**Woodgrain Laminate. Not available on all components.*

Paint

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

Plated

PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel

Anodized

AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

See matrix next page for finishes applicable by component

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Solid Surface

AW	Artic White
----	-------------

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
39	for V439
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V449
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427
85	for Y851
Y1	for Y341
62	for Y342
44	for Y344

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options

Grade 10
 Broadcloth II (W1619)
 Foundation (W351)
 Growth Spurt (W692)
 Symbolic Detail (W693)
 Tailor Made II (W1610)
 Versatility (W432)

Grade 20
 Bauhaus Block (W296A)
 Circle Line (W1146)
 Clarity (W281)
 Criss Cross (W305)
 Labyrinth (W352)★ ∅
 Logic (W1318)
 Photon (W1293)
 Reflect (W884) ∅
 Resolution (W280)
 Weave Three (W298)

Grade 30
 Basket Draft (W249)
 Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465)*
 Progression (W403)
 Relay (W1020) ▲

Grade 40
 Clarkson (W1218)
 Ornament (W1078)
 Palladium (W1030)

Grade 45
 Dristi (K872)* ∅

**with backing only*
 ▲ Monolithic panels and tackboards only
 ∅ May not be available in all colors.
 ★Non-merchandized available for purchase but samples not available.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50
 Knoll Hopsack (K1206)
 Ricochet (W498)

Grade 55
 Knoll Felt (K1207)
 Transition (W816)

Customers Own Material

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Non-Wood Finishes

26 1/2" h planning with 1 1/4" worksurfaces

Finishes	<i>Panel Tiles, Worksurfaces & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Pulls</i>	<i>Grommets</i>
Jet Black	111	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	115	115	115	115	115	115	115	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ●	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT●	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD

n/a = not available


* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only

● PZ and PT Pulls only for 'D' Pulls.

Panel Trim Profiles



Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)


Worksurface Profiles



1 1/2", 1 1/4" and 1" Thick Standard



1 1/4" Thick Waterfall




1 1/4" Thick Cascade




1" Thick Sliding Table

NOTE: See page 153 for 7 Optional Edges which are also available.


Pull Options



Integral Wood J-Pull




C-Pull (Nickle Plated Finish Only)
7³/₈"W x 1⁵/₃₂"D




S-Pull (Stainless Steel Finish Only)
6⁵/₃₂"W x 1¹/₁₆"D




D-Pull Painted and the following Plated Finishes;
PT = Brushed Pewter
PZ = Satin Brass
7³/₄"W x 1¹³/₃₂"D




R-Cylinder
 1" diameter
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center position for 16" & 19" drawers
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from end, 1 1/2" down from top of drawers




H-Out Line
 4" wide x 1" deep
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center, 1 1/2" down from the top of drawer
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from left/right, 1 1/2" down from top of drawers




T-Tab
 short Tab: 2" wide x 1 3/4" deep
 Long Tab: 10" wide x 1 3/4" deep
 Protrudes 3/4" from drawer front
 Available in painted or plated finishes
 Position: Center line position on drawers



F-Bar Pull
 Short bar pull: 3 3/8" wide x .3" thick
 Long bar pull: 10 1/2" wide x .3" thick
 Protrudes 1" from drawer front
 Available in painted and plated finishes




G-Grommet Pull
 1 7/32" diameter
 Flush with the drawer front
 Available in painted and plated finishes
 1 pull per 60" & 72" sliding doors
 Position: 1.656" from left or right, center line vertical
 2 pulls per 90" & 108" sliding doors
 Position: 1.656" from left and right, center line vertical
 Position: Center line position on drawers



Monolithic panels 34" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF3418-()()	\$606.	\$622.	\$664.	\$750.	\$802.	\$880.	\$934.
Regular acoustics	20"	34"	R3B0PFF3420-()()	606.	622.	664.	750.	802.	882.	934.
	24"	34"	R3B0PFF3424-()()	654.	670.	712.	798.	850.	928.	982.
	30"	34"	R3B0PFF3430-()()	698.	714.	756.	842.	894.	972.	1,026.
	36"	34"	R3B0PFF3436-()()	742.	758.	800.	886.	938.	1,016.	1,070.
	42"	34"	R3B0PFF3442-()()	852.	868.	910.	996.	1,048.	1,126.	1,180.
	48"	34"	R3B0PFF3448-()()	884.	900.	942.	1,028.	1,080.	1,180.	1,212.



Order Code

Example:	R3B0PFF3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
34	34" high
18	18" wide
(A)	Flat style top trim profile
(4)	4" base height
(K)	Include knockouts in base
W281	Fabric Side 1
W281	Fabric Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum
2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	R3B0PFL3418-()()	\$580.	\$588.	\$607.	\$645.	\$669.	\$702.	\$726.
	20"	34"	R3B0PFL3420-()()	580.	588.	607.	645.	669.	702.	726.
	24"	34"	R3B0PFL3424-()()	617.	625.	644.	682.	706.	739.	763.
	30"	34"	R3B0PFL3430-()()	658.	666.	685.	723.	747.	780.	804.
	36"	34"	R3B0PFL3436-()()	694.	702.	721.	759.	783.	816.	840.
	42"	34"	R3B0PFL3442-()()	790.	798.	817.	855.	879.	912.	936.
	48"	34"	R3B0PFL3448-()()	814.	822.	840.	879.	903.	936.	960.

Order Code

Example:	R3B0PFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 per panel for this option).

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF13418-()()	\$681.	\$688.	\$710.	\$753.	\$780.	\$819.	\$848.
Regular acoustics	20"	34"	R3B0PF13420-()()	684.	691.	713.	756.	783.	822.	851.
	24"	34"	R3B0PF13424-()()	728.	735.	757.	800.	827.	866.	895.
	30"	34"	R3B0PF13430-()()	774.	781.	803.	846.	873.	912.	941.
	36"	34"	R3B0PF13436-()()	821.	828.	850.	893.	920.	959.	988.
	42"	34"	R3B0PF13442-()()	931.	938.	960.	1,003.	1,030.	1,069.	1,098.
	48"	34"	R3B0PF13448-()()	962.	969.	991.	1,034.	1,061.	1,100.	1,129.



Order Code

Example:	R3B0PF13418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-()()	\$694.	\$701.	\$723.	\$766.	\$793.	\$832.	\$861.
Regular acoustics	20"	34"	R3B0PF234 20-()()	697.	704.	726.	769.	796.	835.	864.
	24"	34"	R3B0PF234 24-()()	740.	747.	769.	812.	839.	878.	907.
	30"	34"	R3B0PF234 30-()()	790.	797.	819.	862.	889.	928.	957.
	36"	34"	R3B0PF234 36-()()	835.	842.	864.	907.	934.	973.	1,002.
	42"	34"	R3B0PF234 42-()()	952.	959.	981.	1,024.	1,051.	1,090.	1,119.
	48"	34"	R3B0PF234 48-()()	980.	987.	1,009.	1,052.	1,079.	1,118.	1,147.



Order Code

Example:	R3B0PF23418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. *Top trim profile*:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded aluminum

2. *Base height*:
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF334 18-() ()	\$923.	\$930.	\$952.	\$995.	\$1,022.	\$1,061.	\$1,090.
Regular acoustics	20"	34"	R3B0PF334 20-() ()	927.	934.	956.	999.	1,026.	1,065.	1,094.
	24"	34"	R3B0PF334 24-() ()	986.	993.	1,015.	1,058.	1,085.	1,124.	1,153.
	30"	34"	R3B0PF334 30-() ()	1,054.	1,061.	1,083.	1,126.	1,153.	1,192.	1,221.
	36"	34"	R3B0PF334 36-() ()	1,113.	1,120.	1,142.	1,185.	1,212.	1,251.	1,280.
	42"	34"	R3B0PF334 42-() ()	1,270.	1,277.	1,299.	1,342.	1,369.	1,408.	1,437.
	48"	34"	R3B0PF334 48-() ()	1,308.	1,315.	1,337.	1,380.	1,407.	1,446.	1,475.

Order Code	Specification Information	Application Notes
Example: R3B0PF33418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 one side	(K = with knockouts, N = without knockouts)	E = Extruded aluminum
34 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric Side 1	ii) Top trim profile E options:	
V512 Figured Anigre surface - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V512 Figured Anigre (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
M Optional milled frame		



Monolithic panels 34" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	R3B0PLL3418 () ()	\$595.
	20"	34"	R3B0PLL3420 () ()	595.
	24"	34"	R3B0PLL3424 () ()	649.
	30"	34"	R3B0PLL3430 () ()	727.
	36"	34"	R3B0PLL3436 () ()	786.
	42"	34"	R3B0PLL3442 () ()	810.
	48"	34"	R3B0PLL3448 () ()	848.


Order Code	Specification Information	Application Notes
Example: R3B0PLL3418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 34 34" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 laminate inside 5. Panel side 2 laminate outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum 2. <i>Base height:</i> 4 = 4" base height Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B0PFF42 18-() ()	\$552.	\$570.	\$614.	\$706.	\$776.	\$856.	\$912.
Regular acoustics	20"	42"	R3B0PFF42 20-() ()	552.	570.	614.	706.	776.	856.	912.
	24"	42"	R3B0PFF42 24-() ()	589.	607.	651.	743.	813.	893.	949.
	30"	42"	R3B0PFF42 30-() ()	642.	660.	704.	796.	886.	946.	1,002.
	36"	42"	R3B0PFF42 36-() ()	691.	709.	753.	845.	915.	995.	1,051.
	42"	42"	R3B0PFF42 42-() ()	742.	760.	804.	896.	966.	1,046.	1,102.
	48"	42"	R3B0PFF42 48-() ()	797.	815.	859.	951.	1,021.	1,101.	1,157.
	60"	42"	R3B0PFF42 60-() () *	901.	949.	1,041.	1,217.	1,347.	1,515.	1,619.
	66"	42"	R3B0PFF42 66-() () *	933.	981.	1,073.	1,249.	1,379.	1,547.	1,651.
	72"	42"	R3B0PFF42 72-() () *	963.	1,011.	1,103.	1,279.	1,409.	1,577.	1,681.
Monolithic, fabric both sides	18"	42"	R3B0PAA42 18-() ()	606.	624.	668.	760.	830.	910.	966.
High acoustics	20"	42"	R3B0PAA42 20-() ()	606.	624.	668.	760.	830.	910.	966.
	24"	42"	R3B0PAA42 24-() ()	645.	663.	707.	799.	869.	949.	1,005.
	30"	42"	R3B0PAA42 30-() ()	700.	718.	762.	854.	924.	1,004.	1,060.
	36"	42"	R3B0PAA42 36-() ()	757.	775.	819.	911.	981.	1,061.	1,117.
	42"	42"	R3B0PAA42 42-() ()	816.	834.	878.	970.	1,040.	1,120.	1,176.
	48"	42"	R3B0PAA42 48-() ()	875.	893.	937.	1,029.	1,099.	1,179.	1,235.
	60"	42"	R3B0PAA42 60-() () *	984.	1,032.	1,124.	1,300.	1,430.	1,598.	1,702.
	66"	42"	R3B0PAA42 66-() () *	1,017.	1,065.	1,157.	1,333.	1,463.	1,631.	1,735.
	72"	42"	R3B0PAA42 72-() () *	1,050.	1,098.	1,190.	1,366.	1,496.	1,664.	1,768.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 427).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.
42 42" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish	Remember to specify Beltway paint finish when applicable.
(A) Flat style top trim profile	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
(4) 4" base height	7. Base finish	*These panel widths do not accept stacking modules.
(K) Include knockouts in base	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	*Fabric inserts of these panels are two pieces, split vertically.
W281 Fabric - Side 1		
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	



Monolithic panels 42" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-() ()	\$1,088.	\$1,114.	\$1,176.	\$1,292.	\$1,362.	\$1,460.	\$1,528.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-() ()	1,088.	1,114.	1,176.	1,292.	1,362.	1,460.	1,528.
	24"	42"	R3B2PFF42 24-() ()	1,111.	1,137.	1,199.	1,315.	1,385.	1,483.	1,551.
	30"	42"	R3B2PFF42 30-() ()	1,165.	1,191.	1,253.	1,369.	1,439.	1,537.	1,605.
	36"	42"	R3B2PFF42 36-() ()	1,363.	1,389.	1,451.	1,567.	1,637.	1,735.	1,803.
	42"	42"	R3B2PFF42 42-() ()	1,466.	1,492.	1,554.	1,670.	1,740.	1,838.	1,906.
	48"	42"	R3B2PFF42 48-() ()	1,519.	1,545.	1,607.	1,723.	1,793.	1,891.	1,959.
	Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-() ()	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.
Beltway one side	20"	42"	R3B1PFF42 20-() ()	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.	1,472.
	24"	42"	R3B1PFF42 24-() ()	1,090.	1,112.	1,165.	1,269.	1,339.	1,428.	1,490.
	30"	42"	R3B1PFF42 30-() ()	1,145.	1,167.	1,220.	1,324.	1,394.	1,483.	1,545.
	36"	42"	R3B1PFF42 36-() ()	1,338.	1,360.	1,413.	1,517.	1,587.	1,676.	1,738.
	42"	42"	R3B1PFF42 42-() ()	1,439.	1,461.	1,514.	1,618.	1,688.	1,777.	1,839.
	48"	42"	R3B1PFF42 48-() ()	1,485.	1,507.	1,560.	1,664.	1,734.	1,823.	1,885.

Order Code	Specification Information	Application Notes
Example: R3B2PFF4218	<i>To order please specify pattern number including:</i>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 427).</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>*Fabric inserts of these panels are two pieces, split vertically.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B2 Beltway two sides	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside below belt	
42 42" high	5. Panel side 1 finish(s) inside above belt	
18 18" wide	6. Panel side 2 finish(s) outside below belt	
(A) Flat style top trim profile	7. Panel side 2 finish(s) outside above belt	
(4) 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
(K) Include knockouts in base	9. Base finish	
W281 Fabric - Side 1 below belt	10. Beltway finish	
W281 Fabric - Side 1 above belt	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
W281 Fabric - Side 2 below belt		
W281 Fabric - Side 2 above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black Beltway finish		

Monolithic panels 42" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PFL42 18-()()	\$475.	\$483.	\$504.	\$542.	\$574.	\$609.	\$635.
	20"	42"	R3B0PFL42 20-()()	475.	483.	504.	542.	574.	609.	635.
	24"	42"	R3B0PFL42 24-()()	481.	489.	510.	548.	580.	615.	641.
	30"	42"	R3B0PFL42 30-()()	577.	585.	606.	644.	676.	711.	737.
	36"	42"	R3B0PFL42 36-()()	624.	632.	653.	691.	723.	758.	784.
	42"	42"	R3B0PFL42 42-()()	701.	709.	730.	768.	800.	835.	861.
	48"	42"	R3B0PFL42 48-()()	763.	771.	792.	830.	862.	897.	923.
	60"	42"	R3B0PFL42 60-()()	829.	850.	889.	968.	1,026.	1,101.	1,146.
	66"	42"	R3B0PFL42 66-()()	859.	880.	919.	998.	1,056.	1,131.	1,176.
	72"	42"	R3B0PFL42 72-()()	891.	912.	951.	1,030.	1,088.	1,163.	1,208.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PFL42 18-()()	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	20"	42"	R3B1PFL42 20-()()	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	24"	42"	R3B1PFL42 24-()()	958.	970.	997.	1,048.	1,078.	1,121.	1,153.
	30"	42"	R3B1PFL42 30-()()	1,030.	1,042.	1,069.	1,120.	1,150.	1,193.	1,225.
	36"	42"	R3B1PFL42 36-()()	1,202.	1,214.	1,241.	1,292.	1,322.	1,365.	1,397.
	42"	42"	R3B1PFL42 42-()()	1,230.	1,242.	1,269.	1,320.	1,350.	1,393.	1,425.
	48"	42"	R3B1PFL42 48-()()	1,383.	1,395.	1,422.	1,473.	1,503.	1,546.	1,578.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	BO=No Beltway	A = Flat
B0 No Beltway	B1=Beltway one side	B = Square
P Monolithic panel		C = Bullnose
FL Fabric one side, laminate other		E = Extruded Aluminum
42 42" high	1. Top trim profile	<i>2. Base height:</i>
18 18" wide	2. Base height	4 = 4" base height
A Flat style top trim profile	3. Knockout option (K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt)	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
114 Folkstone grey - side 2	<i>i)Top trim profile A,B or C options:</i>	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept wood grain laminate where laminate is currently an option.
111 Jet Black (base finish)	<i>ii)Top trim profile E options:</i>	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish-only for panel with beltway option	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.)
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
		Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF142 18-()	\$558.	\$568.	\$590.	\$637.	\$673.	\$713.	\$742.
	20"	42"	R3B0PF142 20-()	558.	568.	590.	637.	673.	713.	742.
	24"	42"	R3B0PF142 24-()	563.	573.	595.	642.	678.	718.	747.
	30"	42"	R3B0PF142 30-()	678.	688.	710.	757.	793.	833.	862.
	36"	42"	R3B0PF142 36-()	734.	744.	766.	813.	849.	889.	918.
	42"	42"	R3B0PF142 42-()	827.	837.	859.	906.	942.	982.	1,011.
	48"	42"	R3B0PF142 48-()	898.	908.	930.	977.	1,013.	1,053.	1,082.
	60"	42"	R3B0PF142 60-()*	977.	1,000.	1,047.	1,138.	1,203.	1,292.	1,344.
	66"	42"	R3B0PF142 66-()*	1,015.	1,038.	1,085.	1,176.	1,241.	1,330.	1,382.
	72"	42"	R3B0PF142 72-()*	1,050.	1,073.	1,120.	1,211.	1,276.	1,365.	1,417.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF142 18-()	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	20"	42"	R3B1PF142 20-()	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	24"	42"	R3B1PF142 24-()	1,127.	1,140.	1,171.	1,231.	1,264.	1,315.	1,351.
	30"	42"	R3B1PF142 30-()	1,211.	1,224.	1,255.	1,315.	1,348.	1,399.	1,435.
	36"	42"	R3B1PF142 36-()	1,409.	1,422.	1,453.	1,513.	1,546.	1,597.	1,633.
	42"	42"	R3B1PF142 42-()	1,447.	1,460.	1,490.	1,551.	1,584.	1,635.	1,671.
	48"	42"	R3B1PF142 48-()	1,628.	1,641.	1,672.	1,732.	1,765.	1,816.	1,852.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway specify: Side 1, Below belt Side 2, Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-()	\$566.	\$576.	\$598.	\$645.	\$681.	\$721.	\$750.
	20"	42"	R3B0PF242 20-()	566.	576.	598.	645.	681.	721.	750.
	24"	42"	R3B0PF242 24-()	575.	585.	607.	654.	690.	730.	759.
	30"	42"	R3B0PF242 30-()	691.	701.	723.	770.	806.	846.	875.
	36"	42"	R3B0PF242 36-()	746.	756.	778.	825.	861.	901.	930.
	42"	42"	R3B0PF242 42-()	841.	851.	873.	920.	956.	996.	1,025.
	48"	42"	R3B0PF242 48-()	916.	926.	948.	995.	1,031.	1,071.	1,100.
	60"	42"	R3B0PF242 60-()*	990.	1,013.	1,060.	1,151.	1,216.	1,305.	1,357.
	66"	42"	R3B0PF242 66-()*	1,031.	1,054.	1,101.	1,192.	1,257.	1,346.	1,398.
	72"	42"	R3B0PF242 72-()*	1,065.	1,088.	1,135.	1,226.	1,291.	1,380.	1,432.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-()	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	20"	42"	R3B1PF242 20-()	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	24"	42"	R3B1PF242 24-()	1,144.	1,157.	1,188.	1,248.	1,281.	1,332.	1,368.
	30"	42"	R3B1PF242 30-()	1,236.	1,249.	1,280.	1,340.	1,373.	1,424.	1,460.
	36"	42"	R3B1PF242 36-()	1,437.	1,450.	1,481.	1,541.	1,574.	1,625.	1,661.
	42"	42"	R3B1PF242 42-()	1,475.	1,488.	1,519.	1,579.	1,612.	1,663.	1,699.
	48"	42"	R3B1PF242 48-()	1,656.	1,669.	1,700.	1,760.	1,793.	1,844.	1,880.

Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1- Below Beltway Side 2- Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish - (only for panels with Beltway option) 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF342 18- () ()	\$749.	\$759.	\$781.	\$828.	\$864.	\$904.	\$933.
	20"	42"	R3B0PF342 20- () ()	749.	759.	781.	828.	864.	904.	933.
	24"	42"	R3B0PF342 24- () ()	761.	771.	793.	840.	876.	916.	945.
	30"	42"	R3B0PF342 30- () ()	916.	926.	948.	995.	1,031.	1,071.	1,100.
	36"	42"	R3B0PF342 36- () ()	992.	1,002.	1,024.	1,071.	1,107.	1,147.	1,176.
	42"	42"	R3B0PF342 42- () ()	1,119.	1,129.	1,151.	1,198.	1,234.	1,274.	1,303.
	48"	42"	R3B0PF342 48- () ()	1,221.	1,231.	1,253.	1,300.	1,336.	1,376.	1,405.
	60"	42"	R3B0PF342 60- () (*)	1,306.	1,329.	1,376.	1,467.	1,532.	1,621.	1,673.
	66"	42"	R3B0PF342 66- () (*)	1,361.	1,384.	1,431.	1,522.	1,587.	1,676.	1,728.
	72"	42"	R3B0PF342 72- () (*)	1,408.	1,431.	1,478.	1,569.	1,634.	1,723.	1,775.
Monolithic, fabric one side Beltway fabric side 	18"	42"	R3B1PF342 18- () ()	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	20"	42"	R3B1PF342 20- () ()	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	24"	42"	R3B1PF342 24- () ()	1,528.	1,541.	1,572.	1,633.	1,665.	1,716.	1,752.
	30"	42"	R3B1PF342 30- () ()	1,652.	1,665.	1,696.	1,756.	1,789.	1,840.	1,876.
	36"	42"	R3B1PF342 36- () ()	1,925.	1,938.	1,969.	2,029.	2,062.	2,113.	2,149.
	42"	42"	R3B1PF342 42- () ()	1,975.	1,988.	2,019.	2,079.	2,112.	2,163.	2,199.
	48"	42"	R3B1PF342 48- () ()	2,221.	2,234.	2,265.	2,325.	2,359.	2,409.	2,445.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K R3 Reff Generation 3 B0 No Beltway, B1=Beltway, one side P Monolithic panel F3 Fabric one side, V3 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1=Below Beltway Side 2=Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway option) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	R3B0PLL4218() ()	\$630.
	20"	42"	R3B0PLL4220() ()	630.
	24"	42"	R3B0PLL4224() ()	687.
	30"	42"	R3B0PLL4230() ()	769.
	36"	42"	R3B0PLL4236() ()	831.
	42"	42"	R3B0PLL4242() ()	914.
	48"	42"	R3B0PLL4248() ()	1,023.
	60"	42"	R3B0PLL4260() ()*	1,105.
	66"	42"	R3B0PLL4266() ()*	1,139.
72"	42"	R3B0PLL4272() ()*	1,172.	

Order Code	Specification Information	Application Notes
Example: R3B0PLL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
LL Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	<i>3. Beltway:</i>
4 4" base height	i) Top trim profile A,B or C options:	B0 = No Beltway
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	B1 = Beltway 1 side
118 Laminate - side 1	ii) Top trim profile E options:	Applicable finishes are listed on page 5 and 6.
118 Laminate - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page will accept wood grain laminate where laminate is currently an option.
V512 Figured Anigre (top trim finish)	7. Base finish	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
111 Jet Black (base finish)	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
M Optional milled frame		

The Reff System does not support the stacking of modules onto 42" H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".



Product on this page can be attached to posts 42", 49", 64", and 79" H as well as panels 42", 49", 64" and 79" H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79" H hookstrip reveal strips are ordered separately from page 117 at no charge.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H fabric both sides

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	49"	R3B0PFF49 18-() ()	\$619.	\$647.	\$699.	\$809.	\$881.	\$979.	\$1,041.	
Regular acoustics	20"	49"	R3B0PFF49 20-() ()	619.	647.	699.	809.	881.	979.	1,041.	
	24"	49"	R3B0PFF49 24-() ()	660.	688.	740.	850.	922.	1,020.	1,082.	
	30"	49"	R3B0PFF49 30-() ()	717.	745.	797.	907.	979.	1,077.	1,139.	
	36"	49"	R3B0PFF49 36-() ()	750.	778.	830.	940.	1,012.	1,110.	1,172.	
	42"	49"	R3B0PFF49 42-() ()	809.	837.	889.	999.	1,071.	1,169.	1,231.	
	48"	49"	R3B0PFF49 48-() ()	888.	916.	968.	1,078.	1,150.	1,248.	1,310.	
	60"	49"	R3B0PFF49 60-() ()*	1,026.	1,072.	1,176.	1,396.	1,546.	1,740.	1,860.	
	66"	49"	R3B0PFF49 66-() ()*	1,059.	1,105.	1,209.	1,429.	1,579.	1,773.	1,893.	
	72"	49"	R3B0PFF49 72-() ()*	1,090.	1,136.	1,240.	1,460.	1,610.	1,804.	1,924.	
	Monolithic, fabric both sides	18"	49"	R3B0PAA49 18-() ()	675.	703.	755.	865.	937.	1,035.	1,097.
	High acoustics	20"	49"	R3B0PAA49 20-() ()	675.	703.	755.	865.	937.	1,035.	1,097.
	24"	49"	R3B0PAA49 24-() ()	722.	750.	802.	912.	984.	1,082.	1,144.	
	30"	49"	R3B0PAA49 30-() ()	782.	811.	863.	973.	1,045.	1,143.	1,205.	
	36"	49"	R3B0PAA49 36-() ()	821.	849.	901.	1,011.	1,083.	1,181.	1,243.	
	42"	49"	R3B0PAA49 42-() ()	887.	915.	967.	1,077.	1,149.	1,247.	1,309.	
	48"	49"	R3B0PAA49 48-() ()	974.	1,002.	1,054.	1,164.	1,236.	1,334.	1,396.	
	60"	49"	R3B0PAA49 60-() ()*	1,114.	1,160.	1,264.	1,484.	1,634.	1,828.	1,948.	
	66"	49"	R3B0PAA49 66-() ()*	1,153.	1,199.	1,303.	1,523.	1,673.	1,867.	1,987.	
	72"	49"	R3B0PAA49 72-() ()*	1,192.	1,237.	1,342.	1,562.	1,712.	1,906.	2,026.	

Order Code

Example:	R3B0PFF4918-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

*Fabric inserts of these panels are two pieces, split vertically.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.



Monolithic panels 49" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-()()	\$1,118.	\$1,154.	\$1,226.	\$1,344.	\$1,428.	\$1,550.	\$1,626.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-()()	1,118.	1,154.	1,226.	1,344.	1,428.	1,550.	1,626.
	24"	49"	R3B2PFF49 24-()()	1,141.	1,177.	1,249.	1,367.	1,451.	1,573.	1,649.
	30"	49"	R3B2PFF49 30-()()	1,199.	1,235.	1,307.	1,425.	1,509.	1,631.	1,707.
	36"	49"	R3B2PFF49 36-()()	1,415.	1,451.	1,523.	1,641.	1,725.	1,847.	1,923.
	42"	49"	R3B2PFF49 42-()()	1,523.	1,559.	1,631.	1,749.	1,833.	1,955.	2,031.
	48"	49"	R3B2PFF49 48-()()	1,577.	1,613.	1,685.	1,803.	1,887.	2,009.	2,085.
	Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-()()	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.
Beltway one side	20"	49"	R3B1PFF49 20-()()	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.	1,563.
	24"	49"	R3B1PFF49 24-()()	1,120.	1,152.	1,214.	1,328.	1,406.	1,516.	1,585.
	30"	49"	R3B1PFF49 30-()()	1,174.	1,206.	1,268.	1,382.	1,460.	1,570.	1,639.
	36"	49"	R3B1PFF49 36-()()	1,388.	1,420.	1,482.	1,596.	1,674.	1,784.	1,853.
	42"	49"	R3B1PFF49 42-()()	1,491.	1,523.	1,585.	1,699.	1,777.	1,887.	1,956.
	48"	49"	R3B1PFF49 48-()()	1,544.	1,576.	1,638.	1,752.	1,830.	1,940.	2,009.

Order Code	Specification Information	Application Notes
Example: R3B2PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B2 Beltway, both sides	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
FF Fabric on both sides	4. Panel 1 finish(s) Below Belt	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
49 49" high	5. Panel 2 finish(s) Above Belt	6" Raceway option increases panel height by 2 ³ / ₄ ".
18 18" wide	6. Panel 2 finish(s) Below Belt	Applicable finishes are listed on page 5 and 6.
A Flat style top trim profile	7. Panel 2 finish(s) Above Belt	*Fabric inserts of these panels are two pieces, split vertically.
4 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
K Include knockouts in base	9. Base finish	
W281 Side 1 - Below Belt	10. Beltway finish	
W281 Side 1 - Above Belt		
W281 Side 2 - Below Belt		
W281 Side 2 - Above Belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
111 Beltway finish		

Monolithic panels 49" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PFL49 18-() ()	\$525.	\$540.	\$561.	\$611.	\$643.	\$686.	\$713.
	20"	49"	R3B0PFL49 20-() ()	525.	540.	561.	611.	643.	686.	713.
	24"	49"	R3B0PFL49 24-() ()	574.	589.	610.	660.	692.	735.	762.
	30"	49"	R3B0PFL49 30-() ()	651.	666.	687.	737.	769.	812.	839.
	36"	49"	R3B0PFL49 36-() ()	702.	717.	738.	788.	820.	863.	890.
	42"	49"	R3B0PFL49 42-() ()	775.	790.	811.	861.	893.	936.	963.
	48"	49"	R3B0PFL49 48-() ()	872.	887.	908.	958.	990.	1,033.	1,060.
	60"	49"	R3B0PFL49 60-() () *	951.	971.	1,019.	1,114.	1,180.	1,268.	1,319.
	66"	49"	R3B0PFL49 66-() () *	978.	998.	1,046.	1,141.	1,207.	1,295.	1,346.
	72"	49"	R3B0PFL49 72-() () *	1,012.	1,032.	1,080.	1,175.	1,241.	1,329.	1,380.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PFL49 18-() ()	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	20"	49"	R3B1PFL49 20-() ()	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	24"	49"	R3B1PFL49 24-() ()	989.	1,005.	1,035.	1,089.	1,125.	1,177.	1,214.
	30"	49"	R3B1PFL49 30-() ()	1,063.	1,079.	1,109.	1,163.	1,199.	1,251.	1,288.
	36"	49"	R3B1PFL49 36-() ()	1,277.	1,293.	1,323.	1,377.	1,413.	1,465.	1,502.
	42"	49"	R3B1PFL49 42-() ()	1,394.	1,410.	1,440.	1,494.	1,530.	1,582.	1,619.
	48"	49"	R3B1PFL49 48-() ()	1,470.	1,486.	1,516.	1,570.	1,606.	1,658.	1,695.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option, please specify, Side 1 - Below Beltway Side 1 - Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF149 18-() ()	\$619.	\$635.	\$660.	\$716.	\$755.	\$802.	\$836.
	20"	49"	R3B0PF149 20-() ()	619.	635.	660.	716.	755.	802.	836.
	24"	49"	R3B0PF149 24-() ()	676.	692.	717.	772.	812.	859.	893.
	30"	49"	R3B0PF149 30-() ()	770.	786.	811.	867.	906.	953.	987.
	36"	49"	R3B0PF149 36-() ()	825.	841.	866.	922.	961.	1,008.	1,042.
	42"	49"	R3B0PF149 42-() ()	913.	929.	954.	1,010.	1,049.	1,096.	1,130.
	48"	49"	R3B0PF149 48-() ()	1,026.	1,042.	1,067.	1,123.	1,162.	1,209.	1,243.
	60"	49"	R3B0PF149 60-() () *	1,116.	1,141.	1,196.	1,307.	1,383.	1,481.	1,543.
	66"	49"	R3B0PF149 66-() () *	1,148.	1,173.	1,228.	1,339.	1,415.	1,513.	1,575.
	72"	49"	R3B0PF149 72-() () *	1,188.	1,213.	1,268.	1,379.	1,455.	1,553.	1,615.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF149 18-() ()	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	20"	49"	R3B1PF149 20-() ()	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	24"	49"	R3B1PF149 24-() ()	1,161.	1,178.	1,216.	1,276.	1,317.	1,379.	1,419.
	30"	49"	R3B1PF149 30-() ()	1,248.	1,265.	1,303.	1,363.	1,404.	1,466.	1,506.
	36"	49"	R3B1PF149 36-() ()	1,500.	1,517.	1,555.	1,615.	1,656.	1,718.	1,758.
	42"	49"	R3B1PF149 42-() ()	1,641.	1,658.	1,696.	1,756.	1,797.	1,859.	1,899.
	48"	49"	R3B1PF149 48-() ()	1,726.	1,743.	1,781.	1,841.	1,882.	1,944.	1,984.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top rim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF249 18-() ()	\$629.	\$645.	\$670.	\$726.	\$765.	\$812.	\$846.
	20"	49"	R3B0PF249 20-() ()	629.	645.	670.	726.	765.	812.	846.
	24"	49"	R3B0PF249 24-() ()	689.	705.	730.	786.	825.	872.	906.
	30"	49"	R3B0PF249 30-() ()	781.	797.	822.	878.	917.	964.	998.
	36"	49"	R3B0PF249 36-() ()	840.	856.	881.	937.	976.	1,023.	1,057.
	42"	49"	R3B0PF249 42-() ()	929.	945.	970.	1,026.	1,065.	1,112.	1,146.
	48"	49"	R3B0PF249 48-() ()	1,048.	1,064.	1,089.	1,145.	1,184.	1,231.	1,265.
	60"	49"	R3B0PF249 60-() () *	1,136.	1,161.	1,216.	1,327.	1,403.	1,501.	1,563.
	66"	49"	R3B0PF249 66-() () *	1,173.	1,198.	1,253.	1,364.	1,440.	1,538.	1,600.
	72"	49"	R3B0PF249 72-() () *	1,209.	1,234.	1,289.	1,400.	1,476.	1,574.	1,636.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF249 18-() ()	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	20"	49"	R3B1PF249 20-() ()	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	24"	49"	R3B1PF249 24-() ()	1,182.	1,199.	1,237.	1,297.	1,338.	1,400.	1,440.
	30"	49"	R3B1PF249 30-() ()	1,275.	1,292.	1,330.	1,390.	1,431.	1,493.	1,533.
	36"	49"	R3B1PF249 36-() ()	1,531.	1,548.	1,586.	1,646.	1,687.	1,749.	1,789.
	42"	49"	R3B1PF249 42-() ()	1,669.	1,686.	1,724.	1,784.	1,825.	1,887.	1,927.
	48"	49"	R3B1PF249 48-() ()	1,755.	1,772.	1,810.	1,870.	1,911.	1,973.	2,013.

Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 49 49" high 18 18" wide A Flat style top trim option 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF349 18- () ()	\$831.	\$847.	\$872.	\$928.	\$967.	\$1,014.	\$1,048.
	20"	49"	R3B0PF349 20- () ()	831.	847.	872.	928.	967.	1,014.	1,048.
	24"	49"	R3B0PF349 24- () ()	911.	927.	952.	1,008.	1,047.	1,094.	1,128.
	30"	49"	R3B0PF349 30- () ()	1,037.	1,053.	1,078.	1,134.	1,173.	1,220.	1,254.
	36"	49"	R3B0PF349 36- () ()	1,117.	1,133.	1,158.	1,214.	1,253.	1,300.	1,334.
	42"	49"	R3B0PF349 42- () ()	1,235.	1,251.	1,276.	1,332.	1,371.	1,418.	1,452.
	48"	49"	R3B0PF349 48- () ()	1,395.	1,411.	1,436.	1,492.	1,531.	1,578.	1,612.
	60"	49"	R3B0PF349 60- () ()*	1,497.	1,522.	1,577.	1,688.	1,764.	1,862.	1,924.
	66"	49"	R3B0PF349 66- () ()*	1,546.	1,571.	1,626.	1,737.	1,813.	1,911.	1,973.
	72"	49"	R3B0PF349 72- () ()*	1,593.	1,618.	1,673.	1,784.	1,860.	1,958.	2,020.
Monolithic, fabric one side Beltway fabric side 	18"	49"	R3B1PF349 18- () ()	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	20"	49"	R3B1PF349 20- () ()	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	24"	49"	R3B1PF349 24- () ()	1,578.	1,595.	1,633.	1,693.	1,734.	1,796.	1,836.
	30"	49"	R3B1PF349 30- () ()	1,701.	1,718.	1,756.	1,816.	1,857.	1,919.	1,959.
	36"	49"	R3B1PF349 36- () ()	2,049.	2,066.	2,104.	2,164.	2,205.	2,267.	2,307.
	42"	49"	R3B1PF349 42- () ()	2,235.	2,252.	2,290.	2,350.	2,391.	2,453.	2,493.
	48"	49"	R3B1PF349 48- () ()	2,352.	2,369.	2,407.	2,467.	2,508.	2,570.	2,610.

Order Code	Specification Information	Application Notes
Example: R3B0PF34918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt	6" Raceway option increases panel height by 2 3/4".
49 49" high	5. Panel side 2 finish(s) outside	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
A Flat style top trim option	7. Base finish	Remember to specify Beltway paint finish when applicable.
4 4" base height	8. Beltway finish - only for panels with Beltway	*These panel widths do not accept stacking modules.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric - Side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	49"	R3B0PLL4918() ()	\$748.
	20"	49"	R3B0PLL4920() ()	748.
	24"	49"	R3B0PLL4924() ()	816.
	30"	49"	R3B0PLL4930() ()	914.
	36"	49"	R3B0PLL4936() ()	987.
	42"	49"	R3B0PLL4942() ()	1,085.
	48"	49"	R3B0PLL4948() ()	1,215.
	60"	49"	R3B0PLL4960() ()*	1,312.
	66"	49"	R3B0PLL4966() ()*	1,351.
	72"	49"	R3B0PLL4972() ()*	1,392.

Order Code

Example:	R3B0PLL4918-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically



Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B0PFF64 18-() ()	\$713.	\$745.	\$815.	\$953.	\$1,051.	\$1,179.	\$1,261.
Regular acoustics	20"	64"	R3B0PFF64 20-() ()	713.	745.	815.	953.	1,051.	1,179.	1,261.
	24"	64"	R3B0PFF64 24-() ()	756.	788.	858.	996.	1,094.	1,222.	1,304.
	30"	64"	R3B0PFF64 30-() ()	812.	844.	914.	1,052.	1,150.	1,278.	1,360.
	36"	64"	R3B0PFF64 36-() ()	833.	865.	935.	1,073.	1,171.	1,299.	1,381.
	42"	64"	R3B0PFF64 42-() ()	969.	1,001.	1,071.	1,209.	1,307.	1,435.	1,517.
	48"	64"	R3B0PFF64 48-() ()	1,026.	1,058.	1,128.	1,266.	1,364.	1,492.	1,574.
	60"	64"	R3B0PFF64 60-() () *	1,189.	1,265.	1,395.	1,687.	1,889.	2,141.	2,307.
	66"	64"	R3B0PFF64 66-() () *	1,227.	1,303.	1,433.	1,725.	1,927.	2,179.	2,345.
	72"	64"	R3B0PFF64 72-() () *	1,267.	1,343.	1,473.	1,765.	1,967.	2,219.	2,385.
Monolithic, fabric both sides	18"	64"	R3B0PAA64 18-() ()	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
High acoustics	20"	64"	R3B0PAA64 20-() ()	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
	24"	64"	R3B0PAA64 24-() ()	828.	860.	930.	1,068.	1,166.	1,294.	1,376.
	30"	64"	R3B0PAA64 30-() ()	888.	920.	990.	1,128.	1,226.	1,354.	1,436.
	36"	64"	R3B0PAA64 36-() ()	910.	942.	1,012.	1,150.	1,248.	1,376.	1,458.
	42"	64"	R3B0PAA64 42-() ()	1,064.	1,096.	1,166.	1,304.	1,402.	1,530.	1,612.
	48"	64"	R3B0PAA64 48-() ()	1,126.	1,158.	1,228.	1,366.	1,464.	1,592.	1,674.
	60"	64"	R3B0PAA64 60-() () *	1,291.	1,367.	1,497.	1,789.	1,991.	2,243.	2,409.
	66"	64"	R3B0PAA64 66-() () *	1,334.	1,410.	1,540.	1,832.	2,034.	2,286.	2,452.
	72"	64"	R3B0PAA64 72-() () *	1,377.	1,453.	1,583.	1,875.	2,077.	2,329.	2,495.

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside	
64 64" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
A Flat style top trim profile	7. Base finish	
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
K Include knockouts in base		
W281 Fabric - Side 1		
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 64" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-() ()	\$1,221.	\$1,257.	\$1,341.	\$1,511.	\$1,619.	\$1,775.	\$1,879.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-() ()	1,221.	1,257.	1,341.	1,511.	1,619.	1,775.	1,879.
	24"	64"	R3B2PFF64 24-() ()	1,281.	1,317.	1,401.	1,571.	1,679.	1,835.	1,939.
	30"	64"	R3B2PFF64 30-() ()	1,311.	1,347.	1,431.	1,601.	1,709.	1,865.	1,969.
	36"	64"	R3B2PFF64 36-() ()	1,586.	1,622.	1,706.	1,876.	1,984.	2,140.	2,244.
	42"	64"	R3B2PFF64 42-() ()	1,697.	1,733.	1,817.	1,987.	2,095.	2,251.	2,355.
	48"	64"	R3B2PFF64 48-() ()	1,754.	1,790.	1,874.	2,044.	2,152.	2,308.	2,412.





Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-() ()	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
Beltway one side	20"	64"	R3B1PFF64 20-() ()	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
	24"	64"	R3B1PFF64 24-() ()	1,250.	1,284.	1,361.	1,515.	1,618.	1,760.	1,853.
	30"	64"	R3B1PFF64 30-() ()	1,279.	1,313.	1,390.	1,544.	1,647.	1,789.	1,882.
	36"	64"	R3B1PFF64 36-() ()	1,553.	1,587.	1,664.	1,818.	1,921.	2,063.	2,156.
	42"	64"	R3B1PFF64 42-() ()	1,660.	1,694.	1,771.	1,925.	2,028.	2,170.	2,263.
	48"	64"	R3B1PFF64 48-() ()	1,712.	1,746.	1,823.	1,977.	2,080.	2,222.	2,315.

Order Code	Specification Information	Application Notes
Example: R3B2PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B2 Beltway both sides, B1=Beltway, one side	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) Below Belt	
64 64" high	5. Panel side 1 finish(s) Above Belt	
18 18" wide	6. Panel side 2 finish(s) Below Belt	
A Flat style top trim profile	7. Panel side 2 finish(s) Above Belt	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
W281 Fabric - Side 1 Below belt	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
W281 Fabric - Side 1 Above belt		
W281 Fabric - Side 2 Below belt		
W281 Fabric - Side 2 Above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		

Monolithic panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PFL64 18-() ()	\$625.	\$640.	\$669.	\$732.	\$774.	\$831.	\$868.
	20"	64"	R3B0PFL64 20-() ()	625.	640.	669.	732.	774.	831.	868.
	24"	64"	R3B0PFL64 24-() ()	687.	702.	731.	794.	836.	893.	930.
	30"	64"	R3B0PFL64 30-() ()	776.	791.	820.	883.	925.	982.	1,019.
	36"	64"	R3B0PFL64 36-() ()	836.	851.	880.	943.	985.	1,042.	1,079.
	42"	64"	R3B0PFL64 42-() ()	927.	942.	971.	1,034.	1,076.	1,133.	1,170.
	48"	64"	R3B0PFL64 48-() ()	1,043.	1,058.	1,087.	1,150.	1,192.	1,249.	1,286.
	60"	64"	R3B0PFL64 60-() () *	1,129.	1,163.	1,221.	1,351.	1,438.	1,551.	1,624.
	66"	64"	R3B0PFL64 66-() () *	1,168.	1,201.	1,260.	1,390.	1,477.	1,590.	1,663.
	72"	64"	R3B0PFL64 72-() () *	1,206.	1,239.	1,298.	1,428.	1,515.	1,628.	1,701.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PFL64 18-() ()	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	20"	64"	R3B1PFL64 20-() ()	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	24"	64"	R3B1PFL64 24-() ()	1,131.	1,148.	1,185.	1,261.	1,308.	1,375.	1,423.
	30"	64"	R3B1PFL64 30-() ()	1,198.	1,215.	1,252.	1,328.	1,375.	1,442.	1,490.
	36"	64"	R3B1PFL64 36-() ()	1,489.	1,506.	1,543.	1,619.	1,666.	1,733.	1,781.
	42"	64"	R3B1PFL64 42-() ()	1,546.	1,563.	1,600.	1,676.	1,723.	1,790.	1,838.
	48"	64"	R3B1PFL64 48-() ()	1,672.	1,689.	1,726.	1,802.	1,849.	1,916.	1,964.

Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1-Below belt Side 1-Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

fabric one side, techwood other side



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF164 18-() ()	\$734.	\$750.	\$787.	\$858.	\$906.	\$972.	\$1,015.
	20"	64"	R3B0PF164 20-() ()	734.	750.	787.	858.	906.	972.	1,015.
	24"	64"	R3B0PF164 24-() ()	805.	821.	858.	929.	977.	1,043.	1,086.
	30"	64"	R3B0PF164 30-() ()	912.	928.	965.	1,036.	1,084.	1,150.	1,193.
	36"	64"	R3B0PF164 36-() ()	985.	1,001.	1,038.	1,109.	1,157.	1,223.	1,266.
	42"	64"	R3B0PF164 42-() ()	1,090.	1,106.	1,143.	1,214.	1,262.	1,328.	1,371.
	48"	64"	R3B0PF164 48-() ()	1,228.	1,244.	1,281.	1,352.	1,400.	1,466.	1,509.
	60"	64"	R3B0PF164 60-() () *	1,328.	1,367.	1,434.	1,583.	1,684.	1,815.	1,900.
	66"	64"	R3B0PF164 66-() () *	1,374.	1,413.	1,480.	1,629.	1,730.	1,861.	1,946.
	72"	64"	R3B0PF164 72-() () *	1,419.	1,458.	1,525.	1,674.	1,775.	1,906.	1,991.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF164 18-() ()	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	20"	64"	R3B1PF164 20-() ()	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	24"	64"	R3B1PF164 24-() ()	1,327.	1,343.	1,387.	1,473.	1,527.	1,606.	1,662.
	30"	64"	R3B1PF164 30-() ()	1,409.	1,425.	1,469.	1,555.	1,609.	1,688.	1,744.
	36"	64"	R3B1PF164 36-() ()	1,750.	1,766.	1,810.	1,896.	1,950.	2,029.	2,085.
	42"	64"	R3B1PF164 42-() ()	1,820.	1,836.	1,880.	1,966.	2,020.	2,099.	2,155.
	48"	64"	R3B1PF164 48-() ()	1,966.	1,982.	2,026.	2,112.	2,166.	2,245.	2,301.

Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

fabric one side, conventional veneer other side


Reff Profiles


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF264 18-() ()	\$749.	\$765.	\$802.	\$873.	\$921.	\$987.	\$1,030.
	20"	64"	R3B0PF264 20-() ()	749.	765.	802.	873.	921.	987.	1,030.
	24"	64"	R3B0PF264 24-() ()	820.	836.	873.	944.	992.	1,058.	1,101.
	30"	64"	R3B0PF264 30-() ()	928.	944.	981.	1,052.	1,100.	1,166.	1,209.
	36"	64"	R3B0PF264 36-() ()	1,000.	1,016.	1,053.	1,124.	1,172.	1,238.	1,281.
	42"	64"	R3B0PF264 42-() ()	1,108.	1,124.	1,161.	1,232.	1,280.	1,346.	1,389.
	48"	64"	R3B0PF264 48-() ()	1,251.	1,267.	1,304.	1,375.	1,423.	1,489.	1,532.
	60"	64"	R3B0PF264 60-() () *	1,348.	1,387.	1,454.	1,603.	1,704.	1,835.	1,920.
	66"	64"	R3B0PF264 66-() () *	1,396.	1,435.	1,502.	1,651.	1,752.	1,883.	1,968.
	72"	64"	R3B0PF264 72-() () *	1,445.	1,484.	1,551.	1,700.	1,801.	1,932.	2,017.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF264 18-() ()	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	20"	64"	R3B1PF264 20-() ()	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	24"	64"	R3B1PF264 24-() ()	1,353.	1,369.	1,413.	1,499.	1,553.	1,632.	1,688.
	30"	64"	R3B1PF264 30-() ()	1,435.	1,451.	1,495.	1,581.	1,635.	1,714.	1,770.
	36"	64"	R3B1PF264 36-() ()	1,779.	1,795.	1,839.	1,925.	1,979.	2,058.	2,114.
	42"	64"	R3B1PF264 42-() ()	1,853.	1,869.	1,913.	1,999.	2,053.	2,132.	2,188.
	48"	64"	R3B1PF264 48-() ()	2,002.	2,018.	2,062.	2,148.	2,202.	2,281.	2,337.

Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	Remember to specify Beltway paint finish when applicable.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF364 18-() ()	\$988.	\$1,004.	\$1,041.	\$1,112.	\$1,160.	\$1,226.	\$1,269.
Regular acoustics	20"	64"	R3B0PF364 20-() ()	988.	1,004.	1,041.	1,112.	1,160.	1,226.	1,269.
	24"	64"	R3B0PF364 24-() ()	1,084.	1,100.	1,137.	1,208.	1,256.	1,322.	1,365.
	30"	64"	R3B0PF364 30-() ()	1,227.	1,243.	1,280.	1,351.	1,399.	1,465.	1,508.
	36"	64"	R3B0PF364 36-() ()	1,326.	1,342.	1,379.	1,450.	1,498.	1,564.	1,607.
	42"	64"	R3B0PF364 42-() ()	1,473.	1,489.	1,526.	1,597.	1,645.	1,711.	1,754.
	48"	64"	R3B0PF364 48-() ()	1,664.	1,680.	1,717.	1,788.	1,836.	1,902.	1,945.
	60"	64"	R3B0PF364 60-() ()*	1,773.	1,812.	1,879.	2,028.	2,129.	2,260.	2,345.
	66"	64"	R3B0PF364 66-() ()*	1,838.	1,877.	1,944.	2,093.	2,194.	2,325.	2,410.
	72"	64"	R3B0PF364 72-() ()*	1,903.	1,942.	2,009.	2,158.	2,259.	2,390.	2,475.

Monolithic, fabric one side	18"	64"	R3B1PF364 18-() ()	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
Beltway fabric side	20"	64"	R3B1PF364 20-() ()	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
	24"	64"	R3B1PF364 24-() ()	1,799.	1,815.	1,859.	1,945.	1,999.	2,078.	2,134.
	30"	64"	R3B1PF364 30-() ()	1,910.	1,926.	1,970.	2,056.	2,110.	2,189.	2,245.
	36"	64"	R3B1PF364 36-() ()	2,376.	2,392.	2,436.	2,522.	2,576.	2,655.	2,711.
	42"	64"	R3B1PF364 42-() ()	2,474.	2,490.	2,534.	2,620.	2,674.	2,753.	2,809.
	48"	64"	R3B1PF364 48-() ()	2,677.	2,693.	2,737.	2,823.	2,877.	2,956.	3,012.

Order Code	Specification Information
Example: R3B0PF36418-A4K	
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside For panels with beltway, please specify: Side 1 - Below belt Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
6" Raceway option increases panel height by 2 3/4".
Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H


Laminate/Laminate


Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	R3B0PLL6418()()	\$833.
	20"	64"	R3B0PLL6420()()	833.
	24"	64"	R3B0PLL6424()()	908.
	30"	64"	R3B0PLL6430()()	1,017.
	36"	64"	R3B0PLL6436()()	1,098.
	42"	64"	R3B0PLL6442()()	1,207.
	48"	64"	R3B0PLL6448()()	1,352.
	60"	64"	R3B0PLL6460()()*	1,461.
	66"	64"	R3B0PLL6466()()*	1,505.
	72"	64"	R3B0PLL6472()()*	1,550.

Order Code	Specification Information	Application Notes
Example: R3B0PLL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	79"	R3B0PFF79 18-() ()	\$889.	\$937.	\$1,019.	\$1,193.	\$1,311.	\$1,471.	\$1,565.
	20"	79"	R3B0PFF79 20-() ()	889.	937.	1,019.	1,193.	1,311.	1,471.	1,565.
	24"	79"	R3B0PFF79 24-() ()	946.	994.	1,076.	1,250.	1,368.	1,528.	1,622.
	30"	79"	R3B0PFF79 30-() ()	1,021.	1,069.	1,151.	1,325.	1,443.	1,603.	1,697.
	36"	79"	R3B0PFF79 36-() ()	1,047.	1,095.	1,177.	1,351.	1,469.	1,629.	1,723.
	42"	79"	R3B0PFF79 42-() ()	1,125.	1,173.	1,255.	1,429.	1,547.	1,707.	1,801.
	48"	79"	R3B0PFF79 48-() ()	1,247.	1,295.	1,377.	1,551.	1,669.	1,829.	1,923.
	60"	79"	R3B0PFF79 60-() ()	1,442.	1,536.	1,700.	2,048.	2,294.	2,608.	2,800.
	66"	79"	R3B0PFF79 66-() ()	1,476.	1,570.	1,773.	2,082.	2,328.	2,642.	2,834.
	72"	79"	R3B0PFF79 72-() ()	1,509.	1,603.	1,767.	2,115.	2,361.	2,675.	2,867.


Monolithic, fabric both sides High acoustics 	18"	79"	R3B0PAA79 18-() ()	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	20"	79"	R3B0PAA79 20-() ()	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	24"	79"	R3B0PAA79 24-() ()	1,032.	1,080.	1,162.	1,336.	1,454.	1,614.	1,708.
	30"	79"	R3B0PAA79 30-() ()	1,116.	1,164.	1,246.	1,420.	1,538.	1,698.	1,792.
	36"	79"	R3B0PAA79 36-() ()	1,150.	1,198.	1,280.	1,454.	1,572.	1,732.	1,826.
	42"	79"	R3B0PAA79 42-() ()	1,233.	1,281.	1,363.	1,537.	1,655.	1,815.	1,909.
	48"	79"	R3B0PAA79 48-() ()	1,371.	1,419.	1,501.	1,675.	1,793.	1,953.	2,047.
	60"	79"	R3B0PAA79 60-() ()	1,570.	1,664.	1,828.	2,176.	2,422.	2,736.	2,928.
	66"	79"	R3B0PAA79 66-() ()	1,606.	1,700.	1,864.	2,212.	2,458.	2,772.	2,964.
	72"	79"	R3B0PAA79 72-() ()	1,640.	1,734.	1,898.	2,246.	2,492.	2,806.	2,998.

Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FF Fabric on both sides 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 W281 Fabric - Side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled profile	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional</i> : specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile</i> : A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height</i> : 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6.
		The panels on this page are not designed to be stacked upon. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Monolithic panels 79" H

fabric both sides with Beltway

description	w	h	pattern n	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway one side	18"	79"	R3B1PFF79 18-() ()	\$1,280.	\$1,329.	\$1,421.	\$1,616.	\$1,742.	\$1,921.	\$2,033.
	20"	79"	R3B1PFF79 20-() ()	1,280.	1,329.	1,421.	1,616.	1,742.	1,921.	2,033.
	24"	79"	R3B1PFF79 24-() ()	1,339.	1,388.	1,480.	1,675.	1,801.	1,980.	2,092.
	30"	79"	R3B1PFF79 30-() ()	1,366.	1,415.	1,507.	1,702.	1,828.	2,007.	2,119.
	36"	79"	R3B1PFF79 36-() ()	1,639.	1,688.	1,780.	1,975.	2,101.	2,280.	2,392.
	42"	79"	R3B1PFF79 42-() ()	1,746.	1,795.	1,887.	2,082.	2,208.	2,387.	2,499.
	48"	79"	R3B1PFF79 48-() ()	1,798.	1,847.	1,939.	2,134.	2,260.	2,439.	2,551.



Monolithic, fabric both sides Beltway two sides	18"	79"	R3B2PFF79 18-() ()	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	20"	79"	R3B2PFF79 20-() ()	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	24"	79"	R3B2PFF79 24-() ()	1,405.	1,455.	1,557.	1,773.	1,907.	2,105.	2,235.
	30"	79"	R3B2PFF79 30-() ()	1,433.	1,483.	1,585.	1,801.	1,935.	2,133.	2,263.
	36"	79"	R3B2PFF79 36-() ()	1,710.	1,760.	1,862.	2,078.	2,212.	2,410.	2,540.
	42"	79"	R3B2PFF79 42-() ()	1,820.	1,870.	1,972.	2,188.	2,322.	2,520.	2,650.
	48"	79"	R3B2PFF79 48-() ()	1,876.	1,926.	2,028.	2,244.	2,378.	2,576.	2,706.



Order Code	Specification Information	Application Notes
Example: R3B1PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 below belt	<i>2. Base height:</i>
18 18" wide	5. Panel side 1 above belt	4 = 4" base height
A Flat style top trim	6. Panel side 2 below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	7. Panel side 2 above belt	<i>3. Beltway:</i>
K Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
W281 Fabric - Side 1 below belt	i)Top trim profile A,B or C options:	B2 = Beltway 2 sides
W281 Fabric - Side 1 above belt	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 2 below belt	ii)Top trim profile E options:	
W281 Fabric - Side 2 above belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	9. Base finish	
111 Jet Black (base finish)	10. Beltway finish	
111 Beltway finish	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

fabric one side, laminate other side



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PFL79 18-() ()	\$789.	\$810.	\$846.	\$923.	\$975.	\$1,046.	\$1,088.
	20"	79"	R3B0PFL79 20-() ()	789.	810.	846.	923.	975.	1,046.	1,088.
	24"	79"	R3B0PFL79 24-() ()	864.	885.	921.	998.	1,050.	1,121.	1,163.
	30"	79"	R3B0PFL79 30-() ()	972.	993.	1,029.	1,106.	1,158.	1,229.	1,271.
	36"	79"	R3B0PFL79 36-() ()	1,060.	1,081.	1,117.	1,194.	1,246.	1,317.	1,359.
	42"	79"	R3B0PFL79 42-() ()	1,173.	1,194.	1,230.	1,307.	1,359.	1,430.	1,472.
	48"	79"	R3B0PFL79 48-() ()	1,311.	1,332.	1,368.	1,445.	1,497.	1,568.	1,610.
	60"	79"	R3B0PFL79 60-() ()	1,412.	1,454.	1,526.	1,679.	1,788.	1,927.	2,011.
	66"	79"	R3B0PFL79 66-() ()	1,440.	1,482.	1,554.	1,707.	1,816.	1,955.	2,039.
	72"	79"	R3B0PFL79 72-() ()	1,469.	1,511.	1,583.	1,736.	1,845.	1,984.	2,068.

Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PFL79 18-() ()	1,139.	1,163.	1,208.	1,303.	1,362.	1,450.	1,508.
	20"	79"	R3B1PFL79 20-() ()	1,139.	1,163.	1,208.	1,303.	1,363.	1,450.	1,508.
	24"	79"	R3B1PFL79 24-() ()	1,218.	1,242.	1,287.	1,382.	1,441.	1,529.	1,587.
	30"	79"	R3B1PFL79 30-() ()	1,290.	1,314.	1,359.	1,454.	1,513.	1,601.	1,659.
	36"	79"	R3B1PFL79 36-() ()	1,599.	1,623.	1,668.	1,763.	1,822.	1,910.	1,968.
	42"	79"	R3B1PFL79 42-() ()	1,745.	1,769.	1,814.	1,909.	1,968.	2,056.	2,114.
	48"	79"	R3B1PFL79 48-() ()	1,825.	1,849.	1,894.	1,989.	2,048.	2,136.	2,194.

Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below belt Side 1 - Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page are not designed to be stacked upon. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF179 18-() ()	\$926.	\$950.	\$992.	\$1,081.	\$1,142.	\$1,222.	\$1,273.
	20"	79"	R3B0PF179 20-() ()	926.	950.	992.	1,081.	1,142.	1,222.	1,273.
	24"	79"	R3B0PF179 24-() ()	1,012.	1,036.	1,078.	1,167.	1,228.	1,308.	1,359.
	30"	79"	R3B0PF179 30-() ()	1,145.	1,169.	1,211.	1,300.	1,361.	1,441.	1,492.
	36"	79"	R3B0PF179 36-() ()	1,247.	1,271.	1,313.	1,402.	1,463.	1,543.	1,594.
	42"	79"	R3B0PF179 42-() ()	1,377.	1,401.	1,443.	1,532.	1,593.	1,673.	1,724.
	48"	79"	R3B0PF179 48-() ()	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	60"	79"	R3B0PF179 60-() ()	1,658.	1,706.	1,790.	1,967.	2,094.	2,252.	2,350.
	66"	79"	R3B0PF179 66-() ()	1,694.	1,742.	1,826.	2,003.	2,130.	2,288.	2,386.
	72"	79"	R3B0PF179 72-() ()	1,722.	1,770.	1,854.	2,031.	2,158.	2,316.	2,414.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF179 18-() ()	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	20"	79"	R3B1PF179 20-() ()	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	24"	79"	R3B1PF179 24-() ()	1,430.	1,455.	1,507.	1,618.	1,686.	1,787.	1,855.
	30"	79"	R3B1PF179 30-() ()	1,519.	1,544.	1,596.	1,707.	1,775.	1,876.	1,944.
	36"	79"	R3B1PF179 36-() ()	1,882.	1,907.	1,959.	2,070.	2,138.	2,239.	2,307.
	42"	79"	R3B1PF179 42-() ()	2,050.	2,075.	2,127.	2,238.	2,306.	2,407.	2,475.
	48"	79"	R3B1PF179 48-() ()	2,143.	2,168.	2,220.	2,331.	2,399.	2,500.	2,568.

Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	
W281 Fabric - Side 1	6. Top trim finish	<i>6" Raceway option increases panel height by 2 3/4".</i>
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish when applicable.
111 Jet Black (base finish)	ii) Top trim profile E options:	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 79" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF279 18-() ()	\$942.	\$966.	\$1,008.	\$1,097.	\$1,158.	\$1,238.	\$1,289.
	20"	79"	R3B0PF279 20-() ()	942.	966.	1,008.	1,097.	1,158.	1,238.	1,289.
	24"	79"	R3B0PF279 24-() ()	1,032.	1,056.	1,098.	1,187.	1,248.	1,328.	1,379.
	30"	79"	R3B0PF279 30-() ()	1,165.	1,189.	1,231.	1,320.	1,381.	1,461.	1,512.
	36"	79"	R3B0PF279 36-() ()	1,269.	1,293.	1,335.	1,424.	1,485.	1,565.	1,616.
	42"	79"	R3B0PF279 42-() ()	1,403.	1,427.	1,469.	1,558.	1,619.	1,699.	1,750.
	48"	79"	R3B0PF279 48-() ()	1,570.	1,594.	1,636.	1,725.	1,786.	1,866.	1,917.
	60"	79"	R3B0PF279 60-() ()	1,689.	1,737.	1,821.	1,998.	2,125.	2,283.	2,381.
	66"	79"	R3B0PF279 66-() ()	1,721.	1,769.	1,853.	2,030.	2,157.	2,315.	2,413.
72"	79"	R3B0PF279 72-() ()	1,757.	1,805.	1,889.	2,066.	2,193.	2,351.	2,449.	
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF279 18-() ()	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	20"	79"	R3B1PF279 20-() ()	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	24"	79"	R3B1PF279 24-() ()	1,456.	1,481.	1,533.	1,644.	1,712.	1,813.	1,881.
	30"	79"	R3B1PF279 30-() ()	1,544.	1,569.	1,621.	1,732.	1,800.	1,901.	1,969.
	36"	79"	R3B1PF279 36-() ()	1,913.	1,938.	1,990.	2,101.	2,169.	2,270.	2,338.
	42"	79"	R3B1PF279 42-() ()	2,087.	2,112.	2,164.	2,275.	2,343.	2,444.	2,512.
	48"	79"	R3B1PF279 48-() ()	2,182.	2,207.	2,259.	2,370.	2,438.	2,539.	2,607.

Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 = Below Belt Side 1 = Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF379 18-() ()	\$1,241.	\$1,265.	\$1,307.	\$1,396.	\$1,457.	\$1,537.	\$1,588.
	20"	79"	R3B0PF379 20-() ()	1,241.	1,265.	1,307.	1,396.	1,457.	1,537.	1,587.
	24"	79"	R3B0PF379 24-() ()	1,365.	1,389.	1,431.	1,520.	1,581.	1,661.	1,712.
	30"	79"	R3B0PF379 30-() ()	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	36"	79"	R3B0PF379 36-() ()	1,686.	1,710.	1,752.	1,841.	1,901.	1,982.	2,033.
	42"	79"	R3B0PF379 42-() ()	1,866.	1,890.	1,932.	2,021.	2,082.	2,162.	2,213.
	48"	79"	R3B0PF379 48-() ()	2,094.	2,118.	2,160.	2,249.	2,310.	2,390.	2,441.
	60"	79"	R3B0PF379 60-() ()*	2,221.	2,269.	2,353.	2,530.	2,657.	2,815.	2,913.
	66"	79"	R3B0PF379 66-() ()*	2,266.	2,314.	2,398.	2,575.	2,702.	2,860.	2,958.
	72"	79"	R3B0PF379 72-() ()*	2,315.	2,363.	2,447.	2,624.	2,751.	2,909.	3,007.

Monolithic, fabric one side Beltway fabric side 	18"	79"	R3B1PF379 18-() ()	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	20"	79"	R3B1PF379 20-() ()	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	24"	79"	R3B1PF379 24-() ()	1,921.	1,946.	1,998.	2,109.	2,177.	2,278.	2,346.
	30"	79"	R3B1PF379 30-() ()	2,040.	2,065.	2,117.	2,228.	2,296.	2,397.	2,465.
	36"	79"	R3B1PF379 36-() ()	2,537.	2,562.	2,614.	2,725.	2,793.	2,894.	2,962.
	42"	79"	R3B1PF379 42-() ()	2,771.	2,796.	2,848.	2,959.	3,027.	3,128.	3,196.
	48"	79"	R3B1PF379 48-() ()	2,902.	2,927.	2,979.	3,090.	3,158.	3,259.	3,327.

Order Code	Specification Information	Application Notes
Example: R3B0PF37918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Monolithic panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918()()	\$909.
	20"	79"	R3B0PLL7920()()	909.
	24"	79"	R3B0PLL7924()()	991.
	30"	79"	R3B0PLL7930()()	1,109.
	36"	79"	R3B0PLL7936()()	1,199.
	42"	79"	R3B0PLL7942()()	1,318.
	48"	79"	R3B0PLL7948()()	1,477.
	60"	79"	R3B0PLL7960()()*	1,594.
	66"	79"	R3B0PLL7966()()*	1,642.
72"	79"	R3B0PLL7972()()*	1,691.	

Order Code	Specification Information	Application Notes
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
LL Laminate both sides	4. Panel side 1 inside	Product on this page will accept wood grain laminate where laminate is currently an option.
79 79" high	5. Panel side 2 outside	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page are not designed to be stacked upon.
A Flat style top trim profile	7. Base finish	Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
118 Laminate - side 1		Remember to specify Beltway paint finish when applicable.
118 Laminate - side 2		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		




Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-()()	\$592.	\$624.	\$684.	\$752.	\$808.	\$896.	\$948.
Regular acoustics	20"	34"	R3B0TFF34 20-()()	592.	624.	684.	752.	808.	896.	948.
	24"	34"	R3B0TFF34 24-()()	640.	672.	732.	800.	856.	944.	996.
	30"	34"	R3B0TFF34 30-()()	684.	716.	776.	844.	900.	988.	1,040.
	36"	34"	R3B0TFF34 36-()()	728.	760.	820.	888.	944.	1,032.	1,084.
	42"	34"	R3B0TFF34 42-()()	838.	870.	930.	998.	1,054.	1,142.	1,194.
	48"	34"	R3B0TFF34 48-()()	870.	902.	962.	1,030.	1,086.	1,174.	1,226.

Order Code	Specification Information	Application Notes
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel)	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.
B0 No Beltway	1. Top trim profile	
T Tiled panel	2. Base height	
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ".
34 34" high	4. Panel side 1A	
18 18" wide	5. Panel side 1B	
A Flat style top trim profile	6. Panel side 2A	
4 4" base height	7. Panel side 2B	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	8. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric - Side 1A	9. Base finish	
W281 Fabric - Side 1B	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	

Tiled panels 34" H glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A)	18"	34"	R2B0TWA34 18- () ()	\$930.	\$1,106.	\$37.	\$74.	\$93.
	20"	34"	R2B0TWA34 20- () ()	930.	1,106.	37.	74.	93.
	24"	34"	R2B0TWA34 24- () ()	973.	1,183.	37.	74.	98.
	30"	34"	R2B0TWA34 30- () ()	1,129.	1,389.	37.	74.	112.
	36"	34"	R2B0TWA34 36- () ()	1,171.	1,483.	37.	74.	114.
	42"	34"	R2B0TWA34 42- () ()	1,229.	1,600.	37.	74.	121.
	48"	34"	R2B0TWA34 48- () ()	1,273.	1,695.	37.	74.	126.
Tiled, two 15" high glass sections with center mullion (type B)	30"	34"	R2B0TWB34 30- () ()	1,351.	1,614.	37.	74.	135.
	36"	34"	R2B0TWB34 36- () ()	1,407.	1,723.	37.	74.	139.
	42"	34"	R2B0TWB34 42- () ()	1,474.	1,840.	37.	74.	144.
	48"	34"	R2B0TWB34 48- () ()	1,529.	1,956.	37.	74.	150.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C	18"	34"	R2B0TWC34 18- () ()	733.	956.	29.	60.	112.
	20"	34"	R2B0TWC34 20- () ()	733.	956.	29.	60.	112.
	24"	34"	R2B0TWC34 24- () ()	773.	1,007.	29.	60.	121.
	30"	34"	R2B0TWC34 30- () ()	954.	1,240.	37.	74.	152.
	36"	34"	R2B0TWC34 36- () ()	1,062.	1,378.	37.	74.	171.
	42"	34"	R2B0TWC34 42- () ()	1,123.	1,458.	37.	74.	186.
	48"	34"	R2B0TWC34 48- () ()	1,177.	1,534.	37.	74.	195.



Order Code

Example:	R2B0TWA3418-A4K
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
111	Tile Divider
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information



- To order please specify pattern number including:*
1. Top trim profile
 2. Base height
 3. Knockout option (K = with knockouts, N = without knockouts)
 4. Divider option (applicable R2B0TWA and R2B0TWB)
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
 5. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
 6. Base finish
 7. Window frame finish (Painted or Anodized aluminum finishes)
If AA finish (anodized) upcharge applicable as noted in AA price column
 8. Glass type

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel)
 4. *Extruded aluminum tile divider:*
Add for:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w
 3. *Glass type*
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass
- All panels on this page accept stacking modules.
- 6" Raceway option increases panel height by 2 3/4".
- Applicable finishes are listed on page 5 and 6.
- All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.
- 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 34" H

fabric one side, laminate or techwood opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18-() ()	\$646.	\$662.	\$690.	\$724.	\$752.	\$792.	\$818.
	20"	34"	R3B0TFL34 20-() ()	646.	662.	690.	724.	752.	792.	818.
	24"	34"	R3B0TFL34 24-() ()	687.	703.	731.	765.	793.	833.	859.
	30"	34"	R3B0TFL34 30-() ()	731.	747.	775.	809.	837.	877.	903.
	36"	34"	R3B0TFL34 36-() ()	774.	790.	818.	852.	880.	920.	946.
	42"	34"	R3B0TFL34 42-() ()	881.	897.	925.	959.	987.	1,027.	1,053.
	48"	34"	R3B0TFL34 48-() ()	911.	927.	955.	989.	1,017.	1,057.	1,083.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18-() ()	693.	709.	741.	775.	803.	847.	873.
	20"	34"	R3B0TF134 20-() ()	693.	709.	741.	775.	803.	847.	873.
	24"	34"	R3B0TF134 24-() ()	740.	756.	788.	822.	850.	894.	920.
	30"	34"	R3B0TF134 30-() ()	788.	804.	836.	870.	898.	942.	968.
	36"	34"	R3B0TF134 36-() ()	831.	847.	879.	913.	941.	985.	1,011.
	42"	34"	R3B0TF134 42-() ()	950.	966.	998.	1,032.	1,060.	1,104.	1,130.
	48"	34"	R3B0TF134 48-() ()	980.	995.	1,028.	1,062.	1,090.	1,134.	1,160.

Order Code

Example:	R3B0TFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric - Side 1A
W281	Fabric - Side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel)

4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.



Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H


fabric one side, conventional or exotic opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	R3B0TF234 18-() ()	\$707.	\$723.	\$755.	\$789.	\$817.	\$861.	\$887.
	20"	34"	R3B0TF234 20-() ()	707.	723.	755.	789.	817.	861.	887.
	24"	34"	R3B0TF234 24-() ()	753.	769.	801.	835.	863.	907.	933.
	30"	34"	R3B0TF234 30-() ()	801.	817.	849.	883.	911.	955.	981.
	36"	34"	R3B0TF234 36-() ()	846.	862.	894.	928.	956.	1,000.	1,026.
	42"	34"	R3B0TF234 42-() ()	964.	980.	1,012.	1,046.	1,074.	1,118.	1,144.
	48"	34"	R3B0TF234 48-() ()	998.	1,014.	1,046.	1,080.	1,108.	1,152.	1,178.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	R3B0TF334 18-() ()	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	20"	34"	R3B0TF334 20-() ()	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	24"	34"	R3B0TF334 24-() ()	1,006.	1,022.	1,054.	1,088.	1,116.	1,160.	1,186.
	30"	34"	R3B0TF334 30-() ()	1,070.	1,086.	1,118.	1,152.	1,180.	1,224.	1,250.
	36"	34"	R3B0TF334 36-() ()	1,131.	1,147.	1,179.	1,213.	1,241.	1,285.	1,311.
	42"	34"	R3B0TF334 42-() ()	1,292.	1,308.	1,340.	1,374.	1,402.	1,446.	1,472.
	48"	34"	R3B0TF334 48-() ()	1,336.	1,352.	1,384.	1,418.	1,446.	1,490.	1,516.

Order Code	Specification Information	Application Notes
Example: R3B0TF23418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F2 Fabric one side, conventional other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
34 34" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)
18 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height		Ported panel components to be installed below worksurface if panel 34" h.
K Include knockouts in base		
B Tile divider, black		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 34" H Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	34"	R3B0TLL3418() ()	\$731.
with raceway both sides	20"	34"	R3B0TLL3420() ()	731.
	24"	34"	R3B0TLL3424() ()	796.
	30"	34"	R3B0TLL3430() ()	892.
	36"	34"	R3B0TLL3436() ()	964.
	42"	34"	R3B0TLL3442() ()	993.
	48"	34"	R3B0TLL3448() ()	1,023.



Example: **R3B0TLL3418-A4K**

R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 2A
118	Laminate - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:
4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only**
(fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

All panels on this page accept stacking modules.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.


Tiled panels 42" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	42"	R3B0TFF42 18- () ()	\$662.	\$700.	\$780.	\$880.	\$950.	\$1,058.	\$1,128.
	20"	42"	R3B0TFF42 20- () ()	662.	700.	780.	880.	950.	1,058.	1,128.
	24"	42"	R3B0TFF42 24- () ()	711.	749.	829.	929.	999.	1,107.	1,177.
	30"	42"	R3B0TFF42 30- () ()	762.	800.	880.	980.	1,050.	1,158.	1,228.
	36"	42"	R3B0TFF42 36- () ()	811.	849.	929.	1,029.	1,099.	1,207.	1,277.
	42"	42"	R3B0TFF42 42- () ()	917.	955.	1,035.	1,135.	1,205.	1,313.	1,383.
	48"	42"	R3B0TFF42 48- () ()	964.	1,002.	1,082.	1,182.	1,252.	1,360.	1,430.



Tiled, fabric both sides High acoustics	18"	42"	R3B0TAA42 18- () ()	725.	763.	843.	943.	1,013.	1,121.	1,191.
	20"	42"	R3B0TAA42 20- () ()	725.	763.	843.	943.	1,013.	1,121.	1,191.
	24"	42"	R3B0TAA42 24- () ()	780.	818.	898.	998.	1,068.	1,176.	1,246.
	30"	42"	R3B0TAA42 30- () ()	839.	877.	957.	1,057.	1,127.	1,235.	1,305.
	36"	42"	R3B0TAA42 36- () ()	894.	932.	1,012.	1,112.	1,182.	1,290.	1,360.
	42"	42"	R3B0TAA42 42- () ()	1,012.	1,050.	1,130.	1,230.	1,300.	1,408.	1,478.
	48"	42"	R3B0TAA42 48- () ()	1,066.	1,104.	1,184.	1,284.	1,354.	1,462.	1,532.



Order Code	Specification Information
Example: R3B0TFF4218-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
42	42" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C top
5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C top
6. Top trim finish <i>i</i>) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18"	42"	R3B1TFF42 18- () ()	\$1,191.	\$1,229.	\$1,306.	\$1,409.	\$1,479.	\$1,587.	\$1,657.
	20"	42"	R3B1TFF42 20- () ()	1,191.	1,229.	1,306.	1,409.	1,479.	1,587.	1,657.
	24"	42"	R3B1TFF42 24- () ()	1,218.	1,256.	1,333.	1,436.	1,506.	1,614.	1,684.
	30"	42"	R3B1TFF42 30- () ()	1,282.	1,320.	1,397.	1,500.	1,570.	1,678.	1,748.
	36"	42"	R3B1TFF42 36- () ()	1,514.	1,552.	1,629.	1,732.	1,802.	1,910.	1,980.
	42"	42"	R3B1TFF42 42- () ()	1,635.	1,673.	1,750.	1,853.	1,923.	2,031.	2,101.
	48"	42"	R3B1TFF42 48- () ()	1,692.	1,730.	1,807.	1,910.	1,980.	2,088.	2,158.

Tiled, fabric both sides Beltway two sides 	18"	42"	R3B2TFF42 18- () ()	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	20"	42"	R3B2TFF42 20- () ()	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	24"	42"	R3B2TFF42 24- () ()	1,189.	1,227.	1,301.	1,407.	1,477.	1,585.	1,655.
	30"	42"	R3B2TFF42 30- () ()	1,307.	1,345.	1,419.	1,525.	1,595.	1,703.	1,773.
	36"	42"	R3B2TFF42 36- () ()	1,540.	1,578.	1,652.	1,758.	1,828.	1,936.	2,006.
	42"	42"	R3B2TFF42 42- () ()	1,666.	1,704.	1,778.	1,884.	1,954.	2,062.	2,132.
	48"	42"	R3B2TFF42 48- () ()	1,726.	1,764.	1,838.	1,944.	2,014.	2,122.	2,192.

Order Code	Specification Information	Application Notes
Example: R3B2TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$722.	\$742.	\$779.	\$828.	\$862.	\$913.	\$947.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	722.	742.	779.	828.	862.	913.	947.
	24"	42"	R3B0TFL42 24-() ()	769.	789.	826.	875.	909.	960.	994.
	30"	42"	R3B0TFL42 30-() ()	820.	840.	877.	926.	960.	1,011.	1,045.
	36"	42"	R3B0TFL42 36-() ()	867.	887.	924.	973.	1,007.	1,058.	1,092.
	42"	42"	R3B0TFL42 42-() ()	966.	986.	1,023.	1,072.	1,106.	1,157.	1,191.
	48"	42"	R3B0TFL42 48-() ()	1,016.	1,036.	1,073.	1,122.	1,156.	1,207.	1,241.


Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
	24"	42"	R3B1TFL42 24-() ()	1,259.	1,279.	1,315.	1,365.	1,399.	1,450.	1,484.
	30"	42"	R3B1TFL42 30-() ()	1,321.	1,341.	1,377.	1,427.	1,461.	1,512.	1,546.
	36"	42"	R3B1TFL42 36-() ()	1,546.	1,566.	1,602.	1,652.	1,686.	1,737.	1,771.
	42"	42"	R3B1TFL42 42-() ()	1,662.	1,682.	1,718.	1,768.	1,802.	1,853.	1,887.
	48"	42"	R3B1TFL42 48-() ()	1,716.	1,736.	1,772.	1,822.	1,856.	1,907.	1,941.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	42" h add per panel:
B Tile divider, black reveal	i) tile 1A bottom	\$25 for 18w and 20w
W281 Fabric - Side 1A	ii) tile 1B middle	\$28 for 24w and 30w
W281 Fabric - Side 1B	iii) tile 1C top	\$34 for 36w and 42w
W281 Fabric - Side 1C	6. Laminate side, finish (specify selection per insert)	\$42 for 48w
114 Folkstone grey - side 2A	i) tile 2A bottom	<i>6" Raceway option increases panel height by 2 3/4".</i>
114 Folkstone grey - side 2B	ii) tile 2B middle	Applicable finishes are listed on page 5 and 6.
114 Folkstone grey - side 2C	iii) tile 2C top	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option.
V316 Maple (top trim finish)	7. Top trim finish	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 42" H

fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18- () ()	\$775.	\$795.	\$836.	\$887.	\$921.	\$976.	\$1,011.
Regular acoustics	20"	42"	R3B0TF142 20- () ()	775.	795.	836.	887.	921.	976.	1,011.
	24"	42"	R3B0TF142 24- () ()	827.	847.	888.	939.	973.	1,028.	1,063.
	30"	42"	R3B0TF142 30- () ()	882.	902.	943.	994.	1,028.	1,083.	1,118.
	36"	42"	R3B0TF142 36- () ()	932.	952.	993.	1,044.	1,078.	1,133.	1,168.
	42"	42"	R3B0TF142 42- () ()	1,042.	1,062.	1,103.	1,154.	1,188.	1,243.	1,278.
	48"	42"	R3B0TF142 48- () ()	1,090.	1,110.	1,151.	1,202.	1,236.	1,291.	1,326.


Tiled, fabric one side	18"	42"	R3B1TF142 18- () ()	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20- () ()	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
	24"	42"	R3B1TF142 24- () ()	1,353.	1,373.	1,414.	1,465.	1,499.	1,554.	1,589.
	30"	42"	R3B1TF142 30- () ()	1,418.	1,438.	1,479.	1,530.	1,564.	1,619.	1,654.
	36"	42"	R3B1TF142 36- () ()	1,657.	1,677.	1,718.	1,769.	1,803.	1,858.	1,893.
	42"	42"	R3B1TF142 42- () ()	1,786.	1,806.	1,847.	1,898.	1,932.	1,987.	2,022.
	48"	42"	R3B1TF142 48- () ()	1,847.	1,867.	1,908.	1,958.	1,993.	2,048.	2,083.

Order Code	Specification Information	Application Notes
Example: R3B0TF14218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded	Optional for non fabric side only
B Tile divider, black reveal	aluminum divider (upcharge	(fabric side always black)
W281 Fabric - Side 1A	applicable for extruded	42" h add per panel:
W281 Fabric - Side 1B	aluminum divider)	\$25 for 18w and 20w
W281 Fabric - Side 1C	5. Fabric side, finish (specify	\$28 for 24w and 30w
Y328 Mahogany - side 2 tiled	selection per insert)	\$34 for 36w and 42w
V316 Maple (top trim finish)	i) tile 1A bottom	\$42 for 48w
111 Jet Black (base finish)	ii) tile 1B middle	
M Optional milled frame	iii) tile 1C top	<i>6" Raceway option increases panel height by 2 3/4".</i>
	6. Techwood side, finish (specify one V1 finish for side)	Applicable finishes are listed on page 5 and 6.
	7. Top trim finish	
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 42" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18- () ()	\$789.	\$809.	\$850.	\$901.	\$935.	\$990.	\$1,025.
Regular acoustics	20"	42"	R3B0TF242 20- () ()	789.	809.	850.	901.	935.	990.	1,025.
	24"	42"	R3B0TF242 24- () ()	841.	861.	902.	953.	987.	1,042.	1,077.
	30"	42"	R3B0TF242 30- () ()	897.	917.	958.	1,009.	1,043.	1,098.	1,133.
	36"	42"	R3B0TF242 36- () ()	953.	973.	1,014.	1,065.	1,099.	1,154.	1,189.
	42"	42"	R3B0TF242 42- () ()	1,060.	1,080.	1,121.	1,172.	1,206.	1,261.	1,296.
	48"	42"	R3B0TF242 48- () ()	1,112.	1,132.	1,173.	1,224.	1,258.	1,313.	1,348.

Tiled, fabric one side	18"	42"	R3B1TF242 18- () ()	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20- () ()	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
	24"	42"	R3B1TF242 24- () ()	1,376.	1,396.	1,437.	1,488.	1,522.	1,577.	1,612.
	30"	42"	R3B1TF242 30- () ()	1,445.	1,465.	1,506.	1,557.	1,591.	1,646.	1,681.
	36"	42"	R3B1TF242 36- () ()	1,691.	1,711.	1,752.	1,803.	1,837.	1,892.	1,927.
	42"	42"	R3B1TF242 42- () ()	1,819.	1,839.	1,880.	1,931.	1,965.	2,020.	2,055.
	48"	42"	R3B1TF242 48- () ()	1,881.	1,901.	1,942.	1,993.	2,027.	2,082.	2,117.

Order Code

Example: R3B0TF24218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F2 Fabric one side, V2 other
42 42" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
V316 Maple surface - side 2 tiled
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
 - tile 1A bottom
 - tile 1B middle
 - tile 1C top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish
 - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider:*
Optional for non fabric side only (fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w
- 6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 427).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$1,052.	\$1,072.	\$1,113.	\$1,164.	\$1,198.	\$1,253.	\$1,288.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	1,052.	1,072.	1,113.	1,164.	1,198.	1,253.	1,288.
	24"	42"	R3B0TF342 24-() ()	1,120.	1,140.	1,181.	1,232.	1,266.	1,321.	1,356.
	30"	42"	R3B0TF342 30-() ()	1,197.	1,217.	1,258.	1,309.	1,343.	1,398.	1,433.
	36"	42"	R3B0TF342 36-() ()	1,271.	1,291.	1,332.	1,383.	1,417.	1,472.	1,507.
	42"	42"	R3B0TF342 42-() ()	1,416.	1,436.	1,477.	1,528.	1,562.	1,617.	1,652.
	48"	42"	R3B0TF342 48-() ()	1,487.	1,507.	1,548.	1,599.	1,633.	1,688.	1,723.


Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
	24"	42"	R3B1TF342 24-() ()	1,845.	1,865.	1,906.	1,957.	1,991.	2,046.	2,081.
	30"	42"	R3B1TF342 30-() ()	1,935.	1,955.	1,996.	2,047.	2,081.	2,136.	2,171.
	36"	42"	R3B1TF342 36-() ()	2,269.	2,289.	2,330.	2,381.	2,415.	2,470.	2,505.
	42"	42"	R3B1TF342 42-() ()	2,440.	2,460.	2,501.	2,552.	2,586.	2,641.	2,676.
	48"	42"	R3B1TF342 48-() ()	2,524.	2,544.	2,585.	2,636.	2,670.	2,725.	2,760.

Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 427).
W281 Fabric - Side 1B		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric - Side 1C		Remember to specify Beltway paint finish when applicable.
V512 Figured Anigre surface - side 2 tiled		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H

Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	42"	R3B0TLL4218() ()	\$881.
	20"	42"	R3B0TLL4220() ()	881.
	24"	42"	R3B0TLL4224() ()	961.
	30"	42"	R3B0TLL4230() ()	1,075.
	36"	42"	R3B0TLL4236() ()	1,161.
	42"	42"	R3B0TLL4242() ()	1,197.
	48"	42"	R3B0TLL4248() ()	1,232.




Order Code	Specification Information	Application Notes
Example: R3B0TLL4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Applicable finishes are listed on page 5 and 6.
42 42" high	5. Laminate side, finish (specify selection per insert)	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
18 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
A Flat style top trim profile	6. Laminate, finish	
4 4" base height	7. Top trim finish	
K Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
B Tile divider, black reveal	8. Base finish	
118 Laminate - side 1A	9. Beltway finish	
118 Laminate - side 1B	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
118 Laminate - side 1C		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics 	18"	49"	R3B0TFF49 18- () ()	\$742.	\$790.	\$880.	\$982.	\$1,066.	\$1,198.	\$1,276.
	20"	49"	R3B0TFF49 20- () ()	742.	790.	880.	982.	1,066.	1,198.	1,276.
	24"	49"	R3B0TFF49 24- () ()	793.	841.	931.	1,033.	1,117.	1,249.	1,327.
	30"	49"	R3B0TFF49 30- () ()	853.	901.	991.	1,093.	1,177.	1,309.	1,387.
	36"	49"	R3B0TFF49 36- () ()	909.	957.	1,047.	1,149.	1,233.	1,365.	1,443.
	42"	49"	R3B0TFF49 42- () ()	1,026.	1,074.	1,164.	1,266.	1,350.	1,482.	1,560.
	48"	49"	R3B0TFF49 48- () ()	1,083.	1,131.	1,221.	1,323.	1,407.	1,539.	1,617.

Tiled, fabric both sides High acoustics 	18"	49"	R3B0TAA49 18- () ()	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
	20"	49"	R3B0TAA49 20- () ()	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
	24"	49"	R3B0TAA49 24- () ()	869.	917.	1,007.	1,109.	1,193.	1,325.	1,403.
	30"	49"	R3B0TAA49 30- () ()	938.	986.	1,076.	1,178.	1,262.	1,394.	1,472.
	36"	49"	R3B0TAA49 36- () ()	998.	1,046.	1,136.	1,238.	1,322.	1,454.	1,532.
	42"	49"	R3B0TAA49 42- () ()	1,125.	1,173.	1,263.	1,365.	1,449.	1,581.	1,659.
	48"	49"	R3B0TAA49 48- () ()	1,191.	1,239.	1,329.	1,431.	1,515.	1,647.	1,725.

Order Code	Specification Information
Example: R3B0TFF4918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame


Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top
5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top
6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
6" Raceway option increases panel height by 2 ³ / ₄ ".
Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B1TFF49 18- () ()	\$1,224.	\$1,272.	\$1,359.	\$1,464.	\$1,548.	\$1,680.	\$1,758.
Beltway one side	20"	49"	R3B1TFF49 20- () ()	1,224.	1,272.	1,359.	1,464.	1,548.	1,680.	1,758.
	24"	49"	R3B1TFF49 24- () ()	1,249.	1,297.	1,384.	1,489.	1,573.	1,705.	1,783.
	30"	49"	R3B1TFF49 30- () ()	1,316.	1,364.	1,451.	1,556.	1,640.	1,772.	1,850.
	36"	49"	R3B1TFF49 36- () ()	1,575.	1,623.	1,710.	1,815.	1,899.	2,031.	2,109.
	42"	49"	R3B1TFF49 42- () ()	1,701.	1,749.	1,836.	1,941.	2,025.	2,157.	2,235.
	48"	49"	R3B1TFF49 48- () ()	1,761.	1,809.	1,896.	2,001.	2,085.	2,217.	2,295.

Tiled, fabric both sides	18"	49"	R3B2TFF49 18- () ()	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
Beltway two sides	20"	49"	R3B2TFF49 20- () ()	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
	24"	49"	R3B2TFF49 24- () ()	1,270.	1,318.	1,402.	1,510.	1,594.	1,726.	1,804.
	30"	49"	R3B2TFF49 30- () ()	1,340.	1,388.	1,472.	1,580.	1,664.	1,796.	1,874.
	36"	49"	R3B2TFF49 36- () ()	1,603.	1,651.	1,735.	1,843.	1,927.	2,059.	2,137.
	42"	49"	R3B2TFF49 42- () ()	1,730.	1,778.	1,862.	1,970.	2,054.	2,186.	2,264.
	48"	49"	R3B2TFF49 48- () ()	1,796.	1,844.	1,928.	2,036.	2,120.	2,252.	2,330.

Order Code	Specification Information	Application Notes
Example: R3B2TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 with Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	i) tile 2A bottom	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TFL49 18-() ()	\$810.	\$834.	\$876.	\$927.	\$969.	\$1,029.	\$1,068.
Regular acoustics	20"	49"	R3B0TFL49 20-() ()	810.	834.	876.	927.	969.	1,029.	1,068.
	24"	49"	R3B0TFL49 24-() ()	857.	881.	923.	974.	1,016.	1,076.	1,115.
	30"	49"	R3B0TFL49 30-() ()	917.	941.	983.	1,034.	1,076.	1,136.	1,175.
	36"	49"	R3B0TFL49 36-() ()	968.	992.	1,034.	1,085.	1,127.	1,187.	1,226.
	42"	49"	R3B0TFL49 42-() ()	1,079.	1,103.	1,145.	1,196.	1,238.	1,298.	1,337.
	48"	49"	R3B0TFL49 48-() ()	1,137.	1,161.	1,203.	1,254.	1,296.	1,356.	1,395.


Tiled, fabric one side	18"	49"	R3B1TFL49 18-() ()	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
Beltway one side (fabric side)	20"	49"	R3B1TFL49 20-() ()	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
	24"	49"	R3B1TFL49 24-() ()	1,299.	1,323.	1,364.	1,416.	1,458.	1,518.	1,557.
	30"	49"	R3B1TFL49 30-() ()	1,364.	1,388.	1,429.	1,481.	1,523.	1,583.	1,622.
	36"	49"	R3B1TFL49 36-() ()	1,612.	1,636.	1,677.	1,729.	1,771.	1,831.	1,870.
	42"	49"	R3B1TFL49 42-() ()	1,730.	1,754.	1,795.	1,847.	1,889.	1,949.	1,988.
	48"	49"	R3B1TFL49 48-() ()	1,795.	1,819.	1,860.	1,912.	1,954.	2,014.	2,053.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
FL Fabric one side. laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
49 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
18 18" wide	6. Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	8. Base finish	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18- () ()	\$867.	\$891.	\$939.	\$990.	\$1,032.	\$1,098.	\$1,137.
Regular acoustics	20"	49"	R3B0TF149 20- () ()	867.	891.	939.	990.	1,032.	1,098.	1,137.
	24"	49"	R3B0TF149 24- () ()	921.	945.	993.	1,044.	1,086.	1,152.	1,191.
	30"	49"	R3B0TF149 30- () ()	983.	1,007.	1,055.	1,106.	1,148.	1,214.	1,253.
	36"	49"	R3B0TF149 36- () ()	1,042.	1,066.	1,114.	1,165.	1,207.	1,273.	1,312.
	42"	49"	R3B0TF149 42- () ()	1,166.	1,190.	1,238.	1,289.	1,331.	1,397.	1,436.
	48"	49"	R3B0TF149 48- () ()	1,221.	1,245.	1,293.	1,344.	1,386.	1,452.	1,491.

Tiled, fabric one side	18"	49"	R3B1TF149 18- () ()	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20- () ()	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
	24"	49"	R3B1TF149 24- () ()	1,398.	1,422.	1,470.	1,521.	1,563.	1,629.	1,668.
	30"	49"	R3B1TF149 30- () ()	1,466.	1,490.	15,338.	1,589.	1,631.	1,697.	1,736.
	36"	49"	R3B1TF149 36- () ()	1,735.	1,759.	1,807.	1,858.	1,900.	1,966.	2,005.
	42"	49"	R3B1TF149 42- () ()	1,864.	1,888.	1,936.	1,987.	2,029.	2,095.	2,134.
	48"	49"	R3B1TF149 48- () ()	1,928.	1,952.	2,000.	2,051.	2,093.	2,159.	2,198.

Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
W281 Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1C	6. Techwood side, finish (specify one V1 finish for side)	\$34 for 36w and 42w
Y328 Mahogany - side 2 tiled	7. Top trim finish	\$42 for 48w
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	<i>6" Raceway option increases panel height by 2 3/4".</i>
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18- () ()	\$885.	\$909.	\$957.	\$1,008.	\$1,050.	\$1,116.	\$1,155.
Regular acoustics	20"	49"	R3B0TF249 20- () ()	885.	909.	957.	1,008.	1,050.	1,116.	1,155.
	24"	49"	R3B0TF249 24- () ()	938.	962.	1,010.	1,061.	1,103.	1,169.	1,208.
	30"	49"	R3B0TF249 30- () ()	1,007.	1,031.	1,079.	1,130.	1,172.	1,238.	1,277.
	36"	49"	R3B0TF249 36- () ()	1,062.	1,086.	1,134.	1,185.	1,227.	1,293.	1,332.
	42"	49"	R3B0TF249 42- () ()	1,182.	1,206.	1,254.	1,305.	1,347.	1,413.	1,452.
	48"	49"	R3B0TF249 48- () ()	1,244.	1,268.	1,316.	1,367.	1,409.	1,475.	1,514.

Tiled, fabric one side	18"	49"	R3B1TF249 18- () ()	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20- () ()	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
	24"	49"	R3B1TF249 24- () ()	1,423.	1,447.	1,495.	1,546.	1,588.	1,654.	1,693.
	30"	49"	R3B1TF249 30- () ()	1,492.	1,516.	1,564.	1,615.	1,657.	1,723.	1,762.
	36"	49"	R3B1TF249 36- () ()	1,764.	1,788.	1,836.	1,887.	1,929.	1,995.	2,034.
	42"	49"	R3B1TF249 42- () ()	1,896.	1,920.	1,968.	2,019.	2,061.	2,127.	2,166.
	48"	49"	R3B1TF249 48- () ()	1,964.	1,988.	2,036.	2,087.	2,129.	2,195.	2,234.

Order Code	Specification Information	Application Notes
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
W281 Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1C	6. Conventional veneer, finish (specify one V2 finish for side)	\$34 for 36w and 42w
V316 Maple surface - side 2 tiled	7. Top trim finish	\$42 for 48w
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-() ()	\$1,177.	\$1,201.	\$1,249.	\$1,300.	\$1,342.	\$1,408.	\$1,447.
Regular acoustics	20"	49"	R3B0TF349 20-() ()	1,177.	1,201.	1,249.	1,300.	1,342.	1,408.	1,447.
	24"	49"	R3B0TF349 24-() ()	1,249.	1,273.	1,321.	1,372.	1,414.	1,480.	1,519.
	30"	49"	R3B0TF349 30-() ()	1,342.	1,366.	1,414.	1,465.	1,507.	1,573.	1,612.
	36"	49"	R3B0TF349 36-() ()	1,417.	1,441.	1,489.	1,540.	1,582.	1,648.	1,687.
	42"	49"	R3B0TF349 42-() ()	1,579.	1,603.	1,651.	1,702.	1,744.	1,810.	1,849.
	48"	49"	R3B0TF349 48-() ()	1,661.	1,685.	1,733.	1,784.	1,826.	1,892.	1,931.


Tiled, fabric one side	18"	49"	R3B1TF349 18-() ()	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
Beltway fabric side	20"	49"	R3B1TF349 20-() ()	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
	24"	49"	R3B1TF349 24-() ()	1,905.	1,929.	1,977.	2,028.	2,070.	2,136.	2,175.
	30"	49"	R3B1TF349 30-() ()	1,997.	2,021.	2,069.	2,120.	2,162.	2,228.	2,267.
	36"	49"	R3B1TF349 36-() ()	2,366.	2,390.	2,438.	2,489.	2,531.	2,597.	2,636.
	42"	49"	R3B1TF349 42-() ()	2,544.	2,568.	2,616.	2,667.	2,709.	2,775.	2,814.
	48"	49"	R3B1TF349 48-() ()	2,636.	2,660.	2,708.	2,759.	2,801.	2,867.	2,906.

Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	ii) tile 1B middle	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	iii) tile 1C top	49"h add per panel:
W281 Fabric - Side 1A	6. Exotic veneer, finish (specify one V3 finish for side)	\$25 for 18w and 20w
W281 Fabric - Side 1B	7. Top trim finish	\$28 for 24w and 30w
W281 Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$34 for 36w and 42w
V512 Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$42 for 48w
V512 Figured Anigre (top trim finish)	8. Base finish	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	49"	R3B0TLL4918() ()	\$921.
	20"	49"	R3B0TLL4920() ()	921.
	24"	49"	R3B0TLL4924() ()	1,003.
	30"	49"	R3B0TLL4930() ()	1,124.
	36"	49"	R3B0TLL4936() ()	1,214.
	42"	49"	R3B0TLL4942() ()	1,250.
	48"	49"	R3B0TLL4948() ()	1,288.



Order Code

Example:	R3B0TLL4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts,
N = without knockouts)
4. Tile divider
B = black steel divider or specify
AA-anodized aluminum or
painted option excluding silver
from page 5 for extruded
aluminum divider (upcharge
applicable for extruded
aluminum divider)
5. Laminate side, finish (specify
selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
6. Laminate, finish
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or
painted finish from page
5 excluding silver
8. Base finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be
milled for ported components,
\$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height

4. *Extruded aluminum tile divider:*
Optional for non fabric side only
(fabric side always black)
49"h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

Applicable finishes are listed on
page 5 and 6.

Product on this page will accept
wood grain laminate where laminate
is currently an option.
Panel product is subject to a 10%
upcharge on the base panel price.
Refer to panel product upcharge
table.

The panels on this page will accept
stacking modules to increase their
height on 18" to 48"W panels only.
The 60" to 72"W panels will not
accept stacking modules on top of
themselves.

Product on this page can be
attached to posts 49", 64", and 79"H
as well as panels 42", 49", 64" and
79"H. Panels on this page will not
attach to panels made before April
1997 without an attachment kit from
page 117.


Remember to specify Beltway paint
finish when applicable.

79"H hookstrip reveal strips are
ordered separately from page 117 at
no charge.


Tiled panels 64" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()	\$849.	\$913.	\$1,033.	\$1,169.	\$1,281.	\$1,457.	\$1,561.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()	849.	913.	1,033.	1,169.	1,281.	1,457.	1,561.
	24"	64"	R3B0TFF64 24-() ()	610.	974.	1,094.	1,230.	1,342.	1,518.	1,622.
	30"	64"	R3B0TFF64 30-() ()	97.	1,041.	1,161.	1,297.	1,409.	1,585.	1,689.
	36"	64"	R3B0TFF64 36-() ()	1,034.	1,098.	1,218.	1,354.	1,466.	1,642.	1,746.
	42"	64"	R3B0TFF64 42-() ()	1,183.	1,247.	1,367.	1,503.	1,615.	1,791.	1,895.
	48"	64"	R3B0TFF64 48-() ()	1,242.	1,306.	1,426.	1,562.	1,674.	1,850.	1,954.



Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()	929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
High acoustics	20"	64"	R3B0TAA64 20-() ()	929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
	24"	64"	R3B0TAA64 24-() ()	996.	1,060.	1,180.	1,316.	1,428.	1,604.	1,708.
	30"	64"	R3B0TAA64 30-() ()	1,071.	1,135.	1,255.	1,391.	1,503.	1,679.	1,783.
	36"	64"	R3B0TAA64 36-() ()	1,142.	1,206.	1,326.	1,462.	1,574.	1,750.	1,854.
	42"	64"	R3B0TAA64 42-() ()	1,300.	1,364.	1,484.	1,620.	1,732.	1,908.	2,012.
	48"	64"	R3B0TAA64 48-() ()	1,370.	1,434.	1,554.	1,690.	1,802.	1,978.	2,082.



Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	iv) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	i) tile 2A bottom	
W281 Fabric - Side 1C	ii) tile 2B middle	
W281 Fabric - Side 2A	iii) tile 2C middle	
W281 Fabric - Side 2B	iv) tile 2D top	
W281 Fabric - Side 2C	6. Top trim finish	
V316 Maple (top trim finish)	i) Top trim profile A,B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 64" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18-() ()	\$1,326.	\$1,390.	\$1,507.	\$1,646.	\$1,758.	\$1,934.	\$2,038.
Beltway one side	20"	64"	R3B1TFF64 20-() ()	1,326.	1,390.	1,507.	1,646.	1,758.	1,934.	2,038.
	24"	64"	R3B1TFF64 24-() ()	1,394.	1,458.	1,575.	1,714.	1,826.	2,002.	2,106.
	30"	64"	R3B1TFF64 30-() ()	1,428.	1,492.	1,609.	1,748.	1,860.	2,036.	2,140.
	36"	64"	R3B1TFF64 36-() ()	1,754.	1,818.	1,935.	2,074.	2,186.	2,362.	2,466.
	42"	64"	R3B1TFF64 42-() ()	1,884.	1,948.	2,065.	2,204.	2,316.	2,492.	2,596.
	48"	64"	R3B1TFF64 48-() ()	1,951.	2,015.	2,132.	2,271.	2,383.	2,559.	2,663.

Tiled, fabric both sides	18"	64"	R3B2TFF64 18-() ()	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
Beltway two sides	20"	64"	R3B2TFF64 20-() ()	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
	24"	64"	R3B2TFF64 24-() ()	1,416.	1,480.	1,594.	1,736.	1,848.	2,024.	2,128.
	30"	64"	R3B2TFF64 30-() ()	1,451.	1,515.	1,629.	1,771.	1,883.	2,059.	2,163.
	36"	64"	R3B2TFF64 36-() ()	1,785.	1,849.	1,963.	2,105.	2,217.	2,393.	2,497.
	42"	64"	R3B2TFF64 42-() ()	1,913.	1,977.	2,091.	2,233.	2,345.	2,521.	2,625.
	48"	64"	R3B2TFF64 48-() ()	1,985.	2,049.	2,163.	2,305.	2,417.	2,593.	2,697.

Order Code

Specification Information

Application Notes

Example: R3B1TFF7918-A4K	
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle

6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
 1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by $2\frac{3}{4}"$.

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-() ()	\$943.	\$975.	\$1,031.	\$1,099.	\$1,155.	\$1,235.	\$1,287.
Regular acoustics	20"	64"	R3B0TFL64 20-() ()	943.	975.	1,031.	1,099.	1,155.	1,235.	1,287.
	24"	64"	R3B0TFL64 24-() ()	999.	1,031.	1,087.	1,155.	1,211.	1,291.	1,343.
	30"	64"	R3B0TFL64 30-() ()	1,066.	1,098.	1,154.	1,222.	1,278.	1,358.	1,410.
	36"	64"	R3B0TFL64 36-() ()	1,126.	1,158.	1,214.	1,282.	1,338.	1,418.	1,470.
	42"	64"	R3B0TFL64 42-() ()	1,266.	1,298.	1,354.	1,422.	1,478.	1,558.	1,610.
	48"	64"	R3B0TFL64 48-() ()	1,326.	1,358.	1,414.	1,482.	1,538.	1,618.	1,670.




Tiled, fabric one side	18"	64"	R3B1TFL64 18-() ()	1,402.	1,434.	1,489.	1,558.	1,614.	1,694.	1,746.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-() ()	1,402.	1,434.	1,489.	1,558.	1,614.	1,692.	1,746.
	24"	64"	R3B1TFL64 24-() ()	1,470.	1,502.	1,557.	1,626.	1,682.	1,762.	1,814.
	30"	64"	R3B1TFL64 30-() ()	1,501.	1,533.	1,588.	1,567.	1,713.	1,793.	1,845.
	36"	64"	R3B1TFL64 36-() ()	1,821.	1,853.	1,908.	1,977.	2,033.	2,113.	2,165.
	42"	64"	R3B1TFL64 42-() ()	1,942.	1,974.	2,029.	2,098.	2,154.	2,234.	2,286.
	48"	64"	R3B1TFL64 48-() ()	2,007.	2,039.	2,094.	2,163.	2,219.	2,299.	2,351.




Order Code	Specification Information	Application Notes
Example: R3B0TFL6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	8. Base finish	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
B0 No Beltway	9. Beltway finish, for panels with Beltway	
T Tiled panel	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
FL Fabric one side, laminate other		
64 64" high		Remember to specify Beltway paint finish when applicable.
18 18" wide		
A Flat style top trim profile		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	1. Top trim profile	
	2. Base height	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
	4. Tile divider	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
	5. Fabric side, finish (specify selection per insert)	6" Raceway option increases panel height by 2 3/4".
	<i>i)</i> tile 1A bottom	Applicable finishes are listed on page 5 and 6.
	<i>ii)</i> tile 1B middle	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option.
	<i>iii)</i> tile 1C middle	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
	<i>iv)</i> tile 1D top	
	6. Laminate side, finish (specify selection per insert)	
	<i>i)</i> tile 2A bottom	
	<i>ii)</i> tile 2B middle	
	<i>iii)</i> tile 2C middle	
	<i>iv)</i> tile 2D top	
	7. Top trim finish	
	<i>i)</i> Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	<i>ii)</i> Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	

Tiled panels 64" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-() ()	\$1,013.	\$1,045.	\$1,109.	\$1,177.	\$1,233.	\$1,321.	\$1,373.
Regular acoustics	20"	64"	R3B0TF164 20-() ()	1,013.	1,045.	1,109.	1,177.	1,233.	1,321.	1,373.
	24"	64"	R3B0TF164 24-() ()	1,074.	1,106.	1,170.	1,238.	1,294.	1,382.	1,434.
	30"	64"	R3B0TF164 30-() ()	1,146.	1,178.	1,242.	1,310.	1,366.	1,454.	1,506.
	36"	64"	R3B0TF164 36-() ()	1,208.	1,240.	1,304.	1,372.	1,428.	1,516.	1,568.
	42"	64"	R3B0TF164 42-() ()	1,361.	1,393.	1,457.	1,525.	1,581.	1,669.	1,721.
	48"	64"	R3B0TF164 48-() ()	1,424.	1,456.	1,520.	1,588.	1,644.	1,732.	1,784.

Tiled, fabric one side	18"	64"	R3B1TF164 18-() ()	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-() ()	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
	24"	64"	R3B1TF164 24-() ()	1,579.	1,611.	1,675.	1,743.	1,799.	1,887.	1,939.
	30"	64"	R3B1TF164 30-() ()	1,613.	1,645.	1,709.	1,777.	1,833.	1,921.	1,973.
	36"	64"	R3B1TF164 36-() ()	1,955.	1,987.	2,051.	2,119.	2,175.	2,263.	2,315.
	42"	64"	R3B1TF164 42-() ()	2,086.	2,118.	2,182.	2,250.	2,306.	2,294.	2,446.
	48"	64"	R3B1TF164 48-() ()	2,161.	2,193.	2,257.	2,325.	2,381.	2,469.	2,521.

Order Code

Example: R3B0TF16418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
- Techwood side, finish (specify one V1 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider: **Optional for non fabric side only** (fabric side always black)
64" h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 64" H

fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18-() ()	\$1,032.	\$1,064.	\$1,128.	\$1,196.	\$1,252.	\$1,340.	\$1,392.
Regular acoustics	20"	64"	R3B0TF264 20-() ()	1,032.	1,064.	1,128.	1,196.	1,252.	1,340.	1,392.
	24"	64"	R3B0TF264 24-() ()	1,092.	1,124.	1,188.	1,256.	1,312.	1,400.	1,452.
	30"	64"	R3B0TF264 30-() ()	1,163.	1,195.	1,259.	1,327.	1,383.	1,471.	1,523.
	36"	64"	R3B0TF264 36-() ()	1,230.	1,262.	1,326.	1,394.	1,450.	1,538.	1,590.
	42"	64"	R3B0TF264 42-() ()	1,384.	1,416.	1,480.	1,548.	1,604.	1,692.	1,744.
	48"	64"	R3B0TF264 48-() ()	1,449.	1,481.	1,545.	1,613.	1,669.	1,757.	1,809.


Tiled, fabric one side	18"	64"	R3B1TF264 18-() ()	1,534.	1,566.	1,630.	1,696.	1,754.	1,842.	1,894.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20-() ()	1,534.	1,566.	1,630.	1,698.	1,754.	1,842.	1,894.
	24"	64"	R3B1TF264 24-() ()	1,608.	1,640.	1,704.	1,772.	1,828.	1,916.	1,968.
	30"	64"	R3B1TF264 30-() ()	1,642.	1,674.	1,738.	1,806.	1,862.	1,950.	2,002.
	36"	64"	R3B1TF264 36-() ()	1,993.	2,025.	2,089.	2,157.	2,213.	2,301.	2,353.
	42"	64"	R3B1TF264 42-() ()	2,126.	2,158.	2,222.	2,290.	2,346.	2,434.	2,486.
	48"	64"	R3B1TF264 48-() ()	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.

Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	6" raceway option increases panel height by 2 3/4".
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 64" h add per panel:</i>
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	\$39 for 18w and 20w
W281 Fabric - Side 1A	i) tile 1A bottom	\$43 for 24w and 30w
W281 Fabric - Side 1B	ii) tile 1B middle	\$48 for 36w and 42w
W281 Fabric - Side 1C	iii) tile 1C middle	\$64 for 48w
W281 Fabric - Side 1D	iv) tile 1D top	
V316 Maple surface - side 2 tiled	6. Conventional veneer, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	7. Top trim finish	
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-() ()	\$1,371.	\$1,403.	\$1,467.	\$1,535.	\$1,591.	\$1,679.	\$1,731.
Regular acoustics	20"	64"	R3B0TF364 20-() ()	1,371.	1,403.	1,467.	1,535.	1,591.	1,679.	1,731.
	24"	64"	R3B0TF364 24-() ()	1,451.	1,483.	1,547.	1,615.	1,671.	1,759.	1,811.
	30"	64"	R3B0TF364 30-() ()	1,547.	1,579.	1,643.	1,711.	1,767.	1,855.	1,907.
	36"	64"	R3B0TF364 36-() ()	1,639.	1,671.	1,735.	1,803.	1,859.	1,947.	1,999.
	42"	64"	R3B0TF364 42-() ()	1,847.	1,879.	1,943.	2,011.	2,067.	2,155.	2,207.
	48"	64"	R3B0TF364 48-() ()	1,933.	1,965.	2,029.	2,097.	2,153.	2,241.	2,293.

Tiled, fabric one side	18"	64"	R3B1TF364 18-() ()	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
Beltway fabric side	20"	64"	R3B1TF364 20-() ()	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
	24"	64"	R3B1TF364 24-() ()	2,151.	2,183.	2,247.	2,313.	2,371.	2,459.	2,511.
	30"	64"	R3B1TF364 30-() ()	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.
	36"	64"	R3B1TF364 36-() ()	2,668.	2,700.	2,764.	2,832.	2,888.	2,976.	3,028.
	42"	64"	R3B1TF364 42-() ()	2,847.	2,879.	2,943.	3,011.	3,067.	3,155.	3,207.
	48"	64"	R3B1TF364 48-() ()	2,941.	2,973.	3,037.	3,105.	3,161.	3,249.	3,301.

Order Code

Example: R3B0TF36418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

- To order please specify pattern number including:*
- Top trim profile
 - Base height
 - Knockout option (K = with knockouts, N = without knockouts)
 - Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 - Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
 - Exotic veneer, finish (specify one V3 finish for side)
 - Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 - Base finish
 - Beltway finish, for panels with Beltway
 - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes


- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 - Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" raceway option increases panel height by 2 3/4".
 - Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
64"h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
- Applicable finishes are listed on page 5 and 6.

Tiled panels 64" H

Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	64"	R3B0TLL6418 () ()	\$1,145.
	20"	64"	R3B0TLL6420 () ()	1,145.
	24"	64"	R3B0TLL6424 () ()	1,248.
	30"	64"	R3B0TLL6430 () ()	1,399.
	36"	64"	R3B0TLL6436 () ()	1,510.
	42"	64"	R3B0TLL6442 () ()	1,555.
	48"	64"	R3B0TLL6448 () ()	1,618.




Order Code	Specification Information	Application Notes
Example: R3B0TLL6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
64 64" high	5. Laminate side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
18 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Flat style top trim profile	6. Laminate, finish	Applicable finishes are listed on page 5 and 6.
4 4" base height	7. Top trim finish	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
K Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
B Tile divider, black reveal	8. Base finish	
118 Laminate - side 1A	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
118 Laminate - side 1B		
118 Laminate - side 1C		
118 Laminate - side 1D		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18- ()()	\$1,056.	\$1,136.	\$1,286.	\$1,456.	\$1,596.	\$1,816.	\$1,946.
Regular acoustics	20"	79"	R3B0TFF79 20- ()()	1,056.	1,136.	1,286.	1,456.	1,596.	1,816.	1,946.
	24"	79"	R3B0TFF79 24- ()()	1,123.	1,203.	1,353.	1,523.	1,663.	1,883.	2,013.
	30"	79"	R3B0TFF79 30- ()()	1,188.	1,268.	1,418.	1,588.	1,728.	1,948.	2,078.
	36"	79"	R3B0TFF79 36- ()()	1,256.	1,336.	1,486.	1,656.	1,796.	2,016.	2,146.
	42"	79"	R3B0TFF79 42- ()()	1,427.	1,507.	1,657.	1,827.	1,967.	2,187.	2,317.
	48"	79"	R3B0TFF79 48- ()()	1,499.	1,579.	1,729.	1,899.	2,039.	2,259.	2,389.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18- ()()	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
High acoustics	20"	79"	R3B0TAA79 20- ()()	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
	24"	79"	R3B0TAA79 24- ()()	1,232.	1,312.	1,462.	1,632.	1,772.	1,992.	2,122.
	30"	79"	R3B0TAA79 30- ()()	1,303.	1,383.	1,533.	1,703.	1,843.	2,063.	2,193.
	36"	79"	R3B0TAA79 36- ()()	1,377.	1,457.	1,607.	1,777.	1,917.	2,137.	2,267.
	42"	79"	R3B0TAA79 42- ()()	1,567.	1,647.	1,797.	1,967.	2,107.	2,327.	2,457.
	48"	79"	R3B0TAA79 48- ()()	1,649.	1,729.	1,879.	2,049.	2,189.	2,409.	2,539.



Order Code

Example: R3B0TFF7918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
 - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle
 - v) tile 2E top

6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
 - 1. Top trim profile: A = Flat, B = Square, C = Bullnose, E = Extruded Aluminum
 - 2. Base height: 4 = 4" base height, 6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 79" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18- () ()	\$1,376.	\$1,456.	\$1,603.	\$1,776.	\$1,916.	\$2,136.	\$2,266.
Beltway one side	20"	79"	R3B1TFF79 20- () ()	1,376.	1,456.	1,603.	1,776.	1,916.	2,136.	2,266.
	24"	79"	R3B1TFF79 24- () ()	1,444.	1,524.	1,671.	1,844.	1,984.	2,204.	2,334.
	30"	79"	R3B1TFF79 30- () ()	1,477.	1,557.	1,704.	1,877.	2,017.	2,237.	2,367.
	36"	79"	R3B1TFF79 36- () ()	1,804.	1,884.	2,031.	2,204.	2,344.	2,564.	2,694.
	42"	79"	R3B1TFF79 42- () ()	1,936.	2,016.	2,163.	2,336.	2,476.	2,696.	2,826.
	48"	79"	R3B1TFF79 48- () ()	2,000.	2,080.	2,227.	2,400.	2,540.	2,760.	2,890.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18- () ()	1,395.	1,475.	1,619.	1,795.	1,935.	2,155.	2,285.
Beltway two sides	20"	79"	R3B2TFF79 20- () ()	1,395.	1,475.	1,619.	1,795.	1,935.	2,155.	2,285.
	24"	79"	R3B2TFF79 24- () ()	1,467.	1,547.	1,691.	1,867.	2,007.	2,227.	2,357.
	30"	79"	R3B2TFF79 30- () ()	1,498.	1,578.	1,722.	1,898.	2,038.	2,258.	2,388.
	36"	79"	R3B2TFF79 36- () ()	1,831.	1,911.	2,055.	2,231.	2,371.	2,591.	2,721.
	42"	79"	R3B2TFF79 42- () ()	1,965.	2,045.	2,189.	2,365.	2,505.	2,725.	2,855.
	48"	79"	R3B2TFF79 48- () ()	2,037.	2,117.	2,261.	2,437.	2,577.	2,797.	2,927.



Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3	Reff Generation 3	
B1	Beltway 1 side	6" Raceway option increases panel height by 2 ³ / ₄ ".
T	Tiled panel	
FF	Fabric on both sides	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
79	79" high	
18	18" wide	
A	Flat style top trim profile	Remember to specify Beltway paint finish when applicable.
4	4" base height	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
K	Include knockouts in base	
W281	Fabric - Side 1A	
W281	Fabric - Side 1B	
W281	Fabric - Side 1C	
W281	Fabric - Side 1D	
W281	Fabric - Side 1E	
W281	Fabric - Side 2A	
W281	Fabric - Side 2B	
W281	Fabric - Side 2C	
W281	Fabric - Side 2D	
W281	Fabric - Side 2E	
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
111	Beltway finish	

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
 - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle
 - v) tile 2E top

6. Top trim finish
 - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
 7. Base finish
 8. Beltway finish
1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum
2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)


Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.


Tiled panels 79" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-() ()	\$1,171.	\$1,211.	\$1,281.	\$1,366.	\$1,436.	\$1,536.	\$1,601.
Regular acoustics	20"	79"	R3B0TFL79 20-() ()	1,171.	1,211.	1,281.	1,366.	1,436.	1,536.	1,601.
	24"	79"	R3B0TFL79 24-() ()	1,242.	1,282.	1,352.	1,437.	1,507.	1,607.	1,672.
	30"	79"	R3B0TFL79 30-() ()	1,302.	1,342.	1,412.	1,497.	1,567.	1,667.	1,732.
	36"	79"	R3B0TFL79 36-() ()	1,367.	1,407.	1,477.	1,562.	1,632.	1,732.	1,797.
	42"	79"	R3B0TFL79 42-() ()	1,531.	1,571.	1,641.	1,726.	1,796.	1,896.	1,961.
	48"	79"	R3B0TFL79 48-() ()	1,602.	1,642.	1,712.	1,797.	1,867.	1,967.	2,032.



Tiled, fabric one side	18"	79"	R3B1TFL79 18-() ()	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-() ()	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
	24"	79"	R3B1TFL79 24-() ()	1,548.	1,588.	1,657.	1,743.	1,813.	1,913.	1,978.
	30"	79"	R3B1TFL79 30-() ()	1,582.	1,622.	1,691.	1,777.	1,847.	1,947.	2,012.
	36"	79"	R3B1TFL79 36-() ()	1,899.	1,939.	2,008.	2,094.	2,164.	2,264.	2,329.
	42"	79"	R3B1TFL79 42-() ()	2,022.	2,062.	2,131.	2,217.	2,287.	2,387.	2,452.
	48"	79"	R3B1TFL79 48-() ()	2,086.	2,126.	2,195.	2,281.	2,351.	2,451.	2,516.




Order Code	Specification Information	Application Notes
Example: R3B0TFL7918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3 Reff Generation 3	8. Base finish	
B0 No Beltway	9. Beltway finish, for panels with Beltway	6" Raceway option increases panel height by 2 3/4".
T Tiled panel	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
FL Fabric one side, laminate other	1. Top trim profile	
79 79" high	2. Base height	
18 18" wide	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	5. Fabric side, finish (specify selection per insert)	
K Include knockouts in base	i) tile 1A bottom	
B Tile divider, black reveal	ii) tile 1B middle	
W281 Fabric - Side 1A	iii) tile 1C middle	
W281 Fabric - Side 1B	iv) tile 1D middle	
W281 Fabric - Side 1C	v) tile 1E top	
W281 Fabric - Side 1D	6. Laminate side, finish (specify selection per insert)	
W281 Fabric - Side 1E	i) tile 2A bottom	
114 Folkstone grey - side 2A	ii) tile 2B middle	
114 Folkstone grey - side 2B	iii) tile 2C middle	
114 Folkstone grey - side 2C	iv) tile 2D middle	
114 Folkstone grey - side 2D	v) tile 2E top	
114 Folkstone grey - side 2E	7. Top trim finish	
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
M Optional milled frame		


Tiled panels 79" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,259.	\$1,299.	\$1,379.	\$1,464.	\$1,534.	\$1,644.	\$1,709.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,259.	1,299.	1,379.	1,464.	1,534.	1,644.	1,709.
	24"	79"	R3B0TF179 24-() ()	1,331.	1,371.	1,451.	1,536.	1,606.	1,716.	1,781.
	30"	79"	R3B0TF179 30-() ()	1,399.	1,439.	1,519.	1,604.	1,674.	1,784.	1,849.
	36"	79"	R3B0TF179 36-() ()	1,468.	1,508.	1,588.	1,673.	1,743.	1,853.	1,918.
	42"	79"	R3B0TF179 42-() ()	1,648.	1,688.	1,768.	1,853.	1,923.	2,033.	2,098.
	48"	79"	R3B0TF179 48-() ()	1,724.	1,764.	1,844.	1,929.	1,999.	2,109.	2,174.



Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
	24"	79"	R3B1TF179 24-() ()	1,664.	1,704.	1,784.	1,869.	1,939.	2,049.	2,114.
	30"	79"	R3B1TF179 30-() ()	1,695.	1,735.	1,815.	1,900.	1,970.	2,080.	2,145.
	36"	79"	R3B1TF179 36-() ()	2,040.	2,080.	2,160.	2,245.	2,315.	2,425.	2,490.
	42"	79"	R3B1TF179 42-() ()	2,173.	2,213.	2,293.	2,378.	2,448.	2,558.	2,623.
	48"	79"	R3B1TF179 48-() ()	2,241.	2,281.	2,361.	2,446.	2,516.	2,626.	2,691.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2A		
Y328 Mahogany - side 2B		
Y328 Mahogany - side 2C		
Y328 Mahogany - side 2D		
Y328 Mahogany - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optimal milled frame		


Tiled panels 79" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,281.	\$1,321.	\$1,401.	\$1,486.	\$1,556.	\$1,666.	\$1,731.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,281.	1,321.	1,401.	1,486.	1,556.	1,666.	1,731.
	24"	79"	R3B0TF279 24-() ()	1,355.	1,395.	1,475.	1,560.	1,630.	1,740.	1,805.
	30"	79"	R3B0TF279 30-() ()	1,422.	1,462.	1,542.	1,627.	1,697.	1,807.	1,872.
	36"	79"	R3B0TF279 36-() ()	1,494.	1,534.	1,614.	1,699.	1,769.	1,879.	1,944.
	42"	79"	R3B0TF279 42-() ()	1,674.	1,714.	1,794.	1,879.	1,949.	2,059.	2,124.
	48"	79"	R3B0TF279 48-() ()	1,753.	1,793.	1,873.	1,958.	2,028.	2,138.	2,203.




Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
	24"	79"	R3B1TF279 24-() ()	1,693.	1,733.	1,813.	1,898.	1,968.	2,078.	2,143.
	30"	79"	R3B1TF279 30-() ()	1,729.	1,769.	1,849.	1,934.	2,004.	2,114.	2,179.
	36"	79"	R3B1TF279 36-() ()	2,078.	2,118.	2,198.	2,283.	2,353.	2,463.	2,528.
	42"	79"	R3B1TF279 42-() ()	2,209.	2,249.	2,329.	2,414.	2,484.	2,594.	2,659.
	48"	79"	R3B1TF279 48-() ()	2,281.	2,321.	2,401.	2,486.	2,556.	2,666.	2,731.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish on page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2 Tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79"h add per panel: \$52 for 18w and 20w \$60 for 24w and 30w \$64 for 36w and 42w \$86 for 48w	
	Applicable finishes are listed on page 5 and 6.	
		The panels on this page will not accept stacking modules.
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-() ()	\$1,700.	\$1,740.	\$1,820.	\$1,905.	\$1,975.	\$2,085.	\$2,150.
Regular acoustics	20"	79"	R3B0TF379 20-() ()	1,700.	1,740.	1,820.	1,905.	1,975.	2,085.	2,150.
	24"	79"	R3B0TF379 24-() ()	1,801.	1,841.	1,921.	2,006.	2,076.	2,186.	2,251.
	30"	79"	R3B0TF379 30-() ()	1,894.	1,934.	2,014.	2,099.	2,169.	2,279.	2,344.
	36"	79"	R3B0TF379 36-() ()	1,991.	2,031.	2,111.	2,196.	2,266.	2,376.	2,441.
	42"	79"	R3B0TF379 42-() ()	2,234.	2,274.	2,354.	2,439.	2,509.	2,619.	2,684.
	48"	79"	R3B0TF379 48-() ()	2,339.	2,379.	2,459.	2,544.	2,614.	2,724.	2,789.

Tiled, fabric one side	18"	79"	R3B1TF379 18-() ()	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
Beltway fabric side	20"	79"	R3B1TF379 20-() ()	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
	24"	79"	R3B1TF379 24-() ()	2,258.	2,298.	2,378.	2,463.	2,533.	2,643.	2,708.
	30"	79"	R3B1TF379 30-() ()	2,307.	2,347.	2,427.	2,512.	2,582.	2,692.	2,757.
	36"	79"	R3B1TF379 36-() ()	2,778.	2,818.	2,898.	2,983.	3,053.	3,163.	3,228.
	42"	79"	R3B1TF379 42-() ()	2,957.	2,997.	3,077.	3,162.	3,232.	3,342.	3,407.
	48"	79"	R3B1TF379 48-() ()	3,054.	3,094.	3,174.	3,259.	3,329.	3,439.	3,504.

Order Code

Specification Information

Application Notes

Example: R3B0TF37918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
- Exotic veneer, finish (specify one V3 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
79" h add per panel:
\$52 for 18w and 20w
\$60 for 24w and 30w
\$64 for 36w and 42w
\$86 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	79"	R3B0TLL7918 () ()	\$1,337.
with raceway both sides	20"	79"	R3B0TLL7920 () ()	1,337.
	24"	79"	R3B0TLL7924 () ()	1,457.
	30"	79"	R3B0TLL7930 () ()	1,633.
	36"	79"	R3B0TLL7936 () ()	1,763.
	42"	79"	R3B0TLL7942 () ()	1,816.
	48"	79"	R3B0TLL7948 () ()	1,908.



Example:	R3B0TLL7918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 1D
118	Laminate - side 1E
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
118	Laminate - side 2D
118	Laminate - side 2E
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Laminate side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
- Laminate, finish
- Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Optional non-beltway panels:
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only**
(fabric side always black)
- 79"h add per panel:
\$52 for 18w and 20w
\$60 for 24w and 30w
\$64 for 36w and 42w
\$86 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will not accept stacking modules.

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	R2APT3418 ()	\$102.	
	20"	34"	R2APT3420 ()	102.	
	24"	34"	R2APT3424 ()	105.	
	30"	34"	R2APT3430 ()	107.	
	36"	34"	R2APT3436 ()	112.	
	42"	34"	R2APT3442 ()	114.	
	48"	34"	R2APT3448 ()	119.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	R2APT4218 ()	157.	
	20"	42"	R2APT4220 ()	157.	
	24"	42"	R2APT4224 ()	162.	
	30"	42"	R2APT4230 ()	164.	
	36"	42"	R2APT4236 ()	173.	
	42"	42"	R2APT4242 ()	178.	
	48"	42"	R2APT4248 ()	186.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	1. Specify Finish : Fabric
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	R2APT4918 ()	\$168.	
	20"	49"	R2APT4920 ()	168.	
	24"	49"	R2APT4924 ()	174.	
	30"	49"	R2APT4930 ()	176.	
	36"	49"	R2APT4936 ()	185.	
	42"	49"	R2APT4942 ()	193.	
	48"	49"	R2APT4948 ()	199.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	R2APT6418 ()	237.	
	20"	64"	R2APT6420 ()	237.	
	24"	64"	R2APT6424 ()	246.	
	30"	64"	R2APT6430 ()	251.	
	36"	64"	R2APT6436 ()	263.	
	42"	64"	R2APT6442 ()	273.	
	48"	64"	R2APT6448 ()	283.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	1. Specify Finish : Fabric
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	R2APT7918 ()	\$307.	
	20"	79"	R2APT7920 ()	307.	
	24"	79"	R2APT7924 ()	317.	
	30"	79"	R2APT7930 ()	323.	
	36"	79"	R2APT7936 ()	341.	
	42"	79"	R2APT7942 ()	352.	
	48"	79"	R2APT7948 ()	370.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	R2ATPK34 ()	68.
	42"	R2ATPK42 ()	85.
	49"	R2ATPK49 ()	97.
	64"	R2ATPK64 ()	134.
	79"	R2ATPK79 ()	168.

Order Code

Example: R2APT3418 AA
RA Reff Administrative
WH Wall hung
DH Desk hight planning
TB Tack board
S Single desk
66 width
Fabric

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify Finish : Fabric

Application Notes

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6" h raceway		34"	R2ALPK34 ()		\$67.
		42"	R2ALPK42 ()		93.
		49"	R2ALPK49 ()		102.
		64"	R2ALPK64 ()		141.
		79"	R2ALPK79 ()		178.
Alum vertical reveal for end trim with 4" or 6" h raceway		34"	R2AETK34 ()		66.
		42"	R2AETK42 ()		80.
		49"	R2AETK49 ()		94.
		64"	R2AETK64 ()		125.
		79"	R2AETK79 ()		158.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i> 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	R2AHCR34 ()		\$66.
		38"	R2AHCR42 ()		80.
		45"	R2AHCR49 ()		94.
		60"	R2AHCR64 ()		125.
		75"	R2AHCR79 ()		158.

for use with generation 2 or 3 installations

Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()		45.
	20"		R2AHTR20 ()		45.
	24"		R2AHTR24 ()		47.
	30"		R2AHTR30 ()		52.
	36"		R2AHTR36 ()		56.
	42"		R2AHTR42 ()		58.
	48"		R2AHTR48 ()		65.

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	\$39.	
	20"		R2AHWR20 ()	39.	
	24"		R2AHWR24 ()	41.	
	30"		R2AHWR30 ()	42.	
	36"		R2AHWR36 ()	46.	
	42"		R2AHWR42 ()	48.	
	48"		R2AHWR48 ()	54.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	39.	
	20"		R2AHBW20 ()	39.	
	24"		R2AHBW24 ()	41.	
	30"		R2AHBW30 ()	42.	
	36"		R2AHBW36 ()	46.	
	42"		R2AHBW42 ()	48.	
	48"		R2AHBW48 ()	54.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()		\$39.
	20"		R2AHSR20 ()		39.
	24"		R2AHSR24 ()		41.
	30"		R2AHSR30 ()		42.
	36"		R2AHSR36 ()		46.
	42"		R2AHSR42 ()		48.
	48"		R2AHSR48 ()		54.

horizontal reveal only

Order Code

Example: R2APT3418 AA
RA Reff Administrative
WH Wall hung
DH Desk hight planning
TB Tack board
S Single desk
66 width
Fabric

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify Finish : Fabric

Application Notes

Beltway one side, window panel 49" H tiled panel with glass type "A" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-() ()	\$1,279.	\$1,311.	\$1,368.	\$1,439.	\$1,495.	\$1,583.	\$1,635.
	20"	49"	R3B1TFFA49 20-() ()	1,279.	1,311.	1,368.	1,439.	1,495.	1,583.	1,635.
	24"	49"	R3B1TFFA49 24-() ()	1,323.	1,355.	1,412.	1,483.	1,539.	1,627.	1,679.
	30"	49"	R3B1TFFA49 30-() ()	1,414.	1,446.	1,503.	1,574.	1,630.	1,718.	1,770.
	36"	49"	R3B1TFFA49 36-() ()	1,702.	1,734.	1,791.	1,862.	1,918.	2,006.	2,058.
	42"	49"	R3B1TFFA49 42-() ()	1,854.	1,886.	1,943.	2,014.	2,070.	2,158.	2,210.
	48"	49"	R3B1TFFA49 48-() ()	1,940.	1,972.	2,029.	2,100.	2,156.	2,244.	2,296.




Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1A	9. Glass window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1B	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)



Beltway one side, window panel 49" H tiled panel with glass type "B" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,525.	\$1,557.	\$1,614.	\$1,685.	\$1,741.	\$1,829.	\$1,881.
	36"	49"	R3B1TFFB49 36-() ()	1,822.	1,854.	1,911.	1,982.	2,038.	2,126.	2,178.
	42"	49"	R3B1TFFB49 42-() ()	1,974.	2,006.	2,063.	2,134.	2,190.	2,278.	2,330.
	48"	49"	R3B1TFFB49 48-() ()	2,069.	2,101.	2,158.	2,229.	2,285.	2,373.	2,425.



Order Code	Specification Information	Application Notes
Example: R3B1TFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FF Fabric both sides		E = Extruded Aluminum
B Type B window		2. Base height:
49 49" high		4 = 4" base height
30 30" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	R3B1PFFA49 18-() ()	\$1,156.	\$1,174.	\$1,216.	\$1,301.	\$1,355.	\$1,433.	\$1,512.
	20"	49"	R3B1PFFA49 20-() ()	1,156.	1,174.	1,216.	1,301.	1,355.	1,433.	1,512.
	24"	49"	R3B1PFFA49 24-() ()	1,197.	1,215.	1,257.	1,342.	1,396.	1,474.	1,553.
	30"	49"	R3B1PFFA49 30-() ()	1,275.	1,293.	1,335.	1,420.	1,474.	1,552.	1,631.
	36"	49"	R3B1PFFA49 36-() ()	1,518.	1,536.	1,578.	1,663.	1,717.	1,795.	1,874.
	42"	49"	R3B1PFFA49 42-() ()	1,647.	1,665.	1,707.	1,792.	1,846.	1,924.	2,003.
	48"	49"	R3B1PFFA49 48-() ()	1,726.	1,744.	1,786.	1,871.	1,925.	2,003.	2,082.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	R3B1PFFB49 30-() ()	1,386.	1,404.	1,446.	1,531.	1,585.	1,663.	1,742.
	36"	49"	R3B1PFFB49 36-() ()	1,638.	1,656.	1,698.	1,783.	1,837.	1,915.	1,994.
	42"	49"	R3B1PFFB49 42-() ()	1,767.	1,785.	1,827.	1,912.	1,966.	2,044.	2,123.
	48"	49"	R3B1PFFB49 48-() ()	1,855.	1,873.	1,915.	2,000.	2,054.	2,132.	2,211.

Order Code	Specification Information	Application Notes
Example: R3B1PFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 ³ / ₄ ".
B1 Beltway 1 side	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options:	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Flat style top trim profile	V1, V2, V3, P1, P2, P3 finishes	
4 4" base height	ii) Top trim profile E options:	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric selection - side 1	7. Base finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	8. Beltway finish	
V316 Maple (top trim finish)	9. Glass window frame finish	
111 Jet Black (base finish)	10. Glass type	
111 Jet Black (beltway finish)	Temp = Clear temp	
111 Jet Black (window frame finish)	<i>Architectural options:</i>	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	
	<i>1. Top trim profile:</i>	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	<i>2. Base height:</i>	
	4 = 4" base height	
	6 = 6" base height (add \$47 per panel for this option)	

Beltway one side, window panel 49" H
 tiled with glass type "A" at top,
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-() ()	\$1,417.	\$1,433.	\$1,465.	\$1,499.	\$1,527.	\$1,571.	\$1,610.
	20"	49"	R3B1TFLA49 20-() ()	1,417.	1,432.	1,465.	1,499.	1,527.	1,571.	1,610.
	24"	49"	R3B1TFLA49 24-() ()	1,462.	1,478.	1,510.	1,544.	1,572.	1,616.	1,655.
	30"	49"	R3B1TFLA49 30-() ()	1,555.	1,571.	1,603.	1,637.	1,665.	1,709.	1,748.
	36"	49"	R3B1TFLA49 36-() ()	1,847.	1,863.	1,895.	1,929.	1,957.	2,001.	2,040.
	42"	49"	R3B1TFLA49 42-() ()	2,000.	2,016.	2,048.	2,082.	2,110.	2,154.	2,193.
	48"	49"	R3B1TFLA49 48-() ()	2,091.	2,107.	2,139.	2,173.	2,201.	2,245.	2,284.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FL Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for architectural glass: (as applicable by width)
W281 Fabric selection - side 1B		Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
114 Folkstone grey - side 2A		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
114 Folkstone grey - side 2B		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
V316 Maple (top trim finish)		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
111 Jet Black (base finish)		Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with glass type "B" at top,
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-() ()	\$1,670.	\$1,686.	\$1,718.	\$1,752.	\$1,780.	\$1,824.	\$1,863.
	36"	49"	R3B1TFLB49 36-() ()	1,967.	1,983.	2,015.	2,049.	2,077.	2,121.	2,160.
	42"	49"	R3B1TFLB49 42-() ()	2,120.	2,136.	2,168.	2,202.	2,230.	2,274.	2,313.
	48"	49"	R3B1TFLB49 48-() ()	2,222.	2,238.	2,270.	2,304.	2,332.	2,376.	2,415.




Order Code	Specification Information	Application Notes
Example: R3B1TFLB4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FL Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	6. Laminate side finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	8. Base finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	9. Beltway finish	
W281 Fabric selection - side 1B	10. Window frame finish	
114 Folkstone grey - side 2A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 monolithic with glass at top,
 fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PFLA49 18-() ()	\$1,171.	\$1,181.	\$1,203.	\$1,246.	\$1,273.	\$1,313.	\$1,340.
	20"	49"	R3B1PFLA49 20-() ()	1,172.	1,181.	1,203.	1,246.	1,273.	1,313.	1,340.
	24"	49"	R3B1PFLA49 24-() ()	1,232.	1,241.	1,263.	1,306.	1,333.	1,373.	1,400.
	30"	49"	R3B1PFLA49 30-() ()	1,342.	1,351.	1,373.	1,416.	1,443.	1,483.	1,510.
	36"	49"	R3B1PFLA49 36-() ()	1,620.	1,629.	1,651.	1,694.	1,721.	1,761.	1,788.
	42"	49"	R3B1PFLA49 42-() ()	1,781.	1,790.	1,812.	1,855.	1,882.	1,922.	1,949.
	48"	49"	R3B1PFLA49 48-() ()	1,894.	1,903.	1,925.	1,968.	1,995.	2,035.	2,062.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PFLB49 30-() ()	1,457.	1,466.	1,488.	1,531.	1,558.	1,598.	1,625.
	36"	49"	R3B1PFLB49 36-() ()	1,740.	1,749.	1,771.	1,814.	1,841.	1,881.	1,908.
	42"	49"	R3B1PFLB49 42-() ()	1,901.	1,910.	1,932.	1,975.	2,002.	2,042.	2,069.
	48"	49"	R3B1PFLB49 48-() ()	2,025.	2,034.	2,056.	2,099.	2,126.	2,166.	2,193.



Order Code	Specification Information	Application Notes
Example: R3B1PFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
FL Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	6. Laminate side finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
114 Folkstone grey - side 2	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Product on this page will accept wood grain laminate where laminate is currently an option.
 Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,440.	\$1,456.	\$1,488.	\$1,522.	\$1,550.	\$1,594.	\$1,633.
	20"	49"	R3B1TF1A49 20-() ()	1,440.	1,456.	1,488.	1,522.	1,550.	1,594.	1,633.
	24"	49"	R3B1TF1A49 24-() ()	1,489.	1,505.	1,537.	1,571.	1,599.	1,643.	1,682.
	30"	49"	R3B1TF1A49 30-() ()	1,582.	1,598.	1,630.	1,664.	1,692.	1,736.	1,775.
	36"	49"	R3B1TF1A49 36-() ()	1,881.	1,897.	1,929.	1,963.	1,991.	2,035.	2,074.
	42"	49"	R3B1TF1A49 42-() ()	2,038.	2,054.	2,086.	2,120.	2,148.	2,192.	2,231.
	48"	49"	R3B1TF1A49 48-() ()	2,127.	2,143.	2,175.	2,209.	2,237.	2,281.	2,320.



Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
F1 Fabric one side, V1 other		E = Extruded Aluminum
A Type A window		2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		
	1. Top trim profile	Add upcharge for architectural glass: (as applicable by width)
	2. Base height	Width Add
	3. Knockout option (K = with knockouts, N = without knockouts)	18" \$86
	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	20" \$86
	5. Fabric side, finish (specify selection per insert; bottom up.)	24" \$101
	6. Techwood side, finish (specify one V1 finish for side)	30" \$121
	7. Top trim finish	36" \$145
	i) Top trim profile A,B or C options:	42" \$173
	V1, V2, V3, P1, P2, P3 finishes	48" \$198
	ii) Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Frame finish:
	8. Base finish	Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
	9. Beltway finish	Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
	10. Window frame finish	Width Add
	11. Glass option	18" \$14
	Temp = Clear temp	20" \$14
	Architectural options:	24" \$15
	GL13 = Powder glass	30" \$15
	GL6 = Block matrix glass	36" \$16
	GL8 = Wafer glass	42" \$16
		48" \$21


Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-() ()	\$1,697.	\$1,713.	\$1,745.	\$1,779.	\$1,807.	\$1,851.	\$1,890.
	36"	49"	R3B1TF1B49 36-() ()	2,001.	2,017.	2,049.	2,083.	2,111.	2,155.	2,194.
	42"	49"	R3B1TF1B49 42-() ()	2,158.	2,174.	2,206.	2,240.	2,268.	2,312.	2,351.
	48"	49"	R3B1TF1B49 48-() ()	2,258.	2,274.	2,306.	2,340.	2,368.	2,412.	2,451.



Order Code	Specification Information	Application Notes																
Example: R3B1TF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>																
R3 Reff Generation 3		A = Flat																
B1 Beltway one side	1. Top trim profile	B = Square																
T Tiled panel	2. Base height	C = Bullnose																
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum																
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)																
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.																
30 30" wide		6" Raceway option increases panel height by 2 3/4".																
A Flat style top trim profile																		
4 4" base height																		
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)																	
B Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)																	
W281 Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver																	
W281 Fabric selection - side 1B																		
Y328 Mahogany - side 2 tiled																		
V316 Maple (top trim finish)																		
111 Jet Black (base finish)																		
111 Jet Black (beltway finish)	8. Base finish																	
111 Jet Black (window frame finish)	9. Beltway finish																	
TEMP Glass option	10. Window frame finish																	
	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass																	
		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.																
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.																
		Applicable finishes are listed on page 5 and 6.																
		<table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$86</td></tr> <tr><td>20"</td><td>\$86</td></tr> <tr><td>24"</td><td>\$101</td></tr> <tr><td>30"</td><td>\$121</td></tr> <tr><td>36"</td><td>\$145</td></tr> <tr><td>42"</td><td>\$173</td></tr> <tr><td>48"</td><td>\$198</td></tr> </tbody> </table>	Width	Add	18"	\$86	20"	\$86	24"	\$101	30"	\$121	36"	\$145	42"	\$173	48"	\$198
Width	Add																	
18"	\$86																	
20"	\$86																	
24"	\$101																	
30"	\$121																	
36"	\$145																	
42"	\$173																	
48"	\$198																	
		<p>Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.</p> <p>Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) <i>Optional non fabric tiled side only, fabric side always black</i></p>																

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF1A49 18-() ()	\$1,194.	\$1,203.	\$1,225.	\$1,268.	\$1,295.	\$1,335.	\$1,362.
	20"	49"	R3B1PF1A49 20-() ()	1,194.	1,203.	1,225.	1,268.	1,295.	1,335.	1,362.
	24"	49"	R3B1PF1A49 24-() ()	1,252.	1,261.	1,283.	1,326.	1,353.	1,393.	1,420.
	30"	49"	R3B1PF1A49 30-() ()	1,364.	1,373.	1,395.	1,438.	1,465.	1,505.	1,532.
	36"	49"	R3B1PF1A49 36-() ()	1,646.	1,655.	1,677.	1,720.	1,747.	1,787.	1,814.
	42"	49"	R3B1PF1A49 42-() ()	1,815.	1,824.	1,846.	1,889.	1,916.	1,956.	1,983.
	48"	49"	R3B1PF1A49 48-() ()	1,925.	1,934.	1,956.	1,999.	2,026.	2,066.	2,093.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF1B49 30-() ()	1,479.	1,488.	1,510.	1,553.	1,580.	1,620.	1,647.
	36"	49"	R3B1PF1B49 36-() ()	1,766.	1,775.	1,797.	1,840.	1,867.	1,907.	1,934.
	42"	49"	R3B1PF1B49 42-() ()	1,935.	1,944.	1,966.	2,009.	2,036.	2,076.	2,103.
	48"	49"	R3B1PF1B49 48-() ()	2,056.	2,065.	2,087.	2,130.	2,157.	2,197.	2,224.

Order Code	Specification Information	Application Notes
Example: R3B1PF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
30 30" wide	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
Y328 Mahogany - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,467.	\$1,483.	\$1,515.	\$1,549.	\$1,577.	\$1,621.	\$1,660.
	20"	49"	R3B1TF2A49 20-() ()	1,467.	1,483.	1,515.	1,549.	1,577.	1,621.	1,660.
	24"	49"	R3B1TF2A49 24-() ()	1,514.	1,530.	1,562.	1,596.	1,624.	1,668.	1,707.
	30"	49"	R3B1TF2A49 30-() ()	1,608.	1,624.	1,656.	1,690.	1,718.	1,762.	1,801.
	36"	49"	R3B1TF2A49 36-() ()	1,910.	1,926.	1,958.	1,992.	2,020.	2,064.	2,103.
	42"	49"	R3B1TF2A49 42-() ()	2,070.	2,086.	2,118.	2,152.	2,180.	2,224.	2,263.
	48"	49"	R3B1TF2A49 48-() ()	2,163.	2,179.	2,211.	2,245.	2,273.	2,317.	2,356.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
F2 Fabric one side, V2 other	1. Top trim profile	E = Extruded Aluminum
A Type A window	2. Base height	2. Base height:
49 49" high	3. Knockout option	4 = 4" base height
18 18" wide	(K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	4. Tile divider (where optional)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple surface - side 2 tiled	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21


Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-() ()	\$1,723.	\$1,739.	\$1,771.	\$1,805.	\$1,833.	\$1,877.	\$1,916.
	36"	49"	R3B1TF2B49 36-() ()	2,030.	2,046.	2,078.	2,112.	2,140.	2,184.	2,223.
	42"	49"	R3B1TF2B49 42-() ()	2,190.	2,206.	2,238.	2,272.	2,300.	2,344.	2,383.
	48"	49"	R3B1TF2B49 48-() ()	2,294.	2,310.	2,342.	2,376.	2,404.	2,448.	2,487.



Order Code	Specification Information	Application Notes
Example: R3B1TF2B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
30 30" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric selection - side 1B		
V316 Maple surface - side 2 tiled	8. Base finish	
V316 Maple (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF2A49 18-() ()	\$1,214.	\$1,223.	\$1,245.	\$1,288.	\$1,315.	\$1,355.	\$1,382.
	20"	49"	R3B1PF2A49 20-() ()	1,214.	1,223.	1,245.	1,288.	1,315.	1,355.	1,382.
	24"	49"	R3B1PF2A49 24-() ()	1,273.	1,282.	1,304.	1,347.	1,374.	1,414.	1,441.
	30"	49"	R3B1PF2A49 30-() ()	1,391.	1,400.	1,422.	1,465.	1,492.	1,532.	1,559.
	36"	49"	R3B1PF2A49 36-() ()	1,677.	1,686.	1,708.	1,751.	1,778.	1,818.	1,845.
	42"	49"	R3B1PF2A49 42-() ()	1,843.	1,852.	1,874.	1,917.	1,944.	1,984.	2,011.
	48"	49"	R3B1PF2A49 48-() ()	1,954.	1,963.	1,985.	2,028.	2,055.	2,095.	2,122.

 Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF2B49 30-() ()	1,506.	1,515.	1,537.	1,580.	1,607.	1,647.	1,674.
	36"	49"	R3B1PF2B49 36-() ()	1,797.	1,806.	1,828.	1,871.	1,898.	1,938.	1,965.
	42"	49"	R3B1PF2B49 42-() ()	1,963.	1,972.	1,994.	2,037.	2,064.	2,104.	2,131.
	48"	49"	R3B1PF2B49 48-() ()	2,085.	2,094.	2,116.	2,159.	2,186.	2,226.	2,253.

Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	8. Base finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	9. Beltway finish	
V316 Maple surface - side 2	10. Window frame finish	
V316 Maple (top trim finish)	11. Glass option	
111 Jet Black (base finish)	Temp = Clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)


Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) *Optional non fabric tiled side only, fabric side always black*

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics 	18"	49"	R3B1TF3A49 18-()	\$1,938.	\$1,954.	\$1,986.	\$2,020.	\$2,048.	\$2,092.	\$2,131.
	20"	49"	R3B1TF3A49 20-()	1,938.	1,954.	1,986.	2,020.	2,048.	2,092.	2,131.
	24"	49"	R3B1TF3A49 24-()	1,996.	2,012.	2,044.	2,078.	2,106.	2,150.	2,189.
	30"	49"	R3B1TF3A49 30-()	2,113.	2,129.	2,161.	2,195.	2,223.	2,267.	2,306.
	36"	49"	R3B1TF3A49 36-()	2,512.	2,528.	2,560.	2,594.	2,622.	2,666.	2,705.
	42"	49"	R3B1TF3A49 42-()	2,718.	2,734.	2,766.	2,800.	2,828.	2,872.	2,911.
	48"	49"	R3B1TF3A49 48-()	2,835.	2,851.	2,883.	2,917.	2,945.	2,989.	3,028.

Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics 	30"	49"	R3B1TF3B49 30-()	2,228.	2,244.	2,276.	2,310.	2,338.	2,382.	2,421.
	36"	49"	R3B1TF3B49 36-()	2,632.	2,648.	2,680.	2,714.	2,742.	2,786.	2,825.
	42"	49"	R3B1TF3B49 42-()	2,838.	2,854.	2,886.	2,920.	2,948.	2,992.	3,031.
	48"	49"	R3B1TF3B49 48-()	2,966.	2,982.	3,014.	3,048.	3,076.	3,120.	3,159.

Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1B		
V512 Figured Anigre surface - side 2 tiled		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page:
upcharge of \$35 per panel for P2
paint class options or \$63 per panel
for P3 paint class options.


Add upcharge for
extruded aluminum reveal/tile
divider: (as applicable by width)
Optional non fabric tiled side only,
fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21


Beltway one side, window panel 49" H

monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,593.	\$1,602.	\$1,624.	\$1,667.	\$1,694.	\$1,734.	\$1,761.
	20"	49"	R3B1PF3A49 20-() ()	1,593.	1,602.	1,624.	1,667.	1,694.	1,734.	1,761.
	24"	49"	R3B1PF3A49 24-() ()	1,669.	1,678.	1,700.	1,743.	1,770.	1,810.	1,837.
	30"	49"	R3B1PF3A49 30-() ()	1,817.	1,826.	1,848.	1,891.	1,918.	1,958.	1,985.
	36"	49"	R3B1PF3A49 36-() ()	2,195.	2,204.	2,226.	2,269.	2,296.	2,336.	2,363.
	42"	49"	R3B1PF3A49 42-() ()	2,409.	2,418.	2,440.	2,483.	2,510.	2,550.	2,577.
	48"	49"	R3B1PF3A49 48-() ()	2,551.	2,560.	2,582.	2,625.	2,652.	2,692.	2,719.




Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	1,932.	1,941.	1,963.	2,006.	2,033.	2,073.	2,100.
	36"	49"	R3B1PF3B49 36-() ()	2,315.	2,324.	2,346.	2,389.	2,416.	2,456.	2,483.
	42"	49"	R3B1PF3B49 42-() ()	2,529.	2,538.	2,560.	2,603.	2,630.	2,670.	2,697.
	48"	49"	R3B1PF3B49 48-() ()	2,682.	2,691.	2,713.	2,756.	2,783.	2,823.	2,850.




Order Code	Specification Information	Application Notes
Example: R3B1PF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway two sides, window panel 49" H tiled with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,297.	\$1,329.	\$1,383.	\$1,457.	\$1,513.	\$1,601.	\$1,653.
	20"	49"	R3B2TFFA49 20-() ()	1,297.	1,329.	1,383.	1,457.	1,513.	1,601.	1,653.
	24"	49"	R3B2TFFA49 24-() ()	1,344.	1,376.	1,430.	1,504.	1,560.	1,648.	1,700.
	30"	49"	R3B2TFFA49 30-() ()	1,438.	1,470.	1,524.	1,598.	1,654.	1,742.	1,794.
	36"	49"	R3B2TFFA49 36-() ()	1,730.	1,752.	1,816.	1,890.	1,946.	2,034.	2,086.
	42"	49"	R3B2TFFA49 42-() ()	1,883.	1,915.	1,969.	2,043.	2,099.	2,187.	2,239.
	48"	49"	R3B2TFFA49 48-() ()	1,975.	2,007.	2,061.	2,135.	2,191.	2,279.	2,331.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	1,549.	1,581.	1,635.	1,709.	1,765.	1,853.	1,905.
	36"	49"	R3B2TFFB49 36-() ()	1,850.	1,882.	1,936.	2,010.	2,066.	2,154.	2,206.
	42"	49"	R3B2TFFB49 42-() ()	2,003.	2,035.	2,089.	2,163.	2,219.	2,307.	2,359.
	48"	49"	R3B2TFFB49 48-() ()	2,104.	2,136.	2,190.	2,264.	2,320.	2,408.	2,460.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric selection - side 1A	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1B	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 2A	8. Beltway finish	
W281 Fabric selection - side 2B	9. Window frame finish	
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway two sides, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	R3B2PFFA49 18-() ()	\$1,173.	\$1,193.	\$1,235.	\$1,319.	\$1,375.	\$1,453.	\$1,503.
	20"	49"	R3B2PFFA49 20-() ()	1,173.	1,193.	1,235.	1,319.	1,375.	1,453.	1,503.
	24"	49"	R3B2PFFA49 24-() ()	1,215.	1,235.	1,277.	1,361.	1,417.	1,495.	1,545.
	30"	49"	R3B2PFFA49 30-() ()	1,297.	1,317.	1,359.	1,443.	1,499.	1,577.	1,627.
	36"	49"	R3B2PFFA49 36-() ()	1,542.	1,562.	1,604.	1,688.	1,744.	1,822.	1,872.
	42"	49"	R3B2PFFA49 42-() ()	1,676.	1,696.	1,738.	1,822.	1,878.	1,956.	2,006.
	48"	49"	R3B2PFFA49 48-() ()	1,756.	1,776.	1,818.	1,902.	1,958.	2,036.	2,086.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	R3B2PFFB49 30-() ()	1,408.	1,428.	1,470.	1,554.	1,610.	1,688.	1,738.
	36"	49"	R3B2PFFB49 36-() ()	1,662.	1,682.	1,724.	1,808.	1,864.	1,942.	1,992.
	42"	49"	R3B2PFFB49 42-() ()	1,796.	1,816.	1,858.	1,942.	1,998.	2,076.	2,126.
	48"	49"	R3B2PFFB49 48-() ()	1,885.	1,905.	1,947.	2,031.	2,087.	2,165.	2,215.

Order Code	Specification Information	Application Notes
Example: R3B2PFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
30 30" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric selection - side 1	8. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	9. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Stacking modules *fabric*

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	R3SFF08 18	\$210.	\$216.	\$236.	\$268.	\$280.	\$302.	\$316.
	20"	8"	R3SFF08 20	210.	216.	236.	268.	280.	302.	316.
	24"	8"	R3SFF08 24	220.	226.	246.	278.	290.	312.	326.
	30"	8"	R3SFF08 30	245.	251.	271.	303.	315.	337.	351.
	36"	8"	R3SFF08 36	267.	273.	293.	325.	337.	358.	373.
	42"	8"	R3SFF08 42	291.	297.	317.	349.	361.	383.	397.
	48"	8"	R3SFF08 48	313.	319.	339.	371.	383.	405.	419.
Stacking modules* Fabric both sides	18"	15"	R3SFF15 18	283.	299.	329.	363.	391.	435.	459.
	20"	15"	R3SFF15 20	283.	299.	329.	363.	391.	435.	459.
	24"	15"	R3SFF15 24	299.	315.	345.	379.	407.	451.	475.
	30"	15"	R3SFF15 30	329.	345.	375.	409.	437.	481.	505.
	36"	15"	R3SFF15 36	363.	379.	409.	443.	471.	515.	539.
	42"	15"	R3SFF15 42	391.	407.	437.	471.	499.	543.	567.
	48"	15"	R3SFF15 48	423.	439.	469.	503.	531.	575.	599.

Order Code

Example: R3SFF0818
R3 Reff Generation 3
S Stacking module
FF Fabric/fabric
08 8" high
18 18" wide
W281 Fabric selection - side 1
W281 Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

Application Notes

* Not for use on 79"H panels.





* * Suitable only for top of any panel. Cannot be stacked upon.

8" module will not accept additional modules on top.

Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	RSWA15 18	\$462.	\$555.	\$15.	\$29.	\$47.
	20"	15"	RSWA15 20	462.	555.	15.	29.	47.
	24"	15"	RSWA15 24	487.	592.	15.	29.	50.
	30"	15"	RSWA15 30	564.	660.	15.	29.	56.
	36"	15"	RSWA15 36	585.	744.	15.	29.	57.
	42"	15"	RSWA15 42	616.	797.	15.	29.	60.
	48"	15"	RSWA15 48	638.	849.	15.	29.	63.
Stacking window module* Center mullion, type "B" 	30"	15"	RSWB15 30	675.	808.	15.	29.	67.
	36"	15"	RSWB15 36	707.	862.	15.	29.	70.
	42"	15"	RSWB15 42	736.	919.	15.	29.	73.
	48"	15"	RSWB15 48	765.	974.	15.	29.	75.
Stacking window module*   18" - 24" 30" - 48"	18"	30"	RSWC30 18	557.	646.	24.	37.	56.
	20"	30"	RSWC30 20	557.	646.	24.	37.	56.
	24"	30"	RSWC30 24	594.	703.	24.	37.	60.
	30"	30"	RSWC30 30	774.	905.	24.	37.	77.
	36"	30"	RSWC30 36	881.	1,041.	24.	37.	85.
	42"	30"	RSWC30 42	945.	1,129.	24.	37.	93.
	48"	30"	RSWC30 48	1,000.	1,214.	24.	37.	97.

Order Code	Specification Information	Application Notes
Example: RSWA1518 111 TEMP	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
A Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection on page 5.
18 18" wide	3. Glass type	
111 Jet Black, window frame finish	Temp = Clear tempered glass	
TEMP Clear tempered glass option	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Stacking modules

Double Window

description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA
Stacking window module* Single glass, type "A"	15"	60"	RSWAD1560 () ()	\$723.	\$827.					
		72"	RSWAD1572 () ()	805.	965.					
		84"	RSWAD1584 () ()	815.	1,006.					
		96"	RSWAD1596 () ()	829.	1,050.					
	22"	60"	RSWAD2260 () ()	902.	1,103.					
		72"	RSWAD2272 () ()	1,015.	1,256.					
		84"	RSWAD2284 () ()	1,034.	1,315.					
		96"	RSWAD2296 () ()	1,055.	1,377.					
Top trim for double wide stacking window modules		60"	R3CRTT60 () ()			78.	160.	177.	229.	131.
		72"	R3CRTT72 ()			83.	171.	187.	241.	177.
		84"	R3CRTT84 ()			101.	193.	210.	267.	194.
		96"	R3CRTT96 ()			106.	203.	221.	281.	199.








Order Code	Specification Information	Application Notes
<i>Example:</i> RSWAD1560	<i>To order please specify:</i>	Panel glass is mounted flush to one side of the window module.
R Reff	1. Pattern number	All window modules incorporate tempered glass 4mm thick.
SW Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	Stabilizing kit is included with the window and is required with all double wide window installation.
A Type A	<i>If P2 or P3 paint finish upcharge add \$25</i>	
D Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$45</i>	Full length top trim is optional and can be ordered separately.
15 15" high	3. Glass type	Not for use on 79" h panels.
60 60" wide	Temp = Clear tempered glass	Applicable finishes are listed on page 5
111 Jet Black, windowframe finish	<i>Architectural options:</i>	
TEMP Clear tempered glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*






Panels

description	w	h	pattern no.	grade	10	15	20	30	35	40	45	Lam.
Stacking modules *,** Fabric and laminate 	18"	8"	R3SFL0818	\$239.	\$244.	\$262.	\$295.	\$310.	\$330.	\$349.		
	20"	8"	R3SFL0820	239.	244.	262.	295.	310.	330.	349.		
	24"	8"	R3SFL0824	259.	264.	282.	315.	330.	350.	369.		
	30"	8"	R3SFL0830	291.	296.	314.	347.	362.	382.	401.		
	36"	8"	R3SFL0836	319.	324.	342.	375.	390.	410.	429.		
	42"	8"	R3SFL0842	345.	350.	368.	401.	416.	436.	455.		
	48"	8"	R3SFL0848	375.	380.	398.	431.	446.	466.	485.		
Stacking modules *,** Fabric and techwood 	18"	8"	R3SF10818	246.	251.	269.	302.	317.	337.	356.		
	20"	8"	R3SF10820	246.	251.	269.	302.	317.	337.	356.		
	24"	8"	R3SF10824	263.	268.	286.	319.	334.	354.	373.		
	30"	8"	R3SF10830	295.	300.	318.	351.	366.	386.	405.		
	36"	8"	R3SF10836	323.	328.	346.	379.	394.	414.	433.		
	42"	8"	R3SF10842	353.	359.	377.	410.	424.	445.	464.		
	48"	8"	R3SF10848	380.	385.	403.	436.	451.	471.	490.		
Stacking modules*,** Fabric and conventional veneer 	18"	8"	R3SF20818	249.	254.	272.	305.	320.	340.	359.		
	20"	8"	R3SF20820	249.	254.	272.	305.	320.	340.	359.		
	24"	8"	R3SF20824	269.	274.	292.	325.	340.	360.	379.		
	30"	8"	R3SF20830	300.	305.	323.	356.	371.	391.	410.		
	36"	8"	R3SF20836	330.	335.	353.	386.	401.	421.	440.		
	42"	8"	R3SF20842	360.	365.	383.	416.	431.	451.	470.		
	48"	8"	R3SF20848	386.	391.	409.	442.	456.	477.	496.		
Stacking modules*,** Fabric and exotic veneer 	18"	8"	R3SF30818	327.	332.	350.	383.	398.	418.	437.		
	20"	8"	R3SF30820	327.	332.	350.	383.	398.	418.	437.		
	24"	8"	R3SF30824	357.	362.	380.	413.	428.	448.	467.		
	30"	8"	R3SF30830	396.	401.	419.	452.	467.	487.	506.		
	36"	8"	R3SF30836	438.	443.	461.	494.	509.	529.	548.		
	42"	8"	R3SF30842	478.	483.	501.	534.	549.	569.	588.		
	48"	8"	R3SF30848	514.	519.	538.	570.	585.	605.	624.		
Stacking modules*,** Laminate both sides 	18"	8"	R3SLL0818									231.
	20"	8"	R3SLL0820									231.
	24"	8"	R3SLL0824									251.
	30"	8"	R3SLL0830									281.
	36"	8"	R3SLL0836									304.
	42"	8"	R3SLL0842									313.
	48"	8"	R3SLL0848									323.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
S Stacking module	2. Panel side 1 finish(s)	8" module will not accept additional modules.
FL Fabric/Laminate	3. Panel side 2 finish(s)	15" module will accept additional module.
08 8" high	Product on this page will accept wood grain laminate where laminate is currently an option.	Stacking modules on this page are high acoustic with a hard board septum and fiberglass.
18 18" wide	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1		Frameless glass add-ups cannot be installed on these modules.
114 Folkstone Grey - side 2		

Stacking modules



*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules* Fabric and laminate 	18"	15"	R3SFL1518	\$342.	\$357.	\$387.	\$422.	\$454.	\$498.	\$523.
	20"	15"	R3SFL1520	342.	357.	387.	422.	454.	498.	523.
	24"	15"	R3SFL1524	356.	371.	401.	436.	468.	512.	537.
	30"	15"	R3SFL1530	390.	405.	435.	470.	502.	546.	571.
	36"	15"	R3SFL1536	423.	438.	468.	503.	535.	579.	604.
	42"	15"	R3SFL1542	456.	471.	501.	539.	568.	612.	637.
	48"	15"	R3SFL1548	488.	503.	533.	568.	600.	644.	669.
Stacking modules* Fabric and techwood 	18"	15"	R3SF11518	350.	365.	395.	430.	462.	506.	531.
	20"	15"	R3SF11520	350.	365.	395.	430.	462.	506.	531.
	24"	15"	R3SF11524	365.	380.	410.	445.	477.	521.	546.
	30"	15"	R3SF11530	396.	411.	441.	476.	508.	552.	577.
	36"	15"	R3SF11536	431.	446.	476.	511.	543.	587.	612.
	42"	15"	R3SF11542	464.	479.	509.	544.	576.	620.	645.
	48"	15"	R3SF11548	495.	511.	541.	576.	608.	652.	677.
Stacking modules* Fabric and conventional veneer 	18"	15"	R3SF21518	354.	369.	399.	434.	466.	510.	535.
	20"	15"	R3SF21520	354.	369.	399.	434.	466.	510.	535.
	24"	15"	R3SF21524	371.	386.	416.	451.	483.	527.	552.
	30"	15"	R3SF21530	406.	421.	451.	486.	518.	562.	587.
	36"	15"	R3SF21536	440.	455.	485.	520.	552.	596.	621.
	42"	15"	R3SF21542	474.	489.	519.	554.	586.	630.	655.
	48"	15"	R3SF21548	503.	518.	548.	583.	615.	659.	684.
Stacking modules* Fabric and exotic veneer 	18"	15"	R3SF315 18	467.	482.	512.	547.	579.	623.	648.
	20"	15"	R3SF315 20	467.	482.	512.	547.	579.	623.	648.
	24"	15"	R3SF315 24	489.	504.	534.	569.	601.	645.	670.
	30"	15"	R3SF315 30	536.	551.	581.	616.	648.	692.	717.
	36"	15"	R3SF315 36	583.	598.	628.	663.	695.	739.	764.
	42"	15"	R3SF315 42	627.	642.	672.	707.	739.	786.	808.
	48"	15"	R3SF315 48	670.	685.	715.	750.	782.	826.	851.
Stacking modules* Laminate both sides 	18"	15	R3SLL1518							327.
	20"	15	R3SLL1520							327.
	24"	15	R3SLL1524							355.
	30"	15	R3SLL1530							399.
	36"	15	R3SLL1536							431.
	42"	15	R3SLL1542							443.
	48"	15	R3SLL1548							445.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
S Stacking module	2. Panel side 1 finish(s)	
FL Fabric/Laminate	3. Panel side 2 finish(s)	
08 8" high	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	8" module will not accept additional modules.
18 18" wide		15" module will accept additional module.
W281 Fabric selection - side 1		
114 Folkstone Grey - side 2		
		Stacking modules on this page are high acoustic with a hard board septum and fiberglass.
		Applicable finishes are listed on page 5 and 6.
		Frameless glass add-ups cannot be installed on these modules.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$65.	n/a
	15"	stacking module post	R3L15TT	127.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	162.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	244.	281.
	49"		R3L49(B)(F/T)(F/T)-() () ()	271.	311.
	64"		R3L64(B)(F/T)(F/T)-() () ()	300.	343.
	79"		R3L79(B)(F/T)(F/T)-() () ()	335.	384.
 T-Post	8"	stacking module post	R3T08T	81.	n/a
	15"	stacking module post	R3T15T	150.	n/a
	34"		R3T34(F/T)-() () ()	197.	n/a
	42"		R3T42(B)(F/T)-() () ()	215.	246.
	49"		R3T49(B)(F/T)-() () ()	244.	281.
	64"		R3T64(B)(F/T)-() () ()	271.	311.
	79"		R3T79(B)(F/T)-() () ()	301.	346.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 443.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$72.	n/a
	15"	stacking module post	R3X15	138.	n/a
	34"		R3X34-() ()	183.	n/a
	42"		R3X42(B)-() ()	199.	230.
	49"		R3X49(B)-() ()	215.	246.
	64"		R3X64(B)-() ()	244.	281.
	79"		R3X79(B)-() ()	278.	316.
 Straight post	8"	stacking module post	R3S08TT	65.	n/a
	15"	stacking module post	R3S15TT	127.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	162.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	244.	281.
	49"		R3S49(B)(F/T)(F/T)-() () ()	271.	311.
	64"		R3S64(B)(F/T)(F/T)-() () ()	300.	343.
	79"		R3S79(B)(F/T)(F/T)-() () ()	335.	384.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 443.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:

- 1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
- 2 = Regular T or cap finish 1 side (applicable for T or X posts only)
- 3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
- 4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
- 5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:

- L = Base infeed left face
- M = Base infeed middle face
- R = Base infeed right face
- N = None

7. Tile divider, optional if face type

- "tiled" and face finish "non-fabric"
- B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV	n/c



Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 443.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers
(fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:

- 1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
- 2 = Regular T or cap finish 1 side (applicable for T or X posts only)
- 3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
- 4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
- 5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:

- L = Base infeed left face
- M = Base infeed middle face
- R = Base infeed right face
- N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 135°

Reff Profiles

description	h	pattern no.	Reg. post list (A/B/C profile)
 135° Tiled Post	34"	R3135V34T () () () () () ()	\$544.
	42"	R3135V42T () () () () () ()	681.
	49"	R3135V49T () () () () () ()	689.
	64"	R3135V64T () () () () () ()	844.
	79"	R3135V79T () () () () () ()	995.
 135° Mono Post	34"	R3135V34F () () () () () ()	544.
	42"	R3135V42F () () () () () ()	681.
	49"	R3135V49F () () () () () ()	689.
	64"	R3135V64F () () () () () ()	844.
	79"	R3135V79F () () () () () ()	995.

Order Code

Example:	R3135V34T
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 443.

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Top cap configuration
3. If L post, cover configuration
1 = one piece
4. Base height option
5. Base infeed knock-out (optional)
6. Tile divider option/finish, if face type T
7. Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
8. Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
9. Base finish

1. Face type:

(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)
3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)

5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. Base height:

4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 120°

Reff Profiles

Panels

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 () () ()	\$379.
	42"	R3120Y42 () () ()	399.
	49"	R3120Y49 () () ()	411.
	64"	R3120Y64 () () ()	451.
	79"	R3120Y79 () () ()	492.

Order Code

Example: R3120Y34	
R3	Reff Generation 3
120V	120° post
34	Height
T	Tiled
(A)	Top profile
(4)	Base height
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Base height option
3. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
4. Base finish

1. Top profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum
(Add \$25 list for this option)


2. Base height:


- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)

Specify AA for anodized aluminum look or painted option from page 5excluding silver.


Panel trims and post covers for all applications

Reff Profiles

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$222.	\$134.
	–	42"		R2ES42(A/B/C/E)(4/6)(E/N)	248.	157.
	–	49"		R2ES49(A/B/C/E)(4/6)(E/N)	275.	179.
	–	64"		R2ES64(A/B/C/E)(4/6)(E/N)	291.	202.
	–	79"		R2ES79(A/B/C/E)(4/6)(E/N)	357.	229.

End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		R2HL3442ES(A/B/C/E)	116.	118.
	34"	49"		R2HL3449ES(A/B/C/E)	162.	121.
	34"	64"		R2HL3464ES(A/B/C/E)	207.	124.
	34"	79"		R2HL3479ES(A/B/C/E)	222.	136.
	42"	49"		R2HL4249ES(A/B/C/E)	116.	118.
	42"	64"		R2HL4264ES(A/B/C/E)	280.	121.
	42"	79"		R2HL4279ES(A/B/C/E)	321.	136.
	49"	64"		R2HL4964ES(A/B/C/E)	162.	124.
	49"	79"		R2HL4979ES(A/B/C/E)	207.	136.
	64"	79"		R2HL6479ES(A/B/C/E)	162.	121.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)	–		18"	RSNTT18(A/B/C/E)	82.	23.
	–	–	20"	RSNTT20(A/B/C/E)	82.	25.
	–	–	24"	RSNTT24(A/B/C/E)	92.	28.
	–	–	30"	RSNTT30(A/B/C/E)	102.	33.
	–	–	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	106.	44.
	–	–	36"	RSNTT36(A/B/C/E)	113.	44.
	–	–	42"	RSNTT42(A/B/C/E)	129.	45.
	–	–	48"	RSNTT48(A/B/C/E)	139.	63.

Order Code

Example: R2ES34A6N	
R2	Reff Generation 2
ES	End trim
34	34" high
A	Flat profile
6	6" base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum
- Base height option
4 = 4"
6 = 6"
- Base type
E = electrical entry
N = standard base
- Finish, end trim
If profile A, B or C specify V1, V2, V3 or painted to match laminate
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base
painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$116.	\$118.
	42"	64"		R2HL4264ETS(A/B/C/E)	280.	121.
	42"	79"		R2HL4279ETS(A/B/C/E)	321.	136.







Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		R2HL3442(F)CS ()	33.	
	34"	49"		R2HL3449(F)CS ()	48.	
	34"	64"		R2HL3464(F/T)CS ()()	96.	
	34"	79"		R2HL3479(F/T)CS ()()	142.	
	42"	49"		R2HL4249(F)CS ()	33.	
	42"	64"		R2HL4264(F/T)CS ()()	79.	
	42"	79"		R2HL4279(F/T)CS ()()	129.	
	49"	64"		R2HL4964(F)CS ()	48.	
	49"	79"		R2HL4979(F/T)CS ()()	96.	
	64"	79"		R2HL6479(F)CS ()	48.	



Application: for height changes involving a post

Order Code	Specification Information
Example: R2ES34A6N	<i>To order please specify pattern number including:</i>
R2 Ref Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	<i>A = flat</i>
A Flat profile	<i>B = square</i>
6 6" base height	<i>C = bullnose</i>
N Non electrical base	<i>E = extruded aluminum</i>
V311 Beech	2. Base height option
111 Jet Black (base finish)	<i>4 = 4"</i>
	<i>6 = 6"</i>
	3. Base type
	<i>E = electrical entry</i>
	<i>N = standard base</i>
	4. Finish, end trim
	<i>If profile A, B or C specify V1, V2, V3 or painted to match laminate</i>
	<i>If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver</i>
	5. Finish, end trim base
	<i>painted or plated finish</i>
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	<i>F = full (monolithic)</i>
	<i>T = tiled</i>
	2. Finish, post cover
	<i>fabric, V1, V2, V3 or painted to match laminate</i>
	3. If tiled cover set, specify reveal finish
	<i>B = black reveal</i>
	<i>or select P1, P2, P3 painted finish from pg. 5</i>
	Select paint or plated finish from page 5.
	Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

description	type	h	pattern no.	list price
 Ceiling entry L-post.		42"	R2L42C(F/T)(F/T)-(4/6)	\$244.
		49"	R2L49C(F/T)(F/T)-(4/6)	261.
		64"	R2L64C(F/T)(F/T)-(4/6)	277.
		79"	R2L79C(F/T)(F/T)-(4/6)	329.
<i>Cable not included</i>				
 Ceiling entry T-post.		42"	R2T42C(F/T)-(4/6)	215.
		49"	R2T49C(F/T)-(4/6)	244.
		64"	R2T64C(F/T)-(4/6)	261.
		79"	R2T79C(F/T)-(4/6)	304.
<i>Cable not included</i>				
 Ceiling entry X-post.		42"	R2X42C	199.
		49"	R2X49C	215.
		64"	R2X64C	244.
		79"	R2X79C	288.
<i>Cable not included</i>				
 Ceiling entry straight line post.		42"	R2S42C(F/T)(F/T)-(4/6)	244.
		49"	R2S49C(F/T)(F/T)-(4/6)	261.
		64"	R2S64C(F/T)(F/T)-(4/6)	277.
		79"	R2S79C(F/T)(F/T)-(4/6)	329.
<i>Cable not included</i>				

Order Code	
Example: R2L42CTT4	
R2	Reff Generation 2
L	L-post
42	42" high
C	Ceiling power entry
T	Tiled style face
T	Tiled style face
4	Base height
W230	Fabric selection
111	Jet Black (base finish)

Applicable finishes are listed on page 5 and 6.

Specification Information
<i>To order please specify pattern number including:</i>
1. Post face option
2. Base height option
3. Finish type, where applicable
4. Finish, where applicable
5. Base finish
6. Canopy finish (ceiling entry pole only)
<i>1. Face type:</i>
F = Full height
T = Tiled
<i>2. Base height:</i>
4 = 4" base height
6 = 6" base height
<i>3. Finish type:</i>
F = Fabric
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes
Data cable application requires the post and the pole only.
*Must order post, pole and cable for electrical application.
The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41"	RCP41-(F/L/1/2/3)*	\$487.
		56"	RCP56-(F/L/1/2/3)*	506.
		71"	RCP71-(F/L/1/2/3)*	568.
		78"	RCP78-(F/L/1/2/3)*	586.



Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	RR3-EPVR	284.
	Ceiling power cable infeed. Ten-wire	RR3-TPVR	344.



One size fits all post sizes (13' of cable)
For use with Ceiling entry Pole and Pole combinations



Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	5. Base finish	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
T Tiled style face	6. Canopy finish (ceiling entry pole only)	
4 Base height	1. <i>Face type:</i>	The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
W230 Fabric selection	F = Full height	Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
111 Jet Black (base finish)	T = Tiled	Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Ceiling cable entry post covers

Alignment kits and wall starters

Reff Profiles

description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$33.
	34"	49"			RPHL3449(F/T)	48.
	34"	64"			RPHL3464(F/T)	96.
	34"	79"			RPHL3479(F/T)	142.
	42"	49"			RPHL4249(F/T)	66.
	42"	64"			RPHL4264(F/T)	92.
	42"	79"			RPHL4279(F/T)	100.
	49"	64"			RPHL4964(F/T)	92.
	49"	79"			RPHL4979(F/T)	100.
	64"	79"			RPHL6479(F/T)	72.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	33.
	42"	64"			RPHL4264S	79.
	42"	79"			RPHL4279S	129.
	49"	64"			RPHL4964S	48.
	49"	79"			RPHL4979S	96.
	64"	79"			RPHL6479S	48.
Wall starter			7/8"	15"	R2SWS0015 () () ()	61.
			7/8"	34"	R2SWS0034 () () ()	121.
			7/8"	42"	R2SWS0042 () () ()	147.
			7/8"	49"	R2SWS0049 () () ()	172.
			7/8"	64"	R2SWS0064 () () ()	226.
			7/8"	79"	R2SWS0079 () () ()	278.
			7/8"	8"	R2SWS0008 () () ()	46.

*Wall starters come with extended top trim from adjoining panel.

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	
42 42" low panel	<i>1. Face type options:</i>	
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.


RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

Ceiling cable entry post covers

Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
					R3SPABPT	\$7.
					R3SPABTD	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABPD	7.
					RSPABPP	7.
					RSPABPT	7.
					RSPABPW	7.
					RSPABTD	7.
					RSPABTT	7.
					RSPABTW	7.
					RSPABWD	7.
				RSPABWW	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
42 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
	Wall starter:	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	1. Pattern number including height	
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64'	RRDPPL(L/R)6436()		\$2,967.	\$3,072.	\$4,108.
		36"	79"	RRD3PPL(L/R)7936()()		3,236.	3,352.	4,525.
		42"	64"	RRDPPL(L/R)6442()		3,024.	3,128.	4,159.
		42"	79"	RRD3PPL(L/R)7942()()		3,286.	3,401.	4,574.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		3,236.	3,352.	4,525.
		42"	79"	RRD3FTCPPL(L/R)7942()		3,286.	3,401.	4,574.
Partial width threshold (full width threshold)		3"	50"	RRDTH()		343.		
		3"	96"	RRDTH(L/R)()		441.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()	3,865.		
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()	4,492.		
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()	3,865.		
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()	4,492.		



Woodgrain Laminate not available on Panel Door

Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
B = Square
C = Bullnose

2. Base height:

- 4 = 4" base
6 = 6" base (add \$47 for this option)

3. Lock option:

- N = Not drilled
D = Drilled *
L = Drilled lock set included
D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
GL6 = Block matrix
GL8 = Wafer glass
P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 5 and 6.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 114).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$111.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	111.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	10 Rolls	3/8"	79"	RHSC70	n/c
	2 Rolls	3/8"	79"	RHSC15	n/c
	30 Rolls	3/8"	79"	RHSC250	n/c
	Carpet gripper(Pack of 10)			R2CG	20.

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

Application Notes




When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

Floor to ceiling modules




21" high, for 104" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	R3FTCFF2118			\$353.	\$359.	\$373.	\$437.	\$461.	\$525.	\$589.
	20"	21"	R3FTCFF2120			353.	359.	373.	437.	461.	525.	589.
	24"	21"	R3FTCFF2124			372.	378.	392.	456.	480.	544.	608.
	30"	21"	R3FTCFF2130			411.	417.	431.	495.	519.	583.	647.
	36"	21"	R3FTCFF2136			441.	447.	461.	525.	549.	613.	677.
	42"	21"	R3FTCFF2142			481.	487.	501.	565.	589.	653.	717.
	48"	21"	R3FTCFF2148			516.	522.	536.	600.	624.	688.	752.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	RFTCWA2118	495.	584.							
	20"	21"	RFTCWA2120	495.	584.							
	24"	21"	RFTCWA2124	520.	629.							
	30"	21"	RFTCWA2130	606.	737.							
	36"	21"	RFTCWA2136	633.	787.							
	42"	21"	RFTCWA2142	666.	852.							
	48"	21"	RFTCWA2148	698.	903.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	RFTCWB2130	707.	836.							
	36"	21"	RFTCWB2136	766.	922.							
	42"	21"	RFTCWB2142	810.	989.							
	48"	21"	RFTCWB2148	847.	1,057.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2118	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick). Specify the finish for frames from paint selection on page 5. Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying. No additional acoustic rating occurs on FTC installations.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Floor to ceiling modules


25" high, for 108" ceiling height and 79" high panels
fabric and glass


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$394.	\$400.	\$412.	\$498.	\$516.	\$600.	\$672.
	20"	25"	R3FTCFF2520			394.	400.	412.	498.	516.	600.	672.
	24"	25"	R3FTCFF2524			417.	423.	435.	521.	539.	623.	695.
	30"	25"	R3FTCFF2530			453.	459.	471.	557.	575.	659.	731.
	36"	25"	R3FTCFF2536			494.	501.	513.	599.	617.	701.	773.
	42"	25"	R3FTCFF2542			534.	540.	552.	638.	656.	740.	812.
	48"	25"	R3FTCFF2548			573.	579.	591.	677.	695.	779.	851.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	517.	607.							
	20"	25"	RFTCWA2520	517.	607.							
	24"	25"	RFTCWA2524	553.	658.							
	30"	25"	RFTCWA2530	639.	770.							
	36"	25"	RFTCWA2536	670.	824.							
	42"	25"	RFTCWA2542	713.	892.							
	48"	25"	RFTCWA2548	743.	949.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	734.	862.							
	36"	25"	RFTCWB2536	813.	969.							
	42"	25"	RFTCWB2542	863.	1,044.							
	48"	25"	RFTCWB2548	912.	1,120.							


Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick). Specify the finish for frames from paint selection on page 5. Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim.
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
25 25" high	4. Soffit finish (paint)	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors. Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying. No additional acoustic rating occurs on FTC installations.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$517.	\$521.	\$531.	\$659.	\$681.	\$807.	\$925.
	20"	37"	R3FTCFF3720			517.	521.	531.	659.	681.	807.	925.
	24"	37"	R3FTCFF3724			547.	551.	561.	689.	711.	837.	955.
	30"	37"	R3FTCFF3730			594.	598.	608.	736.	758.	884.	1,002.
	36"	37"	R3FTCFF3736			645.	649.	659.	787.	809.	935.	1,053.
	42"	37"	R3FTCFF3742			694.	698.	709.	836.	858.	984.	1,102.
	48"	37"	R3FTCFF3748			741.	745.	755.	883.	905.	1,031.	1,149.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	592.	680.
	20"	37"	RFTCWA3720	592.	680.
	24"	37"	RFTCWA3724	638.	742.
	30"	37"	RFTCWA3730	752.	867.
	36"	37"	RFTCWA3736	783.	936.
	42"	37"	RFTCWA3742	834.	1,014.
	48"	37"	RFTCWA3748	878.	1,090.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	811.	942.
	36"	37"	RFTCWB3736	956.	1,110.
	42"	37"	RFTCWB3742	1,030.	1,210.
	48"	37"	RFTCWB3748	1,096.	1,306.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide	<i>For window panel:</i>	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	R3FTCFL2118	\$403.	\$405.	\$410.	\$445.	\$457.	\$490.	\$525.
	20"	21"	R3FTCFL2120	403.	405.	410.	445.	456.	490.	525.
	24"	21"	R3FTCFL2124	417.	419.	424.	459.	471.	504.	539.
	30"	21"	R3FTCFL2130	468.	470.	475.	510.	522.	555.	590.
	36"	21"	R3FTCFL2136	508.	510.	515.	550.	562.	595.	630.
	42"	21"	R3FTCFL2142	553.	555.	560.	595.	607.	640.	675.
	48"	21"	R3FTCFL2148	595.	597.	602.	637.	649.	682.	717.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	R3FTCF12118	410.	412.	417.	452.	464.	497.	532.
	20"	21"	R3FTCF12120	410.	412.	417.	452.	464.	497.	532.
	24"	21"	R3FTCF12124	426.	428.	433.	468.	480.	513.	548.
	30"	21"	R3FTCF12130	475.	477.	482.	517.	529.	562.	597.
	36"	21"	R3FTCF12136	516.	518.	523.	558.	570.	603.	638.
	42"	21"	R3FTCF12142	558.	560.	565.	600.	612.	645.	680.
	48"	21"	R3FTCF12148	608.	610.	615.	650.	662.	695.	730.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	R3FTCF22118	418.	420.	425.	460.	472.	505.	540.
	20"	21"	R3FTCF22120	418.	420.	425.	460.	472.	505.	540.
	24"	21"	R3FTCF22124	431.	433.	438.	473.	485.	518.	553.
	30"	21"	R3FTCF22130	485.	487.	492.	527.	539.	572.	607.
	36"	21"	R3FTCF22136	524.	526.	531.	566.	578.	611.	646.
	42"	21"	R3FTCF22142	570.	572.	577.	612.	624.	657.	692.
	48"	21"	R3FTCF22148	616.	618.	623.	658.	670.	703.	738.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	R3FTCF321 18	551.	553.	558.	593.	605.	638.	673.
	20"	21"	R3FTCF321 20	551.	553.	558.	593.	605.	638.	673.
	24"	21"	R3FTCF321 24	569.	571.	576.	611.	623.	656.	691.
	30"	21"	R3FTCF321 30	642.	644.	649.	684.	695.	729.	764.
	36"	21"	R3FTCF321 36	694.	696.	701.	736.	748.	781.	816.
	42"	21"	R3FTCF321 42	756.	758.	763.	798.	810.	843.	878.
	48"	21"	R3FTCF321 48	816.	818.	823.	858.	870.	903.	938.

Order Code

Example:	R3FTCFL2118
R3	Reff Generation 3
FTC	Floor to ceiling
FL	Fabric/laminate
21	21" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone grey - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

Applicable finishes are listed on page 5 and 6.

Application Notes

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.

Ceiling height includes 4" allowance for trim.

Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.

Modules on this page will not support the hanging of panel mount product.





Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules


21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	R3FTCFL2518	\$432.	\$435.	\$443.	\$488.	\$497.	\$540.	\$579.
	20"	25"	R3FTCFL2520	433.	435.	443.	488.	497.	540.	579.
	24"	25"	R3FTCFL2524	448.	451.	459.	504.	513.	556.	595.
	30"	25"	R3FTCFL2530	509.	512.	520.	565.	574.	617.	656.
	36"	25"	R3FTCFL2536	552.	555.	563.	608.	617.	660.	699.
	42"	25"	R3FTCFL2542	605.	608.	616.	661.	670.	713.	752.
	48"	25"	R3FTCFL2548	654.	657.	665.	710.	719.	762.	801.
Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	R3FTCF12518	438.	441.	449.	494.	503.	546.	585.
	20"	25"	R3FTCF12520	438.	441.	449.	494.	503.	546.	585.
	24"	25"	R3FTCF12524	453.	456.	464.	509.	518.	561.	600.
	30"	25"	R3FTCF12530	519.	522.	530.	575.	584.	627.	666.
	36"	25"	R3FTCF12536	559.	562.	570.	615.	624.	667.	706.
	42"	25"	R3FTCF12542	616.	619.	627.	672.	681.	724.	763.
	48"	25"	R3FTCF12548	664.	667.	675.	720.	729.	772.	811.
Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	R3FTCF22518	448.	451.	459.	504.	513.	556.	595.
	20"	25"	R3FTCF22520	448.	451.	459.	504.	513.	556.	595.
	24"	25"	R3FTCF22524	461.	464.	472.	517.	526.	569.	608.
	30"	25"	R3FTCF22530	527.	530.	538.	583.	592.	635.	674.
	36"	25"	R3FTCF22536	571.	574.	582.	627.	636.	679.	718.
	42"	25"	R3FTCF22542	626.	629.	637.	682.	691.	734.	773.
	48"	25"	R3FTCF22548	676.	679.	687.	732.	741.	784.	823.
Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	R3FTCF325 18	586.	589.	597.	642.	651.	694.	733.
	20"	25"	R3FTCF325 20	586.	589.	597.	642.	651.	694.	733.
	24"	25"	R3FTCF325 24	608.	611.	619.	664.	673.	716.	755.
	30"	25"	R3FTCF325 30	694.	697.	705.	750.	759.	802.	841.
	36"	25"	R3FTCF325 36	756.	759.	767.	812.	821.	864.	903.
	42"	25"	R3FTCF325 42	829.	832.	840.	885.	894.	937.	976.
	48"	25"	R3FTCF325 48	897.	900.	908.	953.	962.	1,005.	1,044.


Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	
18 18" wide	Applicable finishes are listed on page 5 and 6.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		
		<p>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</p> <p>Use of Reff FTC modules must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>


Floor to ceiling modules

37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	R3FTCFL3718	\$527.	\$529.	\$535.	\$601.	\$612.	\$678.	\$739.
	20"	37"	R3FTCFL3720	527.	529.	535.	601.	612.	678.	739.
	24"	37"	R3FTCFL3724	537.	539.	545.	611.	622.	688.	749.
	30"	37"	R3FTCFL3730	638.	640.	646.	712.	723.	789.	850.
	36"	37"	R3FTCFL3736	690.	692.	698.	764.	775.	841.	902.
	42"	37"	R3FTCFL3742	770.	772.	778.	844.	855.	921.	982.
	48"	37"	R3FTCFL3748	840.	842.	848.	914.	925.	991.	1,052.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	R3FTCF13718	536.	538.	544.	610.	621.	687.	748.
	20"	37"	R3FTCF13720	536.	538.	544.	610.	621.	687.	748.
	24"	37"	R3FTCF13724	545.	547.	553.	619.	630.	696.	757.
	30"	37"	R3FTCF13730	648.	650.	656.	722.	733.	799.	860.
	36"	37"	R3FTCF13736	704.	706.	712.	778.	789.	855.	916.
	42"	37"	R3FTCF13742	787.	789.	795.	861.	872.	938.	999.
	48"	37"	R3FTCF13748	856.	858.	864.	930.	941.	1,007.	1,068.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	R3FTCF23718	544.	546.	552.	618.	629.	695.	756.
	20"	37"	R3FTCF23720	544.	546.	552.	618.	629.	695.	756.
	24"	37"	R3FTCF23724	556.	558.	564.	630.	641.	707.	768.
	30"	37"	R3FTCF23730	658.	660.	666.	732.	743.	809.	870.
	36"	37"	R3FTCF23736	713.	715.	721.	787.	798.	864.	925.
	42"	37"	R3FTCF23742	798.	800.	806.	872.	883.	949.	1,010.
	48"	37"	R3FTCF23748	872.	874.	880.	946.	957.	1,023.	1,084.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37" 	18"	37"	R3FTCF337 18	710.	712.	718.	784.	795.	861.	922.
	20"	37"	R3FTCF337 20	710.	712.	718.	784.	795.	861.	922.
	24"	37"	R3FTCF337 24	728.	730.	736.	802.	813.	879.	940.
	30"	37"	R3FTCF337 30	865.	867.	873.	939.	950.	1,016.	1,077.
	36"	37"	R3FTCF337 36	939.	941.	948.	1,013.	1,024.	1,090.	1,151.
	42"	37"	R3FTCF337 42	1,055.	1,057.	1,063.	1,129.	1,140.	1,206.	1,267.
	48"	37"	R3FTCF337 48	1,154.	1,156.	1,162.	1,228.	1,239.	1,305.	1,366.

Order Code	Specification Information	Application Notes
Example: R3FTCFL3718 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 37 37" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.






Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$185.
	add on	25"	R3FTCL25	206.
	add on	37"	R3FTCL37	266.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	420.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	420.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	420.
 T-Post	add on	21"	R3FTCT21	201.
	add on	25"	R3FTCT25	219.
	add on	37"	R3FTCT37	281.
	full height	104"	R3FTCT104(F/T)-() ()	378.
	full height	108"	R3FTCT108(F/T)-() ()	378.
	full height	120"	R3FTCT120(F/T)-() ()	378.
 X-Post	add on	21"	R3FTCX21	183.
	add on	25"	R3FTCX25	203.
	add on	37"	R3FTCX37	265.
	full height	104"	R3FTCX104	347.
	full height	108"	R3FTCX108	347.
	full height	120"	R3FTCX120	347.
 Straight post	add on	21"	R3FTCS21	185.
	add on	25"	R3FTCS25	206.
	add on	37"	R3FTCS37	266.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	420.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	420.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	420.
 End post	add on	21"	R3FTCE21	201.
	add on	25"	R3FTCE25	219.
	add on	37"	R3FTCE37	281.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	378.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	378.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	378.

Order Code	Specification Information	Application Notes
Example: R3FTCL104TT-6N R3FTC Reff Gen 3 Floor to ceiling L Corner post 104 104" high (one piece) TT Tiled appearance 6 6" base height N No base infeed raceway knock-out W808 Fabric selection 111 Jet Black (base finish)	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Post face option Base height option Base infeed raceway knock-out, (optional) Fabric selection Base color <p>1. <i>Face type:</i> F = Full height (monolithic look) T = Tiled</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 list for this option)</p> <p>3. <i>Electrical infeed post:</i> L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None</p>	<p>The posts on this page do not support the hanging of panel mount product above the 79"H panels.</p> <p>The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.</p> <p>If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.</p> <p>Left and Right hand locations are determined by facing the post in question from the outside of the station.</p> <p>Hookstrip cover reveal strips are no charge but must be ordered separately from page 117.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>





Required components for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$60.
	25"	RFTCWS25S	76.
	37"	RFTCWS37S	92.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	219.
Caddy clips (box of 100)		RFTCCLIPS	317.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSpace	100.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		RFTCSM (Pair) for G2 only	7.
		R3FTCSM (Pair) for G3 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.

*These brackets are to be used with hinge doors only.

Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Fabric/laminate/wood options 2. Paint option for metal soffit <p>All floor to ceiling posts mimic the panel system post application.</p>	<p>*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.</p> <p>Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.</p> <p>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</p> <p>Use of Reff FTC components must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		

Power distribution components
 2+2 Base Raceway
 four circuit, eight-wire raceway for panels
 power rails and connector

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-E24	\$142.	
	30" panel	12"	2"	2"	RR3-E30NS	157.	
	36" panel	18"	2"	2"	RR3-E36NS	172.	
	42" panel	24"	2"	2"	RR3-E42NS	179.	
	48" panel	30"	2"	2"	RR3-E48NS	187.	
	60" panel	42"	2"	2"	RR3-E60-4	284.	
	66" panel	48"	2"	2"	RR3-E66-4	300.	
	72" panel	54"	2"	2"	RR3-E72-4	321.	
	Straight	16 1/2"	2"	2"	RR3-EPC24	82.	
		18 1/2"	2"	2"	RR3-EPCS	82.	
		20 1/4"	2"	2"	RR3-EPC	82.	
	Use RR3-EPC24 for straight 24" to 24" wide panel. Use RR3-EPCS for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPC for all other straight power connection configurations.						
	Through post	19"	2"	2"	RR3-EPCP24	82.	
		21"	2"	2"	RR3-EPCPS	82.	
		22 3/4"	2"	2"	RR3-EPCP	82.	
Use RR3-EPCP24 for through post 24" to 24" wide panels. Use RR3-EPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCP for all other through post power connection configurations.							
	Circuit A				RR3-DA	39.	
	Circuit B				RR3-DB	39.	
	Circuit X				RR3-DX	39.	
	Circuit Y				RR3-DY	39.	
	Circuit X				RR3-DXO	44.	
	Circuit Y				RR3-DYO	44.	
Data Shield	1 pair				RR3-DATSHD	27.	

Order Code

Example: RR3-E-24	
RR3	Reff raceway
E	Eight wire 2+2
24	for 24" panel

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

*Power connectors must be specified according to the panel widths in the specified orientation.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

2+2 Base Raceway

four circuit, eight-wire raceway for panels

jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-EJ18	\$103.
	20" panel	40"	2"	2"	RR3-EJ20	103.
	24" panel	44"	2"	2"	RR3-EJ24	111.
	30" panel	50"	2"	2"	RR3-EJ30	119.
	36" panel	56"	2"	2"	RR3-EJ36	129.
	42" panel	62"	2"	2"	RR3-EJ42	135.
	48" panel	68"	2"	2"	RR3-EJ48	142.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	149.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	157.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	165.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	172.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	179.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	187.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	196.
96" panel run	118 1/2"	2"	2"	RR3-EJ96P	203.	
 Extended jumper (through one post)	18" + post	40 1/2"	2"	2"	RR3-EJ18P	103.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	103.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	111.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	119.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	129.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	135.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	142.
 Power infeeds	Ceiling power cable infeed. Eight-wire				RR3-EPVR	284.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	208.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	312.
	Panel base end feed				RR3-REPI	247.
	Panel base side infeed				RR3-EPI	247.
	Surge suppressors				RR3-SP-(A,B,X,Y)	179.

Order Code

Example:	RR3-EPVR
RR3	Reff raceway
E	Eight wire 2+2
P	power infeed
VR	for vertical raceway

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.

For use in Canada, all circuits are CGA rated 15 amp capacity.

Note:

For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Application Notes

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.





Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-EPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-EPNY1** includes only one power connector.

Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-T24	\$165.	
	30" panel	12"	2"	2"	RR3-T30NS	179.	
	36" panel	18"	2"	2"	RR3-T36NS	196.	
	42" panel	24"	2"	2"	RR3-T42NS	208.	
	48" panel	30"	2"	2"	RR3-T48NS	216.	
	60" panel	42"	2"	2"	RR3-T60-4	337.	
	66" panel	48"	2"	2"	RR3-T66-4	351.	
	72" panel	54"	2"	2"	RR3-T72-4	375.	
	Straight	16 1/2"	2"	2"	RR3-TPC24	103.	
		18 1/2"	2"	2"	RR3-TPCS	103.	
		20 1/4"	2"	2"	RR3-TPC	103.	
	Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.						
	Through post	19"	2"	2"	RR3-TPCP24	103.	
		21"	2"	2"	RR3-TPCPS	103.	
		22 3/4"	2"	2"	RR3-TPCP	103.	
	Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.						
		Duplex outlets, black	Circuit A			RR3-DA	39.
			Circuit B			RR3-DB	39.
Circuit C					RR3-DC	39.	
Circuit X					RR3-DX	39.	
Circuit Y					RR3-DY	39.	
Circuit Z					RR3-DZ	39.	
	Duplex outlets, orange	Circuit X			RR3-DXO	44.	
		Circuit Y			RR3-DYO	44.	
		Circuit Z			RR3-DZO	44.	
Data Shield	1 pair				RR3-DATSHD	27.	

Order Code

Example: RR3-T-24	
RR3	Reff raceway
T	Ten wire 3+3
24	for 24" panel

Specification Information

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Note:

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.

*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels

jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-TJ18	\$119.
	20" panel	40"	2"	2"	RR3-TJ20	119.
	24" panel	44"	2"	2"	RR3-TJ24	129.
	30" panel	50"	2"	2"	RR3-TJ30	135.
	36" panel	56"	2"	2"	RR3-TJ36	142.
	42" panel	62"	2"	2"	RR3-TJ42	157.
	48" panel	68"	2"	2"	RR3-TJ48	172.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	179.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	187.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	196.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	203.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	208.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	227.
90" panel run	112 1/2"	2"	2"	RR3-TJ90P	232.	
96" panel run	118 1/2"	2"	2"	RR3-TJ96P	238.	
	18" + post	40 1/2"	2"	2"	RR3-TJ18P	119.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	119.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	129.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	135.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	142.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	157.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	172.
	Ceiling power cable infeed. Ten-wire				RR3-TPVR	344.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	238.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	344.
	Panel base end feed				RR3-RTPI	284.
	Panel base side infeed				RR3-TPI	284.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	179.



* Select which circuit needs protecting and order the specified surge processor.

** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

Power distribution components

Hardwire box

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$222.
	30" panel	RR3CHI301	258.
	36" panel	RR3CHI361	278.
	42" panel	RR3CHI421	281.
	48" panel	RR3CHI481	301.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	230.
	30" panel	RR3CHI302	275.
	36" panel	RR3CHI362	282.
	42" panel	RR3CHI422	286.
	48" panel	RR3CHI482	320.

Order Code

Example:	RR3CHI24
RR3	Reff/AutoStrada raceway G3
CHI	Chicago Hardwire Box
24	For 24" wide panel
1	One sided raceway


Specification Information

Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.


Application Notes

Certified electrician to install.
 Reff Hardwire Box
 Installation instruction sheet available. Part number 6TR45715.

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$149.
	30" panel		RR3-E30S	172.
	36" panel		RR3-E36S	187.
	42" panel		RR3-E42S	203.
	48" panel		RR3-E48S	208.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	179.
	30" panel		RR3-T30S	196.
	36" panel		RR3-T36S	208.
	42" panel		RR3-T42S	227.
	48" panel		RR3-T48S	232.



Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	103.
	Beltway post	19 1/2"	RR3-LTPC	103.
	Beltway post	21 1/2"	RR3-LTPCP	103.



Only necessary for post applications where cable will turn 90° rec.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	149.
	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	141.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCL	158.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	149.

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.


Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper

* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper


When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$142.
	24" wide Ten Wire		RR3TJ48	172.
	30" wide Eight Wire		RR3EJ60P	157.
	30" wide Ten Wire		RR3TJ60P	187.
	36" wide Eight Wire		RR3EJ60P	157.
	36" wide Ten Wire		RR3TJ60P	187.
	42" wide Eight Wire		RR3EJ66P	165.
	42" wide Ten Wire		RR3TJ66P	196.
	48" wide Eight Wire		RR3EJ72P	172.
48" wide Ten Wire		RR3TJ72P	203.	

Order Code	Specification Information	Application Notes
Example: RR3-T42S RR3 Reff raceway T Ten wire 3+3 42 For 42" panel S Single sided power	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector. Two side beltway panels use power rail for base. Single side beltway panel use one sided power rail for base. <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages. Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.
		Vertical Adjacent Jumper **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers. Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$14.
	Faceplate extender, black	RR3-FE	34.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	21.
	Cat 3 RJ11/14/25, black	RR3-C3C	13.
	CAT 5 RJ45 universal	RR3-C5C	21.
	CAT 6 universal	RR3-C6C	35.
	F series video coupler, black	RR3-FV	21.
	ST style coupler, black	RR3-ST	35.
Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	14.
	Mixed icons, 16 piece black	RR3-MICON	14.
	Phone icons, 16 piece black	RR3PICON	14.
Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	139.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	139.
Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	176.
	ST style dual fiber optic side mount	RR3-FOST	100.
Desktop duplex monument	2-RJ11 (telephone)	RGMD6	106.
	2-RJ45's (phone and intercom)	RGMD8	118.
	Duplex outlet (electrical)	RGMDE	128.

Order Code	Specification Information	Application Notes
Example: RR3-2PF	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
RR3 Reff raceway		
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
RR3 Reff raceway		
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.




Vertical power port bracket kit and duplex.


Reff Ported Panel Components

port, vertical duplex and panel jumpers


description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$56.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	87.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	29.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	29.
	Vertical Duplex C (10 wire applications)	RR3VDC	29.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	29.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	29.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	29.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	29.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	29.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	29.



Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	RR3EBVC50	149.
	30" same Panel Jumper 64" 8w	RR3EBVC64	162.
	30" same Panel Jumper 78" 8w	RR3EBVC78	176.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	161.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	175.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	191.




Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	171.
	30" same Panel Jumper 64" 10w	RR3TBVC64	187.
	30" same Panel Jumper 78" 10w	RR3TBVC78	205.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	183.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	201.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	216.

Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 133.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h
RR3 Reff		
VP Vertical port		
BK Bracket kit		
	36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.

Reff Ported Panel Components


port, vertical duplex and panel jumpers

Reff Profiles

description	type	pattern no.	list price
 Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$234.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	202.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	219.
 Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	206.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	179.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	195.
 Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	150.
	Internal Panel Jumper 8 w	RR3EVJ	139.


Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 133.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
RR3 Reff		
VP Vertical port		
BK Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

Worksurface 1 1/4"
rectilinear
20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$318.	\$348.	\$401.	\$539.
		30"	RSA301-() ()	349.	382.	438.	591.
		36"	RSA361-() ()	369.	403.	462.	625.
		42"	RSA421-() ()	383.	422.	484.	654.
		48"	RSA481-() ()	403.	437.	503.	678.
		54"	RSA541-() ()	418.	454.	525.	711.
		60"	RSA601-() ()	452.	491.	565.	765.
		66"	RSA661-() ()	462.	507.	584.	788.
		72"	RSA721-() ()	489.	534.	612.	826.
		78"	RSA781-() ()	495.	539.	621.	839.
		84"	RSA841-() ()	525.	577.	661.	892.
		90"	RSA901-() ()	550.	598.	687.	929.
	96"	RSA961-() ()	570.	621.	714.	963.	
	24"	24"	RSA242-() ()	335.	365.	422.	569.
		30"	RSA302-() ()	379.	412.	477.	642.
		36"	RSA362-() ()	391.	432.	493.	666.
		42"	RSA422-() ()	408.	443.	510.	687.
		48"	RSA482-() ()	433.	477.	547.	737.
		54"	RSA542-() ()	462.	507.	584.	788.
		60"	RSA602-() ()	500.	545.	624.	844.
		66"	RSA662-() ()	512.	561.	647.	872.
		72"	RSA722-() ()	538.	586.	676.	914.
78"		RSA782-() ()	561.	614.	710.	956.	
84"	RSA842-() ()	585.	640.	735.	993.		
90"	RSA902-() ()	614.	667.	767.	1,034.		
96"	RSA962-() ()	636.	693.	798.	1,077.		

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Reff	1. Top thickness	
S Straight top	2. Grommet option	Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Top finish type	
24 24" wide	4. Top finish	These worksurfaces are predrilled with pilot holes for use with wood screws.
1 20" deep	5. Grommet finish	
R Recessed grommet option	1. <i>Thickness options:</i> A = 1 1/4"	<p>4. <i>Top finish</i></p> <p>5. <i>Grommet finish:</i> Painted or Plated</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.</p>
L Laminate finish	2. <i>Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
114 Folkstone grey	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
111 Jet Black (grommet)		

Worksurface 1 1/4"
 rectilinear
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243- () ()	\$366.	\$398.	\$455.	\$615.
		30"	RSA303- () ()	411.	448.	515.	696.
		36"	RSA363- () ()	441.	483.	554.	747.
		42"	RSA423- () ()	459.	502.	578.	781.
		48"	RSA483- () ()	491.	536.	615.	831.
		54"	RSA543- () ()	531.	580.	664.	896.
		60"	RSA603- () ()	551.	599.	689.	931.
		66"	RSA663- () ()	560.	613.	709.	955.
		72"	RSA723- () ()	577.	628.	722.	974.
		78"	RSA783- () ()	603.	658.	757.	1,021.
		84"	RSA843- () ()	625.	684.	787.	1,063.
		90"	RSA903- () ()	656.	715.	824.	1,113.
		96"	RSA963- () ()	679.	742.	853.	1,152.
		36"	60"	RSA604- () ()	634.	692.	794.
66"	RSA664- () ()		656.	716.	825.	1,114.	
72"	RSA724- () ()		678.	741.	852.	1,151.	

Order Code

Example: RSA243RL
R Reff
S Straight top
A 1 1/4" thick
24 24" wide
3 30" deep
R Recessed grommet option
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. *Thickness options:*
 A = 1 1/4"

2. *Grommet options:*
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)
 A = Alternate location (for 36"D tops only)

3. *Finish type:*
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

4. *Top finish*

5. *Grommet finish:*
 Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.




Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4" rectilinear corner tops


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611- () ()	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	RKA 364211- () ()	692.	782.	895.	1,208.
	20"	20"	36"	48"	RKA 364811- () ()	735.	827.	953.	1,286.
	20"	20"	42"	36"	RKA 423611- () ()	692.	782.	895.	1,208.
	20"	20"	42"	42"	RKA 424211- () ()	735.	827.	953.	1,286.
	20"	20"	42"	48"	RKA 424811- () ()	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	RKA 483611- () ()	735.	827.	953.	1,286.
	20"	20"	48"	42"	RKA 484211- () ()	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	RKA 484811- () ()	845.	953.	1,094.	1,477.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622- () ()	744.	834.	960.	1,296.
	24"	24"	36"	42"	RKA 364222- () ()	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	RKA 364822- () ()	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	RKA 423622- () ()	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	RKA 424222- () ()	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	RKA 424822- () ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	RKA 483622- () ()	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	RKA 484222- () ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	RKA 484822- () ()	934.	1,052.	1,207.	1,628.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612- () ()	682.	767.	885.	1,193.
	20"	24"	36"	42"	RKA 364212- () ()	721.	813.	932.	1,259.
	20"	24"	36"	48"	RKA 364812- () ()	765.	860.	990.	1,335.
	20"	24"	42"	36"	RKA 423612- () ()	721.	813.	932.	1,259.
	20"	24"	42"	42"	RKA 424212- () ()	765.	860.	990.	1,335.
	20"	24"	42"	48"	RKA 424812- () ()	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	RKA 483612- () ()	765.	860.	990.	1,335.
	20"	24"	48"	42"	RKA 484212- () ()	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	RKA 484812- () ()	874.	986.	1,132.	1,529.

Order Code	
Example: RKA363611N1	
R	Reff
K	Straight front corner
A	1 1/4" top thickness
36	36" wide on left back
36	36" wide on right back
1	20" deep on left side
1	20" deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information
<i>To order please specify pattern number including:</i>
1. Top thickness
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Finish type
8. Top finish
9. Grommet finish
<i>1. Top thickness:</i> A = 1 1/4"
<i>2. Grommet options:</i> N = No grommets F = Standard corner location or Flush
<i>3. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3
<i>4. Top finish</i>
<i>5. Grommet finish:</i> Painted or Plated

Application Notes
Please call Custom Product Development for special grommet locations.
Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Actual widths are 1/16" less all around on corner worksurfaces.
Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4" rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKA 363621-()()	\$682.	\$767.	\$885.	\$1,193.
	24"	20"	36"	42"	RKA 364221-()()	721.	813.	932.	1,259.
	24"	20"	36"	48"	RKA 364821-()()	765.	860.	990.	1,335.
	24"	20"	42"	36"	RKA 423621-()()	721.	813.	932.	1,259.
	24"	20"	42"	42"	RKA 424221-()()	765.	860.	990.	1,335.
	24"	20"	42"	48"	RKA 424821-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	RKA 483621-()()	765.	860.	990.	1,335.
	24"	20"	48"	42"	RKA 484221-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	RKA 484821-()()	874.	986.	1,132.	1,529.





Order Code	
Example: RKA363611N1	
R	Reff
K	Straight front corner
A	1 1/4" top thickness
36	36" wide on left back
36	36" wide on right back
1	20" deep on left side
1	20" deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information
<i>To order please specify pattern number including:</i>
1. Top thickness
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Finish type
8. Top finish
9. Grommet finish
<i>1. Top thickness:</i> A = 1 1/4"
<i>2. Grommet options:</i> N = No grommets F = Standard corner location or Flush
<i>3. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3
<i>4. Top finish</i>
<i>5. Grommet finish:</i> Painted or Plated

Application Notes
Please call Custom Product Development for special grommet locations.
Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Actual widths are 1/16" less all around on corner worksurfaces.
Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4" transition wave tops





Reff Profiles

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	RWA4221- () ()	\$392.	\$445.	\$512.	\$692.
	24"	48"	20"	RWA4821- () ()	415.	467.	537.	724.
	24"	54"	20"	RWA5421- () ()	446.	500.	577.	779.
	24"	60"	20"	RWA6021- () ()	475.	535.	614.	829.
	24"	66"	20"	RWA6621- () ()	490.	552.	633.	854.
	24"	72"	20"	RWA7221- () ()	511.	578.	662.	894.
Wave top transition (left 24") 	24"	36"	30"	RWA3623- () ()	409.	461.	531.	716.
	24"	42"	30"	RWA4223- () ()	426.	481.	552.	743.
	24"	48"	30"	RWA4823- () ()	445.	497.	573.	774.
	24"	54"	30"	RWA5423- () ()	477.	537.	618.	834.
	24"	60"	30"	RWA6023- () ()	510.	577.	661.	892.
	24"	66"	30"	RWA6623- () ()	529.	595.	685.	927.
	24"	72"	30"	RWA7223- () ()	556.	625.	719.	969.
Wave top transition (left 20") 	20"	42"	24"	RWA4212- () ()	392.	445.	512.	692.
	20"	48"	24"	RWA4812- () ()	415.	467.	537.	724.
	20"	54"	24"	RWA5412- () ()	446.	500.	577.	779.
	20"	60"	24"	RWA6012- () ()	475.	535.	614.	829.
	20"	66"	24"	RWA6612- () ()	490.	552.	633.	854.
	20"	72"	24"	RWA7212- () ()	511.	578.	662.	894.
Wave top transition (right 24") 	30"	36"	24"	RWA3632- () ()	409.	461.	531.	716.
	30"	42"	24"	RWA4232- () ()	426.	481.	552.	743.
	30"	48"	24"	RWA4832- () ()	445.	497.	573.	774.
	30"	54"	24"	RWA5432- () ()	477.	537.	618.	834.
	30"	60"	24"	RWA6032- () ()	510.	577.	661.	892.
	30"	66"	24"	RWA6632- () ()	529.	595.	685.	927.
	30"	72"	24"	RWA7232- () ()	556.	625.	719.	969.

Order Code	Specification Information	Application Notes
Example: RWA4221FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Grommet option	These worksurfaces are predrilled with pilot holes for use with wood screws.
42 42" wide	4. Top finish type	Curvilinear worksurfaces only available in 1 1/4" thick.
2 24" deep on left side	5. Top finish	See Planning Guide for grommet locations.
1 20" deep on right side	6. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
F Flush grommet option	3. <i>Grommet options:</i>	
L Laminate finish	N = No grommet	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	5. <i>Top finish</i>	
	6. <i>Grommet finish:</i>	
	Painted or Plated	
		Please call Custom Product Development for special grommet locations.
		Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
		Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.
		Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
		Applicable finishes are listed on page 5 and 6.
		Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface 1 1/4" transition wave top ends

Reff Profiles

description	depth1	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	RWEA3631-()()	\$523.	\$589.	\$679.	\$916.
	20"	42"	32"	RWEA4231-()()	545.	613.	709.	955.
	20"	48"	32"	RWEA4831-()()	574.	648.	743.	1,003.
Wave top end, (right 24") 	24"	36"	36"	RWEA3662-()()	542.	611.	701.	947.
	24"	42"	36"	RWEA4262-()()	559.	629.	724.	977.
	24"	48"	36"	RWEA4862-()()	594.	666.	766.	1,033.
Wave top end, (left 20") 	32"	36"	20"	RWEA3613-()()	523.	589.	679.	916.
	32"	42"	20"	RWEA4213-()()	545.	613.	709.	955.
	32"	48"	20"	RWEA4813-()()	574.	648.	743.	1,003.
Wave top end, (left 24") 	36"	36"	24"	RWEA3626-()()	542.	611.	701.	947.
	36"	42"	24"	RWEA4226-()()	559.	629.	724.	977.
	36"	48"	24"	RWEA4826-()()	594.	666.	766.	1,033.

Order Code

Example: RWEA3631FL
R Reff
E Wave top ends
A 1 1/4" thick
36 36" wide
3 32" deep on left side
1 20" deep on right side
F Flush grommet option
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. Grommet options:
N = No grommet
F = Flush front grommet location

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

5. Top finish

6. Grommet finish:
Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.


Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.

Worksurface 1 1/4"

curvilinear corner tops - 20" Deep

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611-()()	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	RCA364211-()()	692.	782.	895.	1,208.
	20"	20"	36"	48"	RCA364811-()()	735.	827.	953.	1,286.
	20"	20"	42"	36"	RCA423611-()()	692.	782.	895.	1,208.
	20"	20"	42"	42"	RCA424211-()()	735.	827.	953.	1,286.
	20"	20"	42"	48"	RCA424811-()()	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	RCA483611-()()	735.	827.	953.	1,286.
	20"	20"	48"	42"	RCA484211-()()	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	RCA484811-()()	845.	953.	1,094.	1,477.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621-()()	682.	767.	885.	1,193.
	24"	20"	36"	42"	RCA364221-()()	721.	813.	932.	1,259.
	24"	20"	36"	48"	RCA364821-()()	765.	860.	990.	1,335.
	24"	20"	42"	36"	RCA423621-()()	721.	813.	932.	1,259.
	24"	20"	42"	42"	RCA424221-()()	765.	860.	990.	1,335.
	24"	20"	42"	48"	RCA424821-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	RCA483621-()()	765.	860.	990.	1,335.
	24"	20"	48"	42"	RCA484221-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	RCA484821-()()	874.	986.	1,132.	1,529.

Worksurfaces

Order Code

Example:	RCA363611N1
R	Reff
C	Curved front corner
A	1 1/4" thick
36	36" wide on left back
36	36" wide on right back
1	20" deep on left side
1	20" deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information

To order please specify pattern number including:

- Left hand width
- Right hand width
- Return left hand depth
- Return right hand depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

5. Grommet options:
 N = No grommets
 F = Standard corner location

6. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

7. Top finish

8. Grommet finish:
 Painted or Plated

Application Notes

Radius of curved front changes with overall top size. See Planning Guide.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4" curvilinear corner tops - 24" Deep

Reff Profiles


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-()()	\$682.	\$767.	\$885.	\$1,193.
	20"	24"	36"	42"	RCA364212-()()	721.	813.	932.	1,259.
	20"	24"	36"	48"	RCA364812-()()	765.	860.	990.	1,335.
	20"	24"	42"	36"	RCA423612-()()	721.	813.	932.	1,259.
	20"	24"	42"	42"	RCA424212-()()	765.	860.	990.	1,335.
	20"	24"	42"	48"	RCA424812-()()	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	RCA483612-()()	765.	860.	990.	1,335.
	20"	24"	48"	42"	RCA484212-()()	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	RCA484812-()()	874.	986.	1,132.	1,529.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-()()	744.	834.	960.	1,296.
	24"	24"	36"	42"	RCA364222-()()	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	RCA364822-()()	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	RCA423622-()()	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	RCA424222-()()	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	RCA424822-()()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	RCA483622-()()	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	RCA484222-()()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	RCA484822-()()	934.	1,052.	1,207.	1,628.

Order Code	Specification Information	Application Notes
Example: RCA363612	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	2. Right hand width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Return left hand depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
36 36" wide on left back	4. Return right hand depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide on right back	5. Grommet option	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	6. Top finish type	See Planning Guide for grommet locations.
2 24" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	<i>5. Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	<i>6. Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>7. Top finish</i>	
	<i>8. Grommet finish:</i>	
	Painted or Plated	

Worksurface 1 1/4" extended curvilinear corner tops


Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	RCCDLA23672 () () ()	\$1,809.	\$2,400.	\$3,388.	\$4,571.
	36"	78"	RCCDLA23678 () () ()	1,881.	2,496.	3,521.	4,753.
	36"	84"	RCCDLA23684 () () ()	1,956.	2,597.	3,662.	4,943.
	36"	96"	RCCDLA23696 () () ()	2,035.	2,700.	3,809.	5,143.



Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	1,811.	2,406.	3,396.	4,585.
	36"	78"	RCCDLA33678 () () ()	1,883.	2,503.	3,534.	4,771.
	36"	84"	RCCDLA33684 () () ()	1,959.	2,604.	3,674.	4,959.
	36"	96"	RCCDLA33696 () () ()	2,037.	2,707.	3,822.	5,158.

Extended corner worktop, RH curved front corner (return 24")	36"	72"	RCCDRA23672 () () ()	1,809.	2,400.	3,388.	4,571.
	36"	78"	RCCDRA23678 () () ()	1,881.	2,496.	3,521.	4,753.
	36"	84"	RCCDRA23684 () () ()	1,956.	2,597.	3,662.	4,943.
	36"	96"	RCCDRA23696 () () ()	2,035.	2,700.	3,809.	5,143.



Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	1,811.	2,406.	3,396.	4,585.
	36"	78"	RCCDRA33678 () () ()	1,883.	2,503.	3,534.	4,771.
	36"	84"	RCCDRA33684 () () ()	1,959.	2,604.	3,674.	4,959.
	36"	96"	RCCDRA33696 () () ()	2,037.	2,707.	3,822.	5,158.

Worksurfaces

Order Code

Example:	RCCDLA23672N2
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Depth
2. Grommet option
N = No grommets
F = Flush front grommet location
3. Finish type:
L = Laminate
M = Mixed (laminated surface with wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4" extended straight corner tops

Reff Profiles

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24") 	36"	60"	24"	RCEAL223660() () ()	\$670.	\$989.	\$1,338.	\$1,810.
	36"	72"	24"	RCEAL223672() () ()	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAL224260() () ()	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAL224272() () ()	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAL224872() () ()	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAL224884() () ()	1,071.	1,619.	2,183.	2,947.
48"	96"	24"	RCEAL224896() () ()	1,231.	1,866.	2,511.	3,391.	

Extended straight corner top, RH curved front corner (returns 24") 	36"	60"	24"	RCEAR223660() () ()	670.	989.	1,338.	1,810.
	36"	72"	24"	RCEAR223672() () ()	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAR224260() () ()	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAR224272() () ()	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAR224872() () ()	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAR224884() () ()	1,071.	1,619.	2,183.	2,947.
	48"	96"	24"	RCEAR224896() () ()	1,231.	1,866.	2,511.	3,391.

Order Code

Example:	RCEAL223660N2
R	Reff
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 5 and 6.


Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4" Meeting tops 'D'

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMDA4230-()()	\$579.	\$627.	\$721.	\$973.
		48"	30"	RMDA4830-()()	622.	678.	781.	1,054.
		54"	30"	RMDA5430-()()	666.	726.	834.	1,127.
		60"	30"	RMDA6030-()()	714.	778.	890.	1,203.
		66"	30"	RMDA6630-()()	760.	826.	952.	1,285.
		72"	30"	RMDA7230-()()	809.	879.	1,010.	1,364.
		78"	30"	RMDA7830-()()	914.	992.	1,142.	1,540.
		84"	30"	RMDA8430-()()	1,018.	1,106.	1,274.	1,719.
		90"	30"	RMDA9030-()()	1,136.	1,236.	1,422.	1,918.
	96"	30"	RMDA9630-()()	1,255.	1,365.	1,569.	2,118.	
	36" deep	42"	36"	RMDA4236-()()	636.	691.	793.	1,071.
		48"	36"	RMDA4836-()()	696.	756.	868.	1,171.
		54"	36"	RMDA5436-()()	793.	864.	995.	1,342.
		60"	36"	RMDA6036-()()	891.	967.	1,114.	1,505.
		66"	36"	RMDA6636-()()	909.	987.	1,134.	1,533.
		72"	36"	RMDA7236-()()	921.	1,003.	1,155.	1,557.
		78"	36"	RMDA7836-()()	1,039.	1,129.	1,299.	1,754.
		84"	36"	RMDA8436-()()	1,155.	1,257.	1,445.	1,949.
90"		36"	RMDA9036-()()	1,217.	1,323.	1,522.	2,055.	
Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	RMDA4221-()()	744.	809.	928.	1,252.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-()()	813.	885.	1,017.	1,374.



No Grommets

Please specify mating trim profile

Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: RMDA4230N1</p> <p>R Reff</p> <p>MD Meeting D-top</p> <p>A 1 1/4" thick</p> <p>42 42" wide</p> <p>30 30" deep</p> <p>N No grommet</p> <p>1 V1</p> <p>Y311 Beech</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Top thickness Width Depth Grommet option Top finish type Top finish Grommet finish Trim profile <p>1. Thickness options: A = 1 1/4"</p> <p>4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Additional spec option required for wrap around panel tops; specify mating trim profile.</p> <p>8. Trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p> <p>1 3/4" laminate tops on this page are edge banded to match post-formed contours.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>

Worksurface 1 1/4" Meeting tops P and 9


Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230- () ()	\$792.	\$862.	\$991.	\$1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836- () ()	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230- () ()	792.	862.	991.	1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836- () ()	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430- () ()	1,613.	1,753.	2,017.	2,724.
		96"	30"	RM9A9630- () ()	1,680.	1,829.	2,100.	2,836.





42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
M9 Meeting 9-top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
42 42" wide	4. Grommet option	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
30 30" deep	5. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
N No grommet	6. Top finish	
1 V1	7. Grommet finish	
Y311 Beech	<p>1. <i>Thickness options:</i> A = 1 1/4"</p> <p>4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p>7. <i>Grommet finish:</i> Painted or Plated</p>	<p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p>

Worksurface 1 1/4"

Meeting tops

description	type	w	d	pattern no.	L	M/V1	V2	V3
 Worksurface P-top 42" diameter		84"	30"	RMPA8430- () ()	\$1,613.	\$1,753.	\$2,017.	\$2,724.
		96"	30"	RMPA9630- () ()	1,680.	1,829.	2,100.	2,836.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
 Elliptical tops		60"	30"	REBA6030- () *	1,109.	1,229.	1,410.	1,906.
		72"	42"	REBA7242- () *	1,580.	1,747.	2,011.	2,713.
		78"	48"	REBA7848- () *	1,730.	1,917.	2,204.	2,976.

Order Code

Example: RMDA4230N1
R Reff
MD Meeting D-top
A 1 1/4" thick
42 42" wide
30 30" deep
N No grommet
1 V1
Y311 Beech

Specification Information

To order please specify pattern number including:

- Top thickness
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish
- Trim profile

1. *Thickness options:*
A = 1 1/4"

4. *Grommet options:*
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. *Finish type:*
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

7. *Grommet finish:*
Painted or Plated

Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.


*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Worksurface 1 1/4" Bow front and support


Reff Profiles

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72"	30"		RMB(A)7230-() ()	\$926.	\$1,045.	\$1,203.	\$1,623.
	84"	30"		RMB(A)8430-() ()	1,020.	1,154.	1,325.	1,788.
	96"	30"		RMB(A)9630-() ()	1,133.	1,278.	1,467.	1,983.



Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top - 36"D	72"	36"		RMB(A)7236-() ()	985.	1,109.	1,277.	1,723.
	84"	36"		RMB(A)8436-() ()	1,079.	1,218.	1,401.	1,890.
	96"	36"		RMB(A)9636-() ()	1,196.	1,350.	1,550.	2,093.



Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
Can also be used with 36" deep end panel and recessed modesty.

Order Code	Specification Information	Application Notes
Example: RMBA7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet option	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V319 Medium cherry	<i>1. Thickness options:</i> A = 1 1/4"	List price for woodgrain laminate options will be current published laminate list price plus 10%.
111 Jet Black (grommet)	<i>4. Grommet options:</i> N = No grommet F = Flush front grommet R = Recessed grommet A = Alternate location (only for 36" deep bow front tops)	These worksurfaces are predrilled with pilot holes for use with wood screws. See Planning Guide for grommet locations. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.






Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference 1 1/4" Square and rectangular

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RRR7230(-)	\$597.	\$650.	\$747.	\$1,008.
	72"	36"	RRR7236(-)	649.	707.	812.	1,096.
	84"	30"	RRR8430(-)	661.	717.	826.	1,115.
	84"	36"	RRR8436(-)	711.	771.	886.	1,197.
	84"	42"	RRR8442(-)	1,050.	1,142.	1,310.	1,769.
	96"	30"	RRR9630(-)	742.	808.	927.	1,251.
	96"	36"	RRR9636(-)	818.	889.	1,024.	1,382.
	96"	42"	RRR9642(-)	1,205.	1,308.	1,505.	2,032.
Rectangular top 2 piece 	120"	36"	RRR12036(-)	1,313.	1,427.	1,642.	2,217.
	120"	42"	RRR12042(-)	1,811.	1,969.	2,265.	3,058.
	120"	48"	RRR12048(-)	1,968.	2,141.	2,461.	3,323.
	144"	42"	RRR14442(-)	2,035.	2,212.	2,544.	3,434.
	144"	48"	RRR14448(-)	2,179.	2,372.	2,727.	3,681.
Rectangular top 3 piece 	168"	42"	RRR16842(-)	2,667.	2,899.	3,337.	4,505.
	168"	48"	RRR16848(-)	2,898.	3,151.	3,624.	4,890.
	192"	42"	RRR19242(-)	2,892.	3,144.	3,613.	4,878.
	192"	48"	RRR19248(-)	3,114.	3,383.	3,888.	5,248.
Square tops  	*	60"	RRR6060(-)	1,224.	1,329.	1,532.	2,066.
	*	72"	RRR7272(-)	1,442.	1,569.	1,804.	2,436.
	-	36"	RRR3636(-)	460.	502.	578.	781.
	-	42"	RRR4242(-)	597.	650.	747.	1,008.
	-	48"	RRR4848(-)	786.	852.	981.	1,323.

Worksurfaces

Order Code

Example:	RRAG72302
R	Reff
R	Rectangular
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4"

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Square tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Conference 1 1/4"
Round and racetrack

Reff Profiles

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece 	72"	30"	RTA7230-()	\$1,131.	\$1,229.	\$1,410.	\$1,906.
	84"	30"	RTA8430-()	1,258.	1,368.	1,573.	2,122.
	96"	30"	RTA9630-()	1,398.	1,522.	1,751.	2,363.
	72"	36"	RTA7236-()	1,290.	1,401.	1,610.	2,173.
	84"	36"	RTA8436-()	1,448.	1,576.	1,811.	2,443.
	96"	36"	RTA9636-()	1,607.	1,747.	2,011.	2,713.
	84"	42"	RTA8442-()	1,761.	1,917.	2,204.	2,976.
	96"	42"	RTA9642-()	1,975.	2,147.	2,467.	3,331.
	96"	48"	RTA9648-()	2,166.	2,351.	2,705.	3,650.
Racetrack top 2 piece 	120"	36"	RTA12036-()	2,074.	2,257.	2,597.	3,504.
	120"	42"	RTA12042-()	2,240.	2,432.	2,800.	3,779.
	144"	42"	RTA14442-()	2,470.	2,683.	3,086.	4,164.
	120"	48"	RTA12048-()	2,380.	2,587.	2,976.	4,017.
	144"	48"	RTA14448-()	2,531.	2,753.	3,163.	4,269.
Racetrack top 3 piece 	168"	42"	RTA16842-()	3,096.	3,364.	3,870.	5,224.
	192"	42"	RTA19242-()	3,325.	3,614.	4,159.	5,615.
	168"	48"	RTA16848-()	3,314.	3,599.	4,138.	5,588.
	192"	48"	RTA19248-()	3,462.	3,765.	4,327.	5,842.
Round tops  	-	36"	RTA3636-()	636.	691.	793.	1,071.
	-	42"	RTA4242-()	739.	799.	920.	1,241.
	-	48"	RTA4848-()	1,215.	1,319.	1,516.	2,047.
	*	60"	RTA6060-()	1,902.	2,068.	2,378.	3,211.
	*	72"	RTA7272-()	2,353.	2,557.	2,945.	3,976.

Order Code

Example: RTA72302	
R	Reff
R	Round
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4"

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Round tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Top to top brackets included with multiple piece conference tops only.

See table base matrix in Planning Guide pages 140 and 141.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 0 and 0.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 0 through 0.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:

- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma



Alpha



Beta



Chi



Delta



Epsilon




Phi




Gamma

Optional edge 1 1/4"
front only, 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$401.	\$457.	\$618.	
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	439.	505.	681.	
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	462.	533.	719.	
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	484.	556.	751.	
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	504.	578.	781.	
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	522.	606.	817.	
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	565.	651.	879.	
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	582.	671.	904.	
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	613.	706.	951.	
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	621.	714.	963.	
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	661.	759.	1,025.	
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	687.	791.	1,068.	
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	714.	822.	1,109.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	422.	484.	654.
			30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	477.	548.	739.
			36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	494.	569.	769.
			42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	510.	585.	789.
48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)		548.	627.	846.		
54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)		582.	671.	904.		
60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)		624.	717.	968.		
66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)		648.	742.	1,002.		
72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)		675.	779.	1,050.		
78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)		709.	815.	1,100.		
84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)		735.	845.	1,142.		
90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)	767.	885.	1,193.			
96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	797.	920.	1,241.			


Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 0 and 0.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge 1 1/4"
front only, 30" and 36" deep

description	d	width	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$455.	\$525.	\$711.	
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	515.	591.	797.	
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	555.	636.	858.	
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	577.	662.	894.	
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	615.	711.	959.	
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	666.	765.	1,031.	
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	689.	792.	1,069.	
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	707.	813.	1,097.	
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	723.	829.	1,121.	
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	757.	873.	1,178.	
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	787.	906.	1,225.	
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	823.	949.	1,281.	
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	853.	983.	1,326.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	796.	916.	1,235.
			66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	824.	951.	1,284.
			72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	852.	982.	1,324.


Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	<p>Applicable finishes are listed on page 0 and 0.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4"
front and back edge, 20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	504.	578.	781.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	522.	606.	817.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	565.	651.	879.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	582.	671.	904.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	613.	706.	951.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	621.	714.	963.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	661.	759.	1,025.
	90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	687.	791.	1,068.	
	96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	714.	822.	1,109.	
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	548.	627.	846.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	582.	671.	904.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	624.	717.	968.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	648.	742.	1,002.
72"		RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	675.	779.	1,050.	
78"		RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	709.	815.	1,100.	
84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	735.	845.	1,142.		
90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	767.	885.	1,193.		
96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	797.	920.	1,241.		



Order Code	Specification Information	Application Notes
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position A = Edge front and back	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 0 and 0.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4"
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$455.	\$525.	\$711.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	515.	591.	797.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	555.	636.	858.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	577.	662.	894.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	615.	711.	959.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	666.	765.	1,031.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	689.	792.	1,069.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	707.	813.	1,097.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	723.	829.	1,121.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	757.	873.	1,178.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	787.	906.	1,225.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	823.	949.	1,281.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	853.	983.	1,326.
	36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	796.	916.	1,235.
		66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	824.	951.	1,284.
		72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)	852.	982.	1,324.


Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Edge profile 5th position A = Edge front and back Width Depth Grommet option Top finish type Top finish Grommet finish <p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>5. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p><i>6. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 0 and 0.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff		
S Straight top		
A 1 1/4" thick		
G Gamma		
A Edge front and back		
24 24" wide		
3 30" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4" front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	548.	627.	846.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	401.	457.	618.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	548.	627.	846.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 0 and 0.
G Gamma	4. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
B Both ends accept edge	5. Grommet option	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	


Optional edge 1 1/4" front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	548.	627.	846.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 0 and 0.
G Gamma	4. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
B Both ends accept edge	5. Grommet option	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge 1 1/4" curvilinear corner front edge only

description	width l	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$847.	\$973.	\$1,314.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	895.	1,030.	1,391.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	953.	1,094.	1,477.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	895.	1,030.	1,391.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	953.	1,094.	1,477.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	1,040.	1,195.	1,613.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	953.	1,094.	1,477.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	1,040.	1,195.	1,613.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,094.	1,259.	1,698.
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24" <i>Radii of front edge varies with top dimensions</i>	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	885.	1,017.	1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	991.	1,136.	1,536.

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Corner top	2. Left hand width	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	7. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 0 and 0.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4" curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	48"	42"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	\$1,078.	\$1,238.	\$1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,132.	1,303.	1,759.
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	885.	1,017.	1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,132.	1,303.	1,759.

Worksurfaces






Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.</p>
R Reff	<ol style="list-style-type: none"> Edge profile Left hand width Right hand width Return left hand depth Return right hand depth Grommet option Top finish type Top finish Grommet finish 	
C Corner top		
A 1 1/4" thick		
G Gamma		
F Edge Front only		
36 36" wide		
36 36" wide		
1 20" deep		
1 20" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		
	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p>	<p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 0 and 0.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>

Optional edge 1 1/4" curvilinear corner front edge only

description	width l	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	\$960.	\$1,104.	\$1,491.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	1,011.	1,160.	1,566.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	1,065.	1,224.	1,653.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	1,011.	1,160.	1,566.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	1,065.	1,224.	1,653.
	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,155.	1,328.	1,792.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	1,065.	1,224.	1,653.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,155.	1,328.	1,792.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,209.	1,388.	1,875.

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.</p>
R Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
C Corner top	7. Finish type: 1 = V1 2 = V2 3 = V3	
A 1 1/4" thick	Applicable finishes are listed on page 0 and 0.	
G Gamma	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
F Edge Front only		
36 36" wide		
36 36" wide		
1 20" deep		
1 20" deep		
F Flush grommet	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		




Optional edge 1 1/4"
wave end tops
front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-()(1/2/3)	\$511.	\$588.	\$793.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-()(1/2/3)	537.	618.	834.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-()(1/2/3)	574.	661.	892.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-()(1/2/3)	614.	709.	955.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-()(1/2/3)	633.	727.	985.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-()(1/2/3)	662.	763.	1,029.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-()(1/2/3)	553.	633.	854.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-()(1/2/3)	573.	658.	888.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-()(1/2/3)	618.	712.	960.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-()(1/2/3)	661.	759.	1,025.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-()(1/2/3)	684.	788.	1,064.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-()(1/2/3)	721.	827.	1,118.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-()(1/2/3)	511.	588.	793.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-()(1/2/3)	537.	618.	834.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-()(1/2/3)	574.	661.	892.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-()(1/2/3)	614.	709.	955.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-()(1/2/3)	633.	727.	985.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-()(1/2/3)	662.	763.	1,029.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-()(1/2/3)	553.	633.	854.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-()(1/2/3)	573.	658.	888.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-()(1/2/3)	618.	712.	960.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-()(1/2/3)	661.	759.	1,025.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-()(1/2/3)	684.	788.	1,064.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-()(1/2/3)	721.	827.	1,118.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-()(1/2/3)	679.	782.	1,055.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-()(1/2/3)	707.	813.	1,097.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-()(1/2/3)	743.	854.	1,155.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 0 and 0.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	


Optional edge 1 1/4"
wave end tops
front edge only

description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$703.	\$809.	\$1,091.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	724.	832.	1,124.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	766.	884.	1,192.
Wave end top with profile edge front only (20" left) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	679.	782.	1,055.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	707.	813.	1,097.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	743.	854.	1,155.
Wave end top with profile edge front only (24" left) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	703.	809.	1,091.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	724.	832.	1,124.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	766.	884.	1,192.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 0 and 0.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4" meeting tops

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$722.	\$828.	\$1,119.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	781.	894.	1,207.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	834.	960.	1,296.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	892.	1,025.	1,383.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	952.	1,093.	1,476.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	1,010.	1,159.	1,565.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,141.	1,311.	1,771.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,274.	1,464.	1,977.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,423.	1,636.	2,207.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,569.	1,804.	2,436.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	794.	914.	1,233.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	868.	999.	1,349.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	993.	1,144.	1,543.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,114.	1,282.	1,731.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,134.	1,306.	1,763.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,155.	1,328.	1,792.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,299.	1,492.	2,015.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,445.	1,663.	2,245.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,522.	1,751.	2,363.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,668.	1,915.	2,586.
Wrap-around panel top	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	928.	1,067.	1,439.
*No Grommet option	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	1,017.	1,170.	1,579.







Please specify mating end trim profile option.

Worksurfaces




Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
R Reff MD Peninsula D-shaped top A 1 1/4" thick G Gamma F Edge front only 42 42" wide 30 30" deep C Centered grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	<ol style="list-style-type: none"> Edge profile Width Depth Grommet option Top finish type Top finish Grommet finish Applicable "wrap around panel tops" only specify mating panel end trim profile <p><i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>4. Grommet options:</i> N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)</p> <p><i>5. Finish type:</i> 1 = V1 2 = V2 3 = V3</p> <p><i>8. Additional specification option required for wrap around panel tops only. specify mating trim profile</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>Applicable finishes are listed on page 0 and 0.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	

Optional edge 1 1/4" meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Worksurface P-top 	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	\$2,016.	\$2,322.	\$3,133.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,102.	2,417.	3,263.
Worksurface 9-top 	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	2,016.	2,322.	3,133.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,102.	2,417.	3,263.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet option 	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	992.	1,140.	1,537.
	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,102.	1,267.	1,712.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet option 	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	992.	1,140.	1,537.
	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,102.	1,267.	1,712.

Order Code	Specification Information	Application Notes
Example: RMPAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	
MP Peninsula P-shaped top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Depth	
G Gamma	4. Grommet option	
F Edge front only	5. Top finish type	
42 42" wide	6. Top finish	
30 30" deep	7. Grommet finish	
C Centered grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	
2 V2 finish		
V319 Medium cherry	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
	B = Beta	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
	C = Chi	
	D = Delta	
	E = Epsilon	Applicable finishes are listed on page 0 and 0.
	F = Phi	
	G = Gamma	
		Products on this page do not accept the following finishes:
		Y341 Wenge
		Y342 Medium Teak
		Y343 Dark Grey Oak

Optional edge 1 1/4" Bow front tops

description	w	d	pattern no.	V1	V2	V3
 Profile edge on front and back (30"d)	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,203.	\$1,381.	\$1,866.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430-()(1/2/3)	1,325.	1,524.	2,058.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630-()(1/2/3)	1,468.	1,686.	2,277.
 Profile edge on front and back (36"d)	72"	36"	RMBA(A/B/C/D/E/F/G)A7236-()(1/2/3)	1,277.	1,467.	1,983.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436-()(1/2/3)	1,400.	1,611.	2,175.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,551.	1,785.	2,408.
 Profile elliptical tops	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,411.	1,623.	2,191.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	2,012.	2,310.	3,119.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	2,204.	2,535.	3,422.

grommet options for elliptical tops, N or R

Worksurfaces

Order Code	Specification Information
Example: RMBAGA7230F2	
R Reff	
MB Bow front top	
A 1 1/4" thick	
G Gamma	
A Edge front and back	
72 72" wide	
30 30" deep	
F Flush grommet	
2 V2 finish	
V319 Medium cherry	
111 Jet Black (grommet)	





Specification Information	Application Notes
<i>To order please specify pattern number including:</i>	
1. Edge profile	
2. Width	
3. Depth	
4. Grommet option	
5. Top finish type	
6. Top finish	
7. Grommet finish	
<i>1. Edge profile options:</i>	
A = Alpha	
B = Beta	
C = Chi	
D = Delta	
E = Epsilon	
F = Phi	
G = Gamma	
	4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front A = Alternate location (only for 36" deep bow front tops)
	5. Finish type: 1 = V1 2 = V2 3 = V3
	Applicable finishes are listed on page 0 and 0.
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4" round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,411.	\$1,623.	\$2,191.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,611.	1,849.	2,497.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,571.	1,810.	2,442.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,813.	2,079.	2,809.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,204.	2,535.	3,422.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,751.	2,014.	2,717.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	2,012.	2,310.	3,119.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,467.	2,837.	3,830.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,597.	2,985.	4,029.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,800.	3,218.	4,345.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	2,976.	3,421.	4,617.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	3,085.	3,549.	4,790.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	3,164.	3,636.	4,910.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,869.	4,450.	6,007.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	4,138.	4,759.	6,423.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	4,159.	4,781.	6,455.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,327.	4,977.	6,717.
Round tops Profile edge on all sides except on parting lines. 	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,378.	2,735.	3,690.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	2,943.	3,385.	4,570.
	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	794.	914.	1,233.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	921.	1,058.	1,430.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,516.	1,743.	2,353.

Order Code	Specification Information
Example: RTAG72302	
R Reff	
T Racetrack top	
A 1 1/4" thick	
G Gamma	
72 22" wide	
30 30" deep	
2 V2 finish	
V319 Medium cherry	

Specification Information

To order please specify pattern number including:

- Edge profile
- Width
- Depth
- Finish type
- Finish

1. Edge profile options:
 A = Alpha
 B = Beta
 C = Chi
 D = Delta
 E = Epsilon
 F = Phi
 G = Gamma

4. Finish type:
 1 = V1
 2 = V2
 3 = V3

*Round tops in two pieces.

Applicable finishes are listed on page 0 and 0.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak





Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4" square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRR(A/B/C/D/E/F/G)7230-(1/2/3)	\$747.	\$858.	\$1,159.
	72"	36"	RRR(A/B/C/D/E/F/G)7236-(1/2/3)	812.	931.	1,258.
	84"	30"	RRR(A/B/C/D/E/F/G)8430-(1/2/3)	825.	952.	1,285.
	84"	36"	RRR(A/B/C/D/E/F/G)8436-(1/2/3)	886.	1,018.	1,375.
	84"	42"	RRR(A/B/C/D/E/F/G)8442-(1/2/3)	1,311.	1,507.	2,034.
	96"	30"	RRR(A/B/C/D/E/F/G)9630-(1/2/3)	927.	1,065.	1,438.
	96"	36"	RRR(A/B/C/D/E/F/G)9636-(1/2/3)	1,024.	1,177.	1,591.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRR(A/B/C/D/E/F/G)12036-(1/2/3)	1,642.	1,888.	2,549.
	120"	42"	RRR(A/B/C/D/E/F/G)12042-(1/2/3)	2,265.	2,604.	3,512.
	120"	48"	RRR(A/B/C/D/E/F/G)12048-(1/2/3)	2,461.	2,830.	3,822.
	144"	42"	RRR(A/B/C/D/E/F/G)14442-(1/2/3)	2,542.	2,928.	3,953.
	144"	48"	RRR(A/B/C/D/E/F/G)14448-(1/2/3)	2,727.	3,134.	4,232.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRR(A/B/C/D/E/F/G)16842-(1/2/3)	3,336.	3,837.	5,179.
	168"	48"	RRR(A/B/C/D/E/F/G)16848-(1/2/3)	3,623.	4,169.	5,629.
	192"	42"	RRR(A/B/C/D/E/F/G)19242-(1/2/3)	3,613.	4,158.	5,612.
	192"	48"	RRR(A/B/C/D/E/F/G)19248-(1/2/3)	3,890.	4,474.	6,038.
Square top Profile edge on all sides except on parting lines 	*	60"	RRR(A/B/C/D/E/F/G)6060-(1/2/3)	1,530.	1,759.	2,376.
	*	72"	RRR(A/B/C/D/E/F/G)7272-(1/2/3)	1,804.	2,074.	2,801.
	-	36"	RRR(A/B/C/D/E/F/G)3636-(1/2/3)	577.	662.	894.
	-	42"	RRR(A/B/C/D/E/F/G)4242-(1/2/3)	747.	858.	1,159.
	-	48"	RRR(A/B/C/D/E/F/G)4848-(1/2/3)	982.	1,127.	1,521.

Worksurfaces

Order Code

Example:	RRAG72302
R	Reff
R	Conference Room top
A	1 1/4" thick
G	Gamma
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- 1 = V1
- 2 = V2
- 3 = V3

* Square tops in two pieces.

Applicable finishes are listed on page 0 and 0.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Application Notes


Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front only
20" and 24" deep

Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241- ()(1/2/3)	\$758.	\$873.	\$1,178.	
		30"	RSAWF301- ()(1/2/3)	834.	961.	1,299.	
		36"	RSAWF361- ()(1/2/3)	883.	1,012.	1,366.	
		42"	RSAWF421- ()(1/2/3)	921.	1,056.	1,426.	
		48"	RSAWF481- ()(1/2/3)	957.	1,101.	1,486.	
		54"	RSAWF541- ()(1/2/3)	999.	1,151.	1,553.	
		60"	RSAWF601- ()(1/2/3)	1,076.	1,236.	1,670.	
		66"	RSAWF661- ()(1/2/3)	1,109.	1,277.	1,723.	
		72"	RSAWF721- ()(1/2/3)	1,164.	1,338.	1,810.	
		78"	RSAWF781- ()(1/2/3)	1,183.	1,359.	1,833.	
		84"	RSAWF841- ()(1/2/3)	1,259.	1,447.	1,953.	
		90"	RSAWF901- ()(1/2/3)	1,308.	1,505.	2,032.	
		96"	RSAWF961- ()(1/2/3)	1,359.	1,559.	2,105.	
		24"	24"	RSAWF242- ()(1/2/3)	798.	921.	1,243.
			30"	RSAWF302- ()(1/2/3)	903.	1,040.	1,403.
			36"	RSAWF362- ()(1/2/3)	940.	1,078.	1,457.
			42"	RSAWF422- ()(1/2/3)	968.	1,112.	1,502.
			48"	RSAWF482- ()(1/2/3)	1,040.	1,195.	1,613.
			54"	RSAWF542- ()(1/2/3)	1,109.	1,277.	1,723.
60"	RSAWF602- ()(1/2/3)		1,188.	1,365.	1,842.		
66"	RSAWF662- ()(1/2/3)		1,229.	1,410.	1,906.		
72"	RSAWF722- ()(1/2/3)		1,284.	1,477.	1,992.		
78"	RSAWF782- ()(1/2/3)		1,346.	1,547.	2,089.		
84"	RSAWF842- ()(1/2/3)		1,398.	1,607.	2,169.		
90"	RSAWF902- ()(1/2/3)		1,464.	1,683.	2,273.		
96"	RSAWF962- ()(1/2/3)		1,521.	1,748.	2,362.		

Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2 3 = V3	
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4" with 2" Waterfall edge front only 30" and 36" deep


description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243- ()(1/2/3)	\$869.	\$1,002.	\$1,353.
		30"	RSAWF303- ()(1/2/3)	976.	1,125.	1,518.
		36"	RSAWF363- ()(1/2/3)	1,054.	1,210.	1,635.
		42"	RSAWF423- ()(1/2/3)	1,098.	1,261.	1,703.
		48"	RSAWF483- ()(1/2/3)	1,171.	1,349.	1,821.
		54"	RSAWF543- ()(1/2/3)	1,266.	1,458.	1,968.
		60"	RSAWF603- ()(1/2/3)	1,314.	1,510.	2,039.
		66"	RSAWF663- ()(1/2/3)	1,343.	1,543.	2,086.
		72"	RSAWF723- ()(1/2/3)	1,376.	1,581.	2,133.
		78"	RSAWF783- ()(1/2/3)	1,440.	1,655.	2,233.
		84"	RSAWF843- ()(1/2/3)	1,497.	1,723.	2,326.
		90"	RSAWF903- ()(1/2/3)	1,568.	1,798.	2,428.
		96"	RSAWF963- ()(1/2/3)	1,624.	1,867.	2,520.
36"	60"	RSAWF604- ()(1/2/3)	1,517.	1,741.	2,349.	
	66"	RSAWF664- ()(1/2/3)	1,570.	1,804.	2,436.	
	72"	RSAWF724- ()(1/2/3)	1,621.	1,863.	2,514.	

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
20" and 24" deep

Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241- ()(1/2/3)	\$948.	\$1,094.	\$1,477.	
		30"	RSAWA301- ()(1/2/3)	1,045.	1,201.	1,619.	
		36"	RSAWA361- ()(1/2/3)	1,102.	1,264.	1,709.	
		42"	RSAWA421- ()(1/2/3)	1,152.	1,323.	1,786.	
		48"	RSAWA481- ()(1/2/3)	1,195.	1,376.	1,857.	
		54"	RSAWA541- ()(1/2/3)	1,248.	1,437.	1,941.	
		60"	RSAWA601- ()(1/2/3)	1,347.	1,545.	2,087.	
		66"	RSAWA661- ()(1/2/3)	1,387.	1,595.	2,155.	
		72"	RSAWA721- ()(1/2/3)	1,458.	1,678.	2,265.	
		78"	RSAWA781- ()(1/2/3)	1,480.	1,696.	2,292.	
		84"	RSAWA841- ()(1/2/3)	1,573.	1,809.	2,441.	
		90"	RSAWA901- ()(1/2/3)	1,638.	1,883.	2,540.	
		96"	RSAWA961- ()(1/2/3)	1,696.	1,953.	2,636.	
		24"	24"	RSAWA242- ()(1/2/3)	999.	1,152.	1,554.
			30"	RSAWA302- ()(1/2/3)	1,129.	1,300.	1,755.
			36"	RSAWA362- ()(1/2/3)	1,175.	1,352.	1,825.
			42"	RSAWA422- ()(1/2/3)	1,210.	1,391.	1,880.
			48"	RSAWA482- ()(1/2/3)	1,300.	1,496.	2,018.
54"	RSAWA542- ()(1/2/3)		1,387.	1,595.	2,155.		
60"	RSAWA602- ()(1/2/3)		1,486.	1,710.	2,307.		
66"	RSAWA662- ()(1/2/3)		1,537.	1,764.	2,381.		
72"	RSAWA722- ()(1/2/3)		1,604.	1,845.	2,493.		
78"	RSAWA782- ()(1/2/3)		1,683.	1,937.	2,613.		
84"	RSAWA842- ()(1/2/3)		1,748.	2,013.	2,715.		
90"	RSAWA902- ()(1/2/3)		1,831.	2,104.	2,841.		
96"	RSAWA962- ()(1/2/3)	1,900.	2,184.	2,948.			

Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-() (1/2/3)	\$1,090.	\$1,252.	\$1,690.	
		30"	RSAWA303-() (1/2/3)	1,223.	1,408.	1,901.	
		36"	RSAWA363-() (1/2/3)	1,318.	1,516.	2,047.	
		42"	RSAWA423-() (1/2/3)	1,374.	1,578.	2,129.	
		48"	RSAWA483-() (1/2/3)	1,465.	1,685.	2,275.	
		54"	RSAWA543-() (1/2/3)	1,584.	1,822.	2,460.	
		60"	RSAWA603-() (1/2/3)	1,642.	1,889.	2,551.	
		66"	RSAWA663-() (1/2/3)	1,680.	1,932.	2,608.	
		72"	RSAWA723-() (1/2/3)	1,720.	1,977.	2,669.	
		78"	RSAWA783-() (1/2/3)	1,798.	2,071.	2,794.	
		84"	RSAWA843-() (1/2/3)	1,872.	2,155.	2,909.	
		90"	RSAWA903-() (1/2/3)	1,957.	2,251.	3,040.	
		96"	RSAWA963-() (1/2/3)	2,028.	2,333.	3,150.	
		36"	60"	RSAWA604-() (1/2/3)	1,896.	2,176.	2,939.
			66"	RSAWA664-() (1/2/3)	1,961.	2,257.	3,046.
			72"	RSAWA724-() (1/2/3)	2,025.	2,329.	3,144.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2/3)	\$1,142.	\$1,310.	\$1,769.	
		30"	RSAWB301-()(1/2/3)	1,252.	1,438.	1,942.	
		36"	RSAWB361-()(1/2/3)	1,320.	1,518.	2,050.	
		42"	RSAWB421-()(1/2/3)	1,380.	1,585.	2,140.	
		48"	RSAWB481-()(1/2/3)	1,434.	1,651.	2,228.	
		54"	RSAWB541-()(1/2/3)	1,498.	1,724.	2,329.	
		60"	RSAWB601-()(1/2/3)	1,618.	1,858.	2,508.	
		66"	RSAWB661-()(1/2/3)	1,666.	1,914.	2,585.	
		72"	RSAWB721-()(1/2/3)	1,748.	2,012.	2,714.	
		78"	RSAWB781-()(1/2/3)	1,770.	2,036.	2,749.	
		84"	RSAWB841-()(1/2/3)	1,886.	2,171.	2,930.	
		90"	RSAWB901-()(1/2/3)	1,965.	2,259.	3,049.	
		96"	RSAWB961-()(1/2/3)	2,036.	2,343.	3,163.	
		24"	24"	RSAWB242-()(1/2/3)	1,200.	1,380.	1,863.
			30"	RSAWB302-()(1/2/3)	1,357.	1,555.	2,101.
			36"	RSAWB362-()(1/2/3)	1,409.	1,621.	2,190.
			42"	RSAWB422-()(1/2/3)	1,453.	1,672.	2,259.
			48"	RSAWB482-()(1/2/3)	1,555.	1,793.	2,422.
			54"	RSAWB542-()(1/2/3)	1,666.	1,914.	2,585.
60"	RSAWB602-()(1/2/3)		1,785.	2,049.	2,767.		
66"	RSAWB662-()(1/2/3)		1,842.	2,118.	2,858.		
72"	RSAWB722-()(1/2/3)		1,925.	2,217.	2,990.		
78"	RSAWB782-()(1/2/3)		2,018.	2,324.	3,136.		
84"	RSAWB842-()(1/2/3)		2,098.	2,410.	3,256.		
90"	RSAWB902-()(1/2/3)	2,195.	2,525.	3,407.			
96"	RSAWB962-()(1/2/3)	2,277.	2,623.	3,542.			

Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2/3)	\$1,306.	\$1,503.	\$2,028.
		30"	RSAWB303-()(1/2/3)	1,468.	1,689.	2,279.
		36"	RSAWB363-()(1/2/3)	1,581.	1,818.	2,454.
		42"	RSAWB423-()(1/2/3)	1,647.	1,891.	2,553.
		48"	RSAWB483-()(1/2/3)	1,759.	2,021.	2,730.
		54"	RSAWB543-()(1/2/3)	1,901.	2,184.	2,948.
		60"	RSAWB603-()(1/2/3)	1,969.	2,265.	3,058.
		66"	RSAWB663-()(1/2/3)	2,015.	2,318.	3,127.
		72"	RSAWB723-()(1/2/3)	2,062.	2,372.	3,201.
		78"	RSAWB783-()(1/2/3)	2,162.	2,487.	3,357.
		84"	RSAWB843-()(1/2/3)	2,243.	2,582.	3,486.
		90"	RSAWB903-()(1/2/3)	2,347.	2,702.	3,648.
	96"	RSAWB963-()(1/2/3)	2,437.	2,800.	3,779.	
	36"	60"	RSAWB604-()(1/2/3)	2,273.	2,613.	3,529.
		66"	RSAWB664-()(1/2/3)	2,350.	2,706.	3,652.
		72"	RSAWB724-()(1/2/3)	2,434.	2,794.	3,774.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWB243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()(1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWL301-()(1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWL361-()(1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWL421-()(1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWL481-()(1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWL541-()(1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWL601-()(1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWL661-()(1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWL721-()(1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWL781-()(1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWL841-()(1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWL901-()(1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWL961-()(1/2/3)	1,868.	2,149.	2,899.
	24"	24"	RSAWL242-()(1/2/3)	1,099.	1,264.	1,709.
		30"	RSAWL302-()(1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWL362-()(1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWL422-()(1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWL482-()(1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWL542-()(1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWL602-()(1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWL662-()(1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWL722-()(1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWL782-()(1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWL842-()(1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWL902-()(1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWL962-()(1/2/3)	2,089.	2,404.	3,246.

Order Code	Specification Information	Application Notes
Example: RSAWL241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2 3 = V3	
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-()(1/2/3)	\$1,200.	\$1,378.	\$1,860.
		30"	RSAWL303-()(1/2/3)	1,346.	1,547.	2,089.
		36"	RSAWL363-()(1/2/3)	1,449.	1,667.	2,251.
		42"	RSAWL423-()(1/2/3)	1,508.	1,735.	2,340.
		48"	RSAWL483-()(1/2/3)	1,612.	1,857.	2,507.
		54"	RSAWL543-()(1/2/3)	1,741.	2,005.	2,708.
		60"	RSAWL603-()(1/2/3)	1,807.	2,075.	2,803.
		66"	RSAWL663-()(1/2/3)	1,844.	2,125.	2,870.
		72"	RSAWL723-()(1/2/3)	1,891.	2,173.	2,933.
		78"	RSAWL783-()(1/2/3)	1,980.	2,277.	3,075.
		84"	RSAWL843-()(1/2/3)	2,058.	2,369.	3,198.
		90"	RSAWL903-()(1/2/3)	2,155.	2,478.	3,345.
		96"	RSAWL963-()(1/2/3)	2,232.	2,565.	3,464.
			36"	60"	RSAWL604-()(1/2/3)	2,085.
		66"	RSAWL664-()(1/2/3)	2,158.	2,480.	3,348.
		72"	RSAWL724-()(1/2/3)	2,229.	2,562.	3,459.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWL243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()(1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWR301-()(1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWR361-()(1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWR421-()(1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWR481-()(1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWR541-()(1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWR601-()(1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWR661-()(1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWR721-()(1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWR781-()(1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWR841-()(1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWR901-()(1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWR961-()(1/2/3)	1,868.	2,149.	2,899.
			24"	24"	RSAWR242-()(1/2/3)	1,099.
		30"	RSAWR302-()(1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWR362-()(1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWR422-()(1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWR482-()(1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWR542-()(1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWR602-()(1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWR662-()(1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWR722-()(1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWR782-()(1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWR842-()(1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWR902-()(1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWR962-()(1/2/3)	2,089.	2,404.	3,246.

Order Code	Specification Information	Application Notes
Example: RSAWR241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WR Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-()(1/2/3)	\$1,200.	\$1,378.	\$1,860.
		30"	RSAWR303-()(1/2/3)	1,346.	1,547.	2,089.
		36"	RSAWR363-()(1/2/3)	1,449.	1,667.	2,251.
		42"	RSAWR423-()(1/2/3)	1,508.	1,735.	2,340.
		48"	RSAWR483-()(1/2/3)	1,612.	1,857.	2,507.
		54"	RSAWR543-()(1/2/3)	1,741.	2,005.	2,708.
		60"	RSAWR603-()(1/2/3)	1,807.	2,075.	2,803.
		66"	RSAWR663-()(1/2/3)	1,844.	2,125.	2,870.
		72"	RSAWR723-()(1/2/3)	1,891.	2,173.	2,933.
		78"	RSAWR783-()(1/2/3)	1,980.	2,277.	3,075.
		84"	RSAWR843-()(1/2/3)	2,058.	2,369.	3,198.
		90"	RSAWR903-()(1/2/3)	2,155.	2,478.	3,345.
		96"	RSAWR963-()(1/2/3)	2,232.	2,565.	3,464.
			36"	60"	RSAWR604-()(1/2/3)	2,085.
		66"	RSAWR664-()(1/2/3)	2,158.	2,480.	3,348.
		72"	RSAWR724-()(1/2/3)	2,229.	2,562.	3,459.






Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWR243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WR Waterfall front and right	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"

Reff Profiles

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 24") 	24"	42"	30"	RWAWF4223- ()(1/2/3)	\$1,101.	\$1,264.	\$1,709.
	24"	48"	30"	RWAWF4823- ()(1/2/3)	1,146.	1,317.	1,778.
	24"	54"	30"	RWAWF5423- ()(1/2/3)	1,234.	1,423.	1,920.
	24"	60"	30"	RWAWF6023- ()(1/2/3)	1,320.	1,522.	2,055.
	24"	66"	30"	RWAWF6623- ()(1/2/3)	1,370.	1,575.	2,125.
	24"	72"	30"	RWAWF7223- ()(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232- ()(1/2/3)	1,101.	1,264.	1,709.
	30"	48"	24"	RWAWF4832- ()(1/2/3)	1,146.	1,317.	1,778.
	30"	54"	24"	RWAWF5432- ()(1/2/3)	1,234.	1,423.	1,920.
	30"	60"	24"	RWAWF6032- ()(1/2/3)	1,320.	1,522.	2,055.
	30"	66"	24"	RWAWF6632- ()(1/2/3)	1,370.	1,575.	2,125.
	30"	72"	24"	RWAWF7232- ()(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212- ()(1/2/3)	1,020.	1,175.	1,587.
	20"	48"	24"	RWAWF4812- ()(1/2/3)	1,073.	1,234.	1,667.
	20"	54"	24"	RWAWF5412- ()(1/2/3)	1,149.	1,320.	1,783.
	20"	60"	24"	RWAWF6012- ()(1/2/3)	1,228.	1,411.	1,908.
	20"	66"	24"	RWAWF6612- ()(1/2/3)	1,264.	1,453.	1,962.
	20"	72"	24"	RWAWF7212- ()(1/2/3)	1,325.	1,524.	2,058.
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221- ()(1/2/3)	1,020.	1,175.	1,587.
	24"	48"	20"	RWAWF4821- ()(1/2/3)	1,073.	1,234.	1,667.
	24"	54"	20"	RWAWF5421- ()(1/2/3)	1,149.	1,320.	1,783.
	24"	60"	20"	RWAWF6021- ()(1/2/3)	1,228.	1,411.	1,908.
	24"	66"	20"	RWAWF6621- ()(1/2/3)	1,264.	1,453.	1,962.
	24"	72"	20"	RWAWF7221- ()(1/2/3)	1,325.	1,524.	2,058.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631- ()(1/2/3)	1,357.	1,555.	2,101.
	32"	42"	20"	RWEAWF4231- ()(1/2/3)	1,409.	1,623.	2,191.
	32"	48"	20"	RWEAWF4831- ()(1/2/3)	1,486.	1,711.	2,308.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	
42 42" wide	<i>1. Grommet options:</i>	
2 24" deep on left side	N = No grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	<i>2. Finish type:</i>	
2 V2 finish	1 = V1	See Planning Guide for grommet locations.
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	Waterfall tops cannot be specified with semi-open pore finish.
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.




Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
 Wave end top with waterfall edge front (right 24")	36"	36"	24"	RWEAWF3662-()(1/2/3)	\$1,401.	\$1,611.	\$2,175.
	36"	42"	24"	RWEAWF4262-()(1/2/3)	1,446.	1,664.	2,246.
	36"	48"	24"	RWEAWF4862-()(1/2/3)	1,536.	1,764.	2,381.
 Wave end top with waterfall edge front (left 20")	20"	36"	32"	RWEAWF3613-()(1/2/3)	1,357.	1,555.	2,101.
	20"	42"	32"	RWEAWF4213-()(1/2/3)	1,409.	1,623.	2,191.
	20"	48"	32"	RWEAWF4813-()(1/2/3)	1,486.	1,711.	2,308.
 Wave end top with waterfall edge front (left 24")	24"	36"	36"	RWEAWF3626-()(1/2/3)	1,401.	1,611.	2,175.
	24"	42"	36"	RWEAWF4226-()(1/2/3)	1,446.	1,664.	2,246.
	24"	48"	36"	RWEAWF4826-()(1/2/3)	1,536.	1,764.	2,381.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	
42 42" wide		
2 24" deep on left side	<i>1. Grommet options:</i>	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	N = No grommet	
F Flush grommet location	F = Flush front grommet location	
2 V2 finish	<i>2. Finish type:</i>	See Planning Guide for grommet locations.
V319 Medium cherry	1 = V1	Waterfall tops cannot be specified with semi-open pore finish.
111 Jet Black (grommet)	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear corner tops

Reff Profiles



description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,611.	\$1,855.	\$2,503.
	36"	42"	RCAWF364211-()(1/2/3)	1,706.	1,961.	2,649.
	36"	48"	RCAWF364811-()(1/2/3)	1,810.	2,082.	2,812.
	42"	36"	RCAWF423611-()(1/2/3)	1,706.	1,961.	2,649.
	42"	42"	RCAWF424211-()(1/2/3)	1,810.	2,082.	2,812.
	42"	48"	RCAWF424811-()(1/2/3)	1,977.	2,274.	3,070.
	48"	36"	RCAWF483611-()(1/2/3)	1,810.	2,082.	2,812.
	48"	42"	RCAWF484211-()(1/2/3)	1,977.	2,274.	3,070.
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,825.	2,103.	2,840.
	36"	42"	RCAWF364222-()(1/2/3)	1,919.	2,212.	2,986.
	36"	48"	RCAWF364822-()(1/2/3)	2,025.	2,331.	3,147.
	42"	36"	RCAWF423622-()(1/2/3)	1,919.	2,212.	2,986.
	42"	42"	RCAWF424222-()(1/2/3)	2,025.	2,331.	3,147.
	42"	48"	RCAWF424822-()(1/2/3)	2,193.	2,525.	3,407.
	48"	36"	RCAWF483622-()(1/2/3)	2,025.	2,331.	3,147.
	48"	42"	RCAWF484222-()(1/2/3)	2,193.	2,525.	3,407.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,683.	1,935.	2,612.
	36"	42"	RCAWF364212-()(1/2/3)	1,781.	2,045.	2,760.
	36"	48"	RCAWF364812-()(1/2/3)	1,883.	2,165.	2,923.
	42"	36"	RCAWF423612-()(1/2/3)	1,781.	2,045.	2,760.
	42"	42"	RCAWF424212-()(1/2/3)	1,883.	2,165.	2,923.
	42"	48"	RCAWF424812-()(1/2/3)	2,050.	2,356.	3,180.
	48"	36"	RCAWF483612-()(1/2/3)	1,883.	2,165.	2,923.
	48"	42"	RCAWF484212-()(1/2/3)	2,050.	2,356.	3,180.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,683.	1,935.	2,612.
	36"	42"	RCAWF364221-()(1/2/3)	1,781.	2,045.	2,760.
	36"	48"	RCAWF364821-()(1/2/3)	1,883.	2,165.	2,923.
	42"	36"	RCAWF423621-()(1/2/3)	1,781.	2,045.	2,760.
	42"	42"	RCAWF424221-()(1/2/3)	1,883.	2,165.	2,923.
	42"	48"	RCAWF424821-()(1/2/3)	2,050.	2,356.	3,180.
	48"	36"	RCAWF483621-()(1/2/3)	1,883.	2,165.	2,923.
	48"	42"	RCAWF484221-()(1/2/3)	2,050.	2,356.	3,180.

Order Code	Specification Information	Application Notes
Example: RCAWF363611F2 R Reff C Curved front corner A 1 1/4" thick WF Waterfall front 36 36" wide on left back 36 36" wide on right back 1 20" deep on left side 1 20" deep on right side F Standard grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	<i>To order please specify pattern number including:</i> 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish <i>1. Grommet options:</i> N = No grommet F = Standard corner location or Flush <i>2. Finish type:</i> 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Radius of curved front changes with overall top size. See Planning Guide. Products on this page are shipped without hardware which must be ordered separately from the support components section. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Waterfall tops cannot be specified with semi-open pore finish. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230-()(1/2/3)	\$2,058.	\$2,368.	\$3,195.
		48"	RMDAWF4830-()(1/2/3)	2,220.	2,552.	3,445.
		54"	RMDAWF5430-()(1/2/3)	2,382.	2,740.	3,700.
		60"	RMDAWF6030-()(1/2/3)	2,546.	2,927.	3,950.
		66"	RMDAWF6630-()(1/2/3)	2,711.	3,119.	4,211.
		72"	RMDAWF7230-()(1/2/3)	2,878.	3,311.	4,469.
		78"	RMDAWF7830-()(1/2/3)	3,259.	3,742.	5,054.
		84"	RMDAWF8430-()(1/2/3)	3,636.	4,180.	5,643.
		90"	RMDAWF9030-()(1/2/3)	4,058.	4,667.	6,301.
	96"	RMDAWF9630-()(1/2/3)	4,481.	5,151.	6,954.	
	36"	42"	RMDAWF4236-()(1/2/3)	2,270.	2,608.	3,520.
		48"	RMDAWF4836-()(1/2/3)	2,480.	2,852.	3,851.
		54"	RMDAWF5436-()(1/2/3)	2,834.	3,263.	4,404.
		60"	RMDAWF6036-()(1/2/3)	3,181.	3,658.	4,939.
		66"	RMDAWF6636-()(1/2/3)	3,236.	3,723.	5,026.
		72"	RMDAWF7236-()(1/2/3)	3,290.	3,784.	5,109.
		78"	RMDAWF7836-()(1/2/3)	3,703.	4,259.	5,746.
		84"	RMDAWF8436-()(1/2/3)	4,121.	4,738.	6,396.
		90"	RMDAWF9036-()(1/2/3)	4,341.	4,998.	6,744.
96"	RMDAWF9636-()(1/2/3)	4,759.	5,469.	7,385.		
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-()(1/2/3)()	2,649.	3,044.	4,109.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2/3)()	2,903.	3,338.	4,506.





*specify mating end trim profile

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
N No grommet	2. <i>Grommet options:</i> N = No grommet	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
2 V2 finish	F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
V319 Medium cherry	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Applicable finishes are listed on page 5 and 6.
	Note wrap around panel tops only, require specification of mating trim profile.	
	A = Flat B = Square C = Bullnose E = Extruded Aluminum	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"


2" Waterfall edge meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230-()(1/2/3)	\$2,829.	\$3,252.	\$4,390.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230-()(1/2/3)	2,829.	3,252.	4,390.
						
Worksurface 9-top	30"	84"	RM9AWF8430-()(1/2/3)	5,756.	6,620.	8,936.
	30"	96"	RM9AWF9630-()(1/2/3)	5,998.	6,893.	9,306.
Worksurface P-top	30"	84"	RMPAWF8430-()(1/2/3)	5,756.	6,620.	8,936.
	30"	96"	RMPAWF9630-()(1/2/3)	5,998.	6,893.	9,306.


Order Code	Specification Information	Application Notes
Example: RM9AWF8430N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
M9 Meeting 9-shaped top	2. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
WF Waterfall all except flat side	4. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
84 84" wide	5. Grommet finish	Applicable finishes are listed on page 5 and 6.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
N No grommet	2. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
2 V2 finish	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	
V319 Medium cherry	Note wrap around panel tops only, require specification of mating trim profile.	

Waterfall Edge 1 1/4"

2" Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
 30"D	72"	30"		RMBAWA7230-()(1/2/3)		\$2,854.	\$3,287.	\$4,437.
	84"	30"		RMBAWA8430-()(1/2/3)		3,151.	3,625.	4,891.
	96"	30"		RMBAWA9630-()(1/2/3)		3,496.	4,019.	5,427.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

 36"D	72"	36"		RMBAWA7236-()(1/2/3)		3,036.	3,492.	4,712.
	84"	36"		RMBAWA8436-()(1/2/3)		3,332.	3,832.	5,172.
	96"	36"		RMBAWA9636-()(1/2/3)		3,696.	4,245.	5,731.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	w	d	h	pattern no.	L	V1	V2	V3
	40"	1"	26 1/2"	RB40MR-()	332.	427.	489.	661.
	52"	1"	26 1/2"	RB52MR-()	390.	503.	578.	781.
	64"	1"	26 1/2"	RB64MR-()	422.	541.	625.	845.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: RMBAWA7230(F)2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	Shipped with hardware. Refer to page 0 of planning guide for application details.
MB Bow front with Waterfall edge	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
WA Waterfall front/back	4. Grommet finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
72 72" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	N = No grommet	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
F Flush front grommet position	F = Flush front grommet location	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
2 V2 finish	R = Recessed front	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	
111 Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

Waterfall elliptical tops and bulkhead

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall elliptical tops 	60"	30"		REBAWA6030()		\$4,033.	\$4,636.	\$6,260.
	72"	42"		REBAWA7242()		5,733.	6,597.	8,906.
	78"	48"		REBAWA7848()		6,291.	7,237.	9,771.
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	468.	707.	819.	1,105.
	16"	30"	26 1/2"	REBH30	484.	720.	839.	1,132.





Order Code	Specification Information	Application Notes
Example: REBAWA6030	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
EB Elliptical Waterfall	2. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
WA Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
60 60" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 0 of planning guide for application details.
30 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge conference room tops round and racetrack

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	RTAW7230-(1/2/3)	\$4,033.	\$4,636.	\$6,260.
	72"	36"	RTAW7236-(1/2/3)	4,597.	5,284.	7,133.
	84"	30"	RTAW8430-(1/2/3)	4,489.	5,162.	6,970.
	84"	36"	RTAW8436-(1/2/3)	5,168.	5,943.	8,021.
	84"	42"	RTAW8442-(1/2/3)	6,291.	7,237.	9,771.
	96"	30"	RTAW9630-(1/2/3)	4,998.	5,745.	7,758.
	96"	42"	RTAW9642-(1/2/3)	7,044.	8,099.	10,932.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RTAW12036-(1/2/3)	7,407.	8,515.	11,497.
	120"	42"	RTAW12042-(1/2/3)	7,987.	9,182.	12,398.
	144"	42"	RTAW14442-(1/2/3)	8,807.	10,127.	13,672.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RTAW16842-(1/2/3)	11,043.	12,701.	17,146.
	192"	42"	RTAW19242-(1/2/3)	11,864.	13,645.	18,423.
RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center						
Round tops, Waterfall edge on all sides except on parting lines 	*	60"	RTAW6060-(1/2/3)	6,788.	7,801.	10,533.
	*	72"	RTAW7272-(1/2/3)	8,401.	9,659.	13,040.
	-	36"	RTAW3636-(1/2/3)	2,270.	3,043.	4,108.
	-	42"	RTAW4242-(1/2/3)	2,628.	3,526.	4,761.






Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTAW72302 R Reff T Rounded top A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 *Round tops in two pieces.	Top to top brackets included. See table base matrix in Planning Guide for base supports recommended. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w. Tops have no radius on edges that adjoin. All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Waterfall tops cannot be specified with semi-open pore finish.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"



2" Waterfall edge conference room tops square and rectangular

Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	RRAW7230-(1/2/3)	\$2,129.	\$2,451.	\$3,310.
	72"	36"	RRAW7236-(1/2/3)	2,314.	2,662.	3,593.
	84"	30"	RRAW8430-(1/2/3)	2,356.	2,711.	3,660.
	84"	36"	RRAW8436-(1/2/3)	2,532.	2,908.	3,926.
	84"	42"	RRAW8442-(1/2/3)	3,742.	4,301.	5,808.
	96"	30"	RRAW9630-(1/2/3)	2,643.	3,041.	4,105.
	96"	42"	RRAW9642-(1/2/3)	4,291.	4,935.	6,662.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RRAW12036-(1/2/3)	4,681.	5,389.	7,275.
	120"	42"	RRAW12042-(1/2/3)	6,462.	7,432.	10,034.
	144"	42"	RRAW14442-(1/2/3)	7,259.	8,349.	11,270.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RRAW16842-(1/2/3)	9,518.	10,949.	14,784.
	192"	42"	RRAW19242-(1/2/3)	10,314.	11,859.	16,011.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Square top - one piece 	-	36"	RRAW3636-(1/2/3)	1,647.	2,206.	2,981.
	-	42"	RRAW4242-(1/2/3)	2,129.	2,857.	3,857.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	RRAW6060-(1/2/3)	4,362.	5,014.	6,769.
	-	72"	RRAW7272-(1/2/3)	5,151.	5,925.	7,997.

Order Code	Specification Information	Application Notes
Example: RRAW72302 R Reff R Rectangular A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide for base supports recommended. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w. Waterfall tops cannot be specified with semi-open pore finish.


Cascade Edge 1 1/4" Rectilinear 24" and 30" deep

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	RCE1R2424N	\$245.	\$213.
	24"	30"	RCE1R3024N	282.	245.
	24"	36"	RCE1R3624N	312.	270.
	24"	42"	RCE1R4224N	359.	312.
	24"	48"	RCE1R4824N	403.	350.
	24"	54"	RCE1R5424N	432.	376.
	24"	60"	RCE1R6024N	469.	408.
	24"	66"	RCE1R6624N	506.	441.
	24"	72"	RCE1R7224N	530.	461.
	24"	78"	RCE1R7824N	568.	495.
	24"	84"	RCE1R8424N	601.	523.
24"	90"	RCE1R9024N	677.	590.	
24"	96"	RCE1R9624N	740.	644.	
30"D Rectangular  shown with grommet	30"	24"	RCE1R2430N	313.	271.
	30"	30"	RCE1R3030N	350.	305.
	30"	36"	RCE1R3630N	390.	339.
	30"	42"	RCE1R4230N	422.	368.
	30"	48"	RCE1R4830N	469.	408.
	30"	54"	RCE1R5430N	531.	462.
	30"	60"	RCE1R6030N	583.	508.
	30"	66"	RCE1R6630N	651.	566.
	30"	72"	RCE1R7230N	677.	590.
	30"	78"	RCE1R7830N	723.	629.
	30"	84"	RCE1R8430N	769.	669.
	30"	90"	RCE1R9030N	827.	719.
	30"	96"	RCE1R9630N	884.	769.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCE1R3024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
R Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
CE1 Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
R Rectangular	114 Folkstone Grey	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
30 Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Finish	<i>Woodgrain:</i>	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	


Cascade Edge 1 1/4" Blended "D"

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	48"	24"	66"	RCE1BD6648S(L/R)	\$992.	\$863.
	48"	24"	72"	RCE1BD7248S(L/R)	1,016.	882.
	48"	24"	78"	RCE1BD7848S(L/R)	1,172.	1,019.
	48"	24"	84"	RCE1BD8448S(L/R)	1,204.	1,047.
	48"	30"	66"	RCE1BD6648D(L/R)	1,044.	907.
	48"	30"	72"	RCE1BD7248D(L/R)	1,082.	940.
	48"	30"	78"	RCE1BD7848D(L/R)	1,211.	1,054.
	48"	30"	84"	RCE1BD8448D(L/R)	1,279.	1,113.

Order Code	Specification Information	Application Notes
Example: RCE1BD6648SR 118	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
R Reff		
CE1 Cascade edge	1. Return depth (dimension C on line art, hard coded in pattern number)	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
BD Blended "D"	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
66 Width	D = 30" return	Cascade edge worksurfaces are not recommended for free-standing applications.
48 Depth	2. Hand (left or right)	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
S 24" return	3. Finish	
R right hand	<i>Solid:</i>	
118 Finish	114 Folkstone Grey	
	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	
		Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4"

Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
Curvilinear corner	24"	24"	36"	RCE1L3636SSN	\$614.	\$533.
 <p>shown with grommets</p>	24"	24"	42"	RCE1L4242SSN	740.	644.
	24"	24"	48"	RCE1L4848SSN	832.	723.
	24"	30"	42"	RCE1L4242DSN	878.	765.
	24"	30"	48"	RCE1L4848DSN	996.	866.
	30"	24"	42"	RCE1L4242SDN	878.	765.
	30"	24"	48"	RCE1L4848SDN	996.	866.
	30"	30"	48"	RCE1L4848DDN	894.	777.


Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: RCE1L3636SSN 114</p> <p>RCE1 Reff Cascade Edge worksurface</p> <p>L Curvilinear Corner top</p> <p>36 Width</p> <p>36 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>N No grommet</p> <p>114 Folkstone Grey finish</p> <p>Grain Direction</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number)</p> <p>SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right</p> <p>2. Grommets (hard coded in pattern number)</p> <p>N= no grommets G= grommets</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>3. Finish</p> <p><i>Solid:</i></p> <p>114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain:</p> <p>124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p> <p>Graing Direction:</p> <p>D = Diagonal L = Left hand N = Not required R = Right hand</p>	<p>Center-located edge grommets, located on center of sides marked A.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p> <p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p>

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.





Cascade Edge 1 1/4" Blended "L"

Reff Profiles

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$1,017.	\$884.
	42"	66"	24"	24"	RCE1L4266SSN	1,044.	907.
	42"	72"	24"	24"	RCE1L4272SSN	1,084.	941.
	42"	78"	24"	24"	RCE1L4278SSN	1,094.	953.
	48"	60"	24"	24"	RCE1L4860SSN	1,029.	896.
	48"	60"	24"	30"	RCE1L4860SDN	1,012.	878.
	48"	60"	30"	24"	RCE1L4860DSN	1,012.	878.
	48"	66"	24"	24"	RCE1L4866SSN	1,066.	928.
	48"	66"	24"	30"	RCE1L4866SDN	1,063.	924.
	48"	66"	30"	24"	RCE1L4866DSN	1,063.	924.
	48"	72"	24"	24"	RCE1L4872SSN	1,106.	962.
	48"	72"	24"	30"	RCE1L4872SDN	1,113.	967.
	48"	72"	30"	24"	RCE1L4872DSN	1,113.	967.
	48"	78"	24"	24"	RCE1L4878SSN	1,219.	1,060.
	48"	84"	24"	24"	RCE1L4884SSN	1,371.	1,191.
	60"	42"	24"	24"	RCE1L6042SSN	1,017.	884.
	60"	48"	24"	24"	RCE1L6048SSN	1,029.	896.
	60"	48"	24"	30"	RCE1L6048SDN	1,012.	878.
	60"	48"	30"	24"	RCE1L6048DSN	1,012.	878.
	66"	42"	24"	24"	RCE1L6642SSN	1,044.	907.
	66"	48"	24"	24"	RCE1L6648SSN	1,066.	928.
	66"	48"	24"	30"	RCE1L6648SDN	1,063.	924.
	66"	48"	30"	24"	RCE1L6648DSN	1,063.	924.
	72"	42"	24"	24"	RCE1L7242SSN	1,084.	941.
	72"	48"	24"	24"	RCE1L7248SSN	1,106.	962.
	72"	48"	24"	30"	RCE1L7248SDN	1,113.	967.
	72"	48"	30"	24"	RCE1L7248DSN	1,113.	967.
	78"	42"	24"	24"	RCE1L7842SSN	1,094.	953.
	78"	48"	24"	24"	RCE1L7848SSN	1,219.	1,060.
	84"	48"	24"	24"	RCE1L8448SSN	1,371.	1,191.

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4260SSG 114</p> <p>RCE1 Cascade edge worksurface</p> <p>L Blended "L" top</p> <p>42 Width</p> <p>60 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommets</p> <p>114 Top finish</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number): SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right</p> <p>2. Grommets (hard coded in pattern number): N= no grommets G= grommets</p> <p>3. Finishes: Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p> <p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p>

Cascade Edge 1 1/4" Half round and corner round

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	RCE1H4818	\$530.	\$461.
	50 1/2"	18"	RCE1H4818P	530.	461.
	60"	24"	RCE1H6024	731.	634.
	62 1/2"	24"	RCE1H6024P	731.	634.
 LH Corner Round	24"	24"	RCE1CR24L	282.	245.
 RH Corner Round	24"	24"	RCE1CR24R	282.	245.
 Notched Corner Round	24"	24"	RCE1CR24N	282.	245.

Worksurfaces

Order Code

Example:	RCE1H4818P 118
R	Reff
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Half round tops with suffix P, notched for panel end trim profile B square only.

Cascade edge worksurfaces are not recommended for free-standing applications.


Actual width 1/16" less nominal.
Actual depth 3/8" less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4" Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	3"	15"	RCE1W363024N	\$659.	\$573.
	42"	24"	30"	9"	15"	RCE1W423024N	693.	602.
	48"	24"	30"	15"	15"	RCE1W483024N	742.	645.
	72"	24"	30"	30 1/2"	23 1/2"	RCE1W723024N	942.	821.

shown with grommet

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, RH 	36"	30"	24"	15"	3"	RCE1W362430N	659.	573.
	42"	30"	24"	15"	9"	RCE1W422430N	693.	602.
	48"	30"	24"	15"	15"	RCE1W482430N	742.	645.
	72"	30"	24"	23 1/2"	30 1/2"	RCE1W722430N	942.	821.


shown with grommet

Order Code	
Example:	RCE1W483024N 118
RCE1	Cascade edge worksurface
W	Wave end
48	Width
30	Depth, left side
24	Depth, right side
N	No grommet
118	Top finish

Specification Information	
<i>To order please specify pattern number including finish:</i>	
Available finishes:	
<i>Solid:</i>	
114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice
<i>Woodgrain:</i>	
124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes	
Center-located edge grommet.	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.	
All support hardware ordered separately.	
Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.	
Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.	
Cascade edge worksurfaces are not recommended for free-standing applications.	
Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.	

Worksurface 1 1/2"
 rectilinear
 20" and 24" deep


description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSD241-()()()	\$346.	\$377.	\$434.	\$584.
		30"	RSD301-()()()	378.	414.	475.	642.
		36"	RSD361-()()()	401.	437.	502.	679.
		42"	RSD421-()()()	415.	457.	525.	709.
		48"	RSD481-()()()	437.	474.	545.	734.
		54"	RSD541-()()()	454.	492.	570.	770.
		60"	RSD601-()()()	513.	534.	614.	830.
		66"	RSD661-()()()	502.	549.	633.	854.
		72"	RSD721-()()()	530.	579.	663.	896.
		78"	RSD781-()()()	538.	584.	674.	911.
		84"	RSD841-()()()	570.	625.	717.	967.
		90"	RSD901-()()()	596.	650.	745.	1,008.
		96"	RSD961-()()()	618.	674.	774.	1,044.
		102"	RSD1021-()()()	680.	742.	852.	1,148.
	108"	RSD1081-()()()	748.	816.	936.	1,263.	
	24"	24"	RSD242-()()()	364.	396.	457.	617.
		30"	RSD302-()()()	411.	447.	517.	696.
		36"	RSD362-()()()	424.	468.	536.	723.
		42"	RSD422-()()()	442.	481.	553.	745.
		48"	RSD482-()()()	469.	517.	593.	799.
		54"	RSD542-()()()	502.	549.	633.	854.
		60"	RSD602-()()()	541.	591.	678.	915.
		66"	RSD662-()()()	555.	619.	701.	947.
		72"	RSD722-()()()	583.	636.	733.	991.
78"		RSD782-()()()	612.	665.	769.	1,037.	
84"		RSD842-()()()	634.	693.	797.	1,076.	
90"		RSD902-()()()	665.	724.	832.	1,122.	
96"		RSD962-()()()	689.	752.	866.	1,169.	
102"		RSD1022-()()()	758.	827.	953.	1,285.	
108"	RSD1082-()()()	833.	909.	1,048.	1,414.		

Order Code	Specification Information	Application Notes	
Example: RSD241RL	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.	
R Reff	1. Grommet option: F=Flush front grommet location N=No grommet R=Recessed front (not recommended for 20"D and 24"D tops)		Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
S Straight top	2. Grommet finish: Painted, Plated		
D 1 1/2" thick	3. Top finish: L, V1, V2, V3		
24 24" wide		These worksurfaces are predrilled with pilot holes for use with wood screws.	
1 20" deep			
R Recessed grommet location		Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.	
111 Jet Black (grommet)			
V316 Top finish			

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Worksurface 1 1/2"
 rectilinear
 30" and 36" deep


description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSD243-()()()	\$397.	\$431.	\$493.	\$666.
		30"	RSD303-()()()	446.	485.	558.	755.
		36"	RSD363-()()()	478.	524.	600.	810.
		42"	RSD423-()()()	499.	544.	626.	847.
		48"	RSD483-()()()	534.	581.	666.	901.
		54"	RSD543-()()()	576.	628.	720.	972.
		60"	RSD603-()()()	597.	651.	747.	1,010.
		66"	RSD663-()()()	608.	664.	768.	1,036.
		72"	RSD723-()()()	625.	681.	783.	1,057.
		78"	RSD783-()()()	653.	714.	821.	1,107.
		84"	RSD843-()()()	679.	742.	853.	1,153.
		90"	RSD903-()()()	711.	776.	894.	1,207.
		96"	RSD963-()()()	735.	804.	925.	1,248.
		102"	RSD1023-()()()	810.	885.	1,018.	1,374.
	108"	RSD1083-()()()	890.	973.	1,120.	1,511.	
	36"	60"	RSD604-()()()	688.	751.	861.	1,153.
		66"	RSD664-()()()	711.	777.	895.	1,208.
		72"	RSD724-()()()	734.	803.	924.	1,247.

Order Code	Specification Information	Application Notes
Example: RSD243RL	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops) A = Alternate location (for 36"D tops only)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. Grommet finish: Painted, Plated	These worksurfaces are predrilled with pilot holes for use with wood screws.
D 1 1/2" thick	3. Finish: L, V1, V2, V3	Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.
36 36" wide		Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
3 30" deep		Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
R Recessed grommet location		
111 Jet Black (grommet)		
V316 Top finish		

Worksurface 1 1/2"

Bridge rectilinear

Reff Profiles

description	d	w	pattern no.	L	V1	V2	V3
Worksurface, bridge rectilinear 	20"	36"	RBD361H () () ()	\$401.	\$437.	\$502.	\$679.
		36"	RBD361V () () ()	401.	437.	502.	679.
		42"	RBD421V () () ()	415.	457.	525.	709.
		42"	RBD421H () () ()	415.	457.	525.	709.
		48"	RBD481V () () ()	437.	474.	545.	734.
		48"	RBD481H () () ()	437.	474.	545.	734.
		54"	RBD541V () () ()	454.	492.	570.	770.
		54"	RBD541H () () ()	454.	492.	570.	770.
	24"	36"	RBD362H () () ()	424.	468.	536.	723.
		36"	RBD362V () () ()	424.	468.	536.	723.
		42"	RBD422V () () ()	442.	481.	553.	745.
		42"	RBD422H () () ()	442.	481.	553.	745.
		48"	RBD482H () () ()	469.	517.	593.	799.
		48"	RBD482V () () ()	469.	517.	593.	799.
54"		RBD542H () () ()	502.	549.	633.	854.	
54"		RBD542V () () ()	502.	549.	633.	854.	

Worksurfaces

Order Code

Example: RBD361H	
R	Reff
B	Bridge
D	1 1/2"
36	36" wide
H/V	
F	Grommet type
115	Grommet finish
114	Laminate

Specification Information

- To order please specify pattern number including:*
- Options for grain direction
H=Horizontal grain direction
V=Vertical grain direction
 - Grommet type:
N=No grommet
F=Flush front grommet locaton
 - Grommet finish:
Painted, Plated
 - Finish
L, V1, V2, V3


Application Notes

- Modesty sold separately
- Stiffener sold separately
- Assembly required.
- Worksurface stiffeners recommended to provide additional support for open spans greater than 54" w.
- Hardware not included.
- J-Bracket sold separately.
- Above dimensions are all nominal.

Worksurface Credenza

1" No grommet

Reff Profiles


description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCE601()	\$472.	\$472.	\$543.	\$734.
		66"	RCE661()	486.	486.	560.	756.
		72"	RCE721()	512.	512.	587.	793.
		78"	RCE781()	517.	517.	596.	805.
		84"	RCE841()	553.	553.	634.	856.
		90"	RCE901()	575.	575.	659.	892.
		96"	RCE961()	596.	596.	685.	924.
		102"	RCE1021()	656.	656.	754.	1,017.
		108"	RCE1081()	722.	722.	829.	1,118.
	24"	60"	RCE602()	523.	523.	599.	810.
		66"	RCE662()	539.	539.	621.	837.
		72"	RCE722()	562.	562.	649.	877.
		78"	RCE782()	589.	589.	681.	918.
		84"	RCE842()	614.	614.	706.	953.
		90"	RCE902()	641.	641.	736.	993.
		96"	RCE962()	665.	665.	766.	1,034.
102"		RCE1022()	732.	732.	843.	1,137.	
108"		RCE1082()	805.	805.	927.	1,251.	

Order Code	Specification Information	Application Notes
Example: RCE601	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	No grommet options Credenza tops are drilled to accept pedestals and end panels. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage.
R Reff		
C Credenza Top		
E 1"		
60 width		
1 20"		
V316 Finish		

Worksurface Credenza

1" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	60"	RCEEG601()	\$660.	\$660.	\$760.	\$1,028.
		66"	RCEEG661()	681.	681.	785.	1,059.
		72"	RCEEG721()	717.	717.	822.	1,110.
		78"	RCEEG781()	724.	724.	835.	1,128.
		84"	RCEEG841()	775.	775.	888.	1,198.
		90"	RCEEG901()	804.	804.	923.	1,248.
		96"	RCEEG961()	835.	835.	959.	1,294.
		102"	RCEEG1021()	919.	919.	1,055.	1,422.
	108"	RCEEG1081()	1,010.	1,010.	1,161.	1,566.	
	24"	60"	RCEEG602()	732.	732.	839.	1,133.
		66"	RCEEG662()	754.	754.	869.	1,172.
		72"	RCEEG722()	787.	787.	908.	1,227.
		78"	RCEEG782()	825.	825.	953.	1,284.
		84"	RCEEG842()	859.	859.	988.	1,334.
		90"	RCEEG902()	897.	897.	1,031.	1,391.
		96"	RCEEG962()	931.	931.	1,073.	1,448.
102"		RCEEG1022()	1,025.	1,025.	1,180.	1,592.	
108"	RCEEG1082()	1,127.	1,127.	1,298.	1,752.		

Worksurfaces

Order Code

Example: RCEEG601
R Reff
C Credenza Top
E 1"
EG Edge Grommet
60 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Top finish
 L,V1,V2,V3

Application Notes


These tops will always come with a cut out (notch) at the back of top.
 No grommet option.

Credenza tops are drilled to accept pedestals.
 Credenza tops are predrilled with pilot holes for use with wood screws.
 1" Credenza tops are recommended to work with the Task Panel application.
 Credenza tops are intended to be supported by full lower storage.
 Edge grommet: 35mm deep, 6" in from back corner.

Worksurface Credenza

1 1/2" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCD601()	\$726.	\$726.	\$836.	\$1,131.
		66"	RCD661()	749.	749.	863.	1,164.
		72"	RCD721()	788.	579.	904.	1,222.
		78"	RCD781()	796.	796.	919.	1,240.
		84"	RCD841()	852.	852.	977.	1,318.
		90"	RCD901()	885.	885.	1,016.	1,374.
		96"	RCD961()	919.	919.	1,055.	1,422.
		102"	RCD1021()	1,010.	1,010.	1,161.	1,566.
		108"	RCD1081()	1,111.	1,111.	1,276.	1,721.
	24"	60"	RCD602()	805.	805.	923.	1,246.
		66"	RCD662()	829.	829.	957.	1,290.
		72"	RCD722()	866.	866.	999.	1,350.
		78"	RCD782()	907.	907.	1,049.	1,413.
		84"	RCD842()	946.	946.	1,087.	1,468.
		90"	RCD902()	987.	987.	1,134.	1,530.
		96"	RCD962()	1,025.	1,025.	1,180.	1,592.
		102"	RCD1022()	1,127.	1,127.	1,298.	1,752.
108"		RCD1082()	1,240.	1,240.	1,428.	1,927.	

Order Code

Example: RCEEG601
R Reff
C Credenza
D 1 1/2" top
60 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Finish
 L,V1,V2,V3

Application Notes

These tops will always come with a cut out (notch) at the back of top.
 No grommet option.

Credenza tops are drilled to accept pedestals.
 Credenza tops are predrilled with pilot holes for use with wood screws.
 1" Credenza tops are recommended to work with the Task Panel application.
 Credenza tops are intended to be supported by full lower storage.
 Edge grommet: 35mm deep, 6" in from back corner.

Peninsula 1 1/2


Planning Guidelines and Specifications

Peninsulas

Peninsulas for Reff Profiles are a central element in private office planning. Peninsulas are available in two styles; flush mounted and over-sailing. The flush mounted style is intended to connect tops which use full height pedestals for support, creating a flush transition

between the peninsula and the adjoining top. The over-sailing style of peninsula is designed to overlap low storage made up of $\frac{3}{4}$ height cabinets with 1" credenza tops or Progressive low credenzas by using a stand-off to support the peninsula top and create a space between the top and the low storage element.

See diagrams below and page following for descriptions. Peninsulas are offered as complete assemblies including worksurface, leg(s), credenza support, and grommet options.



Peninsula 1 1/2

Planning Guidelines and Specifications

Specification Options

Peninsulas are available with a variety of worksurface shapes including rectilinear, asymmetrical and symmetrical bullet, P, 9 and D shapes.

Peninsula tops are available in any Reff Profiles core laminate or veneer finish; see Reff Profiles finish options pages for further information.

Laminate tops are offered with color-matched edges or wood veneer edges as a mixed finish option. Edge material for veneer tops is wood.


Flush mounted peninsulas, previous page below right, come with Flush Mounting kit including two flush plates and connection hardware.

Over-sailing peninsulas are offered with two stand-off options; Power Center, previous page middle, and Simple stand-off, previous page left.


The Power Center kit is supplied with power center grommet, stand-off, round cable grommet and connection hardware. When specified with a Power Center, the peninsula

top is pre-drilled to accept the Power Center grommet. The Power Center stand-off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.


In the recommended mounting location, the peninsula top will be 2 1/2" from the wall or the back edge of the 1" credenza top (over 3/4 height pedestals). Refer to elevation diagrams below for details.



Over-Sailing Style
Peninsula with Power Center



Flush Mounted Style
Peninsula with Flush Mount



Over-Sailing Style
Peninsula with Simple Stand-Off

Peninsula 1 1/2


Planning Guidelines and Specifications

The Simple Stand-Off kit is supplied with a simple stand-off, stand-off mount, round cable grommet and connection hardware. When specified, the peninsula top is pre-drilled to accept the 2 x 3 grommet. The Simple Stand-Off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.

Power center and 2 x 3 grommets are offered in three plated finishes; Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU) and all core paint finishes.

Stand-Off's are offered in all Reff Profiles core paint finishes.

Rectilinear Tops Right Hand Shown



Peninsula 1 1/2

Planning Guidelines and Specifications

Leg options for Peninsulas include L-leg, reverse L-leg, soft rectangular leg, open frame leg and cylindrical column leg. L, reverse L, soft rectangular and open frame legs are offered with anodized finishes: Black (AN), Polished (AP) and Satin (AU).








Cylindrical column leg is offered with plated finishes: Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU).

All legs are available in all Reff Profiles core paint finishes.

Rectilinear peninsula tops are offered with L, reverse L, soft rectangular, and open frame leg options. All other peninsula tops are offered with cylindrical column leg.

Refer to figures on previous page and following for grommet locations and order codes.

Asymmetric Bullet Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>N</p>		<p>Flush Plates</p>  <p>N</p>
<p>Grommet</p>  <p>S</p>	<p>Power Center</p>  <p>P</p>	
 <p>E</p>		 <p>E</p>
 <p>SE</p>		

Peninsula 1 1/2

Planning Guidelines and Specifications

Construction

Reff Profiles peninsula tops are nominal 1 1/2" thick, consisting of 1 7/16" thick substrate with a laminate or veneer surface finish.

Laminate tops have a laminate top surface with an FSC-certified particle board core and a paper backer sheet for balanced construction. Edges can match the top or are available in a selection

of veneers. Matching edges are in 2.0mm ABS with 2.0mm radius top and bottom edges. End edges overlap the front and back edges with the outside corners minimally radiused.


Edges on veneer tops are 2.4mm thick wood with 2.4mm radius top and bottom edges. Ends overlap front and back edges

with 2.4mm radius on outside corners.

All tops are supplied with pilot holes for hardware inserts for attachment of specified leg options.

Legs are shipped separately, fully assembled with connection hardware included.

Symmetric Bullet Tops Right Hand Shown



Peninsula 1 1/2

Planning Guidelines and Specifications

Planning Notes

1. Partial height modesty is available, sold separately and field installed.
2. J-wire manager is available, sold separately and field installed.
3. Peninsula tops require additional stiffening for spans greater than 54".
4. Peninsula top is right handed when the leg is on the right hand side (from the users perspective) and vice versa.
5. Power center electrical components are not included with the Peninsula and are ordered separately.

P and 9 Tops

Flush Mount Options:

P-Shaped






9-Shaped

<p>No Grommet</p>		
<p>Single Grommet</p>		
<p>Double Grommet</p>		

Peninsula 1 1/2


Planning Guidelines and Specifications

D Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>N</p>	<p>Power Center</p>  <p>N</p>	<p>Flush Plates</p>  <p>N</p>
<p>9 1/2"</p> <p>Depth / 2</p> <p>Grommet</p> <p>Depth</p> <p>S</p>	<p>Power Center</p>  <p>P</p>	<p>Flush Plates</p>  <p>M</p>
<p>Straight / 2</p> <p>9 1/2"</p> <p>Straight</p> <p>M</p>	<p>Straight / 2</p> <p>9 1/2"</p> <p>Straight</p> <p>PM</p>	<p>Straight / 2</p> <p>9 1/2"</p> <p>Straight</p> <p>M</p>
<p>9 1/2"</p> <p>Depth / 2</p> <p>9 1/2"</p> <p>Depth</p> <p>Straight</p> <p>SM</p>	<p>Straight / 2</p> <p>9 1/2"</p> <p>Straight</p> <p>PM</p>	<p>Straight / 2</p> <p>9 1/2"</p> <p>Straight</p> <p>M</p>


Worksurfaces

Peninsula 1 1/2
 Worksurface with L-leg
 Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top <i>Left hand shown</i>	20"	60"	1 1/2"	RPTDLPC(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDLPC(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDLPC(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDLPC(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDLPC(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDLPC(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDLPC(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDLPC(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDLPC(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDLPC(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDLPC(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDLPC(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDLPC(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDLPC(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDLPC(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDLPC(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDLPC(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDLPC(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDLPC(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDLPC(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Order Code	Specification Information	Application Notes
Example: RPTDLPC(L/R) 6030() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center, PE= Power center grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet option Painted or plated	Refer to grommet page for location option.
L L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		


Peninsula 1 1/2
 Worksurface with L-leg
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDLST(L/R)6020() () () ()	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDLST(L/R)6620() () () ()	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDLST(L/R)7220() () () ()	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDLST(L/R)7820() () () ()	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDLST(L/R)8420() () () ()	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDLST(L/R)6024() () () ()	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDLST(L/R)6624() () () ()	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDLST(L/R)7224() () () ()	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDLST(L/R)7824() () () ()	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDLST(L/R)8424() () () ()	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDLST(L/R)6030() () () ()	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDLST(L/R)6630() () () ()	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDLST(L/R)7230() () () ()	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDLST(L/R)7830() () () ()	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDLST(L/R)8430() () () ()	1,580.	1,643.	1,754.	2,054.
	36"	60"	1 1/2"	RPTDLST(L/R)6036() () () ()	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDLST(L/R)6636() () () ()	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDLST(L/R)7236() () () ()	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDLST(L/R)7836() () () ()	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDLST(L/R)8436() () () ()	1,682.	1,751.	1,884.	2,230.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDLST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
L L-Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off grommet with end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
E Grommet Type	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet option	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2
 Worksurface with L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top	20"	36"	1 1/2"	RPTDLFM(L/R)3620() () ()	\$957.	\$1,089.	\$1,131.	\$1,277.
		42"	1 1/2"	RPTDLFM(L/R)4220() () ()	970.	1,112.	1,159.	1,323.
		48"	1 1/2"	RPTDLFM(L/R)4820() () ()	1,173.	1,210.	1,281.	1,471.
		54"	1 1/2"	RPTDLFM(L/R)5420() () ()	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDLFM(L/R)6020() () ()	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDLFM(L/R)6620() () ()	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDLFM(L/R)7220() () ()	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDLFM(L/R)7820() () ()	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDLFM(L/R)8420() () ()	1,306.	1,362.	1,453.	1,704.
		24"	36"	1 1/2"	RPTDLFM(L/R)3624() () ()	969.	1,121.	1,167.
42"	1 1/2"		RPTDLFM(L/R)4224() () ()	991.	1,145.	1,196.	1,381.	
48"	1 1/2"		RPTDLFM(L/R)4824() () ()	1,205.	1,254.	1,330.	1,536.	
54"	1 1/2"		RPTDLFM(L/R)5424() () ()	1,238.	1,285.	1,370.	1,590.	
60"	1 1/2"		RPTDLFM(L/R)6024() () ()	1,277.	1,328.	1,414.	1,651.	
66"	1 1/2"		RPTDLFM(L/R)6624() () ()	1,292.	1,345.	1,438.	1,683.	
72"	1 1/2"		RPTDLFM(L/R)7224() () ()	1,319.	1,372.	1,470.	1,727.	
78"	1 1/2"		RPTDLFM(L/R)7824() () ()	1,345.	1,402.	1,506.	1,774.	
84"	1 1/2"		RPTDLFM(L/R)8424() () ()	1,371.	1,430.	1,534.	1,813.	
30"	36"		1 1/2"	RPTDLFM(L/R)3630() () ()	1,009.	1,153.	1,206.	1,397.
	42"	1 1/2"	RPTDLFM(L/R)4230() () ()	1,023.	1,176.	1,237.	1,451.	
	48"	1 1/2"	RPTDLFM(L/R)4830() () ()	1,286.	1,340.	1,426.	1,666.	
	54"	1 1/2"	RPTDLFM(L/R)5430() () ()	1,310.	1,364.	1,454.	1,706.	
	60"	1 1/2"	RPTDLFM(L/R)6030() () ()	1,334.	1,387.	1,483.	1,747.	
	66"	1 1/2"	RPTDLFM(L/R)6630() () ()	1,344.	1,401.	1,505.	1,773.	
	72"	1 1/2"	RPTDLFM(L/R)7230() () ()	1,362.	1,417.	1,519.	1,793.	
	78"	1 1/2"	RPTDLFM(L/R)7830() () ()	1,389.	1,450.	1,557.	1,844.	
	84"	1 1/2"	RPTDLFM(L/R)8430() () ()	1,415.	1,478.	1,589.	1,889.	
	36"	36"	1 1/2"	RPTDLFM(L/R)3636() () ()	1,043.	1,179.	1,241.	1,458.
42"		1 1/2"	RPTDLFM(L/R)4236() () ()	1,061.	1,216.	1,286.	1,531.	
48"		1 1/2"	RPTDLFM(L/R)4836() () ()	1,378.	1,441.	1,540.	1,808.	
54"		1 1/2"	RPTDLFM(L/R)5436() () ()	1,401.	1,464.	1,569.	1,848.	
60"		1 1/2"	RPTDLFM(L/R)6036() () ()	1,424.	1,487.	1,598.	1,889.	

Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)3620() () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
36 Width		
20 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2
 Worksurface with L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
	36"	66"	1 1/2"	RPTDLFM(L/R)6636() () () ()	\$1,447.	\$1,513.	\$1,632.	\$1,945.
		72"	1 1/2"	RPTDLFM(L/R)7236() () () ()	1,471.	1,540.	1,660.	1,984.
		78"	1 1/2"	RPTDLFM(L/R)7836() () () ()	1,495.	1,563.	1,689.	2,025.
		84"	1 1/2"	RPTDLFM(L/R)8436() () () ()	1,517.	1,586.	1,719.	2,065.

Left hand shown


Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
36 Width		
20 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

*Worksurface with Reverse L-leg
Stand Off with Power Center, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRPC(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDRPC(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDRPC(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDRPC(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDRPC(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDRPC(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDRPC(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDRPC(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDRPC(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDRPC(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDRPC(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDRPC(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDRPC(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDRPC(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDRPC(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDRPC(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDRPC(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDRPC(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDRPC(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDRPC(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Order Code	Specification Information	Application Notes
Example: RPTDRPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center, PE=Power center plus end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
30 Depth		
40 Width		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-off finish		


Peninsula 1 1/2
 Worksurface with Reverse L-leg
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRST(L/R)6020()()()	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDRST(L/R)6620()()()	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDRST(L/R)7220()()()	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDRST(L/R)7820()()()	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDRST(L/R)8420()()()	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDRST(L/R)6024()()()	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDRST(L/R)6624()()()	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDRST(L/R)7224()()()	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDRST(L/R)7824()()()	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDRST(L/R)8424()()()	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDRST(L/R)6030()()()	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDRST(L/R)6630()()()	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDRST(L/R)7230()()()	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDRST(L/R)7830()()()	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDRST(L/R)8430()()()	1,580.	1,643.	1,105.	2,054.
	36"	60"	1 1/2"	RPTDRST(L/R)6036()()()	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDRST(L/R)6636()()()	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDRST(L/R)7236()()()	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDRST(L/R)7836()()()	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDRST(L/R)8436()()()	1,682.	1,751.	1,884.	2,230.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDRST(L/R)6030()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
R Reverse L-leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
SE Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2
 Worksurface with Reverse L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	36"	1 1/2"	RPTDRFM(L/R)3620() () ()	\$957.	\$1,089.	\$1,131.	\$1,277.
		42"	1 1/2"	RPTDRFM(L/R)4220() () ()	970.	1,112.	1,159.	1,323.
		48"	1 1/2"	RPTDRFM(L/R)4820() () ()	1,173.	1,210.	1,281.	1,471.
		54"	1 1/2"	RPTDRFM(L/R)5420() () ()	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDRFM(L/R)6020() () ()	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDRFM(L/R)6620() () ()	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDRFM(L/R)7220() () ()	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDRFM(L/R)7820() () ()	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDRFM(L/R)8420() () ()	1,306.	1,362.	1,453.	1,704.
		24"	36"	1 1/2"	RPTDRFM(L/R)3624() () ()	969.	1,121.	1,167.
42"	1 1/2"		RPTDRFM(L/R)4224() () ()	991.	1,145.	1,196.	1,381.	
48"	1 1/2"		RPTDRFM(L/R)4824() () ()	1,205.	1,254.	1,330.	1,536.	
54"	1 1/2"		RPTDRFM(L/R)5424() () ()	1,238.	1,285.	1,370.	1,590.	
60"	1 1/2"		RPTDRFM(L/R)6024() () ()	1,277.	1,328.	1,414.	1,651.	
66"	1 1/2"		RPTDRFM(L/R)6624() () ()	1,292.	1,345.	1,438.	1,683.	
72"	1 1/2"		RPTDRFM(L/R)7224() () ()	1,319.	1,372.	1,470.	1,727.	
78"	1 1/2"		RPTDRFM(L/R)7824() () ()	1,345.	1,402.	1,506.	1,774.	
84"	1 1/2"		RPTDRFM(L/R)8424() () ()	1,371.	1,430.	1,534.	1,813.	
30"	36"		1 1/2"	RPTDRFM(L/R)3630() () ()	1,009.	1,153.	1,206.	1,397.
	42"	1 1/2"	RPTDRFM(L/R)4230() () ()	1,023.	1,176.	1,237.	1,451.	
	48"	1 1/2"	RPTDRFM(L/R)4830() () ()	1,286.	1,340.	1,426.	1,666.	
	54"	1 1/2"	RPTDRFM(L/R)5430() () ()	1,310.	1,364.	1,454.	1,706.	
	60"	1 1/2"	RPTDRFM(L/R)6030() () ()	1,334.	1,387.	1,483.	1,747.	
	66"	1 1/2"	RPTDRFM(L/R)6630() () ()	1,344.	1,401.	1,505.	1,773.	
	72"	1 1/2"	RPTDRFM(L/R)7230() () ()	1,362.	1,417.	1,519.	1,793.	
	78"	1 1/2"	RPTDRFM(L/R)7830() () ()	1,389.	1,450.	1,557.	1,844.	
	84"	1 1/2"	RPTDRFM(L/R)8430() () ()	1,415.	1,478.	1,589.	1,889.	
	36"	36"	1 1/2"	RPTDRFM(L/R)3636() () ()	1,043.	1,179.	1,141.	1,458.
42"		1 1/2"	RPTDRFM(L/R)4236() () ()	1,061.	1,216.	1,286.	1,531.	
48"		1 1/2"	RPTDRFM(L/R)4836() () ()	1,378.	1,441.	1,540.	1,808.	
54"		1 1/2"	RPTDRFM(L/R)5436() () ()	1,401.	1,464.	1,569.	1,848.	
54"		1 1/2"	RPTDRFM(L/R)6036() () ()	1,424.	1,487.	1,598.	1,889.	

Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)3620() () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Leg	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
36 Width		
20 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2
Worksurface with Reverse L-leg
Flush Mount Attachment, Rectilinear top


description	d	w	th	pattern no.	L	M/V1	V2	V3
	36"	66"	1 1/2"	RPTDRFM(L/R)6636() () ()	\$1,447.	\$1,513.	\$1,632.	\$1,945.
		72"	1 1/2"	RPTDRFM(L/R)7236() () ()	1,471.	1,540.	1,660.	1,984.
		78"	1 1/2"	RPTDRFM(L/R)7836() () ()	1,495.	1,563.	1,689.	2,025.
		84"	1 1/2"	RPTDRFM(L/R)8436() () ()	1,517.	1,586.	1,719.	2,065.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)3620() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Leg	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		Peninsula worksurfaces with power center do not come with Electrical Components.
36 Width		For electrical components please refer to page 448.
20 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2

Worksurface with Soft Rectangular Leg Stand Off with Power Center, Rectilinear top

description	d	w	th	pattern number	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSPC(L/R)6020() () () ()	\$1,510.	\$1,553.	\$1,634.	\$1,850.
		66"	1 1/2"	RPTDSPC(L/R)6620() () () ()	1,521.	1,569.	1,653.	1,874.
		72"	1 1/2"	RPTDSPC(L/R)7220() () () ()	1,550.	1,599.	1,683.	1,916.
		78"	1 1/2"	RPTDSPC(L/R)7820() () () ()	1,557.	1,604.	1,693.	1,930.
		84"	1 1/2"	RPTDSPC(L/R)8420() () () ()	1,589.	1,645.	1,737.	1,987.
	24"	60"	1 1/2"	RPTDSPC(L/R)6024() () () ()	1,560.	1,611.	1,697.	1,934.
		66"	1 1/2"	RPTDSPC(L/R)6624() () () ()	1,575.	1,628.	1,721.	1,966.
		72"	1 1/2"	RPTDSPC(L/R)7224() () () ()	1,603.	1,655.	1,753.	2,011.
		78"	1 1/2"	RPTDSPC(L/R)7824() () () ()	1,628.	1,685.	1,789.	2,057.
		84"	1 1/2"	RPTDSPC(L/R)8424() () () ()	1,654.	1,713.	1,817.	2,096.
	30"	60"	1 1/2"	RPTDSPC(L/R)6030() () () ()	1,617.	1,671.	1,766.	2,030.
		66"	1 1/2"	RPTDSPC(L/R)6630() () () ()	1,627.	1,684.	1,788.	2,056.
		72"	1 1/2"	RPTDSPC(L/R)7230() () () ()	1,645.	1,701.	1,803.	2,076.
		78"	1 1/2"	RPTDSPC(L/R)7830() () () ()	1,673.	1,733.	1,841.	2,127.
		84"	1 1/2"	RPTDSPC(L/R)8430() () () ()	1,698.	1,761.	1,873.	2,172.
	36"	60"	1 1/2"	RPTDSPC(L/R)6036() () () ()	1,708.	1,771.	1,881.	2,172.
		66"	1 1/2"	RPTDSPC(L/R)6636() () () ()	1,730.	1,796.	1,915.	2,228.
		72"	1 1/2"	RPTDSPC(L/R)7236() () () ()	1,754.	1,823.	1,944.	2,267.
		78"	1 1/2"	RPTDSPC(L/R)7836() () () ()	1,778.	1,846.	1,972.	2,308.
		84"	1 1/2"	RPTDSPC(L/R)8436() () () ()	1,800.	1,869.	2,002.	2,348.

Order Code	Specification Information	Application Notes
Example: RPTDSPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		


Peninsula 1 1/2
 Worksurface with Soft Rectangular Leg
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSST(L/R)6020() () () ()	\$1,438.	\$1,481.	\$1,561.	\$1,778.
		66"	1 1/2"	RPTDSST(L/R)6620() () () ()	1,449.	1,497.	1,581.	1,801.
		72"	1 1/2"	RPTDSST(L/R)7220() () () ()	1,478.	1,526.	1,611.	1,844.
		78"	1 1/2"	RPTDSST(L/R)7820() () () ()	1,485.	1,532.	1,621.	1,858.
		84"	1 1/2"	RPTDSST(L/R)8420() () () ()	1,517.	1,573.	1,664.	1,915.
	24"	60"	1 1/2"	RPTDSST(L/R)6024() () () ()	1,488.	1,539.	1,625.	1,862.
		66"	1 1/2"	RPTDSST(L/R)6624() () () ()	1,503.	1,556.	1,649.	1,894.
		72"	1 1/2"	RPTDSST(L/R)7224() () () ()	1,531.	1,583.	1,681.	1,938.
		78"	1 1/2"	RPTDSST(L/R)7824() () () ()	1,556.	1,613.	1,717.	1,985.
		84"	1 1/2"	RPTDSST(L/R)8424() () () ()	1,582.	1,641.	1,745.	2,024.
	30"	60"	1 1/2"	RPTDSST(L/R)6030() () () ()	1,545.	1,599.	1,694.	1,958.
		66"	1 1/2"	RPTDSST(L/R)6630() () () ()	1,555.	1,612.	1,716.	1,984.
		72"	1 1/2"	RPTDSST(L/R)7230() () () ()	1,573.	1,628.	1,730.	2,004.
		78"	1 1/2"	RPTDSST(L/R)7830() () () ()	1,601.	1,661.	1,769.	2,055.
		84"	1 1/2"	RPTDSST(L/R)8430() () () ()	1,626.	1,689.	1,800.	2,100.
	36"	60"	1 1/2"	RPTDSST(L/R)6036() () () ()	1,636.	1,698.	1,809.	2,100.
		66"	1 1/2"	RPTDSST(L/R)6636() () () ()	1,658.	1,724.	1,843.	2,156.
		72"	1 1/2"	RPTDSST(L/R)7236() () () ()	1,682.	1,751.	1,872.	2,195.
		78"	1 1/2"	RPTDSST(L/R)7836() () () ()	1,706.	1,774.	1,900.	2,236.
		84"	1 1/2"	RPTDSST(L/R)8436() () () ()	1,728.	1,797.	1,930.	2,276.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDSST(L/R)6030() () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
S Soft Rectangular Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand Off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
E Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

*Worksurface with Soft Rectangular Leg
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDSFM(L/R)3620() () () ()	\$1,094.	\$1,226.	\$1,268.	\$1,414.
		42"	1 1/2"	RPTDSFM(L/R)4220() () () ()	1,107.	1,249.	1,296.	1,460.
		48"	1 1/2"	RPTDSFM(L/R)4820() () () ()	1,220.	1,257.	1,328.	1,517.
		54"	1 1/2"	RPTDSFM(L/R)5420() () () ()	1,237.	1,275.	1,352.	1,553.
		60"	1 1/2"	RPTDSFM(L/R)6020() () () ()	1,273.	1,316.	1,397.	1,613.
		66"	1 1/2"	RPTDSFM(L/R)6620() () () ()	1,284.	1,332.	1,416.	1,637.
		72"	1 1/2"	RPTDSFM(L/R)7220() () () ()	1,313.	1,362.	1,446.	1,679.
		78"	1 1/2"	RPTDSFM(L/R)7820() () () ()	1,320.	1,367.	1,456.	1,693.
		84"	1 1/2"	RPTDSFM(L/R)8420() () () ()	1,352.	1,408.	1,500.	1,750.
		24"	36"	1 1/2"	RPTDSFM(L/R)3624() () () ()	1,106.	1,258.	1,304.
42"	1 1/2"		RPTDSFM(L/R)4224() () () ()	1,128.	1,282.	1,333.	1,518.	
48"	1 1/2"		RPTDSFM(L/R)4824() () () ()	1,251.	1,300.	1,376.	1,582.	
54"	1 1/2"		RPTDSFM(L/R)5424() () () ()	1,284.	1,332.	1,416.	1,637.	
60"	1 1/2"		RPTDSFM(L/R)6024() () () ()	1,324.	1,374.	1,461.	1,697.	
66"	1 1/2"		RPTDSFM(L/R)6624() () () ()	1,338.	1,392.	1,484.	1,729.	
72"	1 1/2"		RPTDSFM(L/R)7224() () () ()	1,366.	1,418.	1,516.	1,774.	
78"	1 1/2"		RPTDSFM(L/R)7824() () () ()	1,392.	1,448.	1,552.	1,820.	
84"	1 1/2"		RPTDSFM(L/R)8424() () () ()	1,417.	1,476.	1,580.	1,859.	
30"	36"		1 1/2"	RPTDSFM(L/R)3630() () () ()	1,146.	1,290.	1,343.	1,534.
	42"	1 1/2"	RPTDSFM(L/R)4230() () () ()	1,160.	1,313.	1,373.	1,588.	
	48"	1 1/2"	RPTDSFM(L/R)4830() () () ()	1,333.	1,386.	1,472.	1,712.	
	54"	1 1/2"	RPTDSFM(L/R)5430() () () ()	1,357.	1,410.	1,501.	1,752.	
	60"	1 1/2"	RPTDSFM(L/R)6030() () () ()	1,380.	1,434.	1,530.	1,793.	
	66"	1 1/2"	RPTDSFM(L/R)6630() () () ()	1,391.	1,447.	1,551.	1,819.	
	72"	1 1/2"	RPTDSFM(L/R)7230() () () ()	1,408.	1,464.	1,566.	1,840.	
	78"	1 1/2"	RPTDSFM(L/R)7830() () () ()	1,436.	1,497.	1,604.	1,890.	
	84"	1 1/2"	RPTDSFM(L/R)8430() () () ()	1,462.	1,524.	1,636.	1,935.	
	36"	36"	1 1/2"	RPTDSFM(L/R)3636() () () ()	1,180.	1,316.	1,378.	1,595.
42"		1 1/2"	RPTDSFM(L/R)4236() () () ()	1,198.	1,353.	1,423.	1,668.	
48"		1 1/2"	RPTDSFM(L/R)4836() () () ()	1,424.	1,487.	1,586.	1,854.	
54"		1 1/2"	RPTDSFM(L/R)5436() () () ()	1,447.	1,510.	1,615.	1,894.	
60"		1 1/2"	RPTDSFM(L/R)6036() () () ()	1,471.	1,534.	1,644.	1,935.	

Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End N=No grommet M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
48 Width		
30 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2
*Worksurface with Soft Rectangular Leg
 Flush Mount Attachment, Rectilinear top*


description	d	w	th	pattern no.	L	M/V1	V2	V3
	36"	66"	1 1/2"	RPTDSFM(L/R)6636() () () ()	\$1,494.	\$1,559.	\$1,678.	\$1,991.
		72"	1 1/2"	RPTDSFM(L/R)7236() () () ()	1,517.	1,586.	1,707.	2,030.
		78"	1 1/2"	RPTDSFM(L/R)7836() () () ()	1,541.	1,609.	1,736.	2,071.
		84"	1 1/2"	RPTDSFM(L/R)8436() () () ()	1,564.	1,633.	1,765.	2,112.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End N=No grommet M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
48 Width		
30 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2

Worksurface with Open Frame Leg Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDOPC(L/R)6020() () () ()	\$1,536.	\$1,579.	\$1,659.	\$1,876.
		66"	1 1/2"	RPTDOPC(L/R)6620() () () ()	1,547.	1,594.	1,679.	1,899.
		72"	1 1/2"	RPTDOPC(L/R)7220() () () ()	1,576.	1,624.	1,709.	1,942.
		78"	1 1/2"	RPTDOPC(L/R)7820() () () ()	1,583.	1,629.	1,719.	1,956.
		84"	1 1/2"	RPTDOPC(L/R)8420() () () ()	1,615.	1,671.	1,762.	2,013.
	24"	60"	1 1/2"	RPTDOPC(L/R)6024() () () ()	1,586.	1,637.	1,723.	1,960.
		66"	1 1/2"	RPTDOPC(L/R)6624() () () ()	1,601.	1,654.	1,747.	1,992.
		72"	1 1/2"	RPTDOPC(L/R)7224() () () ()	1,628.	1,681.	1,779.	2,036.
		78"	1 1/2"	RPTDOPC(L/R)7824() () () ()	1,654.	1,711.	1,815.	2,083.
		84"	1 1/2"	RPTDOPC(L/R)8424() () () ()	1,680.	1,739.	1,843.	2,122.
	30"	60"	1 1/2"	RPTDOPC(L/R)6030() () () ()	1,643.	1,696.	1,792.	2,056.
		66"	1 1/2"	RPTDOPC(L/R)6630() () () ()	1,653.	1,710.	1,814.	2,082.
		72"	1 1/2"	RPTDOPC(L/R)7230() () () ()	1,671.	1,726.	1,828.	2,102.
		78"	1 1/2"	RPTDOPC(L/R)7830() () () ()	1,698.	1,759.	1,866.	2,153.
		84"	1 1/2"	RPTDOPC(L/R)8430() () () ()	1,724.	1,787.	1,898.	2,198.
	36"	60"	1 1/2"	RPTDOPC(L/R)6036() () () ()	1,733.	1,796.	1,907.	2,198.
		66"	1 1/2"	RPTDOPC(L/R)6636() () () ()	1,756.	1,822.	1,941.	2,254.
		72"	1 1/2"	RPTDOPC(L/R)7236() () () ()	1,780.	1,849.	1,969.	2,293.
		78"	1 1/2"	RPTDOPC(L/R)7836() () () ()	1,804.	1,872.	1,998.	2,334.
		84"	1 1/2"	RPTDOPC(L/R)8436() () () ()	1,826.	1,895.	2,028.	2,374.

Order Code	Specification Information	Application Notes
Example: RPTDOPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2
Worksurface with Open Frame Leg
Simple Stand-Off, Rectilinear top


description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDOST(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDOST(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDOST(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDOST(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDOST(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDOST(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDOST(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDOST(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDOST(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDOST(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDOST(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDOST(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDOST(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDOST(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDOST(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDOST(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDOST(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDOST(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDOST(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDOST(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDOST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	M=Mid. grommet	Refer to grommet page for location option.
O Open Frame Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	S=Stand-off	
L Left hand/ Right hand	SE=Stand-off and end location	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
S Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	


Peninsula 1 1/2

Worksurface with Open Frame Leg Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDOFM(L/R)3620() () () ()	\$1,292.	\$1,424.	\$1,466.	\$1,612.
		42"	1 1/2"	RPTDOFM(L/R)4220() () () ()	1,305.	1,447.	1,488.	1,652.
		48"	1 1/2"	RPTDOFM(L/R)4820() () () ()	1,245.	1,282.	1,353.	1,543.
		54"	1 1/2"	RPTDOFM(L/R)5420() () () ()	1,263.	1,301.	1,378.	1,579.
		60"	1 1/2"	RPTDOFM(L/R)6020() () () ()	1,299.	1,342.	1,422.	1,639.
		66"	1 1/2"	RPTDOFM(L/R)6620() () () ()	1,310.	1,358.	1,442.	1,662.
		72"	1 1/2"	RPTDOFM(L/R)7220() () () ()	1,339.	1,387.	1,472.	1,705.
		78"	1 1/2"	RPTDOFM(L/R)7820() () () ()	1,346.	1,393.	1,482.	1,719.
		84"	1 1/2"	RPTDOFM(L/R)8420() () () ()	1,378.	1,434.	1,525.	1,776.
		<hr/>						
	24"	36"	1 1/2"	RPTDOFM(L/R)3624() () () ()	1,345.	1,497.	1,543.	1,708.
		42"	1 1/2"	RPTDOFM(L/R)4224() () () ()	1,366.	1,521.	1,572.	1,756.
		48"	1 1/2"	RPTDOFM(L/R)4824() () () ()	1,277.	1,326.	1,402.	1,608.
		54"	1 1/2"	RPTDOFM(L/R)5424() () () ()	1,310.	1,358.	1,442.	1,662.
		60"	1 1/2"	RPTDOFM(L/R)6024() () () ()	1,349.	1,400.	1,486.	1,723.
		66"	1 1/2"	RPTDOFM(L/R)6624() () () ()	1,364.	1,417.	1,510.	1,755.
		72"	1 1/2"	RPTDOFM(L/R)7224() () () ()	1,392.	1,444.	1,542.	1,799.
		78"	1 1/2"	RPTDOFM(L/R)7824() () () ()	1,417.	1,474.	1,578.	1,846.
		84"	1 1/2"	RPTDOFM(L/R)8424() () () ()	1,443.	1,502.	1,606.	1,885.
		<hr/>						
	30"	36"	1 1/2"	RPTDOFM(L/R)3630() () () ()	1,446.	1,589.	1,643.	1,834.
		42"	1 1/2"	RPTDOFM(L/R)4230() () () ()	1,460.	1,613.	1,673.	1,888.
		48"	1 1/2"	RPTDOFM(L/R)4830() () () ()	1,359.	1,412.	1,498.	1,738.
		54"	1 1/2"	RPTDOFM(L/R)5430() () () ()	1,382.	1,436.	1,526.	1,778.
		60"	1 1/2"	RPTDOFM(L/R)6030() () () ()	1,406.	1,460.	1,555.	1,819.
		66"	1 1/2"	RPTDOFM(L/R)6630() () () ()	1,416.	1,473.	1,577.	1,845.
		72"	1 1/2"	RPTDOFM(L/R)7230() () () ()	1,434.	1,489.	1,591.	1,865.
		78"	1 1/2"	RPTDOFM(L/R)7830() () () ()	1,462.	1,522.	1,629.	1,916.
		84"	1 1/2"	RPTDOFM(L/R)8430() () () ()	1,487.	1,550.	1,661.	1,961.
		<hr/>						
	36"	36"	1 1/2"	RPTDOFM(L/R)3636() () () ()	1,581.	1,718.	1,779.	1,997.
		42"	1 1/2"	RPTDOFM(L/R)4236() () () ()	1,599.	1,755.	1,825.	2,070.
		48"	1 1/2"	RPTDOFM(L/R)4836() () () ()	1,450.	1,513.	1,612.	1,880.
		54"	1 1/2"	RPTDOFM(L/R)5436() () () ()	1,473.	1,536.	1,641.	1,920.
		60"	1 1/2"	RPTDOFM(L/R)6036() () () ()	1,507.	1,559.	1,670.	1,961.

Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)3620() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End M=Mid. grommet N=No grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
36 Width		
20 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		




Peninsula 1 1/2
Worksurface with Open Frame Leg
Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
	36"	66"	1 1/2"	RPTDOFM(L/R)6636() () () ()	\$1,519.	\$1,585.	\$1,704.	\$2,017.
		72"	1 1/2"	RPTDOFM(L/R)7236() () () ()	1,543.	1,612.	1,732.	2,056.
		78"	1 1/2"	RPTDOFM(L/R)7836() () () ()	1,567.	1,635.	1,761.	2,097.
		84"	1 1/2"	RPTDOFM(L/R)8436() () () ()	1,589.	1,658.	1,791.	2,137.

Left hand shown


Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End M=Mid. grommet N=No grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
36 Width		
20 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2
 Open Frame Leg Infill Options
 Infills for Peninsulas only

description	th	w	h	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEI202()	\$296.	\$376.	\$433.	\$563.	
	1"	24"	28 3/8"	RIPPEI242()	304.	386.	444.	578.	
	1"	30"	28 3/8"	RIPPEI302()	320.	406.	467.	608.	
	1"	36"	28 3/8"	RIPPEI362()	339.	431.	495.	644.	
Outside Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEO202()	297.	378.	434.	565.	
	1"	24"	28 3/8"	RIPPEO242()	305.	388.	446.	579.	
	1"	30"	28 3/8"	RIPPEO302()	322.	409.	470.	611.	
	1"	36"	28 3/8"	RIPPEO362()	340.	432.	497.	646.	
Outside Glass Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEOG202()					750.
	1"	24"	28 3/8"	RIPPEOG242()					846.
	1"	30"	28 3/8"	RIPPEOG302()					995.
	1"	36"	28 3/8"	RIPPEOG362()					1,148.

Order Code	Specification Information	Application Notes
Example: RIPPEI202	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill must be ordered separately.
R Reff Profiles	1. Finish: L, V1,V2,V3,Glass	
IP Infill Panel	I=Inside	Infills; fill entire opening of open frame legs.
PE Peninsula End	O=Outside	
I Inside	OG=Outside Glass	Infills connect to each other. Can be removed without any damage to the frame legs.
20 Width	Glass options:	
2 28 3/8" h: Desk Height	GL11, GL14, GL15, GL18	Glass Option is only available for outside infill.
() Finish		
		Black inside infill recommended when Glass option is used.


*Worksurface with Thick End Panel
Stand-Off with Power Center, Rectilinear top*

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	L/V1	L/V2	L/V3
 Peninsula, Rectilinear Top	20"	60"	1 1/2"	RPTDEPC(L/R)6020() () () ()	\$1,369.	\$1,805.	\$2,076.	\$2,698.	\$2,203.	\$2,288.	\$2,387.
		66"	1 1/2"	RPTDEPC(L/R)6620() () () ()	1,379.	1,823.	2,096.	2,725.	2,218.	2,303.	2,402.
		72"	1 1/2"	RPTDEPC(L/R)7220() () () ()	1,389.	1,850.	2,128.	2,766.	2,243.	2,329.	2,427.
		78"	1 1/2"	RPTDEPC(L/R)7820() () () ()	1,400.	1,868.	2,148.	2,793.	2,258.	2,343.	2,442.
		84"	1 1/2"	RPTDEPC(L/R)8420() () () ()	1,410.	1,903.	2,189.	2,845.	2,293.	2,379.	2,478.
	24"	60"	1 1/2"	RPTDEPC(L/R)6024() () () ()	1,403.	1,851.	2,129.	2,768.	2,243.	2,328.	2,427.
		66"	1 1/2"	RPTDEPC(L/R)6624() () () ()	1,415.	1,873.	2,154.	2,800.	2,261.	2,346.	2,445.
		72"	1 1/2"	RPTDEPC(L/R)7224() () () ()	1,455.	1,894.	2,178.	2,831.	2,278.	2,364.	2,462.
		78"	1 1/2"	RPTDEPC(L/R)7824() () () ()	1,467.	1,924.	2,212.	2,876.	2,305.	2,391.	2,489.
		84"	1 1/2"	RPTDEPC(L/R)8424() () () ()	1,479.	1,961.	2,255.	2,932.	2,342.	2,428.	2,526.
	30"	60"	1 1/2"	RPTDEPC(L/R)6030() () () ()	1,569.	1,908.	2,194.	2,852.	2,291.	2,377.	2,476.
		66"	1 1/2"	RPTDEPC(L/R)6630() () () ()	1,582.	1,933.	2,223.	2,890.	2,312.	2,397.	2,496.
		72"	1 1/2"	RPTDEPC(L/R)7230() () () ()	1,597.	1,967.	2,263.	2,941.	2,343.	2,429.	2,527.
		78"	1 1/2"	RPTDEPC(L/R)7830() () () ()	1,611.	1,994.	2,293.	2,981.	2,365.	2,451.	2,549.
		84"	1 1/2"	RPTDEPC(L/R)8430() () () ()	1,625.	2,044.	2,350.	3,056.	2,414.	2,500.	2,599.
	36"	60"	1 1/2"	RPTDEPC(L/R)6036() () () ()	1,634.	1,964.	2,258.	2,936.	2,340.	2,425.	2,524.
		66"	1 1/2"	RPTDEPC(L/R)6636() () () ()	1,650.	1,994.	2,293.	2,982.	2,365.	2,450.	2,549.
		72"	1 1/2"	RPTDEPC(L/R)7236() () () ()	1,667.	2,032.	2,337.	3,038.	2,399.	2,484.	2,583.
		78"	1 1/2"	RPTDEPC(L/R)7836() () () ()	1,686.	2,063.	2,372.	3,084.	2,424.	2,509.	2,608.
		84"	1 1/2"	RPTDEPC(L/R)8436() () () ()	1,701.	2,109.	2,426.	3,154.	2,468.	2,553.	2,652.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDEPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i> P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. <i>Grommet finish:</i> Painted or plated	Refer to grommet page for location option.
E Thick End Panel Leg	4. <i>Worksurface finish:</i> L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. <i>Leg finish:</i> Wood or Laminate	
L Left hand/ Right hand	6. <i>Stand-off finish:</i> Painted	
60 Width		
20 Depth		
P Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
V316 Leg Finish		
115 Stand-Off Finish		


Peninsula 1 1/2
 Worksurface with Thick End Panel
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	L/V1	L/V2	L/V3
 Peninsula, Rectilinear Top	20"	60"	1 1/2"	RPTDEST(L/R)6020() () () ()	\$1,213.	\$1,659.	\$1,908.	\$2,480.	\$2,035.	\$2,120.	\$2,219.
		66"	1 1/2"	RPTDEST(L/R)6620() () () ()	1,223.	1,677.	1,928.	2,507.	2,050.	2,135.	2,234.
		72"	1 1/2"	RPTDEST(L/R)7220() () () ()	1,233.	1,704.	1,960.	2,547.	2,075.	2,161.	2,259.
		78"	1 1/2"	RPTDEST(L/R)7820() () () ()	1,243.	1,722.	1,980.	2,575.	2,090.	2,175.	2,274.
		84"	1 1/2"	RPTDEST(L/R)8420() () () ()	1,253.	1,758.	2,022.	2,628.	2,125.	2,211.	2,310.
	24"	60"	1 1/2"	RPTDEST(L/R)6024() () () ()	1,247.	1,705.	1,961.	2,549.	2,075.	2,160.	2,259.
		66"	1 1/2"	RPTDEST(L/R)6624() () () ()	1,259.	1,727.	1,986.	2,582.	2,093.	2,178.	2,277.
		72"	1 1/2"	RPTDEST(L/R)7224() () () ()	1,299.	1,748.	2,010.	2,613.	2,110.	2,196.	2,294.
		78"	1 1/2"	RPTDEST(L/R)7824() () () ()	1,311.	1,778.	2,044.	2,657.	2,137.	2,223.	2,321.
		84"	1 1/2"	RPTDEST(L/R)8424() () () ()	1,323.	1,815.	2,087.	2,714.	2,174.	2,260.	2,358.
	30"	60"	1 1/2"	RPTDEST(L/R)6030() () () ()	1,412.	1,762.	2,026.	2,634.	2,123.	2,209.	2,308.
		66"	1 1/2"	RPTDEST(L/R)6630() () () ()	1,426.	1,787.	2,055.	2,672.	2,144.	2,229.	2,328.
		72"	1 1/2"	RPTDEST(L/R)7230() () () ()	1,441.	1,821.	2,095.	2,723.	2,175.	2,261.	2,359.
		78"	1 1/2"	RPTDEST(L/R)7830() () () ()	1,455.	1,848.	2,125.	2,752.	2,197.	2,283.	2,381.
		84"	1 1/2"	RPTDEST(L/R)8430() () () ()	1,469.	1,898.	2,182.	2,837.	2,246.	2,332.	2,431.
	36"	60"	1 1/2"	RPTDEST(L/R)6036() () () ()	1,477.	1,818.	2,090.	2,717.	2,172.	2,257.	2,356.
		66"	1 1/2"	RPTDEST(L/R)6636() () () ()	1,494.	1,848.	2,125.	2,763.	2,197.	2,582.	2,381.
		72"	1 1/2"	RPTDEST(L/R)7236() () () ()	1,511.	1,886.	2,169.	2,820.	2,231.	2,316.	2,415.
		78"	1 1/2"	RPTDEST(L/R)7836() () () ()	1,529.	1,917.	2,204.	2,866.	2,256.	2,341.	2,440.
		84"	1 1/2"	RPTDEST(L/R)8436() () () ()	1,544.	1,963.	2,258.	2,935.	2,300.	2,385.	2,484.

Order Code	Specification Information	Application Notes
Example: RPTDEST(L/R)6030() () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option: M = Mid. grommet N = No grommet S = Stand-off SE = Stand-off and end location SD = Stand-off with drop in box SDR = Right hand stand-off with drop in box SDL = Left hand stand-off with drop in box	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"		Refer to grommet page for location option.
E Thick End Panel Leg		From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off		
L Left hand/ Right hand		
60 Width		
20 Depth		
S Grommet Option	3. Grommet finish: Painted or plated	
115 Grommet Finish	4. Worksurface finish: L, V1, V2, V3	
V316 Worksurface Finish	5. Leg finish: Wood or Laminate	
V316 Leg Finish	6. Stand-off finish: Painted	
115 Stand-Off Finish		Peninsula worksurfaces with power center do not come with Electrical Components. For electrical components please refer to page 448. Products on this page work with 28 3/8" height planning.

Peninsula 1 1/2

Worksurface with Thick End Panel Flush Mount Attachment, Rectilinear top


description	d	w	th	pattern no.	L	V1	V2	V3	M/V1	M/V2	M/V3	
 Peninsula, Rectilinear Top	20"	36"	1 1/2"	RPTDEFM(L/R)3620() () () ()	\$988.	\$1,378.	\$1,585.	\$2,060.	\$1,734.	\$1,820.	\$1,919.	
		42"	1 1/2"	RPTDEFM(L/R)4220() () () ()	1,002.	1,402.	1,613.	2,096.	1,757.	1,842.	1,941.	
		48"	1 1/2"	RPTDEFM(L/R)4820() () () ()	1,025.	1,425.	1,638.	2,130.	1,776.	1,862.	1,960.	
		54"	1 1/2"	RPTDEFM(L/R)5420() () () ()	1,028.	1,443.	1,659.	2,157.	1,791.	1,876.	1,975.	
		60"	1 1/2"	RPTDEFM(L/R)6020() () () ()	1,085.	1,538.	1,768.	2,299.	1,895.	1,981.	2,080.	
		66"	1 1/2"	RPTDEFM(L/R)6620() () () ()	1,096.	1,556.	1,789.	2,326.	1,910.	1,996.	2,094.	
		72"	1 1/2"	RPTDEFM(L/R)7220() () () ()	1,106.	1,583.	1,820.	2,366.	1,936.	2,021.	2,120.	
		78"	1 1/2"	RPTDEFM(L/R)7820() () () ()	1,116.	1,601.	1,841.	2,393.	1,951.	2,036.	2,135.	
		84"	1 1/2"	RPTDEFM(L/R)8420() () () ()	1,126.	1,636.	1,881.	2,446.	1,986.	2,072.	2,170.	
		24"	36"	1 1/2"	RPTDEFM(L/R)3624() () () ()	1,020.	1,410.	1,622.	2,108.	1,761.	1,847.	1,945.
		42"	1 1/2"	RPTDEFM(L/R)4224() () () ()	1,042.	1,435.	1,650.	2,145.	1,784.	1,869.	1,968.	
		48"	1 1/2"	RPTDEFM(L/R)4824() () () ()	1,064.	1,456.	1,674.	2,176.	1,801.	1,887.	1,985.	
		54"	1 1/2"	RPTDEFM(L/R)5424() () () ()	1,076.	1,478.	1,700.	2,210.	1,820.	1,906.	2,005.	
		60"	1 1/2"	RPTDEFM(L/R)6024() () () ()	1,120.	1,584.	1,822.	2,368.	1,936.	2,021.	2,120.	
66"	1 1/2"	RPTDEFM(L/R)6624() () () ()	1,132.	1,606.	1,847.	2,401.	1,953.	2,039.	2,137.			
72"	1 1/2"	RPTDEFM(L/R)7224() () () ()	1,172.	1,627.	1,871.	2,432.	1,971.	2,057.	2,155.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDEFM(L/R)4830() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand:</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	E = End	Refer to grommet page for location option.
E Thick End Panel Leg	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	N = No grommet	
L Left hand/ Right hand	3. <i>Grommet finish:</i>	
60 Width	Painted or plated	
20 Depth	4. <i>Worksurface finish:</i>	
E Grommet Option	L, V1, V2, V3	
115 Grommet Finish	5. <i>Leg finish:</i>	
V316 Worksurface Finish	Wood or Laminate	
V316 Leg Finish	6. <i>Stand Off finish:</i>	
115 Stand-Off Finish	Painted	


Peninsula 1 1/2

Worksurface with Thick End Panel Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	V1	V2	V3	M/V1	M/V2	M/V3
Peninsula, Rectilinear Top	24"	78"	1 1/2"	RPTDEFM(L/R)7824() () () ()	\$1,183.	\$1,656.	\$1,905.	\$2,476.	\$1,998.	\$2,083.	\$2,182.
		84"	1 1/2"	RPTDEFM(L/R)8424() () () ()	1,195.	1,694.	1,948.	2,533.	2,035.	2,121.	2,219.
	30"	36"	1 1/2"	RPTDEFM(L/R)3630() () () ()	1,100.	1,444.	1,661.	2,159.	1,791.	1,876.	1,975.
		42"	1 1/2"	RPTDEFM(L/R)4230() () () ()	1,114.	1,470.	1,691.	2,198.	1,813.	1,898.	1,997.
		48"	1 1/2"	RPTDEFM(L/R)4830() () () ()	1,145.	1,504.	1,730.	2,249.	1,844.	1,929.	2,028.
		54"	1 1/2"	RPTDEFM(L/R)5430() () () ()	1,159.	1,530.	1,759.	2,287.	1,864.	1,950.	2,049.
		60"	1 1/2"	RPTDEFM(L/R)6030() () () ()	1,284.	1,641.	1,887.	2,453.	1,984.	2,070.	2,168.
		66"	1 1/2"	RPTDEFM(L/R)6630() () () ()	1,299.	1,666.	1,916.	2,491.	2,005.	2,090.	2,189.
		72"	1 1/2"	RPTDEFM(L/R)7230() () () ()	1,313.	1,700.	1,955.	2,542.	2,036.	2,121.	2,220.
		78"	1 1/2"	RPTDEFM(L/R)7830() () () ()	1,327.	1,726.	1,985.	2,581.	2,058.	2,143.	2,242.
		84"	1 1/2"	RPTDEFM(L/R)8430() () () ()	1,342.	1,777.	2,043.	2,656.	2,107.	2,193.	2,291.
		36"	36"	1 1/2"	RPTDEFM(L/R)3636() () () ()	1,170.	1,475.	1,697.	2,206.	1,817.	1,903.
42"	1 1/2"		RPTDEFM(L/R)4236() () () ()	1,204.	1,513.	1,740.	2,262.	1,851.	1,937.	2,035.	
48"	1 1/2"		RPTDEFM(L/R)4836() () () ()	1,206.	1,551.	1,784.	2,319.	1,885.	1,971.	2,069.	
54"	1 1/2"		RPTDEFM(L/R)5436() () () ()	1,222.	1,582.	1,819.	2,365.	1,910.	1,996.	2,094.	

Order Code	Specification Information	Application Notes
Example: RPTDEFM(L/R)4830() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand:</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	E = End	Refer to grommet page for location option.
E Thick End Panel Leg	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	N = No grommet	
L Left hand/ Right hand	3. <i>Grommet finish:</i>	
60 Width	Painted or plated	
20 Depth	4. <i>Worksurface finish:</i>	
E Grommet Option	L, V1, V2, V3	
115 Grommet Finish	5. <i>Leg finish:</i>	
V316 Worksurface Finish	Wood or Laminate	
V316 Leg Finish	6. <i>Stand Off finish:</i>	
115 Stand-Off Finish	Painted	

*Worksurface with Thick End Panel
Flush Mount Attachment, Rectilinear top*



description	d	w	th	pattern no.	L	V1	V2	V3	M/V1	M/V2	M/V3
	36"	60"	1 1/2"	RPTDEFM(L/R)6036 () () () ()	\$1,350.	\$1,696.	\$1,951.	\$2,536.	\$2,033.	\$2,118.	\$2,217.
		66"	1 1/2"	RPTDEFM(L/R)6636 () () () ()	1,367.	1,727.	1,986.	2,582.	2,057.	2,143.	2,242.
		72"	1 1/2"	RPTDEFM(L/R)7236 () () () ()	1,383.	1,765.	2,030.	2,639.	2,092.	2,177.	2,276.
		78"	1 1/2"	RPTDEFM(L/R)7836 () () () ()	1,402.	1,796.	2,065.	2,684.	2,116.	2,202.	2,301.
		84"	1 1/2"	RPTDEFM(L/R)8436 () () () ()	1,417.	1,842.	2,119.	2,754.	2,161.	2,246.	2,345.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDEFM(L/R)4830 () () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R	1. <i>Left or Right hand:</i>	Wire chase sold separately.
PT	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D	E = End	Refer to grommet page for location option.
E	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM	N = No grommet	
L	3. <i>Grommet finish:</i>	
60	Painted or plated	
20	4. <i>Worksurface finish:</i>	
E	L, V1, V2, V3	
115	5. <i>Leg finish:</i>	
V316	Wood or Laminate	
V316	6. <i>Stand Off finish:</i>	
115	Painted	

Worksurface with Column Leg

Stand-Off with Power Center, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
 Peninsula, Asymmetrical Bullet Top <i>Left handed peninsula shown</i>	30"	60"	1 1/2"	RATDCPC(L/R)6030() () () ()	\$1,690.	\$1,781.	\$1,863.	\$2,186.
		66"	1 1/2"	RATDCPC(L/R)6630() () () ()	1,711.	1,803.	1,891.	2,240.
		66"	1 1/2"	RATDCPC(L/R)7230() () () ()	1,739.	1,831.	1,927.	2,304.
		78"	1 1/2"	RATDCPC(L/R)7830() () () ()	1,758.	1,853.	1,956.	2,361.
		84"	1 1/2"	RATDCPC(L/R)8430() () () ()	1,785.	1,881.	1,991.	2,424.
	36"	60"	1 1/2"	RATDCPC(L/R)6036() () () ()	1,737.	1,827.	1,923.	2,292.
		66"	1 1/2"	RATDCPC(L/R)6636() () () ()	1,760.	1,852.	1,956.	2,358.
		72"	1 1/2"	RATDCPC(L/R)7236() () () ()	1,791.	1,884.	1,996.	2,429.
		78"	1 1/2"	RATDCPC(L/R)7836() () () ()	1,814.	1,909.	2,030.	2,495.
		84"	1 1/2"	RATDCPC(L/R)8436() () () ()	1,838.	1,933.	2,062.	2,557.
 Peninsula, Symmetrical Bullet Top <i>Left hand shown</i>	30"	60"	1 1/2"	RSTDCPC(L/R)6030() () () ()	1,907.	2,028.	2,109.	2,432.
		66"	1 1/2"	RSTDCPC(L/R)6630() () () ()	1,932.	2,056.	2,145.	2,495.
		72"	1 1/2"	RSTDCPC(L/R)7230() () () ()	1,953.	2,078.	2,173.	2,551.
		78"	1 1/2"	RSTDCPC(L/R)7830() () () ()	1,973.	2,099.	2,202.	2,607.
		84"	1 1/2"	RSTDCPC(L/R)8430() () () ()	2,000.	2,128.	2,237.	2,670.
	36"	60"	1 1/2"	RSTDCPC(L/R)6036() () () ()	1,949.	2,073.	2,169.	2,538.
		66"	1 1/2"	RSTDCPC(L/R)6636() () () ()	1,973.	2,099.	2,203.	2,604.
		72"	1 1/2"	RSTDCPC(L/R)7236() () () ()	2,003.	2,131.	2,243.	2,675.
		78"	1 1/2"	RSTDCPC(L/R)7836() () () ()	2,026.	2,156.	2,276.	2,741.
		84"	1 1/2"	RSTDCPC(L/R)8436() () () ()	2,050.	2,181.	2,309.	2,805.

Order Code

Example:	RATDCPC(L/R)6030() () () ()
R	Reff
AT	Asymmetrical Top
D	1 1/2"
C	Column Leg
PC	Power Center
L	Left hand/ Right hand
60	Width
30	Depth
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-off Finish

Specification Information

To order please specify pattern number including:

- Grommet finish: Painted or Plated
- Top finish: L, V1, V2, V3
- Leg finish: Painted or Plated
- Stand-off finish: Painted

Grommet type: P only

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.



For electrical components please refer to page 448.

Products on this page work with 28 3/8" height planning.

Peninsula 1 1/2

Worksurface with Column Leg

Simple Stand-Off, Asymmetrical and Symmetrical Bullet top



description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula, Asymmetrical Bullet Top	30"	60"	1 1/2"	RATDCST(L/R)6030() () () ()	\$1,499.	\$1,589.	\$1,672.	\$1,994.
		66"	1 1/2"	RATDCST(L/R)6630() () () ()	1,519.	1,611.	1,700.	2,049.
		72"	1 1/2"	RATDCST(L/R)7230() () () ()	1,547.	1,640.	1,736.	2,113.
		78"	1 1/2"	RATDCST(L/R)7830() () () ()	1,567.	1,661.	1,764.	2,169.
		84"	1 1/2"	RATDCST(L/R)8430() () () ()	1,593.	1,689.	1,799.	2,232.
Left handed peninsula shown	36"	60"	1 1/2"	RATDCST(L/R)6036() () () ()	1,545.	1,636.	1,731.	2,100.
		66"	1 1/2"	RATDCST(L/R)6636() () () ()	1,569.	1,660.	1,764.	2,166.
		72"	1 1/2"	RATDCST(L/R)7236() () () ()	1,600.	1,692.	1,805.	2,237.
		78"	1 1/2"	RATDCST(L/R)7836() () () ()	1,622.	1,717.	1,839.	2,303.
		84"	1 1/2"	RATDCST(L/R)8436() () () ()	1,646.	1,742.	1,870.	2,366.
 Peninsula, Symmetrical Bullet Top	30"	60"	1 1/2"	RSTDCST(L/R)6030() () () ()	1,781.	1,894.	1,977.	2,298.
		66"	1 1/2"	RSTDCST(L/R)6630() () () ()	1,799.	1,915.	2,004.	2,354.
		72"	1 1/2"	RSTDCST(L/R)7230() () () ()	1,827.	1,944.	2,040.	2,417.
		78"	1 1/2"	RSTDCST(L/R)7830() () () ()	1,848.	1,966.	2,069.	2,474.
		84"	1 1/2"	RSTDCST(L/R)8430() () () ()	1,875.	1,994.	2,104.	2,537.
Left hand shown	36"	60"	1 1/2"	RSTDCST(L/R)6036() () () ()	1,824.	1,941.	2,035.	2,405.
		66"	1 1/2"	RSTDCST(L/R)6636() () () ()	1,848.	1,965.	2,069.	2,471.
		72"	1 1/2"	RSTDCST(L/R)7236() () () ()	1,878.	1,997.	2,109.	2,541.
		78"	1 1/2"	RSTDCST(L/R)7836() () () ()	1,900.	1,994.	2,142.	2,608.
		84"	1 1/2"	RSTDCST(L/R)8436() () () ()	1,924.	2,047.	2,175.	2,671.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RATDCST (L/R)6030	To order please specify pattern number including: 1. Grommet option: N=No grommet E=End grommet S=Grommet over Stand-Off SE=Grommet over Stand-off plus end grommet SD=Stand-off with drop in box SDR=Right hand stand-off with drop in box SDL=Left hand stand-off with drop in box 2. Grommet finish: Painted or Plated 3. Top finish: L, V1, V2, V3 4. Leg finish: Painted or Plated 5. Stand-off finish: Painted	Modesty sold separately and can be field installed. Wire chase sold separately. Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w. Refer to grommet page for location option. From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula. Peninsula worksurfaces with power center do not come with Electrical Components. For electrical components please refer to page 448. Products on this page work with 28 3/8" height planning.
R Reff		
AT Asymmetrical Top		
D 1 1/2"		
C Column Leg		
ST Stand-Off		
L/R Left/Right Hand		
60 Width		
30 Depth		
N Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		


Worksurface with Column Leg

Flush Mount Attachment, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
 <p>Left handed peninsula shown</p>	30"	48"	1 1/2"	RATDCFM(L/R)4830() () ()	\$1,341.	\$1,427.	\$1,495.	\$1,761.
		54"	1 1/2"	RATDCFM(L/R)5430() () ()	1,361.	1,447.	1,522.	1,817.
		60"	1 1/2"	RATDCFM(L/R)6030() () ()	1,412.	1,503.	1,585.	1,908.
		66"	1 1/2"	RATDCFM(L/R)6630() () ()	1,433.	1,524.	1,613.	1,962.
		72"	1 1/2"	RATDCFM(L/R)7230() () ()	1,461.	1,553.	1,649.	2,026.
		78"	1 1/2"	RATDCFM(L/R)7830() () ()	1,480.	1,575.	1,678.	2,083.
		84"	1 1/2"	RATDCFM(L/R)8430() () ()	1,507.	1,603.	1,713.	2,145.
	36"	48"	1 1/2"	RATDCFM(L/R)4836() () ()	1,378.	1,466.	1,544.	1,850.
		54"	1 1/2"	RATDCFM(L/R)5436() () ()	1,401.	1,490.	1,578.	1,916.
		60"	1 1/2"	RATDCFM(L/R)6036() () ()	1,456.	1,549.	1,645.	2,014.
		66"	1 1/2"	RATDCFM(L/R)6636() () ()	1,479.	1,574.	1,678.	2,080.
		72"	1 1/2"	RATDCFM(L/R)7236() () ()	1,509.	1,606.	1,718.	2,151.
		78"	1 1/2"	RATDCFM(L/R)7836() () ()	1,533.	1,630.	1,752.	2,217.
		84"	1 1/2"	RATDCFM(L/R)8436() () ()	1,556.	1,655.	1,784.	2,280.
 <p>Left hand shown</p>	30"	48"	1 1/2"	RSTDCFM(L/R)4830() () ()	1,593.	1,695.	1,763.	2,030.
		54"	1 1/2"	RSTDCFM(L/R)5430() () ()	1,613.	1,716.	1,791.	2,085.
		60"	1 1/2"	RSTDCFM(L/R)6030() () ()	1,666.	1,772.	1,854.	2,175.
		66"	1 1/2"	RSTDCFM(L/R)6630() () ()	1,685.	1,792.	1,881.	2,231.
		72"	1 1/2"	RSTDCFM(L/R)7230() () ()	1,712.	1,821.	1,918.	2,295.
		78"	1 1/2"	RSTDCFM(L/R)7830() () ()	1,732.	1,843.	1,946.	2,350.
		84"	1 1/2"	RSTDCFM(L/R)8430() () ()	1,759.	1,872.	1,982.	2,413.
	36"	48"	1 1/2"	RSTDCFM(L/R)4836() () ()	1,629.	1,733.	1,813.	2,119.
		54"	1 1/2"	RSTDCFM(L/R)5436() () ()	1,654.	1,759.	1,847.	2,185.
		60"	1 1/2"	RSTDCFM(L/R)6036() () ()	1,708.	1,817.	1,913.	2,281.
		66"	1 1/2"	RSTDCFM(L/R)6636() () ()	1,732.	1,843.	1,947.	2,347.
		72"	1 1/2"	RSTDCFM(L/R)7236() () ()	1,762.	1,875.	1,987.	2,418.
		78"	1 1/2"	RSTDCFM(L/R)7836() () ()	1,785.	1,899.	2,020.	2,484.
		84"	1 1/2"	RSTDCFM(L/R)8436() () ()	1,809.	1,924.	2,053.	2,548.

Order Code	Specification Information	Application Notes
Example: RATDCFM (L/R)4830	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
AT Asymmetrical Top	1. Grommet option: E=End grommet N=No grommet	Wire chase sold separately.
D 1 1/2"	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
FM Flush Mount Plate	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L/R Left/Right Hand		Peninsula worksurfaces with power center do not come with Electrical Components.
48 Width		For electrical components please refer to page 448.
30 Depth		Products on this page work with 28 3/8" height planning.
N Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2
Worksurface with Column Leg
Flush Mount Attachment, P and 9 tops

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, P Shaped Top 	30"	84"	1 1/2"	RPTDCFM8430 () () ()	\$2,026.	\$2,177.	\$2,464.	\$3,231.
	30"	96"	1 1/2"	RPTDCFM9630 () () ()	2,098.	2,261.	2,554.	3,352.
Peninsula, 9 Shaped Top 	30"	84"	1 1/2"	R9TDCFM8430 () () ()	2,026.	2,177.	2,464.	3,231.
	30"	96"	1 1/2"	R9TDCFM9630 () () ()	2,098.	2,261.	2,554.	3,352.

Order Code	Specification Information	Application Notes
Example: RPTDCFM8430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: F=Flush	Wire chase sold separately.
PT P-Shaped top	M=Mid. Grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	N=No grommet	Refer to grommet page for location option.
C Column Leg	2. Grommet finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	3. Top finish: L, V1, V2, V3	
84 Width	4. Leg finish: Painted or Plated	
30 Depth		
N Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


Peninsula worksurfaces with power center do not come with Electrical Components.
 For electrical components please refer to page 448.
 Products on this page work with 28 3/8" height planning.

Peninsula 1 1/2
 Worksurface with Column Leg
 Stand-Off with Power Center, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	66"	1 1/2"	RDTDCPC(L/R)6630() () () ()	\$1,688.	\$1,876.	\$1,958.	\$2,282.
		72"	1 1/2"	RDTDCPC(L/R)7230() () () ()	1,712.	1,902.	1,992.	2,342.
		78"	1 1/2"	RDTDCPC(L/R)7830() () () ()	1,730.	1,923.	2,019.	2,395.
		84"	1 1/2"	RDTDCPC(L/R)8430() () () ()	1,754.	1,949.	2,051.	2,453.
		90"	1 1/2"	RDTDCPC(L/R)9030() () () ()	1,773.	1,969.	2,078.	2,505.
		96"	1 1/2"	RDTDCPC(L/R)9630() () () ()	1,789.	1,988.	2,102.	2,554.
	36"	66"	1 1/2"	RDTDCPC(L/R)6636() () () ()	1,729.	1,922.	2,019.	2,392.
		72"	1 1/2"	RDTDCPC(L/R)7236() () () ()	1,757.	1,952.	2,056.	2,458.
		78"	1 1/2"	RDTDCPC(L/R)7836() () () ()	1,777.	1,975.	2,087.	2,519.
		84"	1 1/2"	RDTDCPC(L/R)8436() () () ()	1,797.	1,997.	2,118.	2,578.
		90"	1 1/2"	RDTDCPC(L/R)9036() () () ()	1,819.	2,021.	2,149.	2,638.
		96"	1 1/2"	RDTDCPC(L/R)9636() () () ()	1,841.	2,045.	2,179.	2,699.

Order Code	Specification Information	Application Notes
Example: RDTDCPCL6630 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: P=Power center PM=Power center and middle grommet	Wire chase sold separately.
DT P-Shaped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Stand-off finish: Painted	
L		
66 Width		
30 Depth		
P Grommet option		
115 Grommet finish		
V316 Top finish		
115 Leg Finish		
115 Stand-Off Finish		


Peninsula 1 1/2
 Worksurface with Column Leg
 Stand-Off, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	66"	1 1/2"	RDTDCST(L/R)6630() () () ()	\$1,544.	\$1,715.	\$1,797.	\$2,122.
		72"	1 1/2"	RDTDCST(L/R)7230() () () ()	1,568.	1,742.	1,831.	2,182.
		78"	1 1/2"	RDTDCST(L/R)7830() () () ()	1,586.	1,762.	1,858.	2,234.
		84"	1 1/2"	RDTDCST(L/R)8430() () () ()	1,609.	1,788.	1,890.	2,293.
		90"	1 1/2"	RDTDCST(L/R)9030() () () ()	1,627.	1,809.	1,917.	2,344.
		96"	1 1/2"	RDTDCST(L/R)9630() () () ()	1,645.	1,827.	1,942.	2,394.
	36"	66"	1 1/2"	RDTDCST(L/R)6636() () () ()	1,585.	1,761.	1,858.	2,231.
		72"	1 1/2"	RDTDCST(L/R)7236() () () ()	1,612.	1,791.	1,895.	2,297.
		78"	1 1/2"	RDTDCST(L/R)7836() () () ()	1,633.	1,814.	1,926.	2,359.
		84"	1 1/2"	RDTDCST(L/R)8436() () () ()	1,653.	1,836.	1,957.	2,417.
		90"	1 1/2"	RDTDCST(L/R)9036() () () ()	1,674.	1,860.	1,988.	2,477.
		96"	1 1/2"	RDTDCST(L/R)9636() () () ()	1,695.	1,884.	2,019.	2,538.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RDTDCST6630 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
DT D-Shaped top	1. Grommet option: S=Stand-off SM=Stand-off plus grommet M=Mid. Grommet N=No grommet	Wire chase sold separately.
D 1 1/2"		Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg	2. Grommet finish: Painted or Plated	Refer to grommet page for location option.
ST Stand-Off	3. Top finish: L, V1, V2, V3	
66 Width	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
30 Depth	5. Stand-off finish: Painted	
N Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2
 Worksurface with Column Leg
 Flush Mount Attachment, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, D-Shaped Top  Left hand shown	30"	54"	1 1/2"	RDTDCFM(L/R)5430() () ()	\$1,369.	\$1,521.	\$1,591.	\$1,864.
		60"	1 1/2"	RDTDCFM(L/R)6030() () ()	1,423.	1,581.	1,657.	1,957.
		66"	1 1/2"	RDTDCFM(L/R)6630() () ()	1,441.	1,601.	1,683.	2,009.
		72"	1 1/2"	RDTDCFM(L/R)7230() () ()	1,465.	1,627.	1,717.	2,067.
		78"	1 1/2"	RDTDCFM(L/R)7830() () ()	1,483.	1,648.	1,744.	2,120.
		84"	1 1/2"	RDTDCFM(L/R)8430() () ()	1,507.	1,674.	1,777.	2,178.
	36"	54"	1 1/2"	RDTDCFM(L/R)5436() () ()	1,405.	1,561.	1,643.	1,957.
		60"	1 1/2"	RDTDCFM(L/R)6036() () ()	1,462.	1,624.	1,713.	2,056.
		66"	1 1/2"	RDTDCFM(L/R)6636() () ()	1,482.	1,647.	1,744.	2,117.
		72"	1 1/2"	RDTDCFM(L/R)7236() () ()	1,509.	1,677.	1,781.	2,183.
		78"	1 1/2"	RDTDCFM(L/R)7836() () ()	1,531.	1,701.	1,813.	2,244.
		84"	1 1/2"	RDTDCFM(L/R)8436() () ()	1,551.	1,723.	1,843.	2,303.

Order Code	Specification Information	Application Notes
Example: RDTDCFM5430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: N=None M=Middle	Wire chase sold separately.
DT P-Shapped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Worksurface finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
54 Width		For electrical components please refer to page 448.
30 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		

Tables, 1 1/2"
 Rectangle with Open Frame Leg
 24", 30" and 36" deep - 26 1/2" High

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg	1 1/2"	24"	60"	RTRDOF60241() ()	\$1,750.	\$1,895.	\$1,962.	\$2,208.
	1 1/2"	24"	66"	RTRDOF66241() ()	1,762.	1,914.	1,987.	2,254.
	1 1/2"	24"	72"	RTRDOF72241() ()	1,775.	1,928.	2,009.	2,272.
	1 1/2"	24"	78"	RTRDOF78241() ()	1,793.	1,970.	2,054.	2,363.
	1 1/2"	24"	84"	RTRDOF84241() ()	1,805.	2,008.	2,096.	2,426.




Table Top Rectangle 30" Deep with 26 1/2" height leg	1 1/2"	30"	60"	RTRDOF60301() ()	1,845.	1,964.	2,044.	2,331.
	1 1/2"	30"	66"	RTRDOF66301() ()	1,858.	1,986.	2,074.	2,384.
	1 1/2"	30"	72"	RTRDOF72301() ()	1,875.	2,002.	2,115.	2,450.
	1 1/2"	30"	78"	RTRDOF78301() ()	1,895.	2,051.	2,152.	2,511.
	1 1/2"	30"	84"	RTRDOF84301() ()	1,909.	2,101.	2,209.	2,592.





Table Top Rectangle 36" Deep with 26 1/2" height leg	1 1/2"	36"	60"	RTRDOF60361() ()	1,871.	2,015.	2,108.	2,435.
	1 1/2"	36"	66"	RTRDOF66361() ()	1,887.	2,042.	2,144.	2,498.
	1 1/2"	36"	72"	RTRDOF72361() ()	1,906.	2,080.	2,190.	2,570.
	1 1/2"	36"	78"	RTRDOF78361() ()	1,929.	2,113.	2,232.	2,640.
	1 1/2"	36"	84"	RTRDOF84361() ()	1,945.	2,158.	2,284.	2,719.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTSDRL42421 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TR Table Rectangular	L, V1, V2, V3	1 1/2" top will come with appropriate stiffener support.
D 1 1/2"	2. Open Frame Leg finish	Grommets are NOT optional for these tables.
OF Open Frame Leg	Painted and Anodized	
60 Width		
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
 Rectangle with Open Frame Leg
 24", 30" and 36" deep - 28 3/8" High

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 28 3/8" height leg	1 1/2"	24"	60"	RTRDOF60242() ()	\$1,750.	\$1,895.	\$1,962.	\$2,208.
	1 1/2"	24"	66"	RTRDOF66242() ()	1,762.	1,914.	1,987.	2,254.
	1 1/2"	24"	72"	RTRDOF72242() ()	1,775.	1,928.	2,009.	2,272.
	1 1/2"	24"	78"	RTRDOF78242() ()	1,793.	1,970.	2,054.	2,363.
	1 1/2"	24"	84"	RTRDOF84242() ()	1,805.	2,008.	2,096.	2,426.




Table Top Rectangle 30" Deep with 28 3/8" height leg	1 1/2"	30"	60"	RTRDOF60302() ()	1,845.	1,964.	2,044.	2,331.
	1 1/2"	30"	66"	RTRDOF66302() ()	1,858.	1,986.	2,074.	2,384.
	1 1/2"	30"	72"	RTRDOF72302() ()	1,875.	2,002.	2,115.	2,450.
	1 1/2"	30"	78"	RTRDOF78302() ()	1,895.	2,051.	2,152.	2,511.
	1 1/2"	30"	84"	RTRDOF84302() ()	1,909.	2,101.	2,209.	2,592.





Table Top Rectangle 36" Deep with 28 3/8" height leg	1 1/2"	36"	60"	RTRDOF60362() ()	1,871.	2,015.	2,108.	2,435.
	1 1/2"	36"	66"	RTRDOF66362() ()	1,887.	2,042.	2,144.	2,498.
	1 1/2"	36"	72"	RTRDOF72362() ()	1,906.	2,080.	2,190.	2,570.
	1 1/2"	36"	78"	RTRDOF78362() ()	1,929.	2,113.	2,232.	2,640.
	1 1/2"	36"	84"	RTRDOF84362() ()	1,945.	2,158.	2,284.	2,719.






Order Code	
Example: R	Reff
TR	Table Rectangular
D	1 1/2"
OF	Open Frame Leg
60	Width
30	Depth
2	28 3/8" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Open Frame Leg finish Painted and Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
1 1/2" top will come with appropriate stiffener support.
Grommets are NOT optional for these tables.

*Open Frame Leg Infill Options - 26 1/2" High
Infills for Tables only*


description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26 1/2" h 	24"	20"	RIPI201()	\$296.	\$376.	\$433.	\$563.	
	24"	24"	RIPI241()	304.	386.	444.	578.	
	24"	30"	RIPI301()	320.	406.	467.	608.	
	24"	36"	RIPI361()	339.	431.	495.	644.	
Outside Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	RIPO201()	297.	378.	434.	565.	
	25"	24"	RIPO241()	305.	388.	446.	579.	
	25"	30"	RIPO301()	322.	409.	470.	611.	
	25"	36"	RIPO361()	340.	432.	497.	646.	
Outside Glass Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	RIPOG201()					750.
	25"	24"	RIPOG241()					846.
	25"	30"	RIPOG301()					995.
	25"	36"	RIPOG361()					1,148.


Worksurfaces


Order Code	Specification Information	Application Notes
Example: RIPPEI202 R Reff Profiles IP Infill Panel PE Peninsula End I Inside 20 Width 2 23 3/8" h: Desk Height () Finish	To order please specify pattern number including: 1. Finish: L, V1,V2,V3, Glass I=Inside O=Outside OG=Outside Glass Glass options: GL11, GL14, GL15, GL18	Both Inside and Outside infill must be ordered separately. Infills; fill entire opening of open frame legs. Infills connect to each other. Can be removed without any damage to the frame legs. Glass Option is only available for outside infill. Inside infill options are wood or laminate.

Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.

*Open Frame Leg Infill Options - 28^{3/8}" High
Infills for Tables only*

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 28 ^{3/8} " h 	26"	20"	RIPI202()	\$296.	\$376.	\$433.	\$563.	
	26"	24"	RIPI242()	304.	386.	444.	578.	
	26"	30"	RIPI302()	320.	406.	467.	608.	
	26"	36"	RIPI362()	339.	431.	495.	644.	

Outside Infill Options for Open Frame Legs 28 ^{3/8} " h 	27"	20"	RIPO202()	297.	378.	434.	565.	
	27"	24"	RIPO242()	305.	388.	446.	579.	
	27"	30"	RIPO302()	322.	409.	470.	611.	
	27"	36"	RIPO362()	340.	432.	497.	646.	

Outside Glass Infill Options for Open Frame Legs 28 ^{3/8} " h 	27"	20"	RIPOG202()					750.
	27"	24"	RIPOG242()					846.
	27"	30"	RIPOG302()					995.
	27"	36"	RIPOG362()					1,148.

Order Code	Specification Information	Application Notes
Example: RIPPEI202 R Reff Profiles IP Infill Panel PE Peninsula End I Inside 20 Width 2 28 ^{3/8} "h: Desk Height () Finish	To order please specify pattern number including: 1. Finish: L, V1,V2,V3, Glass I=Inside O=Outside OG=Outside Glass Glass options: GL11, GL14, GL15, GL18	Both Inside and Outside infill must be ordered separately. Infills; fill entire opening of open frame legs. Infills connect to each other. Can be removed without any damage to the frame legs. Glass Option is only available for outside infill. Inside infill options are wood or laminate.

Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.

Tables, 1 1/2"
 Rectangle with L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDL48301 () ()	\$1,484.	\$1,575.	\$1,643.	\$1,910.
	30"	60"	1 1/2"	RTRDL60301 () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDL72301 () ()	1,603.	1,702.	1,798.	2,174.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDL72361 () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDL48302 () ()	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	RTRDL60302 () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDL72302 () ()	1,603.	1,702.	1,798.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDL72362 () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------



Order Code	
Example: RTRDL48301 () ()	
R	Reff
TR	Table Rectangular
D	1 1/2"
L	L-Leg
48	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
Rectangle with Reverse L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDRL48301 () () ()	\$1,484.	\$1,575.	\$1,643.	\$1,910.
	30"	60"	1 1/2"	RTRDRL60301 () () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDRL72301 () () ()	1,603.	1,702.	1,797.	2,174.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDRL72361 () () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDRL48302 () () ()	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	RTRDRL60302 () () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDRL72302 () () ()	1,603.	1,702.	1,797.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDRL72362 () () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: RTRDRL48301 () () ()	To order please specify pattern number including:	Assembly required, ships knock down.
R Reff		Modesty sold separately.
TR Table Rectangular	1. Worksurface finish	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	L, V1, V2, V3	
RL Reverse L-Leg	2. Leg finish	Grommets are NOT optional for these tables.
48 Width	Painted / Anodized	
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
 Rectangle with Soft Rectangular Leg
 30" and 36" deep

Worksurfaces

description	depth	width	thickness	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDS48301 () () ()	\$1,377.	\$1,462.	\$1,530.	\$1,796.
	30"	60"	1 1/2"	RTRDS60301 () () ()	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	RTRDS72301 () () ()	1,497.	1,588.	1,684.	2,062.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDS72361 () () ()	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDS48302 () () ()	1,377.	1,462.	1,530.	1,796.
	30"	60"	1 1/2"	RTRDS60302 () () ()	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	RTRDS72302 () () ()	1,497.	1,588.	1,684.	2,062.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDS72362 () () ()	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------



Order Code	
Example: RTRDS48301 () () ()	
R	Reff
TR	Table Rectangular
D	1 1/2"
S	Soft Rectangular Leg
48	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with L-Leg
 42" and 48" deep

description	w	d	th	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDL42421 () () ()	\$1,520.	\$1,617.	\$1,697.	\$2,009.
	48"	48"	1 1/2"	RTSDL48481 () () ()	1,584.	1,685.	1,787.	2,173.





Table Top Square with 28 3/8" height legs	42"	42"	1 1/2"	RTSDL42422 () () ()	1,520.	1,617.	1,697.	2,009.
	48"	48"	1 1/2"	RTSDL48482 () () ()	1,584.	1,685.	1,787.	2,173.



Order Code	
Example: RTSDL42421 () () ()	
R	Reff
TS	Table Square
D	1 1/2"
L	L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with Reverse L-Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDRL42421()()()	\$1,520.	\$1,617.	\$1,697.	\$2,009.
	1 1/2"	48"	48"	RTSDRL48481()()()	1,584.	1,685.	1,787.	2,173.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDRL42422()()()	1,520.	1,617.	1,697.	2,009.
	1 1/2"	48"	48"	RTSDRL48482()()()	1,584.	1,685.	1,787.	2,173.



Order Code	
Example: RTSDRL42421 ()()()	
R	Reff
TS	Table Square
D	1 1/2"
RL	Reverse L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with Soft Rectangular Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDS42421 () () ()	\$1,557.	\$1,657.	\$1,738.	\$2,048.
	1 1/2"	48"	48"	RTSDS48481 () () ()	1,622.	1,725.	1,826.	2,213.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDS42422 () () ()	1,557.	1,657.	1,738.	2,048.
	1 1/2"	48"	48"	RTSDS48482 () () ()	1,622.	1,725.	1,826.	2,213.



Order Code	
Example:	RTSDS42421 () () ()
R	Reff
TS	Table Square
D	1 1/2"
S	Soft Rectangular-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Round with Column Leg
 36", 42" and 48" diameter


description	th	dia.	pattern no.	L	V1	V2	V3
 Table Top Round with 26 1/2" height legs	1 1/2"	36"	RTNDC361 () () ()	\$2,498.	\$2,657.	\$2,718.	\$2,937.
	1 1/2"	42"	RTNDC421 () () ()	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	RTNDC481 () () ()	2,622.	2,789.	2,889.	3,242.

 Table Top Round with 28 3/8" height legs	1 1/2"	36"	RTNDC362 () () ()	2,498.	2,657.	2,718.	2,937.
	1 1/2"	42"	RTNDC422 () () ()	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	RTNDC482 () () ()	2,622.	2,789.	2,889.	3,242.







Order Code	
Example: RTNDC361 () () ()	
R	Reff
TN	Table Round
D	1 1/2"
C	Column Leg
36	Diameter
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Plated

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1" Laminate

Reff Profiles

description	d	w	th	pattern no.	L
Round Table with 26 1/2" height legs 	36"		1"	RSTRLE361 () ()	\$3,006.
	42"		1"	RSTRLE421 () ()	3,065.
Round Table with 28 3/8" height legs 	36"		1"	RSTRLE362 () ()	3,063.
	42"		1"	RSTRLE422 () ()	3,123.
Soft Square Table with 26 1/2" height legs 	36"		1"	RSTSLE361 () ()	2,979.
	42"		1"	RSTSLE421 () ()	3,043.
Soft Square Table with 28 3/8" height legs 	36"		1"	RSTSLE362 () ()	3,037.
	42"		1"	RSTSLE422 () ()	3,101.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	RSTTLE30481 () ()	2,807.
	36"	54"	1"	RSTTLE36541 () ()	2,881.
Soft Rectangle Table with 28 3/8" height legs 	30"	48"	1"	RSTTLE30482 () ()	2,864.
	36"	54"	1"	RSTTLE36542 () ()	2,939.

Order Code

Example: RSTRLE361 () ()	
R	Reff
ST	Slider Table
R	Round
L	Laminate surface
E	1" thick
42	42" diameter
1	26 1/2" height leg
114	Finish
118T	Leg Finish

Specification Information

To order please specify pattern number including:







1. Worksurface finish:
Laminate only
2. Leg Textured finish:
111T, 115T, 118T

Application Notes

Assembly required.
Ships knocked down.
Grommets are not an option for these tables.
Column and base are color matched
Column = smooth
Base = textured

Tables, 1" Wood

Reff Profiles







description	d	w	th	pattern no.	V1	V2	V3
Round Table with 26 1/2" height legs 	36"		1"	RSTRWE361 () ()	\$3,197.	\$3,247.	\$3,498.
	42"		1"	RSTRWE421 () ()	3,261.	3,327.	3,639.
Round Table with 28 3/8" height legs 	36"		1"	RSTRWE362 () ()	3,259.	3,308.	3,560.
	42"		1"	RSTRWE422 () ()	3,323.	3,389.	3,701.
Soft Square Table with 26 1/2" height legs 	36"		1"	RSTSWE361 () ()	3,169.	3,219.	3,492.
	42"		1"	RSTSWE421 () ()	3,237.	3,302.	3,639.
Soft Square Table with 28 3/8" height legs 	36"		1"	RSTSWE362 () ()	3,231.	3,281.	3,554.
	42"		1"	RSTSWE422 () ()	3,299.	3,364.	3,701.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	RSTTWE30481 () ()	2,986.	3,040.	3,335.
	36"	54"	1"	RSTTWE36541 () ()	3,064.	3,135.	3,499.
Soft Rectangle Table with 28 3/8" height legs 	30"	48"	1"	RSTTWE30482 () ()	3,048.	3,101.	3,397.
	36"	54"	1"	RSTTWE36542 () ()	3,126.	3,197.	3,561.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSTRWE361 () ()	To order please specify pattern number including:	Column and base are color matched.
R Reff	1. Worksurface finish	Column=smooth
ST Slider Table	V1, V2, V3 wood only	Base=textured
R Round	2. Leg Textured finish:	Assembly required, ships knock down.
W Wood surface	111T, 115T, 118T	Grommets are not an option for these tables.
E 1" thick		
42 42" diameter		
1 26 1/2" height leg		
V316 Finish		
111T Leg Finish		

Tables, 1" Solid

Reff Profiles

description	d	w	th	pattern no.	Solid
 Round Table with 26 1/2" height legs	36"		1"	RSTRSE361 () ()	\$8,198.
	42"		1"	RSTRSE421 () ()	9,393.
 Round Table with 28 3/8" height legs	36"		1"	RSTRSE362 () ()	8,198.
	42"		1"	RSTRSE422 () ()	9,393.
 Soft Square Table with 26 1/2" height legs	36"		1"	RSTSSE361 () ()	7,329.
	42"		1"	RSTSSE421 () ()	8,645.
 Soft Square Table with 28 3/8" height legs	36"		1"	RSTSSE362 () ()	7,329.
	36"		1"	RSTSSE362 () ()	7,329.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTSE30481 () ()	9,032.
	36"	54"	1"	RSTTSE36541 () ()	10,016.
 Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	RSTTSE30482 () ()	9,032.
	36"	54"	1"	RSTTSE36542 () ()	10,016.

Order Code

Example: RSTRSE361 () ()	
R	Reff
ST	Slider Table
R	Round
S	Solid
E	1" thick
42	42" diameter
1	26 1/2" height leg
AW	Worksurface finish
111T	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish:
AW=Artic White, only
2. Leg finish Textured:
111T, 115T, 118T


Application Notes

Assembly required.
Ships knocked down.
Grommets are not an option for these tables.
Artic White finish available for solid tops.
Column and base are color matched.
Column=smooth
Base=textured

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$93.	\$97.	\$101.
	24"	RBC24 (L/R)	101.	107.	113.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	93.	98.	102.
	24"	ASBC24 (L/R) ()	102.	110.	115.



Specify paint finish
 18" for 24"d tops
 24" for 30" d tops
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)






Mid-span cantilever bracket, free standing	17"	RMSCB ()	74.	79.	83.
--	-----	------------------	-----	-----	-----



Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	Refer to page 446 for replacement hardware.
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	Cantilever should be specified with top to top brackets.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Knoll takes no responsibility for the installation or security of tops to the wall.

Top support components




Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		RBCC	\$19.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	40.	42.	43.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	5.		
	Black only				
Wall hung support bracket 	20" 24" 30" 36" 42" 48"	RSBWH20 RSBWH24 RSBWH30 RSBWH36 RSBWH42 RSBWH48	42. 44. 48. 53. 56. 68.	44. 48. 50. 56. 59. 71.	46. 50. 53. 59. 62. 74.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	35.		
	Black only				

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	Knoll takes no responsibility for the installation or security of tops to the wall.
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	Refer to page 446 for replacement hardware.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Cantilever should be specified with top to top brackets.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	13.	13.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		RBWC24	54.	0.	0.
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		RBWC30	59.	0.	0.
		bracket can be used with 30" and 36" worksurfaces			


Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 446 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components
26 1/2" high planning
Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$155.	\$219.	\$250.	\$339.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	279.	391.	451.	609.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	308.	430.	494.	666.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	332.	467.	536.	724.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	373.	525.	604.	815.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	390.	551.	632.	854.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	406.	568.	653.	880.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	422.	592.	684.	925.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	464.	653.	750.	1,014.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	495.	694.	801.	1,083.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	523.	737.	846.	1,142.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	555.	781.	895.	1,209.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	569.	799.	918.	1,238.



description	d	w	h	pattern no.	L	V1	V2	V3
Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	RB3636-()	1,005.	1,491.	1,716.	2,318.
	36"	42"	26 1/2"	RB3642-()	1,028.	1,531.	1,761.	2,377.
	36"	48"	26 1/2"	RB3648-()	1,072.	1,589.	1,822.	2,461.
	42"	36"	26 1/2"	RB4236-()	1,028.	1,531.	1,761.	2,377.
	42"	42"	26 1/2"	RB4242-()	1,055.	1,568.	1,807.	2,439.
	42"	48"	26 1/2"	RB4248-()	1,096.	1,624.	1,869.	2,524.
	48"	36"	26 1/2"	RB4836-()	1,072.	1,589.	1,822.	2,461.
	48"	42"	26 1/2"	RB4842-()	1,096.	1,624.	1,869.	2,524.
	48"	48"	26 1/2"	RB4848-()	1,138.	1,684.	1,949.	2,631.



Order Code

Example:	RB24MFL
R	Reff
B	Back panel
24	48" panel dimension
M	Full height modesty
F	Flush modesty placement
L	Laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish type
4. Finish

1. Modesty type:
M = Standard height (26 1/2"H)
H = Half height

2. Modesty placement:
F = Flush, cantilevered
R = Recessed

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.


Modesty panel lengths are nominal - length changes on option selected.

Glides ship with all supports on this page except the recessed modesty panel.


Please see Planning Guide for freestanding planning instruction.

Top support components
 26 1/2" high planning
 End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	\$476.	\$773.	\$890.	\$1,201.
	36"	1"	26 1/2"	RE36-()	503.	810.	931.	1,257.




Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	182.	315.	363.	490.
	16"	1"	26 1/2"	RSE2(L/R)-()	196.	336.	386.	521.
	20"	1"	26 1/2"	RSE3(L/R)-()	211.	353.	405.	546.
	24"	1"	26 1/2"	RSE4(L/R)-()	222.	368.	425.	573.
	30"	1"	26 1/2"	RSE5(L/R)-()	236.	388.	446.	604.
	36"	1"	26 1/2"	RSE6(L/R)-()	250.	405.	467.	631.



left hand shown


Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	182.	315.	363.	490.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	196.	336.	386.	521.
	19"	1"	26 1/2"	RE19F-()	211.	353.	405.	546.
	23"	1"	26 1/2"	RE23F-()	222.	368.	425.	573.
	29"	1"	26 1/2"	RE29F-()	236.	388.	446.	604.




Support components

Order Code	Specification Information	Application Notes	
Example: RSE1(L)114	To order please specify pattern number including: 1. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 2. Finish	Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered. Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.	
R Reff			Modesty panel lengths are nominal - length changes on option selected.
SE End panel			Glides ship with all supports on this page except the recessed modesty panel.
1 13" deep			Please see Planning Guide for freestanding planning instruction.
L Left hand			
L Laminate			
114 Folkstone grey			

Top support components
28³/₈" high planning
Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	1"	24"	28 ³ / ₈ "	RBDH24M(F/R) ()()	\$162.	\$231.	\$263.	\$354.
	1"	30"	28 ³ / ₈ "	RBDH30M(F/R) ()()	291.	413.	475.	640.
	1"	36"	28 ³ / ₈ "	RBDH36M(F/R) ()()	324.	451.	517.	698.
	1"	42"	28 ³ / ₈ "	RBDH42M(F/R) ()()	348.	489.	564.	761.
	1"	48"	28 ³ / ₈ "	RBDH48M(F/R) ()()	391.	551.	633.	855.
	1"	54"	28 ³ / ₈ "	RBDH54M(F/R) ()()	410.	578.	662.	894.
	1"	60"	28 ³ / ₈ "	RBDH60M(F/R) ()()	426.	593.	684.	925.
	1"	66"	28 ³ / ₈ "	RBDH66M(F/R) ()()	441.	622.	719.	970.
	1"	72"	28 ³ / ₈ "	RBDH72M(F/R) ()()	487.	684.	787.	1,062.
	1"	78"	28 ³ / ₈ "	RBDH78M(F/R) ()()	520.	727.	843.	1,138.
	1"	84"	28 ³ / ₈ "	RBDH84M(F/R) ()()	551.	773.	888.	1,199.
	1"	90"	28 ³ / ₈ "	RBDH90M(F/R) ()()	583.	818.	941.	1,270.
	1"	96"	28 ³ / ₈ "	RBDH96M(F/R) ()()	594.	840.	963.	1,301.

description	d	w	h	pattern no.	L	V1	V2	V3
	36"	36"	28 ³ / ₈ "	RBDH3636 ()()	1,056.	1,567.	1,805.	2,435.
	36"	42"	28 ³ / ₈ "	RBDH3642 ()()	1,079.	1,608.	1,849.	2,497.
	36"	48"	28 ³ / ₈ "	RBDH3648 ()()	1,125.	1,668.	1,915.	2,586.
	42"	36"	28 ³ / ₈ "	RBDH4236 ()()	1,079.	1,608.	1,849.	2,497.
	42"	42"	28 ³ / ₈ "	RBDH4242 ()()	1,106.	1,646.	1,894.	2,557.
	42"	48"	28 ³ / ₈ "	RBDH4248 ()()	1,151.	1,704.	1,965.	2,654.
	48"	36"	28 ³ / ₈ "	RBDH4836 ()()	1,125.	1,668.	1,915.	2,586.
	48"	42"	28 ³ / ₈ "	RBDH4842 ()()	1,151.	1,704.	1,965.	2,654.
	48"	48"	28 ³ / ₈ "	RBDH4848 ()()	1,194.	1,769.	2,048.	2,765.

depth = left return, width = right return

Order Code

Example:	RBDH24MFL114
R	Reff
B	Back panel/modesty
DH	Desk height (28 ³ / ₈ ")
24	24"
M	Full height modesty
F	Modesty placement, flush
L	Finish type, laminate
114	Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty placement*
F = Flush, cantilevered
R = Recessed
2. *Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
3. *Finish*

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.


* Half depth end panels

Glides ship with all supports on this page except the recessed modesty panel.


Please see Reff Planning Guide for freestanding planning instructions.

Top support components
28³/₈" high planning
End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1"	30"	28 ³ / ₈ "	REDH30 () ()	\$500.	\$813.	\$934.	\$1,261.
	1"	36"	28 ³ / ₈ "	REDH36 () ()	527.	851.	976.	1,319.




Desk height end panel for panel (hardware included)	1"	13"	28 ³ / ₈ "	RSEDH1(L/R) () ()	190.	335.	381.	515.
	1"	16"	28 ³ / ₈ "	RSEDH2(L/R) () ()	205.	352.	408.	551.
	1"	20"	28 ³ / ₈ "	RSEDH3(L/R) () ()	221.	369.	425.	573.
	1"	24"	28 ³ / ₈ "	RSEDH4(L/R) () ()	234.	386.	446.	604.
	1"	30"	28 ³ / ₈ "	RSEDH5(L/R) () ()	248.	410.	468.	632.
	1"	36"	28 ³ / ₈ "	RSEDH6(L/R) () ()	264.	425.	489.	661.



left hand shown

Desk height end panels with hardware for building flush or cantilevered worksurfaces	1"	12"	28 ³ / ₈ "	REDH12F () () *	190.	335.	381.	515.
	1"	15"	28 ³ / ₈ "	REDH15F () () *	205.	352.	408.	551.
	1"	19"	28 ³ / ₈ "	REDH19F () ()	221.	369.	425.	573.
	1"	23"	28 ³ / ₈ "	REDH23F () ()	234.	386.	446.	604.
	1"	29"	28 ³ / ₈ "	REDH29F () ()	248.	410.	468.	632.




Order Code	Specification Information	Application Notes
Example: REDH30	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
E End panel	2. <i>Finish</i>	Modesty panel lengths are nominal, length changes on option selected.
DH Desk height (28 ³ / ₈ ")	Applicable finishes are listed on page 5 and 6.	* Half depth end panels
30 30"	Product on this page will accept woodgrain laminate where laminate is currently an option.	Glides ship with all supports on this page except the recessed modesty panel.
L Left hand	List price for woodgrain laminate options will be current published laminate list price plus 10%.	Please see Reff Planning Guide for freestanding planning instructions.
L Finish type, laminate		
114 Finish, Folkstone grey		

Top support components

28³/₈" high planning

Modesty and Bulkhead

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 ³ / ₈ "	RBDH40MR () ()	\$348.	\$489.	\$564.	\$761.
	1"	52"	28 ³ / ₈ "	RBDH52MR () ()	410.	578.	662.	894.
	1"	64"	28 ³ / ₈ "	RBDH64MR () ()	441.	622.	719.	970.



Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

Desk height bulkhead (false pedestal)	24"	16"	28 ³ / ₈ "	REDHBH124 () ()	491.	811.	941.	1,270.
	30"	16"	28 ³ / ₈ "	REDHBH130 () ()	509.	827.	963.	1,301.








Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application

Order Code	Specification Information	Application Notes
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.</p> <p>Modesty panel lengths are nominal, length changes on option selected.</p> <p>* Half depth end panels</p> <p>Glides ship with all supports on this page except the recessed modesty panel.</p> <p>Please see Reff Planning Guide for freestanding planning instructions.</p>
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>	
24 24"	Applicable finishes are listed on page 5 and 6.	
M Full height modesty	Product on this page will accept woodgrain laminate where laminate is currently an option.	
F Modesty placement, flush	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
L Finish type, laminate		
114 Finish, Folkstone grey		

Top support components

Painted or Plated Legs 26 1/2" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	P1	P2	P3
Column leg, Interaction style (rectangular plate)	4"	-	26 1/2"	-	RSC	\$250.	\$264.	\$277.
	Ships with wood screws for fasening to underside of worksurface into pilot hole location. Painted finish only.							
4" Plain Cylinder (26 1/2" high)	4"	-	26 1/2"	-	RCB	263.	276.	288.
	Painted and plated finishes.							
Set of four column legs (4" dia.), Interaction style (triangular plate)	4"	-	26 1/2"	-	RSC4-()	976.	1,024.	1,077.
	Painted finishes only.							
T-leg, Interaction style	-		26 1/2"	24"	RIB24T	358.	376.	396.
	Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only							
T-Leg, plain tube style	-		26 1/2"	20"	RCB20T-()	387.	407.	426.
	-		26 1/2"	24"	RCB24T-()	393.	416.	436.
	-		26 1/2"	30"	RCB30T-()	436.	456.	481.
	-		26 1/2"	40"	RCB40T-()	458.	483.	508.
	Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finish options.							




Support components

Order Code	Specification Information	Application Notes	
Example: RSC	<i>To order please specify pattern number including:</i> 1. Finish type, where applicable 2. Finish <i>Finish type options:</i> P = Paint (P1, P2, P3)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black. Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes. Refer to Planning Guide for top-base matrix, pages 140 and 141. All bases include 1 1/2" leveller.	
R Reff			Only the plain cylinder and tube legs can be ordered in plated and painted finishes. Interaction style legs are only available in painted finishes. Applicable finishes are listed on page 5 and 6.
S Support			
C Cylinder			

Top support components

Painted or Plated Bases 26 1/2" high planning

Reff Profiles




description	h	dia.	pattern no.	P1	P2	P3
X-base 	26 1/2"	28"	RIB28X-()	\$591.	\$622.	\$654.
	26 1/2"	32"	RIB32X-()	801.	844.	886.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.						
Spider base, plain tube style 	26 1/2"	24"	RCB24X	606.	637.	667.
	26 1/2"	28"	RCB28X	634.	665.	698.
	26 1/2"	36"	RCB36X	687.	723.	758.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finishes.						
Drum base 	26 1/2"	–	RSD1427-()	1,143.	1,201.	1,260.
	26 1/2"	–	RSD1827-()	1,242.	1,305.	1,369.
	26 1/2"	–	RSD2027-()	1,281.	1,345.	1,411.
	26 1/2"	–	RSD2427-()	1,534.	1,612.	1,691.
	26 1/2"	–	RSD3027-()	1,715.	1,799.	1,889.
Painted finishes only.						

Order Code	Specification Information	Application Notes
Example: RIB28X	<i>To order please specify pattern number including:</i> 1. Finish type, where applicable 2. Finish <i>Finish type options:</i> P = Paint (P1, P2, P3)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black. Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes. Refer to Planning Guide for top-base matrix, pages 140 and 141. All bases include 1 1/2" leveller.
R Reff		
I Interaction		
B Base		
28 Diameter		
X X-base		
Only the plain cylinder and tube legs can be ordered in plated and painted finishes. Interaction style legs are only available in painted finishes. Applicable finishes are listed on page 5 and 6.		

Top support components

Laminate or Wood Bases 26¹/₂" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 ¹ / ₂ "	–	RSD1427-()	n/a	\$1,336.	\$1,538.	\$2,076.
	18"		26 ¹ / ₂ "	–	RSD1827-()	n/a	1,451.	1,670.	2,256.
	20"		26 ¹ / ₂ "	–	RSD2027-()	n/a	1,499.	1,723.	2,326.
	24"		26 ¹ / ₂ "	–	RSD2427-()	n/a	1,796.	2,066.	2,789.
	30"		26 ¹ / ₂ "	–	RSD3027-()	n/a	2,007.	2,305.	3,112.
 T-base (hardware included)*	20"	26 ¹ / ₂ "	12"		RST1-()	427.	484.	565.	765.
	24"	26 ¹ / ₂ "	12"		RST2-()	457.	521.	598.	809.
	30"	26 ¹ / ₂ "	12"		RST3-()	538.	604.	699.	945.
	36"	26 ¹ / ₂ "	12"		RST4-()	611.	693.	795.	1,074.
	42"	26 ¹ / ₂ "	12"		RST5-()	678.	771.	889.	1,202.
	48"	26 ¹ / ₂ "	12"		RST6-()	756.	851.	983.	1,327.
 L-base (hardware included), non-handed*	12"	26 ¹ / ₂ "	12"		RSL12-()	427.	484.	565.	765.
	15"	26 ¹ / ₂ "	12"		RSL15-()	437.	495.	571.	770.
	20"	26 ¹ / ₂ "	12"		RSL20-()	457.	512.	591.	798.
	24"	26 ¹ / ₂ "	12"		RSL24-()	465.	521.	598.	809.
	30"	26 ¹ / ₂ "	12"		RSL30-()	538.	604.	699.	945.
	36"	26 ¹ / ₂ "	12"		RSL36-()	611.	693.	795.	1,074.
	42"	26 ¹ / ₂ "	12"		RSL42-()	678.	771.	889.	1,202.
	48"	26 ¹ / ₂ "	12"		RSL48-()	756.	851.	983.	1,327.

Support components

Order Code

Example: RSD1427	
R	Reff
S	Support
D	Drum base
14	Diameter
27	Height
2	Finish type
R319	V2- Med. Cherry

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:

- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3

Application Notes

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1¹/₂" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.






T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

Top support components

Painted or Plated Legs 28³/₈" high planning

Reff Profiles

description	dia.	w	he	d	pattern no.	P1	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	–	28 ³ / ₈ "		RSDHC () ()	\$264.	\$277.	\$289.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								
4" Plain Cylinder (desk height) 	4" dia	–	28 ³ / ₈ "		RCDHB () ()	276.	288.	304.
Painted and plated finishes.								
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	–	28 ³ / ₈ "		RSDHC4 () ()	1,026.	1,076.	1,131.
Painted finishes only.								
T-Leg, plain tube style (desk height) 	–		28 ³ / ₈ "	20"	RCDHB20T () ()	407.	427.	448.
	–		28 ³ / ₈ "	24"	RCDHB24T () ()	415.	436.	457.
	–		28 ³ / ₈ "	30"	RCDHB30T () ()	457.	481.	505.
	–		28 ³ / ₈ "	40"	RCDHB40T () ()	483.	508.	533.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finishes.								
T-Leg, Interaction style (desk height) 	–		28 ³ / ₈ "	24"	RIBDH24T () ()	376.	396.	416.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								

Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Interaction style legs and bases are not available in plated finishes.
S Support	2. <i>Finish</i> see matrix on page 5	Only the plain cylinder and the tube legs can be ordered in plated and painted finishes.
DH Desk Height	Applicable finishes are listed on page 5 and 6.	All bases include 1 1/2" leveller.
C Column Leg		
P Finish type, paint		
111 Finish, Jet Black		

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Top support components

Painted or Plated Bases 28³/₈" high planning

description	dia.	w	h	d	pattern no.	P1	P2	P3
X-base (desk height)		–	28 ³ / ₈ "	28"	RIBDH28X () ()	\$622.	\$653.	\$686.
		–	28 ³ / ₈ "	32"	RIBDH32X () ()	844.	885.	928.



Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted finishes only.

Spider base, plain tube style (desk height)		–	28 ³ / ₈ "	24"	RCBDH24X () ()	637.	667.	700.
		–	28 ³ / ₈ "	28"	RCBDH28X () ()	665.	698.	734.
		–	28 ³ / ₈ "	36"	RCBDH36X () ()	723.	759.	795.




Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted and plated finishes.

Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 () ()	1,201.	1,260.	1,325.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 () ()	1,305.	1,369.	1,437.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 () ()	1,345.	1,411.	1,481.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 () ()	1,612.	1,691.	1,777.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 () ()	1,799.	1,890.	1,984.



Painted finishes only.

Base Support Column, 3" dia.			28 ³ / ₈ "		RSDHC3 () ()	319.	319.	447.
------------------------------	--	--	----------------------------------	--	-----------------------	------	------	------






Painted and plated finishes.

Order Code	Specification Information	Application Notes
Example: RCBDH24X	<i>To order please specify pattern number including:</i>	Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
I Interaction	2. <i>Finish</i> see matrix on page 5	
B Base	Applicable finishes are listed on page 5 and 6.	Interaction style legs and bases are only available in painted finishes. Only plain cylinder and tube style legs can be ordered in plated and painted finishes.
DH Desk height		
28 Diameter		
X X-base		
P Finish type, paint		
111 Finish, Jet Black		

Top support components

Laminate or Wood Bases 28³/₈" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 ()()	N/A	\$1,404.	\$1,614.	\$2,178.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 ()()	N/A	1,525.	1,753.	2,368.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 ()()	N/A	1,573.	1,808.	2,442.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 ()()	N/A	1,885.	2,170.	2,930.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 ()()	N/A	2,107.	2,421.	3,268.
 T-base, desk height (hardware included)	20"		28 ³ / ₈ "	12"	RSDHT1 ()()	449.	510.	592.	801.
	24"		28 ³ / ₈ "	12"	RSDHT2 ()()	482.	547.	629.	849.
	30"		28 ³ / ₈ "	12"	RSDHT3 ()()	564.	637.	734.	992.
	36"		28 ³ / ₈ "	12"	RSDHT4 ()()	642.	729.	836.	1,128.
	42"		28 ³ / ₈ "	12"	RSDHT5 ()()	712.	810.	934.	1,261.
	48"		28 ³ / ₈ "	12"	RSDHT6 ()()	793.	895.	1,032.	1,395.
 L-base, desk height (hardware included, non-handed)	12"		28 ³ / ₈ "	12"	RSDHL12 ()()	449.	510.	592.	801.
	15"		28 ³ / ₈ "	12"	RSDHL15 ()()	458.	517.	598.	809.
	20"		28 ³ / ₈ "	12"	RSDHL20 ()()	482.	537.	623.	842.
	24"		28 ³ / ₈ "	12"	RSDHL24 ()()	488.	547.	629.	849.
	30"		28 ³ / ₈ "	12"	RSDHL30 ()()	564.	637.	734.	992.
	36"		28 ³ / ₈ "	12"	RSDHL36 ()()	642.	729.	836.	1,128.
	42"		28 ³ / ₈ "	12"	RSDHL42 ()()	712.	810.	934.	1,261.
	48"		28 ³ / ₈ "	12"	RSDHL48 ()()	793.	895.	1,032.	1,395.

Order Code

Example: RSDHD1428
R Reff
S Support
DH Desk Height
D Drum base
14 Diameter
28 Height
2 Finish type, V2
V316 Finish, Maple

Specification Information

To order please specify pattern number including:

1. *Finish Type, where applicable*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
2. *Finish*
 see matrix on page 5

Applicable finishes are listed on page 5 and 6.

Application Notes

odT and L bases are not recommended for supporting conference tops.

All bases include 1/2" leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty
Removable
28³/₈" planning


description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for End panel and Storage Unit	72" wide assembly - 36" storage	1"	72"	25"	RDHMR7240	\$320.	\$401.	\$460.	\$599.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMR7230	332.	414.	476.	619.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMR7220	356.	445.	512.	665.
	72" wide assembly - 16" storage	1"	72"	25"	RDHMR7210	362.	452.	520.	676.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMR7840	332.	414.	476.	619.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMR7830	342.	427.	491.	639.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMR7820	367.	458.	526.	685.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMR7810	372.	465.	535.	694.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMR8440	342.	427.	491.	639.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMR8430	357.	446.	513.	667.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMR8420	377.	472.	542.	705.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMR8410	387.	484.	557.	724.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMR9040	357.	446.	513.	667.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMR9030	368.	459.	528.	687.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMR9020	392.	490.	563.	733.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMR9010	398.	497.	572.	744.
	96" wide assembly - 36" storage	1"	96"	25"	RDHMR9640	368.	459.	528.	687.
	96" wide assembly - 30" storage	1"	96"	25"	RDHMR9630	378.	473.	544.	707.
	96" wide assembly - 19" storage	1"	96"	25"	RDHMR9620	403.	504.	579.	753.
	96" wide assembly - 16" storage	1"	96"	25"	RDHMR9610	413.	516.	594.	773.
102" wide assembly - 36" storage	1"	102"	25"	RDHMR10240	393.	485.	554.	713.	
102" wide assembly - 30" storage	1"	102"	25"	RDHMR10230	404.	499.	570.	732.	
102" wide assembly - 19" storage	1"	102"	25"	RDHMR10220	428.	529.	605.	779.	
102" wide assembly - 16" storage	1"	102"	25"	RDHMR10210	439.	542.	620.	798.	
108" wide assembly - 36" storage	1"	108"	25"	RDHMR10840	419.	511.	580.	739.	
108" wide assembly - 30" storage	1"	108"	25"	RDHMR10830	430.	524.	595.	758.	
108" wide assembly - 19" storage	1"	108"	25"	RDHMR10820	454.	555.	630.	804.	
108" wide assembly - 16" storage	1"	108"	25"	RDHMR10810	465.	568.	646.	824.	



Support components


Order Code	Specification Information	Application Notes
Example: RDHMR720	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Finish Type</i> L, V1, V2, V3 2. <i>Finish</i> V316 <p>Installation instruction sheets available on line.</p> <p>For removable modesty refer to part number 6TP00084.</p>	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Modesty panel lengths are nominal - length changes on option selected.</p> <p>Please see Planning Guide for freestanding planning instruction.</p> <p>Modesty End panel and storage unit.</p> <p>10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units.</p> <p>11= 16"/16" storage 12= 16"/16" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage</p>
R Reff		
DH Desk height		
M Modesty		
R Removable		
72 Width		
10 16" storage		
V2 Finish type		
V316 Light Maple		

Modesty
Removable
28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMR7212	\$320.	\$410.	\$460.	\$599.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMR7222	325.	407.	468.	609.
	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMR7211	331.	414.	476.	619.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMR7822	331.	414.	476.	619.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMR7812	336.	420.	483.	628.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMR7811	341.	426.	490.	638.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMR8423	321.	402.	462.	600.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMR8414	328.	409.	471.	612.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMR8422	341.	426.	490.	638.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMR8412	347.	434.	499.	648.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMR8411	356.	446.	513.	666.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMR9024	321.	402.	462.	600.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMR9013	328.	409.	471.	612.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMR9023	332.	415.	478.	621.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMR9014	337.	421.	484.	629.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMR9022	356.	446.	513.	666.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMR9012	363.	453.	521.	678.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMR9011	368.	459.	528.	687.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMR9633	322.	403.	464.	603.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMR9624	332.	415.	478.	621.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMR9613	337.	421.	484.	629.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMR9623	343.	428.	493.	641.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMR9614	353.	441.	508.	659.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMR9622	368.	459.	528.	687.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMR9612	372.	466.	536.	696.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMR9611	378.	473.	544.	707.
	102" wide assembly - 30"/30" storage	1"	102"	25"	RDHMR10233	348.	428.	489.	628.
	102" wide assembly - 19"/36" storage	1"	102"	25"	RDHMR10224	357.	441.	504.	647.
	102" wide assembly - 16"/36" storage	1"	102"	25"	RDHMR10213	363.	447.	510.	655.
	102" wide assembly - 19"/30" storage	1"	102"	25"	RDHMR10223	369.	454.	519.	666.
	102" wide assembly - 16"/30" storage	1"	102"	25"	RDHMR10214	379.	467.	534.	685.
	102" wide assembly - 19"/19" storage	1"	102"	25"	RDHMR10222	393.	485.	554.	713.
	102" wide assembly - 16"/19" storage	1"	102"	25"	RDHMR10212	398.	491.	561.	722.
102" wide assembly - 16"/16" storage	1"	102"	25"	RDHMR10211	404.	499.	570.	732.	
108" wide assembly - 30"/30" storage	1"	108"	25"	RDHMR10833	374.	454.	515.	654.	


Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty panel lengths are nominal - length changes on option selected.
DH Desk height	2. <i>Finish</i> V316	
M Modesty	Installation instruction sheets available on line.	Modesty End panel and storage unit.
R Removable		10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage
72 Width	For removable modesty refer to part number 6TP00084.	Modesty between two storage units.
10 16" storage		11= 16"/16" storage
V2 Finish type		12= 16"/16" storage
V316 Light Maple		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
	24= 19"/36" storage	
	33= 30"/30" storage	

Modesty
Removable
28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	108" wide assembly - 19"/36" storage	1"	108"	25"	RDHMR10824	\$383.	\$467.	\$529.	\$673.
	108" wide assembly - 16"/36" storage	1"	108"	25"	RDHMR10813	388.	473.	536.	681.
	108" wide assembly - 19"/30" storage	1"	108"	25"	RDHMR10823	394.	480.	545.	692.
	108" wide assembly - 16"/30" storage	1"	108"	25"	RDHMR10814	405.	492.	559.	711.
	108" wide assembly - 19"/19" storage	1"	108"	25"	RDHMR10822	419.	511.	580.	739.
	108" wide assembly - 16"/19" storage	1"	108"	25"	RDHMR10812	423.	517.	587.	748.
	108" wide assembly - 16"/16" storage	1"	108"	25"	RDHMR10811	430.	524.	595.	758.


Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty panel lengths are nominal - length changes on option selected.
DH Desk height	2. <i>Finish</i> V316	
M Modesty	Installation instruction sheets available on line.	Modesty End panel and storage unit. 10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units. 11= 16"/16" storage 12= 16"/16" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
R Removable		
72 Width	For removable modesty refer to part number 6TP00084.	
10 16" storage		
V2 Finish type		
V316 Light Maple		

Modesty
Hinged
28³/₈" planning - Between Two Storage Elements

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for Between Two Storage Elements 	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMH7211	\$629.	\$801.	\$844.	\$1,012.
	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMH7222	619.	791.	828.	994.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMH7212	623.	796.	835.	1,002.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMH7811	641.	817.	859.	1,031.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMH7812	634.	812.	852.	1,022.
	78" wide assembly - 16"/30" storage	1"	78"	25"	RDHMH7813	614.	787.	817.	981.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMH7822	629.	801.	844.	1,012.
	78" wide assembly - 19"/30" storage	1"	78"	25"	RDHMH7823	609.	782.	804.	965.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMH8411	784.	960.	1,007.	1,209.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMH8412	778.	955.	999.	1,199.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMH8414	614.	787.	817.	981.
	84" wide assembly - 16"/36" storage	1"	84"	25"	RDHMH8413	625.	797.	837.	1,005.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMH8422	641.	817.	859.	1,031.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMH8423	619.	791.	830.	996.
	84" wide assembly - 19"/36" storage	1"	84"	25"	RDHMH8424	609.	782.	804.	965.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMH9011	795.	970.	1,022.	1,226.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMH9012	789.	965.	1,015.	1,217.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMH9014	625.	797.	837.	1,005.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMH9013	636.	813.	853.	1,024.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMH9022	784.	960.	1,007.	1,209.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMH9023	630.	802.	845.	1,014.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMH9024	619.	791.	830.	996.
	90" wide assembly - 30"/30" storage	1"	90"	25"	RDHMH9033	610.	783.	806.	968.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMH9611	810.	980.	1,043.	1,252.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMH9612	804.	975.	1,030.	1,236.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMH9614	636.	813.	853.	1,024.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMH9613	780.	956.	1,000.	1,200.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMH9622	795.	970.	1,022.	1,226.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMH9623	682.	818.	860.	1,032.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMH9624	641.	802.	845.	1,014.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMH9633	621.	793.	831.	997.

Order Code	Specification Information	Application Notes
Example: RDHMH7222	<i>To order please specify pattern number including:</i>	Modesty may prohibit the adjacent drawer from opening.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Recommended that when using a modesty the adjacent ped is an open configuration.
DH Desk height	2. <i>Finish</i> V316	Hardware shipped with modesty to attach to worksurface.
M Modesty		J-Extrusion Wire Trough sold separately.
H Hinged		
72 Width		
22 19"/19" storage		
V2 Finish type		
V316 Light Maple		
		Modesty End panel and storage unit.
		10= 16" storage
		20= 19" storage
		30= 30" storage
		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/19" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage


Modesty
 Hinged
 28³/₈" planning - End Panel and Storage Unit

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for End panel and Storage Unit 	72" wide assembly - 16" storage	1"	72"	25"	RDHMH7210	\$789.	\$964.	\$1,014.	\$1,216.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMH7220	783.	960.	1,006.	1,207.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMH7230	629.	801.	845.	1,014.
	72" wide assembly - 36" storage	1"	72"	25"	RDHMH7240	619.	791.	828.	994.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMH7810	803.	974.	1,029.	1,235.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMH7820	793.	969.	1,021.	1,225.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMH7830	641.	817.	859.	1,031.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMH7840	629.	801.	845.	1,014.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMH8410	818.	992.	1,050.	1,260.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMH8420	809.	979.	1,042.	1,250.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMH8430	784.	960.	1,007.	1,209.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMH8440	641.	817.	859.	1,031.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMH9010	828.	1,001.	1,065.	1,278.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMH9020	822.	996.	1,058.	1,269.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMH9030	795.	970.	1,022.	1,226.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMH9040	784.	960.	1,007.	1,209.
96" wide assembly - 16" storage	1"	96"	25"	RDHMH9610	839.	1,011.	1,080.	1,297.	
96" wide assembly - 19" storage	1"	96"	25"	RDHMH9620	833.	1,006.	1,072.	1,286.	
96" wide assembly - 30" storage	1"	96"	25"	RDHMH9630	810.	981.	1,044.	1,254.	
96" wide assembly - 36" storage	1"	96"	25"	RDHMH9640	795.	970.	1,022.	1,226.	

Support components

Order Code	Specification Information	Application Notes	
Example: RDHMH7222	To order please specify pattern number including: 1. <i>Finish Type</i> L, V1, V2, V3 2. <i>Finish</i> V316	Modesty may prohibit the adjacent drawer from opening. Recommended that when using a modesty the adjacent ped is an open configuration. Hardware shipped with modesty to attach to worksurface. J-Extrusion Wire Trough sold separately.	
R Reff			Modesty End panel and storage unit. 10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units. 11= 16"/16" storage 12= 16"/19" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
DH Desk height			
M Modesty			
H Hinged			
72 Width			
22 19"/19" storage			
V2 Finish type			
V316 Light Maple			

Modesty
Partial
28³/₈" planning

description	th	w	h	pattern no.	L	V1	V2	V3
Partial / Half Height Modesty	1"	26"	12"	RDHPM26 ()	\$288.	\$403.	\$464.	\$603.
	1"	32"	12"	RDHPM32 ()	298.	416.	479.	622.
	1"	38"	12"	RDHPM38 ()	313.	439.	505.	655.
	1"	44"	12"	RDHPM44 ()	330.	461.	530.	690.
	1"	50"	12"	RDHPM50 ()	353.	494.	569.	740.
	1"	56"	12"	RDHPM56 ()	363.	508.	584.	760.
	1"	62"	12"	RDHPM62 ()	389.	545.	627.	815.
	1"	68"	12"	RDHPM68 ()	411.	576.	662.	860.
	1"	74"	12"	RDHPM74 ()	420.	589.	677.	880.

Order Code

Example: RDHPM26 ()	
R	Reff
DH	Desk height
PM	Partial Modesty
26	Width
V316	Light Maple

Specification Information

To order please specify pattern number including:

1. Finish
L, V1, V2, V3

Application Notes

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.

Hardware shipped with modesty to attach to worksurface.


J-Extrusion Wire Trough sold separately.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,165.	\$1,246.	\$1,430.	\$1,923.
	16"	23"	26 1/2"	RP212J-() () L	1,216.	1,303.	1,497.	2,013.
	16"	29"	26 1/2"	RP213J-() () L	1,268.	1,357.	1,558.	2,097.



*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 Counter weights required per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,067.	1,144.	1,315.	1,777.
	16"	23"	26 1/2"	RP212K-() () L	1,144.	1,226.	1,409.	1,902.
	16"	29"	26 1/2"	RP213K-() () L	1,217.	1,302.	1,500.	2,023.
	30"	19"	26 1/2"	RP231K-() () L	1,220.	1,309.	1,505.	2,032.
	30"	23"	26 1/2"	RP232K-() () L	1,285.	1,380.	1,584.	2,138.
	36"	19"	26 1/2"	RP261K-() () L	1,301.	1,395.	1,605.	2,166.
	36"	23"	26 1/2"	RP262K-() () L	1,364.	1,462.	1,682.	2,271.



*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 Counter weights required per pedestal.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RP211JLMDL	<i>To order please specify pattern number including:</i>	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	3. <i>Pull options:</i>	
P Pedestal	1. Finish type	B = No pull, No drilling, Customer's Own Pull
2 26 1/2"H	2. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	3. Pull option	D = D-pull (PT, PZ only)
1 19" deep	4. Lock option, Files	F = Bar Pull
J Box box file config.	5. Cabinet Finish	H = Outline Pull
L Laminate finish type	6. Pull Finish	J = J (Routed) Pull
M Metal interior option	Painted or Plated	R = Cylinder Pull
D Metal D-pull	*After specifying product code, provide keying instructions.	S = S-pull (stainless steel finish only)
L Lock option files	1. <i>Finish type:</i>	T = Tab pull
114 Cabinet Finish, Folkstone Grey	L = Laminate	4. <i>Lock options:</i>
612 Pull Finish, Folkstone Grey	1 = V1	L = Drilled to accept lock
	2 = V2	5. Refer to page 578 for keying instructions.
	3 = V3	
	2. <i>Interior options:</i>	
	M = Metal interior	

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

3. *Pull options:*
 B = No pull, No drilling, Customer's Own Pull
 C = Nickel C-pull (nickel finish only)
 D = D-pull (PT, PZ only)
 F = Bar Pull
 H = Outline Pull
 J = J (Routed) Pull
 R = Cylinder Pull
 S = S-pull (stainless steel finish only)
 T = Tab pull

4. *Lock options:*
 L = Drilled to accept lock

5. Refer to page 578 for keying instructions.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 450.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).


1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,296.	\$1,386.	\$1,597.	\$2,147.
	16"	24"	26 1/2"	RPB212J () () L	1,347.	1,444.	1,659.	2,232.
	16"	30"	26 1/2"	RPB213J () () L	1,400.	1,500.	1,723.	2,321.

*Pencil Tray not included

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 counterweights per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,199.	1,284.	1,480.	1,999.
	16"	24"	26 1/2"	RPB212K () () L	1,275.	1,366.	1,576.	2,126.
	16"	30"	26 1/2"	RPB213K () () L	1,351.	1,446.	1,663.	2,246.
	30"	20"	26 1/2"	RPB231K () () L	1,483.	1,591.	1,826.	2,467.
	30"	24"	26 1/2"	RPB232K () () L	1,549.	1,661.	1,906.	2,572.
	36"	20"	26 1/2"	RPB261K () () L	1,611.	1,731.	1,988.	2,684.
	36"	24"	26 1/2"	RPB262K () () L	1,678.	1,797.	2,066.	2,788.

*Pencil Tray not included

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 counterweights per pedestal.


Order Code	Specification Information	Application Notes
Example: RPB211JLMDL R Reff PB Pedestal with back 2 26 1/2"H 1 16" wide 1 20" deep J Box box file config. L Laminate finish type M Metal interior option D Metal D-pull L Lock hole drilled 114 Cabint finish 612 Pull finish	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, files Cabinet finish Pull Finish Painted or Plated <p>*After specifying product code, provide keying instructions.</p> <p><i>1. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p><i>2. Interior options:</i> M = Metal interior</p>	<p><i>3. Pull options:</i> B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull</p> <p><i>4. Lock options:</i> Pedestals with drawers always lock drilled. L = Drilled to accept lock Lock default is Black</p> <p>5. Refer to page 578 for keying instructions.</p> <p>Pencil trays not included in pedestals with metal interiors.</p> <p>Pencil tray to be ordered separately; see page 450.</p> <p>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Random locks are factory installed.</p> <p>Keyalike are field installed using the KnollKey order form.</p> <p>Each locking pedestal on this page counts for one lock core.</p> <p>Pedestals must be ordered with back-panel to achieve full depth, without a modesty panel.</p> <p>1 counterweight = 10 lbs.</p> <p>Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p>

Applicable finishes are listed on page 0 and 0.


Pedestals, 26 1/2" planning

BBF/FF

Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J()()()	\$1,222.	\$1,307.	\$1,501.	\$2,019.
	19"	23"	26 1/2"	RP222J()()()	1,276.	1,368.	1,571.	2,113.
	19"	29"	26 1/2"	RP223J()()()	1,330.	1,423.	1,636.	2,222.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K()()()	1,121.	1,201.	1,381.	1,865.
	19"	23"	26 1/2"	RP222K()()()	1,201.	1,286.	1,480.	1,998.
	19"	29"	26 1/2"	RP223K()()()	1,278.	1,368.	1,575.	2,124.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP221JLMDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
P Pedestal	2. Interior option	Customer's Own Pull
2 26 1/2"H	3. Pull option	C = C-Pull,
2 19" wide	4. Lock option, Files	(Nickel finish only)
1 19" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull Finish	F = Bar pull
L Laminate finish type	Painted or Plated	H = Outline Pull
M Metal interior option	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
D Metal D-pull	1. <i>Finish type:</i>	R = Cylinder Pull
L Lock option	L = Laminate	S = S-Pull,
114 Cabinet Finish, Folkstone grey	1 = V1	(stainless steel finish only)
612 Pull Finish, Med. grey	2 = V2	T = Tab Pull
	3 = V3	<i>4. Lock options:</i>
	2. <i>Interior options:</i>	L = Drilled to accept lock
	M = Metal interior	<i>5. Cabinet Finish</i>
		<i>6. Pull Finish</i>
		7. Refer to page 578 for keying instructions.
		Pencil trays not included in pedestals with metal interiors.
		Pencil tray to be ordered separately; see page 450.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning

BBF/FF


Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,235.	\$1,319.	\$1,517.	\$2,039.
	16"	23"	26 1/2"	RP212J-() () L	1,372.	1,470.	1,686.	2,270.
	16"	29"	26 1/2"	RP213J-() () L	1,492.	1,599.	1,835.	2,470.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,130.	1,211.	1,391.	1,879.
	16"	23"	26 1/2"	RP212K-() () L	1,333.	1,429.	1,640.	2,213.
	16"	29"	26 1/2"	RP213K-() () L	1,453.	1,559.	1,792.	2,421.
	30"	19"	26 1/2"	RP231K-() () L	1,461.	1,566.	1,800.	2,430.
	30"	23"	26 1/2"	RP232K-() () L	1,718.	1,840.	2,112.	2,851.
	36"	19"	26 1/2"	RP261K-() () L	1,807.	1,935.	2,227.	3,006.
	36"	23"	26 1/2"	RP262K-() () L	2,104.	2,257.	2,596.	3,503.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
P Pedestal	2. Interior option	Customer's Own Pull
2 26 1/2"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, file	(Nickel finish only)
1 19" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull finish	F = Bar pull
L Laminate finish	*After specifying product code, provide keying instructions.	H = Outline Pull
W Wood interior	1. <i>Finish type:</i>	J = J (Routed) Pull
D Metal D-pull	L = Laminate	R = Cylinder Pull
L Lock hole drilled	1 = V1	S = S-Pull,
114 Cabinet finish	2 = V2	(stainless steel finish only)
612 Pull finish	3 = V3	T = Tab Pull
	2. <i>Interior options:</i>	<i>4. Lock options:</i>
	W = Wood interior	Pedestals with drawers always lock drilled.
		L = Drilled to accept lock
		<i>5. Refer to page 578 for keying instructions.</i>

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 0 and 0.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning

BBF/FF


Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,370.	\$1,463.	\$1,681.	\$2,263.
	16"	24"	26 1/2"	RPB212J () () L	1,503.	1,611.	1,853.	2,495.
	16"	30"	26 1/2"	RPB213J () () L	1,625.	1,739.	1,997.	2,689.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,261.	1,351.	1,555.	2,100.
	16"	24"	26 1/2"	RPB212K () () L	1,464.	1,569.	1,807.	2,439.
	16"	30"	26 1/2"	RPB213K () () L	1,587.	1,701.	1,959.	2,643.
	30"	20"	26 1/2"	RPB231K () () L	1,724.	1,849.	2,125.	2,870.
	30"	24"	26 1/2"	RPB232K () () L	1,921.	2,124.	2,435.	3,288.
	36"	20"	26 1/2"	RPB261K () () L	2,120.	2,271.	2,611.	3,527.
	36"	24"	26 1/2"	RPB262K () () L	2,419.	2,595.	2,982.	4,026.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RPB211JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
PB Pedestal with back	2. Interior option	Customer's Own Pull
2 26 1/2"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, applicable hinged doors only	(Nickel finish only)
1 20" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull finish	F = Bar pull
L Laminate finish	Painted or Plated	H = Outline Pull
W Wood interior	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
D Metal D-pull		R = Cylinder Pull
L Lock option		S = S-Pull,
114 Cabinet finish	<i>1. Finish type:</i>	(stainless steel finish only)
612 Pull finish	L = Laminate	T = Tab Pull
	1 = V1	
	2 = V2	<i>4. Lock options:</i>
	3 = V3	Pedestals with drawers always lock drilled
	<i>2. Interior options:</i>	L = Drilled to accept lock
	W = Wood interiors	<i>5. Refer to page 578 for keying instructions.</i>

Applicable finishes are listed on page 0 and 0.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning

BBF/FF


Wood interiors legal width

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J() () ()	\$1,296.	\$1,384.	\$1,591.	\$2,140.
	19"	23"	26 1/2"	RP222J() () ()	1,440.	1,543.	1,770.	2,382.
	19"	29"	26 1/2"	RP223J() () ()	1,566.	1,678.	1,927.	2,593.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with file file configuration	19"	19"	26 1/2"	RP221K() () ()	1,187.	1,272.	1,461.	1,972.
	19"	23"	26 1/2"	RP222K() () ()	1,400.	1,501.	1,721.	2,324.
	19"	29"	26 1/2"	RP223K() () ()	1,526.	1,638.	1,883.	2,541.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP221JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling
P Pedestal	2. Interior option	C = C-Pull, (Nickel finish only)
2 26 1/2"H	3. Pull option	D = D-Pull (PT, PZ only)
2 19" wide	4. Lock option, files	F = Bar pull
1 19" deep	5. Keying instructions	H = Outline Pull
J Box box file config.	6. Cabinet finish	J = J (Routed) Pull
L Laminate finish	7. Pull finish	R = Cylinder Pull
W Wood interior	Painted or Plated	S = S-Pull, (stainless steel finish only)
D Metal D-pull	*After specifying product code, provide keying instructions.	T = Tab Pull
L Lock option	<i>1. Finish type:</i>	<i>4. Lock options:</i>
114 Cabinet finish, Folkstone grey	L = Laminate	Pedestals with drawers always lock drilled.
612 Pull finish	1 = V1	L = Drilled to accept lock
	2 = V2	<i>5. Cabinet finish</i>
	3 = V3	<i>6. Pull finish</i>
	<i>2. Interior options:</i>	<i>7. Refer to page 578 for keying instructions.</i>
	W = Wood interior	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals, 26 1/2" planning

Open / Hinge Door


Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$936.	\$1,002.	\$1,154.	\$1,556.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,138.	1,217.	1,402.	1,892.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,301.	1,395.	1,605.	2,166.
	30"	19"	26 1/2"	RP231L-() () ()	1,210.	1,296.	1,489.	2,012.
	30"	23"	26 1/2"	RP232L-() () ()	1,413.	1,516.	1,743.	2,353.
	36"	19"	26 1/2"	RP261L-() () ()	1,534.	1,643.	1,891.	2,553.
	36"	23"	26 1/2"	RP262L-() () ()	1,792.	1,921.	2,209.	2,984.

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf is metal

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	713.	765.	878.	1,185.
	16"	23"	26 1/2"	RP212M-() () ()	828.	891.	1,024.	1,382.
	16"	29"	26 1/2"	RP213M-() () ()	981.	1,051.	1,210.	1,635.
	30"	19"	26 1/2"	RP231M-() () ()	826.	889.	1,021.	1,378.
	30"	23"	26 1/2"	RP232M-() () ()	1,006.	1,080.	1,240.	1,675.
	36"	19"	26 1/2"	RP261M-() () ()	1,057.	1,136.	1,306.	1,763.
	36"	23"	26 1/2"	RP262M-() () ()	1,280.	1,373.	1,578.	2,129.

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: RP211LLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling, Customer's Own Pull
P Pedestal	2. Finish type	C = C-Pull, (Nickel finish only)
2 26 1/2"H	3. Interior option	D = D-Pull (PT, PZ only)
1 16" wide	4. Pull option	F = Bar pull
1 19" deep	5. Lock option, applicable hinged doors only	H = Outline Pull
L Hinge door config.	6. Cabinet finish	J = J (Routed) Pull
L Laminate finish	7. Pull Finish	R = Cylinder Pull
M Metal interior	Painted or Plated	S = S-Pull, (stainless steel finish only)
D Metal D-pull	*After specifying product code, provide keying instructions.	T = Tab Pul
L Lock option	<i>1. Hinge location:</i>	<i>5. Lock options:</i>
114 Cabinet Finish	L = Left hand	L = Drilled to accept lock
612 Pull Finish	R = Right hand	N = No drilling
	<i>2. Finish type:</i>	6. Refer to page 578 for keying instructions.
	L = Laminate	Pencil trays not included in pedestals with metal interiors.
	1 = V1	Pencil tray to be ordered separately; see page 450.
	2 = V2	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal interior	

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

For Open Pedestals;


1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,069.	\$1,143.	\$1,319.	\$1,782.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,272.	1,361.	1,566.	2,113.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,434.	1,536.	1,770.	2,391.
	30"	20"	26 1/2"	RPB231L() () ()	1,474.	1,578.	1,813.	2,447.
	30"	24"	26 1/2"	RPB232L() () ()	1,678.	1,797.	2,065.	2,787.
	36"	20"	26 1/2"	RPB261L() () ()	1,844.	1,977.	2,273.	3,069.
	36"	24"	26 1/2"	RPB262L() () ()	2,103.	2,256.	2,595.	3,502.

*Pencil Tray not included
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() ()	846.	902.	1,042.	1,408.
	16"	24"	26 1/2"	RPB212M() ()	966.	1,031.	1,190.	1,606.
	16"	30"	26 1/2"	RPB213M() ()	1,112.	1,193.	1,373.	1,854.
	30"	20"	26 1/2"	RPB231M() ()	1,092.	1,171.	1,345.	1,816.
	30"	24"	26 1/2"	RPB232M() ()	1,270.	1,361.	1,560.	2,107.
	36"	20"	26 1/2"	RPB261M() ()	1,373.	1,469.	1,690.	2,281.
	36"	24"	26 1/2"	RPB262M() ()	1,592.	1,708.	1,962.	2,648.

*Pencil Tray not included
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB211LL	<i>To order please specify pattern number including:</i>	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. Hinge location, where applicable	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
PB Pedestal with back	2. Finish type	Random locks are factory installed.
2 26 1/2"H	3. Interior option	Keyalike are field installed using the KnollKey order form.
1 16" wide	4. Pull option	Each locking pedestal on this page counts for one lock core.
1 20" deep	5. Lock option, applicable hinged doors only	For Open Pedestals;
L Hinge door	6. Cabinet finish	1. Finish type
L Hinge Left	7. Pull finish	2. Interior Option
L Laminate finish	*After specifying product code, provide keying instructions.	3. Cabinet Finish
M Metal interior	1. <i>Hinge location:</i>	Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.
D Metal D-pull	L = Left hand	
L Lock option	R = Right hand	
118 Cabinet finish	2. <i>Finish type:</i>	
118 Pull finish	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	3. <i>Interior options:</i>	
	M = Metal interior	
	4. <i>Pull options:</i>	
	B = No Pull, No Drilling,	
	Customer's Own Pull	
	C = C-Pull,	
	(Nickel finish only)	
	D = D-Pull (PT, PZ only)	
	F = Bar pull	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull,	
	(stainless steel finish only)	
	T = Tab Pull	
	5. <i>Lock options:</i>	
	Optional hinge door configuration only.	
	L = Drilled to accept lock	
	N = No drilling	
	6. Refer to page 578 for keying instructions.	
	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.	
	Pencil trays not included in pedestals with metal interiors.	
	Pencil tray to be ordered separately; see page 450.	


Applicable finishes are listed on page 0 and 0.

Pedestals, 26 1/2" planning


Open / Hinge Door

Wood interior

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$1,024.	\$1,096.	\$1,264.	\$1,709.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,230.	1,319.	1,515.	2,046.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,392.	1,491.	1,714.	2,314.
	30"	19"	26 1/2"	RP231L-() () ()	1,298.	1,391.	1,603.	2,163.
	30"	23"	26 1/2"	RP232L-() () ()	1,504.	1,616.	1,858.	2,507.
	36"	19"	26 1/2"	RP261L-() () ()	1,623.	1,739.	2,000.	2,700.
	36"	23"	26 1/2"	RP262L-() () ()	1,883.	2,018.	2,320.	3,131.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position
N=No Lock option

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	801.	857.	986.	1,329.
	16"	23"	26 1/2"	RP212M-() () ()	923.	990.	1,139.	1,536.
	16"	29"	26 1/2"	RP213M-() () ()	1,072.	1,147.	1,321.	1,785.
	30"	19"	26 1/2"	RP231M-() () ()	921.	985.	1,131.	1,527.
	30"	23"	26 1/2"	RP232M-() () ()	1,095.	1,174.	1,351.	1,822.
	36"	19"	26 1/2"	RP261M-() () ()	1,147.	1,233.	1,419.	1,915.
	36"	23"	26 1/2"	RP262M-() () ()	1,372.	1,466.	1,687.	2,277.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RP211LLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling, Customer's Own Pull
P Pedestal	2. Finish type	C = C-Pull, (Nickel finish only)
2 26 1/2"H	3. Interior option	D = D-Pull (PT, PZ only)
1 16" wide	4. Pull option	F = Bar pull
1 19" deep	5. Lock option, applicable hinged doors only	H = Outline Pull
L Hinge door	6. Cabinet finish	J = J (Routed) Pull
L Laminate finish	7. Pull finish	R = Cylinder Pull
W Wood interior	*After specifying product code, provide keying instructions.	S = S-Pull, (stainless steel finish only)
D Metal D-pull	<i>1. Hinge location:</i>	T = Tab Pull
L Lock hole drilled	L = Left hand	<i>5. Lock options:</i>
118 Cabinet finish	R = Right hand	Optional hinge door configuration only.
118 Pull finish	<i>2. Finish type:</i>	L = Drilled to accept lock
	L = Laminate	N = No drilling
	1 = V1	<i>6. Refer to page 578 for keying instructions.</i>
	2 = V2	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
	3 = V3	
	<i>3. Interior options:</i>	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	W = Wood interior	

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

For Open Pedestals;


1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning
 Open / Hinge Door
 Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,158.	\$1,240.	\$1,429.	\$1,928.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,361.	1,457.	1,679.	2,266.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,524.	1,632.	1,877.	2,534.
	30"	20"	26 1/2"	RPB231L() () ()	1,560.	1,672.	1,926.	2,601.
	30"	24"	26 1/2"	RPB232L() () ()	1,766.	1,895.	2,177.	2,940.
	36"	20"	26 1/2"	RPB261L() () ()	1,935.	2,073.	2,381.	3,216.
	36"	24"	26 1/2"	RPB262L() () ()	2,196.	2,351.	2,705.	3,651.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() ()	934.	999.	1,153.	1,555.
	16"	24"	26 1/2"	RPB212M() ()	1,054.	1,130.	1,302.	1,757.
	16"	30"	26 1/2"	RPB213M() ()	1,204.	1,286.	1,484.	2,004.
	30"	20"	26 1/2"	RPB231M() ()	1,181.	1,266.	1,453.	1,963.
	30"	24"	26 1/2"	RPB232M() ()	1,360.	1,456.	1,672.	2,256.
	36"	20"	26 1/2"	RPB261M() ()	1,461.	1,568.	1,800.	2,430.
	36"	24"	26 1/2"	RPB262M() ()	1,682.	1,800.	2,070.	2,793.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RPB211LLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling, Customer's Own Pull
PB Pedestal with back	2. Finish type	C = C-Pull, (Nickel finish only)
2 26 1/2"H	3. Interior option	D = D-Pull (PT, PZ only)
1 16" wide	4. Pull option	F = Bar pull
1 20" deep	5. Lock option, applicable hinged doors only	H = Outline Pull
L Hinged door	6. Cabinet finish	J = J (Routed) Pull
L Laminate finish	7. Pull finish	R = Cylinder Pull
W Wood interior	Painted or Plated	S = S-Pull, (stainless steel finish only)
D Metal D-pull	*After specifying product code, provide keying instructions.	T = Tab Pull
L Lock option	<i>1. Hinge location:</i>	<i>5. Lock options:</i>
118 Cabinet finish	L = Left hand	Optional hinge door configuration
118 Pull finish	R = Right hand	L = Drilled to accept lock
		N = No drilling
	<i>2. Finish type:</i>	<i>6. Refer to page 578 for keying instructions.</i>
	L = Laminate	Pedestals must be ordered with back panels to achieve full depth without a modesty panel.
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood interior	
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.
		For Open Pedestals;
		1. Finish Type
		2. Interior Option
		3. Cabinet Finish

Applicable finishes are listed on page 0 and 0.

Pedestals, 26 1/2" planning

Mobile Pedestal

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L () ()	\$1,144.	\$1,226.	\$1,409.	\$1,902.	
	16"	23"	21"	RM112J-() () L () ()	1,196.	1,282.	1,476.	1,992.	
	16"	23"	26 1/2"	RM212J-() () L () ()	1,606.	1,723.	1,979.	2,673.	
	16"	23"	26 1/2"	RM212K-() () L () ()	1,606.	1,723.	1,979.	2,673.	



*Pencil tray not included
*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					100.
---	---	---	---	----------	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
M Mobile Pedestal	2. Interior option	Customer's Own Pull
1 21"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, files	(Nickel finish only)
1 19" deep	5. Cabinet Finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull Finish	F = Bar pull
L Laminate finish	Painted or Plated	H = Outline Pull
M Metal interior	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
D Metal D-pull		R = Cylinder Pull
L Lock option	<i>1. Finish type:</i>	S = S-Pull,
114 Cabinet Finish	L = Laminate	(stainless steel finish only)
612 Pull Finish	1 = V1	T = Tab Pull
	2 = V2	<i>4. Lock options:</i>
	3 = V3	L = Drilled to accept lock
	<i>2. Interior options:</i>	<i>5. Case Finish:</i> Laminate, V1,V2,V3
	M = Metal interior	<i>6. Pull Finish:</i> Painted or Plated

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pencil trays not included in mobile pedestals with metal interiors.

Pencil tray to be ordered separately.

Pedestals, 26 1/2" planning

Reff Profiles

Mobile Pedestal


Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood	list
					interiors L	interiors V1	interiors V2	interiors V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L () ()	\$1,353.	\$1,452.	\$1,671.	\$2,255.	
	16"	23"	21"	RM112J-() () L () ()	1,429.	1,531.	1,760.	2,376.	
	16"	23"	26 1/2"	RM212K-() () L () ()	1,933.	2,071.	2,381.	3,216.	
	16"	23"	26 1/2"	RM212J-() () L () ()	1,933.	2,071.	2,381.	3,216.	



Glue and dowel construction

Pedestal backs	w	d	h	pattern no.	wood	wood	wood	wood
	16"	1"	26 1/2"	RPAB16-() ()	123.	127.	147.	199.
	19"	1"	26 1/2"	RPAB19-() ()	129.	133.	155.	210.
	30"	1"	26 1/2"	RPAB30-() ()	245.	251.	287.	388.
	36"	1"	26 1/2"	RPAB36-() ()	288.	299.	343.	464.



pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT				100.
---	---	---	---	----------	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling, Customer's Own Pull
M Mobile Pedestal	2. Interior option	C = C-Pull, (Nickel finish only)
1 21"H	3. Pull option	D = D-Pull (PT, PZ only)
1 16" wide	4. Lock option, files	F = Bar pull
1 19" deep	5. Cabinet Finish	H = Outline Pull
J Box box file config.	6. Pull Finish	J = J (Routed) Pull
L Laminate finish	Painted or Plated	R = Cylinder Pull
W Wood interior	After specifying product code, provide keying instructions.	S = S-Pull, (stainless steel finish only)
D Metal D-pull	<i>1. Finish type:</i>	T = Tab Pull
L Lock option	L = Laminate	<i>4. Lock options:</i>
114 Cabinet Finish	1 = V1	L = Drilled to accept lock
612 Pull Finish	2 = V2	<i>5. Case Finish: Wood or Laminate</i>
	3 = V3	<i>6. Pull Finish: Painted or Plated</i>
	<i>2. Interior options:</i>	Refer to page 578 for keying instructions.
	M = Metal interior	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Applicable finishes are listed on page 0 and 0.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Random locks are factory installed. Keyalike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pedestals, 28 3/8 planning

BBF/FF


Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 3/8"	RP161J () () L () ()	\$1,220.	\$1,305.	\$1,501.	\$2,020.
	16"	23"	28 3/8"	RP162J () () L () ()	1,276.	1,368.	1,572.	2,115.
	16"	29"	28 3/8"	RP163J () () L () ()	1,330.	1,424.	1,638.	2,203.

*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) file/file configuration	16"	19"	28 3/8"	RP161K () () L () ()	1,120.	1,201.	1,381.	1,866.
	16"	23"	28 3/8"	RP162K () () L () ()	1,199.	1,284.	1,480.	1,999.
	16"	29"	28 3/8"	RP163K () () L () ()	1,279.	1,368.	1,576.	2,126.
	30"	19"	28 3/8"	RP301K () () L () ()	1,281.	1,375.	1,579.	2,130.
	30"	23"	28 3/8"	RP302K () () L () ()	1,351.	1,448.	1,663.	2,246.
	36"	19"	28 3/8"	RP361K () () L () ()	1,364.	1,466.	1,685.	2,276.
	36"	23"	28 3/8"	RP362K () () L () ()	1,434.	1,535.	1,766.	2,385.

*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Order Code

Example:	RP161J(L)(M)(J)L(118)
R	Reff
P	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
J	Box/Box/File config.
L	Finish type, laminate
M	Interior option, metal
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

1. *Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
2. *Interior option*
M = metal interior
3. *Pull option*
B = No pull, No drilling
Customer's own pull
C = nickel finish C-pull (nickel finish only)
D = metal D-pull (finish optional)
F = Bar
H = Out Line
J = routed J-pull (finish matches case)
R = Cylinder
S = S-pull (stainless steel finish only)
T = Tab

4. *Lock option*
Lock default is black.
Pedestals with drawers always lock drilled
L = drilled to accept lock
5. *Cabinet finish*
6. *Pull finish*
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 578. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 450.

Finished back must be ordered separately to achieve full depth without a modesty. (page 288)

Application Notes

Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 0 and 0.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

Pedestals, 28 3/8 planning

BBF/FF

Metal interior legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191J() () L () ()	\$1,279.	\$1,370.	\$1,575.	\$2,120.
box/box/file configuration	19"	23"	28 3/8"	RP192J() () L () ()	1,340.	1,401.	1,649.	2,220.
	19"	29"	28 3/8"	RP193J() () L () ()	1,396.	1,495.	1,718.	2,313.




Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191K() () L () ()	1,175.	1,261.	1,450.	1,960.
file/file configuration	19"	23"	28 3/8"	RP192K() () L () ()	1,259.	1,349.	1,554.	2,099.
	19"	29"	28 3/8"	RP193K() () L () ()	1,344.	1,436.	1,654.	2,232.



Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Order Code

Example:	RP191J(L)(M)(J)L(118)
R	Reff
P	Pedestal
19	19" wide (nominal)
1	19" deep (nominal)
J	Box/Box/File configuration
L	Finish type, laminate
M	Interior option, metal
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Interior option**
M = metal interior
- Pull option**
B = No pull, No drilling
Customer's own pull
C = nickel finish C-pull (nickel finish only)
D = metal D-pull (finish optional)
F = Bar
H = Out Line
J = routed J-pull (finish matches case)
R = Cylinder
S = S-pull (stainless steel finish only)
T = Tab

- Lock option**
Lock default is Black
Pedestals with drawers always lock drilled
L = drilled to accept lock
- Cabinet finish**
- Pull finish**
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 578 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 450.

Finished back must be ordered separately to achieve full depth without a modesty. (page0)

Application Notes

Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 0 and 0.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)


1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals, 28 3/8 planning

BBF/FF

Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 3/8"	RP161J () () L () ()	\$1,296.	\$1,384.	\$1,589.	\$2,138.
	16"	23"	28 3/8"	RP162J () () L () ()	1,438.	1,543.	1,772.	2,383.
	16"	29"	28 3/8"	RP163J () () L () ()	1,565.	1,679.	1,925.	2,590.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height) file/file configuration	16"	19"	28 3/8"	RP161K () () L () ()	1,188.	1,272.	1,462.	1,973.
	16"	23"	28 3/8"	RP162K () () L () ()	1,399.	1,500.	1,723.	2,326.
	16"	29"	28 3/8"	RP163K () () L () ()	1,525.	1,638.	1,883.	2,541.
	30"	19"	28 3/8"	RP301K () () L () ()	1,535.	1,644.	1,892.	2,554.
	30"	23"	28 3/8"	RP302K () () L () ()	1,803.	1,933.	2,218.	2,993.
	36"	19"	28 3/8"	RP361K () () L () ()	1,895.	2,030.	2,339.	3,158.
	36"	23"	28 3/8"	RP362K () () L () ()	2,209.	2,372.	2,726.	3,679.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code

Example: RP161J(L)(W)(J)L(118)	
R	Reff
P	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
J	Box/Box/File configuration
L	Finish type, laminate
W	Interior option, wood
D	Pull option
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

- To order please specify pattern number including:
- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
 - Interior option**
W = wood interior
 - Pull option**
B = No pull, No drilling
Customer's own pull
C = nickel finish C-pull (nickel finish only)
D = metal D-pull (finish optional)
F = Bar
H = Out Line
J = routed J-pull (finish matches case)
R = Cylinder
S = S-pull (stainless steel finish only)
T = Tab
 - Lock option**
Pedestals with drawers always lock drilled
Lock default is Black
L = drilled for lock

- Cabinet finish**
- Pull finish**
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 578. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty.(page0)

Application Notes

Products on this page are 28-3/8" high. 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 0 and 0.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning

BBF/FF


Wood interior legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191J()()L()()	\$1,359.	\$1,453.	\$1,668.	\$2,244.
box/box/file configuration	19"	23"	28 3/8"	RP192J()()L()()	1,509.	1,619.	1,859.	2,502.
	19"	29"	28 3/8"	RP193J()()L()()	1,642.	1,761.	2,020.	2,719.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191K()()L()()	1,319.	1,335.	1,535.	2,072.
file/file configuration	19"	23"	28 3/8"	RP192K()()L()()	1,468.	1,575.	1,810.	2,442.
	19"	29"	28 3/8"	RP193K()()L()()	1,602.	1,719.	1,977.	2,668.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code	Specification Information
Example: RP191J(L)(W)(J)L(118)	
R Reff	
P Pedestal	
19 19" wide (nominal)	
1 19" deep (nominal)	
J Box/Box/File configuration	
L Finish type, laminate	
W Interior option, wood	
J Pull option, J	
L Lock option	
118 Cabinet finish	
118 Pull finish	

To order please specify pattern number including:

- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Interior option**
W = wood interior
- Pull option**
B = No pull, No drilling
Customer's own pull
C = nickel finish C-pull (nickel finish only)
D = metal D-pull (finish optional)
F = Bar
H = Out Line
J = routed J-pull (finish matches case)
R = Cylinder
S = S-pull (stainless steel finish only)
T = Tab
- Lock option**
Pedestals with drawers always lock drilled
Lock default is Black
L = drilled to accept lock
N = no drilling

- Cabinet finish**
- Pull finish**
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 578. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty.(page0)

Application Notes

Products on this page are 28-3/8" high. 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.


Applicable finishes are listed on page 0 and 0.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)


1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning
Open / Hinge Door
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 3/8"	RP161L(L/R) () () () ()	\$983.	\$1,052.	\$1,211.	\$1,636.
	16"	23"	28 3/8"	RP162L(L/R) () () () ()	1,194.	1,280.	1,471.	1,986.
	16"	29"	28 3/8"	RP163L(L/R) () () () ()	1,364.	1,466.	1,685.	2,276.
	30"	19"	28 3/8"	RP301L () () () ()	1,270.	1,361.	1,565.	2,112.
	30"	23"	28 3/8"	RP302L () () () ()	1,483.	1,592.	1,828.	2,469.
	36"	19"	28 3/8"	RP361L () () () ()	1,609.	1,724.	1,985.	2,680.
	36"	23"	28 3/8"	RP362L () () () ()	1,881.	2,018.	2,321.	3,133.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 3/8"	RP161M () ()	746.	803.	922.	1,244.
	16"	23"	28 3/8"	RP162M () ()	872.	935.	1,075.	1,451.
	16"	29"	28 3/8"	RP163M () ()	1,028.	1,103.	1,270.	1,715.
	30"	19"	28 3/8"	RP301M () ()	869.	932.	1,072.	1,447.
	30"	23"	28 3/8"	RP302M () ()	1,056.	1,132.	1,302.	1,757.
	36"	19"	28 3/8"	RP361M () ()	1,110.	1,194.	1,370.	1,848.
	36"	23"	28 3/8"	RP362M () ()	1,345.	1,442.	1,658.	2,238.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.
N=No lock option

Order Code	Specification Information	Application Notes
Example: RP161LL(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Hinge location, where applicable</i> L = left hand R = right hand	Applicable finishes are listed on page 0 and 0.
P Pedestal	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Finished back must be ordered separately to achieve full depth without a modesty. (page 288)
16 16" wide (nominal)	3. <i>Interior option</i> M = metal interior	For Open pedestals; 1. Finish type 2. Interior option 3. Cabinet finish
1 19" deep (nominal)	4. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
L Hinge door config.	5. <i>Lock option</i> Optional for hinged door configurations only L = drilled to accept lock N = no drilling	
L Left hand hinge location	6. <i>Cabinet finish</i> 7. <i>Pull finish</i> Painted or Plated	
L Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
M Interior option, metal	Keying instructions must accompany all orders, refer to page 578. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		

Pedestals, 28 3/8 planning
 Open / Hinge Door
 Wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 3/8"	RP161L(L/R) () () () ()	\$1,075.	\$1,153.	\$1,326.	\$1,790.
	16"	23"	28 3/8"	RP162L(L/R) () () () ()	1,292.	1,382.	1,591.	2,149.
	16"	29"	28 3/8"	RP163L(L/R) () () () ()	1,462.	1,566.	1,798.	2,428.
	30"	19"	28 3/8"	RP301L () () () ()	1,361.	1,462.	1,682.	2,271.
	30"	23"	28 3/8"	RP302L () () () ()	1,579.	1,695.	1,948.	2,630.
	36"	19"	28 3/8"	RP361L () () () ()	1,706.	1,825.	2,098.	2,833.
	36"	23"	28 3/8"	RP362L () () () ()	1,977.	2,119.	2,434.	3,286.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 3/8"	RP161M () ()	845.	899.	1,037.	1,400.
	16"	23"	28 3/8"	RP162M () ()	968.	1,040.	1,197.	1,616.
	16"	29"	28 3/8"	RP163M () ()	1,125.	1,203.	1,388.	1,875.
	30"	19"	28 3/8"	RP301M () ()	966.	1,034.	1,188.	1,604.
	30"	23"	28 3/8"	RP302M () ()	1,151.	1,234.	1,421.	1,916.
	36"	19"	28 3/8"	RP361M () ()	1,204.	1,296.	1,487.	2,011.
	36"	23"	28 3/8"	RP362M () ()	1,439.	1,538.	1,771.	2,392.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

N=No Lock option

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height) finished back 	16"	1"	28 3/8"	RPDHB16 () ()	130.	132.	153.	207.
	19"	1"	28 3/8"	RPDHB19 () ()	136.	138.	161.	218.
	30"	1"	28 3/8"	RPDHB30 () ()	256.	265.	303.	409.
	36"	1"	28 3/8"	RPDHB36 () ()	305.	314.	361.	487.

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: RP161LL(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	5. <i>Lock option</i> Optional for hinged door configurations only Lock default is Black L = drilled to accept lock N = no drilling	Applicable finishes are listed on page 0 and 0.
P Pedestal	6. <i>Cabinet finish</i>	For Open pedestals;
16 16" wide (nominal)	7. <i>Pull finish</i> Painted or Plated	1. Finish type
1 19" deep (nominal)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	2. Interior option
L Hinge door config.	Keying instructions must accompany all orders, refer to page 578. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	3. Cabinet finish
L Left hand hinge location		Finished back must be ordered separately to achieve full depth without a modesty. (page 288)
L Finish type, laminate		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
W Interior option, wood		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		
	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	
	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior option</i> W = wood interior	
	4. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = nickel finish C-pull D = metal D-pull F = Bar H = Out Line J = routed J-pull R = Cylinder S = S-pull T = Tab	

Pedestals, 28 3/8 planning
Removable Back
Wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height) hinge door configuration	30"	19"	28 3/8"	RPDHH301A()()()	\$1,541.	\$1,722.	\$2,134.	\$2,957.
Access with removable back	30"	23"	28 3/8"	RPDHH302A()()()	1,579.	1,997.	2,452.	3,383.
(wood interior only)	36"	19"	28 3/8"	RPDHH361A()()()	1,587.	2,082.	2,550.	3,517.
	36"	23"	28 3/8"	RPDHH362A()()()	1,624.	2,418.	2,938.	4,041.



Pedestal, (desk height) open book case	30"	20"	28 3/8"	RPDH301A()	1,183.	1,264.	1,453.	1,962.
Access with removable back	30"	24"	28 3/8"	RPDH302A()	1,406.	1,508.	1,735.	2,340.
(wood interior only)	36"	20"	28 3/8"	RPDH362A()	1,474.	1,584.	1,823.	2,459.
	36"	24"	28 3/8"	RPDH361A()	1,762.	1,883.	2,167.	2,926.



Order Code	Specification Information	Application Notes
Example: RPDHH301A	<i>To order please specify pattern number including:</i>	
R Reff		4. <i>Pull Finish:</i> Painted Plated
P Pedestal	1. <i>Lock Option:</i> L/N	5. <i>Pedestal Finish:</i> L,V1,V2,V3
DH Desk Height	2. <i>Lock Finish:</i> B = Black S = Matte Silver	Hinge doors only One adjustable shelf Wood shelf only No metal interior
H Hinge doors	3. <i>Pull option:</i> B = no pull, no drilling Customer's own pull C = nickel finish C-pull D = metal D-pull F = Bar pull H = Outline pull J = routed J-pull R = Cylinder pull S = S-pull T = Tab pull	Removable back is above adjustable shelf Key hole construction 30" and 36" wide x 19" deep Always comes with applied pull No touch latch option
30 30" wide (<i>nominal</i>)		Works the same way as the 3/4" access ped Inside height clearance top shelf = 10.9"
1 19" deep (<i>nominal</i>)		Inside height clearance bottom shelf = 11.6"
A Access		Use with 28 3/8" high planning
L Lock option		
B Lock finish		
B Pull option, B		
() Pull finish		
118 Cabinet finish		

Pedestals, 28 3/8 planning
Equipment Pedestal, 28^{3/4}" high
Wood interior




description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height)	30"	19"	28 ^{3/8} "	RPDH301E(L/R) () () () () () ()	\$2,238.	\$2,945.	\$3,256.	\$3,884.
Equipment configuration	30"	23"	28 ^{3/8} "	RPDH302E(L/R) () () () () () ()	2,279.	2,999.	3,308.	4,066.
(wood interior only)	36"	19"	28 ^{3/8} "	RPDH361E(L/R) () () () () () ()	2,293.	3,006.	3,324.	3,998.
	36"	23"	28 ^{3/8} "	RPDH362E(L/R) () () () () () ()	2,332.	3,052.	3,392.	4,120.



Order Code	Specification Information	Application Notes
Example: RPDH301E(L/R)	<i>To order please specify pattern number including:</i>	Use 28 ^{3/8} " desk height planning.
R Reff	1. <i>Finish type:</i>	Applied back ordered separately for finish back.
P Pedestal	L = laminate	
DH Desk height	1 = V1	
30 30" wide	2 = V2	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
1 19" deep (<i>nominal</i>)	3 = V3	
E Equipment Ped.	2. <i>Interior option: W (wood)</i>	
L Left hand	3. <i>Pull option</i>	
V2 Case finish type	B = No pull, No drilling	
V2 Front finish type	Customer's own pull	
W Interior option, wood	F = Bar pull	
H Pull option	H = Outline pull	
V316 Case finish	R = Cylinder pull	
111 Pull finish	T = Tab pull	
L Lock option	4. Case finish	
B Lock finish	5. Pull finish:	
	Painted or Plated	
	6. <i>Lock option</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	7. Lock finish:	
	B = Black	
	S = Silver	


Pedestals, 28 3/8 planning

Metal accessories for pedestals


description	w	d	h	pattern no.	list
Metal box divider, for desk height products 				RDHMBD	\$29.
	for 16" w desk height metal box drawer				
Metal file drawer divider, for desk height products 				RDHMFD	29.
	for 16" w desk height metal file drawer				
Metal lateral drawer divider, for desk height products 				RDHMLD	23.
	for 20" and 24" deep metal lateral drawers				
Counter weight (for file/file configuration pedestals when used in freestanding applications)	—	—	—	RCOUNTWT	100.
	1 counter weight - 10 lbs.				

Order Code	Specification Information	Application Notes
Example: RDHMBD		
R	Reff	
DH	Desk height	
M	Metal	
B	Box	
D	Divider	


Pedestals, 28 3/8 planning
Hinge door, 22 3/8" high
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height planning) box/file configuration	16"	19"	22 3/8"	RP161R () () (L) () ()	\$1,119.	\$1,197.	\$1,373.	\$1,847.
	16"	23"	22 3/8"	RP162R () () (L) () ()	1,168.	1,251.	1,437.	1,932.
	19"	19"	22 3/8"	RP191R () () (L) () ()	1,173.	1,256.	1,441.	1,938.
	19"	23"	22 3/8"	RP192R () () (L) () ()	1,226.	1,313.	1,508.	2,028.
	30"	19"	22 3/8"	RP301R () () (L) () ()	1,191.	1,277.	1,465.	1,970.
	30"	23"	22 3/8"	RP302R () () (L) () ()	1,255.	1,345.	1,541.	2,072.
	36"	19"	22 3/8"	RP361R () () (L) () ()	1,269.	1,359.	1,560.	2,099.
	36"	23"	22 3/8"	RP362R () () (L) () ()	1,330.	1,423.	1,635.	2,200.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal
Pencil tray not included.


 Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf	30"	19"	22 3/8"	RP301S () () ()	793.	853.	980.	1,323.
	30"	23"	22 3/8"	RP302S () () ()	966.	1,037.	1,190.	1,607.
	36"	19"	22 3/8"	RP361S () () ()	1,015.	1,091.	1,254.	1,692.
	36"	23"	22 3/8"	RP362S () () ()	1,229.	1,317.	1,514.	2,044.

Supplied with hardware kit includes wood screws for attachment to underside of worksurface

 Pedestal, (desk height planning) open file configuration	30"	19"	22 3/8"	RP301T () () (L) () ()	853.	913.	1,039.	1,382.
	30"	23"	22 3/8"	RP302T () () (L) () ()	1,026.	1,097.	1,249.	1,667.
	36"	19"	22 3/8"	RP361T () () (L) () ()	1,074.	1,151.	1,313.	1,752.
	36"	23"	22 3/8"	RP362T () () (L) () ()	1,289.	1,377.	1,574.	2,103.


Order Code	Specification Information	Application Notes
Example: RP161R () () (L) () ()	<i>To order please specify pattern number including:</i>	
R Reff		4. <i>Lock option</i> Pedestals with drawers always lock drilled
P Pedestal	1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	Use 28 3/8" desk height planning. Applied back ordered separately for finished back.
16 16" wide (<i>nominal</i>)		5. <i>Lock finish</i> B = Black S = Matt silver
1 19" deep (<i>nominal</i>)		6. <i>Cabinet finish:</i> L, V1, V2, V3
R Box/File configuration	2. Interior option: M= Metal interior	7. <i>Pull finish</i> Painted or Plated
2 Finish type	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = Metal C-pull D = Metal D-pull F = Bar H = Outline J = Routed J-pull S = Metal S-pull R = Cylinder T = Tab	File drawer support bottom loading File drawers include bars for front to back and side to side filing. Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 450. Open book case: 1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. Interior option 3. Cabinet finish
M Interior option		
H Finish Pull option		
L Lock option		
B Lock finish		
V316 Cabinet finish		
PU Satin Nickel		

Pedestals, 28 3/8 planning
Hinge door, 22 3/8" high
Wood interiors


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning) box/file configuration 	16"	19"	22 3/8"	RP161R () () L () ()	\$1,186.	\$1,267.	\$1,456.	\$1,958.
	16"	23"	22 3/8"	RP162R () () L () ()	1,317.	1,411.	1,619.	2,179.
	19"	19"	22 3/8"	RP191R () () L () ()	1,244.	1,330.	1,529.	2,055.
	19"	23"	22 3/8"	RP192R () () L () ()	1,382.	1,481.	1,700.	2,288.
	30"	19"	22 3/8"	RP301R () () L () ()	1,422.	1,523.	1,749.	2,353.
	30"	23"	22 3/8"	RP302R () () L () ()	1,670.	1,786.	2,047.	2,756.
	36"	19"	22 3/8"	RP361R () () L () ()	1,754.	1,878.	2,158.	2,905.
	36"	23"	22 3/8"	RP362R () () L () ()	2,040.	2,187.	2,508.	3,383.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf 	30"	19"	22 3/8"	RP301S () ()	884.	945.	1,086.	1,466.
	30"	23"	22 3/8"	RP302S () ()	1,051.	1,127.	1,297.	1,749.
	36"	19"	22 3/8"	RP361S () ()	1,101.	1,183.	1,362.	1,838.
	36"	23"	22 3/8"	RP362S () ()	1,316.	1,407.	1,619.	2,186.

Pedestals are supplied with hardware kit including wood screws for attachments to underside of worksurface.

Pedestal, (desk height planning) open file configuration 	30"	19"	22 3/8"	RP301T () () L () ()	943.	1,004.	1,145.	1,525.
	30"	23"	22 3/8"	RP302T () () L () ()	1,110.	1,187.	1,357.	1,809.
	36"	19"	22 3/8"	RP361T () () L () ()	1,161.	1,243.	1,421.	1,897.
	36"	23"	22 3/8"	RP362T () () L () ()	1,376.	1,467.	1,679.	2,245.

Order Code	Specification Information	Application Notes
Example: RPH301A () () L () ()	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
R Reff		Applied back ordered separately for finished back.
P Pedestal	1. <i>Lock option</i>	One adjustable shelf.
H Hinge doors	L = Drilled for lock	Wood shelf only, no metal interior.
30 30" wide	N = No lock drilling	Removable back is above adjustable shelf.
1 19" deep	2. <i>Lock finish:</i>	Keyhole construction.
A Access	B = Black	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
L Lock option	S = Matte Silver	
B Lock finish	3. <i>Pull option</i>	
B Pull option	B = No pull, No drilling	
111 Pull finish	Customer's own pull	
118 Finish	C = Metal C-pull	
	D = Metal D-pull	
	F = Bar	
	H = Outline	
	J = Routed J-pull	
	S = Metal S-pull	
	R = Cylinder	
	T = Tab	
	4. <i>Pull finish:</i>	
	Painted or Plated	
	5. <i>Finish:</i> Wood or Laminate	

Pedestals, 28 3/8 planning
Hinge door, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Desk Height (22 3/8") Access Pedestal, Hinge doors	30"	19"	22 3/8"	RPH301A () () () ()	\$1,464.	\$1,636.	\$2,027.	\$2,809.
	30"	23"	22 3/8"	RPH302A () () () ()	1,500.	1,897.	2,329.	3,214.
	36"	19"	22 3/8"	RPH361A () () () ()	1,508.	1,978.	2,423.	3,341.
	36"	23"	22 3/8"	RPH362A () () () ()	1,543.	2,297.	2,791.	3,839.



Order Code	Specification Information	Application Notes
Example: RPH301A () () () ()	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
R Reff		Applied back ordered separately for finished back.
P Pedestal	1. <i>Lock option</i>	One adjustable shelf.
H Hinge doors	L = Drilled for lock	Wood shelf only, no metal interior.
30 30" wide	N = No lock drilling	Removable back is above adjustable shelf.
1 19" deep	2. <i>Lock finish:</i>	Keyhole construction.
A Access	B = Black	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
L Lock option	S = Matte Silver	
B Lock finish	3. <i>Pull option</i>	
B Pull option	B = No pull, No drilling	
111 Pull finish	Customer's own pull	
118 Finish	C = Metal C-pull	
	D = Metal D-pull	
	F = Bar	
	H = Outline	
	J = Routed J-pull	
	S = Metal S-pull	
	R = Cylinder	
	T = Tab	
	4. <i>Pull finish:</i>	
	Painted or Plated	
	5. <i>Finish:</i> Wood or Laminate	

Pedestals, 28 3/8 planning
Removable Back, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 3/8"	RP301A ()()	\$986.	\$1,053.	\$1,211.	\$1,635.
cabinet access bookcase	30"	23"	22 3/8"	RP302A ()()	1,172.	1,257.	1,446.	1,950.
* with removable back	36"	19"	22 3/8"	RP361A ()()	1,228.	1,320.	1,519.	2,049.
	36"	23"	22 3/8"	RP362A ()()	1,468.	1,569.	1,806.	2,438.



*available in wood interior only.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RP301A	<i>To order the bookcase, please specify pattern number including:</i>	Bookcase
R Reff	1. <i>Finish type</i>	Always open configuration.
P Pedestal	L = Laminate	One adjustable Shelf.
30 30" wide	1 = V1	Bottom shelf fixed.
1 19" deep (<i>nominal</i>)	2 = V2	Removable back.
A Access pedestal	3 = V3	
2 Finish type	2. <i>Cabinet finish:</i>	
V316 Cabinet finish	Laminate, V1, V2, V3	

Use 28 3/8" desk height planning.
 Applied back ordered separately for finished back.
 File drawer support bottom loading
 Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning
Equipment Pedestal, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 3/8"	RP301E(L/R) () () () () ()	\$1,865.	\$2,454.	\$2,713.	\$3,237.
equipment configuration	30"	23"	22 3/8"	RP302E(L/R) () () () () ()	1,899.	2,499.	2,757.	3,338.
(wood interior only)	36"	19"	22 3/8"	RP361E(L/R) () () () () ()	1,911.	2,505.	2,770.	3,332.
	36"	23"	22 3/8"	RP362E(L/R) () () () () ()	1,943.	2,543.	2,827.	3,433.



Left hand shown




Order Code	Specification Information	Application Notes
Example: RP301E(L/R)	<i>To order please specify pattern number including:</i>	Lock default is black
R Reff	1. <i>Finish type:</i> L = laminate	Use 28 3/8" desk height planning.
P Pedestal	1 = V1	Applied back ordered separately for finish back.
30 30" wide	2 = V2	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
1 19" deep (<i>nominal</i>)	3 = V3	
E Equipment Ped.	2. <i>Interior option: W (wood)</i>	
L Left hand	3. <i>Pull option</i> B = No pull, No drilling	
V2 Case finish type	Customer's own pull	
V2 Front finish type	F = Bar pull	
W Interior option, wood	H = Outline pull	
H Pull option	R = Cylinder pull	
V316 Case finish	T = Tab pull	
V316 Front finish	4. Case finish	
111 Pull finish	5. Pull finish: Painted or Plated	
L Lock option	6. <i>Lock option</i> L = Lock hole drilled	
B Lock finish	N = No lock drilling	
	7. Lock finish: B = Black S = Silver	

Equipment Pedestal's Clearance:

Enclosed Area:
 For 30" w X 19" d 22.5" w X 16.5" d X 14.25" h
 For 30" w X 23" d 22.5" w X 20.5" d X 14.25" h
 For 36" w X 19" d 26.5" w X 16.5" d X 14.25" h
 For 36" w X 23" d 26.5" w X 20.5" d X 14.25" h

Open Area:
 For 30" w X 19" d 8" w X 17" d X 17.5" h
 For 30" w X 23" d 8" w X 21" d X 17.5" h
 For 36" w X 19" d 8" w X 17" d X 17.5" h
 For 36" w X 23" d 8" w X 21" d X 17.5" h

Pedestals, 28 3/8 planning
 22 3/8" high
 Pedestal back, filler and flush modesty

description	w	th	h	pattern no.	L	V1	V2	V3
 Pedestal Back	16"		22 3/8"	RPCB16 () ()	\$236.	\$283.	\$325.	\$423.
	19"		22 3/8"	RPCB19 () ()	241.	289.	333.	433.
	30"		22 3/8"	RPCB30 () ()	265.	317.	365.	475.
	36"		22 3/8"	RPCB36 () ()	278.	333.	383.	499.
 Pedestal Filler	6"		22 3/8"	RPFC6 () ()	165.	198.	216.	258.
	6"		28 3/8"	RPDHF6 () ()	199.	233.	252.	296.
 Flush Modesty Panel	42"	1"	22 3/8"	RPDHC42MF () ()	342.	410.	472.	613.
	48"	1"	22 3/8"	RPDHC48MF () ()	357.	428.	493.	642.
	54"	1"	22 3/8"	RPDHC54MF () ()	373.	447.	515.	668.
	60"	1"	22 3/8"	RPDHC60MF () ()	411.	493.	568.	737.
	66"	1"	22 3/8"	RPDHC66MF () ()	426.	511.	588.	764.
	72"	1"	22 3/8"	RPDHC72MF () ()	441.	529.	609.	792.
	78"	1"	22 3/8"	RPDHC78MF () ()	462.	554.	638.	829.
	84"	1"	22 3/8"	RPDHC84MF () ()	478.	573.	659.	857.
	90"	1"	22 3/8"	RPDHC90MF () ()	513.	615.	708.	920.
	96"	1"	22 3/8"	RPDHC96MF () ()	527.	632.	727.	946.

Order Code	Specification Information	Application Notes
Example: RPCB16() ()	1. <i>Finish type</i>	Lock default is black.
R Reff	L = Laminate	
P Pedestal	1 = V1	Use 28 3/8" desk height planning.
C For use with 22 3/8" pedestal	2 = V2	
B Back	3 = V3	Applied back ordered separately for finished back.
16 Width	2. <i>Finish:</i>	
2 Finish type	Laminate or V1, V2, V3	
V316 Finish		

Pedestals, 28 3/8 planning
Mobile Pedestal, 23" high
Wood interiors


description	w	d	h	pattern no.	L/V1	L/V2	L/V3	L/L	V1	V2	V3
Mobile Pedestal	16"	19"	23"	RMPU () () () () () ()	\$2,251.	\$2,297.	\$2,354.	\$2,197.	\$2,346.	\$2,685.	\$3,458.



Order Code	Specification Information	Application Notes
Example: RMPU () () () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
R Reff		
M Mobile	1. Lock option Pedestals with drawers always lock drilled.	Always comes with lock.
P Pedestal	2. Lock finish B = Black S = Matt silver	Always comes with finished back Grommet pull only.
U Cubby above with drawer/box/file	3. Pull option G = Grommet pull only	Actual width = 15.94"
L Lock Option	4. Pull finish: Painted or Plated	Actual depth = 19.06"
B Lock Finish	5. Case finish	Actual total height = 23.37"
G Pull Finish	6. Front finish	
V316 Case Finish	7. Pencil tray finish Painted / Anodized	
V316 Front Drawer Finish		
111 Pencil Tray Finish		


Credenzas, 28³/₈" planning 23³/₈" high, file drawer

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, file drawer left and right and cubby	90"	20"	23 ³ / ₈ "	RRLCFDC2090	\$3,436.	\$3,780.	\$3,952.	\$4,124.	\$5,154.	\$5,928.	\$7,706.
	108"	20"	23 ³ / ₈ "	RRLCFDC20108	3,592.	3,951.	4,130.	4,311.	5,388.	6,196.	8,055.




*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, file drawer center with cubby	90"	20"	23 ³ / ₈ "	RRLCFDCC2090	3,062.	3,368.	3,522.	3,674.	4,593.	5,282.	6,866.
	108"	20"	23 ³ / ₈ "	RRLCFDCC20108	3,228.	3,551.	3,712.	3,874.	4,938.	5,569.	7,240.



*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, left	60"	20"	23 ³ / ₈ "	RRLCFDCL2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.
	72"	20"	23 ³ / ₈ "	RRLCFDCL2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.




*60" and 72"w credenzas with file drawer require 3 counter weights

*Left hand credenza; File drawer is on left.

Left hand credenza shown

Low credenza, right	60"	20"	23 ³ / ₈ "	RRLCFDCR2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.
	72"	20"	23 ³ / ₈ "	RRLCFDCR2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.



*60" and 72"w credenzas with file drawer require 3 counter weights

*Right hand credenza; File drawer is on right.


Right hand credenza shown

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT	100.
---	---	---	---	-----------------	------

*Available in Black only.

Order Code	Specification Information	Application Notes
Example: RRLCFDC2090	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff		Nominal depth 20"
LC Low Credenza		Actual depth 19"
FDC File Drawer with cubby	1. Lock option: Drawers are always lock drilled. L=drilled to accept lock	Grommet Pull option for these products.
20 20" deep	2. Lock finish: B=Black S=Matte Silver	Locks on wood and Laminate doors. No locks on glass doors.
90 90" wide	3. Pull option Grommet pull, only	Legs shipped with credenza.
L Lock option	4. Pull finish Painted / Plated	Legs available in painted finish.
S Lock finish	5. Leg finish Painted only	Shelves are fixed.
G Pull option	6. Case finish: V316	Glass top and cushion sold separately.
115 Pull finish	7. Front finish: V316	
115 Leg finish		
V316 Case option		
V316 Case finish		

Credenzas, 28³/₈" planning 23³/₈" high, open

description	w	d	h	pattern no.	L	V1	V2	V3
	60"	20"	23 ³ / ₈ "	RRLCO2060 () ()	\$2,105.	\$2,989.	\$3,438.	\$4,470.
	72"	20"	23 ³ / ₈ "	RRLCO2072 () ()	2,109.	3,122.	3,591.	4,668.
	90"	20"	23 ³ / ₈ "	RRLCO2090 () ()	2,574.	3,886.	4,469.	5,809.
	108"	20"	23 ³ / ₈ "	RRLCO20108 () ()	2,734.	4,128.	4,747.	6,172.

Order Code

Example:	RRLCO2060 () ()
RR	Reffresh
LC	Low Credenza
O	Open
20	20" deep
60	60" wide
115	Leg finish
2	Finish type
V316	Case finish

Specification Information

To order please specify pattern number including:

1. Leg finish
Painted only
2. Case finish type:
L = Laminate
1 = V1
2 = V2
3 = V3
3. Case finish:
V316

Application Notes

These products are Glue and Dowel Construction

Legs shipped with credenza.

Legs available in painted finish only.

Shelves are fixed.

Glass top and cushion sold separately.


Nominal depth 20"

Actual depth 19"


All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).

Credenzas, 28³/₈" planning
 23³/₈" high sliding door
 Glass door

description	w	d	h	pattern no.	L/GL	V1/GL	V2/GL	V3/GL
Low credenza, sliding glass door	90"	20"	23 ³ / ₈ "	RRLCSGD2090 () () () () ()	\$4,709.	\$5,652.	\$6,499.	\$8,449.
	108"	20"	23 ³ / ₈ "	RRLCSGD20108 () () () () ()	5,244.	6,292.	7,236.	9,407.




Low credenza, sliding glass door left	60"	20"	23 ³ / ₈ "	RRLCSGDL2060 () () () () ()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 ³ / ₈ "	RRLCSGDL2072 () () () () ()	3,315.	3,978.	4,574.	5,947.



Left hand shown

Low credenza, sliding glass door right	60"	20"	23 ³ / ₈ "	RRLCSGDR2060 () () () () ()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 ³ / ₈ "	RRLCSGDR2072 () () () () ()	3,315.	3,978.	4,574.	5,947.




right hand shown

Order Code	Specification Information	Application Notes
Example: RRLCSGD2090 () () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Nominal depth 20"
LC Low Credenza	Grommet pull	Actual depth 19"
SGD Sliding Glass Door	2. Pull finish	
20 20" deep	Painted / Plated	
90 90" wide	3. Leg finish	
G Pull tpe	Painted only	No locks on glass doors.
PN Pull finish	4. Case finish	Legs shipped with credenza.
115 Leg finish	L, V1, V2, V3	Legs available in Painted finishes only.
V316 Case finish	5. Glass frame finish:	Shelves are fixed.
AN Glass frame finish, Anodized black	Anodized or Painted	
GL11 Door / front finish	6. Glass finish: GL11, GL14, GL15, GL18	Glass top and cushion sold separately.
		All sliding doors including wood, laminate and glass are non-locking.


Credenzas, 28³/₈" planning
 23³/₈" high sliding door
 Wood / Laminate door

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, sliding wood/ laminate door	90"	20"	23 ³ / ₈ "	RRLCSWD2090 () () () ()	\$3,660.	\$4,026.	\$4,209.	\$4,392.	\$5,307.	\$6,103.	\$7,934.
	108"	20"	23 ³ / ₈ "	RRLCSWD20108 () () () ()	4,044.	4,449.	4,650.	4,852.	5,864.	6,743.	8,766.




Low credenza, sliding wood/ laminate door left	60"	20"	23 ³ / ₈ "	RRLCSWDL2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 ³ / ₈ "	RRLCSWDL2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.



Left hand shown

Low credenza, sliding wood/ laminate door right	60"	20"	23 ³ / ₈ "	RRLCSWDR2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 ³ / ₈ "	RRLCSWDR2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.




right hand shown

Order Code	Specification Information	Application Notes
Example: RRLCSWD2090 () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Grommet Pull option for these products.
LC Low Credenza	2. Pull finish Painted / Plated	
SWD Sliding Wood Door	3. Leg finish Painted only	Legs shipped with credenza.
20 20" deep	4. Case finish	Legs available in painted finishes only.
90 90" wide	5. Door finish L, V1, V2, V3	Shelves are fixed.
G Pull option		Glass top and cushion sold separately.
115 Pull finish		
115 Leg finish		
V316 Case finish		
V316 Door / front glass finish		All sliding doors including wood, laminate and glass are non-locking.


Credenzas, 28³/₈" planning

Glass top


description	d	w	pattern no.	list
Lower Credenza Glass Top 	20"	30"	RLCGT301()	\$397.
	20"	36"	RLCGT361()	474.
	20"	60"	RLCGT601()	762.
	20"	72"	RLCGT721()	901.

Order Code	Specification Information	Application Notes
<i>Example:</i> RLCGT301()	To order please specify pattern number including: 1. Glass finish GL35 Grey GL85 Star Clear	Grommet not an option.
R Reff		
LC Lower Credenza		
GT Glass Top		
30 Width		
1 20" deep		
GL35 Glass finish		

Cabinets, 26 1/2" planning
49" high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () ()	\$1,197.	\$1,568.	\$1,807.	\$2,439.
	30"	20"	49"	RC432B- () ()	1,350.	1,771.	2,035.	2,748.
	30"	24"	49"	RC433B- () ()	1,524.	1,995.	2,296.	3,098.
	36"	15"	49"	RC461B- () ()	1,328.	1,743.	2,003.	2,705.
	36"	20"	49"	RC462B- () ()	1,500.	1,965.	2,260.	3,051.
	36"	24"	49"	RC463B- () ()	1,686.	2,215.	2,545.	3,434.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () () ()	1,205.	1,579.	1,817.	2,452.
	16"	24"	49"	RC413C(L/R)- () () () ()	1,326.	1,735.	1,996.	2,694.
	30"	20"	49"	RC432C- () () () ()	1,764.	2,314.	2,662.	3,593.
	30"	24"	49"	RC433C- () () () ()	1,952.	2,559.	2,944.	3,975.
	36"	20"	49"	RC462C- () () () ()	1,956.	2,565.	2,949.	3,982.
	36"	24"	49"	RC463C- () () () ()	2,156.	2,835.	3,259.	4,398.


Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes
Example: RC431B () ()		
R Reff	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>
C Cabinets	1. <i>Finish type</i>	1. <i>Hinge location where applicable:</i>
4 49" high	L=Laminate	L = Left hand
3 30" wide	1=V1	R = Right hand
1 15" deep	2=V2	
B Open Bookcase	3=V3	2. <i>Finish type:</i>
2 V2 finish Type	2. <i>Interior option</i>	L = Laminate
M Metal interior	M=Metal interior	1 = V1
V316 Cabinet finish: Maple	(If laminate case finish-shelves painted to match. If V1, V2 or V3 case finish- shelves are painted black)	2 = V2
	3. <i>Cabinet finish</i>	3 = V3
	Wood or Laminate	3. <i>Interior options:</i>
		M=Metal Interior
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	4. <i>Pull options:</i>
		B=No pull, No Drilling, Customer's own Pull
		C= C-Pull (nickel finish only)
		D = D-Pull (PT or PZ only)
		F = Bar Pull
		H = Outline Pull
		J = J (Routed) Pull
		R = Cylinder Pull
		S = S Pull (Stainless Steel Finish only)
		T = Tab Pull
		5. <i>Lock options Doors:</i>
		L = Lock hole drilled
		N = No lock drilling
		6. <i>Cabinet Finish:</i>
		Laminate or Wood
		7. <i>Pull Finish:</i>
		Painted / Plated

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.

Cabinets, 26 1/2" planning
49" high, metal interior
4 Lateral files

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L()()	\$2,056.	\$2,694.	\$3,101.	\$4,188.
	30"	24"	49"	RC433F-()()L()()	2,269.	2,975.	3,421.	4,619.
	36"	20"	49"	RC462F-()()L()()	2,608.	3,418.	3,929.	5,305.
	36"	24"	49"	RC463F-()()L()()	2,879.	3,776.	4,342.	5,862.



Order Code

Example:	RC432F()()L()()
R	Reff
C	Cabinets
4	49" high
3	30" wide
2	20" deep
F	4 drawer lateral file
2	V2 finish type
M	Metal interior option
T	Tab pull option
L	Lock option
V316	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black)
- Pull options:**
B = No pull, No Drilling, Customer's own pull.
C = Nickel C-pull (nickel finish only)
D = Metal D-pull
F = Bar pull
H = Outline pull
J = Routed pull
R = Cylinder pull
S = S-pull (stainless steel finish only)
T = Tab pull
- Lock options:**
Drawers are always lock drilled
L = Lock hole drilled
- Cabinet finish:**
Wood or Laminate
- Pull finish:**
Painted or Plated

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

***After specifying product code, provide keying instructions.**

Refer to page 578 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.


Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning
49" high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () () ()	\$1,342.	\$1,757.	\$2,020.	\$2,727.
	30"	20"	49"	RC432B- () () ()	1,496.	1,961.	2,253.	3,042.
	30"	24"	49"	RC433B- () () ()	1,666.	2,183.	2,512.	3,392.
	36"	15"	49"	RC461B- () () ()	1,474.	1,932.	2,222.	2,998.
	36"	20"	49"	RC462B- () () ()	1,644.	2,157.	2,477.	3,343.
	36"	24"	49"	RC463B- () () ()	1,833.	2,404.	2,762.	3,729.

Open cabinets require no keying instructions


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () () ()	1,349.	1,769.	2,032.	2,743.
	16"	24"	49"	RC413C(L/R)- () () () ()	1,472.	1,928.	2,218.	2,993.
	30"	20"	49"	RC432C- () () () ()	1,908.	2,501.	2,877.	3,883.
	30"	24"	49"	RC433C- () () () ()	2,096.	2,750.	3,160.	4,265.
	36"	20"	49"	RC462C- () () () ()	2,101.	2,753.	3,169.	4,278.
	36"	24"	49"	RC463C- () () () ()	2,305.	3,023.	3,478.	4,696.

Order Code	Specification Information	Application Notes
Example: RC431B R Reff C Cabinets 4 49" high 3 30" wide 1 15" deep B Open Bookcase 2 Finish Type: V2 W Wood interior V316 Cabinet Finish: Maple	<p>To order the Open Bookcase, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> W = Wood Interior 3. <i>Cabinet Finish:</i> Laminate or Wood <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>	<p>To order the Cabinet with Hinge Doors, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand 2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> W = Wood Interior 4. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PT or PZ only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull 5. <i>Lock Options Doors:</i> <i>Drawers are always lock drilled</i> L = Lock hole drilled 6. <i>Cabinet finish:</i> Laminate or Wood 7. <i>Pull finish:</i> Painted or Plated

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.

Cabinets, 26 1/2" planning
49" high, wood interior
Wardrobe cabinet

description	w	d	height	pattern number	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-()W() () ()	\$1,742.	\$2,281.	\$2,624.	\$3,544.
	30"	24"	49"	RC433D-()W() () ()	1,901.	2,495.	2,871.	3,875.
	36"	20"	49"	RC462D-()W() () ()	1,914.	2,511.	2,887.	3,898.
	36"	24"	49"	RC463D-()W() () ()	2,093.	2,746.	3,157.	4,262.




Available with wood interior only.

Order Code	Specification Information	Application Notes
Example: RC432D	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Interior options:</i> W = Wood Interior	After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.
4 49" high	3. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PZ and PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull	Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 444.
3 30" wide	4. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	20" deep wardrobe cabinets provide only 18" of clear storage space.
2 20" deep, 3-24" deep	5. <i>Cabinet finish:</i> Wood or Laminate	
D Wardrobe Cabinet	6. <i>Pull finish:</i> Painted or Plated	
2 Finish Type: V2		
W Wood interior		
V316 Cabinet Finish: Maple		

Cabinets, 26 1/2" planning
 49" high, wood interior
 4 Lateral files

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F -() () L () ()	\$2,200.	\$2,885.	\$3,318.	\$4,478.
	30"	24"	49"	RC433F -() () L () ()	2,416.	3,171.	3,640.	4,914.
	36"	20"	49"	RC462F -() () L () ()	2,752.	3,605.	4,145.	5,597.
	36"	24"	49"	RC463F -() () L () ()	3,023.	3,961.	4,556.	6,151.



Order Code

Example:	RC432F -() () L () ()
R	Reff
C	Cabinets
4	49" high
3	30" wide
2	20" deep
F	Cabinet w/ 4 File Open bookcase
2	Finish Type: V2
W	Wood Interior
D	D-pull Option
L	Drilled for Lock (Not Optional)
V316	Cabinet finish: Maple
PT	Pull finish

To order please specify pattern number including:

- Finish Type:**
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
- Interior Option**
 W = Wood Interior
- Pull options:**
 B = No Pull, No Drilling, Customer's own Pull
 C = C-Pull (Nickel Finish Only)
 D = D-Pull (PT or PZ only)
 F = Bar Pull
 H = Outline Pull
 J = J (Routed) Pull
 R = Cylinder Pull
 S = S-pull (Stainless Steel Finish Only)
 T = Tab Pull
- Lock option doors**
 L = Drilled for Lock
 Drawers are always drilled for locks
- Cabinet Finish:**
 Laminate or Wood
- Pull Finish:**
 Painted / Plated

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Please refer to page 578 for keying instructions.


Key alike are field installed using the KnollKey order form. Random locks are factory installed.

File drawers are always drilled for lock.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning
64" high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () () ()	\$1,536.	\$2,016.	\$2,320.	\$3,131.
	30"	20"	64"	RC632B- () () ()	1,729.	2,267.	2,607.	3,518.
	30"	24"	64"	RC633B- () () ()	1,922.	2,521.	2,902.	3,915.
	36"	15"	64"	RC661B- () () ()	1,763.	2,310.	2,658.	3,587.
	36"	20"	64"	RC662B- () () ()	1,961.	2,567.	2,956.	3,988.
	36"	24"	64"	RC663B- () () ()	2,160.	2,831.	3,255.	4,395.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H- () () () () ()	2,125.	2,788.	3,205.	4,327.
	30"	24"	64"	RC633H- () () () () ()	2,349.	3,076.	3,540.	4,779.
	36"	20"	64"	RC662H- () () () () ()	2,349.	3,076.	3,540.	4,779.
	36"	24"	64"	RC663H- () () () () ()	2,572.	3,371.	3,877.	5,234.

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example:	RC631B
R	Reff
C	Cabinets
6	64" high
3	30" wide
1	15" deep
B	Open Bookcase
2	V2 finish type
M	Metal interior option
V316	Cabinet finish

- To order the Open Bookcase, specify pattern number including:*
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves are painted black)
 - Cabinet finish:**
Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

- To order the Cabinet with Hnge Doors, specify pattern number including:*
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
 - Pull options:**
B = No pull, No Drilling,
Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull
(PZ or PT only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull
(Stainless Steel Finish only)
T = Tab pull
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Cabinet finish:**
Wood or Laminate
 - Pull finish:**
Painted or Plated

Application Notes


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.

Applicable finishes are listed on pages 5 and 6 .


Cabinets, 26 1/2" planning
64" high, metal interior
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	RC632F -() () () () ()	\$2,856.	\$3,747.	\$4,307.	\$5,816.
	30"	24"	64"	RC633F -() () () () ()	3,157.	4,136.	4,759.	6,422.
	36"	20"	64"	RC662F -() () () () ()	3,157.	4,136.	4,759.	6,422.
	36"	24"	64"	RC663F -() () () () ()	3,487.	4,569.	5,253.	7,093.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	RC612G(L/R) -() () () () ()	2,168.	2,838.	3,265.	4,407.
	16"	24"	64"	RC613G(L/R) -() () () () ()	2,394.	3,137.	3,606.	4,869.
	30"	20"	64"	RC632G -() () () () ()	2,745.	3,598.	4,136.	5,585.
	30"	24"	64"	RC633G -() () () () ()	3,055.	4,001.	4,601.	6,212.
	36"	20"	64"	RC662G -() () () () ()	3,033.	3,973.	4,570.	6,170.
	36"	24"	64"	RC663G -() () () () ()	3,373.	4,421.	5,083.	6,860.


Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Cabinet with BBF below and hinged doors above 	16"	20"	64"	RC612P(L/R) -() () () () ()	2,234.	2,927.	3,366.	4,544.
	16"	24"	64"	RC613P(L/R) -() () () () ()	2,480.	3,253.	3,736.	5,044.
	30"	20"	64"	RC632P -() () () () ()	2,631.	3,447.	3,964.	5,352.
	30"	24"	64"	RC633P -() () () () ()	2,903.	3,806.	4,375.	5,907.
	36"	20"	64"	RC662P -() () () () ()	2,910.	3,813.	4,386.	5,921.
	36"	24"	64"	RC663P -() () () () ()	3,208.	4,202.	4,837.	6,530.


Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC632F () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted balck)	
6 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
F Hinge door with 4 file drawers	6. <i>Cabinet Finish:</i> Wood or Laminate	
L Finish Type: Laminate	7. <i>Pull Finish:</i> Painted or Plated	
M Metal interior	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
T Tab pull option		
L Lock option, files		
N Lock Optino, Doors		
118 Cabinet finish		
111 Pull finish		
F = Hinge door cabinet with 4 File drawers		
G = Hinge door cabinet with FF		
P = Hinge door cabinet with BBF		

Cabinets, 26 1/2" planning
64" high, metal interior
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$1,799.	\$2,354.	\$2,709.	\$3,657.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,005.	2,630.	3,023.	4,082.
	30"	20"	64"	RC632C-() () () ()	2,385.	3,127.	3,596.	4,854.
	30"	24"	64"	RC633C-() () () ()	2,635.	3,456.	3,969.	5,358.
	36"	20"	64"	RC662C-() () () ()	2,608.	3,418.	3,929.	5,305.
	36"	24"	64"	RC663C-() () () ()	2,856.	3,747.	4,307.	5,816.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.


Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	2,771.	3,631.	4,174.	5,636.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,074.	4,028.	4,633.	6,254.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,062.	4,012.	4,619.	6,234.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,396.	4,452.	5,118.	6,909.

Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	5. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
C Cabinets	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
1 15" wide	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted balck)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep	4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
C Hinge Door Cab. w/ adjustable shelves		* <i>Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 444.
L Finish Type: Laminate		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
M Metal Interior		
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning
64" high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () ()	\$1,681.	\$2,202.	\$2,535.	\$3,423.
	30"	20"	64"	RC632B- () ()	1,874.	2,457.	2,826.	3,816.
	30"	24"	64"	RC633B- () ()	2,067.	2,709.	3,116.	4,207.
	36"	15"	64"	RC661B- () ()	1,907.	2,499.	2,876.	3,880.
	36"	20"	64"	RC662B- () ()	2,103.	2,756.	3,172.	4,283.
	36"	24"	64"	RC663B- () ()	2,303.	3,020.	3,471.	4,687.


Open cabinets require no keying instructions

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H- () () () ()	2,270.	2,979.	3,425.	4,624.
	30"	24"	64"	RC633H- () () () ()	2,493.	3,267.	3,758.	5,074.
	36"	20"	64"	RC662H- () () () ()	2,493.	3,267.	3,758.	5,074.
	36"	24"	64"	RC663H- () () () ()	2,714.	3,560.	4,091.	5,523.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC631B	<i>To order Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior option:</i> W = Wood Interior	2. <i>Interior option:</i> W = Wood
6 64" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull
3 30" wide		4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
1 15" deep		5. <i>Cabinet Finish:</i> Wood or Laminate
B Open Bookcase		6. <i>Pull Finish:</i> Painted or Plated
2 Finish Type: V2		
W Wood Interior		
W316 Cabinet finish: Maple	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.


Cabinets, 26 1/2" planning
64" high, wood interior
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F -() () () () ()	\$3,001.	\$3,935.	\$4,525.	\$6,108.
	30"	24"	64"	RC633F -() () () () ()	3,300.	4,324.	4,973.	6,713.
	36"	20"	64"	RC662F -() () () () ()	3,300.	4,324.	4,973.	6,713.
	36"	24"	64"	RC663F -() () () () ()	3,631.	4,761.	5,472.	7,388.

Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R) -() () () () ()	2,309.	3,027.	3,481.	4,700.
	16"	24"	64"	RC613G(L/R) -() () () () ()	2,539.	3,325.	3,826.	5,164.
	30"	20"	64"	RC632G -() () () () ()	2,889.	3,786.	4,353.	5,876.
	30"	24"	64"	RC633G -() () () () ()	3,196.	4,189.	4,818.	6,505.
	36"	20"	64"	RC662G -() () () () ()	3,178.	4,163.	4,788.	6,465.
	36"	24"	64"	RC663G -() () () () ()	3,516.	4,608.	5,301.	7,159.


Requires two lock cores per cabinet


 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R) -() () () () ()	2,379.	3,116.	3,582.	4,837.
	16"	24"	64"	RC613P(L/R) -() () () () ()	2,624.	3,439.	3,956.	5,342.
	30"	20"	64"	RC632P -() () () () ()	2,776.	3,638.	4,185.	5,649.
	30"	24"	64"	RC633P -() () () () ()	3,049.	3,995.	4,592.	6,199.
	36"	20"	64"	RC662P -() () () () ()	3,056.	4,002.	4,603.	6,215.
	36"	24"	64"	RC663P -() () () () ()	3,350.	4,396.	5,053.	6,821.

Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC632F () () () () ()	<i>To order the Cabinet with Hinge Doors and File Drawers, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Hinge location where applicable:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Finish type:</i>	File drawers are always drilled for locks.
6 64" high	L = Laminate	After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.
3 30" wide	1 = V1	File drawers include file bars for front to back and side to side filing.
2 20" deep	2 = V2	File drawers do not support bottom loading. Applicable finishes are listed on page and .
F Hinge door with 4 file drawers	3 = V3	Applicable finishes are listed on page 5 and 6.
L Finish Type: Laminate	3. <i>Interior option:</i>	
W Wood Interior	W = Wood Interior	
T Tab pull option	4. <i>Pull options:</i>	
L Lock option, files	B = No Pull, No Drilling,	
N Lock option, doors	Customer's own Pull	
118 Cabinet finish	C = C-Pull, (Nickel finish only)	
118 Pull finish	D = D-pull (PZ or PT only)	
F = Hinge door cabinet with 4 File drawers	F = Bar Pull	
G = Hinge door cabinet with FF	H = Outline Pull	
P = Hinge door cabinet with BBF	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S Pull (Stainless Steel Finish only)	
	T = Tab Pull	
	5. <i>Lock Option Files:</i>	
	L = Lock hole drilled	
	Drawers are always drilled for locks	
	6. <i>Lock Option Doors:</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	7. <i>Cabinet Finish:</i>	
	Wood or Laminate	
	8. <i>Pull Finish:</i>	
	Painted or Plated	


Cabinets, 26 1/2" planning
64" high, wood interior
Hinge door with shelves and wardrobe

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () () ()	\$1,942.	\$2,545.	\$2,927.	\$3,951.
	16"	24"	64"	RC613C(L/R)-() () () () ()	2,152.	2,818.	3,239.	4,372.
	30"	20"	64"	RC632C-() () () () ()	2,529.	3,315.	3,813.	5,146.
	30"	24"	64"	RC633C-() () () () ()	2,779.	3,644.	4,189.	5,655.
	36"	20"	64"	RC662C-() () () () ()	2,752.	3,605.	4,145.	5,597.
	36"	24"	64"	RC663C-() () () () ()	3,001.	3,935.	4,525.	6,108.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () () ()	2,916.	3,821.	4,393.	5,931.
	30"	24"	64"	RC633E(L/R)-() () () () ()	3,217.	4,218.	4,849.	6,546.
	36"	20"	64"	RC662E(L/R)-() () () () ()	3,206.	4,200.	4,836.	6,528.
	36"	24"	64"	RC663E(L/R)-() () () () ()	3,538.	4,641.	5,336.	7,205.

Requires one lock core per cabinet

Left hand shown


Cabinet with hinged doors for coat rod and boot tray* 	16"	20"	64"	RC612D(L/R)-() () () () ()	1,701.	2,227.	2,560.	3,457.
	16"	24"	64"	RC613D(L/R)-() () () () ()	1,862.	2,441.	2,808.	3,789.
	30"	20"	64"	RC632D-() () () () ()	2,076.	2,720.	3,131.	4,227.
	30"	24"	64"	RC633D-() () () () ()	2,139.	2,808.	3,226.	4,355.
	36"	20"	64"	RC662D-() () () () ()	2,299.	3,015.	3,468.	4,680.
	36"	24"	64"	RC663D-() () () () ()	2,349.	3,100.	3,563.	4,809.

Requires one lock core per cabinet
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 444.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
R Reff	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
C Cabinets	6. <i>Cabinet Finish:</i> Wood or Laminate	
6 64" high	7. <i>Pull Finish:</i> Painted or Plated	
1 15" wide	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
2 20" deep	2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Hinge Door Cab. w/ adjustable shelves	3. <i>Interior Option:</i> W = Wood Interior	
L Finish Type: Laminate	4. <i>Pull Options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
W Wood Interior		
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		
D = Hinge door cabinet with full height wardrobe. Available only with wood interior.		

Cabinets, 26 1/2" planning
64" high, wood interior
Audio Visual Cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC6321-()()()()()	\$3,183.	\$4,169.	\$4,796.	\$6,474.
	30"	24"	64"	RC6331-()()()()()	3,502.	4,590.	5,282.	7,129.
	36"	20"	64"	RC6621-()()()()()	3,403.	4,463.	5,131.	6,927.
	36"	24"	64"	RC6631-()()()()()	3,724.	4,883.	5,612.	7,578.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes	Application Notes
Example: RC6321 ()()()()()	<i>To order, please specify pattern number including:</i>		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Interior option:</i> W = Wood Interior		* Audio Visual cabinets require two lock cores per cabinet.
6 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull		
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling		
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate		
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated		
2 Finish Type: V2			
W Wood Interior			
D Pull option; D			
N Lock option; No			
N Lock option, doors			
V316 Cabinet finish			
PZ Pull finish			


Cabinets, 26 1/2" planning
72" high, metal interiors
Bookcase and hinge doors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with open shelving	30"	20"	72"	RC732B- () () () ()	\$1,921.	\$2,520.	\$2,898.	\$3,914.
	30"	24"	72"	RC733B- () () () ()	2,130.	2,790.	3,212.	4,336.
	36"	20"	72"	RC762B- () () () ()	2,174.	2,850.	3,277.	4,425.
	36"	24"	72"	RC763B- () () () ()	2,383.	3,122.	3,592.	4,850.



Open cabinets require no keying instructions
Shelves painted metal

Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H- () () () () () ()	2,539.	3,324.	3,824.	5,162.
	30"	24"	72"	RC733H- () () () () () ()	2,807.	3,674.	4,225.	5,705.
	36"	20"	72"	RC762H- () () () () () ()	2,789.	3,653.	4,199.	5,670.
	36"	24"	72"	RC763H- () () () () () ()	3,059.	4,003.	4,604.	6,216.



Requires one lock core per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC732B () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hnge Doors, specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted balck)	2. <i>Interior options:</i> M = Metal Interior
7 72" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull
3 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
2 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	5. <i>Cabinet finish:</i> Wood or Laminate
B Open Bookcase		6. <i>Pull finish:</i> Painted or Plated
2 Finish Type: V2		7. <i>Left hand drill:</i>
M Metal Interior		8. <i>Right hand drill:</i>
V316 Cabinet Finish: Maple		
N Left hand drill		
N Right hand drill		


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning
72" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F -() () () () () () ()	\$3,157.	\$4,136.	\$4,759.	\$6,422.
	30"	24"	72"	RC733F -() () () () () () ()	3,507.	4,595.	5,285.	7,134.
	36"	20"	72"	RC762F -() () () () () () ()	3,487.	4,569.	5,253.	7,093.
	36"	24"	72"	RC763F -() () () () () () ()	3,870.	5,075.	5,834.	7,875.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"
Shelves painted metal

 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R) -() () () () () () ()	2,294.	3,003.	3,457.	4,666.
	16"	24"	72"	RC713G(L/R) -() () () () () () ()	2,513.	3,333.	3,834.	5,174.
	30"	20"	72"	RC732G -() () () () () () ()	2,911.	3,817.	4,388.	5,925.
	30"	24"	72"	RC733G -() () () () () () ()	3,201.	4,195.	4,822.	6,512.
	36"	20"	72"	RC762G -() () () () () () ()	3,162.	4,143.	4,767.	6,434.
	36"	24"	72"	RC763G -() () () () () () ()	3,453.	4,526.	5,205.	7,026.


Requires two lock cores per cabinet
Shelves painted metal

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R) -() () () () () () ()	2,381.	3,118.	3,586.	4,843.
	16"	24"	72"	RC713P(L/R) -() () () () () () ()	2,624.	3,439.	3,956.	5,342.
	30"	20"	72"	RC732P -() () () () () () ()	2,810.	3,681.	4,235.	5,719.
	30"	24"	72"	RC733P -() () () () () () ()	3,099.	4,063.	4,672.	6,307.
	36"	20"	72"	RC762P -() () () () () () ()	3,105.	4,069.	4,677.	6,315.
	36"	24"	72"	RC763P -() () () () () () ()	3,426.	4,486.	5,160.	6,967.


Requires two lock cores per cabinet
Shelves and drawer interiors metal

Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading. Applicable finishes are listed on page and .</p> <p>Applicable finishes are listed on pages 5 and 6.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> M = Metal Interior	
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	
2 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
F Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
L Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
M Metal Interior	8. <i>Pull finish:</i> Painted or Plated	
T Tab Pull option	9. <i>Left hand drill:</i> 10. <i>Right hand drill:</i>	
L Lock option, files	F = Hinge door cabinet with 4 File drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF	
N Lock option, doors		
118 Cabinet Finish		
118 Pull Finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning
72" high, metal interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R) -() () () () () ()	\$2,025.	\$2,653.	\$3,053.	\$4,122.
	16"	24"	72"	RC713C(L/R) -() () () () () ()	2,248.	2,947.	3,389.	4,573.
	30"	20"	72"	RC732C -() () () () () ()	2,643.	3,467.	3,986.	5,383.
	30"	24"	72"	RC733C -() () () () () ()	2,933.	3,843.	4,421.	5,968.
	36"	20"	72"	RC762C -() () () () () ()	2,922.	3,833.	4,406.	5,948.
	36"	24"	72"	RC763C -() () () () () ()	3,243.	4,247.	4,886.	6,597.

Requires one lock core per cabinet
Shelves painted metal

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R) -() () () () () ()	3,109.	4,072.	4,687.	6,326.
	30"	24"	72"	RC733E(L/R) -() () () () () ()	3,476.	4,555.	5,241.	7,074.
	36"	20"	72"	RC762E(L/R) -() () () () () ()	3,407.	4,465.	5,135.	6,930.
	36"	24"	72"	RC763E(L/R) -() () () () () ()	3,803.	4,990.	5,734.	7,743.


Requires one lock core per cabinet
Shelves painted metal

Left hand shown

Order Code	Specification Information	Application Notes
Example: RC712C(L/R)	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 444.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
R Reff	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
C Cabinets	6. <i>Cabinet finish:</i> Wood or Laminate	
7 72" high	7. <i>Pull finish:</i> Painted or Plated	
1 15" wide	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall	
2 20" deep	9. <i>Right hand drill:</i> Same as above	
C Hinge Door Cab. w/ adjustable shelves	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
L Finish Type: Laminate	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
M Metal Interior	3. <i>Interior options:</i> M = Metal Interior	
D Pull option; D	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		


Cabinets, 26 1/2" planning
72" high, wood interiors
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet with open shelving	30"	20"	72"	RC732B-() () () ()	\$2,065.	\$2,708.	\$3,114.	\$4,202.
	30"	24"	72"	RC733B-() () () ()	2,273.	2,982.	3,427.	4,627.
	36"	20"	72"	RC762B-() () () ()	2,320.	3,040.	3,495.	4,717.
	36"	24"	72"	RC763B-() () () ()	2,527.	3,312.	3,808.	5,142.



Open cabinets require no keying instructions


Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H-() () () () () ()	2,677.	3,510.	4,039.	5,451.
	30"	24"	72"	RC733H-() () () () () ()	2,944.	3,861.	4,440.	5,995.
	36"	20"	72"	RC762H-() () () () () ()	2,930.	3,838.	4,415.	5,960.
	36"	24"	72"	RC763H-() () () () () ()	3,196.	4,189.	4,818.	6,505.



Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732B () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hnge Doors, specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior options:</i> W = Wood	2. <i>Interior options:</i> W = Wood Interior
7 72" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull
3 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
2 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	5. <i>Cabinet finish:</i> Wood or Laminate
B Open Bookcase		6. <i>Pull finish:</i> Painted or Plated
2 Finish Type: V2		7. <i>Left hand drill:</i>
W Wood Interior		8. <i>Right hand drill:</i>
V316 Cabinet Finish: Maple		
N Left hand drilled		
N Right hand drilled		

Cabinets, 26 1/2" planning
72" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F -() () () () () () ()	\$3,300.	\$4,324.	\$4,973.	\$6,713.
	30"	24"	72"	RC733F -() () () () () () ()	3,651.	4,784.	5,500.	7,425.
	36"	20"	72"	RC762F -() () () () () () ()	3,631.	4,761.	5,487.	7,407.
	36"	24"	72"	RC763F -() () () () () () ()	4,013.	5,261.	6,053.	8,173.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R) -() () () () () () ()	2,438.	3,195.	3,674.	4,958.
	16"	24"	72"	RC713G(L/R) -() () () () () () ()	2,687.	3,522.	4,049.	5,466.
	30"	20"	72"	RC732G -() () () () () () ()	3,057.	4,003.	4,604.	6,216.
	30"	24"	72"	RC733G -() () () () () () ()	3,344.	4,385.	5,040.	6,805.
	36"	20"	72"	RC762G -() () () () () () ()	3,306.	4,333.	4,983.	6,727.
	36"	24"	72"	RC763G -() () () () () () ()	3,599.	4,716.	5,423.	7,320.


Requires two lock cores per cabinet

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R) -() () () () () () ()	2,524.	3,307.	3,804.	5,137.
	16"	24"	72"	RC713P(L/R) -() () () () () () ()	2,769.	3,630.	4,173.	5,635.
	30"	20"	72"	RC732P -() () () () () () ()	2,956.	3,874.	4,454.	6,013.
	30"	24"	72"	RC733P -() () () () () () ()	3,245.	4,251.	4,887.	6,599.
	36"	20"	72"	RC762P -() () () () () () ()	3,249.	4,257.	4,896.	6,610.
	36"	24"	72"	RC763P -() () () () () () ()	3,569.	4,676.	5,378.	7,262.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on pages 5 and 6.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>F = Hinge door cabinet with 4 file drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF</p>
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> W = Wood Interior	
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	
2 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
F Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
L Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
W Wood Interior	8. <i>Pull finish:</i> Painted or Plated	
T Tab Pull option	9. <i>Left hand drill:</i> N = No drilling S0 = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
N Lock option, files	10. <i>Right hand drill:</i> Same as above	
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning
72" high, wood interiors
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)-() () () () () () ()	\$2,171.	\$2,843.	\$3,269.	\$4,414.
	16"	24"	72"	RC713C(L/R)-() () () () () () ()	2,392.	3,136.	3,605.	4,866.
	30"	20"	72"	RC732C- () () () () () () ()	2,788.	3,653.	4,199.	5,670.
	30"	24"	72"	RC733C- () () () () () () ()	3,078.	4,035.	4,640.	6,263.
	36"	20"	72"	RC762C- () () () () () () ()	3,065.	4,019.	4,623.	6,240.
	36"	24"	72"	RC763C- () () () () () () ()	3,388.	4,439.	5,104.	6,891.

Requires one lock core per cabinet

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () () () () () ()	3,251.	4,262.	4,901.	6,616.
	30"	24"	72"	RC733E(L/R)-() () () () () () ()	3,619.	4,745.	5,457.	7,366.
	36"	20"	72"	RC762E(L/R)-() () () () () () ()	3,551.	4,654.	5,353.	7,228.
	36"	24"	72"	RC763E(L/R)-() () () () () () ()	3,950.	5,177.	5,954.	8,038.

Requires one lock core per cabinet

Left hand shown

 Wardrobe cabinet	16"	20"	72"	RC712D(L/R)-() () () ()	1,823.	2,392.	2,750.	3,712.
	16"	24"	72"	RC713D(L/R)-() () () ()	2,007.	2,631.	3,024.	4,083.
	30"	20"	72"	RC732D- () () ()	2,297.	3,011.	3,460.	4,671.
	30"	24"	72"	RC733D- () () ()	2,524.	3,307.	3,804.	5,137.
	36"	20"	72"	RC762D- () () ()	2,525.	3,310.	3,807.	5,141.
	36"	24"	72"	RC763D- () () ()	2,776.	3,638.	4,185.	5,649.

Requires one lock core per cabinet.
Order coat rod and boot tray from accessories.

Wood interior only

Order Code	Specification Information	Application Notes
Example: RC712C(L/R) () () () () () ()	<i>To order, please specify pattern number including:</i>	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height. <i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 444. 20" deep Wardrobe Cabinets provide only 18" of clear storage space. C = Hinge door cabinet with full height doors and 3 adjustable shelves. E = Hinge door cabinet with full height doors, half wardrobe and half shelves. D = Hinge door cabinet with full height wardrobe. Available only with wood interior.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> W = Wood Interior	
1 15" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) PZ = Bar Pull F = Outline Pull H = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
C Hinge Door Cab. w/ adjustable shelves	6. <i>Cabinet finish:</i> Wood or Laminate	
L Finish Type: Laminate	7. <i>Pull finish:</i> Painted or Plated	
W Wood Interior	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
D Pull option; D	9. <i>Right hand drill:</i> Same as above	
N Lock option; No	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.	
118 Cabinet Finish	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.	
PZ Pull finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning
72" high, wood interiors
Audio Visual Cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-() () () () () ()	\$3,527.	\$4,621.	\$5,313.	\$7,173.
	30"	24"	72"	RC733I-() () () () () ()	3,891.	5,102.	5,869.	7,922.
	36"	20"	72"	RC762I-() () () () () ()	3,825.	5,014.	5,768.	7,787.
	36"	24"	72"	RC763I-() () () () () ()	4,223.	5,537.	6,368.	8,596.



Requires two lock cores per cabinet
Hinge opening 110°
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC732I () () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Interior option:</i> W = Wood Interior	* Audio Visual cabinets require two lock cores per cabinet.
7 72" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated	
2 Finish Type: V2		
W Wood Interior		
D Pull option; D		
N Lock option; No		
V316 Cabinet finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning


49", 64" and 72" high metal interior

Freestanding Multifunction Cabinets

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M(L/R)() () () () ()	\$2,804.	\$3,891.	\$4,508.	\$5,411.
	Box/Box/File	24"	24"	49"	RC423N(L/R)() () () () ()	3,000.	4,097.	4,741.	5,689.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M(L/R)() () () () ()	3,020.	4,230.	5,019.	6,023.
	Box/Box/File	24"	24"	64"	RC623N(L/R)() () () () ()	3,219.	4,436.	5,222.	6,267.



Order Code

Example:	RC423ML () () () () ()
R	Reff
C	Cabinets
4	49" high
2	24" wide
3	24" deep
M	Multifunction Cabinet
L	Finish Type: Laminate
M	Metal Interior
D	Pull option: D
L	Lock option files
N	Lock options Doors
118	Cabinet Finish: Maple
PT	Pull Finish

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

- To order, please specify pattern number including:*
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
(If Laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves are painted black)
 - Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull
 - Lock Option Files:**
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Cabinet finish:**
Wood or Laminate
 - Pull Finish:**
Painted or Plated

Application Notes


- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
- Refer to page 578 for keying instructions.
- Drawers are always drilled for locks.
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.
- Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 444
- Coat rod is included.
- Applicable finishes are listed on page and .

Cabinets, 26 1/2" planning

49", 64" and 72" high metal interior

Freestanding Multifunction Cabinets

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M(L/R)()()()()()	\$3,173.	\$4,444.	\$5,309.	\$6,370.
	Box/Box/File	24"	24"	72"	RC723N()()()	3,371.	4,651.	5,519.	6,622.




Order Code	Specification Information	Application Notes
Example: RC423ML ()() ()() ()()	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Interior options:</i> M = Metal Interior (If Laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves are painted black)	Refer to page 578 for keying instructions.
4 49" high	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	Drawers are always drilled for locks.
2 24" wide	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	File drawers include file bars for front to back and side to side filing.
3 24" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	File drawers do not support bottom loading.
M Multifunction Cabinet	6. <i>Cabinet finish:</i> Wood or Laminate	Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 444
L Finish Type: Laminate	7. <i>Pull Finish:</i> Painted or Plated	Coat rod is included.
M Metal Interior		Applicable finishes are listed on page and .
D Pull option: D		
L Lock option files		
N Lock options Doors		
118 Cabinet Finish: Maple		
PT Pull Finish		

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning 49", 64" and 72" high wood interior Freestanding Multifunction Cabinet

Reff Profiles


description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M(L/R)() () () () ()	\$3,226.	\$4,316.	\$4,933.	\$5,919.
	Box/Box/File	24"	24"	49"	RC423N(L/R)() () () () ()	3,618.	4,715.	5,358.	6,429.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M(L/R)() () () () ()	3,444.	4,654.	5,444.	6,532.
	Box/Box/File	24"	24"	64"	RC623N(L/R)() () () () ()	3,835.	5,053.	5,840.	7,007.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M(L/R)() () () () ()	3,597.	4,869.	5,731.	6,877.
	Box/Box/File	24"	24"	72"	RC723N() () ()	3,988.	5,268.	6,136.	7,362.




Cabinetry

Order Code	Specification Information	Application Notes
Example: RC423ML () () () () ()	<i>To order, please specify pattern number including:</i>	
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks
C Cabinets	2. <i>Interior options:</i> W = Wood Interior	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
4 49" high	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	6. <i>Cabinet finish:</i> Wood or Laminate
2 24" wide		7. <i>Pull Finish:</i> Painted or Plated
3 24" deep		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
M Multifunction Cabinet		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
L Finish Type: Laminate		Refer to page 578 for keying instructions.
W Wood Interior		Drawers are always drilled for locks.
D Pull option: D		File drawers include file bars for front to back and side to side filing.
L Lock option files		File drawers do not support bottom loading.
N Lock options Doors		Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 444.
118 Cabinet Finish: Maple		Coat rod is included.
PT Pull Finish		Applicable finishes are listed on page and .

Cabinets, 28³/₈" planning 53" high, metal interiors


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,206.	\$1,580.	\$1,819.	\$2,456.
	30"	20"	53"	RC532DHB () () ()	1,361.	1,785.	2,052.	2,771.
	30"	24"	53"	RC533DHB () () ()	1,535.	2,010.	2,311.	3,121.
	36"	15"	53"	RC561DHB () () ()	1,339.	1,754.	2,020.	2,726.
	36"	20"	53"	RC562DHB () () ()	1,510.	1,980.	2,278.	3,076.
	36"	24"	53"	RC563DHB () () ()	1,700.	2,231.	2,565.	3,462.



Interior shelves painted metal

4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () L () ()	2,073.	2,718.	3,125.	4,219.
	30"	24"	53"	RC533DHF () () L () ()	2,288.	2,996.	3,446.	4,655.
	36"	20"	53"	RC562DHF () () L () ()	2,629.	3,443.	3,961.	5,348.
	36"	24"	53"	RC563DHF () () L () ()	2,902.	3,805.	4,375.	5,908.




Drawer interiors painted metal


Order Code	Specification Information	Application Notes
Example: RC531DHB	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the cabinet with 4 Lateral files, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate	1. <i>Finish type:</i> L = Laminate
C Cabinet	1 = V1	1 = V1
5 53" high	2 = V2	2 = V2
3 30" wide	3 = V3	3 = V3
1 15" deep	2. <i>Interior options:</i> M = Metal	2. <i>Interior options:</i> M = Metal Interior
DH Desk height	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull
B Open Bookcase	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull
2 Finish Type, V2		4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks
M Metal Interior		5. <i>Cabinet finish:</i> Wood or Laminate
V316 Cabinet Finish: Maple		6. <i>Pull Finish:</i> Painted or Plated
B = Open Bookcase		Cabinets do not come with lock included.
F = 4 Drawer Lateral File		Keying instructions must accompany all cabinet orders.
		53" nominal height - actual height 52.625"
		File drawers include file bars for front to back and side to side filing.
		File drawers support bottom loading.

Cabinets, 28³/₈" planning
53" high, wood interiors
Bookcase and Lateral File

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,352.	\$1,774.	\$2,034.	\$2,745.
	30"	20"	53"	RC532DHB () () ()	1,505.	1,975.	2,271.	3,065.
	30"	24"	53"	RC533DHB () () ()	1,679.	2,202.	2,531.	3,417.
	36"	15"	53"	RC561DHB () () ()	1,485.	1,946.	2,239.	3,022.
	36"	20"	53"	RC562DHB () () ()	1,656.	2,172.	2,498.	3,371.
	36"	24"	53"	RC563DHB () () ()	1,846.	2,421.	2,784.	3,757.



4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () L () ()	2,217.	2,907.	3,342.	4,512.
	30"	24"	53"	RC533DHF () () L () ()	2,435.	3,193.	3,667.	4,950.
	36"	20"	53"	RC562DHF () () L () ()	2,772.	3,633.	4,178.	5,639.
	36"	24"	53"	RC563DHF () () L () ()	3,047.	3,991.	4,592.	6,199.



Order Code	Specification Information	Application Notes
Example: RC531DHB	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the cabinet with 4 Lateral files, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinet	2. <i>Interior options:</i> W = Wood	2. <i>Interior options:</i> W = Wood Interior
5 53" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull
3 30" wide	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks
1 15" deep		5. <i>Cabinet finish:</i> Wood or Laminate
DH Desk height		6. <i>Pull Finish:</i> Painted or Plated
B Open Bookcase		
2 Finish Type, V2		
W Wood Interior		
V316 Cabinet Finish: Maple		
B = Open Bookcase		
F = 4 Drawer Lateral File		

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Cabinets do not come with lock included.

53" nominal height - actual height 52.625"

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.

Cabinets, 28³/₈" planning
53" high, wood interiors
Wardrobe

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors with coat rod (wood interior only)	30"	15"	53"	RC531DHH () () () ()	\$1,622.	\$2,129.	\$2,441.	\$3,294.
	30"	20"	53"	RC532DHH () () () ()	1,768.	2,317.	2,668.	3,599.
	30"	24"	53"	RC533DHH () () () ()	1,942.	2,544.	2,928.	3,951.
	36"	15"	53"	RC561DHH () () () ()	1,782.	2,335.	2,687.	3,626.
	36"	20"	53"	RC562DHH () () () ()	1,936.	2,534.	2,908.	3,912.
	36"	24"	53"	RC563DHH () () () ()	2,126.	2,783.	3,194.	4,298.



Requires one lock core per cabinet

Order Code

Example:	RC531DHH
R	Reff
C	Cabinet
5	53" high
3	30" wide
1	15" deep
DH	Desk height
H	Hinge Door Cabinet
2	Finish Type, V2
W	Wood Interior
V316	Cabinet Finish: Maple

To order the Cabinet with hinge Doors, please specify pattern number including:

- Lock Option:**
L = Lock hole drilled
N = No lock drilled
- Lock Finish:**
B = Black
S = Matte Silver
- Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull
(Stainless Steel Finish only)
T = Tab pull
- Pull Finish:**
Painted or Plated
- Cabinet finish:**
Wood or Laminate

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

53" nominal height - actual height 52.625"

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.


15" wardrobe cabinets come with 2 coat hooks.

20" and 24" deep wardrobe cabinet comes with a coat rod.

20" deep Wardrobe Cabinets provides only 18" of clear storage space.

Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 444.


Cabinets, 28³/₈" planning
72" high, metal interiors
Bookcase

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Open bookcase (for desk height planning)	30"	15"	72"	RC7231DHB () () () ()	\$1,789.	\$2,345.	\$2,699.	\$3,643.
	30"	20"	72"	RC7232DHB () () () ()	1,844.	2,418.	2,782.	3,756.
	30"	24"	72"	RC7233DHB () () () ()	2,045.	2,678.	3,082.	4,161.
	36"	15"	72"	RC7261DHB () () () ()	2,024.	2,653.	3,052.	4,120.
	36"	20"	72"	RC7262DHB () () () ()	2,087.	2,735.	3,146.	4,247.
	36"	24"	72"	RC7263DHB () () () ()	2,288.	2,996.	3,446.	4,655.


Order Code	Specification Information	Application Notes
Example: RC731B () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
72 72" high	3. <i>Cabinet Finish:</i> Wood or Laminate	
3 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
1 15" deep, 2 = 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	
DH Desk height		
B Open Bookcase		
2 Finish Type: V2		
M Metal Interior		
V316 Cabinet Finish: Maple		
N Left hand drill		
N Right hand drill		

Cabinets, 28³/₈" planning
72" high, metal interiors
Bookcase and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	72"	RC7232DHK() () () ()	\$3,182.	\$4,175.	\$4,784.	\$6,410.
	30"	24"	72"	RC7233DHK() () () ()	3,518.	4,609.	5,288.	7,091.
	36"	20"	72"	RC7262DHK() () () ()	3,469.	4,550.	5,221.	7,001.
	36"	24"	72"	RC7263DHK() () () ()	3,782.	4,992.	5,728.	7,685.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	72"	RC7232DHO() () () ()	3,394.	4,500.	5,169.	6,991.
	30"	24"	72"	RC7233DHO() () () ()	3,798.	5,028.	5,777.	7,814.
	36"	20"	72"	RC7262DHO() () () ()	3,775.	5,002.	5,743.	7,768.
	36"	24"	72"	RC7263DHO() () () ()	4,220.	5,581.	6,412.	8,671.



Order Code

Example:	RC7232DHK() () () ()
R	Reff
C	Cabinet
72	72" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
K	Open Shelves with 2 File drawers
M	Metal Interior
	Lock Option
	Lock Finish
	Pull Option
	Pull Finish
V316	Cabinet Finish: Maple

K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Specification Information

To order, please specify pattern number including:

- Interior options:**
M = Metal
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
Drawers are always drilled for lock. Not optional.
- Lock Finish:**
B = Black
S = Matte Silver
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
F = Bar Pull
H = Outline Pull
JN = J (Routed) Pull on Drawers and Touch latch on hinge doors
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull
- Pull Finish:**
Painted and Plated
- Cabinet Finish:**
Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
72" high, metal interiors
Hinge doors and file drawers

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwr& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () () () ()	\$3,029.	\$3,970.	\$4,567.	\$6,164.
	30"	24"	72"	RC7233DHFH () () () () () ()	3,366.	4,345.	5,072.	6,846.
	36"	20"	72"	RC7262DHFH () () () () () ()	3,346.	4,385.	5,041.	6,806.
	36"	24"	72"	RC7263DHFH () () () () () ()	3,714.	4,870.	5,627.	7,558.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () () () () ()	2,201.	2,882.	3,318.	4,477.
	16"	24"	72"	RC7213DHGH(L/R) () () () () () ()	2,412.	3,199.	3,679.	4,966.
	30"	20"	72"	RC7232DHGH () () () () () ()	2,793.	3,664.	4,211.	5,686.
	30"	24"	72"	RC7233DHGH () () () () () ()	3,072.	4,026.	4,628.	6,249.
	36"	20"	72"	RC7262DHGH () () () () () ()	3,034.	3,976.	4,574.	6,175.
	36"	24"	72"	RC7263DHGH () () () () () ()	3,314.	4,344.	4,994.	6,742.



Order Code	Specification Information	Application Notes
Example: RC723DHF	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
C Cabinet	2. <i>Interior options:</i> M = Metal	Applicable finishes are listed on page and .
7 72" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull JN = J (Routed) Pull on Drawers and Touch latch on hinge doors R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Applicable finishes are listed on page 5 and 6.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Drawers are always drilled for locks.
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	
F Storage with Hinge Door with 4 file drawers	7. <i>Cabinet Finish:</i> Wood or Laminate	
H Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated	
L Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		

F =Hinge door cabinet with 4 file drawers

G= Hinge door cabinet with FF

P= Hinge door cabinet with BBF

Cabinets, 28³/₈" planning
72" high, metal interiors
Hinge doors and Box/Box/File

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 1 adj shelf, bottom box/box/file (for desk height planning)	16"	20"	72"	RC7212DHPH(L/R) () () () () ()	\$2,631.	\$3,418.	\$3,936.	\$5,218.
	16"	24"	72"	RC7213DHPH(L/R) () () () () ()	2,874.	3,739.	4,306.	5,717.



Order Code

Example:	RC7212DHPH(L/R)
R	Reff
C	Cabinet
72	72" high
1	16" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
P	Storage with Hinge Door with Box/Box/File
H	Wood hinge doors
L/R	Left or Right hand
M	Metal Interior
L	Lock option, door
111	Lock finish
T	Pull option
111	Pull finish
118	Cabinet finish

P =Hinge door cabinet with Box/Box/File

Specification Information

To order, please specify pattern number including:

- Interior options:**
M = Metal
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
Drawers are always drilled for lock. Not optional.
- Lock Finish:**
B = Black
S = Matte Silver
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
F = Bar Pull
H = Outline Pull
JN = J (Routed) Pull on Drawers and Touch latch on hinge doors
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull
- Pull Finish:**
Painted and Plated
- Cabinet Finish:**
Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 72" high, metal interiors Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () () () ()	\$2,983.	\$3,908.	\$4,498.	\$6,071.
	30"	24"	72"	RC7233DHEH(L/R) () () () () ()	3,336.	4,371.	5,029.	6,789.
	36"	20"	72"	RC7262DHEH(L/R) () () () () ()	3,270.	4,285.	4,928.	6,651.
	36"	24"	72"	RC7263DHEH(L/R) () () () () ()	3,649.	4,790.	5,503.	7,430.




Left hand shown

Requires one lock core per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC7232DHEH (L/R)	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders. Refer to page 578 for keying instructions.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
72 72" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	* Note: 16" wide Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 444. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Coat rod is only included in 30" and 36" wide wardrobe cabinets.
2 20" deep	5. <i>Lock Finish:</i> B = Black S = Matte Silver	Applicable finishes are listed on page 5 and 6.
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
E Wardrobe / Bookcase combo	7. <i>Pull Finish:</i> Painted or Plated	
H Wood hinge doors		
L Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		

E = Hinge door cabinet with full height doors, half wardrobe and shelves

Cabinets, 28³/₈" planning
72" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Open bookcase (for desk height planning)	30"	15"	72"	RC7231DHB () () () ()	\$1,923.	\$2,521.	\$2,898.	\$3,912.
	30"	20"	72"	RC7232DHB () () () ()	1,982.	2,599.	2,988.	4,033.
	30"	24"	72"	RC7233DHB () () () ()	2,182.	2,861.	3,289.	4,440.
	36"	15"	72"	RC7261DHB () () () ()	2,159.	2,829.	3,253.	4,391.
	36"	20"	72"	RC7262DHB () () () ()	2,226.	2,917.	3,354.	4,527.
	36"	24"	72"	RC7263DHB () () () ()	2,425.	3,179.	3,654.	4,935.

Order Code

Example:	RC7232DHB () () () ()
R	Reff
C	Cabinets
72	72" high
3	30" wide
1	15" deep, 2 = 20" deep, 3 = 24" deep
DH	Desk Height
B	Open Bookcase
2	Finish Type: V2
W	Wood Interior
V316	Cabinet Finish: Maple
N	Left hand drill
N	Right hand drill

Specification Information

To order the Open Bookcase, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
W = Wood Interior
- Cabinet Finish:**
Wood or Laminate
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.**


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 28³/₈" planning 72" high, wood interiors Bookcase and file drawers

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	72"	RC7232DHK() () () ()	\$3,349.	\$4,389.	\$5,033.	\$6,747.
	30"	24"	72"	RC7233DHK() () () ()	3,682.	4,828.	5,540.	7,431.
	36"	20"	72"	RC7262DHK() () () ()	3,636.	4,771.	5,472.	7,341.
	36"	24"	72"	RC7263DHK() () () ()	3,973.	5,212.	5,979.	8,024.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	72"	RC7232DHO() () () ()	3,577.	4,733.	5,436.	7,345.
	30"	24"	72"	RC7233DHO() () () ()	3,982.	5,266.	6,043.	8,167.
	36"	20"	72"	RC7262DHO() () () ()	3,958.	5,236.	6,029.	8,149.
	36"	24"	72"	RC7263DHO() () () ()	4,400.	5,813.	6,681.	9,029.




Order Code	Specification Information	Application Notes
Example: RC7232DHK() () () ()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Interior options:</i> M = Metal	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling Drawers are always drilled for lock. Not optional.	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
72 72" high	3. <i>Lock Finish:</i> B = Black S = Matte Silver	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull JN = J (Routed) Pull on Drawers and Touch latch on hinge doors R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Applicable finishes are listed on page 5 and 6.
2 20" deep, 3 = 24" deep	5. <i>Pull Finish:</i> Painted and Plated	
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
K Open Shelves with 2 File drawers		
W Wood Interior		
L Lock option door		
111 Lock Finish		
T Pull Option		
111 Pull Finish		
V316 Cabinet Finish		


K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Cabinets, 28³/₈" planning
72" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () () () () ()	\$3,167.	\$4,150.	\$4,772.	\$6,442.
	30"	24"	72"	RC7233DHFH () () () () () () ()	3,504.	4,592.	5,279.	7,126.
	36"	20"	72"	RC7262DHFH () () () () () () ()	3,484.	4,569.	5,265.	7,108.
	36"	24"	72"	RC7263DHFH () () () () () () ()	3,851.	5,049.	5,809.	7,843.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () () () () () ()	2,340.	3,066.	3,526.	4,759.
	16"	24"	72"	RC7213DHGH(L/R) () () () () () () ()	2,579.	3,379.	3,886.	5,246.
	30"	20"	72"	RC7232DHGH () () () () () () ()	2,933.	3,841.	4,419.	5,966.
	30"	24"	72"	RC7233DHGH () () () () () () ()	3,209.	4,208.	4,837.	6,531.
	36"	20"	72"	RC7262DHGH () () () () () () ()	3,173.	4,158.	4,782.	6,456.
	36"	24"	72"	RC7263DHGH () () () () () () ()	3,454.	4,526.	5,205.	7,026.



Order Code	Specification Information	Application Notes
Example: RC7232DHF	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
C Cabinet	2. <i>Interior options:</i> W = Wood Interior	Drawers are always drilled for locks.
72 72" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull JN = J (Routed) Pull on Drawers and Touch latch on hinge doors R = Cylinder Pull T = Tab Pull	After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Applicable finishes are listed on page 5 and 6.
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	
F Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
H Wood hinge doors		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		

F =Hinge door cabinet with 4 file drawers

G= Hinge door cabinet with FF

Cabinets, 28³/₈" planning
72" high, wood interiors
Hinge doors and Box/Box/File

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 1 adj shelf, bottom box/box/file (for desk height planning)	16"	20"	72"	RC7212DHPH(L/R) () () () () ()	\$2,774.	\$3,607.	\$4,154.	\$5,512.
	16"	24"	72"	RC7213DHPH(L/R) () () () () ()	3,046.	3,930.	4,523.	6,010.



Order Code

Example: RC723DHF	
R	Reff
C	Cabinet
7	72" high
3	30" wide
2	20" deep
DH	Desk Height
P	Storage with Hinge Door with Box/Box/File
H	Wood hinge doors
L	Finish Type: Laminate
M	Metal Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
118	Cabinet Finish
111	Pull Finish

P =Hinge door cabinet with Box/Box/File

Specification Information

- To order, please specify pattern number including:*
- Interior options:**
M = Metal
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
Drawers are always drilled for lock. Not optional.
 - Lock Finish:**
B = Black
S = Matte Silver
 - Pull Options:**
B = No pull, No Drilling, Customer's own Pull
F = Bar Pull
H = Outline Pull
JN = J (Routed) Pull on Drawers and Touch latch on hinge doors
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull
 - Pull Finish:**
Painted and Plated
 - Cabinet Finish:**
Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.

Drawers are always drilled for locks.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page and .

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
72" high, wood interiors
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () () () ()	\$3,120.	\$4,090.	\$4,703.	\$6,349.
	30"	24"	72"	RC7233DHEH(L/R) () () () () ()	3,473.	4,554.	5,237.	7,069.
	36"	20"	72"	RC7262DHEH(L/R) () () () () ()	3,408.	4,466.	5,138.	6,936.
	36"	24"	72"	RC7263DHEH(L/R) () () () () ()	3,790.	4,968.	5,714.	7,714.



Left hand shown

Requires one lock core per cabinet.
Shelves painted metal

Wardrobe cabinet (for desk height planning)	16"	20"	72"	RC7212DHDH(L/R) () () () () ()	1,750.	2,295.	2,639.	3,563.
	16"	24"	72"	RC7213DHDH(L/R) () () () () ()	1,926.	2,525.	2,903.	3,918.
	30"	20"	72"	RC7232DHDH () () () () ()	2,204.	2,889.	3,321.	4,483.
	30"	24"	72"	RC7233DHDH () () () () ()	2,422.	3,174.	3,650.	4,930.
	36"	20"	72"	RC7262DHDH () () () () ()	2,423.	3,177.	3,653.	4,934.
	36"	24"	72"	RC7263DHDH () () () () ()	2,664.	3,492.	4,016.	5,421.



Wood interior only

Requires one lock core per cabinet.
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC7232DHEH (L/R)	<i>To order, please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.</p> <p>Drawers are always drilled for locks.</p> <p>After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>* Note: 16" wide Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 444. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p> <p>Coat rod is only included in 30" and 36" wide wardrobe cabinets.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Hinge Location, where applicable:</i> L = Left hand R = Right hand	
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> W = Wood Interior	
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	
E Wardrobe / Bookcase combo	7. <i>Cabinet Finish:</i> Wood or Laminate	
H Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated	
L Left hand		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		


E = Hinge door cabinet with full height doors, half wardrobe and shelves.

D = Wardrobe cabinet

Cabinets, 28³/₈" planning 75" high, metal interiors Bookcase

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,019.	\$2,644.	\$3,042.	\$4,108.
	30"	24"	75"	RC733DHB () () () ()	2,237.	2,930.	3,370.	4,551.
	36"	20"	75"	RC762DHB () () () ()	2,284.	2,992.	3,441.	4,645.
	36"	24"	75"	RC763DHB () () () ()	2,502.	3,281.	3,772.	5,091.



Shelves painted metal

Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () () () () ()	2,961.	3,886.	4,486.	6,054.
	30"	24"	75"	RC733DHK () () () () () ()	3,266.	4,282.	4,943.	6,673.
	36"	20"	75"	RC762DHK () () () () () ()	3,222.	4,227.	4,883.	6,592.
	36"	24"	75"	RC763DHK () () () () () ()	3,529.	4,630.	5,344.	7,213.



Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example:	RC732DHB () () () ()
R	Reff
C	Cabinets
7	75" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
B	Open Bookcase
2	Finish Type: V2
M	Metal Interior
V316	Cabinet Finish: Maple
N	Left hand drill
N	Right hand drill
B	=Bookcase
K	= Bookcase with FF

Specification Information

To order the Open Bookcase, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior Options:**
M = Metal
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
- Cabinet Finish:**
Wood or Laminate
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

To order the Open Bookcase with 2 file drawers, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = D - Pull (PZ or PT)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull
(Stainless Steel Finish only)
T = Tab Pull.
- Lock options Files:**
L = Lock hole drilled (not optional)
- Cabinet Finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

These 75" cabinets are intended to be used with the overdesk units only.

75" nominal height = 75.125" actual height


Cabinets, 28³/₈" planning
75" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () (L) () () ()	\$3,315.	\$4,342.	\$4,997.	\$6,744.
	30"	24"	75"	RC733DHF () () (L) () () ()	3,681.	4,823.	5,549.	7,491.
	36"	20"	75"	RC762DHF () () (L) () () ()	3,661.	4,799.	5,518.	7,450.
	36"	24"	75"	RC763DHF () () (L) () () ()	4,065.	5,326.	6,126.	8,271.



Requires two lock cores per cabinet
Drawer interiors painted black metal

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () ()	2,408.	3,155.	3,630.	4,901.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () ()	2,639.	3,498.	4,023.	5,433.
	30"	20"	75"	RC732DHG () () (L) () () ()	3,058.	4,008.	4,606.	6,219.
	30"	24"	75"	RC733DHG () () (L) () () ()	3,363.	4,404.	5,067.	6,839.
	36"	20"	75"	RC762DHG () () (L) () () ()	3,319.	4,350.	5,005.	6,757.
	36"	24"	75"	RC763DHG () () (L) () () ()	3,626.	4,751.	5,465.	7,379.




Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC732DHF	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	File drawers include file bars for front to back and side to side.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	File drawers to not support bottom loading.
7 75" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
3 30" wide	4. <i>Lock Options Files:</i> L = Lock hole drilled (not optional)	List price for woodgrain laminate options will be current published laminate list price plus 10%.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	These 75" cabinets are intended to be used with the overdesk units only.
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	75" nominal height = 75.125" actual height
F Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
L Finish Type: Laminate	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
M Metal Interior	9. <i>Right hand drill:</i> Same as above	
T Tab pull option		
L Lock option, files		
N Lock option, doors		
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		

E = Hinge door cabinet with full height doors, half wardrobe and shelves
G = Hinge door cabinet with FF

Cabinets, 28³/₈" planning
75" high, metal interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () () ()	\$3,264.	\$4,272.	\$4,920.	\$6,640.
	30"	24"	75"	RC733DHE(L/R) () () () () () ()	3,648.	4,782.	5,503.	7,429.
	36"	20"	75"	RC762DHE(L/R) () () () () () ()	3,578.	4,691.	5,391.	7,278.
	36"	24"	75"	RC763DHE(L/R) () () () () () ()	3,991.	5,240.	6,020.	8,127.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example:	RC732DHE (L/R)
R	Reff
C	Cabinets
7	75" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
E	Wardrobe / Bookcase Combo
L/R	Left / Right hand
L	Finish type; Laminate
M	Metal Interior
T	Tab pull
N	Lock option, doors
B	Lock finish
118	Cabinet Finish
111	Pull Finish

Specification Information

To order, please specify pattern number including:

- Hinge Location where applicable:**
L = Left hand
R = Right hand
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Cabinet Finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Drawers are always drilled for locks.

* Note: 16" wide Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 444. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.


Coat rod is only included in 30" and 36" wide wardrobe cabinets.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
75" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,169.	\$2,841.	\$3,268.	\$4,413.
	30"	24"	75"	RC733DHB () () () ()	2,388.	3,129.	3,599.	4,856.
	36"	20"	75"	RC762DHB () () () ()	2,436.	3,192.	3,671.	4,954.
	36"	24"	75"	RC763DHB () () () ()	2,653.	3,479.	4,001.	5,400.
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () () ()	3,113.	4,081.	4,711.	6,360.
	30"	24"	75"	RC733DHK () () L () () ()	3,417.	4,479.	5,172.	6,981.
	36"	20"	75"	RC762DHK () () L () () ()	3,374.	4,427.	5,111.	6,901.
	36"	24"	75"	RC763DHK () () L () () ()	3,680.	4,829.	5,571.	7,521.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC732DHB () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Open Bookcase with 2 file drawers, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior options:</i> W = Wood Interior	2. <i>Interior options:</i> W = Wood Interior
7 75" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.
3 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)
2 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	5. <i>Cabinet Finish:</i> Wood or Laminate 6. <i>Pull Finish:</i> Painted or Plated 7. <i>Left hand drill:</i> 8. <i>Right hand drill:</i>
DH Desk Height		
B Open Bookcase		
2 Finish Type: V2		
W Wood Interior		
V316 Cabinet Finish: Maple		
N Left hand drill		
N Right hand drill		

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

These 75" cabinets are intended to be used with the overdesk units only.

75" nominal height = 75.125" actual height

Cabinets, 28³/₈" planning
75" high, wood interiors
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () () ()	\$3,414.	\$4,473.	\$5,145.	\$6,946.
	30"	24"	75"	RC733DHE(L/R) () () () () () ()	3,801.	4,983.	5,730.	7,736.
	36"	20"	75"	RC762DHE(L/R) () () () () () ()	3,730.	4,886.	5,621.	7,588.
	36"	24"	75"	RC763DHE(L/R) () () () () () ()	4,147.	5,438.	6,252.	8,440.



Left hand shown

Requires one lock core per cabinet

Cabinet with hinged doors for coat rod and boot tray	30"	20"	75"	RC732DHD () W () () () () () ()	2,411.	3,161.	3,633.	4,905.
	30"	24"	75"	RC733DHD () W () () () () () ()	2,650.	3,473.	3,993.	5,393.
	36"	20"	75"	RC762DHD () W () () () () () ()	2,651.	3,475.	3,996.	5,398.
	36"	24"	75"	RC763DHD () W () () () () () ()	2,914.	3,821.	4,394.	5,931.



Wood interior only


Requires one lock core per cabinet
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC732DHE(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	* Note: 16" wide Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 444. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Coat rod is only included in 30" and 36" wide wardrobe cabinets.
7 75" h (nominal)	3. <i>Interior options:</i> W = Wood Interior	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" w (nominal)	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Applicable finishes are listed on page 5 and 6.
2 20" d (nominal)	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	These 75" cabinets are intended to be used with the overdesk units only. 75" nominal height = 75.125" actual height
DH Desk height	6. <i>Cabinet Finish:</i> Wood or Laminate	
E Wardrobe / Bookcase	7. <i>Pull Finish:</i> Painted or Plated	
L Left hand	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
2 Finish type, V2	9. <i>Right hand drill:</i> Same as above	
W Interior option, wood		
F Pull option; Bar		
N Lock option, doors		
B Lock Finish		
V316 Cabinet finish		
111 Pull finish		
N Left hand drill		
N Right hand drill		

Applicable finishes are listed on page 0 and 0.


Cabinets, 28³/₈" planning
75" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () (L) () () () ()	\$3,467.	\$4,540.	\$5,223.	\$7,051.
	30"	24"	75"	RC733DHF () () (L) () () () ()	3,835.	5,025.	5,777.	7,798.
	36"	20"	75"	RC762DHF () () (L) () () () ()	3,813.	4,998.	5,764.	7,782.
	36"	24"	75"	RC763DHF () () (L) () () () ()	4,215.	5,522.	6,357.	8,582.



Requires two lock cores per cabinet
Drawer interiors painted black metal

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () () ()	2,560.	3,353.	3,856.	5,207.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () () ()	2,822.	3,697.	4,252.	5,741.
	30"	20"	75"	RC732DHG () () (L) () () () ()	3,209.	4,201.	4,835.	6,526.
	30"	24"	75"	RC733DHG () () (L) () () () ()	3,512.	4,603.	5,293.	7,145.
	36"	20"	75"	RC762DHG () () (L) () () () ()	3,471.	4,550.	5,231.	7,062.
	36"	24"	75"	RC763DHG () () (L) () () () ()	3,777.	4,951.	5,694.	7,688.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Specification Information

Example: RC723DHF () () (L) () () () ()	
R	Reff
C	Cabinet
7	75" high
3	30" wide
2	20" deep
DH	Desk Height
F	Storage with Hinge Door with 4 file drawers
L	Finish Type: Laminate
W	Wood Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
118	Cabinet Finish
111	Pull Finish
N	Left hand drilling
N	Right hand drilling

F = Hinge door cabinet with 4 file drawers
G = Hinge door cabinet with FF

To order, please specify pattern number including:

- Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:
W = Wood Interior
- Pull Options:
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = D - Pull (PZ or PT)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull.
- Lock options Files:
L = Lock hole drilled (not optional)
- Lock Option Doors:
L = Lock hole drilled
N = No lock drilling
- Cabinet Finish: Wood or Laminate
- Pull Finish: Painted or Plated
- Left hand drill:
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:
Same as above

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.

Drawers are always drilled for locks.

File drawers include file bars for front to back and side to side.

File drawers do not support bottom loading.

These 75" cabinets are intended to be used with the overdesk units only.


75" nominal height = 75.125" actual height

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
86" high, metal interiors
Bookcase

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, with shelving	30"	15"	86"	RC831DHB()()()	\$2,167.	\$2,856.	\$3,288.	\$4,860.
	36"	15"	86"	RC861DHB()()()	2,465.	3,230.	3,717.	5,492.




Order Code	Specification Information	Application Notes
Example: RC832DHB()()()	<i>To order, please specify pattern number including:</i>	Anchor brackets are included.
R Reff	1. <i>Finish Type:</i> L = Laminate	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.
C Cabinet	1 = V1	
8 86" high	2 = V2	
3 30" wide	3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep, 3 = 24" deep	2. <i>Interior Options:</i> M = Metal Interior	
DH Desk Height	3. <i>Cabinet Finish:</i> Wood or Laminate	Product on this page excluding will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
B Open Bookcase		
2 Finish Type: V2		
M Metal Interior		Applicable finishes are listed on page 5 and 6.
V316 Cabinet Finish: Maple		


86" Nominal Height = 85.500"
Actual Height

Cabinets, 28³/₈" planning
86" high, metal interiors
Bookcase and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK() () () () ()	\$3,257.	\$4,275.	\$4,934.	\$6,660.
	30"	24"	86"	RC833DHK() () () () ()	3,593.	4,709.	5,438.	7,341.
	36"	20"	86"	RC862DHK() () () () ()	3,544.	4,650.	5,371.	7,251.
	36"	24"	86"	RC863DHK() () () () ()	3,882.	5,092.	5,878.	7,935.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO() () () () ()	3,469.	4,600.	5,319.	7,241.
	30"	24"	86"	RC833DHO() () () () ()	3,873.	5,128.	5,927.	8,064.
	36"	20"	86"	RC862DHO() () () () ()	3,850.	5,102.	5,893.	8,018.
	36"	24"	86"	RC863DHO() () () () ()	4,295.	5,681.	6,562.	8,921.




Order Code	Specification Information	Application Notes
Example: RC832DHK() () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Applicable finishes are listed on page 5 and 6.
2 20" deep, 3 = 24" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	86" Nominal Height = 85.500" Actual Height
DH Desk Height	6. <i>Pull Finish:</i> Painted or Plated	
K Open Shelves with 2 File drawers		
2 Finish Type: 2		
M Metal Interior		
T Pull Option		
L Lock Option, files		
V316 Cabinet Finish: Maple		
111 Pull Finish		


K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Cabinets, 28³/₈" planning
86" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF()()()()()	\$3,646.	\$4,777.	\$5,496.	\$7,418.
	30"	24"	86"	RC833DHF()()()()()	4,049.	5,306.	6,104.	8,240.
	36"	20"	86"	RC862DHF()()()()()	4,027.	5,279.	6,070.	8,195.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG()()()()()	3,364.	4,407.	5,067.	6,842.
	30"	24"	86"	RC833DHG()()()()()	3,699.	4,845.	5,573.	7,522.
	36"	20"	86"	RC862DHG()()()()()	3,650.	4,784.	5,504.	7,434.
	36"	24"	86"	RC863DHG()()()()()	3,988.	5,227.	6,011.	8,117.




Order Code	Specification Information	Application Notes
Example: RC862DHF()()()()()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	Applicable finishes are listed on page and .
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Applicable finishes are listed on page 5 and 6.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	86" Nominal Height = 85.500" Actual Height
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
F Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
F Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		

F = Hinge door cabinet with 4 file drawers

G = Hinge door cabinet with FF

Cabinets, 28³/₈" planning
 86" high, metal interiors
 Hinge doors with shelves and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () ()	\$3,394.	\$4,452.	\$5,114.	\$6,905.
	30"	24"	86"	RC833DHEH(L/R)() () () ()	3,762.	4,935.	5,670.	7,656.
	36"	20"	86"	RC862DHEH(L/R)() () () ()	3,695.	4,844.	5,567.	7,517.
	36"	24"	86"	RC863DHEH(L/R)() () () ()	4,092.	5,366.	6,168.	8,328.



Left hand shown

Shelves; painted metal.

Order Code

Example:	RC832DHEH (L/R)
R	Reff
C	Cabinet
8	86" high
3	30" wide
2	20" deep
DH	Desk Height
E	Wardrobe / Bookcase combo
H	Wood hinge doors
(L/R)	Left hand or Right hand
L	Finish Type: Laminate
M	Metal Interior
T	Tab pull option
N	Lock option, doors
8	Lock Finish
118	Cabinet Finish
111	Pull Finish

E = Hinge door cabinet with full height doors, half wardrobe and shelves

Specification Information

To order, please specify pattern number including:

- Hinge Location where applicable:**
L = Left hand
R = Right hand
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
F = Bar Pull
H = Outline Pull
N = No pull, Touch Latch
R = Cylinder Pull
T = Tab Pull
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Cabinet Finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 578 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Applicable finishes are listed on page and .


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

86" Nominal Height = 85.500" Actual Height

*Note:
86" high wardrobe cabinets come equipped with a coat rod.

Cabinets, 28³/₈" planning
86" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet, with shelving	30"	15"	86"	RC831DHB()()()	\$2,302.	\$3,031.	\$3,488.	\$5,135.
	30"	20"	86"	RC832DHB()()()	2,373.	3,125.	3,596.	5,294.
	30"	24"	86"	RC833DHB()()()	2,628.	3,443.	3,958.	5,828.
	36"	15"	86"	RC861DHB()()()	2,600.	3,405.	3,917.	5,767.
	36"	20"	86"	RC862DHB()()()	2,680.	3,510.	4,038.	5,945.
	36"	24"	86"	RC863DHB()()()	2,918.	3,827.	4,400.	6,481.


Order Code	Specification Information	Application Notes
Example: RC832DHB()()()	<p><i>To order, please specify pattern number including:</i></p> <ol style="list-style-type: none"> Finish Type: L = Laminate 1 = V1 2 = V2 3 = V3 Interior Options: W = Wood Interior Cabinet Finish: Wood or Laminate 	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page excluding will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>86" Nominal Height = 85.500" Actual Height</p>
R Reff		
C Cabinet		
8 86" high		
3 30" wide		
2 20" deep, 3 = 24" deep		
DH Desk Height		
B Open Bookcase		
2 Finish Type: V2		
W Wood Interior		
V316 Cabinet Finish: Maple		

Cabinets, 28³/₈" planning 86" high, wood interiors Bookcase and File drawers

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK () () () () ()	\$3,424.	\$4,489.	\$5,183.	\$6,997.
	30"	24"	86"	RC833DHK () () () () ()	3,757.	4,928.	5,690.	7,681.
	36"	20"	86"	RC862DHK () () () () ()	3,711.	4,871.	5,622.	7,591.
	36"	24"	86"	RC863DHK () () () () ()	4,048.	5,312.	6,129.	8,274.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO () () () () ()	3,652.	4,833.	5,586.	7,595.
	30"	24"	86"	RC833DHO () () () () ()	4,057.	5,366.	6,193.	8,417.
	36"	20"	86"	RC862DHO () () () () ()	4,033.	5,336.	6,179.	8,399.
	36"	24"	86"	RC863DHO () () () () ()	4,475.	5,913.	6,831.	9,279.




Order Code	Specification Information	Application Notes
Example: RC832DHK () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Interior options:</i> W = Wood Interior	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Applicable finishes are listed on page 5 and 6.
2 20" deep, 3 = 24" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	86" Nominal Height = 85.500" Actual Height
DH Desk Height	6. <i>Pull Finish:</i> Painted or Plated	
K Open Shelves with 2 File drawers		
2 Finish Type: 2		
W Wood Interior		
T Tab pull option		
L Lock option, files		
V316 Cabinet Finish		
111 Pull Finish		


K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Cabinets, 28³/₈" planning
86" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF() () (L) () () ()	\$3,813.	\$4,993.	\$5,746.	\$7,757.
	30"	24"	86"	RC833DHF() () (L) () () ()	4,218.	5,527.	6,355.	8,579.
	36"	20"	86"	RC862DHF() () (L) () () ()	4,194.	5,497.	6,340.	8,559.




Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG() () (L) () () ()	3,530.	4,623.	5,319.	7,179.
	30"	24"	86"	RC833DHG() () (L) () () ()	3,864.	5,063.	5,823.	7,860.
	36"	20"	86"	RC862DHG() () (L) () () ()	3,817.	5,005.	5,754.	7,768.
	36"	24"	86"	RC863DHG() () (L) () () ()	4,155.	5,446.	6,263.	8,456.



Order Code	Specification Information	Application Notes
Example: RC862DHF() () (L) () () ()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Interior options:</i> W = Wood Interior	Applicable finishes are listed on page and .
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Applicable finishes are listed on page 5 and 6.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	86" Nominal Height = 85.500" Actual Height
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing.
F Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	File drawers do not support bottom loading.
H Wood hinge doors		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		
F =Hinge door cabinet with 4 file drawers		
G = Hinge door cabinet with FF		

Cabinets, 28³/₈" planning
86" high, wood interiors
Hinge doors with shelves and wardrobe


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () () ()	\$3,576.	\$4,688.	\$5,391.	\$7,277.
	30"	24"	86"	RC833DHEH(L/R)() () () () ()	3,981.	5,219.	6,002.	8,102.
	36"	20"	86"	RC862DHEH(L/R)() () () () ()	3,907.	5,119.	5,889.	7,950.
	36"	24"	86"	RC863DHEH(L/R)() () () () ()	4,345.	5,694.	6,550.	8,842.



Left hand shown

Requires one lock core per cabinet

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, wardrobe (for desk height planning)	16"	20"	86"	RC812DHDH(L/R)() () () () ()	2,361.	3,541.	4,073.	5,294.
	16"	24"	86"	RC813DHDH(L/R)() () () () ()	2,447.	3,671.	4,221.	5,488.
	19"	20"	86"	RC822DHDH(L/R)() () () () ()	2,453.	3,681.	4,233.	5,503.
	19"	24"	86"	RC823DHDH(L/R)() () () () ()	2,542.	3,813.	4,385.	5,700.
	30"	20"	86"	RC832DHDH() () () () ()	2,804.	4,205.	4,837.	6,288.
	30"	24"	86"	RC833DHDH() () () () ()	2,900.	4,350.	5,003.	6,503.
	36"	20"	86"	RC862DHDH() () () () ()	3,023.	4,534.	5,214.	6,778.
	36"	24"	86"	RC863DHDH() () () () ()	3,127.	4,692.	5,395.	7,013.







Wood interior only

Requires one lock core per cabinet.
Coat rod included. Order boot tray from accessories

Order Code	Specification Information	Application Notes
Example: RC832DHEH (L/R)	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Applicable finishes are listed on page and .
8 86" high	3. <i>Interior options:</i> W = Wood Interior	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull N = No pull, Touch Latch R = Cylinder Pull T = Tab Pull	Applicable finishes are listed on page 5 and 6.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	86" Nominal Height = 85.500" Actual Height
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	*Note: 86" high wardrobe cabinets come equipped with a coat rod.
E Wardrobe / Bookcase combo	7. <i>Pull Finish:</i> Painted or Plated	20" deep cabinets provide 18" clear storage space.
H Wood hinge doors		
(L/R) Left hand or Right hand		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
N Lock option, doors		
8 Lock Finish		
118 Cabinet Finish		
111 Pull Finish		
E = Hinge door cabinet with full height doors, half wardrobe and shelves		
D = Wardrobe Cabinet		

Cabinets Progressive
49" high, metal interior
28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)M () () () () ()	\$1,790.	\$1,968.	\$2,058.	\$2,148.	\$2,719.	\$3,127.	\$4,064.
	24"	18"	49"	RCFS4913C(L/R)M () () () () ()	1,844.	2,028.	2,120.	2,212.	2,812.	3,234.	4,204.
Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)M () () () () ()	2,306.	2,537.	2,651.	2,767.	3,459.	3,978.	5,171.
	24"	18"	49"	RCFS4913Y(L/R)M () () () () ()	2,379.	2,617.	2,737.	2,855.	3,569.	4,105.	5,336.
Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)M () () () () ()	2,382.	2,620.	2,740.	2,859.	3,574.	4,110.	5,343.
	24"	18"	49"	RCFS4913Z(L/R)M () () () () ()	2,460.	2,706.	2,829.	2,952.	3,690.	4,336.	5,517.
Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)M () () () () ()	2,141.	2,356.	2,463.	2,570.	3,324.	3,822.	4,970.
	24"	24"	49"	RCFS4933V(L/R)M () () () () ()	2,208.	2,429.	2,539.	2,650.	3,449.	3,968.	5,116.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
49 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, metal interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)M () () () () ()	\$2,475.	\$2,722.	\$2,846.	\$2,969.	\$3,834.	\$4,409.	\$5,732.
	24"	24"	49"	RCFS4933W(L/R)M () () () () ()	2,547.	2,802.	2,929.	3,057.	3,969.	4,564.	5,933.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)M () () () () ()	2,631.	2,894.	3,025.	3,157.	3,998.	4,598.	5,977.
	24"	24"	49"	RCFS4933X(L/R)M () () () () ()	2,709.	2,980.	3,115.	3,251.	4,139.	4,759.	6,186.





Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves		The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior		These products are Glue and Dowel Construction
N Lock		Grommet pulls only
S Lock finish		Shelves and File Front will default to the case finish
G Pull option		49" h cabinets are compatible with panel height.
115 Pull finish option		When case finish is Laminate, shelves are painted to match.
114 Case finish		When case finish is wood, shelves are painted black.
115 Door finish		Drawer interiors always painted black.
		Cabinets with wardrobe come with a coat rod.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 64" high, metal interior
 28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	64"	RCFS6412C(L/R)M () () () () ()	\$1,944.	\$2,137.	\$2,235.	\$2,332.	\$2,976.	\$3,423.	\$4,449.
	24"	18"	64"	RCFS6413C(L/R)M () () () () ()	2,011.	2,211.	2,312.	2,412.	3,108.	3,574.	4,646.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	RCFS6412Y(L/R)M () () () () ()	2,483.	2,732.	2,856.	2,980.	3,726.	4,284.	5,569.
	24"	18"	64"	RCFS6413Y(L/R)M () () () () ()	2,621.	2,884.	3,015.	3,147.	3,933.	4,523.	5,879.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	RCFS6412Z(L/R)M () () () () ()	2,561.	2,817.	2,945.	3,072.	3,841.	4,417.	5,742.
	24"	18"	64"	RCFS6413Z(L/R)M () () () () ()	2,703.	2,973.	3,108.	3,243.	4,054.	4,662.	6,061.

Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 64" high, metal interior
 28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)M () () () () ()	\$2,312.	\$2,544.	\$2,659.	\$2,776.	\$3,648.	\$4,196.	\$5,455.
	24"	24"	64"	RCFS6433V(L/R)M () () () () ()	2,396.	2,636.	2,755.	2,875.	3,826.	4,401.	5,721.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)M () () () () ()	2,646.	2,911.	3,043.	3,175.	4,158.	4,782.	6,217.
	24"	24"	64"	RCFS6433W(L/R)M () () () () ()	2,806.	3,086.	3,227.	3,367.	4,411.	5,074.	6,596.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)M () () () () ()	2,803.	3,083.	3,223.	3,363.	4,323.	4,971.	6,462.
	24"	24"	64"	RCFS6433X(L/R)M () () () () ()	2,967.	3,264.	3,412.	3,561.	4,581.	5,268.	6,848.





Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68" high, metal interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves 	20"	18"	68"	RCFS6812C(L/R)M () () () () ()	\$1,965.	\$2,162.	\$2,261.	\$2,359.	\$3,046.	\$3,503.	\$4,554.
	24"	18"	68"	RCFS6813C(L/R)M () () () () ()	2,034.	2,238.	2,340.	2,441.	3,170.	3,646.	4,740.

Cabinets, hinge door with shelves&File/File 	20"	18"	68"	RCFS6812Y(L/R)M () () () () ()	2,536.	2,790.	2,917.	3,044.	3,805.	4,375.	5,688.
	24"	18"	68"	RCFS6813Y(L/R)M () () () () ()	2,670.	2,938.	3,070.	3,204.	4,005.	4,606.	5,987.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	RCFS6812Z(L/R)M () () () () ()	2,613.	2,875.	3,006.	3,136.	3,920.	4,508.	5,861.
	24"	18"	68"	RCFS6813Z(L/R)M () () () () ()	2,751.	3,026.	3,163.	3,301.	4,126.	4,745.	6,169.

Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
68 Height	S=Silver	V = all shelves for 24" w cabinets
1 18" Wide	B=Black	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	3. Pull options Grommet	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	4. Pull finish Paint / Plated	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	5. Case finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	6. Door finish L, V1, V2, V3	
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68" high, metal interior
28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)M () () () () ()	\$2,342.	\$2,576.	\$2,693.	\$2,810.	\$3,739.	\$4,300.	\$5,590.
	24"	24"	68"	RCFS6833V(L/R)M () () () () ()	2,427.	2,670.	2,791.	2,912.	3,914.	4,501.	5,851.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)M () () () () ()	2,685.	2,954.	3,088.	3,222.	4,275.	4,916.	6,391.
	24"	24"	68"	RCFS6833W(L/R)M () () () () ()	2,847.	3,131.	3,274.	3,417.	4,508.	5,185.	6,740.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)M () () () () ()	2,841.	3,125.	3,267.	3,409.	4,423.	5,086.	6,612.
	24"	24"	68"	RCFS6833X(L/R)M () () () () ()	3,009.	3,309.	3,460.	3,610.	4,678.	5,380.	6,994.





Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
68 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, wood interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)W () () () () ()	\$1,927.	\$2,120.	\$2,216.	\$2,312.	\$3,213.	\$3,695.	\$4,804.
	24"	18"	49"	RCFS4913C(L/R)W () () () () ()	1,971.	2,168.	2,267.	2,365.	3,314.	3,811.	4,954.

Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)W () () () () ()	2,765.	3,042.	3,180.	3,318.	4,147.	4,769.	6,200.
	24"	18"	49"	RCFS4913Y(L/R)W () () () () ()	2,806.	3,086.	3,226.	3,366.	4,208.	4,839.	6,291.

Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)W () () () () ()	3,205.	3,526.	3,686.	3,846.	4,488.	5,160.	6,708.
	24"	18"	49"	RCFS4913Z(L/R)W () () () () ()	3,277.	3,605.	3,769.	3,933.	4,588.	5,276.	6,859.


Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)W () () () () ()	2,272.	2,500.	2,613.	2,726.	3,803.	4,372.	5,685.
	24"	24"	49"	RCFS4933V(L/R)W () () () () ()	2,331.	2,564.	2,680.	2,796.	3,936.	4,527.	5,840.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
49 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, wood interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)W() () () () () ()	\$3,079.	\$3,387.	\$3,540.	\$3,695.	\$4,518.	\$5,195.	\$6,754.
	24"	24"	49"	RCFS4933W(L/R)W() () () () () ()	3,086.	3,394.	3,548.	3,703.	4,596.	5,285.	6,871.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)W() () () () () ()	3,476.	3,823.	3,997.	4,170.	4,908.	5,643.	7,337.
	24"	24"	49"	RCFS4933X(L/R)W() () () () () ()	3,524.	3,876.	4,052.	4,228.	5,024.	5,778.	7,512.




Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W ()() () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves		The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 64" high, wood interior
 28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	64"	RCFS6412C(L/R)W (X)(X)(X)(X)(X)	\$2,126.	\$2,338.	\$2,445.	\$2,551.	\$3,635.	\$4,180.	\$5,434.
	24"	18"	64"	RCFS6413C(L/R)W (X)(X)(X)(X)(X)	2,181.	2,399.	2,508.	2,617.	3,776.	4,342.	5,645.



Cabinets, hinge door with shelves&File/File	20"	18"	64"	RCFS6412Y(L/R)W (X)(X)(X)(X)(X)	3,052.	3,357.	3,509.	3,662.	4,577.	5,264.	6,843.
	24"	18"	64"	RCFS6413Y(L/R)W (X)(X)(X)(X)(X)	3,163.	3,479.	3,638.	3,796.	4,745.	5,457.	7,094.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	64"	RCFS6412Z(L/R)W (X)(X)(X)(X)(X)	3,513.	3,865.	4,041.	4,216.	4,918.	5,657.	7,353.
	24"	18"	64"	RCFS6413Z(L/R)W (X)(X)(X)(X)(X)	3,661.	4,026.	4,210.	4,393.	5,125.	5,894.	7,662.




Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
64 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish L, V1, V2, V3	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	6. Door finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		These products are Glue and Dowel Construction
L Lock		Grommet pulls only.
S Lock finish		Shelves and files front will default to the case finish.
G Pull option		64" h Cabinets are compatible with panel height.
115 Pull finish option		No wardrobe option for 18" w cabinets.
114 Case finish		Cabinets with wardrobe come with a coat rod.
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 64" high, wood interior
 28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)W () () () () ()	\$2,487.	\$2,736.	\$2,860.	\$2,985.	\$4,287.	\$4,930.	\$6,409.
	24"	24"	64"	RCFS6433V(L/R)W () () () () ()	2,559.	2,815.	2,943.	3,070.	4,475.	5,146.	6,690.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)W () () () () ()	3,294.	3,623.	3,787.	3,952.	5,002.	5,752.	7,478.
	24"	24"	64"	RCFS6433W(L/R)W () () () () ()	3,385.	3,723.	3,892.	4,061.	5,202.	5,981.	7,775.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)W () () () () ()	3,690.	4,060.	4,245.	4,429.	5,392.	6,201.	8,061.
	24"	24"	64"	RCFS6433X(L/R)W () () () () ()	3,823.	4,205.	4,396.	4,588.	5,630.	6,475.	8,416.




Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	
L/R Left/Right hinge	Grommet	
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

These products are Glue and Dowel Construction
 Grommet pulls only.
 Shelves and files front will default to the case finish.
 64" h Cabinets are compatible with panel height.
 No wardrobe option for 18" w cabinets.
 Cabinets with wardrobe come with a coat rod.


The images on this page are shown as a right hand cabinets.
 From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.

Cabinets Progressive
68" high wood interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves	20"	18"	68"	RCFS6812C(L/R)W (X)(X)(X)(X)(X)	\$2,149.	\$2,363.	\$2,471.	\$2,578.	\$3,705.	\$4,260.	\$5,538.
	24"	18"	68"	RCFS6813C(L/R)W (X)(X)(X)(X)(X)	2,205.	2,426.	2,536.	2,646.	3,839.	4,415.	5,739.



Cabinets, hinge door with shelves&File/File	20"	18"	68"	RCFS6812Y(L/R)W (X)(X)(X)(X)(X)	3,104.	3,414.	3,570.	3,726.	4,657.	5,355.	6,962.
	24"	18"	68"	RCFS6813Y(L/R)W (X)(X)(X)(X)(X)	3,212.	3,533.	3,694.	3,854.	4,817.	5,540.	7,202.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	68"	RCFS6812Z(L/R)W (X)(X)(X)(X)(X)	3,570.	3,927.	4,106.	4,284.	4,998.	5,747.	7,472.
	24"	18"	68"	RCFS6813Z(L/R)W (X)(X)(X)(X)(X)	3,712.	4,084.	4,269.	4,455.	5,197.	5,977.	7,770.




Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
68 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish L, V1, V2, V3	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	6. Door finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		These products are Glue and Dowel Construction
L Lock		Grommet pulls only.
S Lock finish		Shelves and files front will default to the case finish.
G Pull option		68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
115 Pull finish option		No wardrobe option in the 18" w cabinets.
114 Case finish		Cabinets with wardrobe come with a coat rod.
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 68" high wood interior
 28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)W () () () () ()	\$2,516.	\$2,768.	\$2,893.	\$3,019.	\$4,376.	\$5,034.	\$6,544.
	24"	24"	68"	RCFS6833V(L/R)W () () () () ()	2,589.	2,849.	2,979.	3,108.	4,562.	5,247.	6,821.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)W () () () () ()	3,333.	3,666.	3,833.	3,999.	5,102.	5,867.	7,627.
	24"	24"	68"	RCFS6833W(L/R)W () () () () ()	3,426.	3,769.	3,940.	4,111.	5,297.	6,092.	7,921.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)W () () () () ()	3,730.	4,102.	4,289.	4,475.	5,492.	6,315.	8,210.
	24"	24"	68"	RCFS6833X(L/R)W () () () () ()	3,865.	4,251.	4,443.	4,637.	5,727.	6,586.	8,561.



Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
68 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Desktop Towers

28³/₈" high planning

Single Wide, 42" and 56" High Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSBWT142 () ()	\$1,190.	\$2,040.	\$2,346.	\$3,050.
	19"	15"	42"	RDTSBWG142 () ()	1,221.	2,092.	2,405.	3,127.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSBWT156 () ()	1,376.	2,360.	2,714.	3,528.
	19"	15"	56"	RDTSBWG156 () ()	1,411.	2,418.	2,781.	3,615.



Order Code	Specification Information	Application Notes
Example: RDTSBWT142 () ()	<i>To order please specify pattern number including:</i> Left or right hand as applicable and embedded in the pattern number.	Heights to work with 28 ³ / ₈ " desk height planning and 1 ¹ / ₂ " worksurface.
R Reff		
DT Reff Desktop Tower	<ol style="list-style-type: none"> <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Case finish:</i> Wood or Laminate 	Shelves to match case finish.
S Single width		
B Bookcase	Shelves on single height available with 2 adjustable shelves.	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
W Wood Shelves		
T Letter width 16" nominal	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.	Hinge doors feature <u>no</u> pulls only touch latch.
1 Letter depth 15" nominal		
42 42" high nominal	These products are Glue and Dowel Construction	
V2 Case finish type		
V316 Case finish		

Desktop Towers

28³/₈" high planning

Single Wide, 42" and 56" High

Wood Hinge Door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, single width	16"	15"	42"	RDTSHWT142(L/R) () () () () ()	\$1,548.	\$1,703.	\$1,780.	\$1,935.	\$2,653.	\$3,052.	\$3,968.
wood shelves behind wood hinge door	19"	15"	42"	RDTSHWG142(L/R) () () () () ()	1,591.	1,751.	1,830.	1,990.	2,728.	3,138.	4,079.



56" h Desk top tower, single width	16"	15"	56"	RDTSHWT156(L/R) () () () () ()	1,764.	1,941.	2,135.	2,348.	3,025.	3,478.	4,523.
wood shelves behind wood hinge door	19"	15"	56"	RDTSHWG156(L/R) () () () () ()	1,814.	1,995.	2,194.	2,413.	3,109.	3,575.	4,647.



Order Code

Example: RDTSHWT142 () ()
R Reff
DT Reff Desktop Tower
S Single width
H Hinge Door
W Wood Shelves
T Letter width 16" nominal
1 Letter depth 15" nominal
42 42" high nominal
2 Finish type
T Pull option
L Lock option
B Lock finish
V316 Case finish
V316 Front finish
111 Pull finish

Specification Information

To order please specify pattern number including:
 Left or right hand as applicable and embedded in the pattern number.

- Case finish type
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
- Front finish type
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
- Pull option:
 B=No pull, No drilling
 Customer's own pull.
 F=Bar pull
 H=Outline pull
 N=No pull, touch latch
 R=Cylinder pull
 T=Tab pull
- Lock option L or N
- Lock finish
 B=Black
 S=Matte Silver
- Case finish= *V316
- Front finish=V316
- Pull finish=111

Application Notes

Heights to work with 28³/₈" desk height planning and 1 1/2" worksurface.

Shelves to match case finish.

Shelves on single wide available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

These products are Glue and Dowel Construction

Desktop Towers
 28^{3/8}" high planning
 Single Wide, 42" and 56" High
 Glass hinge door

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSJWT142(L/R)() () ()	\$2,211.	\$2,875.	\$3,306.	\$4,298.
	19"	15"	42"	RDTSJWT142(L/R)() () ()	2,304.	2,995.	3,444.	4,516.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSJWT156(L/R)() () ()	2,560.	3,327.	3,826.	4,975.
	19"	15"	56"	RDTSJWT156(L/R)() () ()	2,673.	3,474.	3,995.	5,194.



Desktop towers


Order Code	Specification Information	Application Notes
Example: RDTSJWT142 () () ()	<p><i>To order please specify pattern number including:</i> Left or right hand as applicable and embedded in the pattern number.</p> <p>1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p>2. <i>Case finish:</i> V316</p> <p>3. <i>Door frame type:</i> Anodized or Painted</p> <p>4. <i>Door glass finish:</i> GL11, GL14, GL15, GL18</p>	<p>Heights to work with 28^{3/8}" desk height planning and 1 1/2" worksurface.</p> <p>Shelves to match case finish.</p> <p>Shelves on single height available with 2 adjustable shelves.</p> <p>Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.</p> <p>42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.</p> <p>56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.</p> <p>Glass hinge doors available only with touch latch.</p> <p>These products are Glue and Dowel Construction</p>
R Reff		
DT Reff Desktop Tower		
S Single width		
G Hinge glass door		
W Wood Shelves		
T Letter width 16" nominal		
1 Letter depth 15" nominal		
42 42" high nominal		
L Left / Right hand		
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, double width bookcase / open shelves	30"	15"	42"	RDTDBW3142() ()	\$1,810.	\$2,895.	\$3,329.	\$4,328.
	36"	15"	42"	RDTDBW6142() ()	1,861.	2,979.	3,425.	4,453.



56" h Desk top tower, double width bookcase / open shelves	30"	15"	56"	RDTDBW3156() ()	2,160.	3,455.	3,974.	5,165.
	36"	15"	56"	RDTDBW6156() ()	2,219.	3,549.	4,082.	5,307.

Order Code	Specification Information	Application Notes
Example: RDTDBW3142() ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	Shelves to match case finish.
DT Reff Desktop Tower	1. Case finish type	Shelves with door option on single height available with 2 adjustable shelves.
D Double width	L = Laminate	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
B Bookcase	1 = V1	
W Wood Shelves	2 = V2	
3 30" wide	3 = V3	
1 Letter depth 15" nominal	2. Case finish V316	
42 42" high nominal	3. Pull option Plated / Painted	
2 Case finish type	4. Lock option L, N	
V316 Case finish	5. Lock finish	
	S=Matte Silver	
	B=Black	
	6. Case finish V316	
	7. Front finish V313	
	8. Pull finish 111	

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Desktop Towers

28³/₈" high planning
 Double Wide, 42" and 56" High
 Wood shelves behind doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, double width	30"	15"	42"	RDTDHW3142()	\$2,125.	\$2,444.	\$2,550.	\$2,763.	\$3,400.	\$3,910.	\$5,083.
wood shelves behind wood hinge door	36"	15"	42"	RDTDHW6142()	2,206.	2,537.	2,647.	2,869.	3,530.	4,059.	5,278.



56" h Desk top tower, double width	30"	15"	56"	RDTDHW3156()	2,458.	2,704.	2,975.	3,271.	3,933.	4,523.	5,879.
wood shelves behind wood hinge door	36"	15"	56"	RDTDHW6156()	2,571.	2,827.	3,111.	3,422.	4,113.	4,730.	6,149.



Order Code

Example: RDTDHW3142()
RDT Reff Desktop Tower
D Double width
H Hinge door wood
W Wood Shelves
3 30" wide
1 Letter depth 15" nominal
42 42" high nominal
L Left/ Right hand option
V2 Case finish type
V2 Font finish type
F Pull option
L Lock option doors
B Lock finish
V316 Case finish
V316 Front finish
111 Pull finish

Specification Information

To order please specify pattern number including:
 Left or right hand as applicable and embedded in the pattern number.

- Case finish type
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
- Case finish V316
- Pull option:
 B=No pull
 (Customer's own pull)
 F=Bar pull
 H=Outline pull
 R=Cylinder pull
 T=Tab pull
- Lock option L, N
- Lock finish
 S=Matte Silver
 B=Black
- Case finish V316
- Front finish V313
- Pull finish 111

Application Notes

Heights to work with 28³/₈" desk height planning and 1¹/₂" worksurface.

Shelves to match case finish.

Shelves with door option on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Desktop towers

Desktop Towers
 28³/₈" high planning
 Double Wide, 42" and 56" High
 Asymmetrical, with Glass door

description	w	d	h	pattern no.	L	V1	V2	V3
Desk top tower, double width -Asymmetrical Split glass hinged door / open shelves all wood	30"	15"	42"	RDTAGW3142(L/R)() () ()	\$2,951.	\$3,836.	\$4,411.	\$5,735.
	30"	15"	56"	RDTAGW3156(L/R)() () ()	3,501.	4,552.	5,234.	6,805.
	36"	15"	42"	RDTAGW6142(L/R)() () ()	3,144.	4,086.	4,699.	6,109.
	36"	15"	56"	RDTAGW6156(L/R)() () ()	3,750.	4,875.	5,606.	7,288.




Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical Split glass hinged door / open shelves all glass	30"	15"	42"	RDTAGG3142(L/R)() () ()	2,829.	3,678.	4,230.	5,499.
	30"	15"	56"	RDTAGG3156(L/R)() () ()	3,320.	4,316.	4,964.	6,452.
	36"	15"	42"	RDTAGG6142(L/R)() () ()	3,022.	3,928.	4,519.	5,873.
	36"	15"	56"	RDTAGG6156(L/R)() () ()	3,569.	4,639.	5,335.	6,936.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width wood shelves behind glass hinge door	30"	15"	42"	RDTDGW3142() () ()	3,712.	4,455.	5,123.	6,660.
	30"	15"	56"	RDTDGW3156() () ()	4,282.	5,138.	5,908.	7,681.
	36"	15"	42"	RDTDGW6142() () ()	3,873.	4,647.	5,345.	6,948.
	36"	15"	56"	RDTDGW6156() () ()	4,560.	5,471.	6,292.	8,180.



Order Code	Specification Information	Application Notes
Example: RDTAGW3142	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 ¹ / ₂ " worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
A Asymmetrical split	1. <i>Case finish type:</i>	Shelves to match case finish.
G Hinge door glass	L = Laminate	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
W Wood Shelves	1 = V1	Shelves on single height available with 2 adjustable shelves.
3 30" wide nominal	2 = V2	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
1 Letter depth 15" nominal	3 = V3	
42 42" high nominal	2. <i>Case finish:</i>	Hinge glass doors feature <u>no</u> pulls only touch latch.
(L) Left / Right hand option	Wood or Laminate	Desk top tower backs.
V2 Case finish type	3. <i>Door frame finish:</i>	These products are Glue and Dowel Construction.
V316 Case finish	Anodized or Painted	
AU Door frame finish	4. <i>Door glass finish:</i>	From users perspective, the open shelves' location determines handedness.
GL11 Door glass finish	GL11, GL14, GL15, GL18	ie. Right hand - open shelves on right hand

Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High

Asymmetrical with mix casing

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHW3142(L/R) () () () () ()	\$2,254.	\$2,478.	\$2,591.	\$2,704.	\$3,447.	\$3,964.	\$5,154.
Split hinged door / open shelves all wood	30"	15"	56"	RDTAHW3156(L/R) () () () () ()	2,631.	2,893.	3,025.	3,157.	4,024.	4,628.	6,017.
	36"	15"	42"	RDTAHW6142(L/R) () () () () ()	2,341.	2,575.	2,691.	2,809.	3,581.	4,118.	5,354.
	36"	15"	56"	RDTAHW6156(L/R) () () () () ()	2,748.	3,023.	3,161.	3,298.	4,205.	4,836.	6,287.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHG3142(L/R) () () () () ()	2,439.	2,664.	2,777.	2,889.	3,633.	4,150.	5,340.
Split hinged door / open shelves all glass	30"	15"	56"	RDTAHG3156(L/R) () () () () ()	2,909.	3,171.	3,303.	3,435.	4,302.	4,906.	6,295.
	36"	15"	42"	RDTAHG6142(L/R) () () () () ()	2,527.	2,760.	2,877.	2,994.	3,767.	4,303.	5,539.
	36"	15"	56"	RDTAHG6156(L/R) () () () () ()	3,026.	3,301.	3,439.	3,576.	4,484.	5,114.	6,565.



Left hand Desktop Tower shown. Hinged off of the center gable.

Order Code	Specification Information	Application Notes
Example: RDTAHW3142(L/R) () () () () ()	<i>To order please specify pattern number including:</i> Left or right hand as applicable and embedded in the pattern number.	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
RDT Reff Desktop Tower		42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
A Asymmetrical split		56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
H Hinge door wood		Hinge doors feature <u>no</u> pulls only touch latch.
W Wood Shelves		These products are Glue and Dowel Construction.
3 30" wide nominal		From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand
1 Letter depth 15" nominal		
42 42" high nominal		
L Left / Right hand option		
V2 Case finish type	1. Case finish type: L, V1, V2, V3	
V2 Front finish type	2. Front finish type: L, V1, V2, V3	
F Pull option	3. Pull option: B=No pull (Customer's own pull) F=Bar pull H=Outline pull N=No pull, touch latch R=Cylinder pull T=Tab pull	
L Lock option	4. Lock option: L, N	
B Lock finish	5. Lock finish: B=Black S=Matte Silver	
V316 Case finish	6. Case finish: V316	
V316 Front finish	7. Front finish: V316	
111 Pull finish	8. Pull finish: Painted or Plated	
GL35 Glass finish		


Desktop towers

Overhead, 26 1/2" planning


Wall hung, Single high

Reff Profiles

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back	30"	15"	19"			ROMO30S0(-)(-)(-)	\$1,782.	\$1,845.	\$2,120.	\$2,860.
	36"	15"	19"			ROMO36S0(-)(-)(-)	1,828.	1,892.	2,174.	2,934.
	42"	15"	19"			ROMO42S0(-)(-)(-)	1,875.	1,941.	2,230.	3,011.
	48"	15"	19"			ROMO48S0(-)(-)(-)	1,927.	1,988.	2,292.	3,093.
	60"	15"	19"			ROMO60S0(-)(-)(-)	2,127.	2,197.	2,529.	3,413.
	72"	15"	19"			ROMO72S0(-)(-)(-)	2,245.	2,326.	2,673.	3,607.



Wall-hung overhead cabinet (hinged door) with back	30"	15"	19"	1	2	ROMH30S0(-)(-)(-)	2,591.	2,678.	3,076.	4,154.
	36"	15"	19"	1	2	ROMH36S0(-)(-)(-)	2,758.	2,854.	3,281.	4,429.
	60"	15"	19"	2	4	ROMH60S0(-)(-)(-)	3,098.	3,201.	3,683.	4,973.
	72"	15"	19"	2	4	ROMH72S0(-)(-)(-)	3,278.	3,389.	3,899.	5,262.



Wall-hung overhead cabinet (flip door) with back	30"	15"	19"	1	1	ROMF30S0(-)(-)(-)	1,898.	1,963.	2,256.	3,047.
	36"	15"	19"	1	1	ROMF36S0(-)(-)(-)	2,021.	2,090.	2,404.	3,246.
	42"	15"	19"	1	1	ROMF42S0(-)(-)(-)	2,139.	2,217.	2,548.	3,440.
	48"	15"	19"	1	1	ROMF48S0(-)(-)(-)	2,265.	2,341.	2,692.	3,635.
	60"	15"	19"	2	2	ROMF60S0(-)(-)(-)	2,497.	2,583.	2,969.	4,010.
	72"	15"	19"	2	2	ROMF72S0(-)(-)(-)	2,642.	2,732.	3,142.	4,242.

Order Code

Example: ROMO30S0	
R	Reff
O	Overhead
M	Wall hung
O	Open
30	30" wide
S	Standard height, 19"h
0	15" deep

Specification Information

To order please specify pattern number including:

1. Configuration option (*embedded in pattern no.*)
H = Hinged door
O = Open
F = Flip door
2. Storage option (*embedded in pattern no.*)
S0 = 19"h x 14" d open/15" d hinged door
3. Finish type
4. Pull option *applicable hinged doors only*
5. Lock option
6. Finish, case
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
L = Laminate
1 = V1 techwood
2 = V2 conventional veneer
3 = V3 exotic veneer

Application Notes

4. *Pull Options:*
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*
L = Lock hole drilled
N = No lockdrilling

8. Refer to page 578 for keying instructions.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 0.

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.



***Keying instructions must accompany all cabinet orders.**

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning

Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	30"	14"	19"			ROPO30S0(-)(-)(-)	\$1,278.	\$1,319.	\$1,517.	\$2,049.
	36"	14"	19"			ROPO36S0(-)(-)(-)	1,564.	1,616.	1,859.	2,510.
	42"	14"	19"			ROPO42S0(-)(-)(-)	1,718.	1,777.	2,045.	2,760.
	48"	14"	19"			ROPO48S0(-)(-)(-)	1,782.	1,840.	2,118.	2,858.
	60"	14"	19"			ROPO60S0(-)(-)(-)	1,820.	1,883.	2,168.	2,927.
	60"	14"	23"			ROPO60T0(-)(-)(-)	1,945.	2,013.	2,314.	3,123.
	72"	14"	19"			ROPO72S0(-)(-)(-)	2,232.	2,305.	2,652.	3,579.
	72"	14"	23"			ROPO72T0(-)(-)(-)	2,652.	2,745.	3,155.	4,261.
	90"	14"	19"			ROPO90S0(-)(-)(-)	2,456.	2,537.	2,917.	3,939.
	90"	14"	23"			ROPO90T0(-)(-)(-)	3,011.	3,110.	3,577.	4,831.
96"	14"	19"			ROPO96S0(-)(-)(-)	2,545.	2,631.	3,024.	4,083.	
96"	14"	23"			ROPO96T0(-)(-)(-)	3,120.	3,225.	3,710.	5,009.	
Panel-hung overhead cabinet (hinged door) no back 	30"	14"	19"	1	2	ROPH30S0(-)(-)(-)	1,419.	1,464.	1,682.	2,271.
	36"	14"	19"	1	2	ROPH36S0(-)(-)(-)	1,733.	1,793.	2,065.	2,787.
	60"	14"	19"	2	4	ROPH60S0(-)(-)(-)	2,023.	2,091.	2,405.	3,248.
	60"	14"	23"	2	4	ROPH60T0(-)(-)(-)	2,165.	2,237.	2,574.	3,476.
	72"	14"	19"	2	4	ROPH72S0(-)(-)(-)	2,479.	2,565.	2,949.	3,982.
	72"	14"	23"	2	4	ROPH72T0(-)(-)(-)	2,947.	3,049.	3,504.	4,731.
	90"	14"	19"	3	6	ROPH90S0(-)(-)(-)	2,730.	2,819.	3,242.	4,375.
	90"	14"	23"	3	6	ROPH90T0(-)(-)(-)	3,342.	3,457.	3,971.	5,361.
	96"	14"	19"	3	6	ROPH96S0(-)(-)(-)	2,826.	2,920.	3,362.	4,538.
	96"	14"	23"	3	6	ROPH96T0(-)(-)(-)	3,468.	3,583.	4,120.	5,563.



Order Code	Specification Information	Application Notes
Example: ROPH60S0DLL R Reff O Overhead P Panel hung H Hinge door 60 60" wide S Standard height, 19"h 0 15" deep D D-pull L Lock hole drilled L Laminate finish	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Configuration option (embedded in pattern no.) <i>H</i> = Hinged door <i>O</i> = Open <i>F</i> = Flip door Storage option (embedded in pattern no.) <i>S0</i> = 19"h x 14"d open/15"d hinged door <i>T0</i> = 23"h x 14"d open/15"d hinged door Finish type Pull option applicable hinged doors only Lock option Finish, case Finish, pull when applicable Keying instructions <p>*After specifying product code, provide keying instructions.</p> <p>Dimensions are nominal.</p> <p>Product not available where prices do not appear.</p> <ol style="list-style-type: none"> Finish type options: L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer 	<p>4. Pull Options: D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)</p> <p>5. Lock options: L = Lock hole drilled N = No lockdrilling</p> <p>8. Refer to page 578 for keying instructions.</p> <p>Woodgrain Laminate is not available on any flip door units.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Sliding rails order separately on page 0.</p> <p>Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.</p> <p>Open cabinets require no locks.</p> <p>Tasklights are not included.</p> <p>D-Pulls are not available for flip door units.</p> <p>Hardware included for overhead cabinets.</p> <p>Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 546.</p> <p>*Keying instructions must accompany all cabinet orders.</p> <p>Panel hung overheads come with no backs.</p> <p>Random keys are factory installed.</p> <p>Order overheads with a KnollKey order form.</p>

Overhead storage

Overhead, 26 1/2" planning


Panel hung, Single high


Reff Profiles

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
 Panel-hung overhead flip door cabinet (no back)	30"	14"	18"	1	1	ROPF30S0J-() ()	\$1,066.	\$1,400.	\$1,608.	\$2,171.
	36"	14"	18"	1	1	ROPF36S0J-() ()	1,084.	1,424.	1,640.	2,213.
	42"	14"	18"	1	1	ROPF42S0J-() ()	1,160.	1,527.	1,757.	2,373.
	48"	14"	18"	1	1	ROPF48S0J-() ()	1,203.	1,588.	1,825.	2,465.
	60"	14"	18"	2	2	ROPF60S0J-() ()	1,397.	1,836.	2,114.	2,854.
	72"	14"	18"	2	2	ROPF72S0J-() ()	1,651.	2,173.	2,497.	3,370.
	84"	14"	18"	2	2	ROPF84S0J-() ()	1,845.	2,427.	2,790.	3,768.
	96"	14"	18"	2	2	ROPF96S0J-() ()	1,967.	2,589.	2,980.	4,021.
 Panel-hung shelves	30"	13"	9"			ROPS30S0NN-()	286.	590.	678.	916.
	36"	13"	9"			ROPS36S0NN-()	309.	613.	705.	951.
	42"	13"	9"			ROPS42S0NN-()	335.	633.	730.	986.
	48"	13"	9"			ROPS48S0NN-()	357.	656.	752.	1,016.
	54"	13"	9"			ROPS54S0NN-()	382.	705.	809.	1,092.
	60"	13"	9"			ROPS60S0NN-()	408.	758.	871.	1,176.
	66"	13"	9"			ROPS66S0NN-()	432.	806.	927.	1,251.
	72"	13"	9"			ROPS72S0NN-()	456.	859.	985.	1,328.
	78"	13"	9"			ROPS78S0NN-()	481.	930.	1,069.	1,442.
	84"	13"	9"			ROPS84S0NN-()	504.	1,001.	1,153.	1,556.
	90"	13"	9"			ROPS90S0NN-()	529.	1,074.	1,234.	1,667.
	96"	13"	9"			ROPS96S0NN-()	537.	1,129.	1,301.	1,756.

Order Code	Specification Information	Application Notes	
Example: ROPH60S0DLL R Reff O Overhead P Panel hung H Hinge door 60 60" wide S Standard height, 19"h 0 15" deep D D-pull L Lock hole drilled L Laminate finish	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Configuration option (embedded in pattern no.) <i>H</i> = Hinged door <i>O</i> = Open <i>F</i> = Flip door Storage option (embedded in pattern no.) <i>S0</i> = 19"h x 14" d open/15" d hinged door <i>T0</i> = 23"h x 14" d open/15" d hinged door Finish type Pull option applicable hinged doors only Lock option Finish, case Finish, pull when applicable Keying instructions <p>*After specifying product code, provide keying instructions.</p> <p>Dimensions are nominal.</p> <p>Product not available where prices do not appear.</p> <ol style="list-style-type: none"> Finish type options: L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer 	<p>4. Pull Options: D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)</p> <p>5. Lock options: L = Lock hole drilled N = No lockdrilling</p> <p>8. Refer to page 578 for keying instructions.</p> <p>Woodgrain Laminate is not available on any flip door units.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Sliding rails order separately on page 0.</p>	<p>Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.</p> <p>Open cabinets require no locks.</p> <p>Tasklights are not included.</p> <p>D-Pulls are not available for flip door units.</p> <p>Hardware included for overhead cabinets.</p> <p>Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 546.</p> <p>*Keying instructions must accompany all cabinet orders.</p> <p>Panel hung overheads come with no backs.</p> <p>Random keys are factory installed.</p> <p>Order overheads with a KnollKey order form.</p>

Overhead, 26 1/2" planning Workwalls

description	w	d	h	y	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open) 	60"	15"	19"	1.8	ROWO60S0(-)(X)(X)	\$2,033.	\$2,123.	\$2,488.	\$3,361.
	60"	15"	23"	1.8	ROWO60T0(-)(X)(X)	2,208.	2,305.	2,703.	3,649.
	60"	20"	19"	1.8	ROWO60S1(-)(X)(X)	2,186.	2,282.	2,675.	3,610.
	60"	20"	23"	1.8	ROWO60T1(-)(X)(X)	2,362.	2,464.	2,886.	3,894.
	72"	15"	19"	2.1	ROWO72S0(-)(X)(X)	2,613.	2,730.	3,192.	4,308.
	72"	15"	23"	2.1	ROWO72T0(-)(X)(X)	2,967.	3,095.	3,615.	4,880.
	72"	20"	19"	2.1	ROWO72S1(-)(X)(X)	2,807.	2,927.	3,421.	4,619.
	72"	20"	23"	2.1	ROWO72T1(-)(X)(X)	3,270.	3,409.	3,975.	5,365.
	90"	15"	19"	2.6	ROWO90S0(-)(X)(X)	2,880.	3,012.	3,544.	4,783.
	90"	15"	23"	2.6	ROWO90T0(-)(X)(X)	3,328.	3,478.	4,075.	5,502.
	90"	20"	19"	2.6	ROWO90S1(-)(X)(X)	3,199.	3,345.	3,927.	5,301.
	90"	20"	23"	2.6	ROWO90T1(-)(X)(X)	3,536.	3,695.	4,326.	5,840.
	96"	15"	19"	2.8	ROWO96S0(-)(X)(X)	2,949.	3,091.	3,639.	4,913.
	96"	15"	23"	2.8	ROWO96T0(-)(X)(X)	3,397.	3,554.	4,172.	5,633.
96"	20"	19"	2.8	ROWO96S1(-)(X)(X)	3,273.	3,424.	4,023.	5,433.	
96"	20"	23"	2.8	ROWO96T1(-)(X)(X)	3,610.	3,770.	4,421.	5,968.	

72" h workwall overhead cabinet (hinged door) 	60"	15"	19"	1.8	ROWH60S0(-)(X)(X)	2,623.	2,734.	3,193.	4,310.
	60"	15"	23"	1.8	ROWH60T0(-)(X)(X)	2,844.	2,963.	3,459.	4,669.
	60"	20"	19"	1.8	ROWH60S1(-)(X)(X)	2,816.	2,933.	3,424.	4,623.
	60"	20"	23"	1.8	ROWH60T1(-)(X)(X)	3,039.	3,164.	3,686.	4,977.
	72"	15"	19"	2.1	ROWH72S0(-)(X)(X)	3,362.	3,499.	4,081.	5,509.
	72"	15"	23"	2.1	ROWH72T0(-)(X)(X)	3,806.	3,960.	4,607.	6,221.
	72"	20"	19"	2.1	ROWH72S1(-)(X)(X)	3,603.	3,750.	4,366.	5,894.
	72"	20"	23"	2.1	ROWH72T1(-)(X)(X)	4,184.	4,351.	5,057.	6,828.
	90"	15"	19"	2.6	ROWH90S0(-)(X)(X)	3,732.	3,899.	4,562.	6,157.
	90"	15"	23"	2.6	ROWH90T0(-)(X)(X)	4,294.	4,475.	5,227.	7,056.
	90"	20"	19"	2.6	ROWH90S1(-)(X)(X)	4,136.	4,315.	5,038.	6,802.
	90"	20"	23"	2.6	ROWH90T1(-)(X)(X)	4,558.	4,748.	5,538.	7,478.
	96"	15"	19"	2.8	ROWH96S0(-)(X)(X)	3,836.	4,006.	4,695.	6,337.
	96"	15"	23"	2.8	ROWH96T0(-)(X)(X)	4,396.	4,586.	5,360.	7,236.
96"	20"	19"	2.8	ROWH96S1(-)(X)(X)	4,239.	4,422.	5,173.	6,983.	
96"	20"	23"	2.8	ROWH96T1(-)(X)(X)	4,658.	4,855.	5,671.	7,656.	

60" w and 72" w units have four hinged doors, two lock cores required.
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19" h x 15" d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19" h x 20" d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23" h x 15" d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23" h x 20" d</i>	Applicable finishes are listed on page 0 and O.
0 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
Y = Yardage required	*After specifying product code, provide keying instructions. 1. Configuration options: O = Open H = Hinged door	
	3. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	4. Pull Options: D = Metal D-pull for hinged door only J = Routed pull C = Nickel C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options: L = Lockhole drilled N = No lock drilling	
	Keying instructions * See Planning Guide for keying examples.	

Overhead storage

Overhead, 26 1/2" planning Shoulders

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	-	15"	19"	RWEA7220(L/R)-()	\$379.	\$390.	\$448.	\$605.
	-	15"	23"	RWEB7220(L/R)-()	379.	390.	448.	605.
	-	20"	19"	RWEC7220(L/R)-()	379.	390.	448.	605.
	-	20"	23"	RWED7220(L/R)-()	379.	390.	448.	605.




Workwall support endpanels for 72"H x 24"D workwall cabinets	-	15"	19"	RWEA7224(L/R)-()	412.	427.	490.	662.
	-	15"	23"	RWEB7224(L/R)-()	412.	427.	490.	662.
	-	20"	19"	RWEC7224(L/R)-()	412.	427.	490.	662.
	-	20"	23"	RWED7224(L/R)-()	412.	427.	490.	662.



Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type:	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.1.	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. Finish type:	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. Pull Options:	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options:	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	


Overhead, 26 1/2" planning
Overdesk Unit
Use with 1 1/4" worksurfaces

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	ROAH60T0(-)(-)(-)	\$2,567.	\$3,222.	\$3,765.	\$5,083.
	60"	20"	44 1/4"	1.7	2	4	ROAH60T1(-)(-)(-)	2,716.	3,407.	3,973.	5,362.
	72"	15"	44 1/4"	2.0	2	4	ROAH72T0(-)(-)(-)	3,253.	4,075.	4,753.	6,418.
	72"	20"	44 1/4"	2.0	2	4	ROAH72T1(-)(-)(-)	3,434.	4,301.	5,012.	6,766.
	90"	15"	44 1/4"	2.5	3	6	ROAH90T0(-)(-)(-)	3,617.	4,535.	5,312.	7,171.
	90"	20"	44 1/4"	2.5	3	6	ROAH90T1(-)(-)(-)	3,826.	4,799.	5,612.	7,578.
	96"	15"	44 1/4"	2.7	3	6	ROAH96T0(-)(-)(-)	3,767.	4,731.	5,546.	7,486.
	96"	20"	44 1/4"	2.7	3	6	ROAH96T1(-)(-)(-)	3,988.	5,006.	5,859.	7,910.



For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			ROAO60T0(-)(-)(-)	1,697.	2,136.	2,518.	3,399.
	60"	20"	44 1/4"	1.7			ROAO60T1(-)(-)(-)	1,804.	2,266.	2,665.	3,599.
	72"	15"	44 1/4"	2.0			ROAO72T0(-)(-)(-)	2,166.	2,720.	3,196.	4,315.
	72"	20"	44 1/4"	2.0			ROAO72T1(-)(-)(-)	2,293.	2,880.	3,378.	4,562.
	90"	15"	44 1/4"	2.5			ROAO90T0(-)(-)(-)	2,370.	2,988.	3,534.	4,771.
	90"	20"	44 1/4"	2.5			ROAO90T1(-)(-)(-)	2,515.	3,172.	3,737.	5,046.
	96"	15"	44 1/4"	2.7			ROAO96T0(-)(-)(-)	2,460.	3,105.	3,674.	4,958.
	96"	20"	44 1/4"	2.7			ROAO96T1(-)(-)(-)	2,612.	3,298.	3,892.	5,254.


For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	ROAF60S0(-)(-)(-)	2,197.	2,993.	3,499.	4,725.
	60"	20"	44 1/4"	1.7	2	2	ROAF60S1(-)(-)(-)	2,326.	3,169.	3,702.	4,999.
	72"	15"	44 1/4"	2.0	2	2	ROAF72S0(-)(-)(-)	2,609.	3,793.	4,428.	5,978.
	72"	20"	44 1/4"	2.0	2	2	ROAF72S1(-)(-)(-)	2,756.	4,006.	4,673.	6,309.
	84"	15"	44 1/4"	2.5	2	2	ROAF84S0(-)(-)(-)	3,380.	4,324.	5,056.	6,825.
	84"	20"	44 1/4"	2.5	2	2	ROAF84S1(-)(-)(-)	3,574.	4,573.	5,344.	7,213.
	96"	15"	44 1/4"	2.7	2	2	ROAF96S0(-)(-)(-)	3,462.	4,441.	5,211.	7,034.
	96"	20"	44 1/4"	2.7	2	2	ROAF96S1(-)(-)(-)	3,666.	4,704.	5,513.	7,441.



Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
R Reff	1. Configuration option O = Open H = Hinged door F = Flip door	Open cabinets require no locks.
O Overhead	2. Width	Tasklights not included.
A For 1 1/4" top mounting	3. Storage option S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Tackboard included, fabric railroaded.
F Flip door	4. Finish type L = Laminate 1 = V1 2 = V2 3 = V3	C, D and S pulls are not available for flip door units.
60 60" wide	5. Pull option for hinged door only D = Metal D-pull (for hinged doors only) J = Routed pull C = Nickel C-pull (nickel finish only, for hinged doors only) S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height		Open/hinge doors are nominal 23"H, actual 22 3/8".
O 15" deep		Locks are not factory installed.
L Finish type, laminate		Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull		Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included		
BF Cord escape, back feed		
118 Finish, Bright White		
(W250) Fabric		
Y = Yardage required		


Overhead, 26 1/2" planning
Overdesk Unit
Use with 1 3/4" worksurfaces

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 3/4" worksurfaces (hinged door)	60"	15"	43 3/4"	1.7	2	4	ROBH60T0(-)(-)(-)	\$2,597.	\$3,256.	\$3,804.	\$5,137.
	60"	20"	43 3/4"	1.7	2	4	ROBH60T1(-)(-)(-)	2,749.	3,441.	4,019.	5,427.
	72"	15"	43 3/4"	2.1	2	4	ROBH72T0(-)(-)(-)	3,291.	4,120.	4,806.	6,489.
	72"	20"	43 3/4"	2.1	2	4	ROBH72T1(-)(-)(-)	3,474.	4,350.	5,069.	6,842.
	90"	15"	43 3/4"	2.5	3	6	ROBH90T0(-)(-)(-)	3,657.	4,589.	5,370.	7,250.
	90"	20"	43 3/4"	2.5	3	6	ROBH90T1(-)(-)(-)	3,869.	4,855.	5,674.	7,660.
	96"	15"	43 3/4"	2.7	3	6	ROBH96T0(-)(-)(-)	3,813.	4,785.	5,607.	7,571.
	96"	20"	43 3/4"	2.7	3	6	ROBH96T1(-)(-)(-)	4,033.	5,062.	5,928.	8,001.



For 1 3/4" worksurfaces (open)	60"	15"	43 3/4"	1.7			ROBO60T0(-)(-)(-)	1,716.	2,165.	2,545.	3,434.
	60"	20"	43 3/4"	1.7			ROBO60T1(-)(-)(-)	1,821.	2,295.	2,694.	3,638.
	72"	15"	43 3/4"	2.1			ROBO72T0(-)(-)(-)	2,175.	2,753.	3,233.	4,363.
	72"	20"	43 3/4"	2.1			ROBO72T1(-)(-)(-)	2,320.	2,913.	3,415.	4,609.
	90"	15"	43 3/4"	2.5			ROBO90T0(-)(-)(-)	2,397.	3,024.	3,574.	4,825.
	90"	20"	43 3/4"	2.5			ROBO90T1(-)(-)(-)	2,491.	3,146.	3,723.	5,026.
	96"	15"	43 3/4"	2.7			ROBO96T0(-)(-)(-)	2,487.	3,143.	3,716.	5,017.
	96"	20"	43 3/4"	2.7			ROBO96T1(-)(-)(-)	2,549.	3,212.	3,786.	5,111.




For 1 3/4" worksurfaces (flip door)	60"	15"	43 3/4"	1.7	2	2	ROBF60S0(-)(-)(-)	2,222.	3,029.	3,541.	4,780.
	60"	20"	43 3/4"	1.7	2	2	ROBF60S1(-)(-)(-)	2,354.	3,201.	3,742.	5,052.
	72"	15"	43 3/4"	2.1	2	2	ROBF72S0(-)(-)(-)	2,639.	3,837.	4,478.	6,046.
	72"	20"	43 3/4"	2.1	2	2	ROBF72S1(-)(-)(-)	2,788.	4,051.	4,726.	6,380.
	84"	15"	43 3/4"	2.5	2	2	ROBF84S0(-)(-)(-)	3,420.	4,369.	5,111.	6,901.
	84"	20"	43 3/4"	2.5	2	2	ROBF84S1(-)(-)(-)	3,618.	4,628.	5,409.	7,303.
	96"	15"	43 3/4"	2.7	2	2	ROBF96S0(-)(-)(-)	3,503.	4,496.	5,272.	7,117.
	96"	20"	43 3/4"	2.7	2	2	ROBF96S1(-)(-)(-)	3,710.	4,758.	5,571.	7,521.



Order Code	Specification Information	Application Notes
Example: ROBF60S0LJLBF118()	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	6. <i>Lock option</i> L = Lockhole drilled N = No lock drilling	Open cabinets require no locks.
O Overhead	7. <i>Cord escape option</i>	Tasklights not included.
B For 1 3/4" top mounting	8. <i>Finish</i>	Tackboard included, fabric railroaded.
F Flip door	9. <i>Pull finish where applicable</i>	C, D and S pulls are not available for flip door units.
60 60" wide	10. <i>Fabric for tackboard</i>	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	<i>*After specifying product code, provide keying instructions.</i>	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	Overdesk unit will achieve 72" nominal height when used with correct top.	Locks are not factory installed.
L Finish type, laminate	The clearance under the overhead to the top of the worksurface is approximately 20 3/4".	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	Applicable finishes are listed on page 0 and 0.	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	Woodgrain Laminate is not available on any flip door units.	
BF Cord escape, back feed		
118 Finish, Bright White		
(W250) Fabric		

Y = Yardage required


Overhead, 26 1/2" planning
 Workwall units
 Rectilinear worksurfaces - 1 1/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$592.	\$611.	\$700.	\$947.
	60"	24"	RSWWA602()	637.	656.	756.	1,020.
	72"	20"	RSWWA721()	644.	665.	764.	1,030.
	72"	24"	RSWWA722()	688.	713.	816.	1,102.
	90"	20"	RSWWA901()	746.	771.	887.	1,197.
	90"	24"	RSWWA902()	791.	816.	941.	1,270.
	96"	20"	RSWWA961()	847.	874.	1,005.	1,358.
	96"	24"	RSWWA962()	893.	923.	1,060.	1,431.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	n/a	1,834.	2,110.	2,848.
	60"	24"	RSWWAWF602()	n/a	1,969.	2,266.	3,059.
	72"	20"	RSWWAWF721()	n/a	1,994.	2,294.	3,095.
	72"	24"	RSWWAWF722()	n/a	2,132.	2,454.	3,315.
	90"	20"	RSWWAWF901()	n/a	2,315.	2,663.	3,596.
	90"	24"	RSWWAWF902()	n/a	2,454.	2,824.	3,811.
	96"	20"	RSWWAWF961()	n/a	2,699.	3,017.	4,073.
	96"	24"	RSWWAWF962()	n/a	2,767.	3,183.	4,295.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	n/a	700.	809.	1,092.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	n/a	755.	870.	1,175.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	n/a	764.	879.	1,187.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	n/a	817.	941.	1,270.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	n/a	887.	1,020.	1,377.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	n/a	940.	1,082.	1,460.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	n/a	1,005.	1,158.	1,563.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	n/a	1,060.	1,220.	1,646.

Order Code	Specification Information	Application Notes
Example: RSWWA60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.
R Reff	1. Top thickness	Applicable finishes are listed on page 5 and 6. Hardware included.
S Straight top	2. Top finish type	
WW Workwall top	3. Top finish	No grommets available.
A 1 1/4" thick	1. Thickness options: A = 1 1/4"	
60 60" wide	2. Finish type: L = Laminate	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
1 20" deep	M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
(L) Laminate finish	3. Specify edge detail where applicable, for RSWWA(). See page0 for available profiles. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Workwall units

Rectilinear worksurfaces - 1 3/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWB601()	\$740.	\$768.	\$881.	\$1,190.
	60"	24"	RSWWB602()	793.	825.	949.	1,281.
	72"	20"	RSWWB721()	805.	837.	963.	1,300.
	72"	24"	RSWWB722()	859.	894.	1,028.	1,388.
	90"	20"	RSWWB901()	931.	969.	1,114.	1,506.
	90"	24"	RSWWB902()	991.	1,029.	1,182.	1,597.
	96"	20"	RSWWB961()	1,057.	1,098.	1,261.	1,703.
	96"	24"	RSWWB962()	1,115.	1,159.	1,332.	1,798.

Order Code

Example:	RSWWB60100L
R	Reff
S	Straight top
WW	Workwall top
B	1 3/4" thick
60	60" wide
1	20" deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:
B = 1 3/4"

2. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

3. Specify edge detail where applicable, for RSWWA(). See page 0 for available profiles.

Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.


No grommets available.


1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Applicable finishes are listed on page 5 and 6.

Hardware included.

Overhead, 28³/₈" planning Workwalls

description	w	d	h	y	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (open) 	60"	15"	19"	1.8	75"	ROWO60S0DH () () () ()	\$2,133.	\$2,229.	\$2,613.	\$3,530.
	60"	20"	19"	1.8	75"	ROWO60S1DH () () () ()	2,296.	2,396.	2,808.	3,789.
	72"	15"	19"	2.1	75"	ROWO72S0DH () () () ()	2,745.	2,865.	3,352.	4,525.
	72"	20"	19"	2.1	75"	ROWO72S1DH () () () ()	2,947.	3,071.	3,589.	4,847.
	90"	15"	19"	2.6	75"	ROWO90S0DH () () () ()	3,026.	3,163.	3,719.	5,020.
	90"	20"	19"	2.6	75"	ROWO90S1DH () () () ()	3,359.	3,512.	4,124.	5,568.
	96"	15"	19"	2.8	75"	ROWO96S0DH () () () ()	3,098.	3,247.	3,821.	5,158.
	96"	20"	19"	2.8	75"	ROWO96S1DH () () () ()	3,439.	3,596.	4,225.	5,705.


Workwall, (for "desk height") 23"h storage (open) 	60"	15"	23"	1.8	75"	ROWO60T0DH () () () ()	2,321.	2,422.	2,839.	3,833.
	60"	20"	23"	1.8	75"	ROWO60T1DH () () () ()	2,481.	2,587.	3,031.	4,090.
	72"	15"	23"	2.1	75"	ROWO72T0DH () () () ()	3,118.	3,250.	3,797.	5,125.
	72"	20"	23"	2.1	75"	ROWO72T1DH () () () ()	3,434.	3,580.	4,172.	5,633.
	90"	15"	23"	2.6	75"	ROWO90T0DH () () () ()	3,495.	3,652.	4,280.	5,778.
	90"	20"	23"	2.6	75"	ROWO90T1DH () () () ()	3,712.	3,879.	4,544.	6,134.
	96"	15"	23"	2.8	75"	ROWO96T0DH () () () ()	3,568.	3,732.	4,382.	5,914.
	96"	20"	23"	2.8	75"	ROWO96T1DH () () () ()	3,789.	3,957.	4,642.	6,265.

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
O Overhead	6. <i>Finish</i>	
W Workwall	7. <i>Optional pull finish, where applicable</i>	
O Open	8. <i>Fabric for tackboard</i>	
60 60" wide	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
S 19" storage height	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
0 15" storage depth	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 578. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
DH desk height, 75" height overall	Products on this page, shipped knocked-down.	
L Finish type, laminate	Applicable finishes are listed on page 0 and 0.	
118 Finish, Bright White		
() Fabric selection		
Y = Yardage required		
dimensions noted nominal		


Overhead storage

Overhead, 28³/₈" planning Workwalls

Reff Profiles

description	w	d	h	y	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (hinged door) 	60"	15"	19"	1.8	75"	ROWH60S0DH () () () ()	\$2,754.	\$2,871.	\$3,353.	\$4,527.
	60"	20"	19"	1.8	75"	ROWH60S1DH () () () ()	2,958.	3,082.	3,596.	4,854.
	72"	15"	19"	2.1	75"	ROWH72S0DH () () () ()	3,530.	3,676.	4,286.	5,786.
	72"	20"	19"	2.1	75"	ROWH72S1DH () () () ()	3,782.	3,938.	4,585.	6,189.
	90"	15"	19"	2.6	75"	ROWH90S0DH () () () ()	3,919.	4,092.	4,788.	6,465.
	90"	20"	19"	2.6	75"	ROWH90S1DH () () () ()	4,344.	4,529.	5,290.	7,141.
	96"	15"	19"	2.8	75"	ROWH96S0DH () () () ()	4,028.	4,207.	4,930.	6,655.
	96"	20"	19"	2.8	75"	ROWH96S1DH () () () ()	4,451.	4,643.	5,431.	7,332.

60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Workwall, (for "desk height") 23"h storage (hinged door) 	60"	15"	23"	1.8	75"	ROWH60T0DH () () () ()	2,987.	3,111.	3,633.	4,905.
	60"	20"	23"	1.8	75"	ROWH60T1DH () () () ()	3,192.	3,323.	3,870.	5,225.
	72"	15"	23"	2.1	75"	ROWH72T0DH () () () ()	3,995.	4,157.	4,838.	6,532.
	72"	20"	23"	2.1	75"	ROWH72T1DH () () () ()	4,392.	4,570.	5,311.	7,170.
	90"	15"	23"	2.6	75"	ROWH90T0DH () () () ()	4,508.	4,699.	5,487.	7,407.
	90"	20"	23"	2.6	75"	ROWH90T1DH () () () ()	4,786.	4,985.	5,816.	7,852.
	96"	15"	23"	2.8	75"	ROWH96T0DH () () () ()	4,616.	4,815.	5,627.	7,598.
	96"	20"	23"	2.8	75"	ROWH96T1DH () () () ()	4,890.	5,099.	5,954.	8,038.

60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
O Overhead	6. <i>Finish</i>	
W Workwall	7. <i>Optional pull finish, where applicable</i>	
O Open	8. <i>Fabric for tackboard</i>	
60 60" wide	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
S 19" storage height	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
0 15" storage depth	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 578. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
DH desk height, 75" height overall	Products on this page, shipped knocked-down.	
L Finish type, laminate	Applicable finishes are listed on page 0 and 0.	
118 Finish, Bright White		
() Fabric selection		
Y = Yardage required		
dimensions noted nominal		

Overhead, 28³/₈" planning Shoulders and End Panels for Workwalls

description	w	d	h	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 20"d workwall cabinets	15"	1"	19"	75"	RWEA7520(L/R) () ()	\$398.	\$411.	\$470.	\$637.
	15"	1"	23"	75"	RWEB7520(L/R) () ()	398.	411.	470.	637.
	20"	1"	19"	75"	RWEC7520(L/R) () ()	398.	411.	470.	637.
	20"	1"	23"	75"	RWED7520(L/R) () ()	398.	411.	470.	637.



depth and width indicate drilled to support workwall with corresponding storage dimensions

description	w	d	h	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 24"d workwall cabinets	15"	1"	19"	75"	RWEA7524(L/R) () ()	432.	449.	515.	695.
	15"	1"	23"	75"	RWEB7524(L/R) () ()	432.	449.	515.	695.
	20"	1"	19"	75"	RWEC7524(L/R) () ()	432.	449.	515.	695.
	20"	1"	23"	75"	RWED7524(L/R) () ()	432.	449.	515.	695.



depth and width indicate drilled to support workwall with corresponding storage dimensions

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 578. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal

Overhead, 28³/₈" planning

Overdesk unit

Use with 1¹/₄" worksurfaces

description	w	d	h	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45 1/2"	1.7	ROAO60T0DH (X)(X)(X)(X)	\$1,784.	\$2,243.	\$2,643.	\$3,570.
(for 1 1/4" worksurface at "desk height")	60"	20"	45 1/2"	1.7	ROAO60T1DH (X)(X)(X)(X)	1,893.	2,379.	2,800.	3,778.
O=Open	72"	15"	45 1/2"	2.0	ROAO72T0DH (X)(X)(X)(X)	2,273.	2,858.	3,354.	4,528.
	72"	20"	45 1/2"	2.0	ROAO72T1DH (X)(X)(X)(X)	2,408.	3,026.	3,548.	4,788.
	90"	15"	45 1/2"	2.5	ROAO90T0DH (X)(X)(X)(X)	2,486.	3,138.	3,710.	5,009.
	90"	20"	45 1/2"	2.5	ROAO90T1DH (X)(X)(X)(X)	2,640.	3,330.	3,926.	5,299.
	96"	15"	45 1/2"	2.7	ROAO96T0DH (X)(X)(X)(X)	2,583.	3,260.	3,856.	5,207.
	96"	20"	45 1/2"	2.7	ROAO96T1DH (X)(X)(X)(X)	2,744.	3,462.	4,087.	5,518.
Overdesk unit	60"	15"	45 1/2"	1.7	ROAH60T0DH (X)(X)(X)(X)	2,693.	3,384.	3,951.	5,334.
(for 1 1/4" worksurface at "desk height")	60"	20"	45 1/2"	1.7	ROAH60T1DH (X)(X)(X)(X)	2,853.	3,577.	4,173.	5,635.
H=Hinged Door	72"	15"	45 1/2"	2.0	ROAH72T0DH (X)(X)(X)(X)	3,417.	4,280.	4,992.	6,740.
	72"	20"	45 1/2"	2.0	ROAH72T1DH (X)(X)(X)(X)	3,607.	4,518.	5,263.	7,106.
	90"	15"	45 1/2"	2.5	ROAH90T0DH (X)(X)(X)(X)	3,798.	4,763.	5,578.	7,531.
	90"	20"	45 1/2"	2.5	ROAH90T1DH (X)(X)(X)(X)	4,015.	5,038.	5,893.	7,956.
	96"	15"	45 1/2"	2.7	ROAH96T0DH (X)(X)(X)(X)	3,956.	4,967.	5,822.	7,859.
	96"	20"	45 1/2"	2.7	ROAH96T1DH (X)(X)(X)(X)	4,188.	5,254.	6,154.	8,306.

60" w and 72" w hinged door units have four hinged doors, two lock cores required
 90" w and 96" w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration. Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top. Clearance below overhead storage to top of worksurface is approximately 23 1/8" h. Applicable finishes are listed on page 0 and 0.
R Reff		
O Overhead	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	
A For mounting on 1 1/4" thick top	2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
O Open	3. Finish type L = laminate I = V1 2 = V2 3 = V3	
60 60" wide	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
T 23" h storage	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
0 15" d storage	6. Tasklight cord escape BF = back feed FF = front feed	
DH desk height, 75" height overall	7. Finish 8. Optional pull finish, where applicable 9. Fabric for tackboard	
L Finish type, laminate	Woodgrain Laminate is not available on any flip door units. Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 578. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
BF Cord escape, back feed	Products on this page shipped knocked-down. Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color.	
118 Finish, Bright White	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	
() Fabric selection		
Y = Yardage required		
dimensions noted nominal		

Overhead, 28³/₈" planning

Overdesk unit

Use with 1¹/₄" worksurfaces

description	w	d	h	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45 ¹ / ₂ "	1.7	ROAF60S0DH () () () ()	\$2,306.	\$3,143.	\$3,676.	\$4,962.
(for 1 ¹ / ₄ " worksurface at "desk height")	60"	20"	45 ¹ / ₂ "	1.7	ROAF60S1DH () () () ()	2,444.	3,325.	3,887.	5,247.
F=Flip door	72"	15"	45 ¹ / ₂ "	2.0	ROAF72S0DH () () () ()	2,739.	3,984.	4,650.	6,278.
	72"	20"	45 ¹ / ₂ "	2.0	ROAF72S1DH () () () ()	2,895.	4,205.	4,907.	6,623.
	84"	15"	45 ¹ / ₂ "	2.4	ROAF84S0DH () () () ()	3,549.	4,540.	5,311.	7,170.
	84"	20"	45 ¹ / ₂ "	2.4	ROAF84S1DH () () () ()	3,752.	4,802.	5,608.	7,572.
	96"	15"	45 ¹ / ₂ "	2.7	ROAF96S0DH () () () ()	3,636.	4,663.	5,471.	7,387.
	96"	20"	45 ¹ / ₂ "	2.7	ROAF96S1DH () () () ()	3,850.	4,940.	5,789.	7,815.

all flip door units have two flip doors, two lock cores required
 J-pull only, C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	
R Reff		
O Overhead	1. <i>Configuration option (embedded in pattern number)</i>	
A For mounting on 1 ¹ / ₄ " thick top	O = Open	
O Open	H = Hinged doors	
60 60" wide	F = Flip doors	
T 23" h storage	2. <i>Storage option (embedded in pattern number)</i>	
0 15" d storage	S0 = 19" h x 15" d	
DH desk height, 75" height overall	S1 = 19" h x 20" d	
L Finish type, laminate	T0 = 23" h x 15" d	
BF Cord escape, back feed	T1 = 23" h x 20" d	
118 Finish, Bright White	3. <i>Finish type</i>	
() Fabric selection	L = laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull option</i>	
	(Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. <i>Lock option</i>	
	(Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	
	6. <i>Tasklight cord escape</i>	
	BF = back feed	
	FF = front feed	
	7. <i>Finish</i>	
	8. <i>Optional pull finish, where applicable</i>	
	9. <i>Fabric for tackboard</i>	
	Woodgrain Laminate is not available on any flip door units.	
	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 578. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
	Products on this page shipped knocked-down.	Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.
	Tasklights not included.	Clearance below overhead storage to top of worksurface is approximately 23 ¹ / ₈ " h.
	Tackboard included, fabric orientation applied railroaded.	Applicable finishes are listed on page 0 and 0.
	Wire manager included and mounts adjacent to tackboard. Specify color.	
	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

Y = Yardage required

dimensions noted nominal


Overhead storage

Overhead, 28³/₈" planning

Overdesk unit

Use with 1³/₄" worksurfaces

description	w	d	h	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45"	1.7	ROBH60T0DH () () () () ()	\$2,730.	\$3,420.	\$3,995.	\$5,393.
(for 1 ³ / ₄ " worksurface at "desk height")	60"	20"	45"	1.7	ROBH60T1DH () () () () ()	2,886.	3,612.	4,218.	5,695.
H=Hinged Door	72"	15"	45"	2.0	ROBH72T0DH () () () () ()	3,456.	4,329.	5,049.	6,816.
	72"	20"	45"	2.0	ROBH72T1DH () () () () ()	3,647.	4,567.	5,321.	7,183.
	90"	15"	45"	2.5	ROBH90T0DH () () () () ()	3,841.	4,818.	5,639.	7,612.
	90"	20"	45"	2.5	ROBH90T1DH () () () () ()	4,063.	5,094.	5,960.	8,046.
	96"	15"	45"	2.7	ROBH96T0DH () () () () ()	4,004.	5,027.	5,889.	7,950.
	96"	20"	45"	2.7	ROBH96T1DH () () () () ()	4,234.	5,316.	6,224.	8,402.



60" w and 72" w hinged door units have four hinged doors, two lock cores required
 90" w and 96" w hinged door units have six hinged doors, three lock cores required

Overdesk unit	60"	15"	45"	1.7	ROBO60T0DH () () () () ()	1,803.	2,272.	2,673.	3,607.
(for 1 ³ / ₄ " worksurface at "desk height")	60"	20"	45"	1.7	ROBO60T1DH () () () () ()	1,913.	2,407.	2,833.	3,823.
O=Open	72"	15"	45"	2.0	ROBO72T0DH () () () () ()	2,284.	2,892.	3,394.	4,581.
	72"	20"	45"	2.0	ROBO72T1DH () () () () ()	2,434.	3,057.	3,586.	4,843.
	90"	15"	45"	2.5	ROBO90T0DH () () () () ()	2,518.	3,174.	3,752.	5,066.
	90"	20"	45"	2.5	ROBO90T1DH () () () () ()	2,617.	3,302.	3,908.	5,276.
	96"	15"	45"	2.7	ROBO96T0DH () () () () ()	2,612.	3,299.	3,905.	5,271.
	96"	20"	45"	2.7	ROBO96T1DH () () () () ()	2,677.	3,370.	3,975.	5,365.


Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff		Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 578. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Overhead	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	6. Tasklight cord escape BF = back feed FF = front feed
B For mounting on 1 ³ / ₄ " thick top	2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	7. Finish
O Open	3. Finish type L = laminate 1 = V1 2 = V2 3 = V3	8. Optional pull finish, where applicable
60 60" wide	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. Fabric for tackboard
T 23" h storage		Products on this page shipped knocked-down.
0 15" d storage		Tasklights not included.
DH desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".
118 Finish, Bright White		Woodgrain Laminate is not available on any flip door units.
() Fabric selection		
Y = Yardage required		
dimensions noted nominal		

Overhead, 28³/₈" planning

Overdesk unit

Use with 1³/₄" worksurfaces

description	w	d	h	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45"	1.7	ROBF60S0DH () () () ()	\$2,333.	\$3,181.	\$3,717.	\$5,019.
(for 1 ³ / ₄ " worksurface at "desk height")	60"	20"	45"	1.7	ROBF60S1DH () () () ()	2,471.	3,363.	3,929.	5,305.
F=Flip door	72"	15"	45"	2.0	ROBF72S0DH () () () ()	2,770.	4,029.	4,702.	6,348.
	72"	20"	45"	2.0	ROBF72S1DH () () () ()	2,929.	4,256.	4,960.	6,697.
	84"	15"	45"	2.4	ROBF84S0DH () () () ()	3,587.	4,588.	5,366.	7,245.
	84"	20"	45"	2.4	ROBF84S1DH () () () ()	3,799.	4,860.	5,676.	7,664.
	96"	15"	45"	2.7	ROBF96S0DH () () () ()	3,678.	4,720.	5,537.	7,477.
	96"	20"	45"	2.7	ROBF96S1DH () () () ()	3,898.	4,993.	5,849.	7,895.



all flip door units have two flip doors, two lock cores required
J-pull only; C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff		Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 578. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Overhead	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	6. Tasklight cord escape BF = back feed FF = front feed
B For mounting on 1 ³ / ₄ " thick top	2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	7. Finish
O Open	3. Finish type L = laminate 1 = V1 2 = V2 3 = V3	8. Optional pull finish, where applicable
60 60" wide	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. Fabric for tackboard
T 23" h storage		Products on this page shipped knocked-down.
0 15" d storage		Tasklights not included.
DH desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".
118 Finish, Bright White		Woodgrain Laminate is not available on any flip door units.
() Fabric selection		
Y = Yardage required		
dimensions noted nominal		

Overhead storage



Overhead, 28³/₈" planning

Reff Profiles

Overdesk unit

Use with 1¹/₄" and 1¹/₂" worksurfaces

L and U Configuration

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 ¹ / ₄ " thick 	20"	36"	RSAR361(H/V)() ()	\$369.	\$403.	\$462.	\$625.
	20"	42"	RSAR421(H/V)() ()	383.	422.	484.	654.
	20"	48"	RSAR481(H/V)() ()	403.	437.	503.	678.
	20"	54"	RSAR541(H/V)() ()	418.	454.	525.	711.
	20"	60"	RSAR601(H/V)() ()	452.	491.	565.	765.
	20"	66"	RSAR661(H/V)() ()	462.	507.	584.	788.
	20"	72"	RSAR721(H/V)() ()	489.	534.	612.	826.
	24"	36"	RSAR362(H/V)() ()	391.	432.	493.	666.
	24"	42"	RSAR422(H/V)() ()	408.	443.	510.	687.
	24"	48"	RSAR482(H/V)() ()	433.	477.	547.	737.
	24"	54"	RSAR542(H/V)() ()	462.	507.	584.	788.
	24"	60"	RSAR602(H/V)() ()	500.	545.	624.	844.
	24"	66"	RSAR662(H/V)() ()	512.	561.	647.	872.
	24"	72"	RSAR722(H/V)() ()	538.	586.	676.	914.
	Return / Bridge 1 ¹ / ₂ " thick 	20"	36"	RSDR361(H/V)() ()	401.	437.	502.
20"		36"	RSDR362(H/V)() ()	424.	468.	536.	723.
20"		42"	RSDR421(H/V)() ()	415.	457.	525.	709.
20"		48"	RSDR481(H/V)() ()	437.	474.	545.	734.
20"		54"	RSDR541(H/V)() ()	454.	492.	570.	770.
20"		60"	RSDR601(H/V)() ()	513.	534.	614.	830.
20"		66"	RSDR661(H/V)() ()	502.	549.	633.	854.
24"		42"	RSDR422(H/V)() ()	442.	481.	553.	745.
24"		48"	RSDR482(H/V)() ()	469.	517.	593.	799.
24"		54"	RSDR542(H/V)() ()	502.	549.	633.	854.
24"		60"	RSDR602(H/V)() ()	541.	591.	678.	915.
24"		66"	RSDR662(H/V)() ()	555.	619.	701.	947.
24"		72"	RSDR721(H/V)() ()	530.	579.	663.	896.
24"		72"	RSDR722(H/V)() ()	583.	636.	733.	991.

Order Code

Example: RSAR361(H/V)() ()	
R	Reff
S	Straight top
A	1 ¹ / ₄ " top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical grain
()	Grommet type
()	Grommet finish
()	Worksurface finish

Specification Information


To order please specify pattern number including:

- Grommet type:
F = Flush
N = No Grommet
- Grommet finish:
Painted or Plated
- Worksurface finish:
L, V1, V2, V3


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



Products on this page shipped knocked-down.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.

Wire manager included and mounts adjacent to tackboard. Specify color.




Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"

Overhead, 28³/₈" planning

Overdesk unit

Use with 1¹/₄" and 1¹/₂" worksurfaces

Modesty Panels for L and U Configuration, both 26¹/₂" and 28³/₈"

description	d	w	h	pattern no.	L	V1	V2	V3
Half Height Modesty, 26 ¹ / ₂ "h 	36"	1"	26 ¹ / ₂ "	RBR36H()	\$283.	\$405.	\$469.	\$641.
	42"	1"	26 ¹ / ₂ "	RBR42H()	307.	442.	511.	699.
	48"	1"	26 ¹ / ₂ "	RBR48H()	348.	500.	579.	790.
	54"	1"	26 ¹ / ₂ "	RBR54H()	365.	526.	607.	829.
	60"	1"	26 ¹ / ₂ "	RBR60H()	381.	543.	628.	855.
	66"	1"	26 ¹ / ₂ "	RBR66H()	397.	567.	659.	900.
	72"	1"	26 ¹ / ₂ "	RBR72H()	439.	628.	725.	989.
Full Height Modesty, 26 ¹ / ₂ "h 	36"	1"	26 ¹ / ₂ "	RBR36M()	308.	430.	494.	666.
	42"	1"	26 ¹ / ₂ "	RBR42M()	332.	467.	536.	724.
	48"	1"	26 ¹ / ₂ "	RBR48M()	373.	525.	604.	815.
	54"	1"	26 ¹ / ₂ "	RBR54M()	390.	551.	632.	854.
	60"	1"	26 ¹ / ₂ "	RBR60M()	406.	568.	653.	880.
	66"	1"	26 ¹ / ₂ "	RBR66M()	422.	592.	684.	925.
	72"	1"	26 ¹ / ₂ "	RBR72M()	464.	653.	750.	1,014.
Full Height Modesty, 28 ³ / ₈ "h 	36"	1"	28 ³ / ₈ "	RBR36MS()	324.	451.	517.	698.
	42"	1"	28 ³ / ₈ "	RBR42MS()	348.	489.	564.	761.
	48"	1"	28 ³ / ₈ "	RBR48MS()	391.	551.	633.	855.
	54"	1"	28 ³ / ₈ "	RBR54MS()	410.	578.	662.	894.
	60"	1"	28 ³ / ₈ "	RBR60MS()	426.	593.	684.	925.
	66"	1"	28 ³ / ₈ "	RBR66MS()	441.	622.	719.	970.
	72"	1"	28 ³ / ₈ "	RBR72MS()	487.	684.	787.	1,062.

Order Code

Example: RBR36	
R	Reff
B	Bridge
R	Return
M	Full Height Modesty Placement for 26 ¹ / ₂ "
()	Finish

Specification Information


To order please specify pattern number including:

1. Modesty Finish:
L, V1, V2, V3


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



Products on this page shipped knocked-down.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.


Wire manager included and mounts adjacent to tackboard. Specify color.


Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"

Overhead, 28³/₈" planning

Single high

Wall hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		ROMCGSHP301 () ()	\$1,213.	\$1,698.	\$1,953.	\$2,539.
	36"	15"	20"	1		ROMCGSHP361 () ()	1,251.	1,752.	2,015.	2,619.
	42"	15"	20"	2		ROMCGSHP421 () ()	1,360.	1,903.	2,190.	2,846.
	48"	15"	20"	2		ROMCGSHP481 () ()	1,414.	1,980.	2,276.	2,959.
	54"	15"	20"	2		ROMCGSHP541 () ()	1,658.	2,322.	2,671.	3,471.
	60"	15"	20"	2	1	ROMCGSHP601 () ()	1,924.	2,694.	3,098.	4,027.
	66"	15"	20"	2	1	ROMCGSHP661 () ()	1,960.	2,744.	3,155.	4,102.
	72"	15"	20"	2	1	ROMCGSHP721 () ()	1,998.	2,797.	3,218.	4,183.
	78"	15"	20"	2	1	ROMCGSHP781 () ()	2,098.	2,938.	3,378.	4,392.
	84"	15"	20"	3	2	ROMCGSHP841 () ()	2,440.	3,417.	3,928.	5,107.
90"	15"	20"	3	2	ROMCGSHP901 () ()	2,481.	3,474.	3,995.	5,193.	
96"	15"	20"	3	2	ROMCGSHP961 () ()	2,520.	3,529.	4,058.	5,276.	

Wall-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROMCSHP301 () ()	1,092.	1,529.	1,757.	2,286.
	36"	15"	20"			ROMCSHP361 () ()	1,127.	1,577.	1,813.	2,358.
	42"	15"	20"	1		ROMCSHP421 () ()	1,224.	1,713.	1,970.	2,562.
	48"	15"	20"	1		ROMCSHP481 () ()	1,273.	1,782.	2,049.	2,664.
	54"	15"	20"	1		ROMCSHP541 () ()	1,492.	2,090.	2,404.	3,124.
	60"	15"	20"		1	ROMCSHP601 () ()	1,731.	2,425.	2,788.	3,625.
	66"	15"	20"		1	ROMCSHP661 () ()	1,764.	2,470.	2,840.	3,693.
	72"	15"	20"		1	ROMCSHP721 () ()	1,798.	2,517.	2,896.	3,765.
	78"	15"	20"		1	ROMCSHP781 () ()	1,888.	2,644.	3,041.	3,953.
	84"	15"	20"		2	ROMCSHP841 () ()	2,196.	3,075.	3,536.	4,596.
	90"	15"	20"		2	ROMCSHP901 () ()	2,233.	3,127.	3,596.	4,674.
	96"	15"	20"		2	ROMCSHP961 () ()	2,268.	3,175.	3,652.	4,748.

Without center gable

Order Code	Specification Information	Application Notes
Example: ROMCGSHP301	<i>To order please specify:</i>	
R Reff	1. Finish type:	These products are Glue and Dowel Construction
O Overhead	L = Laminate	Letter depth is 15" nominal.
M Wall mount	1 = V1	Fascias ordered separately
CG Center Gable	2 = V2	Tasklights ordered separately
SH Single high	3 = V3	Tack/Task panel order separately
P Planning	2. Case finish	Wall hung cabinets come with wall hung cleates
30 30" width		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
1 Letter depth		
2 Case finish type		
V316 V2 finish		


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
A certified building contractor should be consulted.
Please refer to wall mounting information on page 546.
Cubby Dividers: 3"h x 12"d
Interior Gable: 18"h x 13"d


dimensions noted nominal

Overhead, 28³/₈" planning

Single high

Wall hung with doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed 	30"	15"	20"	ROMHSHP301 (X)(X)(X)(X)(X)	\$1,872.	\$2,058.	\$2,152.	\$2,245.	\$2,619.	\$3,013.	\$3,916.
	36"	15"	20"	ROMHSHP361 (X)(X)(X)(X)(X)	1,920.	2,112.	2,207.	2,303.	2,687.	3,090.	4,018.
	42"	15"	20"	ROMHSHP421 (X)(X)(X)(X)(X)	2,464.	2,710.	2,834.	2,956.	3,449.	3,967.	5,156.
	48"	15"	20"	ROMHSHP481 (X)(X)(X)(X)(X)	2,529.	2,782.	2,909.	3,034.	3,541.	4,072.	5,293.
	54"	15"	20"	ROMHSHP541 (X)(X)(X)(X)(X)	2,687.	2,956.	3,090.	3,224.	3,762.	4,326.	5,624.
	60"	15"	20"	ROMHSHP601 (X)(X)(X)(X)(X)	3,033.	3,337.	3,489.	3,641.	4,248.	4,884.	6,350.
	66"	15"	20"	ROMHSHP661 (X)(X)(X)(X)(X)	3,084.	3,392.	3,546.	3,701.	4,317.	4,965.	6,454.
	72"	15"	20"	ROMHSHP721 (X)(X)(X)(X)(X)	3,135.	3,449.	3,606.	3,763.	4,390.	5,049.	6,563.
	78"	15"	20"	ROMHSHP781 (X)(X)(X)(X)(X)	3,249.	3,574.	3,736.	3,899.	4,548.	5,230.	6,800.
	84"	15"	20"	ROMHSHP841 (X)(X)(X)(X)(X)	4,091.	4,500.	4,704.	4,909.	5,727.	6,586.	8,561.
	90"	15"	20"	ROMHSHP901 (X)(X)(X)(X)(X)	4,141.	4,555.	4,762.	4,969.	5,797.	6,667.	8,666.
96"	15"	20"	ROMHSHP961 (X)(X)(X)(X)(X)	4,195.	4,614.	4,825.	5,035.	5,873.	6,755.	8,781.	



Wall-hung overhead cabinet hinge door, cubby exposed 	30"	15"	20"	ROMHCSHP301 (X)(X)(X)(X)(X)	1,775.	1,953.	2,041.	2,130.	2,485.	2,858.	3,715.
	36"	15"	20"	ROMHCSHP361 (X)(X)(X)(X)(X)	1,822.	2,004.	2,096.	2,187.	2,551.	2,934.	3,814.
	42"	15"	20"	ROMHCSHP421 (X)(X)(X)(X)(X)	2,405.	2,645.	2,766.	2,886.	3,367.	3,872.	5,033.
	48"	15"	20"	ROMHCSHP481 (X)(X)(X)(X)(X)	2,500.	2,750.	2,876.	3,000.	3,500.	4,025.	5,233.
	54"	15"	20"	ROMHCSHP541 (X)(X)(X)(X)(X)	2,555.	2,811.	2,939.	3,066.	3,577.	4,114.	5,348.
	60"	15"	20"	ROMHCSHP601 (X)(X)(X)(X)(X)	2,837.	3,121.	3,262.	3,404.	3,972.	4,567.	5,937.
	66"	15"	20"	ROMHCSHP661 (X)(X)(X)(X)(X)	2,881.	3,169.	3,312.	3,457.	4,033.	4,638.	6,030.
	72"	15"	20"	ROMHCSHP721 (X)(X)(X)(X)(X)	2,931.	3,224.	3,370.	3,517.	4,104.	4,718.	6,135.
	78"	15"	20"	ROMHCSHP781 (X)(X)(X)(X)(X)	2,994.	3,294.	3,443.	3,593.	4,192.	4,820.	6,267.
	84"	15"	20"	ROMHCSHP841 (X)(X)(X)(X)(X)	3,781.	4,159.	4,349.	4,537.	5,293.	6,087.	7,913.
	90"	15"	20"	ROMHCSHP901 (X)(X)(X)(X)(X)	3,846.	4,230.	4,423.	4,614.	5,384.	6,191.	8,049.
96"	15"	20"	ROMHCSHP961 (X)(X)(X)(X)(X)	3,895.	4,285.	4,479.	4,674.	5,454.	6,272.	8,152.	

Order Code	Specification Information	Application Notes
Example: ROMHSHP301 (X)(X)(X)(X)(X) R Reff O Overhead M Wall mount H Hinge door SH Single High P Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type H Pull option L Lock option B Lock finish V316 Case finish V316 Front finish PU Pull finish	To order please specify: 1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Front finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab 4. <i>Lock option:</i> N=no drilling L=locking 5. <i>Lock finish:</i> B=Black S=Matte silver 6. <i>Case finish:</i> V316 7. <i>Front finish:</i> V316 8. <i>Pull finish:</i> Painted or plated	These products are Glue and Dowel Construction Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Wall hung cabinets come with wall hung cleats Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 546.

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Wall hung with glass doors

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, <i>cubby exposed</i> 	30"	15"	20"	ROMGHCSHP301(X)(X)(X)	\$2,544.	\$2,773.	\$3,189.	\$4,146.
	36"	15"	20"	ROMGHCSHP361(X)(X)(X)	2,662.	2,902.	3,336.	4,337.
	42"	15"	20"	ROMGHCSHP421(X)(X)(X)	3,413.	3,721.	4,280.	5,563.
	48"	15"	20"	ROMGHCSHP481(X)(X)(X)	3,529.	3,847.	4,424.	5,750.
	54"	15"	20"	ROMGHCSHP541(X)(X)(X)	3,780.	4,120.	4,738.	6,159.
	60"	15"	20"	ROMGHCSHP601(X)(X)(X)	4,201.	4,579.	5,266.	6,846.
	66"	15"	20"	ROMGHCSHP661(X)(X)(X)	4,328.	4,717.	5,425.	7,052.
	72"	15"	20"	ROMGHCSHP721(X)(X)(X)	4,436.	4,835.	5,560.	7,229.
	78"	15"	20"	ROMGHCSHP781(X)(X)(X)	4,622.	5,038.	5,794.	7,531.
	84"	15"	20"	ROMGHCSHP841(X)(X)(X)	5,696.	6,208.	7,139.	9,281.
	90"	15"	20"	ROMGHCSHP901(X)(X)(X)	5,765.	6,283.	7,225.	9,394.
96"	15"	20"	ROMGHCSHP961(X)(X)(X)	5,892.	6,422.	7,386.	9,602.	
Wall-hung overhead cabinet glass hinge door, <i>cubby concealed</i> 	30"	15"	20"	ROMGHSHP301(X)(X)(X)	2,865.	3,380.	3,887.	5,053.
	36"	15"	20"	ROMGHSHP361(X)(X)(X)	3,005.	3,546.	4,078.	5,302.
	42"	15"	20"	ROMGHSHP421(X)(X)(X)	3,842.	4,533.	5,213.	6,777.
	48"	15"	20"	ROMGHSHP481(X)(X)(X)	3,958.	4,671.	5,371.	6,983.
	54"	15"	20"	ROMGHSHP541(X)(X)(X)	4,238.	5,001.	5,751.	7,476.
	60"	15"	20"	ROMGHSHP601(X)(X)(X)	4,544.	5,362.	6,167.	8,017.
	66"	15"	20"	ROMGHSHP661(X)(X)(X)	4,669.	5,510.	6,336.	8,237.
	72"	15"	20"	ROMGHSHP721(X)(X)(X)	4,802.	5,666.	6,516.	8,471.
	78"	15"	20"	ROMGHSHP781(X)(X)(X)	5,043.	5,951.	6,844.	8,897.
	84"	15"	20"	ROMGHSHP841(X)(X)(X)	5,992.	7,071.	8,131.	10,571.
	90"	15"	20"	ROMGHSHP901(X)(X)(X)	6,132.	7,236.	8,322.	10,818.
96"	15"	20"	ROMGHSHP961(X)(X)(X)	6,251.	7,376.	8,483.	11,027.	

Order Code	Specification Information	Application Notes
Example: ROMGHCSHP301(X)(X)(X)	To order please specify:	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	1 = V1	A certified building contractor should be consulted.
M Wall mount	2 = V2	Please refer to wall mounting information on page 546.
GHC Glass hinge door/ cubby	3 = V3	
SH Single High	2. Case finish: Laminate, V1, V2, V3	Tasklights not included
P Planning	3. Door frame finish: Anodized or painted	Tack/Task panel order separately
30 Width	4. Glass door finish: GL11	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
1 Depth (letter)	GL14	Wall hung cabinets come with wall hung cleats
2 Case finish type	GL15	
V316 Case finish	GL18	No pull option on Glass doors. Glass doors project below shelf for opening.
AU Door frame finish		
GL11 Door glass finish		


dimensions noted nominal

Overhead, 28³/₈" planning

Single high

Wall hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	
Wall Hung overhead cabinet	60"	15"	20"	ROMHOC SHP601	() () () () () ()	\$2,560.	\$2,816.	\$2,944.	\$3,071.	\$3,712.	\$4,268.	\$5,549.
hinge door / open /	66"	15"	20"	ROMHOC SHP661	() () () () () ()	2,598.	2,857.	2,988.	3,118.	3,767.	4,332.	5,632.
cubby exposed	72"	15"	20"	ROMHOC SHP721	() () () () () ()	2,640.	2,905.	3,036.	3,168.	3,829.	4,402.	5,724.
	78"	15"	20"	ROMHOC SHP781	() () () () () ()	2,706.	2,977.	3,113.	3,248.	3,924.	4,512.	5,867.
	84"	15"	20"	ROMHOC SHP841	() () () () () ()	3,145.	3,459.	3,615.	3,773.	4,559.	5,243.	6,816.
	90"	15"	20"	ROMHOC SHP901	() () () () () ()	3,193.	3,512.	3,672.	3,832.	4,630.	5,324.	6,921.
	96"	15"	20"	ROMHOC SHP961	() () () () () ()	3,233.	3,557.	3,718.	3,880.	4,689.	5,391.	7,009.




Order Code	Specification Information	Application Notes
Example: ROMHOC SHP601 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. <i>Front finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
M Wall mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Tasklights not included
HOC Hinge door/Open/Cubby	4. <i>Lock Option:</i> N = no lock drilling L = locking	Tack/Task panel order separately
SH Single high	5. <i>Lock finish:</i> B=Black S=Matte silver	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	6. <i>Case Finish:</i>	Wall hung cabinets come with wall hung cleats
60 Width	7. <i>Front Finish:</i>	Doors project below shelf for openings
1 Letter depth	8. <i>Pull Finish:</i> Painted or plated	
2 Case finish type		
2 Front finish type		
L Locked		
B Black lock		
V316 Case finish		
V316 Front finish		

dimensions noted nominal

Overhead, 28³/₈" planning
 Single high
 Wall hung with glass doors, open

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet glass hinge door / open / <i>cubby exposed</i>	60"	15"	20"	ROMGHOC SHP601() () () ()	\$3,142.	\$3,927.	\$4,516.	\$5,871.
	66"	15"	20"	ROMGHOC SHP661() () () ()	3,216.	4,020.	4,623.	6,010.
	72"	15"	20"	ROMGHOC SHP721() () () ()	3,283.	4,104.	4,718.	6,135.
	78"	15"	20"	ROMGHOC SHP781() () () ()	3,374.	4,218.	4,851.	6,307.
	84"	15"	20"	ROMGHOC SHP841() () () ()	4,135.	4,963.	5,706.	7,419.
	90"	15"	20"	ROMGHOC SHP901() () () ()	4,186.	5,023.	5,777.	7,510.
	96"	15"	20"	ROMGHOC SHP961() () () ()	4,273.	5,127.	5,897.	7,666.



Wall Hung overhead cabinet glass hinge door / open / <i>cubby concealed</i>	60"	15"	20"	ROMGHOSH P601() () () ()	3,822.	4,778.	5,494.	7,143.
	66"	15"	20"	ROMGHOSH P661() () () ()	3,903.	4,878.	5,610.	7,293.
	72"	15"	20"	ROMGHOSH P721() () () ()	4,001.	5,001.	5,751.	7,476.
	78"	15"	20"	ROMGHOSH P781() () () ()	4,114.	5,143.	5,914.	7,689.
	84"	15"	20"	ROMGHOSH P841() () () ()	4,825.	6,032.	6,937.	9,018.
	90"	15"	20"	ROMGHOSH P901() () () ()	4,928.	6,161.	7,085.	9,210.
	96"	15"	20"	ROMGHOSH P961() () () ()	5,008.	6,260.	7,199.	9,358.

Order Code	Specification Information	Application Notes
Example: ROMGHOC SHP601 ()() ()() ()() ()() R Reff O Overhead M Wall mount GHOC Glass hinge door/Open/Cubby SH Single high P Planning 60 Width 1 Depth, Letter 2 Case finish type, V2 V316 Case finish AA Door frame finish GL11 Back painted glass door finish	To order please specify: 1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3 2. Case finish: Laminate, V1, V2, V3 3. Door Frame finish: Painted or Anodized 4. Door Glass finish: GL11, GL14, GL15, GL18	These products are Glue and Dowel Construction Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Wall hung cabinets come with wall hung cleats Doors project below shelf for openings No pull options on glass doors. Glass doors project below shelf for opening.


dimensions noted nominal


Overhead, 28³/₈" planning

Reff Profiles

Single high

Cabinet hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		ROCCGSH301 ()()	\$1,286.	\$1,801.	\$2,071.	\$2,692.
	36"	15"	20"	1		ROCCGSH361 ()()	1,323.	1,852.	2,129.	2,769.
	42"	15"	20"	2		ROCCGSH421 ()()	1,430.	2,002.	2,302.	2,993.
	48"	15"	20"	2		ROCCGSH481 ()()	1,470.	2,057.	2,366.	3,076.
	54"	15"	20"	2		ROCCGSH541 ()()	1,712.	2,397.	2,756.	3,583.
	60"	15"	20"	2	1	ROCCGSH601 ()()	1,977.	2,768.	3,183.	4,138.
	66"	15"	20"	2	1	ROCCGSH661 ()()	2,011.	2,814.	3,236.	4,208.
	72"	15"	20"	2	1	ROCCGSH721 ()()	2,050.	2,870.	3,299.	4,289.
	78"	15"	20"	2	1	ROCCGSH781 ()()	2,133.	2,986.	3,434.	4,464.
	84"	15"	20"	3	2	ROCCGSH841 ()()	2,472.	3,462.	3,981.	5,175.
	90"	15"	20"	3	2	ROCCGSH901 ()()	2,512.	3,516.	4,044.	5,257.
96"	15"	20"	3	2	ROCCGSH961 ()()	2,550.	3,570.	4,106.	5,337.	

Cabinet-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROCOSH301 ()()	1,158.	1,621.	1,864.	2,424.
	36"	15"	20"			ROCOSH361 ()()	1,191.	1,667.	1,916.	2,492.
	42"	15"	20"	1		ROCOSH421 ()()	1,286.	1,803.	2,072.	2,693.
	48"	15"	20"	1		ROCOSH481 ()()	1,323.	1,851.	2,129.	2,768.
	54"	15"	20"	1		ROCOSH541 ()()	1,541.	2,157.	2,480.	3,225.
	60"	15"	20"		1	ROCOSH601 ()()	1,779.	2,491.	2,864.	3,723.
	66"	15"	20"		1	ROCOSH661 ()()	1,810.	2,533.	2,913.	3,787.
	72"	15"	20"		1	ROCOSH721 ()()	1,845.	2,582.	2,969.	3,860.
	78"	15"	20"		1	ROCOSH781 ()()	1,920.	2,687.	3,091.	4,018.
	84"	15"	20"		2	ROCOSH841 ()()	2,225.	3,116.	3,583.	4,658.
	90"	15"	20"		2	ROCOSH901 ()()	2,261.	3,165.	3,639.	4,732.
96"	15"	20"		2	ROCOSH961 ()()	2,295.	3,213.	3,695.	4,804.	

Without center gable


Order Code	Specification Information	Application Notes
Example: ROCCGSH301S0 ()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type:	Cubby Dividers: 3"h x 12"d
O Overhead	L = Laminate	Interior Gable: 18"h x 13"d
C Cabinet hung	1 = V1	
CG Center Gable	2 = V2	Letter depth is 15" nominal.
SH Single high	3 = V3	Place holder for legal depth if required (20").
30 30" width	2. Case finish:	Fascias ordered separately
P Planning	Laminate, V1, V2, V3	Tasklights ordered separately
1 Depth (letter)		Tack/Task panel order separately
2 Case finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
V316 Case finish		Installation instruction sheets available on line.


dimensions noted nominal

For Cabinet hung overheads, refer to part number 6TP00080.

Overhead, 28³/₈" planning
Single high
Cabinet hung with doors

Reff Profiles



description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed 	30"	15"	20"	ROCHSHP301()	\$1,933.	\$2,126.	\$2,223.	\$2,320.	\$2,706.	\$3,112.	\$4,046.
	36"	15"	20"	ROCHSHP361()	1,979.	2,177.	2,276.	2,375.	2,771.	3,187.	4,143.
	42"	15"	20"	ROCHSHP421()	2,522.	2,774.	2,900.	3,026.	3,531.	4,060.	5,279.
	48"	15"	20"	ROCHSHP481()	2,573.	2,830.	2,959.	3,088.	3,602.	4,143.	5,385.
	54"	15"	20"	ROCHSHP541()	2,728.	3,001.	3,138.	3,274.	3,820.	4,393.	5,711.
	60"	15"	20"	ROCHSHP601()	3,075.	3,381.	3,536.	3,689.	4,304.	4,950.	6,434.
	66"	15"	20"	ROCHSHP661()	3,122.	3,434.	3,591.	3,747.	4,371.	5,026.	6,535.
	72"	15"	20"	ROCHSHP721()	3,173.	3,491.	3,649.	3,808.	4,442.	5,109.	6,641.
	78"	15"	20"	ROCHSHP781()	3,271.	3,599.	3,763.	3,926.	4,580.	5,267.	6,641.
	84"	15"	20"	ROCHSHP841()	4,113.	4,524.	4,729.	4,935.	5,758.	6,621.	8,607.
90"	15"	20"	ROCHSHP901()	4,160.	4,576.	4,784.	4,992.	5,825.	6,698.	8,708.	
96"	15"	20"	ROCHSHP961()	4,213.	4,634.	4,845.	5,055.	5,898.	6,783.	8,817.	

Cabinet-hung overhead cabinet hinge door, cubby exposed 	30"	15"	20"	ROCHCSHP301()	1,836.	2,021.	2,113.	2,204.	2,572.	2,957.	3,844.
	36"	15"	20"	ROCHCSHP361()	1,882.	2,070.	2,164.	2,259.	2,635.	3,030.	3,939.
	42"	15"	20"	ROCHCSHP421()	2,463.	2,710.	2,833.	2,956.	3,448.	3,966.	5,155.
	48"	15"	20"	ROCHCSHP481()	2,544.	2,799.	2,925.	3,053.	3,562.	4,096.	5,325.
	54"	15"	20"	ROCHCSHP541()	2,597.	2,856.	2,986.	3,116.	3,636.	4,181.	5,435.
	60"	15"	20"	ROCHCSHP601()	2,878.	3,165.	3,309.	3,453.	4,028.	4,633.	6,022.
	66"	15"	20"	ROCHCSHP661()	2,919.	3,212.	3,357.	3,503.	4,087.	4,700.	6,110.
	72"	15"	20"	ROCHCSHP721()	2,968.	3,265.	3,413.	3,562.	4,156.	4,779.	6,213.
	78"	15"	20"	ROCHCSHP781()	3,017.	3,319.	3,469.	3,620.	4,224.	4,857.	6,315.
	84"	15"	20"	ROCHCSHP841()	3,803.	4,183.	4,373.	4,563.	5,324.	6,122.	7,959.
90"	15"	20"	ROCHCSHP901()	3,866.	4,252.	4,445.	4,638.	5,412.	6,223.	8,090.	
96"	15"	20"	ROCHCSHP961()	3,913.	4,304.	4,500.	4,696.	5,478.	6,299.	8,190.	

Order Code	Specification Information	Application Notes
Example: ROCHSHP30 () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead		
C Cabinet mount		
H Hinge door	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
SH Single High		
P Planning		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Installation instruction sheets available on line. For Cabinet hung overheads, refer to part number 6TP00080.
1 Depth (letter)		
2 Case finish type	4. Lock option: N = no drilling, L = locking (wood or laminate doors only)	
2 Front finish type	5. Lock finish: B=Black, S=Matte silver	
H Pull option		
L Lock option	6. Case finish: Laminate or Wood	
B Lock finish	7. Front finish: Laminate or Wood	
PU Pull finish	8. Pull finish: Painted or Plated	

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Cabinet hung with glass doors


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, <i>cubby exposed</i> 	30"	15"	20"	ROCGHCSHP301 () () ()	\$2,622.	\$2,858.	\$3,288.	\$4,273.
	36"	15"	20"	ROCGHCSHP361 () () ()	2,738.	2,984.	3,432.	4,461.
	42"	15"	20"	ROCGHCSHP421 () () ()	3,489.	3,803.	4,372.	5,685.
	48"	15"	20"	ROCGHCSHP481 () () ()	3,585.	3,908.	4,494.	5,842.
	54"	15"	20"	ROCGHCSHP541 () () ()	3,834.	4,179.	4,805.	6,247.
	60"	15"	20"	ROCGHCSHP601 () () ()	4,253.	4,636.	5,331.	6,931.
	66"	15"	20"	ROCGHCSHP661 () () ()	4,378.	4,771.	5,487.	7,133.
	72"	15"	20"	ROCGHCSHP721 () () ()	4,484.	4,887.	5,621.	7,307.
	78"	15"	20"	ROCGHCSHP781 () () ()	4,651.	5,070.	5,830.	7,579.
	84"	15"	20"	ROCGHCSHP841 () () ()	5,723.	6,238.	7,174.	9,326.
90"	15"	20"	ROCGHCSHP901 () () ()	5,790.	6,311.	7,257.	9,434.	
96"	15"	20"	ROCGHCSHP961 () () ()	5,914.	6,447.	7,414.	9,638.	
Cabinet-hung overhead cabinet glass hinge door, <i>cubby concealed</i> 	30"	15"	20"	ROCGHSHP301 () () ()	2,833.	3,343.	3,844.	4,997.
	36"	15"	20"	ROCGHSHP361 () () ()	2,971.	3,505.	4,031.	5,240.
	42"	15"	20"	ROCGHSHP421 () () ()	3,805.	4,490.	5,164.	6,713.
	48"	15"	20"	ROCGHSHP481 () () ()	3,928.	4,635.	5,330.	6,930.
	54"	15"	20"	ROCGHSHP541 () () ()	4,179.	4,931.	5,671.	7,372.
	60"	15"	20"	ROCGHSHP601 () () ()	4,484.	5,291.	6,085.	7,910.
	66"	15"	20"	ROCGHSHP661 () () ()	4,606.	5,435.	6,250.	8,125.
	72"	15"	20"	ROCGHSHP721 () () ()	4,737.	5,590.	6,428.	8,356.
	78"	15"	20"	ROCGHSHP781 () () ()	4,959.	5,852.	6,729.	8,748.
	84"	15"	20"	ROCGHSHP841 () () ()	5,906.	6,969.	8,015.	10,419.
90"	15"	20"	ROCGHSHP901 () () ()	6,039.	7,126.	8,195.	10,653.	
96"	15"	20"	ROCGHSHP961 () () ()	6,135.	7,239.	8,325.	10,823.	

Order Code	Specification Information	Application Notes
Example: ROCGHCSHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
C Cabinet mount	2 = V2	Tasklights not included
GHC Glas hinge door/ cubby	3 = V3	Tack/Task panel order separately
SH Single High	2. Case finish: Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	3. Door frame finish: Anodized or Painted	No pull option for glass doors. Doors project below shelf for opening.
30 Width	4. Glass door finish: GL11, GL14, GL15, GL18	Installation instruction sheets available on line.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Cabinet hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	20"	ROCHOCSHP601 () () () () () ()	\$2,539.	\$2,793.	\$2,920.	\$3,047.	\$3,682.	\$4,234.	\$5,504.
hinge door / open /	66"	15"	20"	ROCHOCSHP661 () () () () () ()	2,575.	2,834.	2,962.	3,091.	3,735.	4,295.	5,583.
cubby exposed	72"	15"	20"	ROCHOCSHP721 () () () () () ()	2,617.	2,879.	3,010.	3,140.	3,795.	4,364.	5,673.
	78"	15"	20"	ROCHOCSHP781 () () () () () ()	2,669.	2,936.	3,069.	3,202.	3,870.	4,451.	5,786.
	84"	15"	20"	ROCHOCSHP841 () () () () () ()	3,105.	3,417.	3,572.	3,727.	4,503.	5,179.	6,733.
	90"	15"	20"	ROCHOCSHP901 () () () () () ()	3,153.	3,468.	3,626.	3,783.	4,571.	5,257.	6,834.
	96"	15"	20"	ROCHOCSHP961 () () () () () ()	3,191.	3,510.	3,670.	3,830.	4,627.	5,321.	6,917.




Order Code	Specification Information	Application Notes
Example: ROCHOCSHP601 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead		Fascias ordered separately
C Cabinet mount	2. <i>Front finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included
HOC Hinge door / Open / Cubby	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Tack/Task panel order separately
SH Single High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning		Doors project below shelf for opening
60 Width		Installation instruction sheets available on line.
1 Depth (letter)	4. <i>Lock option:</i> N=no drilling, L=locking (wood or laminate doors only)	For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type	5. <i>Lock finish:</i> B=Black, S=Matte silver	
2 Front finish type	6. <i>Case finish:</i> Wood or Laminate	
T Tab pull option	7. <i>Front finish:</i> Wood or Laminate	
L Lock option	8. <i>Pull finish:</i> Painted or Plated	
B Lock finish		
V316 Case finish		
V316 Front finish		

dimensions noted nominal

Overhead, 28³/₈" planning
 Single high
 Cabinet hung with glass doors, open

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	20"	ROCGHOCSH601() () ()	\$3,118.	\$3,898.	\$4,482.	\$5,827.
	66"	15"	20"	ROCGHOCSH661() () ()	3,190.	3,987.	4,586.	5,962.
	72"	15"	20"	ROCGHOCSH721() () ()	3,256.	4,070.	4,680.	6,084.
	78"	15"	20"	ROCGHOCSH781() () ()	3,331.	4,164.	4,788.	6,225.
	84"	15"	20"	ROCGHOCSH841() () ()	4,089.	4,907.	5,642.	7,336.
	90"	15"	20"	ROCGHOCSH901() () ()	4,138.	4,965.	5,710.	7,423.
	96"	15"	20"	ROCGHOCSH961() () ()	4,222.	5,067.	5,827.	7,575.



Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	20"	ROCGHOSH601() () ()	3,767.	4,709.	5,415.	7,039.
	66"	15"	20"	ROCGHOSH661() () ()	3,845.	4,806.	5,527.	7,185.
	72"	15"	20"	ROCGHOSH721() () ()	3,942.	4,927.	5,666.	7,366.
	78"	15"	20"	ROCGHOSH781() () ()	4,037.	5,046.	5,803.	7,543.
	84"	15"	20"	ROCGHOSH841() () ()	4,746.	5,933.	6,823.	8,870.
	90"	15"	20"	ROCGHOSH901() () ()	4,847.	6,059.	6,968.	9,058.
	96"	15"	20"	ROCGHOSH961() () ()	4,924.	6,155.	7,078.	9,202.

Order Code	Specification Information	Application Notes
Example: ROCGHOCSH601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead		Fascias ordered separately
C Cabinet mount		Tasklights not included
GHOC Glass hinge door / Open / Cubby	2. Case finish: Laminate, V1, V2, V3	Tack/Task panel order separately
SH Single High	3. Door Frame finish: Painted or Anodized	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	4. Door Glass finish: GL11, GL14, GL15, GL18	No pull option on glass doors.
60 Width		Doors project below shelf for opening
1 Depth (letter)		Installation instruction sheets available on line.
2 Case finish type; V2		
V316 Case finish		
AA Door frame finish		
GL11 Back painted glass door		

dimensions noted nominal


For Cabinet hung overheads, refer to part number 6TP00080.


Overhead, 28³/₈" planning

Reff Profiles

Double high

Wall hung



description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
 Wall-hung overhead cabinet hinge door, cubby concealed	30"	15"	33"	ROMHDHP301 (X)(X)(X)(X)(X)	\$2,197.	\$2,416.	\$2,527.	\$2,637.	\$3,076.	\$3,537.	\$4,598.
	36"	15"	33"	ROMHDHP361 (X)(X)(X)(X)(X)	2,271.	2,499.	2,612.	2,725.	3,180.	3,657.	4,753.
	42"	15"	33"	ROMHDHP421 (X)(X)(X)(X)(X)	3,043.	3,346.	3,499.	3,651.	4,260.	4,899.	6,368.
	48"	15"	33"	ROMHDHP481 (X)(X)(X)(X)(X)	3,131.	3,443.	3,600.	3,756.	4,383.	5,041.	6,553.
	54"	15"	33"	ROMHDHP541 (X)(X)(X)(X)(X)	3,321.	3,653.	3,819.	3,985.	4,649.	5,347.	6,951.
	60"	15"	33"	ROMHDHP601 (X)(X)(X)(X)(X)	3,657.	4,022.	4,204.	4,387.	5,118.	5,886.	7,652.
	66"	15"	33"	ROMHDHP661 (X)(X)(X)(X)(X)	3,772.	4,149.	4,338.	4,527.	5,281.	6,073.	7,895.
	72"	15"	33"	ROMHDHP721 (X)(X)(X)(X)(X)	3,849.	4,234.	4,427.	4,620.	5,389.	6,198.	8,057.
	78"	15"	33"	ROMHDHP781 (X)(X)(X)(X)(X)	3,977.	4,374.	4,573.	4,772.	5,567.	6,401.	8,322.
	84"	15"	33"	ROMHDHP841 (X)(X)(X)(X)(X)	5,024.	5,527.	5,778.	6,030.	7,034.	8,090.	10,516.
90"	15"	33"	ROMHDHP901 (X)(X)(X)(X)(X)	5,114.	5,626.	5,881.	6,137.	7,160.	8,234.	10,704.	
96"	15"	33"	ROMHDHP961 (X)(X)(X)(X)(X)	5,181.	5,699.	5,959.	6,217.	7,253.	8,342.	10,844.	

 Wall-hung overhead cabinet hinge door, cubby exposed	30"	15"	33"	ROMHCDHP301 (X)(X)(X)(X)(X)	2,103.	2,313.	2,418.	3,554.	2,944.	3,386.	4,401.
	36"	15"	33"	ROMHCDHP361 (X)(X)(X)(X)(X)	2,173.	2,391.	2,499.	2,608.	3,043.	3,499.	4,548.
	42"	15"	33"	ROMHCDHP421 (X)(X)(X)(X)(X)	2,952.	3,248.	3,395.	3,543.	4,133.	4,753.	6,179.
	48"	15"	33"	ROMHCDHP481 (X)(X)(X)(X)(X)	3,063.	3,370.	3,523.	3,676.	4,289.	4,932.	6,412.
	54"	15"	33"	ROMHCDHP541 (X)(X)(X)(X)(X)	3,150.	3,465.	3,623.	3,780.	4,409.	5,071.	6,592.
	60"	15"	33"	ROMHCDHP601 (X)(X)(X)(X)(X)	3,458.	3,803.	3,976.	4,149.	4,840.	5,566.	7,237.
	66"	15"	33"	ROMHCDHP661 (X)(X)(X)(X)(X)	3,569.	3,926.	4,105.	4,283.	4,997.	5,746.	7,471.
	72"	15"	33"	ROMHCDHP721 (X)(X)(X)(X)(X)	3,643.	4,008.	4,189.	4,371.	5,101.	5,865.	7,625.
	78"	15"	33"	ROMHCDHP781 (X)(X)(X)(X)(X)	3,722.	4,095.	4,281.	4,467.	5,212.	5,994.	7,792.
	84"	15"	33"	ROMHCDHP841 (X)(X)(X)(X)(X)	4,729.	5,202.	5,438.	5,675.	6,621.	7,614.	9,897.
90"	15"	33"	ROMHCDHP901 (X)(X)(X)(X)(X)	4,816.	5,298.	5,539.	5,780.	6,743.	7,755.	10,082.	
96"	15"	33"	ROMHCDHP961 (X)(X)(X)(X)(X)	4,881.	5,369.	5,612.	5,857.	6,833.	7,858.	10,216.	

Order Code	Specification Information	Application Notes
Example: ROMHDHP30 (X)(X)(X)(X)(X) R Reff O Overhead M Wall mount H Hinge door DH Double High P Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type H Pull option L Lock option B Lock finish PU Pull finish	<i>To order please specify:</i> 1. <i>Case Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Front Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab 4. <i>Lock option:</i> N=no drilling, L=locking (wood or laminate doors only) 5. Lock finish: B=Black, S=Matte silver 6. <i>Case finish:</i> 7. <i>Front finish:</i> 8. <i>Pull finish:</i> Painted or Plated	These products are Glue and Dowel Construction Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 546.

dimensions noted nominal

Overhead, 28³/₈" planning
 Double high
 Wall hung with glass door

description	w	d	h	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, cubby exposed 	30"	15"	33"	ROMGHCDHP301(X)(X)(X)	\$3,158.	\$3,473.	\$3,994.	\$5,193.
	36"	15"	33"	ROMGHCDHP361(X)(X)(X)	3,328.	3,661.	4,210.	5,472.
	42"	15"	33"	ROMGHCDHP421(X)(X)(X)	4,372.	4,809.	5,530.	7,189.
	48"	15"	33"	ROMGHCDHP481(X)(X)(X)	4,529.	4,981.	5,729.	7,447.
	54"	15"	33"	ROMGHCDHP541(X)(X)(X)	4,842.	5,326.	6,125.	7,963.
	60"	15"	33"	ROMGHCDHP601(X)(X)(X)	5,408.	5,948.	6,840.	8,893.
	66"	15"	33"	ROMGHCDHP661(X)(X)(X)	5,639.	6,204.	7,134.	9,274.
	72"	15"	33"	ROMGHCDHP721(X)(X)(X)	5,794.	6,373.	7,328.	9,526.
	78"	15"	33"	ROMGHCDHP781(X)(X)(X)	6,034.	6,637.	7,633.	9,923.
	84"	15"	33"	ROMGHCDHP841(X)(X)(X)	7,488.	8,237.	9,473.	12,315.
	90"	15"	33"	ROMGHCDHP901(X)(X)(X)	7,608.	8,369.	9,623.	12,510.
96"	15"	33"	ROMGHCDHP961(X)(X)(X)	7,778.	8,556.	9,839.	12,791.	
Wall-hung overhead cabinet glass hinge door, cubby concealed 	30"	15"	33"	ROMGHDHP301(X)(X)(X)	3,452.	4,073.	4,684.	6,089.
	36"	15"	33"	ROMGHDHP361(X)(X)(X)	3,649.	4,306.	4,953.	6,438.
	42"	15"	33"	ROMGHDHP421(X)(X)(X)	4,799.	5,662.	6,512.	8,465.
	48"	15"	33"	ROMGHDHP481(X)(X)(X)	4,976.	5,872.	6,752.	8,778.
	54"	15"	33"	ROMGHDHP541(X)(X)(X)	5,312.	6,268.	7,208.	9,371.
	60"	15"	33"	ROMGHDHP601(X)(X)(X)	5,778.	6,818.	7,841.	10,193.
	66"	15"	33"	ROMGHDHP661(X)(X)(X)	5,967.	7,041.	8,097.	10,526.
	72"	15"	33"	ROMGHDHP721(X)(X)(X)	6,152.	7,259.	8,348.	10,852.
	78"	15"	33"	ROMGHDHP781(X)(X)(X)	6,466.	7,630.	8,774.	11,407.
	84"	15"	33"	ROMGHDHP841(X)(X)(X)	7,754.	9,149.	10,522.	13,687.
	90"	15"	33"	ROMGHDHP901(X)(X)(X)	7,942.	9,371.	10,777.	14,010.
96"	15"	33"	ROMGHDHP961(X)(X)(X)	8,095.	9,552.	10,985.	14,281.	

Order Code	Specification Information	Application Notes
Example: ROMGHCDHP301 (X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	1 = V1	A certified building contractor should be consulted.
M Wall mount	2 = V2	Please refer to wall mounting information on page 546.
GHC Glass hinge door / cubby	3 = V3	
DH Double High	2. <i>Case finish:</i> Laminate or Wood	
P Planning	3. <i>Door frame finish:</i> Anodized / Painted	
30 Width	4. <i>Door glass finish:</i> GL11	
1 Depth (letter)	GL14	
2 Case finish type	GL15	
V316 Case finish	GL18	
AN Door frame finish		Tasklights not included
GL11 Door glass finish		Tack/Task panel order separately
		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
		No pull option for glass doors. Doors project below shelf for opening.


dimensions noted nominal

Overhead, 28³/₈" planning


Double high

Wall hung with and without center gable

description	w	h	d	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable	30"	33"	15"		1	ROMCGDHP301 () ()	\$1,830.	\$2,562.	\$2,946.	\$3,831.
	36"	33"	15"		1	ROMCGDHP361 () ()	1,879.	2,630.	3,024.	3,932.
	42"	33"	15"		2	ROMCGDHP421 () ()	2,309.	3,233.	3,718.	4,834.
	48"	33"	15"		2	ROMCGDHP481 () ()	2,369.	3,316.	3,813.	4,957.
	54"	33"	15"		2	ROMCGDHP541 () ()	2,629.	3,680.	4,232.	5,502.
	60"	33"	15"		3	ROMCGDHP601 () ()	3,122.	4,371.	5,027.	6,535.
	66"	33"	15"		3	ROMCGDHP661 () ()	3,217.	4,504.	5,180.	6,733.
	72"	33"	15"		3	ROMCGDHP721 () ()	3,266.	4,573.	5,259.	6,837.
	78"	33"	15"		3	ROMCGDHP781 () ()	3,380.	4,732.	5,443.	7,075.
	84"	33"	15"		5	ROMCGDHP841 () ()	4,259.	5,963.	6,857.	8,914.
	90"	33"	15"		5	ROMCGDHP901 () ()	4,312.	6,036.	6,941.	9,024.
96"	33"	15"		5	ROMCGDHP961 () ()	4,358.	6,101.	7,016.	9,121.	



Wall-hung overhead cabinet open /cubby without center gable	30"	33"	15"			ROMOCDHP301 () ()	1,647.	2,305.	2,651.	3,447.
	36"	33"	15"			ROMOCDHP361 () ()	1,691.	2,367.	2,721.	3,538.
	42"	33"	15"		1	ROMOCDHP421 () ()	2,079.	2,910.	3,346.	4,351.
	48"	33"	15"		1	ROMOCDHP481 () ()	2,132.	2,984.	3,432.	4,462.
	54"	33"	15"		1	ROMOCDHP541 () ()	2,366.	3,312.	3,809.	4,952.
	60"	33"	15"		1	ROMOCDHP601 () ()	2,810.	3,935.	4,525.	5,882.
	66"	33"	15"		1	ROMOCDHP661 () ()	2,895.	4,054.	4,662.	6,059.
	72"	33"	15"		1	ROMOCDHP721 () ()	2,940.	4,116.	4,733.	6,153.
	78"	33"	15"		1	ROMOCDHP781 () ()	3,043.	4,259.	4,899.	6,367.
	84"	33"	15"		2	ROMOCDHP841 () ()	3,834.	5,366.	6,171.	8,023.
	90"	33"	15"		2	ROMOCDHP901 () ()	3,880.	5,432.	6,247.	8,122.
	96"	33"	15"		2	ROMOCDHP961 () ()	3,922.	5,491.	6,315.	8,209.




Without center gable

Order Code	Specification Information	Application Notes
Example: ROMCGDHP301 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Place holder for legal depth if required.
M Wall mount	2 = V2	Fascias ordered separately
CG Center Gable	3 = V3	Tasklights not included
DH Double High	2. <i>Case finish:</i> Wood or Laminate	Tack/Task panel order separately
P Planning		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width		
1 Depth (letter)		
2 Case finish type		
V316 Case finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Wall hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	
Wall Hung overhead cabinet	60"	15"	33"	ROMHOC DHP601	() () () () () ()	\$3,269.	\$3,597.	\$3,760.	\$3,923.	\$4,740.	\$5,452.	\$7,087.
hinge door / open /	66"	15"	33"	ROMHOC DHP661	() () () () () ()	3,324.	3,657.	3,822.	3,988.	4,819.	5,542.	7,205.
cubby exposed	72"	15"	33"	ROMHOC DHP721	() () () () () ()	3,387.	3,726.	3,894.	4,064.	4,911.	5,647.	7,342.
	78"	15"	33"	ROMHOC DHP781	() () () () () ()	3,453.	3,798.	3,971.	4,144.	5,007.	5,758.	7,485.
	84"	15"	33"	ROMHOC DHP841	() () () () () ()	3,977.	4,374.	4,573.	4,772.	5,766.	6,631.	8,621.
	90"	15"	33"	ROMHOC DHP901	() () () () () ()	4,044.	4,448.	4,650.	4,852.	5,863.	6,742.	8,765.
	96"	15"	33"	ROMHOC DHP961	() () () () () ()	4,102.	4,512.	4,717.	4,923.	5,948.	6,841.	8,893.




Order Code	Specification Information	Application Notes
Example: ROMHOC DHP601 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead	2. <i>Front Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
M Wall mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Doors project below shelf for opening
HOC Hinge door / open / cubby	4. <i>Lock Option:</i> N=no drilling, L=locking (wood or laminate doors only)	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 546.
DH Double High	5. <i>Lock finish:</i> B=Black, S=Matte silver	
P Planning	6. <i>Case Finish</i>	
60 Width	7. <i>Front Finish</i>	
1 Depth (letter)	8. <i>Pull finish:</i> Painted or Plated	
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Wall hung with glass doors, open

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	33"	ROMGHODHP601 () () ()	\$4,883.	\$6,104.	\$7,019.	\$9,125.
	66"	15"	33"	ROMGHODHP661 () () ()	5,015.	6,269.	7,210.	9,373.
	72"	15"	33"	ROMGHODHP721 () () ()	5,138.	6,422.	7,386.	9,601.
	78"	15"	33"	ROMGHODHP781 () () ()	5,296.	6,619.	7,612.	9,896.
	84"	15"	33"	ROMGHODHP841 () () ()	6,202.	7,753.	8,916.	11,590.
	90"	15"	33"	ROMGHODHP901 () () ()	6,337.	7,922.	9,110.	11,843.
	96"	15"	33"	ROMGHODHP961 () () ()	6,462.	8,078.	9,289.	12,076.
Wall Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	33"	ROMGHODHP601 () () ()	4,156.	5,194.	5,974.	7,766.
	66"	15"	33"	ROMGHODHP661 () () ()	4,264.	5,331.	6,131.	7,969.
	72"	15"	33"	ROMGHODHP721 () () ()	4,363.	5,454.	6,272.	8,152.
	78"	15"	33"	ROMGHODHP781 () () ()	4,495.	5,595.	6,434.	8,365.
	84"	15"	33"	ROMGHODHP841 () () ()	5,397.	6,638.	7,634.	9,924.
	90"	15"	33"	ROMGHODHP901 () () ()	5,481.	6,741.	7,753.	10,079.
	96"	15"	33"	ROMGHODHP961 () () ()	5,602.	6,891.	7,924.	10,301.




Order Code	Specification Information	Application Notes
Example: ROMGHODHP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	1 = V1	Letter depth is 15" nominal.
M Wall mount	2 = V2	Fascias ordered separately
GHOC Glass hinge door / open / cubby	3 = V3	Tasklights not included
DH Double High	2. Case finish: Laminate or Wood	Tack/Task panel order separately
P Planning	3. Door Frame finish: Anodized or Painted	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
60 Width	4. Door Glass finish: GL11, GL14, GL15, GL18	Doors project below shelf for opening
1 Depth (letter)		No pull option on glass doors.


dimensions noted nominal

Overhead, 28³/₈" planning

Reff Profiles

Double high Cabinet hung



description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed 	30"	15"	33"	ROCHDHP301()	\$2,270.	\$2,498.	\$2,611.	\$2,724.	\$3,179.	\$3,655.	\$4,751.
	36"	15"	33"	ROCHDHP361()	2,342.	2,577.	2,693.	2,811.	3,280.	3,772.	4,903.
	42"	15"	33"	ROCHDHP421()	3,113.	3,424.	3,579.	3,736.	4,358.	5,012.	6,515.
	48"	15"	33"	ROCHDHP481()	3,186.	3,505.	3,664.	3,823.	4,461.	5,129.	6,668.
	54"	15"	33"	ROCHDHP541()	3,374.	3,712.	3,881.	4,049.	4,725.	5,433.	7,063.
	60"	15"	33"	ROCHDHP601()	3,708.	4,079.	4,264.	4,450.	5,192.	5,971.	7,762.
	66"	15"	33"	ROCHDHP661()	3,822.	4,204.	4,396.	4,587.	5,351.	6,154.	8,000.
	72"	15"	33"	ROCHDHP721()	3,901.	4,290.	4,486.	4,680.	5,460.	6,280.	8,164.
	78"	15"	33"	ROCHDHP781()	4,011.	4,411.	4,612.	4,813.	5,616.	6,457.	8,395.
	84"	15"	33"	ROCHDHP841()	5,057.	5,563.	5,815.	6,069.	7,079.	8,141.	10,584.
	90"	15"	33"	ROCHDHP901()	5,145.	5,659.	5,916.	6,174.	7,203.	8,282.	10,768.
96"	15"	33"	ROCHDHP961()	5,211.	5,731.	5,992.	6,252.	7,294.	8,388.	10,906.	

Cabinet-hung overhead cabinet hinge door, cubby exposed 	30"	15"	33"	ROCHDHP301()	2,175.	2,393.	2,501.	2,610.	3,045.	3,502.	4,552.
	36"	15"	33"	ROCHDHP361()	2,243.	2,468.	2,579.	2,691.	3,140.	3,611.	4,695.
	42"	15"	33"	ROCHDHP421()	3,044.	3,349.	3,500.	3,652.	4,261.	4,901.	6,371.
	48"	15"	33"	ROCHDHP481()	3,117.	3,429.	3,584.	3,741.	4,364.	5,019.	6,524.
	54"	15"	33"	ROCHDHP541()	3,201.	3,522.	3,681.	3,842.	4,483.	5,154.	6,701.
	60"	15"	33"	ROCHDHP601()	3,507.	3,857.	4,033.	4,209.	4,910.	5,646.	7,340.
	66"	15"	33"	ROCHDHP661()	3,616.	3,979.	4,159.	4,340.	5,063.	5,823.	7,569.
	72"	15"	33"	ROCHDHP721()	3,692.	4,060.	4,245.	4,429.	5,168.	5,943.	7,725.
	78"	15"	33"	ROCHDHP781()	3,754.	4,129.	4,318.	4,505.	5,256.	6,044.	7,858.
	84"	15"	33"	ROCHDHP841()	4,758.	5,233.	5,471.	5,709.	6,660.	7,659.	9,957.
	90"	15"	33"	ROCHDHP901()	4,843.	5,327.	5,569.	5,811.	6,780.	7,797.	10,136.
96"	15"	33"	ROCHDHP961()	4,906.	5,396.	5,641.	5,887.	6,868.	7,898.	10,268.	

Order Code	Specification Information	Application Notes
Example: ROCH-DHP301()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
C Cabinet Hung	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Installation instruction sheets available on line. For Cabinet hung overheads, refer to part number 6TP00080.
H Hinge door	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	
DH Double High	5. Lock finish: B=Black, S=Matte silver	
P Planning	6. Case finish: Wood or Laminate	
30 Width	7. Front finish: Wood or Laminate	
1 Depth (letter)	8. Pull finish: Painted or Plated	
2 Case finish type		
2 Front finish type		
H Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
PN Pull finish		

dimensions noted nominal

Overhead, 28³/₈" planning
 Double high
 Cabinet hung with glass door

description	w	d	h	pattern n	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, cubby exposed 	30"	15"	33"	ROCGHCDHP301 () () ()	\$3,201.	\$3,489.	\$4,012.	\$5,216.
	36"	15"	33"	ROCGHCDHP361 () () ()	3,370.	3,673.	4,224.	5,492.
	42"	15"	33"	ROCGHCDHP421 () () ()	4,422.	4,820.	5,543.	7,206.
	48"	15"	33"	ROCGHCDHP481 () () ()	4,562.	4,972.	5,718.	7,432.
	54"	15"	33"	ROCGHCDHP541 () () ()	4,875.	5,314.	6,111.	7,944.
	60"	15"	33"	ROCGHCDHP601 () () ()	5,235.	5,707.	6,563.	8,533.
	66"	15"	33"	ROCGHCDHP661 () () ()	5,459.	5,950.	6,843.	8,896.
	72"	15"	33"	ROCGHCDHP721 () () ()	5,635.	6,143.	7,064.	9,183.
	78"	15"	33"	ROCGHCDHP781 () () ()	5,860.	6,387.	7,345.	9,548.
	84"	15"	33"	ROCGHCDHP841 () () ()	7,132.	7,773.	8,939.	11,621.
	90"	15"	33"	ROCGHCDHP901 () () ()	7,249.	7,902.	9,088.	11,813.
96"	15"	33"	ROCGHCDHP961 () () ()	7,419.	8,087.	9,299.	12,089.	
Cabinet-hung overhead cabinet glass hinge door, cubby concealed 	30"	15"	33"	ROCGHDHP301 () () ()	3,437.	4,056.	4,664.	6,063.
	36"	15"	33"	ROCGHDHP421 () () ()	3,632.	4,285.	4,928.	6,406.
	42"	15"	33"	ROCGHDHP361 () () ()	4,779.	5,640.	6,486.	8,431.
	48"	15"	33"	ROCGHDHP481 () () ()	4,952.	5,843.	6,719.	8,734.
	54"	15"	33"	ROCGHDHP541 () () ()	5,270.	6,219.	7,152.	9,297.
	60"	15"	33"	ROCGHDHP601 () () ()	5,719.	6,749.	7,761.	10,089.
	66"	15"	33"	ROCGHDHP661 () () ()	5,899.	6,960.	8,004.	10,406.
	72"	15"	33"	ROCGHDHP721 () () ()	6,104.	7,203.	8,283.	10,768.
	78"	15"	33"	ROCGHDHP781 () () ()	6,398.	7,550.	8,683.	11,288.
	84"	15"	33"	ROCGHDHP841 () () ()	7,685.	9,068.	10,428.	13,557.
	90"	15"	33"	ROCGHDHP901 () () ()	7,870.	9,287.	10,680.	13,884.
96"	15"	33"	ROCGHDHP961 () () ()	8,021.	9,464.	10,884.	14,149.	

Order Code	Specification Information	Application Notes
Example: ROCGHCDHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish Type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	No glass shelves
C Cabinet Hung	2 = V2	Fascias ordered separately
GHC Glass hinge door / cubby	3 = V3	Tasklights not included
DH Double High	2. Case Finish: V316	Tack/Task panel order separately
P Planning	3. Door frame finish: Anotized or Painted	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width	4. Door Glass finish: GL11, GL14, GL15, GL18	No pull option for glass doors. Doors project below shelf for opening.
1 Depth (letter)		Installation instruction sheets available on line.
2 Case finish type		For Cabinet hung overheads, refer to part number 6TP00080.
2 Caese finish		
AN Door frame finish		
GL11 Door glass finish		


dimensions noted nominal

Overhead, 28³/₈" planning


Double high

Cabinet hung with and without center gable

description	w	d	h	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable	30"	15"	33"	1	ROCCGDHP301()()	\$1,904.	\$2,666.	\$3,065.	\$3,985.
	36"	15"	33"	1	ROCCGDHP361()()	1,951.	2,731.	3,140.	4,082.
	42"	15"	33"	2	ROCCGDHP421()()	2,380.	3,332.	3,833.	4,982.
	48"	15"	33"	2	ROCCGDHP481()()	2,425.	3,394.	3,904.	5,075.
	54"	15"	33"	2	ROCCGDHP541()()	2,683.	3,755.	4,319.	5,615.
	60"	15"	33"	3	ROCCGDHP601()()	3,175.	4,445.	5,112.	6,646.
	66"	15"	33"	3	ROCCGDHP661()()	3,268.	4,575.	5,261.	6,839.
	72"	15"	33"	3	ROCCGDHP721()()	3,318.	4,645.	5,342.	6,944.
	78"	15"	33"	3	ROCCGDHP781()()	3,415.	4,781.	5,498.	7,147.
	84"	15"	33"	5	ROCCGDHP841()()	4,291.	6,008.	6,909.	8,982.
	90"	15"	33"	5	ROCCGDHP901()()	4,341.	6,078.	6,991.	9,088.
96"	15"	33"	5	ROCCGDHP961()()	4,388.	6,142.	7,064.	9,182.	



Cabinet-hung overhead cabinet open /cubby without center gable	30"	15"	33"		ROCOCDHP301()()	1,714.	2,399.	2,758.	3,586.
	36"	15"	33"		ROCOCDHP361()()	1,756.	2,458.	2,826.	3,674.
	42"	15"	33"	1	ROCOCDHP421()()	2,142.	2,999.	3,449.	4,484.
	48"	15"	33"	1	ROCOCDHP481()()	2,183.	3,055.	3,513.	4,567.
	54"	15"	33"	1	ROCOCDHP541()()	2,415.	3,379.	3,887.	5,053.
	60"	15"	33"	1	ROCOCDHP601()()	2,858.	4,001.	4,601.	5,981.
	66"	15"	33"	1	ROCOCDHP661()()	2,942.	4,118.	4,735.	6,155.
	72"	15"	33"	1	ROCOCDHP721()()	2,986.	4,181.	4,807.	6,250.
	78"	15"	33"	1	ROCOCDHP781()()	3,074.	4,303.	4,948.	6,432.
	84"	15"	33"	2	ROCOCDHP841()()	3,861.	5,408.	6,218.	8,083.
	90"	15"	33"	2	ROCOCDHP901()()	3,908.	5,470.	6,291.	8,179.
	96"	15"	33"	2	ROCOCDHP961()()	3,949.	5,528.	6,357.	8,265.




Without center gable

Order Code	Specification Information	Application Notes
Example: ROCCGDHP301()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type:	Letter depth is 15" nominal.
O Overhead	L = Laminate	Place holder for legal depth if required.
C Cabinet hung	1 = V1	Fascias ordered separately
CG Center gable	2 = V2	Tasklights not included
DH Double High	3 = V3	Tack/Task panel order separately
P Planning	2. Case finish: Wood or Laminate	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width		Installation instruction sheets available on line.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
V316 Case finish		

dimensions noted nominal

Overhead, 28³/₈" planning
 Double high
 Cabinet hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	33"	ROCH OCDHP601()	\$3,260.	\$3,585.	\$3,748.	\$3,912.	\$4,727.	\$5,435.	\$7,066.
hinge door / open /	66"	15"	33"	ROCH OCDHP661()	3,312.	3,643.	3,809.	3,975.	4,803.	5,523.	7,180.
cubby exposed	72"	15"	33"	ROCH OCDHP721()	3,374.	3,711.	3,880.	4,049.	4,893.	5,627.	7,314.
	78"	15"	33"	ROCH OCDHP781()	3,426.	3,769.	3,940.	4,111.	4,968.	5,712.	7,426.
	84"	15"	33"	ROCH OCDHP841()	3,949.	4,344.	4,541.	4,739.	5,726.	5,555.	8,560.
	90"	15"	33"	ROCH OCDHP901()	4,014.	4,415.	4,615.	4,816.	5,820.	6,693.	8,700.
	96"	15"	33"	ROCH OCDHP961()	4,071.	4,477.	4,681.	4,884.	5,902.	6,788.	8,824.




Order Code	Specification Information	Application Notes
Example: ROCH-OCDHP601()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead		Fascias ordered separately
C Cabinet Hung	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included
HOC Hinge door / open / cubby	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Tack/Task panel order separately
DH Double High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning		Doors project below shelf for opening
30 Width		Installation instruction sheets available on line.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	
	5. Lock finish: B=Black, S=Matte silver	
	6. Case finish: Wood or Laminate	
	7. Front finish: Wood or Laminate	
	8. Pull finish: Painted or Plated	

dimensions noted nominal

Overhead, 28³/₈" planning
 Double high
 Cabinet hung with glass doors, open

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	33"	ROCGHODHP601 () () ()	\$4,145.	\$5,181.	\$5,958.	\$7,746.
	66"	15"	33"	ROCGHODHP661 () () ()	4,251.	5,314.	6,111.	7,944.
	72"	15"	33"	ROCGHODHP721 () () ()	4,348.	5,435.	6,250.	8,126.
	78"	15"	33"	ROCGHODHP781 () () ()	4,445.	5,559.	6,390.	8,307.
	84"	15"	33"	ROCGHODHP841 () () ()	5,364.	6,598.	7,587.	9,863.
	90"	15"	33"	ROCGHODHP901 () () ()	5,446.	6,698.	7,702.	10,014.
	96"	15"	33"	ROCGHODHP961 () () ()	5,564.	6,844.	7,871.	10,232.



Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	33"	ROCGHODHP601 () () ()	4,842.	6,052.	6,960.	9,048.
	66"	15"	33"	ROCGHODHP661 () () ()	4,972.	6,215.	7,147.	9,291.
	72"	15"	33"	ROCGHODHP721 () () ()	5,093.	6,366.	7,321.	9,517.
	78"	15"	33"	ROCGHODHP781 () () ()	5,232.	6,540.	7,521.	9,777.
	84"	15"	33"	ROCGHODHP841 () () ()	6,137.	7,671.	8,822.	11,469.
	90"	15"	33"	ROCGHODHP901 () () ()	6,279.	7,849.	9,026.	11,734.
	96"	15"	33"	ROCGHODHP961 () () ()	6,393.	7,991.	9,190.	11,947.

Overhead shoulder	2"	15"	68"	ROSSH681 () ()	379.	390.	448.	605.
	2"	15"	82"	ROSDH821 () ()	412.	427.	490.	662.

To be used with Single and Double high overheads




Order Code	Specification Information	Application Notes
Example: ROCG-HOCDHP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead	2. Case finish: Laminate or Wood	Tasklights not included
C Cabinet Hung	3. Door Frame finish: Anodized or Painted	Tack/Task panel order separately
GHOC Glass hinge door / open / cubby	4. Door Glass finish: GL11, GL14, GL15, GL18	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
DH Double High		Doors project below shelf for opening
P Planning		Installation instruction sheets available on line.
60 Width		For Cabinet hung overheads, refer to part number 6TP00080.
1 Depth (letter)		


dimensions noted nominal

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()L		\$699.	\$699.	\$733.	\$1,050.
		30"	14 1/4"	14 3/4"	RO3-M30() ()L		782.	782.	818.	1,130.
		36"	14 1/4"	14 3/4"	RO3-M36() ()L		901.	901.	945.	1,265.
		42"	14 1/4"	14 3/4"	RO3-M42() ()L		1,041.	1,041.	1,091.	1,404.
		48"	14 1/4"	14 3/4"	RO3-M48() ()L		1,158.	1,158.	1,216.	1,538.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() ()L		1,469.	1,469.	1,539.	2,115.
		66"	14 1/4"	14 3/4"	RO3-M66() ()L		1,598.	1,598.	1,681.	2,266.
		72"	14 1/4"	14 3/4"	RO3-M72() ()L		1,711.	1,711.	1,796.	2,390.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()N		632.	632.	663.	
		30"	14 1/4"	14 3/4"	RO3-M30() ()N		715.	715.	751.	
		36"	14 1/4"	14 3/4"	RO3-M36() ()N		835.	835.	874.	
		42"	14 1/4"	14 3/4"	RO3-M42() ()N		973.	973.	1,021.	
		48"	14 1/4"	14 3/4"	RO3-M48() ()N		1,090.	1,090.	1,145.	



Order Code	
Example: RO3-M48-612-M-L	
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.

Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 416) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 ³ / ₄ "	14 ³ / ₄ "	RO3-M60() (JN)		\$1,331.	\$1,331.	\$1,397.	n/a
		66"	14 ³ / ₄ "	14 ³ / ₄ "	RO3-M66() (JN)		1,466.	1,466.	1,535.	n/a
		72"	14 ³ / ₄ "	14 ³ / ₄ "	RO3-M72() (JN)		1,572.	1,572.	1,653.	n/a



description	type	w	d	h	pattern no.	black
Interior partitions	Horizontal, set of 10	6"	11"	-	RO1-HP6	134.
	Horizontal, set of 10	9"	11"	-	RO1-HP9	169.
	Horizontal, set of 10	12"	11"	-	RO1-HP12	201.
	Horizontal, set of 10	15"	11"	-	RO1-HP15	234.
	Vertical, set of 5	-	11"	12"	RO3-VP	87.



Order Code

Example:	RO3-M48-612-M-L
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1¹/₂" increments of width anywhere across shelf, 1¹/₂" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 416) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.


Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()L	\$686.	\$686.	\$719.	\$1,032.
		30"	14 1/4"	14 3/4"	RO3-N30() ()L	763.	763.	804.	1,114.
		36"	14 1/4"	14 3/4"	RO3-N36() ()L	883.	883.	928.	1,249.
		42"	14 1/4"	14 3/4"	RO3-N42() ()L	1,024.	1,024.	1,077.	1,389.
		48"	14 1/4"	14 3/4"	RO3-N48() ()L	1,145.	1,145.	1,200.	1,525.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()L	1,448.	1,448.	1,523.	2,101.
		66"	14 1/4"	14 3/4"	RO3-N66() ()L	1,586.	1,586.	1,661.	2,252.
		72"	14 1/4"	14 3/4"	RO3-N72() ()L	1,693.	1,693.	1,778.	2,376.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()N	616.	616.	646.	n/a
		30"	14 1/4"	14 3/4"	RO3-N30() ()N	698.	698.	732.	n/a
		36"	14 1/4"	14 3/4"	RO3-N36() ()N	816.	816.	857.	n/a
		42"	14 1/4"	14 3/4"	RO3-N42() ()N	958.	958.	1,006.	n/a
		48"	14 1/4"	14 3/4"	RO3-N48() ()N	1,075.	1,075.	1,130.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()N	1,313.	1,313.	1,380.	n/a
		66"	14 1/4"	14 3/4"	RO3-N66() ()N	1,447.	1,447.	1,520.	n/a
		72"	14 1/4"	14 3/4"	RO3-N72() ()N	1,561.	1,561.	1,639.	n/a



Order Code

Example:	RO3-N48-613-613-L
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.



Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf no mounting hardware		30"	13"	8"	RS1-N30()		\$328.	\$328.	\$343.
		36"	13"	8"	RS1-N36()		371.	371.	389.
		42"	13"	8"	RS1-N42()		400.	400.	419.
		48"	13"	8"	RS1-N48()		430.	430.	451.
		60"	13"	8"	RS1-N60()		504.	504.	530.
 Interior partitions	Vertical, set of 5	–	12"	6"	RS1-VP	81.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	134.			
		9"	12"	–	RO1-HP9	169.			
		12"	12"	–	RO1-HP12	201.			
		15"	12"	–	RO1-HP15	234.			

Order Code

Example:	RS1-N48-612
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.



Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter open overhead

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open overhead no mounting hardware		30"	13"	14 ³ / ₄ "	RO3-ON30()	\$490.	\$490.	\$513.	
		36"	13"	14 ³ / ₄ "	RO3-ON36()	562.	562.	590.	
		42"	13"	14 ³ / ₄ "	RO3-ON42()	638.	638.	670.	
		48"	13"	14 ³ / ₄ "	RO3-ON48()	713.	713.	747.	
		60"	13"	14 ³ / ₄ "	RO3-ON60()	829.	829.	872.	
		72"	13"	14 ³ / ₄ "	RO3-ON72()	977.	977.	1,025.	
 Interior partitions	Vertical, set of 5	–	11"	12"	RO3-VP	87.			
	Horizontal, set of 10	6"	11"	–	RO1-HP6	134.			
		9"	11"	–	RO1-HP9	169.			
		12"	11"	–	RO1-HP12	201.			
		15"	11"	–	RO1-HP15	234.			

Order Code

Example:	RO3-ON30-612
RO3-O	Reuter open overhead
N	No mounting hardware
30	Width
612	Finish

Specification Information

Specify finish for case and door.

Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.




Reuter overhead storage
desk and panel mounting options
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				RO1-RPB	\$45.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				RS1-RPB	37.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				RO1-RCB()		96.






Order Code	Specification Information	Application Notes
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
RO2 Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
NS Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
21 Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
612 Paint finish		For Morrison Network desk mount applications, overhead cabinet or shelf width must correspond to desk support width and worksurface with grommet. Stanchions bolt to desk support corner leg. Top of cabinet or stanchions aligns with adjacent 64"H vertical panels or vertical storage.
		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$84.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	91.
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	96.
Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	RS1-WMF24	84.
	30"W shelf	29"	1 1/2"	6"	RS1-WMF30	89.
	36"W shelf	35"	1 1/2"	6"	RS1-WMF36	91.
	42"W shelf	41"	1 1/2"	6"	RS1-WMF42	94.
	48"W shelf	47"	1 1/2"	6"	RS1-WMF48	96.
	60"W shelf	59"	1 1/2"	6"	RS1-WMF60	102.
Wall mount wire manager, set of 10					MWM-J	150.
						
	Ganging bracket				RO1-GB	12.
ADA pull					RO1-PULL	49.
						


Order Code	Specification Information	Application Notes
Example: RO1-GB	Wall mount frames are painted black finish.	Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.
RO1 Reuter overhead	ADA pull is stainless steel.	Reuter open shelves 66" and 72"W are for stanchion support only.
GB Ganging bracket		Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
		Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.
		ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
		ADA pull cannot be mounted on wood front Reuter doors.

description	type	w	d	h	pattern no.	list
 <p>T5 Standard Task Light</p>	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19S	\$225.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25S	242.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37S	261.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49S	283.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61S	301.
 <p>T5 Advanced Task Light</p>	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25A	417.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37A	439.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49A	456.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61A	475.
 <p>LED Task Light</p>	Use with 24" and wider overhead (3 LED's)	19"	2"	5/8"	ML3L193M	301.
	Use with 24" and wider overhead (6 LED's)	19"	2"	5/8"	ML3L196M	380.
	Use with 24" and wider overhead (9 LED's)	19"	2"	5/8"	ML3L199M	517.
	Use with 42" and wider overhead (6 LED's)	37"	2"	5/8"	ML3L376M	607.
	Use with 42" and wider overhead (12 LED's)	37"	2"	5/8"	ML3L3712M	686.
	Use with 42" and wider overhead (18 LED's)	37"	2"	5/8"	ML3L3718M	850.


Order Code	Specification Information	Application Notes
<p>T5 Standard Task Light</p> <p>Example: RTAT5E25S</p> <p>RTA Task Light</p> <p>T5 T5 lamp</p> <p>E Electronic ballast</p> <p>25 Width</p> <p>S Standard</p> <p>LED Task Light</p> <p>Example: ML3L193M</p> <p>ML3 Task Light</p> <p>L LED</p> <p>19 Width</p> <p>3 # of LED's</p> <p>M Metal Overhead Attachment</p>	<p>T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.</p> <p>LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.</p>	<p>T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH</p> <p>Cordset is center exit. On smaller units cord exit is off-center, but still not handed.</p> <p>T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.</p> <p>LED Task Lights: Power cord is able to attach to either end of fixture.</p> <p>Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.</p> <p>All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.</p>

Progressive Overheads
 28³/₈" planning
 Cabinet Hung with glass door


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Shelf	90"	15"	14 ³ / ₄ "	RROCGSD90GB() () () ()	\$3,023.	\$3,628.	\$4,172.	\$5,424.
Glass Sliding Doors Closed Ends	108"	15"	14 ³ / ₄ "	RROCGSD108GB() () () ()	3,307.	3,969.	4,564.	5,933.




Cabinet Hung Shelf with 2 Glass Sliding Doors	90"	15"	14 ⁷ / ₈ "	RROC2GSD90() () () ()	4,160.	4,701.	5,119.	6,654.
	108"	15"	14 ⁷ / ₈ "	RROC2GSD108() () () ()	4,696.	5,307.	5,710.	7,423.



Cabinet Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ³ / ₄ "	RROCGSDL60GB() () () ()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ³ / ₄ "	RROCGSDL72GB() () () ()	2,754.	3,167.	3,643.	4,736.




Cabinet Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ³ / ₄ "	RROCGSDR60GB() () () ()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ³ / ₄ "	RROCGSDR72GB() () () ()	2,754.	3,167.	3,643.	4,736.




Order Code	Specification Information	Application Notes
Example: RROCGSD90GB() () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction.
RR Reffresh	1. Pull option=C Grommet pull	Above sizes are nominal.
O Overhead	2. Pull finish = Painted/plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish = V316	Installation instruction sheets available on line.
GSD Glass Sliding Door	4. Door frame finish = Anodized / painted	For Cabinet hung overheads, refer to part number 6TP00080.
90 90" wide	5. Door Glass finish	For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both	GL11 = Black	
G Pull option	GL14 = Folkstone Grey	
111 Pull finish	GL15 = Med. Grey	
V316 Case finish	GL18 = White	
AN Door frame finish		
GL11 Glass finish		

Progressive Overheads
 28³/₈" planning
 Cabinet Hung with wood door


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung Shelf	90"	15"	14 ³ / ₄ "	RROCWSD90GB () () ()	\$2,597.	\$2,857.	\$2,987.	\$3,117.	\$3,376.	\$3,882.	\$5,047.
Sliding Doors Closed Ends	108"	15"	14 ³ / ₄ "	RROCWSD108GB () () ()	2,816.	3,097.	3,238.	3,379.	3,661.	4,210.	5,472.




Cabinet Hung Shelf with 2 Wood/Laminate Sliding Doors	90"	15"	14 ³ / ₄ "	RROC2WSD90 () () ()	3,136.	3,450.	3,606.	3,763.	4,077.	4,584.	5,959.
	108"	15"	14 ³ / ₄ "	RROC2WSD108 () () ()	3,501.	3,851.	4,026.	4,201.	4,551.	5,053.	6,569.



Cabinet Hung Shelf with Wood/Laminate Sliding Door Right Hand	60"	15"	14 ³ / ₄ "	RROCWSDR60GB () () ()	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	RROCWSDR72GB () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.




Cabinet Hung Shelf with Wood/Laminate Sliding Door Left Hand	60"	15"	14 ³ / ₄ "	RROCWSDL60GB () () ()	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	RROCWSDL72GB () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.



Order Code	Specification Information	Application Notes
Example: RROCWSDR60GB	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet pull only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted or Plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish: L, V1, V2, V3	Installation instruction sheets available on line.
WSDR Wood/Lam. Sliding Door	4. Front finish: L, V1, V2, V3	For Cabinet hung overheads, refer to part number 6TP00080.
60 60" wide		For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both		All sliding doors including wood, laminate and glass are non-locking.
G Pull Option		Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
115 Pull Finish		A certified building contractor should be consulted.
V316 Case Finish		Please refer to wall mounting information on page 546.
V316 Front Finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Progressive Overheads
 28³/₈" planning
 Cabinet Hung with open shelf

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Open Shelf Closed Ends 	60"	15"	14 ³ / ₄ "	RROCOS60GB ()()	\$1,568.	\$2,037.	\$2,343.	\$3,046.
	72"	15"	14 ³ / ₄ "	RROCOS72GB ()()	1,671.	2,172.	2,498.	3,248.
	90"	15"	14 ³ / ₄ "	RROCOS90GB ()()	1,821.	2,368.	2,723.	3,540.
	108"	15"	14 ³ / ₄ "	RROCOS108GB ()()	2,071.	2,693.	3,097.	4,026.

Order Code

Example: RROCOS60GB ()()
RR Reff
O Overhead
C Cabinet Hung
OS Open shelf
60 60" wide
2 Finish type
V316 Case Finish

Specification Information

To order please specify

- Finish type:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
- Finish

Application Notes

These products are Glue and Dowel Construction.

Above sizes are nominal.


Installation instruction sheets available on line.

For Cabinet hung overheads, refer to part number 6TP00080.


Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Progressive Overheads
 28³/₈" planning
 Wall Hung with glass door


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ³ / ₄ "	RROMGSD90GN () () () () ()	\$2,861.	\$3,434.	\$3,949.	\$5,134.
	108"	15"	14 ³ / ₄ "	RROMGSD108GN () () () () ()	3,246.	3,894.	4,479.	5,823.



Wall Hung Shelf with Glass Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	RROMGSD60GR () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	RROMGSD72GR () () () () ()	2,726.	3,271.	3,763.	4,890.



Wall Hung Shelf with Glass Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	RROMGSD60GL () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	RROMGSD72GL () () () () ()	2,726.	3,271.	3,763.	4,890.



Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	Above sizes are nominal.
O Overhead	2. Pull finish: 115	Task lights and Fascias sold separately.
M Wall hung	3. Case finish: V319	All sliding doors including wood, laminate and glass are non-locking.
GSD Glass sliding door	4. Door frame: Anodized / painted	Installation instruction sheets available on line.
90 90" wide	5. Glass finish:	For overheads with sliding doors, refer to part number 6TP00088.
GN No gable	GL11 = Black	
G Pull Option	GL14 = Folkstone Grey	
115 Pull Finish	GL15 = Med. Grey	
V319 Case Finish	GL18 = White	
AP Door Frame Finish		
GL11 Glass Finish		


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 546.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.


28³/₈" planning

Wall Hung with glass door closed ends


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ³ / ₄ "	RROMGSD90GB () () () ()	\$3,203.	\$3,684.	\$4,236.	\$5,507.
	108"	15"	14 ³ / ₄ "	RROMGSD108GB () () () ()	3,598.	4,138.	4,758.	6,185.




Wall Hung Shelf with 2 Glass Sliding Doors	90"	15"	14 ³ / ₄ "	RROM2GSD90 () () () () ()	4,450.	4,895.	5,313.	6,907.
	108"	15"	14 ³ / ₄ "	RROM2GSD108 () () () () ()	5,046.	5,550.	5,953.	7,739.



Wall Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ³ / ₄ "	RROMGSDR60GB () () () ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ³ / ₄ "	RROMGSDR72GB () () () ()	2,834.	3,259.	3,747.	4,872.




Wall Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ³ / ₄ "	RROMGSDL60GB () () () ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ³ / ₄ "	RROMGSDL72GB () () () ()	2,834.	3,259.	3,747.	4,872.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	Above sizes are nominal.
O Overhead	2. Pull finish: 115	Task lights and Fascias sold separately.
M Wall hung	3. Case finish: V319	All sliding doors including wood, laminate and glass are non-locking.
GSD Glass sliding door	4. Door frame: Anodized / painted	Installation instruction sheets available on line.
90 90" wide	5. Glass finish:	For overheads with sliding doors, refer to part number 6TP00088.
GN No gable	GL11 = Black	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
G Pull Option	GL14 = Folkstone Grey	
115 Pull Finish	GL15 = Med. Grey	
V319 Case Finish	GL18 = White	
AP Door Frame Finish		
GL11 Glass Finish		

Progressive Overheads
 28³/₈" planning
 Wall Hung with wood door


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood / Laminate Sliding Door	90"	15"	14 ³ / ₄ "	RROMWSD90GN () () () () () ()	\$2,651.	\$2,917.	\$3,050.	\$3,182.	\$3,182.	\$3,660.	\$4,758.
	108"	15"	14 ³ / ₄ "	RROMWSD108GN () () () () () ()	2,989.	3,288.	3,437.	3,586.	3,586.	4,126.	5,362.




Wall Hung Shelf with Wood/Laminate Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	RROMWSD60GR () () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	RROMWSD72GR () () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.



Wall Hung Shelf with Wood/Laminate Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	RROMWSD60GL () () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	RROMWSD72GL () () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.



Wall Hung Shelf with Wood/Laminate Sliding Door Closed Ends	90"	15"	14 ³ / ₄ "	RROMWSD90GB () () () () () ()	2,746.	3,021.	3,158.	3,295.	3,433.	3,947.	5,131.
	108"	15"	14 ³ / ₄ "	RROMWSD108GB () () () () () ()	3,063.	3,370.	3,523.	3,676.	3,830.	4,403.	5,725.




Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	Task lights and Fascias sold separately.
M Wall mount	3. Case finish: L, V1, V2, V3	No lock option at this time.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
90 90" wide		Installation instruction sheets available on line.
GB Gable both		For overheads with sliding doors, refer to part number 6TP00088.
G Pull Option		
115 Pull Finish		
V319 Case Finish		
V319 Door Finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 546.


Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Progressive Overheads
 28^{3/8}" planning
 Wall Hung with wood door


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with	60"	15"	14 ^{3/4} "	RROMWSDR60GB () () () ()	\$2,213.	\$2,435.	\$2,546.	\$2,656.	\$2,767.	\$3,182.	\$4,136.
Wood/Laminate Sliding Door right	72"	15"	14 ^{3/4} "	RROMWSDR72GB () () () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.
Closed Ends											



Wall Hung Shelf with	60"	15"	14 ^{3/4} "	RROMWSDL60GB () () () ()	2,213.	2,435.	2,546.	2,656.	2,767.	3,182.	4,136.
Wood/Laminate Sliding Door left	72"	15"	14 ^{3/4} "	RROMWSDL72GB () () () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.
Closed Ends											




Wall Hung Shelf with 2	90"	15"	14 ^{3/4} "	RROM2WSD90 () () () () () () ()	3,390.	3,729.	3,898.	4,068.	4,271.	4,778.	6,212.
Wood/Laminate Sliding Doors	108"	15"	14 ^{3/4} "	RROM2WSD108 () () () () () () ()	3,805.	4,186.	4,376.	4,567.	4,795.	5,297.	6,886.



Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	Task lights and Fascias sold separately.
M Wall mount	3. Case finish: L, V1, V2, V3	No lock option at this time.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
90 90" wide		Installation instruction sheets available on line.
GB Gable both		For overheads with sliding doors, refer to part number 6TP00088.
G Pull Option		
115 Pull Finish		
V319 Case Finish		
V319 Door Finish		

Progressive Overheads
 28^{3/8}" planning
 Wall Hung L-Shelf

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
L-Shelf	60"	15"	14 ^{3/4} "	RRML60() ()	\$850.	\$1,020.	\$1,173.	\$1,525.
	72"	15"	14 ^{3/4} "	RRML72() ()	945.	1,143.	1,303.	1,694.
	90"	15"	14 ^{3/4} "	RRML90() ()	1,068.	1,282.	1,474.	1,917.
	108"	15"	14 ^{3/4} "	RRML108() ()	1,223.	1,468.	1,688.	2,194.

Order Code

Example: RRML60() ()
RR Reff Refresh
M Wall Hung
L L-Shelf
60 60" Wide
L Finish Type
114 Finish

Specification Information

To order please specify pattern number including:
 1. Finish type: L, V1, V2, V3
 2. Finish = 114


Application Notes

These products are Glue and Dowel Construction
 Shipped knocked down.
 Hardware kit included.
 Fascia sold separately.
 Task light sold separately.
 Installation instruction sheets available on line.
 Installation instruction sheet, refer to part number 6TP00083


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
 A certified building contractor should be consulted.
 Please refer to wall mounting information on page 546.
 The woodgrain on the L-Shelves, run perpendicular to the length.
 Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Progressive Overheads
 28³/₈" planning
 Wall Hung Open Shelf


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Open Shelf Left Gable	60"	15"	14 ³ / ₄ "	RROMOS60GL()	\$1,689.	\$1,943.	\$2,234.	\$2,904.
	72"	15"	14 ³ / ₄ "	RROMOS72GL()	1,879.	2,161.	2,485.	3,231.




Wall Hung Open Shelf Right Gable	60"	15"	14 ³ / ₄ "	RROMOS60GR()	1,689.	1,943.	2,234.	2,904.
	72"	15"	14 ³ / ₄ "	RROMOS72GR()	1,879.	2,161.	2,485.	3,231.



Wall Hung Open Shelf Closed Ends Left&Right Gable	60"	15"	14 ³ / ₄ "	RROMOS60GB()()	1,609.	2,091.	2,405.	3,126.
	72"	15"	14 ³ / ₄ "	RROMOS72GB()()	1,748.	2,273.	2,614.	3,398.
	90"	15"	14 ³ / ₄ "	RROMOS90GB()()	2,058.	2,675.	3,077.	3,999.
	108"	15"	14 ³ / ₄ "	RROMOS108GB()()	2,212.	2,876.	3,307.	4,299.



Wall Hung Open Shelf No Gable	90"	15"	14 ³ / ₄ "	RROMOS90GN()	2,138.	2,459.	2,827.	3,676.
	108"	15"	14 ³ / ₄ "	RROMOS108GN()	2,364.	2,718.	3,126.	4,063.



Example: RROMOS60GL()()
RR Reff
O Overhead
M Wall Hung
OS Open shelf
60 60" wide
GL Gable Left
V316 Case Finish

To order please specify *pattern number including:*

1. Case finish:

These products are Glue and Dowel Construction.

Above sizes are nominal.



Sliding door is non-locking.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 546.

Transaction tops for use with 42" H panel heights

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24(-)(-)	\$333.	\$344.	\$344.	\$396.	\$535.
	30"	15"	1 1/4"	RTTA30(-)(-)	364.	374.	374.	433.	584.
	36"	15"	1 1/4"	RTTA36(-)(-)	396.	410.	410.	470.	637.
	42"	15"	1 1/4"	RTTA42(-)(-)	428.	441.	441.	507.	683.
	48"	15"	1 1/4"	RTTA48(-)(-)	456.	475.	475.	545.	735.
	54"	15"	1 1/4"	RTTA54(-)(-)	488.	506.	506.	580.	783.
	60"	15"	1 1/4"	RTTA60(-)(-)	520.	537.	537.	620.	837.
	66"	15"	1 1/4"	RTTA66(-)(-)	552.	569.	569.	654.	883.
	72"	15"	1 1/4"	RTTA72(-)(-)	581.	602.	602.	692.	934.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	RTTAWF24(-)(-)		687.	790.	1,067.
	30"	15"	1 1/4"	RTTAWF30(-)(-)		753.	867.	1,171.
	36"	15"	1 1/4"	RTTAWF36(-)(-)		816.	941.	1,270.
	42"	15"	1 1/4"	RTTAWF42(-)(-)		880.	1,012.	1,366.
	48"	15"	1 1/4"	RTTAWF48(-)(-)		948.	1,090.	1,471.
	54"	15"	1 1/4"	RTTAWF54(-)(-)		1,010.	1,160.	1,566.
	60"	15"	1 1/4"	RTTAWF60(-)(-)		1,076.	1,237.	1,671.
	66"	15"	1 1/4"	RTTAWF66(-)(-)		1,138.	1,310.	1,769.
	72"	15"	1 1/4"	RTTAWF72(-)(-)		1,204.	1,383.	1,867.



Not available in laminate or mixed finishes

Order Code	Specification Information	Application Notes
Example: QRCAVE422 F 2 V316 111	<i>To order please specify pattern number including:</i>	
QR Reff Standard Special	1. Width	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
CAVE 1 1/4" Concave	2. Depth	
42 42" wide	3. Grommet option	
2 24" deep	4. Top finish type	
2 V2 finish	5. Top finish	
F Flush grommet	6. Grommet finish	
2 V2 finish	3. <i>Grommet options:</i>	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. Please call Custom Product Development for special grommet locations. List price for woodgrain laminate options will be current published laminate list price plus 10%. Applicable finishes are listed on page 0 and 0.
V316 Light Maple finish	N = No grommets	
111 Black grommet finish	F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
	4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	Radius of curved front changes with overall top size. See Planning Guide.	
	Products on this page are shipped without hardware which must be ordered separately from the support components section.	
	Curvilinear worksurfaces only available in 1 1/4" thick.	
	See Planning Guide for grommet locations.	

Transaction tops

Brackets for Alternative Material

Reff Profiles


description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$59.
			* Each panel need 2 brackets	
Foam Tape			RAMTT	23.
Transaction Top Bracket			RAMTC24()	43.
Cover			RAMTC30()	46.
			RAMTC36()	49.
			RAMTC42()	53.
			RAMTC48()	56.
			RAMTC54()	59.
			RAMTC60()	62.
			RAMTC66()	66.
			RAMTC72()	68.
Transaction Top Bracket			RAMTCH24()	59.
Cover Hilo			RAMTCH30()	62.
			RAMTCH36()	66.
			RAMTCH42()	69.
			RAMTCH48()	72.
			RAMTCH54()	75.
			RAMTCH60()	78.
			RAMTCH66()	81.
			RAMTCH72()	83.

Order Code	Specification Information	Application Notes
Example: RAMTC	<i>To order please specify pattern number including:</i>	Spline piece included in the right "R" hand pattern number.
R Reff		When a solid material is installed the "RAMTB" is required.
A Alternative	1. End treatment option	When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.
M Material	2. Finish type: Core paint finishes	
T Transaction Top		
C Cover		
24 Width		
L/R/M Left/Right/Mitered		

Gallery desk surrounds


1 1/4" worksurface

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,369.	\$1,630.	\$1,630.	\$1,792.	\$1,877.	\$2,421.	\$2,534.
	68"	25"	42"	RGAF682-()	1,416.	1,689.	1,689.	1,856.	1,945.	2,504.	2,625.
	74"	25"	42"	RGAF742-()	1,469.	1,754.	1,754.	1,926.	2,016.	2,601.	2,719.
	80"	25"	42"	RGAF802-()	1,522.	1,811.	1,811.	1,987.	2,086.	2,683.	2,815.
	86"	25"	42"	RGAF862-()	1,569.	1,874.	1,874.	2,052.	2,155.	2,770.	2,909.
	92"	25"	42"	RGAF922-()	1,621.	1,935.	1,935.	2,118.	2,225.	2,858.	3,001.
	98"	25"	42"	RGAF982-()	1,673.	1,995.	1,995.	2,186.	2,297.	2,950.	3,100.
	62"	31"	42"	RGAF623-()	1,455.	1,735.	1,735.	1,901.	1,996.	2,567.	2,694.
	68"	31"	42"	RGAF683-()	1,511.	1,805.	1,805.	1,977.	2,075.	2,669.	2,803.
	74"	31"	42"	RGAF743-()	1,568.	1,873.	1,873.	2,052.	2,153.	2,770.	2,906.
	80"	31"	42"	RGAF803-()	1,625.	1,935.	1,935.	2,124.	2,229.	2,868.	3,009.
	86"	31"	42"	RGAF863-()	1,684.	2,007.	2,007.	2,199.	2,309.	2,969.	3,119.
	92"	31"	42"	RGAF923-()	1,740.	2,076.	2,076.	2,271.	2,387.	3,066.	3,222.
	98"	31"	42"	RGAF983-()	1,797.	2,143.	2,143.	2,349.	2,463.	3,172.	3,325.




If shelf is not ordered and no drillings are required, you must order through specials.

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	RGS60-()	331.	n/a	394.	n/a	456.	n/a	616.
	66"	12"	1"	RGS66-()	343.	n/a	409.	n/a	470.	n/a	637.
	72"	12"	1"	RGS72-()	354.	n/a	423.	n/a	485.	n/a	655.
	78"	12"	1"	RGS78-()	365.	n/a	435.	n/a	502.	n/a	676.
	84"	12"	1"	RGS84-()	373.	n/a	449.	n/a	515.	n/a	695.
	90"	12"	1"	RGS90-()	386.	n/a	459.	n/a	528.	n/a	713.
	96"	12"	1"	RGS96-()	396.	n/a	471.	n/a	542.	n/a	733.



description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Bridge top assembly	42"	21"	42"	RGAB421-()	781.	929.	929.	1,003.	1,068.	1,355.	1,441.
	48"	21"	42"	RGAB481-()	836.	994.	994.	1,071.	1,143.	1,446.	1,542.
	54"	21"	42"	RGAB541-()	890.	1,059.	1,059.	1,145.	1,218.	1,545.	1,645.
	60"	21"	42"	RGAB601-()	943.	1,124.	1,124.	1,218.	1,297.	1,645.	1,749.
	66"	21"	42"	RGAB661-()	999.	1,191.	1,191.	1,286.	1,370.	1,737.	1,848.
	72"	21"	42"	RGAB721-()	1,052.	1,254.	1,254.	1,359.	1,441.	1,834.	1,946.
	78"	21"	42"	RGAB781-()	1,103.	1,318.	1,318.	1,431.	1,516.	1,932.	2,047.
	84"	21"	42"	RGAB841-()	1,158.	1,379.	1,379.	1,494.	1,587.	2,016.	2,143.
	90"	21"	42"	RGAB901-()	1,209.	1,442.	1,442.	1,566.	1,659.	2,113.	2,241.
	96"	21"	42"	RGAB961-()	1,259.	1,502.	1,502.	1,629.	1,729.	2,200.	2,334.



Order Code	Specification Information	Application Notes
Example: RGAF622NLL R Reff G Gallery surround A 1 1/4" top thickness F Freestanding 62 62" wide 2 25" deep N No grommet L Finish type top, laminate L Finish type components 114 Folkstone grey (top) 114 Folkstone grey (components)	To order please specify pattern number including: 1. Grommet option 2. Finish type, top 3. Finish type, components 4. Finish, top 5. Finish, components 1. Grommet options: N = No grommets F = Flush front grommet 2. Finish type, top: L = Laminate M = Mixed (laminated top w/wood edge) 1 = V1 2 = V2 3 = V3	3. Finish type, components: (surround components) L = Laminate 1 = V1 2 = V2 3 = V3 If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. 1 1/4" tops require support at midpoint to reduce spans to 48" or less. Hardware included. Shipped knocked-down.

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.

Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.


Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

Reff Profiles

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431- () ()	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	RGAR491- () ()	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	RGAR551- () ()	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	RGAR611- () ()	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	RGAR671- () ()	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	RGAR731- () ()	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	RGAR791- () ()	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	RGAR851- () ()	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	RGAR911- () ()	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	RGAR971- () ()	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
25"	43"	42"	RGAR432- () ()	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.	
	49"	42"	RGAR492- () ()	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.	
	55"	42"	RGAR552- () ()	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.	
	61"	42"	RGAR612- () ()	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.	
	67"	42"	RGAR672- () ()	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.	
	73"	42"	RGAR732- () ()	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.	
	79"	42"	RGAR792- () ()	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.	
	85"	42"	RGAR852- () ()	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.	
	91"	42"	RGAR912- () ()	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.	
	97"	42"	RGAR972- () ()	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.	
31"	43"	42"	RGAR433- () ()	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.	
	49"	42"	RGAR493- () ()	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.	
	55"	42"	RGAR553- () ()	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.	
	61"	42"	RGAR613- () ()	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.	
	67"	42"	RGAR673- () ()	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.	
	73"	42"	RGAR733- () ()	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.	
	79"	42"	RGAR793- () ()	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.	
	85"	42"	RGAR853- () ()	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.	
	91"	42"	RGAR913- () ()	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.	
	97"	42"	RGAR973- () ()	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.	




Order Code	Specification Information	Application Notes
Example: RGAR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	<i>2. Finish type top:</i>	Hardware included.
	L = Laminate	Gallery desk surrounds are available with waterfall edge as a standard special.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431- () ()	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	RGAL491- () ()	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	RGAL551- () ()	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	RGAL611- () ()	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	RGAL671- () ()	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	RGAL731- () ()	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	RGAL791- () ()	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	RGAL851- () ()	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	RGAL911- () ()	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	RGAL971- () ()	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
25"	43"	42"	RGAL432- () ()	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.	
	49"	42"	RGAL492- () ()	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.	
	55"	42"	RGAL552- () ()	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.	
	61"	42"	RGAL612- () ()	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.	
	67"	42"	RGAL672- () ()	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.	
	73"	42"	RGAL732- () ()	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.	
	79"	42"	RGAL792- () ()	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.	
	85"	42"	RGAL852- () ()	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.	
	91"	42"	RGAL912- () ()	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.	
	97"	42"	RGAL972- () ()	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.	
31"	43"	42"	RGAL433- () ()	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.	
	49"	42"	RGAL493- () ()	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.	
	55"	42"	RGAL553- () ()	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.	
	61"	42"	RGAL613- () ()	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.	
	67"	42"	RGAL673- () ()	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.	
	73"	42"	RGAL733- () ()	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.	
	79"	42"	RGAL793- () ()	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.	
	85"	42"	RGAL853- () ()	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.	
	91"	42"	RGAL913- () ()	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.	
	97"	42"	RGAL973- () ()	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.	




Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	2. <i>Finish type top:</i>	Hardware included.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		Gallery desk surrounds are available with waterfall edge as a standard special.
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

gallery towers

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	RGTL4636 () () () ()	\$2,545.	\$3,143.	\$3,612.	\$4,877.



Actual depth of Gallery Tower is 32"

Gallery Tower, right hand	32"	12"	46"	RGTR4636 () () () ()	2,545.	3,143.	3,612.	4,877.
---------------------------	-----	-----	-----	---------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32"

Order Code

Example:	RGTL46362V319CL
R	Reff
GT	Gallery Tower
L	Left hand
46	46" h
36	36" d
2	V2 finish type
V319	Medium Cherry
C	C-pull
L	Lock

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

3. *Pull options:*
 D = Metal D-pull
 J = Routed J-pull
 C = Nickel finish C-pull (nickel finish only)
 S = Stainless steel finish S-pull (stainless steel finish only)

Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 3/8" desk height products.

Application Notes

Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .

Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d



Overall depth includes top overhang, accommodates 30" d worksurfaces.

Gallery towers are to be used with panel applications.

Classic Desks, 26½" h and 28⅜" h With Full Recessed Modesty

Reff Profiles

Classic Desks

description	d	w	h	pattern no.	L	V1	V2	V3
 Classic Desk Full Modesty Recessed 26½"	30"	60"	26½"	RCDFMR60301 () ()	\$1,616.	\$2,667.	\$3,067.	\$3,987.
	30"	72"	26½"	RCDFMR72301 () ()	1,696.	2,799.	3,219.	4,184.
	30"	84"	26½"	RCDFMR84301 () ()	1,771.	2,922.	3,360.	4,369.
	30"	96"	26½"	RCDFMR96301 () ()	1,840.	3,036.	3,492.	4,539.
	36"	60"	26½"	RCDFMR60361 () ()	1,711.	2,823.	3,246.	4,220.
	36"	72"	26½"	RCDFMR72361 () ()	1,795.	2,962.	3,407.	4,429.
	36"	84"	26½"	RCDFMR84361 () ()	1,875.	3,094.	3,558.	4,626.
	36"	96"	26½"	RCDFMR96361 () ()	1,951.	3,218.	3,701.	4,811.
 Classic Desk Full Modesty Recessed 28⅜"	30"	60"	28⅜"	RCDFMR60302 () ()	1,641.	2,708.	3,114.	4,048.
	30"	72"	28⅜"	RCDFMR72302 () ()	1,723.	2,843.	3,269.	4,250.
	30"	84"	28⅜"	RCDFMR84302 () ()	1,799.	2,969.	3,414.	4,438.
	30"	96"	28⅜"	RCDFMR96302 () ()	1,870.	3,086.	3,549.	4,614.
	36"	60"	28⅜"	RCDFMR60362 () ()	1,738.	2,868.	3,298.	4,287.
	36"	72"	28⅜"	RCDFMR72362 () ()	1,825.	3,011.	3,467.	4,501.
	36"	84"	28⅜"	RCDFMR84362 () ()	1,906.	3,145.	3,417.	4,702.
	36"	96"	28⅜"	RCDFMR96362 () ()	1,983.	3,273.	3,763.	4,893.

Order Code

Example:	RCDFMR60301
R	Reff
CD	Classic Desk
FMR	Full Modesty Recessed
60	Width
30	Depth
()	Grommet Option
()	Grommet Finish
()	Finish

Specification Information

To order please specify pattern number including:

- Grommet Option
F=Flush or Standard Corner location
N=No Grommet
R=Recessed Grommet
- Grommet Finish:
Painted or Plated
- Finish: L,V1,V2,V3

Classic Desks ship knocked down, with all hardware.

Worksurface is 1½" thick.

Grommets are located 20" in from the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26½" high desk will only work with 26½" high lower storage.

28⅜" high desk will only work with 28⅜" high lower storage.



30" deep desk with recessed modesty will accept 20" and 24" deep pedestals.

36" deep desk with recessed modesty will accept 20", 24" and 30" deep pedestals.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Classic Desks, 26½" h and 28⅜" h With Half Recessed Modesty


Reff Profiles

description	d	w	h	y	pattern number	L	V1	V2	V3	
	Classic Desk Half Modesty Recessed 26½"									
	30"	60"	26½"	1.8	RCDHMR60301() ()	\$1,567.	\$2,586.	\$2,973.	\$3,865.	
	30"	72"	26½"	2.1	RCDHMR72301() ()	1,634.	2,696.	3,100.	4,030.	
	30"	84"	26½"	2.6	RCDHMR84301() ()	1,700.	2,804.	3,225.	4,192.	
	30"	96"	26½"	2.8	RCDHMR96301() ()	1,756.	2,897.	3,332.	4,331.	
	36"	60"	26½"	1.8	RCDHMR60361() ()	1,661.	2,741.	3,152.	4,098.	
	36"	72"	26½"	2.1	RCDHMR72361() ()	1,733.	2,859.	3,288.	4,275.	
	36"	84"	26½"	2.6	RCDHMR84361() ()	1,804.	2,976.	3,423.	4,450.	
	36"	96"	26½"	2.8	RCDHMR96361() ()	1,866.	3,079.	3,541.	4,603.	
	Classic Desk Half Modesty Recessed 28⅜"									
	30"	60"	28⅜"	1.8	RCDHMR60302() ()	1,583.	2,612.	3,003.	3,904.	
	30"	72"	28⅜"	2.1	RCDHMR72302() ()	1,650.	2,722.	3,130.	4,069.	
	30"	84"	28⅜"	2.6	RCDHMR84302() ()	1,715.	2,830.	3,255.	4,231.	
	30"	96"	28⅜"	2.8	RCDHMR96302() ()	1,772.	2,923.	3,362.	4,370.	
	36"	60"	28⅜"	1.8	RCDHMR60362() ()	1,680.	2,771.	3,187.	4,143.	
	36"	72"	28⅜"	2.1	RCDHMR72362() ()	1,751.	2,890.	3,323.	4,320.	
	36"	84"	28⅜"	2.6	RCDHMR84362() ()	1,822.	3,007.	3,458.	4,495.	
	36"	96"	28⅜"	2.8	RCDHMR96362() ()	1,885.	3,109.	3,576.	4,649.	

Order Code	Specification Information	Application Notes
Example: RCDFMR60301	<i>To order please specify pattern number including:</i>	<p>Classic Desks ship knocked down, with all hardware.</p> <p>Worksurface is 1½" thick.</p> <p>Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.</p> <p>Lower storage sold separately.</p> <p>26½" high desk will only work with 26½" high lower storage.</p> <p>28⅜" high desk will only work with 28⅜" high lower storage.</p> <p>Classic desks with quarter recessed modesty, accepts <u>NO</u> lower storage.</p>
R Reff	1. Grommet Option	
CD Classic Desk	F=Flush or Standard Corner location	
FMR Full Modesty Recessed	N=No Grommet	
60 Width	R=Recessed Grommet	
30 Depth	2. Grommet Finish:	
() Grommet Option	Painted or Plated	
() Grommet Finish	3. Finish: L,V1,V2,V3	
() Finish		

Classic Desks, 26½" h and 28⅜" h With Quarter Recessed Modesty

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
	Classic Desk Quarter Modesty Recessed 26½"							
	30"	60"	26½"	RCDQMR60301()	\$1,497.	\$2,470.	\$2,841.	\$3,693.
	30"	72"	26½"	RCDQMR72301()	1,554.	2,565.	2,949.	3,824.
	30"	84"	26½"	RCDQMR84301()	1,608.	2,654.	3,052.	3,967.
	30"	96"	26½"	RCDQMR96301()	1,655.	2,731.	3,141.	4,083.
	36"	60"	26½"	RCDQMR60361()	1,591.	2,626.	3,020.	3,925.
	36"	72"	26½"	RCDQMR72361()	1,654.	2,728.	3,138.	4,079.
	36"	84"	26½"	RCDQMR84361()	1,712.	2,826.	3,249.	4,224.
36"	96"	26½"	RCDQMR96361()	1,766.	2,913.	3,350.	4,355.	
Classic Desk Quarter Modesty Recessed 28⅜"								
30"	60"	28⅜"	RCDQMR60302()	1,513.	2,496.	2,871.	3,732.	
30"	72"	28⅜"	RCDQMR72302()	1,570.	2,591.	2,979.	3,873.	
30"	84"	28⅜"	RCDQMR84302()	1,624.	2,680.	3,082.	4,006.	
30"	96"	28⅜"	RCDQMR96302()	1,671.	2,757.	3,171.	4,122.	
36"	60"	28⅜"	RCDQMR72362()	1,610.	2,656.	3,054.	3,971.	
36"	72"	28⅜"	RCDQMR60362()	1,672.	2,759.	3,172.	4,124.	
36"	84"	28⅜"	RCDQMR84362()	1,731.	2,856.	3,284.	4,270.	
36"	96"	28⅜"	RCDQMR96362()	1,784.	2,944.	3,385.	4,401.	


Classic Desks

Order Code	Specification Information	Application Notes
Example: RCDFMR60301	<i>To order please specify pattern number including:</i>	<p>Classic Desks ship knocked down, with all hardware.</p> <p>Worksurface is 1½" thick.</p> <p>Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.</p> <p>Lower storage sold separately.</p> <p>26½" high desk will only work with 26½" high lower storage.</p> <p>28⅜" high desk will only work with 28⅜" high lower storage.</p> <p>Classic desks with quarter recessed modesty accepts <u>NO</u> lower storage.</p>
R Reff	1. Grommet Option	
CD Classic Desk	F=Flush or Standard Corner location	
FMR Full Modesty Recessed	N=No Grommet	
60 Width	R=Recessed Grommet	
30 Depth	2. Grommet Finish:	
() Grommet Option	Painted or Plated	
() Grommet Finish	3. Finish: L,V1,V2,V3	
() Finish		

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Classic Desks, 26 1/2" h and 28 3/8" h With Full Flush Modesty

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	RCDFMF60301 () ()	\$1,616.	\$2,667.	\$3,067.	\$3,987.
	30"	60"	26 1/2"	RCDFMF60361 () ()				
	30"	72"	26 1/2"	RCDFMF72301 () ()	1,696.	2,799.	3,219.	4,184.
	30"	84"	26 1/2"	RCDFMF84301 () ()	1,771.	2,922.	3,360.	4,369.
	30"	96"	26 1/2"	RCDFMF96301 () ()	1,840.	3,036.	3,492.	4,539.
	36"	72"	26 1/2"	RCDFMF72361 () ()				
	36"	84"	26 1/2"	RCDFMF84361 () ()				
	36"	96"	26 1/2"	RCDFMF96361 () ()				
Classic Desk Full Modesty Flush 28 3/8"	30"	60"	28 3/8"	RCDFMF60302 () ()	1,641.	2,708.	3,114.	4,048.
	30"	72"	28 3/8"	RCDFMF72302 () ()	1,723.	2,843.	3,269.	4,250.
	30"	84"	28 3/8"	RCDFMF84302 () ()	1,799.	2,969.	3,414.	4,438.
	30"	96"	28 3/8"	RCDFMF96302 () ()	1,870.	3,086.	3,549.	4,614.
	36"	60"	28 3/8"	RCDFMF60362 () ()				
	36"	72"	28 3/8"	RCDFMF72362 () ()				
	36"	84"	28 3/8"	RCDFMF84362 () ()				
	36"	96"	28 3/8"	RCDFMF96362 () ()				

Order Code

Example:	RCDFMR60301
R	Reff
CD	Classic Desk
FMR	Full Modesty Recessed
60	Width
30	Depth
()	Grommet Option
()	Grommet Finish
()	Finish

Specification Information


- To order please specify pattern number including:*
- Grommet Option
F=Flush or Standard Corner location
N=No Grommet
R=Recessed Grommet
 - Grommet Finish:
Painted or Plated
 - Finish: L,V1,V2,V3


Application Notes


- Classic Desks ship knocked down, with all hardware.
- Worksurface is 1 1/2" thick.
- Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
- Lower storage sold separately.
- 26 1/2" high desk will only work with 26 1/2" high lower storage.
- 28 3/8" high desk will only work with 28 3/8" high lower storage.
- 30" deep desk with flush modesty can accept up to 29" deep pedestals.
- 36" deep desk with flush modesty can accept up to 30" deep pedestals.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Single pedestal desks
27³/₄" high overall
available V2 finish options only


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W)() () 2	\$2,911.	\$3,331.	\$3,947.	\$3,077.	\$3,496.	\$4,110.
	72"	30"	RDSP7230J(A,B,W)() () 2	3,027.	3,501.	4,110.	3,192.	3,666.	4,277.
	84"	30"	RDSP8430J(A,B,W)() () 2	3,174.	3,698.	4,356.	3,340.	3,861.	4,520.
	96"	30"	RDSP9630J(A,B,W)() () 2	3,303.	3,873.	4,582.	3,468.	4,038.	4,746.


Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W)() () 2	3,088.	3,533.	4,283.	3,327.	3,771.	4,521.
	72"	36"	RDSP7236J(A,B,W)() () 2	3,230.	3,751.	4,506.	3,468.	3,989.	4,744.
	84"	36"	RDSP8436J(A,B,W)() () 2	3,374.	3,983.	4,738.	3,612.	4,220.	4,975.
	96"	36"	RDSP9636J(A,B,W)() () 2	3,503.	4,210.	4,958.	3,741.	4,447.	5,197.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W)() () 2	3,810.	4,082.	5,437.	4,048.	4,320.	5,674.
	72"	30"	RBSP7230J(A,B,W)() () 2	3,941.	4,242.	5,740.	4,180.	4,478.	5,977.
	84"	30"	RBSP8430J(A,B,W)() () 2	4,147.	4,474.	6,131.	4,385.	4,713.	6,367.
	96"	30"	RBSP9630J(A,B,W)() () 2	4,335.	4,703.	6,539.	4,573.	4,943.	6,777.

Order Code	Specification Information	Application Notes
Example: RDSP6030JAR2WJL	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
RD Reff desk	1. Width	36"D rectilinear desk pedestals are 30"D including modesty panel.
SP Single pedestal	2. Depth	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	3. File option <i>J default = BBF</i>	Bowed front desk pedestals are 30"D with finished backs.
30 30" deep	4. Top thickness	All desks are non-handed.
J Box/box/file	5. Grommet option	All hardware included.
A 1 1/4" regular edge top	6. Finish type	All waterfall desks have waterfall detail on front and back.
R Recessed grommets	7. Interior option	All components on this page available in V2 only.
2 Finish type	8. Pull option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
W Wood interiors	9. Locking <i>L default</i>	
J Routed pulls	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: R = Recessed grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	

Double pedestal desks
 27³/₄" high overall
 available V2 finish options only

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)() () 2	\$3,757.	\$4,178.	\$4,793.	\$4,120.	\$4,540.	\$5,156.
	72"	30"	RDDP7230JK(A,B,W)() () 2	3,875.	4,348.	4,957.	4,237.	4,711.	5,320.
	84"	30"	RDDP8430JK(A,B,W)() () 2	4,022.	4,543.	5,202.	4,385.	4,905.	5,564.
	96"	30"	RDDP9630JK(A,B,W)() () 2	4,151.	4,720.	5,428.	4,513.	5,083.	5,791.

	60"	36"	RDDP6036JK(A,B,W)() () 2	3,995.	4,438.	5,186.	4,484.	4,928.	5,677.
	72"	36"	RDDP7236JK(A,B,W)() () 2	4,136.	4,657.	5,410.	4,625.	5,147.	5,901.
	84"	36"	RDDP8436JK(A,B,W)() () 2	4,280.	4,886.	5,640.	4,769.	5,378.	6,131.
	96"	36"	RDDP9636JK(A,B,W)() () 2	4,407.	5,113.	5,863.	4,898.	5,603.	6,353.

	60"	30"	RBDP6030JK(A,B,W)() () 2	4,447.	4,719.	6,073.	4,938.	5,208.	6,563.
	72"	30"	RBDP7230JK(A,B,W)() () 2	4,577.	4,877.	6,377.	5,066.	5,367.	6,865.
	84"	30"	RBDP8430JK(A,B,W)() () 2	4,783.	5,111.	6,766.	5,273.	5,601.	7,256.
	96"	30"	RBDP9630JK(A,B,W)() () 2	4,972.	5,341.	7,175.	5,462.	5,829.	7,664.

Order Code

Example:	RDDP7236JKAR2WJL
RD	Reff desk
DP	Double pedestal
72	72" wide
36	36" deep
J	Box/box/file pedestal
K	File/file
A	1 1/4" Thick worksurface
R	Recessed grommets
2	Finish type, V2
W	Wood interiors
J	Routed pull
L	Lock

Specification Information

To order, please specify pattern number including:

1. Width
2. Depth
3. File option
JK default = BBF and FF
4. Top thickness
5. Grommet option
6. Finish type
7. Interior option
8. Pull option
9. Locking
L default
10. Veneer finish
11. Pull finish, when applicable
12. Grommet finish, when applicable

4. Thickness options:

- A = 1 1/4"
 B = 1 3/4"
 W = 1 1/4" waterfall

5. Grommet Options:

- R = Recessed grommets
 N = No grommets

6. 2 = V2 Veneer Finish

7. Interior Options:

- M = Metal
 W = Wood

8. Pull Options:

- D = Metal D-pull
 J = Routed pull
 C = Nickel C-pull (nickel finish only)
 S = Stainless steel finish S-pull

Applicable finishes are listed on page 5 and 6.

Random locks are factory installed. Keylike are field installed with the KnollKey order form.

Application Notes

30"D rectilinear desk pedestals are 24"D including modesty panel.

36"D rectilinear desk pedestals are 30"D including modesty panel.

Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Bowed front desk pedestals are 30"D with finished backs. Bow front modesty sits in between the pedestals and is recessed in 6".





All hardware included.

All waterfall desks have waterfall detail on front and back.

All components on this page available in V2 only.

These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Desk returns
27³/₄" high overall
available V2 finish options only


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)() () 2	\$2,141.	\$2,477.	\$3,127.	\$2,340.	\$2,675.	\$3,326.
	42"	24"	RRSP4224K(A,B,W)() () 2	2,196.	2,574.	3,211.	2,395.	2,771.	3,408.
	48"	24"	RRSP4824K(A,B,W)() () 2	2,289.	2,693.	3,379.	2,485.	2,890.	3,577.
	54"	24"	RRSP5424K(A,B,W)() () 2	2,349.	2,760.	3,514.	2,548.	2,958.	3,711.
	60"	24"	RRSP6024K(A,B,W)() () 2	2,408.	2,821.	3,655.	2,607.	3,020.	3,854.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)() () 2	2,278.	2,652.	3,387.	2,531.	2,903.	3,636.
	42"	30"	RRSP4230K(A,B,W)() () 2	2,340.	2,739.	3,489.	2,589.	2,989.	3,741.
	48"	30"	RRSP4830K(A,B,W)() () 2	2,436.	2,843.	3,664.	2,687.	3,095.	3,917.
	54"	30"	RRSP5430K(A,B,W)() () 2	2,509.	2,910.	3,837.	2,759.	3,162.	4,088.
	60"	30"	RRSP6030K(A,B,W)() () 2	2,552.	2,969.	3,928.	2,804.	3,222.	4,182.
 End panel return	36"	24"	RREP3624(A,B,W)(F,N)2				1,296.	1,629.	2,281.
	42"	24"	RREP4224(A,B,W)(F,N)2				1,349.	1,727.	2,365.
	48"	24"	RREP4824(A,B,W)(F,N)2				1,441.	1,845.	2,533.
	54"	24"	RREP5424(A,B,W)(F,N)2				1,504.	1,914.	2,667.
	60"	24"	RREP6024(A,B,W)(F,N)2				1,563.	1,975.	2,809.
 End panel return	36"	30"	RREP3630(A,B,W)(F,N)2				1,376.	1,746.	2,480.
	42"	30"	RREP4230(A,B,W)(F,N)2				1,435.	1,833.	2,584.
	48"	30"	RREP4830(A,B,W)(F,N)2				1,532.	1,938.	2,760.
	54"	30"	RREP5430(A,B,W)(F,N)2				1,604.	2,004.	2,933.
	60"	30"	RREP6030(A,B,W)(F,N)2				1,646.	2,065.	3,024.


Preconfigured Ref
Deskings

Order Code	Specification Information	Application Notes	
Example: RREP4830AF2 RREP Reff desk return 48 48" wide 30 30" deep A 1 1/4" thick worksurface F Flush grommets 2 Finish type, V2	<i>To order, please specify pattern number including:</i> 1. Width 2. Depth 3. File option where applicable <i>K default = FF</i> 4. Top thickness 5. Grommet option 6. Finish type 7. Interior option where applicable 8. Pull option where applicable 9. Locking where applicable <i>L default</i> 10. Veneer finish 11. Pull finish, when applicable 12. Grommet finish, when applicable 4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	5. Grommet Options: F = Flush grommets N = No grommets 6. 2 = V2 Veneer Finish 7. Interior Options: M = Metal W = Wood 8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull Applicable finishes are listed on page 5 and 6.	Pedestals are 16"W when calculating knee space subtract 16" per pedestal. All desks are non-handed. All hardware included. Desk returns with waterfall have waterfall edge 3 sides. All components on this page available in V2 only. Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Single pedestal credenzas
27³/₄" high overall
available V2 finish options only


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W)() () 2	\$2,769.	\$3,181.	\$3,392.	\$2,966.	\$3,379.	\$3,589.
	72"	24"	RCSP7224K(A,B,W)() () 2	2,906.	3,353.	3,578.	3,103.	3,550.	3,777.
	84"	24"	RCSP8424K(A,B,W)() () 2	3,047.	3,548.	3,778.	3,246.	3,747.	3,977.
	96"	24"	RCSP9624K(A,B,W)() () 2	3,173.	3,726.	3,971.	3,370.	3,924.	4,167.

Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W)() () 2	2,919.	3,331.	3,542.	3,373.	3,785.	3,995.
	72"	24"	RCS3L7224K(A,B,W)() () 2	3,056.	3,503.	3,729.	3,508.	3,957.	4,184.
	84"	24"	RCS3L8424K(A,B,W)() () 2	3,197.	3,700.	3,928.	3,650.	4,152.	4,382.
	96"	24"	RCS3L9624K(A,B,W)() () 2	3,323.	3,876.	4,122.	3,777.	4,329.	4,576.

Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W)() () 2	3,001.	3,417.	3,626.	3,788.	4,201.	4,413.
	72"	24"	RCS6L7224K(A,B,W)() () 2	3,139.	3,586.	3,814.	3,926.	4,373.	4,599.
	84"	24"	RCS6L8424K(A,B,W)() () 2	3,281.	3,783.	4,012.	4,067.	4,569.	4,799.
	96"	24"	RCS6L9624K(A,B,W)() () 2	3,406.	3,960.	4,204.	4,194.	4,746.	4,990.


Order Code	Specification Information	Application Notes
Example: RCS6L9624KAF2MDL	<i>To order, please specify pattern number including:</i>	<p>Pedestals are 16"W when calculating knee space subtract 16" per pedestal.</p> <p>Credenzas with lateral files or pedestals are non-handed.</p> <p>All hardware included.</p> <p>All waterfall credenzas have waterfall detail on front only.</p> <p>All components on this page available in V2 only.</p> <p>Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Random locks are factory installed. Keyalike are field installed with the KnollKey order form.</p>
RC Reff credenza	5. Grommet Options: F = Flush grommets N = No grommets	
S6L Single 36" w lateral file	6. 2 = V2 Veneer Finish	
96 96" wide	7. Interior Options: M = Metal W = Wood	
24 24" wide	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
K File/file	9. Locking <i>L default</i>	
A 1 1/4" thick worksurface	10. Veneer finish	
F Flush grommets	11. Pull finish, when applicable	
2 Finish type	12. Grommet finish, when applicable	
M metal interiors	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
D D-metal pull		
L Lock		


Bridge assemblies
 27³/₄" high overall
 available V2 finish options only

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)(F,N)2	\$927.	\$1,262.	\$1,915.
	42"	24"	RBR4224(A,B,W)(F,N)2	982.	1,360.	1,998.
	48"	24"	RBR4824(A,B,W)(F,N)2	1,074.	1,478.	2,165.
	36"	30"	RBR3630(A,B,W)(F,N)2	989.	1,360.	2,094.
	42"	30"	RBR4230(A,B,W)(F,N)2	1,046.	1,446.	2,198.
	48"	30"	RBR4830(A,B,W)(F,N)2	1,144.	1,552.	2,375.


Order Code	Specification Information	Application Notes
Example: RBR4830WF2 RBR Reff bridge assembly 48 48" wide 30 30" deep W Waterfall edge 1 1/4" F Flush grommets 2 Conventional veneer	To order, please specify pattern number including: 1. Top thickness 2. Grommet option 3. Finish type 4. Veneer finish 5. Grommet color 1. Thickness options: A = 1 1/4" straight edge B = 1 3/4" straight edge W = 1 1/4" waterfall edge 2. Grommet Options: F = Flush grommets N = No grommets 3. 2 = V2 Veneer Finish	4. Grommet Color Applicable finishes are listed on page 5 and 6. Bridge assemblies are non-handed. All hardware included. Waterfall option on all 3 sides. Available in conventional veneer only. All components on this page are available in V2 only. Shipped with full height modesty.

Double pedestal credenzas
 27³/₄" high overall
 available V2 finish options only

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCDP6024K(A,B,W)() () 2	\$3,617.	\$4,027.	\$4,238.	\$4,011.	\$4,424.	\$4,635.
	72"	24"	RCDP7224K(A,B,W)() () 2	3,751.	4,199.	4,425.	4,147.	4,596.	4,821.
	84"	24"	RCDP8424K(A,B,W)() () 2	3,893.	4,396.	4,625.	4,289.	4,791.	5,020.
	96"	24"	RCDP9624K(A,B,W)() () 2	4,019.	4,571.	4,818.	4,417.	4,967.	5,213.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCD3L6024K(A,B,W)() () 2	3,916.	4,328.	4,540.	4,823.	5,237.	5,446.
	84"	24"	RCD3L8424K(A,B,W)() () 2	4,195.	4,698.	4,926.	5,102.	5,603.	5,832.
	96"	24"	RCD3L9624K(A,B,W)() () 2	4,322.	4,872.	5,118.	5,228.	5,779.	6,027.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	72"	24"	RCD6L7224K(A,B,W)() () 2	4,220.	4,668.	4,895.	5,794.	6,240.	6,465.
	96"	24"	RCD6L9624K(A,B,W)() () 2	4,488.	5,040.	5,286.	6,059.	6,612.	6,858.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCD6L9624KBF2WDL	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
RC Reff credenza	1. Width	All credenzas are non-handed.
D6L Double 36" w lateral file	2. Depth	All hardware included.
96 96" wide	3. File option	All waterfall credenzas have waterfall detail on front only.
24 24" wide	<i>K default = FF</i>	All components on this page available in V2 only.
K File file	4. Top thickness	Shipped with full height modesty.
B 1 ³ / ₄ " thick worksurface	5. Grommet option	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
F Flush grommets	6. Finish type	
2 Finish type	7. Interior option	
W wood drawer interior	8. Pull option	
D D-metal pull	9. Locking	
L Lock	<i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options:	
	A = 1 ¹ / ₄ "	
	B = 1 ³ / ₄ "	
	W = 1 ¹ / ₄ " waterfall	
	5. Grommet Options:	
	F = Flush grommets	
	N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options:	
	M = Metal	
	W = Wood	
	8. Pull Options:	
	D = Metal D-pull	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only)	
	S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	

Accessories

hookstrips and top caps








description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$43.
	15"	R2HK0015	70.
	34"	R2HK0034	95.
	42"	R2HK0042	101.
	49"	R2HK0049	109.
	64"	R2HK0064	118.
	79"	R2HK0079	124.
Beltway hookstrips	42"	R2HKB042	109.
	49"	R2HKB049	118.
	64"	R2HKB064	124.
	79"	R2HKB079	130.

Order Code	Specification Information	Application Notes
Example: KRR3CAPL-2A	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. L = Laminate paint finish 2. 1 = V1 Techwood 3. 2 = V2 Conventional veneer <p><i>Top cap profile:</i></p> <p>A = Flat B = Square C = Bullnose</p>	<p>Applicable finishes are listed on page 5 and 6.</p> <p>An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.</p> <p>Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.</p> <p>New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.</p>
KRR3 Reff generation 3		
CAP Top cap		
L Finished 2 adjacent sides		
2 Conventional veneer		
A Flat profile		
V319 Medium cherry		

Accessories

cabinet extras and undermount accessories

Reff Profiles

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$73.
	29"	17"		RCABT2917						122.
Cabinet coat rod 	Half of 30" cabinets			RCACR30H						71.
	Half of 36" cabinets			RCACR36H						77.
	16" cabinets			RCACR16						73.
	30" cabinets			RCACR30						97.
	36" cabinets			RCACR36						109.
Articulated keyboard arm 	10" x 22 1/4" keyboard tray			RKBA1022()						865.
	10" x 20" keyboard tray			RKBA1020()						865.
Available in laminate, techwood (V1), or veneer (V2)										
CRT turntable 	31" diameter			RKT31						534.
Pencil drawer used under worktop 	16"	17"	1"	RPAD-()		296.	526.	526.	682.	
	Specify wood or laminate finish									
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		RCAS1620-()	74.	139.	148.	171.	230.	
	16"	24"		RCAS1624-()	82.	156.	168.	195.	262.	
	30"	15"		RCAS3015-()	91.	182.	196.	224.	302.	
	30"	20"		RCAS3020-()	88.	156.	168.	195.	262.	
	30"	24"		RCAS3024-()	98.	182.	196.	224.	302.	
	36"	15"		RCAS3615-()	100.	194.	205.	232.	313.	
	36"	20"		RCAS3620-()	100.	167.	178.	205.	277.	
	36"	24"		RCAS3624-()	105.	196.	209.	239.	323.	

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

Specification Information

Pencil drawer includes slides.




Applicable finishes are listed on page 5 and 6.

Application Notes

See Reff Planning Guide for more information.

Accessories

presentation samples

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only) 	-	-	8 ⁷ / ₈ "	RWHRA-()					\$37.
	-	-	17 ⁵ / ₈ "	RWHRB-()					40.
	-	-	18 ¹ / ₄ "	RWHRC-()					40.
	-	-	21 ¹ / ₁₆ "	RWHRD-()					42.
	-	-	22"	RWHRE-()					42.
	-	-	59 ¹ / ₂ "	RWHRF-()					95.
	-	-	67"	RWHRG-()					95.
Striplight (black only) for transaction tops 	26"	2"	2"	RCASL					338.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	-	RSAMP1616-()()	134.	187.	241.	279.	
Presentation stackable/tiled mini panel (for demonstrations) Specify trim profile, base height, base type and applicable finishes	24"	-	34"	R3SMP ()()					1,078.
Presentation monolithic mini panel Specify trim profile and applicable finishes	4"H base			RR3MP4 ()					590.
	6"H base			RR3MP6 ()					631.
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				R917762 ()					432.
Presentation worksurface cutaway sample	12"	12"	1 ¹ / ₄ "	RTOP2 ()	110.	165.	220.	259.	
	12"	12"	1 ³ / ₄ "	RTOP1 ()	110.	165.	220.	259.	
Presentation waterfall edge sample	11"	8 ¹ / ₂ "		R921655 ()					328.
Sample, cascade edge worksurface 	12"	12"		RCE1R1212G	127.				
Rangeboard Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)	27"	12"	1 ¹ / ₄ "	RRBRD2712 ()					296.

Order Code

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Applicable finishes are listed on page 0 and 0.

Product on this page will accept woodgrain laminate where laminate is currently an option.







List price for woodgrain laminate options will be current published laminate list price plus 10%.

Striplights come with brackets, and will work with all transaction tops.

The wall rails will accept two sets of brackets for panel hung components.

Accessories

wire management

description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	RWMWT24	\$42.
	30"	4 1/2"	5 3/4"	RWMWT30	48.
	36"	4 1/2"	5 3/4"	RWMWT36	53.
	Available black only				
 Hinged vertical wire	24"	1"	3/8"	RWMV24 ()	34.
	Ships with overdesk unit. Specify paint finish.				
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	RWMMP24	37.
	30"	2 1/2"	1 1/4"	RWMMP30	42.
	36"	2 1/2"	1 1/4"	RWMMP36	43.
	Available black only				
 Panel-hung vertical wire	24"	–	–	RWMVP24	34.
	not available in finish codes: 112,116,117,611, 612, 613				
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	40.
	30"	1 1/2"	3/4"	RWMVH30	44.
	36"	1 1/2"	3/4"	RWMVH36	48.
	Available black only				
 Power bar, fits into wire manager				RWMPB	146.
Replacement hardware	Top to endpanel disk			RBDD	5.
	Top to workwall endpanel disk			RBDW	5.
	Panel to endpanel bracket			RBPE(L/R)()	20.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Order Code	Specification Information	Application Notes
Example: RJBW24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 0.
R Reff	1. Pattern number	
JB J-Bracket	2. Finish: painted finishes	
W Wall and Modesty mount		
24		

Accessories


wire management

Reff Profiles

description	w	d	h	pattern no.	list price
-------------	---	---	---	-------------	------------

Tree wire manager 2 shipped with panel	2"			RBWM	\$11.
--	----	--	--	-------------	-------

used in Beltway

	J-Wire Trough			RJBW24()	63.
	Wall Mount			RJBW30()	65.
				RJBW36()	71.
				RJBW42()	83.
				RJBW48()	88.
				RJBW54()	90.
				RJBW60()	91.
				RJBW66()	103.
				RJBW72()	104.


*Installation Instruction Sheet: 6TP00078

	J-Wire Trough			RJBU24()	76.
	Under Mount			RJBU30()	78.
				RJBU36()	85.
				RJBU42()	98.
				RJBU48()	105.
				RJBU54()	107.
				RJBU60()	109.
				RJBU66()	121.
				RJBU72()	123.

*Installation Instruction Sheet: 6TP00079

*Available in painted colors.

Wire manager for credenza top				RWMCT24	125.
-------------------------------	--	--	--	----------------	------






Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RJBW24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 0.
R Reff	1. Pattern number	
JB J-Bracket	2. Finish: painted finishes	
W Wall and Modesty mount		
24		

Accessories

Power and Data

Reff Profiles

description	type	w	d	h	pattern no.	list
Desktop Outlet - Power Center stand off 					RDTE22120	\$345.
					RDTE2272	321.
					RDTE22H	353.
Electrical component Clamp on 	2 x 2				RDTC2272	400.
	2 x 2				RDTC22120	416.
	2 x 2				RDTC22H	475.
	3 x 3				RDTC3372	510.
	3 x 3				RDTC33120	526.
	3 x 3				RDTC33H	585.
<i>3 x 3 shown</i>						
Electrical component for Simple Stand-Off Drop-In 	3 x 3				RDST3372	679.
	3 x 3				RDST33120	695.
	3 x 3				RDST33H	754.

Order Code

Specification Information

Application Notes





Example:	RDTE2272
R	Reff
DT	Desktop Outlet
E	Electrical component
2	2 Electrical
2	2 Data
72	72" cord

H = Hard wire
 Installation instruction sheet available on line.
 For Power Center stand off, refer to part number 6TP00081.

Accessories

Grommet and Stand off

Reff Profiles

description	type	w	d	h	pattern no.	list
Simple Stand Off		12"	5"	5"	RST	\$105.
						
Stand Off for Power Center (Electrical component not included)		8"	5"	5"	RPCST()	134.
						
Power Center Grommet (Electrical component not included)		8"	5"	1 1/2"	RPCG	153.
						
Desktop Grommet	For 1 1/2" thick top			1 1/2"	RDTGA	33.
	For 1 1/4" thick top			1 1/4"	RDTGB	33.
	For 1" thick top			1"	RDTGC	33.
						




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RDTE2272		
R	Reff	H = Hard wire
DT	Desktop Outlet	Installation instruction sheet available on line.
E	Electrical component	
2	2 Electrical	For Power Center stand off, refer to part number 6TP00081.
2	2 Data	
72	72" cord	

Accessories

interior components

Reff Profiles

description	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)				RPCHH	\$34.
Not intended to work with (AA) Aluminum top trim					
Panel-hung coat hook (panel top)				RPCHT	34.
Panel-hung tackboard		30"	24"	RPHTB3024	286.
Note: Fabric railroaded		42"	24"	RPHTB4224	352.
	All standard grades of fabric				
Panel-hung whiteboard		30"	24"	RPHWB3024	444.
		42"	24"	RPHWB4224	543.
Wall-hung tackboard		30"	24"	RWHTB3024	317.
Note: Fabric railroaded Velcro supplied		36"	24"	RWHTB3624	352.
		42"	24"	RWHTB4224	386.
		48"	24"	RWHTB4824	420.
for use with 26 1/2" h support planning module					
Wall-hung tackboard for desk height (28 3/8" h) planning		30"	26"	RWDHTB3026	334.
Note: Fabric railroaded Velcro supplied		36"	26"	RWDHTB3626	369.
		42"	26"	RWDHTB4226	407.
		48"	26"	RWDHTB4826	441.
for use with 28 3/8" h support planning module					
Box drawer dividers, wood box drawers (Acrylic)		16"	–	RPADSS	50.
File bars, wood file drawers (replacement)		16"	–	RPAHFB16	28.
		30"	–	RPAHFB30	54.
		36"	–	RPAHFB36	83.

Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Application Notes

See Reff Planning Guide for more information.





Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

Reff Profiles

description	type	w	h	pattern no.	list price
File bars, metal file drawers (replacement)		16"	–	RPAHFM162 *	\$20.
		30"	–	RPAHFM30	28.
		36"	–	RPAHFM36	28.
Sold as individuals					
Plate divider 				RPD11	22.
				RPD14	22.
RPD11 to be used with 15" D open cabinet/bookcase with metal shelves. RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.					
Pencil tray, wood (ordered separately)		12"	–	RPAPT	97.
Pencil tray, plastic 	black	13 1/4"	–	RPETRAY3N	37.
	clear	12"	–	RPETRAY3C	44.
Recommended for use with metal drawer interiors on 16" w peds. Letter width pedestal.					
Pencil tray adapter 				RPETAD	80.
Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals. Available in painted and anodized finishes.					
Task Panel shelf 		14"		RTST14	163.

Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Application Notes



See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

description	type	w	h	pattern no.	list price
Task Panel flat tray 		14"		RTSF14	\$163.
		28"		RTSF28	194.
Utility Hook 				RAUH	19.

Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted




Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.


Accessories
Fascias
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia - Both left and right recess 	30"	ROMDHMTF130RB	\$141.	\$169.
	36"	ROMDHMTF136RB	144.	173.
	42"	ROMDHMTF142RB	145.	174.
	48"	ROMDHMTF148RB	147.	177.
	54"	ROMDHMTF154RB	150.	180.
	60"	ROMDHMTF160RB	152.	183.
	66"	ROMDHMTF166RB	161.	193.
	72"	ROMDHMTF172RB	163.	196.
	78"	ROMDHMTF178RB	165.	198.
	84"	ROMDHMTF184RB	167.	200.
	90"	ROMDHMTF190RB	169.	203.
96"	ROMDHMTF196RB	171.	205.	
Metal Fascia - Left recess 	30"	ROMDHMTF130RL	141.	169.
	36"	ROMDHMTF136RL	144.	173.
	42"	ROMDHMTF142RL	145.	174.
	48"	ROMDHMTF148RL	147.	177.
	54"	ROMDHMTF154RL	150.	180.
	60"	ROMDHMTF160RL	152.	183.
	66"	ROMDHMTF166RL	161.	193.
	72"	ROMDHMTF172RL	163.	196.
	78"	ROMDHMTF178RL	165.	198.
	84"	ROMDHMTF184RL	167.	200.
	90"	ROMDHMTF190RL	169.	203.
96"	ROMDHMTF196RL	171.	205.	
Metal Fascia - No recess 	30"	ROMDHMTF130RN	141.	169.
	36"	ROMDHMTF136RN	144.	173.
	42"	ROMDHMTF142RN	145.	174.
	48"	ROMDHMTF148RN	147.	177.
	54"	ROMDHMTF154RN	150.	180.
	60"	ROMDHMTF160RN	152.	183.
	66"	ROMDHMTF166RN	161.	193.
	72"	ROMDHMTF172RN	163.	196.
	78"	ROMDHMTF178RN	165.	198.
	84"	ROMDHMTF184RN	167.	200.
	90"	ROMDHMTF190RN	169.	203.
96"	ROMDHMTF196RN	171.	205.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	To order please specify pattern number including: 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		




Accessories
Fascias
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia - Right recess 	30"	ROMDHMTF130RR	\$141.	\$169.
	36"	ROMDHMTF136RR	144.	173.
	42"	ROMDHMTF142RR	145.	174.
	48"	ROMDHMTF148RR	147.	177.
	54"	ROMDHMTF154RR	150.	180.
	60"	ROMDHMTF160RR	152.	183.
	66"	ROMDHMTF166RR	161.	193.
	72"	ROMDHMTF172RR	163.	196.
	78"	ROMDHMTF178RR	165.	198.
	84"	ROMDHMTF184RR	167.	200.
	90"	ROMDHMTF190RR	169.	203.
	96"	ROMDHMTF196RR	171.	205.

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		

Accessories
Fascias
Wood


Reff Profiles

description	w	pattern no.	V1	V2	V3
Wood Fascia - Both left and right recess 	30"	ROMDHWTF130RB	\$260.	\$281.	\$351.
	36"	ROMDHWTF136RB	262.	284.	355.
	42"	ROMDHWTF142RB	264.	287.	359.
	48"	ROMDHWTF148RB	266.	290.	364.
	54"	ROMDHWTF154RB	268.	294.	368.
	60"	ROMDHWTF160RB	386.	408.	510.
	66"	ROMDHWTF166RB	388.	411.	514.
	72"	ROMDHWTF172RB	390.	414.	518.
	78"	ROMDHWTF178RB	392.	417.	522.
	84"	ROMDHWTF184RB	394.	420.	526.
	90"	ROMDHWTF190RB	397.	423.	530.
96"	ROMDHWTF196RB	542.	564.	706.	
Wood Fascia - Left recess 	30"	ROMDHWTF130RL	260.	281.	351.
	36"	ROMDHWTF136RL	262.	284.	355.
	42"	ROMDHWTF142RL	264.	287.	359.
	48"	ROMDHWTF148RL	266.	290.	364.
	54"	ROMDHWTF154RL	268.	294.	368.
	60"	ROMDHWTF160RL	386.	408.	510.
	66"	ROMDHWTF166RL	388.	411.	514.
	72"	ROMDHWTF172RL	390.	414.	518.
	78"	ROMDHWTF178RL	392.	417.	522.
	84"	ROMDHWTF184RL	394.	420.	526.
	90"	ROMDHWTF190RL	397.	423.	530.
96"	ROMDHWTF196RL	542.	564.	706.	
Wood Fascia - No recess 	30"	ROMDHWTF130RN	260.	281.	351.
	36"	ROMDHWTF136RN	262.	284.	355.
	42"	ROMDHWTF142RN	264.	287.	359.
	48"	ROMDHWTF148RN	266.	290.	364.
	54"	ROMDHWTF154RN	268.	294.	368.
	60"	ROMDHWTF160RN	386.	408.	510.
	66"	ROMDHWTF166RN	388.	411.	514.
	72"	ROMDHWTF172RN	390.	414.	518.
	78"	ROMDHWTF178RN	392.	417.	522.
	84"	ROMDHWTF184RN	394.	420.	526.
	90"	ROMDHWTF190RN	397.	423.	530.
96"	ROMDHWTF196RN	542.	564.	706.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Type: 1 = V1 2 = V2 3 = V3 2. Finish V1, V2, V3	For single and double high overheads.
R Reff		Wood and metal options.
O Overhead		Letter depth only.
M Wall hung		
DH Desk height		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		





Accessories
Fascias
Wood

description	w	pattern no.	V1	V2	V3
Wood Fascia - Right recess 	30"	ROMDHWTF130RR	\$260.	\$281.	\$351.
	36"	ROMDHWTF136RR	262.	284.	355.
	42"	ROMDHWTF142RR	264.	287.	359.
	48"	ROMDHWTF148RR	266.	290.	364.
	54"	ROMDHWTF154RR	268.	294.	368.
	60"	ROMDHWTF160RR	386.	408.	510.
	66"	ROMDHWTF166RR	388.	411.	514.
	72"	ROMDHWTF172RR	390.	414.	518.
	78"	ROMDHWTF178RR	392.	417.	522.
	84"	ROMDHWTF184RR	394.	420.	526.
	90"	ROMDHWTF190RR	397.	423.	530.
	96"	ROMDHWTF196RR	542.	564.	706.

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i>	For single and double high overheads.
R Reff	1. Finish Type:	Wood and metal options.
O Overhead	1 = V1	Letter depth only.
M Wall hung	2 = V2	
DH Desk height	3 = V3	
W Wood	2. Finish	
T Task light	V1, V2, V3	
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		

Accessories

Sliding Rails

description	width	pattern no.	list price	
Sliding rail for open shelves 	30"	RSDR30	\$53.	
	36"	RSDR36	53.	
	42"	RSDR42	53.	
	48"	RSDR48	53.	
	54"	RSDR54	53.	
	60"	RSDR60	83.	
	66"	RSDR66	83.	
	72"	RSDR72	83.	
	78"	RSDR78	83.	
	84"	RSDR84	93.	
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	53.	
	36"	ROHDR36	53.	
	42"	ROHDR42	53.	
	48"	ROHDR48	53.	
	60"	ROHDR60	93.	
	72"	ROHDR72	93.	
	90"	ROHDR90	126.	
	96"	ROHDR96	126.	
	Sliding rail for flip door overhead cabinets 	30"	RFDR30	53.
		36"	RFDR36	53.
42"		RFDR42	53.	
48"		RFDR48	53.	
60"		RFDR60	93.	
72"		RFDR72	93.	
84"		RFDR84	93.	
Sliding rail divider 		R5ZNNE (3 dividers)	22.	




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RSDR30	<i>To order please specify pattern number.</i>	Match cabinet width to rail width.
R Reff		
SDR Sliding rail for open shelves		These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.
30 For 30" shelf		

Accessories

Task Light

Reff

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTL5E19S	\$270.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25S	276.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37S	281.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49S	286.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61S	303.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73S	330.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85S	412.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25A	396.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37A	417.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49A	434.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61A	451.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73A	467.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85A	484.
	Use with 24" and wider overhead (3 LED's)	19"	2"	3/16"	RTL193W	306.
	Use with 24" and wider overhead (6 LED's)	19"	2"	3/16"	RTL196W	386.
	Use with 24" and wider overhead (9 LED's)	19"	2"	3/16"	RTL199W	526.
	Use with 42" and wider overhead (6 LED's)	37"	2"	3/16"	RTL376W	617.
	Use with 42" and wider overhead (12 LED's)	37"	2"	3/16"	RTL3712W	697.
	Use with 42" and wider overhead (18 LED's)	37"	2"	3/16"	RTL3718W	864.

Order Code	Specification Information	Application Notes
T5 Standard Task Light Example: RTL5E19S RTL Task Light T5 T5 lamp E Electronic ballast 19 Width S Standard LED Task Light Example: RTL193W RTL Task Light L LED 19 Width 3 # of LED's W Wood Overhead Attachment	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black. LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed. T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content. LED Task Lights: Power cord is able to attach to either end of fixture. Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Task Panels

Planning Guidelines and Specifications

Task Panels

The high performance Task Panel is designed to augment the utility of the zone immediately above the credenza in a Private Office setting, by offering tool rail capability and cable management features in addition to tackable and decorative inserts. All Task Panels have a cable curtain along the full length of the bottom edge which, when used in conjunction with notched back credenza tops, provides access to in-wall power sources and for cable concealment. See figure on following page for cable management details. The optional tool rail is designed to accept slatwall accessories and the Reff Profiles Task Panel Shelf. Slatwall accessories are available from KnollExtra. Insert panels may be conveniently removed, exposing a 7/8" wire clearance space which allows cable drops at any point along the entire width of the Task Panel. Check local electrical codes for suitability.

Task Panels are configured in eight heights (H1 – H8) to correspond to their application. See application diagrams on the following pages. H1 and H2 are designed for focused work applications whereas H3 through H8 are designed for collaborative or team work applications.


Construction

The Task Panel consists of a framework and optional tool rail, with decorative trims and a variety of functional and decorative inserts. See figures below for breakdown of components. Bottom right; The frame assembly consists of two vertical members, a bottom and top frame member and an optional tool rail. These are connected together and supported by mounting brackets. Edges have decorative trims; a top cover and two end covers.

Connected to the bottom frame member is a nylon brush which forms the cable curtain. Frames are clad with either one or two inserts depending upon the use of the tool rail. Bottom left (upper); single monolithic insert with spacers. Bottom left (lower); top segmented insert and bottom segmented insert and spacers.

Task Panels are shipped with frame and trim components, cable curtain and hardware in one container and inserts and spacers in a separate container.

The unit is field-assembled; fastened together using brackets and screws in pre-punched holes. See part #6TP00085 for assembly and installations instructions.



Accessories and Client Samples

Task Panels

Planning Guidelines and Specifications

Specification Options

Task Panels are offered in widths from 30" to 96" in 6" increments; and in eight application heights, H1 to H8. Overall thickness of the Task Panel is 1 1/2".

Task Panels are available in two basic configurations; monolithic (with a single insert) and segmented (with two inserts divided by the horizontal tool rail). See diagrams, previous page, for description.


The Task Panel cover trims and optional tool rail are offered in three anodized metallic finishes; Black (AN), Polished (AP) and Satin (AU) as well as all core paint colors. Refer to Reff Profiles finish options page for more information.

Task Panel inserts are available in a variety of finishes including fabric (tackable), Forbo™ (tackable linoleum), laminate, veneer, glass and marker board.

Note that segmented Task Panels with fabric lower inserts are available up to 72" wide.



Planning Notes

1. H1, H3, H5 and H7 Task Panels are intended for use with 1 1/2" thick credenza tops. H2, H4, H6 and H8 Task Panels are intended for use with 1" credenza tops.
2. Fabric is applied to inserts railroad style only
3. Forbo™ is available on lower segmented inserts only
4. Grain direction for veneer inserts is vertical
5. Glass is not available for lower segmented inserts.



Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H1 Task Panel is intended for use with 1 1/2" thick tops.
- H2 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H3 Task Panel is intended for use with 1 1/2" thick tops.
- H4 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H5 Task Panel is intended for use with 1 1/2" thick tops.
- H6 Task Panel is intended for use with 1" thick credenza tops.

Task Panels


Planning Guidelines and Specifications



Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H7 Task Panel is intended for use with 1 1/2" thick tops.
- H8 Task Panel is intended for use with 1" thick credenza tops.

Task Panels
H1 23 1/8" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	23 1/8"	30"	0.9	RTPNM30H1 () ()	\$727.	\$742.	\$757.	\$771.	\$794.	\$809.	\$827.
Without tool rail	1 1/2"	23 1/8"	36"	1.1	RTPNM36H1 () ()	781.	799.	818.	836.	861.	877.	896.
	1 1/2"	23 1/8"	42"	1.3	RTPNM42H1 () ()	1,024.	1,045.	1,067.	1,089.	1,122.	1,141.	1,167.
	1 1/2"	23 1/8"	48"	1.4	RTPNM48H1 () ()	1,036.	1,060.	1,084.	1,107.	1,140.	1,160.	1,187.
	1 1/2"	23 1/8"	54"	1.6	RTPNM54H1 () ()	1,054.	1,080.	1,107.	1,134.	1,168.	1,189.	1,215.
	1 1/2"	23 1/8"	60"	1.8	RTPNM60H1 () ()	1,117.	1,146.	1,176.	1,206.	1,242.	1,264.	1,293.
	1 1/2"	23 1/8"	66"	1.9	RTPNM66H1 () ()	1,351.	1,383.	1,414.	1,446.	1,489.	1,515.	1,550.
	1 1/2"	23 1/8"	72"	2.1	RTPNM72H1 () ()	1,371.	1,406.	1,441.	1,476.	1,520.	1,547.	1,582.
	1 1/2"	23 1/8"	78"	2.3	RTPNM78H1 () ()	1,541.	1,579.	1,617.	1,655.	1,705.	1,735.	1,774.
	1 1/2"	23 1/8"	84"	2.4	RTPNM84H1 () ()	1,550.	1,590.	1,630.	1,671.	1,721.	1,751.	1,791.
	1 1/2"	23 1/8"	90"	2.6	RTPNM90H1 () ()	1,613.	1,656.	1,701.	1,744.	1,796.	1,827.	1,869.
	1 1/2"	23 1/8"	96"	2.8	RTPNM96H1 () ()	1,632.	1,679.	1,725.	1,773.	1,826.	1,857.	1,900.

Order Code	Specification Information	Application Notes
Example: RTPNM30H1 () ()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection		Tool rails are not supplied to this Task Panel.

Y = Yardage required

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H1 23 1/8" high

Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	23 1/8"	30"	RTPNM30H1()	\$972.	\$781.	\$774.	\$873.	\$935.	\$1,077.
Without tool rail	1 1/2"	23 1/8"	36"	RTPNM36H1()	1,088.	828.	819.	921.	991.	1,159.
	1 1/2"	23 1/8"	42"	RTPNM42H1()	1,327.	1,018.	1,006.	1,111.	1,186.	1,380.
	1 1/2"	23 1/8"	48"	RTPNM48H1()	1,421.	1,030.	1,018.	1,125.	1,207.	1,430.
	1 1/2"	23 1/8"	54"	RTPNM54H1()	1,500.	1,039.	1,026.	1,134.	1,226.	1,476.
	1 1/2"	23 1/8"	60"	RTPNM60H1()	1,623.	1,094.	1,079.	1,189.	1,291.	1,568.
	1 1/2"	23 1/8"	66"	RTPNM66H1()	1,927.	1,360.	1,343.	1,455.	1,571.	1,876.
	1 1/2"	23 1/8"	72"	RTPNM72H1()	2,007.	1,371.	1,353.	1,468.	1,597.	1,936.
	1 1/2"	23 1/8"	78"	RTPNM78H1()	2,239.	1,534.	1,514.	1,630.	1,762.	2,122.
	1 1/2"	23 1/8"	84"	RTPNM84H1()	2,319.	1,550.	1,529.	1,652.	1,788.	2,174.
	1 1/2"	23 1/8"	90"	RTPNM90H1()	2,442.	1,604.	1,581.	1,700.	1,852.	2,266.
	1 1/2"	23 1/8"	96"	RTPNM96H1()	2,522.	1,622.	1,599.	1,721.	1,876.	2,316.


Order Code	Specification Information	Application Notes
Example: RTPNM30H1()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Veneer	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.

Y = Yardage required

All Fabric to be applied railroded as current tackboard

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H1 23 1/8" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1 () ()	\$1,128.	\$1,158.	\$1,189.	\$1,218.	\$1,247.	\$1,277.	\$1,306.
	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1 () ()	1,214.	1,251.	1,288.	1,325.	1,357.	1,388.	1,419.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1 () ()	1,466.	1,509.	1,552.	1,595.	1,634.	1,672.	1,710.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1 () ()	1,486.	1,533.	1,580.	1,626.	1,666.	1,705.	1,743.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1 () ()	1,517.	1,571.	1,624.	1,678.	1,718.	1,758.	1,798.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1 () ()	1,548.	1,608.	1,669.	1,728.	1,770.	1,811.	1,853.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1 () ()	1,894.	1,958.	2,021.	2,085.	2,134.	2,185.	2,234.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1 () ()	1,927.	1,997.	2,068.	2,138.	2,190.	2,240.	2,292.

Order Code	Specification Information	Application Notes
Example: RTPRS30H1 () ()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Top insert finish: Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom insert finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
S Segmented		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard
H1 23 1/8" high		When ordering 54" or wider Task Panel, please check width of fabric specified.
111 Trim finish		
W281 Fabric selection top		
W281 Fabric selection bottom		

Y = Yardage required

*Installation instruction sheets available on-line.

For Task Panels refer to part number 6TP00085


Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Task Panels

H1 23 1/8" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade							
						LW10	LW15	LW20	LW30	LW35	LW40	LW45	
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1 () ()	\$1,189.	\$1,204.	\$1,218.	\$1,234.	\$1,271.	\$1,293.	\$1,323.	
	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1 () ()	1,266.	1,284.	1,302.	1,320.	1,360.	1,383.	1,415.	
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1 () ()	1,450.	1,472.	1,494.	1,515.	1,560.	1,587.	1,624.	
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1 () ()	1,468.	1,491.	1,514.	1,538.	1,584.	1,612.	1,648.	
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1 () ()	1,495.	1,521.	1,548.	1,575.	1,622.	1,650.	1,688.	
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1 () ()	1,519.	1,549.	1,579.	1,609.	1,657.	1,686.	1,724.	
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1 () ()	1,888.	1,920.	1,952.	1,984.	2,044.	2,079.	2,126.	
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1 () ()	1,913.	1,948.	1,984.	2,019.	2,080.	2,116.	2,164.	

Order Code	Specification Information	Application Notes
Example: RTPRS30H1 () ()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff		Installation instruction sheets available on line.
TP Task Panel	1. Trim Finish: Painted or Anodized	For Task Panels refer to part number 6TP00085.
R Tool rail	2. Top insert finish: Marker board	
S Segmented	3. Bottom insert finish: Fabric	Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H1 23 1/8" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below


description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1()()	\$1,262.	\$1,134.	\$1,227.	\$1,271.	\$1,286.	\$1,319.
With tool rail	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1()()	1,387.	1,272.	1,354.	1,354.	1,372.	1,412.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1()()	1,620.	1,426.	1,503.	1,547.	1,567.	1,614.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1()()	1,694.	1,454.	1,521.	1,604.	1,624.	1,678.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1()()	1,765.	1,490.	1,550.	1,633.	1,654.	1,713.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1()()	1,835.	1,527.	1,579.	1,661.	1,685.	1,750.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1()()	2,236.	1,883.	1,959.	2,041.	2,068.	2,139.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1()()	2,309.	1,922.	1,990.	2,073.	2,101.	2,179.
	1 1/2"	23 1/8"	78"	2.3	RTPRS78H1()()	2,487.	2,067.	2,126.	2,210.	2,240.	2,325.
	1 1/2"	23 1/8"	84"	2.4	RTPRS84H1()()	2,557.	2,092.	2,143.	2,228.	2,260.	2,351.
	1 1/2"	23 1/8"	90"	2.6	RTPRS90H1()()	2,629.	2,129.	2,172.	2,257.	2,291.	2,390.
	1 1/2"	23 1/8"	96"	2.8	RTPRS96H1()()	2,702.	2,167.	2,202.	2,288.	2,324.	2,429.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H1()()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H1 23 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Y = Yardage required


Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	29 3/4"	30"	0.9	RTPNM30H2()()	\$801.	\$817.	\$831.	\$847.	\$872.	\$887.	\$907.
Without tool rail	1 1/2"	29 3/4"	36"	1.1	RTPNM36H2()()	857.	876.	894.	913.	940.	956.	979.
	1 1/2"	29 3/4"	42"	1.3	RTPNM42H2()()	1,048.	1,069.	1,092.	1,113.	1,146.	1,167.	1,194.
	1 1/2"	29 3/4"	48"	1.4	RTPNM48H2()()	1,062.	1,086.	1,108.	1,132.	1,166.	1,187.	1,213.
	1 1/2"	29 3/4"	54"	1.6	RTPNM54H2()()	1,080.	1,107.	1,133.	1,160.	1,195.	1,215.	1,243.
	1 1/2"	29 3/4"	60"	1.8	RTPNM60H2()()	1,143.	1,173.	1,204.	1,234.	1,271.	1,293.	1,323.
	1 1/2"	29 3/4"	66"	1.9	RTPNM66H2()()	1,379.	1,411.	1,443.	1,475.	1,519.	1,546.	1,581.
	1 1/2"	29 3/4"	72"	2.1	RTPNM72H2()()	1,400.	1,435.	1,470.	1,505.	1,550.	1,577.	1,613.
	1 1/2"	29 3/4"	78"	2.3	RTPNM78H2()()	1,571.	1,609.	1,648.	1,686.	1,737.	1,766.	1,808.
	1 1/2"	29 3/4"	84"	2.4	RTPNM84H2()()	1,582.	1,622.	1,662.	1,703.	1,753.	1,784.	1,825.
	1 1/2"	29 3/4"	90"	2.6	RTPNM90H2()()	1,645.	1,688.	1,732.	1,776.	1,829.	1,861.	1,903.
	1 1/2"	29 3/4"	96"	2.8	RTPNM96H2()()	1,666.	1,712.	1,759.	1,806.	1,859.	1,892.	1,935.

Order Code	Specification Information	Application Notes
Example: RTPNM30H2()()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Top Insert Finish: Fabric	Always supplied including all trim pieces.
N No tool rail	3. Insert Finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H2 29 3/4" high		All Fabric to be applied railroded as current tackboard.
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection		

Y = Yardage required


Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	29 ³ / ₄ "	30"	RTPNM30H2 () ()	\$1,121.	\$817.	\$806.	\$911.	\$981.	\$1,163.
Without tool rail	1 1/2"	29 ³ / ₄ "	36"	RTPNM36H2 () ()	1,263.	870.	858.	964.	1,045.	1,263.
	1 1/2"	29 ³ / ₄ "	42"	RTPNM42H2 () ()	1,540.	1,054.	1,040.	1,149.	1,243.	1,497.
	1 1/2"	29 ³ / ₄ "	48"	RTPNM48H2 () ()	1,648.	1,076.	1,061.	1,172.	1,282.	1,571.
	1 1/2"	29 ³ / ₄ "	54"	RTPNM54H2 () ()	1,753.	1,088.	1,070.	1,185.	1,306.	1,630.
	1 1/2"	29 ³ / ₄ "	60"	RTPNM60H2 () ()	1,903.	1,145.	1,127.	1,242.	1,376.	1,737.
	1 1/2"	29 ³ / ₄ "	66"	RTPNM66H2 () ()	2,233.	1,414.	1,393.	1,512.	1,657.	2,053.
	1 1/2"	29 ³ / ₄ "	72"	RTPNM72H2 () ()	2,340.	1,429.	1,406.	1,526.	1,683.	2,114.
	1 1/2"	29 ³ / ₄ "	78"	RTPNM78H2 () ()	2,598.	1,600.	1,575.	1,698.	1,862.	2,328.
	1 1/2"	29 ³ / ₄ "	84"	RTPNM84H2 () ()	2,703.	1,612.	1,585.	1,712.	1,887.	2,389.
	1 1/2"	29 ³ / ₄ "	90"	RTPNM90H2 () ()	2,852.	1,676.	1,647.	1,805.	1,968.	2,505.
	1 1/2"	29 ³ / ₄ "	96"	RTPNM96H2 () ()	2,959.	1,690.	1,660.	1,791.	1,994.	2,566.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H2 () ()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Top Insert Finish: Fabric	Always supplied including all trim pieces.
N No tool rail	3. Bottom Insert Finish: G, LW, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H2 29 ³ / ₄ " high		All Fabric to be applied railroded as current tackboard.
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection		

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Fabric Insert Above / Fabric Insert Below


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2 () ()	\$1,260.	\$1,270.	\$1,281.	\$1,570.	\$1,331.	\$1,353.	\$1,384.
	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2 () ()	1,292.	1,329.	1,365.	1,402.	1,444.	1,469.	1,503.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2 () ()	1,485.	1,529.	1,573.	1,616.	1,664.	1,693.	1,732.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2 () ()	1,508.	1,554.	1,602.	1,648.	1,697.	1,727.	1,766.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2 () ()	1,539.	1,592.	1,646.	1,700.	1,750.	1,781.	1,822.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2 () ()	1,571.	1,630.	1,691.	1,751.	1,804.	1,834.	1,877.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2 () ()	1,919.	1,982.	2,046.	2,108.	2,171.	2,209.	2,260.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2 () ()	2,019.	2,069.	2,120.	2,170.	2,235.	2,274.	2,326.

Order Code	Specification Information	Application Notes
Example: RTPRS30H2 () ()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1 ⁷ / ₈ " thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Installation instruction sheets available on line.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085.
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including cable curtain.
H2 29 ³ / ₄ " high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top insert		All trims supplied with the same finish specification.
W281 Fabric selection bottom insert		All Fabric to be applied railroaded as current tackboard.

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2 () ()	\$1,207.	\$1,223.	\$1,237.	\$1,252.	\$1,290.	\$1,312.	\$1,342.
	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2 () ()	1,289.	1,307.	1,326.	1,344.	1,384.	1,409.	1,441.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2 () ()	1,474.	1,496.	1,518.	1,540.	1,586.	1,614.	1,650.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2 () ()	1,494.	1,517.	1,540.	1,564.	1,610.	1,639.	1,676.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2 () ()	1,520.	1,547.	1,574.	1,601.	1,649.	1,677.	1,716.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2 () ()	1,546.	1,576.	1,607.	1,637.	1,686.	1,715.	1,754.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2 () ()	1,917.	1,949.	1,980.	2,012.	2,071.	2,108.	2,156.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2 () ()	1,744.	1,848.	1,951.	2,055.	2,117.	2,154.	2,202.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H2 () ()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H2 29 3/4" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard.
LW Marker board top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selectin bottom insert		


Y = Yardage required

Task Panels

H2 29³/₄" high

Segmented With Tool Rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2() ()	\$1,369.	\$1,155.	\$1,236.	\$1,304.	\$1,343.	\$1,418.
With tool rail	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2() ()	1,517.	1,355.	1,326.	1,394.	1,439.	1,529.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2() ()	1,769.	1,573.	1,523.	1,592.	1,642.	1,746.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2() ()	1,861.	1,621.	1,545.	1,645.	1,698.	1,819.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2() ()	1,951.	1,676.	1,576.	1,676.	1,735.	1,868.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2() ()	2,039.	1,732.	1,607.	1,708.	1,771.	1,919.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2() ()	2,459.	2,105.	1,980.	2,083.	2,150.	2,313.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2() ()	2,557.	2,254.	2,024.	2,129.	2,196.	2,373.
	1 1/2"	29 3/4"	78"	2.3	RTPRS78H2() ()	2,748.	2,327.	2,156.	2,261.	2,332.	2,524.
	1 1/2"	29 3/4"	84"	2.4	RTPRS84H2() ()	2,837.	2,370.	2,177.	2,284.	2,360.	2,568.
	1 1/2"	29 3/4"	90"	2.6	RTPRS90H2() ()	2,926.	2,426.	2,208.	2,315.	2,397.	2,618.
	1 1/2"	29 3/4"	96"	2.8	RTPRS96H2() ()	3,017.	2,483.	2,240.	2,349.	2,434.	2,670.

Order Code

Example:	RTPRS30H2() ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H2	29 3/4" high
111	Trim finish
W281	Fabric selectin top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including:

1. Trim Finish: Painted or Anodized
2. Top Insert Finish: Glass or Fabric
3. Bottom Insert Finish: Forbo, L, V1, V2, V3

Application Notes

H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.

*Installation instruction sheets available on-line.

Always supplied including cable curtain.

For Task Panels refer to part number 6TP00085

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.


All Fabric to be applied railroaded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels
H3 37⁷/₈" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	37 7/8"	30"	0.9	RTPNM30H3()()	\$839.	\$854.	\$869.	\$884.	\$911.	\$926.	\$948.
Without tool rail	1 1/2"	37 7/8"	36"	1.1	RTPNM36H3()()	896.	915.	932.	951.	980.	996.	1,019.
	1 1/2"	37 7/8"	42"	1.3	RTPNM42H3()()	1,088.	1,109.	1,131.	1,153.	1,188.	1,208.	1,236.
	1 1/2"	37 7/8"	48"	1.4	RTPNM48H3()()	1,103.	1,127.	1,149.	1,173.	1,208.	1,230.	1,258.
	1 1/2"	37 7/8"	54"	1.6	RTPNM54H3()()	1,123.	1,149.	1,176.	1,203.	1,239.	1,261.	1,290.
	1 1/2"	37 7/8"	60"	1.8	RTPNM60H3()()	1,187.	1,216.	1,247.	1,277.	1,315.	1,339.	1,369.
	1 1/2"	37 7/8"	66"	1.9	RTPNM66H3()()	1,424.	1,456.	1,487.	1,519.	1,565.	1,592.	1,628.
	1 1/2"	37 7/8"	72"	2.1	RTPNM72H3()()	1,445.	1,480.	1,516.	1,551.	1,598.	1,625.	1,662.
	1 1/2"	37 7/8"	78"	2.3	RTPNM78H3()()	1,618.	1,656.	1,695.	1,733.	1,785.	1,817.	1,858.
	1 1/2"	37 7/8"	84"	2.4	RTPNM84H3()()	1,630.	1,671.	1,711.	1,751.	1,804.	1,835.	1,877.
	1 1/2"	37 7/8"	90"	2.6	RTPNM90H3()()	1,695.	1,739.	1,782.	1,825.	1,880.	1,913.	1,957.
	1 1/2"	37 7/8"	96"	2.8	RTPNM96H3()()	1,716.	1,762.	1,810.	1,856.	1,912.	1,945.	1,990.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H3 ()()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H3 37 7/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.


Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	37 ⁷ / ₈ "	30"	RTPNM30H3()	\$1,299.	\$867.	\$854.	\$962.	\$1,049.	\$1,284.
Without tool rail	1 1/2"	37 ⁷ / ₈ "	36"	RTPNM36H3()	1,471.	920.	904.	1,015.	1,118.	1,399.
	1 1/2"	37 ⁷ / ₈ "	42"	RTPNM42H3()	1,756.	1,114.	1,097.	1,210.	1,333.	1,659.
	1 1/2"	37 ⁷ / ₈ "	48"	RTPNM48H3()	1,916.	1,139.	1,120.	1,237.	1,374.	1,747.
	1 1/2"	37 ⁷ / ₈ "	54"	RTPNM54H3()	2,051.	1,155.	1,133.	1,252.	1,405.	1,823.
	1 1/2"	37 ⁷ / ₈ "	60"	RTPNM60H3()	2,231.	1,223.	1,198.	1,321.	1,484.	1,949.
	1 1/2"	37 ⁷ / ₈ "	66"	RTPNM66H3()	2,590.	1,487.	1,461.	1,587.	1,765.	2,275.
	1 1/2"	37 ⁷ / ₈ "	72"	RTPNM72H3()	2,727.	1,697.	1,482.	1,612.	1,811.	2,366.
	1 1/2"	37 ⁷ / ₈ "	78"	RTPNM78H3()	3,016.	1,680.	1,649.	1,781.	1,995.	2,596.
	1 1/2"	37 ⁷ / ₈ "	84"	RTPNM84H3()	3,150.	1,695.	1,661.	1,797.	2,026.	2,673.
	1 1/2"	37 ⁷ / ₈ "	90"	RTPNM90H3()	3,330.	1,756.	1,720.	1,859.	2,108.	2,811.
	1 1/2"	37 ⁷ / ₈ "	96"	RTPNM96H3()	3,467.	1,774.	1,735.	1,878.	2,135.	2,873.

Order Code	Specification Information	Application Notes
Example: RTPNM30H3()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H3 37 ⁷ / ₈ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	37 ⁷ / ₈ "	30"	0.9	RTPRS30H3() ()	\$1,242.	\$1,272.	\$1,303.	\$1,333.	\$1,373.	\$1,397.	\$1,429.
	1 1/2"	37 ⁷ / ₈ "	36"	1.1	RTPRS36H3() ()	1,330.	1,367.	1,403.	1,440.	1,483.	1,509.	1,543.
	1 1/2"	37 ⁷ / ₈ "	42"	1.3	RTPRS42H3() ()	1,525.	1,569.	1,613.	1,656.	1,706.	1,736.	1,776.
	1 1/2"	37 ⁷ / ₈ "	48"	1.4	RTPRS48H3() ()	1,548.	1,594.	1,642.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	37 ⁷ / ₈ "	54"	1.6	RTPRS54H3() ()	1,581.	1,635.	1,688.	1,742.	1,794.	1,825.	1,867.
	1 1/2"	37 ⁷ / ₈ "	60"	1.8	RTPRS60H3() ()	1,614.	1,675.	1,735.	1,795.	1,849.	1,881.	1,924.
	1 1/2"	37 ⁷ / ₈ "	66"	1.9	RTPRS66H3() ()	1,963.	2,027.	2,090.	2,154.	2,219.	2,257.	2,308.
	1 1/2"	37 ⁷ / ₈ "	72"	2.1	RTPRS72H3() ()	1,999.	2,069.	2,139.	2,209.	2,275.	2,315.	2,368.

Order Code	Specification Information	Application Notes
Example: RTPRS30H3 () ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H3 37 ⁷ / ₈ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H3 37⁷/₈" high

Segmented With Tool rail

Marker Board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	37 ⁷ / ₈ "	30"	0.9	RTPRS30H3 () ()	\$1,275.	\$1,290.	\$1,305.	\$1,319.	\$1,359.	\$1,382.	\$1,414.
	1 1/2"	37 ⁷ / ₈ "	36"	1.1	RTPRS36H3 () ()	1,358.	1,376.	1,395.	1,413.	1,455.	1,481.	1,515.
	1 1/2"	37 ⁷ / ₈ "	42"	1.3	RTPRS42H3 () ()	1,554.	1,576.	1,599.	1,620.	1,669.	1,697.	1,737.
	1 1/2"	37 ⁷ / ₈ "	48"	1.4	RTPRS48H3 () ()	1,578.	1,602.	1,625.	1,649.	1,698.	1,728.	1,767.
	1 1/2"	37 ⁷ / ₈ "	54"	1.6	RTPRS54H3 () ()	1,613.	1,640.	1,667.	1,693.	1,744.	1,775.	1,815.
	1 1/2"	37 ⁷ / ₈ "	60"	1.8	RTPRS60H3 () ()	1,641.	1,671.	1,702.	1,731.	1,783.	1,815.	1,856.
	1 1/2"	37 ⁷ / ₈ "	66"	1.9	RTPRS66H3 () ()	2,017.	2,049.	2,080.	2,112.	2,174.	2,212.	2,263.
	1 1/2"	37 ⁷ / ₈ "	72"	2.1	RTPRS72H3 () ()	2,053.	2,088.	2,123.	2,158.	2,223.	2,261.	2,313.

Order Code	Specification Information	Application Notes
Example: RTPRS30H3 () ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H3 37 ⁷ / ₈ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels


Reff Profiles

H3 37⁷/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented With tool rail	1 1/2"	37 ⁷ / ₈ "	30"	0.9	RTPRS30H3() ()	\$1,589.	\$1,194.	\$1,286.	\$1,331.	\$1,345.	\$1,379.
	1 1/2"	37 ⁷ / ₈ "	36"	1.1	RTPRS36H3() ()	1,771.	1,288.	1,372.	1,416.	1,434.	1,474.
	1 1/2"	37 ⁷ / ₈ "	42"	1.3	RTPRS42H3() ()	2,059.	1,489.	1,567.	1,612.	1,630.	1,678.
	1 1/2"	37 ⁷ / ₈ "	48"	1.4	RTPRS48H3() ()	2,190.	1,520.	1,588.	1,670.	1,690.	1,744.
	1 1/2"	37 ⁷ / ₈ "	54"	1.6	RTPRS54H3() ()	2,316.	1,559.	1,618.	1,701.	1,722.	1,781.
	1 1/2"	37 ⁷ / ₈ "	60"	1.8	RTPRS60H3() ()	2,443.	1,599.	1,649.	1,731.	1,756.	1,821.
	1 1/2"	37 ⁷ / ₈ "	66"	1.9	RTPRS66H3() ()	2,899.	1,955.	2,032.	2,115.	2,140.	2,212.
	1 1/2"	37 ⁷ / ₈ "	72"	2.1	RTPRS72H3() ()	3,029.	1,997.	2,065.	2,149.	2,176.	2,255.
	1 1/2"	37 ⁷ / ₈ "	78"	2.3	RTPRS78H3() ()	3,263.	2,144.	2,203.	2,288.	2,318.	2,403.
	1 1/2"	37 ⁷ / ₈ "	84"	2.4	RTPRS84H3() ()	3,390.	2,068.	2,223.	2,308.	2,339.	2,431.
	1 1/2"	37 ⁷ / ₈ "	90"	2.6	RTPRS90H3() ()	3,516.	2,210.	2,254.	2,339.	2,373.	2,471.
	1 1/2"	37 ⁷ / ₈ "	96"	2.8	RTPRS96H3() ()	3,645.	2,252.	2,287.	2,372.	2,408.	2,512.




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H3() ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H3 37 ⁷ / ₈ " high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection top		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom		

Y = Yardage required

Task Panels
H4 44 1/2" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	0.9	RTPNM30H4()	\$907.	\$922.	\$937.	\$952.	\$981.	\$997.	\$1,021.
	1 1/2"	44 1/2"	36"	1.1	RTPNM36H4()	965.	984.	1,001.	1,020.	1,051.	1,069.	1,093.
	1 1/2"	44 1/2"	42"	1.3	RTPNM42H4()	1,158.	1,179.	1,201.	1,223.	1,260.	1,281.	1,310.
	1 1/2"	44 1/2"	48"	1.4	RTPNM48H4()	1,174.	1,198.	1,221.	1,244.	1,281.	1,304.	1,334.
	1 1/2"	44 1/2"	54"	1.6	RTPNM54H4()	1,195.	1,222.	1,248.	1,275.	1,313.	1,336.	1,367.
	1 1/2"	44 1/2"	60"	1.8	RTPNM60H4()	1,260.	1,290.	1,320.	1,350.	1,391.	1,415.	1,447.
	1 1/2"	44 1/2"	66"	1.9	RTPNM66H4()	1,499.	1,531.	1,561.	1,593.	1,641.	1,670.	1,708.
	1 1/2"	44 1/2"	72"	2.1	RTPNM72H4()	1,521.	1,556.	1,591.	1,626.	1,675.	1,705.	1,744.
	1 1/2"	44 1/2"	78"	2.3	RTPNM78H4()	1,694.	1,671.	1,646.	1,622.	1,671.	1,701.	1,739.
	1 1/2"	44 1/2"	84"	2.4	RTPNM84H4()	1,708.	1,748.	1,788.	1,828.	1,883.	1,916.	1,960.
	1 1/2"	44 1/2"	90"	2.6	RTPNM90H4()	1,773.	1,816.	1,860.	1,903.	1,960.	1,995.	2,040.
	1 1/2"	44 1/2"	96"	2.8	RTPNM96H4()	1,795.	1,842.	1,889.	1,935.	1,993.	2,028.	2,074.

Order Code	Specification Information	Application Notes
Example: RTPNM30H4()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H4 44 1/2" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.

Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H4 44 1/2" high

Monolithic, Without Tool rail


Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	RTPNM30H4 ()	\$1,474.	\$945.	\$929.	\$1,039.	\$1,141.	\$1,419.
	1 1/2"	44 1/2"	36"	RTPNM36H4 ()	1,669.	1,006.	989.	1,102.	1,227.	1,419.
	1 1/2"	44 1/2"	42"	RTPNM42H4 ()	1,972.	1,205.	1,185.	1,301.	1,444.	1,829.
	1 1/2"	44 1/2"	48"	RTPNM48H4 ()	2,159.	1,225.	1,202.	1,324.	1,483.	1,922.
	1 1/2"	44 1/2"	54"	RTPNM54H4 ()	2,316.	1,250.	1,225.	1,349.	1,522.	2,016.
	1 1/2"	44 1/2"	60"	RTPNM60H4 ()	2,519.	1,313.	1,284.	1,413.	1,604.	2,150.
	1 1/2"	44 1/2"	66"	RTPNM66H4 ()	2,902.	1,588.	1,556.	1,689.	1,902.	2,503.
	1 1/2"	44 1/2"	72"	RTPNM72H4 ()	3,060.	1,609.	1,574.	1,710.	1,942.	2,597.
	1 1/2"	44 1/2"	78"	RTPNM78H4 ()	3,371.	1,779.	1,742.	1,882.	2,131.	2,839.
	1 1/2"	44 1/2"	84"	RTPNM84H4 ()	3,528.	1,797.	1,757.	1,901.	2,168.	2,930.
	1 1/2"	44 1/2"	90"	RTPNM90H4 ()	3,731.	1,860.	1,818.	1,965.	2,250.	3,065.
	1 1/2"	44 1/2"	96"	RTPNM96H4 ()	3,889.	1,880.	1,834.	1,987.	2,289.	3,159.

Order Code	Specification Information	Application Notes
Example: RTPNM30H4 ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H4 44 1/2" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

*H4 44 1/2" high**Segmented With Tool rail**Fabric Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4 () ()	\$1,310.	\$1,340.	\$1,371.	\$1,401.	\$1,443.	\$1,468.	\$1,502.
	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4 () ()	1,400.	1,437.	1,473.	1,510.	1,555.	1,582.	1,618.
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4 () ()	1,595.	1,639.	1,683.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4 () ()	1,619.	1,667.	1,713.	1,760.	1,813.	1,845.	1,887.
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4 () ()	1,653.	1,707.	1,760.	1,814.	1,868.	1,900.	1,945.
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4 () ()	1,687.	1,748.	1,808.	1,868.	1,924.	1,958.	2,002.
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4 () ()	2,037.	2,101.	2,164.	2,228.	2,295.	2,335.	2,388.
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4 () ()	2,073.	2,143.	2,215.	2,285.	2,353.	2,394.	2,448.

Order Code

Example:	RTPRS30H4 () ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H4	44 1/2" high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Anodized
2. Top Insert Finish: Fabric
3. Bottom Insert Finish: Fabric

Application Notes

H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.


*Installation instruction sheets available on-line.

For Task Panels refer to part number 6TP00085

Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Y = Yardage required

Task Panels
H4 44 1/2" high
Segmented With Tool rail
Marker Board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade							
						LW10	LW15	LW20	LW30	LW35	LW40	LW45	
Task Panel, segmented With tool rail 	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4 () ()	\$1,343.	\$1,359.	\$1,373.	\$1,388.	\$1,430.	\$1,455.	\$1,488.	
	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4 () ()	1,427.	1,445.	1,464.	1,482.	1,526.	1,553.	1,588.	
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4 () ()	1,625.	1,647.	1,669.	1,690.	1,741.	1,772.	1,812.	
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4 () ()	1,650.	1,674.	1,696.	1,720.	1,772.	1,803.	1,844.	
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4 () ()	1,685.	1,712.	1,739.	1,765.	1,818.	1,850.	1,892.	
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4 () ()	1,714.	1,744.	1,775.	1,805.	1,858.	1,891.	1,934.	
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4 () ()	2,091.	2,123.	2,154.	2,186.	2,252.	2,291.	2,342.	
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4 () ()	2,128.	2,163.	2,198.	2,233.	2,300.	2,340.	2,394.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 () ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H4 44 1/2" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker Board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H4 44 1/2" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4() ()	\$1,746.	\$1,350.	\$1,346.	\$1,413.	\$1,452.	\$1,527.
With tool rail	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4() ()	1,946.	1,463.	1,434.	1,502.	1,546.	1,637.
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4() ()	2,254.	1,683.	1,634.	1,703.	1,752.	1,856.
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4() ()	2,403.	1,732.	1,657.	1,757.	1,811.	1,930.
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4() ()	2,548.	1,791.	1,690.	1,791.	1,849.	1,984.
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4() ()	2,693.	1,849.	1,723.	1,825.	1,888.	2,035.
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4() ()	3,168.	2,224.	2,098.	2,196.	2,269.	2,433.
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4() ()	3,317.	2,285.	2,133.	2,238.	2,309.	2,487.
	1 1/2"	44 1/2"	78"	2.3	RTPRS78H4() ()	3,569.	2,450.	2,279.	2,384.	2,456.	2,647.
	1 1/2"	44 1/2"	84"	2.4	RTPRS84H4() ()	3,715.	2,496.	2,303.	2,409.	2,485.	2,693.
	1 1/2"	44 1/2"	90"	2.6	RTPRS90H4() ()	3,860.	2,554.	2,336.	2,443.	2,525.	2,746.
	1 1/2"	44 1/2"	96"	2.8	RTPRS96H4() ()	4,008.	2,614.	2,370.	2,479.	2,565.	2,800.

Order Code

Example:	RTPRS30H4() ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H4	44 1/2" high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Anodized
2. Top Insert Finish: Glass or Fabric
3. Bottom Insert Finish: Forbo, L, V1, V2, V3

Application Notes

H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

*Installation instruction sheets available on-line.

For Task Panels refer to part number 6TP00085

Y = Yardage required

Task Panels
H5 42⁵/₈" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono without tool rail	1 1/2"	42 5/8"	30"	0.9	RTPNM30H5 ()	\$897.	\$913.	\$927.	\$942.	\$970.	\$988.	\$1,010.
	1 1/2"	42 5/8"	36"	1.1	RTPNM36H5 ()	955.	973.	992.	1,010.	1,040.	1,059.	1,084.
	1 1/2"	42 5/8"	42"	1.3	RTPNM42H5 ()	1,147.	1,169.	1,191.	1,212.	1,248.	1,270.	1,300.
	1 1/2"	42 5/8"	48"	1.4	RTPNM48H5 ()	1,164.	1,188.	1,210.	1,234.	1,271.	1,294.	1,323.
	1 1/2"	42 5/8"	54"	1.6	RTPNM54H5 ()	1,183.	1,210.	1,237.	1,264.	1,302.	1,325.	1,354.
	1 1/2"	42 5/8"	60"	1.8	RTPNM60H5 ()	1,248.	1,278.	1,309.	1,339.	1,379.	1,403.	1,436.
	1 1/2"	42 5/8"	66"	1.9	RTPNM66H5 ()	1,487.	1,519.	1,550.	1,582.	1,629.	1,658.	1,696.
	1 1/2"	42 5/8"	72"	2.1	RTPNM72H5 ()	1,509.	1,544.	1,579.	1,614.	1,662.	1,691.	1,730.
	1 1/2"	42 5/8"	78"	2.3	RTPNM78H5 ()	1,682.	1,720.	1,759.	1,797.	1,851.	1,884.	1,927.
	1 1/2"	42 5/8"	84"	2.4	RTPNM84H5 ()	1,695.	1,736.	1,776.	1,816.	1,870.	1,903.	1,947.
	1 1/2"	42 5/8"	90"	2.6	RTPNM90H5 ()	1,760.	1,804.	1,848.	1,891.	1,948.	1,982.	2,027.
	1 1/2"	42 5/8"	96"	2.8	RTPNM96H5 ()	1,783.	1,828.	1,875.	1,920.	1,978.	2,012.	2,058.

Order Code	Specification Information	Application Notes
Example: RTPNM30H5 ()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H5 42 5/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.

Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H5 42⁵/₈" high


Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3	
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	RTPNM30H5()		\$1,447.	\$932.	\$918.	\$1,027.	\$1,125.	\$1,391.
	1 1/2"	42 5/8"	36"	RTPNM36H5()		1,638.	993.	976.	1,090.	1,209.	1,526.
	1 1/2"	42 5/8"	42"	RTPNM42H5()		1,938.	1,191.	1,170.	1,288.	1,423.	1,793.
	1 1/2"	42 5/8"	48"	RTPNM48H5()		2,121.	1,210.	1,189.	1,308.	1,463.	1,883.
	1 1/2"	42 5/8"	54"	RTPNM54H5()		2,274.	1,235.	1,210.	1,334.	1,500.	1,971.
	1 1/2"	42 5/8"	60"	RTPNM60H5()		2,473.	1,298.	1,270.	1,397.	1,580.	2,103.
	1 1/2"	42 5/8"	66"	RTPNM66H5()		2,852.	1,572.	1,541.	1,672.	1,878.	2,454.
	1 1/2"	42 5/8"	72"	RTPNM72H5()		3,008.	1,591.	1,558.	1,692.	1,915.	2,543.
	1 1/2"	42 5/8"	78"	RTPNM78H5()		3,314.	1,761.	1,725.	1,863.	2,103.	2,782.
	1 1/2"	42 5/8"	84"	RTPNM84H5()		3,467.	1,779.	1,741.	1,882.	2,138.	2,870.
	1 1/2"	42 5/8"	90"	RTPNM90H5()		3,666.	1,841.	1,799.	1,945.	2,219.	3,000.
	1 1/2"	42 5/8"	96"	RTPNM96H5()		3,821.	1,859.	1,816.	1,965.	2,256.	3,109.

Order Code	Specification Information	Application Notes
Example: RTPNM30H5()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H5 42 5/8" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H5 42⁵/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5() () ()	\$1,301.	\$1,331.	\$1,361.	\$1,391.	\$1,432.	\$1,457.	\$1,490.
	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5() () ()	1,389.	1,427.	1,463.	1,500.	1,545.	1,572.	1,608.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5() () ()	1,585.	1,628.	1,673.	1,716.	1,767.	1,798.	1,840.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5() () ()	1,609.	1,655.	1,703.	1,749.	1,801.	1,832.	1,875.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5() () ()	1,643.	1,696.	1,750.	1,804.	1,857.	1,890.	1,933.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5() () ()	1,676.	1,737.	1,796.	1,857.	1,913.	1,946.	1,991.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5() () ()	2,026.	2,090.	2,153.	2,217.	2,282.	2,323.	2,376.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5() () ()	2,063.	2,133.	2,203.	2,273.	2,341.	2,382.	2,437.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5() () ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H5 42⁵/₈" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5() ()	\$1,340.	\$1,355.	\$1,370.	\$1,385.	\$1,427.	\$1,451.	\$1,485.
	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5() ()	1,424.	1,443.	1,462.	1,480.	1,524.	1,551.	1,586.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5() ()	1,623.	1,645.	1,667.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5() ()	1,656.	1,680.	1,703.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5() ()	1,686.	1,713.	1,740.	1,766.	1,819.	1,851.	1,893.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5() ()	1,723.	1,753.	1,783.	1,813.	1,867.	1,899.	1,943.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5() ()	2,099.	2,131.	2,163.	2,195.	2,261.	2,300.	2,353.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5() ()	2,139.	2,174.	2,209.	2,244.	2,311.	2,351.	2,406.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5() ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels

H5 42⁵/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	FAB/L	G/FORB	FAB/FORB	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented With tool rail	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5() ()	\$1,345.	\$1,738.	\$1,252.	\$1,389.	\$1,404.	\$1,438.
	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5() ()	1,431.	1,937.	1,347.	1,476.	1,492.	1,534.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5() ()	1,626.	2,245.	1,549.	1,672.	1,691.	1,738.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5() ()	1,649.	2,395.	1,581.	1,730.	1,751.	1,619.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5() ()	1,680.	2,540.	1,621.	1,762.	1,784.	1,843.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5() ()	1,711.	2,685.	1,660.	1,793.	1,818.	1,883.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5() ()	2,095.	3,160.	2,018.	2,177.	2,204.	2,275.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5() ()	2,129.	3,308.	2,061.	2,212.	2,240.	2,319.
	1 1/2"	42 5/8"	78"	2.3	RTPRS78H5() ()	2,267.	2,532.	2,208.	2,351.	2,381.	2,467.
	1 1/2"	42 5/8"	84"	2.4	RTPRS84H5() ()	2,288.	3,707.	2,236.	2,373.	2,405.	2,497.
	1 1/2"	42 5/8"	90"	2.6	RTPRS90H5() ()	2,320.	3,852.	2,276.	2,405.	2,438.	2,537.
	1 1/2"	42 5/8"	96"	2.8	RTPRS96H5() ()	2,353.	3,999.	2,319.	2,439.	2,474.	2,579.




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H5() ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work surface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H5 42 5/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Y = Yardage required

Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono Without tool rail 	1 1/2"	49 1/4"	30"	0.9	RTPNM30H6()()	\$945.	\$959.	\$974.	\$989.	\$1,019.	\$1,036.	\$1,060.
	1 1/2"	49 1/4"	36"	1.1	RTPNM36H6()()	1,003.	1,022.	1,039.	1,058.	1,090.	1,108.	1,134.
	1 1/2"	49 1/4"	42"	1.3	RTPNM42H6()()	1,196.	1,217.	1,240.	1,262.	1,300.	1,323.	1,352.
	1 1/2"	49 1/4"	48"	1.4	RTPNM48H6()()	1,213.	1,237.	1,260.	1,283.	1,321.	1,345.	1,376.
	1 1/2"	49 1/4"	54"	1.6	RTPNM54H6()()	1,234.	1,261.	1,288.	1,314.	1,353.	1,377.	1,409.
	1 1/2"	49 1/4"	60"	1.8	RTPNM60H6()()	1,301.	1,331.	1,362.	1,392.	1,434.	1,458.	1,491.
	1 1/2"	49 1/4"	66"	1.9	RTPNM66H6()()	1,540.	1,572.	1,603.	1,635.	1,684.	1,713.	1,752.
	1 1/2"	49 1/4"	72"	2.1	RTPNM72H6()()	1,563.	1,598.	1,633.	1,668.	1,718.	1,748.	1,788.
	1 1/2"	49 1/4"	78"	2.3	RTPNM78H6()()	1,737.	1,775.	1,814.	1,852.	1,908.	1,941.	1,985.
	1 1/2"	49 1/4"	84"	2.4	RTPNM84H6()()	1,751.	1,791.	1,831.	1,872.	1,928.	1,961.	2,006.
	1 1/2"	49 1/4"	90"	2.6	RTPNM90H6()()	1,817.	1,860.	1,904.	1,948.	2,006.	2,041.	2,088.
	1 1/2"	49 1/4"	96"	2.8	RTPNM96H6()()	1,841.	1,887.	1,934.	1,981.	2,040.	2,075.	2,123.

Order Code	Specification Information	Application Notes
Example: RTPNM30H6()()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H6 49 1/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.

Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroaded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts


description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	49 1/4"	30"	RTPNM30H6()	\$1,602.	\$995.	\$979.	\$1,091.	\$1,207.	\$1,516.
Without tool rail	1 1/2"	49 1/4"	36"	RTPNM36H6()	1,815.	1,060.	1,039.	1,156.	1,293.	1,660.
	1 1/2"	49 1/4"	42"	RTPNM42H6()	2,134.	1,229.	1,251.	1,349.	1,506.	1,934.
	1 1/2"	49 1/4"	48"	RTPNM48H6()	2,342.	1,281.	1,256.	1,380.	1,551.	2,038.



Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H6()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H6 49 1/4" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6 () ()	\$1,348.	\$1,378.	\$1,408.	\$1,438.	\$1,472.	\$1,507.	\$1,541.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6 () ()	1,437.	1,474.	1,510.	1,547.	1,584.	1,621.	1,658.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6 () ()	1,635.	1,678.	1,721.	1,764.	1,807.	1,849.	1,891.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6 () ()	1,659.	1,706.	1,753.	1,799.	1,935.	1,886.	1,929.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6 () ()	1,693.	1,747.	1,800.	1,854.	1,898.	1,943.	1,987.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6 () ()	1,728.	1,788.	1,849.	1,909.	1,954.	2,000.	2,046.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6 () ()	2,079.	2,142.	2,205.	2,269.	2,324.	2,378.	2,432.
	1 1/2"	49 1/4"	72"	2.1	RTPRS72H6 () ()	2,116.	2,186.	2,257.	2,327.	2,397.	2,438.	2,494.

Order Code

Example:	RTPRS30H6 () ()
R	Reff
TP	Task Panel
N	No tool rail
S	Segmented
30	Width
H6	49 1/4" high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Anodized
2. Top insert finish: Fabric
3. Bottom insert finish: Fabric

Application Notes

H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.


*Installation instruction sheets available on-line.

For Task Panels refer to part number 6TP00085

Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Y = Yardage required

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6 () ()	\$1,387.	\$1,402.	\$1,417.	\$1,432.	\$1,475.	\$1,501.	\$1,535.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6 () ()	1,473.	1,491.	1,509.	1,527.	1,573.	1,601.	1,638.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6 () ()	1,672.	1,693.	1,715.	1,737.	1,788.	1,820.	1,861.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6 () ()	1,707.	1,730.	1,753.	1,777.	1,830.	1,862.	1,904.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6 () ()	1,737.	1,763.	1,790.	1,817.	1,872.	1,904.	1,948.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6 () ()	1,775.	1,805.	1,835.	1,865.	1,921.	1,955.	1,999.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6 () ()	2,152.	2,184.	2,216.	2,247.	2,314.	2,356.	2,409.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmentated		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H6 49 1/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H6 49 1/4" high

Segmented With Tool rail


Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6() ()	\$1,873.	\$1,387.	\$1,383.	\$1,450.	\$1,489.	\$1,565.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6() ()	2,092.	1,501.	1,471.	1,539.	1,584.	1,675.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6() ()	2,418.	1,722.	1,672.	1,742.	1,790.	1,894.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6() ()	2,585.	1,772.	1,696.	1,796.	1,850.	1,970.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6() ()	2,750.	1,830.	1,730.	1,830.	1,889.	2,023.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6() ()	2,914.	1,889.	1,763.	1,865.	1,928.	2,075.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6() ()	3,407.	2,265.	2,140.	2,242.	2,310.	2,474.
	1 1/2"	49 1/4"	72"	2.1	RTPRS72H6() ()	3,574.	2,327.	2,175.	2,280.	2,351.	2,530.
	1 1/2"	49 1/4"	78"	2.3	RTPRS78H6() ()	3,846.	2,493.	2,322.	2,427.	2,498.	2,689.
	1 1/2"	49 1/4"	84"	2.4	RTPRS84H6() ()	4,010.	2,540.	2,346.	2,452.	2,530.	2,737.
	1 1/2"	49 1/4"	90"	2.6	RTPRS90H6() ()	4,175.	2,598.	2,380.	2,487.	2,568.	2,789.
	1 1/2"	49 1/4"	96"	2.8	RTPRS96H6() ()	4,340.	2,658.	2,415.	2,525.	2,609.	2,845.

Order Code	Specification Information	Application Notes
Example: RTPRS30H6() ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H6 49 1/4" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Y = Yardage required

Task Panels
H7 56 1/8" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern n	glass	LW10	L	V1	V2	V3	
Task Panel, mono	1 1/2"	56 1/8"	30"	RTPNM30H7()		\$1,733.	\$1,011.	\$993.	\$1,099.	\$1,239.	\$1,604.
Without tool rail	1 1/2"	56 1/8"	36"	RTPNM36H7()		1,973.	1,078.	1,056.	1,176.	1,330.	1,762.
	1 1/2"	56 1/8"	42"	RTPNM42H7()		2,314.	1,281.	1,256.	1,380.	1,564.	2,066.
	1 1/2"	56 1/8"	48"	RTPNM48H7()		2,553.	1,313.	1,284.	1,414.	1,613.	2,186.

Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: RTPNM30H7()	To order please specify pattern number including;	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Veneer	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H7 56 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H7 56 1/8" high

Segmented With Tool rail

Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7() ()	\$1,354.	\$1,384.	\$1,414.	\$1,444.	\$1,479.	\$1,513.	\$1,548.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7() ()	1,445.	1,482.	1,518.	1,555.	1,592.	1,629.	1,668.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7() ()	1,643.	1,686.	1,730.	1,774.	1,816.	1,859.	1,901.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7() ()	1,669.	1,715.	1,762.	1,809.	1,852.	1,895.	1,938.
	1 1/2"	56 1/8"	54"	1.6	RTPRS54H7() ()	1,705.	1,758.	1,811.	1,864.	1,909.	1,954.	1,998.
	1 1/2"	56 1/8"	60"	1.8	RTPRS60H7() ()	1,740.	1,799.	1,860.	1,920.	1,966.	2,012.	2,058.

Order Code

Specification Information

Application Notes

Example:	RTPRS30H7() ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H7	56 1/8" high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom

To order please specify pattern number including:
 1. Trim Finish: Painted or Anodized
 2. Top insert finish: Fabric
 3. Bottom insert finish: Fabric

H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroaded as current tackboard
 When ordering 54" or wider Task Panel, please check width of fabric specified.

*Installation instruction sheets available on-line.
 For Task Panels refer to part number 6TP00085
Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Y = Yardage required

Task Panels
H7 56 1/8" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7 () ()	\$1,419.	\$1,435.	\$1,449.	\$1,465.	\$1,500.	\$1,535.	\$1,570.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7 () ()	1,516.	1,535.	1,552.	1,571.	1,609.	1,646.	1,684.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7 () ()	1,720.	1,742.	1,764.	1,786.	1,829.	1,872.	1,915.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7 () ()	1,752.	1,776.	1,798.	1,822.	1,865.	1,910.	1,953.




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H7 () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H7 56 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required


Task Panels
H7 56 1/8" high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7() ()()	\$2,024.	\$1,305.	\$1,398.	\$1,442.	\$1,457.	\$1,491.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7() ()()	2,273.	1,402.	1,486.	1,531.	1,548.	1,588.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7() ()()	2,630.	1,607.	1,746.	1,729.	1,748.	1,795.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7() ()()	2,827.	1,640.	1,708.	1,790.	1,811.	1,864.
	1 1/2"	56 1/8"	54"	1.6	RTPRS54H7() ()()	n/a	n/a	1,742.	1,823.	1,846.	1,904.
	1 1/2"	56 1/8"	60"	1.8	RTPRS60H7() ()()	n/a	n/a	1,775.	1,857.	1,881.	1,947.

Order Code	Specification Information	Application Notes
Example: RTPRS30H7() ()()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmentated		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H7 56 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		


Y = Yardage required

Task Panels
H8 62³/₄" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	62 3/4"	30"	RTPNM30H8 ()()	\$2,028.	\$1,220.	\$1,199.	\$1,317.	\$1,463.	\$1,858.
Without tool rail	1 1/2"	62 3/4"	36"	RTPNM36H8 ()()	2,294.	1,291.	1,266.	1,388.	1,554.	2,025.
	1 1/2"	62 3/4"	42"	RTPNM42H8 ()()	2,656.	1,496.	1,467.	1,595.	1,791.	2,338.
	1 1/2"	62 3/4"	48"	RTPNM48H8 ()()	2,926.	1,523.	1,490.	1,625.	1,847.	2,471.

Order Code	Specification Information	Application Notes
Example: RTPNM30H8 ()()	To order please specify pattern number including;	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H8 62 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H8 62³/₄" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	62 3/4"	30"	0.9	RTPRS30H8 () ()	\$1,522.	\$1,552.	\$1,583.	\$1,613.	\$1,661.	\$1,690.	\$1,729.
	1 1/2"	62 3/4"	36"	1.1	RTPRS36H8 () ()	1,614.	1,651.	1,687.	1,724.	1,776.	1,807.	1,849.
	1 1/2"	62 3/4"	42"	1.3	RTPRS42H8 () ()	1,813.	1,856.	1,900.	1,944.	2,002.	2,037.	2,084.
	1 1/2"	62 3/4"	48"	1.4	RTPRS48H8 () ()	1,840.	1,886.	1,933.	1,980.	2,039.	2,074.	2,122.
	1 1/2"	62 3/4"	54"	1.6	RTPRS54H8 () ()	1,877.	1,930.	1,983.	2,036.	2,097.	2,134.	2,183.
	1 1/2"	62 3/4"	60"	1.8	RTPRS60H8 () ()	1,913.	1,972.	2,033.	2,093.	2,156.	2,194.	2,243.
	1 1/2"	62 3/4"	66"	1.9	RTPRS66H8 () ()	2,266.	2,330.	2,393.	2,457.	2,531.	2,574.	2,634.
	1 1/2"	62 3/4"	72"	2.1	RTPRS72H8 () ()	2,307.	3,298.	2,434.	2,498.	2,573.	2,617.	2,678.

Order Code	Specification Information	Application Notes
Example: RTPRS30H8 () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
M Monolithic		
30 Width		Always supplied including cable curtain.
H8 62 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top		All trims supplied with the same finish specification.
W281 Fabric selection bottom		All Fabric to be applied railroaded as current tackboard

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H8 62³/₄" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	62 3/4"	30"	0.9	RTPRS30H8 () ()	\$1,587.	\$1,603.	\$1,617.	\$1,633.	\$1,672.	\$1,711.	\$1,750.
With tool rail	1 1/2"	62 3/4"	36"	1.1	RTPRS36H8 () ()	1,685.	1,704.	1,721.	1,740.	1,782.	1,823.	1,865.
	1 1/2"	62 3/4"	42"	1.3	RTPRS42H8 () ()	1,891.	1,913.	1,934.	1,956.	2,003.	2,050.	2,097.
	1 1/2"	62 3/4"	48"	1.4	RTPRS48H8 () ()	1,923.	1,947.	1,969.	1,993.	2,040.	2,089.	2,136.



Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H8 () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H8 62 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H8 62³/₄" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	62 ³ / ₄ "	30"	0.9	RTPRS30H8 () ()	\$2,280.	\$1,563.	\$1,557.	\$1,625.	\$1,664.	\$1,739.
With tool rail	1 1/2"	62 ³ / ₄ "	36"	1.1	RTPRS36H8 () ()	2,548.	1,677.	1,648.	1,716.	1,760.	1,851.
	1 1/2"	62 ³ / ₄ "	42"	1.3	RTPRS42H8 () ()	2,923.	1,900.	1,851.	1,920.	1,968.	2,073.
	1 1/2"	62 ³ / ₄ "	48"	1.4	RTPRS48H8 () ()	3,139.	1,953.	1,878.	1,977.	2,031.	2,151.
	1 1/2"	62 ³ / ₄ "	54"	1.6	RTPRS54H8 () ()	3,353.	2,014.	1,942.	2,014.	2,072.	2,206.
	1 1/2"	62 ³ / ₄ "	60"	1.8	RTPRS60H8 () ()	3,565.	2,073.	1,949.	2,050.	2,113.	2,261.

Order Code

Specification Information

Application Notes

Example:	RTPRS30H8 () ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H8	62 ³ / ₄ " high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

To order please specify pattern number including:
 1. Trim Finish: Painted or Anodized
 2. Top insert finish: Glass or Fabric
 3. Bottom insert finish: Forbo, L, V1, V2, V3


H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroaded as current tackboard

*Installation instruction sheets available on-line.
 For Task Panels refer to part number 6TP00085

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Tackboards
H1 23 1/8" high
Wall hung, fabric


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard, wall hung	1"	23 1/8"	30"	1.0	RWHDHTB30H1()	\$262.	\$287.	\$314.	\$340.	\$345.	\$350.	\$355.
	1"	23 1/8"	36"	1.1	RWHDHTB36H1()	279.	308.	336.	365.	371.	376.	382.
	1"	23 1/8"	42"	1.3	RWHDHTB42H1()	307.	341.	374.	408.	415.	421.	428.
	1"	23 1/8"	48"	1.5	RWHDHTB48H1()	334.	373.	411.	450.	458.	466.	474.
	1"	23 1/8"	54"	1.6	RWHDHTB54H1()	352.	393.	435.	476.	484.	493.	502.
	1"	23 1/8"	60"	1.8	RWHDHTB60H1()	379.	425.	473.	519.	528.	538.	547.
	1"	23 1/8"	66"	1.9	RWHDHTB66H1()	398.	447.	495.	545.	555.	564.	575.
	1"	23 1/8"	72"	2.1	RWHDHTB72H1()	425.	480.	534.	588.	599.	610.	621.
	1"	23 1/8"	78"	2.3	RWHDHTB78H1()	452.	512.	571.	630.	643.	654.	666.
	1"	23 1/8"	84"	2.5	RWHDHTB84H1()	480.	545.	609.	674.	687.	699.	713.
	1"	23 1/8"	90"	2.6	RWHDHTB90H1()	497.	564.	631.	698.	712.	726.	740.
	1"	23 1/8"	96"	2.8	RWHDHTB96H1()	525.	597.	671.	743.	757.	771.	786.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H1()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H1 23 1/8" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H2 29³/₄" high
Wall hung, fabric

Reff Profiles


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	29 ³ / ₄ "	30"	1.0	RWHDHTB30H2()	\$277.	\$302.	\$327.	\$351.	\$356.	\$362.	\$367.
	1"	29 ³ / ₄ "	36"	1.1	RWHDHTB36H2()	298.	325.	352.	380.	386.	391.	398.
	1"	29 ³ / ₄ "	42"	1.3	RWHDHTB42H2()	328.	361.	392.	425.	432.	439.	445.
	1"	29 ³ / ₄ "	48"	1.5	RWHDHTB48H2()	358.	396.	433.	470.	478.	485.	493.
	1"	29 ³ / ₄ "	54"	1.6	RWHDHTB54H2()	379.	419.	458.	499.	507.	515.	523.
	1"	29 ³ / ₄ "	60"	1.8	RWHDHTB60H2()	409.	454.	499.	544.	553.	562.	572.
	1"	29 ³ / ₄ "	66"	1.9	RWHDHTB66H2()	430.	477.	524.	572.	582.	591.	602.
	1"	29 ³ / ₄ "	72"	2.1	RWHDHTB72H2()	460.	513.	564.	617.	628.	639.	650.
	1"	29 ³ / ₄ "	78"	2.3	RWHDHTB78H2()	490.	548.	605.	662.	675.	686.	698.
	1"	29 ³ / ₄ "	84"	2.5	RWHDHTB84H2()	520.	583.	645.	708.	721.	733.	747.
	1"	29 ³ / ₄ "	90"	2.6	RWHDHTB90H2()	542.	607.	671.	735.	749.	763.	777.
	1"	29 ³ / ₄ "	96"	2.8	RWHDHTB96H2()	572.	642.	711.	781.	795.	811.	825.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H2()	To order please specify pattern number including: 1. Finish: Fabric	H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H2 29 ³ / ₄ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H3 37⁷/₈" high
Wall hung, fabric

Reff Profiles


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	37 ⁷ / ₈ "	30"	1.0	RWHDHTB30H3()	\$291.	\$316.	\$342.	\$367.	\$372.	\$377.	\$382.
	1"	37 ⁷ / ₈ "	36"	1.1	RWHDHTB36H3()	315.	343.	370.	398.	404.	409.	415.
	1"	37 ⁷ / ₈ "	42"	1.3	RWHDHTB42H3()	348.	380.	413.	445.	452.	458.	466.
	1"	37 ⁷ / ₈ "	48"	1.5	RWHDHTB48H3()	382.	419.	456.	493.	502.	509.	517.
	1"	37 ⁷ / ₈ "	54"	1.6	RWHDHTB54H3()	405.	445.	484.	524.	533.	542.	550.
	1"	37 ⁷ / ₈ "	60"	1.8	RWHDHTB60H3()	439.	483.	528.	573.	582.	592.	602.
	1"	37 ⁷ / ₈ "	66"	1.9	RWHDHTB66H3()	461.	509.	556.	604.	614.	623.	633.
	1"	37 ⁷ / ₈ "	72"	2.1	RWHDHTB72H3()	495.	548.	599.	652.	663.	674.	685.
	1"	37 ⁷ / ₈ "	78"	2.3	RWHDHTB78H3()	528.	586.	643.	700.	713.	724.	736.
	1"	37 ⁷ / ₈ "	84"	2.5	RWHDHTB84H3()	562.	624.	687.	749.	762.	775.	788.
	1"	37 ⁷ / ₈ "	90"	2.6	RWHDHTB90H3()	585.	650.	714.	779.	792.	806.	820.
	1"	37 ⁷ / ₈ "	96"	2.8	RWHDHTB96H3()	619.	688.	758.	827.	842.	857.	871.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H3()	To order please specify pattern number including;	H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H3 37 ⁷ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H4 44 1/2" high
Wall hung, fabric


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	44 1/2"	30"	1.0	RWHDHTB30H4()	\$304.	\$329.	\$354.	\$379.	\$384.	\$389.	\$394.
	1"	44 1/2"	36"	1.1	RWHDHTB36H4()	330.	357.	384.	412.	418.	423.	430.
	1"	44 1/2"	42"	1.3	RWHDHTB42H4()	366.	398.	431.	462.	470.	476.	483.
	1"	44 1/2"	48"	1.5	RWHDHTB48H4()	401.	438.	476.	513.	521.	528.	537.
	1"	44 1/2"	54"	1.6	RWHDHTB54H4()	427.	468.	507.	547.	555.	563.	572.
	1"	44 1/2"	60"	1.8	RWHDHTB60H4()	462.	507.	552.	596.	606.	616.	625.
	1"	44 1/2"	66"	1.9	RWHDHTB66H4()	488.	536.	583.	630.	641.	650.	660.
	1"	44 1/2"	72"	2.1	RWHDHTB72H4()	524.	577.	628.	681.	692.	702.	714.
	1"	44 1/2"	78"	2.3	RWHDHTB78H4()	560.	617.	675.	731.	744.	756.	768.
	1"	44 1/2"	84"	2.5	RWHDHTB84H4()	595.	657.	720.	782.	795.	808.	821.
	1"	44 1/2"	90"	2.6	RWHDHTB90H4()	621.	686.	751.	816.	829.	844.	857.
	1 1/2"	44 1/2"	96"	2.8	RWHDHTB96H4()	656.	726.	795.	865.	880.	895.	909.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H4()	To order please specify pattern number including:	H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for 3/4" height cabinet.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H4 44 1/2" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H5 42⁵/₈" high
Wall hung, fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	42 ⁵ / ₈ "	30"	1.0	RWHDHTB30H5()	\$301.	\$325.	\$350.	\$375.	\$380.	\$386.	\$391.
	1"	42 ⁵ / ₈ "	36"	1.1	RWHDHTB36H5()	327.	353.	381.	408.	414.	419.	425.
	1"	42 ⁵ / ₈ "	42"	1.3	RWHDHTB42H5()	361.	392.	425.	457.	465.	471.	478.
	1"	42 ⁵ / ₈ "	48"	1.5	RWHDHTB48H5()	396.	433.	471.	508.	516.	523.	531.
	1"	42 ⁵ / ₈ "	54"	1.6	RWHDHTB54H5()	421.	461.	501.	541.	549.	557.	565.
	1"	42 ⁵ / ₈ "	60"	1.8	RWHDHTB60H5()	455.	501.	545.	590.	599.	609.	618.
	1"	42 ⁵ / ₈ "	66"	1.9	RWHDHTB66H5()	481.	528.	575.	622.	632.	643.	653.
	1"	42 ⁵ / ₈ "	72"	2.1	RWHDHTB72H5()	516.	569.	620.	673.	684.	694.	706.
	1"	42 ⁵ / ₈ "	78"	2.3	RWHDHTB78H5()	551.	608.	665.	722.	734.	746.	758.
	1"	42 ⁵ / ₈ "	84"	2.5	RWHDHTB84H5()	586.	658.	711.	773.	786.	798.	812.
	1"	42 ⁵ / ₈ "	90"	2.6	RWHDHTB90H5()	611.	676.	741.	805.	819.	832.	846.
	1"	42 ⁵ / ₈ "	96"	2.8	RWHDHTB96H5()	647.	716.	786.	855.	869.	885.	899.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H5()	To order please specify pattern number including: 1. Finish: Fabric	H5 Height = Top of Single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H5 42 ⁵ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Desk Screens

Planning Guidelines and Specifications

Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".


Bracket and frame paint finish codes with suffix "T" indicate textured.

Construction


Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.


Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.



Screen always at back





For applications with work surface 26 1/2" off the floor



For applications with work surface 28 3/8" off the floor

Desk Screens
Fabric
 For 42" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon 	24"	1 1/4"	20"	YPSB2024F	\$556.	\$584.	\$612.	\$640.	\$667.
	27"	1 1/4"	20"	YPSB2027F	572.	600.	629.	657.	686.
	30"	1 1/4"	20"	YPSB2030F	587.	617.	646.	676.	705.
	36"	1 1/4"	20"	YPSB2036F	654.	687.	720.	752.	785.
	42"	1 1/4"	20"	YPSB2042F	680.	714.	748.	782.	816.
	48"	1 1/4"	20"	YPSB2048F	700.	735.	770.	805.	840.
	54"	1 1/4"	20"	YPSB2054F	752.	790.	827.	865.	902.
	60"	1 1/4"	20"	YPSB2060F	798.	838.	879.	918.	958.
	66"	1 1/4"	20"	YPSB2066FRR	834.	877.	918.	960.	1,001.
	72"	1 1/4"	20"	YPSB2072FRR	860.	903.	947.	989.	1,032.

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Half Modesty For Desks, 42" High Horizon 	24"	1 1/4"	32"	YPSB3224F	644.	676.	709.	741.	773.
	27"	1 1/4"	32"	YPSB3227F	690.	725.	759.	794.	828.
	30"	1 1/4"	32"	YPSB3230F	711.	747.	782.	818.	853.
	36"	1 1/4"	32"	YPSB3236F	803.	844.	884.	924.	964.
	42"	1 1/4"	32"	YPSB3242F	850.	892.	935.	977.	1,020.
	48"	1 1/4"	32"	YPSB3248F	855.	898.	940.	984.	1,026.
	54"	1 1/4"	32"	YPSB3254F	927.	973.	1,020.	1,066.	1,112.
	60"	1 1/4"	32"	YPSB3260F	1,004.	1,055.	1,105.	1,155.	1,205.
	66"	1 1/4"	32"	YPSB3266FRR	1,143.	1,201.	1,258.	1,315.	1,372.
	72"	1 1/4"	32"	YPSB3272FRR	1,205.	1,266.	1,326.	1,386.	1,446.

Accessories and Client Samples

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2048F, W351, W351, 118T, 118T**

YPSB	Desk Screen
20	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With



Desk Screens
 Brackets
 Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens
Fabric
 For 49" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon 	24"	1 1/4"	26"	YPSB2624F	\$608.	\$639.	\$668.	\$699.	\$729.
	27"	1 1/4"	26"	YPSB2627F	633.	665.	697.	728.	760.
	30"	1 1/4"	26"	YPSB2630F	649.	682.	714.	747.	779.
	36"	1 1/4"	26"	YPSB2636F	726.	762.	799.	835.	871.
	42"	1 1/4"	26"	YPSB2642F	762.	800.	838.	877.	915.
	48"	1 1/4"	26"	YPSB2648F	819.	860.	901.	941.	983.
	54"	1 1/4"	26"	YPSB2654F	876.	920.	963.	1,007.	1,051.
	60"	1 1/4"	26"	YPSB2660F	912.	957.	1,003.	1,049.	1,094.
	66"	1 1/4"	26"	YPSB2666FRR	953.	1,000.	1,049.	1,096.	1,143.
	72"	1 1/4"	26"	YPSB2672FRR	994.	1,043.	1,094.	1,143.	1,193.
Fabric Screens with Half Modesty For Desks, 49" High Horizon 	24"	1 1/4"	38"	YPSB3824F	695.	730.	765.	799.	834.
	27"	1 1/4"	38"	YPSB3827F	747.	784.	822.	859.	896.
	30"	1 1/4"	38"	YPSB3830F	767.	805.	845.	883.	921.
	36"	1 1/4"	38"	YPSB3836F	876.	920.	963.	1,007.	1,051.
	42"	1 1/4"	38"	YPSB3842F	927.	973.	1,020.	1,066.	1,112.
	48"	1 1/4"	38"	YPSB3848F	999.	1,050.	1,099.	1,149.	1,199.
	54"	1 1/4"	38"	YPSB3854F	1,051.	1,103.	1,156.	1,208.	1,261.
	60"	1 1/4"	38"	YPSB3860F	1,107.	1,163.	1,218.	1,273.	1,329.
	66"	1 1/4"	38"	YPSB3866FRR	1,241.	1,303.	1,366.	1,428.	1,489.
	72"	1 1/4"	38"	YPSB3872FRR	1,308.	1,374.	1,439.	1,505.	1,570.

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648F, W351, W351, 118T, 118T**

YPSB	Desk Screen
26	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With

Desk Screens
 Brackets
 Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.


Desk Screens

Laminate, Markerboard or Veneer

For 42" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon	24"	3/4"	20"	YPSB2024()	\$228.	\$393.	\$436.	\$502.	\$652.
	27"	3/4"	20"	YPSB2027()	231.	397.	445.	512.	666.
	30"	3/4"	20"	YPSB2030()	233.	399.	455.	524.	681.
	36"	3/4"	20"	YPSB2036()	262.	504.	475.	546.	711.
	42"	3/4"	20"	YPSB2042()	268.	509.	510.	586.	762.
	48"	3/4"	20"	YPSB2048()	346.	815.	533.	613.	796.
	54"	3/4"	20"	YPSB2054()	352.	821.	553.	637.	827.
	60"	3/4"	20"	YPSB2060()	357.	826.	598.	688.	895.
	66"	3/4"	20"	YPSB2066()	364.	831.	625.	719.	934.
	72"	3/4"	20"	YPSB2072()	369.	837.	645.	742.	963.
Screens with Half Modesty For Desks, 42" High Horizon	24"	3/4"	32"	YPSB3224()	255.	604.	507.	583.	758.
	27"	3/4"	32"	YPSB3227()	260.	608.	529.	609.	792.
	30"	3/4"	32"	YPSB3230()	296.	612.	545.	627.	815.
	36"	3/4"	32"	YPSB3236()	349.	818.	577.	663.	862.
	42"	3/4"	32"	YPSB3242()	357.	826.	632.	727.	946.
	48"	3/4"	32"	YPSB3248()	376.	1,431.	663.	762.	992.
	54"	3/4"	32"	YPSB3254()	384.	1,439.	700.	805.	1,048.
	60"	3/4"	32"	YPSB3260()	524.	1,445.	773.	888.	1,155.
	66"	3/4"	32"	YPSB3266()	533.	1,453.	810.	931.	1,210.
	72"	3/4"	32"	YPSB3272()	541.	1,463.	840.	966.	1,257.



Ordering Information

Desk Screens

1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2048V, V316, 118T**

YPSB Desk Screen

20 Height

48 Width

V Veneer

V316 Maple

118T Bright White Paint

Included With

Desk Screens

Brackets
Hardware

Options

Desk Screens

Finish Options:
(L)= Laminate
(LM)= Markerboard
(V)= Veneer



Desk Screens

Laminate, Markerboard or Veneer

For 49" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon	24"	3/4"	26"	YPSB2624()	\$249.	\$597.	\$484.	\$557.	\$724.
	27"	3/4"	26"	YPSB2627()	252.	602.	496.	571.	743.
	30"	3/4"	26"	YPSB2630()	256.	605.	517.	595.	774.
	36"	3/4"	26"	YPSB2636()	263.	612.	543.	624.	812.
	42"	3/4"	26"	YPSB2642()	302.	619.	588.	676.	879.
	48"	3/4"	26"	YPSB2648()	330.	1,420.	620.	714.	928.
	54"	3/4"	26"	YPSB2654()	337.	1,428.	646.	742.	965.
	60"	3/4"	26"	YPSB2660()	355.	1,432.	719.	827.	1,074.
	66"	3/4"	26"	YPSB2666()	363.	1,441.	745.	856.	1,113.
	72"	3/4"	26"	YPSB2672()	465.	1,446.	770.	886.	1,152.
Screens with Half Modesty For Desks, 49" High Horizon	24"	3/4"	38"	YPSB3824()	295.	612.	541.	622.	809.
	27"	3/4"	38"	YPSB3827()	300.	616.	559.	644.	836.
	30"	3/4"	38"	YPSB3830()	304.	621.	578.	664.	863.
	36"	3/4"	38"	YPSB3836()	359.	827.	622.	715.	930.
	42"	3/4"	38"	YPSB3842()	370.	837.	684.	787.	1,023.
	48"	3/4"	38"	YPSB3848()	460.	1,442.	721.	829.	1,077.
	54"	3/4"	38"	YPSB3854()	471.	1,452.	764.	879.	1,142.
	60"	3/4"	38"	YPSB3860()	541.	1,463.	862.	991.	1,289.
	66"	3/4"	38"	YPSB3866()	550.	1,473.	905.	1,041.	1,353.
	72"	3/4"	38"	YPSB3872()	560.	1,483.	942.	1,084.	1,409.



Ordering Information

Desk Screens

1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648V, V316, 118T**

YPSB Desk Screen

26 Height

48 Width

V Veneer

V316 Maple

118T Bright White Paint

Included With

Desk Screens

Brackets
Hardware

Options

Desk Screens

Finish Options:

(L)= Laminate
(LM)= Markerboard
(V)= Veneer

description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30" and 36"	30"	10"	RDTC3010()	\$854.	\$1,067.	\$1,227.	\$1,594.
	36"	10"	RDTC3610()	864.	1,076.	1,238.	1,609.



Desk Top Cubbies 60" and 72"	60"	10"	RDTC6010()	1,048.	1,310.	1,506.	1,958.
	72"	10"	RDTC7210()	1,069.	1,337.	1,537.	1,998.



Desk Top Cubbies Open	60"	10"	RDTCO6010()	1,158.	1,448.	1,664.	2,164.
	72"	10"	RDTCO7210()	1,174.	1,467.	1,687.	2,193.



Wall Mounted Cubbies 30" and 36"	30"	10"	RRMC3010()	936.	1,170.	1,345.	1,749.
	36"	10"	RRMC3610()	945.	1,180.	1,358.	1,764.



Wall Mounted Cubbies 60" and 72"	60"	10"	RRMC6010()	1,077.	1,345.	1,549.	2,014.
	72"	10"	RRMC7210()	1,099.	1,374.	1,580.	2,055.



Under Mounted Cubbies 30" and 36"	30"	10"	RUMC3010()	905.	1,132.	1,302.	1,692.
	36"	10"	RUMC3610()	916.	1,145.	1,317.	1,712.



Order Code	Specification Information
Example: RDTC3010() ()	
R	Reff
DT	Desk Top
C	Cubby
30	Width
10	Depth
	Finish

Specification Information

Application Notes

Installation instruction sheets available on line.

For Wall Mounted cubbies, please refer to part number 6TP00086.

For Under Mounted cubbies, please refer to part number 6TP00087.

description	w	d	pattern no.	L	V1	V2	V3
Under Mounted Cubbies 60" and 72"	60"	10"	RUMC6010()	\$1,028.	\$1,284.	\$1,477.	\$1,921.
	72"	10"	RUMC7210()	1,054.	1,316.	1,514.	1,968.



Order Code

Example: RDTC3010()	
R	Reff
DT	Desk Top
C	Cubby
30	Width
10	Depth
	Finish

Specification Information

Application Notes


Installation instruction sheets available on line.

For Wall Mounted cubbies, please refer to part number 6TP00086.

For Under Mounted cubbies, please refer to part number 6TP00087.

Single Wide Desk

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Single Wide Desk 	66"	30"	42"	RASW6630 () ()	\$1,201.	\$1,381.	\$1,588.	\$2,065.
	72"	30"	42"	RASW7230 () ()	1,254.	1,442.	1,658.	2,156.
	78"	30"	42"	RASW7830 () ()	1,293.	1,487.	1,710.	2,223.
	84"	30"	42"	RASW8430 () ()	1,366.	1,571.	1,807.	2,349.
	90"	30"	42"	RASW9030 () ()	1,405.	1,616.	1,859.	2,416.
	96"	30"	42"	RASW9630 () ()	1,450.	1,668.	1,918.	2,494.

Order Code

Example:	
RA	Reff Administrative
SW	Single Wide with worksurface
66	66" wide, Nominal
30	30" deep, Nominal
()	Modesty finish
()	Worksurface finish

Nominal vs Actual sizes

N=66/A=62 - Top = 61.8 x 27.9
 N=72/A=68 - Top = 67.8 x 27.9
 N=78/A=74 - Top = 73.8 x 27.9
 N=84/A= 80 - Top = 79.8 x 27.9
 N=90/A=86 - Top = 85.8 x 27.9
 N=96/A=92 - Top = 91.8 x 27.9
 above dimension allow for 2 end supports

Specification Information

To order please specify pattern number including:

- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

66" to 96" wide Nominal.
 No Drilling Options.
 No Grommet Options.

To be used with end support, return, or bridge.
 Includes front modesty and worksurface.
 Stations up to 96" wide.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal.

Comes with hardware kit, including attachment kit.

Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.

Pencil Lip will be assembled to the top.
 Pencil Lip dimension: 1/4"H above worksurface.
 Pencil Lip is located along the back edge.
 Pencil Lip is available in black only.


Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with an additional infill panel.



Single Wide Desk

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Single Wide Desk	66"	30"	42"	RASW6630 () ()	\$1,292.	\$1,363.	\$1,623.	\$1,344.	\$1,458.	\$1,687.
	72"	30"	42"	RASW7230 () ()	1,337.	1,414.	1,696.	1,382.	1,505.	1,756.
	78"	30"	42"	RASW7830 () ()	1,373.	1,456.	1,759.	1,410.	1,542.	1,815.
	84"	30"	42"	RASW8430 () ()	1,454.	1,543.	1,867.	1,457.	1,598.	1,893.
	90"	30"	42"	RASW9030 () ()	1,490.	1,585.	1,930.	1,486.	1,636.	1,953.
	96"	30"	42"	RASW9630 () ()	1,534.	1,634.	2,001.	1,514.	1,673.	2,012.

Order Code

Example:	
RA	Reff Administrative
SW	Single Wide with worksurface
66	66" wide, Nominal
30	30" deep, Nominal
()	Modesty finish
()	Worksurface finish

Nominal vs Actual sizes

N=66/A=62 - Top = 61.8 x 27.9
 N=72/A=68 - Top = 67.8 x 27.9
 N=78/A=74 - Top = 73.8 x 27.9
 N=84/A= 80 - Top = 79.8 x 27.9
 N=90/A=86 - Top = 85.8 x 27.9
 N=96/A=92 - Top = 91.8 x 27.9
 above dimension allow for 2 end supports

Specification Information

To order please specify pattern number including:
 1. Modesty Finish: Wood or Laminate
 2. Worksurface Finish: Wood or Laminate
 66" to 96" wide Nominal.
 No Drilling Options.
 No Grommet Options.
 To be used with end support, return, or bridge.
 Includes front modesty and worksurface.
 Stations up to 96" wide.
 Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
 Products on this page are engineered to work with 28^{3/8}" planning.
 All worksurfaces are 1 1/2" thick.
 Products on this page will accept all Laminates except "wood grain laminates".
 Note: All installation instructions are available on the Knoll Exchange.
 42" height is Nominal.


Comes with hardware kit, including attachment kit.
 Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.
 Pencil Lip will be assembled to the top.
 Pencil Lip dimension: 1/4"H above worksurface.
 Pencil Lip is located along the back edge.
 Pencil Lip is available in black only.
 Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).
 The approach side needs to be completed with an additional infill panel.



Double Wide Desk

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Double Wide Desk	51"	30"	42"	RADW(L/R)5130() ()	\$1,162.	\$1,336.	\$1,536.	\$1,997.
	54"	30"	42"	RADW(L/R)5430() ()	1,188.	1,366.	1,571.	2,042.
	57"	30"	42"	RADW(L/R)5730() ()	1,214.	1,396.	1,605.	2,087.
	60"	30"	42"	RADW(L/R)6030() ()	1,295.	1,489.	1,713.	2,227.
	63"	30"	42"	RADW(L/R)6330() ()	1,316.	1,514.	1,741.	2,263.
	66"	30"	42"	RADW(L/R)6630() ()	1,345.	1,547.	1,779.	2,313.
	69"	30"	42"	RADW(L/R)6930() ()	1,371.	1,576.	1,813.	2,356.
	72"	30"	42"	RADW(L/R)7230() ()	1,391.	1,600.	1,840.	2,392.
	75"	30"	42"	RADW(L/R)7530() ()	1,410.	1,621.	1,864.	2,424.
	78"	30"	42"	RADW(L/R)7830() ()	1,429.	1,644.	1,890.	2,458.
	81"	30"	42"	RADW(L/R)8130() ()	1,455.	1,673.	1,924.	2,501.
	84"	30"	42"	RADW(L/R)8430() ()	1,504.	1,729.	1,989.	2,586.
	87"	30"	42"	RADW(L/R)8730() ()	1,522.	1,750.	2,013.	2,617.
	90"	30"	42"	RADW(L/R)9030() ()	1,542.	1,774.	2,040.	2,651.
	93"	30"	42"	RADW(L/R)9330() ()	1,568.	1,803.	2,074.	2,696.
	96"	30"	42"	RADW(L/R)9630() ()	1,587.	1,825.	2,099.	2,729.




Left hand shown

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	For Single Wide Desk.
RA Reff Administrative		
WH Wall hung	1. Specify Finish : Fabric	For Double Wide Desk.
DH Desk high planning		
TB Tack board		<i>Nominal single vs Actual single sizes</i>
S Single desk		<i>Nominal double vs Actual double sizes</i>
66 width		N=51/ A=49
Fabric		N=54/ A=52
		N=57/ A=55
		N=60/ A=58
		N=63/ A=61
		N=66/ A=64
		N=69/ A=67
		N=72/ A=70
		N=75/ A=73
		N=78/ A=76
		N=81/ A=79
		N=84/ A=82
		N=87/ A=85
		N=90/ A=88
		N=93/ A=91
		N=96/ A=94

Double Wide Desk

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 <p>right hand shown</p>	51"	30"	42"	RADW(L/R)5130() ()	\$1,240.	\$1,299.	\$1,514.	\$1,351.	\$1,445.	\$1,653.
	54"	30"	42"	RADW(L/R)5430() ()	1,266.	1,328.	1,553.	1,366.	1,464.	1,683.
	57"	30"	42"	RADW(L/R)5730() ()	1,283.	1,348.	1,585.	1,389.	1,491.	1,721.
	60"	30"	42"	RADW(L/R)6030() ()	1,383.	1,451.	1,698.	1,443.	1,550.	1,791.
	63"	30"	42"	RADW(L/R)6330() ()	1,403.	1,474.	1,732.	1,472.	1,583.	1,835.
	66"	30"	42"	RADW(L/R)6630() ()	1,424.	1,498.	1,766.	1,499.	1,615.	1,878.
	69"	30"	42"	RADW(L/R)6930() ()	1,450.	1,526.	1,805.	1,513.	1,634.	1,907.
	72"	30"	42"	RADW(L/R)7230() ()	1,470.	1,549.	1,838.	1,528.	1,653.	1,938.
	75"	30"	42"	RADW(L/R)7530() ()	1,487.	1,568.	1,868.	1,570.	1,699.	1,994.
	78"	30"	42"	RADW(L/R)7830() ()	1,504.	1,589.	1,900.	1,584.	1,718.	2,025.
	81"	30"	42"	RADW(L/R)8130() ()	1,531.	1,618.	1,939.	1,598.	1,737.	2,054.
	84"	30"	42"	RADW(L/R)8430() ()	1,587.	1,677.	2,010.	1,632.	1,775.	2,103.
	87"	30"	42"	RADW(L/R)8730() ()	1,604.	1,697.	2,039.	1,646.	1,793.	2,132.
	90"	30"	42"	RADW(L/R)9030() ()	1,622.	1,718.	2,072.	1,660.	1,812.	2,163.
	93"	30"	42"	RADW(L/R)9330() ()	1,649.	1,748.	2,112.	1,674.	1,830.	2,191.
	96"	30"	42"	RADW(L/R)9630() ()	1,666.	1,767.	2,141.	1,688.	1,849.	2,222.

Order Code

Example:	
RA	Reff Administrative
DW	Double Wide with worksurface
L	Left hand
51	51" wide, Nominal
30	30" deep (only) worksurface
()	Modesty finish
()	Worksurface finish

To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes

Actual is 2" less than Nominal.

N=102/ A=98 (2x49) - Top = 49
N=108/ A=104 (2x52) - Top = 52
N=114/ A=110 (2x55) - Top = 55
N=120/ A=116 (2x58) - Top = 58
N=126/ A=122 (2x61) - Top = 61
N=132/ A=128 (2x64) - Top = 64
N=138/ A=134 (2x67) - Top = 67
N=144/ A=140 (2x70) - Top = 70
N=150/ A=146 (2x73) - Top = 73
N=156/ A=152 (2x76) - Top = 76
N=162/ A=158 (2x79) - Top = 79
N=168/ A=164 (2x82) - Top = 82
N=174/ A=170 (2x85) - Top = 85
N=180/ A=176 (2x88) - Top = 88
N=186/ A=182 (2x91) - Top = 91
N=192/ A=188 (2x94) - Top = 94

Specification Information

To order please specify pattern number including:

1. Modesty Finish: Wood or Laminate
2. Worksurface Finish: Wood or Laminate

51" to 96" wide, Nominal.
30" deep worksurface, Nominal.
No Drilling Options.
No Grommet Options.

Product on this page do not include infill panels, returns or supports. Supports need to be ordered separately.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height, Nominal.

Left hand and Right hand units are sold separately (not as set), therefore the veneer side will not match.


Left hand unit includes 2 kits;
Kit #1: Joinery hardware to connect 2 units together.
Kit #2: Multi clips.

Products on this page do not include infill panels, returns and supports, need to be order separately.

Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).


The approach side needs to be completed with an additional infill panel.

Worksurfaces include a 2" gap along the back edge to accommodate full length wire access and Pencil Lip. Pencil lip will be assembled to the top. Pencil Lip dimensions: 1/4"H above worksurface. Pencil Lip is available in black only.



Bridge

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
	72"	20"	42"	RABR(L/R)7220 () () ()	\$1,090.	\$1,744.	\$2,006.	\$2,608.
	78"	20"	42"	RABR(L/R)7820 () () ()	1,183.	1,892.	2,176.	2,829.
	84"	20"	42"	RABR(L/R)8420 () () ()	1,236.	1,977.	2,274.	2,956.
	90"	20"	42"	RABR(L/R)9020 () () ()	1,286.	2,058.	2,366.	3,076.
	96"	20"	42"	RABR(L/R)9620 () () ()	1,336.	2,137.	2,458.	3,195.

Left hand shown

Order Code

Example:	
RA	Reff Administrative
BR	Bridge Return
R	Right hand
72	72" wide
20	20" deep
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".


Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal


Application Notes

Includes a 20"d nominal work surface.
Includes thick modesty panel. Use in conjunction with end cabinets.
Bridge + Cabinet + End Panel = Nominals.


Cabinet to be ordered separately.



Bridge with Cabinet Support



Bridge with "end support" - 28^{3/8}"h



Bridge with "gable support" - 42"h

left hand / right hand

Nominal vs Actual sizes

N=72/A=54.5 - top 24.5

N=78/A=60.5 - top 30.5


N=84/A=66.5 - top 36.5

N=90/A=72.5 - top 42.5

N=96/A=78.5 - top 48.5

Bridge

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
	72"	20"	42"	RABR(L/R)7220 () () ()	\$1,198.	\$1,231.	\$1,338.	\$1,603.	\$1,834.	\$2,228.
	78"	20"	42"	RABR(L/R)7820 () () ()	1,320.	1,357.	1,482.	1,749.	2,001.	2,438.
	84"	20"	42"	RABR(L/R)8420 () () ()	1,378.	1,420.	1,563.	1,808.	2,081.	2,562.
	90"	20"	42"	RABR(L/R)9020 () () ()	1,431.	1,477.	1,638.	1,870.	2,163.	2,690.
	96"	20"	42"	RABR(L/R)9620 () () ()	1,479.	1,528.	1,707.	1,927.	2,241.	2,811.

Left hand shown

Order Code

Example:	
RA	Reff Administrative
BR	Bridge Return
R	Right hand
72	72" wide
20	20" deep
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish

Specification Information

- To order please specify pattern number including:
- Grommet Option:
F = Flush
N = No Grommet
 - Grommet Finish: Painted or Plated
 - Modesty Finish: Wood or Laminate
 - Worksurface Finish: Wood or Laminate

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".


Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal


Application Notes

Includes a 20" d nominal work surface.
Includes thick modesty panel. Use in conjunction with end cabinets.
Bridge + Cabinet + End Panel = Nominals.


Cabinet to be ordered separately.



Bridge with Cabinet Support



Bridge with "end support" - 28^{3/8}"h



Bridge with "gable support" - 42" h

left hand / right hand

Nominal vs Actual sizes

N=72/A=54.5 - top 24.5


N=78/A=60.5 - top 30.5




N=84/A=66.5 - top 36.5

N=90/A=72.5 - top 42.5

N=96/A=78.5 - top 48.5

Return Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 Left hand shown	54"	20"	42"	RAFR(L/R)5420 () () () ()	\$1,201.	\$1,825.	\$2,099.	\$2,728.
	60"	20"	42"	RAFR(L/R)6020 () () () ()	1,250.	1,900.	2,186.	2,841.
	66"	20"	42"	RAFR(L/R)6620 () () () ()	1,351.	2,054.	2,362.	3,070.
	72"	20"	42"	RAFR(L/R)7220 () () () ()	1,402.	2,131.	2,451.	3,186.
	78"	20"	42"	RAFR(L/R)7820 () () () ()	1,461.	2,221.	2,554.	3,321.
	84"	20"	42"	RAFR(L/R)8420 () () () ()	1,529.	2,325.	2,673.	3,475.
	90"	20"	42"	RAFR(L/R)9020 () () () ()	1,591.	2,418.	2,780.	3,614.
	96"	20"	42"	RAFR(L/R)9620 () () () ()	1,657.	2,518.	2,896.	3,764.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative FR Full Return L Left hand 54 54" wide, Nominal 20 20" deep, Nominal () Grommet option () Grommet finish () Modesty finish () Worksurface finish G Drilling options	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Laminate or Wood 4. Worksurface Finish: Laminate or Wood 5. Drilling Options: E = End Support drilling 28 ³ / ₈ " G = Cable Support drilling 42"	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ³ / ₈ " planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal
		Includes a 20"d (nominal) worksurface. Includes thick modesty. End support to be ordered separately.  Return with Cabinet support (TG)
		 Return with "end support" - 28 ³ / ₈ "h
		 Return with Cable support - 42"h


Nominal vs Actual sizes

- N=54/A=52, Top = 22" w x 19" d
- N=60/A=58, Top = 28" w x 19" d
- N=66/A=64, Top = 34" w x 19" d
- N=72/A=70, Top = 40" w x 19" d
- N=78/A=76, Top = 46" w x 19" d
- N=84/A=82, Top = 52" w x 19" d
- N=90/A=88, Top = 58" w x 19" d
- N=96/A=94, Top = 64" w x 19" d

Administrative / Reception

Return


Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 <p>Left hand shown</p>	54"	20"	42"	RAFR(L/R)5420 () () () ()	\$1,308.	\$1,339.	\$1,438.	\$1,729.	\$1,952.	\$2,328.
	60"	20"	42"	RAFR(L/R)6020 () () () ()	1,355.	1,390.	1,509.	1,788.	2,031.	2,451.
	66"	20"	42"	RAFR(L/R)6620 () () () ()	1,484.	1,523.	1,658.	1,935.	2,199.	2,663.
	72"	20"	42"	RAFR(L/R)7220 () () () ()	1,534.	1,578.	1,732.	1,996.	2,280.	2,788.
	78"	20"	42"	RAFR(L/R)7820 () () () ()	1,599.	1,646.	1,819.	2,061.	2,366.	2,917.
	84"	20"	42"	RAFR(L/R)8420 () () () ()	1,678.	1,730.	1,920.	2,119.	2,445.	3,041.
	90"	20"	42"	RAFR(L/R)9020 () () () ()	1,745.	1,802.	2,011.	2,195.	2,542.	3,181.
	96"	20"	42"	RAFR(L/R)9620 () () () ()	1,822.	1,883.	2,109.	2,268.	2,636.	3,319.


Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
RA Reff Administrative	1. Grommet Option: F = Flush N = No Grommet	Includes a 20" (nominal) worksurface. Includes thick modesty. End support to be ordered separately.
FR Full Return	2. Grommet Finish: Painted or Plated	Products on this page are engineered to work with 28 3/8" planning.
L Left hand	3. Modesty Finish: Laminate or Wood	All worksurfaces are 1 1/2" thick.
54 54" wide, Nominal	4. Worksurface Finish: Laminate or Wood	Products on this page will accept all Laminates except "wood grain laminates".
20 20" deep, Nominal	5. Drilling Options: E = End Support drilling 28 3/8" G = Cable Support drilling 42"	Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal
() Grommet option		
() Grommet finish		
() Modesty finish		
() Worksurface finish		
G Drilling options		

Nominal vs Actual sizes


N=54/A=52, Top = 22" w x 19" d
 N=60/A=58, Top = 28" w x 19" d
 N=66/A=64, Top = 34" w x 19" d
 N=72/A=70, Top = 40" w x 19" d
 N=78/A=76, Top = 46" w x 19" d
 N=84/A=82, Top = 52" w x 19" d
 N=90/A=88, Top = 58" w x 19" d
 N=96/A=94, Top = 64" w x 19" d



Return with Cabinet support. (TG)




Return with "end support" - 28 3/8" h



Return with Cable support - 42" h

Shared Return One Sided

Single Finishes


description	w	d	h	pattern no.	L	V1	V2	V3
 Shared Return One Side	66"	20"	42"	RASRS(L/R)6620 () () ()	\$954.	\$1,527.	\$1,756.	\$2,282.
	72"	20"	42"	RASRS(L/R)7220 () () ()	1,024.	1,638.	1,884.	2,449.
	78"	20"	42"	RASRS(L/R)7820 () () ()	1,076.	1,722.	1,980.	2,574.
	84"	20"	42"	RASRS(L/R)8420 () () ()	1,159.	1,855.	2,133.	2,773.
	90"	20"	42"	RASRS(L/R)9020 () () ()	1,206.	1,930.	2,219.	2,885.
	96"	20"	42"	RASRS(L/R)9620 () () ()	1,313.	2,101.	2,416.	3,141.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative SR Shared Return S Single R Right hand 66 66" wide () Grommet option () Grommet finish () Modesty finish () Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 3/8" planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal


Nominal vs Actual sizes

- N=66/A=64, Top = 34" actual
- N=72/A=70, Top = 40" actual
- N=78/A=76, Top = 46" actual
- N=84/A=82, Top = 52" actual
- N=90/A=88, Top = 58" actual
- N=96/A=94, Top = 64" actual




Shared Return One Sided

Mixed Finishes

description	w	d	h	pattern no.	L/V1 *	L/V2	L/V3	V1/L	V2/L	V3/L
 Shared Return One Side	66"	20"	42"	RASRS(L/R)6620() () () ()	\$1,078.	\$1,117.	\$1,253.	\$1,413.	\$1,574.	\$1,819.
	72"	20"	42"	RASRS(L/R)7220() () () ()	1,158.	1,201.	1,356.	1,510.	1,691.	1,980.
	78"	20"	42"	RASRS(L/R)7820() () () ()	1,215.	1,263.	1,435.	1,564.	1,766.	2,099.
	84"	20"	42"	RASRS(L/R)8420() () () ()	1,318.	1,370.	1,560.	1,688.	1,911.	2,288.
	90"	20"	42"	RASRS(L/R)9020() () () ()	1,366.	1,423.	1,631.	1,742.	1,985.	2,407.
	96"	20"	42"	RASRS(L/R)9620() () () ()	1,515.	1,576.	1,802.	1,901.	2,166.	2,631.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative SR Shared Return S Single R Right hand 66 66" wide () Grommet option () Grommet finish () Modesty finish () Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ^{3/8} " planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal




Nominal vs Actual sizes

- N=66/A=64, Top = 34" actual
- N=72/A=70, Top = 40" actual
- N=78/A=76, Top = 46" actual
- N=84/A=82, Top = 52" actual
- N=90/A=88, Top = 58" actual
- N=96/A=94, Top = 64" actual

Shared Return Two Sided


Single Finishes

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
 Shared Return Two Sided	66"	20"	42"	RASRD6620 () () () ()	\$1,269.	\$1,967.	\$2,262.	\$2,940.
	72"	20"	42"	RASRD7220 () () () ()	1,353.	2,097.	2,411.	3,135.
	78"	20"	42"	RASRD7820 () () () ()	1,424.	2,207.	2,538.	3,299.
	84"	20"	42"	RASRD8420 () () () ()	1,516.	2,350.	2,703.	3,514.
	90"	20"	42"	RASRD9020 () () () ()	1,577.	2,444.	2,811.	3,654.
	96"	20"	42"	RASRD9620 () () () ()	1,709.	2,650.	3,047.	3,961.

Administrative / Reception

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative SR Shared Return D Double 66 66" wide () Grommet option () Grommet finish () Modesty finish () Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ^{3/8} " planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal




Nominal vs Actual sizes
 N=66/A=64, Top = 34" actual
 N=72/A=70, Top = 40" actual
 N=78/A=76, Top = 46" actual
 N=84/A=82, Top = 52" actual
 N=90/A=88, Top = 58" actual
 N=96/A=94, Top = 64" actual

Shared Return Two Sided

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 Shared Return Two Sided	66"	20"	42"	RASRD6620()()()()	\$1,545.	\$1,623.	\$1,895.	\$1,738.	\$1,898.	\$2,144.
	72"	20"	42"	RASRD7220()()()()	1,641.	1,729.	2,038.	1,844.	2,025.	2,314.
	78"	20"	42"	RASRD7820()()()()	1,725.	1,821.	2,165.	1,907.	2,109.	2,442.
	84"	20"	42"	RASRD8420()()()()	1,837.	1,941.	2,320.	2,036.	2,259.	2,636.
	90"	20"	42"	RASRD9020()()()()	1,900.	2,014.	2,431.	2,099.	2,343.	2,764.
	96"	20"	42"	RASRD9620()()()()	2,085.	2,206.	2,659.	2,281.	2,546.	3,011.

Order Code

Example:	
RA	Reff Administrative
SR	Shared Return
R	Right hand
S	Single
66	66" wide
20	20" deep
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.


All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Must be used with end support. Always comes with drilling to accept 28^{3/8}"H, only, end support component. End support must be ordered separately. 42" height Gable cannot be used in this application. Hardware for attachment included.




Nominal vs Actual sizes

N=66/A=64, Top = 34" actual
 N=72/A=70, Top = 40" actual
 N=78/A=76, Top = 46" actual
 N=84/A=82, Top = 52" actual
 N=90/A=88, Top = 58" actual
 N=96/A=94, Top = 64" actual

Technology Island Peninsula

Single Finish

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
 Peninsula	62"	40"	22 ³ / ₈ "	RAIE6240 () ()	\$1,106.	\$1,603.	\$1,844.	\$2,397.
	68"	40"	22 ³ / ₈ "	RAIE6840 () ()	1,128.	1,636.	1,882.	2,446.
	74"	40"	22 ³ / ₈ "	RAIE7440 () ()	1,146.	1,661.	1,910.	2,483.
	62"	48"	22 ³ / ₈ "	RAIE6248 () ()	1,193.	1,729.	1,989.	2,585.
	68"	48"	22 ³ / ₈ "	RAIE6848 () ()	1,212.	1,758.	2,022.	2,628.
	74"	48"	22 ³ / ₈ "	RAIE7448 () ()	1,233.	1,788.	2,056.	2,673.

Order Code

Example:	
RA	Reff Administrative
I	Island Peninsula
E	1" thick top
62	Width
40	Depth
()	Grommet Finish
()	Top Finish
()	End Panel Finish

Specification Information

To order please specify pattern number including:

1. Grommet Finish:
Painted or plated
2. Worksurface finish:
Wood or Laminate
3. End panel finish:

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.


42" height is Nominal

Always comes with standard grommet. 12" inset from back edge, center or depth.

Drilled to accept 30" and 36" wide x 22³/₈" high storage units.

Intended to have full storage under tops.
(30 x 30, 30 x 36, 36 x 36)
Lower storage to be used with this product is 22³/₈"H.

Intended to be freestanding and slide or sit under the primary worksurface.




Administrative / Reception

Technology Island Peninsula

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Peninsula 	62"	40"	22 ³ / ₈ "	RAIE6240 () ()	\$1,194.	\$1,295.	\$1,642.	\$1,532.	\$1,647.	\$1,800.
	68"	40"	22 ³ / ₈ "	RAIE6840 () ()	1,223.	1,333.	1,708.	1,552.	1,688.	1,820.
	74"	40"	22 ³ / ₈ "	RAIE7440 () ()	1,243.	1,361.	1,764.	1,573.	1,689.	1,841.
	62"	48"	22 ³ / ₈ "	RAIE6248 () ()	1,283.	1,402.	1,803.	1,686.	1,818.	2,001.
	68"	48"	22 ³ / ₈ "	RAIE6848 () ()	1,306.	1,435.	1,868.	1,711.	1,843.	2,025.
	74"	48"	22 ³ / ₈ "	RAIE7448 () ()	1,330.	1,470.	1,936.	1,735.	1,867.	2,050.

Order Code

Example:	
RA	Reff Administrative
I	Island Peninsula
E	1" thick top
62	Width
40	Depth
()	Grommet Finish
()	Top Finish
()	End Panel Finish

Specification Information

To order please specify pattern number including:

1. Grommet Finish:
Painted or plated
2. Worksurface finish:
Wood or Laminate
3. End panel finish:

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.


42" height is Nominal

Always comes with standard grommet. 12" inset from back edge, center or depth.

Drilled to accept 30" and 36" wide x 22³/₈" high storage units.

Intended to have full storage under tops.
(30 x 30, 30 x 36, 36 x 36)
Lower storage to be used with this product is 22³/₈"H.



Intended to be freestanding and slide or sit under the primary worksurface.



Infill Panel

Flush Single / Double

Type A

description	w	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece 	66"	39"	2 1/2"	RAIPFAWS66()	\$834.	\$959.	\$1,103.	\$1,434.
	72"	39"	2 1/2"	RAIPFAWS72()	869.	999.	1,149.	1,494.
	78"	39"	2 1/2"	RAIPFAWS78()	941.	1,082.	1,244.	1,617.
	84"	39"	2 1/2"	RAIPFAWS84()	968.	1,113.	1,280.	1,664.
	90"	39"	2 1/2"	RAIPFAWS90()	1,007.	1,158.	1,332.	1,732.
	96"	39"	2 1/2"	RAIPFAWS96()	1,035.	1,190.	1,369.	1,779.
Flush Infill Panel, 2 pieces 	102"	39"	2 1/2"	RAIPFAWD102()	1,670.	1,921.	2,209.	2,872.
	108"	39"	2 1/2"	RAIPFAWD108()	1,706.	1,962.	2,257.	2,934.
	114"	39"	2 1/2"	RAIPFAWD114()	1,756.	2,020.	2,323.	3,019.
	120"	39"	2 1/2"	RAIPFAWD120()	1,792.	2,061.	2,370.	3,081.
	126"	39"	2 1/2"	RAIPFAWD126()	1,902.	2,187.	2,515.	3,270.
	132"	39"	2 1/2"	RAIPFAWD132()	1,937.	2,228.	2,562.	3,331.
	138"	39"	2 1/2"	RAIPFAWD138()	1,987.	2,285.	2,628.	3,417.
	144"	39"	2 1/2"	RAIPFAWD144()	2,111.	2,427.	2,791.	3,629.
	150"	39"	2 1/2"	RAIPFAWD150()	2,147.	2,469.	2,840.	3,692.
	156"	39"	2 1/2"	RAIPFAWD156()	2,183.	2,510.	2,887.	3,753.
	162"	39"	2 1/2"	RAIPFAWD162()	2,219.	2,551.	2,934.	3,814.
	168"	39"	2 1/2"	RAIPFAWD168()	2,254.	2,593.	2,981.	3,876.
	174"	39"	2 1/2"	RAIPFAWD174()	2,311.	2,658.	3,056.	3,973.
	180"	39"	2 1/2"	RAIPFAWD180()	2,346.	2,698.	3,103.	4,034.
	186"	39"	2 1/2"	RAIPFAWD186()	2,382.	2,740.	3,151.	4,096.
	192"	39"	2 1/2"	RAIPFAWD192()	2,418.	2,781.	3,158.	4,157.



Order Code	Specification Information	Application Notes
Example: RA Reff Administrative IP Infill Panel FA Flush Type A WS Wood, single (1pc) 66 Width () Finish	To order please specify pattern number including: 1. Infill Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal
		Type A = recessed on top only. These infill panels sit flush to both end supports with a reveal at the top of the infill. Double wide = Two equal width pieces Veneer finishes come matched.

To complete your double wide unit, you must order 2 pieces. *Nominal double vs Actual double sizes*
Actual is 2" less than Nominal.
 N=102/ A=98 (2x49)
 N=108/ A=104 (2x52)
 N=114/ A=110 (2x55)
 N=120/ A=116 (2x58)
 N=126/ A=122 (2x61)
 N=132/ A=128 (2x64)
 N=138/ A=134 (2x67)
 N=144/ A=140 (2x70)
 N=150/ A=164 (2x73)
 N=156/ A=152 (2x76)
 N=162/ A=158 (2x79)
 N=168/ A=164 (2x82)
 N=174/ A=170 (2x85)
 N=180/ A=176 (2x88)
 N=186/ A=182 (2x91)
 N=192/ A=188 (2x94)

Infill Panel

Flush Single / Double

Type B

description	w	h	th	pattern no.	L	V1	V2	V3
 Flush Infill Panel, 1 piece	66"	39"	2 1/2"	RAIPFBWS66()	\$918.	\$1,056.	\$1,215.	\$1,579.
	72"	39"	2 1/2"	RAIPFBWS72()	947.	1,088.	1,252.	1,627.
	78"	39"	2 1/2"	RAIPFBWS78()	1,026.	1,180.	1,357.	1,764.
	84"	39"	2 1/2"	RAIPFBWS84()	1,053.	1,211.	1,393.	1,811.
	90"	39"	2 1/2"	RAIPFBWS90()	1,093.	1,257.	1,446.	1,880.
	96"	39"	2 1/2"	RAIPFBWS96()	1,121.	1,290.	1,483.	1,928.
 Flush Infill Panel, 2 pieces	102"	39"	2 1/2"	RAIPFBWD102()	1,843.	2,119.	2,437.	3,169.
	108"	39"	2 1/2"	RAIPFBWD114()	1,880.	2,162.	2,487.	3,233.
	114"	39"	2 1/2"	RAIPFBWD114()	1,933.	2,223.	2,557.	3,324.
	120"	39"	2 1/2"	RAIPFBWD120()	1,968.	2,263.	2,603.	3,384.
	126"	39"	2 1/2"	RAIPFBWD126()	2,080.	2,392.	2,751.	3,576.
	132"	39"	2 1/2"	RAIPFBWD132()	2,115.	2,432.	2,797.	3,637.
	138"	39"	2 1/2"	RAIPFBWD138()	2,167.	2,493.	2,865.	3,725.
	144"	39"	2 1/2"	RAIPFBWD144()	2,289.	2,632.	3,027.	3,935.
	150"	39"	2 1/2"	RAIPFBWD150()	2,328.	2,677.	3,079.	4,002.
	156"	39"	2 1/2"	RAIPFBWD156()	2,362.	2,716.	3,123.	4,060.
	162"	39"	2 1/2"	RAIPFBWD162()	2,399.	2,759.	3,173.	4,125.
	168"	39"	2 1/2"	RAIPFBWD168()	2,436.	2,801.	3,221.	4,187.
	174"	39"	2 1/2"	RAIPFBWD174()	2,491.	2,865.	3,295.	4,283.
	180"	39"	2 1/2"	RAIPFBWD180()	2,525.	2,904.	3,340.	4,341.
	186"	39"	2 1/2"	RAIPFBWD186()	2,564.	2,949.	3,391.	4,408.
	192"	39"	2 1/2"	RAIPFBWD192()	2,599.	2,989.	3,437.	4,468.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative IP Infill Panel FB Flush Type B WS Wood 66 Width () Finish	<i>To order please specify pattern number including:</i> 1. Infill Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal



Type B = recessed on top and bottom.
 Does not extend to the floor.
 Type B infill panels, sit flush between both end supports and has a reveal at the top and bottom of the infill panel.
 Double wide = two equal width pieces.
 Veneer finishes come matched.

To complete your double wide unit, you must order 2 pieces. *Nominal double vs Actual double sizes*
Actual is 2" less than Nominal.
 N=102/ A=98 (2x49)
 N=108/ A=104 (2x52)
 N=114/ A=110 (2x55)
 N=120/ A=116 (2x58)
 N=126/ A=122 (2x61)
 N=132/ A=128 (2x64)
 N=138/ A=134 (2x67)
 N=144/ A=140 (2x70)
 N=150/ A=146 (2x73)
 N=156/ A=152 (2x76)
 N=162/ A=158 (2x79)
 N=168/ A=164 (2x82)
 N=174/ A=170 (2x85)
 N=180/ A=176 (2x88)
 N=186/ A=182 (2x91)
 N=192/ A=188 (2x94)

Infill Panel

Recessed Single / Double

Wood

description	w	h	th	pattern no.	L	V1	V2	V3
 Recessed Infill Panel, 1 piece	66"	39"	1"	RAIPRWS66()	\$621.	\$714.	\$821.	\$1,067.
	72"	39"	1"	RAIPRWS72()	648.	745.	857.	1,114.
	78"	39"	1"	RAIPRWS78()	705.	811.	933.	1,212.
	84"	39"	1"	RAIPRWS84()	725.	833.	958.	1,246.
	90"	39"	1"	RAIPRWS90()	759.	872.	1,003.	1,304.
	96"	39"	1"	RAIPRWS96()	778.	895.	1,029.	1,338.
 Recessed Infill Panel, 2 pieces	102"	39"	1"	RAIPRWD102()	1,302.	1,497.	1,721.	2,238.
	108"	39"	1"	RAIPRWD108()	1,328.	1,527.	1,756.	2,282.
	114"	39"	1"	RAIPRWD114()	1,371.	1,576.	1,813.	2,356.
	120"	39"	1"	RAIPRWD120()	1,396.	1,606.	1,847.	2,401.
	126"	39"	1"	RAIPRWD126()	1,470.	1,690.	1,944.	2,527.
	132"	39"	1"	RAIPRWD132()	1,510.	1,736.	1,996.	2,595.
	138"	39"	1"	RAIPRWD138()	1,539.	1,769.	2,035.	2,645.
	144"	39"	1"	RAIPRWD144()	1,639.	1,885.	2,168.	2,818.
	150"	39"	1"	RAIPRWD150()	1,665.	1,915.	2,202.	2,863.
	156"	39"	1"	RAIPRWD156()	1,694.	1,948.	2,240.	2,913.
	162"	39"	1"	RAIPRWD162()	1,720.	1,978.	2,275.	2,957.
	168"	39"	1"	RAIPRWD168()	1,748.	2,010.	2,312.	3,006.
	174"	39"	1"	RAIPRWD174()	1,802.	2,072.	2,383.	3,098.
	180"	39"	1"	RAIPRWD180()	1,831.	2,106.	2,422.	3,148.
	186"	39"	1"	RAIPRWD186()	1,857.	2,136.	2,456.	3,193.
	192"	39"	1"	RAIPRWD192()	1,885.	2,168.	2,493.	3,241.

Pattern number includes 2 pieces

Order Code

Example:	
RA	Reff Administrative
IP	Infill Panel
R	Recessed
W	Wood
S	Single (1 pc)
66	Width
()	Finish

Specification Information

To order please specify pattern number including:
 1. Finish:
 Wood or Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Double wide = Two equal width pieces
 Natural Veneer finishes come matched.

This product sits recessed between both end supports. This product has no reveal.

To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes


Actual is 2" less than Nominal.

- N=102/ A=98 (2x49)
- N=108/ A=104 (2x52)
- N=114/ A=110 (2x55)
- N=120/ A=116 (2x58)
- N=126/ A=122 (2x61)
- N=132/ A=128 (2x64)
- N=138/ A=134 (2x67)
- N=144/ A=140 (2x70)
- N=150/ A=164 (2x73)
- N=156/ A=152 (2x76)
- N=162/ A=158 (2x79)
- N=168/ A=164 (2x82)
- N=174/ A=170 (2x85)
- N=180/ A=176 (2x88)
- N=186/ A=182 (2x91)
- N=192/ A=188 (2x94)


Infill Panel

Recessed Single / Double Glass

Reff Profiles

description	w	h	th	pattern no.	glass
 Recessed Infill Panel, 1 piece	66"	39"	1"	RAIPRGS66()	\$2,577.
	72"	39"	1"	RAIPRGS72()	2,761.
	78"	39"	1"	RAIPRGS78()	3,048.
	84"	39"	1"	RAIPRGS84()	3,234.
	90"	39"	1"	RAIPRGS90()	3,400.
	96"	39"	1"	RAIPRGS96()	3,565.

pattern number includes 1 piece

 Recessed Infill Panel, 2 pieces	102"	39"	1"	RAIPRGD51()	2,219.
	108"	39"	1"	RAIPRGD54()	2,301.
	114"	39"	1"	RAIPRGD57()	2,385.
	120"	39"	1"	RAIPRGD60()	2,467.
	126"	39"	1"	RAIPRGD63()	2,549.
	132"	39"	1"	RAIPRGD66()	2,632.
	138"	39"	1"	RAIPRGD69()	2,733.
	144"	39"	1"	RAIPRGD72()	2,937.
	150"	39"	1"	RAIPRGD75()	3,020.
	156"	39"	1"	RAIPRGD78()	3,102.
	162"	39"	1"	RAIPRGD81()	3,206.
	168"	39"	1"	RAIPRGD84()	3,289.
	174"	39"	1"	RAIPRGD87()	3,372.
	180"	39"	1"	RAIPRGD90()	3,454.
	186"	39"	1"	RAIPRGD93()	3,537.
	192"	39"	1"	RAIPRGD96()	3,619.

Order Code

Example:	
RA	Reff Administrative
IP	Infill Panel
R	Recessed
G	Glass
S	Single
66	Width
()	Frame Finish
()	Glass Finish

Specification Information

To order please specify pattern number including:

1. Frame Finish:
Painted and Anodized
2. Glass Finish:
GL11, GL14, GL15, GL18

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Application Notes

To complete your double wide unit, you must order 2 pieces.

Glass Infill thickness, including frame = ¹³/₁₆" overall.

Same hardware as the wood infill.

Glass infill panels are available in inset flush type, only.

This product sits recessed between both end supports with no reveal at top or bottom.


To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes

Actual is 2" less than Nominal.

N=102/ A=98 (2x49)
 N=108/ A=104 (2x52)
 N=114/ A=110 (2x55)
 N=120/ A=116 (2x58)
 N=126/ A=122 (2x61)
 N=132/ A=128 (2x64)
 N=138/ A=134 (2x67)
 N=144/ A=140 (2x70)
 N=150/ A=164 (2x73)
 N=156/ A=152 (2x76)
 N=162/ A=158 (2x79)
 N=168/ A=164 (2x82)
 N=174/ A=170 (2x85)
 N=180/ A=176 (2x88)
 N=186/ A=182 (2x91)
 N=192/ A=188 (2x94)

Transaction Tops Bridge

description	w	d	th	pattern no.	L	V1	V2	V3
 Bridge	72"	8"	1 1/2"	RATTBR72()	\$385.	\$398.	\$458.	\$596.
	78"	8"	1 1/2"	RATTBR78()	403.	414.	476.	618.
	84"	8"	1 1/2"	RATTBR84()	414.	425.	489.	635.
	90"	8"	1 1/2"	RATTBR90()	433.	462.	531.	690.
	96"	8"	1 1/2"	RATTBR96()	444.	473.	544.	707.


Order Code	Specification Information	Application Notes
Example: RA Reff Administrative TT Transaction Tops BR Bridge Return 72 72" wide () Finish	To order please specify pattern number including: 1. Transaction Top Finish: Wood and Laminate	Between front shelf and end support. Used on full Bridge Return Units Only. This unit is not intended to be used on its own. Retro fit kit included to attach to the accompanying unit. Hardware kit included. All transaction tops are manufactured to fit within the end supports components.
	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange.	

Nominal double vs Actual sizes
 N=72/A = 44.5
 N=78/A = 50.5
 N=84/A = 56.5
 N=90/A = 62.5
 N=96/A = 68.5

Transaction Tops

Return

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
 Full Return	54"	8"	1 1/2"	RATTFR54()	\$381.	\$394.	\$453.	\$589.
	60"	8"	1 1/2"	RATTFR60()	398.	408.	469.	609.
	66"	8"	1 1/2"	RATTFR66()	409.	420.	483.	628.
	72"	8"	1 1/2"	RATTFR72()	425.	458.	526.	684.
	78"	8"	1 1/2"	RATTFR78()	440.	469.	539.	701.
	84"	8"	1 1/2"	RATTFR84()	460.	479.	551.	716.
	90"	8"	1 1/2"	RATTFR90()	470.	494.	568.	739.
	96"	8"	1 1/2"	RATTFR96()	481.	521.	599.	779.

Order Code

Example:	
RA	Reff Administrative
TT	Transaction Tops
FR	Full Return
54	54" wide, Nominal
()	Finish

Specification Information

To order please specify pattern number including:
 1. Transaction Top Finish: Wood or Laminate

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

Application Notes

All transaction tops are manufactured to fit within the end supports components.

Between front shelf and end support
 Used on full Return Units Only
 This unit is not intended to be used on its own
 Retro fit kit included to attach to the accompanying unit
 Hardware kit included

Nominal double vs Actual sizes



- N=54/A=42
- N=60/A=48
- N=66/A=54
- N=72/A=60
- N=78/A=66
- N=84/A=72
- N=90/A=78
- N=96/A=84

Transaction Tops

Single and Double

Wood / Laminate

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
Front Single 	66"	10"	1 1/2"	RATTDS66()	\$475.	\$493.	\$567.	\$737.
	72"	10"	1 1/2"	RATTDS72()	482.	506.	582.	757.
	78"	10"	1 1/2"	RATTDS78()	489.	520.	597.	777.
	84"	10"	1 1/2"	RATTDS84()	496.	542.	623.	810.
	90"	10"	1 1/2"	RATTDS90()	503.	571.	657.	854.
	96"	10"	1 1/2"	RATTDS96()	509.	584.	672.	874.
Front Double 	102"	10"	1 1/2"	RATTDD102()	832.	933.	1,072.	1,394.
	108"	10"	1 1/2"	RATTDD108()	839.	950.	1,092.	1,420.
	114"	10"	1 1/2"	RATTDD114()	846.	968.	1,113.	1,447.
	120"	10"	1 1/2"	RATTDD120()	853.	986.	1,134.	1,475.
	126"	10"	1 1/2"	RATTDD126()	893.	1,056.	1,215.	1,579.
	132"	10"	1 1/2"	RATTDD132()	900.	1,074.	1,235.	1,605.
	138"	10"	1 1/2"	RATTDD138()	907.	1,092.	1,256.	1,632.
	144"	10"	1 1/2"	RATTDD144()	914.	1,110.	1,277.	1,660.
	150"	10"	1 1/2"	RATTDD150()	927.	1,128.	1,298.	1,687.
	156"	10"	1 1/2"	RATTDD156()	934.	1,154.	1,327.	1,725.
	162"	10"	1 1/2"	RATTDD162()	941.	1,182.	1,360.	1,767.
	168"	10"	1 1/2"	RATTDD168()	948.	1,200.	1,381.	1,795.
	174"	10"	1 1/2"	RATTDD174()	955.	1,251.	1,439.	1,870.
	180"	10"	1 1/2"	RATTDD180()	962.	1,266.	1,456.	1,893.
	186"	10"	1 1/2"	RATTDD186()	968.	1,285.	1,477.	1,921.
	192"	10"	1 1/2"	RATTDD192()	975.	1,305.	1,500.	1,951.

Order Code

Example:	
RA	Reff Administrative
TT	Transaction Tops
DS	Desk Single
66	66" wide
()	Finish

Specification Information

To order please specify pattern number including:
 1. Transaction Top Finish: Wood and Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

No grommet options.

Double comes in two pieces, Veneer matched.

Hardware kit included for each unit.

All transaction tops are manufactured to fit within the end supports.

Nominal double (two pieces) vs




Actual sizes

- 102 = N=51/A=49
- 108 = N=54/A=52
- 114 = N=57/A=55
- 120 = N=60/A=58
- 126 = N=63/A=61
- 132 = N=66/A=64
- 138 = N=69/A=67
- 144 = N=72/A=70
- 150 = N=75/A=73
- 156 = N=78/A=76
- 162 = N=81/A=79
- 168 = N=84/A=82
- 174 = N=87/A=85
- 180 = N=90/A=88
- 186 = N=93/A=91
- 192 = N=96/A=94

Accent Tops

Glass Finish

Reff Profiles

description	w	d	th	pattern no.	glass
Accent top for Desk 	51"	10"	1/2"	RAATDG51()	\$452.
	54"	10"	1/2"	RAATDG54()	477.
	57"	10"	1/2"	RAATDG57()	501.
	60"	10"	1/2"	RAATDG60()	526.
	63"	10"	1/2"	RAATDG63()	551.
	66"	10"	1/2"	RAATDG66()	576.
	69"	10"	1/2"	RAATDG69()	601.
	72"	10"	1/2"	RAATDG72()	625.
	75"	10"	1/2"	RAATDG75()	650.
	78"	10"	1/2"	RAATDG78()	675.
	81"	10"	1/2"	RAATDG81()	699.
	84"	10"	1/2"	RAATDG84()	724.
	87"	10"	1/2"	RAATDG87()	749.
	90"	10"	1/2"	RAATDG90()	773.
	93"	10"	1/2"	RAATDG93()	797.
96"	10"	1/2"	RAATDG96()	822.	
Accent top for Return Full 	54"	10"	1/2"	RAATFRG54()	395.
	60"	10"	1/2"	RAATFRG60()	444.
	66"	10"	1/2"	RAATFRG66()	493.
	72"	10"	1/2"	RAATFRG72()	543.
	78"	10"	1/2"	RAATFRG78()	592.
	84"	10"	1/2"	RAATFRG84()	641.
	90"	10"	1/2"	RAATFRG90()	691.
96"	10"	1/2"	RAATFRG96()	740.	
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRG72()	403.
	78"	10"	1/2"	RAATBRG78()	452.
	84"	10"	1/2"	RAATBRG84()	501.
	90"	10"	1/2"	RAATBRG90()	551.
	96"	10"	1/2"	RAATBRG96()	601.

Order Code

Example:	
RA	Reff Administrative
AT	Accent for Transaction Tops
D	Desk
G	Glass
51	Width
()	Glass finish

Specification Information

To order please specify pattern number including:

1. Glass Finish: GL35, GL85

D=Desk
RF=Return Full
BR=Bridge Return

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Note: All installation instructions available on the Knoll Exchange.

Application Notes

All accent tops are manufactured to fit over the end supports and are intended to be placed on top of transaction top.




Comes with anti-skid bumper; 1/4" thick.

Glass has a "Polished and beveled" (chamfered) edge, 1/2" thick.

Overall thickness = 3/4" thick.

Accent Tops

Solid Finish

description	w	d	th	pattern no.	Solid
Accent top for Desk 	51"	10"	1/2"	RAATDS51()	\$2,018.
	54"	10"	1/2"	RAATDS54()	2,075.
	57"	10"	1/2"	RAATDS57()	2,246.
	60"	10"	1/2"	RAATDS60()	2,304.
	63"	10"	1/2"	RAATDS63()	2,476.
	66"	10"	1/2"	RAATDS66()	2,533.
	69"	10"	1/2"	RAATDS69()	2,704.
	72"	10"	1/2"	RAATDS72()	2,762.
	75"	10"	1/2"	RAATDS75()	3,137.
	78"	10"	1/2"	RAATDS78()	3,198.
	81"	10"	1/2"	RAATDS81()	3,321.
	84"	10"	1/2"	RAATDS84()	3,383.
	87"	10"	1/2"	RAATDS87()	3,506.
	90"	10"	1/2"	RAATDS90()	3,567.
	93"	10"	1/2"	RAATDS93()	3,629.
96"	10"	1/2"	RAATDS96()	3,690.	
Accent top for Return Full 	54"	10"	1/2"	RAATFRS54()	1,563.
	60"	10"	1/2"	RAATFRS60()	1,904.
	66"	10"	1/2"	RAATFRS66()	2,132.
	72"	10"	1/2"	RAATFRS72()	2,362.
	78"	10"	1/2"	RAATFRS78()	2,590.
	84"	10"	1/2"	RAATFRS84()	3,075.
	90"	10"	1/2"	RAATFRS90()	3,260.
	96"	10"	1/2"	RAATFRS96()	3,444.
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRS72()	1,610.
	78"	10"	1/2"	RAATBRS78()	1,961.
	84"	10"	1/2"	RAATBRS84()	2,189.
	90"	10"	1/2"	RAATBRS90()	2,419.
	96"	10"	1/2"	RAATBRS96()	2,647.

Administrative / Reception

Order Code

Example:	
RA	Reff Administrative
AT	Accent Transaction Tops
D	Desk
S	Solid Formica
51	Width

Specification Information

To order please specify pattern number including:

- Transaction Top Finish:
Solid Option: AW = Artic White

D=Desk
RF=Return Full
BR=Bridge Return

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

Application Notes

All accent tops are manufactured to fit over the end supports components.

- Comes with "Anti Skid" bottoms; 1/4" thick.
- Solid formica; AW = 1/2" thick.
- Overall Accent top thickness is 3/4" thick.

Cabinets

16" Wide, Hinge Door - Both Sides

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Transaction Cabinet with Trays	16"	20"	42"	RAC(L/R)HT4212() () () () () ()	\$2,882.	\$4,034.	\$4,639.	\$6,031.



Left hand shown


Transaction Cabinet with Cubby	16"	20"	42"	RAC(L/R)HC4212() () () () () ()	2,882.	4,034.	4,639.	6,031.
--------------------------------	-----	-----	-----	---	--------	--------	--------	--------



Left hand shown

Gable for Transaction Cabinet	2"	22"	42"	RACG4220()	617.	853.	1,080.	1,403.
-------------------------------	----	-----	-----	-------------------	------	------	--------	--------



Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
RA Reff Administrative	1. Lock option:	Wood interior only, no metal shelves.
C Cabinet	2. Lock finish:	When choose lock, it will lock both hinge doors.
R Right Hand	3. Pull option:	Adjustable shelf above.
HT Hinge Door with Trays	B = No pull, No drilling	Fixed shelves below Hinged doors.
42 Height, Nominal	Customer's own pull	HT = Hinge Door with Trays
1 16" wide, Nominal	C = C Pull (Nickel finish only)	HC = Hinge door with Cubby
2 20" deep, Nominal	D = D Pull (Metal Finishes only)	On the approach side, the doors only have the Touch Latch option.
() Lock option	F = Bar Pull	Base board only on the user's side.
() Lock finish	H = Outline Pull	On the User's side, the door has lock and pull options.
() Pull option	N = Touch Latch, No pull	"T" <i>Drilling option:</i>
() Pull finish	R = Cylinder Pull	Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.
() Case finish	S = S Pull (Stainless Steel finish only)	From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed.
() Top finish	T = Tab Pull	
() Drilling options	4. Pull Finish: Core Paint Finishes and Plated	
	5. Case Finish: Wood or Laminate	
	6. Top Finish: Wood or Laminate	
	7. Drilling Options:	
	N = None, Stand alone unit	
	T = Drilled to accept worksurface	
	TT = Drill to accept worksurface on both sides	
	TG = Worksurface and Gable drilling.	
	Gable ordered separately	
		These products are glue and dowel construction.
		42" height is Nominal.
		
		<i>shown with gable</i>

Cabinets

16" Wide, Hinge Door - Both Sides

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Transaction Cabinet with Trays	16"	20"	42"	RAC(L/R)HT4212 () () () () () ()	\$3,013.	\$3,063.	\$3,136.	\$4,041.	\$4,472.	\$5,187.



right hand shown

Transaction Cabinet with Cubby	16"	20"	42"	RAC(L/R)HC4212 () () () () () ()	3,013.	3,063.	3,136.	4,041.	4,472.	5,187.
--------------------------------	-----	-----	-----	---	--------	--------	--------	--------	--------	--------



right hand shown


Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Wood interior only, no metal shelves.
RA	Reff Administrative	When choose lock, it will lock both hinge doors.
C	Cabinet	Adjustable shelf above.
R	Right Hand	Fixed shelves below Hinge doors.
HT	Hinge Door with Trays	Mixed Finishes: Case = wood, Top = laminate Case = laminate, Top = wood
42	Height, Nominal	HT = Hinge Door with Trays HC = Hinge door with Cubby
1	16" wide, Nominal	On the approach side, the doors only have the Touch Latch option.
2	20" deep, Nominal	Base board only on the user's side.
()	Lock option	On the User's side, the door has lock and pull options.
()	Lock finish	"T" Drilling option: Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.
()	Pull option	From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed
()	Pull finish	
()	Case finish	
()	Top finish	
()	Drilling options	
	1. Lock option:	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
	2. Lock finish:	Products on this page are engineered to work with 28 ³ / ₈ " planning.
	3. Pull option:	Products on this page will accept all Laminates except "wood grain laminates".
	B = No pull, No drilling	Note: All Installation instructions are available on the Knoll Exchange.
	Customer's own pull	42" height is Nominal.
	C = C Pull (Nickel finish only)	These products are glue and dowel construction.
	D = D Pull (Metal Finishes only)	
	F = Bar Pull	
	H = Outline Pull	
	N = Touch Latch, No pull	
	R = Cylinder Pull	
	S = S Pull (Stainless Steel finish only)	
	T = Tab Pull	
	4. Pull Finish: Core Paint Finishes and Plated	
	5. Case Finish: Wood or Laminate	
	6. Top Finish: Wood or Laminate	
	7. Drilling Options:	
	N = None, Stand alone unit	
	T = Drilled to accept worksurface	
	TT = Drill to accept worksurface on both sides	
	TG = Work surface and Gable drilling.	
	Gable ordered separately	




shown with gable

Cabinets

Shelves and Coat Rod

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h 	24"	20"	72"	RAC7242DH(L/R)H() ()	\$2,599.	\$4,158.	\$4,781.	\$6,216.
	24"	24"	72"	RAC7243DH(L/R)H() ()	2,704.	4,326.	4,975.	6,467.
	33"	20"	72"	RAC7232DH(L/R)H() ()	2,839.	4,542.	5,223.	6,790.
	33"	24"	72"	RAC7233DH(L/R)H() ()	2,969.	4,751.	5,463.	7,102.

Left hand shown

Storage Cabinet 86"h 	24"	20"	86"	RAC8642DH(L/R)H() ()	2,868.	4,589.	6,277.	6,860.
	24"	24"	86"	RAC8643DH(L/R)H() ()	2,992.	4,788.	5,506.	7,157.
	33"	20"	86"	RAC8632DH(L/R)H() ()	3,150.	5,040.	5,796.	7,535.
	33"	24"	86"	RAC8633DH(L/R)H() ()	3,300.	5,280.	6,072.	7,894.

Left hand shown

Order Code

Example:	
RA	Reff Administrative
C	Cabinet
72	Height nominal
4	Width nominal
2	Depth nominal
DH	Desk Height
R	Right handed
H	Hinged door
()	Lock Option
()	Lock Finish
()	Cabinet Finish

Specification Information

To order please specify pattern number including:

1. Lock option:
L=Lock hold drill
N=No drilling
2. Lock finish:
B=Black
S=Silver
3. Cabinet Finish:
Laminate or Wood

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

These products are glue and dowel construction.

If hinges are on left gable, the cabinet is left handed.

Application Notes

Inset doors.

Inset face - same as 42" cabinet.

Hinge door with touch latch.

Note: Side access cabinet only.

No pulls.

No visible base board, Full length door.

Left/right hand.

Comes with coat rod and hat rack (shelf) 72"h Cabinet comes with 3 adjustable shelves.

86"h Cabinet comes with 4 adjustable shelves.


No mixed finishes.

Available with Wood interior only.

Cabinets


Coat Rod Only

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h	24"	20"	72"	RAC7242WDH(L/R)H() ()	\$2,030.	\$3,247.	\$3,735.	\$4,855.
Without shelves	24"	24"	72"	RAC7243WDH(L/R)H() ()	2,135.	3,415.	3,928.	5,106.
	33"	20"	72"	RAC7232WDH(L/R)H() ()	2,270.	3,631.	4,176.	5,429.
	33"	24"	72"	RAC7233WDH(L/R)H() ()	2,400.	3,840.	4,416.	5,741.



Left hand shown

Storage Cabinet 86"h	24"	20"	86"	RAC8642WDH(L/R)H() ()	2,474.	3,958.	4,552.	5,918.
Without shelves	24"	24"	86"	RAC8643WDH(L/R)H() ()	2,608.	4,172.	4,798.	6,238.
	33"	20"	86"	RAC8632WDH(L/R)H() ()	2,778.	4,444.	5,111.	6,644.
	33"	24"	86"	RAC8633WDH(L/R)H() ()	2,939.	4,703.	5,408.	7,030.



Left hand shown

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Inset doors.
RA Reff Administrative		Inset face - same as 42" cabinet.
C Cabinet	1. Lock option: L=Lock hold drill N=No drilling	Hinge door with touch latch.
72 Height nominal	2. Lock finish: B=Black S=Silver	Note: Side access cabinet only.
4 Width nominal	3. Cabinet Finish: Laminate or Wood	No pulls.
2 Depth nominal		No visible base board, Full length door.
W Wardrobe		Left/right hand.
DH Desk Height		72"H cabinet comes with coat road.
R Right handed		86"h Cabinet comes with a hat rack (shelf).
H Hinged door		No mixed finishes.
() Lock Option		Available with Wood interior only.
() Lock Finish		
() Cabinet Finish		

Supports

Gables / End Panels

description	w	d	h	pattern no.	L	V1	V2	V3
End Support for Return	2"	20"	42"	RAGS(L/R)20()	\$524.	\$891.	\$1,024.	\$1,332.



Left hand shown

End Support for Desks	2"	30"	42"	RAGS(L/R)30()	579.	985.	1,132.	1,472.
-----------------------	----	-----	-----	-----------------------	------	------	--------	--------



Left hand shown

Desk height End Support	2"	20	28 ³ / ₈ "	RAESDH(L/R)20()	461.	784.	901.	1,171.
-------------------------	----	----	----------------------------------	-------------------------	------	------	------	--------








Left hand shown

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative GS Gable Support R Right hand 20 20" deep () Finish	To order please specify pattern number including: 1. Finish: Wood or Laminate	Solid Finishes only: L, V1, V2, V3 Always drilled to attach to returns or desks. 20" = for Returns 30" = for Desks Hardware kit includes brackets.
	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ³ / ₈ " planning. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions are available on the Knoll Exchange.	

Accessories

Electrical

Reff Profiles



description	type	d	h	pattern no.	list
Electrical Duplex Kit - Cir 1				RPEDK1	\$92.
					
Electrical Duplex Kit - Cir 2				RPEDK2	92.
					
Electrical "H" Connector				RPEHC	45.
					
Electrical Power Entry	10 Feet			RPEPE10	211.
	5 Feet			RPEPE5	156.
					
Electrical Jumper	12"			RPEJ12	87.
	24"			RPEJ24	97.
	36"			RPEJ36	106.
	48"			RPEJ48	120.
	60"			RPEJ60	132.
	72"			RPEJ72	143.
	84"			RPEJ84	154.
	96"			RPEJ96	165.
					

Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	No finish options for the Utility hook.
RP Reff Profiles		
E Electrical	Note: All installation instructions are available on the Knoll Exchange.	Features 4 wire, 2 circuit, 20 amps each.
DK Duplex Kit Cir 1		UL listed as a manufactured wiring system.

Accessories

Electrical



description	type	d	h	pattern no.	list
Electrical, Rec - 2 and Rec Connector				RPER2RC	\$36.
					
Electrical Cable clips, 10 per pack				RPECC10	27.
					

Order Code	Specification Information	Application Notes
Example: RP Reff Profiles E Electrical DK Duplex Kit Cir 1	To order please specify pattern number including:	No finish options for the Utility hook. Features 4 wire, 2 circuit, 20 amps each. UL listed as a manufactured wiring system.
	Note: All installation instructions are available on the Knoll Exchange.	

Tackboards

11" high

Wall hung , fabric

description	th	w	h	y	pattern no.	grade									
						10	15	20	30	35	40	45	50	55	
Wall Hung Tackboard For a Single Wide desk 	3/4"	66"	11"	1.8	RAWHDHTBS66()	\$275.	\$302.	\$330.	\$357.	\$363.	\$369.	\$375.	\$381.	\$387.	
	3/4"	72"	11"	2	RAWHDHTBS72()	292.	322.	353.	383.	389.	396.	402.	408.	415.	
	3/4"	78"	11"	2.2	RAWHDHTBS78()	311.	344.	378.	411.	418.	425.	432.	439.	446.	
	3/4"	84"	11"	2.3	RAWHDHTBS84()	321.	356.	391.	426.	433.	441.	448.	455.	463.	
	3/4"	90"	11"	2.5	RAWHDHTBS90()	337.	375.	413.	451.	459.	467.	475.	483.	491.	
	3/4"	96"	11"	2.7	RAWHDHTBS96()	353.	394.	435.	476.	485.	493.	502.	511.	519.	
Wall Hung Tackboard For a Double Wide desk 	3/4"	51"	11"	1.4	RAWHDHTBD51()	239.	260.	282.	303.	308.	312.	317.	322.	326.	
	3/4"	54"	11"	1.5	RAWHDHTBD54()	250.	273.	296.	319.	324.	328.	333.	338.	342.	
	3/4"	57"	11"	1.6	RAWHDHTBD57()	258.	282.	307.	331.	336.	341.	346.	351.	356.	
	3/4"	60"	11"	1.7	RAWHDHTBD60()	266.	292.	317.	343.	349.	354.	360.	366.	371.	
	3/4"	63"	11"	1.8	RAWHDHTBD63()	275.	302.	330.	357.	363.	368.	374.	380.	385.	
	3/4"	66"	11"	1.8	RAWHDHTBD66()	282.	311.	340.	369.	375.	381.	387.	393.	399.	
	3/4"	69"	11"	1.9	RAWHDHTBD69()	284.	313.	342.	371.	377.	383.	389.	395.	401.	
	3/4"	72"	11"	2	RAWHDHTBD72()	296.	326.	357.	387.	393.	400.	406.	412.	419.	
	3/4"	75"	11"	2.1	RAWHDHTBD75()	307.	339.	371.	403.	410.	416.	423.	430.	436.	
	3/4"	78"	11"	2.2	RAWHDHTBD78()	315.	349.	382.	416.	423.	430.	437.	444.	451.	
	3/4"	81"	11"	2.3	RAWHDHTBD81()	323.	358.	393.	428.	435.	443.	450.	457.	465.	
	3/4"	84"	11"	2.3	RAWHDHTBD84()	325.	360.	395.	430.	437.	445.	452.	459.	467.	
	3/4"	87"	11"	2.4	RAWHDHTBD87()	333.	369.	406.	442.	450.	457.	465.	473.	480.	
	3/4"	90"	11"	2.5	RAWHDHTBD90()	341.	379.	417.	455.	463.	471.	479.	487.	495.	
	3/4"	93"	11"	2.6	RAWHDHTBD93()	349.	389.	428.	468.	476.	485.	493.	501.	510.	
3/4"	96"	11"	2.7	RAWHDHTBD96()	357.	398.	439.	480.	489.	497.	506.	515.	523.		

Order Code

Example:	
RA	Reff Administrative
WH	Wall hung
DH	Desk Height
TB	Tackboard
S	Single
66	Width
()	Fabric Grade

Y = Yardage required

- N=66/ A=62
- N=72/ A=68
- N=78/ A=74
- N=84/ A=80
- N=90/ A=86
- N=96/ A=92

Specification Information

To order please specify pattern number including:
 1. Finish:
 Fabric

Application Notes

To complete your double wide unit, you must order 2 pieces.
Nominal double vs Actual double sizes
Actual is 2" less than Nominal.
 N=51/ A=49
 N=54/ A=52
 N=57/ A=55
 N=60/ A=58
 N=63/ A=61
 N=66/ A=64
 N=69/ A=67
 N=72/ A=70
 N=75/ A=73
 N=78/ A=76
 N=81/ A=79
 N=84/ A=82
 N=87/ A=85
 N=90/ A=88
 N=93/ A=91
 N=96/ A=94

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.


It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

	EXISTING CONSTRUCTION					
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking


Horizons - 28³/₈" Planning

Planning Guidelines and Specifications

Nominal
Planning Horizons



Nominal
Planning Horizons




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.


Horizons - 28³/₈" Planning

Planning Guidelines and Specifications

Nominal
Planning Horizons



Nominal
Planning Horizons




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Horizons - 28³/₈" Planning

Planning Guidelines and Specifications



Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	251	R2APT3448	77	R2ES79(A/B/C/E)(4/6)(E/N)	110	R3120Y64	109
ASBC24 (L/R)	251	R2APT4218	77	R2HK0008	443	R3120Y79	109
ML3L193M	417	R2APT4220	77	R2HK0015	443	R3135V34F	108
ML3L196M	417	R2APT4224	77	R2HK0034	443	R3135V34T	108
ML3L199M	417	R2APT4230	77	R2HK0042	443	R3135V42F	108
ML3L3712M	417	R2APT4236	77	R2HK0049	443	R3135V42T	108
ML3L3718M	417	R2APT4242	77	R2HK0064	443	R3135V49F	108
ML3L376M	417	R2APT4248	77	R2HK0079	443	R3135V49T	108
MWM-J	416	R2APT4918	78	R2HKB042	443	R3135V64F	108
R113B	253	R2APT4920	78	R2HKB049	443	R3135V64T	108
R234PKIT	117	R2APT4924	78	R2HKB064	443	R3135V79F	108
R2AETK34	80	R2APT4930	78	R2HKB079	443	R3135V79T	108
R2AETK42	80	R2APT4936	78	R2HL3442ES(A/B/C/E)	110	R334PKIT	117
R2AETK49	80	R2APT4942	78	R2HL3442(F)CS	111	R3AK	117
R2AETK64	80	R2APT4948	78	R2HL3449ES(A/B/C/E)	110	R3BOPAA42 18	16
R2AETK79	80	R2APT6418	78	R2HL3449(F)CS	111	R3BOPAA42 20	16
R2AHBW18	82	R2APT6420	78	R2HL3464ES(A/B/C/E)	110	R3BOPAA42 24	16
R2AHBW20	82	R2APT6424	78	R2HL3464(F/T)CS	111	R3BOPAA42 30	16
R2AHBW24	82	R2APT6430	78	R2HL3479ES(A/B/C/E)	110	R3BOPAA42 36	16
R2AHBW30	82	R2APT6436	78	R2HL3479(F/T)CS	111	R3BOPAA42 42	16
R2AHBW36	82	R2APT6442	78	R2HL4249ES(A/B/C/E)	110	R3BOPAA42 48	16
R2AHBW42	82	R2APT6448	78	R2HL4249ETS(A/B/C/E)	111	R3BOPAA42 60	16
R2AHBW48	82	R2APT7918	79	R2HL4249(F)CS	111	R3BOPAA42 66	16
R2AHCR34	81	R2APT7920	79	R2HL4264ES(A/B/C/E)	110	R3BOPAA42 72	16
R2AHCR42	81	R2APT7924	79	R2HL4264ETS(A/B/C/E)	111	R3BOPAA49 18	23
R2AHCR49	81	R2APT7930	79	R2HL4264(F/T)CS	111	R3BOPAA49 20	23
R2AHCR64	81	R2APT7936	79	R2HL4279ES(A/B/C/E)	110	R3BOPAA49 24	23
R2AHCR79	81	R2APT7942	79	R2HL4279ETS(A/B/C/E)	111	R3BOPAA49 30	23
R2AHSR18	83	R2APT7948	79	R2HL4279(F/T)CS	111	R3BOPAA49 36	23
R2AHSR20	83	R2ATPK34	79	R2HL4964ES(A/B/C/E)	110	R3BOPAA49 42	23
R2AHSR24	83	R2ATPK42	79	R2HL4964(F)CS	111	R3BOPAA49 48	23
R2AHSR30	83	R2ATPK49	79	R2HL4979ES(A/B/C/E)	110	R3BOPAA49 60	23
R2AHSR36	83	R2ATPK64	79	R2HL4979(F/T)CS	111	R3BOPAA49 66	23
R2AHSR42	83	R2ATPK79	79	R2HL6479ES(A/B/C/E)	110	R3BOPAA49 72	23
R2AHSR48	83	R2BOTWA34 18	45	R2HL6479(F)CS	111	R3BOPAA64 18	30
R2AHTR18	81	R2BOTWA34 20	45	R2L42C(F/T)(F/T)-(4/6)	112	R3BOPAA64 20	30
R2AHTR20	81	R2BOTWA34 24	45	R2L49C(F/T)(F/T)-(4/6)	112	R3BOPAA64 24	30
R2AHTR24	81	R2BOTWA34 30	45	R2L64C(F/T)(F/T)-(4/6)	112	R3BOPAA64 30	30
R2AHTR30	81	R2BOTWA34 36	45	R2L79C(F/T)(F/T)-(4/6)	112	R3BOPAA64 36	30
R2AHTR36	81	R2BOTWA34 42	45	R2S42C(F/T)(F/T)-(4/6)	112	R3BOPAA64 42	30
R2AHTR42	81	R2BOTWA34 48	45	R2S49C(F/T)(F/T)-(4/6)	112	R3BOPAA64 48	30
R2AHTR48	81	R2BOTWB34 30	45	R2S64C(F/T)(F/T)-(4/6)	112	R3BOPAA64 60	30
R2AHWR18	82	R2BOTWB34 36	45	R2S79C(F/T)(F/T)-(4/6)	112	R3BOPAA64 66	30
R2AHWR20	82	R2BOTWB34 42	45	R2SWS0008	114	R3BOPAA64 72	30
R2AHWR24	82	R2BOTWB34 48	45	R2SWS0015	114	R3BOPAA79 18	37
R2AHWR30	82	R2BOTWC34 18	45	R2SWS0034	114	R3BOPAA79 20	37
R2AHWR36	82	R2BOTWC34 20	45	R2SWS0042	114	R3BOPAA79 24	37
R2AHWR42	82	R2BOTWC34 24	45	R2SWS0049	114	R3BOPAA79 30	37
R2AHWR48	82	R2BOTWC34 30	45	R2SWS0064	114	R3BOPAA79 36	37
R2AK	117	R2BOTWC34 36	45	R2SWS0079	114	R3BOPAA79 42	37
R2ALPK34	80	R2BOTWC34 42	45	R2T42C(F/T)-(4/6)	112	R3BOPAA79 48	37
R2ALPK42	80	R2BOTWC34 48	45	R2T49C(F/T)-(4/6)	112	R3BOPAA79 60	37
R2ALPK49	80	R2CCG	117	R2T64C(F/T)-(4/6)	112	R3BOPAA79 66	37
R2ALPK64	80	R2DLS7936	116	R2T79C(F/T)-(4/6)	112	R3BOPAA79 72	37
R2ALPK79	80	R2DLS7942	116	R2X42C	112	R3BOPF13418	12
R2APT3418	77	R2DRS7936	116	R2X49C	112	R3BOPF13420	12
R2APT3420	77	R2DRS7942	116	R2X64C	112	R3BOPF13424	12
R2APT3424	77	R2ES34(A/B/C/E)(4/6)(E/N)	110	R2X79C	112	R3BOPF13430	12
R2APT3430	77	R2ES42(A/B/C/E)(4/6)(E/N)	110	R3120Y34	109	R3BOPF13436	12
R2APT3436	77	R2ES49(A/B/C/E)(4/6)(E/N)	110	R3120Y42	109	R3BOPF13442	12
R2APT3442	77	R2ES64(A/B/C/E)(4/6)(E/N)	110	R3120Y49	109	R3BOPF13448	12

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF142 18	19	R3BOPF249 66	27	R3BOPF379 48	42	R3BOPFL42 60	18
R3BOPF142 20	19	R3BOPF249 72	27	R3BOPF379 60	42	R3BOPFL42 66	18
R3BOPF142 24	19	R3BOPF264 18	34	R3BOPF379 66	42	R3BOPFL42 72	18
R3BOPF142 30	19	R3BOPF264 20	34	R3BOPF379 72	42	R3BOPFL49 18	25
R3BOPF142 36	19	R3BOPF264 24	34	R3BOPFF3418	10	R3BOPFL49 20	25
R3BOPF142 42	19	R3BOPF264 30	34	R3BOPFF3420	10	R3BOPFL49 24	25
R3BOPF142 48	19	R3BOPF264 36	34	R3BOPFF3424	10	R3BOPFL49 30	25
R3BOPF142 60	19	R3BOPF264 42	34	R3BOPFF3430	10	R3BOPFL49 36	25
R3BOPF142 66	19	R3BOPF264 48	34	R3BOPFF3436	10	R3BOPFL49 42	25
R3BOPF142 72	19	R3BOPF264 60	34	R3BOPFF3442	10	R3BOPFL49 48	25
R3BOPF149 18	26	R3BOPF264 66	34	R3BOPFF3448	10	R3BOPFL49 60	25
R3BOPF149 20	26	R3BOPF264 72	34	R3BOPFF42 18	16	R3BOPFL49 66	25
R3BOPF149 24	26	R3BOPF279 18	41	R3BOPFF42 20	16	R3BOPFL49 72	25
R3BOPF149 30	26	R3BOPF279 20	41	R3BOPFF42 24	16	R3BOPFL64 18	32
R3BOPF149 36	26	R3BOPF279 24	41	R3BOPFF42 30	16	R3BOPFL64 20	32
R3BOPF149 42	26	R3BOPF279 30	41	R3BOPFF42 36	16	R3BOPFL64 24	32
R3BOPF149 48	26	R3BOPF279 36	41	R3BOPFF42 42	16	R3BOPFL64 30	32
R3BOPF149 60	26	R3BOPF279 42	41	R3BOPFF42 48	16	R3BOPFL64 36	32
R3BOPF149 66	26	R3BOPF279 48	41	R3BOPFF42 60	16	R3BOPFL64 42	32
R3BOPF149 72	26	R3BOPF279 60	41	R3BOPFF42 66	16	R3BOPFL64 48	32
R3BOPF164 18	33	R3BOPF279 66	41	R3BOPFF42 72	16	R3BOPFL64 60	32
R3BOPF164 20	33	R3BOPF279 72	41	R3BOPFF49 18	23	R3BOPFL64 66	32
R3BOPF164 24	33	R3BOPF334 18	14	R3BOPFF49 20	23	R3BOPFL64 72	32
R3BOPF164 30	33	R3BOPF334 20	14	R3BOPFF49 24	23	R3BOPFL79 18	39
R3BOPF164 36	33	R3BOPF334 24	14	R3BOPFF49 30	23	R3BOPFL79 20	39
R3BOPF164 42	33	R3BOPF334 30	14	R3BOPFF49 36	23	R3BOPFL79 24	39
R3BOPF164 48	33	R3BOPF334 36	14	R3BOPFF49 42	23	R3BOPFL79 30	39
R3BOPF164 60	33	R3BOPF334 42	14	R3BOPFF49 48	23	R3BOPFL79 36	39
R3BOPF164 66	33	R3BOPF334 48	14	R3BOPFF49 60	23	R3BOPFL79 42	39
R3BOPF164 72	33	R3BOPF342 18	21	R3BOPFF49 66	23	R3BOPFL79 48	39
R3BOPF179 18	40	R3BOPF342 20	21	R3BOPFF49 72	23	R3BOPFL79 60	39
R3BOPF179 20	40	R3BOPF342 24	21	R3BOPFF64 18	30	R3BOPFL79 66	39
R3BOPF179 24	40	R3BOPF342 30	21	R3BOPFF64 20	30	R3BOPFL79 72	39
R3BOPF179 30	40	R3BOPF342 36	21	R3BOPFF64 24	30	R3BOPLL3418	15
R3BOPF179 36	40	R3BOPF342 42	21	R3BOPFF64 30	30	R3BOPLL3420	15
R3BOPF179 42	40	R3BOPF342 48	21	R3BOPFF64 36	30	R3BOPLL3424	15
R3BOPF179 48	40	R3BOPF342 60	21	R3BOPFF64 42	30	R3BOPLL3430	15
R3BOPF179 60	40	R3BOPF342 66	21	R3BOPFF64 48	30	R3BOPLL3436	15
R3BOPF179 66	40	R3BOPF342 72	21	R3BOPFF64 60	30	R3BOPLL3442	15
R3BOPF179 72	40	R3BOPF349 18	28	R3BOPFF64 66	30	R3BOPLL3448	15
R3BOPF234 18	13	R3BOPF349 20	28	R3BOPFF64 72	30	R3BOPLL4218	22
R3BOPF234 20	13	R3BOPF349 24	28	R3BOPFF79 18	37	R3BOPLL4220	22
R3BOPF234 24	13	R3BOPF349 30	28	R3BOPFF79 20	37	R3BOPLL4224	22
R3BOPF234 30	13	R3BOPF349 36	28	R3BOPFF79 24	37	R3BOPLL4230	22
R3BOPF234 36	13	R3BOPF349 42	28	R3BOPFF79 30	37	R3BOPLL4236	22
R3BOPF234 42	13	R3BOPF349 48	28	R3BOPFF79 36	37	R3BOPLL4242	22
R3BOPF234 48	13	R3BOPF349 60	28	R3BOPFF79 42	37	R3BOPLL4248	22
R3BOPF242 18	20	R3BOPF349 66	28	R3BOPFF79 48	37	R3BOPLL4260	22
R3BOPF242 20	20	R3BOPF349 72	28	R3BOPFF79 60	37	R3BOPLL4266	22
R3BOPF242 24	20	R3BOPF364 18	35	R3BOPFF79 66	37	R3BOPLL4272	22
R3BOPF242 30	20	R3BOPF364 20	35	R3BOPFF79 72	37	R3BOPLL4918	29
R3BOPF242 36	20	R3BOPF364 24	35	R3BOPFL3418	11	R3BOPLL4920	29
R3BOPF242 42	20	R3BOPF364 30	35	R3BOPFL3420	11	R3BOPLL4924	29
R3BOPF242 48	20	R3BOPF364 36	35	R3BOPFL3424	11	R3BOPLL4930	29
R3BOPF242 60	20	R3BOPF364 42	35	R3BOPFL3430	11	R3BOPLL4936	29
R3BOPF242 66	20	R3BOPF364 48	35	R3BOPFL3436	11	R3BOPLL4942	29
R3BOPF242 72	20	R3BOPF364 60	35	R3BOPFL3442	11	R3BOPLL4948	29
R3BOPF249 18	27	R3BOPF364 66	35	R3BOPFL3448	11	R3BOPLL4960	29
R3BOPF249 20	27	R3BOPF364 72	35	R3BOPFL42 18	18	R3BOPLL4966	29
R3BOPF249 24	27	R3BOPF379 18	42	R3BOPFL42 20	18	R3BOPLL4972	29
R3BOPF249 30	27	R3BOPF379 20	42	R3BOPFL42 24	18	R3BOPLL6418	36
R3BOPF249 36	27	R3BOPF379 24	42	R3BOPFL42 30	18	R3BOPLL6420	36
R3BOPF249 42	27	R3BOPF379 30	42	R3BOPFL42 36	18	R3BOPLL6424	36
R3BOPF249 48	27	R3BOPF379 36	42	R3BOPFL42 42	18	R3BOPLL6430	36
R3BOPF249 60	27	R3BOPF379 42	42	R3BOPFL42 48	18	R3BOPLL6436	36

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPLL6442	36	R3BOTF164 20	66	R3BOTF349 30	61	R3BOTFL42 42	51
R3BOPLL6448	36	R3BOTF164 24	66	R3BOTF349 36	61	R3BOTFL42 48	51
R3BOPLL6460	36	R3BOTF164 30	66	R3BOTF349 42	61	R3BOTFL49 18	58
R3BOPLL6466	36	R3BOTF164 36	66	R3BOTF349 48	61	R3BOTFL49 20	58
R3BOPLL6472	36	R3BOTF164 42	66	R3BOTF364 18	68	R3BOTFL49 24	58
R3BOPLL7918	43	R3BOTF164 48	66	R3BOTF364 20	68	R3BOTFL49 30	58
R3BOPLL7920	43	R3BOTF179 18	73	R3BOTF364 24	68	R3BOTFL49 36	58
R3BOPLL7924	43	R3BOTF179 20	73	R3BOTF364 30	68	R3BOTFL49 42	58
R3BOPLL7930	43	R3BOTF179 24	73	R3BOTF364 36	68	R3BOTFL49 48	58
R3BOPLL7936	43	R3BOTF179 30	73	R3BOTF364 42	68	R3BOTFL64 18	65
R3BOPLL7942	43	R3BOTF179 36	73	R3BOTF364 48	68	R3BOTFL64 20	65
R3BOPLL7948	43	R3BOTF179 42	73	R3BOTF379 18	75	R3BOTFL64 24	65
R3BOPLL7960	43	R3BOTF179 48	73	R3BOTF379 20	75	R3BOTFL64 30	65
R3BOPLL7966	43	R3BOTF234 18	47	R3BOTF379 24	75	R3BOTFL64 36	65
R3BOPLL7972	43	R3BOTF234 20	47	R3BOTF379 30	75	R3BOTFL64 42	65
R3BOTAA42 18	49	R3BOTF234 24	47	R3BOTF379 36	75	R3BOTFL64 48	65
R3BOTAA42 20	49	R3BOTF234 30	47	R3BOTF379 42	75	R3BOTFL79 18	72
R3BOTAA42 24	49	R3BOTF234 36	47	R3BOTF379 48	75	R3BOTFL79 20	72
R3BOTAA42 30	49	R3BOTF234 42	47	R3BOTFF34 18	44	R3BOTFL79 24	72
R3BOTAA42 36	49	R3BOTF234 48	47	R3BOTFF34 20	44	R3BOTFL79 30	72
R3BOTAA42 42	49	R3BOTF242 18	53	R3BOTFF34 24	44	R3BOTFL79 36	72
R3BOTAA42 48	49	R3BOTF242 20	53	R3BOTFF34 30	44	R3BOTFL79 42	72
R3BOTAA49 18	56	R3BOTF242 24	53	R3BOTFF34 36	44	R3BOTFL79 48	72
R3BOTAA49 20	56	R3BOTF242 30	53	R3BOTFF34 42	44	R3BOTLL3418	48
R3BOTAA49 24	56	R3BOTF242 36	53	R3BOTFF34 48	44	R3BOTLL3420	48
R3BOTAA49 30	56	R3BOTF242 42	53	R3BOTFF42 18	49	R3BOTLL3424	48
R3BOTAA49 36	56	R3BOTF242 48	53	R3BOTFF42 20	49	R3BOTLL3430	48
R3BOTAA49 42	56	R3BOTF249 18	60	R3BOTFF42 24	49	R3BOTLL3436	48
R3BOTAA49 48	56	R3BOTF249 20	60	R3BOTFF42 30	49	R3BOTLL3442	48
R3BOTAA64 18	63	R3BOTF249 24	60	R3BOTFF42 36	49	R3BOTLL3448	48
R3BOTAA64 20	63	R3BOTF249 30	60	R3BOTFF42 42	49	R3BOTLL4218	55
R3BOTAA64 24	63	R3BOTF249 36	60	R3BOTFF42 48	49	R3BOTLL4220	55
R3BOTAA64 30	63	R3BOTF249 42	60	R3BOTFF49 18	56	R3BOTLL4224	55
R3BOTAA64 36	63	R3BOTF249 48	60	R3BOTFF49 20	56	R3BOTLL4230	55
R3BOTAA64 42	63	R3BOTF264 18	67	R3BOTFF49 24	56	R3BOTLL4236	55
R3BOTAA64 48	63	R3BOTF264 20	67	R3BOTFF49 30	56	R3BOTLL4242	55
R3BOTAA79 18	70	R3BOTF264 24	67	R3BOTFF49 36	56	R3BOTLL4248	55
R3BOTAA79 20	70	R3BOTF264 30	67	R3BOTFF49 42	56	R3BOTLL4918	62
R3BOTAA79 24	70	R3BOTF264 36	67	R3BOTFF49 48	56	R3BOTLL4920	62
R3BOTAA79 30	70	R3BOTF264 42	67	R3BOTFF64 18	63	R3BOTLL4924	62
R3BOTAA79 36	70	R3BOTF264 48	67	R3BOTFF64 20	63	R3BOTLL4930	62
R3BOTAA79 42	70	R3BOTF279 18	74	R3BOTFF64 24	63	R3BOTLL4936	62
R3BOTAA79 48	70	R3BOTF279 20	74	R3BOTFF64 30	63	R3BOTLL4942	62
R3BOTF134 18	46	R3BOTF279 24	74	R3BOTFF64 36	63	R3BOTLL4948	62
R3BOTF134 20	46	R3BOTF279 30	74	R3BOTFF64 42	63	R3BOTLL6418	69
R3BOTF134 24	46	R3BOTF279 36	74	R3BOTFF64 48	63	R3BOTLL6420	69
R3BOTF134 30	46	R3BOTF279 42	74	R3BOTFF79 18	70	R3BOTLL6424	69
R3BOTF134 36	46	R3BOTF279 48	74	R3BOTFF79 20	70	R3BOTLL6430	69
R3BOTF134 42	46	R3BOTF334 18	47	R3BOTFF79 24	70	R3BOTLL6436	69
R3BOTF134 48	46	R3BOTF334 20	47	R3BOTFF79 30	70	R3BOTLL6442	69
R3BOTF142 18	52	R3BOTF334 24	47	R3BOTFF79 36	70	R3BOTLL6448	69
R3BOTF142 20	52	R3BOTF334 30	47	R3BOTFF79 42	70	R3BOTLL7918	76
R3BOTF142 24	52	R3BOTF334 36	47	R3BOTFF79 48	70	R3BOTLL7920	76
R3BOTF142 30	52	R3BOTF334 42	47	R3BOTFL34 18	46	R3BOTLL7924	76
R3BOTF142 36	52	R3BOTF334 48	47	R3BOTFL34 20	46	R3BOTLL7930	76
R3BOTF142 42	52	R3BOTF342 18	54	R3BOTFL34 24	46	R3BOTLL7936	76
R3BOTF142 48	52	R3BOTF342 20	54	R3BOTFL34 30	46	R3BOTLL7942	76
R3BOTF149 18	59	R3BOTF342 24	54	R3BOTFL34 36	46	R3BOTLL7948	76
R3BOTF149 20	59	R3BOTF342 30	54	R3BOTFL34 42	46	R3B1PF142 18	19
R3BOTF149 24	59	R3BOTF342 36	54	R3BOTFL34 48	46	R3B1PF142 20	19
R3BOTF149 30	59	R3BOTF342 42	54	R3BOTFL42 18	51	R3B1PF142 24	19
R3BOTF149 36	59	R3BOTF342 48	54	R3BOTFL42 20	51	R3B1PF142 30	19
R3BOTF149 42	59	R3BOTF349 18	61	R3BOTFL42 24	51	R3B1PF142 36	19
R3BOTF149 48	59	R3BOTF349 20	61	R3BOTFL42 30	51	R3B1PF142 42	19
R3BOTF164 18	66	R3BOTF349 24	61	R3BOTFL42 36	51	R3B1PF142 48	19

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF149 18	26	R3B1PF2A49 42	95	R3B1PFF64 48	31	R3B1TF149 18	59
R3B1PF149 20	26	R3B1PF2A49 48	95	R3B1PFF79 18	38	R3B1TF149 20	59
R3B1PF149 24	26	R3B1PF2B49 30	95	R3B1PFF79 20	38	R3B1TF149 24	59
R3B1PF149 30	26	R3B1PF2B49 36	95	R3B1PFF79 24	38	R3B1TF149 30	59
R3B1PF149 36	26	R3B1PF2B49 42	95	R3B1PFF79 30	38	R3B1TF149 36	59
R3B1PF149 42	26	R3B1PF2B49 48	95	R3B1PFF79 36	38	R3B1TF149 42	59
R3B1PF149 48	26	R3B1PF342 18	21	R3B1PFF79 42	38	R3B1TF149 48	59
R3B1PF164 18	33	R3B1PF342 20	21	R3B1PFF79 48	38	R3B1TF164 18	66
R3B1PF164 20	33	R3B1PF342 24	21	R3B1PFFA49 18	86	R3B1TF164 20	66
R3B1PF164 24	33	R3B1PF342 30	21	R3B1PFFA49 20	86	R3B1TF164 24	66
R3B1PF164 30	33	R3B1PF342 36	21	R3B1PFFA49 24	86	R3B1TF164 30	66
R3B1PF164 36	33	R3B1PF342 42	21	R3B1PFFA49 30	86	R3B1TF164 36	66
R3B1PF164 42	33	R3B1PF342 48	21	R3B1PFFA49 36	86	R3B1TF164 42	66
R3B1PF164 48	33	R3B1PF349 18	28	R3B1PFFA49 42	86	R3B1TF164 48	66
R3B1PF179 18	40	R3B1PF349 20	28	R3B1PFFA49 48	86	R3B1TF179 18	73
R3B1PF179 20	40	R3B1PF349 24	28	R3B1PFFB49 30	86	R3B1TF179 20	73
R3B1PF179 24	40	R3B1PF349 30	28	R3B1PFFB49 36	86	R3B1TF179 24	73
R3B1PF179 30	40	R3B1PF349 36	28	R3B1PFFB49 42	86	R3B1TF179 30	73
R3B1PF179 36	40	R3B1PF349 42	28	R3B1PFFB49 48	86	R3B1TF179 36	73
R3B1PF179 42	40	R3B1PF349 48	28	R3B1PFL42 18	18	R3B1TF179 42	73
R3B1PF179 48	40	R3B1PF364 18	35	R3B1PFL42 20	18	R3B1TF179 48	73
R3B1PFA49 18	92	R3B1PF364 20	35	R3B1PFL42 24	18	R3B1TF1A49 18	90
R3B1PFA49 20	92	R3B1PF364 24	35	R3B1PFL42 30	18	R3B1TF1A49 20	90
R3B1PFA49 24	92	R3B1PF364 30	35	R3B1PFL42 36	18	R3B1TF1A49 24	90
R3B1PFA49 30	92	R3B1PF364 36	35	R3B1PFL42 42	18	R3B1TF1A49 30	90
R3B1PFA49 36	92	R3B1PF364 42	35	R3B1PFL42 48	18	R3B1TF1A49 36	90
R3B1PFA49 42	92	R3B1PF364 48	35	R3B1PFL49 18	25	R3B1TF1A49 42	90
R3B1PFA49 48	92	R3B1PF379 18	42	R3B1PFL49 20	25	R3B1TF1A49 48	90
R3B1PFB49 30	92	R3B1PF379 20	42	R3B1PFL49 24	25	R3B1TF1B49 30	91
R3B1PFB49 36	92	R3B1PF379 24	42	R3B1PFL49 30	25	R3B1TF1B49 36	91
R3B1PFB49 42	92	R3B1PF379 30	42	R3B1PFL49 36	25	R3B1TF1B49 42	91
R3B1PFB49 48	92	R3B1PF379 36	42	R3B1PFL49 42	25	R3B1TF1B49 48	91
R3B1PF242 18	20	R3B1PF379 42	42	R3B1PFL49 48	25	R3B1TF242 18	53
R3B1PF242 20	20	R3B1PF379 48	42	R3B1PFL64 18	32	R3B1TF242 20	53
R3B1PF242 24	20	R3B1PF3A49 18	97	R3B1PFL64 20	32	R3B1TF242 24	53
R3B1PF242 30	20	R3B1PF3A49 20	97	R3B1PFL64 24	32	R3B1TF242 30	53
R3B1PF242 36	20	R3B1PF3A49 24	97	R3B1PFL64 30	32	R3B1TF242 36	53
R3B1PF242 42	20	R3B1PF3A49 30	97	R3B1PFL64 36	32	R3B1TF242 42	53
R3B1PF242 48	20	R3B1PF3A49 36	97	R3B1PFL64 42	32	R3B1TF242 48	53
R3B1PF249 18	27	R3B1PF3A49 42	97	R3B1PFL64 48	32	R3B1TF249 18	60
R3B1PF249 20	27	R3B1PF3A49 48	97	R3B1PFL79 18	39	R3B1TF249 20	60
R3B1PF249 24	27	R3B1PF3B49 30	97	R3B1PFL79 20	39	R3B1TF249 24	60
R3B1PF249 30	27	R3B1PF3B49 36	97	R3B1PFL79 24	39	R3B1TF249 30	60
R3B1PF249 36	27	R3B1PF3B49 42	97	R3B1PFL79 30	39	R3B1TF249 36	60
R3B1PF249 42	27	R3B1PF3B49 48	97	R3B1PFL79 36	39	R3B1TF249 42	60
R3B1PF249 48	27	R3B1PFF42 18	17	R3B1PFL79 42	39	R3B1TF249 48	60
R3B1PF264 18	34	R3B1PFF42 20	17	R3B1PFL79 48	39	R3B1TF264 18	67
R3B1PF264 20	34	R3B1PFF42 24	17	R3B1PFLA49 18	89	R3B1TF264 20	67
R3B1PF264 24	34	R3B1PFF42 30	17	R3B1PFLA49 20	89	R3B1TF264 24	67
R3B1PF264 30	34	R3B1PFF42 36	17	R3B1PFLA49 24	89	R3B1TF264 30	67
R3B1PF264 36	34	R3B1PFF42 42	17	R3B1PFLA49 30	89	R3B1TF264 36	67
R3B1PF264 42	34	R3B1PFF42 48	17	R3B1PFLA49 36	89	R3B1TF264 42	67
R3B1PF264 48	34	R3B1PFF49 18	24	R3B1PFLA49 42	89	R3B1TF264 48	67
R3B1PF279 18	41	R3B1PFF49 20	24	R3B1PFLA49 48	89	R3B1TF279 18	74
R3B1PF279 20	41	R3B1PFF49 24	24	R3B1PFLB49 30	89	R3B1TF279 20	74
R3B1PF279 24	41	R3B1PFF49 30	24	R3B1PFLB49 36	89	R3B1TF279 24	74
R3B1PF279 30	41	R3B1PFF49 36	24	R3B1PFLB49 42	89	R3B1TF279 30	74
R3B1PF279 36	41	R3B1PFF49 42	24	R3B1PFLB49 48	89	R3B1TF279 36	74
R3B1PF279 42	41	R3B1PFF49 48	24	R3B1TF142 18	52	R3B1TF279 42	74
R3B1PF279 48	41	R3B1PFF64 18	31	R3B1TF142 20	52	R3B1TF279 48	74
R3B1PF2A49 18	95	R3B1PFF64 20	31	R3B1TF142 24	52	R3B1TF2A49 18	93
R3B1PF2A49 20	95	R3B1PFF64 24	31	R3B1TF142 30	52	R3B1TF2A49 20	93
R3B1PF2A49 24	95	R3B1PFF64 30	31	R3B1TF142 36	52	R3B1TF2A49 24	93
R3B1PF2A49 30	95	R3B1PFF64 36	31	R3B1TF142 42	52	R3B1TF2A49 30	93
R3B1PF2A49 36	95	R3B1PFF64 42	31	R3B1TF142 48	52	R3B1TF2A49 36	93

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF2A49 42	93	R3BITFF64 48	64	R3B2PFF49 18	24	R3B2TFFA49 42	98
R3BITF2A49 48	93	R3BITFF79 18	71	R3B2PFF49 20	24	R3B2TFFA49 48	98
R3BITF2B49 30	94	R3BITFF79 20	71	R3B2PFF49 24	24	R3B2TFFB49 30	98
R3BITF2B49 36	94	R3BITFF79 24	71	R3B2PFF49 30	24	R3B2TFFB49 36	98
R3BITF2B49 42	94	R3BITFF79 30	71	R3B2PFF49 36	24	R3B2TFFB49 42	98
R3BITF2B49 48	94	R3BITFF79 36	71	R3B2PFF49 42	24	R3B2TFFB49 48	98
R3BITF342 18	54	R3BITFF79 42	71	R3B2PFF49 48	24	R3CRTT60	102
R3BITF342 20	54	R3BITFF79 48	71	R3B2PFF64 18	31	R3CRTT72	102
R3BITF342 24	54	R3BITFFA49 18	84	R3B2PFF64 20	31	R3CRTT84	102
R3BITF342 30	54	R3BITFFA49 20	84	R3B2PFF64 24	31	R3CRTT96	102
R3BITF342 36	54	R3BITFFA49 24	84	R3B2PFF64 30	31	R3FTCE104(F/T)(F/T)(F/T)	124
R3BITF342 42	54	R3BITFFA49 30	84	R3B2PFF64 36	31	R3FTCE108(F/T)(F/T)(F/T)	124
R3BITF342 48	54	R3BITFFA49 36	84	R3B2PFF64 42	31	R3FTCE120(F/T)(F/T)(F/T)	124
R3BITF349 18	61	R3BITFFA49 42	84	R3B2PFF64 48	31	R3FTCE21	124
R3BITF349 20	61	R3BITFFA49 48	84	R3B2PFF79 18	38	R3FTCE25	124
R3BITF349 24	61	R3BITFFB49 30	85	R3B2PFF79 20	38	R3FTCE37	124
R3BITF349 30	61	R3BITFFB49 36	85	R3B2PFF79 24	38	R3FTCF12118	121
R3BITF349 36	61	R3BITFFB49 42	85	R3B2PFF79 30	38	R3FTCF12120	121
R3BITF349 42	61	R3BITFFB49 48	85	R3B2PFF79 36	38	R3FTCF12124	121
R3BITF349 48	61	R3BITFL42 18	51	R3B2PFF79 42	38	R3FTCF12130	121
R3BITF364 18	68	R3BITFL42 20	51	R3B2PFF79 48	38	R3FTCF12136	121
R3BITF364 20	68	R3BITFL42 24	51	R3B2PFFA49 18	99	R3FTCF12142	121
R3BITF364 24	68	R3BITFL42 30	51	R3B2PFFA49 20	99	R3FTCF12148	121
R3BITF364 30	68	R3BITFL42 36	51	R3B2PFFA49 24	99	R3FTCF12518	122
R3BITF364 36	68	R3BITFL42 42	51	R3B2PFFA49 30	99	R3FTCF12520	122
R3BITF364 42	68	R3BITFL42 48	51	R3B2PFFA49 36	99	R3FTCF12524	122
R3BITF364 48	68	R3BITFL49 18	58	R3B2PFFA49 42	99	R3FTCF12530	122
R3BITF379 18	75	R3BITFL49 20	58	R3B2PFFA49 48	99	R3FTCF12536	122
R3BITF379 20	75	R3BITFL49 24	58	R3B2PFFB49 30	99	R3FTCF12542	122
R3BITF379 24	75	R3BITFL49 30	58	R3B2PFFB49 36	99	R3FTCF12548	122
R3BITF379 30	75	R3BITFL49 36	58	R3B2PFFB49 42	99	R3FTCF13718	123
R3BITF379 36	75	R3BITFL49 42	58	R3B2PFFB49 48	99	R3FTCF13720	123
R3BITF379 42	75	R3BITFL49 48	58	R3B2TFF42 18	50	R3FTCF13724	123
R3BITF379 48	75	R3BITFL64 18	65	R3B2TFF42 20	50	R3FTCF13730	123
R3BITF3A49 18	96	R3BITFL64 20	65	R3B2TFF42 24	50	R3FTCF13736	123
R3BITF3A49 20	96	R3BITFL64 24	65	R3B2TFF42 30	50	R3FTCF13742	123
R3BITF3A49 24	96	R3BITFL64 30	65	R3B2TFF42 36	50	R3FTCF13748	123
R3BITF3A49 30	96	R3BITFL64 36	65	R3B2TFF42 42	50	R3FTCF2118	121
R3BITF3A49 36	96	R3BITFL64 42	65	R3B2TFF42 48	50	R3FTCF22120	121
R3BITF3A49 42	96	R3BITFL64 48	65	R3B2TFF49 18	57	R3FTCF22124	121
R3BITF3A49 48	96	R3BITFL79 18	72	R3B2TFF49 20	57	R3FTCF22130	121
R3BITF3B49 30	96	R3BITFL79 20	72	R3B2TFF49 24	57	R3FTCF22136	121
R3BITF3B49 36	96	R3BITFL79 24	72	R3B2TFF49 30	57	R3FTCF22142	121
R3BITF3B49 42	96	R3BITFL79 30	72	R3B2TFF49 36	57	R3FTCF22148	121
R3BITF3B49 48	96	R3BITFL79 36	72	R3B2TFF49 42	57	R3FTCF22518	122
R3BITFF42 18	50	R3BITFL79 42	72	R3B2TFF49 48	57	R3FTCF22520	122
R3BITFF42 20	50	R3BITFL79 48	72	R3B2TFF64 18	64	R3FTCF22524	122
R3BITFF42 24	50	R3BITFLA49 18	87	R3B2TFF64 20	64	R3FTCF22530	122
R3BITFF42 30	50	R3BITFLA49 20	87	R3B2TFF64 24	64	R3FTCF22536	122
R3BITFF42 36	50	R3BITFLA49 24	87	R3B2TFF64 30	64	R3FTCF22542	122
R3BITFF42 42	50	R3BITFLA49 30	87	R3B2TFF64 36	64	R3FTCF22548	122
R3BITFF42 48	50	R3BITFLA49 36	87	R3B2TFF64 42	64	R3FTCF23718	123
R3BITFF49 18	57	R3BITFLA49 42	87	R3B2TFF64 48	64	R3FTCF23720	123
R3BITFF49 20	57	R3BITFLA49 48	87	R3B2TFF79 18	71	R3FTCF23724	123
R3BITFF49 24	57	R3BITFLB49 30	88	R3B2TFF79 20	71	R3FTCF23730	123
R3BITFF49 30	57	R3BITFLB49 36	88	R3B2TFF79 24	71	R3FTCF23736	123
R3BITFF49 36	57	R3BITFLB49 42	88	R3B2TFF79 30	71	R3FTCF23742	123
R3BITFF49 42	57	R3BITFLB49 48	88	R3B2TFF79 36	71	R3FTCF23748	123
R3BITFF49 48	57	R3B2PFF42 18	17	R3B2TFF79 42	71	R3FTCF321 18	121
R3BITFF64 18	64	R3B2PFF42 20	17	R3B2TFF79 48	71	R3FTCF321 20	121
R3BITFF64 20	64	R3B2PFF42 24	17	R3B2TFFA49 18	98	R3FTCF321 24	121
R3BITFF64 24	64	R3B2PFF42 30	17	R3B2TFFA49 20	98	R3FTCF321 30	121
R3BITFF64 30	64	R3B2PFF42 36	17	R3B2TFFA49 24	98	R3FTCF321 36	121
R3BITFF64 36	64	R3B2PFF42 42	17	R3B2TFFA49 30	98	R3FTCF321 42	121
R3BITFF64 42	64	R3B2PFF42 48	17	R3B2TFFA49 36	98	R3FTCF321 48	121

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF325 18	122	R3FTCS21	124	R3SF30848	103	R3X42(B)	106
R3FTCF325 20	122	R3FTCS25	124	R3SF315 18	104	R3X49(B)	106
R3FTCF325 24	122	R3FTCS37	124	R3SF315 20	104	R3X64(B)	106
R3FTCF325 30	122	R3FTCSM (Pair) for G3 only	125	R3SF315 24	104	R3X79(B)	106
R3FTCF325 36	122	R3FTCT104(F/T)	124	R3SF315 30	104	R5ZNN (3 dividers)	457
R3FTCF325 42	122	R3FTCT108(F/T)	124	R3SF315 36	104	R917762	445
R3FTCF325 48	122	R3FTCT120(F/T)	124	R3SF315 42	104	R921655	445
R3FTCF337 18	123	R3FTCT21	124	R3SF315 48	104	R9TDCFM8430	233
R3FTCF337 20	123	R3FTCT25	124	R3SFF08 18	100	R9TDCFM9630	233
R3FTCF337 24	123	R3FTCT37	124	R3SFF08 20	100	RAATBRC72	536
R3FTCF337 30	123	R3FTCX104	124	R3SFF08 24	100	RAATBRC78	536
R3FTCF337 36	123	R3FTCX108	124	R3SFF08 30	100	RAATBRC84	536
R3FTCF337 42	123	R3FTCX120	124	R3SFF08 36	100	RAATBRC90	536
R3FTCF337 48	123	R3FTCX21	124	R3SFF08 42	100	RAATBRC96	536
R3FTCF2118	118	R3FTCX25	124	R3SFF08 48	100	RAATBRS72	537
R3FTCF2120	118	R3FTCX37	124	R3SFF15 18	100	RAATBRS78	537
R3FTCF2124	118	R3L08TT	105	R3SFF15 20	100	RAATBRS84	537
R3FTCF2130	118	R3L15TT	105	R3SFF15 24	100	RAATBRS90	537
R3FTCF2136	118	R3L34(F/T)(F/T)	105	R3SFF15 30	100	RAATBRS96	537
R3FTCF2142	118	R3L42(B)(F/T)(F/T)	105	R3SFF15 36	100	RAATDCG51	536
R3FTCF2148	118	R3L49(B)(F/T)(F/T)	105	R3SFF15 42	100	RAATDCG54	536
R3FTCF2518	119	R3L64(B)(F/T)(F/T)	105	R3SFF15 48	100	RAATDCG57	536
R3FTCF2520	119	R3L79(B)(F/T)(F/T)	105	R3SFL0818	103	RAATDCG60	536
R3FTCF2524	119	R3R2SLV	107, 117	R3SFL0820	103	RAATDCG63	536
R3FTCF2530	119	R3S08TT	106	R3SFL0824	103	RAATDCG66	536
R3FTCF2536	119	R3S15TT	106	R3SFL0830	103	RAATDCG69	536
R3FTCF2542	119	R3S34(F/T)(F/T)	106	R3SFL0836	103	RAATDCG72	536
R3FTCF2548	119	R3S42(B)(F/T)(F/T)	106	R3SFL0842	103	RAATDCG75	536
R3FTCF3718	120	R3S49(B)(F/T)(F/T)	106	R3SFL0848	103	RAATDCG78	536
R3FTCF3720	120	R3S64(B)(F/T)(F/T)	106	R3SFL1518	104	RAATDCG81	536
R3FTCF3724	120	R3S79(B)(F/T)(F/T)	106	R3SFL1520	104	RAATDCG84	536
R3FTCF3730	120	R3SF10818	103	R3SFL1524	104	RAATDCG87	536
R3FTCF3736	120	R3SF10820	103	R3SFL1530	104	RAATDCG90	536
R3FTCF3742	120	R3SF10824	103	R3SFL1536	104	RAATDCG93	536
R3FTCF3748	120	R3SF10830	103	R3SFL1542	104	RAATDCG96	536
R3FTCFL2118	121	R3SF10836	103	R3SFL1548	104	RAATDS51	537
R3FTCFL2120	121	R3SF10842	103	R3SLL0818	103	RAATDS54	537
R3FTCFL2124	121	R3SF10848	103	R3SLL0820	103	RAATDS57	537
R3FTCFL2130	121	R3SF11518	104	R3SLL0824	103	RAATDS60	537
R3FTCFL2136	121	R3SF11520	104	R3SLL0830	103	RAATDS63	537
R3FTCFL2142	121	R3SF11524	104	R3SLL0836	103	RAATDS66	537
R3FTCFL2148	121	R3SF11530	104	R3SLL0842	103	RAATDS69	537
R3FTCFL2518	122	R3SF11536	104	R3SLL0848	103	RAATDS72	537
R3FTCFL2520	122	R3SF11542	104	R3SLL1518	104	RAATDS75	537
R3FTCFL2524	122	R3SF11548	104	R3SLL1520	104	RAATDS78	537
R3FTCFL2530	122	R3SF20818	103	R3SLL1524	104	RAATDS81	537
R3FTCFL2536	122	R3SF20820	103	R3SLL1530	104	RAATDS84	537
R3FTCFL2542	122	R3SF20824	103	R3SLL1536	104	RAATDS87	537
R3FTCFL2548	122	R3SF20830	103	R3SLL1542	104	RAATDS90	537
R3FTCFL3718	123	R3SF20836	103	R3SLL1548	104	RAATDS93	537
R3FTCFL3720	123	R3SF20842	103	R3SMP	445	RAATDS96	537
R3FTCFL3724	123	R3SF20848	103	R3SPABPT	115	RAATFRG54	536
R3FTCFL3730	123	R3SF21518	104	R3SPABTD	115	RAATFRG60	536
R3FTCFL3736	123	R3SF21520	104	R3SPABTT	115	RAATFRG66	536
R3FTCFL3742	123	R3SF21524	104	R3SPABTW	115	RAATFRG72	536
R3FTCFL3748	123	R3SF21530	104	R3T08T	105	RAATFRG78	536
R3FTCL104(F/T)(F/T)	124	R3SF21536	104	R3T15T	105	RAATFRG84	536
R3FTCL108(F/T)(F/T)	124	R3SF21542	104	R3T34(F/T)	105	RAATFRG90	536
R3FTCL120(F/T)(F/T)	124	R3SF21548	104	R3T42(B)(F/T)	105	RAATFRG96	536
R3FTCL21	124	R3SF30818	103	R3T49(B)(F/T)	105	RAATFRS54	537
R3FTCL25	124	R3SF30820	103	R3T64(B)(F/T)	105	RAATFRS60	537
R3FTCL37	124	R3SF30824	103	R3T79(B)(F/T)	105	RAATFRS66	537
R3FTCS104(F/T)(F/T)	124	R3SF30830	103	R3X08	106	RAATFRS72	537
R3FTCS108(F/T)(F/T)	124	R3SF30836	103	R3X15	106	RAATFRS78	537
R3FTCS120(F/T)(F/T)	124	R3SF30842	103	R3X34	106	RAATFRS84	537

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RAATFRS90	537	RAIPFAWD138	529	RAIPRWD138	531	RATDCFM(L/R)7836	232
RAATFRS96	537	RAIPFAWD144	529	RAIPRWD144	531	RATDCFM(L/R)8430	232
RABR(L/R)7220	519, 520	RAIPFAWD150	529	RAIPRWD150	531	RATDCFM(L/R)8436	232
RABR(L/R)7820	519, 520	RAIPFAWD156	529	RAIPRWD156	531	RATDCPC(L/R)6030	230
RABR(L/R)8420	519, 520	RAIPFAWD162	529	RAIPRWD162	531	RATDCPC(L/R)6036	230
RABR(L/R)9020	519, 520	RAIPFAWD168	529	RAIPRWD168	531	RATDCPC(L/R)6630	230
RABR(L/R)9620	519, 520	RAIPFAWD174	529	RAIPRWD174	531	RATDCPC(L/R)6636	230
RAC7232DH(L/R)H	540	RAIPFAWD180	529	RAIPRWD180	531	RATDCPC(L/R)7230	230
RAC7232WDH(L/R)H	541	RAIPFAWD186	529	RAIPRWD186	531	RATDCPC(L/R)7236	230
RAC7233DH(L/R)H	540	RAIPFAWD192	529	RAIPRWD192	531	RATDCPC(L/R)7830	230
RAC7233WDH(L/R)H	541	RAIPFAWS66	529	RAIPRWS66	531	RATDCPC(L/R)7836	230
RAC7242DH(L/R)H	540	RAIPFAWS72	529	RAIPRWS72	531	RATDCPC(L/R)8430	230
RAC7242WDH(L/R)H	541	RAIPFAWS78	529	RAIPRWS78	531	RATDCPC(L/R)8436	230
RAC7243DH(L/R)H	540	RAIPFAWS84	529	RAIPRWS84	531	RATDCST(L/R)6030	231
RAC7243WDH(L/R)H	541	RAIPFAWS90	529	RAIPRWS90	531	RATDCST(L/R)6036	231
RAC8632DH(L/R)H	540	RAIPFAWS96	529	RAIPRWS96	531	RATDCST(L/R)6630	231
RAC8632WDH(L/R)H	541	RAIPFBWD102	530	RAMTB	428	RATDCST(L/R)6636	231
RAC8633DH(L/R)H	540	RAIPFBWD114	530	RAMTC24	428	RATDCST(L/R)7230	231
RAC8633WDH(L/R)H	541	RAIPFBWD120	530	RAMTC30	428	RATDCST(L/R)7236	231
RAC8642DH(L/R)H	540	RAIPFBWD126	530	RAMTC36	428	RATDCST(L/R)7830	231
RAC8642WDH(L/R)H	541	RAIPFBWD132	530	RAMTC42	428	RATDCST(L/R)7836	231
RAC8643DH(L/R)H	540	RAIPFBWD138	530	RAMTC48	428	RATDCST(L/R)8430	231
RAC8643WDH(L/R)H	541	RAIPFBWD144	530	RAMTC54	428	RATDCST(L/R)8436	231
RACG4220	538	RAIPFBWD150	530	RAMTC60	428	RATTBR72	533
RAC(L/R)HC4212	538, 539	RAIPFBWD156	530	RAMTC66	428	RATTBR78	533
RAC(L/R)HT4212	538, 539	RAIPFBWD162	530	RAMTC72	428	RATTBR84	533
RADW(L/R)5130	517, 518	RAIPFBWD168	530	RAMTCH24	428	RATTBR90	533
RADW(L/R)5430	517, 518	RAIPFBWD174	530	RAMTCH30	428	RATTBR96	533
RADW(L/R)5730	517, 518	RAIPFBWD180	530	RAMTCH36	428	RATDDD102	535
RADW(L/R)6030	517, 518	RAIPFBWD186	530	RAMTCH42	428	RATDDD108	535
RADW(L/R)6330	517, 518	RAIPFBWD192	530	RAMTCH48	428	RATDDD114	535
RADW(L/R)6630	517, 518	RAIPFBWS66	530	RAMTCH54	428	RATDDD120	535
RADW(L/R)6930	517, 518	RAIPFBWS72	530	RAMTCH60	428	RATDDD126	535
RADW(L/R)7230	517, 518	RAIPFBWS78	530	RAMTCH66	428	RATDDD132	535
RADW(L/R)7530	517, 518	RAIPFBWS84	530	RAMTCH72	428	RATDDD138	535
RADW(L/R)7830	517, 518	RAIPFBWS90	530	RAMTT	428	RATDDD144	535
RADW(L/R)8130	517, 518	RAIPFBWS96	530	RASRD6620	525, 526	RATDDD150	535
RADW(L/R)8430	517, 518	RAIPRGD51	532	RASRD7220	525, 526	RATDDD156	535
RADW(L/R)8730	517, 518	RAIPRGD54	532	RASRD7820	525, 526	RATDDD162	535
RADW(L/R)9030	517, 518	RAIPRGD57	532	RASRD8420	525, 526	RATDDD168	535
RADW(L/R)9330	517, 518	RAIPRGD60	532	RASRD9020	525, 526	RATDDD174	535
RADW(L/R)9630	517, 518	RAIPRGD63	532	RASRD9620	525, 526	RATDDD180	535
RAESDH(L/R)20	542	RAIPRGD66	532	RASRS(L/R)6620	523, 524	RATDDD186	535
RAFR(L/R)5420	521, 522	RAIPRGD69	532	RASRS(L/R)7220	523, 524	RATDDD192	535
RAFR(L/R)6020	521, 522	RAIPRGD72	532	RASRS(L/R)7820	523, 524	RATDTS66	535
RAFR(L/R)6620	521, 522	RAIPRGD75	532	RASRS(L/R)8420	523, 524	RATDTS72	535
RAFR(L/R)7220	521, 522	RAIPRGD78	532	RASRS(L/R)9020	523, 524	RATDTS78	535
RAFR(L/R)7820	521, 522	RAIPRGD81	532	RASRS(L/R)9620	523, 524	RATDTS84	535
RAFR(L/R)8420	521, 522	RAIPRGD84	532	RASW6630	515, 516	RATDTS90	535
RAFR(L/R)9020	521, 522	RAIPRGD87	532	RASW7230	515, 516	RATDTS96	535
RAFR(L/R)9620	521, 522	RAIPRGD90	532	RASW7830	515, 516	RATTFR54	534
RAGS(L/R)20	542	RAIPRGD93	532	RASW8430	515, 516	RATTFR60	534
RAGS(L/R)30	542	RAIPRGD96	532	RASW9030	515, 516	RATTFR66	534
RAIE6240	527, 528	RAIPRGS66	532	RASW9630	515, 516	RATTFR72	534
RAIE6248	527, 528	RAIPRGS72	532	RATDCFM(L/R)4830	232	RATTFR78	534
RAIE6840	527, 528	RAIPRGS78	532	RATDCFM(L/R)4836	232	RATTFR84	534
RAIE6848	527, 528	RAIPRGS84	532	RATDCFM(L/R)5430	232	RATTFR90	534
RAIE7440	527, 528	RAIPRGS90	532	RATDCFM(L/R)5436	232	RATTFR96	534
RAIE7448	527, 528	RAIPRGS96	532	RATDCFM(L/R)6030	232	RAUH	452
RAIPFAWD102	529	RAIPRWD102	531	RATDCFM(L/R)6036	232	RAWHDHTBD51	545
RAIPFAWD108	529	RAIPRWD108	531	RATDCFM(L/R)6630	232	RAWHDHTBD54	545
RAIPFAWD114	529	RAIPRWD114	531	RATDCFM(L/R)6636	232	RAWHDHTBD57	545
RAIPFAWD120	529	RAIPRWD120	531	RATDCFM(L/R)7230	232	RAWHDHTBD60	545
RAIPFAWD126	529	RAIPRWD126	531	RATDCFM(L/R)7236	232	RAWHDHTBD63	545
RAIPFAWD132	529	RAIPRWD132	531	RATDCFM(L/R)7830	232	RAWHDHTBD66	545

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RAWHDHTBD69	545	RBDH3642	256	RBWM	447	RC633C	310, 313
RAWHDHTBD72	545	RBDH3648	256	RBZ (A/B) (Pair)	252	RC633H	309, 312
RAWHDHTBD75	545	RBDH36M(F/R)	256	RC412C(L/R)	304, 306	RC633I	315
RAWHDHTBD78	545	RBDH40MR	258	RC413C(L/R)	304, 306	RC633P	310, 313
RAWHDHTBD81	545	RBDH4236	256	RC423M(L/R)	323, 325	RC661B	309, 312
RAWHDHTBD84	545	RBDH4242	256	RC423N(L/R)	323, 325	RC662B	309, 312
RAWHDHTBD87	545	RBDH4248	256	RC431B	304, 306	RC662C	311, 314
RAWHDHTBD90	545	RBDH42M(F/R)	256	RC432B	304, 306	RC662D	314
RAWHDHTBD93	545	RBDH4836	256	RC432C	304, 306	RC662E(L/R)	311, 314
RAWHDHTBD96	545	RBDH4842	256	RC432D	307	RC662F	310, 313
RAWHDHTBS66	545	RBDH4848	256	RC432F	305, 308	RC662G	310, 313
RAWHDHTBS72	545	RBDH48M(F/R)	256	RC433B	304, 306	RC662H	309, 312
RAWHDHTBS78	545	RBDH52MR	258	RC433C	304, 306	RC662I	315
RAWHDHTBS84	545	RBDH54M(F/R)	256	RC433D	307	RC662P	310, 313
RAWHDHTBS90	545	RBDH60M(F/R)	256	RC433F	305, 308	RC663B	309, 312
RAWHDHTBS96	545	RBDH64MR	258	RC461B	304, 306	RC663C	311, 314
RB24(M/H)(F/R)	254	RBDH66M(F/R)	256	RC462B	304, 306	RC663D	314
RB30(M/H)(F/R)	254	RBDH72M(F/R)	256	RC462C	304, 306	RC663E(L/R)	311, 314
RB3636	254	RBDH78M(F/R)	256	RC462D	307	RC663F	310, 313
RB3642	254	RBDH84M(F/R)	256	RC462F	305, 308	RC663G	310, 313
RB3648	254	RBDH90M(F/R)	256	RC463B	304, 306	RC663H	309, 312
RB36(M/H)(F/R)	254	RBDH96M(F/R)	256	RC463C	304, 306	RC663I	315
RB40MR	185	RBDP6030JK(A,B,W)	438	RC463D	307	RC663P	310, 313
RB4236	254	RBDP7230JK(A,B,W)	438	RC463F	305, 308	RC712C(L/R)	318, 321
RB4242	254	RBDP8430JK(A,B,W)	438	RC531DHB	326, 327	RC712DHG(L/R)	340, 344
RB4248	254	RBDP9630JK(A,B,W)	438	RC531DHH	328	RC712D(L/R)	321
RB42(M/H)(F/R)	254	RBDW	446	RC532DHB	326, 327	RC712G(L/R)	317, 320
RB4836	254	RBF (Pair)	252	RC532DHF	326, 327	RC712P(L/R)	317, 320
RB4842	254	RBPE(L/R)	446	RC532DHH	328	RC713C(L/R)	318, 321
RB4848	254	RBPP (L/R)	252	RC533DHB	326, 327	RC713DHG(L/R)	340, 344
RB48(M/H)(F/R)	254	RBPR (Pair)	253	RC533DHF	326, 327	RC713D(L/R)	321
RB52MR	185	RBPS (L/R)	253	RC533DHH	328	RC713G(L/R)	317, 320
RB54(M/H)(F/R)	254	RBR3624(A,B,W)(F,N)2	441	RC561DHB	326, 327	RC713P(L/R)	317, 320
RB60(M/H)(F/R)	254	RBR3630(A,B,W)(F,N)2	441	RC561DHH	328	RC7212DHDH(L/R)	338
RB64MR	185	RBR36H	389	RC562DHB	326, 327	RC7212DHGH(L/R)	331, 336
RB66(M/H)(F/R)	254	RBR36M	389	RC562DHF	326, 327	RC7212DHPH(L/R)	332, 337
RB72(M/H)(F/R)	254	RBR36MS	389	RC562DHH	328	RC7213DHDH(L/R)	338
RB78(M/H)(F/R)	254	RBR4224(A,B,W)(F,N)2	441	RC563DHB	326, 327	RC7213DHGH(L/R)	331, 336
RB84(M/H)(F/R)	254	RBR4230(A,B,W)(F,N)2	441	RC563DHF	326, 327	RC7213DHPH(L/R)	332, 337
RB90(M/H)(F/R)	254	RBR42H	389	RC563DHH	328	RC7231DHB	329, 334
RB96(M/H)(F/R)	254	RBR42M	389	RC612C(L/R)	311, 314	RC7232DHB	329, 334
RBC18 (L/R)	251	RBR42MS	389	RC612D(L/R)	314	RC7232DHDH	338
RBC24 (L/R)	251	RBR4824(A,B,W)(F,N)2	441	RC612G(L/R)	310, 313	RC7232DHEH(L/R)	333, 338
RBCC	252	RBR4830(A,B,W)(F,N)2	441	RC612P(L/R)	310, 313	RC7232DHFH	331, 336
RBCCP (Pair)	252	RBR48H	389	RC613C(L/R)	311, 314	RC7232DHGH	331, 336
RBD361H	197	RBR48M	389	RC613D(L/R)	314	RC7232DHK	330, 335
RBD361V	197	RBR48MS	389	RC613G(L/R)	310, 313	RC7232DHO	330, 335
RBD362H	197	RBR54H	389	RC613P(L/R)	310, 313	RC7233DHB	329, 334
RBD362V	197	RBR54M	389	RC623M(L/R)	323, 325	RC7233DHDH	338
RBD421H	197	RBR54MS	389	RC623N(L/R)	323, 325	RC7233DHEH(L/R)	333, 338
RBD421V	197	RBR60H	389	RC631B	309, 312	RC7233DHFH	331, 336
RBD422H	197	RBR60M	389	RC632B	309, 312	RC7233DHGH	331, 336
RBD422V	197	RBR60MS	389	RC632C	311, 314	RC7233DHK	330, 335
RBD481H	197	RBR66H	389	RC632D	314	RC7233DHO	330, 335
RBD481V	197	RBR66M	389	RC632E(L/R)	311, 314	RC723M(L/R)	324, 325
RBD482H	197	RBR66MS	389	RC632F	310, 313	RC723N	324, 325
RBD482V	197	RBR72H	389	RC632G	310, 313	RC7261DHB	329, 334
RBD541H	197	RBR72M	389	RC632H	309, 312	RC7262DHB	329, 334
RBD541V	197	RBR72MS	389	RC632I	315	RC7262DHDH	338
RBD542H	197	RBSP6030J(A,B,W)	437	RC632P	310, 313	RC7262DHEH(L/R)	333, 338
RBD542V	197	RBSP7230J(A,B,W)	437	RC633B	309, 312	RC7262DHFH	331, 336
RBDD	446	RBSP8430J(A,B,W)	437	RC633C	311, 314	RC7262DHGH	331, 336
RBDH24M(F/R)	256	RBSP9630J(A,B,W)	437	RC633D	314	RC7262DHK	330, 335
RBDH30M(F/R)	256	RBWC24	253	RC633E(L/R)	311, 314	RC7262DHO	330, 335
RBDH3636	256	RBWC30	253	RC633F	310, 313	RC7263DHB	329, 334

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCD722	200	RCDP9624K(A,B,W)	442	RCE1L6648SDN	192	RCEAR223660	146
RCD781	200	RCDQMR60301	435	RCE1L6648SSN	192	RCEAR223672	146
RCD782	200	RCDQMR60302	435	RCE1L7242SSN	192	RCEAR224260	146
RCD841	200	RCDQMR60361	435	RCE1L7248SDN	192	RCEAR224272	146
RCD842	200	RCDQMR60362	435	RCE1L7248SDN	192	RCEAR224872	146
RCD901	200	RCDQMR72301	435	RCE1L7248SSN	192	RCEAR224884	146
RCD902	200	RCDQMR72302	435	RCE1L7842SSN	192	RCEAR224896	146
RCD961	200	RCDQMR72361	435	RCE1L7848SSN	192	RCEEG1021	199
RCD962	200	RCDQMR72362	435	RCE1L8448SSN	192	RCEEG1022	199
RCDFMF60301	436	RCDQMR84301	435	RCE1R1212G	445	RCEEG1081	199
RCDFMF60302	436	RCDQMR84302	435	RCE1R2424N	189	RCEEG1082	199
RCDFMF60361	436	RCDQMR84361	435	RCE1R2430N	189	RCEEG601	199
RCDFMF60362	436	RCDQMR84362	435	RCE1R3024N	189	RCEEG602	199
RCDFMF72301	436	RCDQMR96301	435	RCE1R3030N	189	RCEEG661	199
RCDFMF72302	436	RCDQMR96302	435	RCE1R3624N	189	RCEEG662	199
RCDFMF72361	436	RCDQMR96361	435	RCE1R3630N	189	RCEEG721	199
RCDFMF72362	436	RCDQMR96362	435	RCE1R4224N	189	RCEEG722	199
RCDFMF84301	436	RCE1021	198	RCE1R4230N	189	RCEEG781	199
RCDFMF84302	436	RCE1022	198	RCE1R4824N	189	RCEEG782	199
RCDFMF84361	436	RCE1081	198	RCE1R4830N	189	RCEEG841	199
RCDFMF84362	436	RCE1082	198	RCE1R5424N	189	RCEEG842	199
RCDFMF96301	436	RCE1BD6648D(L/R)	190	RCE1R5430N	189	RCEEG901	199
RCDFMF96302	436	RCE1BD6648S(L/R)	190	RCE1R6024N	189	RCEEG902	199
RCDFMF96361	436	RCE1BD7248D(L/R)	190	RCE1R6030N	189	RCEEG961	199
RCDFMF96362	436	RCE1BD7248S(L/R)	190	RCE1R6624N	189	RCEEG962	199
RCDFMR60301	433	RCE1BD7848D(L/R)	190	RCE1R6630N	189	RCFS4912C(L/R)M	353
RCDFMR60302	433	RCE1BD7848S(L/R)	190	RCE1R7224N	189	RCFS4912C(L/R)W	359
RCDFMR60361	433	RCE1BD8448D(L/R)	190	RCE1R7230N	189	RCFS4912Y(L/R)M	353
RCDFMR60362	433	RCE1BD8448S(L/R)	190	RCE1R7824N	189	RCFS4912Y(L/R)W	359
RCDFMR72301	433	RCE1CR24L	193	RCE1R7830N	189	RCFS4912Z(L/R)M	353
RCDFMR72302	433	RCE1CR24N	193	RCE1R8424N	189	RCFS4912Z(L/R)W	359
RCDFMR72361	433	RCE1CR24R	193	RCE1R8430N	189	RCFS4913C(L/R)M	353
RCDFMR72362	433	RCE1H4818	193	RCE1R9024N	189	RCFS4913C(L/R)W	359
RCDFMR84301	433	RCE1H4818P	193	RCE1R9030N	189	RCFS4913Y(L/R)M	353
RCDFMR84302	433	RCE1H6024	193	RCE1R9624N	189	RCFS4913Y(L/R)W	359
RCDFMR84361	433	RCE1H6024P	193	RCE1R9630N	189	RCFS4913Z(L/R)M	353
RCDFMR84362	433	RCE1L3636SSN	191	RCE1W362430N	194	RCFS4913Z(L/R)W	359
RCDFMR96301	433	RCE1L4242DSN	191	RCE1W363024N	194	RCFS4932V(L/R)M	353
RCDFMR96302	433	RCE1L4242SDN	191	RCE1W422430N	194	RCFS4932V(L/R)W	359
RCDFMR96361	433	RCE1L4242SSN	191	RCE1W423024N	194	RCFS4932W(L/R)M	354
RCDFMR96362	433	RCE1L4260SSN	192	RCE1W482430N	194	RCFS4932W(L/R)W	360
RCDH8	262	RCE1L4266SSN	192	RCE1W483024N	194	RCFS4932X(L/R)M	354
RCDH820T	262	RCE1L4272SSN	192	RCE1W722430N	194	RCFS4932X(L/R)W	360
RCDH824T	262	RCE1L4278SSN	192	RCE1W723024N	194	RCFS4933V(L/R)M	353
RCDH830T	262	RCE1L4848DDN	191	RCE601	198	RCFS4933V(L/R)W	359
RCDH840T	262	RCE1L4848DSN	191	RCE602	198	RCFS4933W(L/R)M	354
RCDHMR60301	434	RCE1L4848SDN	191	RCE661	198	RCFS4933W(L/R)W	360
RCDHMR60302	434	RCE1L4848SSN	191	RCE662	198	RCFS4933X(L/R)M	354
RCDHMR60361	434	RCE1L4860DSN	192	RCE721	198	RCFS4933X(L/R)W	360
RCDHMR60362	434	RCE1L4860SDN	192	RCE722	198	RCFS6412C(L/R)M	355
RCDHMR72301	434	RCE1L4860SSN	192	RCE781	198	RCFS6412C(L/R)W	361
RCDHMR72302	434	RCE1L4866DSN	192	RCE782	198	RCFS6412Y(L/R)M	355
RCDHMR72361	434	RCE1L4866SDN	192	RCE841	198	RCFS6412Y(L/R)W	361
RCDHMR72362	434	RCE1L4866SSN	192	RCE842	198	RCFS6412Z(L/R)M	355
RCDHMR84301	434	RCE1L4872DSN	192	RCE901	198	RCFS6412Z(L/R)W	361
RCDHMR84302	434	RCE1L4872SDN	192	RCE902	198	RCFS6413C(L/R)M	355
RCDHMR84361	434	RCE1L4872SSN	192	RCE961	198	RCFS6413C(L/R)W	361
RCDHMR84362	434	RCE1L4878SSN	192	RCE962	198	RCFS6413Y(L/R)M	355
RCDHMR96301	434	RCE1L4884SSN	192	RCEAL223660	146	RCFS6413Y(L/R)W	361
RCDHMR96302	434	RCE1L6042SSN	192	RCEAL223672	146	RCFS6413Z(L/R)M	355
RCDHMR96361	434	RCE1L6048DSN	192	RCEAL224260	146	RCFS6413Z(L/R)W	361
RCDHMR96362	434	RCE1L6048SDN	192	RCEAL224272	146	RCFS6432V(L/R)M	356
RCDP6024K(A,B,W)	442	RCE1L6048SSN	192	RCEAL224872	146	RCFS6432V(L/R)W	362
RCDP7224K(A,B,W)	442	RCE1L6642SSN	192	RCEAL224884	146	RCFS6432W(L/R)M	356
RCDP8424K(A,B,W)	442	RCE1L6648SDN	192	RCEAL224896	146	RCFS6432W(L/R)W	362

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCFS6432X(L/R)M	356	RDHMH7240	269	RDHMR10823	267	RDSP8436J(A,B,W)	437
RCFS6432X(L/R)W	362	RDHMH7810	269	RDHMR10824	267	RDSP9630J(A,B,W)	437
RCFS6433V(L/R)M	356	RDHMH7811	268	RDHMR10830	265	RDSP9636J(A,B,W)	437
RCFS6433V(L/R)W	362	RDHMH7812	268	RDHMR10833	266	RDTAGC3142(L/R)	370
RCFS6433W(L/R)M	356	RDHMH7813	268	RDHMR10840	265	RDTAGC3156(L/R)	370
RCFS6433W(L/R)W	362	RDHMH7820	269	RDHMR7210	265	RDTAGC6142(L/R)	370
RCFS6433X(L/R)M	356	RDHMH7822	268	RDHMR7211	266	RDTAGC6156(L/R)	370
RCFS6433X(L/R)W	362	RDHMH7823	268	RDHMR7212	266	RDTAGW3142(L/R)	370
RCFS6812C(L/R)M	357	RDHMH7830	269	RDHMR7220	265	RDTAGW3156(L/R)	370
RCFS6812C(L/R)W	363	RDHMH7840	269	RDHMR7222	266	RDTAGW6142(L/R)	370
RCFS6812Y(L/R)M	357	RDHMH8410	269	RDHMR7230	265	RDTAGW6156(L/R)	370
RCFS6812Y(L/R)W	363	RDHMH8411	268	RDHMR7240	265	RDTAHC3142(L/R)	371
RCFS6812Z(L/R)M	357	RDHMH8412	268	RDHMR7810	265	RDTAHC3156(L/R)	371
RCFS6812Z(L/R)W	363	RDHMH8413	268	RDHMR7811	266	RDTAHC6142(L/R)	371
RCFS6813C(L/R)M	357	RDHMH8414	268	RDHMR7812	266	RDTAHC6156(L/R)	371
RCFS6813C(L/R)W	363	RDHMH8420	269	RDHMR7820	265	RDTAHW3142(L/R)	371
RCFS6813Y(L/R)M	357	RDHMH8422	268	RDHMR7822	266	RDTAHW3156(L/R)	371
RCFS6813Y(L/R)W	363	RDHMH8423	268	RDHMR7830	265	RDTAHW6142(L/R)	371
RCFS6813Z(L/R)M	357	RDHMH8424	268	RDHMR7840	265	RDTAHW6156(L/R)	371
RCFS6813Z(L/R)W	363	RDHMH8430	269	RDHMR8410	265	RDTCE3010	513
RCFS6832V(L/R)M	358	RDHMH8440	269	RDHMR8411	266	RDTCE3610	513
RCFS6832V(L/R)W	364	RDHMH9010	269	RDHMR8412	266	RDTCE6010	513
RCFS6832W(L/R)M	358	RDHMH9011	268	RDHMR8414	266	RDTCE7210	513
RCFS6832W(L/R)W	364	RDHMH9012	268	RDHMR8420	265	RDTCE22120	448
RCFS6832X(L/R)M	358	RDHMH9013	268	RDHMR8422	266	RDTCE2272	448
RCFS6832X(L/R)W	364	RDHMH9014	268	RDHMR8423	266	RDTCE22H	448
RCFS6833V(L/R)M	358	RDHMH9020	269	RDHMR8430	265	RDTCE33120	448
RCFS6833V(L/R)W	364	RDHMH9022	268	RDHMR8440	265	RDTCE3372	448
RCFS6833W(L/R)M	358	RDHMH9023	268	RDHMR9010	265	RDTCE33H	448
RCFS6833W(L/R)W	364	RDHMH9024	268	RDHMR9011	266	RDTCE06010	513
RCFS6833X(L/R)M	358	RDHMH9030	269	RDHMR9012	266	RDTCE07210	513
RCFS6833X(L/R)W	364	RDHMH9033	268	RDHMR9013	266	RDTDBW3142	368
RCOUNTWT	281, 282, 291, 299	RDHMH9040	269	RDHMR9014	266	RDTDBW3156	368
RCP41-(F/L/1/2/3)*	113	RDHMH9610	269	RDHMR9020	265	RDTDBW6142	368
RCP56-(F/L/1/2/3)*	113	RDHMH9611	268	RDHMR9022	266	RDTDBW6156	368
RCP71-(F/L/1/2/3)*	113	RDHMH9612	268	RDHMR9023	266	RDTDCFM(L/R)5430	236
RCP78-(F/L/1/2/3)*	113	RDHMH9613	268	RDHMR9024	266	RDTDCFM(L/R)5436	236
RCS3L6024K(A,B,W)	440	RDHMH9614	268	RDHMR9030	265	RDTDCFM(L/R)6030	236
RCS3L7224K(A,B,W)	440	RDHMH9620	269	RDHMR9040	265	RDTDCFM(L/R)6036	236
RCS3L8424K(A,B,W)	440	RDHMH9622	268	RDHMR9610	265	RDTDCFM(L/R)6630	236
RCS3L9624K(A,B,W)	440	RDHMH9623	268	RDHMR9611	266	RDTDCFM(L/R)6636	236
RCS6L6024K(A,B,W)	440	RDHMH9624	268	RDHMR9612	266	RDTDCFM(L/R)7230	236
RCS6L7224K(A,B,W)	440	RDHMH9630	269	RDHMR9613	266	RDTDCFM(L/R)7236	236
RCS6L8424K(A,B,W)	440	RDHMH9633	268	RDHMR9614	266	RDTDCFM(L/R)7830	236
RCS6L9624K(A,B,W)	440	RDHMH9640	269	RDHMR9620	265	RDTDCFM(L/R)7836	236
RCSP6024K(A,B,W)	440	RDHMLD	291	RDHMR9622	266	RDTDCFM(L/R)8430	236
RCSP7224K(A,B,W)	440	RDHMR10210	265	RDHMR9623	266	RDTDCFM(L/R)8436	236
RCSP8424K(A,B,W)	440	RDHMR10211	266	RDHMR9624	266	RDTDCPC(L/R)6630	234
RCSP9624K(A,B,W)	440	RDHMR10212	266	RDHMR9630	265	RDTDCPC(L/R)6636	234
RDDP6030JK(A,B,W)	438	RDHMR10213	266	RDHMR9633	266	RDTDCPC(L/R)7230	234
RDDP6036JK(A,B,W)	438	RDHMR10214	266	RDHMR9640	265	RDTDCPC(L/R)7236	234
RDDP7230JK(A,B,W)	438	RDHMR10220	265	RDHPM26	270	RDTDCPC(L/R)7830	234
RDDP7236JK(A,B,W)	438	RDHMR10222	266	RDHPM32	270	RDTDCPC(L/R)7836	234
RDDP8430JK(A,B,W)	438	RDHMR10223	266	RDHPM38	270	RDTDCPC(L/R)8430	234
RDDP8436JK(A,B,W)	438	RDHMR10224	266	RDHPM44	270	RDTDCPC(L/R)8436	234
RDDP9630JK(A,B,W)	438	RDHMR10230	265	RDHPM50	270	RDTDCPC(L/R)9030	234
RDDP9636JK(A,B,W)	438	RDHMR10233	266	RDHPM56	270	RDTDCPC(L/R)9036	234
RDHMBD	291	RDHMR10240	265	RDHPM62	270	RDTDCPC(L/R)9630	234
RDHMF	291	RDHMR10810	265	RDHPM68	270	RDTDCPC(L/R)9636	234
RDHMH7210	269	RDHMR10811	267	RDHPM74	270	RDTDCST(L/R)6630	235
RDHMH7211	268	RDHMR10812	267	RDSP6030J(A,B,W)	437	RDTDCST(L/R)6636	235
RDHMH7212	268	RDHMR10813	267	RDSP6036J(A,B,W)	437	RDTDCST(L/R)7230	235
RDHMH7220	269	RDHMR10814	267	RDSP7230J(A,B,W)	437	RDTDCST(L/R)7236	235
RDHMH7222	268	RDHMR10820	265	RDSP7236J(A,B,W)	437	RDTDCST(L/R)7830	235
RDHMH7230	269	RDHMR10822	267	RDSP8430J(A,B,W)	437	RDTDCST(L/R)7836	235

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RDTDCST(L/R)8430	235	RFDR48	457	RGAF803	429	RCAR972	430
RDTDCST(L/R)8436	235	RFDR60	457	RGAF862	429	RCAR973	430
RDTDCST(L/R)9030	235	RFDR72	457	RGAF863	429	RCMD6	133
RDTDCST(L/R)9036	235	RFDR84	457	RGAF922	429	RCMD8	133
RDTDCST(L/R)9630	235	RFDR96	457	RGAF923	429	RCMDE	133
RDTDCST(L/R)9636	235	RFTCC108	125	RGAF982	429	RCS60	429
RDTDGW3142	370	RFTCCCLIPS	125	RGAF983	429	RCS66	429
RDTDGW3156	370	RFTCDR (Pair)	125	RGAL431	431	RCS72	429
RDTDGW6142	370	RFTCG1 (Pair)	125	RGAL432	431	RCS78	429
RDTDGW6156	370	RFTCSM (Pair) for G2 only	125	RGAL433	431	RCS84	429
RDTDHW3142	369	RFTCSM (Pair) for G2 only	125	RGAL491	431	RCS90	429
RDTDHW3156	369	RFTCSM (Pair) for G2 only	125	RGAL492	431	RCS96	429
RDTDHW6142	369	RFTCWA2118	118	RGAL493	431	RCTL4636	432
RDTDHW6156	369	RFTCWA2120	118	RGAL493	431	RCRTR4636	432
RDTE22120	448	RFTCWA2124	118	RGAL551	431	RHSC15	117
RDTE2272	448	RFTCWA2130	118	RGAL552	431	RHSC250	117
RDTE22H	448	RFTCWA2136	118	RGAL553	431	RHSC70	117
RDTGA	449	RFTCWA2142	118	RGAL611	431	RIB24T	259
RDTGB	449	RFTCWA2148	118	RGAL612	431	RIB28X	260
RDTGC	449	RFTCWA2518	119	RGAL613	431	RIB32X	260
RDTSBWG142	365	RFTCWA2520	119	RGAL671	431	RIBDH24T	262
RDTSBWG156	365	RFTCWA2524	119	RGAL672	431	RIBDH28X	263
RDTSBWT142	365	RFTCWA2530	119	RGAL673	431	RIBDH32X	263
RDTSBWT156	365	RFTCWA2536	119	RGAL731	431	RIP1201	239
RDTSCWG142(L/R)	367	RFTCWA2542	119	RGAL732	431	RIP1202	240
RDTSCWG156(L/R)	367	RFTCWA2548	119	RGAL733	431	RIP1241	239
RDTSCWT142(L/R)	367	RFTCWA3718	120	RGAL791	431	RIP1242	240
RDTSCWT156(L/R)	367	RFTCWA3720	120	RGAL792	431	RIP1301	239
RDTSHWG142(L/R)	366	RFTCWA3724	120	RGAL793	431	RIP1302	240
RDTSHWG156(L/R)	366	RFTCWA3730	120	RGAL851	431	RIP1361	239
RDTSHWT142(L/R)	366	RFTCWA3736	120	RGAL852	431	RIP1362	240
RDTSHWT156(L/R)	366	RFTCWA3742	120	RGAL853	431	RIP0201	239
RDTSTE33120	448	RFTCWA3748	120	RGAL911	431	RIP0202	240
RDTSTE3372	448	RFTCWB2130	118	RGAL912	431	RIP0241	239
RDTSTE33H	448	RFTCWB2136	118	RGAL913	431	RIP0242	240
RE12F	255	RFTCWB2142	118	RGAL971	431	RIP0301	239
RE15F	255	RFTCWB2148	118	RGAL972	431	RIP0302	240
RE19F	255	RFTCWB2530	119	RGAL973	431	RIP0361	239
RE23F	255	RFTCWB2536	119	RGAR431	430	RIP0362	240
RE29F	255	RFTCWB2542	119	RGAR432	430	RIP0G201	239
RE30	255	RFTCWB2548	119	RGAR433	430	RIP0G202	240
RE36	255	RFTCWB3730	120	RGAR491	430	RIP0G241	239
REBA6030	149	RFTCWB3736	120	RGAR492	430	RIP0G242	240
REBA7242	149	RFTCWB3742	120	RGAR493	430	RIP0G301	239
REBA7848	149	RFTCWB3748	120	RGAR551	430	RIP0G302	240
REBA(A/B/C/D/E/F/G)A6030	167	RFTCWS21S	125	RGAR552	430	RIP0G361	239
REBA(A/B/C/D/E/F/G)A7242	167	RFTCWS25S	125	RGAR553	430	RIP0G362	240
REBA(A/B/C/D/E/F/G)A7848	167	RFTCWS37S	125	RGAR611	430	RIPPEI202	224
REBAWA6030	186	RFTCWT (Pair)	125	RGAR612	430	RIPPEI242	224
REBAWA7242	186	RGAB421	429	RGAR613	430	RIPPEI302	224
REBAWA7848	186	RGAB481	429	RGAR671	430	RIPPEI362	224
REBH24	186	RGAB541	429	RGAR672	430	RIPPEO202	224
REBH30	186	RGAB601	429	RGAR673	430	RIPPEO242	224
REDH12F	257	RGAB661	429	RGAR731	430	RIPPEO302	224
REDH15F	257	RGAB721	429	RGAR732	430	RIPPEO362	224
REDH19F	257	RGAB781	429	RGAR733	430	RIPPEOC202	224
REDH23F	257	RGAB841	429	RGAR791	430	RIPPEOC242	224
REDH29F	257	RGAB901	429	RGAR792	430	RIPPEOC302	224
REDH30	257	RGAB961	429	RGAR793	430	RIPPEOC362	224
REDH36	257	RCAF622	429	RGAR851	430	RJBU24	447
REDHBH124	258	RCAF623	429	RGAR852	430	RJBU30	447
REDHBH130	258	RCAF682	429	RGAR853	430	RJBU36	447
RFDR30	457	RCAF683	429	RGAR911	430	RJBU42	447
RFDR36	457	RCAF742	429	RGAR912	430	RJBU48	447
RFDR42	457	RCAF743	429	RGAR913	430	RJBU54	447
		RCAF802	429	RGAR971	430		

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RJBU60	447	RM9A(A/B/C/D/E/F/G)F8430	166	RMDA(A/B/C/D/E/F/G)F9630	165	RO3-ON36	414
RJBU66	447	RM9A(A/B/C/D/E/F/G)F9630	166	RMDA(A/B/C/D/E/F/G)F9636	165	RO3-ON42	414
RJBU72	447	RM9AWF4230	184	RMDAWF4221	183	RO3-ON48	414
RJBW24	447	RM9AWF8430	184	RMDAWF4230	183	RO3-ON60	414
RJBW30	447	RM9AWF9630	184	RMDAWF4236	183	RO3-ON72	414
RJBW36	447	RMB(A)7230	150	RMDAWF4830	183	RO3-VP	411, 414
RJBW42	447	RMB(A)7236	150	RMDAWF4836	183	ROAF60S0DH	385
RJBW48	447	RMB(A)8430	150	RMDAWF5025	183	ROAF60S0()	377
RJBW54	447	RMB(A)8436	150	RMDAWF5430	183	ROAF60S1DH	385
RJBW60	447	RMB(A)9630	150	RMDAWF5436	183	ROAF60S1()	377
RJBW66	447	RMB(A)9636	150	RMDAWF6030	183	ROAF72S0DH	385
RJBW72	447	RMBA(A/B/C/D/E/F/G)A7230	167	RMDAWF6036	183	ROAF72S0()	377
RKA 363611	139	RMBA(A/B/C/D/E/F/G)A7236	167	RMDAWF6630	183	ROAF72S1DH	385
RKA 363612	139	RMBA(A/B/C/D/E/F/G)A8430	167	RMDAWF6636	183	ROAF72S1()	377
RKA 363621	140	RMBA(A/B/C/D/E/F/G)A8436	167	RMDAWF7230	183	ROAF84S0DH	385
RKA 363622	139	RMBA(A/B/C/D/E/F/G)A9630	167	RMDAWF7236	183	ROAF84S0()	377
RKA 364211	139	RMBA(A/B/C/D/E/F/G)A9636	167	RMDAWF7830	183	ROAF84S1DH	385
RKA 364212	139	RMBAWA7230	185	RMDAWF7836	183	ROAF84S1()	377
RKA 364221	140	RMBAWA7236	185	RMDAWF8430	183	ROAF96S0DH	385
RKA 364222	139	RMBAWA8430	185	RMDAWF8436	183	ROAF96S0()	377
RKA 364811	139	RMBAWA8436	185	RMDAWF9030	183	ROAF96S1DH	385
RKA 364812	139	RMBAWA9630	185	RMDAWF9036	183	ROAF96S1()	377
RKA 364821	140	RMBAWA9636	185	RMDAWF9630	183	ROAH60T0DH	384
RKA 364822	139	RMDA4221	147	RMDAWF9636	183	ROAH60T0()	377
RKA 423611	139	RMDA4230	147	RMPA4230	148	ROAH60T1DH	384
RKA 423612	139	RMDA4236	147	RMPA4836	148	ROAH60T1()	377
RKA 423621	140	RMDA4830	147	RMPA8430	149	ROAH72T0DH	384
RKA 423622	139	RMDA4836	147	RMPA9630	149	ROAH72T0()	377
RKA 424211	139	RMDA5025	147	RMPA(A/B/C/D/E/F/G)F4230	166	ROAH72T1DH	384
RKA 424212	139	RMDA5430	147	RMPA(A/B/C/D/E/F/G)F4836	166	ROAH72T1()	377
RKA 424221	140	RMDA5436	147	RMPA(A/B/C/D/E/F/G)F8430	166	ROAH90T0DH	384
RKA 424222	139	RMDA6030	147	RMPA(A/B/C/D/E/F/G)F9630	166	ROAH90T0()	377
RKA 424811	139	RMDA6036	147	RMPAWF4230	184	ROAH90T1DH	384
RKA 424812	139	RMDA6630	147	RMPAWF8430	184	ROAH90T1()	377
RKA 424821	140	RMDA6636	147	RMPAWF9630	184	ROAH96T0DH	384
RKA 424822	139	RMDA7230	147	RMPU	298	ROAH96T0()	377
RKA 483611	139	RMDA7236	147	RMSCB	251	ROAH96T1DH	384
RKA 483612	139	RMDA7830	147	RO1-GB	416	ROAH96T1()	377
RKA 483621	140	RMDA7836	147	RO1-HP12	411, 413, 414	ROAO60T0DH	384
RKA 483622	139	RMDA8430	147	RO1-HP15	411, 413, 414	ROAO60T0()	377
RKA 484211	139	RMDA8436	147	RO1-HP6	411, 413, 414	ROAO60T1DH	384
RKA 484212	139	RMDA9030	147	RO1-HP9	411, 413, 414	ROAO60T1()	377
RKA 484221	140	RMDA9036	147	RO1-PULL	416	ROAO72T0DH	384
RKA 484222	139	RMDA9630	147	RO1-RCB	415	ROAO72T0()	377
RKA 484811	139	RMDA9636	147	RO1-RPB	415	ROAO72T1DH	384
RKA 484812	139	RMDA(A/B/C/D/E/F/G)F4221	165	RO1-WMF2	416	ROAO72T1()	377
RKA 484821	140	RMDA(A/B/C/D/E/F/G)F4230	165	RO1-WMF3	416	ROAO90T0DH	384
RKA 484822	139	RMDA(A/B/C/D/E/F/G)F4236	165	RO1-WMF4	416	ROAO90T0()	377
RKBA1020	444	RMDA(A/B/C/D/E/F/G)F4830	165	RO3-M24	410	ROAO90T1DH	384
RKBA1022	444	RMDA(A/B/C/D/E/F/G)F4836	165	RO3-M30	410	ROAO90T1()	377
RKT31	444	RMDA(A/B/C/D/E/F/G)F5025	165	RO3-M36	410	ROAO96T0DH	384
RLCCT301	303	RMDA(A/B/C/D/E/F/G)F5430	165	RO3-M42	410	ROAO96T0()	377
RLCCT361	303	RMDA(A/B/C/D/E/F/G)F5436	165	RO3-M48	410	ROAO96T1DH	384
RLCCT601	303	RMDA(A/B/C/D/E/F/G)F6030	165	RO3-M60	410, 411	ROAO96T1()	377
RLCCT721	303	RMDA(A/B/C/D/E/F/G)F6036	165	RO3-M66	410, 411	ROBF60S0DH	387
RM111J	281, 282	RMDA(A/B/C/D/E/F/G)F6630	165	RO3-M72	410, 411	ROBF60S0()	378
RM112J	281, 282	RMDA(A/B/C/D/E/F/G)F6636	165	RO3-N24	412	ROBF60S1DH	387
RM212J	281, 282	RMDA(A/B/C/D/E/F/G)F7230	165	RO3-N30	412	ROBF60S1()	378
RM212K	281, 282	RMDA(A/B/C/D/E/F/G)F7236	165	RO3-N36	412	ROBF72S0DH	387
RM9A4230	148	RMDA(A/B/C/D/E/F/G)F7830	165	RO3-N42	412	ROBF72S0()	378
RM9A4836	148	RMDA(A/B/C/D/E/F/G)F7836	165	RO3-N48	412	ROBF72S1DH	387
RM9A8430	148	RMDA(A/B/C/D/E/F/G)F8430	165	RO3-N60	412	ROBF72S1()	378
RM9A9630	148	RMDA(A/B/C/D/E/F/G)F8436	165	RO3-N66	412	ROBF84S0DH	387
RM9A(A/B/C/D/E/F/G)F4230	166	RMDA(A/B/C/D/E/F/G)F9030	165	RO3-N72	412	ROBF84S0()	378
RM9A(A/B/C/D/E/F/G)F4836	166	RMDA(A/B/C/D/E/F/G)F9036	165	RO3-ON30	414	ROBF84S1DH	387

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROBF84S1()	378	ROCGHCDHP541	406	ROCGHSHHP601	397	ROCHSHP781	396
ROBF96S0DH	387	ROCGHCDHP601	406	ROCGHSHHP661	397	ROCHSHP841	396
ROBF96S0()	378	ROCGHCDHP661	406	ROCGHSHHP721	397	ROCHSHP901	396
ROBF96S1DH	387	ROCGHCDHP721	406	ROCGHSHHP781	397	ROCHSHP961	396
ROBF96S1()	378	ROCGHCDHP781	406	ROCGHSHHP841	397	ROCOCDHP301	407
ROBH60T0DH	386	ROCGHCDHP841	406	ROCGHSHHP901	397	ROCOCDHP361	407
ROBH60T0()	378	ROCGHCDHP901	406	ROCGHSHHP961	397	ROCOCDHP421	407
ROBH60T1DH	386	ROCGHCDHP961	406	ROCHCDHP301	405	ROCOCDHP481	407
ROBH60T1()	378	ROCGHCSHP301	397	ROCHCDHP361	405	ROCOCDHP541	407
ROBH72T0DH	386	ROCGHCSHP361	397	ROCHCDHP421	405	ROCOCDHP601	407
ROBH72T0()	378	ROCGHCSHP421	397	ROCHCDHP481	405	ROCOCDHP661	407
ROBH72T1DH	386	ROCGHCSHP481	397	ROCHCDHP541	405	ROCOCDHP721	407
ROBH72T1()	378	ROCGHCSHP541	397	ROCHCDHP601	405	ROCOCDHP781	407
ROBH90T0DH	386	ROCGHCSHP601	397	ROCHCDHP661	405	ROCOCDHP841	407
ROBH90T0()	378	ROCGHCSHP661	397	ROCHCDHP721	405	ROCOCDHP901	407
ROBH90T1DH	386	ROCGHCSHP721	397	ROCHCDHP781	405	ROCOCDHP961	407
ROBH90T1()	378	ROCGHCSHP781	397	ROCHCDHP841	405	ROCOCSHP301	395
ROBH96T0DH	386	ROCGHCSHP841	397	ROCHCDHP901	405	ROCOCSHP361	395
ROBH96T0()	378	ROCGHCSHP901	397	ROCHCDHP961	405	ROCOCSHP421	395
ROBH96T1DH	386	ROCGHCSHP961	397	ROCHCSHP301	396	ROCOCSHP481	395
ROBH96T1()	378	ROCGHDHP301	406	ROCHCSHP361	396	ROCOCSHP541	395
ROBO60T0DH	386	ROCGHDHP361	406	ROCHCSHP421	396	ROCOCSHP601	395
ROBO60T0()	378	ROCGHDHP421	406	ROCHCSHP481	396	ROCOCSHP661	395
ROBO60T1DH	386	ROCGHDHP481	406	ROCHCSHP541	396	ROCOCSHP721	395
ROBO60T1()	378	ROCGHDHP541	406	ROCHCSHP601	396	ROCOCSHP781	395
ROBO72T0DH	386	ROCGHDHP601	406	ROCHCSHP661	396	ROCOCSHP841	395
ROBO72T0()	378	ROCGHDHP661	406	ROCHCSHP721	396	ROCOCSHP901	395
ROBO72T1DH	386	ROCGHDHP721	406	ROCHCSHP781	396	ROCOCSHP961	395
ROBO72T1()	378	ROCGHDHP781	406	ROCHCSHP841	396	ROHDR30	457
ROBO90T0DH	386	ROCGHDHP841	406	ROCHCSHP901	396	ROHDR36	457
ROBO90T0()	378	ROCGHDHP901	406	ROCHCSHP961	396	ROHDR42	457
ROBO90T1DH	386	ROCGHDHP961	406	ROCHDHP301	405	ROHDR48	457
ROBO90T1()	378	ROCGHODHP601	409	ROCHDHP361	405	ROHDR60	457
ROBO96T0DH	386	ROCGHODHP661	409	ROCHDHP421	405	ROHDR72	457
ROBO96T0()	378	ROCGHODHP721	409	ROCHDHP481	405	ROHDR90	457
ROBO96T1DH	386	ROCGHODHP781	409	ROCHDHP541	405	ROHDR96	457
ROBO96T1()	378	ROCGHODHP841	409	ROCHDHP601	405	ROMCGDHP301	402
ROCCGDHP301	407	ROCGHODHP901	409	ROCHDHP661	405	ROMCGDHP361	402
ROCCGDHP361	407	ROCGHODHP961	409	ROCHDHP721	405	ROMCGDHP421	402
ROCCGDHP421	407	ROCGHOCSP601	399	ROCHDHP781	405	ROMCGDHP481	402
ROCCGDHP481	407	ROCGHOCSP661	399	ROCHDHP841	405	ROMCGDHP541	402
ROCCGDHP541	407	ROCGHOCSP721	399	ROCHDHP901	405	ROMCGDHP601	402
ROCCGDHP601	407	ROCGHOCSP781	399	ROCHDHP961	405	ROMCGDHP661	402
ROCCGDHP661	407	ROCGHOCSP841	399	ROCHODHP601	408	ROMCGDHP721	402
ROCCGDHP721	407	ROCGHOCSP901	399	ROCHODHP661	408	ROMCGDHP781	402
ROCCGDHP781	407	ROCGHOCSP961	399	ROCHODHP721	408	ROMCGDHP841	402
ROCCGDHP841	407	ROCGHODHP601	409	ROCHODHP781	408	ROMCGDHP901	402
ROCCGDHP901	407	ROCGHODHP661	409	ROCHODHP841	408	ROMCGDHP961	402
ROCCGDHP961	407	ROCGHODHP721	409	ROCHODHP901	408	ROMCGSHP301	390
ROCCGSHHP301	395	ROCGHODHP781	409	ROCHODHP961	408	ROMCGSHP361	390
ROCCGSHHP361	395	ROCGHODHP841	409	ROCHOCSHP601	398	ROMCGSHP421	390
ROCCGSHHP421	395	ROCGHODHP901	409	ROCHOCSHP661	398	ROMCGSHP481	390
ROCCGSHHP481	395	ROCGHODHP961	409	ROCHOCSHP721	398	ROMCGSHP541	390
ROCCGSHHP541	395	ROCGHOSHHP601	399	ROCHOCSHP781	398	ROMCGSHP601	390
ROCCGSHHP601	395	ROCGHOSHHP661	399	ROCHOCSHP841	398	ROMCGSHP661	390
ROCCGSHHP661	395	ROCGHOSHHP721	399	ROCHOCSHP901	398	ROMCGSHP721	390
ROCCGSHHP721	395	ROCGHOSHHP781	399	ROCHOCSHP961	398	ROMCGSHP781	390
ROCCGSHHP781	395	ROCGHOSHHP841	399	ROCHSHP301	396	ROMCGSHP841	390
ROCCGSHHP841	395	ROCGHOSHHP901	399	ROCHSHP361	396	ROMCGSHP901	390
ROCCGSHHP901	395	ROCGHOSHHP961	399	ROCHSHP421	396	ROMCGSHP961	390
ROCCGSHHP961	395	ROCGHSHHP301	397	ROCHSHP481	396	ROMDHMTF130RB	453
ROCGHCDHP301	406	ROCGHSHHP361	397	ROCHSHP541	396	ROMDHMTF130RL	453
ROCGHCDHP361	406	ROCGHSHHP421	397	ROCHSHP601	396	ROMDHMTF130RN	453
ROCGHCDHP421	406	ROCGHSHHP481	397	ROCHSHP661	396	ROMDHMTF130RR	454
ROCGHCDHP481	406	ROCGHSHHP541	397	ROCHSHP721	396	ROMDHMTF136RB	453

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROMDHMTF136RL	453	ROMDHWTF160RN	455	ROMGHDHP841	401	ROMHCSHP661	391
ROMDHMTF136RN	453	ROMDHWTF160RR	456	ROMGHDHP901	401	ROMHCSHP721	391
ROMDHMTF136RR	454	ROMDHWTF166RB	455	ROMGHDHP961	401	ROMHCSHP781	391
ROMDHMTF142RB	453	ROMDHWTF166RL	455	ROMGHODHP601	404	ROMHCSHP841	391
ROMDHMTF142RL	453	ROMDHWTF166RN	455	ROMGHODHP661	404	ROMHCSHP901	391
ROMDHMTF142RN	453	ROMDHWTF166RR	456	ROMGHODHP721	404	ROMHCSHP961	391
ROMDHMTF142RR	454	ROMDHWTF172RB	455	ROMGHODHP781	404	ROMHDHP301	400
ROMDHMTF148RB	453	ROMDHWTF172RL	455	ROMGHODHP841	404	ROMHDHP361	400
ROMDHMTF148RL	453	ROMDHWTF172RN	455	ROMGHODHP901	404	ROMHDHP421	400
ROMDHMTF148RN	453	ROMDHWTF172RR	456	ROMGHODHP961	404	ROMHDHP481	400
ROMDHMTF148RR	454	ROMDHWTF178RB	455	ROMGHOCSDHP601	394	ROMHDHP541	400
ROMDHMTF154RB	453	ROMDHWTF178RL	455	ROMGHOCSDHP661	394	ROMHDHP601	400
ROMDHMTF154RL	453	ROMDHWTF178RN	455	ROMGHOCSDHP721	394	ROMHDHP661	400
ROMDHMTF154RN	453	ROMDHWTF178RR	456	ROMGHOCSDHP781	394	ROMHDHP721	400
ROMDHMTF154RR	454	ROMDHWTF184RB	455	ROMGHOCSDHP841	394	ROMHDHP781	400
ROMDHMTF160RB	453	ROMDHWTF184RL	455	ROMGHOCSDHP901	394	ROMHDHP841	400
ROMDHMTF160RL	453	ROMDHWTF184RN	455	ROMGHOCSDHP961	394	ROMHDHP901	400
ROMDHMTF160RN	453	ROMDHWTF184RR	456	ROMGHODHP601	404	ROMHDHP961	400
ROMDHMTF160RR	454	ROMDHWTF190RB	455	ROMGHODHP661	404	ROMHOCSDHP601	403
ROMDHMTF166RB	453	ROMDHWTF190RL	455	ROMGHODHP721	404	ROMHOCSDHP661	403
ROMDHMTF166RL	453	ROMDHWTF190RN	455	ROMGHODHP781	404	ROMHOCSDHP721	403
ROMDHMTF166RN	453	ROMDHWTF190RR	456	ROMGHODHP841	404	ROMHOCSDHP781	403
ROMDHMTF166RR	454	ROMDHWTF196RB	455	ROMGHODHP901	404	ROMHOCSDHP841	403
ROMDHMTF172RB	453	ROMDHWTF196RL	455	ROMGHODHP961	404	ROMHOCSDHP901	403
ROMDHMTF172RL	453	ROMDHWTF196RN	455	ROMGHOSHDP601	394	ROMHOCSDHP961	403
ROMDHMTF172RN	453	ROMDHWTF196RR	456	ROMGHOSHDP661	394	ROMHOCSDHP601	393
ROMDHMTF172RR	454	ROMF30S0()	372	ROMGHOSHDP721	394	ROMHOCSDHP661	393
ROMDHMTF178RB	453	ROMF36S0()	372	ROMGHOSHDP781	394	ROMHOCSDHP721	393
ROMDHMTF178RL	453	ROMF42S0()	372	ROMGHOSHDP841	394	ROMHOCSDHP781	393
ROMDHMTF178RN	453	ROMF48S0()	372	ROMGHOSHDP901	394	ROMHOCSDHP841	393
ROMDHMTF178RR	454	ROMF60S0()	372	ROMGHOSHDP961	394	ROMHOCSDHP901	393
ROMDHMTF184RB	453	ROMF72S0()	372	ROMCHSHP301	392	ROMHOCSDHP961	393
ROMDHMTF184RL	453	ROMGHCDHP301	401	ROMGHSHP361	392	ROMHSHP301	391
ROMDHMTF184RN	453	ROMGHCDHP361	401	ROMGHSHP421	392	ROMHSHP361	391
ROMDHMTF184RR	454	ROMGHCDHP421	401	ROMGHSHP481	392	ROMHSHP421	391
ROMDHMTF190RB	453	ROMGHCDHP481	401	ROMGHSHP541	392	ROMHSHP481	391
ROMDHMTF190RL	453	ROMGHCDHP541	401	ROMGHSHP601	392	ROMHSHP541	391
ROMDHMTF190RN	453	ROMGHCDHP601	401	ROMGHSHP661	392	ROMHSHP601	391
ROMDHMTF190RR	454	ROMGHCDHP661	401	ROMGHSHP721	392	ROMHSHP661	391
ROMDHMTF196RB	453	ROMGHCDHP721	401	ROMGHSHP781	392	ROMHSHP721	391
ROMDHMTF196RL	453	ROMGHCDHP781	401	ROMGHSHP841	392	ROMHSHP781	391
ROMDHMTF196RN	453	ROMGHCDHP841	401	ROMGHSHP901	392	ROMHSHP841	391
ROMDHMTF196RR	454	ROMGHCDHP901	401	ROMGHSHP961	392	ROMHSHP901	391
ROMDHWTF130RB	455	ROMGHCDHP961	401	ROMH30S0()	372	ROMHSHP961	391
ROMDHWTF130RL	455	ROMGHCSHP301	392	ROMH36S0()	372	ROMO30S0()	372
ROMDHWTF130RN	455	ROMGHCSHP361	392	ROMH60S0()	372	ROMO36S0()	372
ROMDHWTF130RR	456	ROMGHCSHP421	392	ROMH72S0()	372	ROMO42S0()	372
ROMDHWTF136RB	455	ROMGHCSHP481	392	ROMHCDHP301	400	ROMO48S0()	372
ROMDHWTF136RL	455	ROMGHCSHP541	392	ROMHCDHP361	400	ROMO60S0()	372
ROMDHWTF136RN	455	ROMGHCSHP601	392	ROMHCDHP421	400	ROMO72S0()	372
ROMDHWTF136RR	456	ROMGHCSHP661	392	ROMHCDHP481	400	ROMOCDHP301	402
ROMDHWTF142RB	455	ROMGHCSHP721	392	ROMHCDHP541	400	ROMOCDHP361	402
ROMDHWTF142RL	455	ROMGHCSHP781	392	ROMHCDHP601	400	ROMOCDHP421	402
ROMDHWTF142RN	455	ROMGHCSHP841	392	ROMHCDHP661	400	ROMOCDHP481	402
ROMDHWTF142RR	456	ROMGHCSHP901	392	ROMHCDHP721	400	ROMOCDHP541	402
ROMDHWTF148RB	455	ROMGHCSHP961	392	ROMHCDHP781	400	ROMOCDHP601	402
ROMDHWTF148RL	455	ROMGHDHP301	401	ROMHCDHP841	400	ROMOCDHP661	402
ROMDHWTF148RN	455	ROMGHDHP361	401	ROMHCDHP901	400	ROMOCDHP721	402
ROMDHWTF148RR	456	ROMGHDHP421	401	ROMHCDHP961	400	ROMOCDHP781	402
ROMDHWTF154RB	455	ROMGHDHP481	401	ROMHCSHP301	391	ROMOCDHP841	402
ROMDHWTF154RL	455	ROMGHDHP541	401	ROMHCSHP361	391	ROMOCDHP901	402
ROMDHWTF154RN	455	ROMGHDHP601	401	ROMHCSHP421	391	ROMOCDHP961	402
ROMDHWTF154RR	456	ROMGHDHP661	401	ROMHCSHP481	391	ROMOCSHP301	390
ROMDHWTF160RB	455	ROMGHDHP721	401	ROMHCSHP541	391	ROMOCSHP361	390
ROMDHWTF160RL	455	ROMGHDHP781	401	ROMHCSHP601	391	ROMOCSHP421	390

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROMOCSHP431	390	ROWH72T0DH	382	RP163M	287, 288	RP362K	283, 285
ROMOCSHP541	390	ROWH72T0()	375	RP191J	284, 286	RP362L	287, 288
ROMOCSHP601	390	ROWH72T1DH	382	RP191K	284, 286	RP362M	287, 288
ROMOCSHP661	390	ROWH72T1()	375	RP191R	292, 293	RP362R	292, 293
ROMOCSHP721	390	ROWH90S0DH	382	RP192J	284, 286	RP362S	292, 293
ROMOCSHP781	390	ROWH90S0()	375	RP192K	284, 286	RP362T	292, 293
ROMOCSHP841	390	ROWH90S1DH	382	RP192R	292, 293	RPAB16	282
ROMOCSHP901	390	ROWH90S1()	375	RP193J	284, 286	RPAB19	282
ROMOCSHP961	390	ROWH90T0DH	382	RP193K	284, 286	RPAB30	282
ROPF30S0J	374	ROWH90T0()	375	RP211J	271, 274	RPAB36	282
ROPF36S0J	374	ROWH90T1DH	382	RP211K	271, 274	RPAD	444
ROPF42S0J	374	ROWH90T1()	375	RP211L(L/R)	277, 279	RPADSS	450
ROPF48S0J	374	ROWH96S0DH	382	RP211M	277, 279	RPAHFB16	450
ROPF60S0J	374	ROWH96S0()	375	RP212J	271, 274	RPAHFB30	450
ROPF72S0J	374	ROWH96S1DH	382	RP212K	271, 274	RPAHFB36	450
ROPF84S0J	374	ROWH96S1()	375	RP212L(L/R)	277, 279	RPAHFM162	451
ROPF96S0J	374	ROWH96T0DH	382	RP212M	277, 279	RPAHFM30	451
ROPH30S0()	373	ROWH96T0()	375	RP213J	271, 274	RPAHFM36	451
ROPH36S0()	373	ROWH96T1DH	382	RP213K	271, 274	RPAPT	451
ROPH60S0()	373	ROWH96T1()	375	RP213L(L/R)	277, 279	RPB211J	272, 275
ROPH60T0()	373	ROWO60S0DH	381	RP213M	277, 279	RPB211K	272, 275
ROPH72S0()	373	ROWO60S0()	375	RP221J	273, 276	RPB211L(L/R)	278, 280
ROPH72T0()	373	ROWO60S1DH	381	RP221K	273, 276	RPB211M	278, 280
ROPH90S0()	373	ROWO60S1()	375	RP222J	273, 276	RPB212J	272, 275
ROPH90T0()	373	ROWO60T0DH	381	RP222K	273, 276	RPB212K	272, 275
ROPH96S0()	373	ROWO60T0()	375	RP223J	273, 276	RPB212L(L/R)	278, 280
ROPH96T0()	373	ROWO60T1DH	381	RP223K	273, 276	RPB212M	278, 280
ROPO30S0()	373	ROWO60T1()	375	RP231K	271, 274	RPB213J	272, 275
ROPO36S0()	373	ROWO72S0DH	381	RP231L	277, 279	RPB213K	272, 275
ROPO42S0()	373	ROWO72S0()	375	RP231M	277, 279	RPB213L(L/R)	278, 280
ROPO48S0()	373	ROWO72S1DH	381	RP232K	271, 274	RPB213M	278, 280
ROPO60S0()	373	ROWO72S1()	375	RP232L	277, 279	RPB231K	272, 275
ROPO60T0()	373	ROWO72T0DH	381	RP232M	277, 279	RPB231L	278, 280
ROPO72S0()	373	ROWO72T0()	375	RP261K	271, 274	RPB231M	278, 280
ROPO72T0()	373	ROWO72T1DH	381	RP261L	277, 279	RPB232K	272, 275
ROPO90S0()	373	ROWO72T1()	375	RP261M	277, 279	RPB232L	278, 280
ROPO90T0()	373	ROWO90S0DH	381	RP262K	271, 274	RPB232M	278, 280
ROPO96S0()	373	ROWO90S0()	375	RP262L	277, 279	RPB261K	272, 275
ROPO96T0()	373	ROWO90S1DH	381	RP262M	277, 279	RPB261L	278, 280
ROPS30S0NN	374	ROWO90S1()	375	RP301A	295	RPB261M	278, 280
ROPS36S0NN	374	ROWO90T0DH	381	RP301E(L/R)	296	RPB262K	272, 275
ROPS42S0NN	374	ROWO90T0()	375	RP301K	283, 285	RPB262L	278, 280
ROPS48S0NN	374	ROWO90T1DH	381	RP301L	287, 288	RPB262M	278, 280
ROPS54S0NN	374	ROWO90T1()	375	RP301M	287, 288	RPCB16	297
ROPS60S0NN	374	ROWO96S0DH	381	RP301R	292, 293	RPCB19	297
ROPS66S0NN	374	ROWO96S0()	375	RP301S	292, 293	RPCB30	297
ROPS72S0NN	374	ROWO96S1DH	381	RP301T	292, 293	RPCB36	297
ROPS78S0NN	374	ROWO96S1()	375	RP302A	295	RPCG	449
ROPS84S0NN	374	ROWO96T0DH	381	RP302E(L/R)	296	RPCST	449
ROPS90S0NN	374	ROWO96T0()	375	RP302K	283, 285	RPD11	451
ROPS96S0NN	374	ROWO96T1DH	381	RP302L	287, 288	RPD14	451
ROSDH821	409	ROWO96T1()	375	RP302M	287, 288	RPDH301A	289
ROSSH681	409	RP161J	283, 285	RP302R	292, 293	RPDH301E(L/R)	290
ROWH60S0DH	382	RP161K	283, 285	RP302S	292, 293	RPDH302A	289
ROWH60S0()	375	RP161L(L/R)	287, 288	RP302T	292, 293	RPDH302E(L/R)	290
ROWH60S1DH	382	RP161M	287, 288	RP361A	295	RPDH361A	289
ROWH60S1()	375	RP161R	292, 293	RP361E(L/R)	296	RPDH361E(L/R)	290
ROWH60T0DH	382	RP162J	283, 285	RP361K	283, 285	RPDH362A	289
ROWH60T0()	375	RP162K	283, 285	RP361L	287, 288	RPDH362E(L/R)	290
ROWH60T1DH	382	RP162L(L/R)	287, 288	RP361M	287, 288	RPDHB16	288
ROWH60T1()	375	RP162M	287, 288	RP361R	292, 293	RPDHB19	288
ROWH72S0DH	382	RP162R	292, 293	RP361S	292, 293	RPDHB30	288
ROWH72S0()	375	RP163J	283, 285	RP361T	292, 293	RPDHB36	288
ROWH72S1DH	382	RP163K	283, 285	RP362A	295	RPDHBFB6	297
ROWH72S1()	375	RP163L(L/R)	287, 288	RP362E(L/R)	296	RPDHC42MF	297

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPDHC48MF	297	RPTDEFM(L/R)4224	227	RPTDEST(L/R)7830	226	RPTDLST(L/R)6036	209
RPDHC54MF	297	RPTDEFM(L/R)4230	228	RPTDEST(L/R)7836	226	RPTDLST(L/R)6620	209
RPDHC60MF	297	RPTDEFM(L/R)4236	228	RPTDEST(L/R)8420	226	RPTDLST(L/R)6624	209
RPDHC66MF	297	RPTDEFM(L/R)4820	227	RPTDEST(L/R)8424	226	RPTDLST(L/R)6630	209
RPDHC72MF	297	RPTDEFM(L/R)4824	227	RPTDEST(L/R)8430	226	RPTDLST(L/R)6636	209
RPDHC78MF	297	RPTDEFM(L/R)4830	228	RPTDEST(L/R)8436	226	RPTDLST(L/R)7220	209
RPDHC84MF	297	RPTDEFM(L/R)4836	228	RPTDLFM(L/R)3620	210	RPTDLST(L/R)7224	209
RPDHC90MF	297	RPTDEFM(L/R)5420	227	RPTDLFM(L/R)3624	210	RPTDLST(L/R)7230	209
RPDHC96MF	297	RPTDEFM(L/R)5424	227	RPTDLFM(L/R)3630	210	RPTDLST(L/R)7236	209
RPDHH301A	289	RPTDEFM(L/R)5430	228	RPTDLFM(L/R)3636	210	RPTDLST(L/R)7820	209
RPDHH302A	289	RPTDEFM(L/R)5436	228	RPTDLFM(L/R)4220	210	RPTDLST(L/R)7824	209
RPDHH361A	289	RPTDEFM(L/R)6020	227	RPTDLFM(L/R)4224	210	RPTDLST(L/R)7830	209
RPDHH362A	289	RPTDEFM(L/R)6024	227	RPTDLFM(L/R)4230	210	RPTDLST(L/R)7836	209
RPECC10	544	RPTDEFM(L/R)6030	228	RPTDLFM(L/R)4236	210	RPTDLST(L/R)8420	209
RPEDK1	543	RPTDEFM(L/R)6036	229	RPTDLFM(L/R)4820	210	RPTDLST(L/R)8424	209
RPEDK2	543	RPTDEFM(L/R)6620	227	RPTDLFM(L/R)4824	210	RPTDLST(L/R)8430	209
RPEHC	543	RPTDEFM(L/R)6624	227	RPTDLFM(L/R)4830	210	RPTDLST(L/R)8436	209
RPEJ12	543	RPTDEFM(L/R)6630	228	RPTDLFM(L/R)4836	210	RPTDOFM(L/R)3620	222
RPEJ24	543	RPTDEFM(L/R)6636	229	RPTDLFM(L/R)5420	210	RPTDOFM(L/R)3624	222
RPEJ36	543	RPTDEFM(L/R)7220	227	RPTDLFM(L/R)5424	210	RPTDOFM(L/R)3630	222
RPEJ48	543	RPTDEFM(L/R)7224	227	RPTDLFM(L/R)5430	210	RPTDOFM(L/R)3636	222
RPEJ60	543	RPTDEFM(L/R)7230	228	RPTDLFM(L/R)5436	210	RPTDOFM(L/R)4220	222
RPEJ72	543	RPTDEFM(L/R)7236	229	RPTDLFM(L/R)6020	210	RPTDOFM(L/R)4224	222
RPEJ84	543	RPTDEFM(L/R)7820	227	RPTDLFM(L/R)6024	210	RPTDOFM(L/R)4230	222
RPEJ96	543	RPTDEFM(L/R)7824	228	RPTDLFM(L/R)6030	210	RPTDOFM(L/R)4236	222
RPEPE10	543	RPTDEFM(L/R)7830	228	RPTDLFM(L/R)6036	210	RPTDOFM(L/R)4820	222
RPEPE5	543	RPTDEFM(L/R)7836	229	RPTDLFM(L/R)6620	210	RPTDOFM(L/R)4824	222
RPER2RC	544	RPTDEFM(L/R)8420	227	RPTDLFM(L/R)6624	210	RPTDOFM(L/R)4830	222
RPETAD	451	RPTDEFM(L/R)8424	228	RPTDLFM(L/R)6630	210	RPTDOFM(L/R)4836	222
RPETR3C	451	RPTDEFM(L/R)8430	228	RPTDLFM(L/R)6636	211	RPTDOFM(L/R)5420	222
RPETR3N	451	RPTDEFM(L/R)8436	229	RPTDLFM(L/R)7220	210	RPTDOFM(L/R)5424	222
RPFC6	297	RPTDEPC(L/R)6020	225	RPTDLFM(L/R)7224	210	RPTDOFM(L/R)5430	222
RPH301A	294	RPTDEPC(L/R)6024	225	RPTDLFM(L/R)7230	210	RPTDOFM(L/R)5436	222
RPH302A	294	RPTDEPC(L/R)6030	225	RPTDLFM(L/R)7236	211	RPTDOFM(L/R)6020	222
RPH361A	294	RPTDEPC(L/R)6036	225	RPTDLFM(L/R)7820	210	RPTDOFM(L/R)6024	222
RPH362A	294	RPTDEPC(L/R)6620	225	RPTDLFM(L/R)7824	210	RPTDOFM(L/R)6030	222
RPHCHH	450	RPTDEPC(L/R)6624	225	RPTDLFM(L/R)7830	210	RPTDOFM(L/R)6036	222
RPHCHT	450	RPTDEPC(L/R)6630	225	RPTDLFM(L/R)7836	211	RPTDOFM(L/R)6620	222
RPHL3442(F/T)	114	RPTDEPC(L/R)6636	225	RPTDLFM(L/R)8420	210	RPTDOFM(L/R)6624	222
RPHL3449(F/T)	114	RPTDEPC(L/R)7220	225	RPTDLFM(L/R)8424	210	RPTDOFM(L/R)6630	222
RPHL3464(F/T)	114	RPTDEPC(L/R)7224	225	RPTDLFM(L/R)8430	210	RPTDOFM(L/R)6636	223
RPHL3479(F/T)	114	RPTDEPC(L/R)7230	225	RPTDLFM(L/R)8436	211	RPTDOFM(L/R)7220	222
RPHL4249(F/T)	114	RPTDEPC(L/R)7236	225	RPTDLPC(L/R)6020	208	RPTDOFM(L/R)7224	222
RPHL4249S	114	RPTDEPC(L/R)7820	225	RPTDLPC(L/R)6024	208	RPTDOFM(L/R)7230	222
RPHL4264(F/T)	114	RPTDEPC(L/R)7824	225	RPTDLPC(L/R)6030	208	RPTDOFM(L/R)7236	223
RPHL4264S	114	RPTDEPC(L/R)7830	225	RPTDLPC(L/R)6036	208	RPTDOFM(L/R)7820	222
RPHL4279(F/T)	114	RPTDEPC(L/R)7836	225	RPTDLPC(L/R)6620	208	RPTDOFM(L/R)7824	222
RPHL4279S	114	RPTDEPC(L/R)8420	225	RPTDLPC(L/R)6624	208	RPTDOFM(L/R)7830	222
RPHL4964(F/T)	114	RPTDEPC(L/R)8424	225	RPTDLPC(L/R)6630	208	RPTDOFM(L/R)7836	223
RPHL4964S	114	RPTDEPC(L/R)8430	225	RPTDLPC(L/R)6636	208	RPTDOFM(L/R)8420	222
RPHL4979(F/T)	114	RPTDEPC(L/R)8436	225	RPTDLPC(L/R)7220	208	RPTDOFM(L/R)8424	222
RPHL4979S	114	RPTDEST(L/R)6020	226	RPTDLPC(L/R)7224	208	RPTDOFM(L/R)8430	222
RPHL6479(F/T)	114	RPTDEST(L/R)6024	226	RPTDLPC(L/R)7230	208	RPTDOFM(L/R)8436	223
RPHL6479S	114	RPTDEST(L/R)6030	226	RPTDLPC(L/R)7236	208	RPTDOPC(L/R)6020	220
RPHTB3024	450	RPTDEST(L/R)6036	226	RPTDLPC(L/R)7820	208	RPTDOPC(L/R)6024	220
RPHTB4224	450	RPTDEST(L/R)6620	226	RPTDLPC(L/R)7824	208	RPTDOPC(L/R)6030	220
RPHTB3024	450	RPTDEST(L/R)6624	226	RPTDLPC(L/R)7830	208	RPTDOPC(L/R)6036	220
RPHTB4224	450	RPTDEST(L/R)6630	226	RPTDLPC(L/R)7836	208	RPTDOPC(L/R)6620	220
RPTDCFM8430	233	RPTDEST(L/R)6636	226	RPTDLPC(L/R)8420	208	RPTDOPC(L/R)6624	220
RPTDCFM9630	233	RPTDEST(L/R)7220	226	RPTDLPC(L/R)8424	208	RPTDOPC(L/R)6630	220
RPTDEFM(L/R)3620	227	RPTDEST(L/R)7224	226	RPTDLPC(L/R)8430	208	RPTDOPC(L/R)6636	220
RPTDEFM(L/R)3624	227	RPTDEST(L/R)7230	226	RPTDLPC(L/R)8436	208	RPTDOPC(L/R)7220	220
RPTDEFM(L/R)3630	228	RPTDEST(L/R)7236	226	RPTDLST(L/R)6020	209	RPTDOPC(L/R)7224	220
RPTDEFM(L/R)3636	228	RPTDEST(L/R)7820	226	RPTDLST(L/R)6024	209	RPTDOPC(L/R)7230	220
RPTDEFM(L/R)4220	227	RPTDEST(L/R)7824	226	RPTDLST(L/R)6030	209	RPTDOPC(L/R)7236	220

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPTDOPC(L/R)7820	220	RPTDRPC(L/R)6024	212	RPTDSFM(L/R)7230	218	RR3CHI422	130
RPTDOPC(L/R)7824	220	RPTDRPC(L/R)6030	212	RPTDSFM(L/R)7236	219	RR3CHI481	130
RPTDOPC(L/R)7830	220	RPTDRPC(L/R)6036	212	RPTDSFM(L/R)7820	218	RR3CHI482	130
RPTDOPC(L/R)7836	220	RPTDRPC(L/R)6620	212	RPTDSFM(L/R)7824	218	RR3-DA	126, 128
RPTDOPC(L/R)8420	220	RPTDRPC(L/R)6624	212	RPTDSFM(L/R)7830	218	RR3-DATSHD	126, 128
RPTDOPC(L/R)8424	220	RPTDRPC(L/R)6630	212	RPTDSFM(L/R)7836	219	RR3-DB	126, 128
RPTDOPC(L/R)8430	220	RPTDRPC(L/R)6636	212	RPTDSFM(L/R)8420	218	RR3-DC	128
RPTDOPC(L/R)8436	220	RPTDRPC(L/R)7220	212	RPTDSFM(L/R)8424	218	RR3-DICON	133
RPTDOST(L/R)6020	221	RPTDRPC(L/R)7224	212	RPTDSFM(L/R)8430	218	RR3-DX	126, 128
RPTDOST(L/R)6024	221	RPTDRPC(L/R)7230	212	RPTDSFM(L/R)8436	219	RR3-DXO	126, 128
RPTDOST(L/R)6030	221	RPTDRPC(L/R)7236	212	RPTDSPC(L/R)6020	216	RR3-DY	126, 128
RPTDOST(L/R)6036	221	RPTDRPC(L/R)7820	212	RPTDSPC(L/R)6024	216	RR3-DYO	126, 128
RPTDOST(L/R)6620	221	RPTDRPC(L/R)7824	212	RPTDSPC(L/R)6030	216	RR3-DZ	128
RPTDOST(L/R)6624	221	RPTDRPC(L/R)7830	212	RPTDSPC(L/R)6036	216	RR3-DZO	128
RPTDOST(L/R)6630	221	RPTDRPC(L/R)7836	212	RPTDSPC(L/R)6620	216	RR3-E24	126
RPTDOST(L/R)6636	221	RPTDRPC(L/R)8420	212	RPTDSPC(L/R)6624	216	RR3-E24S	131
RPTDOST(L/R)7220	221	RPTDRPC(L/R)8424	212	RPTDSPC(L/R)6630	216	RR3-E30NS	126
RPTDOST(L/R)7224	221	RPTDRPC(L/R)8430	212	RPTDSPC(L/R)6636	216	RR3-E30S	131
RPTDOST(L/R)7230	221	RPTDRPC(L/R)8436	212	RPTDSPC(L/R)7220	216	RR3-E36NS	126
RPTDOST(L/R)7236	221	RPTDRST(L/R)6020	213	RPTDSPC(L/R)7224	216	RR3-E36S	131
RPTDOST(L/R)7820	221	RPTDRST(L/R)6024	213	RPTDSPC(L/R)7230	216	RR3-E42NS	126
RPTDOST(L/R)7824	221	RPTDRST(L/R)6030	213	RPTDSPC(L/R)7236	216	RR3-E42S	131
RPTDOST(L/R)7830	221	RPTDRST(L/R)6036	213	RPTDSPC(L/R)7820	216	RR3-E48NS	126
RPTDOST(L/R)7836	221	RPTDRST(L/R)6620	213	RPTDSPC(L/R)7824	216	RR3-E48S	131
RPTDOST(L/R)8420	221	RPTDRST(L/R)6624	213	RPTDSPC(L/R)7830	216	RR3-E60-4	126
RPTDOST(L/R)8424	221	RPTDRST(L/R)6630	213	RPTDSPC(L/R)7836	216	RR3-E66-4	126
RPTDOST(L/R)8430	221	RPTDRST(L/R)6636	213	RPTDSPC(L/R)8420	216	RR3-E72-4	126
RPTDOST(L/R)8436	221	RPTDRST(L/R)7220	213	RPTDSPC(L/R)8424	216	RR3-EBBCL	131
RPTDRFM(L/R)3620	214	RPTDRST(L/R)7224	213	RPTDSPC(L/R)8430	216	RR3-EBBCS	131
RPTDRFM(L/R)3624	214	RPTDRST(L/R)7230	213	RPTDSPC(L/R)8436	216	RR3EBVC50	135
RPTDRFM(L/R)3630	214	RPTDRST(L/R)7236	213	RPTDSST(L/R)6020	217	RR3EBVC62	135
RPTDRFM(L/R)3636	214	RPTDRST(L/R)7820	213	RPTDSST(L/R)6024	217	RR3EBVC64	135
RPTDRFM(L/R)4220	214	RPTDRST(L/R)7824	213	RPTDSST(L/R)6030	217	RR3EBVC76	135
RPTDRFM(L/R)4224	214	RPTDRST(L/R)7830	213	RPTDSST(L/R)6036	217	RR3EBVC78	135
RPTDRFM(L/R)4230	214	RPTDRST(L/R)7836	213	RPTDSST(L/R)6620	217	RR3EBVC90	135
RPTDRFM(L/R)4236	214	RPTDRST(L/R)8420	213	RPTDSST(L/R)6624	217	RR3-EJ18	127
RPTDRFM(L/R)4820	214	RPTDRST(L/R)8424	213	RPTDSST(L/R)6630	217	RR3-EJ18P	127
RPTDRFM(L/R)4824	214	RPTDRST(L/R)8430	213	RPTDSST(L/R)6636	217	RR3-EJ20	127
RPTDRFM(L/R)4830	214	RPTDRST(L/R)8436	213	RPTDSST(L/R)7220	217	RR3-EJ20P	127
RPTDRFM(L/R)4836	214	RPTDSFM(L/R)3620	218	RPTDSST(L/R)7224	217	RR3-EJ24	127
RPTDRFM(L/R)5420	214	RPTDSFM(L/R)3624	218	RPTDSST(L/R)7230	217	RR3-EJ24P	127
RPTDRFM(L/R)5424	214	RPTDSFM(L/R)3630	218	RPTDSST(L/R)7236	217	RR3-EJ30	127
RPTDRFM(L/R)5430	214	RPTDSFM(L/R)3636	218	RPTDSST(L/R)7820	217	RR3-EJ30P	127
RPTDRFM(L/R)5436	214	RPTDSFM(L/R)4220	218	RPTDSST(L/R)7824	217	RR3-EJ36	127
RPTDRFM(L/R)6020	214	RPTDSFM(L/R)4224	218	RPTDSST(L/R)7830	217	RR3-EJ36P	127
RPTDRFM(L/R)6024	214	RPTDSFM(L/R)4230	218	RPTDSST(L/R)7836	217	RR3-EJ42	127
RPTDRFM(L/R)6030	214	RPTDSFM(L/R)4236	218	RPTDSST(L/R)8420	217	RR3-EJ42P	127
RPTDRFM(L/R)6036	214	RPTDSFM(L/R)4820	218	RPTDSST(L/R)8424	217	RR3-EJ48	127
RPTDRFM(L/R)6620	214	RPTDSFM(L/R)4824	218	RPTDSST(L/R)8430	217	RR3EJ48	132
RPTDRFM(L/R)6624	214	RPTDSFM(L/R)4830	218	RPTDSST(L/R)8436	217	RR3-EJ48P	127
RPTDRFM(L/R)6630	214	RPTDSFM(L/R)4836	218	RR3-2PF	133	RR3-EJ54P	127
RPTDRFM(L/R)6636	215	RPTDSFM(L/R)5420	218	RR3-3PF	133	RR3-EJ60P	127
RPTDRFM(L/R)7220	214	RPTDSFM(L/R)5424	218	RR3-BNC	133	RR3EJ60P	132
RPTDRFM(L/R)7224	214	RPTDSFM(L/R)5430	218	RR3-C3C	133	RR3-EJ66P	127
RPTDRFM(L/R)7230	214	RPTDSFM(L/R)5436	218	RR3-C5C	133	RR3EJ66P	132
RPTDRFM(L/R)7236	215	RPTDSFM(L/R)6020	218	RR3-C5C4A	133	RR3-EJ72P	127
RPTDRFM(L/R)7820	214	RPTDSFM(L/R)6024	218	RR3-C5C4B	133	RR3EJ72P	132
RPTDRFM(L/R)7824	214	RPTDSFM(L/R)6030	218	RR3-C6C	133	RR3-EJ78P	127
RPTDRFM(L/R)7830	214	RPTDSFM(L/R)6036	218	RR3CHI241	130	RR3-EJ84P	127
RPTDRFM(L/R)7836	215	RPTDSFM(L/R)6620	218	RR3CHI242	130	RR3-EJ90P	127
RPTDRFM(L/R)8420	214	RPTDSFM(L/R)6624	218	RR3CHI301	130	RR3-EJ96P	127
RPTDRFM(L/R)8424	214	RPTDSFM(L/R)6630	218	RR3CHI302	130	RR3-EPC	126
RPTDRFM(L/R)8430	214	RPTDSFM(L/R)6636	219	RR3CHI361	130	RR3-EPC24	126
RPTDRFM(L/R)8436	215	RPTDSFM(L/R)7220	218	RR3CHI362	130	RR3-EPCP	126
RPTDRPC(L/R)6020	212	RPTDSFM(L/R)7224	218	RR3CHI421	130	RR3-EPCP24	126

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-EPCPS	126	RR3-TJ60P	129	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	169	RRLCSGDL2072	301
RR3-EPCS	126	RR3TJ60P	132	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	169	RRLCSGDR2060	301
RR3-EPI	127	RR3-TJ66P	129	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	169	RRLCSGDR2072	301
RR3-EPNY1	127	RR3TJ66P	132	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	169	RRLCSWD20108	302
RR3-EPNY2	127	RR3-TJ72P	129	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	169	RRLCSWD2090	302
RR3-EPVR	113, 127	RR3TJ72P	132	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	169	RRLCSWDL2060	302
RR3EVJ	136	RR3-TJ78P	129	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	169	RRLCSWDL2072	302
RR3EVJ110	136	RR3-TJ84P	129	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	169	RRLCSWDR2060	302
RR3EVJ82	136	RR3-TJ90P	129	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	169	RRLCSWDR2072	302
RR3EVJ96	136	RR3-TJ96P	129	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	169	RRMC3010	513
RR3-FB	133	RR3-TPC	128	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	169	RRMC3610	513
RR3FDP	135	RR3-TPC24	128	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	169	RRMC6010	513
RR3-FE	133	RR3-TPCP	128	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	169	RRMC7210	513
RR3-FOSC	133	RR3-TPCP24	128	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	169	RRML108	425
RR3-FOST	133	RR3-TPCPS	128	RRAW12036-(1/2/3)	188	RRML60	425
RR3-FV	133	RR3-TPCS	128	RRAW12042-(1/2/3)	188	RRML72	425
RR3-LTPC	131	RR3-TPI	129	RRAW14442-(1/2/3)	188	RRML90	425
RR3-LTPC24	131	RR3-TPNY1	129	RRAW16842-(1/2/3)	188	RROC2GSD108	418
RR3-LTPCP	131	RR3-TPNY2	129	RRAW19242-(1/2/3)	188	RROC2GSD90	418
RR3-MICON	133	RR3-TPVR	113, 129	RRAW3636-(1/2/3)	188	RROC2WSD108	419
RR3MP4	445	RR3TVJ	136	RRAW4242-(1/2/3)	188	RROC2WSD90	419
RR3MP6	445	RR3TVJ110	136	RRAW6060-(1/2/3)	188	RROCGSD108GB	418
RR3PICON	133	RR3TVJ82	136	RRAW7230-(1/2/3)	188	RROCGSD90GB	418
RR3-REPI	127	RR3TVJ96	136	RRAW7236-(1/2/3)	188	RROCGSDL60GB	418
RR3-RTPI	129	RR3VDA	135	RRAW7272-(1/2/3)	188	RROCGSDL72GB	418
RR3-SP-(A, B, C, X, Y, Z)	129	RR3VDB	135	RRAW8430-(1/2/3)	188	RROCGSDR60GB	418
RR3-SP-(A,B,X,Y)	127	RR3VDC	135	RRAW8436-(1/2/3)	188	RROCGSDR72GB	418
RR3-ST	133	RR3VDX	135	RRAW8442-(1/2/3)	188	RROCOS108CB	420
RR3-T24	128	RR3VDXO	135	RRAW9630-(1/2/3)	188	RROCOS60GB	420
RR3-T24S	131	RR3VDY	135	RRAW9636-(1/2/3)	188	RROCOS72GB	420
RR3-T30NS	128	RR3VDYO	135	RRAW9642-(1/2/3)	188	RROCOS90GB	420
RR3-T30S	131	RR3VDZ	135	RRBRD2712	445	RROCWSD108CB	419
RR3-T36NS	128	RR3VDZO	135	RRD3FTCPPL(L/R)7936	116	RROCWSD90GB	419
RR3-T36S	131	RR3VPBK	135	RRD3FTCPPL(L/R)7942	116	RROCWSDL60GB	419
RR3-T42NS	128	RRA12036	151	RRD3PPL(L/R)7936	116	RROCWSDL72CB	419
RR3-T42S	131	RRA12042	151	RRD3PPL(L/R)7942	116	RROCWSDR60GB	419
RR3-T48NS	128	RRA12048	151	RRDPPL(L/R)6436	116	RROCWSDR72CB	419
RR3-T48S	131	RRA14442	151	RRDPPL(L/R)6442	116	RROM2GSD108	422
RR3-T60-4	128	RRA14448	151	RRDTH	116	RROM2GSD90	422
RR3-T66-4	128	RRA16842	151	RRDTH(L/R)	116	RROM2WSD108	424
RR3-T72-4	128	RRA16848	151	RREP3624(A,B,W)(F,N)2	439	RROM2WSD90	424
RR3-TBBCL	131	RRA19242	151	RREP3630(A,B,W)(F,N)2	439	RROMGSD108GB	422
RR3-TBBCS	131	RRA19248	151	RREP4224(A,B,W)(F,N)2	439	RROMGSD108GN	421
RR3TBVC50	135	RRA3636	151	RREP4230(A,B,W)(F,N)2	439	RROMGSD60CL	421
RR3TBVC62	135	RRA4242	151	RREP4824(A,B,W)(F,N)2	439	RROMGSD60GR	421
RR3TBVC64	135	RRA4848	151	RREP4830(A,B,W)(F,N)2	439	RROMGSD72CL	421
RR3TBVC76	135	RRA6060	151	RREP5424(A,B,W)(F,N)2	439	RROMGSD72CR	421
RR3TBVC78	135	RRA7230	151	RREP5430(A,B,W)(F,N)2	439	RROMGSD90GB	422
RR3TBVC90	135	RRA7236	151	RREP6024(A,B,W)(F,N)2	439	RROMGSD90GN	421
RR3-TJ18	129	RRA7272	151	RREP6030(A,B,W)(F,N)2	439	RROMGSDL60GB	422
RR3-TJ18P	129	RRA8430	151	RRLCFDC20108	299	RROMGSDL72CB	422
RR3-TJ20	129	RRA8436	151	RRLCFDC2090	299	RROMGSDR60GB	422
RR3-TJ20P	129	RRA8442	151	RRLCFDC20108	299	RROMGSDR72CB	422
RR3-TJ24	129	RRA9630	151	RRLCFDC2090	299	RROMOS108GB	426
RR3-TJ24P	129	RRA9636	151	RRLCFDC12060	299	RROMOS108GN	426
RR3-TJ30	129	RRA9642	151	RRLCFDC12072	299	RROMOS60GB	426
RR3-TJ30P	129	RRA9648	151	RRLCFDCR2060	299	RROMOS60CL	426
RR3-TJ36	129	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	169	RRLCFDCR2072	299	RROMOS60GR	426
RR3-TJ36P	129	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	169	RRLCO20108	300	RROMOS72GB	426
RR3-TJ42	129	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	169	RRLCO2060	300	RROMOS72CL	426
RR3-TJ42P	129	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	169	RRLCO2072	300	RROMOS72CR	426
RR3-TJ48	129	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	169	RRLO2090	300	RROMOS90GB	426
RR3-TJ48	132	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	169	RRLCSGD20108	301	RROMOS90GN	426
RR3-TJ48P	129	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	169	RRLCSGD2090	301	RROMWSD108GB	423
RR3-TJ54P	129	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	169	RRLCSGDL2060	301	RROMWSD108GN	423

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RROMWSD60GL	423	RSA783	138	RSA(A/B/C/D/E/F/G)F301	154	RSAR482(H/V)	388
RROMWSD60GR	423	RSA841	137	RSA(A/B/C/D/E/F/G)F302	154	RSAR541(H/V)	388
RROMWSD72GL	423	RSA842	137	RSA(A/B/C/D/E/F/G)F303	155	RSAR542(H/V)	388
RROMWSD72GR	423	RSA843	138	RSA(A/B/C/D/E/F/G)F361	154	RSAR601(H/V)	388
RROMWSD90GB	423	RSA901	137	RSA(A/B/C/D/E/F/G)F362	154	RSAR602(H/V)	388
RROMWSD90GN	423	RSA902	137	RSA(A/B/C/D/E/F/G)F363	155	RSAR661(H/V)	388
RROMWSDL60GB	424	RSA903	138	RSA(A/B/C/D/E/F/G)F421	154	RSAR662(H/V)	388
RROMWSDL72GB	424	RSA961	137	RSA(A/B/C/D/E/F/G)F422	154	RSAR721(H/V)	388
RROMWSDR60GB	424	RSA962	137	RSA(A/B/C/D/E/F/G)F423	155	RSAR722(H/V)	388
RROMWSDR72GB	424	RSA963	138	RSA(A/B/C/D/E/F/G)F481	154	RSAWA241	172
RRSP3624K(A,B,W)	439	RSA(A/B/C/D/E/F/G)A241	156	RSA(A/B/C/D/E/F/G)F482	154	RSAWA242	172
RRSP3630K(A,B,W)	439	RSA(A/B/C/D/E/F/G)A242	156	RSA(A/B/C/D/E/F/G)F483	155	RSAWA243	173
RRSP4224K(A,B,W)	439	RSA(A/B/C/D/E/F/G)A243	157	RSA(A/B/C/D/E/F/G)F541	154	RSAWA301	172
RRSP4230K(A,B,W)	439	RSA(A/B/C/D/E/F/G)A301	156	RSA(A/B/C/D/E/F/G)F542	154	RSAWA302	172
RRSP4824K(A,B,W)	439	RSA(A/B/C/D/E/F/G)A302	156	RSA(A/B/C/D/E/F/G)F543	155	RSAWA303	173
RRSP4830K(A,B,W)	439	RSA(A/B/C/D/E/F/G)A303	157	RSA(A/B/C/D/E/F/G)F601	154	RSAWA361	172
RRSP5424K(A,B,W)	439	RSA(A/B/C/D/E/F/G)A361	156	RSA(A/B/C/D/E/F/G)F602	154	RSAWA362	172
RRSP5430K(A,B,W)	439	RSA(A/B/C/D/E/F/G)A362	156	RSA(A/B/C/D/E/F/G)F603	155	RSAWA363	173
RRSP6024K(A,B,W)	439	RSA(A/B/C/D/E/F/G)A363	157	RSA(A/B/C/D/E/F/G)F604	155	RSAWA421	172
RRSP6030K(A,B,W)	439	RSA(A/B/C/D/E/F/G)A421	156	RSA(A/B/C/D/E/F/G)F661	154	RSAWA422	172
RS1-N30	413	RSA(A/B/C/D/E/F/G)A422	156	RSA(A/B/C/D/E/F/G)F662	154	RSAWA423	173
RS1-N36	413	RSA(A/B/C/D/E/F/G)A423	157	RSA(A/B/C/D/E/F/G)F663	155	RSAWA481	172
RS1-N42	413	RSA(A/B/C/D/E/F/G)A481	156	RSA(A/B/C/D/E/F/G)F664	155	RSAWA482	172
RS1-N48	413	RSA(A/B/C/D/E/F/G)A482	156	RSA(A/B/C/D/E/F/G)F721	154	RSAWA483	173
RS1-N60	413	RSA(A/B/C/D/E/F/G)A483	157	RSA(A/B/C/D/E/F/G)F722	154	RSAWA541	172
RS1-RPB	415	RSA(A/B/C/D/E/F/G)A541	156	RSA(A/B/C/D/E/F/G)F723	155	RSAWA542	172
RS1-VP	413	RSA(A/B/C/D/E/F/G)A542	156	RSA(A/B/C/D/E/F/G)F724	155	RSAWA543	173
RS1-WMF24	416	RSA(A/B/C/D/E/F/G)A543	157	RSA(A/B/C/D/E/F/G)F781	154	RSAWA601	172
RS1-WMF30	416	RSA(A/B/C/D/E/F/G)A601	156	RSA(A/B/C/D/E/F/G)F782	154	RSAWA602	172
RS1-WMF36	416	RSA(A/B/C/D/E/F/G)A602	156	RSA(A/B/C/D/E/F/G)F783	155	RSAWA603	173
RS1-WMF42	416	RSA(A/B/C/D/E/F/G)A603	157	RSA(A/B/C/D/E/F/G)F841	154	RSAWA604	173
RS1-WMF48	416	RSA(A/B/C/D/E/F/G)A604	157	RSA(A/B/C/D/E/F/G)F842	154	RSAWA661	172
RS1-WMF60	416	RSA(A/B/C/D/E/F/G)A661	156	RSA(A/B/C/D/E/F/G)F843	155	RSAWA662	172
RSA241	137	RSA(A/B/C/D/E/F/G)A662	156	RSA(A/B/C/D/E/F/G)F901	154	RSAWA663	173
RSA242	137	RSA(A/B/C/D/E/F/G)A663	157	RSA(A/B/C/D/E/F/G)F902	154	RSAWA664	173
RSA243	138	RSA(A/B/C/D/E/F/G)A664	157	RSA(A/B/C/D/E/F/G)F903	155	RSAWA721	172
RSA301	137	RSA(A/B/C/D/E/F/G)A721	156	RSA(A/B/C/D/E/F/G)F961	154	RSAWA722	172
RSA302	137	RSA(A/B/C/D/E/F/G)A722	156	RSA(A/B/C/D/E/F/G)F962	154	RSAWA723	173
RSA303	138	RSA(A/B/C/D/E/F/G)A723	157	RSA(A/B/C/D/E/F/G)F963	155	RSAWA724	173
RSA361	137	RSA(A/B/C/D/E/F/G)A724	157	RSA(A/B/C/D/E/F/G)J241	158	RSAWA781	172
RSA362	137	RSA(A/B/C/D/E/F/G)A781	156	RSA(A/B/C/D/E/F/G)J242	158	RSAWA782	172
RSA363	138	RSA(A/B/C/D/E/F/G)A782	156	RSA(A/B/C/D/E/F/G)J301	158	RSAWA783	173
RSA421	137	RSA(A/B/C/D/E/F/G)A783	157	RSA(A/B/C/D/E/F/G)J302	158	RSAWA841	172
RSA422	137	RSA(A/B/C/D/E/F/G)A841	156	RSA(A/B/C/D/E/F/G)J361	158	RSAWA842	172
RSA423	138	RSA(A/B/C/D/E/F/G)A842	156	RSA(A/B/C/D/E/F/G)J362	158	RSAWA843	173
RSA481	137	RSA(A/B/C/D/E/F/G)A843	157	RSA(A/B/C/D/E/F/G)J421	158	RSAWA901	172
RSA482	137	RSA(A/B/C/D/E/F/G)A901	156	RSA(A/B/C/D/E/F/G)J422	158	RSAWA902	172
RSA483	138	RSA(A/B/C/D/E/F/G)A902	156	RSA(A/B/C/D/E/F/G)J481	158	RSAWA903	173
RSA541	137	RSA(A/B/C/D/E/F/G)A903	157	RSA(A/B/C/D/E/F/G)J482	158	RSAWA961	172
RSA542	137	RSA(A/B/C/D/E/F/G)A961	156	RSA(A/B/C/D/E/F/G)R241	159	RSAWA962	172
RSA543	138	RSA(A/B/C/D/E/F/G)A962	156	RSA(A/B/C/D/E/F/G)R242	159	RSAWA963	173
RSA601	137	RSA(A/B/C/D/E/F/G)A963	157	RSA(A/B/C/D/E/F/G)R301	159	RSAWB241	174
RSA602	137	RSA(A/B/C/D/E/F/G)B241	158	RSA(A/B/C/D/E/F/G)R302	159	RSAWB242	174
RSA603	138	RSA(A/B/C/D/E/F/G)B242	158	RSA(A/B/C/D/E/F/G)R361	159	RSAWB243	175
RSA604	138	RSA(A/B/C/D/E/F/G)B301	158	RSA(A/B/C/D/E/F/G)R362	159	RSAWB301	174
RSA661	137	RSA(A/B/C/D/E/F/G)B302	158	RSA(A/B/C/D/E/F/G)R421	159	RSAWB302	174
RSA662	137	RSA(A/B/C/D/E/F/G)B361	158	RSA(A/B/C/D/E/F/G)R422	159	RSAWB303	175
RSA663	138	RSA(A/B/C/D/E/F/G)B362	158	RSA(A/B/C/D/E/F/G)R481	159	RSAWB361	174
RSA664	138	RSA(A/B/C/D/E/F/G)B421	158	RSA(A/B/C/D/E/F/G)R482	159	RSAWB362	174
RSA721	137	RSA(A/B/C/D/E/F/G)B422	158	RSAMP1616	445	RSAWB363	175
RSA722	137	RSA(A/B/C/D/E/F/G)B481	158	RSAR361(H/V)	388	RSAWB421	174
RSA723	138	RSA(A/B/C/D/E/F/G)B482	158	RSAR362(H/V)	388	RSAWB422	174
RSA724	138	RSA(A/B/C/D/E/F/G)F241	154	RSAR421(H/V)	388	RSAWB423	175
RSA781	137	RSA(A/B/C/D/E/F/G)F242	154	RSAR422(H/V)	388	RSAWB481	174
RSA782	137	RSA(A/B/C/D/E/F/G)F243	155	RSAR481(H/V)	388	RSAWB482	174

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWB483	175	RSAWF902	170	RSAWR601	178	RSD661	195
RSAWB541	174	RSAWF903	171	RSAWR602	178	RSD662	195
RSAWB542	174	RSAWF961	170	RSAWR603	179	RSD663	196
RSAWB543	175	RSAWF962	170	RSAWR604	179	RSD664	196
RSAWB601	174	RSAWF963	171	RSAWR661	178	RSD721	195
RSAWB602	174	RSAWL241	176	RSAWR662	178	RSD722	195
RSAWB603	175	RSAWL242	176	RSAWR663	179	RSD723	196
RSAWB604	175	RSAWL243	177	RSAWR664	179	RSD724	196
RSAWB661	174	RSAWL301	176	RSAWR721	178	RSD781	195
RSAWB662	174	RSAWL302	176	RSAWR722	178	RSD782	195
RSAWB663	175	RSAWL303	177	RSAWR723	179	RSD783	196
RSAWB664	175	RSAWL361	176	RSAWR724	179	RSD841	195
RSAWB721	174	RSAWL362	176	RSAWR781	178	RSD842	195
RSAWB722	174	RSAWL363	177	RSAWR782	178	RSD843	196
RSAWB723	175	RSAWL421	176	RSAWR783	179	RSD901	195
RSAWB724	175	RSAWL422	176	RSAWR841	178	RSD902	195
RSAWB781	174	RSAWL423	177	RSAWR842	178	RSD903	196
RSAWB782	174	RSAWL481	176	RSAWR843	179	RSD961	195
RSAWB783	175	RSAWL482	176	RSAWR901	178	RSD962	195
RSAWB841	174	RSAWL483	177	RSAWR902	178	RSD963	196
RSAWB842	174	RSAWL541	176	RSAWR903	179	RSDHC	262
RSAWB843	175	RSAWL542	176	RSAWR961	178	RSDHC3	263
RSAWB901	174	RSAWL543	177	RSAWR962	178	RSDHC4	262
RSAWB902	174	RSAWL601	176	RSAWR963	179	RSDHD1428	263, 264
RSAWB903	175	RSAWL602	176	RSBWH20	252	RSDHD1828	263, 264
RSAWB961	174	RSAWL603	177	RSBWH24	252	RSDHD2028	263, 264
RSAWB962	174	RSAWL604	177	RSBWH30	252	RSDHD2428	263, 264
RSAWB963	175	RSAWL661	176	RSBWH36	252	RSDHD3028	263, 264
RSAWF241	170	RSAWL662	176	RSBWH42	252	RSDHL12	264
RSAWF242	170	RSAWL663	177	RSBWH48	252	RSDHL15	264
RSAWF243	171	RSAWL664	177	RSC	259	RSDHL20	264
RSAWF301	170	RSAWL721	176	RSC4	259	RSDHL24	264
RSAWF302	170	RSAWL722	176	RSD1021	195	RSDHL30	264
RSAWF303	171	RSAWL723	177	RSD1022	195	RSDHL36	264
RSAWF361	170	RSAWL724	177	RSD1023	196	RSDHL42	264
RSAWF362	170	RSAWL781	176	RSD1081	195	RSDHL48	264
RSAWF363	171	RSAWL782	176	RSD1082	195	RSDHT1	264
RSAWF421	170	RSAWL783	177	RSD1083	196	RSDHT2	264
RSAWF422	170	RSAWL841	176	RSD1427	260, 261	RSDHT3	264
RSAWF423	171	RSAWL842	176	RSD1827	260, 261	RSDHT4	264
RSAWF481	170	RSAWL843	177	RSD2027	260, 261	RSDHT5	264
RSAWF482	170	RSAWL901	176	RSD241	195	RSDHT6	264
RSAWF483	171	RSAWL902	176	RSD242	195	RSDR30	457
RSAWF541	170	RSAWL903	177	RSD2427	260, 261	RSDR36	457
RSAWF542	170	RSAWL961	176	RSD243	196	RSDR361(H/V)	388
RSAWF543	171	RSAWL962	176	RSD301	195	RSDR362(H/V)	388
RSAWF601	170	RSAWL963	177	RSD302	195	RSDR42	457
RSAWF602	170	RSAWR241	178	RSD3027	260, 261	RSDR421(H/V)	388
RSAWF603	171	RSAWR242	178	RSD303	196	RSDR422(H/V)	388
RSAWF604	171	RSAWR243	179	RSD361	195	RSDR48	457
RSAWF661	170	RSAWR301	178	RSD362	195	RSDR481(H/V)	388
RSAWF662	170	RSAWR302	178	RSD363	196	RSDR482(H/V)	388
RSAWF663	171	RSAWR303	179	RSD421	195	RSDR54	457
RSAWF664	171	RSAWR361	178	RSD422	195	RSDR541(H/V)	388
RSAWF721	170	RSAWR362	178	RSD423	196	RSDR542(H/V)	388
RSAWF722	170	RSAWR363	179	RSD481	195	RSDR60	457
RSAWF723	171	RSAWR421	178	RSD482	195	RSDR601(H/V)	388
RSAWF724	171	RSAWR422	178	RSD483	196	RSDR602(H/V)	388
RSAWF781	170	RSAWR423	179	RSD541	195	RSDR66	457
RSAWF782	170	RSAWR481	178	RSD542	195	RSDR661(H/V)	388
RSAWF783	171	RSAWR482	178	RSD543	196	RSDR662(H/V)	388
RSAWF841	170	RSAWR483	179	RSD601	195	RSDR72	457
RSAWF842	170	RSAWR541	178	RSD602	195	RSDR721(H/V)	388
RSAWF843	171	RSAWR542	178	RSD603	196	RSDR722(H/V)	388
RSAWF901	170	RSAWR543	179	RSD604	196	RSDR78	457

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSDR84	457	RSTDCPC(L/R)7230	230	RSWAD2296	102	RTA9642	152
RSDR90	457	RSTDCPC(L/R)7236	230	RSWB15 30	101	RTA9648	152
RSDR96	457	RSTDCPC(L/R)7830	230	RSWB15 36	101	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	168
RSE1(L/R)	255	RSTDCPC(L/R)7836	230	RSWB15 42	101	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	168
RSE2(L/R)	255	RSTDCPC(L/R)8430	230	RSWB15 48	101	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	168
RSE3(L/R)	255	RSTDCPC(L/R)8436	230	RSWC30 18	101	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	168
RSE4(L/R)	255	RSTDCST(L/R)6030	231	RSWC30 20	101	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	168
RSE5(L/R)	255	RSTDCST(L/R)6036	231	RSWC30 24	101	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	168
RSE6(L/R)	255	RSTDCST(L/R)6630	231	RSWC30 30	101	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	168
RSEDH1(L/R)	257	RSTDCST(L/R)6636	231	RSWC30 36	101	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	168
RSEDH2(L/R)	257	RSTDCST(L/R)7230	231	RSWC30 42	101	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	168
RSEDH3(L/R)	257	RSTDCST(L/R)7236	231	RSWC30 48	101	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	168
RSEDH4(L/R)	257	RSTDCST(L/R)7830	231	RSWWA601	379	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	168
RSEDH5(L/R)	257	RSTDCST(L/R)7836	231	RSWWA602	379	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	168
RSEDH6(L/R)	257	RSTDCST(L/R)8430	231	RSWWA721	379	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	168
RSL12	261	RSTDCST(L/R)8436	231	RSWWA722	379	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	168
RSL15	261	RSTRLE361	248	RSWWA901	379	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	168
RSL20	261	RSTRLE362	248	RSWWA902	379	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	168
RSL24	261	RSTRLE421	248	RSWWA961	379	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	168
RSL30	261	RSTRLE422	248	RSWWA962	379	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	168
RSL36	261	RSTRSE361	250	RSWWA(A/B/C/D/E/F/G)601	379	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	168
RSL42	261	RSTRSE362	250	RSWWA(A/B/C/D/E/F/G)602	379	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	168
RSL48	261	RSTRSE421	250	RSWWA(A/B/C/D/E/F/G)721	379	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	168
RSNTT18(A/B/C/E)	110	RSTRSE422	250	RSWWA(A/B/C/D/E/F/G)722	379	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	168
RSNTT20(A/B/C/E)	110	RSTRWE361	249	RSWWA(A/B/C/D/E/F/G)901	379	RTAT5E19S	417
RSNTT24(A/B/C/E)	110	RSTRWE362	249	RSWWA(A/B/C/D/E/F/G)902	379	RTAT5E25A	417
RSNTT30(A/B/C/E)	110	RSTRWE421	249	RSWWA(A/B/C/D/E/F/G)961	379	RTAT5E25S	417
RSNTT33(A/B/C/E) (66" wide panels only)	110	RSTRWE422	249	RSWWA(A/B/C/D/E/F/G)962	379	RTAT5E37A	417
RSNTT36(A/B/C/E)	110	RSTSLE361	248	RSWWAWF601	379	RTAT5E37S	417
RSNTT42(A/B/C/E)	110	RSTSLE362	248	RSWWAWF602	379	RTAT5E49A	417
RSNTT48(A/B/C/E)	110	RSTSLE421	248	RSWWAWF721	379	RTAT5E49S	417
RSPABPD	115	RSTSLE422	248	RSWWAWF722	379	RTAT5E61A	417
RSPABPP	115	RSTSSE361	250	RSWWAWF901	379	RTAT5E61S	417
RSPABPT	115	RSTSSE362	250	RSWWAWF902	379	RTAW12036-(1/2/3)	187
RSPABPW	115	RSTSSE421	250	RSWWAWF961	379	RTAW12042-(1/2/3)	187
RSPABTD	115	RSTSWE361	249	RSWWAWF962	379	RTAW14442-(1/2/3)	187
RSPABTT	115	RSTSWE362	249	RSWWB601	380	RTAW16842-(1/2/3)	187
RSPABTW	115	RSTSWE421	249	RSWWB602	380	RTAW19242-(1/2/3)	187
RSPABWD	115	RSTSWE422	249	RSWWB721	380	RTAW3636-(1/2/3)	187
RSPABWW	115	RSTTLE30481	248	RSWWB722	380	RTAW4242-(1/2/3)	187
RST	449	RSTTLE30482	248	RSWWB901	380	RTAW6060-(1/2/3)	187
RST1	261	RSTTLE36541	248	RSWWB902	380	RTAW7230-(1/2/3)	187
RST2	261	RSTTLE36542	248	RSWWB961	380	RTAW7236-(1/2/3)	187
RST3	261	RSTTSE30481	250	RSWWB962	380	RTAW7272-(1/2/3)	187
RST4	261	RSTTSE30482	250	RTA12036	152	RTAW8430-(1/2/3)	187
RST5	261	RSTTSE36541	250	RTA12042	152	RTAW8436-(1/2/3)	187
RST6	261	RSTTSE36542	250	RTA12048	152	RTAW8442-(1/2/3)	187
RSTDCFM(L/R)4830	232	RSTTWE30481	249	RTA14442	152	RTAW9630-(1/2/3)	187
RSTDCFM(L/R)4836	232	RSTTWE30482	249	RTA14448	152	RTAW9636-(1/2/3)	187
RSTDCFM(L/R)5430	232	RSTTWE36541	249	RTA16842	152	RTAW9642-(1/2/3)	187
RSTDCFM(L/R)5436	232	RSTTWE36542	249	RTA16848	152	RTLL193W	458
RSTDCFM(L/R)6030	232	RSWA15 18	101	RTA19242	152	RTLL196W	458
RSTDCFM(L/R)6036	232	RSWA15 20	101	RTA19248	152	RTLL199W	458
RSTDCFM(L/R)6630	232	RSWA15 24	101	RTA3636	152	RTLL3712W	458
RSTDCFM(L/R)6636	232	RSWA15 30	101	RTA4242	152	RTLL3718W	458
RSTDCFM(L/R)7230	232	RSWA15 36	101	RTA4848	152	RTLL376W	458
RSTDCFM(L/R)7236	232	RSWA15 42	101	RTA6060	152	RTLT5E19S	458
RSTDCFM(L/R)7830	232	RSWA15 48	101	RTA7230	152	RTLT5E25A	458
RSTDCFM(L/R)7836	232	RSWAD1560	102	RTA7236	152	RTLT5E25S	458
RSTDCFM(L/R)8430	232	RSWAD1572	102	RTA7272	152	RTLT5E37A	458
RSTDCFM(L/R)8436	232	RSWAD1584	102	RTA8430	152	RTLT5E37S	458
RSTDCPC(L/R)6030	230	RSWAD1596	102	RTA8436	152	RTLT5E49A	458
RSTDCPC(L/R)6036	230	RSWAD2260	102	RTA8442	152	RTLT5E49S	458
RSTDCPC(L/R)6630	230	RSWAD2272	102	RTA9630	152	RTLT5E61A	458
RSTDCPC(L/R)6636	230	RSWAD2284	102	RTA9636	152	RTLT5E61S	458

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RRTL5E73A	458	RTPNM72H4	480, 481	RTPRS54H7	496, 498	RTRDOF66302	238
RRTL5E73S	458	RTPNM72H5	485, 486	RTPRS54H8	500, 502	RTRDOF66361	237
RRTL5E85A	458	RTPNM72H6	490	RTPRS60H1	467, 468, 469	RTRDOF66362	238
RRTL5E85S	458	RTPNM78H1	465, 466	RTPRS60H2	472, 473, 474	RTRDOF72241	237
RTNDC361	247	RTPNM78H2	470, 471	RTPRS60H3	477, 478, 479	RTRDOF72242	238
RTNDC362	247	RTPNM78H3	475, 476	RTPRS60H4	482, 483, 484	RTRDOF72301	237
RTNDC421	247	RTPNM78H4	480, 481	RTPRS60H5	487, 488, 489	RTRDOF72302	238
RTNDC422	247	RTPNM78H5	485, 486	RTPRS60H6	492, 493, 494	RTRDOF72361	237
RTNDC481	247	RTPNM78H6	490	RTPRS60H7	496, 498	RTRDOF72362	238
RTNDC482	247	RTPNM84H1	465, 466	RTPRS60H8	500, 502	RTRDOF78241	237
RTOP1	445	RTPNM84H2	470, 471	RTPRS66H1	467, 468, 469	RTRDOF78242	238
RTOP2	445	RTPNM84H3	475, 476	RTPRS66H2	472, 473, 474	RTRDOF78301	237
RTPNM30H1	465, 466	RTPNM84H4	480, 481	RTPRS66H3	477, 478, 479	RTRDOF78302	238
RTPNM30H2	470, 471	RTPNM84H5	485, 486	RTPRS66H4	482, 483, 484	RTRDOF78361	237
RTPNM30H3	475, 476	RTPNM84H6	490	RTPRS66H5	487, 488, 489	RTRDOF78362	238
RTPNM30H4	480, 481	RTPNM90H1	465, 466	RTPRS66H6	492, 493, 494	RTRDOF84241	237
RTPNM30H5	485, 486	RTPNM90H2	470, 471	RTPRS66H8	500	RTRDOF84242	238
RTPNM30H6	490, 491	RTPNM90H3	475, 476	RTPRS72H1	467, 468, 469	RTRDOF84301	237
RTPNM30H7	495	RTPNM90H4	480, 481	RTPRS72H2	472, 473, 474	RTRDOF84302	238
RTPNM30H8	499	RTPNM90H5	485, 486	RTPRS72H3	477, 478, 479	RTRDOF84361	237
RTPNM36H1	465, 466	RTPNM90H6	490	RTPRS72H4	482, 483, 484	RTRDOF84362	238
RTPNM36H2	470, 471	RTPNM96H1	465, 466	RTPRS72H5	487, 488, 489	RTRDRL48301	242
RTPNM36H3	475, 476	RTPNM96H2	470, 471	RTPRS72H6	492, 494	RTRDRL48302	242
RTPNM36H4	480, 481	RTPNM96H3	475, 476	RTPRS72H8	500	RTRDRL60301	242
RTPNM36H5	485, 486	RTPNM96H4	480, 481	RTPRS78H1	469	RTRDRL60302	242
RTPNM36H6	490, 491	RTPNM96H5	485, 486	RTPRS78H2	474	RTRDRL72301	242
RTPNM36H7	495	RTPNM96H6	490	RTPRS78H3	479	RTRDRL72302	242
RTPNM36H8	499	RTPRS30H1	467, 468, 469	RTPRS78H4	484	RTRDRL72361	242
RTPNM42H1	465, 466	RTPRS30H2	472, 473, 474	RTPRS78H5	489	RTRDRL72362	242
RTPNM42H2	470, 471	RTPRS30H3	477, 478, 479	RTPRS78H6	494	RTRDS48301	243
RTPNM42H3	475, 476	RTPRS30H4	482, 483, 484	RTPRS84H1	469	RTRDS48302	243
RTPNM42H4	480, 481	RTPRS30H5	487, 488, 489	RTPRS84H2	474	RTRDS60301	243
RTPNM42H5	485, 486	RTPRS30H6	492, 493, 494	RTPRS84H3	479	RTRDS60302	243
RTPNM42H6	490, 491	RTPRS30H7	496, 497, 498	RTPRS84H4	484	RTRDS72301	243
RTPNM42H7	495	RTPRS30H8	500, 501, 502	RTPRS84H5	489	RTRDS72302	243
RTPNM42H8	499	RTPRS36H1	467, 468, 469	RTPRS84H6	494	RTRDS72361	243
RTPNM48H1	465, 466	RTPRS36H2	472, 473, 474	RTPRS90H1	469	RTRDS72362	243
RTPNM48H2	470, 471	RTPRS36H3	477, 478, 479	RTPRS90H2	474	RTRDRL42421	244
RTPNM48H3	475, 476	RTPRS36H4	482, 483, 484	RTPRS90H3	479	RTSDL42422	244
RTPNM48H4	480, 481	RTPRS36H5	487, 488, 489	RTPRS90H4	484	RTSDL48481	244
RTPNM48H5	485, 486	RTPRS36H6	492, 493, 494	RTPRS90H5	489	RTSDL48482	244
RTPNM48H6	490, 491	RTPRS36H7	496, 497, 498	RTPRS90H6	494	RTSDRL42421	245
RTPNM48H7	495	RTPRS36H8	500, 501, 502	RTPRS96H1	469	RTSDRL42422	245
RTPNM48H8	499	RTPRS42H1	467, 468, 469	RTPRS96H2	474	RTSDRL48481	245
RTPNM54H1	465, 466	RTPRS42H2	472, 473, 474	RTPRS96H3	479	RTSDRL48482	245
RTPNM54H2	470, 471	RTPRS42H3	477, 478, 479	RTPRS96H4	484	RTSDS42421	246
RTPNM54H3	475, 476	RTPRS42H4	482, 483, 484	RTPRS96H5	489	RTSDS42422	246
RTPNM54H4	480, 481	RTPRS42H5	487, 488, 489	RTPRS96H6	494	RTSDS48481	246
RTPNM54H5	485, 486	RTPRS42H6	492, 493, 494	RTRDL48301	241	RTSDS48482	246
RTPNM54H6	490	RTPRS42H7	496, 497, 498	RTRDL48302	241	RTSF14	452
RTPNM60H1	465, 466	RTPRS42H8	500, 501, 502	RTRDL60301	241	RTSF28	452
RTPNM60H2	470, 471	RTPRS48H1	467, 468, 469	RTRDL60302	241	RTST14	451
RTPNM60H3	475, 476	RTPRS48H2	472, 473, 474	RTRDL72301	241	RTTA24()	427
RTPNM60H4	480, 481	RTPRS48H3	477, 478, 479	RTRDL72302	241	RTTA30()	427
RTPNM60H5	485, 486	RTPRS48H4	482, 483, 484	RTRDL72361	241	RTTA36()	427
RTPNM60H6	490	RTPRS48H5	487, 488, 489	RTRDL72362	241	RTTA42()	427
RTPNM66H1	465, 466	RTPRS48H6	492, 493, 494	RTRDOF60241	237	RTTA48()	427
RTPNM66H2	470, 471	RTPRS48H7	496, 497, 498	RTRDOF60242	238	RTTA54()	427
RTPNM66H3	475, 476	RTPRS48H8	500, 501, 502	RTRDOF60301	237	RTTA60()	427
RTPNM66H4	480, 481	RTPRS54H1	467, 468, 469	RTRDOF60302	238	RTTA66()	427
RTPNM66H5	485, 486	RTPRS54H2	472, 473, 474	RTRDOF60361	237	RTTA72()	427
RTPNM66H6	490	RTPRS54H3	477, 478, 479	RTRDOF60362	238	RRTAWF24()	427
RTPNM72H1	465, 466	RTPRS54H4	482, 483, 484	RTRDOF66241	237	RRTAWF30()	427
RTPNM72H2	470, 471	RTPRS54H5	487, 488, 489	RTRDOF66242	238	RRTAWF36()	427
RTPNM72H3	475, 476	RTPRS54H6	492, 493, 494	RTRDOF66301	237	RRTAWF42()	427

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTTAWF48()	427	RWAWF4821	180	RWEC7520(L/R)	383	RWHDHTB96H1	503
RTTAWF54()	427	RWAWF4823	180	RWEC7524(L/R)	383	RWHDHTB96H2	504
RTTAWF60()	427	RWAWF4832	180	RWED7220(L/R)	376	RWHDHTB96H3	505
RTTAWF66()	427	RWAWF5412	180	RWED7224(L/R)	376	RWHDHTB96H4	506
RTTAWF72()	427	RWAWF5421	180	RWED7520(L/R)	383	RWHDHTB96H5	507
RUMC3010	513	RWAWF5423	180	RWED7524(L/R)	383	RWHRA	445
RUMC3610	513	RWAWF5432	180	RWHDHTB3026	450	RWHRB	445
RUMC6010	514	RWAWF6012	180	RWHDHTB30H1	503	RWHRC	445
RUMC7210	514	RWAWF6021	180	RWHDHTB30H2	504	RWHRD	445
RUTB	253	RWAWF6023	180	RWHDHTB30H3	505	RWHRE	445
RWA3623	141	RWAWF6032	180	RWHDHTB30H4	506	RWHRF	445
RWA3632	141	RWAWF6612	180	RWHDHTB30H5	507	RWHRC	445
RWA4212	141	RWAWF6621	180	RWHDHTB3626	450	RWHTB3024	450
RWA4221	141	RWAWF6623	180	RWHDHTB36H1	503	RWHTB3624	450
RWA4223	141	RWAWF6632	180	RWHDHTB36H2	504	RWHTB4224	450
RWA4232	141	RWAWF7212	180	RWHDHTB36H3	505	RWHTB4824	450
RWA4812	141	RWAWF7221	180	RWHDHTB36H4	506	RWMCT24	447
RWA4821	141	RWAWF7223	180	RWHDHTB36H5	507	RWMMP24	446
RWA4823	141	RWAWF7232	180	RWHDHTB4226	450	RWMMP30	446
RWA4832	141	RWEA3613	142	RWHDHTB42H1	503	RWMMP36	446
RWA5412	141	RWEA3626	142	RWHDHTB42H2	504	RWMPB	446
RWA5421	141	RWEA3631	142	RWHDHTB42H3	505	RWMV24	446
RWA5423	141	RWEA3662	142	RWHDHTB42H4	506	RWMVH24	446
RWA5432	141	RWEA4213	142	RWHDHTB42H5	507	RWMVH30	446
RWA6012	141	RWEA4226	142	RWHDHTB4826	450	RWMVH36	446
RWA6021	141	RWEA4231	142	RWHDHTB48H1	503	RWMVP24	446
RWA6023	141	RWEA4262	142	RWHDHTB48H2	504	RWMWT24	446
RWA6032	141	RWEA4813	142	RWHDHTB48H3	505	RWMWT30	446
RWA6612	141	RWEA4826	142	RWHDHTB48H4	506	RWMWT36	446
RWA6621	141	RWEA4831	142	RWHDHTB48H5	507	YPSB2024	511
RWA6623	141	RWEA4862	142	RWHDHTB54H1	503	YPSB2024F	509
RWA6632	141	RWEA7220(L/R)	376	RWHDHTB54H2	504	YPSB2027	511
RWA7212	141	RWEA7224(L/R)	376	RWHDHTB54H3	505	YPSB2027F	509
RWA7221	141	RWEA7520(L/R)	383	RWHDHTB54H4	506	YPSB2030	511
RWA7223	141	RWEA7524(L/R)	383	RWHDHTB54H5	507	YPSB2030F	509
RWA7232	141	RWEA(A/B/C/D/E/F/G)F3613	164	RWHDHTB60H1	503	YPSB2036	511
RWA(A/B/C/D/E/F/G)F4212	163	RWEA(A/B/C/D/E/F/G)F3626	164	RWHDHTB60H2	504	YPSB2036F	509
RWA(A/B/C/D/E/F/G)F4221	163	RWEA(A/B/C/D/E/F/G)F3631	163	RWHDHTB60H3	505	YPSB2042	511
RWA(A/B/C/D/E/F/G)F4223	163	RWEA(A/B/C/D/E/F/G)F3662	164	RWHDHTB60H4	506	YPSB2042F	509
RWA(A/B/C/D/E/F/G)F4232	163	RWEA(A/B/C/D/E/F/G)F4213	164	RWHDHTB60H5	507	YPSB2048	511
RWA(A/B/C/D/E/F/G)F4812	163	RWEA(A/B/C/D/E/F/G)F4226	164	RWHDHTB66H1	503	YPSB2048F	509
RWA(A/B/C/D/E/F/G)F4821	163	RWEA(A/B/C/D/E/F/G)F4231	163	RWHDHTB66H2	504	YPSB2054	511
RWA(A/B/C/D/E/F/G)F4823	163	RWEA(A/B/C/D/E/F/G)F4262	164	RWHDHTB66H3	505	YPSB2054F	509
RWA(A/B/C/D/E/F/G)F4832	163	RWEA(A/B/C/D/E/F/G)F4813	164	RWHDHTB66H4	506	YPSB2060	511
RWA(A/B/C/D/E/F/G)F5412	163	RWEA(A/B/C/D/E/F/G)F4826	164	RWHDHTB66H5	507	YPSB2060F	509
RWA(A/B/C/D/E/F/G)F5421	163	RWEA(A/B/C/D/E/F/G)F4831	163	RWHDHTB72H1	503	YPSB2066	511
RWA(A/B/C/D/E/F/G)F5423	163	RWEA(A/B/C/D/E/F/G)F4862	164	RWHDHTB72H2	504	YPSB2066FRR	509
RWA(A/B/C/D/E/F/G)F5432	163	RWEAWF3613	181	RWHDHTB72H3	505	YPSB2072	511
RWA(A/B/C/D/E/F/G)F6012	163	RWEAWF3626	181	RWHDHTB72H4	506	YPSB2072FRR	509
RWA(A/B/C/D/E/F/G)F6021	163	RWEAWF3631	180	RWHDHTB72H5	507	YPSB2624	512
RWA(A/B/C/D/E/F/G)F6023	163	RWEAWF3662	181	RWHDHTB78H1	503	YPSB2624F	510
RWA(A/B/C/D/E/F/G)F6032	163	RWEAWF4213	181	RWHDHTB78H2	504	YPSB2627	512
RWA(A/B/C/D/E/F/G)F6612	163	RWEAWF4226	181	RWHDHTB78H3	505	YPSB2627F	510
RWA(A/B/C/D/E/F/G)F6621	163	RWEAWF4231	180	RWHDHTB78H4	506	YPSB2630	512
RWA(A/B/C/D/E/F/G)F6623	163	RWEAWF4262	181	RWHDHTB78H5	507	YPSB2630F	510
RWA(A/B/C/D/E/F/G)F6632	163	RWEAWF4813	181	RWHDHTB84H1	503	YPSB2636	512
RWA(A/B/C/D/E/F/G)F7212	163	RWEAWF4826	181	RWHDHTB84H2	504	YPSB2636F	510
RWA(A/B/C/D/E/F/G)F7221	163	RWEAWF4831	180	RWHDHTB84H3	505	YPSB2642	512
RWA(A/B/C/D/E/F/G)F7223	163	RWEAWF4862	181	RWHDHTB84H4	506	YPSB2642F	510
RWA(A/B/C/D/E/F/G)F7232	163	RWEB7220(L/R)	376	RWHDHTB84H5	507	YPSB2648	512
RWAWF4212	180	RWEB7224(L/R)	376	RWHDHTB90H1	503	YPSB2648F	510
RWAWF4221	180	RWEB7520(L/R)	383	RWHDHTB90H2	504	YPSB2654	512
RWAWF4223	180	RWEB7524(L/R)	383	RWHDHTB90H3	505	YPSB2654F	510
RWAWF4232	180	RWEC7220(L/R)	376	RWHDHTB90H4	506	YPSB2660	512
RWAWF4812	180	RWEC7224(L/R)	376	RWHDHTB90H5	507	YPSB2660F	510

<i>pattern no.</i>	<i>page</i>
YPSB2666	512
YPSB2666FRR	510
YPSB2672	512
YPSB2672FRR	510
YPSB3224	511
YPSB3224F	509
YPSB3227	511
YPSB3227F	509
YPSB3230	511
YPSB3230F	509
YPSB3236	511
YPSB3236F	509
YPSB3242	511
YPSB3242F	509
YPSB3248	511
YPSB3248F	509
YPSB3254	511
YPSB3254F	509
YPSB3260	511
YPSB3260F	509
YPSB3266	511
YPSB3266FRR	509
YPSB3272	511
YPSB3272FRR	509
YPSB3824	512
YPSB3824F	510
YPSB3827	512
YPSB3827F	510
YPSB3830	512
YPSB3830F	510
YPSB3836	512
YPSB3836F	510
YPSB3842	512
YPSB3842F	510
YPSB3848	512
YPSB3848F	510
YPSB3854	512
YPSB3854F	510
YPSB3860	512
YPSB3860F	510
YPSB3866	512
YPSB3866FRR	510
YPSB3872	512
YPSB3872FRR	510

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template, Antenna Workspaces and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, RPM and Sapper seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Antenna Workspaces, AutoStrada, Crinion Open Table, Reff Profiles wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (Magnusson, The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, CPU storage and all universal storage drawers.</i></p> <p><i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: All other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Changes in surface finishes, including colorfastness due to aging or exposure to light.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
Compliance with Law	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$5
HLKRKMASTER*	Master Key	\$7

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."