

# REFF PROFILES

**26 1/2" PLANNING  
VOLUME ONE**

Price List  
February 2014

**Knoll**

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	8
	Planning Guidelines and Specification	11
Panels	Monolithic panels 34" H	12
	Monolithic panels 42" H	18
	Monolithic panels 49" H	25
	Monolithic panels 64" H	32
	Monolithic panels 79" H	39
	Tiled panels 34" H	46
	Tiled panels 42" H	51
	Tiled panels 49" H	58
	Tiled panels 64" H	65
	Tiled panels 79" H	72
	Aluminum Reveal kits	79
	Beltway one side, window panel 49" H	82
	Beltway two sides, window panel 49" H	96
	Stacking modules	98
	Panel connection posts	104
	Panel trims and post covers	109
	Panel Accessories	111
	Ceiling cable entry posts, poles and cable infeed	112
	Ceiling cable entry post covers	114
	Rolling door and hinged door	116
	Attachment kits	117
	Floor to ceiling modules	118
	Required components	126
Power distribution components	127	
Beltway electrical components	132	
Data and Communications	134	
Reff Ported Panel Components	135	
Worksurfaces	Worksurfaces	138
	Worksurface 1 1/4"	141
	Conference 1 1/4"	157
	Optional edge details 1 1/4"	159
	Optional edge 1 1/4	160
	Waterfall Edge 1 1/4"	175
	Cascade Edge 1 1/4"	194
	Worksurface Credenza	200
	Tables	Tables with Open Frame Legs
Open Frame legs Infill Options		204
Tables with L-legs		205
Tables with Reverse L-Legs		206
Tables with Soft Rectangular Legs		207
Tables with 2 x 4 Legs		208
Tables with 4 x 4 Legs		209
Tables with Column Legs		210
Mobile Tables		211
Sliding Tables		212
Height Adjustable & Sliding Tables		215
Height Adjustable Tables		218
Support components		Top support components
Cabinetry	Pedestals, 26 1/2" planning	230
	Cabinets, 26 1/2" planning	242

Overhead storage	Overhead, 26 1/2 planning	264
	Reuter overhead cabinet	272
	Reuter open shelf	276
	Reuter open overhead	277
	Reuter overhead storage	278
	Task Lights for Reuter Overhead Storage	280
Transaction tops, regular and waterfall edge	Transaction tops	281
Gallery desk surrounds	Gallery desk surrounds	283
Classic Desks	Classic Desks	287
Preconfigured Reff Desking	Single pedestal desks	291
	Double pedestal desks	294
	Desk returns	297
	Single pedestal credenzas	300
	Bridge assemblies	303
	Double pedestal credenzas	306
Accessories and Client Samples	Accessories	309
	Tackboards	332
	Desk Screens	337
	Cubbies	342
Wall Mounting of Knoll Products		343
Alpha-Numeric Index		345
Selling Policy		362
KnollKey Lock Program		364
General Ordering Information		365

# Knoll and Sustainable Design

---

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

## Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

## Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

## Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

*For more information about Knoll and sustainable design, visit [knoll.com/environment](http://knoll.com/environment).*

### Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

#### Note:

**Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.**

#### Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 15/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 15/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 2mm PVC or 2mm wood. 2" Deep solid waterfall edge optional.

#### Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

#### Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

#### Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

#### Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

**All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.**

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

**Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.**

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

### Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. Which provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

## Wood Finishes

### V1 Techwood

Natural Edge	Synthetic Edge	Finish
Y316	S316	Maple
Y319	S319	Cherry
Y323	S323	Medium Walnut
Y326	S326	Dark Mahogany
Y329	S329	Medium Oak
Y341	S341	Wenge *
Y342	S342	Medium Teak *
Y344	S344	Espresso
Y811	S811	Natural
Y821	S821	Blond Maple
Y831	S831	Light Cherry
Y851	S851	Black Oak
Y881	S881	Light Walnut
Y882	S882	Dove Grey

### V2 Natural Veneers / Premium Techwood

Natural Edge	Synthetic Edge	Finish
V312	R312	Bronze Cherry
V316	R316	Maple
V319	R319	Medium Cherry
V411	R411	Light Walnut
V412	R412	Natural Cherry
V413	R413	Sand Oak (Open pore)
V414	R414	Natural Oak
V415	R415	Peacock Green Walnut
V417	R417	Old English Walnut
V421	R421	Chalk Oak
V423	R423	Light Oak
V433	R433	Light Fawn Cherry
V436	R436	Medium Brown Cherry
V439	R439	Straight Anigre

### V2 Natural Veneers / Premium Techwood (cont.)

Natural Edge	Synthetic Edge	Finish
V440	R440	Natural Hemlock (QC)
Y841	S841	Ebony (Open pore)*
Y861	S861	Grigio (Open pore)*

### V3 Premium Veneer

Natural Edge	Synthetic Edge	Finish
V512	R512	Figured Anigre
V514	R514	Makore
V515	R515	Figured Sycamore
V517	R517	Natural Sapele
V518	R518	Natural Chestnut

**\*Note:**

Finishes with \* are NOT available on Reff Optional Edges and Waterfall Edges.

**Note:**

All finishes shift in color over time, this natural aging process varies by material.

## Laminates

### Laminate

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
128	Fog
129	Micro Sand with 119 Pumice edge band

### Wood Grain Laminates

124	Medium Chery *
125	Natural Maple *
126	Natural Cherry *
127	Walnut *

\*Woodgrain Laminate. Not available on all components.

**Note:**

Matching edge band unless noted otherwise.

### Mixed Finishes: (where applicable for work surfaces only)

Use 2 digit prefix to indicate surface finish

#### Laminate Surfaces

11	Jet Black
14	Folkstone Grey
15	Medium Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate wood edge finishes

#### V1 Edges

Y1	Y341
Y3	Y323
Y4	Y343
Y9	Y319
16	Y316
26	Y326
27	Y327
29	Y329
44	Y344
62	Y342
81	Y811
82	Y821
83	Y831
85	Y851

#### V2 Edges

12	V312
16	V316
39	V439
40	V440
43	V433
45	V415
46	V436
47	V417
48	V418
61	V411
71	V421
73	V423
75	V425
77	V427
84	Y841
86	Y861
87	Y871

#### V3 Edges

52	V512
54	V514
55	V515
57	V517
58	V518

**Note:**

To order mixed finishes, enter four digit finish code as follows:

For example:

For a Micro Grey laminate surface with Bronzed Cherry edge. enter finish code: 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code: 1116

**Forbo**

- 851 Biscuit
- 852 Sky Blue
- 853 Stone
- 854 Cinnamon
- 855 Heather Blue

**Solid Surface**

- AW Artic White

**Glass**

- G1**
- TEMP Clear Tempered
- G2**
- Architectural Glass Options**
- GL13 Powder
- GL8 Wafer
- GL6 Block Matrix
- G3**
- Back Painted Glass 5mm**
- GL11 Back Painted Black
- GL14 Folkstone Grey
- GL15 Back Painted Medium Grey
- GL18 Back Painted White
- Colored Glass**
- GL35 Grey
- GL85 Star Clear

**Note:**  
*All Glass options are Tempered.*

**Paint**

- P1**
- 111 Jet Black
- 112 Brown
- 113 Dark Grey
- 114 Folkstone Grey
- 115 Medium Grey
- 116 Sandstone
- 117 Soft Grey
- 118 Bright White
- P2**
- 611 Beige Mist Metallic
- 612 Medium Metallic Grey
- AA Anodized Aluminum
- P3**
- 613 Silver
- P4**
- PD Polish Chrome
- PU Satin Nickel
- PT Brushed Pewter
- AP Anodized Polished
- AU Anodized Satin

**Note:**  
*Upcharge as applicable for paint class noted on applicable product pages.*

**Plated**

- PD Polish Chrome
- PU Satin Nickel
- PT Brushed Pewter

**Anodized**

- AP Anodized Polished
- AU Anodized Satin
- AA Anodized Aluminum

**Locks**

- B Black
- S Matte Silver

**Complementary Colors:**

- AP (anodized polished) compliments ..... PD (polished chrome)
- AU (anodized satin) compliments ..... PU (satin nickel)

**Fabric Options For Panels**

*Grade 10*

Broadcloth II (W1619)  
 Element (W1077)  
 Foundation (W351)  
 Growth Spurt (W692)  
 Skylark (W1718)  
 Symbolic Detail (W693)  
 Tailor Made II (W1610/6)  
 Versatility (W432)

*Grade 20*

Bauhaus Block (W296A)  
 Circle Line (W1146)  
 Clarity (W281)  
 Criss Cross (W305)  
 Logic (W1313)  
 Nematic II (W1620)  
 Photon II (W1620)  
 Reflect (W884) ø  
 Resolution (W280)  
 Weave Three (W298)

*Grade 30*

Basket Draft (W249)  
 Flow (W565)  
 Harmony (W232)  
 Interknit (W1090)  
 Match Point (W1145)  
 Micro (W465)\*  
 Relay (W1020) ▲

*Grade 40*

Ornament (W1078)  
 Palladium (W1030)

*Grade 45*

Monarch (K1149)

*\*with backing only*

▲ Monolithic panels and tackboards only

ø May not be available in all colors.

★ Non-merchandized available for purchase but samples not available.

*The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:*

*Grade 50*

Versa (K1698)

*Grade 55*

Knoll Felt (K1207)  
 Knoll Hopsack (K1206)  
 Ransom (K1298)  
 Transition (W816)

**Customers Own Material**

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A


(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.




---


**Panel Trim Profiles**




Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)


**Worksurface Profiles**




1 1/2", 1 1/4" and 1" Thick Standard



1 1/4" Thick Waterfall




1 1/4" Thick Cascade




1" Thick Sliding Table

**NOTE:** See page 159 for 7 Optional Edges which are also available.



*Integral Wood J-Pull*


Does not protrude  
Matches the case finish



*C-Pull*

(Nickle Plated Finish Only)  
7 3/8" wide x 1 5/32" deep


Protrudes 1" from the drawer front  
Available in Nickle Plated Finish only  
1 pull per drawer front  
Position: center, 1/2" down from the top of drawer



*D-Pull*

7 3/4" wide x 1 13/32" deep


Protrudes 1 13/32" from the drawer front  
Available in all core paint finishes,  
Brushed Pewter (PT) and Satin Brass (PZ)  
1 pull per drawer front  
Position: Assembled to plate, center line,  
1/2" down from the top of drawer




*S-Pull*

(Stainless Steel Finish Only)  
6 5/32" wide x 1 1/16" deep


Protrudes 1 3/64" from the drawer front  
Available in Stainless Steel only  
1 pull per drawer front  
Position : Center, 1/2" down from the top of drawer




**R-Cylinder**  
 1" diameter  
 Protrudes 1" from the drawer front  
 Available in painted and plated finishes  
 1 pull per 16" & 19" wide pedestal drawer  
 Position: center position for 16" & 19" drawers  
 2 pulls per 30" & 36" lateral drawers  
 Position: 6" in from end, 1 1/2" down from top of drawers




**H-Out Line**  
 4" wide x 1" deep  
 Protrudes 1" from the drawer front  
 Available in painted and plated finishes  
 1 pull per 16" & 19" wide pedestal drawer  
 Position: center, 1 1/2" down from the top of drawer  
 2 pulls per 30" & 36" lateral drawers  
 Position: 6" in from left/right, 1 1/2" down from top of drawers






**T-Tab**  
 Short Tab: 2" wide x 1 3/4" deep  
 Long Tab: 10" wide x 1 3/4" deep  
 Protrudes 3/4" from drawer front  
 Available in painted or plated finishes  
 Position: Center line position on drawers



**F-Bar Pull**  
 Short bar pull: 3 3/8" wide x .3" thick  
 Long bar pull: 10 1/2" wide x .3" thick  
 Protrudes 1" from drawer front  
 Available in painted and plated finishes



**G-Grommet Pull**  
 1 7/32" diameter  
 Flush with the drawer front  
 Available in painted and plated finishes  
 1 pull per 60" & 72" sliding doors  
 Position: 1.656" from left or right, center line vertical  
 2 pulls per 90" & 108" sliding doors  
 Position: 1.656" from left and right, center line vertical  
 Position: Center line position on drawers



### What is Reff Profiles?

Reff Profiles is finely detailed office furniture that combines versatility with image by providing unparalleled attention to quality from dovetailed joinery to a patented finishing process. Users can choose from a broad range of natural woods, fine veneers and durable laminates to create private offices, freestanding work areas and panel-based environments that fit the individual's requirements. A variety of stacking panel styles, including monolithic, tiled and floor-to-ceiling, will support any design criteria.

Worksurfaces are available in traditional rectilinear or innovative curvilinear shapes for a choice of aesthetic approaches and ergonomic solutions. Cabinetry can be specified in numerous sizes and configurations with either wood or metal interiors with a choice of hardware options to support any storage requirement. Innovative desk-height storage, cabinets and office towers combine aesthetics with functionality.

The result is a comprehensive product offering that will satisfy a wide spectrum of users. Let your imagination take hold.

For private offices consider a variety of desk options including flush, cantilevered, recessed or bow fronts and storage solutions including innovative workwalls.

In freestanding furniture, Reff Profiles offers a full selection of components to support any requirement from managerial to administrative. Options include numerous worksurfaces and meeting tops with a variety of freestanding supports. Administrative and Gallery desk surrounds, stationary and mobile storage components and storage towers provide exceptional planning alternatives.

Panel systems provide high-density power, data and communications capacity along with acoustic control and design flexibility. Panels can be specified with smooth monolithic surfaces, tiled faces or stacking modules. Additionally, panel surfaces are available with fabric on both sides or with fabric on one side and wood on the other.

### Who should consider Reff Profiles?

Reff Profiles is well suited to organizations who want to project a high image while supporting any work environment from private offices to panel-based workstations. Companies will appreciate the fine quality and breathtaking aesthetics of Reff Profiles and, for those rapidly changing firms who require interchangeable components to support long term use, Reff Profiles is truly the design choice for inspired offices.

### Desk Height Planning vs. Standard Height Planning

Reff Profiles offers two support height planning models: "standard" height (26 1/2") and "desk" height (28 3/8").

"Standard height" support components provide an underdesk clearance of 26 1/2". This yields a worksurface height of 27 3/4" with 1 1/4" thick worksurfaces and 28" with 1 1/2" worksurfaces.

Standard height planning (26 1/2") may be utilized in panel-based open planning, freestanding open planning (including Reff Profiles Gallery), and in private office planning.

"Desk height" support components provide an underdesk clearance of 28 3/8". This yields a worksurface height of 29 5/8" with 1 1/4" thick worksurfaces and 29 7/8" with 1 1/2" thick worksurfaces.

"Low Credenza" and "3/4 high" storage options may be incorporated into desk height planning models. Progressive Low Credenza storage incorporates a 1 1/16" top shelf for a finished height of 23 3/8". 3/4 high storage is 22 3/8" high and requires a 1" thick applied worksurface top which yields a low worksurface height of 23 3/8".

Desk height planning (28 3/8") may be utilized in freestanding open planning (including Administrative and Reception desk units) and in private office planning.

### Storage Relationships

Care should be taken to make sure storage cabinets are specified in the type that corresponds to the planning height model being used.

Classic Cabinets, Overheads, Workwalls, and Overdesk Units are available for both standard and desk height planning and must be specified accordingly.

Progressive Cabinets, Progressive Overheads, and Desktop Towers are only available for desk height planning.


Task panels are intended to be used with desk height planning. They are not recommended for use with standard height planning.

### Price List / Planning Guide Organization

The Reff Profiles price list is divided into two volumes. Volume 1 contains pricing related to panels and "standard" height (26 1/2") planning. Planning guidelines for 26 1/2" height planning are available in the Reff Planning Guide, circa 2000. The Reff Profiles price list Volume 2 contains pricing and planning information for "desk" height (28 3/8") elements.

It is not advised to mix 28 3/8" desk height products with 26 1/2" components.


# Monolithic panels 34" H *fabric both sides*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	<b>R3B0PFF3418-()()</b>	\$645.	\$661.	\$705.	\$797.	\$853.	\$935.	\$991.
Regular acoustics	20"	34"	<b>R3B0PFF3420-()()</b>	645.	661.	705.	797.	853.	935.	991.
	24"	34"	<b>R3B0PFF3424-()()</b>	696.	712.	756.	848.	904.	986.	1,042.
	30"	34"	<b>R3B0PFF3430-()()</b>	741.	757.	801.	893.	949.	1,031.	1,087.
	36"	34"	<b>R3B0PFF3436-()()</b>	788.	804.	848.	940.	996.	1,078.	1,134.
	42"	34"	<b>R3B0PFF3442-()()</b>	905.	921.	965.	1,057.	1,113.	1,195.	1,251.
	48"	34"	<b>R3B0PFF3448-()()</b>	939.	955.	999.	1,091.	1,147.	1,229.	1,285.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF3418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b>	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum
<b>B0</b>	2. Base height	2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option).
<b>P</b>	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
<b>FF</b>	4. Panel side 1 finish(s) inside	All panels on this page have no high acoustical option or Beltway option.
<b>34</b>	5. Panel side 2 finish(s) outside	Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.
<b>18</b>	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>(A)</b>	7. Base finish	Ported panel components to be installed below worksurface if panel 36"h.
<b>(4)</b>	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	
<b>(K)</b>		
<b>W281</b>		
<b>W281</b>		
<b>V316</b>		
<b>111</b>		
<b>M</b>		

# Monolithic panels 34" H

*fabric one side, laminate other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PFL3418-()()</b>	\$615.	\$624.	\$643.	\$684.	\$709.	\$744.	\$770.
Regular acoustics	20"	34"	<b>R3B0PFL3420-()()</b>	615.	624.	643.	684.	709.	744.	770.
	24"	34"	<b>R3B0PFL3424-()()</b>	655.	664.	683.	724.	749.	784.	810.
	30"	34"	<b>R3B0PFL3430-()()</b>	699.	708.	727.	768.	793.	828.	854.
	36"	34"	<b>R3B0PFL3436-()()</b>	736.	745.	764.	805.	830.	865.	891.
	42"	34"	<b>R3B0PFL3442-()()</b>	838.	847.	866.	907.	932.	967.	993.
	48"	34"	<b>R3B0PFL3448-()()</b>	864.	873.	892.	933.	958.	993.	1,019.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL3418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option).
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>FL</b> Fabric one side	4. Panel side 1 finish(s) inside	
<b>34</b> 34" high	5. Panel side 2 finish(s) outside	
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	All panels on this page accept stacking modules.  6" Raceway option increases panel height by 2 3/4".  All panels on this page have no high acoustical option or Beltway option.  Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	7. Base finish	
<b>4</b> 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	Ported panel components to be installed below worksurface if panel 36"h.
<b>K</b> Include knockouts in base		
<b>W281</b> Fabric Side 1		
<b>114</b> Folkstone grey - side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Milled for ported components		

# Monolithic panels 34" H

*fabric one side, techwood other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PF13418-( ) ( )</b>	\$723.	\$730.	\$753.	\$799.	\$828.	\$869.	\$899.
Regular acoustics	20"	34"	<b>R3B0PF13420-( ) ( )</b>	726.	733.	756.	802.	831.	872.	902.
	24"	34"	<b>R3B0PF13424-( ) ( )</b>	773.	780.	803.	849.	878.	919.	949.
	30"	34"	<b>R3B0PF13430-( ) ( )</b>	822.	829.	852.	898.	927.	968.	998.
	36"	34"	<b>R3B0PF13436-( ) ( )</b>	872.	879.	902.	948.	977.	1,018.	1,048.
	42"	34"	<b>R3B0PF13442-( ) ( )</b>	988.	995.	1,018.	1,064.	1,093.	1,134.	1,164.
	48"	34"	<b>R3B0PF13448-( ) ( )</b>	1,021.	1,028.	1,051.	1,097.	1,126.	1,167.	1,197.



Order Code	Specification Information	Application Notes
Example: <b>R3B0PF13418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>F1</b> Fabric one side, V1 other side	4. Panel side 1 finish(s) inside	All panels on this page have no high acoustical option or Beltway option.
<b>34</b> 34" high	5. Panel side 2 finish(s) outside	Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	7. Base finish	Ported panel components to be installed below worksurface if panel 34"h.
<b>4</b> 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	
<b>K</b> Include knockouts in base		
<b>W281</b> Fabric Side 1		
<b>Y328</b> Mahogany - side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Monolithic panels 34" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	<b>R3B0PF234 18-( ) ( )</b>	\$737.	\$744.	\$767.	\$813.	\$842.	\$883.	\$913.
	20"	34"	<b>R3B0PF234 20-( ) ( )</b>	740.	747.	770.	816.	845.	886.	916.
	24"	34"	<b>R3B0PF234 24-( ) ( )</b>	786.	793.	816.	862.	891.	932.	962.
	30"	34"	<b>R3B0PF234 30-( ) ( )</b>	839.	846.	869.	915.	944.	985.	1,015.
	36"	34"	<b>R3B0PF234 36-( ) ( )</b>	886.	893.	916.	962.	991.	1,032.	1,062.
	42"	34"	<b>R3B0PF234 42-( ) ( )</b>	1,010.	1,017.	1,040.	1,086.	1,115.	1,156.	1,186.
	48"	34"	<b>R3B0PF234 48-( ) ( )</b>	1,040.	1,047.	1,070.	1,116.	1,145.	1,186.	1,216.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF23418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>F2</b> Fabric one side, V2 other side	(K = with knockouts, N = without knockouts)	E = Extruded aluminum
<b>34</b> 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
<b>A</b> Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
<b>4</b> 4" base height	i) Top trim profile A, B or C options:	
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
<b>W281</b> Fabric Side 1	ii) Top trim profile E options:	
<b>V316</b> Maple surface - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>V316</b> Maple (top trim finish)	7. Base finish	
<b>111</b> Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	
<b>M</b> Optional milled frame		

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Ported panel components to be installed below worksurface if panel 34"h.



# Monolithic panels 34" H

*fabric one side, exotic veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PF334 18-( ) ( )</b>	\$980.	\$987.	\$1,010.	\$1,056.	\$1,085.	\$1,126.	\$1,156.
Regular acoustics	20"	34"	<b>R3B0PF334 20-( ) ( )</b>	984.	991.	1,014.	1,060.	1,089.	1,130.	1,160.
	24"	34"	<b>R3B0PF334 24-( ) ( )</b>	1,047.	1,054.	1,077.	1,123.	1,152.	1,193.	1,223.
	30"	34"	<b>R3B0PF334 30-( ) ( )</b>	1,118.	1,125.	1,148.	1,194.	1,223.	1,264.	1,294.
	36"	34"	<b>R3B0PF334 36-( ) ( )</b>	1,181.	1,188.	1,211.	1,257.	1,286.	1,327.	1,357.
	42"	34"	<b>R3B0PF334 42-( ) ( )</b>	1,348.	1,355.	1,378.	1,424.	1,453.	1,494.	1,524.
	48"	34"	<b>R3B0PF334 48-( ) ( )</b>	1,388.	1,395.	1,418.	1,464.	1,493.	1,534.	1,564.



Order Code	Specification Information	Application Notes
Example: <b>R3B0PF33418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
<b>F3</b> Fabric one side, V3 one side	4. Panel side 1 finish(s) inside	All panels on this page have no high acoustical option or Beltway option.
<b>34</b> 34" high	5. Panel side 2 finish(s) outside	Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.
<b>18</b> 18" wide	6. Top trim finish <i>i</i> )Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i> )Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	7. Base finish	Ported panel components to be installed below worksurface if panel 34"h.
<b>4</b> 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	
<b>K</b> Include knockouts in base		
<b>W281</b> Fabric Side 1		
<b>V512</b> Figured Anigre surface - side 2		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		



# Monolithic panels 34" H

## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	<b>R3B0PLL3418</b> ( ) ( )	\$619.
	20"	34"	<b>R3B0PLL3420</b> ( ) ( )	619.
	24"	34"	<b>R3B0PLL3424</b> ( ) ( )	675.
	30"	34"	<b>R3B0PLL3430</b> ( ) ( )	756.
	36"	34"	<b>R3B0PLL3436</b> ( ) ( )	817.
	42"	34"	<b>R3B0PLL3442</b> ( ) ( )	842.
	48"	34"	<b>R3B0PLL3448</b> ( ) ( )	882.


Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL3418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b>	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum
<b>B0</b>	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>P</b>	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>LL</b>	4. Panel side 1 laminate inside	
<b>34</b>	5. Panel side 2 laminate outside	
<b>18</b>	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	All panels on this page accept stacking modules.  6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".  All panels on this page have no high acoustical option or Beltway option.  Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b>	7. Base finish	
<b>4</b>	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	
<b>K</b>		
<b>118</b>		
<b>118</b>		
<b>V512</b>		
<b>111</b>		
<b>M</b>		

# Monolithic panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	<b>R3B0PFF42 18-()</b> ( )	\$586.	\$604.	\$652.	\$748.	\$822.	\$908.	\$968.
Regular acoustics	20"	42"	<b>R3B0PFF42 20-()</b> ( )	586.	604.	652.	748.	822.	908.	968.
	24"	42"	<b>R3B0PFF42 24-()</b> ( )	625.	643.	691.	787.	861.	947.	1,007.
	30"	42"	<b>R3B0PFF42 30-()</b> ( )	681.	699.	747.	843.	917.	1,003.	1,063.
	36"	42"	<b>R3B0PFF42 36-()</b> ( )	733.	651.	799.	895.	969.	1,055.	1,115.
	42"	42"	<b>R3B0PFF42 42-()</b> ( )	788.	806.	854.	950.	1,024.	1,110.	1,170.
	48"	42"	<b>R3B0PFF42 48-()</b> ( )	846.	864.	912.	1,008.	1,082.	1,168.	1,228.
	60"	42"	<b>R3B0PFF42 60-()</b> ( )	958.	1,008.	1,104.	1,292.	1,430.	1,608.	1,718.
	66"	42"	<b>R3B0PFF42 66-()</b> ( ) *	991.	1,041.	1,137.	1,325.	1,463.	1,641.	1,751.
	72"	42"	<b>R3B0PFF42 72-()</b> ( ) *	1,023.	1,073.	1,169.	1,357.	1,495.	1,673.	1,783.
Monolithic, fabric both sides	18"	42"	<b>R3B0PAA42 18-()</b> ( )	643.	661.	709.	805.	879.	965.	1,025.
High acoustics	20"	42"	<b>R3B0PAA42 20-()</b> ( )	643.	661.	709.	805.	879.	965.	1,025.
	24"	42"	<b>R3B0PAA42 24-()</b> ( )	685.	703.	751.	847.	921.	1,007.	1,067.
	30"	42"	<b>R3B0PAA42 30-()</b> ( )	743.	761.	809.	905.	979.	1,065.	1,125.
	36"	42"	<b>R3B0PAA42 36-()</b> ( )	803.	821.	869.	965.	1,039.	1,125.	1,185.
	42"	42"	<b>R3B0PAA42 42-()</b> ( )	866.	884.	932.	1,028.	1,102.	1,188.	1,248.
	48"	42"	<b>R3B0PAA42 48-()</b> ( )	929.	947.	995.	1,091.	1,165.	1,251.	1,311.
	60"	42"	<b>R3B0PAA42 60-()</b> ( ) *	1,045.	1,095.	1,191.	1,379.	1,517.	1,695.	1,805.
	66"	42"	<b>R3B0PAA42 66-()</b> ( ) *	1,080.	1,130.	1,226.	1,414.	1,552.	1,730.	1,840.
	72"	42"	<b>R3B0PAA42 72-()</b> ( ) *	1,116.	1,166.	1,262.	1,450.	1,588.	1,766.	1,876.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 281).
<b>R3</b>	Reff Generation 3	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B0</b>	No Beltway	
<b>P</b>	Monolithic panel	6" Raceway option increases panel height by 2 3/4".
<b>FF</b>	Fabric on both sides	
<b>42</b>	42" high	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.
<b>18</b>	18" wide	
<b>(A)</b>	Flat style top trim profile	Remember to specify Beltway paint finish when applicable.
<b>(4)</b>	4" base height	
<b>(K)</b>	Include knockouts in base	*These panel widths do not accept stacking modules.
<b>W281</b>	Fabric - Side 1	
<b>W281</b>	Fabric - Side 2	*Fabric inserts of these panels are two pieces, split vertically.
<b>V316</b>	Maple (top trim finish)	
<b>111</b>	Jet Black (base finish)	
<b>M</b>	Optional milled frame	

# Monolithic panels 42" H with Beltway



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	<b>R3B2PFF42 18-( ) ( )</b>	\$1,153.	\$1,183.	\$1,247.	\$1,371.	\$1,447.	\$1,547.	\$1,621.
Beltway two sides, regular acoustics	20"	42"	<b>R3B2PFF42 20-( ) ( )</b>	1,153.	1,183.	1,247.	1,371.	1,447.	1,547.	1,621.
	24"	42"	<b>R3B2PFF42 24-( ) ( )</b>	1,177.	1,207.	1,271.	1,395.	1,471.	1,571.	1,645.
	30"	42"	<b>R3B2PFF42 30-( ) ( )</b>	1,235.	1,265.	1,329.	1,453.	1,529.	1,629.	1,703.
	36"	42"	<b>R3B2PFF42 36-( ) ( )</b>	1,445.	1,475.	1,539.	1,663.	1,739.	1,839.	1,913.
	42"	42"	<b>R3B2PFF42 42-( ) ( )</b>	1,554.	1,584.	1,648.	1,772.	1,848.	1,948.	2,022.
	48"	42"	<b>R3B2PFF42 48-( ) ( )</b>	1,610.	1,640.	1,704.	1,828.	1,904.	2,004.	2,078.

Monolithic, fabric both sides	18"	42"	<b>R3B1PFF42 18-( ) ( )</b>	1,137.	1,161.	1,217.	1,327.	1,402.	1,495.	1,562.
Beltway one side	20"	42"	<b>R3B1PFF42 20-( ) ( )</b>	1,137.	1,161.	1,217.	1,327.	1,402.	1,495.	1,562.
	24"	42"	<b>R3B1PFF42 24-( ) ( )</b>	1,156.	1,180.	1,236.	1,346.	1,421.	1,514.	1,581.
	30"	42"	<b>R3B1PFF42 30-( ) ( )</b>	1,214.	1,238.	1,294.	1,404.	1,479.	1,572.	1,639.
	36"	42"	<b>R3B1PFF42 36-( ) ( )</b>	1,419.	1,443.	1,499.	1,609.	1,684.	1,777.	1,844.
	42"	42"	<b>R3B1PFF42 42-( ) ( )</b>	1,526.	1,550.	1,606.	1,716.	1,791.	1,884.	1,951.
	48"	42"	<b>R3B1PFF42 48-( ) ( )</b>	1,575.	1,599.	1,655.	1,765.	1,840.	1,933.	2,000.

Order Code	Specification Information	Application Notes
Example: <b>R3B2PFF4218</b>	<i>To order please specify pattern number including:</i>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 281).</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>*Fabric inserts of these panels are two pieces, split vertically.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B2</b> Beltway two sides	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside below belt	
<b>42</b> 42" high	5. Panel side 1 finish(s) inside above belt	
<b>18</b> 18" wide	6. Panel side 2 finish(s) outside below belt	
<b>(A)</b> Flat style top trim profile	7. Panel side 2 finish(s) outside above belt	
<b>(4)</b> 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>(K)</b> Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>W281</b> Fabric - Side 1 below belt	9. Base finish	
<b>W281</b> Fabric - Side 1 above belt	10. Beltway finish	
<b>W281</b> Fabric - Side 2 below belt	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 2 above belt		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black Beltway finish		

# Monolithic panels 42" H



*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PFL42 18-( )()</b>	\$505.	\$513.	\$535.	\$575.	\$610.	\$646.	\$674.
	20"	42"	<b>R3B0PFL42 20-( )()</b>	505.	513.	535.	575.	610.	646.	674.
	24"	42"	<b>R3B0PFL42 24-( )()</b>	511.	519.	541.	581.	616.	652.	680.
	30"	42"	<b>R3B0PFL42 30-( )()</b>	613.	621.	643.	683.	718.	754.	782.
	36"	42"	<b>R3B0PFL42 36-( )()</b>	663.	671.	693.	733.	768.	804.	832.
	42"	42"	<b>R3B0PFL42 42-( )()</b>	744.	752.	774.	814.	849.	885.	913.
	48"	42"	<b>R3B0PFL42 48-( )()</b>	809.	817.	839.	879.	914.	950.	978.
	60"	42"	<b>R3B0PFL42 60-( )()</b>	880.	902.	944.	1,027.	1,088.	1,168.	1,216.
	66"	42"	<b>R3B0PFL42 66-( )()</b>	912.	934.	976.	1,059.	1,120.	1,200.	1,248.
	72"	42"	<b>R3B0PFL42 72-( )()</b>	945.	967.	1,009.	1,092.	1,153.	1,233.	1,281.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PFL42 18-( )()</b>	991.	1,004.	1,032.	1,087.	1,119.	1,164.	1,198.
	20"	42"	<b>R3B1PFL42 20-( )()</b>	991.	1,004.	1,032.	1,087.	1,119.	1,164.	1,198.
	24"	42"	<b>R3B1PFL42 24-( )()</b>	1,016.	1,029.	1,057.	1,112.	1,144.	1,189.	1,223.
	30"	42"	<b>R3B1PFL42 30-( )()</b>	1,092.	1,105.	1,133.	1,188.	1,220.	1,265.	1,299.
	36"	42"	<b>R3B1PFL42 36-( )()</b>	1,274.	1,287.	1,315.	1,370.	1,402.	1,447.	1,481.
	42"	42"	<b>R3B1PFL42 42-( )()</b>	1,305.	1,318.	1,346.	1,401.	1,433.	1,478.	1,512.
	48"	42"	<b>R3B1PFL42 48-( )()</b>	1,467.	1,480.	1,508.	1,563.	1,595.	1,640.	1,674.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL4218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: B0=No Beltway B1=Beltway one side 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt) 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. Beltway finish-only for panel with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Product on this page will accept woodgrain laminate where laminate is currently an option. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 286.) 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H



*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF142 18-( )</b>	\$592.	\$602.	\$626.	\$676.	\$714.	\$756.	\$787.
	20"	42"	<b>R3B0PF142 20-( )</b>	592.	602.	626.	676.	714.	756.	787.
	24"	42"	<b>R3B0PF142 24-( )</b>	597.	607.	631.	681.	719.	761.	792.
	30"	42"	<b>R3B0PF142 30-( )</b>	720.	730.	754.	804.	842.	884.	915.
	36"	42"	<b>R3B0PF142 36-( )</b>	779.	789.	813.	863.	901.	943.	974.
	42"	42"	<b>R3B0PF142 42-( )</b>	878.	888.	912.	962.	1,000.	1,042.	1,073.
	48"	42"	<b>R3B0PF142 48-( )</b>	953.	963.	987.	1,037.	1,075.	1,117.	1,148.
	60"	42"	<b>R3B0PF142 60-( )*</b>	1,037.	1,061.	1,110.	1,207.	1,276.	1,370.	1,426.
	66"	42"	<b>R3B0PF142 66-( )*</b>	1,078.	1,102.	1,151.	1,248.	1,317.	1,411.	1,467.
	72"	42"	<b>R3B0PF142 72-( )*</b>	1,114.	1,138.	1,187.	1,284.	1,353.	1,447.	1,503.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PF142 18-( )</b>	1,161.	1,176.	1,208.	1,272.	1,308.	1,361.	1,399.
	20"	42"	<b>R3B1PF142 20-( )</b>	1,162.	1,176.	1,208.	1,272.	1,308.	1,361.	1,399.
	24"	42"	<b>R3B1PF142 24-( )</b>	1,195.	1,210.	1,242.	1,306.	1,342.	1,395.	1,433.
	30"	42"	<b>R3B1PF142 30-( )</b>	1,284.	1,299.	1,331.	1,395.	1,431.	1,484.	1,522.
	36"	42"	<b>R3B1PF142 36-( )</b>	1,494.	1,509.	1,541.	1,605.	1,641.	1,694.	1,732.
	42"	42"	<b>R3B1PF142 42-( )</b>	1,534.	1,549.	1,581.	1,645.	1,681.	1,734.	1,772.
	48"	42"	<b>R3B1PF142 48-( )</b>	1,727.	1,742.	1,774.	1,838.	1,874.	1,927.	1,965.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF14218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway specify: Side 1, Below belt Side 2, Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 286). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H



*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF242 18-( )</b>	\$600.	\$610.	\$634.	\$684.	\$722.	\$764.	\$795.
	20"	42"	<b>R3B0PF242 20-( )</b>	600.	610.	634.	684.	722.	764.	795.
	24"	42"	<b>R3B0PF242 24-( )</b>	611.	621.	645.	695.	733.	775.	806.
	30"	42"	<b>R3B0PF242 30-( )</b>	733.	743.	767.	817.	855.	897.	928.
	36"	42"	<b>R3B0PF242 36-( )</b>	792.	802.	826.	876.	914.	956.	987.
	42"	42"	<b>R3B0PF242 42-( )</b>	892.	902.	926.	976.	1,014.	1,056.	1,087.
	48"	42"	<b>R3B0PF242 48-( )</b>	971.	981.	1,005.	1,055.	1,093.	1,135.	1,166.
	60"	42"	<b>R3B0PF242 60-( )*</b>	1,051.	1,075.	1,124.	1,221.	1,290.	1,384.	1,440.
	66"	42"	<b>R3B0PF242 66-( )*</b>	1,094.	1,118.	1,167.	1,264.	1,333.	1,427.	1,483.
	72"	42"	<b>R3B0PF242 72-( )*</b>	1,131.	1,155.	1,204.	1,301.	1,370.	1,464.	1,520.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PF242 18-( )</b>	1,188.	1,203.	1,235.	1,299.	1,335.	1,388.	1,426.
	20"	42"	<b>R3B1PF242 20-( )</b>	1,188.	1,203.	1,235.	1,299.	1,335.	1,388.	1,426.
	24"	42"	<b>R3B1PF242 24-( )</b>	1,213.	1,228.	1,260.	1,324.	1,360.	1,413.	1,451.
	30"	42"	<b>R3B1PF242 30-( )</b>	1,311.	1,326.	1,358.	1,422.	1,458.	1,511.	1,549.
	36"	42"	<b>R3B1PF242 36-( )</b>	1,524.	1,539.	1,571.	1,635.	1,671.	1,724.	1,762.
	42"	42"	<b>R3B1PF242 42-( )</b>	1,564.	1,579.	1,611.	1,675.	1,711.	1,764.	1,802.
	48"	42"	<b>R3B1PF242 48-( )</b>	1,756.	1,771.	1,803.	1,867.	1,903.	1,956.	1,994.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF24218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F2</b> Fabric one side, V2 other	4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1- Below Beltway Side 2- Above Beltway	E = Extruded Aluminum
<b>42</b> 42" high	5. Panel side 2 finish(s) outside	<i>2. Base height:</i>
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>A</b> Flat style top trim profile	7. Base finish - (only for panels with Beltway option)	<i>3. Beltway:</i>
<b>4</b> 4" base height	8. Beltway finish	B0 = No Beltway B1 = Beltway 1 side
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 286).
<b>W281</b> Fabric - Side 1		6" Raceway option increases panel height by 2 3/4".
<b>V316</b> Maple surface - side 2		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>V316</b> Maple (top trim finish)		Remember to specify Beltway paint finish when applicable.
<b>111</b> Jet Black (base finish)		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>M</b> Optional milled frame		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H

*fabric one side, exotic veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF342 18-</b> ( ) ( )	\$795.	\$805.	\$829.	\$879.	\$917.	\$959.	\$990.
	20"	42"	<b>R3B0PF342 20-</b> ( ) ( )	795.	805.	829.	879.	917.	959.	990.
	24"	42"	<b>R3B0PF342 24-</b> ( ) ( )	807.	817.	841.	891.	929.	971.	1,002.
	30"	42"	<b>R3B0PF342 30-</b> ( ) ( )	971.	981.	1,005.	1,055.	1,093.	1,135.	1,166.
	36"	42"	<b>R3B0PF342 36-</b> ( ) ( )	1,053.	1,063.	1,087.	1,137.	1,175.	1,217.	1,248.
	42"	42"	<b>R3B0PF342 42-</b> ( ) ( )	1,187.	1,197.	1,221.	1,271.	1,309.	1,351.	1,382.
	48"	42"	<b>R3B0PF342 48-</b> ( ) ( )	1,296.	1,306.	1,330.	1,380.	1,418.	1,460.	1,491.
	60"	42"	<b>R3B0PF342 60-</b> ( ) ( )*	1,386.	1,410.	1,459.	1,556.	1,625.	1,719.	1,775.
	66"	42"	<b>R3B0PF342 66-</b> ( ) ( )*	1,444.	1,468.	1,517.	1,614.	1,683.	1,777.	1,833.
	72"	42"	<b>R3B0PF342 72-</b> ( ) ( )*	1,494.	1,518.	1,567.	1,664.	1,733.	1,827.	1,883.
Monolithic, fabric one side Beltway fabric side 	18"	42"	<b>R3B1PF342 18-</b> ( ) ( )	1,586.	1,601.	1,633.	1,697.	1,733.	1,786.	1,824.
	20"	42"	<b>R3B1PF342 20-</b> ( ) ( )	1,586.	1,601.	1,633.	1,697.	1,733.	1,786.	1,824.
	24"	42"	<b>R3B1PF342 24-</b> ( ) ( )	1,621.	1,636.	1,668.	1,732.	1,768.	1,821.	1,859.
	30"	42"	<b>R3B1PF342 30-</b> ( ) ( )	1,752.	1,767.	1,799.	1,863.	1,899.	1,952.	1,990.
	36"	42"	<b>R3B1PF342 36-</b> ( ) ( )	2,042.	2,057.	2,089.	2,153.	2,189.	2,242.	2,280.
	42"	42"	<b>R3B1PF342 42-</b> ( ) ( )	2,095.	2,110.	2,142.	2,206.	2,242.	2,295.	2,333.
	48"	42"	<b>R3B1PF342 48-</b> ( ) ( )	2,356.	2,371.	2,403.	2,467.	2,503.	2,556.	2,594.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF34218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway, B1=Beltway, one side <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1=Below Beltway Side 2=Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver; 7. Base finish 8. Beltway finish (only for panels with Beltway option) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 286). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.





# Monolithic panels 42" H

## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	<b>R3B0PLL4218( ) ( )</b>	\$655.
	20"	42"	<b>R3B0PLL4220( ) ( )</b>	655.
	24"	42"	<b>R3B0PLL4224( ) ( )</b>	714.
	30"	42"	<b>R3B0PLL4230( ) ( )</b>	800.
	36"	42"	<b>R3B0PLL4236( ) ( )</b>	864.
	42"	42"	<b>R3B0PLL4242( ) ( )</b>	951.
	48"	42"	<b>R3B0PLL4248( ) ( )</b>	1,064.
	60"	42"	<b>R3B0PLL4260( ) ( )*</b>	1,149.
	66"	42"	<b>R3B0PLL4266( ) ( )*</b>	1,185.
	72"	42"	<b>R3B0PLL4272( ) ( )*</b>	1,219.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL4218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>LL</b> Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>42</b> 42" high	4. Panel side 1 inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 outside	4 = 4" base height
<b>A</b> Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
<b>4</b> 4" base height	i) Top trim profile A,B or C options:	<i>3. Beltway:</i>
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	B0 = No Beltway
<b>118</b> Laminate - side 1	ii) Top trim profile E options:	B1 = Beltway 1 side
<b>118</b> Laminate - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>V512</b> Figured Anigre (top trim finish)	7. Base finish	
<b>111</b> Jet Black (base finish)	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	Product on this page does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 286).
<b>M</b> Optional milled frame		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 49" H fabric both sides

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	49"	<b>R3B0PFF49 18-()</b> ( )	\$656.	\$686.	\$742.	\$858.	\$934.	\$1,038.	\$1,104.	
Regular acoustics	20"	49"	<b>R3B0PFF49 20-()</b> ( )	656.	686.	742.	858.	934.	1,038.	1,104.	
	24"	49"	<b>R3B0PFF49 24-()</b> ( )	700.	730.	786.	902.	978.	1,082.	1,148.	
	30"	49"	<b>R3B0PFF49 30-()</b> ( )	760.	790.	846.	962.	1,038.	1,142.	1,208.	
	36"	49"	<b>R3B0PFF49 36-()</b> ( )	795.	825.	881.	997.	1,073.	1,177.	1,243.	
	42"	49"	<b>R3B0PFF49 42-()</b> ( )	858.	888.	944.	1,060.	1,136.	1,240.	1,306.	
	48"	49"	<b>R3B0PFF49 48-()</b> ( )	942.	972.	1,028.	1,144.	1,220.	1,324.	1,390.	
	60"	49"	<b>R3B0PFF49 60-()</b> ( )*	1,087.	1,137.	1,247.	1,481.	1,639.	1,845.	1,971.	
	66"	49"	<b>R3B0PFF49 66-()</b> ( )*	1,123.	1,173.	1,283.	1,517.	1,675.	1,881.	2,007.	
	72"	49"	<b>R3B0PFF49 72-()</b> ( )*	1,156.	1,206.	1,316.	1,550.	1,708.	1,914.	2,040.	
	Monolithic, fabric both sides	18"	49"	<b>R3B0PAA49 18-()</b> ( )	715.	745.	801.	917.	993.	1,097.	1,163.
	High acoustics	20"	49"	<b>R3B0PAA49 20-()</b> ( )	715.	745.	801.	917.	993.	1,097.	1,163.
	24"	49"	<b>R3B0PAA49 24-()</b> ( )	765.	795.	851.	967.	1,043.	1,147.	1,213.	
	30"	49"	<b>R3B0PAA49 30-()</b> ( )	831.	861.	917.	1,033.	1,109.	1,213.	1,279.	
	36"	49"	<b>R3B0PAA49 36-()</b> ( )	870.	900.	956.	1,072.	1,148.	1,252.	1,318.	
	42"	49"	<b>R3B0PAA49 42-()</b> ( )	941.	971.	1,027.	1,143.	1,219.	1,323.	1,389.	
	48"	49"	<b>R3B0PAA49 48-()</b> ( )	1,032.	1,062.	1,118.	1,234.	1,310.	1,414.	1,480.	
	60"	49"	<b>R3B0PAA49 60-()</b> ( )*	1,181.	1,231.	1,341.	1,575.	1,733.	1,939.	2,065.	
	66"	49"	<b>R3B0PAA49 66-()</b> ( )*	1,222.	1,272.	1,382.	1,616.	1,774.	1,980.	2,106.	
	72"	49"	<b>R3B0PAA49 72-()</b> ( )*	1,264.	1,314.	1,424.	1,658.	1,816.	2,022.	2,148.	


Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF4918-A4K</b>	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>*Fabric inserts of these panels are two pieces, split vertically.</p> <p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.</p> <p>Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B0</b> No Beltway	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside	
<b>49</b> 49" high	5. Panel side 2 finish(s) outside	
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
<b>A</b> Flat style top trim profile	7. Base finish	
<b>4</b> 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>K</b> Include knockouts in base		
<b>W281</b> Fabric - Side 1		
<b>W281</b> Fabric - Side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Monolithic panels 49" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	<b>R3B2PFF49 18-( ) ( )</b>	\$1,186.	\$1,224.	\$1,302.	\$1,424.	\$1,516.	\$1,644.	\$1,724.
Beltway two sides, regular acoustics	20"	49"	<b>R3B2PFF49 20-( ) ( )</b>	1,186.	1,224.	1,302.	1,424.	1,516.	1,644.	1,724.
	24"	49"	<b>R3B2PFF49 24-( ) ( )</b>	1,210.	1,248.	1,326.	1,448.	1,540.	1,668.	1,748.
	30"	49"	<b>R3B2PFF49 30-( ) ( )</b>	1,272.	1,310.	1,388.	1,510.	1,602.	1,730.	1,810.
	36"	49"	<b>R3B2PFF49 36-( ) ( )</b>	1,501.	1,539.	1,617.	1,739.	1,831.	1,959.	2,039.
	42"	49"	<b>R3B2PFF49 42-( ) ( )</b>	1,615.	1,653.	1,731.	1,853.	1,945.	2,073.	2,153.
	48"	49"	<b>R3B2PFF49 48-( ) ( )</b>	1,673.	1,711.	1,789.	1,911.	2,003.	2,131.	2,211.



Monolithic, fabric both sides	18"	49"	<b>R3B1PFF49 18-( ) ( )</b>	1,165.	1,199.	1,266.	1,385.	1,469.	1,585.	1,658.
Beltway one side	20"	49"	<b>R3B1PFF49 20-( ) ( )</b>	1,165.	1,199.	1,266.	1,385.	1,469.	1,585.	1,658.
	24"	49"	<b>R3B1PFF49 24-( ) ( )</b>	1,188.	1,222.	1,289.	1,408.	1,492.	1,608.	1,681.
	30"	49"	<b>R3B1PFF49 30-( ) ( )</b>	1,245.	1,279.	1,346.	1,465.	1,549.	1,665.	1,738.
	36"	49"	<b>R3B1PFF49 36-( ) ( )</b>	1,472.	1,506.	1,573.	1,692.	1,776.	1,892.	1,965.
	42"	49"	<b>R3B1PFF49 42-( ) ( )</b>	1,582.	1,616.	1,683.	1,802.	1,886.	2,002.	2,075.
	48"	49"	<b>R3B1PFF49 48-( ) ( )</b>	1,638.	1,672.	1,739.	1,858.	1,942.	2,058.	2,131.



Order Code	Specification Information	Application Notes
Example: <b>R3B2PFF4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> Beltway, both sides	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>49</b> 49" high	4. Panel 1 finish(s) Below Belt	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel 2 finish(s) Above Belt	4 = 4" base height
<b>A</b> Flat style top trim profile	6. Panel 2 finish(s) Below Belt	6 = 6" base height (add \$50 per panel for this option)
<b>4</b> 4" base height	7. Panel 2 finish(s) Above Belt	<i>3. Beltway:</i>
<b>K</b> Include knockouts in base	8. Top trim finish	B0 = No Beltway
<b>W281</b> Side 1 - Below Belt	i) Top trim profile A,B or C options:	B1 = Beltway 1 side
<b>W281</b> Side 1 - Above Belt	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>W281</b> Side 2 - Below Belt	ii) Top trim profile E options:	*Fabric inserts of these panels are two pieces, split vertically.
<b>W281</b> Side 2 - Above Belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	*These panel widths do not accept stacking modules.
<b>V316</b> Maple (top trim finish)	9. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>111</b> Jet Black (base finish)	10. Beltway finish	
<b>M</b> Optional milled frame		
<b>111</b> Beltway finish		

# Monolithic panels 49" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PFL49 18-( )</b> ( )	\$558.	\$573.	\$596.	\$649.	\$683.	\$728.	\$757.
	20"	49"	<b>R3B0PFL49 20-( )</b> ( )	558.	573.	596.	649.	683.	728.	757.
	24"	49"	<b>R3B0PFL49 24-( )</b> ( )	610.	625.	648.	701.	735.	780.	809.
	30"	49"	<b>R3B0PFL49 30-( )</b> ( )	691.	706.	729.	782.	816.	861.	890.
	36"	49"	<b>R3B0PFL49 36-( )</b> ( )	745.	760.	783.	836.	870.	915.	944.
	42"	49"	<b>R3B0PFL49 42-( )</b> ( )	823.	838.	861.	914.	948.	993.	1,022.
	48"	49"	<b>R3B0PFL49 48-( )</b> ( )	926.	941.	964.	1,017.	1,051.	1,096.	1,125.
	60"	49"	<b>R3B0PFL49 60-( )</b> ( ) *	1,009.	1,030.	1,081.	1,181.	1,251.	1,345.	1,399.
	66"	49"	<b>R3B0PFL49 66-( )</b> ( ) *	1,038.	1,059.	1,110.	1,210.	1,280.	1,374.	1,428.
	72"	49"	<b>R3B0PFL49 72-( )</b> ( ) *	1,073.	1,094.	1,145.	1,245.	1,315.	1,409.	1,463.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PFL49 18-( )</b> ( )	1,008.	1,025.	1,056.	1,114.	1,152.	1,207.	1,247.
	20"	49"	<b>R3B1PFL49 20-( )</b> ( )	1,008.	1,025.	1,056.	1,114.	1,152.	1,207.	1,247.
	24"	49"	<b>R3B1PFL49 24-( )</b> ( )	1,050.	1,067.	1,098.	1,156.	1,194.	1,249.	1,289.
	30"	49"	<b>R3B1PFL49 30-( )</b> ( )	1,128.	1,145.	1,176.	1,234.	1,272.	1,327.	1,367.
	36"	49"	<b>R3B1PFL49 36-( )</b> ( )	1,355.	1,372.	1,403.	1,461.	1,499.	1,554.	1,594.
	42"	49"	<b>R3B1PFL49 42-( )</b> ( )	1,479.	1,496.	1,527.	1,585.	1,623.	1,678.	1,718.
	48"	49"	<b>R3B1PFL49 48-( )</b> ( )	1,560.	1,577.	1,608.	1,666.	1,704.	1,759.	1,799.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL4918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option, please specify, Side 1 - Below Beltway Side 1 - Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. Beltway finish - only for panels with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Product on this page will accept woodgrain laminate where laminate is currently an option.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

\*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 49" H



*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF149 18-( )</b> ( )	\$656.	\$673.	\$700.	\$759.	\$801.	\$851.	\$886.
	20"	49"	<b>R3B0PF149 20-( )</b> ( )	656.	673.	700.	759.	801.	851.	886.
	24"	49"	<b>R3B0PF149 24-( )</b> ( )	716.	733.	760.	819.	861.	911.	946.
	30"	49"	<b>R3B0PF149 30-( )</b> ( )	816.	833.	860.	919.	961.	1,011.	1,046.
	36"	49"	<b>R3B0PF149 36-( )</b> ( )	875.	892.	919.	978.	1,020.	1,070.	1,105.
	42"	49"	<b>R3B0PF149 42-( )</b> ( )	968.	985.	1,012.	1,071.	1,113.	1,163.	1,198.
	48"	49"	<b>R3B0PF149 48-( )</b> ( )	1,088.	1,105.	1,132.	1,191.	1,233.	1,283.	1,318.
	60"	49"	<b>R3B0PF149 60-( )</b> ( ) *	1,183.	1,210.	1,269.	1,386.	1,466.	1,570.	1,637.
	66"	49"	<b>R3B0PF149 66-( )</b> ( ) *	1,218.	1,245.	1,304.	1,421.	1,501.	1,605.	1,672.
	72"	49"	<b>R3B0PF149 72-( )</b> ( ) *	1,260.	1,287.	1,346.	1,463.	1,543.	1,647.	1,714.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PF149 18-( )</b> ( )	1,189.	1,207.	1,248.	1,310.	1,355.	1,421.	1,462.
	20"	49"	<b>R3B1PF149 20-( )</b> ( )	1,189.	1,207.	1,248.	1,310.	1,355.	1,421.	1,462.
	24"	49"	<b>R3B1PF149 24-( )</b> ( )	1,231.	1,249.	1,290.	1,352.	1,397.	1,463.	1,504.
	30"	49"	<b>R3B1PF149 30-( )</b> ( )	1,324.	1,342.	1,383.	1,445.	1,490.	1,556.	1,597.
	36"	49"	<b>R3B1PF149 36-( )</b> ( )	1,591.	1,609.	1,650.	1,712.	1,757.	1,823.	1,864.
	42"	49"	<b>R3B1PF149 42-( )</b> ( )	1,741.	1,759.	1,800.	1,862.	1,907.	1,973.	2,014.
	48"	49"	<b>R3B1PF149 48-( )</b> ( )	1,831.	1,849.	1,890.	1,952.	1,997.	2,063.	2,104.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF14918-A4K</b>	<i>To order please specify pattern number including:</i>	<p><b>1. Top trim profile:</b>                      A = Flat                      B = Square                      C = Bullnose                      E = Extruded Aluminum</p> <p><b>2. Base height:</b>                      4 = 4" base height                      6 = 6" base height (add \$50 per panel for this option)</p> <p><b>3. Beltway:</b>                      B0 = No Beltway                      B1 = Beltway 1 side</p> <p>6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".</p> <p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
<b>R3</b> Reff Generation 3	1. Top rim profile	
<b>B0</b> No Beltway	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>F1</b> Fabric one side, V1 other	4. Panel side 1 finish(s) inside For panel with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt	
<b>49</b> 49" high	5. Panel side 2 finish(s) outside	
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
<b>A</b> Flat style top trim profile	7. Base finish	
<b>4</b> 4" base height	8. Beltway finish - only for panels with Beltway	
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

# Monolithic panels 49" H


*fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF249 18-( )</b> ( )	\$668.	\$685.	\$712.	\$771.	\$813.	\$863.	\$898.
	20"	49"	<b>R3B0PF249 20-( )</b> ( )	668.	685.	712.	771.	813.	863.	898.
	24"	49"	<b>R3B0PF249 24-( )</b> ( )	731.	748.	775.	834.	876.	926.	961.
	30"	49"	<b>R3B0PF249 30-( )</b> ( )	829.	846.	873.	932.	974.	1,024.	1,059.
	36"	49"	<b>R3B0PF249 36-( )</b> ( )	891.	908.	935.	994.	1,036.	1,086.	1,121.
	42"	49"	<b>R3B0PF249 42-( )</b> ( )	986.	1,003.	1,030.	1,089.	1,131.	1,181.	1,216.
	48"	49"	<b>R3B0PF249 48-( )</b> ( )	1,112.	1,129.	1,156.	1,215.	1,257.	1,307.	1,342.
	60"	49"	<b>R3B0PF249 60-( )</b> ( ) *	1,205.	1,232.	1,291.	1,408.	1,488.	1,592.	1,659.
	66"	49"	<b>R3B0PF249 66-( )</b> ( ) *	1,244.	1,271.	1,330.	1,447.	1,527.	1,631.	1,698.
	72"	49"	<b>R3B0PF249 72-( )</b> ( ) *	1,282.	1,309.	1,368.	1,485.	1,565.	1,669.	1,736.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PF249 18-( )</b> ( )	1,210.	1,228.	1,269.	1,331.	1,376.	1,442.	1,483.
	20"	49"	<b>R3B1PF249 20-( )</b> ( )	1,210.	1,228.	1,269.	1,331.	1,376.	1,442.	1,483.
	24"	49"	<b>R3B1PF249 24-( )</b> ( )	1,254.	1,272.	1,313.	1,375.	1,420.	1,486.	1,527.
	30"	49"	<b>R3B1PF249 30-( )</b> ( )	1,352.	1,370.	1,411.	1,473.	1,518.	1,584.	1,625.
	36"	49"	<b>R3B1PF249 36-( )</b> ( )	1,624.	1,642.	1,683.	1,745.	1,790.	1,856.	1,897.
	42"	49"	<b>R3B1PF249 42-( )</b> ( )	1,770.	1,788.	1,829.	1,891.	1,936.	2,002.	2,043.
	48"	49"	<b>R3B1PF249 48-( )</b> ( )	1,862.	1,880.	1,921.	1,983.	2,028.	2,094.	2,135.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF24918-A4K</b>	<i>To order please specify pattern number including:</i>	<p><b>1. Top trim profile:</b>                      A = Flat                      B = Square                      C = Bullnose                      E = Extruded Aluminum</p> <p><b>2. Base height:</b>                      4 = 4" base height                      6 = 6" base height (add \$50 per panel for this option)</p> <p><b>3. Beltway:</b>                      B0 = No Beltway                      B1 = Beltway 1 side</p> <p>6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".</p> <p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically</p> <p>Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B0</b> No Beltway	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>F2</b> Fabric one side, V2 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt	
<b>49</b> 49" high	5. Panel side 2 finish(s) outside	
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
<b>A</b> Flat style top trim option	7. Base finish	
<b>4</b> 4" base height	8. Beltway finish - only for panels with Beltway	
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

# Monolithic panels 49" H

*fabric one side, exotic veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF349 18-()</b> ( )	\$882.	\$899.	\$926.	\$985.	\$1,027.	\$1,077.	\$1,112.
	20"	49"	<b>R3B0PF349 20-()</b> ( )	882.	899.	926.	985.	1,027.	1,077.	1,112.
	24"	49"	<b>R3B0PF349 24-()</b> ( )	966.	983.	1,010.	1,069.	1,111.	1,161.	1,196.
	30"	49"	<b>R3B0PF349 30-()</b> ( )	1,100.	1,117.	1,144.	1,203.	1,245.	1,295.	1,330.
	36"	49"	<b>R3B0PF349 36-()</b> ( )	1,184.	1,201.	1,228.	1,287.	1,329.	1,379.	1,414.
	42"	49"	<b>R3B0PF349 42-()</b> ( )	1,310.	1,327.	1,354.	1,413.	1,455.	1,505.	1,540.
	48"	49"	<b>R3B0PF349 48-()</b> ( )	1,480.	1,497.	1,524.	1,583.	1,625.	1,675.	1,710.
	60"	49"	<b>R3B0PF349 60-()</b> ( )*	1,588.	1,615.	1,674.	1,791.	1,871.	1,975.	2,042.
	66"	49"	<b>R3B0PF349 66-()</b> ( )*	1,640.	1,667.	1,726.	1,843.	1,923.	2,027.	2,094.
	72"	49"	<b>R3B0PF349 72-()</b> ( )*	1,690.	1,717.	1,776.	1,893.	1,973.	2,077.	2,144.

Monolithic, fabric one side Beltway fabric side 	18"	49"	<b>R3B1PF349 18-()</b> ( )	1,612.	1,630.	1,671.	1,733.	1,778.	1,844.	1,885.
	20"	49"	<b>R3B1PF349 20-()</b> ( )	1,612.	1,630.	1,671.	1,733.	1,778.	1,844.	1,885.
	24"	49"	<b>R3B1PF349 24-()</b> ( )	1,674.	1,692.	1,733.	1,795.	1,840.	1,906.	1,947.
	30"	49"	<b>R3B1PF349 30-()</b> ( )	1,804.	1,822.	1,863.	1,925.	1,970.	2,036.	2,077.
	36"	49"	<b>R3B1PF349 36-()</b> ( )	2,174.	2,192.	2,233.	2,295.	2,340.	2,406.	2,447.
	42"	49"	<b>R3B1PF349 42-()</b> ( )	2,371.	2,389.	2,430.	2,492.	2,537.	2,603.	2,644.
	48"	49"	<b>R3B1PF349 48-()</b> ( )	2,495.	2,513.	2,554.	2,616.	2,661.	2,727.	2,768.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF34918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim option <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 49" H



## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides  	18"	49"	<b>R3B0PLL4918( )()</b>	\$778.
	20"	49"	<b>R3B0PLL4920( )()</b>	778.
	24"	49"	<b>R3B0PLL4924( )()</b>	849.
	30"	49"	<b>R3B0PLL4930( )()</b>	951.
	36"	49"	<b>R3B0PLL4936( )()</b>	1,026.
	42"	49"	<b>R3B0PLL4942( )()</b>	1,128.
	48"	49"	<b>R3B0PLL4948( )()</b>	1,264.
	60"	49"	<b>R3B0PLL4960( )()*</b>	1,364.
	66"	49"	<b>R3B0PLL4966( )()*</b>	1,405.
	72"	49"	<b>R3B0PLL4972( )()*</b>	1,448.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL4918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>LL</b> Laminate both sides <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>118</b> Laminate - side 1 <b>118</b> Laminate - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum  2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)  Product on this page will accept woodgrain laminate where laminate is currently an option.  The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically  Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.  Remember to specify Beltway paint finish when applicable.  *These panel widths do not accept stacking modules.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.



# Monolithic panels 64" H fabric both sides


description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	64"	<b>R3B0PFF64 18-( )()</b>	\$757.	\$791.	\$865.	\$1,013.	\$1,117.	\$1,251.	\$1,339.	
Regular acoustics	20"	64"	<b>R3B0PFF64 20-( )()</b>	767.	791.	865.	1,013.	1,117.	1,251.	1,339.	
	24"	64"	<b>R3B0PFF64 24-( )()</b>	801.	835.	909.	1,057.	1,161.	1,295.	1,383.	
	30"	64"	<b>R3B0PFF64 30-( )()</b>	862.	896.	970.	1,118.	1,222.	1,356.	1,444.	
	36"	64"	<b>R3B0PFF64 36-( )()</b>	883.	917.	991.	1,139.	1,243.	1,377.	1,465.	
	42"	64"	<b>R3B0PFF64 42-( )()</b>	1,028.	1,062.	1,136.	1,284.	1,388.	1,522.	1,610.	
	48"	64"	<b>R3B0PFF64 48-( )()</b>	1,088.	1,122.	1,196.	1,344.	1,448.	1,582.	1,670.	
	60"	64"	<b>R3B0PFF64 60-( )()</b> *	1,262.	1,340.	1,480.	1,790.	2,004.	2,270.	2,446.	
	66"	64"	<b>R3B0PFF64 66-( )()</b> *	1,303.	1,381.	1,521.	1,831.	2,045.	2,311.	2,487.	
	72"	64"	<b>R3B0PFF64 72-( )()</b> *	1,346.	1,424.	1,564.	1,874.	2,088.	2,354.	2,530.	
	Monolithic, fabric both sides	18"	64"	<b>R3B0PAA64 18-( )()</b>	823.	857.	931.	1,079.	1,183.	1,317.	1,405.
	High acoustics	20"	64"	<b>R3B0PAA64 20-( )()</b>	823.	857.	931.	1,079.	1,183.	1,317.	1,405.
	24"	64"	<b>R3B0PAA64 24-( )()</b>	878.	912.	986.	1,134.	1,238.	1,372.	1,460.	
	30"	64"	<b>R3B0PAA64 30-( )()</b>	942.	976.	1,050.	1,198.	1,302.	1,436.	1,524.	
	36"	64"	<b>R3B0PAA64 36-( )()</b>	965.	999.	1,073.	1,221.	1,325.	1,459.	1,547.	
	42"	64"	<b>R3B0PAA64 42-( )()</b>	1,129.	1,163.	1,237.	1,385.	1,489.	1,623.	1,711.	
	48"	64"	<b>R3B0PAA64 48-( )()</b>	1,194.	1,228.	1,302.	1,450.	1,554.	1,688.	1,776.	
	60"	64"	<b>R3B0PAA64 60-( )()</b> *	1,371.	1,449.	1,589.	1,899.	2,113.	2,379.	2,555.	
	66"	64"	<b>R3B0PAA64 66-( )()</b> *	1,416.	1,494.	1,634.	1,944.	2,158.	2,424.	2,600.	
	72"	64"	<b>R3B0PAA64 72-( )()</b> *	1,462.	1,540.	1,680.	1,990.	2,204.	2,470.	2,646.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B0</b> No Beltway	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside	
<b>64</b> 64" high	5. Panel side 2 finish(s) outside	
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
<b>A</b> Flat style top trim profile	7. Base finish	
<b>4</b> 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>K</b> Include knockouts in base		
<b>W281</b> Fabric - Side 1		
<b>W281</b> Fabric - Side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Monolithic panels 64" H

*fabric both sides, with Beltway*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	<b>R3B2PFF64 18-( )()</b>	\$1,297.	\$1,335.	\$1,423.	\$1,603.	\$1,721.	\$1,883.	\$1,993.
Beltway two sides, regular acoustics	20"	64"	<b>R3B2PFF64 20-( )()</b>	1,297.	1,335.	1,423.	1,603.	1,721.	1,883.	1,993.
	24"	64"	<b>R3B2PFF64 24-( )()</b>	1,360.	1,398.	1,486.	1,666.	1,784.	1,946.	2,056.
	30"	64"	<b>R3B2PFF64 30-( )()</b>	1,392.	1,430.	1,518.	1,698.	1,816.	1,978.	2,088.
	36"	64"	<b>R3B2PFF64 36-( )()</b>	1,684.	1,722.	1,810.	1,990.	2,108.	2,270.	2,380.
	42"	64"	<b>R3B2PFF64 42-( )()</b>	1,801.	1,839.	1,927.	2,107.	2,225.	2,387.	2,497.
	48"	64"	<b>R3B2PFF64 48-( )()</b>	1,862.	1,900.	1,988.	2,168.	2,286.	2,448.	2,558.





Monolithic, fabric both sides	18"	64"	<b>R3B1PFF64 18-( )()</b>	1,269.	1,305.	1,386.	1,550.	1,661.	1,809.	1,908.
Beltway one side	20"	64"	<b>R3B1PFF64 20-( )()</b>	1,269.	1,305.	1,386.	1,550.	1,661.	1,809.	1,908.
	24"	64"	<b>R3B1PFF64 24-( )()</b>	1,326.	1,362.	1,443.	1,607.	1,718.	1,866.	1,965.
	30"	64"	<b>R3B1PFF64 30-( )()</b>	1,357.	1,393.	1,474.	1,638.	1,749.	1,897.	1,996.
	36"	64"	<b>R3B1PFF64 36-( )()</b>	1,648.	1,684.	1,765.	1,929.	2,040.	2,188.	2,287.
	42"	64"	<b>R3B1PFF64 42-( )()</b>	1,761.	1,797.	1,878.	2,042.	2,153.	2,301.	2,400.
	48"	64"	<b>R3B1PFF64 48-( )()</b>	1,816.	1,852.	1,933.	2,097.	2,208.	2,356.	2,455.

Order Code	Specification Information	Application Notes
Example: <b>R3B2PFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B2</b> Beltway both sides, B1=Beltway, one side	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Beltways; B1 = Beltway 1 side B2 = Beltway 2 side
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) Below Belt	6" Raceway option increases panel height by 2 3/4".
<b>64</b> 64" high	5. Panel side 1 finish(s) Above Belt	
<b>18</b> 18" wide	6. Panel side 2 finish(s) Below Belt	
<b>A</b> Flat style top trim profile	7. Panel side 2 finish(s) Above Belt	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish	
<b>W281</b> Fabric - Side 1 Below belt	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.  Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.  Remember to specify Beltway paint finish when applicable.  *These panel widths do not accept stacking modules.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric - Side 1 Above belt		
<b>W281</b> Fabric - Side 2 Below belt		
<b>W281</b> Fabric - Side 2 Above belt		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Beltway finish		

# Monolithic panels 64" H


*fabric one side, laminate other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PFL64 18-( )</b> ( )	\$662.	\$679.	\$709.	\$776.	\$821.	\$881.	\$920.
	20"	64"	<b>R3B0PFL64 20-( )</b> ( )	662.	679.	709.	776.	821.	881.	920.
	24"	64"	<b>R3B0PFL64 24-( )</b> ( )	729.	746.	776.	843.	888.	948.	987.
	30"	64"	<b>R3B0PFL64 30-( )</b> ( )	822.	839.	869.	936.	981.	1,041.	1,080.
	36"	64"	<b>R3B0PFL64 36-( )</b> ( )	887.	904.	934.	1,001.	1,046.	1,106.	1,145.
	42"	64"	<b>R3B0PFL64 42-( )</b> ( )	982.	999.	1,029.	1,096.	1,141.	1,201.	1,240.
	48"	64"	<b>R3B0PFL64 48-( )</b> ( )	1,106.	1,123.	1,153.	1,220.	1,265.	1,325.	1,364.
	60"	64"	<b>R3B0PFL64 60-( )</b> ( ) *	1,197.	1,232.	1,295.	1,433.	1,525.	1,645.	1,722.
	66"	64"	<b>R3B0PFL64 66-( )</b> ( ) *	1,239.	1,274.	1,337.	1,475.	1,567.	1,687.	1,764.
	72"	64"	<b>R3B0PFL64 72-( )</b> ( )	1,279.	1,314.	1,377.	1,515.	1,607.	1,727.	1,804.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PFL64 18-( )</b> ( )	1,124.	1,143.	1,180.	1,262.	1,311.	1,382.	1,434.
	20"	64"	<b>R3B1PFL64 20-( )</b> ( )	1,124.	1,143.	1,180.	1,262.	1,311.	1,382.	1,434.
	24"	64"	<b>R3B1PFL64 24-( )</b> ( )	1,200.	1,219.	1,256.	1,338.	1,387.	1,458.	1,510.
	30"	64"	<b>R3B1PFL64 30-( )</b> ( )	1,271.	1,290.	1,328.	1,409.	1,458.	1,529.	1,581.
	36"	64"	<b>R3B1PFL64 36-( )</b> ( )	1,580.	1,599.	1,637.	1,718.	1,767.	1,838.	1,890.
	42"	64"	<b>R3B1PFL64 42-( )</b> ( )	1,641.	1,660.	1,697.	1,779.	1,828.	1,899.	1,951.
	48"	64"	<b>R3B1PFL64 48-( )</b> ( )	1,774.	1,793.	1,830.	1,912.	1,961.	2,032.	2,084.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL6418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>64</b> 64" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1-Below belt Side 1-Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Product on this page will accept woodgrain laminate where laminate is currently an option. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 64" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF164 18-()</b> ( )	\$778.	\$795.	\$834.	\$910.	\$961.	\$1,031.	\$1,076.
	20"	64"	<b>R3B0PF164 20-()</b> ( )	778.	795.	834.	910.	961.	1,031.	1,076.
	24"	64"	<b>R3B0PF164 24-()</b> ( )	854.	871.	910.	986.	1,037.	1,107.	1,152.
	30"	64"	<b>R3B0PF164 30-()</b> ( )	967.	984.	1,023.	1,099.	1,150.	1,220.	1,265.
	36"	64"	<b>R3B0PF164 36-()</b> ( )	1,044.	1,061.	1,100.	1,176.	1,227.	1,297.	1,342.
	42"	64"	<b>R3B0PF164 42-()</b> ( )	1,156.	1,173.	1,212.	1,288.	1,339.	1,409.	1,454.
	48"	64"	<b>R3B0PF164 48-()</b> ( )	1,302.	1,319.	1,358.	1,434.	1,485.	1,555.	1,600.
	60"	64"	<b>R3B0PF164 60-()</b> ( )*	1,410.	1,451.	1,522.	1,680.	1,787.	1,925.	2,016.
	66"	64"	<b>R3B0PF164 66-()</b> ( )*	1,459.	1,500.	1,571.	1,729.	1,836.	1,974.	2,065.
	72"	64"	<b>R3B0PF164 72-()</b> ( )*	1,506.	1,547.	1,618.	1,776.	1,883.	2,021.	2,112.

Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PF164 18-()</b> ( )	1,322.	1,339.	1,385.	1,476.	1,535.	1,618.	1,676.
	20"	64"	<b>R3B1PF164 20-()</b> ( )	1,322.	1,339.	1,385.	1,476.	1,535.	1,618.	1,676.
	24"	64"	<b>R3B1PF164 24-()</b> ( )	1,408.	1,425.	1,471.	1,562.	1,621.	1,704.	1,762.
	30"	64"	<b>R3B1PF164 30-()</b> ( )	1,495.	1,512.	1,558.	1,649.	1,708.	1,791.	1,849.
	36"	64"	<b>R3B1PF164 36-()</b> ( )	1,857.	1,874.	1,920.	2,011.	2,070.	2,153.	2,211.
	42"	64"	<b>R3B1PF164 42-()</b> ( )	1,931.	1,948.	1,994.	2,085.	2,144.	2,227.	2,285.
	48"	64"	<b>R3B1PF164 48-()</b> ( )	2,086.	2,103.	2,149.	2,240.	2,299.	2,382.	2,440.

Order Code	Specification Information
Example: <b>R3B0PF16418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>F1</b>	Fabric one side, V1 other
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1
<b>Y328</b>	Mahogany - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
6" Raceway option increases panel height by 2 3/4".

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

\*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 64" H


*fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF264 18-( )()</b>	\$795.	\$812.	\$851.	\$927.	\$978.	\$1,048.	\$1,093.
	20"	64"	<b>R3B0PF264 20-( )()</b>	795.	812.	851.	927.	978.	1,048.	1,093.
	24"	64"	<b>R3B0PF264 24-( )()</b>	870.	887.	926.	1,002.	1,053.	1,123.	1,168.
	30"	64"	<b>R3B0PF264 30-( )()</b>	984.	1,001.	1,040.	1,116.	1,167.	1,237.	1,282.
	36"	64"	<b>R3B0PF264 36-( )()</b>	1,061.	1,078.	1,117.	1,193.	1,244.	1,314.	1,359.
	42"	64"	<b>R3B0PF264 42-( )()</b>	1,175.	1,192.	1,231.	1,307.	1,358.	1,428.	1,473.
	48"	64"	<b>R3B0PF264 48-( )()</b>	1,327.	1,344.	1,383.	1,459.	1,510.	1,580.	1,625.
	60"	64"	<b>R3B0PF264 60-( )()</b> *	1,430.	1,471.	1,542.	1,700.	1,807.	1,945.	2,036.
	66"	64"	<b>R3B0PF264 66-( )()</b> *	1,481.	1,522.	1,593.	1,751.	1,858.	1,996.	2,087.
	72"	64"	<b>R3B0PF264 72-( )()</b> *	1,533.	1,574.	1,645.	1,803.	1,910.	2,048.	2,139.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PF264 18-( )()</b>	1,346.	1,363.	1,409.	1,500.	1,559.	1,642.	1,700.
	20"	64"	<b>R3B1PF264 20-( )()</b>	1,346.	1,363.	1,409.	1,500.	1,559.	1,642.	1,700.
	24"	64"	<b>R3B1PF264 24-( )()</b>	1,436.	1,453.	1,499.	1,590.	1,649.	1,732.	1,790.
	30"	64"	<b>R3B1PF264 30-( )()</b>	1,522.	1,539.	1,585.	1,676.	1,735.	1,818.	1,876.
	36"	64"	<b>R3B1PF264 36-( )()</b>	1,888.	1,905.	1,951.	2,042.	2,101.	2,184.	2,242.
	42"	64"	<b>R3B1PF264 42-( )()</b>	1,967.	1,984.	2,030.	2,121.	2,180.	2,263.	2,321.
	48"	64"	<b>R3B1PF264 48-( )()</b>	2,125.	2,142.	2,188.	2,279.	2,338.	2,421.	2,479.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF26418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
<b>F2</b> Fabric one side, V2 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>64</b> 64" high	5. Panel side 2 finish(s) outside	
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.  Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.  Remember to specify Beltway paint finish when applicable.  *These panel widths do not accept stacking modules.
<b>A</b> Flat style top trim profile	7. Base finish	
<b>4</b> 4" base height	8. Beltway finish - only for panels with Beltway	
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1		
<b>V316</b> Maple surface - side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Monolithic panels 64" H

*fabric one side, exotic veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF364 18-()</b> ( )	\$1,047.	\$1,064.	\$1,103.	\$1,179.	\$1,230.	\$1,300.	\$1,345.
	20"	64"	<b>R3B0PF364 20-()</b> ( )	1,047.	1,064.	1,103.	1,179.	1,230.	1,300.	1,345.
	24"	64"	<b>R3B0PF364 24-()</b> ( )	1,149.	1,166.	1,205.	1,281.	1,332.	1,402.	1,447.
	30"	64"	<b>R3B0PF364 30-()</b> ( )	1,301.	1,318.	1,357.	1,433.	1,484.	1,554.	1,599.
	36"	64"	<b>R3B0PF364 36-()</b> ( )	1,406.	1,423.	1,462.	1,538.	1,589.	1,659.	1,704.
	42"	64"	<b>R3B0PF364 42-()</b> ( )	1,562.	1,579.	1,618.	1,694.	1,745.	1,815.	1,860.
	48"	64"	<b>R3B0PF364 48-()</b> ( )	1,765.	1,782.	1,821.	1,897.	1,948.	2,018.	2,063.
	60"	64"	<b>R3B0PF364 60-()</b> ( )*	1,882.	1,923.	1,994.	2,152.	2,259.	2,397.	2,488.
	66"	64"	<b>R3B0PF364 66-()</b> ( )*	1,950.	1,991.	2,062.	2,220.	2,327.	2,465.	2,556.
	72"	64"	<b>R3B0PF364 72-()</b> ( )*	2,019.	2,060.	2,131.	2,289.	2,396.	2,534.	2,625.

Monolithic, fabric one side Beltway fabric side 	18"	64"	<b>R3B1PF364 18-()</b> ( )	1,788.	1,805.	1,851.	1,942.	2,001.	2,084.	2,142.
	20"	64"	<b>R3B1PF364 20-()</b> ( )	1,788.	1,805.	1,851.	1,942.	2,001.	2,084.	2,142.
	24"	64"	<b>R3B1PF364 24-()</b> ( )	1,908.	1,925.	1,971.	2,062.	2,121.	2,204.	2,262.
	30"	64"	<b>R3B1PF364 30-()</b> ( )	2,027.	2,044.	2,090.	2,181.	2,240.	2,323.	2,381.
	36"	64"	<b>R3B1PF364 36-()</b> ( )	2,521.	2,538.	2,584.	2,675.	2,734.	2,817.	2,875.
	42"	64"	<b>R3B1PF364 42-()</b> ( )	2,625.	2,642.	2,688.	2,779.	2,838.	2,921.	2,979.
	48"	64"	<b>R3B1PF364 48-()</b> ( )	2,840.	2,857.	2,903.	2,994.	3,053.	3,136.	3,194.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF36418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	<b>1. Top trim profile:</b> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>F3</b> Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panels with beltway, please specify; Side 1 - Below belt Side 1 - Above belt	<b>2. Base height:</b> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>64</b> 64" high	5. Panel side 2 finish(s) outside	
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	<b>3. Beltway:</b> B0 = No Beltway B1 = Beltway 1 side  6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile	7. Base finish	
<b>4</b> 4" base height	8. Beltway finish - only for panels with Beltway	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.  Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.  Remember to specify Beltway paint finish when applicable.  *These panel widths do not accept stacking modules.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1		
<b>V512</b> Figured Anigre surface - side 2		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Monolithic panels 64" H



## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	<b>R3B0PLL6418( )()</b>	\$866.
	20"	64"	<b>R3B0PLL6420( )()</b>	866.
	24"	64"	<b>R3B0PLL6424( )()</b>	944.
	30"	64"	<b>R3B0PLL6430( )()</b>	1,058.
	36"	64"	<b>R3B0PLL6436( )()</b>	1,142.
	42"	64"	<b>R3B0PLL6442( )()</b>	1,255.
	48"	64"	<b>R3B0PLL6448( )()</b>	1,406.
	60"	64"	<b>R3B0PLL6460( )()*</b>	1,519.
	66"	64"	<b>R3B0PLL6466( )()*</b>	1,565.
	72"	64"	<b>R3B0PLL6472( )()*</b>	1,612.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL6418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Ref Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>LL</b> Laminate both sides	4. Panel side 1 inside	
<b>64</b> 64" high	5. Panel side 2 outside	
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
<b>A</b> Flat style top trim profile	7. Base finish	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	Remember to specify Beltway paint finish when applicable.  *These panel widths do not accept stacking modules.
<b>K</b> Include knockouts in base		
<b>118</b> Laminate - side 1		
<b>118</b> Laminate - side 2		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 79" H

## *fabric both sides*

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	79"	<b>R3B0PFF79 18-()</b> ( )	\$944.	\$994.	\$1,082.	\$1,268.	\$1,392.	\$1,560.	\$1,660.	
Regular acoustics	20"	79"	<b>R3B0PFF79 20-()</b> ( )	944.	994.	1,082.	1,268.	1,392.	1,560.	1,660.	
	24"	79"	<b>R3B0PFF79 24-()</b> ( )	1,004.	1,054.	1,142.	1,328.	1,452.	1,620.	1,720.	
	30"	79"	<b>R3B0PFF79 30-()</b> ( )	1,083.	1,133.	1,221.	1,407.	1,531.	1,699.	1,799.	
	36"	79"	<b>R3B0PFF79 36-()</b> ( )	1,111.	1,161.	1,249.	1,435.	1,559.	1,727.	1,827.	
	42"	79"	<b>R3B0PFF79 42-()</b> ( )	1,193.	1,243.	1,331.	1,517.	1,641.	1,809.	1,909.	
	48"	79"	<b>R3B0PFF79 48-()</b> ( )	1,323.	1,373.	1,461.	1,647.	1,771.	1,939.	2,039.	
	60"	79"	<b>R3B0PFF79 60-()</b> ( )	1,529.	1,629.	1,803.	2,171.	2,433.	2,765.	2,969.	
	66"	79"	<b>R3B0PFF79 66-()</b> ( )	1,566.	1,666.	1,840.	2,208.	2,470.	2,802.	3,006.	
	72"	79"	<b>R3B0PFF79 72-()</b> ( )	1,601.	1,701.	1,875.	2,243.	2,505.	2,837.	3,041.	
	Monolithic, fabric both sides	18"	79"	<b>R3B0PAA79 18-()</b> ( )	1,029.	1,079.	1,167.	1,353.	1,477.	1,645.	1,745.
	High acoustics	20"	79"	<b>R3B0PAA79 20-()</b> ( )	1,029.	1,079.	1,167.	1,353.	1,477.	1,645.	1,745.
	24"	79"	<b>R3B0PAA79 24-()</b> ( )	1,094.	1,144.	1,232.	1,418.	1,542.	1,710.	1,810.	
	30"	79"	<b>R3B0PAA79 30-()</b> ( )	1,184.	1,234.	1,322.	1,508.	1,632.	1,800.	1,900.	
	36"	79"	<b>R3B0PAA79 36-()</b> ( )	1,220.	1,270.	1,358.	1,544.	1,668.	1,836.	1,936.	
	42"	79"	<b>R3B0PAA79 42-()</b> ( )	1,308.	1,358.	1,446.	1,632.	1,756.	1,924.	2,024.	
	48"	79"	<b>R3B0PAA79 48-()</b> ( )	1,454.	1,504.	1,592.	1,778.	1,902.	2,070.	2,170.	
	60"	79"	<b>R3B0PAA79 60-()</b> ( )	1,666.	1,766.	1,940.	2,308.	2,570.	2,902.	3,106.	
	66"	79"	<b>R3B0PAA79 66-()</b> ( )	1,704.	1,804.	1,978.	2,346.	2,608.	2,940.	3,144.	
	72"	79"	<b>R3B0PAA79 72-()</b> ( )	1,740.	1,840.	2,014.	2,382.	2,644.	2,976.	3,180.	


Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	The panels on this page are not designed to be stacked upon.
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside	Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
<b>79</b> 79" high	5. Panel side 2 finish(s) outside	6" Raceway option increases panel height by 2 3/4".
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>A</b> Flat style top trim profile	7. Base finish	Remember to specify Beltway paint finish when applicable.
<b>4</b> 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>K</b> Include knockouts in base		
<b>W281</b> Fabric - Side 1		
<b>W281</b> Fabric - Side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled profile		




# Monolithic panels 79" H

## *fabric both sides with Beltway*

description	w	h	pattern n	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway one side	18"	79"	<b>R3B1PFF79 18-()</b> ( )	\$1,358.	\$1,409.	\$1,508.	\$1,714.	\$1,849.	\$2,036.	\$2,156.
	20"	79"	<b>R3B1PFF79 20-()</b> ( )	1,358.	1,409.	1,508.	1,714.	1,849.	2,036.	2,156.
	24"	79"	<b>R3B1PFF79 24-()</b> ( )	1,421.	1,472.	1,571.	1,777.	1,912.	2,099.	2,219.
	30"	79"	<b>R3B1PFF79 30-()</b> ( )	1,449.	1,500.	1,599.	1,805.	1,940.	2,127.	2,247.
	36"	79"	<b>R3B1PFF79 36-()</b> ( )	1,739.	1,790.	1,889.	2,095.	2,230.	2,417.	2,537.
	42"	79"	<b>R3B1PFF79 42-()</b> ( )	1,853.	1,904.	2,003.	2,209.	2,344.	2,531.	2,651.
	48"	79"	<b>R3B1PFF79 48-()</b> ( )	1,908.	1,959.	2,058.	2,264.	2,399.	2,586.	2,706.



Monolithic, fabric both sides Beltway two sides	18"	79"	<b>R3B2PFF79 18-()</b> ( )	1,430.	1,482.	1,592.	1,818.	1,964.	2,170.	2,310.
	20"	79"	<b>R3B2PFF79 20-()</b> ( )	1,430.	1,482.	1,592.	1,818.	1,964.	2,170.	2,310.
	24"	79"	<b>R3B2PFF79 24-()</b> ( )	1,491.	1,543.	1,653.	1,879.	2,025.	2,231.	2,371.
	30"	79"	<b>R3B2PFF79 30-()</b> ( )	1,521.	1,573.	1,683.	1,909.	2,055.	2,261.	2,401.
	36"	79"	<b>R3B2PFF79 36-()</b> ( )	1,814.	1,866.	1,976.	2,202.	2,348.	2,554.	2,694.
	42"	79"	<b>R3B2PFF79 42-()</b> ( )	1,931.	1,983.	2,093.	2,319.	2,465.	2,671.	2,811.
	48"	79"	<b>R3B2PFF79 48-()</b> ( )	1,990.	2,042.	2,152.	2,378.	2,524.	2,730.	2,870.



### Order Code

Example:	<b>R3B1PFF7918-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B1</b>	Beltway one side
<b>P</b>	Monolithic panel
<b>FF</b>	Fabric on both sides
<b>79</b>	79" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1 below belt
<b>W281</b>	Fabric - Side 1 above belt
<b>W281</b>	Fabric - Side 2 below belt
<b>W281</b>	Fabric - Side 2 above belt
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>111</b>	Beltway finish

### Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Panel side 1 below belt
5. Panel side 1 above belt
6. Panel side 2 below belt
7. Panel side 2 above belt
8. Top trim finish  
i) Top trim profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver
9. Base finish
10. Beltway finish
11. *Optional:* specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$50 per panel for this option)

3. *Beltway:*  
B1 = Beltway 1 side  
B2 = Beltway 2 sides

### Application Notes

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 79" H

*fabric one side, laminate other side*



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PFL79 18-()</b> ( )	\$836.	\$859.	\$897.	\$978.	\$1,034.	\$1,109.	\$1,153.
	20"	79"	<b>R3B0PFL79 20-()</b> ( )	836.	859.	897.	978.	1,034.	1,109.	1,153.
	24"	79"	<b>R3B0PFL79 24-()</b> ( )	916.	939.	977.	1,058.	1,114.	1,189.	1,233.
	30"	79"	<b>R3B0PFL79 30-()</b> ( )	1,031.	1,054.	1,092.	1,173.	1,229.	1,304.	1,348.
	36"	79"	<b>R3B0PFL79 36-()</b> ( )	1,124.	1,147.	1,185.	1,266.	1,322.	1,397.	1,441.
	42"	79"	<b>R3B0PFL79 42-()</b> ( )	1,244.	1,267.	1,305.	1,386.	1,442.	1,517.	1,561.
	48"	79"	<b>R3B0PFL79 48-()</b> ( )	1,391.	1,414.	1,452.	1,533.	1,589.	1,664.	1,708.
	60"	79"	<b>R3B0PFL79 60-()</b> ( )	1,498.	1,543.	1,619.	1,781.	1,896.	2,044.	2,133.
	66"	79"	<b>R3B0PFL79 66-()</b> ( )	1,528.	1,573.	1,649.	1,811.	1,926.	2,074.	2,163.
	72"	79"	<b>R3B0PFL79 72-()</b> ( )	1,558.	1,603.	1,679.	1,841.	1,956.	2,104.	2,193.

Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PFL79 18-()</b> ( )	1,209.	1,235.	1,281.	1,383.	1,445.	1,538.	1,600.
	20"	79"	<b>R3B1PFL79 20-()</b> ( )	1,209.	1,235.	1,281.	1,383.	1,445.	1,538.	1,600.
	24"	79"	<b>R3B1PFL79 24-()</b> ( )	1,292.	1,318.	1,364.	1,466.	1,528.	1,621.	1,683.
	30"	79"	<b>R3B1PFL79 30-()</b> ( )	1,369.	1,395.	1,441.	1,543.	1,605.	1,698.	1,760.
	36"	79"	<b>R3B1PFL79 36-()</b> ( )	1,697.	1,723.	1,769.	1,871.	1,933.	2,026.	2,088.
	42"	79"	<b>R3B1PFL79 42-()</b> ( )	1,852.	1,878.	1,924.	2,026.	2,088.	2,181.	2,243.
	48"	79"	<b>R3B1PFL79 48-()</b> ( )	1,936.	1,962.	2,008.	2,110.	2,172.	2,265.	2,327.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL7918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>79</b> 79" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. Beltway finish only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) Product on this page will accept woodgrain laminate where laminate is currently an option.
		The panels on this page are not designed to be stacked upon. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 79" H


*fabric one side, techwood other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF179 18-()</b> ( )	\$982.	\$1,007.	\$1,052.	\$1,147.	\$1,211.	\$1,296.	\$1,351.
	20"	79"	<b>R3B0PF179 20-()</b> ( )	982.	1,007.	1,052.	1,147.	1,211.	1,296.	1,351.
	24"	79"	<b>R3B0PF179 24-()</b> ( )	1,074.	1,099.	1,144.	1,239.	1,303.	1,388.	1,443.
	30"	79"	<b>R3B0PF179 30-()</b> ( )	1,214.	1,239.	1,284.	1,379.	1,443.	1,528.	1,583.
	36"	79"	<b>R3B0PF179 36-()</b> ( )	1,322.	1,347.	1,392.	1,487.	1,551.	1,636.	1,691.
	42"	79"	<b>R3B0PF179 42-()</b> ( )	1,461.	1,486.	1,531.	1,626.	1,690.	1,775.	1,830.
	48"	79"	<b>R3B0PF179 48-()</b> ( )	1,637.	1,662.	1,707.	1,802.	1,866.	1,951.	2,006.
	60"	79"	<b>R3B0PF179 60-()</b> ( )	1,759.	1,810.	1,899.	2,087.	2,222.	2,389.	2,493.
	66"	79"	<b>R3B0PF179 66-()</b> ( )	1,797.	1,848.	1,937.	2,125.	2,260.	2,427.	2,531.
	72"	79"	<b>R3B0PF179 72-()</b> ( )	1,826.	1,877.	1,966.	2,154.	2,289.	2,456.	2,560.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PF179 18-()</b> ( )	1,419.	1,445.	1,501.	1,617.	1,691.	1,798.	1,869.
	20"	79"	<b>R3B1PF179 20-()</b> ( )	1,419.	1,445.	1,501.	1,617.	1,691.	1,798.	1,869.
	24"	79"	<b>R3B1PF179 24-()</b> ( )	1,517.	1,543.	1,599.	1,715.	1,789.	1,896.	1,967.
	30"	79"	<b>R3B1PF179 30-()</b> ( )	1,612.	1,638.	1,694.	1,810.	1,884.	1,991.	2,062.
	36"	79"	<b>R3B1PF179 36-()</b> ( )	1,997.	2,023.	2,079.	2,195.	2,269.	2,376.	2,447.
	48"	79"	<b>R3B1PF179 48-()</b> ( )	2,174.	2,200.	2,256.	2,372.	2,446.	2,553.	2,624.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF17918-A4K</b> <b>R3</b> Reff Generation 2 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>79</b> 79" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) The panels on this page are not designed to be stacked upon. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 79" H

*fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF279 18-()</b> ( )	\$999.	\$1,024.	\$1,069.	\$1,164.	\$1,228.	\$1,313.	\$1,368.
	20"	79"	<b>R3B0PF279 20-()</b> ( )	999.	1,024.	1,069.	1,164.	1,228.	1,313.	1,368.
	24"	79"	<b>R3B0PF279 24-()</b> ( )	1,095.	1,120.	1,165.	1,260.	1,324.	1,409.	1,464.
	30"	79"	<b>R3B0PF279 30-()</b> ( )	1,236.	1,261.	1,306.	1,401.	1,465.	1,550.	1,605.
	36"	79"	<b>R3B0PF279 36-()</b> ( )	1,346.	1,371.	1,416.	1,511.	1,575.	1,660.	1,715.
	42"	79"	<b>R3B0PF279 42-()</b> ( )	1,488.	1,513.	1,558.	1,653.	1,717.	1,802.	1,857.
	48"	79"	<b>R3B0PF279 48-()</b> ( )	1,666.	1,691.	1,736.	1,831.	1,895.	1,980.	2,035.
	60"	79"	<b>R3B0PF279 60-()</b> ( )	1,791.	1,842.	1,931.	2,119.	2,254.	2,421.	2,525.
	72"	79"	<b>R3B0PF279 72-()</b> ( )	1,825.	1,876.	1,965.	2,153.	2,288.	2,455.	2,559.


Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PF279 18-()</b> ( )	1,445.	1,471.	1,527.	1,643.	1,717.	1,824.	1,895.
	20"	79"	<b>R3B1PF279 20-()</b> ( )	1,445.	1,471.	1,527.	1,643.	1,717.	1,824.	1,895.
	24"	79"	<b>R3B1PF279 24-()</b> ( )	1,545.	1,571.	1,627.	1,743.	1,817.	1,924.	1,995.
	30"	79"	<b>R3B1PF279 30-()</b> ( )	1,638.	1,664.	1,720.	1,836.	1,910.	2,017.	2,088.
	36"	79"	<b>R3B1PF279 36-()</b> ( )	2,030.	2,056.	2,112.	2,228.	2,302.	2,409.	2,480.
	42"	79"	<b>R3B1PF279 42-()</b> ( )	2,214.	2,240.	2,296.	2,412.	2,486.	2,593.	2,664.
48"	79"	<b>R3B1PF279 48-()</b> ( )	2,315.	2,341.	2,397.	2,513.	2,587.	2,694.	2,765.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF27918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F2</b> Fabric one side, V2 other <b>79</b> 79" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V316</b> Maple surface - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side I = Below Belt Side 1 = Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 79" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF379 18-()</b> ( )	\$1,316.	\$1,341.	\$1,386.	\$1,481.	\$1,545.	\$1,630.	\$1,685.
	20"	79"	<b>R3B0PF379 20-()</b> ( )	1,316.	1,341.	1,386.	1,481.	1,545.	1,630.	1,685.
	24"	79"	<b>R3B0PF379 24-()</b> ( )	1,448.	1,473.	1,518.	1,613.	1,677.	1,762.	1,817.
	30"	79"	<b>R3B0PF379 30-()</b> ( )	1,637.	1,662.	1,707.	1,802.	1,866.	1,951.	2,006.
	36"	79"	<b>R3B0PF379 36-()</b> ( )	1,788.	1,813.	1,858.	1,953.	2,017.	2,102.	2,157.
	42"	79"	<b>R3B0PF379 42-()</b> ( )	1,980.	2,005.	2,050.	2,145.	2,209.	2,294.	2,349.
	48"	79"	<b>R3B0PF379 48-()</b> ( )	2,221.	2,246.	2,291.	2,386.	2,450.	2,535.	2,590.
	60"	79"	<b>R3B0PF379 60-()</b> ( )*	2,356.	2,407.	2,496.	2,684.	2,819.	2,986.	3,090.
	66"	79"	<b>R3B0PF379 66-()</b> ( )*	2,404.	2,455.	2,544.	2,732.	2,867.	3,034.	3,138.
	72"	79"	<b>R3B0PF379 72-()</b> ( )*	2,456.	2,507.	2,596.	2,784.	2,919.	3,086.	3,190.

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Beltway fabric side 	18"	79"	<b>R3B1PF379 18-()</b> ( )	1,904.	1,930.	1,986.	2,102.	2,176.	2,283.	2,354.
	20"	79"	<b>R3B1PF379 20-()</b> ( )	1,904.	1,930.	1,986.	2,102.	2,176.	2,283.	2,354.
	24"	79"	<b>R3B1PF379 24-()</b> ( )	2,038.	2,064.	2,120.	2,236.	2,310.	2,417.	2,488.
	30"	79"	<b>R3B1PF379 30-()</b> ( )	2,164.	2,190.	2,246.	2,362.	2,436.	2,543.	2,614.
	36"	79"	<b>R3B1PF379 36-()</b> ( )	2,691.	2,717.	2,773.	2,889.	2,963.	3,070.	3,141.
	42"	79"	<b>R3B1PF379 42-()</b> ( )	2,940.	2,966.	3,022.	3,138.	3,212.	3,319.	3,390.
	48"	79"	<b>R3B1PF379 48-()</b> ( )	3,078.	3,104.	3,160.	3,276.	3,350.	3,457.	3,528.

Order Code	Specification Information
Example: <b>R3B0PF37918-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>F3</b>	Fabric one side, V3 other
<b>79</b>	79" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1
<b>V512</b>	Figured Anigre surface - side 2
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

Application Notes
The panels on this page are not designed to be stacked upon.
Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
6" Raceway option increases panel height by 2 3/4".
Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 79" H


## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	<b>R3B0PLL7918( ) ( )</b>	\$945.
	20"	79"	<b>R3B0PLL7920( ) ( )</b>	945.
	24"	79"	<b>R3B0PLL7924( ) ( )</b>	1,031.
	30"	79"	<b>R3B0PLL7930( ) ( )</b>	1,153.
	36"	79"	<b>R3B0PLL7936( ) ( )</b>	1,247.
	42"	79"	<b>R3B0PLL7942( ) ( )</b>	1,371.
	48"	79"	<b>R3B0PLL7948( ) ( )</b>	1,536.
	60"	79"	<b>R3B0PLL7960( ) ( )*</b>	1,658.
	66"	79"	<b>R3B0PLL7966( ) ( )*</b>	1,708.
72"	79"	<b>R3B0PLL7972( ) ( )*</b>	1,759.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose E = Extruded Aluminum
<b>LL</b> Laminate both sides	4. Panel side 1 inside	2. <i>Base height:</i> 4 = 4" base height
<b>79</b> 79" high	5. Panel side 2 outside	6 = 6" base height (add \$50 per panel for this option)
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>A</b> Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
<b>4</b> 4" base height	7. Base finish	
<b>K</b> Include knockouts in base	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>118</b> Laminate - side 1		The panels on this page are not designed to be stacked upon.
<b>118</b> Laminate - side 2		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
<b>V512</b> Figured Anigre (top trim finish)		6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>111</b> Jet Black (base finish)		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>M</b> Optional milled frame		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.





# Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	<b>R3B0TFF34 18-()()</b>	\$629.	\$661.	\$729.	\$797.	\$857.	\$953.	\$1,005.
Regular acoustics	20"	34"	<b>R3B0TFF34 20-()()</b>	629.	661.	729.	797.	857.	953.	1,005.
	24"	34"	<b>R3B0TFF34 24-()()</b>	680.	712.	780.	848.	908.	1,004.	1,056.
	30"	34"	<b>R3B0TFF34 30-()()</b>	725.	757.	825.	893.	953.	1,049.	1,101.
	36"	34"	<b>R3B0TFF34 36-()()</b>	772.	804.	872.	940.	1,000.	1,096.	1,148.
	42"	34"	<b>R3B0TFF34 42-()()</b>	889.	921.	989.	1,057.	1,117.	1,213.	1,265.
	48"	34"	<b>R3B0TFF34 48-()()</b>	923.	955.	1,023.	1,091.	1,151.	1,247.	1,299.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF3418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel)
<b>B0</b> No Beltway	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	All panels on this page accept stacking modules.
<b>FF</b> Fabric on both sides	4. Panel side 1A	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>34</b> 34" high	5. Panel side 1B	
<b>18</b> 18" wide	6. Panel side 2A	
<b>A</b> Flat style top trim profile	7. Panel side 2B	
<b>4</b> 4" base height	8. Top trim finish	
<b>K</b> Include knockouts in base	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.
<b>W281</b> Fabric - Side 1A	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
<b>W281</b> Fabric - Side 1B	9. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric - Side 2A	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
<b>W281</b> Fabric - Side 2B		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	

# Tiled panels 34" H glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A) 	18"	34"	<b>R2B0TWA34 18-</b> ( ) ( )	\$987.	\$1,173.	\$40.	\$78.	\$99.
	20"	34"	<b>R2B0TWA34 20-</b> ( ) ( )	987.	1,173.	40.	78.	99.
	24"	34"	<b>R2B0TWA34 24-</b> ( ) ( )	1,032.	1,255.	40.	78.	104.
	30"	34"	<b>R2B0TWA34 30-</b> ( ) ( )	1,198.	1,474.	40.	78.	119.
	36"	34"	<b>R2B0TWA34 36-</b> ( ) ( )	1,242.	1,574.	40.	78.	121.
	42"	34"	<b>R2B0TWA34 42-</b> ( ) ( )	1,304.	1,697.	40.	78.	128.
	48"	34"	<b>R2B0TWA34 48-</b> ( ) ( )	1,350.	1,798.	40.	78.	134.
Tiled, two 15" high glass sections with center mullion (type B) 	30"	34"	<b>R2B0TWB34 30-</b> ( ) ( )	1,433.	1,712.	40.	78.	144.
	36"	34"	<b>R2B0TWB34 36-</b> ( ) ( )	1,492.	1,827.	40.	78.	148.
	42"	34"	<b>R2B0TWB34 42-</b> ( ) ( )	1,563.	1,952.	40.	78.	153.
	48"	34"	<b>R2B0TWB34 48-</b> ( ) ( )	1,622.	2,075.	40.	78.	159.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C  	18"	34"	<b>R2B0TWC34 18-</b> ( ) ( )	778.	1,014.	31.	63.	119.
	20"	34"	<b>R2B0TWC34 20-</b> ( ) ( )	778.	1,014.	31.	63.	119.
	24"	34"	<b>R2B0TWC34 24-</b> ( ) ( )	820.	1,068.	31.	63.	128.
	30"	34"	<b>R2B0TWC34 30-</b> ( ) ( )	1,012.	1,316.	40.	78.	161.
	36"	34"	<b>R2B0TWC34 36-</b> ( ) ( )	1,126.	1,462.	40.	78.	181.
	42"	34"	<b>R2B0TWC34 42-</b> ( ) ( )	1,191.	1,546.	40.	78.	198.
	48"	34"	<b>R2B0TWC34 48-</b> ( ) ( )	1,249.	1,628.	40.	78.	207.

## Order Code

Example:	<b>R2B0TWA3418-A4K</b>
<b>R2</b>	Reff Generation 2
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>WA</b>	Window, type A
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>111</b>	Tile Divider
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>111</b>	Jet Black (window frame finish)
<b>GL13</b>	Glass option

## Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Divider option (applicable R2B0TWA and R2B0TWB)
  - B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
5. Top trim finish
  - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
6. Base finish
7. Window frame finish (Painted or Anodized aluminum finishes)
  - If AA finish (anodized) upcharge applicable as noted in AA price column
8. Glass type

## Application Notes

1. Top trim profile:
  - A = Flat
  - B = Square
  - C = Bullnose
  - E = Extruded Aluminum
2. Base height:
  - 4 = 4" base height
  - 6 = 6" base height (add \$50 per panel)
4. Extruded aluminum tile divider:
  - Add for:
    - \$15 for 18w and 20w
    - \$16 for 24w and 30w
    - \$17 for 36w and 42w
    - \$23 for 48w
3. Glass type
  - Temp = Cleared tempered glass
  - Architectural options:
    - GL13 = Powder glass
    - GL6 = Block matrix glass
    - GL8 = Wafer glass

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass <sup>3</sup>/<sub>16</sub>" thick. 30" High window panels that are 30" or wider incorporate a center mullion.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.



# Tiled panels 34" H

*fabric one side, laminate or techwood opposite side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	<b>R3B0TFL34 18-()</b> ( )	\$679.	\$695.	\$723.	\$761.	\$791.	\$833.	\$859.
	20"	34"	<b>R3B0TFL34 20-()</b> ( )	679.	695.	723.	761.	791.	833.	859.
	24"	34"	<b>R3B0TFL34 24-()</b> ( )	723.	739.	767.	805.	835.	877.	903.
	30"	34"	<b>R3B0TFL34 30-()</b> ( )	768.	784.	812.	850.	880.	922.	948.
	36"	34"	<b>R3B0TFL34 36-()</b> ( )	813.	829.	857.	895.	925.	967.	993.
	42"	34"	<b>R3B0TFL34 42-()</b> ( )	926.	942.	970.	1,008.	1,038.	1,080.	1,106.
	48"	34"	<b>R3B0TFL34 48-()</b> ( )	958.	974.	1,002.	1,040.	1,070.	1,112.	1,138.

Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	<b>R3B0TF134 18-()</b> ( )	749.	767.	803.	837.	869.	917.	943.
	20"	34"	<b>R3B0TF134 20-()</b> ( )	749.	767.	803.	837.	869.	917.	943.
	24"	34"	<b>R3B0TF134 24-()</b> ( )	800.	818.	854.	888.	920.	968.	994.
	30"	34"	<b>R3B0TF134 30-()</b> ( )	852.	870.	906.	940.	972.	1,020.	1,046.
	36"	34"	<b>R3B0TF134 36-()</b> ( )	899.	917.	953.	987.	1,019.	1,067.	1,093.
	42"	34"	<b>R3B0TF134 42-()</b> ( )	1,026.	1,044.	1,080.	1,114.	1,146.	1,194.	1,220.
	48"	34"	<b>R3B0TF134 48-()</b> ( )	1,060.	1,078.	1,114.	1,148.	1,180.	1,228.	1,254.

## Order Code

Example: <b>R3B0TFL3418-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>FL</b> Fabric one side, laminate other
<b>34</b> 34" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black
<b>W281</b> Fabric - Side 1A
<b>W281</b> Fabric - Side 1B
<b>114</b> Folkstone grey - side 2A
<b>114</b> Folkstone grey - side 2B
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

## Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B top
- Hard side, finish  
If laminate:  
i) tile 2A bottom  
ii) tile 2B top  
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
- Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

- Base finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

### 1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

### 2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$50 per panel)

### 4. Extruded aluminum tile divider:

- Optional for non fabric side only** (fabric side always black)
- 34" h add per panel: \$15 for 18w and 20w
- \$16 for 24w and 30w
- \$17 for 36w and 42w
- \$23 for 48w

Product on this page will accept woodgrain laminate where laminate is currently an option.

## Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

All panels on this page have no high acoustical option or Beltway option.



Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

# Tiled panels 34" H

*fabric one side, conventional or exotic opposite side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	<b>R3B0TF234 18-()</b> ( )	\$751.	\$767.	\$803.	\$837.	\$867.	\$915.	\$941.
	20"	34"	<b>R3B0TF234 20-()</b> ( )	751.	767.	803.	837.	867.	915.	941.
	24"	34"	<b>R3B0TF234 24-()</b> ( )	798.	814.	850.	884.	914.	962.	988.
	30"	34"	<b>R3B0TF234 30-()</b> ( )	849.	865.	901.	935.	965.	1,013.	1,039.
	36"	34"	<b>R3B0TF234 36-()</b> ( )	897.	913.	949.	983.	1,013.	1,061.	1,087.
	42"	34"	<b>R3B0TF234 42-()</b> ( )	1,023.	1,039.	1,075.	1,109.	1,139.	1,187.	1,213.
	48"	34"	<b>R3B0TF234 48-()</b> ( )	1,058.	1,074.	1,110.	1,144.	1,174.	1,222.	1,248.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	<b>R3B0TF334 18-()</b> ( )	1,002.	1,018.	1,054.	1,088.	1,118.	1,166.	1,192.
	20"	34"	<b>R3B0TF334 20-()</b> ( )	1,002.	1,018.	1,054.	1,088.	1,118.	1,166.	1,192.
	24"	34"	<b>R3B0TF334 24-()</b> ( )	1,067.	1,083.	1,119.	1,153.	1,183.	1,231.	1,257.
	30"	34"	<b>R3B0TF334 30-()</b> ( )	1,135.	1,151.	1,187.	1,221.	1,251.	1,299.	1,325.
	36"	34"	<b>R3B0TF334 36-()</b> ( )	1,200.	1,216.	1,252.	1,286.	1,316.	1,364.	1,390.
	42"	34"	<b>R3B0TF334 42-()</b> ( )	1,370.	1,386.	1,422.	1,456.	1,486.	1,534.	1,560.
	48"	34"	<b>R3B0TF334 48-()</b> ( )	1,417.	1,433.	1,469.	1,503.	1,533.	1,581.	1,607.

## Order Code

Example:	<b>R3B0TF23418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>F2</b>	Fabric one side, conventional other
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>114</b>	Folkstone grey - side 2A
<b>114</b>	Folkstone grey - side 2B
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

## Specification Information

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option (K = with knockouts, N = without knockouts)
  - Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  - Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B top
  - Hard side, finish  
If laminate:  
i) tile 2A bottom  
ii) tile 2B top  
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
  - Top trim finish  
i) Profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options:  
AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver
  - Base finish
  - Optional non-beltway panels:*  
specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

## Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

# Tiled panels 34" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	34"	<b>R3B0TLL3418( )()</b>	\$768.
with raceway both sides	20"	34"	<b>R3B0TLL3420( )()</b>	768.
	24"	34"	<b>R3B0TLL3424( )()</b>	836.
	30"	34"	<b>R3B0TLL3430( )()</b>	937.
	36"	34"	<b>R3B0TLL3436( )()</b>	1,013.
	42"	34"	<b>R3B0TLL3442( )()</b>	1,043.
	48"	34"	<b>R3B0TLL3448( )()</b>	1,074.



### Order Code

Example: <b>R3B0TLL3418-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>LL</b> Laminate both sides
<b>34</b> 34" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black
<b>118</b> Laminate - side 1A
<b>118</b> Laminate - side 1B
<b>118</b> Laminate - side 2A
<b>118</b> Laminate - side 2B
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

### Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option  
(K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Laminate, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B top
- Hard side, finish  
If laminate:  
i) tile 2A bottom  
ii) tile 2B top  
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
- Top trim finish  
i) Profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options:  
AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

- Base finish
- Optional non-beltway panels:  
specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

#### 1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

#### 2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$50 per panel for this option)

#### 4. Extruded aluminum tile divider:

- Optional for non fabric side only** (fabric side always black)
- 34" h add per panel:
- \$15 for 18w and 20w
- \$16 for 24w and 30w
- \$17 for 36w and 42w
- \$23 for 48w

Product on this page will accept woodgrain laminate where laminate is currently an option.

### Application Notes

All panels on this page accept stacking modules.

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Ported panel components to be installed below worksurface if panel 34" h.

# Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	42"	<b>R3B0TFF42 18-</b> ( ) ( )	\$702.	\$742.	\$830.	\$934.	\$1,008.	\$1,124.	\$1,196.
	20"	42"	<b>R3B0TFF42 20-</b> ( ) ( )	702.	742.	830.	934.	1,008.	1,124.	1,196.
	24"	42"	<b>R3B0TFF42 24-</b> ( ) ( )	754.	794.	882.	986.	1,060.	1,176.	1,248.
	30"	42"	<b>R3B0TFF42 30-</b> ( ) ( )	808.	848.	936.	1,040.	1,114.	1,230.	1,302.
	36"	42"	<b>R3B0TFF42 36-</b> ( ) ( )	860.	900.	988.	1,092.	1,166.	1,282.	1,354.
	42"	42"	<b>R3B0TFF42 42-</b> ( ) ( )	972.	1,012.	1,100.	1,204.	1,278.	1,394.	1,466.
	48"	42"	<b>R3B0TFF42 48-</b> ( ) ( )	1,022.	1,062.	1,150.	1,254.	1,328.	1,444.	1,516.




Tiled, fabric both sides High acoustics	18"	42"	<b>R3B0TAA42 18-</b> ( ) ( )	768.	808.	896.	1,000.	1,074.	1,190.	1,262.
	20"	42"	<b>R3B0TAA42 20-</b> ( ) ( )	768.	808.	896.	1,000.	1,074.	1,190.	1,262.
	24"	42"	<b>R3B0TAA42 24-</b> ( ) ( )	826.	866.	954.	1,058.	1,132.	1,248.	1,320.
	30"	42"	<b>R3B0TAA42 30-</b> ( ) ( )	889.	929.	1,017.	1,121.	1,195.	1,311.	1,383.
	36"	42"	<b>R3B0TAA42 36-</b> ( ) ( )	947.	987.	1,075.	1,179.	1,253.	1,369.	1,441.
	42"	42"	<b>R3B0TAA42 42-</b> ( ) ( )	1,073.	1,113.	1,201.	1,305.	1,379.	1,495.	1,567.
	48"	42"	<b>R3B0TAA42 48-</b> ( ) ( )	1,130.	1,170.	1,258.	1,362.	1,436.	1,552.	1,624.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
<b>42</b> 42" high	5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 286).
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile	7. Base finish	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height	8. Beltway finish	Remember to specify Beltway paint finish when applicable.
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>W281</b> Fabric - Side 2A		
<b>W281</b> Fabric - Side 2B		
<b>W281</b> Fabric - Side 2C		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 42" H

*fabric both sides with Beltway*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18"	42"	<b>R3B1TFF42 18-( )()</b>	\$1,262.	\$1,302.	\$1,386.	\$1,494.	\$1,568.	\$1,684.	\$1,756.
	20"	42"	<b>R3B1TFF42 20-( )()</b>	1,262.	1,302.	1,386.	1,494.	1,568.	1,684.	1,756.
	24"	42"	<b>R3B1TFF42 24-( )()</b>	1,291.	1,331.	1,415.	1,523.	1,597.	1,713.	1,785.
	30"	42"	<b>R3B1TFF42 30-( )()</b>	1,359.	1,399.	1,483.	1,591.	1,665.	1,781.	1,853.
	36"	42"	<b>R3B1TFF42 36-( )()</b>	1,605.	1,645.	1,729.	1,837.	1,911.	2,027.	2,099.
	42"	42"	<b>R3B1TFF42 42-( )()</b>	1,733.	1,773.	1,857.	1,965.	2,039.	2,155.	2,227.
	48"	42"	<b>R3B1TFF42 48-( )()</b>	1,794.	1,834.	1,918.	2,026.	2,100.	2,216.	2,288.


Tiled, fabric both sides Beltway two sides 	18"	42"	<b>R3B2TFF42 18-( )()</b>	1,287.	1,327.	1,407.	1,519.	1,593.	1,709.	1,781.
	20"	42"	<b>R3B2TFF42 20-( )()</b>	1,287.	1,327.	1,407.	1,519.	1,593.	1,709.	1,781.
	24"	42"	<b>R3B2TFF42 24-( )()</b>	1,260.	1,300.	1,380.	1,492.	1,566.	1,682.	1,754.
	30"	42"	<b>R3B2TFF42 30-( )()</b>	1,386.	1,426.	1,506.	1,618.	1,692.	1,808.	1,880.
	36"	42"	<b>R3B2TFF42 36-( )()</b>	1,632.	1,672.	1,752.	1,864.	1,938.	2,054.	2,126.
	42"	42"	<b>R3B2TFF42 42-( )()</b>	1,767.	1,807.	1,887.	1,999.	2,073.	2,189.	2,261.
	48"	42"	<b>R3B2TFF42 48-( )()</b>	1,830.	1,870.	1,950.	2,062.	2,136.	2,252.	2,324.

Order Code	Specification Information	Application Notes
Example: <b>R3B1TFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B1</b> Beltway one side	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i)</i> tile 1A bottom <i>ii)</i> tile 1B middle <i>iii)</i> tile 1C top	6" Raceway option increases panel height by 2 3/4".
<b>42</b> 42" high	5. Fabric side, finish (specify selection per insert) <i>i)</i> tile 2A bottom <i>ii)</i> tile 2B middle <i>iii)</i> tile 2C top	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>18</b> 18" wide	6. Top trim finish <i>i)</i> Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii)</i> Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
<b>A</b> Flat style top trim profile	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>4</b> 4" base height	8. Beltway finish	
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>W281</b> Fabric - Side 2A		
<b>W281</b> Fabric - Side 2B		
<b>W281</b> Fabric - Side 2C		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Beltway finish		

# Tiled panels 42" H

*fabric one side, laminate other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TFL42 18-( ) ( )</b>	\$759.	\$780.	\$817.	\$870.	\$907.	\$961.	\$996.
Regular acoustics	20"	42"	<b>R3B0TFL42 20-( ) ( )</b>	759.	870.	817.	870.	907.	961.	996.
	24"	42"	<b>R3B0TFL42 24-( ) ( )</b>	807.	828.	865.	918.	955.	1,009.	1,044.
	30"	42"	<b>R3B0TFL42 30-( ) ( )</b>	862.	883.	920.	973.	1,010.	1,064.	1,099.
	36"	42"	<b>R3B0TFL42 36-( ) ( )</b>	910.	931.	968.	1,021.	1,058.	1,112.	1,147.
	42"	42"	<b>R3B0TFL42 42-( ) ( )</b>	1,014.	1,035.	1,072.	1,125.	1,162.	1,216.	1,251.
	48"	42"	<b>R3B0TFL42 48-( ) ( )</b>	1,067.	1,088.	1,125.	1,178.	1,215.	1,269.	1,304.


Tiled, fabric one side	18"	42"	<b>R3B1TFL42 18-( ) ( )</b>	1,308.	1,329.	1,368.	1,421.	1,457.	1,512.	1,547.
Beltway one side (fabric side)	20"	42"	<b>R3B1TFL42 20-( ) ( )</b>	1,308.	1,329.	1,368.	1,421.	1,457.	1,512.	1,547.
	24"	42"	<b>R3B1TFL42 24-( ) ( )</b>	1,335.	1,356.	1,395.	1,448.	1,484.	1,539.	1,574.
	30"	42"	<b>R3B1TFL42 30-( ) ( )</b>	1,401.	1,422.	1,461.	1,514.	1,550.	1,605.	1,640.
	36"	42"	<b>R3B1TFL42 36-( ) ( )</b>	1,640.	1,661.	1,700.	1,753.	1,789.	1,844.	1,879.
	42"	42"	<b>R3B1TFL42 42-( ) ( )</b>	1,762.	1,783.	1,822.	1,875.	1,911.	1,966.	2,001.
	48"	42"	<b>R3B1TFL42 48-( ) ( )</b>	1,820.	1,841.	1,880.	1,933.	1,969.	2,024.	2,059.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL4218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
<b>FL</b> Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".  Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>42</b> 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>18</b> 18" wide	6. Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>114</b> Folkstone grey - side 2A		
<b>114</b> Folkstone grey - side 2B		
<b>114</b> Folkstone grey - side 2C		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 42" H

*fabric one side, techwood other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF142 18-()</b> ( )	\$838.	\$861.	\$906.	\$960.	\$998.	\$1,057.	\$1,093.
Regular acoustics	20"	42"	<b>R3B0TF142 20-()</b> ( )	838.	861.	906.	960.	998.	1,057.	1,093.
	24"	42"	<b>R3B0TF142 24-()</b> ( )	894.	917.	962.	1,016.	1,054.	1,113.	1,149.
	30"	42"	<b>R3B0TF142 30-()</b> ( )	953.	976.	1,021.	1,075.	1,113.	1,172.	1,208.
	36"	42"	<b>R3B0TF142 36-()</b> ( )	1,007.	1,030.	1,075.	1,129.	1,167.	1,226.	1,262.
	42"	42"	<b>R3B0TF142 42-()</b> ( )	1,126.	1,149.	1,194.	1,248.	1,286.	1,345.	1,381.
	48"	42"	<b>R3B0TF142 48-()</b> ( )	1,178.	1,201.	1,246.	1,300.	1,338.	1,397.	1,433.


Tiled, fabric one side	18"	42"	<b>R3B1TF142 18-()</b> ( )	1,434.	1,456.	1,502.	1,556.	1,593.	1,653.	1,689.
Beltway one side (fabric side)	20"	42"	<b>R3B1TF142 20-()</b> ( )	1,434.	1,456.	1,502.	1,556.	1,593.	1,653.	1,689.
	24"	42"	<b>R3B1TF142 24-()</b> ( )	1,463.	1,485.	1,531.	1,585.	1,622.	1,682.	1,718.
	30"	42"	<b>R3B1TF142 30-()</b> ( )	1,533.	1,555.	1,601.	1,655.	1,692.	1,752.	1,788.
	36"	42"	<b>R3B1TF142 36-()</b> ( )	1,791.	1,813.	1,859.	1,913.	1,950.	2,010.	2,046.
	42"	42"	<b>R3B1TF142 42-()</b> ( )	1,931.	1,953.	1,999.	2,053.	2,090.	2,150.	2,186.
	48"	42"	<b>R3B1TF142 48-()</b> ( )	1,997.	2,019.	2,065.	2,119.	2,156.	2,216.	2,252.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF14218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 42" h add per panel: \$26 for 18w and 20w \$29 for 24w and 30w \$35 for 36w and 42w \$43 for 48w
<b>F1</b> Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
<b>42</b> 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 286).
<b>18</b> 18" wide	6. Techwood side, finish (specify one V1 finish for side)	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
<b>4</b> 4" base height	8. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>K</b> Include knockouts in base	9. Beltway finish	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>Y328</b> Mahogany - side 2 tiled		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 42" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF242 18-()</b> ( )	\$836.	\$857.	\$902.	\$955.	\$991.	\$1,050.	\$1,086.
Regular acoustics	20"	42"	<b>R3B0TF242 20-()</b> ( )	836.	857.	902.	955.	991.	1,050.	1,086.
	24"	42"	<b>R3B0TF242 24-()</b> ( )	892.	913.	958.	1,011.	1,047.	1,106.	1,142.
	30"	42"	<b>R3B0TF242 30-()</b> ( )	951.	972.	1,017.	1,070.	1,106.	1,165.	1,201.
	36"	42"	<b>R3B0TF242 36-()</b> ( )	1,010.	1,031.	1,076.	1,129.	1,165.	1,224.	1,260.
	42"	42"	<b>R3B0TF242 42-()</b> ( )	1,124.	1,145.	1,190.	1,243.	1,279.	1,338.	1,374.
	48"	42"	<b>R3B0TF242 48-()</b> ( )	1,179.	1,200.	1,245.	1,298.	1,334.	1,393.	1,429.


Tiled, fabric one side	18"	42"	<b>R3B1TF242 18-()</b> ( )	1,432.	1,453.	1,498.	1,551.	1,587.	1,646.	1,682.
Beltway one side (fabric side)	20"	42"	<b>R3B1TF242 20-()</b> ( )	1,432.	1,453.	1,498.	1,551.	1,587.	1,646.	1,682.
	24"	42"	<b>R3B1TF242 24-()</b> ( )	1,459.	1,480.	1,525.	1,578.	1,614.	1,673.	1,709.
	30"	42"	<b>R3B1TF242 30-()</b> ( )	1,532.	1,553.	1,598.	1,651.	1,687.	1,746.	1,782.
	36"	42"	<b>R3B1TF242 36-()</b> ( )	1,793.	1,814.	1,859.	1,912.	1,948.	2,007.	2,043.
	42"	42"	<b>R3B1TF242 42-()</b> ( )	1,930.	1,951.	1,996.	2,049.	2,085.	2,144.	2,180.
	48"	42"	<b>R3B1TF242 48-()</b> ( )	1,995.	2,016.	2,061.	2,114.	2,150.	2,209.	2,245.


Order Code	Specification Information	Application Notes
Example: <b>R3B0TF24218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 42" h add per panel: \$26 for 18w and 20w \$29 for 24w and 30w \$35 for 36w and 42w \$43 for 48w
<b>F2</b> Fabric one side, V2 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	5. Remember to specify Beltway paint finish when applicable.
<b>42</b> 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>18</b> 18" wide	6. Conventional veneer, finish (specify one V2 finish for side)	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>V316</b> Maple surface - side 2 tiled		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		



# Tiled panels 42" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF342 18-()</b> ( )	\$1,115.	\$1,136.	\$1,181.	\$1,234.	\$1,270.	\$1,329.	\$1,365.
Regular acoustics	20"	42"	<b>R3B0TF342 20-()</b> ( )	1,115.	1,136.	1,181.	1,234.	1,270.	1,329.	1,365.
	24"	42"	<b>R3B0TF342 24-()</b> ( )	1,188.	1,209.	1,254.	1,307.	1,343.	1,402.	1,438.
	30"	42"	<b>R3B0TF342 30-()</b> ( )	1,269.	1,290.	1,335.	1,388.	1,424.	1,483.	1,519.
	36"	42"	<b>R3B0TF342 36-()</b> ( )	1,348.	1,369.	1,414.	1,467.	1,503.	1,562.	1,598.
	42"	42"	<b>R3B0TF342 42-()</b> ( )	1,501.	1,522.	1,567.	1,620.	1,656.	1,715.	1,751.
	48"	42"	<b>R3B0TF342 48-()</b> ( )	1,577.	1,598.	1,643.	1,696.	1,732.	1,791.	1,827.


Tiled, fabric one side	18"	42"	<b>R3B1TF342 18-()</b> ( )	1,920.	1,941.	1,986.	2,039.	2,075.	2,134.	2,170.
Beltway fabric side	20"	42"	<b>R3B1TF342 20-()</b> ( )	1,920.	1,941.	1,986.	2,039.	2,075.	2,134.	2,170.
	24"	42"	<b>R3B1TF342 24-()</b> ( )	1,957.	1,978.	2,023.	2,076.	2,112.	2,171.	2,207.
	30"	42"	<b>R3B1TF342 30-()</b> ( )	2,052.	2,073.	2,118.	2,171.	2,207.	2,266.	2,302.
	36"	42"	<b>R3B1TF342 36-()</b> ( )	2,407.	2,428.	2,473.	2,526.	2,562.	2,621.	2,657.
	42"	42"	<b>R3B1TF342 42-()</b> ( )	2,588.	2,609.	2,654.	2,707.	2,743.	2,802.	2,838.
	48"	42"	<b>R3B1TF342 48-()</b> ( )	2,677.	2,698.	2,743.	2,796.	2,832.	2,891.	2,927.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF34218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 42" h add per panel: \$26 for 18w and 20w \$29 for 24w and 30w \$35 for 36w and 42w \$43 for 48w
<b>F3</b> Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
<b>42</b> 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 286).  Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>18</b> 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	Remember to specify Beltway paint finish when applicable.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>V512</b> Figured Anigre surface - side 2 tiled		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 42" H

## Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	42"	<b>R3B0TLL4218( ) ( )</b>	\$926.
	20"	42"	<b>R3B0TLL4220( ) ( )</b>	926.
	24"	42"	<b>R3B0TLL4224( ) ( )</b>	1,010.
	30"	42"	<b>R3B0TLL4230( ) ( )</b>	1,129.
	36"	42"	<b>R3B0TLL4236( ) ( )</b>	1,220.
	42"	42"	<b>R3B0TLL4242( ) ( )</b>	1,257.
	48"	42"	<b>R3B0TLL4248( ) ( )</b>	1,294.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TLL4218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 42" h add per panel: \$26 for 18w and 20w \$29 for 24w and 30w \$35 for 36w and 42w \$43 for 48w
<b>LL</b> Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>42</b> 42" high	5. Laminate side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
<b>18</b> 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	6. Laminate, finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>4</b> 4" base height	7. Top trim finish	
<b>K</b> Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>B</b> Tile divider, black reveal	8. Base finish	
<b>118</b> Laminate - side 1A	9. Beltway finish	
<b>118</b> Laminate - side 1B	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>118</b> Laminate - side 1C		
<b>118</b> Laminate - side 2A		
<b>118</b> Laminate - side 2B		
<b>118</b> Laminate - side 2C		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 49" H

## *fabric both sides*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	<b>R3B0TFF49 18-()</b> ( )	\$787.	\$835.	\$937.	\$1,039.	\$1,129.	\$1,273.	\$1,351.
Regular acoustics	20"	49"	<b>R3B0TFF49 20-()</b> ( )	787.	835.	937.	1,039.	1,129.	1,273.	1,351.
	24"	49"	<b>R3B0TFF49 24-()</b> ( )	841.	889.	991.	1,093.	1,183.	1,327.	1,405.
	30"	49"	<b>R3B0TFF49 30-()</b> ( )	905.	953.	1,055.	1,157.	1,247.	1,391.	1,469.
	36"	49"	<b>R3B0TFF49 36-()</b> ( )	964.	1,012.	1,114.	1,216.	1,306.	1,450.	1,528.
	42"	49"	<b>R3B0TFF49 42-()</b> ( )	1,089.	1,137.	1,239.	1,341.	1,431.	1,575.	1,653.
	48"	49"	<b>R3B0TFF49 48-()</b> ( )	1,149.	1,197.	1,299.	1,401.	1,491.	1,635.	1,713.

Tiled, fabric both sides	18"	49"	<b>R3B0TAA49 18-()</b> ( )	862.	910.	1,012.	1,114.	1,204.	1,348.	1,426.
High acoustics	20"	49"	<b>R3B0TAA49 20-()</b> ( )	862.	910.	1,012.	1,114.	1,204.	1,348.	1,426.
	24"	49"	<b>R3B0TAA49 24-()</b> ( )	922.	970.	1,072.	1,174.	1,264.	1,408.	1,486.
	30"	49"	<b>R3B0TAA49 30-()</b> ( )	955.	1,043.	1,145.	1,247.	1,337.	1,481.	1,559.
	36"	49"	<b>R3B0TAA49 36-()</b> ( )	1,059.	1,107.	1,209.	1,311.	1,401.	1,545.	1,623.
	42"	49"	<b>R3B0TAA49 42-()</b> ( )	1,194.	1,242.	1,344.	1,446.	1,536.	1,680.	1,758.
	48"	49"	<b>R3B0TAA49 48-()</b> ( )	1,264.	1,312.	1,414.	1,516.	1,606.	1,750.	1,828.


Order Code	Specification Information
Example: <b>R3B0TFF4918-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 2A
<b>W281</b>	Fabric - Side 2B
<b>W281</b>	Fabric - Side 2C
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame


Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top
5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top
6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

Application Notes
The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 49" H

*fabric both sides with Beltway*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	<b>R3B1TFF49 18-( )()</b>	\$1,299.	\$1,347.	\$1,445.	\$1,551.	\$1,641.	\$1,785.	\$1,863.
Beltway one side	20"	49"	<b>R3B1TFF49 20-( )()</b>	1,299.	1,347.	1,445.	1,551.	1,641.	1,785.	1,863.
	24"	49"	<b>R3B1TFF49 24-( )()</b>	1,325.	1,373.	1,471.	1,577.	1,667.	1,811.	1,889.
	30"	49"	<b>R3B1TFF49 30-( )()</b>	1,396.	1,444.	1,542.	1,648.	1,738.	1,882.	1,960.
	36"	49"	<b>R3B1TFF49 36-( )()</b>	1,671.	1,719.	1,817.	1,923.	2,013.	2,157.	2,235.
	42"	49"	<b>R3B1TFF49 42-( )()</b>	1,805.	1,853.	1,951.	2,057.	2,147.	2,291.	2,369.
	48"	49"	<b>R3B1TFF49 48-( )()</b>	1,868.	1,916.	2,014.	2,120.	2,210.	2,354.	2,432.

Tiled, fabric both sides	18"	49"	<b>R3B2TFF49 18-( )()</b>	1,318.	1,366.	1,460.	1,570.	1,660.	1,804.	1,882.
Beltway two sides	20"	49"	<b>R3B2TFF49 20-( )()</b>	1,318.	1,366.	1,460.	1,570.	1,660.	1,804.	1,882.
	24"	49"	<b>R3B2TFF49 24-( )()</b>	1,348.	1,396.	1,490.	1,600.	1,690.	1,834.	1,912.
	30"	49"	<b>R3B2TFF49 30-( )()</b>	1,422.	1,470.	1,564.	1,674.	1,764.	1,908.	1,986.
	36"	49"	<b>R3B2TFF49 36-( )()</b>	1,701.	1,749.	1,843.	1,953.	2,043.	2,187.	2,265.
	42"	49"	<b>R3B2TFF49 42-( )()</b>	1,836.	1,884.	1,978.	2,088.	2,178.	2,322.	2,400.
	48"	49"	<b>R3B2TFF49 48-( )()</b>	1,905.	1,953.	2,047.	2,157.	2,247.	2,391.	2,469.

**Order Code**

Example: <b>R3B2TFF4918-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B2</b>	with Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 2A
<b>W281</b>	Fabric - Side 2B
<b>W281</b>	Fabric - Side 2C
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>111</b>	Beltway finish

**Specification Information**

*To order please specify pattern number including:*

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Fabric side finish (specify selection per insert)
  - i) tile 1A bottom
  - ii) tile 1B middle
  - iii) tile 1C top
- Fabric side, finish (specify selection per insert)
  - i) tile 2A bottom
  - ii) tile 2B middle
  - iii) tile 2C top
- Top trim finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

**Application Notes**

*1. Top trim profile:*  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded Aluminum

*2. Base height:*  
 4 = 4" base height  
 6 = 6" base height (add \$50 per panel for this option)

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 49" H

*fabric one side, laminate opposite side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TFL49 18-</b> ( ) ( )	\$852.	\$876.	\$918.	\$975.	\$1,020.	\$1,083.	\$1,122.
Regular acoustics	20"	49"	<b>R3B0TFL49 20-</b> ( ) ( )	852.	876.	918.	975.	1,020.	1,083.	1,122.
	24"	49"	<b>R3B0TFL49 24-</b> ( ) ( )	901.	925.	967.	1,024.	1,069.	1,132.	1,171.
	30"	49"	<b>R3B0TFL49 30-</b> ( ) ( )	964.	988.	1,030.	1,087.	1,132.	1,195.	1,234.
	36"	49"	<b>R3B0TFL49 36-</b> ( ) ( )	1,017.	1,041.	1,083.	1,140.	1,185.	1,248.	1,287.
	42"	49"	<b>R3B0TFL49 42-</b> ( ) ( )	1,134.	1,158.	1,200.	1,257.	1,302.	1,365.	1,404.
	48"	49"	<b>R3B0TFL49 48-</b> ( ) ( )	1,195.	1,219.	1,261.	1,318.	1,363.	1,426.	1,465.

Tiled, fabric one side	18"	49"	<b>R3B1TFL49 18-</b> ( ) ( )	1,351.	1,375.	1,421.	1,474.	1,519.	1,585.	1,624.
Beltway one side (fabric side)	20"	49"	<b>R3B1TFL49 20-</b> ( ) ( )	1,351.	1,375.	1,421.	1,474.	1,519.	1,585.	1,624.
	24"	49"	<b>R3B1TFL49 24-</b> ( ) ( )	1,378.	1,402.	1,448.	1,501.	1,546.	1,612.	1,651.
	30"	49"	<b>R3B1TFL49 30-</b> ( ) ( )	1,447.	1,471.	1,517.	1,570.	1,615.	1,681.	1,720.
	36"	49"	<b>R3B1TFL49 36-</b> ( ) ( )	1,710.	1,734.	1,780.	1,833.	1,878.	1,944.	1,983.
	42"	49"	<b>R3B1TFL49 42-</b> ( ) ( )	1,836.	1,860.	1,906.	1,959.	2,004.	2,070.	2,109.
	48"	49"	<b>R3B1TFL49 48-</b> ( ) ( )	1,904.	1,928.	1,974.	2,027.	2,072.	2,138.	2,177.

## Order Code

Example: <b>R3B0TFL4918-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>FL</b> Fabric one side, laminate other
<b>49</b> 49" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric - Side 1A
<b>W281</b> Fabric - Side 1B
<b>W281</b> Fabric - Side 1C
<b>114</b> Folkstone grey - side 2A
<b>114</b> Folkstone grey - side 2B
<b>114</b> Folkstone grey - side 2C
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

## Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C top
6. Laminate side finish (specify selection per insert)  
i) tile 2A bottom  
ii) tile 2B middle  
iii) tile 2C top
7. Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

## Application Notes

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$50 per panel for this option)
4. *Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)  
49"h add per panel:  
\$26 for 18w and 20w  
\$29 for 24w and 30w  
\$35 for 36w and 42w  
\$43 for 48w

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Product on this page will accept woodgrain laminate where laminate is currently an option.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 49" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	49"	<b>R3B0TF149 18-</b> ( ) ( )	\$936.	\$963.	\$1,017.	\$1,068.	\$1,116.	\$1,188.	\$1,227.
	20"	49"	<b>R3B0TF149 20-</b> ( ) ( )	936.	963.	1,017.	1,068.	1,116.	1,188.	1,227.
	24"	49"	<b>R3B0TF149 24-</b> ( ) ( )	996.	1,023.	1,077.	1,128.	1,176.	1,248.	1,287.
	30"	49"	<b>R3B0TF149 30-</b> ( ) ( )	1,063.	1,090.	1,144.	1,195.	1,243.	1,315.	1,354.
	36"	49"	<b>R3B0TF149 36-</b> ( ) ( )	1,127.	1,154.	1,208.	1,259.	1,307.	1,379.	1,418.
	42"	49"	<b>R3B0TF149 42-</b> ( ) ( )	1,261.	1,288.	1,342.	1,393.	1,441.	1,513.	1,552.
	48"	49"	<b>R3B0TF149 48-</b> ( ) ( )	1,320.	1,347.	1,401.	1,452.	1,500.	1,572.	1,611.




Tiled, fabric one side Beltway one side (fabric side)	18"	49"	<b>R3B1TF149 18-</b> ( ) ( )	1,478.	1,504.	1,559.	1,610.	1,657.	1,730.	1,769.
	20"	49"	<b>R3B1TF149 20-</b> ( ) ( )	1,478.	1,504.	1,559.	1,610.	1,657.	1,730.	1,769.
	24"	49"	<b>R3B1TF149 24-</b> ( ) ( )	1,512.	1,538.	1,593.	1,644.	1,691.	1,764.	1,803.
	30"	49"	<b>R3B1TF149 30-</b> ( ) ( )	1,585.	1,611.	1,666.	1,717.	1,764.	1,837.	1,876.
	36"	49"	<b>R3B1TF149 36-</b> ( ) ( )	1,877.	1,903.	1,958.	2,009.	2,056.	2,129.	2,168.
	42"	49"	<b>R3B1TF149 42-</b> ( ) ( )	2,016.	2,042.	2,097.	2,148.	2,195.	2,268.	2,307.
	48"	49"	<b>R3B1TF149 48-</b> ( ) ( )	2,086.	2,112.	2,167.	2,218.	2,265.	2,338.	2,377.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TF14918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 49"h add per panel: \$26 for 18w and 20w \$29 for 24w and 30w \$35 for 36w and 42w \$43 for 48w
<b>F1</b> Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.  Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.  Remember to specify Beltway paint finish when applicable.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>18</b> 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish, for panels with Beltway	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>Y328</b> Mahogany - side 2 tiled		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 49" H

*fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF249 18-</b> ( ) ( )	\$939.	\$963.	\$1,017.	\$1,068.	\$1,113.	\$1,185.	\$1,224.
Regular acoustics	20"	49"	<b>R3B0TF249 20-</b> ( ) ( )	939.	963.	1,017.	1,068.	1,113.	1,185.	1,224.
	24"	49"	<b>R3B0TF249 24-</b> ( ) ( )	995.	1,019.	1,073.	1,124.	1,169.	1,241.	1,280.
	30"	49"	<b>R3B0TF249 30-</b> ( ) ( )	1,068.	1,092.	1,146.	1,197.	1,242.	1,314.	1,353.
	36"	49"	<b>R3B0TF249 36-</b> ( ) ( )	1,126.	1,150.	1,204.	1,255.	1,300.	1,372.	1,411.
	42"	49"	<b>R3B0TF249 42-</b> ( ) ( )	1,254.	1,278.	1,332.	1,383.	1,428.	1,500.	1,539.
	48"	49"	<b>R3B0TF249 48-</b> ( ) ( )	1,320.	1,344.	1,398.	1,449.	1,494.	1,566.	1,605.


Tiled, fabric one side	18"	49"	<b>R3B1TF249 18-</b> ( ) ( )	1,479.	1,503.	1,557.	1,608.	1,653.	1,725.	1,764.
Beltway one side (fabric side)	20"	49"	<b>R3B1TF249 20-</b> ( ) ( )	1,479.	1,503.	1,557.	1,608.	1,653.	1,725.	1,764.
	24"	49"	<b>R3B1TF249 24-</b> ( ) ( )	1,510.	1,534.	1,588.	1,639.	1,684.	1,756.	1,795.
	30"	49"	<b>R3B1TF249 30-</b> ( ) ( )	1,583.	1,607.	1,661.	1,712.	1,757.	1,829.	1,868.
	36"	49"	<b>R3B1TF249 36-</b> ( ) ( )	1,871.	1,895.	1,949.	2,000.	2,045.	2,117.	2,156.
	42"	49"	<b>R3B1TF249 42-</b> ( ) ( )	2,011.	2,035.	2,089.	2,140.	2,185.	2,257.	2,296.
	48"	49"	<b>R3B1TF249 48-</b> ( ) ( )	2,083.	2,107.	2,161.	2,212.	2,257.	2,329.	2,368.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF24918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F2</b> Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>49</b> 49" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
<b>A</b> Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$50 per panel for this option)
<b>4</b> 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
<b>K</b> Include knockouts in base	ii) tile 1B middle	<b>Optional for non fabric side only</b> (fabric side always black)
<b>B</b> Tile divider, black reveal	iii) tile 1C top	49"h add per panel:
<b>W281</b> Fabric - Side 1A	6. Conventional veneer, finish (specify one V2 finish for side)	\$26 for 18w and 20w
<b>W281</b> Fabric - Side 1B	7. Top trim finish	\$29 for 24w and 30w
<b>W281</b> Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$35 for 36w and 42w
<b>V316</b> Maple surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$43 for 48w
<b>V316</b> Maple (top trim finish)	8. Base finish	6" Raceway option increases panel height by 2 3/4".
<b>111</b> Jet Black (base finish)	9. Beltway finish, for panels with Beltway	
<b>M</b> Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

# Tiled panels 49" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF349 18-()</b> ( )	\$1,249.	\$1,273.	\$1,327.	\$1,378.	\$1,423.	\$1,495.	\$1,534.
Regular acoustics	20"	49"	<b>R3B0TF349 20-()</b> ( )	1,249.	1,273.	1,327.	1,378.	1,423.	1,495.	1,534.
	24"	49"	<b>R3B0TF349 24-()</b> ( )	1,325.	1,349.	1,403.	1,454.	1,499.	1,571.	1,610.
	30"	49"	<b>R3B0TF349 30-()</b> ( )	1,424.	1,448.	1,502.	1,553.	1,598.	1,670.	1,709.
	36"	49"	<b>R3B0TF349 36-()</b> ( )	1,503.	1,527.	1,581.	1,632.	1,677.	1,749.	1,788.
	42"	49"	<b>R3B0TF349 42-()</b> ( )	1,675.	1,699.	1,753.	1,804.	1,849.	1,921.	1,960.
	48"	49"	<b>R3B0TF349 48-()</b> ( )	1,762.	1,786.	1,840.	1,891.	1,936.	2,008.	2,047.

Tiled, fabric one side	18"	49"	<b>R3B1TF349 18-()</b> ( )	1,978.	2,002.	2,056.	2,107.	2,152.	2,224.	2,263.
Beltway fabric side	20"	49"	<b>R3B1TF349 20-()</b> ( )	1,978.	2,002.	2,056.	2,107.	2,152.	2,224.	2,263.
	24"	49"	<b>R3B1TF349 24-()</b> ( )	2,021.	2,045.	2,099.	2,150.	2,195.	2,267.	2,306.
	30"	49"	<b>R3B1TF349 30-()</b> ( )	2,119.	2,143.	2,197.	2,248.	2,293.	2,365.	2,404.
	36"	49"	<b>R3B1TF349 36-()</b> ( )	2,510.	2,534.	2,588.	2,639.	2,684.	2,756.	2,795.
	42"	49"	<b>R3B1TF349 42-()</b> ( )	2,699.	2,723.	2,777.	2,828.	2,873.	2,945.	2,984.
	48"	49"	<b>R3B1TF349 48-()</b> ( )	2,797.	2,821.	2,875.	2,926.	2,971.	3,043.	3,082.


Order Code	Specification Information	Application Notes
Example: <b>R3B0TF34918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F3</b> Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>49</b> 49" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
<b>A</b> Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$50 per panel for this option)
<b>4</b> 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
<b>K</b> Include knockouts in base	ii) tile 1B middle	<b>Optional for non fabric side only</b> (fabric side always black)
<b>B</b> Tile divider, black reveal	iii) tile 1C top	49" h add per panel:
<b>W281</b> Fabric - Side 1A	6. Exotic veneer, finish (specify one V3 finish for side)	\$26 for 18w and 20w
<b>W281</b> Fabric - Side 1B	7. Top trim finish	\$29 for 24w and 30w
<b>W281</b> Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$35 for 36w and 42w
<b>V512</b> Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$43 for 48w
<b>V512</b> Figured Anigre (top trim finish)	8. Base finish	6" Raceway option increases panel height by 2 3/4".
<b>111</b> Jet Black (base finish)	9. Beltway finish, for panels with Beltway	
<b>M</b> Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	



# Tiled panels 49" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	49"	<b>R3B0TLL4918( )()</b>	\$967.
with raceway both sides	20"	49"	<b>R3B0TLL4920( )()</b>	967.
	24"	49"	<b>R3B0TLL4924( )()</b>	1,054.
	30"	49"	<b>R3B0TLL4930( )()</b>	1,180.
	36"	49"	<b>R3B0TLL4936( )()</b>	1,275.
	42"	49"	<b>R3B0TLL4942( )()</b>	1,314.
	48"	49"	<b>R3B0TLL4948( )()</b>	1,353.



### Order Code

Example:	<b>R3B0TLL4918-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>LL</b>	Laminate both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>118</b>	Laminate - side 1A
<b>118</b>	Laminate - side 1B
<b>118</b>	Laminate - side 1C
<b>118</b>	Laminate - side 2A
<b>118</b>	Laminate - side 2B
<b>118</b>	Laminate - side 2C
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

### Specification Information

- To order please specify pattern number including:*
1. Top trim profile
  2. Base height
  3. Knockout option  
(K = with knockouts, N = without knockouts)
  4. Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  5. Laminate side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C top
  6. Laminate, finish
  7. Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
  8. Base finish
  9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

### Application Notes

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Product on this page will accept woodgrain laminate where laminate is currently an option.

# Tiled panels 64" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	<b>R3B0TFF64 18-()</b> ( )	\$900.	\$964.	\$1,110.	\$1,236.	\$1,356.	\$1,548.	\$1,652.
Regular acoustics	20"	64"	<b>R3B0TFF64 20-()</b> ( )	900.	964.	1,100.	1,236.	1,356.	1,548.	1,652.
	24"	64"	<b>R3B0TFF64 24-()</b> ( )	966.	1,030.	1,166.	1,302.	1,422.	1,614.	1,718.
	30"	64"	<b>R3B0TFF64 30-()</b> ( )	1,037.	1,101.	1,237.	1,373.	1,493.	1,685.	1,789.
	36"	64"	<b>R3B0TFF64 36-()</b> ( )	1,097.	1,161.	1,297.	1,433.	1,553.	1,745.	1,849.
	42"	64"	<b>R3B0TFF64 42-()</b> ( )	1,255.	1,319.	1,455.	1,591.	1,711.	1,903.	2,007.
	48"	64"	<b>R3B0TFF64 48-()</b> ( )	1,317.	1,381.	1,517.	1,653.	1,773.	1,965.	2,069.



Tiled, fabric both sides	18"	64"	<b>R3B0TAA64 18-()</b> ( )	986.	1,050.	1,186.	1,322.	1,442.	1,634.	1,738.
High acoustics	20"	64"	<b>R3B0TAA64 20-()</b> ( )	986.	1,050.	1,186.	1,322.	1,442.	1,634.	1,738.
	24"	64"	<b>R3B0TAA64 24-()</b> ( )	1,056.	1,120.	1,256.	1,392.	1,512.	1,704.	1,808.
	30"	64"	<b>R3B0TAA64 30-()</b> ( )	1,136.	1,200.	1,336.	1,472.	1,592.	1,784.	1,888.
	36"	64"	<b>R3B0TAA64 36-()</b> ( )	1,211.	1,275.	1,411.	1,547.	1,667.	1,859.	1,963.
	42"	64"	<b>R3B0TAA64 42-()</b> ( )	1,379.	1,443.	1,579.	1,715.	1,835.	2,027.	2,131.
	48"	64"	<b>R3B0TAA64 48-()</b> ( )	1,454.	1,518.	1,654.	1,790.	1,910.	2,102.	2,206.



## Order Code

Example: <b>R3B0TFF6418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 2A
<b>W281</b>	Fabric - Side 2B
<b>W281</b>	Fabric - Side 2C
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

## Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
  - i) tile 1A bottom
  - ii) tile 1B middle
  - iii) tile 1C middle
  - iv) tile 1D top
5. Fabric side, finish (specify selection per insert)
  - i) tile 2A bottom
  - ii) tile 2B middle
  - iii) tile 2C middle
  - iv) tile 2D top
6. Top trim finish
  - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable

## Application Notes

1. *Top trim profile:*  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded Aluminum

2. *Base height:*  
 4 = 4" base height  
 6 = 6" base height (add \$50 per panel for this option)

6" Raceway option increases panel height by 2 3/4".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 64" H

*fabric both sides, with Beltway*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	<b>R3B1TFF64 18-</b> ( ) ( )	\$1,407.	\$1,471.	\$1,603.	\$1,743.	\$1,863.	\$2,055.	\$2,159.
Beltway one side	20"	64"	<b>R3B1TFF64 20-</b> ( ) ( )	1,407.	1,471.	1,603.	1,743.	1,863.	2,055.	2,159.
	24"	64"	<b>R3B1TFF64 24-</b> ( ) ( )	1,479.	1,543.	1,675.	1,815.	1,935.	2,127.	2,231.
	30"	64"	<b>R3B1TFF64 30-</b> ( ) ( )	1,515.	1,579.	1,711.	1,851.	1,971.	2,163.	2,267.
	36"	64"	<b>R3B1TFF64 36-</b> ( ) ( )	1,861.	1,925.	2,057.	2,197.	2,317.	2,509.	2,613.
	42"	64"	<b>R3B1TFF64 42-</b> ( ) ( )	1,999.	2,063.	2,195.	2,335.	2,455.	2,647.	2,751.
	48"	64"	<b>R3B1TFF64 48-</b> ( ) ( )	2,069.	2,133.	2,265.	2,405.	2,525.	2,717.	2,821.


Tiled, fabric both sides	18"	64"	<b>R3B2TFF64 18-</b> ( ) ( )	1,429.	1,493.	1,621.	1,765.	1,885.	2,077.	2,181.
Beltway two sides	20"	64"	<b>R3B2TFF64 20-</b> ( ) ( )	1,429.	1,493.	1,621.	1,765.	1,885.	2,077.	2,181.
	24"	64"	<b>R3B2TFF64 24-</b> ( ) ( )	1,503.	1,567.	1,695.	1,839.	1,959.	2,151.	2,255.
	30"	64"	<b>R3B2TFF64 30-</b> ( ) ( )	1,540.	1,604.	1,732.	1,876.	1,996.	2,188.	2,292.
	36"	64"	<b>R3B2TFF64 36-</b> ( ) ( )	1,894.	1,958.	2,086.	2,230.	2,350.	2,542.	2,646.
	42"	64"	<b>R3B2TFF64 42-</b> ( ) ( )	2,030.	2,094.	2,222.	2,366.	2,486.	2,678.	2,782.
	48"	64"	<b>R3B2TFF64 48-</b> ( ) ( )	2,106.	2,170.	2,298.	2,442.	2,562.	2,754.	2,858.

Order Code	Specification Information	Application Notes
Example: <b>R3B1TFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B1</b> Beltway one side	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H .
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
<b>64</b> 64" high	i) tile 1A bottom	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>18</b> 18" wide	ii) tile 1B middle	
<b>A</b> Flat style top trim profile	iii) tile 1C middle	
<b>4</b> 4" base height	iv) tile 1D middle	
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	
<b>W281</b> Fabric - Side 1A	i) tile 2A bottom	
<b>W281</b> Fabric - Side 1B	ii) tile 2B middle	
<b>W281</b> Fabric - Side 1C	iii) tile 2C middle	
<b>W281</b> Fabric - Side 1D	iv) tile 2D middle	
<b>W281</b> Fabric - Side 2A		
<b>W281</b> Fabric - Side 2B		
<b>W281</b> Fabric - Side 2C		
<b>W281</b> Fabric - Side 2D		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Beltway finish		

# Tiled panels 64" H

*fabric one side, laminate other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TFL64 18-()</b> ( )	\$992.	\$1,024.	\$1,080.	\$1,156.	\$1,216.	\$1,300.	\$1,352.
Regular acoustics	20"	64"	<b>R3B0TFL64 20-()</b> ( )	992.	1,024.	1,080.	1,156.	1,216.	1,300.	1,352.
	24"	64"	<b>R3B0TFL64 24-()</b> ( )	1,050.	1,082.	1,138.	1,214.	1,274.	1,358.	1,410.
	30"	64"	<b>R3B0TFL64 30-()</b> ( )	1,121.	1,153.	1,209.	1,285.	1,345.	1,429.	1,481.
	36"	64"	<b>R3B0TFL64 36-()</b> ( )	1,184.	1,216.	1,272.	1,348.	1,408.	1,492.	1,544.
	42"	64"	<b>R3B0TFL64 42-()</b> ( )	1,331.	1,363.	1,419.	1,495.	1,555.	1,639.	1,691.
	48"	64"	<b>R3B0TFL64 48-()</b> ( )	1,394.	1,426.	1,482.	1,558.	1,618.	1,702.	1,754.


Tiled, fabric one side	18"	64"	<b>R3B1TFL64 18-()</b> ( )	1,488.	1,520.	1,582.	1,652.	1,712.	1,800.	1,852.
Beltway one side (fabric side)	20"	64"	<b>R3B1TFL64 20-()</b> ( )	1,488.	1,520.	1,582.	1,652.	1,712.	1,800.	1,852.
	24"	64"	<b>R3B1TFL64 24-()</b> ( )	1,560.	1,592.	1,654.	1,724.	1,784.	1,872.	1,924.
	30"	64"	<b>R3B1TFL64 30-()</b> ( )	1,593.	1,625.	1,687.	1,757.	1,817.	1,905.	1,957.
	36"	64"	<b>R3B1TFL64 36-()</b> ( )	1,932.	1,964.	2,026.	2,096.	2,156.	2,244.	2,296.
	42"	64"	<b>R3B1TFL64 42-()</b> ( )	2,061.	2,093.	2,155.	2,225.	2,285.	2,373.	2,425.
	48"	64"	<b>R3B1TFL64 48-()</b> ( )	2,129.	2,161.	2,223.	2,293.	2,353.	2,441.	2,493.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL6418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.  Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.  Remember to specify Beltway paint finish when applicable.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.  Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>B0</b> No Beltway	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FL</b> Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
<b>64</b> 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	
<b>18</b> 18" wide	6. Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D top	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish, for panels with Beltway	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1A	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
<b>W281</b> Fabric - Side 1B	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<b>W281</b> Fabric - Side 1C	<i>4. Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$50 for 18w and 20w \$44 for 24w and 30w \$49 for 36w and 42w \$65 for 48w	
<b>114</b> Folkstone grey - side 2A	6" Raceway option increases panel height by 2 3/4".	
<b>114</b> Folkstone grey - side 2B		
<b>114</b> Folkstone grey - side 2C		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 64" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF164 18-()</b> ( )	\$1,095.	\$1,131.	\$1,203.	\$1,271.	\$1,335.	\$1,431.	\$1,483.
Regular acoustics	20"	64"	<b>R3B0TF164 20-()</b> ( )	1,095.	1,131.	1,203.	1,271.	1,335.	1,431.	1,483.
	24"	64"	<b>R3B0TF164 24-()</b> ( )	1,160.	1,196.	1,268.	1,336.	1,400.	1,496.	1,548.
	30"	64"	<b>R3B0TF164 30-()</b> ( )	1,239.	1,275.	1,347.	1,415.	1,479.	1,575.	1,627.
	36"	64"	<b>R3B0TF164 36-()</b> ( )	1,306.	1,342.	1,414.	1,482.	1,546.	1,642.	1,694.
	42"	64"	<b>R3B0TF164 42-()</b> ( )	1,472.	1,508.	1,580.	1,648.	1,712.	1,808.	1,860.
	48"	64"	<b>R3B0TF164 48-()</b> ( )	1,539.	1,575.	1,647.	1,715.	1,779.	1,875.	1,927.

Tiled, fabric one side	18"	64"	<b>R3B1TF164 18-()</b> ( )	1,629.	1,664.	1,737.	1,805.	1,868.	1,965.	2,017.
Beltway one side (fabric side)	20"	64"	<b>R3B1TF164 20-()</b> ( )	1,629.	1,664.	1,737.	1,805.	1,868.	1,965.	2,017.
	24"	64"	<b>R3B1TF164 24-()</b> ( )	1,707.	1,742.	1,815.	1,883.	1,946.	2,043.	2,095.
	30"	64"	<b>R3B1TF164 30-()</b> ( )	1,744.	1,779.	1,852.	1,920.	1,983.	2,080.	2,132.
	36"	64"	<b>R3B1TF164 36-()</b> ( )	2,114.	2,149.	2,222.	2,290.	2,353.	2,450.	2,502.
	42"	64"	<b>R3B1TF164 42-()</b> ( )	2,256.	2,291.	2,364.	2,432.	2,495.	2,592.	2,644.
	48"	64"	<b>R3B1TF164 48-()</b> ( )	2,338.	2,373.	2,446.	2,514.	2,577.	2,674.	2,726.

## Order Code

Example: <b>R3B0TF16418-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F1</b> Fabric one side, V1 other
<b>64</b> 64" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric - Side 1A
<b>W281</b> Fabric - Side 1B
<b>W281</b> Fabric - Side 1C
<b>Y328</b> Mahogany - side 2 tiled
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

## Specification Information

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option (K = with knockouts, N = without knockouts)
  - Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  - Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C middle  
iv) tile 1D top
  - Techwood side, finish (specify one V1 finish for side)
  - Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
  - Base finish
  - Beltway finish, for panels with Beltway
  - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

## Application Notes

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

- Base height:*  
4 = 4" base height  
6 = 6" base height (add \$50 per panel for this option)

- Extruded aluminum tile divider:*  
**Optional for non fabric side only** (fabric side always black)  
64" h add per panel:  
\$40 for 18w and 20w  
\$44 for 24w and 30w  
\$49 for 36w and 42w  
\$65 for 48w

- 6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 64" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF264 18-()</b> ( )	\$1,094.	\$1,126.	\$1,198.	\$1,266.	\$1,326.	\$1,422.	\$1,474.
Regular acoustics	20"	64"	<b>R3B0TF264 20-()</b> ( )	1,094.	1,126.	1,198.	1,266.	1,326.	1,422.	1,474.
	24"	64"	<b>R3B0TF264 24-()</b> ( )	1,159.	1,191.	1,263.	1,331.	1,391.	1,487.	1,539.
	30"	64"	<b>R3B0TF264 30-()</b> ( )	1,234.	1,266.	1,338.	1,406.	1,466.	1,562.	1,614.
	36"	64"	<b>R3B0TF264 36-()</b> ( )	1,305.	1,337.	1,409.	1,477.	1,537.	1,633.	1,685.
	42"	64"	<b>R3B0TF264 42-()</b> ( )	1,468.	1,500.	1,572.	1,640.	1,700.	1,796.	1,848.
	48"	64"	<b>R3B0TF264 48-()</b> ( )	1,538.	1,570.	1,642.	1,710.	1,770.	1,866.	1,918.

Tiled, fabric one side	18"	64"	<b>R3B1TF264 18-()</b> ( )	1,627.	1,659.	1,731.	1,799.	1,859.	1,955.	2,007.
Beltway one side (fabric side)	20"	64"	<b>R3B1TF264 20-()</b> ( )	1,627.	1,659.	1,731.	1,799.	1,859.	1,955.	2,007.
	24"	64"	<b>R3B1TF264 24-()</b> ( )	1,706.	1,738.	1,810.	1,878.	1,938.	2,034.	2,086.
	30"	64"	<b>R3B1TF264 30-()</b> ( )	1,742.	1,774.	1,846.	1,914.	1,974.	2,070.	2,122.
	36"	64"	<b>R3B1TF264 36-()</b> ( )	2,115.	2,147.	2,219.	2,287.	2,347.	2,443.	2,495.
	42"	64"	<b>R3B1TF264 42-()</b> ( )	2,255.	2,287.	2,359.	2,427.	2,487.	2,583.	2,635.
	48"	64"	<b>R3B1TF264 48-()</b> ( )	2,327.	2,359.	2,431.	2,499.	2,559.	2,655.	2,707.

**Order Code**

Example: <b>R3B0TF26418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>F2</b>	Fabric one side, V2 other
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 1D
<b>V316</b>	Maple surface - side 2 tiled
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

**Specification Information**

*To order please specify pattern number including:*

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C middle  
iv) tile 1D top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

**Application Notes**

- Top trim profile:**  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
- Base height:**  
4 = 4" base height  
6 = 6" base height (add \$50 per panel for this option)  
  
6" raceway option increases panel height by 2 3/4".
- Extruded aluminum tile divider: Optional for non fabric side only** (fabric side always black)  
64"h add per panel:  
\$40 for 18w and 20w  
\$44 for 24w and 30w  
\$49 for 36w and 42w  
\$65 for 48w

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 64" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF364 18-()</b> ( )	\$1,454.	\$1,486.	\$1,558.	\$1,626.	\$1,686.	\$1,782.	\$1,834.
Regular acoustics	20"	64"	<b>R3B0TF364 20-()</b> ( )	1,454.	1,486.	1,558.	1,626.	1,686.	1,782.	1,834.
	24"	64"	<b>R3B0TF364 24-()</b> ( )	1,540.	1,572.	1,644.	1,712.	1,772.	1,868.	1,920.
	30"	64"	<b>R3B0TF364 30-()</b> ( )	1,642.	1,674.	1,746.	1,814.	1,874.	1,970.	2,022.
	36"	64"	<b>R3B0TF364 36-()</b> ( )	1,739.	1,771.	1,843.	1,911.	1,971.	2,067.	2,119.
	42"	64"	<b>R3B0TF364 42-()</b> ( )	1,960.	1,992.	2,064.	2,132.	2,192.	2,288.	2,340.
	48"	64"	<b>R3B0TF364 48-()</b> ( )	2,050.	2,082.	2,154.	2,222.	2,282.	2,378.	2,430.

Tiled, fabric one side	18"	64"	<b>R3B1TF364 18-()</b> ( )	2,174.	2,206.	2,278.	2,346.	2,406.	2,502.	2,554.
Beltway fabric side	20"	64"	<b>R3B1TF364 20-()</b> ( )	2,174.	2,206.	2,278.	2,346.	2,406.	2,502.	2,554.
	24"	64"	<b>R3B1TF364 24-()</b> ( )	2,282.	2,314.	2,386.	2,454.	2,514.	2,610.	2,662.
	30"	64"	<b>R3B1TF364 30-()</b> ( )	2,327.	2,359.	2,431.	2,499.	2,559.	2,655.	2,707.
	36"	64"	<b>R3B1TF364 36-()</b> ( )	2,830.	2,862.	2,934.	3,002.	3,062.	3,158.	3,210.
	42"	64"	<b>R3B1TF364 42-()</b> ( )	3,021.	3,053.	3,125.	3,193.	3,253.	3,349.	3,401.
	48"	64"	<b>R3B1TF364 48-()</b> ( )	3,120.	3,152.	3,224.	3,292.	3,352.	3,448.	3,500.

## Order Code

Example: <b>R3B0TF36418-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F3</b> Fabric one side, V3 other
<b>64</b> 64" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric - Side 1A
<b>W281</b> Fabric - Side 1B
<b>W281</b> Fabric - Side 1C
<b>W281</b> Fabric - Side 1D
<b>V512</b> Figured Anigre surface - side 2 tiled
<b>V512</b> Figured Anigre (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

## Specification Information

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option (K = with knockouts, N = without knockouts)
  - Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  - Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C middle  
iv) tile 1D top
  - Exotic veneer, finish (specify one V3 finish for side)
  - Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
  - Base finish
  - Beltway finish, for panels with Beltway
  - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable

## Application Notes

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

- Base height:*  
4 = 4" base height  
6 = 6" base height (add \$50 per panel for this option)

6" raceway option increases panel height by 2 3/4".

- Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)*  
64"h add per panel:  
\$40 for 18w and 20w  
\$44 for 24w and 30w  
\$49 for 36w and 42w  
\$65 for 48w

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 64" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	64"	<b>R3B0TLL6418</b> ( ) ( )	\$1,202.
	20"	64"	<b>R3B0TLL6420</b> ( ) ( )	1,202.
	24"	64"	<b>R3B0TLL6424</b> ( ) ( )	1,310.
	30"	64"	<b>R3B0TLL6430</b> ( ) ( )	1,470.
	36"	64"	<b>R3B0TLL6436</b> ( ) ( )	1,586.
	42"	64"	<b>R3B0TLL6442</b> ( ) ( )	1,634.
	48"	64"	<b>R3B0TLL6448</b> ( ) ( )	1,699.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TLL6418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 64"h add per panel: \$40 for 18w and 20w \$44 for 24w and 30w \$49 for 36w and 42w \$65 for 48w
<b>LL</b> Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>64</b> 64" high	5. Laminate side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
<b>18</b> 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	6. Laminate, finish	
<b>4</b> 4" base height	7. Top trim finish	
<b>K</b> Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>B</b> Tile divider, black reveal	8. Base finish	
<b>118</b> Laminate - side 1A	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>118</b> Laminate - side 1B		
<b>118</b> Laminate - side 1C		
<b>118</b> Laminate - side 1D		
<b>118</b> Laminate - side 2A		
<b>118</b> Laminate - side 2B		
<b>118</b> Laminate - side 2C		
<b>118</b> Laminate - side 2D		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		




# Tiled panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	<b>R3B0TFF79 18-( )()</b>	\$1,121.	\$1,201.	\$1,371.	\$1,541.	\$1,691.	\$1,931.	\$2,061.
Regular acoustics	20"	79"	<b>R3B0TFF79 20-( )()</b>	1,121.	1,201.	1,371.	1,541.	1,691.	1,931.	2,061.
	24"	79"	<b>R3B0TFF79 24-( )()</b>	1,191.	1,271.	1,441.	1,611.	1,761.	2,001.	2,131.
	30"	79"	<b>R3B0TFF79 30-( )()</b>	1,261.	1,341.	1,511.	1,681.	1,831.	2,071.	2,201.
	36"	79"	<b>R3B0TFF79 36-( )()</b>	1,333.	1,413.	1,583.	1,753.	1,903.	2,143.	2,273.
	42"	79"	<b>R3B0TFF79 42-( )()</b>	1,514.	1,594.	1,764.	1,934.	2,084.	2,324.	2,454.
	48"	79"	<b>R3B0TFF79 48-( )()</b>	1,591.	1,671.	1,841.	2,011.	2,161.	2,401.	2,531.



Tiled, fabric both sides	18"	79"	<b>R3B0TAA79 18-( )()</b>	1,226.	1,306.	1,476.	1,646.	1,796.	2,036.	2,166.
High acoustics	20"	79"	<b>R3B0TAA79 20-( )()</b>	1,226.	1,306.	1,476.	1,646.	1,796.	2,036.	2,166.
	24"	79"	<b>R3B0TAA79 24-( )()</b>	1,307.	1,387.	1,557.	1,727.	1,877.	2,117.	2,247.
	30"	79"	<b>R3B0TAA79 30-( )()</b>	1,383.	1,463.	1,633.	1,803.	1,953.	2,193.	2,323.
	36"	79"	<b>R3B0TAA79 36-( )()</b>	1,461.	1,541.	1,711.	1,881.	2,031.	2,271.	2,401.
	42"	79"	<b>R3B0TAA79 42-( )()</b>	1,662.	1,742.	1,912.	2,082.	2,232.	2,472.	2,602.
	48"	79"	<b>R3B0TAA79 48-( )()</b>	1,750.	1,830.	2,000.	2,170.	2,320.	2,560.	2,690.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	6. Top trim finish
<b>B0</b> No Beltway	2. Base height	i) Top trim profile A, B or C options:
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	V1, V2, V3, P1, P2, P3 finishes
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
<b>79</b> 79" high	i) tile 1A bottom	7. Base finish
<b>18</b> 18" wide	ii) tile 1B middle	1. Top trim profile:
<b>A</b> Flat style top trim profile	iii) tile 1C middle	A = Flat
<b>4</b> 4" base height	iv) tile 1D middle	B = Square
<b>K</b> Include knockouts in base	v) tile 1E top	C = Bullnose
<b>W281</b> Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	E = Extruded Aluminum
<b>W281</b> Fabric - Side 1B	i) tile 2A bottom	2. Base height:
<b>W281</b> Fabric - Side 1C	ii) tile 2B middle	4 = 4" base height
<b>W281</b> Fabric - Side 1D	iii) tile 2C middle	6 = 6" base height (add \$50 per panel for this option)
<b>W281</b> Fabric - Side 2A	iv) tile 2D middle	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>W281</b> Fabric - Side 2B	v) tile 2E top	
<b>W281</b> Fabric - Side 2C		
<b>W281</b> Fabric - Side 2D		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


# Tiled panels 79" H

*fabric both sides, with Beltway*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	<b>R3B1TFF79 18-</b> ( ) ( )	\$1,460.	\$1,540.	\$1,706.	\$1,880.	\$2,030.	\$2,270.	\$2,400.
Beltway one side	20"	79"	<b>R3B1TFF79 20-</b> ( ) ( )	1,460.	1,540.	1,706.	1,880.	2,030.	2,270.	2,400.
	24"	79"	<b>R3B1TFF79 24-</b> ( ) ( )	1,532.	1,612.	1,778.	1,952.	2,102.	2,342.	2,472.
	30"	79"	<b>R3B1TFF79 30-</b> ( ) ( )	1,567.	1,647.	1,813.	1,987.	2,137.	2,377.	2,507.
	36"	79"	<b>R3B1TFF79 36-</b> ( ) ( )	1,914.	1,994.	2,160.	2,334.	2,484.	2,724.	2,854.
	42"	79"	<b>R3B1TFF79 42-</b> ( ) ( )	2,055.	2,135.	2,301.	2,475.	2,625.	2,865.	2,995.
	48"	79"	<b>R3B1TFF79 48-</b> ( ) ( )	2,122.	2,202.	2,368.	2,542.	2,692.	2,932.	3,062.



Tiled, fabric both sides	18"	79"	<b>R3B2TFF79 18-</b> ( ) ( )	1,480.	1,560.	1,722.	1,900.	2,050.	2,290.	2,420.
Beltway two sides	20"	79"	<b>R3B2TFF79 20-</b> ( ) ( )	1,480.	1,560.	1,722.	1,900.	2,050.	2,290.	2,420.
	24"	79"	<b>R3B2TFF79 24-</b> ( ) ( )	1,556.	1,636.	1,798.	1,976.	2,126.	2,366.	2,496.
	30"	79"	<b>R3B2TFF79 30-</b> ( ) ( )	1,590.	1,670.	1,832.	2,010.	2,160.	2,400.	2,530.
	36"	79"	<b>R3B2TFF79 36-</b> ( ) ( )	1,942.	2,022.	2,184.	2,362.	2,512.	2,752.	2,882.
	42"	79"	<b>R3B2TFF79 42-</b> ( ) ( )	2,085.	2,165.	2,327.	2,505.	2,655.	2,895.	3,025.
	48"	79"	<b>R3B2TFF79 48-</b> ( ) ( )	2,162.	2,242.	2,404.	2,582.	2,732.	2,972.	3,102.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	6. Top trim finish
<b>B1</b> Beltway 1 side	2. Base height	i) Top trim profile A, B or C options:
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	V1, V2, V3, P1, P2, P3 finishes
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert)	ii) Top trim profile E options:
<b>79</b> 79" high	i) tile 1A bottom	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
<b>18</b> 18" wide	ii) tile 1B middle	7. Base finish
<b>A</b> Flat style top trim profile	iii) tile 1C middle	8. Beltway finish
<b>4</b> 4" base height	iv) tile 1D middle	
<b>K</b> Include knockouts in base	v) tile 1E top	1. Top trim profile:
<b>W281</b> Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	A = Flat
<b>W281</b> Fabric - Side 1B	i) tile 2A bottom	B = Square
<b>W281</b> Fabric - Side 1C	ii) tile 2B middle	C = Bullnose
<b>W281</b> Fabric - Side 1D	iii) tile 2C middle	E = Extruded Aluminum
<b>W281</b> Fabric - Side 1E	iv) tile 2D middle	2. Base height:
<b>W281</b> Fabric - Side 2A	v) tile 2E top	4 = 4" base height
<b>W281</b> Fabric - Side 2B		6 = 6" base height (add \$50 per panel for this option)
<b>W281</b> Fabric - Side 2C		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>W281</b> Fabric - Side 2D		
<b>W281</b> Fabric - Side 2E		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Beltway finish		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 79" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TFL79 18-()</b> ( )	\$1,231.	\$1,271.	\$1,341.	\$1,436.	\$1,511.	\$1,616.	\$1,681.
Regular acoustics	20"	79"	<b>R3B0TFL79 20-()</b> ( )	1,231.	1,271.	1,341.	1,436.	1,511.	1,616.	1,681.
	24"	79"	<b>R3B0TFL79 24-()</b> ( )	1,306.	1,346.	1,416.	1,511.	1,586.	1,691.	1,756.
	30"	79"	<b>R3B0TFL79 30-()</b> ( )	1,369.	1,409.	1,479.	1,574.	1,649.	1,754.	1,819.
	36"	79"	<b>R3B0TFL79 36-()</b> ( )	1,437.	1,477.	1,547.	1,642.	1,717.	1,822.	1,887.
	42"	79"	<b>R3B0TFL79 42-()</b> ( )	1,610.	1,650.	1,720.	1,815.	1,890.	1,995.	2,060.
	48"	79"	<b>R3B0TFL79 48-()</b> ( )	1,684.	1,724.	1,794.	1,889.	1,964.	2,069.	2,134.

Tiled, fabric one side	18"	79"	<b>R3B1TFL79 18-()</b> ( )	1,571.	1,611.	1,689.	1,776.	1,851.	1,961.	2,026.
Beltway one side (fabric side)	20"	79"	<b>R3B1TFL79 20-()</b> ( )	1,571.	1,611.	1,689.	1,776.	1,851.	1,961.	2,026.
	24"	79"	<b>R3B1TFL79 24-()</b> ( )	1,642.	1,682.	1,760.	1,847.	1,922.	2,032.	2,097.
	30"	79"	<b>R3B1TFL79 30-()</b> ( )	1,679.	1,719.	1,797.	1,884.	1,959.	2,069.	2,134.
	36"	79"	<b>R3B1TFL79 36-()</b> ( )	2,015.	2,055.	2,133.	2,220.	2,295.	2,405.	2,470.
	42"	79"	<b>R3B1TFL79 42-()</b> ( )	2,145.	2,185.	2,263.	2,350.	2,425.	2,535.	2,600.
	48"	79"	<b>R3B1TFL79 48-()</b> ( )	2,213.	2,253.	2,331.	2,418.	2,493.	2,603.	2,668.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B0</b> No Beltway	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FL</b> Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) <i>i</i> ) tile 1A bottom <i>ii</i> ) tile 1B middle <i>iii</i> ) tile 1C middle <i>iv</i> ) tile 1D middle <i>v</i> ) tile 1E top	
<b>18</b> 18" wide	6. Laminate side, finish (specify selection per insert) <i>i</i> ) tile 2A bottom <i>ii</i> ) tile 2B middle <i>iii</i> ) tile 2C middle <i>iv</i> ) tile 2D middle <i>v</i> ) tile 2E top	
<b>A</b> Flat style top trim profile	7. Top trim finish <i>i</i> ) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i> ) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish, for panels with Beltway	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1A	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
<b>W281</b> Fabric - Side 1B	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<b>W281</b> Fabric - Side 1C	<i>4. Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 79" h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	
<b>W281</b> Fabric - Side 1D		
<b>W281</b> Fabric - Side 1E		
<b>114</b> Folkstone grey - side 2A		
<b>114</b> Folkstone grey - side 2B		
<b>114</b> Folkstone grey - side 2C		
<b>114</b> Folkstone grey - side 2D		
<b>114</b> Folkstone grey - side 2E		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


# Tiled panels 79" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF179 18-()</b> ( )	\$1,361.	\$1,406.	\$1,496.	\$1,581.	\$1,661.	\$1,781.	\$1,846.
Regular acoustics	20"	79"	<b>R3B0TF179 20-()</b> ( )	1,361.	1,406.	1,496.	1,581.	1,661.	1,781.	1,846.
	24"	79"	<b>R3B0TF179 24-()</b> ( )	1,439.	1,484.	1,574.	1,659.	1,739.	1,859.	1,924.
	30"	79"	<b>R3B0TF179 30-()</b> ( )	1,512.	1,557.	1,647.	1,732.	1,812.	1,932.	1,997.
	36"	79"	<b>R3B0TF179 36-()</b> ( )	1,587.	1,632.	1,722.	1,807.	1,887.	2,007.	2,072.
	42"	79"	<b>R3B0TF179 42-()</b> ( )	1,781.	1,826.	1,916.	2,001.	2,081.	2,201.	2,266.
	48"	79"	<b>R3B0TF179 48-()</b> ( )	1,864.	1,909.	1,999.	2,084.	2,164.	2,284.	2,349.



Tiled, fabric one side	18"	79"	<b>R3B1TF179 18-()</b> ( )	1,721.	1,765.	1,856.	1,941.	2,020.	2,141.	2,206.
Beltway one side (fabric side)	20"	79"	<b>R3B1TF179 20-()</b> ( )	1,721.	1,765.	1,856.	1,941.	2,020.	2,141.	2,206.
	24"	79"	<b>R3B1TF179 24-()</b> ( )	1,800.	1,844.	1,935.	2,020.	2,099.	2,220.	2,285.
	30"	79"	<b>R3B1TF179 30-()</b> ( )	1,832.	1,876.	1,967.	2,052.	2,131.	2,252.	2,317.
	36"	79"	<b>R3B1TF179 36-()</b> ( )	2,206.	2,250.	2,341.	2,426.	2,505.	2,626.	2,691.
	42"	79"	<b>R3B1TF179 42-()</b> ( )	2,349.	2,393.	2,484.	2,569.	2,648.	2,769.	2,834.
	48"	79"	<b>R3B1TF179 48-()</b> ( )	2,423.	2,467.	2,558.	2,643.	2,722.	2,843.	2,908.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TF17918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
<b>R3</b> Reff Generation 3	8. Base finish	
<b>B0</b> No Beltway	9. Beltway finish, for panels with beltway	6" Raceway option increases panel height by 2 3/4".
<b>T</b> Tiled panel	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>F1</b> Fabric one side, V1 other	1. Top trim profile	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>79</b> 79" high	2. Base height	
<b>18</b> 18" wide	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish when applicable.
<b>A</b> Flat style top trim profile	4. Tile divider	
<b>4</b> 4" base height	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	
<b>B</b> Tile divider, black reveal	i) tile 1A bottom	
<b>W281</b> Fabric - Side 1A	ii) tile 1B middle	
<b>W281</b> Fabric - Side 1B	iii) tile 1C middle	
<b>W281</b> Fabric - Side 1C	iv) tile 1D middle	
<b>W281</b> Fabric - Side 1D	v) tile 1E top	
<b>W281</b> Fabric - Side 1E	6. Techwood side, finish (specify one V1 finish for side)	
<b>Y328</b> Mahogany - side 2A	7. Top trim finish	
<b>Y328</b> Mahogany - side 2B	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>Y328</b> Mahogany - side 2C	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>Y328</b> Mahogany - side 2D		
<b>Y328</b> Mahogany - side 2E		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optinal milled frame		


# Tiled panels 79" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF279 18-()</b> ( )	\$1,359.	\$1,399.	\$1,489.	\$1,574.	\$1,649.	\$1,769.	\$1,834.
Regular acoustics	20"	79"	<b>R3B0TF279 20-()</b> ( )	1,359.	1,399.	1,489.	1,574.	1,649.	1,769.	1,834.
	24"	79"	<b>R3B0TF279 24-()</b> ( )	1,438.	1,478.	1,568.	1,653.	1,728.	1,848.	1,913.
	30"	79"	<b>R3B0TF279 30-()</b> ( )	1,509.	1,549.	1,639.	1,724.	1,799.	1,919.	1,984.
	36"	79"	<b>R3B0TF279 36-()</b> ( )	1,585.	1,625.	1,715.	1,800.	1,875.	1,995.	2,060.
	42"	79"	<b>R3B0TF279 42-()</b> ( )	1,776.	1,816.	1,906.	1,991.	2,066.	2,186.	2,251.
	48"	79"	<b>R3B0TF279 48-()</b> ( )	1,859.	1,899.	1,989.	2,074.	2,149.	2,269.	2,334.



Tiled, fabric one side	18"	79"	<b>R3B1TF279 18-()</b> ( )	1,719.	1,759.	1,849.	1,934.	2,009.	2,129.	2,194.
Beltway one side (fabric side)	20"	79"	<b>R3B1TF279 20-()</b> ( )	1,719.	1,759.	1,849.	1,934.	2,009.	2,129.	2,194.
	24"	79"	<b>R3B1TF279 24-()</b> ( )	1,796.	1,836.	1,926.	2,011.	2,086.	2,206.	2,271.
	30"	79"	<b>R3B1TF279 30-()</b> ( )	1,834.	1,874.	1,964.	2,049.	2,124.	2,244.	2,309.
	36"	79"	<b>R3B1TF279 36-()</b> ( )	2,205.	2,245.	2,335.	2,420.	2,495.	2,615.	2,680.
	42"	79"	<b>R3B1TF279 42-()</b> ( )	2,344.	2,384.	2,474.	2,559.	2,634.	2,754.	2,819.
	48"	79"	<b>R3B1TF279 48-()</b> ( )	2,420.	2,460.	2,550.	2,635.	2,710.	2,830.	2,895.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TF27918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	8. Base finish
<b>B0</b> No Beltway	2. Base height	9. Beltway finish, for panels with Beltway
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable
<b>F2</b> Fabric one side, V2 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>18</b> 18" wide	6. Techwood side, finish (specify one V1 finish for side)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79" h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	3. The panels on this page will not accept stacking modules. 6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>4</b> 4" base height		
<b>K</b> Include knockouts in base		
<b>B</b> Tile divider, black reveal		
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>W281</b> Fabric - Side 1D		
<b>W281</b> Fabric - Side 1E		
<b>V316</b> Maple - side 2 Tiled		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		


# Tiled panels 79" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF379 18-()()</b>	\$1,803.	\$1,843.	\$1,933.	\$2,018.	\$2,093.	\$2,213.	\$2,278.
Regular acoustics	20"	79"	<b>R3B0TF379 20-()()</b>	1,803.	1,843.	1,933.	2,018.	2,093.	2,213.	2,278.
	24"	79"	<b>R3B0TF379 24-()()</b>	1,910.	1,950.	2,040.	2,125.	2,200.	2,320.	2,385.
	30"	79"	<b>R3B0TF379 30-()()</b>	2,009.	2,049.	2,139.	2,224.	2,299.	2,419.	2,484.
	36"	79"	<b>R3B0TF379 36-()()</b>	2,112.	2,152.	2,242.	2,327.	2,402.	2,522.	2,587.
	42"	79"	<b>R3B0TF379 42-()()</b>	2,370.	2,410.	2,500.	2,585.	2,660.	2,780.	2,845.
	48"	79"	<b>R3B0TF379 48-()()</b>	2,481.	2,521.	2,611.	2,696.	2,771.	2,891.	2,956.



Tiled, fabric one side	18"	79"	<b>R3B1TF379 18-()()</b>	2,293.	2,333.	2,423.	2,508.	2,583.	2,703.	2,768.
Beltway fabric side	20"	79"	<b>R3B1TF379 20-()()</b>	2,293.	2,333.	2,423.	2,508.	2,583.	2,703.	2,768.
	24"	79"	<b>R3B1TF379 24-()()</b>	2,396.	2,436.	2,526.	2,611.	2,686.	2,806.	2,871.
	30"	79"	<b>R3B1TF379 30-()()</b>	2,448.	2,488.	2,578.	2,663.	2,738.	2,858.	2,923.
	36"	79"	<b>R3B1TF379 36-()()</b>	2,947.	2,987.	3,077.	3,162.	3,237.	3,357.	3,422.
	42"	79"	<b>R3B1TF379 42-()()</b>	3,137.	3,177.	3,267.	3,352.	3,427.	3,547.	3,612.
	48"	79"	<b>R3B1TF379 48-()()</b>	3,240.	3,280.	3,370.	3,455.	3,530.	3,650.	3,715.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TF37918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w
<b>F3</b> Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will not accept stacking modules.  6" Raceway option increases panel height by 2 3/4".  Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	Remember to specify Beltway paint finish when applicable.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>18</b> 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish, for panels with Beltway	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>W281</b> Fabric - Side 1D		
<b>W281</b> Fabric - Side 1E		
<b>V512</b> Figured Anigre surface - side 2 tiled		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 79" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	79"	<b>R3B0TLL7918</b> ( ) ( )	\$1,404.
	20"	79"	<b>R3B0TLL7920</b> ( ) ( )	1,404.
	24"	79"	<b>R3B0TLL7924</b> ( ) ( )	1,531.
	30"	79"	<b>R3B0TLL7930</b> ( ) ( )	1,715.
	36"	79"	<b>R3B0TLL7936</b> ( ) ( )	1,852.
	42"	79"	<b>R3B0TLL7942</b> ( ) ( )	1,907.
	48"	79"	<b>R3B0TLL7948</b> ( ) ( )	2,004.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TLL7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w
<b>LL</b> Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Product on this page will not accept stacking modules.  Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.  Remember to specify Beltway paint finish when applicable.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>79</b> 79" high	5. Laminate side, finish (specify selection per insert) <i>i</i> ) tile 1A bottom <i>ii</i> ) tile 1B middle <i>iii</i> ) tile 1C middle <i>iv</i> ) tile 1D middle <i>v</i> ) tile 1E top	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>18</b> 18" wide	6. Laminate, finish	
<b>A</b> Flat style top trim profile	7. Top trim finish <i>i</i> ) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i> ) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
<b>B</b> Tile divider, black reveal		
<b>118</b> Laminate - side 1A		
<b>118</b> Laminate - side 1B		
<b>118</b> Laminate - side 1C		
<b>118</b> Laminate - side 1D		
<b>118</b> Laminate - side 1E		
<b>118</b> Laminate - side 2A		
<b>118</b> Laminate - side 2B		
<b>118</b> Laminate - side 2C		
<b>118</b> Laminate - side 2D		
<b>118</b> Laminate - side 2E		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	<b>R2APT3418 ( )</b>	\$108.	
	20"	34"	<b>R2APT3420 ( )</b>	108.	
	24"	34"	<b>R2APT3424 ( )</b>	111.	
	30"	34"	<b>R2APT3430 ( )</b>	113.	
	36"	34"	<b>R2APT3436 ( )</b>	119.	
	42"	34"	<b>R2APT3442 ( )</b>	121.	
	48"	34"	<b>R2APT3448 ( )</b>	126.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	<b>R2APT4218 ( )</b>	166.	
	20"	42"	<b>R2APT4220 ( )</b>	166.	
	24"	42"	<b>R2APT4224 ( )</b>	172.	
	30"	42"	<b>R2APT4230 ( )</b>	174.	
	36"	42"	<b>R2APT4236 ( )</b>	183.	
	42"	42"	<b>R2APT4242 ( )</b>	189.	
	48"	42"	<b>R2APT4248 ( )</b>	198.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	<b>R2APT4918 ( )</b>	178.	
	20"	49"	<b>R2APT4920 ( )</b>	178.	
	24"	49"	<b>R2APT4924 ( )</b>	184.	
	30"	49"	<b>R2APT4930 ( )</b>	187.	
	36"	49"	<b>R2APT4936 ( )</b>	197.	
	42"	49"	<b>R2APT4942 ( )</b>	205.	
	48"	49"	<b>R2APT4948 ( )</b>	211.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	<b>R2APT6418 ( )</b>	252.	
	20"	64"	<b>R2APT6420 ( )</b>	252.	
	24"	64"	<b>R2APT6424 ( )</b>	261.	
	30"	64"	<b>R2APT6430 ( )</b>	266.	
	36"	64"	<b>R2APT6436 ( )</b>	279.	
	42"	64"	<b>R2APT6442 ( )</b>	289.	
	48"	64"	<b>R2APT6448 ( )</b>	301.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>	1. Specify Finish : Anodized Aluminum or painted excluding silver.
<b>R2</b> Reff Generation 2 (AutoStrada Reff)		
<b>A</b> Aluminum		
<b>PT</b> Panels Tiled		
<b>34</b> Height		
<b>18</b> Width		
<b>AA</b> Anodized Aluminum		



description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	<b>R2APT7918 ( )</b>	\$326.	
	20"	79"	<b>R2APT7920 ( )</b>	326.	
	24"	79"	<b>R2APT7924 ( )</b>	336.	
	30"	79"	<b>R2APT7930 ( )</b>	342.	
	36"	79"	<b>R2APT7936 ( )</b>	362.	
	42"	79"	<b>R2APT7942 ( )</b>	373.	
	48"	79"	<b>R2APT7948 ( )</b>	392.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	<b>R2ATPK34 ( )</b>	72.
	42"	<b>R2ATPK42 ( )</b>	90.
	49"	<b>R2ATPK49 ( )</b>	103.
	64"	<b>R2ATPK64 ( )</b>	142.
	79"	<b>R2ATPK79 ( )</b>	178.

Aluminum reveal kit for L post with 4" or 6" h raceway	34"	<b>R2ALPK34 ( )</b>	71.
	42"	<b>R2ALPK42 ( )</b>	99.
	49"	<b>R2ALPK49 ( )</b>	108.
	64"	<b>R2ALPK64 ( )</b>	150.
	79"	<b>R2ALPK79 ( )</b>	189.

Alum vertical reveal for end trim with 4" or 6" h raceway	34"	<b>R2AETK34 ( )</b>	70.
	42"	<b>R2AETK42 ( )</b>	85.
	49"	<b>R2AETK49 ( )</b>	100.
	64"	<b>R2AETK64 ( )</b>	133.
	79"	<b>R2AETK79 ( )</b>	167.

for use with generation 2 or 3 installations

Aluminum hookstrip cover condition including stacking modules with 4" or 6" h base raceway	30"	<b>R2AHCR34 ( )</b>	70.
	38"	<b>R2AHCR42 ( )</b>	85.
	45"	<b>R2AHCR49 ( )</b>	100.
	60"	<b>R2AHCR64 ( )</b>	133.
	75"	<b>R2AHCR79 ( )</b>	167.

for use with generation 2 or 3 installations


Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	To order specify pattern number including height and width as applicable.  1. Specify Finish : Anodized Aluminum or painted excluding silver.	
<b>R2</b> Reff Generation 2 (AutoStrada Reff)		
<b>A</b> Aluminum		
<b>PT</b> Panels Tiled		
<b>34</b> Height		
<b>18</b> Width		
<b>AA</b> Anodized Aluminum		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		<b>R2AHTR18</b> ( )	\$48.	
	20"		<b>R2AHTR20</b> ( )	48.	
	24"		<b>R2AHTR24</b> ( )	50.	
	30"		<b>R2AHTR30</b> ( )	55.	
	36"		<b>R2AHTR36</b> ( )	59.	
	42"		<b>R2AHTR42</b> ( )	61.	
	48"		<b>R2AHTR48</b> ( )	69.	
horizontal reveal only					
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		<b>R2AHWR18</b> ( )	42.	
	20"		<b>R2AHWR20</b> ( )	42.	
	24"		<b>R2AHWR24</b> ( )	44.	
	30"		<b>R2AHWR30</b> ( )	45.	
	36"		<b>R2AHWR36</b> ( )	49.	
	42"		<b>R2AHWR42</b> ( )	51.	
	48"		<b>R2AHWR48</b> ( )	57.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		<b>R2AHBW18</b> ( )	42.	
	20"		<b>R2AHBW20</b> ( )	42.	
	24"		<b>R2AHBW24</b> ( )	44.	
	30"		<b>R2AHBW30</b> ( )	45.	
	36"		<b>R2AHBW36</b> ( )	49.	
	42"		<b>R2AHBW42</b> ( )	51.	
	48"		<b>R2AHBW48</b> ( )	57.	
horizontal reveal only					
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		<b>R2AHSR18</b> ( )	42.	
	20"		<b>R2AHSR20</b> ( )	42.	
	24"		<b>R2AHSR24</b> ( )	44.	
	30"		<b>R2AHSR30</b> ( )	45.	
	36"		<b>R2AHSR36</b> ( )	49.	
	42"		<b>R2AHSR42</b> ( )	51.	
	48"		<b>R2AHSR48</b> ( )	57.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>  1. Specify Finish : Anodized Aluminum or painted excluding silver.	
<b>R2</b> Reff Generation 2 (AutoStrada Reff)		
<b>A</b> Aluminum		
<b>PT</b> Panels Tiled		
<b>34</b> Height		
<b>18</b> Width		
<b>AA</b> Anodized Aluminum		

# Beltway one side, window panel 49" H tiled panel with glass type "A" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	<b>R3B1TFFA49 18-()</b> ( )	\$1,358.	\$1,390.	\$1,454.	\$1,526.	\$1,586.	\$1,682.	\$1,734.
	20"	49"	<b>R3B1TFFA49 20-()</b> ( )	1,358.	1,390.	1,454.	1,526.	1,586.	1,682.	1,734.
	24"	49"	<b>R3B1TFFA49 24-()</b> ( )	1,403.	1,435.	1,499.	1,571.	1,631.	1,727.	1,779.
	30"	49"	<b>R3B1TFFA49 30-()</b> ( )	1,500.	1,532.	1,596.	1,668.	1,728.	1,824.	1,876.
	36"	49"	<b>R3B1TFFA49 36-()</b> ( )	1,805.	1,837.	1,901.	1,973.	2,033.	2,129.	2,181.
	42"	49"	<b>R3B1TFFA49 42-()</b> ( )	1,968.	2,000.	2,064.	2,136.	2,196.	2,292.	2,344.
	48"	49"	<b>R3B1TFFA49 48-()</b> ( )	2,058.	2,090.	2,154.	2,226.	2,286.	2,382.	2,434.




Order Code	Specification Information	Application Notes
Example: <b>R3B1TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B1</b> Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
<b>FF</b> Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>49</b> 49" high	6. Top trim finish	
<b>18</b> 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>A</b> Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>4</b> 4" base height	7. Base finish	
<b>K</b> Include knockouts in base	8. Beltway finish	
<b>W281</b> Fabric selection - side 1A	9. Glass window frame finish	
<b>W281</b> Fabric selection - side 1B	10. Glass type	
<b>W281</b> Fabric selection - side 2A	Temp = Clear temp	
<b>W281</b> Fabric selection - side 2B	Architectural options:	
<b>V316</b> Maple (top trim finish)	GL13 = Powder glass	
<b>111</b> Jet Black (base finish)	GL6 = Block matrix glass	
<b>111</b> Jet Black (beltway finish)	GL8 = Wafer glass	
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

1. Top trim profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
2. Base height:  
4 = 4" base height  
6 = 6" base height (add \$50 per panel for this option)



# Beltway one side, window panel 49" H tiled panel with glass type "B" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	<b>R3B1TFFB49 30-()</b> ( )	\$1,618.	\$1,650.	\$1,714.	\$1,786.	\$1,846.	\$1,942.	\$1,994.
	36"	49"	<b>R3B1TFFB49 36-()</b> ( )	1,933.	1,965.	2,029.	2,101.	2,161.	2,257.	2,309.
	42"	49"	<b>R3B1TFFB49 42-()</b> ( )	2,094.	2,126.	2,190.	2,262.	2,322.	2,418.	2,470.
	48"	49"	<b>R3B1TFFB49 48-()</b> ( )	2,195.	2,227.	2,291.	2,363.	2,423.	2,519.	2,571.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFFB4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>FF</b> Fabric both sides	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
<b>B</b> Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
<b>49</b> 49" high	6. Techwood side, finish (specify one V1 finish for side)	4 = 4" base height
<b>30</b> 30" wide	7. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric selection - side 1B	11. Glass option	
<b>W281</b> Fabric selection - side 2A	Temp = Clear temp	
<b>W281</b> Fabric selection - side 2B	<i>Architectural options:</i>	
<b>Y328</b> Mahogany - side 2 tiled	GL13 = Powder glass	
<b>V316</b> Maple (top trim finish)	GL6 = Block matrix glass	
<b>111</b> Jet Black (base finish)	GL8 = Wafer glass	
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

# Beltway one side, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	<b>R3B1PFFA49 18-()</b> ( )	\$1,228.	\$1,247.	\$1,291.	\$1,381.	\$1,440.	\$1,521.	\$1,605.
	20"	49"	<b>R3B1PFFA49 20-()</b> ( )	1,228.	1,247.	1,291.	1,381.	1,440.	1,521.	1,605.
	24"	49"	<b>R3B1PFFA49 24-()</b> ( )	1,270.	1,289.	1,333.	1,423.	1,482.	1,563.	1,647.
	30"	49"	<b>R3B1PFFA49 30-()</b> ( )	1,353.	1,372.	1,416.	1,506.	1,565.	1,646.	1,730.
	36"	49"	<b>R3B1PFFA49 36-()</b> ( )	1,610.	1,629.	1,673.	1,763.	1,822.	1,903.	1,987.
	42"	49"	<b>R3B1PFFA49 42-()</b> ( )	1,749.	1,768.	1,812.	1,902.	1,961.	2,042.	2,126.
	48"	49"	<b>R3B1PFFA49 48-()</b> ( )	1,832.	1,851.	1,895.	1,985.	2,044.	2,125.	2,209.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	<b>R3B1PFFB49 30-()</b> ( )	1,471.	1,490.	1,534.	1,624.	1,683.	1,764.	1,848.
	36"	49"	<b>R3B1PFFB49 36-()</b> ( )	1,738.	1,757.	1,801.	1,891.	1,950.	2,031.	2,115.
	42"	49"	<b>R3B1PFFB49 42-()</b> ( )	1,875.	1,894.	1,938.	2,028.	2,087.	2,168.	2,252.
	48"	49"	<b>R3B1PFFB49 48-()</b> ( )	1,969.	1,988.	2,032.	2,122.	2,181.	2,262.	2,346.


Order Code	Specification Information	Application Notes
Example: <b>R3B1PFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B1</b> Beltway 1 side	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>FF</b> Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
<b>A</b> Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
<b>49</b> 49" high	6. Top trim finish	
<b>18</b> 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>4</b> 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>K</b> Include knockouts in base	8. Beltway finish	
<b>W281</b> Fabric selection - side 1	9. Glass window frame finish	
<b>W281</b> Fabric selection - side 2	10. Glass type Temp = Clear temp	
<b>V316</b> Maple (top trim finish)	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

1. Top trim profile:  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded Aluminum

2. Base height:  
 4 = 4" base height  
 6 = 6" base height (add \$50 per panel for this option)

Beltway one side, window panel 49" H  
 tiled with glass type "A" at top,  
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TFLA49 18-()</b> ( )	\$1,489.	\$1,505.	\$1,539.	\$1,575.	\$1,605.	\$1,651.	\$1,691.
	20"	49"	<b>R3B1TFLA49 20-()</b> ( )	1,489.	1,505.	1,539.	1,575.	1,605.	1,651.	1,691.
	24"	49"	<b>R3B1TFLA49 24-()</b> ( )	1,535.	1,551.	1,585.	1,621.	1,651.	1,697.	1,737.
	30"	49"	<b>R3B1TFLA49 30-()</b> ( )	1,633.	1,649.	1,683.	1,719.	1,749.	1,795.	1,835.
	36"	49"	<b>R3B1TFLA49 36-()</b> ( )	1,942.	1,958.	1,992.	2,028.	2,058.	2,104.	2,144.
	42"	49"	<b>R3B1TFLA49 42-()</b> ( )	2,102.	2,118.	2,152.	2,188.	2,218.	2,264.	2,304.
	48"	49"	<b>R3B1TFLA49 48-()</b> ( )	2,197.	2,213.	2,247.	2,283.	2,313.	2,359.	2,399.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFLA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>FL</b> Fabric BW side, laminate other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum height: 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>A</b> Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>49</b> 49" high	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
<b>18</b> 18" wide	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>A</b> Flat style top trim profile	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>4</b> 4" base height	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>K</b> Include knockouts in base	10. Window frame finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>B</b> Tile divider, black reveal	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>W281</b> Fabric selection - side 1A		Add upcharge for architectural glass: (as applicable by width)
<b>W281</b> Fabric selection - side 1B		Width Add 18" \$87 20" \$87 24" \$103 30" \$123 36" \$147 42" \$176 48" \$201
<b>114</b> Folkstone grey - side 2A		Frame finish: Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.
<b>114</b> Folkstone grey - side 2B		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
<b>V316</b> Maple (top trim finish)		Width Add 18" \$15 20" \$15 24" \$16 30" \$16 36" \$17 42" \$17 48" \$22
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		


Beltway one side, window panel 49" H  
 tiled with glass type "B" at top,  
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-()()	\$1,754.	\$1,770.	\$1,804.	\$1,840.	\$1,870.	\$1,916.	\$1,956.
	36"	49"	R3B1TFLB49 36-()()	2,067.	2,083.	2,117.	2,153.	2,183.	2,229.	2,269.
	42"	49"	R3B1TFLB49 42-()()	2,228.	2,244.	2,278.	2,314.	2,344.	2,390.	2,430.
	48"	49"	R3B1TFLB49 48-()()	2,334.	2,350.	2,384.	2,420.	2,450.	2,496.	2,536.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFLB4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>FL</b> Fabric BW side, laminate other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
<b>B</b> Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
<b>49</b> 49" high	6. Laminate side finish (specify selection per insert; bottom up.)	4 = 4" base height
<b>18</b> 18" wide	7. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric selection - side 1B	11. Glass option	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>114</b> Folkstone grey - side 2A	Temp = Clear temp	
<b>114</b> Folkstone grey - side 2B	Architectural options:	
<b>V316</b> Maple (top trim finish)	GL13 = Powder glass	
<b>111</b> Jet Black (base finish)	GL6 = Block matrix glass	
<b>111</b> Jet Black (beltway finish)	GL8 = Wafer glass	
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

Beltway one side, window panel 49" H  
*monolithic with glass at top,*  
*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	<b>R3B1PFLA49 18-()</b> ( )	\$1,230.	\$1,240.	\$1,264.	\$1,308.	\$1,336.	\$1,379.	\$1,407.
	20"	49"	<b>R3B1PFLA49 20-()</b> ( )	1,230.	1,240.	1,264.	1,308.	1,336.	1,379.	1,407.
	24"	49"	<b>R3B1PFLA49 24-()</b> ( )	1,293.	1,303.	1,327.	1,371.	1,399.	1,442.	1,470.
	30"	49"	<b>R3B1PFLA49 30-()</b> ( )	1,408.	1,418.	1,442.	1,486.	1,514.	1,557.	1,585.
	36"	49"	<b>R3B1PFLA49 36-()</b> ( )	1,701.	1,711.	1,735.	1,779.	1,807.	1,850.	1,878.
	42"	49"	<b>R3B1PFLA49 42-()</b> ( )	1,871.	1,881.	1,905.	1,949.	1,977.	2,020.	2,048.
	48"	49"	<b>R3B1PFLA49 48-()</b> ( )	1,988.	1,998.	2,022.	2,066.	2,094.	2,137.	2,165.


Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	<b>R3B1PFLB49 30-()</b> ( )	1,529.	1,539.	1,563.	1,607.	1,635.	1,678.	1,706.
	36"	49"	<b>R3B1PFLB49 36-()</b> ( )	1,826.	1,836.	1,860.	1,904.	1,932.	1,975.	2,003.
	42"	49"	<b>R3B1PFLB49 42-()</b> ( )	1,997.	2,007.	2,031.	2,075.	2,103.	2,146.	2,174.
	48"	49"	<b>R3B1PFLB49 48-()</b> ( )	2,125.	2,135.	2,159.	2,203.	2,231.	2,274.	2,302.

Order Code	Specification Information	Application Notes
Example: <b>R3B1PFLA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>P</b> Monolithic panel	2. Base height	C = Bullnose
<b>FL</b> Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	10. Window frame finish	
<b>W281</b> Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>114</b> Folkstone grey - side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		



Beltway one side, window panel 49" H  
 tiled with type "A" glass at top,  
 fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TF1A49 18-()</b> ( )	\$1,558.	\$1,575.	\$1,612.	\$1,646.	\$1,677.	\$1,726.	\$1,767.
	20"	49"	<b>R3B1TF1A49 20-()</b> ( )	1,558.	1,575.	1,612.	1,646.	1,677.	1,726.	1,767.
	24"	49"	<b>R3B1TF1A49 24-()</b> ( )	1,610.	1,627.	1,664.	1,698.	1,729.	1,778.	1,819.
	30"	49"	<b>R3B1TF1A49 30-()</b> ( )	1,711.	1,728.	1,765.	1,799.	1,830.	1,879.	1,920.
	36"	49"	<b>R3B1TF1A49 36-()</b> ( )	2,035.	2,052.	2,089.	2,123.	2,154.	2,203.	2,244.
	42"	49"	<b>R3B1TF1A49 42-()</b> ( )	2,205.	2,222.	2,259.	2,293.	2,324.	2,373.	2,414.
	48"	49"	<b>R3B1TF1A49 48-()</b> ( )	2,302.	2,319.	2,356.	2,390.	2,421.	2,470.	2,511.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF1A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F1</b> Fabric one side, V1 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
<b>A</b> Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
<b>49</b> 49" high	6. Techwood side, finish (specify one V1 finish for side)	4 = 4" base height
<b>18</b> 18" wide	7. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric selection - side 1B	11. Glass option	
<b>Y328</b> Mahogany - side 2 tiled	Temp = Clear temp	Frame finish:
<b>V316</b> Maple (top trim finish)	Architectural options:	Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.
<b>111</b> Jet Black (base finish)	GL13 = Powder glass	Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
<b>111</b> Jet Black (beltway finish)	GL6 = Block matrix glass	Optional non fabric tiled side only, fabric side always black
<b>111</b> Jet Black (window frame finish)	GL8 = Wafer glass	
<b>TEMP</b> Glass option		Width Add
		18" \$87
		20" \$87
		24" \$103
		30" \$123
		36" \$147
		42" \$176
		48" \$201


Beltway one side, window panel 49" H  
 tiled with type "B" glass at top,  
 fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-()()	\$1,835.	\$1,852.	\$1,889.	\$1,923.	\$1,954.	\$2,003.	\$2,044.
	36"	49"	R3B1TF1B49 36-()()	2,166.	2,183.	2,220.	2,254.	2,285.	2,334.	2,375.
	42"	49"	R3B1TF1B49 42-()()	2,335.	2,352.	2,389.	2,423.	2,454.	2,503.	2,544.
	48"	49"	R3B1TF1B49 48-()()	2,443.	2,460.	2,497.	2,531.	2,562.	2,611.	2,652.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF1B4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F1</b> Fabric one side, V1 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
<b>B</b> Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	height:
<b>49</b> 49" high	6. Techwood side, finish (specify one V1 finish for side)	4 = 4" base height
<b>30</b> 30" wide	7. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric selection - side 1B	11. Glass option	
<b>Y328</b> Mahogany - side 2 tiled	Temp = Clear temp	Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
<b>V316</b> Maple (top trim finish)	Architectural options:	Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
<b>111</b> Jet Black (base finish)	GL13 = Powder glass	Optional non fabric tiled side only, fabric side always black
<b>111</b> Jet Black (beltway finish)	GL6 = Block matrix glass	Width Add
<b>111</b> Jet Black (window frame finish)	GL8 = Wafer glass	18" \$87
<b>TEMP</b> Glass option		20" \$87
		24" \$103
		30" \$123
		36" \$147
		42" \$176
		48" \$201

Beltway one side, window panel 49" H  
*monolithic with glass at top,*  
*fabric one side, techwood other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	<b>R3B1PF1A49 18-()</b> ( )	\$1,267.	\$1,277.	\$1,300.	\$1,345.	\$1,375.	\$1,417.	\$1,445.
	20"	49"	<b>R3B1PF1A49 20-()</b> ( )	1,267.	1,277.	1,300.	1,345.	1,375.	1,417.	1,445.
	24"	49"	<b>R3B1PF1A49 24-()</b> ( )	1,327.	1,337.	1,360.	1,405.	1,435.	1,477.	1,505.
	30"	49"	<b>R3B1PF1A49 30-()</b> ( )	1,447.	1,457.	1,480.	1,525.	1,555.	1,597.	1,625.
	36"	49"	<b>R3B1PF1A49 36-()</b> ( )	1,746.	1,756.	1,779.	1,824.	1,854.	1,896.	1,924.
	42"	49"	<b>R3B1PF1A49 42-()</b> ( )	1,926.	1,936.	1,959.	2,004.	2,034.	2,076.	2,104.
	48"	49"	<b>R3B1PF1A49 48-()</b> ( )	2,042.	2,052.	2,075.	2,120.	2,150.	2,192.	2,220.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	<b>R3B1PF1B49 30-()</b> ( )	1,569.	1,579.	1,602.	1,647.	1,677.	1,719.	1,747.
	36"	49"	<b>R3B1PF1B49 36-()</b> ( )	1,874.	1,884.	1,907.	1,952.	1,982.	2,024.	2,052.
	42"	49"	<b>R3B1PF1B49 42-()</b> ( )	2,053.	2,063.	2,086.	2,131.	2,161.	2,203.	2,231.
	48"	49"	<b>R3B1PF1B49 48-()</b> ( )	2,181.	2,191.	2,214.	2,259.	2,289.	2,331.	2,359.

Order Code	Specification Information	Application Notes
Example: <b>R3B1PF1A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>P</b> Monolithic panel	2. Base height	C = Bullnose
<b>F1</b> Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	10. Window frame finish	
<b>W281</b> Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>Y328</b> Mahogany - side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

Beltway one side, window panel 49" H  
 tiled with type "A" glass at top,  
 fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TF2A49 18-()</b> ( )	\$1,557.	\$1,573.	\$1,609.	\$1,643.	\$1,673.	\$1,721.	\$1,761.
	20"	49"	<b>R3B1TF2A49 20-()</b> ( )	1,557.	1,573.	1,609.	1,643.	1,673.	1,721.	1,761.
	24"	49"	<b>R3B1TF2A49 24-()</b> ( )	1,606.	1,622.	1,658.	1,692.	1,722.	1,770.	1,810.
	30"	49"	<b>R3B1TF2A49 30-()</b> ( )	1,706.	1,722.	1,758.	1,792.	1,822.	1,870.	1,910.
	36"	49"	<b>R3B1TF2A49 36-()</b> ( )	2,026.	2,042.	2,078.	2,112.	2,142.	2,190.	2,230.
	42"	49"	<b>R3B1TF2A49 42-()</b> ( )	2,196.	2,212.	2,248.	2,282.	2,312.	2,360.	2,400.
	48"	49"	<b>R3B1TF2A49 48-()</b> ( )	2,294.	2,310.	2,346.	2,380.	2,410.	2,458.	2,498.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F2</b> Fabric one side, V2 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
<b>A</b> Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
<b>49</b> 49" high	6. Conventional veneer side, finish (specify one V2 finish for side)	4 = 4" base height
<b>18</b> 18" wide	7. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric selection - side 1B	11. Glass option	
<b>V316</b> Maple surface - side 2 tiled	Temp = Clear temp	Frame finish: Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.
<b>V316</b> Maple (top trim finish)	Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for architectural glass: (as applicable by widths)
<b>111</b> Jet Black (base finish)		Width Add
<b>111</b> Jet Black (beltway finish)		18" \$87
<b>111</b> Jet Black (window frame finish)		20" \$87
<b>TEMP</b> Glass option		24" \$103
		30" \$123
		36" \$147
		42" \$176
		48" \$201
		Optional non fabric tiled side only, fabric side always black
		Width Add
		18" \$15
		20" \$15
		24" \$16
		30" \$16
		36" \$17
		42" \$17
		48" \$22

Beltway one side, window panel 49" H  
 tiled with type "B" glass at top,  
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1TF2B49 30-()</b> ( )	\$1,828.	\$1,844.	\$1,880.	\$1,914.	\$1,944.	\$1,992.	\$2,032.
	36"	49"	<b>R3B1TF2B49 36-()</b> ( )	2,154.	2,170.	2,206.	2,240.	2,270.	2,318.	2,358.
	42"	49"	<b>R3B1TF2B49 42-()</b> ( )	2,323.	2,339.	2,375.	2,409.	2,439.	2,487.	2,527.
	48"	49"	<b>R3B1TF2B49 48-()</b> ( )	2,433.	2,449.	2,485.	2,519.	2,549.	2,597.	2,637.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2B4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F2</b> Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>B</b> Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>49</b> 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>30</b> 30" wide		6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile		
<b>4</b> 4" base height		
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	
<b>B</b> Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	
<b>W281</b> Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>W281</b> Fabric selection - side 1B		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>V316</b> Maple surface - side 2 tiled		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)	8. Base finish	
<b>111</b> Jet Black (beltway finish)	9. Beltway finish	
<b>111</b> Jet Black (window frame finish)	10. Window frame finish	
<b>TEMP</b> Glass option	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Add upcharge for architectural glass: (as applicable by widths)


Width	Add
18"	\$87
20"	\$87
24"	\$103
30"	\$123
36"	\$147
42"	\$176
48"	\$201


Frame finish:  
Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
*Optional non fabric tiled side only, fabric side always black*

Width	Add
18"	\$15
20"	\$15
24"	\$16
30"	\$16
36"	\$17
42"	\$17
48"	\$22


Beltway one side, window panel 49" H  
*monolithic with glass at top,  
 fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	<b>R3B1PF2A49 18-()</b> ( )	\$1,288.	\$1,298.	\$1,321.	\$1,366.	\$1,396.	\$1,438.	\$1,466.
	20"	49"	<b>R3B1PF2A49 20-()</b> ( )	1,288.	1,298.	1,321.	1,366.	1,396.	1,438.	1,466.
	24"	49"	<b>R3B1PF2A49 24-()</b> ( )	1,350.	1,360.	1,383.	1,428.	1,458.	1,500.	1,528.
	30"	49"	<b>R3B1PF2A49 30-()</b> ( )	1,475.	1,485.	1,508.	1,553.	1,583.	1,625.	1,653.
	36"	49"	<b>R3B1PF2A49 36-()</b> ( )	1,779.	1,789.	1,812.	1,857.	1,887.	1,929.	1,957.
	42"	49"	<b>R3B1PF2A49 42-()</b> ( )	1,955.	1,965.	1,988.	2,033.	2,063.	2,105.	2,133.
	48"	49"	<b>R3B1PF2A49 48-()</b> ( )	2,073.	2,083.	2,106.	2,151.	2,181.	2,223.	2,251.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	<b>R3B1PF2B49 30-()</b> ( )	1,597.	1,607.	1,630.	1,675.	1,705.	1,747.	1,775.
	36"	49"	<b>R3B1PF2B49 36-()</b> ( )	1,907.	1,917.	1,940.	1,985.	2,015.	2,057.	2,085.
	42"	49"	<b>R3B1PF2B49 42-()</b> ( )	2,082.	2,092.	2,115.	2,160.	2,190.	2,232.	2,260.
	48"	49"	<b>R3B1PF2B49 48-()</b> ( )	2,212.	2,222.	2,245.	2,290.	2,320.	2,362.	2,390.

Order Code	Specification Information	Application Notes
Example: <b>R3B1PF2A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>P</b> Monolithic panel	2. Base height	C = Bullnose
<b>F2</b> Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 18" \$87
<b>49</b> 49" high		20" \$87
<b>18</b> 18" wide		24" \$103
<b>A</b> Flat style top trim profile		30" \$123
<b>4</b> 4" base height		36" \$147
<b>K</b> Include knockouts in base		42" \$176
<b>B</b> Tile divider, black reveal		48" \$201
<b>W281</b> Fabric selection - side 1	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>V316</b> Maple surface - side 2	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
<b>V316</b> Maple (top trim finish)	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>111</b> Jet Black (base finish)	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>111</b> Jet Black (beltway finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>111</b> Jet Black (window frame finish)	8. Base finish	
<b>TEMP</b> Glass option	9. Beltway finish	
	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

# Beltway one side, window panel 49" H tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics 	18"	49"	<b>R3B1TF3A49 18-( )</b>	\$2,056.	\$2,072.	\$2,108.	\$2,142.	\$2,172.	\$2,220.	\$2,260.
	20"	49"	<b>R3B1TF3A49 20-( )</b>	2,056.	2,072.	2,108.	2,142.	2,172.	2,220.	2,260.
	24"	49"	<b>R3B1TF3A49 24-( )</b>	2,117.	2,133.	2,169.	2,203.	2,233.	2,281.	2,321.
	30"	49"	<b>R3B1TF3A49 30-( )</b>	2,242.	2,258.	2,294.	2,328.	2,358.	2,406.	2,446.
	36"	49"	<b>R3B1TF3A49 36-( )</b>	2,665.	2,681.	2,717.	2,751.	2,781.	2,829.	2,869.
	42"	49"	<b>R3B1TF3A49 42-( )</b>	2,884.	2,900.	2,936.	2,970.	3,000.	3,048.	3,088.
	48"	49"	<b>R3B1TF3A49 48-( )</b>	3,008.	3,024.	3,060.	3,094.	3,124.	3,172.	3,212.


Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics 	30"	49"	<b>R3B1TF3B49 30-( )</b>	2,364.	2,380.	2,416.	2,450.	2,480.	2,528.	2,568.
	36"	49"	<b>R3B1TF3B49 36-( )</b>	2,793.	2,809.	2,845.	2,879.	2,909.	2,957.	2,997.
	42"	49"	<b>R3B1TF3B49 42-( )</b>	3,011.	3,027.	3,063.	3,097.	3,127.	3,175.	3,215.
	48"	49"	<b>R3B1TF3B49 48-( )</b>	3,147.	3,163.	3,199.	3,233.	3,263.	3,311.	3,351.

Order Code	Specification Information	Application Notes
Example: <b>R3B1TF3A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F3</b> Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	10. Window frame finish	
<b>W281</b> Fabric selection - side 1A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Frame finish: Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.
<b>W281</b> Fabric selection - side 1B		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) <i>Optional non fabric tiled side only, fabric side always black</i>
<b>V512</b> Figured Anigre surface - side 2 tiled		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		<i>Width Add</i> 18" \$87 20" \$87 24" \$103 30" \$123 36" \$147 42" \$176 48" \$201
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		


# Beltway one side, window panel 49" H

*monolithic with glass at top, fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	<b>R3B1PF3A49 18-( ) ( )</b>	\$1,690.	\$1,700.	\$1,723.	\$1,768.	\$1,798.	\$1,840.	\$1,868.
	20"	49"	<b>R3B1PF3A49 20-( ) ( )</b>	1,690.	1,700.	1,723.	1,768.	1,798.	1,840.	1,868.
	24"	49"	<b>R3B1PF3A49 24-( ) ( )</b>	1,770.	1,780.	1,803.	1,848.	1,878.	1,920.	1,948.
	30"	49"	<b>R3B1PF3A49 30-( ) ( )</b>	1,927.	1,937.	1,960.	2,005.	2,035.	2,077.	2,105.
	36"	49"	<b>R3B1PF3A49 36-( ) ( )</b>	2,329.	2,339.	2,362.	2,407.	2,437.	2,479.	2,507.
	42"	49"	<b>R3B1PF3A49 42-( ) ( )</b>	2,556.	2,566.	2,589.	2,634.	2,664.	2,706.	2,734.
	48"	49"	<b>R3B1PF3A49 48-( ) ( )</b>	2,706.	2,716.	2,739.	2,784.	2,814.	2,856.	2,884.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	<b>R3B1PF3B49 30-( ) ( )</b>	2,049.	2,059.	2,082.	2,127.	2,157.	2,199.	2,227.
	36"	49"	<b>R3B1PF3B49 36-( ) ( )</b>	2,457.	2,467.	2,490.	2,535.	2,565.	2,607.	2,635.
	42"	49"	<b>R3B1PF3B49 42-( ) ( )</b>	2,683.	2,693.	2,716.	2,761.	2,791.	2,833.	2,861.
	48"	49"	<b>R3B1PF3B49 48-( ) ( )</b>	2,845.	2,855.	2,878.	2,923.	2,953.	2,995.	3,023.




Order Code	Specification Information	Application Notes
Example: <b>R3B1PF3A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>P</b> Monolithic panel	2. Base height	C = Bullnose
<b>F3</b> Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	10. Window frame finish	
<b>W281</b> Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>V512</b> Figured Anigre surface - side 2		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		



# Beltway two sides, window panel 49" H tiled with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	<b>R3B2TFFA49 18-()</b> ( )	\$1,377.	\$1,409.	\$1,469.	\$1,545.	\$1,605.	\$1,701.	\$1,753.
	20"	49"	<b>R3B2TFFA49 20-()</b> ( )	1,377.	1,409.	1,469.	1,545.	1,605.	1,701.	1,753.
	24"	49"	<b>R3B2TFFA49 24-()</b> ( )	1,426.	1,458.	1,518.	1,594.	1,654.	1,750.	1,802.
	30"	49"	<b>R3B2TFFA49 30-()</b> ( )	1,526.	1,558.	1,618.	1,694.	1,754.	1,850.	1,902.
	36"	49"	<b>R3B2TFFA49 36-()</b> ( )	1,835.	1,867.	1,927.	2,003.	2,063.	2,159.	2,211.
	42"	49"	<b>R3B2TFFA49 42-()</b> ( )	1,999.	2,031.	2,091.	2,167.	2,227.	2,323.	2,375.
	48"	49"	<b>R3B2TFFA49 48-()</b> ( )	2,095.	2,127.	2,187.	2,263.	2,323.	2,419.	2,471.





Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	<b>R3B2TFFB49 30-()</b> ( )	1,644.	1,676.	1,736.	1,812.	1,872.	1,968.	2,020.
	36"	49"	<b>R3B2TFFB49 36-()</b> ( )	1,963.	1,995.	2,055.	2,131.	2,191.	2,287.	2,339.
	42"	49"	<b>R3B2TFFB49 42-()</b> ( )	2,125.	2,157.	2,217.	2,293.	2,353.	2,449.	2,501.
	48"	49"	<b>R3B2TFFB49 48-()</b> ( )	2,232.	2,264.	2,324.	2,400.	2,460.	2,556.	2,608.





Order Code	Specification Information	Application Notes
Example: <b>R3B2TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> Beltway two sides	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
<b>49</b> 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
<b>18</b> 18" wide	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>W281</b> Fabric selection - side 1A	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1B	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric selection - side 2A	8. Beltway finish	
<b>W281</b> Fabric selection - side 2B	9. Window frame finish	
<b>V316</b> Maple (top trim finish)	10. Glass option	
<b>111</b> Jet Black (base finish)	Temp = clear temp	
<b>111</b> Jet Black (beltway finish)	<i>Architectural options:</i>	
<b>111</b> Jet Black (window frame finish)	GL13 = Powder glass	
<b>TEMP</b> Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

# Beltway two sides, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	<b>R3B2PFFA49 18-()</b> ( )	\$1,245.	\$1,267.	\$1,311.	\$1,399.	\$1,461.	\$1,541.	\$1,595.
	20"	49"	<b>R3B2PFFA49 20-()</b> ( )	1,245.	1,267.	1,311.	1,399.	1,461.	1,541.	1,595.
	24"	49"	<b>R3B2PFFA49 24-()</b> ( )	1,288.	1,310.	1,354.	1,442.	1,504.	1,584.	1,638.
	30"	49"	<b>R3B2PFFA49 30-()</b> ( )	1,376.	1,398.	1,442.	1,530.	1,592.	1,672.	1,726.
	36"	49"	<b>R3B2PFFA49 36-()</b> ( )	1,635.	1,657.	1,701.	1,789.	1,850.	1,931.	1,985.
	42"	49"	<b>R3B2PFFA49 42-()</b> ( )	1,778.	1,800.	1,844.	1,932.	1,994.	2,074.	2,128.
	48"	49"	<b>R3B2PFFA49 48-()</b> ( )	1,863.	1,885.	1,929.	2,017.	2,079.	2,159.	2,213.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	<b>R3B2PFFB49 30-()</b> ( )	1,494.	1,516.	1,560.	1,648.	1,710.	1,790.	1,844.
	36"	49"	<b>R3B2PFFB49 36-()</b> ( )	1,763.	1,785.	1,829.	1,917.	1,979.	2,059.	2,113.
	42"	49"	<b>R3B2PFFB49 42-()</b> ( )	1,904.	1,926.	1,970.	2,058.	2,120.	2,200.	2,254.
	48"	49"	<b>R3B2PFFB49 48-()</b> ( )	2,000.	2,022.	2,066.	2,154.	2,216.	2,296.	2,350.

Order Code	Specification Information	Application Notes
Example: <b>R3B2PFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> Beltway two sides	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
<b>49</b> 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
<b>18</b> 18" wide	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>K</b> Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>W281</b> Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 2	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>V316</b> Maple (top trim finish)	9. Window frame finish	
<b>111</b> Jet Black (base finish)	10. Glass option	
<b>111</b> Jet Black (beltway finish)	Temp = clear temp	
<b>111</b> Jet Black (window frame finish)	<i>Architectural options:</i>	
<b>TEMP</b> Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

# Stacking modules *fabric*

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	<b>R3SFF08 18</b>	\$222.	\$230.	\$250.	\$286.	\$298.	\$320.	\$336.
	20"	8"	<b>R3SFF08 20</b>	222.	230.	250.	286.	298.	320.	336.
	24"	8"	<b>R3SFF08 24</b>	232.	240.	260.	296.	308.	330.	346.
	30"	8"	<b>R3SFF08 30</b>	259.	267.	287.	323.	335.	357.	373.
	36"	8"	<b>R3SFF08 36</b>	282.	290.	310.	346.	358.	380.	396.
	42"	8"	<b>R3SFF08 42</b>	307.	315.	335.	371.	383.	405.	421.
	48"	8"	<b>R3SFF08 48</b>	331.	339.	359.	395.	407.	429.	445.
Stacking modules* Fabric both sides	18"	15"	<b>R3SFF15 18</b>	300.	316.	350.	384.	414.	462.	486.
	20"	15"	<b>R3SFF15 20</b>	300.	316.	350.	384.	414.	462.	486.
	24"	15"	<b>R3SFF15 24</b>	317.	333.	367.	401.	431.	479.	503.
	30"	15"	<b>R3SFF15 30</b>	349.	365.	399.	433.	463.	511.	535.
	36"	15"	<b>R3SFF15 36</b>	386.	402.	436.	470.	500.	548.	572.
	42"	15"	<b>R3SFF15 42</b>	415.	431.	465.	499.	529.	577.	601.
	48"	15"	<b>R3SFF15 48</b>	449.	465.	499.	533.	563.	611.	635.

### Order Code

Example: <b>R3SFF0818</b>	
<b>R3</b>	Reff Generation 3
<b>S</b>	Stacking module
<b>FF</b>	Fabric/fabric
<b>08</b>	8" high
<b>18</b>	18" wide
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2

### Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

### Application Notes

\* Not for use on 79"H panels.


\* \* Suitable only for top of any panel. Cannot be stacked upon.


8" h module will not accept additional modules on top.



Use of 8" module on panel heights other than 34" h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

# Stacking modules window

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A"	18"	15"	<b>RSWA15 18</b>	\$490.	\$589.	\$16.	\$31.	\$50.
	20"	15"	<b>RSWA15 20</b>	490.	589.	16.	31.	50.
	24"	15"	<b>RSWA15 24</b>	517.	628.	16.	31.	53.
	30"	15"	<b>RSWA15 30</b>	598.	700.	16.	31.	59.
	36"	15"	<b>RSWA15 36</b>	621.	789.	16.	31.	60.
	42"	15"	<b>RSWA15 42</b>	653.	846.	16.	31.	63.
	48"	15"	<b>RSWA15 48</b>	677.	901.	16.	31.	66.

Stacking window module* Center mullion, type "B"	30"	15"	<b>RSWB15 30</b>	717.	857.	16.	31.	70.
	36"	15"	<b>RSWB15 36</b>	750.	914.	16.	31.	73.
	42"	15"	<b>RSWB15 42</b>	781.	974.	16.	31.	76.
	48"	15"	<b>RSWB15 48</b>	811.	1,033.	16.	31.	79.


Stacking window module*	18"	30"	<b>RSWC30 18</b>	591.	685.	25.	39.	59.
	20"	30"	<b>RSWC30 20</b>	591.	685.	25.	39.	59.
	24"	30"	<b>RSWC30 24</b>	630.	746.	25.	39.	63.
18" - 24"	30"	30"	<b>RSWC30 30</b>	821.	960.	25.	39.	81.
	36"	30"	<b>RSWC30 36</b>	935.	1,104.	25.	39.	89.
	42"	30"	<b>RSWC30 42</b>	1,003.	1,198.	25.	39.	97.
	48"	30"	<b>RSWC30 48</b>	1,061.	1,288.	25.	39.	101.

Order Code	Specification Information	Application Notes
Example: <b>RSWA1518 ( ) ( )</b>	<i>To order please specify:</i>	* Not for use on 79"H panels.
<b>R</b> Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
<b>SW</b> Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
<b>A</b> Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
<b>15</b> 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection.
<b>18</b> 18" wide	3. Glass type	
<b>111</b> Jet Black, window frame finish	Temp = Clear tempered glass	
<b>TEMP</b> Clear tempered glass option	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

# Stacking modules

## Double Window





description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA
Stacking window module* Single glass, type "A"	15"	60"	<b>RSWAD1560</b> ( ) ( )	\$766.	\$878.					
		72"	<b>RSWAD1572</b> ( ) ( )	854.	1,023.					
		84"	<b>RSWAD1584</b> ( ) ( )	864.	1,067.					
		96"	<b>RSWAD1596</b> ( ) ( )	880.	1,114.					
	22"	60"	<b>RSWAD2260</b> ( ) ( )	957.	1,170.					
		72"	<b>RSWAD2272</b> ( ) ( )	1,076.	1,332.					
		84"	<b>RSWAD2284</b> ( ) ( )	1,097.	1,395.					
		96"	<b>RSWAD2296</b> ( ) ( )	1,119.	1,461.					
	Top trim for double wide stacking window modules	60"	<b>R3CRTT60</b> ( ) ( )			81.	170.	188.	243.	139.
		72"	<b>R3CRTT72</b> ( ) ( )			86.	181.	199.	256.	188.
		84"	<b>R3CRTT84</b> ( ) ( )			105.	205.	223.	283.	206.
		96"	<b>R3CRTT96</b> ( ) ( )			110.	215.	234.	298.	211.



Order Code	Specification Information	Application Notes
<i>Example:</i> <b>RSWAD1560</b>	<i>To order please specify:</i>	To be used on a 42" panel next to a full height post or panel.
<b>R</b> Reff	1. Pattern number	Panel glass is mounted flush to one side of the window module. All window modules incorporate tempered glass 4mm thick. Stabilizing kit is included with the window and is required with all double wide window installation.  Full length top trim is optional and can be ordered separately. Not for use on 79" h panels. Applicable finishes are listed on page 6
<b>SW</b> Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	
<b>A</b> Type A	<i>If P2 or P3 paint finish upcharge add \$26</i>	
<b>D</b> Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$46</i>	
<b>15</b> 15" high	3. Glass type	
<b>60</b> 60" wide	Temp = Clear tempered glass	
<b>111</b> Jet Black, windowframe finish	<i>Architectural options:</i>	
<b>TEMP</b> Clear tempered glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

# Stacking modules





*fabric one side/laminate, techwood, conventional or exotic veneer  
other side and laminate both sides*

description	w	h	pattern no.	grade							Lam.
				10	15	20	30	35	40	45	
Stacking modules *,** Fabric and laminate 	18"	8"	<b>R3SFL0818</b>	\$251.	\$256.	\$275.	\$310.	\$326.	\$347.	\$366.	
	20"	8"	<b>R3SFL0820</b>	251.	256.	275.	310.	326.	347.	366.	
	24"	8"	<b>R3SFL0824</b>	272.	277.	296.	331.	347.	368.	387.	
	30"	8"	<b>R3SFL0830</b>	306.	311.	330.	365.	381.	402.	421.	
	36"	8"	<b>R3SFL0836</b>	335.	340.	359.	394.	410.	431.	450.	
	42"	8"	<b>R3SFL0842</b>	362.	367.	386.	421.	437.	458.	477.	
	48"	8"	<b>R3SFL0848</b>	394.	399.	418.	453.	469.	490.	509.	
Stacking modules *,** Fabric and techwood 	18"	8"	<b>R3SF10818</b>	266.	273.	292.	328.	344.	365.	386.	
	20"	8"	<b>R3SF10820</b>	266.	273.	292.	328.	344.	365.	386.	
	24"	8"	<b>R3SF10824</b>	284.	291.	310.	346.	362.	383.	404.	
	30"	8"	<b>R3SF10830</b>	318.	325.	344.	380.	396.	417.	438.	
	36"	8"	<b>R3SF10836</b>	348.	355.	374.	410.	426.	447.	468.	
	42"	8"	<b>R3SF10842</b>	383.	390.	409.	445.	461.	482.	503.	
	48"	8"	<b>R3SF10848</b>	411.	418.	437.	473.	489.	510.	531.	
Stacking modules*,** Fabric and conventional veneer 	18"	8"	<b>R3SF20818</b>	264.	270.	289.	324.	340.	361.	381.	
	20"	8"	<b>R3SF20820</b>	264.	270.	289.	324.	340.	361.	381.	
	24"	8"	<b>R3SF20824</b>	285.	291.	310.	345.	361.	382.	402.	
	30"	8"	<b>R3SF20830</b>	318.	324.	343.	378.	394.	415.	435.	
	36"	8"	<b>R3SF20836</b>	350.	356.	375.	410.	426.	447.	467.	
	42"	8"	<b>R3SF20842</b>	382.	388.	407.	442.	458.	479.	499.	
	48"	8"	<b>R3SF20848</b>	409.	415.	434.	469.	485.	506.	526.	
Stacking modules*,** Fabric and exotic veneer 	18"	8"	<b>R3SF30818</b>	346.	352.	371.	406.	422.	443.	463.	
	20"	8"	<b>R3SF30820</b>	346.	352.	371.	406.	422.	443.	463.	
	24"	8"	<b>R3SF30824</b>	379.	385.	404.	439.	455.	476.	496.	
	30"	8"	<b>R3SF30830</b>	420.	426.	445.	480.	496.	517.	537.	
	36"	8"	<b>R3SF30836</b>	464.	470.	489.	524.	540.	561.	581.	
	42"	8"	<b>R3SF30842</b>	507.	513.	532.	567.	583.	604.	624.	
	48"	8"	<b>R3SF30848</b>	545.	551.	570.	605.	621.	642.	662.	

Order Code	Specification Information	Application Notes
Example: <b>R3SFL0818</b>	<i>To order please specify:</i>	* Not for use on 79"H panels.
<b>R3</b> Reff Generation 3	1. Pattern number	** Suitable only for top of any panel. Cannot be stacked upon.
<b>S</b> Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
<b>FL</b> Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
<b>08</b> 8" high	Product on this page will accept woodgrain laminate where laminate is currently an option.	15" module will accept additional module.
<b>18</b> 18" wide		
<b>W281</b> Fabric selection - side 1		
<b>114</b> Folkstone Grey - side 2		

# Stacking modules



*fabric one side/laminate, techwood, conventional or exotic veneer  
other side and laminate both sides*

description	w	h	pattern no.	grade							Lam.
				10	15	20	30	35	40	45	
Stacking modules*,** Laminate both sides 	18"	8"	<b>R3SLL0818</b>								\$242.
	20"	8"	<b>R3SLL0820</b>								242.
	24"	8"	<b>R3SLL0824</b>								264.
	30"	8"	<b>R3SLL0830</b>								295.
	36"	8"	<b>R3SLL0836</b>								319.
	42"	8"	<b>R3SLL0842</b>								329.
	48"	8"	<b>R3SLL0848</b>								339.
Stacking modules* Fabric and laminate 	18"	15"	<b>R3SFL1518</b>	359.	375.	407.	444.	477.	524.	550.	
	20"	15"	<b>R3SFL1520</b>	359.	375.	407.	444.	477.	524.	550.	
	24"	15"	<b>R3SFL1524</b>	373.	389.	421.	458.	491.	538.	564.	
	30"	15"	<b>R3SFL1530</b>	409.	425.	475.	494.	527.	574.	600.	
	36"	15"	<b>R3SFL1536</b>	444.	460.	492.	529.	562.	609.	635.	
	42"	15"	<b>R3SFL1542</b>	478.	494.	526.	563.	596.	643.	669.	
	48"	15"	<b>R3SFL1548</b>	512.	528.	560.	597.	630.	677.	703.	
Stacking modules* Fabric and techwood 	18"	15"	<b>R3SF11518</b>	379.	395.	428.	465.	500.	548.	575.	
	20"	15"	<b>R3SF11520</b>	379.	395.	428.	465.	500.	548.	575.	
	24"	15"	<b>R3SF11524</b>	396.	412.	445.	482.	517.	565.	592.	
	30"	15"	<b>R3SF11530</b>	429.	445.	478.	515.	550.	598.	625.	
	36"	15"	<b>R3SF11536</b>	466.	482.	515.	552.	587.	635.	662.	
	42"	15"	<b>R3SF11542</b>	503.	519.	552.	589.	624.	672.	699.	
	48"	15"	<b>R3SF11548</b>	537.	553.	586.	623.	658.	706.	733.	
Stacking modules* Fabric and conventional veneer 	18"	15"	<b>R3SF21518</b>	375.	391.	423.	460.	494.	541.	567.	
	20"	15"	<b>R3SF21520</b>	375.	391.	423.	460.	494.	541.	567.	
	24"	15"	<b>R3SF21524</b>	394.	410.	442.	479.	513.	560.	586.	
	30"	15"	<b>R3SF21530</b>	430.	446.	478.	515.	549.	596.	622.	
	36"	15"	<b>R3SF21536</b>	467.	483.	515.	552.	586.	633.	659.	
	42"	15"	<b>R3SF21542</b>	503.	519.	551.	588.	622.	669.	695.	
	48"	15"	<b>R3SF21548</b>	533.	549.	581.	618.	652.	699.	725.	

Order Code	Specification Information	Application Notes
Example: <b>R3SFL0818</b>	<i>To order please specify:</i>	* Not for use on 79"H panels.
<b>R3</b> Reff Generation 3	1. Pattern number	** Suitable only for top of any panel. Cannot be stacked upon.
<b>S</b> Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
<b>FL</b> Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
<b>08</b> 8" high	Product on this page will accept woodgrain laminate where laminate is currently an option.	15" module will accept additional module.
<b>18</b> 18" wide		
<b>W281</b> Fabric selection - side 1		
<b>114</b> Folkstone Grey - side 2		

## Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer  
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.	
				10	15	20	30	35	40		45
Stacking modules*	18"	15"	<b>R3SF315 18</b>	\$496.	\$512.	\$544.	\$581.	\$615.	\$662.	\$688.	
Fabric and exotic veneer	20"	15"	<b>R3SF315 20</b>	496.	512.	544.	581.	615.	662.	688.	
	24"	15"	<b>R3SF315 24</b>	519.	535.	567.	604.	638.	685.	711.	
	30"	15"	<b>R3SF315 30</b>	569.	585.	617.	654.	688.	735.	761.	
	36"	15"	<b>R3SF315 36</b>	618.	634.	666.	703.	737.	784.	810.	
	42"	15"	<b>R3SF315 42</b>	665.	681.	713.	750.	784.	831.	857.	
	48"	15"	<b>R3SF315 48</b>	711.	727.	759.	796.	830.	877.	903.	
	Stacking modules*	18"	15	<b>R3SLL1518</b>							
Laminate both sides	20"	15	<b>R3SLL1520</b>								343.
	24"	15	<b>R3SLL1524</b>								373.
	30"	15	<b>R3SLL1530</b>								419.
	36"	15	<b>R3SLL1536</b>								452.
	42"	15	<b>R3SLL1542</b>								465.
	48"	15	<b>R3SLL1548</b>								467.

## Order Code

Example:	<b>R3SFL0818</b>
<b>R3</b>	Reff Generation 3
<b>S</b>	Stacking module
<b>FL</b>	Fabric/Laminate
<b>08</b>	8" high
<b>18</b>	18" wide
<b>W281</b>	Fabric selection - side 1
<b>114</b>	Folkstone Grey - side 2

## Specification Information

*To order please specify:*

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept woodgrain laminate where laminate is currently an option.

## Application Notes

\* Not for use on 79"H panels.

\*\* Suitable only for top of any panel. Cannot be stacked upon.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.


Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Frameless glass add-ups cannot be installed on these modules.




# Panel connection posts

## Generation 3

description	h	type	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
	8"	stacking module post	<b>R3L08TT</b>	\$69.	n/a
	15"	stacking module post	<b>R3L15TT</b>	135.	n/a
	34"		<b>R3L34(F/T)(F/T)-( ) ( ) ( )</b>	172.	n/a
	42"		<b>R3L42(B)(F/T)(F/T)-( ) ( ) ( )</b>	259.	298.
	49"		<b>R3L49(B)(F/T)(F/T)-( ) ( ) ( )</b>	287.	330.
	64"		<b>R3L64(B)(F/T)(F/T)-( ) ( ) ( )</b>	318.	364.
	79"		<b>R3L79(B)(F/T)(F/T)-( ) ( ) ( )</b>	356.	408.

\*Comes with only one hookstrip

	8"	stacking module post	<b>R3T08T</b>	86.	n/a
	15"	stacking module post	<b>R3T15T</b>	159.	n/a
	34"		<b>R3T34(F/T)-( ) ( ) ( )</b>	209.	n/a
	42"		<b>R3T42(B)(F/T)-( ) ( ) ( )</b>	228.	261.
	49"		<b>R3T49(B)(F/T)-( ) ( ) ( )</b>	259.	298.
	64"		<b>R3T64(B)(F/T)-( ) ( ) ( )</b>	287.	330.
	79"		<b>R3T79(B)(F/T)-( ) ( ) ( )</b>	319.	367.

\*Comes with only one hookstrip

### Order Code

Example:	<b>R3L79(B)TT-A16NB</b>
<b>R3</b>	Reff Generation 3
<b>L79</b>	90° post; 79" h connector
<b>(B)</b>	with Beltway channel
<b>(T)(T)</b>	Tiled appearance 2 sides
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

### Specification Information

To order please specify pattern number including:

1. **Face type:**  
(F) = Full height (monolithic look)  
(T) = Tiled
2. **Top cap profile:**  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$26 list for this option)
3. **Top cap configuration:**  
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)  
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)  
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)  
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)  
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*) Top cap profile
4. If L post, cover configuration  
1 = one piece (same finish both sides)  
2 = two piece (same or different finish per side)
5. **Base height:**  
4 = 4" base height  
6 = 6" base height (add \$50 list for this option)

6. **Electrical infeed post:**  
L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None
7. **Tile divider, optional if face type "tiled" and face finish "non-fabric"**  
B = Black steel reveal or  
Specify AA for anodized aluminum look or painted option excluding silver
8. **Finish, face covers**  
(*fabric, V1, V2, V3 or painted to match laminate*)
9. **Top cap finish**  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver
10. **Base finish**

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted above itself, however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.



# Panel connection posts *Generation 3*

description	h	type	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	<b>R3R2SLV</b>		n/c



# Panel connection posts

## Generation 3

description	h	type	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	<b>R3X08</b>	\$76.	n/a
	15"	stacking module post	<b>R3X15</b>	147.	n/a
	34"		<b>R3X34-( ) ( )</b>	194.	n/a
	42"		<b>R3X42(B)-( ) ( )</b>	211.	244.
	49"		<b>R3X49(B)-( ) ( )</b>	228.	261.
	64"		<b>R3X64(B)-( ) ( )</b>	259.	298.
	79"		<b>R3X79(B)-( ) ( )</b>	295.	335.
*Comes with only one hookstrip					
 Straight post	8"	stacking module post	<b>R3S08TT</b>	69.	n/a
	15"	stacking module post	<b>R3S15TT</b>	135.	n/a
	34"		<b>R3S34(F/T)(F/T)-( ) ( ) ( )</b>	172.	n/a
	42"		<b>R3S42(B)(F/T)(F/T)-( ) ( ) ( )</b>	259.	298.
	49"		<b>R3S49(B)(F/T)(F/T)-( ) ( ) ( )</b>	287.	330.
	64"		<b>R3S64(B)(F/T)(F/T)-( ) ( ) ( )</b>	318.	364.
	79"		<b>R3S79(B)(F/T)(F/T)-( ) ( ) ( )</b>	356.	408.
*Comes with only one hookstrip					
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	<b>R3R2SLV</b>		n/c

### Order Code

### Specification Information

Example: <b>R3L79(B)TT-A16NB</b>
<b>R3</b> Reff Generation 3
<b>L79</b> 90° post; 79" h connector
<b>(B)</b> with Beltway channel
<b>(T)(T)</b> Tiled appearance 2 sides
<b>(A)</b> Flat top profile
<b>(1)</b> Regular L top cap
<b>(6)</b> 6" base height
<b>(N)</b> No base infeed raceway knock-out
<b>(B)</b> Tile divider, black reveal
<b>W808</b> Face side 1, fabric selection
<b>W808</b> Face side 2, fabric selection
<b>V316</b> Top cap finish, Maple
<b>111</b> Base finish, Jet black

- To order please specify pattern number including:
- Face type:**  
(F) = Full height (monolithic look)  
(T) = Tiled
  - Top cap profile:**  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum (Add \$26 list for this option)
  - Top cap configuration:**  
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)  
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)  
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)  
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)  
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*) Top cap profile
  - If L post, cover configuration**  
1 = one piece (same finish both sides)  
2 = two piece (same or different finish per side)
  - Base height:**  
4 = 4" base height  
6 = 6" base height (add \$50 list for this option)

- Electrical infeed post:**  
L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None
- Tile divider, optional if face type "tiled" and face finish "non-fabric"**  
B = Black steel reveal or Specify AA for anodized aluminum look or painted option excluding silver
- Finish, face covers** (*fabric, V1, V2, V3 or painted to match laminate*)
- Top cap finish**  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver
- Base finish**



Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

# Panel connection posts

## Generation 3 135°

description	h	pattern no.	Reg. post list (A/B/C profile)
135° Tiled Post 	34"	<b>R3135V34T</b> ( ) ( ) ( ) ( ) ( ) ( )	\$577.
	42"	<b>R3135V42T</b> ( ) ( ) ( ) ( ) ( ) ( )	723.
	49"	<b>R3135V49T</b> ( ) ( ) ( ) ( ) ( ) ( )	731.
	64"	<b>R3135V64T</b> ( ) ( ) ( ) ( ) ( ) ( )	895.
	79"	<b>R3135V79T</b> ( ) ( ) ( ) ( ) ( ) ( )	1,056.
135° Mono Post 	34"	<b>R3135V34F</b> ( ) ( ) ( ) ( ) ( ) ( )	577.
	42"	<b>R3135V42F</b> ( ) ( ) ( ) ( ) ( ) ( )	723.
	49"	<b>R3135V49F</b> ( ) ( ) ( ) ( ) ( ) ( )	731.
	64"	<b>R3135V64F</b> ( ) ( ) ( ) ( ) ( ) ( )	895.
	79"	<b>R3135V79F</b> ( ) ( ) ( ) ( ) ( ) ( )	1,056.

### Order Code

Example: <b>R3135V34T</b>	
<b>R3</b>	Reff Generation 3
<b>135V</b>	135° post
<b>34</b>	Height
<b>T</b>	Tiled
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

### Specification Information

*To order please specify pattern number including:*

- Top cap profile
- Top cap configuration
- If L post, cover configuration  
1 = one piece
- Base height option
- Base infeed knock-out (optional)
- Tile divider option/finish, if face type T
- Finish, face covers  
(*fabric, V1, V2, V3 or painted to match laminate*)
- Top cap finish  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish excluding silver
- Base finish

*1. Face type:*  
(F) = Full height (monolithic look)  
(T) = Tiled

*2. Top profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$26 list for this option)

*3. Top cap configuration:*  
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)  
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)  
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)  
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)  
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

*5. Base height:*  
4 = 4" base height  
6 = 6" base height (add \$50 list for this option)

*6. Tile divider, optional if face type "tiled" and face finish "non-fabric"*  
B = Black steel reveal or Specify AA for anodized aluminum look or painted option excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 6.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 7.


# Panel connection posts


## Generation 3 120°

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34( ) ( ) ( )	\$402.
	42"	R3120Y42( ) ( ) ( )	423.
	49"	R3120Y49( ) ( ) ( )	436.
	64"	R3120Y64( ) ( ) ( )	478.
	79"	R3120Y79( ) ( ) ( )	522.


Order Code	Specification Information
Example: <b>R3120Y34</b>	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Top profile; A = Flat B = Square C = Bullnose E = Extruded Aluminum (Add \$26 list for this option)</li> <li>Top cap Configuration; 1 = Reg. Y 8 = High, Low, Low 9 = High, High, Low</li> <li>Base Height 4 = 4" base height 6 = 6" base height (add \$50 list for this option)</li> <li>Trim Finish Wood and Laminate for profile A,B and C Anodized or painted options for profile 'E'</li> <li>Base finish; Painted or plated</li> </ol> <p>Specify AA for anodized aluminum look or painted option from page 6 excluding silver.</p>
<b>R3</b> Reff Generation 3	
<b>120V</b> 120° post	
<b>34</b> Height	
<b>(A)</b> Top profile	
<b>1</b> Reg. Y topcap configuration	
<b>(4)</b> Base height	
<b>V316</b> Top cap finish, Maple	
<b>111</b> Base finish, Jet black	

# Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		<b>R2ES34(A/B/C/E)(4/6)(E/N)</b>	\$235.	\$142.
	–	42"		<b>R2ES42(A/B/C/E)(4/6)(E/N)</b>	263.	166.
	–	49"		<b>R2ES49(A/B/C/E)(4/6)(E/N)</b>	292.	190.
	–	64"		<b>R2ES64(A/B/C/E)(4/6)(E/N)</b>	309.	214.
	–	79"		<b>R2ES79(A/B/C/E)(4/6)(E/N)</b>	379.	243.

End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		<b>R2HL3442ES(A/B/C/E)</b>	123.	125.
	34"	49"		<b>R2HL3449ES(A/B/C/E)</b>	172.	128.
	34"	64"		<b>R2HL3464ES(A/B/C/E)</b>	219.	131.
	34"	79"		<b>R2HL3479ES(A/B/C/E)</b>	235.	145.
	42"	49"		<b>R2HL4249ES(A/B/C/E)</b>	123.	125.
	42"	64"		<b>R2HL4264ES(A/B/C/E)</b>	297.	128.
	42"	79"		<b>R2HL4279ES(A/B/C/E)</b>	340.	145.
	49"	64"		<b>R2HL4964ES(A/B/C/E)</b>	172.	131.
	49"	79"		<b>R2HL4979ES(A/B/C/E)</b>	219.	145.
	64"	79"		<b>R2HL6479ES(A/B/C/E)</b>	172.	128.

\*\*Application: for height changes that DO NOT involve a post\*\*

Top trim for Hi-Lo conditions (Notched one side)	–		18"	<b>RSNTT18(A/B/C/E)</b>	87.	24.
	–	–	20"	<b>RSNTT20(A/B/C/E)</b>	87.	27.
	–	–	24"	<b>RSNTT24(A/B/C/E)</b>	98.	30.
	–	–	30"	<b>RSNTT30(A/B/C/E)</b>	108.	35.
	–	–	33"	<b>RSNTT33(A/B/C/E) (66" wide panels one only)</b>	112.	47.
	–	–	36"	<b>RSNTT36(A/B/C/E)</b>	120.	47.
	–	–	42"	<b>RSNTT42(A/B/C/E)</b>	137.	48.
	–	–	48"	<b>RSNTT48(A/B/C/E)</b>	148.	67.

## Order Code

Example: <b>R2ES34A6N</b>	
<b>R2</b>	Reff Generation 2
<b>ES</b>	End trim
<b>34</b>	34" high
<b>A</b>	Flat profile
<b>6</b>	6" base height
<b>N</b>	Non electrical base
<b>V311</b>	Beech
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

End trim:

- Trim profile  
A = flat  
B = square  
C = bullnose  
E = extruded aluminum
- Base height option  
4 = 4"  
6 = 6"
- Base type  
E = electrical entry  
N = standard base
- Finish, end trim  
If profile A, B or C specify V1, V2, V3 or painted to match laminate  
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base  
painted or plated finish

Post cover trim:

- Specify full or tiled face type  
F = full (monolithic)  
T = tiled
- Finish, post cover  
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish  
B = black reveal  
or select P1, P2, P3 painted finish from pg. 6

**Add \$25 list for each end trim with 6"H base option.** Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

\*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

# Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile E
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		<b>R2HL4249ETS(A/B/C/E)</b>	\$123.	\$125.
	42"	64"		<b>R2HL4264ETS(A/B/C/E)</b>	297.	128.
	42"	79"		<b>R2HL4279ETS(A/B/C/E)</b>	340.	145.
Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		<b>R2HL3442(F)CS ( )</b>	35.	
	34"	49"		<b>R2HL3449(F)CS ( )</b>	51.	
	34"	64"		<b>R2HL3464(F/T)CS ( )( )</b>	102.	
	34"	79"		<b>R2HL3479(F/T)CS ( )( )</b>	151.	
	42"	49"		<b>R2HL4249(F)CS ( )</b>	35.	
	42"	64"		<b>R2HL4264(F/T)CS ( )( )</b>	84.	
	42"	79"		<b>R2HL4279(F/T)CS ( )( )</b>	137.	
	49"	64"		<b>R2HL4964(F)CS ( )</b>	51.	
	49"	79"		<b>R2HL4979(F/T)CS ( )( )</b>	102.	
	64"	79"		<b>R2HL6479(F)CS ( )</b>	51.	

\*\*Application: for height changes involving a post\*\*

## Order Code

Example: <b>R2ES34A6N</b>	
<b>R2</b>	Reff Generation 2
<b>ES</b>	End trim
<b>34</b>	34" high
<b>A</b>	Flat profile
<b>6</b>	6" base height
<b>N</b>	Non electrical base
<b>V311</b>	Beech
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

End trim:

- Trim profile  
A = flat  
B = square  
C = bullnose  
E = extruded aluminum
- Base height option  
4 = 4"  
6 = 6"
- Base type  
E = electrical entry  
N = standard base
- Finish, end trim  
If profile A, B or C specify V1, V2, V3 or painted to match laminate  
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base  
painted or plated finish

Post cover trim:

- Specify full or tiled face type  
F = full (monolithic)  
T = tiled
- Finish, post cover fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish  
B = black reveal  
or select P1, P2, P3 painted finish from pg. 5

**Add \$25 list for each end trim with 6"H base option.** Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

\*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

# Panel Accessories

## *hookstrips and top caps*

description	w	pattern no.	list price
Panel hookstrips	8"	<b>R2HK0008</b>	\$46.
	15"	<b>R2HK0015</b>	74.
	34"	<b>R2HK0034</b>	101.
	42"	<b>R2HK0042</b>	107.
	49"	<b>R2HK0049</b>	115.
	64"	<b>R2HK0064</b>	125.
	79"	<b>R2HK0079</b>	131.
Beltway hookstrips	42"	<b>R2HKB042</b>	115.
	49"	<b>R2HKB049</b>	125.
	64"	<b>R2HKB064</b>	131.
	79"	<b>R2HKB079</b>	138.

### Order Code

Example: <b>R2HK0008</b>
<b>R2</b> Reff generation 2
<b>HK</b> Hook Strip
<b>008</b> Height

### Specification Information

*To order please specify pattern number including:*


### Application Notes

An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.


Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.

New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.




description	type	h	pattern no.	list price
 Ceiling entry L-post.		42"	<b>R2L42C(F/T)(F/T)-(4/6)</b>	\$259.
		49"	<b>R2L49C(F/T)(F/T)-(4/6)</b>	277.
		64"	<b>R2L64C(F/T)(F/T)-(4/6)</b>	294.
		79"	<b>R2L79C(F/T)(F/T)-(4/6)</b>	349.

*Cable not included*

 Ceiling entry T-post.		42"	<b>R2T42C(F/T)-(4/6)</b>	228.
		49"	<b>R2T49C(F/T)-(4/6)</b>	259.
		64"	<b>R2T64C(F/T)-(4/6)</b>	277.
		79"	<b>R2T79C(F/T)-(4/6)</b>	322.

*Cable not included*

 Ceiling entry X-post.		42"	<b>R2X42C</b>	211.
		49"	<b>R2X49C</b>	228.
		64"	<b>R2X64C</b>	259.
		79"	<b>R2X79C</b>	306.


*Cable not included*

Order Code	Specification Information	Application Notes
Example: <b>R2L42CTT4</b> <b>R2</b> Reff Generation 2 <b>L</b> L-post <b>42</b> 42" high <b>C</b> Ceiling power entry <b>T</b> Tiled style face <b>T</b> Tiled style face <b>4</b> Base height <b>W230</b> Fabric selection <b>111</b> Jet Black (base finish)	<i>To order please specify pattern number including:</i> 1. Post face option 2. Base height option 3. Finish type, where applicable 4. Finish, where applicable 5. Base finish 6. Canopy finish (ceiling entry pole only)  1. <i>Face type:</i> F = Full height T = Tiled  2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height  3. <i>Finish type:</i> F = Fabric L = Laminate 1 = V1 2 = V2 3 = V3	Data cable application requires the post and the pole only.  *Must order post, pole and cable for electrical application.  The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.  To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.  6"H base raceway option increase entire post height by 2 3/4". (Please add \$50 list per post for this option). Price does not apply to X-post.


The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.


Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.

description	type	h	pattern no.	list price
 Ceiling entry straight line post.		42"	<b>R2S42C(F/T)(F/T)-(4/6)</b>	\$259.
		49"	<b>R2S49C(F/T)(F/T)-(4/6)</b>	277.
		64"	<b>R2S64C(F/T)(F/T)-(4/6)</b>	294.
		79"	<b>R2S79C(F/T)(F/T)-(4/6)</b>	349.

*Cable not included*

 Ceiling entry pole. Includes junction box and ceiling grommet		41"	<b>RCP41-(F/L/1/2/3)*</b>	517.
		56"	<b>RCP56-(F/L/1/2/3)*</b>	537.
		71"	<b>RCP71-(F/L/1/2/3)*</b>	602.
		78"	<b>RCP78-(F/L/1/2/3)*</b>	622.

*Cable not included*


 Power infeeds	Ceiling power cable infeed. Eight-wire	<b>RR3-EPVR</b>	302.
	Ceiling power cable infeed. Ten-wire	<b>RR3-TPVR</b>	365.


One size fits all post sizes (13' of cable)  
For use with Ceiling entry Pole and Pole combinations

Order Code	Specification Information	Application Notes
Example: <b>R2L42CTT4</b> <b>R2</b> Reff Generation 2 <b>L</b> L-post <b>42</b> 42" high <b>C</b> Ceiling power entry <b>T</b> Tiled style face <b>T</b> Tiled style face <b>4</b> Base height <b>W230</b> Fabric selection <b>111</b> Jet Black (base finish)	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Post face option</li> <li>Base height option</li> <li>Finish type, where applicable</li> <li>Finish, where applicable</li> <li>Base finish</li> <li>Canopy finish (ceiling entry pole only)</li> </ol> <p><i>1. Face type:</i> F = Full height T = Tiled</p> <p><i>2. Base height:</i> 4 = 4" base height 6 = 6" base height</p> <p><i>3. Finish type:</i> F = Fabric L = Laminate 1 = V1 2 = V2 3 = V3</p>	<p>Data cable application requires the post and the pole only.</p> <p>*Must order post, pole and cable for electrical application.</p> <p>The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.</p> <p>To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.</p> <p>6"H base raceway option increase entire post height by 2 3/4". (Please add \$50 list per post for this option). Price does not apply to X-post.</p> <p>The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).</p> <p>Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.</p> <p>Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.</p>

# Ceiling cable entry post covers

## Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			<b>RPHL3442(F/T)</b>	\$35.
	34"	49"			<b>RPHL3449(F/T)</b>	51.
	34"	64"			<b>RPHL3464(F/T)</b>	102.
	34"	79"			<b>RPHL3479(F/T)</b>	151.
	42"	49"			<b>RPHL4249(F/T)</b>	70.
	42"	64"			<b>RPHL4264(F/T)</b>	98.
	42"	79"			<b>RPHL4279(F/T)</b>	106.
	49"	64"			<b>RPHL4964(F/T)</b>	98.
	49"	79"			<b>RPHL4979(F/T)</b>	106.
	64"	79"			<b>RPHL6479(F/T)</b>	76.

Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			<b>RPHL4249S</b>	35.
	42"	64"			<b>RPHL4264S</b>	84.
	42"	79"			<b>RPHL4279S</b>	137.
	49"	64"			<b>RPHL4964S</b>	51.
	49"	79"			<b>RPHL4979S</b>	102.
	64"	79"			<b>RPHL6479S</b>	51.

Wall starter			7/8"	15"	<b>R2SWS0015 ( ) ( )</b>	64.
			7/8"	34"	<b>R2SWS0034 ( ) ( ) ( )</b>	128.
			7/8"	42"	<b>R2SWS0042 ( ) ( ) ( )</b>	156.
			7/8"	49"	<b>R2SWS0049 ( ) ( ) ( )</b>	182.
			7/8"	64"	<b>R2SWS0064 ( ) ( ) ( )</b>	240.
			7/8"	79"	<b>R2SWS0079 ( ) ( ) ( )</b>	295.
			7/8"	8"	<b>R2SWS0008 ( ) ( )</b>	49.

\*Wall starters come with extended top trim from adjoining panel.

Panel alignment kits 					<b>R3SPABPT</b>	7.
					<b>R3SPABTD</b>	7.
					<b>R3SPABTT</b>	7.
					<b>R3SPABTW</b>	7.
					<b>RSPABPD</b>	7.
					<b>RSPABPP</b>	7.
					<b>RSPABPT</b>	7.
					<b>RSPABPW</b>	7.
					<b>RSPABTD</b>	7.

Order Code	Specification Information	Application Notes
Example: <b>RPHL4249T</b>	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
<b>R</b> Reff		
<b>P</b> Power post		
<b>HL</b> Hi lo cover	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
<b>42</b> 42" low panel	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
<b>49</b> 49" high panel	2. Select finish fabric, laminate or veneer	
<b>T</b> Tiled face type	1. <i>Face type options:</i> F = Full T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 7.	

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.


RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

# Ceiling cable entry post covers

## Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
Panel alignment kits					<b>RSPABTT</b>	\$7.
					<b>RSPABTW</b>	7.
					<b>RSPABWD</b>	7.
					<b>RSPABWW</b>	7.



Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: <b>RPHL4249T</b>	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
<b>R</b> Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
<b>P</b> Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
<b>HL</b> Hi lo cover	2. Select finish fabric, laminate or veneer	
<b>42</b> 42" low panel	<i>1. Face type options:</i>	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
<b>49</b> 49" high panel	F = Full	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
<b>T</b> Tiled face type	T = Tiled	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
	Wall starter:	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 7.	

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64"	<b>RRDPPL(L/R)6436( )</b>		\$3,147.	\$3,258.	\$4,358.
		36"	79"	<b>RRD3PPL(L/R)7936( )( )</b>		3,433.	3,556.	4,801.
		42"	64"	<b>RRDPPL(L/R)6442( )</b>		3,207.	3,319.	4,412.
		42"	79"	<b>RRD3PPL(L/R)7942( )( )</b>		3,486.	3,608.	4,852.
Floor to ceiling rolling door		36"	79"	<b>RRD3FTCPPL(L/R)7936( )</b>		3,433.	3,556.	4,801.
		42"	79"	<b>RRD3FTCPPL(L/R)7942( )</b>		3,486.	3,608.	4,852.
Partial width threshold (full width threshold)		3"	50"	<b>RRDTH( )</b>		364.		
		3"	96"	<b>RRDTH(L/R)( )</b>		468.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	<b>R2DRS7936( )( )</b>			4,100.
	(36" opening)	1 1/2"	42"	79"	<b>R2DRS7942( )( )</b>			4,765.
*Panel door left	(30" opening)	1 1/2"	36"	79"	<b>R2DLS7936( )( )</b>			4,100.
	(36" opening)	1 1/2"	42"	79"	<b>R2DLS7942( )( )</b>			4,765.



\*Woodgrain Laminate not available on Panel Door\*

### Order Code

Example:	<b>RRDPPL(L)6436(A)(4)</b>
<b>RRD</b>	Reff rolling door
<b>PPL</b>	Monolithic frame
<b>L</b>	Left hand
<b>64</b>	64" high
<b>36</b>	36" wide
<b>A</b>	Flat style top trim
<b>4"</b>	4" base height

### Specification Information

#### Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose

#### 2. Base height:

- 4 = 4" base
- 6 = 6" base (add \$50 for this option)

#### 3. Lock option:

- N = Not drilled
- D = Drilled \*
- L = Drilled lock set included
- D = \*Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

#### Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

#### Frame Insert Finish

Temp = Cleared tempered glass

#### Architectural options:

- GL13 = Powdered glass
- GL6 = Block matrix
- GL8 = Wafer glass
- P5 = Polycarbonate

### Application Notes

#### Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 114).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

#### Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
Attachment Kit 34"H panels to Generation 2 Beltway posts			<b>R234PKIT</b>	\$118.	
Attachment Kit Generation 1 34"H panels to Generation 3 Beltway posts			<b>R334PKIT</b>	118.	
Attachment Kit Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			<b>R2AK</b>	n/c	
Attachment Kit Generation 1 panels to Generation 3 posts			<b>R3AK</b>	n/c	
*R3/R2 stacking post sleeve	adapter kit for stacking posts only		<b>R3R2SLV</b>		
Hookstrip cover reveal strip. (order separately for all panels)	15 Pieces	$\frac{3}{8}$ "	79"	<b>RHSC15</b>	n/c
	250 Pieces	$\frac{3}{8}$ "	79"	<b>RHSC250</b>	n/c
	70 Pieces	$\frac{3}{8}$ "	79"	<b>RHSC70</b>	n/c
Carpet gripper (Pack fo 10)			<b>R2CG</b>	21.	

**Order Code**

Example: <b>R234PKIT</b>	
<b>R2</b>	Reff, generation 2
<b>34</b>	34" h panel to
<b>P</b>	Beltway post
<b>KIT</b>	Attachment kit

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

**Application Notes**

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.




R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

# Floor to ceiling modules




21" high, for 104" ceiling height and 79" high panels  
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	<b>R3FTCFF2118</b>			\$376.	\$382.	\$396.	\$464.	\$490.	\$556.	\$624.
	20"	21"	<b>R3FTCFF2120</b>			376.	382.	396.	464.	490.	556.	624.
	24"	21"	<b>R3FTCFF2124</b>			396.	402.	416.	484.	510.	576.	644.
	30"	21"	<b>R3FTCFF2130</b>			438.	444.	458.	526.	552.	618.	686.
	36"	21"	<b>R3FTCFF2136</b>			469.	475.	489.	557.	583.	649.	717.
	42"	21"	<b>R3FTCFF2142</b>			512.	518.	532.	600.	626.	692.	760.
	48"	21"	<b>R3FTCFF2148</b>			549.	555.	569.	637.	663.	729.	797.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	<b>RFTCWA2118</b>	525.	620.							
	20"	21"	<b>RFTCWA2120</b>	525.	620.							
	24"	21"	<b>RFTCWA2124</b>	551.	668.							
	30"	21"	<b>RFTCWA2130</b>	643.	782.							
	36"	21"	<b>RFTCWA2136</b>	672.	835.							
	42"	21"	<b>RFTCWA2142</b>	706.	904.							
	48"	21"	<b>RFTCWA2148</b>	740.	958.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	<b>RFTCWB2130</b>	750.	887.							
	36"	21"	<b>RFTCWB2136</b>	812.	978.							
	42"	21"	<b>RFTCWB2142</b>	859.	1,049.							
	48"	21"	<b>RFTCWB2148</b>	899.	1,121.							

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF2118</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).  Specify the finish for frames from paint selection on page 6.  Add to all ceiling window modules on this page an upcharge of \$35 per module for P2 paint class options or \$65 per module per P3 paint class options.  Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>R3</b> Reff Generation 3	1. Pattern number	
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	
<b>21</b> 21" high	4. Soffit finish (paint)	<b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>  <b>Use of Reff FTC modules must be approved by local building authorities.</b>  Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.  No additional acoustic rating occurs on FTC installations.
<b>18</b> 18" wide	<i>For window panel:</i>	
<b>W281</b> Fabric selection - side 1	1. Pattern number	
<b>W281</b> Fabric selection - side 2	2. Frame finish	
<b>111</b> Jet Black soffit	3. Glass type	

# Floor to ceiling modules

25" high, for 108" ceiling height and 79" high panels  
fabric and glass


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	<b>R3FTCFF2518</b>			\$418.	\$424.	\$436.	\$528.	\$546.	\$636.	\$712.
	20"	25"	<b>R3FTCFF2520</b>			418.	424.	436.	528.	546.	636.	712.
	24"	25"	<b>R3FTCFF2524</b>			443.	449.	461.	553.	571.	661.	737.
	30"	25"	<b>R3FTCFF2530</b>			481.	487.	499.	591.	609.	699.	775.
	36"	25"	<b>R3FTCFF2536</b>			526.	532.	544.	636.	654.	744.	820.
	42"	25"	<b>R3FTCFF2542</b>			567.	573.	585.	677.	695.	785.	861.
	48"	25"	<b>R3FTCFF2548</b>			609.	615.	627.	719.	737.	827.	903.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	<b>RFTCWA2518</b>	548.	644.							
	20"	25"	<b>RFTCWA2520</b>	548.	644.							
	24"	25"	<b>RFTCWA2524</b>	587.	698.							
	30"	25"	<b>RFTCWA2530</b>	678.	816.							
	36"	25"	<b>RFTCWA2536</b>	710.	874.							
	42"	25"	<b>RFTCWA2542</b>	756.	946.							
	48"	25"	<b>RFTCWA2548</b>	788.	1,007.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	<b>RFTCWB2530</b>	779.	914.							
	36"	25"	<b>RFTCWB2536</b>	862.	1,028.							
	42"	25"	<b>RFTCWB2542</b>	915.	1,108.							
	48"	25"	<b>RFTCWB2548</b>	967.	1,188.							


Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF2518</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).  Specify the finish for frames from paint selection on page 6.  Add to all ceiling window modules on this page an upcharge of \$35 per module for P2 paint class options or \$65 per module per P3 paint class options.  Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.
<b>R3</b> Reff Generation 3	1. Pattern number	
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	
<b>25</b> 25" high	4. Soffit finish (paint)	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.  <b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>  <b>Use of Reff FTC modules must be approved by local building authorities.</b>  Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.  No additional acoustic rating occurs on FTC installations.
<b>18</b> 18" wide	<i>For window panel:</i>	
<b>W281</b> Fabric selection - side 1	1. Pattern number	
<b>W281</b> Fabric selection - side 2	2. Frame finish	
<b>111</b> Jet Black soffit	3. Glass type	




# Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels  
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	<b>R3FTCFF3718</b>			\$549.	\$553.	\$563.	\$701.	\$723.	\$857.	\$981.
	20"	37"	<b>R3FTCFF3720</b>			549.	553.	563.	701.	723.	857.	981.
	24"	37"	<b>R3FTCFF3724</b>			580.	584.	595.	732.	754.	888.	1,012.
	30"	37"	<b>R3FTCFF3730</b>			630.	634.	644.	782.	804.	938.	1,062.
	36"	37"	<b>R3FTCFF3736</b>			684.	688.	698.	836.	858.	992.	1,116.
	42"	37"	<b>R3FTCFF3742</b>			736.	740.	750.	888.	910.	1,044.	1,168.
	48"	37"	<b>R3FTCFF3748</b>			786.	790.	800.	938.	960.	1,094.	1,218.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	<b>RFTCWA3718</b>	628.	722.
	20"	37"	<b>RFTCWA3720</b>	628.	722.
	24"	37"	<b>RFTCWA3724</b>	677.	787.
	30"	37"	<b>RFTCWA3730</b>	798.	919.
	36"	37"	<b>RFTCWA3736</b>	831.	993.
	42"	37"	<b>RFTCWA3742</b>	885.	1,075.
	48"	37"	<b>RFTCWA3748</b>	932.	1,156.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	<b>RFTCWB3730</b>	860.	999.
	36"	37"	<b>RFTCWB3736</b>	1,014.	1,177.
	42"	37"	<b>RFTCWB3742</b>	1,093.	1,283.
	48"	37"	<b>RFTCWB3748</b>	1,163.	1,385.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF3718</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
<b>R3</b> Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 6.
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$35 per module for P2 paint class options or \$65 per module per P3 paint class options.
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
<b>37</b> 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>18</b> 18" wide		Ceiling height includes 4" allowance for trim.
<b>W281</b> Fabric selection - side 1	<i>For window panel:</i>	
<b>W281</b> Fabric selection - side 2	1. Pattern number	
<b>111</b> Jet Black soffit	2. Frame finish	
	3. Glass type	


Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.


**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**


**Use of Reff FTC modules must be approved by local building authorities.**

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules  
 21" and 25" high modules, fabric one side,  
 laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	<b>R3FTCFL2118</b>	\$424.	\$426.	\$431.	\$468.	\$481.	\$515.	\$553.
	20"	21"	<b>R3FTCFL2120</b>	424.	426.	431.	468.	481.	515.	553.
	24"	21"	<b>R3FTCFL2124</b>	438.	440.	445.	482.	495.	529.	567.
	30"	21"	<b>R3FTCFL2130</b>	491.	493.	498.	535.	548.	582.	620.
	36"	21"	<b>R3FTCFL2136</b>	534.	536.	541.	578.	591.	625.	663.
	42"	21"	<b>R3FTCFL2142</b>	581.	583.	588.	625.	638.	672.	710.
	48"	21"	<b>R3FTCFL2148</b>	625.	627.	632.	669.	682.	716.	754.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	<b>R3FTCF12118</b>	444.	446.	451.	489.	502.	538.	575.
	20"	21"	<b>R3FTCF12120</b>	444.	446.	451.	489.	502.	538.	575.
	24"	21"	<b>R3FTCF12124</b>	462.	464.	469.	507.	520.	556.	593.
	30"	21"	<b>R3FTCF12130</b>	515.	517.	522.	560.	573.	609.	646.
	36"	21"	<b>R3FTCF12136</b>	559.	561.	566.	604.	617.	653.	690.
	42"	21"	<b>R3FTCF12142</b>	604.	606.	611.	649.	662.	698.	735.
	48"	21"	<b>R3FTCF12148</b>	658.	660.	665.	703.	716.	752.	789.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	<b>R3FTCF22118</b>	444.	446.	451.	488.	501.	536.	573.
	20"	21"	<b>R3FTCF22120</b>	444.	446.	451.	488.	501.	536.	573.
	24"	21"	<b>R3FTCF22124</b>	458.	460.	465.	502.	515.	550.	587.
	30"	21"	<b>R3FTCF22130</b>	515.	517.	522.	559.	572.	607.	644.
	36"	21"	<b>R3FTCF22136</b>	557.	559.	564.	601.	614.	649.	686.
	42"	21"	<b>R3FTCF22142</b>	606.	608.	613.	650.	663.	698.	735.
	48"	21"	<b>R3FTCF22148</b>	655.	657.	662.	699.	712.	747.	784.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL2118</b> <b>R3</b> Reff Generation 3 <b>FTC</b> Floor to ceiling <b>FL</b> Fabric/laminate <b>21</b> 21" high <b>18</b> 18" wide <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>111</b> Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint)  Product on this page will accept woodgrain laminate where laminate is currently an option.	Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.  Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.  Modules on this page will not support the hanging of panel mount product.


**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**


**Use of Reff FTC modules must be approved by local building authorities.**


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

# Floor to ceiling modules

*21" and 25" high modules, fabric one side,  
laminate, techwood, conventional or exotic veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	21"	<b>R3FTCF321 18</b>	\$585.	\$587.	\$592.	\$629.	\$642.	\$677.	\$714.
Fabric one side, exotic veneer other side	20"	21"	<b>R3FTCF321 20</b>	585.	587.	592.	629.	642.	677.	714.
21"	24"	21"	<b>R3FTCF321 24</b>	605.	607.	612.	649.	662.	697.	734.
	30"	21"	<b>R3FTCF321 30</b>	682.	684.	689.	726.	739.	774.	811.
	36"	21"	<b>R3FTCF321 36</b>	737.	739.	744.	781.	794.	829.	866.
	42"	21"	<b>R3FTCF321 42</b>	802.	804.	809.	846.	859.	894.	931.
	48"	21"	<b>R3FTCF321 48</b>	867.	869.	874.	911.	924.	959.	996.


Stack-on floor to ceiling module	18"	25"	<b>R3FTCFL2518</b>	454.	457.	466.	513.	522.	568.	609.
Fabric one side, laminate other side, 25"	20"	25"	<b>R3FTCFL2520</b>	454.	457.	466.	513.	522.	568.	609.
	24"	25"	<b>R3FTCFL2524</b>	470.	473.	482.	529.	538.	584.	625.
	30"	25"	<b>R3FTCFL2530</b>	535.	538.	547.	594.	603.	649.	690.
	36"	25"	<b>R3FTCFL2536</b>	580.	583.	592.	639.	648.	694.	735.
	42"	25"	<b>R3FTCFL2542</b>	636.	639.	648.	695.	704.	750.	791.
	48"	25"	<b>R3FTCFL2548</b>	687.	690.	699.	746.	755.	801.	842.

Stack-on floor to ceiling module	18"	25"	<b>R3FTCF12518</b>	474.	477.	485.	534.	543.	590.	633.
Fabric one side, techwood other side, 25"	20"	25"	<b>R3FTCF12520</b>	474.	477.	485.	534.	543.	590.	633.
	24"	25"	<b>R3FTCF12524</b>	491.	494.	502.	551.	560.	607.	650.
	30"	25"	<b>R3FTCF12530</b>	562.	565.	573.	622.	631.	678.	721.
	36"	25"	<b>R3FTCF12536</b>	605.	608.	616.	665.	674.	721.	764.
	42"	25"	<b>R3FTCF12542</b>	666.	669.	677.	726.	735.	782.	825.
	48"	25"	<b>R3FTCF12548</b>	718.	721.	729.	778.	787.	834.	877.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL2118</b>	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
<b>R3</b> Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	Ceiling height includes 4" allowance for trim.
<b>FL</b> Fabric/laminate	3. Panel side 2 finish	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
<b>21</b> 21" high	4. Soffit finish (paint)	Modules on this page will not support the hanging of panel mount product.
<b>18</b> 18" wide	Product on this page will accept woodgrain laminate where laminate is currently an option.	
<b>W281</b> Fabric selection - side 1		<b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>
<b>114</b> Folkstone grey - side 2		<b>Use of Reff FTC modules must be approved by local building authorities.</b>
<b>111</b> Jet Black soffit		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules  
 21" and 25" high modules, fabric one side,  
 laminate, techwood, conventional or exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	25"	<b>R3FTCF22518</b>	\$475.	\$478.	\$486.	\$534.	\$543.	\$589.	\$631.
Fabric one side, conventional veneer other side, 25"	20"	25"	<b>R3FTCF22520</b>	475.	478.	486.	534.	543.	589.	631.
	24"	25"	<b>R3FTCF22524</b>	489.	492.	500.	548.	557.	603.	645.
	30"	25"	<b>R3FTCF22530</b>	560.	563.	571.	619.	628.	674.	716.
	36"	25"	<b>R3FTCF22536</b>	607.	610.	618.	666.	675.	721.	763.
	42"	25"	<b>R3FTCF22542</b>	665.	668.	676.	724.	733.	779.	821.
	48"	25"	<b>R3FTCF22548</b>	718.	721.	729.	777.	786.	832.	874.


Stack-on floor to ceiling module	18"	25"	<b>R3FTCF325 18</b>	622.	625.	633.	681.	690.	736.	778.
Fabric one side, exotic veneer other side 25"	20"	25"	<b>R3FTCF325 20</b>	622.	625.	633.	681.	690.	736.	778.
	24"	25"	<b>R3FTCF325 24</b>	645.	648.	656.	704.	713.	759.	801.
	30"	25"	<b>R3FTCF325 30</b>	737.	740.	748.	796.	805.	851.	893.
	36"	25"	<b>R3FTCF325 36</b>	802.	805.	813.	861.	870.	916.	958.
	42"	25"	<b>R3FTCF325 42</b>	880.	883.	891.	939.	948.	994.	1,036.
	48"	25"	<b>R3FTCF325 48</b>	952.	955.	963.	1,011.	1,020.	1,066.	1,108.


Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL2118</b>	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
<b>R3</b> Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	Ceiling height includes 4" allowance for trim.
<b>FL</b> Fabric/laminate	3. Panel side 2 finish	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
<b>21</b> 21" high	4. Soffit finish (paint)	Modules on this page will not support the hanging of panel mount product.
<b>18</b> 18" wide	Product on this page will accept woodgrain laminate where laminate is currently an option.	<b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>
<b>W281</b> Fabric selection - side 1		<b>Use of Reff FTC modules must be approved by local building authorities.</b>
<b>114</b> Folkstone grey - side 2		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
<b>111</b> Jet Black soffit		


# Floor to ceiling modules

37" high modules, fabric one side,  
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	<b>R3FTCFL3718</b>	\$555.	\$557.	\$563.	\$632.	\$644.	\$713.	\$777.
	20"	37"	<b>R3FTCFL3720</b>	555.	557.	563.	632.	644.	713.	777.
	24"	37"	<b>R3FTCFL3724</b>	565.	567.	573.	642.	654.	723.	787.
	30"	37"	<b>R3FTCFL3730</b>	671.	673.	679.	748.	760.	829.	893.
	36"	37"	<b>R3FTCFL3736</b>	725.	727.	733.	802.	814.	883.	947.
	42"	37"	<b>R3FTCFL3742</b>	809.	811.	817.	886.	898.	967.	1,031.
	48"	37"	<b>R3FTCFL3748</b>	883.	885.	891.	960.	972.	1,041.	1,105.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	<b>R3FTCF13718</b>	579.	581.	589.	660.	671.	743.	809.
	20"	37"	<b>R3FTCF13720</b>	579.	581.	589.	660.	671.	743.	809.
	24"	37"	<b>R3FTCF13724</b>	590.	592.	600.	671.	682.	754.	820.
	30"	37"	<b>R3FTCF13730</b>	701.	703.	711.	782.	793.	865.	931.
	36"	37"	<b>R3FTCF13736</b>	762.	764.	772.	843.	854.	926.	992.
	42"	37"	<b>R3FTCF13742</b>	850.	852.	860.	931.	942.	1,014.	1,080.
	48"	37"	<b>R3FTCF13748</b>	926.	928.	936.	1,007.	1,018.	1,090.	1,156.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	<b>R3FTCF23718</b>	577.	579.	586.	656.	667.	737.	802.
	20"	37"	<b>R3FTCF23720</b>	577.	579.	586.	656.	667.	737.	802.
	24"	37"	<b>R3FTCF23724</b>	590.	592.	599.	669.	680.	750.	815.
	30"	37"	<b>R3FTCF23730</b>	698.	700.	707.	777.	788.	858.	923.
	36"	37"	<b>R3FTCF23736</b>	756.	758.	765.	835.	846.	916.	981.
	42"	37"	<b>R3FTCF23742</b>	847.	849.	856.	926.	937.	1,007.	1,072.
	48"	37"	<b>R3FTCF23748</b>	925.	927.	934.	1,004.	1,015.	1,085.	1,150.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37" 	18"	37"	<b>R3FTCF337 18</b>	753.	755.	762.	832.	843.	913.	978.
	20"	37"	<b>R3FTCF337 20</b>	753.	755.	762.	832.	843.	913.	978.
	24"	37"	<b>R3FTCF337 24</b>	772.	774.	781.	851.	862.	932.	997.
	30"	37"	<b>R3FTCF337 30</b>	918.	920.	927.	997.	1,008.	1,078.	1,143.
	36"	37"	<b>R3FTCF337 36</b>	996.	998.	1,005.	1,075.	1,086.	1,156.	1,221.
	42"	37"	<b>R3FTCF337 42</b>	1,119.	1,121.	1,128.	1,198.	1,209.	1,279.	1,344.
	48"	37"	<b>R3FTCF337 48</b>	1,224.	1,226.	1,233.	1,303.	1,314.	1,384.	1,449.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL3718</b>	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
<b>R3</b> Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	
<b>FL</b> Fabric/laminate	3. Panel side 2 finish	
<b>37</b> 37" high	4. Soffit finish (paint)	
<b>18</b> 18" wide	Product on this page will accept woodgrain laminate where laminate is currently an option.	Ceiling height includes 4" allowance for trim.
<b>W281</b> Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
<b>114</b> Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
<b>111</b> Jet Black soffit		

**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**






**Use of Reff FTC modules must be approved by local building authorities.**

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

# Floor to ceiling modules

## Panel connection posts

### for floor to ceiling applications

description		h	pattern no.	list price
L-Post 	add on	21"	<b>R3FTCL21</b>	\$197.
	add on	25"	<b>R3FTCL25</b>	218.
	add on	37"	<b>R3FTCL37</b>	282.
	full height	104"	<b>R3FTCL104(F/T)(F/T)-( ) ( )</b>	445.
	full height	108"	<b>R3FTCL108(F/T)(F/T)-( ) ( )</b>	445.
	full height	120"	<b>R3FTCL120(F/T)(F/T)-( ) ( )</b>	445.
T-Post 	add on	21"	<b>R3FTCT21</b>	213.
	add on	25"	<b>R3FTCT25</b>	232.
	add on	37"	<b>R3FTCT37</b>	298.
	full height	104"	<b>R3FTCT104(F/T)-( ) ( )</b>	401.
	full height	108"	<b>R3FTCT108(F/T)-( ) ( )</b>	401.
	full height	120"	<b>R3FTCT120(F/T)-( ) ( )</b>	401.
X-Post 	add on	21"	<b>R3FTCX21</b>	194.
	add on	25"	<b>R3FTCX25</b>	215.
	add on	37"	<b>R3FTCX37</b>	281.
	full height	104"	<b>R3FTCX104</b>	368.
	full height	108"	<b>R3FTCX108</b>	368.
	full height	120"	<b>R3FTCX120</b>	368.
Straight post 	add on	21"	<b>R3FTCS21</b>	197.
	add on	25"	<b>R3FTCS25</b>	218.
	add on	37"	<b>R3FTCS37</b>	282.
	full height	104"	<b>R3FTCS104(F/T)(F/T)-( ) ( )</b>	445.
	full height	108"	<b>R3FTCS108(F/T)(F/T)-( ) ( )</b>	445.
	full height	120"	<b>R3FTCS120(F/T)(F/T)-( ) ( )</b>	445.
End post 	add on	21"	<b>R3FTCE21</b>	213.
	add on	25"	<b>R3FTCE25</b>	232.
	add on	37"	<b>R3FTCE37</b>	298.
	full height	104"	<b>R3FTCE104(F/T)(F/T)(F/T)-( ) ( )</b>	401.
	full height	108"	<b>R3FTCE108(F/T)(F/T)(F/T)-( ) ( )</b>	401.
	full height	120"	<b>R3FTCE120(F/T)(F/T)(F/T)-( ) ( )</b>	401.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCL104TT-6N</b> <b>R3FTC</b> Reff Gen 3 Floor to ceiling <b>L</b> Corner post <b>104</b> 104" high (one piece) <b>TT</b> Tiled appearance <b>6</b> 6" base height <b>N</b> No base infeed raceway knock-out <b>W808</b> Fabric selection <b>111</b> Jet Black (base finish)	To order please specify pattern number including: <ol style="list-style-type: none"> <li>Post face option</li> <li>Base height option</li> <li>Base infeed raceway knock-out, (optional)</li> <li>Fabric selection</li> <li>Base color</li> </ol> 1. <i>Face type:</i> F = Full height (monolithic look) T = Tiled 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 list for this option) 3. <i>Electrical infeed post:</i> L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None	The posts on this page do not support the hanging of panel mount product above the 79"H panels.  The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.  If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.  Left and Right hand locations are determined by facing the post in question from the outside of the station.  Hookstrip cover reveal strips are no charge but must be ordered separately from page 117.





# Required components for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21"	<b>RFTCWS21S</b>	\$63.
	25"	<b>RFTCWS25S</b>	81.
	37"	<b>RFTCWS37S</b>	98.
Ceiling channel 108* and stabilizer beam	108"	<b>RFTCC108</b>	232.
Caddy clips (box of 100)		<b>RFTCCLIPS</b>	336.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		<b>RFTCSpace</b>	106.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		<b>RFTCWT (Pair)</b>	7.
Floor to ceiling beam bracket for top of a stacking module		<b>R3FTCSM (Pair) for G3 only</b>	7.
		<b>RFTCSM (Pair) for G2 only</b>	7.
Floor to ceiling beam bracket for top of a G1 panel		<b>RFTCG1 (Pair)</b>	7.
Floor to ceiling beam bracket for top of a door panel		<b>RFTCDR (Pair)</b>	7.

\*These brackets are to be used with hinge doors only.

Order Code	Specification Information	Application Notes
Example: <b>RFTCWS21S</b>	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>1. Fabric/laminate/wood options</li> <li>2. Paint option for metal soffit</li> </ol> <p>All floor to ceiling posts mimic the panel system post application.</p>	<p>*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.</p> <p>Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.</p> <p><b>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</b></p> <p><b>Use of Reff FTC components must be approved by local building authorities.</b></p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>
<b>R</b> Reff		
<b>FTC</b> Floor to ceiling		
<b>WS</b> Wall starter		
<b>21</b> 21" high		




Power distribution components  
**2+2 Base Raceway**  
*four circuit, eight-wire raceway for panels*  
*power rails and connector*

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	<b>RR3-E24</b>	\$151.	
	30" panel	12"	2"	2"	<b>RR3-E30NS</b>	166.	
	36" panel	18"	2"	2"	<b>RR3-E36NS</b>	182.	
	42" panel	24"	2"	2"	<b>RR3-E42NS</b>	190.	
	48" panel	30"	2"	2"	<b>RR3-E48NS</b>	199.	
	60" panel	42"	2"	2"	<b>RR3-E60-4</b>	302.	
	66" panel	48"	2"	2"	<b>RR3-E66-4</b>	318.	
	72" panel	54"	2"	2"	<b>RR3-E72-4</b>	340.	
	Straight	16 1/2"	2"	2"	<b>RR3-EPC24M</b>	87.	
		18 1/2"	2"	2"	<b>RR3-EPCSM</b>	87.	
		20 1/4"	2"	2"	<b>RR3-EPCM</b>	87.	
	Use <b>RR3-EPC24M</b> for straight 24" to 24" wide panel. Use <b>RR3-EPCSM</b> for straight 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-EPCM</b> for all other straight power connection configurations.						
	Through post	19"	2"	2"	<b>RR3-EPCP24M</b>	87.	
		21"	2"	2"	<b>RR3-EPCPSM</b>	87.	
		22 3/4"	2"	2"	<b>RR3-EPCPM</b>	87.	
	Use <b>RR3-EPCP24M</b> for through post 24" to 24" wide panels. Use <b>RR3-EPCPSM</b> for through post 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-EPCPM</b> for all other through post power connection configurations.						
		Circuit A				<b>RR3-DA</b>	42.
		Circuit B				<b>RR3-DB</b>	42.
Circuit X					<b>RR3-DX</b>	42.	
Circuit Y					<b>RR3-DY</b>	42.	
	Circuit X				<b>RR3-DXO</b>	47.	
	Circuit Y				<b>RR3-DYO</b>	47.	
Data Shield	1 pair				<b>RR3-DATSHD</b>	29.	
Attaches to power rail, sits under duplex							

Order Code	Specification Information	Application Notes
Example: <b>RR3-E-24</b> <b>RR3</b> Reff raceway <b>E</b> Eight wire 2+2 <b>24</b> for 24" panel	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.  Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.  Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.
		Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.  Power connectors are enclosed in steel flexible conduit.  *Power connectors must be specified according to the panel widths in the specified orientation.  If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.



Power distribution components  
**2+2 Base Raceway**  
*four circuit, eight-wire raceway for panels*  
*jumpers and infeed*

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	<b>RR3-EJ18</b>	\$109.
	20" panel	40"	2"	2"	<b>RR3-EJ20</b>	109.
	24" panel	44"	2"	2"	<b>RR3-EJ24</b>	118.
	30" panel	50"	2"	2"	<b>RR3-EJ30</b>	126.
	36" panel	56"	2"	2"	<b>RR3-EJ36</b>	137.
	42" panel	62"	2"	2"	<b>RR3-EJ42</b>	144.
	48" panel	68"	2"	2"	<b>RR3-EJ48</b>	151.
	54" panel run	76 1/2"	2"	2"	<b>RR3-EJ54P</b>	158.
	60" panel run	82 1/2"	2"	2"	<b>RR3-EJ60P</b>	166.
	66" panel run	88 1/2"	2"	2"	<b>RR3-EJ66P</b>	175.
	72" panel run	94 1/2"	2"	2"	<b>RR3-EJ72P</b>	182.
	78" panel run	100 1/2"	2"	2"	<b>RR3-EJ78P</b>	190.
	84" panel run	106 1/2"	2"	2"	<b>RR3-EJ84P</b>	199.
	90" panel run	112 1/2"	2"	2"	<b>RR3-EJ90P</b>	208.
96" panel run	118 1/2"	2"	2"	<b>RR3-EJ96P</b>	215.	
	18" + post	40 1/2"	2"	2"	<b>RR3-EJ18P</b>	109.
	20" + post	42 1/2"	2"	2"	<b>RR3-EJ20P</b>	109.
	24" + post	46 1/2"	2"	2"	<b>RR3-EJ24P</b>	118.
	30" + post	52 1/2"	2"	2"	<b>RR3-EJ30P</b>	126.
	36" + post	58 1/2"	2"	2"	<b>RR3-EJ36P</b>	137.
	42" + post	64 1/2"	2"	2"	<b>RR3-EJ42P</b>	144.
	48" + post	70 1/2"	2"	2"	<b>RR3-EJ48P</b>	151.
	Ceiling power cable infeed. Eight-wire				<b>RR3-EPVR</b>	302.
	Hardwire infeed (NYC) one direction				<b>RR3-EPNY1</b>	220.
	Hardwire infeed (NYC) two directions				<b>RR3-EPNY2</b>	331.
	Panel base end feed				<b>RR3-REPI</b>	262.
	Panel base side infeed				<b>RR3-EPI</b>	262.
	Surge suppressors				<b>RR3-SP-(A,B,X,Y)</b>	190.


Order Code	Specification Information	Application Notes								
<p>Example: <b>RR3-EPVR</b></p> <table border="1"> <tr> <td><b>RR3</b></td> <td>Reff raceway</td> </tr> <tr> <td><b>E</b></td> <td>Eight wire 2+2</td> </tr> <tr> <td><b>P</b></td> <td>power infeed</td> </tr> <tr> <td><b>VR</b></td> <td>for vertical raceway</td> </tr> </table>	<b>RR3</b>	Reff raceway	<b>E</b>	Eight wire 2+2	<b>P</b>	power infeed	<b>VR</b>	for vertical raceway	<p>Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.</p> <p>For use in Canada, all circuits are CGA rated 15 amp capacity.</p> <p><i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection</p> <p>into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.</p> <p>Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. <b>RR3-EPNY2</b> includes two power connectors to power panels on both sides of infeed panel; <b>RR3-EPNY1</b> includes only one power connector.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p>
<b>RR3</b>	Reff raceway									
<b>E</b>	Eight wire 2+2									
<b>P</b>	power infeed									
<b>VR</b>	for vertical raceway									


# Power distribution components

## 3+3 Base Raceway

### six circuit, ten-wire raceway for panels

### power rails and connectors

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	<b>RR3-T24</b>	\$175.
	30" panel	12"	2"	2"	<b>RR3-T30NS</b>	190.
	36" panel	18"	2"	2"	<b>RR3-T36NS</b>	208.
	42" panel	24"	2"	2"	<b>RR3-T42NS</b>	220.
	48" panel	30"	2"	2"	<b>RR3-T48NS</b>	229.
	60" panel	42"	2"	2"	<b>RR3-T60-4</b>	358.
	66" panel	48"	2"	2"	<b>RR3-T66-4</b>	372.
	72" panel	54"	2"	2"	<b>RR3-T72-4</b>	398.

	Straight	16 1/2"	2"	2"	<b>RR3-TPC24</b>	109.
		18 1/2"	2"	2"	<b>RR3-TPCS</b>	109.
		20 1/4"	2"	2"	<b>RR3-TPCM</b>	109.
	Through post	19"	2"	2"	<b>RR3-TPCP24</b>	109.
21"		2"	2"	<b>RR3-TPCPS</b>	109.	
22 3/4"		2"	2"	<b>RR3-TPCPM</b>	109.	

Use **RR3-TPC24** for through post 24" to 24" wide panels.

Use **RR3-TPCS** for through post 24" to any other width panel and for 30" to 30" wide panels.


Use **RR3-TPC** for all other through post power connection configurations.

Use **RR3-TPCP24** for through post 24" to 24" wide panels.

Use **RR3-TPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-TPCP** for all other through post power connection configurations.

	Circuit A	<b>RR3-DA</b>	42.
	Circuit B	<b>RR3-DB</b>	42.
	Circuit C	<b>RR3-DC</b>	42.
	Circuit X	<b>RR3-DX</b>	42.
	Circuit Y	<b>RR3-DY</b>	42.
	Circuit Z	<b>RR3-DZ</b>	42.

	Circuit X	<b>RR3-DXO</b>	47.
	Circuit Y	<b>RR3-DYO</b>	47.
	Circuit Z	<b>RR3-DZO</b>	47.

Data Shield	1 pair	<b>RR3-DATSHD</b>	29.
-------------	--------	-------------------	-----

#### Order Code

Example: <b>RR3-T-24</b>	
<b>RR3</b>	Reff raceway
<b>T</b>	Ten wire 3+3
<b>24</b>	for 24" panel

#### Specification Information

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

#### Note:

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

#### Application Notes

Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.




\*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components  
**3+3 Base Raceway**  
*six circuit, ten-wire raceway for panels*  
*jumpers and infeed*

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	<b>RR3-TJ18</b>	\$126.
	20" panel	40"	2"	2"	<b>RR3-TJ20</b>	126.
	24" panel	44"	2"	2"	<b>RR3-TJ24</b>	137.
	30" panel	50"	2"	2"	<b>RR3-TJ30</b>	144.
	36" panel	56"	2"	2"	<b>RR3-TJ36</b>	151.
	42" panel	62"	2"	2"	<b>RR3-TJ42</b>	166.
	48" panel	68"	2"	2"	<b>RR3-TJ48</b>	182.
	54" panel run	76 1/2"	2"	2"	<b>RR3-TJ54P</b>	190.
	60" panel	82 1/2"	2"	2"	<b>RR3-TJ60P</b>	199.
	66" panel run	86 1/2"	2"	2"	<b>RR3-TJ66P</b>	208.
	72" panel run	94 1/2"	2"	2"	<b>RR3-TJ72P</b>	215.
	78" panel run	100 1/2"	2"	2"	<b>RR3-TJ78P</b>	220.
	84" panel run	106 1/2"	2"	2"	<b>RR3-TJ84P</b>	241.
90" panel run	112 1/2"	2"	2"	<b>RR3-TJ90P</b>	246.	
96" panel run	118 1/2"	2"	2"	<b>RR3-TJ96P</b>	253.	
	18" + post	40 1/2"	2"	2"	<b>RR3-TJ18P</b>	126.
	20" + post	46 1/2"	2"	2"	<b>RR3-TJ20P</b>	126.
	24" + post	46 1/2"	2"	2"	<b>RR3-TJ24P</b>	137.
	30" + post	52 1/2"	2"	2"	<b>RR3-TJ30P</b>	144.
	36" + post	58 1/2"	2"	2"	<b>RR3-TJ36P</b>	151.
	42" + post	64 1/2"	2"	2"	<b>RR3-TJ42P</b>	166.
	48" + post	70 1/2"	2"	2"	<b>RR3-TJ48P</b>	182.
	Ceiling power cable infeed. Ten-wire				<b>RR3-TPVR</b>	365.
	Hardwire infeed (NYC) one direction **				<b>RR3-TPNY1</b>	253.
	Hardwire infeed (NYC) two directions **				<b>RR3-TPNY2</b>	365.
	Panel base end feed				<b>RR3-RTPI</b>	302.
	Panel base side infeed				<b>RR3-TPI</b>	302.
	Surge suppressors *				<b>RR3-SP-(A, B, C, X, Y, Z)</b>	190.



\* Select which circuit needs protecting and order the specified surge processor.

\*\* For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: <b>RR3-TPVR</b> <b>RR3</b> Reff raceway <b>T</b> Ten wire 3+3 <b>P</b> power infeed <b>VR</b> for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

# Power distribution components

## Hardwire box

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	<b>RR3CHI241</b>	\$235.
	30" panel	<b>RR3CHI301</b>	274.
	36" panel	<b>RR3CHI361</b>	295.
	42" panel	<b>RR3CHI421</b>	298.
	48" panel	<b>RR3CHI481</b>	319.
Chicago Hardwire Box 2 Sided 	24" panel	<b>RR3CHI242</b>	244.
	30" panel	<b>RR3CHI302</b>	292.
	36" panel	<b>RR3CHI362</b>	300.
	42" panel	<b>RR3CHI422</b>	304.
	48" panel	<b>RR3CHI482</b>	339.

### Order Code

Example: <b>RR3CHI241</b>	
<b>RR3</b>	Reff/AutoStrada raceway G3
<b>CHI</b>	Chicago Hardwire Box
<b>24</b>	For 24" wide panel
<b>1</b>	One sided raceway


### Specification Information

Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.


### Application Notes

Certified electrician to install.  
Reff Hardwire Box  
Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		<b>RR3-E24S</b>	\$158.
	30" panel		<b>RR3-E30S</b>	182.
	36" panel		<b>RR3-E36S</b>	199.
	42" panel		<b>RR3-E42S</b>	215.
	48" panel		<b>RR3-E48S</b>	220.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		<b>RR3-T24S</b>	190.
	30" panel		<b>RR3-T30S</b>	208.
	36" panel		<b>RR3-T36S</b>	220.
	42" panel		<b>RR3-T42S</b>	241.
	48" panel		<b>RR3-T48S</b>	246.



### Order Code

Example: <b>RR3-E24S</b>
<b>RR3</b> Reff raceway
<b>E</b> Eight wire 3+3
<b>24</b> For 24" panel
<b>S</b> Single sided power

\*Power connectors must be specified according to the panel widths in the specified orientation.

### Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

*Note:*

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

### Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.

Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

### Vertical Adjacent Jumper

\* \*\*Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

### Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.


description	type	w	pattern no.	list price
Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	<b>RR3-LTPC24</b>	\$109.
	Beltway post	19 1/2"	<b>RR3-LTPC</b>	109.
	Beltway post	21 1/2"	<b>RR3-LTPCP</b>	109.



Only necessary for post applications where cable will turn 90°ree.  
A standard power connector will go through a post in a straight run.






Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)	<b>RR3-TBBCS</b>	158.
	For 30" wide Beltway panels (8 Wire)	<b>RR3-EBBCS</b>	150.
	For 36" to 48" wide Beltway panels (10 Wire)	<b>RR3-TBBCCL</b>	167.
	For 36" to 48" wide Beltway panels (8 Wire)	<b>RR3-EBBCCL</b>	158.

Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel	24" wide Eight Wire	<b>RR3EJ48</b>	151.
	24" wide Ten Wire	<b>RR3TJ48</b>	182.
	30" wide Ten Wire	<b>RR3TJ60P</b>	199.
	30" wide Ten Wire	<b>RR3TJ60P</b>	199.
	36" wide Eight Wire	<b>RR3EJ60P</b>	166.
	36" wide Eight Wire	<b>RR3EJ60P</b>	166.
	42" wide Eight Wire	<b>RR3EJ66P</b>	175.
	42" wide Ten Wire	<b>RR3TJ66P</b>	208.
	48" wide Eight Wire	<b>RR3EJ72P</b>	182.
	48" wide Ten Wire	<b>RR3TJ72P</b>	215.




Order Code	Specification Information	Application Notes
Example: <b>RR3-E24S</b>	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.
<b>RR3</b> Reff raceway	Two side beltway panels use power rail for base.	<b>Vertical Adjacent Jumper</b> * **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.
<b>E</b> Eight wire 3+3	Single side beltway panel use one sided power rail for base.	<b>Vertical Jumper</b> When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.
<b>24</b> For 24" panel	<i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.
<b>S</b> Single sided power		

\*Power connectors must be specified according to the panel widths in the specified orientation.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	<b>RR3-FB</b>	\$15.
	Faceplate extender, black	<b>RR3-FE</b>	36.
	Three port faceplate, black	<b>RR3-3PF</b>	10.
	Two port faceplate, black	<b>RR3-2PF</b>	10.
 Snap in module (must be used with faceplate)	BNC coupler, black	<b>RR3-BNC</b>	22.
	Cat 3 RJ11/14/25, black	<b>RR3-C3C</b>	14.
	CAT 5 RJ45 universal	<b>RR3-C5C</b>	22.
	CAT 6 universal	<b>RR3-C6C</b>	37.
	F series video coupler, black	<b>RR3-FV</b>	22.
	ST style coupler, black	<b>RR3-ST</b>	37.
 Icons (sets of 10)	Data icons, 16 piece black	<b>RR3-DICON</b>	15.
	Mixed icons, 16 piece black	<b>RR3-MICON</b>	15.
	Phone icons, 16 piece black	<b>RR3PICON</b>	15.
 Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	<b>RR3-C5C4A</b>	148.
	4 Cat 5 RJ45-T568B extended face, black	<b>RR3-C5C4B</b>	148.
 Fiber optics	Sc style dual fiber optic side mount	<b>RR3-FOSC</b>	187.
	ST style dual fiber optic side mount	<b>RR3-FOST</b>	106.
 Desktop duplex monument	2-RJ11 (telephone)	<b>RGMD6</b>	112.
	2-RJ45's (phone and intercom)	<b>RGMD8</b>	125.
	Duplex outlet (electrical)	<b>RGMDE</b>	136.

Order Code	Specification Information	Application Notes
Example: <b>RR3-2PF</b>	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
<b>RR3</b> Reff raceway		
<b>2PF</b> Two port face	Icons can be ordered to distinguish intended use.	
Example: <b>RR3-C5CA</b>	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
<b>RR3</b> Reff raceway		
<b>C5CA</b> Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





### Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.





**Vertical power port bracket kit and duplex.**




# Reff Ported Panel Components

## port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Port 	Floating data port	<b>RR3FDP</b>	\$59.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	<b>RR3VPBK</b>	93.

Vertical Duplex 	Vertical Duplex A (8/10 wire applications)	<b>RR3VDA</b>	31.
	Vertical Duplex B (8/10 wire applications)	<b>RR3VDB</b>	31.
	Vertical Duplex C (10 wire applications)	<b>RR3VDC</b>	31.
	Vertical Duplex X (8/10 wire applications)	<b>RR3VDX</b>	31.
	Vertical Duplex X Iso (8/10 wire applications)	<b>RR3VDXO</b>	31.
	Vertical Duplex Y (8/10 wire applications)	<b>RR3VDY</b>	31.
	Vertical Duplex Y Iso (8/10 wire applications)	<b>RR3VDYO</b>	31.
	Vertical Duplex Z (10 wire applications)	<b>RR3VDZ</b>	31.
	Vertical Duplex Z Iso (10 wire applications)	<b>RR3VDZO</b>	31.

Same Panel Jumper, 8w 	30" same Panel Jumper 50" 8w	<b>RR3EBVC50</b>	158.
	30" same Panel Jumper 64" 8w	<b>RR3EBVC64</b>	172.
	30" same Panel Jumper 78" 8w	<b>RR3EBVC78</b>	187.
	36" + same Panel Jumper 62" 8w	<b>RR3EBVC62</b>	171.
	36" + same Panel Jumper 76" 8w	<b>RR3EBVC76</b>	186.
	36" + same Panel Jumper 90" 8w	<b>RR3EBVC90</b>	203.


Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	<b>RR3TBVC50</b>	181.
	30" same Panel Jumper 64" 10w	<b>RR3TBVC64</b>	199.
	30" same Panel Jumper 78" 10w	<b>RR3TBVC78</b>	217.
	36" + same Panel Jumper 62" 10w	<b>RR3TBVC62</b>	194.
	36" + same Panel Jumper 76" 10w	<b>RR3TBVC76</b>	213.
	36" + same Panel Jumper 90" 10w	<b>RR3TBVC90</b>	229.

Order Code	Specification Information	Application Note
Example: <b>RR3FDP</b> <b>RR3</b> Reff <b>F</b> Floating <b>DP</b> Data Port	For data and communications specify product listed on page 134.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h  36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h
		If harness is in base of 24" panel you can not jump vertically, must remove harness.  A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.  Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.  Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high  All covers plates and snap in modules are black.

# Reff Ported Panel Components


## port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	<b>RR3TVJ110</b>	\$249.
	Adjacent Panel Jumper 82" 10w	<b>RR3TVJ82</b>	214.
	Adjacent Panel Jumper 96" 10w	<b>RR3TVJ96</b>	232.



Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	<b>RR3EVJ110</b>	218.
	Adjacent Panel Jumper 82" 8w	<b>RR3EVJ82</b>	190.
	Adjacent Panel Jumper 96" 8w	<b>RR3EVJ96</b>	207.

Internal Panel Jumper	Internal Panel Jumper 10 w	<b>RR3TVJ</b>	159.
	Internal Panel Jumper 8 w	<b>RR3EVJ</b>	148.



### Order Code

Example:	<b>RR3FDP</b>
<b>RR3</b>	Reff
<b>F</b>	Floating
<b>DP</b>	Data Port

### Specification Information

For data and communications specify product listed on page 134.

30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.  
 50" will support port location in extreme top corner of 49"h  
 64" will support port location in extreme top corner of 64"h  
 78" will support port location in extreme top corner of 79"h

36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.  
 62" will support port location in extreme top corner of 49"h  
 76" will support port location in extreme top corner of 64"h  
 90" will support port location in extreme top corner of 79"h

If harness is in base of 24" panel you can not jump vertically, must remove harness.

A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.

Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.

Adjacent Panel Jumpers:  
 82" is max for 49" high panel  
 96" is max if panel is 64" high  
 110" is max if panel is 79" high

All covers plates and snap in modules are black.

### Worksurfaces

The selection of worksurface sizes and their relationship to each other are primary considerations when planning a Reff Profiles office. Refer to the illustrations in the Introduction to Desk Height Planning to see how the various heights of storage and worksurface supports relate to the choice of worksurface thickness. Reff worksurfaces are available in three thicknesses: 1", 1 ¼" and 1 ½". Construction details specific to the 1 ¼" thick surfaces, including Waterfall, Cascade and Edge Detail surfaces, can be found in the Reff Planning Guide circa 2000 (Pages 29 and 86)

When selecting top sizes consider whether storage components can be used to support the surfaces and what other worksurface supports will be required.

**NOTE:** Additional support is required when using 1" thick credenza tops for unsupported spans over 36". 1 ¼" thick worksurfaces require additional support for an unsupported span of more than 48". When using 1 ½" thick worksurfaces the maximum unsupported span is 54".

**NOTE:** All dimensions shown in these descriptions and on the Worksurface price pages are nominal dimensions. Actual widths are 1/16" less than nominal. Actual depths are 1/8" less than nominal.

### Construction

All worksurfaces feature 3-ply construction (see figure below) and can be specified in laminate, veneer or laminate tops with veneer edges. Laminate tops have a laminate top surface with an FSC-certified, 45-pound density particle board core and neutral tone backer sheet for balanced construction. Edges match the top in 2.0mm ABS with 2.8mm radius top and bottom edges. Ends overlap the front and back edges (see figure below).

Techwood and natural veneer tops have a veneer top surface, an FSC-certified, 45-pound density particle board core and a neutral tone backer sheet for balanced construction. Veneer tops have matching finish 2.4mm thick solid veneer edges on all sides. Edges are 2.4mm thick and have a 2.4mm radius top and bottom edges.

All worksurfaces except Bridge Rectilinear worksurfaces are pre-drilled with pilot holes for use with wood screws.

### Application Notes


1 ¼" Straight Rectilinear worksurfaces are available in 20", 24", 30" and 36" depths for regular worksurface applications. Widths available range from 24" to 96" in 6" increments.

1 ½" Straight Rectilinear worksurfaces are available in 20", 24", 30" and 36" depths for regular worksurface applications. Widths available range from 24" to 108" in 6" increments.


Bridge Rectilinear worksurfaces are 1 ½" thick and available from 36"W to 54" wide in 6 inch increments in either 20" or 24" depths. They can be ordered with the grain specified to run either vertically (across the depth of the surface) or horizontally (along the length of the surface) when specified in wood grain laminate or veneer finish.

Credenza Tops are available in both 1" and in 1 ½" thicknesses and in widths from 60" to 108" in 6" increments.

Rectilinear worksurfaces can be specified in non-standard dimensions. For information, contact Knoll Custom Product Development



**Top Construction**



**Edge Banding**

### 1 ¼" Worksurface Straight Rectilinear

Size Availability & Grain Direction

	20"D	24"D	30"D	36"D
24"W				
30"W				
36"W				
42"W				
48"W				
54"W				
60"W				
66"W				
72"W				
78"W				
84"W				
90"W				
96"W				

### 1 ½" Worksurface Straight Rectilinear

Size Availability & Grain Direction

	20"D	24"D	30"D	36"D
24"W				
30"W				
36"W				
42"W				
48"W				
54"W				
60"W				
66"W				
72"W				
78"W				
84"W				
90"W				
96"W				
108"W				

### 1 ½" Bridge Rectilinear

Size Availability & Grain Direction

	20"D	24"D
36"W		
42"W		
48"W		
54"W		

Horizontal Grain Direction

	20"D	24"D
36"W		
42"W		
48"W		
54"W		

Vertical Grain Direction

### 1 ½" Worksurface Credenza

Size Availability & Grain Direction

60"W		
66"W		
72"W		
78"W		
84"W		
90"W		
96"W		
108"W		

### 1" Worksurface Credenza

Size Availability & Grain Direction

60"W		
66"W		
72"W		
78"W		
84"W		
90"W		
96"W		
108"W		

### Grommets

Grommets are optional and must be specified by adding the appropriate designation to the pattern number. Designations are:

- N = No grommet
- F = Flush grommet location
- R = Recessed grommet location

Rectilinear worksurfaces 24" to 48" wide receive one grommet centered on the back edge of the worksurface. Rectilinear worksurfaces over 48" wide receive two grommets along the back edge.

1 ¼" and 1 ½" thick rectilinear tops are available with no grommet, flush grommet or recessed grommets.

1 ½" thick credenza tops come standard with a 1 ⅜" deep edge grommet which runs along the rear of the worksurface to within 6" of each end (see figure below).

The 1" credenza tops are available with or without an edge grommet.

Refer to page 102 of the Reff Planning Guide, circa 2000, for 2" x 3" grommet locations.

For non-standard grommet locations contact Knoll Custom Product Development.


### Planning for Worksurface Thicknesses

Critical to the correct specification of Reff Profiles is an understanding of worksurface thicknesses, support component heights and their relationship to each other. Worksurfaces and support components can be combined to create the following overall finish heights:

23 ⅜" – Intended as a credenza height in 28 ⅜"H planning scenarios; this height is achieved using 1" thick worksurfaces with 22 ⅜"H (¾ height) storage components.

27 ¾" – Intended as the overall worksurface height in a panel supported workstation scenario; this height is achieved by combining "Standard height" 26 ½" storage or support components with 1 ¼" thick worksurfaces.


29 ⅞" – Intended as the overall worksurface height in freestanding office scenarios; this height is achieved by combining "Desk height" 28 ⅜" storage or support components with 1 ½" thick worksurfaces.



Edge Grommet Detail

Edge Grommet


Worksurface 1 1/4"  
rectilinear  
20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	<b>RSA241-()()</b>	\$331.	\$369.	\$425.	\$572.
		30"	<b>RSA301-()()</b>	363.	406.	465.	627.
		36"	<b>RSA361-()()</b>	384.	427.	490.	664.
		42"	<b>RSA421-()()</b>	398.	447.	514.	694.
		48"	<b>RSA481-()()</b>	419.	464.	534.	720.
		54"	<b>RSA541-()()</b>	435.	482.	557.	754.
		60"	<b>RSA601-()()</b>	470.	521.	599.	811.
		66"	<b>RSA661-()()</b>	480.	538.	620.	836.
		72"	<b>RSA721-()()</b>	509.	567.	649.	877.
		78"	<b>RSA781-()()</b>	515.	572.	658.	890.
		84"	<b>RSA841-()()</b>	546.	613.	701.	946.
		90"	<b>RSA901-()()</b>	572.	634.	729.	986.
	96"	<b>RSA961-()()</b>	593.	658.	757.	1,021.	
	24"	24"	<b>RSA242-()()</b>	348.	387.	447.	603.
		30"	<b>RSA302-()()</b>	394.	437.	506.	681.
		36"	<b>RSA362-()()</b>	407.	459.	523.	706.
		42"	<b>RSA422-()()</b>	424.	470.	541.	729.
		48"	<b>RSA482-()()</b>	450.	506.	580.	782.
		54"	<b>RSA542-()()</b>	480.	538.	620.	836.
		60"	<b>RSA602-()()</b>	520.	578.	661.	895.
		66"	<b>RSA662-()()</b>	532.	595.	686.	925.
		72"	<b>RSA722-()()</b>	560.	622.	718.	969.
78"		<b>RSA782-()()</b>	583.	651.	753.	1,014.	
84"	<b>RSA842-()()</b>	608.	679.	780.	1,054.		
90"	<b>RSA902-()()</b>	639.	707.	813.	1,097.		
96"	<b>RSA962-()()</b>	661.	735.	847.	1,143.		

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RSA241RL</b>	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>R</b> Reff	<i>1. Grommet options:</i>	Worksurface stiffeners recommended to provide additional support for open spans greater than 54" w.
<b>S</b> Straight top	CF = Classic grommet in Flush location	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>A</b> 1 1/4" thick	PF = Profiles grommet in Flush location	Classic type grommet sits even with top of the worksurface.
<b>24</b> 24" wide	N = No Grommet	Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
<b>1</b> 20" deep	<i>2. Grommet finishes:</i>	<b>Note:</b> When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
<b>CF</b> Grommet Option	Painted or Plated	<b>Note:</b> Recessed grommet location is note recommended for 20" and 24" deep tops.
<b>111</b> Jet Black (grommet)	<i>3. Finish type:</i>	
<b>L</b> Laminate finish	L = Laminate	
<b>114</b> Folkstone grey	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

Worksurface 1 1/4"  
 rectilinear  
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	<b>RSA243-()</b> ( )	\$381.	\$422.	\$483.	\$652.
		30"	<b>RSA303-()</b> ( )	427.	475.	546.	738.
		36"	<b>RSA363-()</b> ( )	459.	513.	588.	792.
		42"	<b>RSA423-()</b> ( )	477.	532.	614.	829.
		48"	<b>RSA483-()</b> ( )	511.	569.	652.	882.
		54"	<b>RSA543-()</b> ( )	552.	616.	704.	951.
		60"	<b>RSA603-()</b> ( )	573.	635.	731.	988.
		66"	<b>RSA663-()</b> ( )	582.	650.	752.	1,013.
		72"	<b>RSA723-()</b> ( )	600.	667.	765.	1,033.
		78"	<b>RSA783-()</b> ( )	627.	698.	803.	1,083.
		84"	<b>RSA843-()</b> ( )	650.	726.	835.	1,127.
		90"	<b>RSA903-()</b> ( )	682.	758.	874.	1,180.
	96"	<b>RSA963-()</b> ( )	706.	787.	905.	1,222.	
	36"	60"	<b>RSA604-()</b> ( )	659.	734.	842.	1,137.
		66"	<b>RSA664-()</b> ( )	682.	759.	876.	1,181.
		72"	<b>RSA724-()</b> ( )	705.	786.	904.	1,221.

Order Code	Specification Information	Application Notes
Example: <b>RSA243RL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Top thickness	4. <i>Top finish</i>
<b>S</b> Straight top	2. Grommet option	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>A</b> 1 1/4" thick	3. Top finish type	<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>24</b> 24" wide	4. Top finish	<b>Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.</b>
<b>3</b> 30" deep	5. Grommet finish	<b>Note:</b> Recessed front grommets are only advisable for 30" & 36" deep tops.
<b>CR</b> Grommet option	1. <i>Grommet options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>111</b> Jet Black (grommet)	CF = Classic grommet in Flush location.	Worksurface stiffeners recommended to provide additional support for open spans greater than 54"w.
<b>L</b> Laminate finish	CR = Classic grommet in Recessed location.	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>114</b> Folkstone grey	PF = Profiles grommet in Flush location.	Classic type grommet sits even with top of the worksurface.
	PR = Profiles grommet in Recessed location.	Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
	N = No grommet	<b>Note:</b> When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
	*CA = Classic grommet in Alternative location.	<b>Note:</b> Recessed grommet location is note recommended for 20" and 24" deep tops.
	*PA = Profile grommet in Alternative location.	
	* <b>Note:</b> FA and PA are for 36"D tops only.	
	2. <i>Grommet finish:</i>	
	Painted or Plated	
	3. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

Worksurface 1 1/4"  
 Return and Bridge rectilinear  
 Horizontal or vertical grain direction

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 1/4" thick 	20"	36"	<b>RSAR361(H/V)()</b> ( ) ( )	\$384.	\$427.	\$490.	\$664.
		42"	<b>RSAR421(H/V)()</b> ( ) ( )	398.	447.	514.	694.
		48"	<b>RSAR481(H/V)()</b> ( ) ( )	419.	464.	534.	720.
		54"	<b>RSAR541(H/V)()</b> ( ) ( )	435.	482.	557.	754.
		60"	<b>RSAR601(H/V)()</b> ( ) ( )	470.	521.	599.	811.
		66"	<b>RSAR661(H/V)()</b> ( ) ( )	480.	538.	620.	836.
		72"	<b>RSAR721(H/V)()</b> ( ) ( )	509.	567.	649.	877.
	24"	36"	<b>RSAR362(H/V)()</b> ( ) ( )	407.	459.	523.	706.
		42"	<b>RSAR422(H/V)()</b> ( ) ( )	424.	470.	541.	729.
		48"	<b>RSAR482(H/V)()</b> ( ) ( )	450.	506.	580.	782.
		54"	<b>RSAR542(H/V)()</b> ( ) ( )	480.	538.	620.	836.
		60"	<b>RSAR602(H/V)()</b> ( ) ( )	520.	578.	661.	895.
		66"	<b>RSAR662(H/V)()</b> ( ) ( )	532.	595.	686.	925.
		72"	<b>RSAR722(H/V)()</b> ( ) ( )	560.	622.	718.	969.

**Order Code**

Example:	<b>RSAR361(H/V)()</b> ( ) ( )
<b>R</b>	Reff
<b>S</b>	Straight top
<b>A</b>	1 1/4" thick top
<b>R</b>	Return
<b>36</b>	36" wide
<b>1</b>	20" deep
<b>H/V</b>	Horizontal or Vertical grain
<b>CF</b>	Grommet option
<b>111</b>	Grommet finish
<b>V316</b>	Worksurface finish

**Specification Information**


To order please specify pattern number including:

- Grommet option:  
 CF = Classic grommet in Flush location.  
 PF = Profiles grommet in Flush location.  
 N = No grommet
- Grommet finish:  
 Painted or Plated
- Worksurface finish:  
 L, V1, V2, V3

**Application Notes**

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces




Classic type grommet sits even with top of the worksurface.

Profiles type grommets have a 1/16" thick flange which rests above the worksurface.



**Note:** When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

U-shaped / Triple: Spanning 3 worksurfaces







# Worksurface 1 1/4" rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	<b>RKA 363611-</b> ( ) ( )	\$681.	\$781.	\$899.	\$1,214.
	20"	20"	36"	42"	<b>RKA 364211-</b> ( ) ( )	720.	830.	950.	1,281.
	20"	20"	36"	48"	<b>RKA 423611-</b> ( ) ( )	764.	878.	1,011.	1,364.
	20"	20"	42"	36"	<b>RKA 423611-</b> ( ) ( )	720.	830.	950.	1,281.
	20"	20"	42"	42"	<b>RKA 424211-</b> ( ) ( )	764.	878.	1,011.	1,364.
	20"	20"	42"	48"	<b>RKA 424811-</b> ( ) ( )	833.	958.	1,103.	1,488.
	20"	20"	48"	36"	<b>RKA 483611-</b> ( ) ( )	764.	878.	1,011.	1,364.
	20"	20"	48"	42"	<b>RKA 484211-</b> ( ) ( )	833.	958.	1,103.	1,488.
	20"	20"	48"	48"	<b>RKA 484811-</b> ( ) ( )	879.	1,011.	1,161.	1,567.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	<b>RKA 363622-</b> ( ) ( )	774.	885.	1,018.	1,375.
	24"	24"	36"	42"	<b>RKA 364222-</b> ( ) ( )	813.	934.	1,072.	1,448.
	24"	24"	36"	48"	<b>RKA 364822-</b> ( ) ( )	856.	984.	1,128.	1,524.
	24"	24"	42"	36"	<b>RKA 423622-</b> ( ) ( )	813.	934.	1,072.	1,448.
	24"	24"	42"	42"	<b>RKA 424222-</b> ( ) ( )	856.	984.	1,128.	1,524.
	24"	24"	42"	48"	<b>RKA 424822-</b> ( ) ( )	925.	1,064.	1,225.	1,652.
	24"	24"	48"	36"	<b>RKA 483622-</b> ( ) ( )	856.	984.	1,128.	1,524.
	24"	24"	48"	42"	<b>RKA 484222-</b> ( ) ( )	925.	1,064.	1,225.	1,652.
	24"	24"	48"	48"	<b>RKA 484822-</b> ( ) ( )	971.	1,116.	1,280.	1,727.

Order Code	Specification Information	Application Notes
Example: <b>RKA363611N1</b>	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
<b>R</b> Reff		
<b>K</b> Straight front corner	<i>1. Grommet options:</i>	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>A</b> 1 1/4" top thickness	CF = Classic grommet in flush location	Actual widths are 1/16" less all around on corner worksurfaces.
<b>36</b> 36" wide on left back	PF = Profiles grommet in flush location	Classic type grommet sits even with top of the worksurface.
<b>36</b> 36" wide on right back	N = No Grommet	Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
<b>1</b> 20" deep on left side		<b>Note:</b> When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.
<b>1</b> 20" deep on right side	<i>2. Grommet finish:</i>	
<b>N</b> No grommet option	Painted or Plated	
Grommet Finish		
<b>1</b> V1 finish	<i>3. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>Y324</b> Ash	L = Laminate	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>( )</b> Grommet Finish	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>4. Top finish</i>	

# Worksurface 1 1/4" rectilinear corner tops

Worksurfaces

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	<b>RKA 363612-()</b> ( )	\$709.	\$813.	\$939.	\$1,266.
	20"	24"	36"	42"	<b>RKA 364212-()</b> ( )	750.	862.	989.	1,335.
	20"	24"	36"	48"	<b>RKA 364812-()</b> ( )	796.	912.	1,050.	1,416.
	20"	24"	42"	36"	<b>RKA 423612-()</b> ( )	750.	862.	989.	1,335.
	20"	24"	42"	42"	<b>RKA 424212-()</b> ( )	796.	912.	1,050.	1,416.
	20"	24"	42"	48"	<b>RKA 424812-()</b> ( )	867.	992.	1,144.	1,545.
	20"	24"	48"	36"	<b>RKA 483612-()</b> ( )	796.	912.	1,050.	1,416.
	20"	24"	48"	42"	<b>RKA 484212-()</b> ( )	867.	992.	1,144.	1,545.
	20"	24"	48"	48"	<b>RKA 484812-()</b> ( )	909.	1,046.	1,201.	1,622.
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	<b>RKA 363621-()</b> ( )	709.	813.	939.	1,266.
	24"	20"	36"	42"	<b>RKA 364221-()</b> ( )	750.	862.	989.	1,335.
	24"	20"	36"	48"	<b>RKA 364821-()</b> ( )	796.	912.	1,050.	1,416.
	24"	20"	42"	36"	<b>RKA 423621-()</b> ( )	750.	862.	989.	1,335.
	24"	20"	42"	42"	<b>RKA 424221-()</b> ( )	796.	912.	1,050.	1,416.
	24"	20"	42"	48"	<b>RKA 424821-()</b> ( )	867.	992.	1,144.	1,545.
	24"	20"	48"	36"	<b>RKA 483621-()</b> ( )	796.	912.	1,050.	1,416.
	24"	20"	48"	42"	<b>RKA 484221-()</b> ( )	867.	992.	1,144.	1,545.
	24"	20"	48"	48"	<b>RKA 484821-()</b> ( )	909.	1,046.	1,201.	1,622.

Order Code	
Example: <b>RKA363611N1</b>	
<b>R</b>	Reff
<b>K</b>	Straight front corner
<b>A</b>	1 1/4" top thickness
<b>36</b>	36" wide on left back
<b>36</b>	36" wide on right back
<b>1</b>	20" deep on left side
<b>1</b>	20" deep on right side
<b>N</b>	No grommet option
	Grommet Finish
<b>1</b>	V1 finish
<b>Y324</b>	Ash
<b>()</b>	Grommet Finish

**Specification Information**

*To order please specify pattern number including:*

1. *Grommet options:*  
 CF = Classic grommet in flush location  
 PF = Profiles grommet in flush location  
 N = No Grommet

2. *Grommet finish:*  
 Painted or Plated

3. *Finish type:*  
 L = Laminate  
 M = Wood/laminate mixed  
 1 = V1  
 2 = V2  
 3 = V3

4. *Top finish*

**Application Notes**

Please call Custom Product Development for special grommet locations.

**Knoll accepts no responsibility for special grommet locations which interfere with support hardware.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.





These worksurfaces are predrilled with pilot holes for use with wood screws.

Actual widths are 1/16" less all around on corner worksurfaces.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

**Note:** When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.


# Worksurface 1 1/4" transition wave tops

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	<b>RWA4221-</b> ( ) ( )	\$408.	\$472.	\$543.	\$734.
	24"	48"	20"	<b>RWA4821-</b> ( ) ( )	432.	495.	570.	768.
	24"	54"	20"	<b>RWA5421-</b> ( ) ( )	464.	530.	613.	827.
	24"	60"	20"	<b>RWA6021-</b> ( ) ( )	494.	568.	651.	880.
	24"	66"	20"	<b>RWA6621-</b> ( ) ( )	510.	586.	672.	906.
	24"	72"	20"	<b>RWA7221-</b> ( ) ( )	531.	614.	702.	948.
Wave top transition (left 24") 	24"	36"	30"	<b>RWA3623-</b> ( ) ( )	425.	489.	564.	759.
	24"	42"	30"	<b>RWA4223-</b> ( ) ( )	443.	511.	586.	788.
	24"	48"	30"	<b>RWA4823-</b> ( ) ( )	463.	527.	607.	821.
	24"	54"	30"	<b>RWA5423-</b> ( ) ( )	496.	570.	655.	885.
	24"	60"	30"	<b>RWA6023-</b> ( ) ( )	530.	613.	701.	946.
	24"	66"	30"	<b>RWA6623-</b> ( ) ( )	550.	631.	727.	984.
	24"	72"	30"	<b>RWA7223-</b> ( ) ( )	578.	664.	762.	1,028.
Wave top transition (left 20") 	20"	42"	24"	<b>RWA4212-</b> ( ) ( )	408.	472.	543.	734.
	20"	48"	24"	<b>RWA4812-</b> ( ) ( )	432.	495.	570.	768.
	20"	54"	24"	<b>RWA5412-</b> ( ) ( )	464.	530.	613.	827.
	20"	60"	24"	<b>RWA6012-</b> ( ) ( )	494.	568.	651.	880.
	20"	66"	24"	<b>RWA6612-</b> ( ) ( )	510.	586.	672.	906.
	20"	72"	24"	<b>RWA7212-</b> ( ) ( )	531.	614.	702.	948.
Wave top transition (right 24") 	30"	36"	24"	<b>RWA3632-</b> ( ) ( )	425.	489.	564.	759.
	30"	42"	24"	<b>RWA4232-</b> ( ) ( )	443.	511.	586.	788.
	30"	48"	24"	<b>RWA4832-</b> ( ) ( )	463.	527.	607.	821.
	30"	54"	24"	<b>RWA5432-</b> ( ) ( )	496.	570.	655.	885.
	30"	60"	24"	<b>RWA6032-</b> ( ) ( )	530.	613.	701.	946.
	30"	66"	24"	<b>RWA6632-</b> ( ) ( )	550.	631.	727.	984.
	30"	72"	24"	<b>RWA7232-</b> ( ) ( )	578.	664.	762.	1,028.


Order Code	Specification Information	Application Notes
Example: <b>RWA4221FL</b>	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
<b>R</b> Reff	<i>1. Grommet options:</i>	36"D wave end top requires 24"D end panel for support.
<b>W</b> Wave top transition	CF = Classic grommet in flush location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	PF = Profiles grommet in flush location	
<b>42</b> 42" wide	N = No Grommet	
<b>2</b> 24" deep on left side	<i>2. Grommet finish:</i>	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>1</b> 20" deep on right side	Painted or Plated	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>CF</b> Grommet option	<i>3. Finish type:</i>	See Planning Guide for grommet locations.
<b>111</b> Jet Black (grommet)	L = Laminate	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>L</b> Laminate finish	M = Wood/laminate mixed	
<b>114</b> Folkstone grey	1 = V1	
	2 = V2	
	3 = V3	
	<i>4. Top finish</i>	
	Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.	
	<b>Note:</b> When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.	
		Please call Custom Product Development for special grommet locations.
		<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.</b>
		Slope section of top remains 2 1/4" on all tops. The straight section grows with length of top.
		Worksurface stiffeners recommended to provide additional support for open spans greater than 54"w.
		Product on this page will accept woodgrain laminate where laminate is currently an option.

# Worksurface 1 1/4" transition wave top ends


description	depth	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20")	20"	36"	32"	<b>RWEA3631-()()</b>	\$544.	\$625.	\$721.	\$971.
	20"	42"	32"	<b>RWEA4231-()()</b>	567.	650.	752.	1,013.
	20"	48"	32"	<b>RWEA4831-()()</b>	597.	687.	788.	1,064.




Wave top end, (right 24")	24"	36"	36"	<b>RWEA3662-()()</b>	564.	648.	744.	1,005.
	24"	42"	36"	<b>RWEA4262-()()</b>	581.	668.	768.	1,037.
	24"	48"	36"	<b>RWEA4862-()()</b>	618.	706.	812.	1,096.



Wave top end, (left 20")	32"	36"	20"	<b>RWEA3613-()()</b>	544.	625.	721.	971.
	32"	42"	20"	<b>RWEA4213-()()</b>	567.	650.	752.	1,013.
	32"	48"	20"	<b>RWEA4813-()()</b>	597.	687.	788.	1,064.



Wave top end, (left 24")	36"	36"	24"	<b>RWEA3626-()()</b>	564.	648.	744.	1,005.
	36"	42"	24"	<b>RWEA4226-()()</b>	581.	668.	768.	1,037.
	36"	48"	24"	<b>RWEA4826-()()</b>	618.	706.	812.	1,096.



Order Code	Specification Information
Example: <b>RWEA3631FL</b>	
<b>R</b>	Reff
<b>E</b>	Wave top ends
<b>A</b>	1 1/4" thick
<b>36</b>	36" wide
<b>3</b>	32" deep on left side
<b>1</b>	20" deep on right side
<b>CF</b>	Grommet option
<b>111</b>	Jet Black (grommet)
<b>L</b>	Laminate finish
<b>114</b>	Folkstone grey

Specification Information
<i>To order please specify pattern number including:</i>
<i>1. Grommet options:</i>
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet
<i>2. Grommet finish:</i>
Painted or Plated
<i>3. Finish type:</i>
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3
<i>4. Top finish</i>
Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes
32"D wave end top requires 20"D end panel for freestanding support.
36"D wave end top requires 24"D end panel for support.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Curvilinear worksurfaces only available in 1 1/4" thick.
See Planning Guide for grommet locations.
Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Please call Custom Product Development for special grommet locations.


**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.**

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 54"w.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.  
**Note:** When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

# Worksurface 1 1/4" curvilinear corner tops - 20" Deep

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20")  	20"	20"	36"	36"	<b>RCA363611-</b> ( ) ( )	\$681.	\$781.	\$899.	\$1,214.
	20"	20"	36"	42"	<b>RCA364211-</b> ( ) ( )	720.	830.	950.	1,281.
	20"	20"	36"	48"	<b>RCA364811-</b> ( ) ( )	764.	878.	1,011.	1,364.
	20"	20"	42"	36"	<b>RCA423611-</b> ( ) ( )	720.	830.	950.	1,281.
	20"	20"	42"	42"	<b>RCA424211-</b> ( ) ( )	764.	878.	1,011.	1,364.
	20"	20"	42"	48"	<b>RCA424811-</b> ( ) ( )	833.	958.	1,103.	1,488.
	20"	20"	48"	36"	<b>RCA483611-</b> ( ) ( )	764.	878.	1,011.	1,364.
	20"	20"	48"	42"	<b>RCA484211-</b> ( ) ( )	833.	958.	1,103.	1,488.
	20"	20"	48"	48"	<b>RCA484811-</b> ( ) ( )	879.	1,011.	1,161.	1,567.

Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	<b>RCA363621-</b> ( ) ( )	709.	813.	939.	1,266.
	24"	20"	36"	42"	<b>RCA364221-</b> ( ) ( )	750.	862.	989.	1,335.
	24"	20"	36"	48"	<b>RCA364821-</b> ( ) ( )	796.	912.	1,050.	1,416.
	24"	20"	42"	36"	<b>RCA423621-</b> ( ) ( )	750.	862.	989.	1,335.
	24"	20"	42"	42"	<b>RCA424221-</b> ( ) ( )	796.	912.	1,050.	1,416.
	24"	20"	42"	48"	<b>RCA424821-</b> ( ) ( )	867.	992.	1,144.	1,545.
	24"	20"	48"	36"	<b>RCA483621-</b> ( ) ( )	796.	912.	1,050.	1,416.
	24"	20"	48"	42"	<b>RCA484221-</b> ( ) ( )	867.	992.	1,144.	1,545.
	24"	20"	48"	48"	<b>RCA484821-</b> ( ) ( )	909.	1,046.	1,201.	1,622.

Order Code	Specification Information	Application Notes
Example: <b>RCA363611N1</b>	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
<b>R</b> Reff		
<b>C</b> Curved front corner		
<b>A</b> 1 1/4" thick		
<b>36</b> 36" wide on left back		
<b>36</b> 36" wide on right back		
<b>1</b> 20" deep on left side		
<b>1</b> 20" deep on right side		
<b>N</b> No grommet		
<b>CF</b> Grommet finish		
<b>1</b> V1 finish		
<b>Y324</b> Ash		
	<p><i>1. Grommet options:</i>            CF = Classic grommet in flush location            PF = Profiles grommet in flush location            N = No Grommet</p> <p><i>2. Grommet finish:</i>            Painted or Plated</p> <p><i>3. Finish type:</i>            L = Laminate            M = Wood/laminate mixed            1 = V1            2 = V2            3 = V3</p> <p><i>4. Top finish</i></p>	<p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>Curvilinear worksurfaces only available in 1 1/4" thick.</p> <p>See Planning Guide for grommet locations.</p>
		<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p><b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.</b></p> <p>Please call Custom Product Development for special grommet locations.</p> <p>Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.</p> <p><b>Note:</b> When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.</p>



# Worksurface 1 1/4" curvilinear corner tops - 24" Deep

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	<b>RCA363612-</b> ( ) ( )	\$709.	\$813.	\$939.	\$1,266.
	20"	24"	36"	42"	<b>RCA364212-</b> ( ) ( )	750.	862.	989.	1,335.
	20"	24"	36"	48"	<b>RCA364812-</b> ( ) ( )	796.	912.	1,050.	1,416.
	20"	24"	42"	36"	<b>RCA423612-</b> ( ) ( )	750.	862.	989.	1,335.
	20"	24"	42"	42"	<b>RCA424212-</b> ( ) ( )	796.	912.	1,050.	1,416.
	20"	24"	42"	48"	<b>RCA424812-</b> ( ) ( )	867.	992.	1,144.	1,545.
	20"	24"	48"	36"	<b>RCA483612-</b> ( ) ( )	796.	912.	1,050.	1,416.
	20"	24"	48"	42"	<b>RCA484212-</b> ( ) ( )	867.	992.	1,144.	1,545.
	20"	24"	48"	48"	<b>RCA484812-</b> ( ) ( )	909.	1,046.	1,201.	1,622.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	<b>RCA363622-</b> ( ) ( )	774.	885.	1,018.	1,375.
	24"	24"	36"	42"	<b>RCA364222-</b> ( ) ( )	813.	934.	1,072.	1,448.
	24"	24"	36"	48"	<b>RCA364822-</b> ( ) ( )	856.	984.	1,128.	1,524.
	24"	24"	42"	36"	<b>RCA423622-</b> ( ) ( )	813.	934.	1,072.	1,448.
	24"	24"	42"	42"	<b>RCA424222-</b> ( ) ( )	856.	984.	1,128.	1,524.
	24"	24"	42"	48"	<b>RCA424822-</b> ( ) ( )	925.	1,064.	1,225.	1,652.
	24"	24"	48"	36"	<b>RCA483622-</b> ( ) ( )	856.	984.	1,128.	1,524.
	24"	24"	48"	42"	<b>RCA484222-</b> ( ) ( )	925.	1,064.	1,225.	1,652.
	24"	24"	48"	48"	<b>RCA484822-</b> ( ) ( )	971.	1,116.	1,280.	1,727.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RCA363612</b>	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
<b>R</b> Reff	<i>1. Grommet options:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>C</b> Curved front corner	CF = Classic grommet in flush location	<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>A</b> 1 1/4" thick	PF = Profiles grommet in flush location	
<b>36</b> 36" wide on left back	N = No Grommet	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>36</b> 36" wide on right back	<i>2. Grommet finish:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>1</b> 20" deep on left side	Painted or Plated	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>2</b> 24" deep on right side	<i>3. Finish type:</i>	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>N</b> No grommet	L = Laminate	See Planning Guide for grommet locations.
Grommet finish	M = Wood/laminate mixed	
<b>1</b> V1 finish	1 = V1	
<b>Y324</b> Ash	2 = V2	
	3 = V3	
	<i>4. Top finish</i>	

# Worksurface 1 1/4" extended curvilinear corner tops

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24") 	36"	72"	<b>RCCDLA23672</b> ( ) ( ) ( )	\$1,881.	\$2,546.	\$3,594.	\$4,848.
	36"	78"	<b>RCCDLA23678</b> ( ) ( ) ( )	1,956.	2,648.	3,735.	5,042.
	36"	84"	<b>RCCDLA23684</b> ( ) ( ) ( )	2,034.	2,755.	3,884.	5,244.
	36"	96"	<b>RCCDLA23696</b> ( ) ( ) ( )	2,116.	2,864.	4,040.	5,456.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	<b>RCCDLA33672</b> ( ) ( ) ( )	1,883.	2,552.	3,603.	4,864.
	36"	78"	<b>RCCDLA33678</b> ( ) ( ) ( )	1,958.	2,655.	3,749.	5,061.
	36"	84"	<b>RCCDLA33684</b> ( ) ( ) ( )	2,037.	2,762.	3,897.	5,260.
	36"	96"	<b>RCCDLA33696</b> ( ) ( ) ( )	2,118.	2,871.	4,054.	5,471.
Extended corner worktop, RH curved front corner (return 24") 	36"	72"	<b>RCCDRA23672</b> ( ) ( ) ( )	1,881.	2,546.	3,594.	4,848.
	36"	78"	<b>RCCDRA23678</b> ( ) ( ) ( )	1,956.	2,648.	3,735.	5,042.
	36"	84"	<b>RCCDRA23684</b> ( ) ( ) ( )	2,034.	2,755.	3,884.	5,244.
	36"	96"	<b>RCCDRA23696</b> ( ) ( ) ( )	2,116.	2,864.	4,040.	5,456.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	<b>RCCDRA33672</b> ( ) ( ) ( )	1,883.	2,552.	3,603.	4,864.
	36"	78"	<b>RCCDRA33678</b> ( ) ( ) ( )	1,958.	2,655.	3,749.	5,061.
	36"	84"	<b>RCCDRA33684</b> ( ) ( ) ( )	2,037.	2,762.	3,897.	5,260.
	36"	96"	<b>RCCDRA33696</b> ( ) ( ) ( )	2,118.	2,871.	4,054.	5,471.

### Order Code

Example:	<b>RCCDLA23672N2</b>
<b>R</b>	Reff
<b>CC</b>	Curved corner
<b>D</b>	D top
<b>L</b>	Left Hand
<b>A</b>	1 1/4" thick
<b>2</b>	24" return
<b>36</b>	36" d at straight edge of corner, 30" across "D"
<b>72</b>	72" wide
<b>N</b>	No grommet
	Grommet finish
<b>2</b>	V2 finish
<b>V319</b>	Medium Cherry

### Specification Information

To order please specify pattern number including:

- Grommet options:**  
CF = Classic grommet in flush location  
PF = Profiles grommet in flush location  
N = No Grommet
- Grommet Finish:**  
Painted or Plated
- Finish type:**  
L = Laminate  
M = Mixed (laminated surface with wood edge)  
1 = V1  
2 = V2  
3 = V3
- Top Finish:**

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54" w.


Classic type grommet sits even with top of the worksurface.

Profiles type grommets have a 1/16" thick flange which rests above the worksurface.


**Note:** When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.

# Worksurface 1 1/4" extended straight corner tops

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24")	36"	60"	24"	<b>RCEAL223660</b> ( ) ( ) ( )	\$697.	\$1,049.	\$1,420.	\$1,920.
	36"	72"	24"	<b>RCEAL223672</b> ( ) ( ) ( )	834.	1,272.	1,717.	2,320.
	42"	60"	24"	<b>RCEAL224260</b> ( ) ( ) ( )	765.	1,159.	1,569.	2,117.
	42"	72"	24"	<b>RCEAL224272</b> ( ) ( ) ( )	905.	1,383.	1,869.	2,523.
	48"	72"	24"	<b>RCEAL224872</b> ( ) ( ) ( )	976.	1,494.	2,017.	2,723.
	48"	84"	24"	<b>RCEAL224884</b> ( ) ( ) ( )	1,114.	1,717.	2,316.	3,126.
48"	96"	24"	<b>RCEAL224896</b> ( ) ( ) ( )	1,280.	1,979.	2,663.	3,597.	



Extended straight corner top, RH curved front corner (returns 24")	36"	60"	24"	<b>RCEAR223660</b> ( ) ( ) ( )	697.	1,049.	1,420.	1,920.
	36"	72"	24"	<b>RCEAR223672</b> ( ) ( ) ( )	834.	1,272.	1,717.	2,320.
	42"	60"	24"	<b>RCEAR224260</b> ( ) ( ) ( )	765.	1,159.	1,569.	2,117.
	42"	72"	24"	<b>RCEAR224272</b> ( ) ( ) ( )	905.	1,383.	1,869.	2,523.
	48"	72"	24"	<b>RCEAR224872</b> ( ) ( ) ( )	976.	1,494.	2,017.	2,723.
	48"	84"	24"	<b>RCEAR224884</b> ( ) ( ) ( )	1,114.	1,717.	2,316.	3,126.
	48"	96"	24"	<b>RCEAR224896</b> ( ) ( ) ( )	1,280.	1,979.	2,663.	3,597.



### Order Code

Example:	<b>RCEAL223660N2</b>
<b>R</b>	Reff
<b>C</b>	Corner
<b>E</b>	Extended
<b>A</b>	1 1/4" thick
<b>L</b>	Left Hand
<b>22</b>	24" returns
<b>36</b>	36" d at corner straight edge
<b>60</b>	60" wide
<b>N</b>	No grommet
	Grommet finish
<b>2</b>	V2 finish
<b>V319</b>	Medium Cherry

### Specification Information

To order please specify pattern number including:

1. Grommet options:  
CF = Classic grommet in flush location  
PF = Profiles grommet in flush location  
N = No Grommet

#### 2. Grommet Finish

3. Finish type:  
L = Laminate  
M = Mixed (laminated surface with wood edge)  
1 = V1  
2 = V2  
3 = V3

#### 4. Top finish:

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 54" w.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

**Note:** When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.




*Rectilinear and curvilinear corners for C-Leg and T-Leg bases  
24", 30" and 36" deep*

description	type	d*	d	w*	w	pattern no.	L	V1	V2	V3	
	C-Leg and T-Leg Rectangular Tops	For use with 24" Deep C-Leg base	24"	23"	36"	34"	<b>RSA3423N()</b> ( )	\$407.	\$459.	\$523.	\$706.
			24"	23"	42"	40"	<b>RSA4023N()</b> ( )	424.	470.	541.	729.
			24"	23"	48"	46"	<b>RSA4623N()</b> ( )	450.	506.	580.	782.
			24"	23"	54"	52"	<b>RSA5223N()</b> ( )	480.	538.	620.	836.
			24"	23"	60"	58"	<b>RSA5823N()</b> ( )	520.	578.	661.	895.
			24"	23"	66"	64"	<b>RSA6423N()</b> ( )	532.	595.	686.	925.
	For use with 30" Deep C-Leg base	30"	29"	36"	34"	<b>RSA3429N()</b> ( )	459.	513.	588.	792.	
		30"	29"	42"	40"	<b>RSA4029N()</b> ( )	477.	532.	614.	829.	
	For use with 30" Deep C-Leg or T-Leg base	30"	29"	48"	46"	<b>RSA4629N()</b> ( )	511.	569.	652.	882.	
		30"	29"	54"	52"	<b>RSA5229N()</b> ( )	552.	616.	704.	951.	
		30"	29"	60"	58"	<b>RSA5829N()</b> ( )	573.	635.	731.	988.	
		30"	29"	66"	64"	<b>RSA6429N()</b> ( )	582.	650.	752.	1,013.	
		30"	29"	72"	70"	<b>RSA7029N()</b> ( )	600.	667.	765.	1,033.	
	For use with 30" Deep T-Leg base	36"	35"	48"	46"	<b>RSA4635N()</b> ( )	578.	646.	743.	998.	
		36"	35"	54"	52"	<b>RSA5235N()</b> ( )	630.	703.	805.	1,083.	
		36"	35"	60"	58"	<b>RSA5835N()</b> ( )	659.	734.	842.	1,137.	
		36"	35"	66"	64"	<b>RSA6435N()</b> ( )	682.	759.	876.	1,181.	
		36"	35"	72"	70"	<b>RSA7035N()</b> ( )	705.	786.	904.	1,221.	
	C-Leg/T-Leg Corner Tops, 24" or 30" Deep	For use with C-Leg/T-leg Corner base	24"	23"	48"	46"	<b>RCA464623N()</b> ( )	971.	1,116.	1,280.	1,727.
			30"	29"	48"	46"	<b>RCA464629N()</b> ( )	1,087.	1,249.	1,432.	1,930.
	T-Leg Corner Top, 24" Deep	For use with T-leg Corner base	24"	23"	42"	40"	<b>RCA404023N()</b> ( )	856.	964.	1,107.	1,493.

Order Code	Specification Information	Application Notes
Example: <b>RSA 5829N, L, 118</b>	<p>To order please specify pattern number including:</p> <p>1. <i>Finish Type:</i> (L) = Laminate (1) = V1 (2) = V2 (3) = V3</p> <p>2. <i>Finish:</i></p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p>	<p>Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.</p> <p>23", 29" and 35" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.</p> <p>48"x48" curvilinear corner worksurfaces are for use with 16"D 3-legged fixed and height adjustable corner bases or 29"D 2-legged fixed and height adjustable T-Leg corner bases.</p> <p>42" x 42" curvilinear worksurfaces are for use with 2-legged fixed and height adjustable T-Leg corner bases.</p> <p>Worksurfaces are pre-drilled with pilot holes for use with wood screws.</p> <p>Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.</p>
<b>R</b> Reff		
<b>S</b> Straight Rectangular		
<b>A</b> 1 1/4" thick		
<b>58</b> Width		
<b>29</b> Depth		
<b>N</b> No Grommets		
<b>L</b> Finish type		
<b>118</b> Bright White Laminate		

w \* and d \* = nominal dimensions

# Worksurface 1 1/4" Meeting tops 'D'

description	type	w	d	pattern no.	L	M/V1	V2	V3
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	<b>RMDA4230-</b> ( ) ( )	\$602.	\$666.	\$764.	\$1,032.
		48"	30"	<b>RMDA4830-</b> ( ) ( )	647.	720.	829.	1,118.
		54"	30"	<b>RMDA5430-</b> ( ) ( )	693.	771.	885.	1,196.
		60"	30"	<b>RMDA6030-</b> ( ) ( )	743.	826.	944.	1,276.
		66"	30"	<b>RMDA6630-</b> ( ) ( )	790.	877.	1,010.	1,363.
		72"	30"	<b>RMDA7230-</b> ( ) ( )	841.	933.	1,071.	1,447.
		78"	30"	<b>RMDA7830-</b> ( ) ( )	951.	1,052.	1,212.	1,634.
		84"	30"	<b>RMDA8430-</b> ( ) ( )	1,059.	1,173.	1,351.	1,823.
		90"	30"	<b>RMDA9030-</b> ( ) ( )	1,181.	1,311.	1,508.	2,034.
	96"	30"	<b>RMDA9630-</b> ( ) ( )	1,305.	1,448.	1,664.	2,246.	
	36" deep	42"	36"	<b>RMDA4236-</b> ( ) ( )	661.	733.	841.	1,136.
		48"	36"	<b>RMDA4836-</b> ( ) ( )	724.	802.	920.	1,242.
		54"	36"	<b>RMDA5436-</b> ( ) ( )	825.	916.	1,056.	1,424.
		60"	36"	<b>RMDA6036-</b> ( ) ( )	927.	1,025.	1,181.	1,596.
		66"	36"	<b>RMDA6636-</b> ( ) ( )	945.	1,047.	1,203.	1,627.
		72"	36"	<b>RMDA7236-</b> ( ) ( )	958.	1,064.	1,225.	1,652.
		78"	36"	<b>RMDA7836-</b> ( ) ( )	1,081.	1,198.	1,378.	1,861.
		84"	36"	<b>RMDA8436-</b> ( ) ( )	1,201.	1,333.	1,533.	2,068.
		90"	36"	<b>RMDA9036-</b> ( ) ( )	1,266.	1,403.	1,614.	2,180.
Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	<b>RMDA4221-</b> ( ) ( )	774.	858.	985.	1,328.
	(24" panels)	50 1/2"	25 1/4"	<b>RMDA5025-</b> ( ) ( )	846.	939.	1,078.	1,457.



No Grommets

Please specify mating trim profile

Order Code	Specification Information	Application Notes
<b>Example: RMDA4230N1</b> <b>R</b> Reff <b>MD</b> Meeting D-top <b>A</b> 1 1/4" thick <b>42</b> 42" wide <b>30</b> 30" deep <b>N</b> No grommet Grommet finish <b>1</b> V1 <b>Y311</b> Beech	<p>To order please specify pattern number including:</p> <p>1. Grommet options:            CC = Classic grommet in Center location            PF = Profiles grommet in Center location            (Center location available in D-tops only)            N = No Grommet</p> <p>2. Grommet Finish:            Painted or Plated</p> <p>3. Finish type:            L = Laminate            M = Wood/laminate mixed            1 = V1            2 = V2            3 = V3</p> <p>4. Top Finish:</p> <p>5. Trim profile  <b>A = Flat</b>  <b>B = Square</b>  <b>C = Bullnose</b>  <b>E = Extruded Aluminum</b></p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p><b>Additional spec option required for wrap around panel tops; specify mating trim profile.</b></p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p>Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.</p> <p><b>Note:</b> When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.  <b>Note:</b> Recessed grommet location is not recommended for 20" and 24" deep tops.</p> <p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b></p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.</p>

# Worksurface 1 1/4"


## Meeting tops P and 9

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	<b>RM9A4230-</b> ( ) ( )	\$824.	\$914.	\$1,051.	\$1,418.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	<b>RM9A4836-</b> ( ) ( )	916.	1,015.	1,169.	1,580.



No Grommets 42" diameter

Meeting P-top		42"	30"	<b>RMPA4230-</b> ( ) ( )	824.	914.	1,051.	1,418.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	<b>RMPA4836-</b> ( ) ( )	916.	1,015.	1,169.	1,580.



No Grommets 42" diameter



Worksurface 9-top		84"	30"	<b>RM9A8430-</b> ( ) ( )	1,678.	1,860.	2,139.	2,889.
		96"	30"	<b>RM9A9630-</b> ( ) ( )	1,747.	1,941.	2,228.	3,009.



42" diameter

Order Code	Specification Information	Application Notes
Example: <b>RM9A4230N1</b>	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>R</b> Reff	<i>1. Grommet options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>M9</b> Meeting 9-top	CF = Classic grommet in flush location	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>A</b> 1 1/4" thick	FR = Classic grommet in Recessed location	Worksurface stiffeners are recommended to provide additional support for open spans greater than 54" w.
<b>42</b> 42" wide	PF = Profiles grommet in Flush location	Classic type grommet sits even with top of the worksurface.
<b>30</b> 30" deep	PR = Profiles grommet in Recessed location	Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
<b>N</b> No grommet	N = No Grommet	<b>Note:</b> When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
Grommet finish	<i>2. Grommet finish:</i>	<b>Note:</b> Recessed grommet location is not recommended for 20" and 24" deep tops.
<b>1</b> V1	Painted or Plated	
<b>Y311</b> Beech	<i>3. Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>4. Top Finish:</i>	
		Refer to Planning Guide for modesty panel size requirements and all other support options.
		<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>



# Worksurface 1 1/4" Meeting tops

description	type	w	d	pattern no.	L	M/V1	V2	V3
 Worksurface P-top 42" diameter		84"	30"	<b>RMPA8430-()()</b>	\$1,678.	\$1,860.	\$2,139.	\$2,889.
		96"	30"	<b>RMPA9630-()()</b>	1,747.	1,941.	2,228.	3,009.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
 Elliptical tops		60"	30"	<b>REBA6030-()*</b>	1,153.	1,304.	1,496.	2,022.
		72"	42"	<b>REBA7242-()*</b>	1,643.	1,853.	2,133.	2,878.
		78"	48"	<b>REBA7848-()*</b>	1,799.	2,033.	2,338.	3,157.

Order Code	Specification Information	Application Notes
Example: <b>RMDA4230N1</b> <b>R</b> Reff <b>MD</b> Meeting D-top <b>A</b> 1 1/4" thick <b>42</b> 42" wide <b>30</b> 30" deep <b>N</b> No grommet Grommet finish <b>1</b> V1 <b>Y311</b> Beech	To order please specify pattern number including:  1. <i>Grommet options:</i> CF = Classic grommet in flush location FR = Profiles grommet in Recessed location PF = Profiles grommet in Flush location PR = Profiles grommet in Recessed location N = No Grommet  2. <i>Grommet finish:</i> Painted or Plated  3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3  4. <i>Top finish:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.  Product on this page will accept woodgrain laminate where laminate is currently an option.  See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.  Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface. <b>Note:</b> When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only. <b>Note:</b> Recessed grommet location is not recommended for 20" and 24" deep tops.  <b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>  Refer to Planning Guide for modesty panel size requirements and all other support options.  Products on this page are shipped without hardware which must be ordered separately from the support components section.  These worksurfaces are predrilled with pilot holes for use with wood screws.  *Grommet location on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.

# Worksurface 1 1/4"

## Bow front and support

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top 	72"	30"		<b>RMB(A)7230-( ) ( )</b>	\$963.	\$1,109.	\$1,276.	\$1,721.
	84"	30"		<b>RMB(A)8430-( ) ( )</b>	1,061.	1,224.	1,406.	1,897.
	96"	30"		<b>RMB(A)9630-( ) ( )</b>	1,178.	1,356.	1,556.	2,104.
Use 29" deep pedestals or end panels. <b>Do not</b> use 23" deep pedestals if using recessed modesty.								
Bow shaped top - 36"D 	72"	36"		<b>RMB(A)7236-( ) ( )</b>	1,024.	1,176.	1,355.	1,827.
	84"	36"		<b>RMB(A)8436-( ) ( )</b>	1,122.	1,292.	1,486.	2,005.
	96"	36"		<b>RMB(A)9636-( ) ( )</b>	1,244.	1,432.	1,644.	2,220.
Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance). Can also be used with 36" deep end panel and recessed modesty.								

Order Code	Specification Information	Application Notes
Example: <b>RMBA7230R2</b>	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>R</b> Reff	<i>1. Grommet options:</i>	*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
<b>MB</b> Bowed front	CF = Classic grommet in flush location	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>A</b> 1 1/4" thick	CR = Classic grommet in Recessed location	See Planning Guide for grommet locations.
<b>72</b> 72" wide	PF = Profiles grommet in Flush location	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>30</b> 30" wide	PR = Profiles grommet in Recessed location	
<b>CR</b> Grommet option	N = No Grommet	
Grommet finish	*CA = Classic grommet in Alternative location	
<b>2</b> V2 finish	*PA = Profiles grommet in Alternative location <b>*Note:</b> FA and PA are for 36"D tops only.	
<b>V319</b> Medium cherry	<i>2. Grommet finish:</i>	
<b>111</b> Jet Black (grommet)	<i>3. Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>4. Top Finish:</i>	

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Shipped with hardware. Refer to page 119 of Planning Guide for application details.






Classic type grommet sits even with top of the worksurface.

Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

**Note:** When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only

**Note:** Recessed grommet location is not recommended for 20" and 24" deep tops.

Conference 1 1/4"  
Square and rectangular

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	<b>RAA7230(-)</b>	\$621.	\$690.	\$792.	\$1,069.
	72"	36"	<b>RAA7236(-)</b>	675.	750.	861.	1,163.
	84"	30"	<b>RAA8430(-)</b>	687.	760.	877.	1,182.
	84"	36"	<b>RAA8436(-)</b>	739.	817.	940.	1,270.
	84"	42"	<b>RAA8442(-)</b>	1,092.	1,212.	1,389.	1,876.
	96"	30"	<b>RAA9630(-)</b>	772.	857.	984.	1,327.
	96"	36"	<b>RAA9636(-)</b>	851.	943.	1,086.	1,466.
	96"	42"	<b>RAA9642(-)</b>	1,253.	1,387.	1,596.	2,156.
Rectangular top 2 piece 	120"	36"	<b>RAA12036(-)</b>	1,366.	1,514.	1,742.	2,351.
	120"	42"	<b>RAA12042(-)</b>	1,883.	2,088.	2,402.	3,244.
	120"	48"	<b>RAA12048(-)</b>	2,047.	2,271.	2,610.	3,525.
	144"	42"	<b>RAA14442(-)</b>	2,116.	2,346.	2,699.	3,643.
	144"	48"	<b>RAA14448(-)</b>	2,266.	2,516.	2,893.	3,905.
Rectangular top 3 piece 	168"	42"	<b>RAA16842(-)</b>	2,774.	3,075.	3,540.	4,779.
	168"	48"	<b>RAA16848(-)</b>	3,014.	3,343.	3,844.	5,188.
	192"	42"	<b>RAA19242(-)</b>	3,008.	3,335.	3,832.	5,175.
	192"	48"	<b>RAA19248(-)</b>	3,239.	3,589.	4,125.	5,567.
Square tops  	*	60"	<b>RAA6060(-)</b>	1,273.	1,410.	1,626.	2,191.
	*	72"	<b>RAA7272(-)</b>	1,500.	1,664.	1,914.	2,584.
	-	36"	<b>RAA3636(-)</b>	478.	532.	614.	829.
	-	42"	<b>RAA4242(-)</b>	621.	690.	792.	1,069.
	-	48"	<b>RAA4848(-)</b>	817.	904.	1,041.	1,403.

**Order Code**

Example:	<b>RRAG72302</b>
<b>R</b>	Reff
<b>R</b>	Rectangular
<b>A</b>	1 1/4" thick
<b>72</b>	72" wide
<b>30</b>	30" deep
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry

**Specification Information**

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:  
A = 1 1/4"

4. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

\*Square tops in two pieces.

**Application Notes**

Product on this page will accept woodgrain laminate where laminate is currently an option.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.






Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Conference 1 1/4"  
Round and racetrack

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece 	72"	30"	<b>RTA7230-()</b>	\$1,176.	\$1,304.	\$1,496.	\$2,022.
	84"	30"	<b>RTA8430-()</b>	1,308.	1,451.	1,668.	2,251.
	96"	30"	<b>RTA9630-()</b>	1,454.	1,614.	1,857.	2,506.
	72"	36"	<b>RTA7236-()</b>	1,342.	1,486.	1,708.	2,305.
	84"	36"	<b>RTA8436-()</b>	1,506.	1,672.	1,921.	2,592.
	96"	36"	<b>RTA9636-()</b>	1,671.	1,853.	2,133.	2,878.
	84"	42"	<b>RTA8442-()</b>	1,831.	2,033.	2,338.	3,157.
	96"	42"	<b>RTA9642-()</b>	2,054.	2,278.	2,617.	3,534.
	96"	48"	<b>RTA9648-()</b>	2,253.	2,494.	2,869.	3,872.
Racetrack top 2 piece 	120"	36"	<b>RTA12036-()</b>	2,157.	2,394.	2,755.	3,717.
	120"	42"	<b>RTA12042-()</b>	2,330.	2,580.	2,970.	4,009.
	144"	42"	<b>RTA14442-()</b>	2,569.	2,846.	3,274.	4,417.
	120"	48"	<b>RTA12048-()</b>	2,475.	2,745.	3,157.	4,261.
	144"	48"	<b>RTA14448-()</b>	2,632.	2,920.	3,355.	4,528.
Racetrack top 3 piece 	168"	42"	<b>RTA16842-()</b>	3,220.	3,568.	4,105.	5,541.
	192"	42"	<b>RTA19242-()</b>	3,458.	3,833.	4,412.	5,956.
	168"	48"	<b>RTA16848-()</b>	3,447.	3,818.	4,390.	5,928.
	192"	48"	<b>RTA19248-()</b>	3,600.	3,994.	4,591.	6,197.
Round tops  	-	36"	<b>RTA3636-()</b>	661.	733.	841.	1,136.
	-	42"	<b>RTA4242-()</b>	769.	848.	976.	1,317.
	-	48"	<b>RTA4848-()</b>	1,264.	1,399.	1,608.	2,172.
	*	60"	<b>RTA6060-()</b>	1,978.	2,193.	2,523.	3,406.
	*	72"	<b>RTA7272-()</b>	2,447.	2,712.	3,124.	4,218.

**Order Code**

Example:	<b>RTA72302</b>
<b>R</b>	Reff
<b>R</b>	Round
<b>A</b>	1 1/4" thick
<b>72</b>	72" wide
<b>30</b>	30" deep
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry

**Specification Information**

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:  
A = 1 1/4"

4. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

\*Round tops in two pieces.

**Application Notes**

Product on this page will accept woodgrain laminate where laminate is currently an option.

Top to top brackets included with multiple piece conference tops only.

See table base matrix in Planning Guide pages 140 and 141.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 160 through 174.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma




Alpha



Beta



Chi




Delta



Epsilon




Phi



Gamma




Optional edge 1 1/4  
front only, 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-( )(1/2/3)	\$425.	\$485.	\$655.	
		30"	RSA(A/B/C/D/E/F/G)F301-( )(1/2/3)	466.	536.	723.	
		36"	RSA(A/B/C/D/E/F/G)F361-( )(1/2/3)	490.	566.	762.	
		42"	RSA(A/B/C/D/E/F/G)F421-( )(1/2/3)	514.	590.	797.	
		48"	RSA(A/B/C/D/E/F/G)F481-( )(1/2/3)	535.	614.	829.	
		54"	RSA(A/B/C/D/E/F/G)F541-( )(1/2/3)	553.	643.	866.	
		60"	RSA(A/B/C/D/E/F/G)F601-( )(1/2/3)	599.	691.	933.	
		66"	RSA(A/B/C/D/E/F/G)F661-( )(1/2/3)	618.	711.	959.	
		72"	RSA(A/B/C/D/E/F/G)F721-( )(1/2/3)	650.	749.	1,009.	
		78"	RSA(A/B/C/D/E/F/G)F781-( )(1/2/3)	658.	757.	1,021.	
		84"	RSA(A/B/C/D/E/F/G)F841-( )(1/2/3)	701.	805.	1,088.	
		90"	RSA(A/B/C/D/E/F/G)F901-( )(1/2/3)	729.	839.	1,133.	
		96"	RSA(A/B/C/D/E/F/G)F961-( )(1/2/3)	757.	872.	1,176.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-( )(1/2/3)	447.	514.	694.
			30"	RSA(A/B/C/D/E/F/G)F302-( )(1/2/3)	506.	581.	784.
			36"	RSA(A/B/C/D/E/F/G)F362-( )(1/2/3)	524.	603.	815.
			42"	RSA(A/B/C/D/E/F/G)F422-( )(1/2/3)	541.	621.	837.
			48"	RSA(A/B/C/D/E/F/G)F482-( )(1/2/3)	581.	666.	898.
			54"	RSA(A/B/C/D/E/F/G)F542-( )(1/2/3)	618.	711.	959.
60"	RSA(A/B/C/D/E/F/G)F602-( )(1/2/3)		661.	760.	1,026.		
66"	RSA(A/B/C/D/E/F/G)F662-( )(1/2/3)		687.	787.	1,063.		
72"	RSA(A/B/C/D/E/F/G)F722-( )(1/2/3)		717.	827.	1,114.		
78"	RSA(A/B/C/D/E/F/G)F782-( )(1/2/3)		752.	864.	1,167.		
84"	RSA(A/B/C/D/E/F/G)F842-( )(1/2/3)		780.	896.	1,212.		
90"	RSA(A/B/C/D/E/F/G)F902-( )(1/2/3)		813.	939.	1,266.		
96"	RSA(A/B/C/D/E/F/G)F962-( )(1/2/3)		846.	976.	1,317.		

Order Code	Specification Information	Application Notes
Example: <b>RSAGF241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>S</b> Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	2. F = Front edge with profile only	
<b>G</b> Gamma	3. Width	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>F</b> Edge front only	4. Depth	
<b>24</b> 24" wide	5. Grommet option	
<b>1</b> 20" deep	6. Top finish type	
<b>F</b> Flush grommet	7. Top finish	
<b>2</b> V2 finish	8. Grommet finish	
<b>V319</b> Medium cherry	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
<b>111</b> Jet black (grommet)		
		6. Finish type: 1 = V1 2 = V2 3 = V3
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak


Optional edge 1 1/4  
front only, 30" and 36" deep

description	d	width	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-( )(1/2/3)	\$483.	\$557.	\$754.	
		30"	RSA(A/B/C/D/E/F/G)F303-( )(1/2/3)	546.	627.	846.	
		36"	RSA(A/B/C/D/E/F/G)F363-( )(1/2/3)	589.	675.	910.	
		42"	RSA(A/B/C/D/E/F/G)F423-( )(1/2/3)	613.	702.	948.	
		48"	RSA(A/B/C/D/E/F/G)F483-( )(1/2/3)	652.	754.	1,017.	
		54"	RSA(A/B/C/D/E/F/G)F543-( )(1/2/3)	706.	811.	1,094.	
		60"	RSA(A/B/C/D/E/F/G)F603-( )(1/2/3)	731.	840.	1,134.	
		66"	RSA(A/B/C/D/E/F/G)F663-( )(1/2/3)	750.	862.	1,164.	
		72"	RSA(A/B/C/D/E/F/G)F723-( )(1/2/3)	766.	880.	1,189.	
		78"	RSA(A/B/C/D/E/F/G)F783-( )(1/2/3)	803.	926.	1,250.	
		84"	RSA(A/B/C/D/E/F/G)F843-( )(1/2/3)	835.	961.	1,300.	
		90"	RSA(A/B/C/D/E/F/G)F903-( )(1/2/3)	873.	1,007.	1,359.	
		96"	RSA(A/B/C/D/E/F/G)F963-( )(1/2/3)	905.	1,043.	1,407.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-( )(1/2/3)	844.	971.	1,310.
			66"	RSA(A/B/C/D/E/F/G)F664-( )(1/2/3)	874.	1,009.	1,362.
			72"	RSA(A/B/C/D/E/F/G)F724-( )(1/2/3)	904.	1,042.	1,404.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RSAGF243F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. F = Front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>F</b> Edge front only	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>3</b> 30" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	
<b>111</b> Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4  
front and back edge, 20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-( )(1/2/3)	\$425.	\$485.	\$655.
		30"	RSA(A/B/C/D/E/F/G)A301-( )(1/2/3)	466.	536.	723.
		36"	RSA(A/B/C/D/E/F/G)A361-( )(1/2/3)	490.	566.	762.
		42"	RSA(A/B/C/D/E/F/G)A421-( )(1/2/3)	514.	590.	797.
		48"	RSA(A/B/C/D/E/F/G)A481-( )(1/2/3)	535.	614.	829.
		54"	RSA(A/B/C/D/E/F/G)A541-( )(1/2/3)	553.	643.	866.
		60"	RSA(A/B/C/D/E/F/G)A601-( )(1/2/3)	599.	691.	933.
		66"	RSA(A/B/C/D/E/F/G)A661-( )(1/2/3)	618.	711.	959.
		72"	RSA(A/B/C/D/E/F/G)A721-( )(1/2/3)	650.	749.	1,009.
		78"	RSA(A/B/C/D/E/F/G)A781-( )(1/2/3)	658.	757.	1,021.
		84"	RSA(A/B/C/D/E/F/G)A841-( )(1/2/3)	701.	805.	1,088.
		90"	RSA(A/B/C/D/E/F/G)A901-( )(1/2/3)	729.	839.	1,133.
96"	RSA(A/B/C/D/E/F/G)A961-( )(1/2/3)	757.	872.	1,176.		
	24"	24"	RSA(A/B/C/D/E/F/G)A242-( )(1/2/3)	447.	514.	694.
		30"	RSA(A/B/C/D/E/F/G)A302-( )(1/2/3)	506.	581.	784.
		36"	RSA(A/B/C/D/E/F/G)A362-( )(1/2/3)	524.	603.	815.
		42"	RSA(A/B/C/D/E/F/G)A422-( )(1/2/3)	541.	621.	837.
		48"	RSA(A/B/C/D/E/F/G)A482-( )(1/2/3)	581.	666.	898.
		54"	RSA(A/B/C/D/E/F/G)A542-( )(1/2/3)	618.	711.	959.
		60"	RSA(A/B/C/D/E/F/G)A602-( )(1/2/3)	661.	760.	1,026.
		66"	RSA(A/B/C/D/E/F/G)A662-( )(1/2/3)	687.	787.	1,063.
		72"	RSA(A/B/C/D/E/F/G)A722-( )(1/2/3)	717.	827.	1,114.
		78"	RSA(A/B/C/D/E/F/G)A782-( )(1/2/3)	752.	864.	1,167.
		84"	RSA(A/B/C/D/E/F/G)A842-( )(1/2/3)	780.	896.	1,212.
		90"	RSA(A/B/C/D/E/F/G)A902-( )(1/2/3)	813.	939.	1,266.
96"	RSA(A/B/C/D/E/F/G)A962-( )(1/2/3)	846.	976.	1,317.		

Order Code	Specification Information	Application Notes
Example: <b>RSAGA241F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
<b>R</b> Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>S</b> Straight top	6. Finish type: 1 = V1 2 = V2 3 = V3	
<b>A</b> 1 1/4" thick	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
<b>G</b> Gamma		
<b>A</b> Edge front and back		
<b>24</b> 24" wide		
<b>1</b> 20" deep		
<b>F</b> Flush grommet		
<b>2</b> V2 finish		
<b>V319</b> Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
<b>111</b> Jet Black (grommet)		



Optional edge 1 1/4  
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-( )(1/2/3)	\$483.	\$557.	\$754.
		30"	RSA(A/B/C/D/E/F/G)A303-( )(1/2/3)	546.	627.	846.
		36"	RSA(A/B/C/D/E/F/G)A363-( )(1/2/3)	589.	675.	910.
		42"	RSA(A/B/C/D/E/F/G)A423-( )(1/2/3)	613.	702.	948.
		48"	RSA(A/B/C/D/E/F/G)A483-( )(1/2/3)	652.	754.	1,017.
		54"	RSA(A/B/C/D/E/F/G)A543-( )(1/2/3)	706.	811.	1,094.
		60"	RSA(A/B/C/D/E/F/G)A603-( )(1/2/3)	731.	840.	1,134.
		66"	RSA(A/B/C/D/E/F/G)A663-( )(1/2/3)	750.	862.	1,164.
		72"	RSA(A/B/C/D/E/F/G)A723-( )(1/2/3)	766.	880.	1,189.
		78"	RSA(A/B/C/D/E/F/G)A783-( )(1/2/3)	803.	926.	1,250.
		84"	RSA(A/B/C/D/E/F/G)A843-( )(1/2/3)	835.	961.	1,300.
		90"	RSA(A/B/C/D/E/F/G)A903-( )(1/2/3)	873.	1,007.	1,359.
		96"	RSA(A/B/C/D/E/F/G)A963-( )(1/2/3)	905.	1,043.	1,407.
	36"	60"	RSA(A/B/C/D/E/F/G)A604-( )(1/2/3)	844.	971.	1,310.
		66"	RSA(A/B/C/D/E/F/G)A664-( )(1/2/3)	874.	1,009.	1,362.
		72"	RSA(A/B/C/D/E/F/G)A724-( )(1/2/3)	904.	1,042.	1,404.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAGA243F2</b>	<i>&gt;To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. 5th position A = Edge front and back	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>A</b> Edge front and back	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>3</b> 30" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	<i>5. Grommet options:</i>
<b>111</b> Jet Black (grommet)	B = Beta	N = No grommet
	C = Chi	F = Flush front grommet location
	D = Delta	R = Recessed front
	E = Epsilon	(not recommended on 20"D and 24"D tops)
	F = Phi	<i>6. Finish type:</i>
	G = Gamma	1 = V1
		2 = V2
		3 = V3
		Products on this page do not accept the following finishes:
		Y341 Wenge
		Y342 Medium Teak
		Y343 Dark Grey Oak


# Optional edge 1 1/4" front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-( )(1/2/3)	\$425.	\$485.	\$655.
		30"	RSA(A/B/C/D/E/F/G)B301-( )(1/2/3)	466.	536.	723.
		36"	RSA(A/B/C/D/E/F/G)B361-( )(1/2/3)	490.	566.	762.
		42"	RSA(A/B/C/D/E/F/G)B421-( )(1/2/3)	514.	590.	797.
		48"	RSA(A/B/C/D/E/F/G)B481-( )(1/2/3)	535.	614.	829.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-( )(1/2/3)	447.	514.	694.
		30"	RSA(A/B/C/D/E/F/G)B302-( )(1/2/3)	506.	581.	784.
		36"	RSA(A/B/C/D/E/F/G)B362-( )(1/2/3)	524.	603.	815.
		42"	RSA(A/B/C/D/E/F/G)B422-( )(1/2/3)	541.	621.	837.
		48"	RSA(A/B/C/D/E/F/G)B482-( )(1/2/3)	581.	666.	898.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-( )(1/2/3)	425.	485.	655.
		30"	RSA(A/B/C/D/E/F/G)L301-( )(1/2/3)	466.	536.	723.
		36"	RSA(A/B/C/D/E/F/G)L361-( )(1/2/3)	490.	566.	762.
		42"	RSA(A/B/C/D/E/F/G)L421-( )(1/2/3)	514.	590.	797.
		48"	RSA(A/B/C/D/E/F/G)L481-( )(1/2/3)	535.	614.	829.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-( )(1/2/3)	447.	514.	694.
		30"	RSA(A/B/C/D/E/F/G)L302-( )(1/2/3)	506.	581.	784.
		36"	RSA(A/B/C/D/E/F/G)L362-( )(1/2/3)	524.	603.	815.
		42"	RSA(A/B/C/D/E/F/G)L422-( )(1/2/3)	541.	621.	837.
		48"	RSA(A/B/C/D/E/F/G)L482-( )(1/2/3)	581.	666.	898.

Order Code	Specification Information	Application Notes
Example: <b>RSAGB241F2</b>	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>R</b> Reff		
<b>S</b> Straight top	<i>1. Edge profile options:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w
<b>A</b> 1 1/4" thick	A = Alpha	
<b>G</b> Gamma Profile option	B = Beta	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
<b>B</b> Both ends accept edge	C = Chi	
<b>24</b> 24" wide	D = Delta	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>1</b> 20" deep	E = Epsilon	
<b>F</b> Flush grommet	F = Phi	
<b>2</b> V2 finish	G = Gamma	
<b>V319</b> Medium cherry	<i>2. 5th position options:</i>	
<b>111</b> Jet Black (grommet)	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>3. Width</i>	
	<i>4. Depth</i>	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>7. Top finish</i>	
	<i>8. Grommet finish</i>	
	Painted or plated	

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**


# Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-( )(1/2/3)	\$425.	\$485.	\$655.
		30"	RSA(A/B/C/D/E/F/G)R301-( )(1/2/3)	466.	536.	723.
		36"	RSA(A/B/C/D/E/F/G)R361-( )(1/2/3)	490.	566.	762.
		42"	RSA(A/B/C/D/E/F/G)R421-( )(1/2/3)	514.	590.	797.
		48"	RSA(A/B/C/D/E/F/G)R481-( )(1/2/3)	535.	614.	829.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-( )(1/2/3)	447.	514.	694.
		30"	RSA(A/B/C/D/E/F/G)R302-( )(1/2/3)	506.	581.	784.
		36"	RSA(A/B/C/D/E/F/G)R362-( )(1/2/3)	524.	603.	815.
		42"	RSA(A/B/C/D/E/F/G)R422-( )(1/2/3)	541.	621.	837.
		48"	RSA(A/B/C/D/E/F/G)R482-( )(1/2/3)	581.	666.	898.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAGB241F2</b>	<i>To order please specify pattern number including:</i>	3. Width
<b>R</b> Reff	<i>1. Edge profile options:</i>	4. Depth
<b>S</b> Straight top	A = Alpha	<i>5. Grommet options:</i>
<b>A</b> 1 1/4" thick	B = Beta	N = No grommet
<b>G</b> Gamma Profile option	C = Chi	F = Flush front grommet location
<b>B</b> Both ends accept edge	D = Delta	R = Recessed front (not recommended on 20"D and 24"D tops)
<b>24</b> 24" wide	E = Epsilon	<i>6. Finish type:</i>
<b>1</b> 20" deep	F = Phi	1 = V1
<b>F</b> Flush grommet	G = Gamma	2 = V2
<b>2</b> V2 finish	<i>2. 5th position options:</i>	3 = V3
<b>V319</b> Medium cherry	B = Front edge primary profile and both sides reverse profile for mating (bridge)	7. Top finish
<b>111</b> Jet Black (grommet)	L = Left hand return, front edge primary profile, right edge reverse profile for mating	8. Grommet finish Painted or plated
<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>	R = Right hand return, front edge primary profile, left edge reverse profile for mating	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

# Optional edge 1 1/4 curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-( )(1/2/3)	\$899.	\$1,032.	\$1,394.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-( )(1/2/3)	950.	1,093.	1,476.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-( )(1/2/3)	1,011.	1,161.	1,567.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-( )(1/2/3)	950.	1,093.	1,476.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-( )(1/2/3)	1,011.	1,161.	1,567.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-( )(1/2/3)	1,103.	1,268.	1,711.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-( )(1/2/3)	1,011.	1,161.	1,567.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-( )(1/2/3)	1,103.	1,268.	1,711.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-( )(1/2/3)	1,161.	1,335.	1,801.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-( )(1/2/3)	939.	1,078.	1,457.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-( )(1/2/3)	989.	1,137.	1,536.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-( )(1/2/3)	1,051.	1,205.	1,630.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-( )(1/2/3)	989.	1,137.	1,536.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-( )(1/2/3)	1,051.	1,205.	1,630.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-( )(1/2/3)	1,144.	1,314.	1,774.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-( )(1/2/3)	1,051.	1,205.	1,630.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-( )(1/2/3)	1,144.	1,314.	1,774.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-( )(1/2/3)	1,201.	1,382.	1,866.

Order Code	Specification Information	Application Notes
Example: <b>RCAGF363611</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>  Products on this page are shipped without hardware which must be ordered separately from the support components section.  Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
<b>R</b> Reff	1. Edge profile	
<b>C</b> Corner top	2. Left hand width	
<b>A</b> 1 1/4" thick	3. Right hand width	
<b>G</b> Gamma	4. Return left hand depth	
<b>F</b> Edge Front only	5. Return right hand depth	
<b>36</b> 36" wide	6. Grommet option	
<b>36</b> 36" wide	7. Top finish type	
<b>1</b> 20" deep	8. Top finish	
<b>1</b> 20" deep	9. Grommet finish	
<b>F</b> Flush grommet	<i>1. Edge profile options:</i>	
<b>2</b> V2 finish	A = Alpha	
<b>V319</b> Medium cherry	B = Beta	
<b>111</b> Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	7. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	






# Optional edge 1 1/4 curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-( )(1/2/3)	\$939.	\$1,078.	\$1,457.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-( )(1/2/3)	989.	1,137.	1,536.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-( )(1/2/3)	1,051.	1,205.	1,630.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-( )(1/2/3)	989.	1,137.	1,536.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-( )(1/2/3)	1,051.	1,205.	1,630.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-( )(1/2/3)	1,144.	1,314.	1,774.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-( )(1/2/3)	1,051.	1,205.	1,630.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-( )(1/2/3)	1,144.	1,314.	1,774.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-( )(1/2/3)	1,201.	1,382.	1,866.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-( )(1/2/3)	1,018.	1,171.	1,582.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-( )(1/2/3)	1,072.	1,230.	1,661.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-( )(1/2/3)	1,129.	1,298.	1,753.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-( )(1/2/3)	1,072.	1,230.	1,661.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-( )(1/2/3)	1,129.	1,298.	1,753.
	42"	48"	RCA(A/B/C/D/E/F/G)F484222-( )(1/2/3)	1,225.	1,409.	1,901.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-( )(1/2/3)	1,129.	1,298.	1,753.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-( )(1/2/3)	1,225.	1,409.	1,901.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-( )(1/2/3)	1,282.	1,473.	1,990.

Order Code	Specification Information	Application Notes
Example: <b>RCAGF363611</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.</p>
<b>R</b> Reff	1. Edge profile	
<b>C</b> Corner top	2. Left hand width	
<b>A</b> 1 1/4" thick	3. Right hand width	
<b>G</b> Gamma	4. Return left hand depth	
<b>F</b> Edge Front only	5. Return right hand depth	
<b>36</b> 36" wide	6. Grommet option	
<b>36</b> 36" wide	7. Top finish type	
<b>1</b> 20" deep	8. Top finish	
<b>1</b> 20" deep	9. Grommet finish	
<b>F</b> Flush grommet	<i>1. Edge profile options:</i>	
<b>2</b> V2 finish	A = Alpha	
<b>V319</b> Medium cherry	B = Beta	
<b>111</b> Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	7. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	






Optional edge 1 1/4  
*wave end tops*  
*front edge only*

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-( )(1/2/3)	\$542.	\$624.	\$841.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-( )(1/2/3)	570.	655.	885.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-( )(1/2/3)	608.	701.	946.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-( )(1/2/3)	651.	752.	1,013.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-( )(1/2/3)	672.	772.	1,045.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-( )(1/2/3)	702.	809.	1,092.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-( )(1/2/3)	587.	672.	906.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-( )(1/2/3)	607.	698.	942.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-( )(1/2/3)	655.	755.	1,018.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-( )(1/2/3)	701.	805.	1,088.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-( )(1/2/3)	726.	836.	1,128.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-( )(1/2/3)	764.	878.	1,186.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-( )(1/2/3)	542.	624.	841.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-( )(1/2/3)	570.	655.	885.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-( )(1/2/3)	608.	701.	946.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-( )(1/2/3)	651.	752.	1,013.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-( )(1/2/3)	672.	772.	1,045.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-( )(1/2/3)	702.	809.	1,092.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-( )(1/2/3)	587.	672.	906.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-( )(1/2/3)	607.	698.	942.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-( )(1/2/3)	655.	755.	1,018.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-( )(1/2/3)	701.	805.	1,088.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-( )(1/2/3)	726.	836.	1,128.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-( )(1/2/3)	764.	878.	1,186.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-( )(1/2/3)	721.	830.	1,119.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-( )(1/2/3)	750.	862.	1,164.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-( )(1/2/3)	788.	906.	1,225.

Order Code	Specification Information	Application Notes
Example: <b>RWAGF422-1F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>  Products on this page are shipped without hardware which must be ordered separately from the support components section.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>R</b> Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
<b>W</b> Wave transition top	7. Finish type: 1 = V1 2 = V2 3 = V3	
<b>A</b> 1 1/4" thick	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
<b>G</b> Gamma	1. Edge profile	
<b>F</b> Edge front only	2. 5th position F = front edge with profile only	
<b>42</b> 42" wide	3. Width	
<b>2</b> 20" deep	4. Left hand depth	
<b>1</b> 20" deep	5. Right hand depth	
<b>F</b> Flush grommet	6. Grommet option	
<b>2</b> V2 finish	7. Top finish type	
<b>V319</b> Medium cherry	8. Top finish	
<b>111</b> Jet Black (grommet)	9. Grommet finish	
	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	


Optional edge 1 1/4  
*wave end tops*  
*front edge only*

description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	24"	36"	36"	<b>RWEA(A/B/C/D/E/F/G)F3662-( )(1/2/3)</b>	\$746.	\$858.	\$1,158.
	24"	36"	42"	<b>RWEA(A/B/C/D/E/F/G)F4262-( )(1/2/3)</b>	768.	883.	1,192.
	24"	36"	48"	<b>RWEA(A/B/C/D/E/F/G)F4862-( )(1/2/3)</b>	812.	938.	1,265.
Wave end top with profile edge front only (20" left) 	32"	20"	36"	<b>RWEA(A/B/C/D/E/F/G)F3613-( )(1/2/3)</b>	721.	830.	1,119.
	32"	20"	42"	<b>RWEA(A/B/C/D/E/F/G)F4213-( )(1/2/3)</b>	750.	862.	1,164.
	32"	20"	48"	<b>RWEA(A/B/C/D/E/F/G)F4813-( )(1/2/3)</b>	788.	906.	1,225.
Wave end top with profile edge front only (24" left) 	36"	24"	36"	<b>RWEA(A/B/C/D/E/F/G)F3626-( )(1/2/3)</b>	746.	858.	1,158.
	36"	24"	42"	<b>RWEA(A/B/C/D/E/F/G)F4226-( )(1/2/3)</b>	768.	883.	1,192.
	36"	24"	48"	<b>RWEA(A/B/C/D/E/F/G)F4826-( )(1/2/3)</b>	812.	938.	1,265.

Order Code	Specification Information	Application Notes
Example: <b>RWAGF422-1F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
<b>W</b> Wave transition top	7. Finish type: 1 = V1 2 = V2 3 = V3	
<b>A</b> 1 1/4" thick	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
<b>G</b> Gamma	1. Edge profile	
<b>F</b> Edge front only	2. 5th position F = front edge with profile only	
<b>42</b> 42" wide	3. Width	
<b>2</b> 20" deep	4. Left hand depth	
<b>1</b> 20" deep	5. Right hand depth	
<b>F</b> Flush grommet	6. Grommet option	
<b>2</b> V2 finish	7. Top finish type	
<b>V319</b> Medium cherry	8. Top finish	
<b>111</b> Jet Black (grommet)	9. Grommet finish	
	<p><i>1. Edge profile options:</i>  A = Alpha  B = Beta  C = Chi  D = Delta  E = Epsilon  F = Phi  G = Gamma</p>	

# Optional edge 1 1/4 meeting tops





description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. <b>Grommet choices are centered (as shown) or none</b>	30"	42"	<b>RMDA(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	\$765.	\$879.	\$1,187.
	30"	48"	<b>RMDA(A/B/C/D/E/F/G)F4830-( )(1/2/3)</b>	829.	948.	1,280.
	30"	54"	<b>RMDA(A/B/C/D/E/F/G)F5430-( )(1/2/3)</b>	885.	1,018.	1,375.
	30"	60"	<b>RMDA(A/B/C/D/E/F/G)F6030-( )(1/2/3)</b>	946.	1,088.	1,467.
	30"	66"	<b>RMDA(A/B/C/D/E/F/G)F6630-( )(1/2/3)</b>	1,010.	1,160.	1,566.
	30"	72"	<b>RMDA(A/B/C/D/E/F/G)F7230-( )(1/2/3)</b>	1,071.	1,229.	1,660.
	30"	78"	<b>RMDA(A/B/C/D/E/F/G)F7830-( )(1/2/3)</b>	1,211.	1,390.	1,878.
	30"	84"	<b>RMDA(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	1,351.	1,553.	2,098.
	30"	90"	<b>RMDA(A/B/C/D/E/F/G)F9030-( )(1/2/3)</b>	1,509.	1,736.	2,341.
	30"	96"	<b>RMDA(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	1,664.	1,914.	2,584.
	36"	42"	<b>RMDA(A/B/C/D/E/F/G)F4236-( )(1/2/3)</b>	842.	969.	1,308.
	36"	48"	<b>RMDA(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	920.	1,060.	1,431.
	36"	54"	<b>RMDA(A/B/C/D/E/F/G)F5436-( )(1/2/3)</b>	1,054.	1,214.	1,637.
	36"	60"	<b>RMDA(A/B/C/D/E/F/G)F6036-( )(1/2/3)</b>	1,181.	1,360.	1,837.
	36"	66"	<b>RMDA(A/B/C/D/E/F/G)F6636-( )(1/2/3)</b>	1,203.	1,385.	1,870.
	36"	72"	<b>RMDA(A/B/C/D/E/F/G)F7236-( )(1/2/3)</b>	1,225.	1,409.	1,901.
	36"	78"	<b>RMDA(A/B/C/D/E/F/G)F7836-( )(1/2/3)</b>	1,378.	1,583.	2,137.
	36"	84"	<b>RMDA(A/B/C/D/E/F/G)F8436-( )(1/2/3)</b>	1,533.	1,764.	2,382.
	36"	90"	<b>RMDA(A/B/C/D/E/F/G)F9036-( )(1/2/3)</b>	1,614.	1,857.	2,506.
	36"	96"	<b>RMDA(A/B/C/D/E/F/G)F9636-( )(1/2/3)</b>	1,769.	2,031.	2,744.
Wrap-around panel top	21 1/4"	42 1/2"	<b>RMDA(A/B/C/D/E/F/G)F4221-( )(1/2/3)( )</b>	985.	1,132.	1,527.
*No Grommet option	25 1/4"	50 1/2"	<b>RMDA(A/B/C/D/E/F/G)F5025-( )(1/2/3)( )</b>	1,078.	1,241.	1,675.



Please specify mating end trim profile option.

Order Code	Specification Information	Application Notes
Example: <b>RMDAGF4230F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	<ol style="list-style-type: none"> <li>Edge profile</li> <li>Width</li> <li>Depth</li> <li>Grommet option</li> <li>Top finish type</li> <li>Top finish</li> <li>Grommet finish</li> <li>Applicable "wrap around panel tops" only specify mating panel end trim profile</li> </ol>	
<b>MD</b> Peninsula D-shaped top	<i>1. Edge profile options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	A = Alpha	
<b>G</b> Gamma	B = Beta	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>F</b> Edge front only	C = Chi	
<b>42</b> 42" wide	D = Delta	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>30</b> 30" deep	E = Epsilon	
<b>C</b> Centered grommet	F = Phi	
<b>2</b> V2 finish	G = Gamma	
<b>V319</b> Medium cherry		
<b>111</b> Jet Black (grommet)		

# Optional edge 1 1/4 meeting tops P and 9




description	d	w	pattern no.	V1	V2	V3
Worksurface P-top 	30"	84"	<b>RMPA(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	\$2,138.	\$2,463.	\$3,324.
	30"	96"	<b>RMPA(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	2,230.	2,564.	3,461.
Worksurface 9-top 	30"	84"	<b>RM9A(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	2,138.	2,463.	3,324.
	30"	96"	<b>RM9A(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	2,230.	2,564.	3,461.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) <b>*No Grommet option</b> 	30"	42"	<b>RM9A(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	1,052.	1,210.	1,631.
	36"	48"	<b>RM9A(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	1,169.	1,344.	1,816.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) <b>*No Grommet option</b> 	30"	42"	<b>RMPA(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	1,052.	1,210.	1,631.
	36"	48"	<b>RMPA(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	1,169.	1,344.	1,816.

Worksurfaces

Order Code	Specification Information	Application Notes	
Example: <b>RMPAGF4230F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>	
<b>R</b> Reff	4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)		
<b>MP</b> Peninsula P-shaped top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.	
<b>A</b> 1 1/4" thick	2. Width		
<b>G</b> Gamma	3. Depth		
<b>F</b> Edge front only	4. Grommet option		
<b>42</b> 42" wide	5. Top finish type		
<b>30</b> 30" deep	6. Top finish		
<b>C</b> Centered grommet	7. Grommet finish		
<b>2</b> V2 finish	8. Applicable "wrap around panel tops" only specify mating panel end trim profile		
<b>V319</b> Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma		Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	5. Finish type: 1 = V1 2 = V2 3 = V3		
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

# Optional edge 1 1/4





## Bow front tops

description	w	d	pattern no.	V1	V2	V3
Profile edge on front and back (30"d) 	72"	30"	<b>RMBA(A/B/C/D/E/F/G)A7230-( )(1/2/3)</b>	\$1,276.	\$1,465.	\$1,979.
	84"	30"	<b>RMBA(A/B/C/D/E/F/G)A8430-( )(1/2/3)</b>	1,406.	1,616.	2,183.
	96"	30"	<b>RMBA(A/B/C/D/E/F/G)A9630-( )(1/2/3)</b>	1,557.	1,789.	2,416.
Profile edge on front and back (36"d) 	72"	36"	<b>RMBA(A/B/C/D/E/F/G)A7236-( )(1/2/3)</b>	1,355.	1,556.	2,104.
	84"	36"	<b>RMBA(A/B/C/D/E/F/G)A8436-( )(1/2/3)</b>	1,485.	1,709.	2,308.
	96"	36"	<b>RMBA(A/B/C/D/E/F/G)A9636-( )(1/2/3)</b>	1,645.	1,894.	2,554.
Profile elliptical tops 	60"	30"	<b>REBA(A/B/C/D/E/F/G)A6030</b>	1,497.	1,721.	2,324.
	72"	42"	<b>REBA(A/B/C/D/E/F/G)A7242</b>	2,134.	2,450.	3,308.
	78"	48"	<b>REBA(A/B/C/D/E/F/G)A7848</b>	2,338.	2,689.	3,630.

grommet options for elliptical tops, N or R

Order Code	Specification Information	Application Notes
Example: <b>RMBAGA7230F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>  Products on this page are shipped without hardware which must be ordered separately from the support components section.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>R</b> Reff	1. Edge profile	
<b>MB</b> Bow front top	2. Width	
<b>A</b> 1 1/4" thick	3. Depth	
<b>G</b> Gamma	4. Grommet option	
<b>A</b> Edge front and back	5. Top finish type	
<b>72</b> 72" wide	6. Top finish	
<b>30</b> 30" deep	7. Grommet finish	
<b>F</b> Flush grommet	<i>1. Edge profile options:</i>	<b>4. Grommet options:</b> N = No grommet F = Flush front grommet location R = Recessed front A = Alternate location (only for 36" deep bow front tops)
<b>2</b> V2 finish	A = Alpha	<b>5. Finish type:</b> 1 = V1 2 = V2 3 = V3
<b>V319</b> Medium cherry	B = Beta	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>111</b> Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

# Optional edge 1 1/4 round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,497.	\$1,721.	\$2,324.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,709.	1,961.	2,649.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,666.	1,920.	2,591.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,923.	2,206.	2,980.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,338.	2,689.	3,630.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,857.	2,136.	2,882.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	2,134.	2,450.	3,308.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,617.	3,010.	4,063.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,755.	3,167.	4,274.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,970.	3,413.	4,609.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	3,157.	3,629.	4,897.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	3,273.	3,765.	5,081.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	3,356.	3,857.	5,208.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	4,104.	4,721.	6,372.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	4,390.	5,048.	6,813.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	4,412.	5,072.	6,847.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,591.	5,280.	7,125.
Round tops Profile edge on all sides except on parting lines. 	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,523.	2,902.	3,915.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	3,122.	3,591.	4,847.
	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	842.	969.	1,308.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	977.	1,122.	1,517.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,608.	1,849.	2,496.

### Order Code

Example: <b>RTAG72302</b>	
<b>R</b>	Reff
<b>T</b>	Racetrack top
<b>A</b>	1 1/4" thick
<b>G</b>	Gamma
<b>72</b>	22" wide
<b>30</b>	30" deep
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry

### Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- 1 = V1
- 2 = V2
- 3 = V3

\*Round tops in two pieces.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak





### Application Notes

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

# Optional edge 1 1/4 square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	<b>RRA(A/B/C/D/E/F/G)7230-(1/2/3)</b>	\$792.	\$910.	\$1,229.
	72"	36"	<b>RRA(A/B/C/D/E/F/G)7236-(1/2/3)</b>	861.	988.	1,334.
	84"	30"	<b>RRA(A/B/C/D/E/F/G)8430-(1/2/3)</b>	876.	1,010.	1,363.
	84"	36"	<b>RRA(A/B/C/D/E/F/G)8436-(1/2/3)</b>	940.	1,080.	1,459.
	84"	42"	<b>RRA(A/B/C/D/E/F/G)8442-(1/2/3)</b>	1,390.	1,598.	2,158.
	96"	30"	<b>RRA(A/B/C/D/E/F/G)9630-(1/2/3)</b>	984.	1,129.	1,526.
	96"	36"	<b>RRA(A/B/C/D/E/F/G)9636-(1/2/3)</b>	1,086.	1,249.	1,688.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	<b>RRA(A/B/C/D/E/F/G)12036-(1/2/3)</b>	1,742.	2,003.	2,704.
	120"	42"	<b>RRA(A/B/C/D/E/F/G)12042-(1/2/3)</b>	2,402.	2,762.	3,725.
	120"	48"	<b>RRA(A/B/C/D/E/F/G)12048-(1/2/3)</b>	2,610.	3,002.	4,054.
	144"	42"	<b>RRA(A/B/C/D/E/F/G)14442-(1/2/3)</b>	2,697.	3,106.	4,193.
	144"	48"	<b>RRA(A/B/C/D/E/F/G)14448-(1/2/3)</b>	2,893.	3,325.	4,490.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	<b>RRA(A/B/C/D/E/F/G)16842-(1/2/3)</b>	3,539.	4,071.	5,494.
	168"	48"	<b>RRA(A/B/C/D/E/F/G)16848-(1/2/3)</b>	3,843.	4,422.	5,972.
	192"	42"	<b>RRA(A/B/C/D/E/F/G)19242-(1/2/3)</b>	3,832.	4,411.	5,953.
	192"	48"	<b>RRA(A/B/C/D/E/F/G)19248-(1/2/3)</b>	4,127.	4,746.	6,405.
Square top Profile edge on all sides except on parting lines 	*	60"	<b>RRA(A/B/C/D/E/F/G)6060-(1/2/3)</b>	1,623.	1,866.	2,521.
	*	72"	<b>RRA(A/B/C/D/E/F/G)7272-(1/2/3)</b>	1,914.	2,200.	2,971.
	-	36"	<b>RRA(A/B/C/D/E/F/G)3636-(1/2/3)</b>	613.	702.	948.
	-	42"	<b>RRA(A/B/C/D/E/F/G)4242-(1/2/3)</b>	792.	910.	1,229.
	-	48"	<b>RRA(A/B/C/D/E/F/G)4848-(1/2/3)</b>	1,042.	1,196.	1,613.

**Order Code**

Example:	<b>RRAG72302</b>
<b>R</b>	Reff
<b>R</b>	Conference Room top
<b>A</b>	1 1/4" thick
<b>G</b>	Gamma
<b>72</b>	72" wide
<b>30</b>	30" deep
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry

**Specification Information**

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- 1 = V1
- 2 = V2
- 3 = V3

\* Square tops in two pieces.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak


**Application Notes**

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

# Waterfall Edge 1 1/4" with 2" Waterfall edge front only 20" and 24" deep


description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	<b>RSAWF241-( )(1/2/3)</b>	\$804.	\$926.	\$1,250.	
		30"	<b>RSAWF301-( )(1/2/3)</b>	885.	1,019.	1,378.	
		36"	<b>RSAWF361-( )(1/2/3)</b>	937.	1,073.	1,449.	
		42"	<b>RSAWF421-( )(1/2/3)</b>	977.	1,120.	1,513.	
		48"	<b>RSAWF481-( )(1/2/3)</b>	1,015.	1,168.	1,577.	
		54"	<b>RSAWF541-( )(1/2/3)</b>	1,060.	1,221.	1,647.	
		60"	<b>RSAWF601-( )(1/2/3)</b>	1,142.	1,311.	1,771.	
		66"	<b>RSAWF661-( )(1/2/3)</b>	1,176.	1,355.	1,827.	
		72"	<b>RSAWF721-( )(1/2/3)</b>	1,234.	1,420.	1,920.	
		78"	<b>RSAWF781-( )(1/2/3)</b>	1,255.	1,441.	1,945.	
		84"	<b>RSAWF841-( )(1/2/3)</b>	1,335.	1,535.	2,072.	
		90"	<b>RSAWF901-( )(1/2/3)</b>	1,387.	1,596.	2,156.	
		96"	<b>RSAWF961-( )(1/2/3)</b>	1,441.	1,654.	2,233.	
		24"	24"	<b>RSAWF242-( )(1/2/3)</b>	847.	977.	1,319.
			30"	<b>RSAWF302-( )(1/2/3)</b>	958.	1,103.	1,488.
			36"	<b>RSAWF362-( )(1/2/3)</b>	997.	1,144.	1,545.
			42"	<b>RSAWF422-( )(1/2/3)</b>	1,026.	1,179.	1,593.
			48"	<b>RSAWF482-( )(1/2/3)</b>	1,103.	1,268.	1,711.
			54"	<b>RSAWF542-( )(1/2/3)</b>	1,176.	1,355.	1,827.
60"	<b>RSAWF602-( )(1/2/3)</b>		1,260.	1,448.	1,954.		
66"	<b>RSAWF662-( )(1/2/3)</b>		1,304.	1,496.	2,022.		
72"	<b>RSAWF722-( )(1/2/3)</b>		1,362.	1,567.	2,113.		
78"	<b>RSAWF782-( )(1/2/3)</b>		1,428.	1,641.	2,216.		
84"	<b>RSAWF842-( )(1/2/3)</b>		1,483.	1,705.	2,300.		
90"	<b>RSAWF902-( )(1/2/3)</b>		1,553.	1,786.	2,411.		
96"	<b>RSAWF962-( )(1/2/3)</b>		1,613.	1,854.	2,505.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWF241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	
<b>1</b> 20" deep	N = No grommet	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>V319</b> Medium cherry		
<b>111</b> Jet Black (grommet)	2. <i>Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
	1 = V1 2 = V2 3 = V3	




Waterfall Edge 1 1/4"  
with 2" Waterfall edge front only  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	30"	24"	<b>RSAWF243-</b> ( )(1/2/3)	\$921.	\$1,063.	\$1,435.	
		30"	<b>RSAWF303-</b> ( )(1/2/3)	1,036.	1,194.	1,610.	
		36"	<b>RSAWF363-</b> ( )(1/2/3)	1,118.	1,283.	1,735.	
		42"	<b>RSAWF423-</b> ( )(1/2/3)	1,165.	1,337.	1,806.	
		48"	<b>RSAWF483-</b> ( )(1/2/3)	1,242.	1,431.	1,931.	
		54"	<b>RSAWF543-</b> ( )(1/2/3)	1,343.	1,546.	2,087.	
		60"	<b>RSAWF603-</b> ( )(1/2/3)	1,394.	1,602.	2,163.	
		66"	<b>RSAWF663-</b> ( )(1/2/3)	1,425.	1,637.	2,213.	
		72"	<b>RSAWF723-</b> ( )(1/2/3)	1,460.	1,678.	2,263.	
		78"	<b>RSAWF783-</b> ( )(1/2/3)	1,528.	1,756.	2,369.	
		84"	<b>RSAWF843-</b> ( )(1/2/3)	1,588.	1,827.	2,468.	
		90"	<b>RSAWF903-</b> ( )(1/2/3)	1,663.	1,907.	2,576.	
		96"	<b>RSAWF963-</b> ( )(1/2/3)	1,722.	1,980.	2,673.	
		36"	60"	<b>RSAWF604-</b> ( )(1/2/3)	1,609.	1,847.	2,492.
			66"	<b>RSAWF664-</b> ( )(1/2/3)	1,665.	1,914.	2,584.
			72"	<b>RSAWF724-</b> ( )(1/2/3)	1,719.	1,976.	2,667.

Order Code	Specification Information	Application Notes
Example: <b>RSAWF243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	
<b>3</b> 30" deep	N = No grommet	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>V319</b> Medium cherry		
<b>111</b> Jet black (grommet)	2. <i>Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
	1 = V1 2 = V2 3 = V3	


Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and back  
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241-( )(1/2/3)	\$1,006.	\$1,161.	\$1,567.	
		30"	RSAWA301-( )(1/2/3)	1,109.	1,274.	1,717.	
		36"	RSAWA361-( )(1/2/3)	1,169.	1,341.	1,813.	
		42"	RSAWA421-( )(1/2/3)	1,222.	1,403.	1,895.	
		48"	RSAWA481-( )(1/2/3)	1,268.	1,460.	1,970.	
		54"	RSAWA541-( )(1/2/3)	1,324.	1,525.	2,059.	
		60"	RSAWA601-( )(1/2/3)	1,429.	1,639.	2,214.	
		66"	RSAWA661-( )(1/2/3)	1,472.	1,692.	2,286.	
		72"	RSAWA721-( )(1/2/3)	1,546.	1,780.	2,402.	
		78"	RSAWA781-( )(1/2/3)	1,570.	1,799.	2,432.	
		84"	RSAWA841-( )(1/2/3)	1,668.	1,919.	2,590.	
		90"	RSAWA901-( )(1/2/3)	1,738.	1,998.	2,695.	
		96"	RSAWA961-( )(1/2/3)	1,799.	2,072.	2,797.	
		24"	24"	RSAWA242-( )(1/2/3)	1,060.	1,222.	1,648.
			30"	RSAWA302-( )(1/2/3)	1,198.	1,379.	1,862.
			36"	RSAWA362-( )(1/2/3)	1,247.	1,434.	1,936.
			42"	RSAWA422-( )(1/2/3)	1,283.	1,476.	1,995.
			48"	RSAWA482-( )(1/2/3)	1,379.	1,587.	2,140.
			54"	RSAWA542-( )(1/2/3)	1,472.	1,692.	2,286.
60"	RSAWA602-( )(1/2/3)		1,577.	1,814.	2,447.		
66"	RSAWA662-( )(1/2/3)		1,631.	1,871.	2,526.		
72"	RSAWA722-( )(1/2/3)		1,701.	1,957.	2,645.		
78"	RSAWA782-( )(1/2/3)		1,786.	2,055.	2,772.		
84"	RSAWA842-( )(1/2/3)		1,854.	2,135.	2,880.		
90"	RSAWA902-( )(1/2/3)	1,943.	2,232.	3,014.			
96"	RSAWA962-( )(1/2/3)	2,016.	2,317.	3,127.			

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RSAWA241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WA</b> Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	<i>2. Finish type:</i> 1 = V1 2 = V2 3 = V3	

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and back  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-( )(1/2/3)	\$1,156.	\$1,328.	\$1,793.
		30"	RSAWA303-( )(1/2/3)	1,297.	1,493.	2,017.
		36"	RSAWA363-( )(1/2/3)	1,398.	1,608.	2,172.
		42"	RSAWA423-( )(1/2/3)	1,457.	1,674.	2,259.
		48"	RSAWA483-( )(1/2/3)	1,554.	1,788.	2,414.
		54"	RSAWA543-( )(1/2/3)	1,681.	1,932.	2,609.
		60"	RSAWA603-( )(1/2/3)	1,742.	2,004.	2,706.
		66"	RSAWA663-( )(1/2/3)	1,783.	2,050.	2,766.
		72"	RSAWA723-( )(1/2/3)	1,824.	2,098.	2,831.
		78"	RSAWA783-( )(1/2/3)	1,907.	2,196.	2,964.
		84"	RSAWA843-( )(1/2/3)	1,985.	2,286.	3,086.
		90"	RSAWA903-( )(1/2/3)	2,076.	2,388.	3,225.
	96"	RSAWA963-( )(1/2/3)	2,152.	2,475.	3,342.	
	36"	60"	RSAWA604-( )(1/2/3)	2,011.	2,309.	3,118.
		66"	RSAWA664-( )(1/2/3)	2,080.	2,394.	3,231.
		72"	RSAWA724-( )(1/2/3)	2,149.	2,471.	3,335.


Order Code	Specification Information	Application Notes
Example: <b>RSAWA243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WA</b> Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	2. <i>Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and two sides  
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-( )(1/2/3)	\$1,212.	\$1,389.	\$1,876.	
		30"	RSAWB301-( )(1/2/3)	1,328.	1,526.	2,060.	
		36"	RSAWB361-( )(1/2/3)	1,400.	1,610.	2,175.	
		42"	RSAWB421-( )(1/2/3)	1,464.	1,682.	2,270.	
		48"	RSAWB481-( )(1/2/3)	1,522.	1,751.	2,364.	
		54"	RSAWB541-( )(1/2/3)	1,589.	1,828.	2,471.	
		60"	RSAWB601-( )(1/2/3)	1,716.	1,971.	2,660.	
		66"	RSAWB661-( )(1/2/3)	1,767.	2,030.	2,742.	
		72"	RSAWB721-( )(1/2/3)	1,854.	2,134.	2,879.	
		78"	RSAWB781-( )(1/2/3)	1,877.	2,160.	2,916.	
		84"	RSAWB841-( )(1/2/3)	2,001.	2,303.	3,109.	
		90"	RSAWB901-( )(1/2/3)	2,084.	2,396.	3,234.	
		96"	RSAWB961-( )(1/2/3)	2,160.	2,486.	3,355.	
		24"	24"	RSAWB242-( )(1/2/3)	1,273.	1,464.	1,976.
			30"	RSAWB302-( )(1/2/3)	1,439.	1,649.	2,229.
			36"	RSAWB362-( )(1/2/3)	1,494.	1,719.	2,323.
			42"	RSAWB422-( )(1/2/3)	1,541.	1,773.	2,396.
			48"	RSAWB482-( )(1/2/3)	1,649.	1,902.	2,569.
			54"	RSAWB542-( )(1/2/3)	1,767.	2,030.	2,742.
			60"	RSAWB602-( )(1/2/3)	1,894.	2,174.	2,935.
66"	RSAWB662-( )(1/2/3)		1,954.	2,246.	3,032.		
72"	RSAWB722-( )(1/2/3)		2,043.	2,351.	3,172.		
78"	RSAWB782-( )(1/2/3)		2,140.	2,465.	3,327.		
84"	RSAWB842-( )(1/2/3)		2,226.	2,556.	3,454.		
90"	RSAWB902-( )(1/2/3)		2,329.	2,679.	3,614.		
96"	RSAWB962-( )(1/2/3)	2,416.	2,782.	3,758.			


Order Code	Specification Information	Application Notes
Example: <b>RSAWB241F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p><b>Waterfall tops cannot be specified with semi-open pore finish.</b></p>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	<p>Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.</p> <p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p>
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WB</b> Waterfall front and 2 sides	4. Grommet finish	<p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
<b>24</b> 24" wide	1. <i>Grommet options:</i>	
<b>1</b> 20" deep	N = No grommet	<p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	2. <i>Finish type:</i>	
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and two sides  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-( )(1/2/3)	\$1,385.	\$1,594.	\$2,152.
		30"	RSAWB303-( )(1/2/3)	1,557.	1,792.	2,418.
		36"	RSAWB363-( )(1/2/3)	1,678.	1,928.	2,603.
		42"	RSAWB423-( )(1/2/3)	1,747.	2,006.	2,708.
		48"	RSAWB483-( )(1/2/3)	1,866.	2,143.	2,896.
		54"	RSAWB543-( )(1/2/3)	2,017.	2,317.	3,127.
		60"	RSAWB603-( )(1/2/3)	2,088.	2,402.	3,244.
		66"	RSAWB663-( )(1/2/3)	2,137.	2,459.	3,318.
		72"	RSAWB723-( )(1/2/3)	2,187.	2,516.	3,396.
		78"	RSAWB783-( )(1/2/3)	2,293.	2,638.	3,561.
		84"	RSAWB843-( )(1/2/3)	2,380.	2,739.	3,698.
	90"	RSAWB903-( )(1/2/3)	2,490.	2,866.	3,870.	
	96"	RSAWB963-( )(1/2/3)	2,585.	2,970.	4,009.	
	36"	60"	RSAWB604-( )(1/2/3)	2,411.	2,772.	3,744.
		66"	RSAWB664-( )(1/2/3)	2,493.	2,870.	3,874.
		72"	RSAWB724-( )(1/2/3)	2,582.	2,964.	4,003.

Order Code	Specification Information	Application Notes
Example: <b>RSAWB243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WB</b> Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	1 = V1 2 = V2 3 = V3	


Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and left side  
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-( )(1/2/3)	\$1,109.	\$1,275.	\$1,718.
		30"	RSAWL301-( )(1/2/3)	1,219.	1,399.	1,891.
		36"	RSAWL361-( )(1/2/3)	1,283.	1,476.	1,995.
		42"	RSAWL421-( )(1/2/3)	1,341.	1,541.	2,081.
		48"	RSAWL481-( )(1/2/3)	1,395.	1,604.	2,166.
		54"	RSAWL541-( )(1/2/3)	1,459.	1,676.	2,262.
		60"	RSAWL601-( )(1/2/3)	1,572.	1,806.	2,439.
		66"	RSAWL661-( )(1/2/3)	1,618.	1,864.	2,517.
		72"	RSAWL721-( )(1/2/3)	1,699.	1,954.	2,638.
		78"	RSAWL781-( )(1/2/3)	1,725.	1,981.	2,674.
		84"	RSAWL841-( )(1/2/3)	1,836.	2,110.	2,849.
		90"	RSAWL901-( )(1/2/3)	1,907.	2,196.	2,964.
		96"	RSAWL961-( )(1/2/3)	1,981.	2,280.	3,075.
24"	24"	RSAWL242-( )(1/2/3)	1,166.	1,341.	1,813.	
	30"	RSAWL302-( )(1/2/3)	1,319.	1,517.	2,046.	
	36"	RSAWL362-( )(1/2/3)	1,372.	1,577.	2,127.	
	42"	RSAWL422-( )(1/2/3)	1,413.	1,626.	2,191.	
	48"	RSAWL482-( )(1/2/3)	1,517.	1,743.	2,354.	
	54"	RSAWL542-( )(1/2/3)	1,618.	1,864.	2,517.	
	60"	RSAWL602-( )(1/2/3)	1,735.	1,991.	2,688.	
	66"	RSAWL662-( )(1/2/3)	1,790.	2,060.	2,780.	
	72"	RSAWL722-( )(1/2/3)	1,871.	2,152.	2,905.	
	78"	RSAWL782-( )(1/2/3)	1,959.	2,258.	3,048.	
	84"	RSAWL842-( )(1/2/3)	2,035.	2,346.	3,168.	
	90"	RSAWL902-( )(1/2/3)	2,136.	2,455.	3,312.	
	96"	RSAWL962-( )(1/2/3)	2,216.	2,550.	3,443.	

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RSAWL241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WL</b> Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and left side  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-( )(1/2/3)	\$1,273.	\$1,462.	\$1,973.
		30"	RSAWL303-( )(1/2/3)	1,428.	1,641.	2,216.
		36"	RSAWL363-( )(1/2/3)	1,537.	1,768.	2,388.
		42"	RSAWL423-( )(1/2/3)	1,600.	1,841.	2,482.
		48"	RSAWL483-( )(1/2/3)	1,710.	1,970.	2,659.
		54"	RSAWL543-( )(1/2/3)	1,847.	2,127.	2,872.
		60"	RSAWL603-( )(1/2/3)	1,917.	2,202.	2,973.
		66"	RSAWL663-( )(1/2/3)	1,956.	2,255.	3,044.
		72"	RSAWL723-( )(1/2/3)	2,006.	2,305.	3,112.
		78"	RSAWL783-( )(1/2/3)	2,101.	2,416.	3,262.
		84"	RSAWL843-( )(1/2/3)	2,183.	2,513.	3,392.
		90"	RSAWL903-( )(1/2/3)	2,286.	2,629.	3,548.
		96"	RSAWL963-( )(1/2/3)	2,368.	2,721.	3,674.
	36"	60"	RSAWL604-( )(1/2/3)	2,212.	2,542.	3,432.
		66"	RSAWL664-( )(1/2/3)	2,289.	2,631.	3,552.
		72"	RSAWL724-( )(1/2/3)	2,365.	2,718.	3,669.

Order Code	Specification Information	Application Notes
Example: <b>RSAWL243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WL</b> Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	1 = V1 2 = V2 3 = V3	

# Waterfall Edge 1 1/4" with 2" Waterfall edge front and right side 20" and 24" deep


description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-( )(1/2/3)	\$1,109.	\$1,275.	\$1,718.
		30"	RSAWR301-( )(1/2/3)	1,219.	1,399.	1,891.
		36"	RSAWR361-( )(1/2/3)	1,283.	1,476.	1,995.
		42"	RSAWR421-( )(1/2/3)	1,341.	1,541.	2,081.
		48"	RSAWR481-( )(1/2/3)	1,395.	1,604.	2,166.
		54"	RSAWR541-( )(1/2/3)	1,459.	1,676.	2,262.
		60"	RSAWR601-( )(1/2/3)	1,572.	1,806.	2,439.
		66"	RSAWR661-( )(1/2/3)	1,618.	1,864.	2,517.
		72"	RSAWR721-( )(1/2/3)	1,699.	1,954.	2,638.
		78"	RSAWR781-( )(1/2/3)	1,725.	1,981.	2,674.
		84"	RSAWR841-( )(1/2/3)	1,836.	2,110.	2,849.
		90"	RSAWR901-( )(1/2/3)	1,907.	2,196.	2,964.
		96"	RSAWR961-( )(1/2/3)	1,981.	2,280.	3,075.
24"	24"	24"	RSAWR242-( )(1/2/3)	1,166.	1,341.	1,813.
		30"	RSAWR302-( )(1/2/3)	1,319.	1,517.	2,046.
		36"	RSAWR362-( )(1/2/3)	1,372.	1,577.	2,127.
		42"	RSAWR422-( )(1/2/3)	1,413.	1,626.	2,191.
		48"	RSAWR482-( )(1/2/3)	1,517.	1,743.	2,354.
		54"	RSAWR542-( )(1/2/3)	1,618.	1,864.	2,517.
		60"	RSAWR602-( )(1/2/3)	1,735.	1,991.	2,688.
		66"	RSAWR662-( )(1/2/3)	1,790.	2,060.	2,780.
		72"	RSAWR722-( )(1/2/3)	1,871.	2,152.	2,905.
		78"	RSAWR782-( )(1/2/3)	1,959.	2,258.	3,048.
		84"	RSAWR842-( )(1/2/3)	2,035.	2,346.	3,168.
		90"	RSAWR902-( )(1/2/3)	2,136.	2,455.	3,312.
		96"	RSAWR962-( )(1/2/3)	2,216.	2,550.	3,443.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWR241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WR</b> Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	<i>2. Finish type:</i> 1 = V1 2 = V2 3 = V3	








Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and right side  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-( )(1/2/3)	\$1,273.	\$1,462.	\$1,973.
		30"	RSAWR303-( )(1/2/3)	1,428.	1,641.	2,216.
		36"	RSAWR363-( )(1/2/3)	1,537.	1,768.	2,388.
		42"	RSAWR423-( )(1/2/3)	1,600.	1,841.	2,482.
		48"	RSAWR483-( )(1/2/3)	1,710.	1,970.	2,659.
		54"	RSAWR543-( )(1/2/3)	1,847.	2,127.	2,872.
		60"	RSAWR603-( )(1/2/3)	1,917.	2,202.	2,973.
		66"	RSAWR663-( )(1/2/3)	1,956.	2,255.	3,044.
		72"	RSAWR723-( )(1/2/3)	2,006.	2,305.	3,112.
		78"	RSAWR783-( )(1/2/3)	2,101.	2,416.	3,262.
		84"	RSAWR843-( )(1/2/3)	2,183.	2,513.	3,392.
		90"	RSAWR903-( )(1/2/3)	2,286.	2,629.	3,548.
		96"	RSAWR963-( )(1/2/3)	2,368.	2,721.	3,674.
			36"	60"	RSAWR604-( )(1/2/3)	2,212.
		66"	RSAWR664-( )(1/2/3)	2,289.	2,631.	3,552.
		72"	RSAWR724-( )(1/2/3)	2,365.	2,718.	3,669.

Order Code	Specification Information	Application Notes
Example: <b>RSAWR243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WR</b> Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	1 = V1 2 = V2 3 = V3	

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	<b>RWAWF4223-</b> ( )(1/2/3)	\$1,168.	\$1,341.	\$1,813.
	24"	48"	30"	<b>RWAWF4823-</b> ( )(1/2/3)	1,216.	1,397.	1,887.
	24"	54"	30"	<b>RWAWF5423-</b> ( )(1/2/3)	1,309.	1,509.	2,036.
	24"	60"	30"	<b>RWAWF6023-</b> ( )(1/2/3)	1,400.	1,614.	2,180.
	24"	66"	30"	<b>RWAWF6623-</b> ( )(1/2/3)	1,453.	1,671.	2,255.
24"	72"	30"	<b>RWAWF7223-</b> ( )(1/2/3)	1,525.	1,754.	2,368.	
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	<b>RWAWF4232-</b> ( )(1/2/3)	1,168.	1,341.	1,813.
	30"	48"	24"	<b>RWAWF4832-</b> ( )(1/2/3)	1,216.	1,397.	1,887.
	30"	54"	24"	<b>RWAWF5432-</b> ( )(1/2/3)	1,309.	1,509.	2,036.
	30"	60"	24"	<b>RWAWF6032-</b> ( )(1/2/3)	1,400.	1,614.	2,180.
	30"	66"	24"	<b>RWAWF6632-</b> ( )(1/2/3)	1,453.	1,671.	2,255.
30"	72"	24"	<b>RWAWF7232-</b> ( )(1/2/3)	1,525.	1,754.	2,368.	
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	<b>RWAWF4212-</b> ( )(1/2/3)	1,082.	1,247.	1,684.
	20"	48"	24"	<b>RWAWF4812-</b> ( )(1/2/3)	1,138.	1,309.	1,768.
	20"	54"	24"	<b>RWAWF5412-</b> ( )(1/2/3)	1,219.	1,400.	1,892.
	20"	60"	24"	<b>RWAWF6012-</b> ( )(1/2/3)	1,303.	1,497.	2,024.
	20"	66"	24"	<b>RWAWF6612-</b> ( )(1/2/3)	1,341.	1,541.	2,081.
20"	72"	24"	<b>RWAWF7212-</b> ( )(1/2/3)	1,406.	1,616.	2,183.	
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	<b>RWAWF4221-</b> ( )(1/2/3)	1,082.	1,247.	1,684.
	24"	48"	20"	<b>RWAWF4821-</b> ( )(1/2/3)	1,138.	1,309.	1,768.
	24"	54"	20"	<b>RWAWF5421-</b> ( )(1/2/3)	1,219.	1,400.	1,892.
	24"	60"	20"	<b>RWAWF6021-</b> ( )(1/2/3)	1,303.	1,497.	2,024.
	24"	66"	20"	<b>RWAWF6621-</b> ( )(1/2/3)	1,341.	1,541.	2,081.
24"	72"	20"	<b>RWAWF7221-</b> ( )(1/2/3)	1,406.	1,616.	2,183.	
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	<b>RWEAWF3631-</b> ( )(1/2/3)	1,439.	1,649.	2,229.
	32"	42"	20"	<b>RWEAWF4231-</b> ( )(1/2/3)	1,494.	1,721.	2,324.
	32"	48"	20"	<b>RWEAWF4831-</b> ( )(1/2/3)	1,577.	1,815.	2,448.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RWAWF4221F2</b>	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
<b>R</b> Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
<b>W</b> Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>WF</b> Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
<b>42</b> 42" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
<b>2</b> 24" deep on left side	N = No grommet	
<b>1</b> 20" deep on left side	F = Flush front grommet location	
<b>F</b> Flush grommet location	<i>2. Finish type:</i>	
<b>2</b> V2 finish	1 = V1	
<b>V319</b> Medium cherry	2 = V2	
<b>111</b> Jet Black (grommet)	3 = V3	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	




**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
 Wave end top with waterfall edge front (right 24")	36"	36"	24"	<b>RWEAWF3662-( )(1/2/3)</b>	\$1,486.	\$1,709.	\$2,308.
	36"	42"	24"	<b>RWEAWF4262-( )(1/2/3)</b>	1,534.	1,765.	2,383.
	36"	48"	24"	<b>RWEAWF4862-( )(1/2/3)</b>	1,630.	1,871.	2,526.
 Wave end top with waterfall edge front (left 20")	20"	36"	32"	<b>RWEAWF3613-( )(1/2/3)</b>	1,439.	1,649.	2,229.
	20"	42"	32"	<b>RWEAWF4213-( )(1/2/3)</b>	1,494.	1,721.	2,324.
	20"	48"	32"	<b>RWEAWF4813-( )(1/2/3)</b>	1,577.	1,815.	2,448.
 Wave end top with waterfall edge front (left 24")	24"	36"	36"	<b>RWEAWF3626-( )(1/2/3)</b>	1,486.	1,709.	2,308.
	24"	42"	36"	<b>RWEAWF4226-( )(1/2/3)</b>	1,534.	1,765.	2,383.
	24"	48"	36"	<b>RWEAWF4826-( )(1/2/3)</b>	1,630.	1,871.	2,526.

Order Code	Specification Information	Application Notes
Example: <b>RWAWF4221F2</b>	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
<b>R</b> Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
<b>W</b> Wave top transition	2. Top finish type	
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	
<b>42</b> 42" wide	<i>1. Grommet options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>2</b> 24" deep on left side	N = No grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>1</b> 20" deep on left side	F = Flush front grommet location	
<b>F</b> Flush grommet location		
<b>2</b> V2 finish	<i>2. Finish type:</i>	See Planning Guide for grommet locations.
<b>V319</b> Medium cherry	1 = V1	Waterfall tops cannot be specified with semi-open pore finish.
<b>111</b> Jet Black (grommet)	2 = V2	
	3 = V3	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	


**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

2" Waterfall edge front only curvilinear corner tops



description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	<b>RCAWF363611-( )(1/2/3)</b>	\$1,709.	\$1,968.	\$2,655.
	36"	42"	<b>RCAWF364211-( )(1/2/3)</b>	1,810.	2,080.	2,810.
	36"	48"	<b>RCAWF364811-( )(1/2/3)</b>	1,920.	2,209.	2,983.
	42"	36"	<b>RCAWF423611-( )(1/2/3)</b>	1,810.	2,080.	2,810.
	42"	42"	<b>RCAWF424211-( )(1/2/3)</b>	1,920.	2,209.	2,983.
	42"	48"	<b>RCAWF424811-( )(1/2/3)</b>	2,098.	2,412.	3,256.
	48"	36"	<b>RCAWF483611-( )(1/2/3)</b>	1,920.	2,209.	2,983.
	48"	42"	<b>RCAWF484211-( )(1/2/3)</b>	2,098.	2,412.	3,256.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	<b>RCAWF363622-( )(1/2/3)</b>	1,936.	2,231.	3,013.
	36"	42"	<b>RCAWF364222-( )(1/2/3)</b>	2,035.	2,346.	3,168.
	36"	48"	<b>RCAWF364822-( )(1/2/3)</b>	2,149.	2,473.	3,338.
	42"	36"	<b>RCAWF423622-( )(1/2/3)</b>	2,035.	2,346.	3,168.
	42"	42"	<b>RCAWF424222-( )(1/2/3)</b>	2,149.	2,473.	3,338.
	42"	48"	<b>RCAWF424822-( )(1/2/3)</b>	2,326.	2,679.	3,614.
	48"	36"	<b>RCAWF483622-( )(1/2/3)</b>	2,149.	2,473.	3,338.
	48"	42"	<b>RCAWF484222-( )(1/2/3)</b>	2,326.	2,679.	3,614.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	<b>RCAWF363612-( )(1/2/3)</b>	1,786.	2,053.	2,771.
	36"	42"	<b>RCAWF364212-( )(1/2/3)</b>	1,890.	2,169.	2,928.
	36"	48"	<b>RCAWF364812-( )(1/2/3)</b>	1,998.	2,296.	3,100.
	42"	36"	<b>RCAWF423612-( )(1/2/3)</b>	1,890.	2,169.	2,928.
	42"	42"	<b>RCAWF424212-( )(1/2/3)</b>	1,998.	2,296.	3,100.
	42"	48"	<b>RCAWF424812-( )(1/2/3)</b>	2,175.	2,499.	3,374.
	48"	36"	<b>RCAWF483612-( )(1/2/3)</b>	1,998.	2,296.	3,100.
	48"	42"	<b>RCAWF484212-( )(1/2/3)</b>	2,175.	2,499.	3,374.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	<b>RCAWF363621-( )(1/2/3)</b>	1,786.	2,053.	2,771.
	36"	42"	<b>RCAWF364221-( )(1/2/3)</b>	1,890.	2,169.	2,928.
	36"	48"	<b>RCAWF364821-( )(1/2/3)</b>	1,998.	2,296.	3,100.
	42"	36"	<b>RCAWF423621-( )(1/2/3)</b>	1,890.	2,169.	2,928.
	42"	42"	<b>RCAWF424221-( )(1/2/3)</b>	1,998.	2,296.	3,100.
	42"	48"	<b>RCAWF424821-( )(1/2/3)</b>	2,175.	2,499.	3,374.
	48"	36"	<b>RCAWF483621-( )(1/2/3)</b>	1,998.	2,296.	3,100.
	48"	42"	<b>RCAWF484221-( )(1/2/3)</b>	2,175.	2,499.	3,374.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RCAWF363611F2</b> <b>R</b> Reff <b>C</b> Curved front corner <b>A</b> 1 1/4" thick <b>WF</b> Waterfall front <b>36</b> 36" wide on left back <b>36</b> 36" wide on right back <b>1</b> 20" deep on left side <b>1</b> 20" deep on right side <b>F</b> Standard grommet <b>2</b> V2 finish <b>V319</b> Medium cherry <b>111</b> Jet Black (grommet)	To order please specify pattern number including: 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish  1. Grommet options: N = No grommet F = Standard corner location or Flush  2. Finish type: 1 = V1 2 = V2 3 = V3  Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Radius of curved front changes with overall top size. See Planning Guide.  Products on this page are shipped without hardware which must be ordered separately from the support components section.  Curvilinear worksurfaces only available in 1 1/4" thick.  See Planning Guide for grommet locations.  Waterfall tops cannot be specified with semi-open pore finish.  <b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>  Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.  Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

# Waterfall Edge 1 1/4"

## 2" Waterfall edge meeting tops





description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	<b>RMDAWF4230-( )(1/2/3)</b>	\$2,183.	\$2,512.	\$3,389.
		48"	<b>RMDAWF4830-( )(1/2/3)</b>	2,355.	2,707.	3,655.
		54"	<b>RMDAWF5430-( )(1/2/3)</b>	2,527.	2,907.	3,925.
		60"	<b>RMDAWF6030-( )(1/2/3)</b>	2,701.	3,105.	4,190.
		66"	<b>RMDAWF6630-( )(1/2/3)</b>	2,876.	3,308.	4,467.
		72"	<b>RMDAWF7230-( )(1/2/3)</b>	3,053.	3,512.	4,740.
		78"	<b>RMDAWF7830-( )(1/2/3)</b>	3,457.	3,970.	5,361.
		84"	<b>RMDAWF8430-( )(1/2/3)</b>	3,857.	4,435.	5,986.
		90"	<b>RMDAWF9030-( )(1/2/3)</b>	4,305.	4,950.	6,684.
	96"	<b>RMDAWF9630-( )(1/2/3)</b>	4,754.	5,464.	7,377.	
	36"	42"	<b>RMDAWF4236-( )(1/2/3)</b>	2,408.	2,766.	3,734.
		48"	<b>RMDAWF4836-( )(1/2/3)</b>	2,631.	3,025.	4,085.
		54"	<b>RMDAWF5436-( )(1/2/3)</b>	3,007.	3,461.	4,672.
		60"	<b>RMDAWF6036-( )(1/2/3)</b>	3,375.	3,880.	5,240.
		66"	<b>RMDAWF6636-( )(1/2/3)</b>	3,433.	3,949.	5,332.
		72"	<b>RMDAWF7236-( )(1/2/3)</b>	3,490.	4,014.	5,419.
		78"	<b>RMDAWF7836-( )(1/2/3)</b>	3,928.	4,518.	6,095.
		84"	<b>RMDAWF8436-( )(1/2/3)</b>	4,371.	5,026.	6,785.
		90"	<b>RMDAWF9036-( )(1/2/3)</b>	4,605.	5,302.	7,154.
96"	<b>RMDAWF9636-( )(1/2/3)</b>	5,048.	5,801.	7,834.		
Wrap around panel top 	21 1/2"	42 1/2"	<b>RMDAWF4221-( )(1/2/3)( )</b>	2,810.	3,229.	4,359.
	25 1/2"	50 1/2"	<b>RMDAWF5025-( )(1/2/3)( )</b>	3,079.	3,541.	4,780.

\*specify mating end trim profile

Order Code	Specification Information	Application Notes
Example: <b>RMDAWF4230N2</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
<b>R</b> Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>MD</b> Meeting D-shaped top	2. Grommet option	
<b>A</b> 1 1/4" thick	3. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>WF</b> Waterfall all except flat side	4. Top finish	
<b>42</b> 42" wide	5. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>30</b> 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
<b>N</b> No grommet	2. <i>Grommet options:</i> N = No grommet	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>2</b> V2 finish	F = Flush front grommet location	
<b>V319</b> Medium cherry	R = Recessed front	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
	C = Centered (only on D-tops)	
	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	
	Note wrap around panel tops only, require specification of mating trim profile.	
	A = Flat B = Square C = Bullnose E = Extruded Aluminum	

# Waterfall Edge 1 1/4"


## 2" Waterfall edge meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	<b>RMPAWF4230-( )(1/2/3)</b>	\$3,001.	\$3,450.	\$4,657.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	<b>RM9AWF4230-( )(1/2/3)</b>	3,001.	3,450.	4,657.
						
Worksurface 9-top	30"	84"	<b>RM9AWF8430-( )(1/2/3)</b>	6,106.	7,022.	9,480.
	30"	96"	<b>RM9AWF9630-( )(1/2/3)</b>	6,363.	7,312.	9,872.
Worksurface P-top	30"	84"	<b>RMPAWF8430-( )(1/2/3)</b>	6,106.	7,022.	9,480.
	30"	96"	<b>RMPAWF9630-( )(1/2/3)</b>	6,363.	7,312.	9,872.


Order Code	Specification Information	Application Notes
Example: <b>RM9AWF8430N2</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
<b>R</b> Reff	1. Top thickness	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>M9</b> Meeting 9-shaped top	2. Grommet option	
<b>A</b> 1 1/4" thick	3. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>WF</b> Waterfall all except flat side	4. Top finish	
<b>84</b> 84" wide	5. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>30</b> 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
<b>N</b> No grommet	2. <i>Grommet options:</i> N = No grommet	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>2</b> V2 finish	F = Flush front grommet location	
<b>V319</b> Medium cherry	R = Recessed front	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
	C = Centered (only on D-tops)	
	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	
	Note wrap around panel tops only, require specification of mating trim profile.	

# Waterfall Edge 1 1/4"

## 2" Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
 30"D	72"	30"		<b>RMBAWA7230-( )(1/2/3)</b>		\$3,027.	\$3,487.	\$4,707.
	84"	30"		<b>RMBAWA8430-( )(1/2/3)</b>		3,343.	3,846.	5,189.
	96"	30"		<b>RMBAWA9630-( )(1/2/3)</b>		3,709.	4,263.	5,757.

Use 29" deep pedestals or end panels.  
**Do not** use 23" deep pedestals if using recessed modesty.

description	w	d	h	pattern no.	L	V1	V2	V3
 36"D	72"	36"		<b>RMBAWA7236-( )(1/2/3)</b>		3,221.	3,704.	4,998.
	84"	36"		<b>RMBAWA8436-( )(1/2/3)</b>		3,535.	4,065.	5,486.
	96"	36"		<b>RMBAWA9636-( )(1/2/3)</b>		3,921.	4,503.	6,080.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).  
 Can also be used with 36" deep end panel and recessed modesty.

description	w	d	h	pattern no.	L	V1	V2	V3
 Short modesty panel	40"	1"	26 1/2"	<b>RB40MR-( )</b>	345.	453.	519.	701.
	52"	1"	26 1/2"	<b>RB52MR-( )</b>	406.	534.	614.	829.
	64"	1"	26 1/2"	<b>RB64MR-( )</b>	439.	574.	664.	896.

**Use of short modesty panel**



Pedestals must be ordered separately with individual back panels.  
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.  
 Order:  
 40" modesty for 72" bow top  
 52" modesty for 84" bow top  
 64" modesty for 96" bow top  
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.  
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Order Code	Specification Information	Application Notes
Example: <b>RMBAWA7230(F)2</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
<b>R</b> Reff	1. Grommet option	Shipped with hardware. Refer to page 99 of planning guide for application details.
<b>MB</b> Bow front with Waterfall edge	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
<b>A</b> 1 1/4" thick	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>WA</b> Waterfall front/back	4. Grommet finish	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>72</b> 72" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
<b>30</b> 30" deep	N = No grommet	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
<b>F</b> Flush front grommet position	F = Flush front grommet location	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>2</b> V2 finish	R = Recessed front	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>V319</b> Medium cherry	A = Alternate location (for 36"D tops only)	
<b>111</b> Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
	2 = V2	
	3 = V3	

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak

# Waterfall Edge 1 1/4"

## *Waterfall elliptical tops and bulkhead*

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall elliptical tops 	60"	30"		<b>REBAWA6030( )</b>		\$4,279.	\$4,918.	\$6,640.
	72"	42"		<b>REBAWA7242( )</b>		6,082.	6,998.	9,447.
	78"	48"		<b>REBAWA7848( )</b>		6,674.	7,677.	10,365.
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	<b>REBH24</b>	487.	743.	860.	1,161.
	16"	30"	26 1/2"	<b>REBH30</b>	503.	756.	881.	1,189.

Worksurfaces





Order Code	Specification Information	Application Notes
Example: <b>REBAWA6030</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
<b>R</b> Reff	1. Grommet option	Shipped with hardware. Refer to page 99 of planning guide for application details.
<b>EB</b> Elliptical Waterfall	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
<b>A</b> 1 1/4" thick	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>WA</b> Waterfall front/back	4. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
<b>60</b> 60" wide	<i>1. Grommet options:</i>	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
<b>30</b> 30" deep	N = No grommet	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>F</b> Flush front grommet position	F = Flush front grommet location	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>2</b> V2 finish	R = Recessed front	
<b>V319</b> Medium cherry	A = Alternate location (for 36"D tops only)	
<b>111</b> Jet Black (grommet)	<i>2. Finish type:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
	1 = V1	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
	2 = V2	
	3 = V3	

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak



# Waterfall Edge 1 1/4"






## 2" Waterfall edge conference room tops round and racetrack

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	<b>RTAW7230-(1/2/3)</b>	\$4,279.	\$4,918.	\$6,640.
	72"	36"	<b>RTAW7236-(1/2/3)</b>	4,877.	5,606.	7,567.
	84"	30"	<b>RTAW8430-(1/2/3)</b>	4,762.	5,476.	7,393.
	84"	36"	<b>RTAW8436-(1/2/3)</b>	5,482.	6,304.	8,508.
	84"	42"	<b>RTAW8442-(1/2/3)</b>	6,674.	7,677.	10,365.
	96"	30"	<b>RTAW9630-(1/2/3)</b>	5,302.	6,094.	8,230.
	96"	36"	<b>RTAW9636-(1/2/3)</b>	6,082.	6,998.	9,447.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	<b>RTAW12036-(1/2/3)</b>	7,857.	9,032.	12,196.
	120"	42"	<b>RTAW12042-(1/2/3)</b>	8,473.	9,741.	13,152.
	144"	42"	<b>RTAW14442-(1/2/3)</b>	9,342.	10,743.	14,503.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	<b>RTAW16842-(1/2/3)</b>	11,715.	13,473.	18,189.
	192"	42"	<b>RTAW19242-(1/2/3)</b>	12,585.	14,475.	19,543.
RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center						
Round tops, Waterfall edge on all sides except on parting lines 	*	60"	<b>RTAW6060-(1/2/3)</b>	7,201.	8,275.	11,174.
	*	72"	<b>RTAW7272-(1/2/3)</b>	8,912.	10,246.	13,834.
	-	36"	<b>RTAW3636-(1/2/3)</b>	2,408.	3,228.	4,358.
	-	42"	<b>RTAW4242-(1/2/3)</b>	2,788.	3,741.	5,050.

Order Code	Specification Information	Application Notes
Example: <b>RTAW72302</b>	<i>To order please specify pattern number including:</i>	Top to top brackets included.
<b>R</b> Reff	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>T</b> Rounded top	2. Finish type	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>A</b> 1 1/4" thick	3. Finish	
<b>W</b> Waterfall all sides	1. <i>Thickness option:</i> A = 1 1/4"	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>72</b> 72" wide	2. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Tops have no radius on edges that adjoin.
<b>30</b> 30" deep		All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
<b>2</b> V2 finish		Waterfall tops cannot be specified with semi-open pore finish.
<b>V319</b> Medium cherry	*Round tops in two pieces.	

# Waterfall Edge 1 1/4"



## 2" Waterfall edge conference room tops square and rectangular

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	<b>RRAW7230-(1/2/3)</b>	\$2,259.	\$2,600.	\$3,511.
	72"	36"	<b>RRAW7236-(1/2/3)</b>	2,454.	2,824.	3,812.
	84"	30"	<b>RRAW8430-(1/2/3)</b>	2,499.	2,876.	3,882.
	84"	36"	<b>RRAW8436-(1/2/3)</b>	2,686.	3,085.	4,165.
	84"	42"	<b>RRAW8442-(1/2/3)</b>	3,970.	4,562.	6,161.
	96"	30"	<b>RRAW9630-(1/2/3)</b>	2,804.	3,226.	4,354.
	96"	42"	<b>RRAW9642-(1/2/3)</b>	4,552.	5,235.	7,067.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	<b>RRAW12036-(1/2/3)</b>	4,966.	5,717.	7,718.
	120"	42"	<b>RRAW12042-(1/2/3)</b>	6,855.	7,884.	10,644.
	144"	42"	<b>RRAW14442-(1/2/3)</b>	7,700.	8,857.	11,955.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	<b>RRAW16842-(1/2/3)</b>	10,096.	11,615.	15,683.
	192"	42"	<b>RRAW19242-(1/2/3)</b>	10,941.	12,580.	16,984.
RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center						
Square top - one piece 	-	36"	<b>RRAW3636-(1/2/3)</b>	1,747.	2,340.	3,163.
	-	42"	<b>RRAW4242-(1/2/3)</b>	2,259.	3,031.	4,091.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	<b>RRAW6060-(1/2/3)</b>	4,627.	5,319.	7,180.
	-	72"	<b>RRAW7272-(1/2/3)</b>	5,464.	6,286.	8,483.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RRAW72302</b> <b>R</b> Reff <b>R</b> Rectangular <b>A</b> 1 1/4" thick <b>W</b> Waterfall all sides <b>72</b> 72" wide <b>30</b> 30" deep <b>2</b> V2 finish <b>V319</b> Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish  1. Thickness option: A = 1 1/4"  2. Finish type: 1 = V1 2 = V2 3 = V3  Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.  Top to top brackets included.  Tops have no radius on edges that adjoin.  See table base matrix in Planning Guide for base supports recommended.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.  Waterfall tops cannot be specified with semi-open pore finish.

# Cascade Edge 1 1/4" Rectilinear 24" and 30" deep

description	d	w	pattern no.	Solid	Woodgrain
24"D Rectangular  <i>shown with grommet</i>	24"	24"	<b>RCE1R2424N</b>	\$255.	\$222.
	24"	30"	<b>RCE1R3024N</b>	293.	255.
	24"	36"	<b>RCE1R3624N</b>	324.	281.
	24"	42"	<b>RCE1R4224N</b>	373.	324.
	24"	48"	<b>RCE1R4824N</b>	419.	364.
	24"	54"	<b>RCE1R5424N</b>	449.	391.
	24"	60"	<b>RCE1R6024N</b>	488.	424.
	24"	66"	<b>RCE1R6624N</b>	526.	459.
	24"	72"	<b>RCE1R7224N</b>	551.	479.
	24"	78"	<b>RCE1R7824N</b>	591.	515.
	24"	84"	<b>RCE1R8424N</b>	625.	544.
	24"	90"	<b>RCE1R9024N</b>	704.	614.
24"	96"	<b>RCE1R9624N</b>	770.	670.	
30"D Rectangular  <i>shown with grommet</i>	30"	24"	<b>RCE1R2430N</b>	326.	282.
	30"	30"	<b>RCE1R3030N</b>	364.	317.
	30"	36"	<b>RCE1R3630N</b>	406.	353.
	30"	42"	<b>RCE1R4230N</b>	439.	383.
	30"	48"	<b>RCE1R4830N</b>	488.	424.
	30"	54"	<b>RCE1R5430N</b>	552.	480.
	30"	60"	<b>RCE1R6030N</b>	606.	528.
	30"	66"	<b>RCE1R6630N</b>	677.	589.
	30"	72"	<b>RCE1R7230N</b>	704.	614.
	30"	78"	<b>RCE1R7830N</b>	752.	654.
	30"	84"	<b>RCE1R8430N</b>	800.	696.
	30"	90"	<b>RCE1R9030N</b>	860.	748.
30"	96"	<b>RCE1R9630N</b>	919.	800.	

### Order Code

Example:	<b>RCE1R3024N 118</b>
<b>R</b>	Reff
<b>CE1</b>	Cascade edge
<b>R</b>	Rectangular
<b>30</b>	Width
<b>24</b>	Depth
<b>N</b>	No grommet
<b>118</b>	Finish

### Specification Information

To order please specify pattern number including finish:

Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

### Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$21.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 220 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.  
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, pthalates and lead content.

# Cascade Edge 1 1/4" Blended "D"

description	A	B	C	pattern no.	Solid	Woodgrain
 <p>right hand shown</p>	48"	24"	66"	<b>RCE1BD6648S(L/R)</b>	\$1,032.	\$898.
	48"	24"	72"	<b>RCE1BD7248S(L/R)</b>	1,057.	917.
	48"	24"	78"	<b>RCE1BD7848S(L/R)</b>	1,219.	1,060.
	48"	24"	84"	<b>RCE1BD8448S(L/R)</b>	1,252.	1,089.
	48"	30"	66"	<b>RCE1BD6648D(L/R)</b>	1,086.	943.
	48"	30"	72"	<b>RCE1BD7248D(L/R)</b>	1,125.	978.
	48"	30"	78"	<b>RCE1BD7848D(L/R)</b>	1,259.	1,096.
	48"	30"	84"	<b>RCE1BD8448D(L/R)</b>	1,330.	1,158.

Worksurfaces

### Order Code

Example:	<b>RCE1BD6648SR 118</b>
<b>R</b>	Reff
<b>CE1</b>	Cascade edge
<b>BD</b>	Blended "D"
<b>66</b>	Width
<b>48</b>	Depth
<b>S</b>	24" return
<b>R</b>	right hand
<b>118</b>	Finish

### Specification Information

*To order please specify pattern number including:*

- Return depth (dimension C on line art, hard coded in pattern number )  
 S = 24" return  
 D = 30" return
- Hand ( left or right )
- Finish  
*Solid:*  
 114 Folkstone Grey  
 117 Soft Grey  
 118 Bright White  
 119 Pumice

Woodgrain:  
 124 Medium Cherry  
 125 Natural Maple  
 126 Natural Cherry  
 127 Walnut

### Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 220 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.


Actual width 1/16" less nominal.  
 Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

# Cascade Edge 1 1/4"

## Curvilinear corner

description	A	B	C	pattern no.	Solid	Woodgrain
Curvilinear corner	24"	24"	36"	<b>RCE1L3636SSN</b>	\$639.	\$554.
	24"	24"	42"	<b>RCE1L4242SSN</b>	770.	670.
	24"	24"	48"	<b>RCE1L4848SSN</b>	865.	752.
	24"	30"	42"	<b>RCE1L4242DSN</b>	913.	796.
	24"	30"	48"	<b>RCE1L4848DSN</b>	1,036.	901.
<i>shown with grommets</i>	30"	24"	42"	<b>RCE1L4242SDN</b>	913.	796.
	30"	24"	48"	<b>RCE1L4848SDN</b>	1,036.	901.
	30"	30"	48"	<b>RCE1L4848DDN</b>	930.	808.

### Order Code

Example: <b>RCE1L3636SSN 114</b>
<b>RCE1</b> Reff Cascade Edge worksurface
<b>L</b> Curvilinear Corner top
<b>36</b> Width
<b>36</b> Depth
<b>S</b> 24"d, left side
<b>S</b> 24"d, right side
<b>N</b> No grommet
<b>114</b> Folkstone Grey finish
Grain Direction

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$26.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

### Specification Information

To order please specify pattern number including:

- Return depths (hard coded in pattern number)
  - SS = 24"d left and right
  - SD = 24"d left, 30"d right
  - DS = 30"d left, 24"d right
  - DD = 30"d left and right
- Grommets ( hard coded in pattern number )
  - N= no grommets
  - G= grommets

To specify grommets, replace the "N" suffix in pattern number with "G". Add \$41.

- Finish
  - Solid:**
    - 114 Folkstone Grey
    - 117 Soft Grey
    - 118 Bright White
    - 119 Pumice
  - Woodgrain:
    - 124 Medium Cherry
    - 125 Natural Maple
    - 126 Natural Cherry
    - 127 Walnut

Grain Direction:

- D = Diagonal
- L = Left hand
- N = Not required
- R = Right hand

### Application Notes

Center-located edge grommets, located on center of sides marked A.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 220 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.  
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

# Cascade Edge 1 1/4" Blended "L"





description	B	C	A	D	pattern no.	Solid	Woodgrain
 <p>shown with grommets</p>	42"	60"	24"	24"	<b>RCE1L4260SSN</b>	\$1,058.	\$919.
	42"	66"	24"	24"	<b>RCE1L4266SSN</b>	1,086.	943.
	42"	72"	24"	24"	<b>RCE1L4272SSN</b>	1,127.	979.
	42"	78"	24"	24"	<b>RCE1L4278SSN</b>	1,138.	991.
	48"	60"	24"	24"	<b>RCE1L4860SSN</b>	1,070.	932.
	48"	60"	24"	30"	<b>RCE1L4860SDN</b>	1,052.	913.
	48"	60"	30"	24"	<b>RCE1L4860DSN</b>	1,052.	913.
	48"	66"	24"	24"	<b>RCE1L4866SSN</b>	1,109.	965.
	48"	66"	24"	30"	<b>RCE1L4866SDN</b>	1,106.	961.
	48"	66"	30"	24"	<b>RCE1L4866DSN</b>	1,106.	961.
	48"	72"	24"	24"	<b>RCE1L4872SSN</b>	1,150.	1,000.
	48"	72"	24"	30"	<b>RCE1L4872SDN</b>	1,158.	1,006.
	48"	72"	30"	24"	<b>RCE1L4872DSN</b>	1,158.	1,006.
	48"	78"	24"	24"	<b>RCE1L4878SSN</b>	1,268.	1,102.
	48"	84"	24"	24"	<b>RCE1L4884SSN</b>	1,426.	1,239.
	60"	42"	24"	24"	<b>RCE1L6042SSN</b>	1,058.	919.
	60"	48"	24"	24"	<b>RCE1L6048SSN</b>	1,070.	932.
	60"	48"	24"	30"	<b>RCE1L6048SDN</b>	1,052.	913.
	60"	48"	30"	24"	<b>RCE1L6048DSN</b>	1,052.	913.
	66"	42"	24"	24"	<b>RCE1L6642SSN</b>	1,086.	943.
	66"	48"	24"	24"	<b>RCE1L6648SSN</b>	1,109.	965.
	66"	48"	24"	30"	<b>RCE1L6648SDN</b>	1,106.	961.
	66"	48"	30"	24"	<b>RCE1L6648DSN</b>	1,106.	961.
	72"	42"	24"	24"	<b>RCE1L7242SSN</b>	1,127.	979.
	72"	48"	24"	24"	<b>RCE1L7248SSN</b>	1,150.	1,000.
	72"	48"	24"	30"	<b>RCE1L7248SDN</b>	1,158.	1,006.
	72"	48"	30"	24"	<b>RCE1L7248DSN</b>	1,158.	1,006.
	78"	42"	24"	24"	<b>RCE1L7842SSN</b>	1,138.	991.
	78"	48"	24"	24"	<b>RCE1L7848SSN</b>	1,268.	1,102.
	84"	48"	24"	24"	<b>RCE1L8448SSN</b>	1,426.	1,239.

Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: <b>RCE1L4260SSG 114</b></p> <p><b>RCE1</b> Cascade edge worksurface</p> <p><b>L</b> Blended "L" top</p> <p><b>42</b> Width</p> <p><b>60</b> Depth</p> <p><b>S</b> 24"d, left side</p> <p><b>S</b> 24"d, right side</p> <p><b>G</b> Grommets</p> <p><b>114</b> Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number):            SS = 24"d left and right            SD = 24"d left, 30"d right            DS = 30"d left, 24"d right</p> <p>2. Grommets ( hard coded in pattern number):            N= no grommets            G= grommets</p> <p>3. Finishes:  <b>Solid:</b>            114 Folkstone Grey            117 Soft Grey            118 Bright White            119 Pumice</p> <p>Woodgrain:            124 Medium Cherry            125 Natural Maple            126 Natural Cherry            127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 220 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal.            Actual depth 3/8" less nominal for cord drop.</p>
<p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$41.</p>		<p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p> <p>Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.</p>

# Cascade Edge 1 1/4"

## Half round and corner round

description	w	d	pattern no.	Solid	Woodgrain
 Half Round	48"	18"	<b>RCE1H4818</b>	\$551.	\$479.
	50 1/2"	18"	<b>RCE1H4818P</b>	551.	479.
	60"	24"	<b>RCE1H6024</b>	760.	659.
	62 1/2"	24"	<b>RCE1H6024P</b>	760.	659.
 LH Corner Round	24"	24"	<b>RCE1CR24L</b>	293.	255.
 RH Corner Round	24"	24"	<b>RCE1CR24R</b>	293.	255.
 Notched Corner Round	24"	24"	<b>RCE1CR24N</b>	293.	255.

### Order Code

Example:	<b>RCE1H4818P 118</b>
<b>R</b>	Reff
<b>CE1</b>	Cascade edge
<b>H</b>	Half round
<b>48</b>	Width
<b>18</b>	Depth
<b>P</b>	Notch for panel trim
<b>118</b>	Finish

### Specification Information

To order please specify pattern number including finish:  
Available finishes:

#### Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

#### Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

### Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket from page 220 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Half round tops with suffix P, notched for panel end trim profile B square only.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.  
Actual depth 3/8" less nominal.


Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

# Cascade Edge 1 1/4" Wave end

description	1	2	3	A	B	pattern no.	Solid	Woodgrain
Wave End, LH 	36"	24"	30"	3"	15"	<b>RCE1W363024N</b>	\$685.	\$596.
	42"	24"	30"	9"	15"	<b>RCE1W423024N</b>	721.	626.
	48"	24"	30"	15"	15"	<b>RCE1W483024N</b>	772.	671.
	72"	24"	30"	30 1/2"	23 1/2"	<b>RCE1W723024N</b>	980.	854.

shown with grommet

description	1	2	3	A	B	pattern no.	Solid	Woodgrain
Wave End, RH 	36"	30"	24"	15"	3"	<b>RCE1W362430N</b>	685.	596.
	42"	30"	24"	15"	9"	<b>RCE1W422430N</b>	721.	626.
	48"	30"	24"	15"	15"	<b>RCE1W482430N</b>	772.	671.
	72"	30"	24"	23 1/2"	30 1/2"	<b>RCE1W722430N</b>	980.	854.

shown with grommet

Worksurfaces

### Order Code

Example:	<b>RCE1W483024N 118</b>
<b>RCE1</b>	Cascade edge worksurface
<b>W</b>	Wave end
<b>48</b>	Width
<b>30</b>	Depth, left side
<b>24</b>	Depth, right side
<b>N</b>	No grommet
<b>118</b>	Top finish

### Specification Information

To order please specify pattern number including finish:  
Available finishes:

**Solid:**

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

**Woodgrain:**

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

### Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$21.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Specify cantilever bracket (ASBC18( L/R ) or ASBC24 (L/R)) from page 220 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.  
Actual depth 3/8" less nominal for cord drop.


Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.



# Worksurface Credenza

## 1" No grommet

description	d	w	pattern no.	L	M/V1	V2	V3	
Credenza tops 	20"	30"	<b>RCE301()</b>	\$374.	\$404.	\$418.	\$541.	
		36"	<b>RCE361()</b>	394.	417.	435.	577.	
		60"	<b>RCE601()</b>	491.	500.	576.	779.	
		66"	<b>RCE661()</b>	505.	516.	594.	802.	
		72"	<b>RCE721()</b>	532.	543.	623.	841.	
		78"	<b>RCE781()</b>	538.	548.	632.	854.	
		84"	<b>RCE841()</b>	575.	587.	673.	908.	
		90"	<b>RCE901()</b>	598.	610.	699.	946.	
		96"	<b>RCE961()</b>	620.	632.	727.	980.	
		102"	<b>RCE1021()</b>	682.	696.	800.	1,078.	
		108"	<b>RCE1081()</b>	751.	765.	880.	1,186.	
		24"	30"	<b>RCE302()</b>	392.	423.	440.	580.
			36"	<b>RCE362()</b>	409.	444.	464.	625.
60"	<b>RCE602()</b>		544.	554.	635.	859.		
66"	<b>RCE662()</b>		561.	572.	658.	888.		
72"	<b>RCE722()</b>		584.	596.	688.	931.		
78"	<b>RCE782()</b>		613.	625.	723.	973.		
84"	<b>RCE842()</b>		639.	651.	749.	1,011.		
90"	<b>RCE902()</b>		667.	680.	781.	1,054.		
96"	<b>RCE962()</b>		692.	705.	812.	1,097.		
102"	<b>RCE1022()</b>		761.	777.	894.	1,206.		
108"	<b>RCE1082()</b>		837.	854.	984.	1,327.		

### Order Code

Example: <b>RCE601</b>
<b>R</b> Reff
<b>C</b> Credenza Top
<b>E</b> 1"
<b>60</b> width
<b>1</b> 20"
<b>V316</b> Finish

### Specification Information

To order please specify pattern number including:  
 1. Finish  
 L, V1, V2, V3


### Application Notes

No grommet options  
 Product on this page will accept woodgrain laminate where laminate is currently an option.

Credenza tops are drilled to accept pedestals and end panels.  
 Credenza tops are predrilled with pilot holes for use with wood screws.  
 1" Credenza tops are recommended to work with the Task Panel application.  
 Credenza tops are intended to be supported by full lower storage.

# Worksurface Credenza

## 1" with edge grommet

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	60"	<b>RCEEG601()</b>	\$686.	\$700.	\$806.	\$1,091.
		66"	<b>RCEEG661()</b>	708.	723.	833.	1,123.
		72"	<b>RCEEG721()</b>	746.	760.	872.	1,177.
		78"	<b>RCEEG781()</b>	753.	768.	886.	1,197.
		84"	<b>RCEEG841()</b>	806.	823.	942.	1,271.
		90"	<b>RCEEG901()</b>	836.	853.	979.	1,324.
		96"	<b>RCEEG961()</b>	868.	886.	1,017.	1,373.
		102"	<b>RCEEG1021()</b>	956.	974.	1,119.	1,508.
	108"	<b>RCEEG1081()</b>	1,050.	1,071.	1,231.	1,661.	
	24"	60"	<b>RCEEG602()</b>	761.	777.	890.	1,202.
		66"	<b>RCEEG662()</b>	784.	800.	921.	1,243.
		72"	<b>RCEEG722()</b>	818.	835.	963.	1,302.
		78"	<b>RCEEG782()</b>	858.	876.	1,011.	1,362.
		84"	<b>RCEEG842()</b>	893.	911.	1,048.	1,415.
		90"	<b>RCEEG902()</b>	933.	952.	1,094.	1,476.
		96"	<b>RCEEG962()</b>	968.	988.	1,138.	1,536.
102"		<b>RCEEG1022()</b>	1,066.	1,088.	1,252.	1,689.	
108"	<b>RCEEG1082()</b>	1,172.	1,196.	1,377.	1,858.		

Worksurfaces

### Order Code

Example: <b>RCEEG601</b>
<b>R</b> Reff
<b>C</b> Credenza Top
<b>E</b> 1"
<b>EG</b> Edge Grommet
<b>60</b> Width
<b>1</b> 20"
<b>V316</b> Finish

### Specification Information

To order please specify pattern number including:  
 1. Top finish  
 L, V1, V2, V3


### Application Notes

These tops will always come with a cut out (notch) at the back of top.  
 No grommet option.  
 Product on this page will accept woodgrain laminate where laminate is currently an option.

Credenza tops are drilled to accept pedestals.  
 Credenza tops are predrilled with pilot holes for use with wood screws.  
 1" Credenza tops are recommended to work with the Task Panel application.  
 Credenza tops are intended to be supported by full lower storage.  
 Edge grommet: 35mm deep, 6" in from back corner.

# Worksurface Credenza

## 1 1/2" with edge grommet

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	<b>RCD601()</b>	\$755.	\$771.	\$887.	\$1,200.
		66"	<b>RCD661()</b>	779.	795.	915.	1,234.
		72"	<b>RCD721()</b>	820.	834.	959.	1,296.
		78"	<b>RCD781()</b>	828.	844.	974.	1,316.
		84"	<b>RCD841()</b>	886.	904.	1,037.	1,398.
		90"	<b>RCD901()</b>	920.	939.	1,077.	1,457.
		96"	<b>RCD961()</b>	956.	974.	1,119.	1,508.
		102"	<b>RCD1021()</b>	1,050.	1,071.	1,231.	1,661.
		108"	<b>RCD1081()</b>	1,155.	1,178.	1,354.	1,825.
	24"	60"	<b>RCD602()</b>	837.	854.	979.	1,322.
		66"	<b>RCD662()</b>	862.	880.	1,015.	1,369.
		72"	<b>RCD722()</b>	901.	918.	1,060.	1,432.
		78"	<b>RCD782()</b>	943.	962.	1,113.	1,499.
		84"	<b>RCD842()</b>	984.	1,004.	1,153.	1,557.
		90"	<b>RCD902()</b>	1,026.	1,047.	1,203.	1,623.
		96"	<b>RCD962()</b>	1,066.	1,088.	1,252.	1,689.
		102"	<b>RCD1022()</b>	1,172.	1,196.	1,377.	1,858.
		108"	<b>RCD1082()</b>	1,290.	1,316.	1,515.	2,045.

### Order Code

Example: <b>RCD601</b>
<b>R</b> Reff
<b>C</b> Credenza
<b>D</b> 1 1/2" top
<b>60</b> Width
<b>1</b> 20"
<b>V316</b> Finish

### Specification Information

To order please specify pattern number including:  
 1. Finish  
 L, V1, V2, V3

### Application Notes

These tops will always come with a cut out (notch) at the back of top.  
 No grommet option.  
 Product on this page will accept woodgrain laminate where laminate is currently an option.

Credenza tops are drilled to accept pedestals.  
 Credenza tops are predrilled with pilot holes for use with wood screws.  
 1" Credenza tops are recommended to work with the Task Panel application.  
 Credenza tops are intended to be supported by full lower storage.  
 Edge grommet: 35mm deep, 6" in from back corner.

# Tables with Open Frame Legs

## Rectangular - 26 1/2" High

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg	24"	60"	1 1/2"	RTRDOF60241( )()	\$1,689.	\$1,797.	\$2,014.	\$2,322.
	24"	66"	1 1/2"	RTRDOF66241( )()	1,674.	1,843.	2,068.	2,404.
	24"	72"	1 1/2"	RTRDOF72241( )()	1,742.	1,856.	2,091.	2,431.
	24"	78"	1 1/2"	RTRDOF78241( )()	1,768.	1,911.	2,148.	2,538.
	24"	84"	1 1/2"	RTRDOF84241( )()	1,784.	1,956.	2,200.	2,616.




Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	60"	1 1/2"	RTRDOF60301( )()	1,779.	1,874.	2,107.	2,471.
	30"	66"	1 1/2"	RTRDOF66301( )()	1,819.	1,923.	2,165.	2,561.
	30"	72"	1 1/2"	RTRDOF72301( )()	1,838.	1,938.	2,211.	2,638.
	30"	78"	1 1/2"	RTRDOF78301( )()	1,866.	2,001.	2,258.	2,716.
	30"	84"	1 1/2"	RTRDOF84301( )()	1,885.	2,060.	2,327.	2,816.





Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	60"	1 1/2"	RTRDOF60361( )()	1,809.	1,931.	2,178.	2,595.
	36"	66"	1 1/2"	RTRDOF66361( )()	1,851.	1,985.	2,243.	2,597.
	36"	72"	1 1/2"	RTRDOF72361( )()	1,873.	2,028.	2,294.	2,783.
	36"	78"	1 1/2"	RTRDOF78361( )()	1,904.	2,071.	2,345.	2,872.
	36"	84"	1 1/2"	RTRDOF84361( )()	1,926.	2,124.	2,409.	2,970.



Tables

### Order Code

Example:	<b>RTRDOF60241</b>
<b>R</b>	Reff
<b>TR</b>	Table Rectangular
<b>D</b>	1 1/2"
<b>OF</b>	Open Frame Leg
<b>60</b>	Width
<b>24</b>	Depth
<b>1</b>	26 1/2" height leg
<b>V316</b>	Finish
<b>111</b>	Leg Finish

### Specification Information

To order please specify pattern number including:

1. Worksurface finish  
L, V1, V2, V3
2. Open Frame Leg finish  
Painted and Anodized

Upcharges apply to legs with P2, P3 and P4 finishes.  
Additional upcharges;

LegFinish	Add
P2	\$120.
P3	\$180.
P4 for 20" & 24" d legs:	\$700.
for 30" & 36" d legs:	\$900.

### Application Notes

Assembly required, ships knock down.  
Modesty sold separately.  
1 1/2" top will come with appropriate stiffener support.  
Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option.

# Open Frame legs Infill Options

## For Tables, 26 1/2" High

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26 1/2" h	24"	24"	<b>RIPI241()</b>	\$316.	\$410.	\$471.	\$614.	
	24"	30"	<b>RIPI301()</b>	333.	431.	495.	645.	
	24"	36"	<b>RIPI361()</b>	353.	458.	525.	683.	



Outside Infill Options for Open Frame Legs 26 1/2" h	25"	24"	<b>RIPO241()</b>	317.	412.	473.	615.	
	25"	30"	<b>RIPO301()</b>	335.	434.	498.	648.	
	25"	36"	<b>RIPO361()</b>	354.	459.	527.	685.	



Outside Glass Infill Options for Open Frame Legs 26 1/2" h	25"	24"	<b>RIPOG241()</b>					898.
	25"	30"	<b>RIPOG301()</b>					1,056.
	25"	36"	<b>RIPOG361()</b>					1,218.



Order Code	Specification Information	Application Notes
Example: <b>RIPEI202</b>	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill panels are required and must be ordered separately.
<b>R</b> Reff Profiles	1. Finish: L, V1,V2,V3, Glass	Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.
<b>IP</b> Infill Panel	I=Inside	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>PE</b> Peninsula End	O=Outside	For Peninsula infills prior to July 17, 2012 please consult your account manager.
<b>I</b> Inside	OG=Outside Glass	
<b>20</b> Width	Glass options:	
<b>1</b> 26 1/2" h: Desk Height	GL11, GL14, GL15, GL18	
<b>()</b> Finish		

# Tables with L-legs Rectangular and Square

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	<b>RTRDL48301()</b> ( )	\$1,414.	\$1,654.	\$1,858.	\$1,916.
	30"	60"	1 1/2"	<b>RTRDL60301()</b> ( )	1,477.	1,748.	1,969.	2,031.
	30"	72"	1 1/2"	<b>RTRDL72301()</b> ( )	1,541.	1,810.	2,045.	2,164.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	<b>RTRDL72361()</b> ( )	1,614.	1,876.	2,126.	2,306.
---	-----	-----	--------	-------------------------	--------	--------	--------	--------





Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	<b>RTSDL42421()</b> ( ) ( )	1,470.	1,706.	1,923.	1,976.
	48"	48"	1 1/2"	<b>RTSDL48481()</b> ( ) ( )	1,563.	1,790.	2,156.	2,465.



Order Code	Specification Information	Application Notes	Application Notes
Example: <b>RTRDL48301()</b> ( )	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.	Assembly required, ships knock down.
<b>R</b> Reff			
<b>TR</b> Table Rectangular TS = Table Square	1. Worksurface finish L, V1, V2, V3 2. Leg finish Painted / Anodized	Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;	Modesty sold separately.
<b>D</b> 1 1/2"			
<b>L</b> L-Leg			Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>48</b> Width			
<b>30</b> Depth			
<b>1</b> 26 1/2" height leg			
<b>V316</b> Finish			Grommets are NOT optional for these tables.
<b>111</b> Leg Finish			

# Tables with Reverse L-Legs Rectangular and Square

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	<b>RTRDRL48301</b> ( ) ( ) ( )	\$1,414.	\$1,654.	\$1,853.	\$1,916.
	30"	60"	1 1/2"	<b>RTRDRL60301</b> ( ) ( ) ( )	1,477.	1,748.	1,969.	2,031.
	30"	72"	1 1/2"	<b>RTRDRL72301</b> ( ) ( ) ( )	1,541.	1,810.	2,045.	2,164.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	<b>RTRDRL72361</b> ( ) ( ) ( )	1,614.	1,876.	2,126.	2,306.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------





Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	<b>RTSDRL42421</b> ( ) ( ) ( )	1,470.	1,706.	1,923.	1,976.
	48"	48"	1 1/2"	<b>RTSDRL48481</b> ( ) ( ) ( )	1,563.	1,790.	2,156.	2,465.



Order Code	Specification Information	Application Notes
Example: <b>RTRDRL48301</b> ( ) ( ) ( )	To order please specify pattern number including: 1. Worksurface finish L, V1, V2, V3 2. Leg finish Painted / Anodized	Product on this page will accept woodgrain laminate where laminate is currently an option.  Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges; Leg Finish    Add P2            \$100. P3            \$160. P4            \$400.
<b>R</b> Reff		
<b>TR</b> Table Rectangular TS = Table Square		Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"		Grommets are NOT optional for these tables.
<b>RL</b> Reverse L-Leg		
<b>48</b> Width		
<b>30</b> Depth		
<b>1</b> 26 1/2" height leg		
<b>V316</b> Finish		
<b>111</b> Leg Finish		

# Tables with Soft Rectangular Legs *Rectangular and Square*

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	<b>RTRDS48301</b> ( ) ( ) ( )	\$1,529.	\$1,769.	\$2,025.	\$2,286.
	30"	60"	1 1/2"	<b>RTRDS60301</b> ( ) ( ) ( )	1,593.	1,863.	2,096.	2,460.
	30"	72"	1 1/2"	<b>RTRDS72301</b> ( ) ( ) ( )	1,656.	1,926.	2,171.	2,598.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	<b>RTRDS72361</b> ( ) ( ) ( )	1,534.	1,790.	2,032.	2,521.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------





Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	<b>RTSDS42421</b> ( ) ( ) ( )	1,585.	1,821.	2,049.	2,400.
	48"	48"	1 1/2"	<b>RTSDS48481</b> ( ) ( ) ( )	1,687.	1,906.	2,154.	2,592.



Order Code	Specification Information	Application Notes
Example: <b>RTRDS48301</b> ( ) ( ) ( )	To order please specify pattern number including:	Product on this page will accept woodgrain laminate where laminate is currently an option..
<b>R</b> Reff		
<b>TR</b> Table Rectangular TS = Table Square	1. Worksurface finish L, V1, V2, V3 2. Leg finish Painted / Anodized	Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;
<b>D</b> 1 1/2"		
<b>S</b> Soft Rectangular Leg		Modesty sold separately. Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>48</b> Width		
<b>30</b> Depth		
<b>1</b> 26 1/2" height leg		
<b>V316</b> Finish	Leg Finish Add P2 \$100. P3 \$160. P4 \$400.	Grommets are NOT optional for these tables.
<b>111</b> Leg Finish		



# Tables with 2 x 4 Legs Rectangular - 26 1/2" High

description	depth	width	thickness	pattern number	L	V1	V2	V3
Table Top Rectangle, 36" Deep with 26 1/2" height legs	36"	72"	1 1/2"	RTM272361(X)(X)(X)(X)	\$2,164.	\$2,273.	\$2,364.	\$2,742.
	36"	78"	1 1/2"	RTM278361(X)(X)(X)(X)	2,182.	2,302.	2,400.	2,808.
	36"	84"	1 1/2"	RTM284361(X)(X)(X)(X)	2,221.	2,356.	2,461.	2,895.
	36"	90"	1 1/2"	RTM290361(X)(X)(X)(X)	2,247.	2,386.	2,497.	2,959.
	36"	96"	1 1/2"	RTM296361(X)(X)(X)(X)	2,265.	2,414.	2,533.	3,023.




Table Top Rectangle, 42" Deep with 26 1/2" height legs	42"	72"	1 1/2"	RTM272421(X)(X)(X)(X)	2,198.	2,330.	2,436.	2,864.
	42"	78"	1 1/2"	RTM278421(X)(X)(X)(X)	2,217.	2,363.	2,477.	2,937.
	42"	84"	1 1/2"	RTM284421(X)(X)(X)(X)	2,268.	2,455.	2,577.	3,066.
	42"	90"	1 1/2"	RTM290421(X)(X)(X)(X)	2,281.	2,488.	2,618.	3,138.
	42"	96"	1 1/2"	RTM296421(X)(X)(X)(X)	2,309.	2,521.	2,659.	3,210.





Table Top Rectangle, 48" Deep with 26 1/2" height legs	48"	72"	1 1/2"	RTM272481(X)(X)(X)(X)	2,261.	2,450.	2,571.	3,047.
	48"	78"	1 1/2"	RTM278481(X)(X)(X)(X)	2,284.	2,489.	2,619.	3,130.
	48"	84"	1 1/2"	RTM284481(X)(X)(X)(X)	2,329.	2,547.	2,686.	3,232.
	48"	90"	1 1/2"	RTM290481(X)(X)(X)(X)	2,351.	2,596.	2,744.	3,324.
	48"	96"	1 1/2"	RTM296481(X)(X)(X)(X)	2,374.	2,632.	2,790.	3,406.



Order Code	Specification Information	Application Notes
Example: <b>RTM272361</b> (X)(X)(X)(X)	To order please specify pattern number including:	The product on this page (Table tops only) will accept wood grain laminate.
<b>R</b> Reff		
<b>TM</b> Table		
<b>2</b> 2 x 4 leg	1. Grommet Drilling Options: NG = no grommet PB = power center grommet both ends PC = power center grommet center * PE = power center grommet end *	Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges; Leg/Apron Finish Add V1 \$2,529 V2 \$2,658 V3 \$3,129
<b>72</b> Width	2B = 2 + 2 Drop in electrical unit both ends	For planning heights guidelines, refer to introduction on page 11.
<b>36</b> Depth	2C = 2 + 2 Drop in electrical unit center	The tables on this page, come complete with structural frame. No additional stiffeners are required.
<b>1</b> 26 1/2" h leg	2E = 2 + 2 Drop in electrical unit end	
<b>PC</b> Grommet option:	3B = 3 + 3 Drop in electrical unit both ends	
<b>PU</b> Grommet finish	3C = 3 + 3 Drop in electrical unit center	Table's frame ships knockdown. Assembly required.
<b>V316</b> Worksurface Finish	3E = 3 + 3 Drop in electrical unit end	For laminate tops (including wood grain laminate) leg finish options are: All core paint finishes only.
<b>V316</b> Leg finish (all core paint, V1,V2,V3)		
<b>111</b> Leg reveal finish (all core paint)	2. Grommet Finish: NG = Finish not required PC, PE, PB = Painted and plated finishes 3C, 3E, 3B, 2C, 2E, 2B = Drilling location only, finish not applicable.	For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.
	3. Worksurface finish: L, V1, V2, V3	
	4. Leg finish: Painted or wood veneer to match top, where applicable.	
	5. Leg reveal finish: All core paint options.	
		* Upcharges apply for the following power center grommets. Grommet Add PB \$229 PC \$114 PE \$114  Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.  Products on this page do not included electrical components. For electrical components, see page 323.

# Tables with 4 x 4 Legs Rectangular - 26 1/2" High

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36" Deep with 26 1/2" height legs	36"	72"	1 1/2"	<b>RTM472361</b> ( ) ( ) ( ) ( )	\$2,445.	\$2,554.	\$2,646.	\$3,024.
	36"	78"	1 1/2"	<b>RTM478361</b> ( ) ( ) ( ) ( )	2,477.	2,598.	2,697.	3,103.
	36"	84"	1 1/2"	<b>RTM484361</b> ( ) ( ) ( ) ( )	2,588.	2,722.	2,828.	3,261.
	36"	90"	1 1/2"	<b>RTM490361</b> ( ) ( ) ( ) ( )	2,615.	2,752.	2,864.	3,325.
	36"	96"	1 1/2"	<b>RTM496361</b> ( ) ( ) ( ) ( )	2,653.	2,802.	2,921.	3,410.




Table Top Rectangle, 42" Deep with 26 1/2" height legs	42"	72"	1 1/2"	<b>RTM472421</b> ( ) ( ) ( ) ( )	2,493.	2,625.	2,731.	3,158.
	42"	78"	1 1/2"	<b>RTM478421</b> ( ) ( ) ( ) ( )	2,513.	2,658.	2,773.	3,231.
	42"	84"	1 1/2"	<b>RTM484421</b> ( ) ( ) ( ) ( )	2,556.	2,742.	2,865.	3,354.
	42"	90"	1 1/2"	<b>RTM490421</b> ( ) ( ) ( ) ( )	2,660.	2,867.	2,997.	3,518.
	42"	96"	1 1/2"	<b>RTM496421</b> ( ) ( ) ( ) ( )	2,689.	2,901.	3,039.	3,591.





Table Top Rectangle, 48" Deep with 26 1/2" height legs	48"	72"	1 1/2"	<b>RTM472481</b> ( ) ( ) ( ) ( )	2,511.	2,700.	2,820.	3,297.
	48"	78"	1 1/2"	<b>RTM478481</b> ( ) ( ) ( ) ( )	2,565.	2,768.	2,898.	3,410.
	48"	84"	1 1/2"	<b>RTM484481</b> ( ) ( ) ( ) ( )	2,588.	2,806.	2,945.	3,490.
	48"	90"	1 1/2"	<b>RTM490481</b> ( ) ( ) ( ) ( )	2,625.	2,868.	3,017.	3,596.
	48"	96"	1 1/2"	<b>RTM496481</b> ( ) ( ) ( ) ( )	2,740.	2,998.	3,156.	3,771.



Order Code	Specification Information	Application Notes
Example: <b>RTM472361</b> ( ) ( ) ( ) ( )	To order please specify pattern number including:	The product on this page (Table tops only) will accept wood grain laminate.
<b>R</b> Reff		Upcharges apply to legs with V1, V2 or V3 finishes.
<b>TM</b> Table	1. Grommet Drilling Options:	Additional upcharges;
<b>4</b> 4 x 4 leg	NC = no grommet	Leg Finish Add
<b>72</b> Width	PB = power center grommet both ends	V1 \$1,430
<b>36</b> Depth	PC = power center grommet center *	V2 \$1,494
<b>1</b> 26 1/2" h leg	PE = power center grommet end *	V3 \$1,731
<b>PC</b> Grommet option:	2B = 2 + 2 Drop in electrical unit both ends	* Upcharges apply for the following power center grommets.
<b>111</b> Grommet finish	2C = 2 + 2 Drop in electrical unit center	Grommet Add
<b>V316</b> Worksurface Finish	2E = 2 + 2 Drop in electrical unit end	PB \$229
<b>V316</b> Leg finish (all core paint, V1,V2,V3)	3B = 3 + 3 Drop in electrical unit both ends	PC \$114
<b>111</b> Leg reveal finish (all core paint)	3C = 3 + 3 Drop in electrical unit center	PE \$114
	3E = 3 + 3 Drop in electrical unit end	Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.
	2. Grommet Finish:	Products on this do not included electrical components. For electrical components, see page 323.
	NG = Finish not required	
	PC, PE, PB = Painted and plated finishes	
	3C, 3E, 3B, 2C, 2E, 2B = Drilling location only, finish not applicable.	
	3. Worksurface finish: L, V1, V2, V3	
	4. Leg finish: Painted or wood veneer to match top, where applicable.	
	5. Leg reveal finish: All core paint options.	

Tables

Tables with Column Legs  
 36", 42" and 48" diameter  
 Round, Square, Rectangular and Racetrack

description	width	depth	th	pattern no.	L	V1	V2	V3
Table Top Round with 26 1/2" height legs		42"	1 1/2"	<b>RTNDC421</b> ( ) ( ) ( )	\$1,571.	\$2,278.	\$2,506.	\$3,258.
		48"	1 1/2"	<b>RTNDC481</b> ( ) ( ) ( )	1,731.	2,510.	2,761.	3,589.



Table Top Square with 26 1/2" height legs	36"	36"	1 1/2"	<b>RTSDC361</b> ( ) ( )	1,274.	1,465.	1,612.	2,096.
	42"	42"	1 1/2"	<b>RTSDC421</b> ( ) ( )	1,394.	1,603.	1,763.	2,292.
	48"	48"	1 1/2"	<b>RTSDC481</b> ( ) ( )	1,613.	1,855.	2,040.	2,652.




Table Top Rectangular with 26 1/2" height legs	72"	36"	1 1/2"	<b>RTRDC72361</b> ( ) ( )	1,505.	1,731.	1,904.	2,476.
	84"	42"	1 1/2"	<b>RTRDC84421</b> ( ) ( )	1,703.	1,958.	2,154.	2,800.
	96"	48"	1 1/2"	<b>RTRDC96481</b> ( ) ( )	1,981.	2,278.	2,506.	3,258.





Table Top Racetrack with 26 1/2" height legs	72"	36"	1 1/2"	<b>RTTDC72361</b> ( ) ( )	1,672.	2,425.	2,668.	3,468.
	84"	42"	1 1/2"	<b>RTTDC84421</b> ( ) ( )	1,827.	2,649.	2,914.	3,788.
	96"	48"	1 1/2"	<b>RTTDC96481</b> ( ) ( )	2,045.	2,965.	3,262.	4,240.



Order Code	Specification Information	Application Notes
Example: <b>RTNDC361</b> ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
<b>R</b> Reff	1. Worksurface finish	Modesty sold separately.
<b>TN</b> Table Round	L, V1, V2, V3	Grommets are NOT optional for these tables.
<b>D</b> 1 1/2"	2. Leg finish	Upcharges apply to legs with P2, P3 and P4 finishes.
<b>C</b> Column Leg	Painted / Plated	Additional upcharges:
<b>36</b> Diameter	* \$631 upcharges apply for legs with plated finish.	Leg Finish Add
<b>1</b> 26 1/2" height leg		P2 \$140.
<b>V316</b> Finish		P3 \$200.
<b>111</b> Leg Finish		P4 \$607.
		Product on this page will accept woodgrain laminate where laminate is currently an option.
		36"d tops come with 2 1/2" dia. legs.
		42"d tops come with 3" dia. legs.
		48"d tops come with 4" dia. legs.

# Mobile Tables

## Rectangular, Square and Round

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36" Deep, with 26 1/2"h Column leg with casters	36"	72"	1 1/2"	<b>RTRDC72363( ) ( )</b>	\$1,838.	\$1,980.	\$2,099.	\$2,558.




Table Top Rectangle, 30" Deep, with 26 1/2"h Column leg with casters	30"	48"	1 1/2"	<b>RTRDC48303( ) ( )</b>	1,663.	1,791.	1,863.	2,146.
	30"	60"	1 1/2"	<b>RTRDC60303( ) ( )</b>	1,738.	1,872.	1,958.	2,300.
	30"	72"	1 1/2"	<b>RTRDC72303( ) ( )</b>	1,787.	1,925.	2,026.	2,425.



Table Top Rectangle, 42" and 48" Deep, with 26 1/2"h Column leg with casters	42"	42"	1 1/2"	<b>RTSDC42423( ) ( )</b>	1,700.	1,835.	1,920.	2,251.
	48"	48"	1 1/2"	<b>RTSDC48483( ) ( )</b>	1,767.	1,907.	2,016.	2,424.







Table Top Round with 26 1/2"h Column leg with casters	36"		1 1/2"	<b>RTNDC363( ) ( )</b>	2,100.	2,308.	2,371.	2,563.
	42"		1 1/2"	<b>RTNDC423( ) ( )</b>	2,158.	2,397.	2,461.	2,710.
	48"		1 1/2"	<b>RTNDC483( ) ( )</b>	2,234.	2,473.	2,556.	2,867.



Order Code	Specification Information	Application Notes
Example: <b>RTRDC48303 ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>R</b> Reff	1. Worksurface Finish: L, V1, V2, V3	Castors are black, swivel type. Ships with 2 locking and 2 non-locking type.
<b>TR</b> Table Rectangular TS = Table Square TN = Table Round	2. Leg Finish: Painted and plated finishes	Assembly required, ships knock down.
<b>D</b> 1 1/2"	Upcharges apply to legs with P2, P3 and P4 finishes.	Grommets and drilling are not an option for these tables.
<b>C</b> Column Leg	Additional upcharges;	Worksurface stiffeners, recommended to provide additional support for open spans greater than 54"w.
<b>48</b> width	Leg Finish Add	
<b>30</b> depth	P2 \$140.	
<b>3</b> 26 1/2" height leg with castor	P3 \$200.	
<b>V316</b> Worksurface Finish	P4 \$607.	
<b>111</b> Leg Finish		

# Sliding Tables

## Laminate Surface, 1" Thick, Beveled Edges

description	d	w	th	pattern no.	L
Round Table with 26 1/2" height legs 	36"		1"	<b>RSTRLE361</b> ( ) ( )	\$3,126.
	42"		1"	<b>RSTRLE421</b> ( ) ( )	3,188.
Soft Square Table with 26 1/2" height legs 	36"	36"	1"	<b>RSTSLE361</b> ( ) ( )	3,098.
	42"	42"	1"	<b>RSTSLE421</b> ( ) ( )	3,165.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	<b>RSTTLE30481</b> ( ) ( )	2,919.
	36"	54"	1"	<b>RSTTLE36541</b> ( ) ( )	2,996.




Order Code	Specification Information	Application Notes
Example: <b>RSTRLE361</b> ( ) ( )	To order please specify pattern number including:	Assembly required.
<b>R</b> Reff	1. Worksurface finish: Laminate only	Ships knocked down.
<b>ST</b> Sliding Table	2. Leg Textured finish: All core paint colors.	Grommets are <u>not</u> an option for these tables.
<b>R</b> Round		Column and base are color matched
<b>L</b> Laminate surface		Column = smooth
<b>E</b> 1" thick		Base = textured
<b>42</b> 42" diameter		
<b>1</b> 26 1/2" height leg,		
<b>114</b> Finish		
<b>118T</b> Leg Finish		

Product on this page will accept woodgrain laminate where laminate is currently an option.

The soft square and soft rectangular worksurfaces have softly curved sides.

# Sliding Tables

## Wood Surface, 1" Thick, Beveled Edges




description	d	w	th	pattern no.	V1	V2	V3
 Round Table with 26 1/2" height legs	36"		1"	<b>RSTRWE361</b> ( ) ( )	\$3,391.	\$3,444.	\$3,711.
	42"		1"	<b>RSTRWE421</b> ( ) ( )	3,459.	3,530.	3,860.
 Soft Square Table with 26 1/2" height legs	36"	36"	1"	<b>RSTSWE361</b> ( ) ( )	3,361.	3,414.	3,704.
	42"	42"	1"	<b>RSTSWE421</b> ( ) ( )	3,434.	3,503.	3,860.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	<b>RSTTWE30481</b> ( ) ( )	3,168.	3,225.	3,538.
	36"	54"	1"	<b>RSTTWE36541</b> ( ) ( )	3,250.	3,326.	3,712.

Tables

Order Code	Specification Information	Application Notes
Example: <b>RSTRWE361</b> ( ) ( )	To order please specify pattern number including:	Column and base are color matched.
<b>R</b> Reff	1. Worksurface finish V1, V2, V3 wood only	Column=smooth
<b>ST</b> Sliding Table	2. Leg Textured finish: All core paint colors.	Base=textured
<b>R</b> Round		
<b>W</b> Wood surface		Assembly required, ships knock down.
<b>E</b> 1" thick		Grommets are not an option for these tables.
<b>42</b> 42" diameter		The soft square and soft rectangular worksurfaces have softly curved sides.
<b>1</b> 26 1/2" height leg		
<b>V316</b> Finish		
<b>111T</b> Leg Finish		

# Sliding Tables




## Solid Surface, 1" Thick, Beveled Edges

description	d	w	th	pattern no.	Solid
 Round Table with 26 1/2" height legs	36"		1"	<b>RSTRSE361</b> ( ) ( )	\$8,696.
	42"		1"	<b>RSTRSE421</b> ( ) ( )	9,964.
 Soft Square Table with 26 1/2" height legs	36"	36"	1"	<b>RSTSSE361</b> ( ) ( )	7,775.
	42"	42"	1"	<b>RSTSSE421</b> ( ) ( )	9,171.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	<b>RSTTSE30481</b> ( ) ( )	9,582.
	36"	54"	1"	<b>RSTTSE36541</b> ( ) ( )	10,625.

Order Code	Specification Information	Application Notes
Example: <b>RSTRSE361</b> ( ) ( )	To order please specify pattern number including: 1. Worksurface finish: AW=Artic White, only 2. Leg finish Textured: All core paint colors.	Assembly required. Ships knocked down. Grommets are <u>not</u> an option for these tables. Artic White finish available for solid tops. Column and base are color matched. Column=smooth Base=textured
<b>R</b> Reff		
<b>ST</b> Sliding Table		
<b>R</b> Round		
<b>S</b> Solid		
<b>E</b> 1" thick		
<b>42</b> 42" diameter		
<b>1</b> 26 1/2" height leg		
<b>AW</b> Worksurface finish		
<b>111T</b> Leg Finish		

# Height Adjustable & Sliding Tables

## Laminate Surface, 1" Thick, Beveled Edges

description	d	w	th	pattern no.	L
 Round Sliding Table with height adjustable base	36"		1"	<b>RSTRLE363</b> ( )( )	\$4,226.
	42"		1"	<b>RSTRLE423</b> ( )( )	4,288.
 Soft Square Sliding Table with height adjustable base	36"	36"	1"	<b>RSTSLE363</b> ( )( )	4,198.
	42"	42"	1"	<b>RSTSLE423</b> ( )( )	4,265.
 Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	<b>RSTTLE30483</b> ( )( )	4,019.
	36"	54"	1"	<b>RSTTLE36543</b> ( )( )	4,097.

Order Code	Specification Information	Application Notes
Example: <b>RSTRLE363</b> ( )( )	<i>To order please specify pattern number including:</i>	Column and base are color matched.
<b>R</b> Reff	1. Worksurface finish: Laminate	Column = smooth
<b>ST</b> Sliding Table	2. Base textured finish:	Base = textured
<b>R</b> Round, S=Square,T=Rectangle	All core paint colors.	Assembly required, ships knock down.
<b>L</b> Laminate surface	<b>The table tops on this page will accept wood grain laminate.</b>	All tops have groove for fingerpull when sliding.
<b>E</b> 1" thick		Grommets are not an option for these tables.
<b>30</b> 30" deep, 36"=36" deep		<b>Height range is from 27" - 42" to the underside of worksurface.</b>
<b>48</b> 48" wide, 54"= 54" wide		
<b>3</b> Height Adjustable Base		
<b>114</b> Work surface finish		
<b>118T</b> Base Finish		




# Height Adjustable & Sliding Tables


## Wood Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	V1	V2	V3
Round Sliding Table with height adjustable base	36"		1"	<b>RSTRWE363( )()</b>	\$4,497.	\$4,549.	\$4,816.
	42"		1"	<b>RSTRWE423( )()</b>	4,565.	4,635.	4,966.



Soft Square Sliding Table with height adjustable base	36"	36"	1"	<b>RSTSWE363( )()</b>	4,468.	4,521.	4,810.
	42"	42"	1"	<b>RSTSWE423( )()</b>	4,540.	4,608.	4,966.



Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	<b>RSTTWE30483( )()</b>	4,273.	4,330.	4,644.
	36"	54"	1"	<b>RSTTWE36543( )()</b>	4,357.	4,431.	4,817.



### Order Code

Example:	<b>RSTRWE363 ( )()</b>
<b>R</b>	Reff
<b>ST</b>	Sliding Table
<b>R</b>	Round, S=Square,T=Rectangle
<b>W</b>	Wood surface
<b>E</b>	1" thick
<b>30</b>	30" deep, 36"=36" deep
<b>48</b>	48" wide, 54"= 54" wide
<b>3</b>	Height Adjustable Base
<b>V316</b>	Maple work surface finish
<b>111T</b>	Base Finish

### Specification Information

*To order please specify pattern number including:*

1. Worksurface finish:  
V1, V2, V3
2. Base textured finish:  
All core paint colors.

### Application Notes

Column and base are color matched.  
Column = smooth  
Base = textured

Assembly required, ships knock down.

All tops have groove for fingerpull when sliding.

Grommets are not an option for these tables.




**Height range is from 27" - 42" to the underside of worksurface.**

Load capacity Height Adjustable tables, is 200 lbs., functional load.

The soft square and soft rectangular worksurfaces have softly curved sides.

# Height Adjustable & Sliding Tables

## Solid Surface, 1" Thick, Beveled Edges




description	d	w	th	pattern no.	Solid
 Round Sliding Table with height adjustable base	36"		1"	<b>RSTRSE363</b> ( )( )	\$9,736.
	42"		1"	<b>RSTRSE423</b> ( )( )	11,004.
 Soft Square Sliding Table with height adjustable base	36"	36"	1"	<b>RSTSSE363</b> ( )( )	8,815.
	42"	42"	1"	<b>RSTSSE423</b> ( )( )	10,211.
 Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	<b>RSTTSE30483</b> ( )( )	10,622.
	36"	54"	1"	<b>RSTTSE36543</b> ( )( )	11,665.

Tables

Order Code	Specification Information	Application Notes
Example: <b>RSTRSE363</b> ( )( )	<i>To order please specify pattern number including:</i> 1. Worksurface finish: Solid Finish only AW = Artic White 2. Base textured finish: All core paint colors.	Column and base are color matched. Column = smooth Base = textured  Assembly required, ships knock down.  All tops have groove for fingerpull when sliding.  Grommets are not an option for these tables.  <b>Height range is from 27" - 42" to the underside of worksurface.</b>
<b>R</b> Reff		
<b>ST</b> Sliding Table		
<b>R</b> Round, S=Square,T=Rectangle		
<b>S</b> Solid surface		
<b>E</b> 1" thick		
<b>30</b> 30" deep, 36"=36" deep		
<b>48</b> 48" wide, 54"= 54" wide		
<b>3</b> Height Adjustable Base		
<b>AW</b> Solid Table finish		
<b>118T</b> Base Finish		

# Height Adjustable Tables




## Laminate Surface, 1" Thick, Square Edges

description	d	w	th	pattern no.	L
 Round Table with height adjustable base	36"		1"	<b>RCTRLE363</b> ( ) ( )	\$3,257.
	42"		1"	<b>RCTRLE423</b> ( ) ( )	3,304.
 Square Table with height adjustable base	36"	36"	1"	<b>RCTSLE363</b> ( ) ( )	3,347.
	42"	42"	1"	<b>RCTSLE423</b> ( ) ( )	3,394.
 Rectangle Table with height adjustable base	30"	48"	1"	<b>RCTTLE30483</b> ( ) ( )	3,296.
	36"	54"	1"	<b>RCTTLE36543</b> ( ) ( )	3,331.

Order Code	Specification Information	Application Notes
Example: <b>RCTRLE363</b> ( ) ( )	<i>To order please specify pattern number including:</i>	It is not advisable to mix 28 <sup>3/8</sup> "h desk height product with 26 <sup>1/2</sup> "h standard height products.  <b>Height range is from 27" - 42" to the underside of worksurface.</b>  Product on this page will accept woodgrain laminate where laminate is currently an option.  Assembly required, ships knock down.  Grommets are <u>NOT</u> optional for these tables.  Load capacity for Height Adjustable tables is 200 lbs, functional load.  Column and base are color matched. Column = smooth Base = textured  The tops have the standard square edge. There are no grooves for finger pull, underside of table tops. The square and Rectangular worksurfaces, have straight edges.
<b>R</b> Reff	1. Worksurface finish: Laminate	
<b>CT</b> Column Table	2. Base textured finish: All core paint colors.	
<b>R</b> Round, S=Square,T=Rectangle		
<b>L</b> Laminate surface		
<b>E</b> 1" thick		
<b>30</b> 30" deep		
<b>48</b> 48" wide		
<b>3</b> Height Adjustable Base		
<b>114</b> Work surface finish		
<b>118T</b> Base Finish		

# Height Adjustable Tables

## Wood Surface, 1" Thick, Square Edges


description	d	w	pattern no.	V1	V2	V3
 Round Table with height adjustable base	36"		<b>RCTRWE363</b> ( )( )	\$3,516.	\$3,558.	\$3,742.
	42"		<b>RCTRWE423</b> ( )( )	3,559.	3,614.	3,849.
 Square Table with height adjustable base	36"	36"	<b>RCTSWE363</b> ( )( )	3,509.	3,552.	3,735.
	42"	42"	<b>RCTSWE423</b> ( )( )	3,560.	3,615.	3,850.
 Rectangle Table with height adjustable base	30"	48"	<b>RCTTWE30483</b> ( )( )	3,499.	3,545.	3,746.
	36"	54"	<b>RCTTWE36543</b> ( )( )	3,537.	3,597.	3,852.

Order Code	Specification Information	Application Notes
Example: <b>RSTRWE363</b> ( )( ) <b>R</b> Reff <b>ST</b> Sliding Table <b>R</b> Round, S=Square, T=Rectangle <b>W</b> Wood surface <b>E</b> 1" thick <b>30</b> 30" deep <b>48</b> 48" wide <b>3</b> Height Adjustable Base <b>V316</b> Maple work surface finish <b>111T</b> Base Finish	To order please specify pattern number including: 1. Worksurface finish: V1, V2, V3 2. Base textured finish: All core paint colors.	It is not advisable to mix 28 <sup>3</sup> / <sub>8</sub> "h desk height product with 26 <sup>1</sup> / <sub>2</sub> "h standard height products. <b>Height range is from 27" - 42" to                      the underside of worksurface.</b> Assembly required, ships knock down. Grommets are <u>NOT</u> optional for these tables. Load capacity for Height Adjustable tables is 200 lbs, functional load. Column and base are color matched. Column = smooth Base = textured The tops have the standard square edge. There are no grooves for finger pull, underside of table tops. The square and Rectangular worksurfaces, have straight edges.

# Top support components


## Bracketry

description	d	pattern no.	P1 & black only	P2	P3
Cantilever bracket, panel hung	18"	<b>RBC18 (L/R)</b>	\$94.	\$103.	\$108.
	24"	<b>RBC24 (L/R)</b>	102.	112.	118.




Specify paint finish  
 18" for 20" and 24"d tops  
 24" for 30" and 36"d tops  
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	<b>ASBC18 (L/R) ( )</b>	95.	105.	110.
	24"	<b>ASBC24 (L/R) ( )</b>	104.	114.	120.



Specify paint finish  
 18" for 24"d tops  
 24" for 30" d tops  
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)

Mid-span cantilever bracket, free standing	17"	<b>RMSCB ( )</b>	78.	83.	87.
--	-----	------------------	-----	-----	-----



### Order Code

Example: <b>RMSCB</b>	
<b>R</b>	Reff
<b>MS</b>	Mid Span
<b>CB</b>	Cantilever Bracket
<b>( )</b>	Finish

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

### Specification Information

*To order please specify pattern number including:*

1. Finish - ( ) - Painted Finish

When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.

### Application Notes

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.






**Knoll takes no responsibility for the installation or security of tops to the wall.**

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

# Top support components

## Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		<b>RBCC</b>	\$19.		
	Black only				
Side hung support bracket 		<b>RBCCP (Pair)</b>	42.	46.	48.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		<b>RBPP (L/R)</b>	8.		
	Black only				
Top to top bracket 	6" x 1"	<b>RBF (Pair)</b>	5.		
	Black only				
Wall hung support bracket 	20" 24" 30" 36" 42" 48"	<b>RSBWH20</b> <b>RSBWH24</b> <b>RSBWH30</b> <b>RSBWH36</b> <b>RSBWH42</b> <b>RSBWH48</b>	44. 46. 50. 56. 59. 72.	48. 51. 55. 62. 65. 79.	50. 54. 58. 65. 68. 83.
	Specify paint finish				
Z-bracket for bridge applications 		<b>RBZ (A/B) (Pair)</b>	35.		
	Black only				

Order Code	
Example: <b>RMSCB</b>	
<b>R</b>	Reff
<b>MS</b>	Mid Span
<b>CB</b>	Cantilever Bracket
<b>()</b>	Finish

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

**Specification Information**

*To order please specify pattern number including:*

1. Finish - ( ) - Painted Finish

When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.

**Application Notes**

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.




**Knoll takes no responsibility for the installation or security of tops to the wall.**

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

# Top support components


## Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		<b>RBPR (Pair)</b>	\$7.	\$8.	\$9.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		<b>RBPS (L/R)</b>	11.	12.	13.
		Specify paint finish			
Utility bracket		<b>RUTB</b>	11.		
		Black only			
L Bracket for off-module applications		<b>R113B</b>	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		<b>RBWC24</b>	57.		
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		<b>RBWC30</b>	62.		
		bracket can be used with 30" and 36" worksurfaces			


Order Code	Specification Information	Application Notes
Example: <b>RMSCB</b>	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
<b>R</b> Reff	1. Finish - ( ) - Painted Finish	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
<b>MS</b> Mid Span	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Cantilever should be specified with top to top brackets.
<b>CB</b> Cantilever Bracket		Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
<b>( )</b> Finish		
L brackets may be used in off module applications for L bases, T bases and half depth end panels.		<b>Knoll takes no responsibility for the installation or security of tops to the wall.</b>

Top support components  
26 1/2 high planning  
Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. <sup>15</sup> / <sub>16</sub> " actual thickness	24"	1"	26 1/2"	<b>RB24(M/H)(F/R)-()</b>	\$161.	\$230.	\$263.	\$356.
	30"	1"	26 1/2"	<b>RB30(M/H)(F/R)-()</b>	290.	411.	474.	640.
	36"	1"	26 1/2"	<b>RB36(M/H)(F/R)-()</b>	320.	451.	519.	700.
	42"	1"	26 1/2"	<b>RB42(M/H)(F/R)-()</b>	345.	491.	563.	760.
	48"	1"	26 1/2"	<b>RB48(M/H)(F/R)-()</b>	388.	551.	634.	856.
	54"	1"	26 1/2"	<b>RB54(M/H)(F/R)-()</b>	406.	579.	664.	898.
	60"	1"	26 1/2"	<b>RB60(M/H)(F/R)-()</b>	422.	597.	686.	925.
	66"	1"	26 1/2"	<b>RB66(M/H)(F/R)-()</b>	439.	622.	719.	971.
	72"	1"	26 1/2"	<b>RB72(M/H)(F/R)-()</b>	483.	686.	788.	1,065.
	78"	1"	26 1/2"	<b>RB78(M/H)(F/R)-()</b>	515.	729.	841.	1,138.
	84"	1"	26 1/2"	<b>RB84(M/H)(F/R)-()</b>	544.	774.	888.	1,199.
	90"	1"	26 1/2"	<b>RB90(M/H)(F/R)-()</b>	577.	821.	940.	1,270.
	96"	1"	26 1/2"	<b>RB96(M/H)(F/R)-()</b>	592.	839.	964.	1,300.



description	d	w	h	pattern no.	L	V1	V2	V3
Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	<b>RB3636-()</b>	1,045.	1,566.	1,802.	2,435.
	36"	42"	26 1/2"	<b>RB3642-()</b>	1,069.	1,608.	1,850.	2,497.
	36"	48"	26 1/2"	<b>RB3648-()</b>	1,115.	1,669.	1,914.	2,585.
	42"	36"	26 1/2"	<b>RB4236-()</b>	1,069.	1,608.	1,850.	2,497.
	42"	42"	26 1/2"	<b>RB4242-()</b>	1,097.	1,647.	1,898.	2,562.
	42"	48"	26 1/2"	<b>RB4248-()</b>	1,140.	1,706.	1,964.	2,651.
	48"	36"	26 1/2"	<b>RB4836-()</b>	1,115.	1,669.	1,914.	2,585.
	48"	42"	26 1/2"	<b>RB4842-()</b>	1,140.	1,706.	1,964.	2,651.
	48"	48"	26 1/2"	<b>RB4848-()</b>	1,184.	1,769.	2,047.	2,763.




Support components

Order Code	Specification Information	Application Notes
Example: <b>RB24MFL</b>		
<b>R</b> Reff	<i>To order please specify pattern number including:</i> 1. <i>Modesty type</i> 2. <i>Modesty placement</i> 3. <i>Finish type</i> 4. <i>Finish</i>	Product on this page <b>Excluding any vertical surface, ie; modesty panels over 48"</b> , will accept wood grain laminate where laminate is currently an option.
<b>B</b> Back panel		
<b>24</b> 48" panel dimension		
<b>M</b> Full height modesty		
<b>F</b> Flush modesty placement	1. <i>Modesty type:</i> M = Standard height (26 1/2"H) H = Half height	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
<b>L</b> Laminate		
<b>114</b> Folkstone grey		
	2. <i>Modesty placement:</i> F = Flush, cantilevered R = Recessed	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
	3. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
		Modesty panel lengths are nominal - length changes on option selected.
		Glides ship with all supports on this page except the recessed modesty panel.
		Please see Planning Guide for freestanding planning instruction.




Top support components  
26 1/2 high planning  
End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	<b>RE30-( )</b>	\$495.	\$812.	\$935.	\$1,262.
	36"	1"	26 1/2"	<b>RE36-( )</b>	523.	851.	978.	1,321.




Panel end panels. All hardware included.	13"	1"	26 1/2"	<b>RSE1(L/R)-( )</b>	189.	331.	382.	515.
	16"	1"	26 1/2"	<b>RSE2(L/R)-( )</b>	204.	353.	406.	547.
	20"	1"	26 1/2"	<b>RSE3(L/R)-( )</b>	219.	371.	425.	573.
	24"	1"	26 1/2"	<b>RSE4(L/R)-( )</b>	231.	387.	446.	602.
	30"	1"	26 1/2"	<b>RSE5(L/R)-( )</b>	245.	408.	468.	634.
	36"	1"	26 1/2"	<b>RSE6(L/R)-( )</b>	260.	425.	491.	662.



left hand shown







Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	<b>RE12F-( ) Half depth end panel</b>	189.	331.	382.	515.
	15"	1"	26 1/2"	<b>RE15F-( ) Half depth end panel</b>	204.	353.	406.	547.
	19"	1"	26 1/2"	<b>RE19F-( )</b>	219.	371.	425.	573.
	23"	1"	26 1/2"	<b>RE23F-( )</b>	231.	387.	446.	602.
	29"	1"	26 1/2"	<b>RE29F-( )</b>	245.	408.	468.	634.



Order Code	Specification Information	Application Notes
Example: <b>RSE1(L)114</b>	<i>To order please specify pattern number including:</i>	Product on this page <b>Excluding any vertical surface, over 48"</b> will accept woodgrain laminate where laminate is currently an option.
<b>R</b> Reff	<i>1. Finish type:</i>	
<b>SE</b> End panel	L = Laminate	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
<b>1</b> 13" deep	1 = V1	
<b>L</b> Left hand	2 = V2	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
<b>L</b> Laminate	3 = V3	
<b>114</b> Folkstone grey	<i>2. Finish</i>	Modesty panel lengths are nominal - length changes on option selected. Glides ship with all supports on this page except the recessed modesty panel. Please see Planning Guide for freestanding planning instruction.

# Top support components




## *Painted or Plated Legs 26 1/2" high planning*

description	dia.	w	h	d	pattern no.	P1	P2	P3	P4
Column leg, Interaction style (rectangular plate) 	4"	-	26 1/2"	-	<b>RSC()</b>	\$278.	\$300.	\$315.	NA
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finish only.									
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	-	26 1/2"	-	<b>RSC4-()</b>	1,077.	1,185.	1,244.	NA
Painted finishes only.									
T-leg, Interaction style 	-		26 1/2"	24"	<b>RIB24T()</b>	395.	434.	456.	NA
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only									
T-Leg, plain tube style 	-		26 1/2"	20"	<b>RCB20T-()</b>	427.	470.	493.	577.
	-		26 1/2"	24"	<b>RCB24T-()</b>	436.	480.	504.	586.
	-		26 1/2"	30"	<b>RCB30T-()</b>	480.	528.	554.	630.
	-		26 1/2"	40"	<b>RCB40T-()</b>	508.	559.	587.	658.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD and PU plated finish options.									
Set of four column legs (3" dia.) with casters with triangular plates 	3"		26 1/2"	-	<b>RSCC4()</b>	1,459.	1,605.	1,685.	2,066.
Painted, PD and PU plated finish options.									
Set of 4 Column legs 	1/2"		26 1/2"		<b>RSC254</b>	937.	1,031.	1,082.	1,689.
	3"		26 1/2"		<b>RSC304</b>	1,002.	1,102.	1,157.	1,764.
	4"		26 1/2"		<b>RSC404</b>	1,159.	1,275.	1,339.	1,946.

Order Code	Specification Information	Application Notes
Example: <b>RSC</b>	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
<b>R</b> Reff	1. Finish type, where applicable	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
<b>S</b> Support	2. Finish	Interaction style legs are only available in painted finishes.
<b>C</b> Cylinder	<i>Finish type options:</i> P = Paint (P1, P2, P3)	Castors are black, swivel type. Ships with 2 locking and 2 non-locking type.
		Refer to Planning Guide for top-base matrix, pages 140 and 141.
		All bases include 1 1/2" leveller.

# Top support components

## *Painted or Anodized Legs 26 1/2" high planning*

description	h	pattern no.	P1	P2	P3	P4
L-Leg 	26 1/2"	<b>RPL1()</b>	\$491.	\$540.	\$567.	\$691.
Reverse L-Leg 	26 1/2"	<b>RPRL1()</b>	491.	540.	567.	691.
Soft Rectangular Leg 	26 1/2"	<b>RPS1()</b>	557.	613.	644.	757.

### Order Code

Example:	<b>RPL1 ( )</b>
<b>RP</b>	Reff Profiles
<b>L</b>	Leg
<b>1</b>	26 1/2"h
<b>AN</b>	Leg finish

RL = Reverse Leg  
S = Soft Rectangular Leg

### Specification Information

*To order please specify pattern number including:*

1. Finish: Painted or Anodized (AA, AP, AU)



### Application Notes

Legs are sold in pairs.  
These legs include 1" leveller.

Products on this page are 26 1/2"h.  
Products should not be mixed with 28 3/8"h components.

For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141.

Top support components  
*Open Frame Legs 26 1/2 high planning*  
*Painted or Plated*


description	d	w	h	pattern no.	P1	P2	P3	P4
Open Frame Legs, Set of one For Peninsulas 	20"		26 1/2"	RPOFL1201( )	\$547.	\$602.	\$632.	\$897.
	24"		26 1/2"	RPOFL1241( )	553.	608.	639.	903.
	30"		26 1/2"	RPOFL1301( )	562.	618.	649.	1,012.
	36"		26 1/2"	RPOFL1361( )	562.	618.	649.	1,012.
Open Frame Legs, Set of one For Tables 	20"	60"	26 1/2"	RPOFL260201( )	1,142.	1,256.	1,319.	1,842.
	20"	66"	26 1/2"	RPOFL266201( )	1,165.	1,281.	1,346.	1,865.
	20"	72"	26 1/2"	RPOFL272201( )	1,167.	1,284.	1,348.	1,867.
	20"	78"	26 1/2"	RPOFL278201( )	1,179.	1,297.	1,362.	1,879.
	20"	84"	26 1/2"	RPOFL284201( )	1,182.	1,300.	1,365.	1,882.
	24"	60"	26 1/2"	RPOFL260241( )	1,153.	1,268.	1,332.	1,853.
	24"	66"	26 1/2"	RPOFL266241( )	1,176.	1,294.	1,358.	1,876.
	24"	72"	26 1/2"	RPOFL272241( )	1,178.	1,296.	1,361.	1,878.
	24"	78"	26 1/2"	RPOFL278241( )	1,190.	1,309.	1,375.	1,890.
	24"	84"	26 1/2"	RPOFL284241( )	1,193.	1,312.	1,378.	1,893.
	30"	60"	26 1/2"	RPOFL260301( )	1,172.	1,289.	1,353.	2,072.
	30"	66"	26 1/2"	RPOFL266301( )	1,194.	1,314.	1,380.	2,094.
	30"	72"	26 1/2"	RPOFL272301( )	1,197.	1,316.	1,382.	2,097.
	30"	78"	26 1/2"	RPOFL278301( )	1,209.	1,329.	1,396.	2,109.
	30"	84"	26 1/2"	RPOFL284301( )	1,211.	1,333.	1,399.	2,111.
	36"	60"	26 1/2"	RPOFL260361( )	1,172.	1,289.	1,353.	2,072.
	36"	66"	26 1/2"	RPOFL266361( )	1,194.	1,314.	1,380.	2,094.
	36"	72"	26 1/2"	RPOFL272361( )	1,197.	1,316.	1,382.	2,097.
	36"	78"	26 1/2"	RPOFL278361( )	1,209.	1,329.	1,396.	2,109.
	36"	84"	26 1/2"	RPOFL284361( )	1,211.	1,333.	1,399.	2,111.

Order Code	Specification Information	Application Notes
Example: <b>RPOFL1202( )</b> <b>RP</b> Reff Profiles <b>OFL</b> Open Frame Leg <b>1</b> Set of 1(for Peninsula) 2=Set of 2(for Tables) <b>20</b> depth <b>1</b> 26 1/2"h	To order please specify pattern number including: 1. Leg Finish: Painted or Anodized	It is <b>NOT</b> advisable to mix 28 3/8"h desk height products with 26 1/2"h standard height product.  Refer to Top to Base matrix, pages 140 and 141 in the Reff Planning guide.  All legs include 1 1/2" leveler, allowing 1 1/4" adjustability.  These legs are supplied with attachment hardware and wood screws. For Tables, the two legs come with two stiffeners, and attachment hardware. Stiffeners come in black.


AU = Leg Finish

# Top support components


## *Painted or Plated Bases 26 1/2" high planning*

description	dia.	w	h	d	pattern no.	P1	P2	P3	P4
X-base 		–	26 1/2"	28"	<b>RIB28X-( )()</b>	\$653.	\$718.	\$754.	NA
		–	26 1/2"	32"	<b>RIB32X-( )()</b>	886.	975.	1,024.	NA

Ships with wood screws for fastening to underside of worksurface into pilot hole location.  
Painted finishes only.

Spider base, plain tube style 		–	26 1/2"	24"	<b>RCB24X-( )()</b>	669.	736.	775.	819.
		–	26 1/2"	28"	<b>RCB28X-( )()</b>	699.	769.	807.	849.
		–	26 1/2"	36"	<b>RCB36X-( )()</b>	759.	835.	877.	909.

Ships with wood screws for fastening to underside of worksurface into pilot hole location.  
Painted and PD, PT and PZ plated finishes.




Drum base 	14"		26 1/2"	–	<b>RSD1427-( )()</b>	1,312.	1,443.	1,515.	NA
	18"		26 1/2"	–	<b>RSD1827-( )()</b>	1,426.	1,560.	1,638.	NA
	20"		26 1/2"	–	<b>RSD2027-( )()</b>	1,468.	1,615.	1,696.	NA
	24"		26 1/2"	–	<b>RSD2427-( )()</b>	1,761.	1,937.	2,034.	NA
	30"		26 1/2"	–	<b>RSD3027-( )()</b>	1,966.	2,163.	2,271.	NA

Painted finishes only.

Order Code	Specification Information	Application Notes
Example: <b>RIB28X</b>	<i>To order please specify pattern number including:</i> 1. Finish type, where applicable 2. Finish  <i>Finish type options:</i> P = Paint (P1, P2, P3)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.  Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.  Refer to Planning Guide for top-base matrix, pages 140 and 141.  All bases include 1 1/2" leveller.
<b>R</b> Reff		
<b>I</b> Interaction		
<b>B</b> Base		
<b>28</b> Diameter		
<b>X</b> X-base	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.  Interaction style legs are only available in painted finishes.	

# Top support components

## Laminate or Wood Bases 26 1/2" high planning

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 1/2"	–	<b>RSD1427-()()</b>	n/a	\$1,403.	\$1,615.	\$2,181.
	18"		26 1/2"	–	<b>RSD1827-()()</b>	n/a	1,525.	1,754.	2,370.
	20"		26 1/2"	–	<b>RSD2027-()()</b>	n/a	1,575.	1,810.	2,443.
	24"		26 1/2"	–	<b>RSD2427-()()</b>	n/a	1,887.	2,170.	2,930.
	30"		26 1/2"	–	<b>RSD3027-()()</b>	n/a	2,108.	2,421.	3,269.
 T-base (hardware included)*	20"	26 1/2"	12"		<b>RST1-()</b>	444.	509.	594.	804.
	24"	26 1/2"	12"		<b>RST2-()</b>	475.	547.	628.	850.
	30"	26 1/2"	12"		<b>RST3-()</b>	560.	634.	734.	992.
	36"	26 1/2"	12"		<b>RST4-()</b>	635.	728.	835.	1,128.
	42"	26 1/2"	12"		<b>RST5-()</b>	705.	810.	934.	1,263.
	48"	26 1/2"	12"		<b>RST6-()</b>	786.	894.	1,033.	1,394.
 L-base (hardware included), non-handed*	12"	26 1/2"	12"		<b>RSL12-()</b>	444.	509.	594.	804.
	15"	26 1/2"	12"		<b>RSL15-()</b>	454.	520.	600.	809.
	20"	26 1/2"	12"		<b>RSL20-()</b>	475.	538.	621.	838.
	24"	26 1/2"	12"		<b>RSL24-()</b>	484.	547.	628.	850.
	30"	26 1/2"	12"		<b>RSL30-()</b>	560.	634.	734.	992.
	36"	26 1/2"	12"		<b>RSL36-()</b>	635.	728.	835.	1,128.
	42"	26 1/2"	12"		<b>RSL42-()</b>	705.	810.	934.	1,263.
	48"	26 1/2"	12"		<b>RSL48-()</b>	786.	894.	1,033.	1,394.

Support components


Order Code	Specification Information	Application Notes
Example: <b>RSD1427</b>	<i>To order please specify pattern number including:</i>	Refer to Planning Guide for top-base matrix, pages 140 and 141.
<b>R</b> Reff	1. Finish type	T and L bases are not recommended for supporting conference tops.
<b>S</b> Support	2. Finish	All bases include 1 1/2" leveller.
<b>D</b> Drum base	<i>Finish type options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>14</b> Diameter	L = Laminate	
<b>27</b> Height	1 = V1	
<b>2</b> Finish type	2 = V2	
<b>R319</b> V2- Med. Cherry	3 = V3	

# Pedestals, 26 1/2" planning

## BBF/FF


### Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-( ) ( ) L	\$1,224.	\$1,440.	\$1,621.	\$2,180.
	16"	23"	26 1/2"	RP212J-( ) ( ) L	1,277.	1,507.	1,697.	2,282.
	16"	29"	26 1/2"	RP213J-( ) ( ) L	1,332.	1,569.	1,766.	2,377.



\*Pencil tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 Counter weights required per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-( ) ( ) L	1,121.	1,323.	1,490.	2,014.
	16"	23"	26 1/2"	RP212K-( ) ( ) L	1,201.	1,417.	1,597.	2,156.
	16"	29"	26 1/2"	RP213K-( ) ( ) L	1,278.	1,506.	1,700.	2,293.
	30"	19"	26 1/2"	RP231K-( ) ( ) L	1,281.	1,514.	1,706.	2,304.
	30"	23"	26 1/2"	RP232K-( ) ( ) L	1,350.	1,595.	1,796.	2,423.
	36"	19"	26 1/2"	RP261K-( ) ( ) L	1,367.	1,614.	1,819.	2,455.
	36"	23"	26 1/2"	RP262K-( ) ( ) L	1,433.	1,691.	1,906.	2,574.



\*Pencil tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 Counter weights required per pedestal.


Order Code	Specification Information	Application Notes
Example: <b>RP211J</b> ( ) ( ) L ( ) ( )	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	<i>1. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	<i>4. Lock options:</i> L = Drilled to accept lock
<b>P</b> Pedestal	<i>2. Interior options:</i> M = Metal interior	<i>5. Lock Finish:</i> B = Black S = Matte Silver
<b>2</b> 26 1/2"H	<i>3. Pull options:</i> B = No pull, No drilling, Customer's Own Pull C = Nickel C-pull (nickel finish only) D = D-pull (Painted, PT, PZ only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (stainless steel finish only) T = Tab pull	<i>6. Cabinet Finish</i>
<b>1</b> 16" wide		<i>7. Pull Finish</i> Painted or Plated
<b>1</b> 19" deep		Keying instructions must accompany all orders, refer to page 364. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.
<b>J</b> Box box file config.		Pencil trays not included in pedestals with metal interiors.
<b>L</b> Laminate finish type		Pencil tray to be ordered separately; see page 326.
<b>S</b> Lock Finish		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
<b>M</b> Metal interior option		
<b>D</b> Metal D-pull		
<b>L</b> Lock option files		
<b>114</b> Cabinet Finish, Folkstone Grey		
<b>612</b> Pull Finish, Folkstone Grey		

Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.

BBF/FF


Metal interiors and wood backs

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J( ) ( ) L	\$1,361.	\$1,602.	\$1,811.	\$2,434.
	16"	24"	26 1/2"	RPB212J( ) ( ) L	1,414.	1,670.	1,880.	2,530.
	16"	30"	26 1/2"	RPB213J( ) ( ) L	1,471.	1,734.	1,953.	2,631.



\*Pencil Tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal.

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K( ) ( ) L	1,259.	1,485.	1,678.	2,266.
	16"	24"	26 1/2"	RPB212K( ) ( ) L	1,340.	1,580.	1,787.	2,410.
	16"	30"	26 1/2"	RPB213K( ) ( ) L	1,420.	1,672.	1,886.	2,546.
	30"	20"	26 1/2"	RPB231K( ) ( ) L	1,558.	1,839.	2,070.	2,797.
	30"	24"	26 1/2"	RPB232K( ) ( ) L	1,627.	1,920.	2,161.	2,915.
	36"	20"	26 1/2"	RPB261K( ) ( ) L	1,692.	2,001.	2,254.	3,043.
	36"	24"	26 1/2"	RPB262K( ) ( ) L	1,763.	2,078.	2,342.	3,161.



\*Pencil Tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal.

Order Code	
Example:	RPB211JLMDL
R	Reff
P	Pedestal with back
2	26 1/2"H
1	16" wide
1	20" deep
J	Box box file config.
L	Laminate finish type
S	Lock Finish
M	Metal interior option
D	Metal D-pull
L	Lock option files
114	Cabinet Finish, Folkstone Grey
612	Pull Finish, Folkstone Grey

Specification Information	
<i>To order please specify pattern number including:</i>	
1. <i>Finish type:</i>	
L	= Laminate
1	= V1
2	= V2
3	= V3
2. <i>Interior options:</i>	
M	= Metal interior
3. <i>Pull options:</i>	
B	= No Pull, No Drilling, Customer's Own Pull
C	= C-Pull, (Nickel finish only)
D	= D-Pull (Painted, PT, PZ only)
F	= Bar pull
H	= Outline Pull
J	= J (Routed) Pull
R	= Cylinder Pull
S	= S-Pull, (stainless steel finish only)
T	= Tab Pull

- Lock options:*  
L = Drilled to accept lock
  - Lock Finish:*  
B = Black  
S = Matte Silver
  - Cabinet Finish*
  - Pull Finish*  
Painted or Plated
- Keying instructions must accompany all orders, refer to page 364. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.
- Pencil trays not included in pedestals with metal interiors.
- Pencil tray to be ordered separately; see page 326.
- Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

**Application Notes**

26 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components.  
 26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 21/32"h.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.




BBF/FF

Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J()()()	\$1,283.	\$1,512.	\$1,701.	\$2,289.
	19"	23"	26 1/2"	RP222J()()()	1,341.	1,582.	1,780.	2,395.
	19"	29"	26 1/2"	RP223J()()()	1,397.	1,645.	1,854.	2,519.

\*Pencil tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal

 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K()()()	1,177.	1,388.	1,565.	2,114.
	19"	23"	26 1/2"	RP222K()()()	1,262.	1,487.	1,678.	2,265.
	19"	29"	26 1/2"	RP223K()()()	1,343.	1,582.	1,786.	2,408.

\*Pencil tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: <b>RP221JLMDL</b>	<i>To order please specify pattern number including:</i>	<i>4. Lock options:</i>
<b>R</b> Reff		L = Drilled to accept lock
<b>P</b> Pedestal	<i>1. Finish type:</i>	<i>5. Lock Finish:</i>
<b>2</b> 26 1/2"H	L = Laminate	B = Black
<b>2</b> 19" wide	1 = V1	S = Matte Silver
<b>1</b> 19" deep	2 = V2	<i>6. Cabinet Finish</i>
<b>J</b> Box box file config.	3 = V3	7. Pull Finish
<b>L</b> Laminate finish type	<i>2. Interior options:</i>	Painted or Plated
<b>M</b> Metal interior option	M = Metal interior	Keying instructions must accompany all orders, refer to page 364. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.
<b>D</b> Metal D-pull	<i>3. Pull options:</i>	Pencil trays not included in pedestals with metal interiors.
<b>L</b> Lock option	B = No Pull, No Drilling,	Pencil tray to be ordered separately; see page 326.
<b>S</b> Lock Finish	Customer's Own Pull	Pedestals must be ordered with back panel to achieve full depth without a modesty panel. 1 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components. 26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 1/32"h.
<b>114</b> Cabinet Finish, Folkstone grey	C = C-Pull, (Nickel finish only)	<b>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>612</b> Pull Finish, Med. grey	D = D-Pull (Painted, PT, PZ only)	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
	F = Bar pull	Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)
	H = Outline Pull	1 counterweight = 10 lbs.
	J = J (Routed) Pull	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull	


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

# Pedestals, 26 1/2" planning

## BBF/FF


### Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-( ) ( ) L	\$1,297.	\$1,526.	\$1,720.	\$2,312.
	16"	23"	26 1/2"	RP212J-( ) ( ) L	1,441.	1,699.	1,912.	2,573.
	16"	29"	26 1/2"	RP213J-( ) ( ) L	1,567.	1,849.	2,080.	2,800.



\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-( ) ( ) L	1,187.	1,400.	1,577.	2,130.
	16"	23"	26 1/2"	RP212K-( ) ( ) L	1,400.	1,652.	1,860.	2,508.
	16"	29"	26 1/2"	RP213K-( ) ( ) L	1,527.	1,802.	2,031.	2,745.
	30"	19"	26 1/2"	RP231K-( ) ( ) L	1,535.	1,811.	2,040.	2,755.
	30"	23"	26 1/2"	RP232K-( ) ( ) L	1,804.	2,128.	2,394.	3,232.
	36"	19"	26 1/2"	RP261K-( ) ( ) L	1,898.	2,237.	2,524.	3,408.
	36"	23"	26 1/2"	RP262K-( ) ( ) L	2,210.	2,609.	2,943.	3,971.



\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
3 counterweights per pedestal.


Order Code	Specification Information	Application Notes
Example: <b>RP211JLWDL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	4. <i>Lock options:</i> L = Drilled to accept lock
<b>P</b> Pedestal	2. <i>Interior options:</i> W = Wood interior	5. <i>Lock Finish:</i> B = Black S = Matte Silver
<b>2</b> 26 1/2"H	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (Painted, PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull	6. <i>Cabinet Finish</i>
<b>1</b> 16" wide		7. <i>Pull Finish</i> Painted or Plated
<b>1</b> 19" deep		Keying instructions must accompany all orders, refer to page 364. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.
<b>J</b> Box box file config.		Pencil trays not included in pedestals with metal interiors.
<b>L</b> Laminate finish		Pencil tray to be ordered separately; see page 326.
<b>W</b> Wood interior		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
<b>D</b> Metal D-pull		
<b>L</b> Lock hole drilled		
<b>S</b> Lock Finish		
<b>114</b> Cabinet finish		
<b>612</b> Pull finish		

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

# Pedestals, 26 1/2" planning

## BBF/FF

### Wood interiors and wood backs

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Pedestal with box box file configuration	16"	20"	26 1/2"	<b>RPB211J( ) ( ) L</b>	\$1,439.	\$1,692.	\$1,905.	\$2,566.
	16"	24"	26 1/2"	<b>RPB212J( ) ( ) L</b>	1,579.	1,863.	2,101.	2,829.
	16"	30"	26 1/2"	<b>RPB213J( ) ( ) L</b>	1,707.	2,011.	2,264.	3,048.

\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Pedestal with file file configuration	16"	20"	26 1/2"	<b>RPB211K( ) ( ) L</b>	1,325.	1,563.	1,763.	2,381.
	16"	24"	26 1/2"	<b>RPB212K( ) ( ) L</b>	1,538.	1,814.	2,049.	2,765.
	16"	30"	26 1/2"	<b>RPB213K( ) ( ) L</b>	1,667.	1,967.	2,220.	2,996.
	30"	20"	26 1/2"	<b>RPB231K( ) ( ) L</b>	1,811.	2,138.	2,409.	3,253.
	30"	24"	26 1/2"	<b>RPB232K( ) ( ) L</b>	2,018.	2,456.	2,760.	3,727.
	36"	20"	26 1/2"	<b>RPB261K( ) ( ) L</b>	2,227.	2,625.	2,960.	3,998.
	36"	24"	26 1/2"	<b>RPB262K( ) ( ) L</b>	2,541.	3,001.	3,380.	4,564.

\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: <b>RPB211JLWDL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff		
<b>PB</b> Pedestal with back	<b>1. Finish type:</b> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>2</b> 26 1/2"H		
<b>1</b> 16" wide		
<b>1</b> 20" deep		
<b>J</b> Box box file config.	<b>2. Interior options:</b> W = Wood interiors	
<b>L</b> Laminate finish		
<b>W</b> Wood interior	<b>3. Pull options:</b> B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (Painted, PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull	
<b>D</b> Metal D-pull		
<b>L</b> Lock option		
<b>114</b> Cabinet finish		
<b>612</b> Pull finish		
	<b>4. Lock options:</b> L = Drilled to accept lock	
	<b>5. Lock Finish:</b> B = Black S = Matte Silver	
	<b>6. Cabinet Finish</b>	
	<b>7. Pull Finish</b> Painted or Plated	
	Keying instructions must accompany all orders, refer to page 364. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.	26 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components. 26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 1/32"h.
	Pencil trays not included in pedestals with metal interiors.	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
	Pencil tray to be ordered separately; see page 326.	Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).
	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.	1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

# Pedestals, 26 1/2" planning

## BBF/FF


### Wood interiors legal width

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J( ) ( ) ( )	\$1,361.	\$1,600.	\$1,803.	\$2,426.
	19"	23"	26 1/2"	RP222J( ) ( ) ( )	1,512.	1,784.	2,006.	2,700.
	19"	29"	26 1/2"	RP223J( ) ( ) ( )	1,645.	1,940.	2,184.	2,939.



\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with file file configuration	19"	19"	26 1/2"	RP221K( ) ( ) ( )	1,247.	1,470.	1,656.	2,235.
	19"	23"	26 1/2"	RP222K( ) ( ) ( )	1,471.	1,735.	1,951.	2,634.
	19"	29"	26 1/2"	RP223K( ) ( ) ( )	1,603.	1,893.	2,134.	2,881.




\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: <b>RP221JLWDL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	<i>1. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	<i>4. Lock options:</i> L = Drilled to accept lock
<b>P</b> Pedestal	<i>2. Interior options:</i> W = Wood interior	<i>5. Lock Finish:</i> B = Black S = Matte Silver
<b>2</b> 26 1/2"H	<i>3. Pull options:</i> B = No Pull, No Drilling C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull	<i>6. Cabinet Finish</i>
<b>2</b> 19" wide		<i>7. Pull Finish</i> Painted or Plated
<b>1</b> 19" deep		Keying instructions must accompany all orders, refer to page 364. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.
<b>J</b> Box box file config.		Pencil trays not included in pedestals with metal interiors.
<b>L</b> Laminate finish		Pencil tray to be ordered separately; see page 326.
<b>W</b> Wood interior		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
<b>D</b> Metal D-pull		
<b>L</b> Lock option		
<b>S</b> Lock Finish		
<b>114</b> Cabinet finish, Folkstone grey		
<b>612</b> Pull finish		

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Pedestals, 26 1/2" planning  
Open / Hinge Door  
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	<b>RP211L(L/R)-( ) ( ) ( )</b>	\$983.	\$1,159.	\$1,308.	\$1,764.
	16"	23"	26 1/2"	<b>RP212L(L/R)-( ) ( ) ( )</b>	1,195.	1,408.	1,589.	2,144.
	16"	29"	26 1/2"	<b>RP213L(L/R)-( ) ( ) ( )</b>	1,367.	1,614.	1,819.	2,455.
	30"	19"	26 1/2"	<b>RP231L-( ) ( ) ( )</b>	1,271.	1,499.	1,688.	2,281.
	30"	23"	26 1/2"	<b>RP232L-( ) ( ) ( )</b>	1,484.	1,752.	1,976.	2,668.
	36"	19"	26 1/2"	<b>RP261L-( ) ( ) ( )</b>	1,611.	1,900.	2,143.	2,894.
	36"	23"	26 1/2"	<b>RP262L-( ) ( ) ( )</b>	1,882.	2,222.	2,504.	3,383.

\*Pencil tray not included

\*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf is metal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	<b>RP211M-( ) ( ) ( )</b>	749.	884.	995.	1,344.
	16"	23"	26 1/2"	<b>RP212M-( ) ( ) ( )</b>	869.	1,030.	1,161.	1,566.
	16"	29"	26 1/2"	<b>RP213M-( ) ( ) ( )</b>	1,031.	1,216.	1,372.	1,853.
	30"	19"	26 1/2"	<b>RP231M-( ) ( ) ( )</b>	867.	1,028.	1,158.	1,562.
	30"	23"	26 1/2"	<b>RP232M-( ) ( ) ( )</b>	1,057.	1,248.	1,406.	1,899.
	36"	19"	26 1/2"	<b>RP261M-( ) ( ) ( )</b>	1,111.	1,314.	1,481.	1,999.
	36"	23"	26 1/2"	<b>RP262M-( ) ( ) ( )</b>	1,345.	1,588.	1,789.	2,414.

\*Pencil tray not included

\*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: <b>RP211L</b> <b>(L)( ) ( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	<i>5. Lock options:</i> L = Drilled to accept lock N = No drilling
<b>R</b> Reff	<i>1. Hinge location, where applicable:</i> L = Left hand R = Right hand	<i>6. Lock Finish:</i> B = Black S = Matte Silver
<b>P</b> Pedestal	<i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	<i>7. Cabinet Finish:</i> Painted or Plated
<b>2</b> 26 1/2"H	<i>3. Interior options:</i> M = Metal interior	<i>8. Pull Finish:</i> Painted or Plated
<b>1</b> 16" wide	Pedestals with metal interior, the shelves come painted. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves.	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>1</b> 19" deep	<i>4. Pull options:</i> B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull (1 pull per door set)	Keying instruction must accompany all orders, refer to page 364. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.
<b>L</b> Hinge door config.		
<b>L</b> Laminate finish		
<b>M</b> Metal interior		
<b>D</b> Metal D-pull		
<b>L</b> Lock option		
<b>S</b> Lock Finish		
<b>114</b> Cabinet Finish		
<b>612</b> Pull Finish		

**For Open Pedestals;**

1. Finish type
2. Interior Option
3. Cabinet Finish


Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


# Pedestals, 26 1/2" planning

## Open / Hinge Door

### Metal interiors and wood backs

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	<b>RPB211L(L/R)( ) ( ) ( )</b>	\$1,123.	\$1,322.	\$1,496.	\$2,020.
	16"	24"	26 1/2"	<b>RPB212L(L/R)( ) ( ) ( )</b>	1,336.	1,573.	1,775.	2,395.
	16"	30"	26 1/2"	<b>RPB213L(L/R)( ) ( ) ( )</b>	1,506.	1,776.	2,006.	2,710.
	30"	20"	26 1/2"	<b>RPB231L( ) ( ) ( )</b>	1,549.	1,825.	2,055.	2,774.
	30"	24"	26 1/2"	<b>RPB232L( ) ( ) ( )</b>	1,763.	2,078.	2,341.	3,160.
	36"	20"	26 1/2"	<b>RPB261L( ) ( ) ( )</b>	1,936.	2,286.	2,577.	3,479.
	36"	24"	26 1/2"	<b>RPB262L( ) ( ) ( )</b>	2,209.	2,608.	2,942.	3,970.

\*Pencil Tray not included  
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
 Metal interior means shelf metal.


Pedestal with open configuration including shelf 	16"	20"	26 1/2"	<b>RPB211M( ) ( ) ( )</b>	888.	1,042.	1,181.	1,596.
	16"	24"	26 1/2"	<b>RPB212M( ) ( ) ( )</b>	1,015.	1,192.	1,349.	1,821.
	16"	30"	26 1/2"	<b>RPB213M( ) ( ) ( )</b>	1,168.	1,379.	1,557.	2,102.
	30"	20"	26 1/2"	<b>RPB231M( ) ( ) ( )</b>	1,147.	1,354.	1,525.	2,058.
	30"	24"	26 1/2"	<b>RPB232M( ) ( ) ( )</b>	1,334.	1,573.	1,768.	2,389.
	36"	20"	26 1/2"	<b>RPB261M( ) ( ) ( )</b>	1,442.	1,698.	1,916.	2,585.
	36"	24"	26 1/2"	<b>RPB262M( ) ( ) ( )</b>	1,672.	1,975.	2,225.	3,001.

\*Pencil Tray not included  
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
 Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: <b>RPB211LL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	<i>1. Hinge location:</i> L = Left hand R = Right hand	<i>5. Lock options:</i> Optional hinge door configuration only. L = Drilled to accept lock N = No drilling
<b>PB</b> Pedestal with back	<i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	<i>6. Lock Finish:</i> B = Black S = Matte Silver
<b>2</b> 26 1/2"H	<i>3. Interior options:</i> M = Metal interior	<i>7. Cabinet finish</i>
<b>1</b> 16" wide		<i>8. Pull finish</i>
<b>1</b> 20" deep		
<b>L</b> Hinge door	Pedestals with metal interior, the shelves come painted. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves.	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>L</b> Hinge Left		<b>For Open Pedestals;</b> 1. Finish type 2. Interior Option 3. Cabinet Finish
<b>L</b> Laminate finish		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>M</b> Metal interior		
<b>D</b> Metal D-pull		
<b>L</b> Lock option		Keying instruction must accompany all orders, refer to page . Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.
<b>B</b> Lock Finish	<i>4. Pull options:</i> B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (P1, P2 only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull (1 pull per door set)	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
<b>118</b> Cabinet finish		
<b>118</b> Pull finish		

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning  
Open / Hinge Door  
Wood interior

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-( ) ( ) ( )	\$1,075.	\$1,268.	\$1,433.	\$1,938.
	16"	23"	26 1/2"	RP212L(L/R)-( ) ( ) ( )	1,292.	1,526.	1,717.	2,319.
	16"	29"	26 1/2"	RP213L(L/R)-( ) ( ) ( )	1,462.	1,724.	1,943.	2,623.
	30"	19"	26 1/2"	RP231L-( ) ( ) ( )	1,363.	1,609.	1,817.	2,452.
	30"	23"	26 1/2"	RP232L-( ) ( ) ( )	1,580.	1,868.	2,106.	2,842.
	36"	19"	26 1/2"	RP261L-( ) ( ) ( )	1,705.	2,011.	2,267.	3,061.
	36"	23"	26 1/2"	RP262L-( ) ( ) ( )	1,978.	2,334.	2,630.	3,550.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position  
N=No Lock option

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-( ) ( ) ( )	841.	990.	1,118.	1,507.
	16"	23"	26 1/2"	RP212M-( ) ( ) ( )	969.	1,144.	1,292.	1,741.
	16"	29"	26 1/2"	RP213M-( ) ( ) ( )	1,126.	1,326.	1,498.	2,024.
	30"	19"	26 1/2"	RP231M-( ) ( ) ( )	967.	1,139.	1,282.	1,731.
	30"	23"	26 1/2"	RP232M-( ) ( ) ( )	1,150.	1,358.	1,532.	2,065.
	36"	19"	26 1/2"	RP261M-( ) ( ) ( )	1,204.	1,426.	1,609.	2,170.
	36"	23"	26 1/2"	RP262M-( ) ( ) ( )	1,441.	1,695.	1,913.	2,581.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: <b>RP211LLWDL</b>	<i>To order please specify pattern number including:</i>	<i>5. Lock options:</i>
<b>R</b> Reff	<i>1. Hinge location, where applicable:</i>	Optional hinge door configuration only.
<b>P</b> Pedestal	L = Left hand	L = Drilled to accept lock
<b>2</b> 26 1/2"H	R = Right hand	N = No drilling
<b>1</b> 16" wide	<i>2. Finish type:</i>	<i>6. Lock Finish:</i>
<b>1</b> 19" deep	L = Laminate	B = Black
<b>L</b> Hinge door	1 = V1	S = Matte Silver
<b>L</b> Laminate finish	2 = V2	<i>7. Cabinet finish</i>
<b>W</b> Wood interior	3 = V3	<i>8. Pull finish</i>
<b>D</b> Metal D-pull	<i>3. Interior options:</i>	Painted or plated
<b>L</b> Lock hole drilled	W = Wood interior	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
<b>S</b> Lock finish	<i>4. Pull options:</i>	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
<b>118</b> Cabinet finish	B = No Pull, No Drilling,	
<b>118</b> Pull finish	Customer's Own Pull	
	C = C-Pull,	
	(Nickel finish only)	
	D = D-Pull (PT, PZ only)	
	F = Bar pull (1 pull per door set)	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull,	
	(stainless steel finish only)	
	T = Tab Pull (1 pull per door set)	

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

26 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components.  
26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 21/32"h.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


**For Open Pedestals;**

1. Finish type
2. Interior Option
3. Cabinet Finish


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Keying instructions must accompany all orders, refer to page 364. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.

Pedestals, 26 1/2" planning  
Open / Hinge Door  
Wood interiors and wood backs

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	<b>RPB211L(L/R)( ) ( ) ( )</b>	\$1,217.	\$1,434.	\$1,620.	\$2,186.
	16"	24"	26 1/2"	<b>RPB212L(L/R)( ) ( ) ( )</b>	1,430.	1,685.	1,903.	2,569.
	16"	30"	26 1/2"	<b>RPB213L(L/R)( ) ( ) ( )</b>	1,601.	1,887.	2,128.	2,872.
	30"	20"	26 1/2"	<b>RPB231L( ) ( ) ( )</b>	1,639.	1,933.	2,183.	2,948.
	30"	24"	26 1/2"	<b>RPB232L( ) ( ) ( )</b>	1,855.	2,192.	2,468.	3,333.
	36"	20"	26 1/2"	<b>RPB261L( ) ( ) ( )</b>	2,032.	2,397.	2,699.	3,645.
	36"	24"	26 1/2"	<b>RPB262L( ) ( ) ( )</b>	2,307.	2,719.	3,066.	4,139.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	<b>RPB211M( ) ( ) ( )</b>	981.	1,156.	1,307.	1,763.
	16"	24"	26 1/2"	<b>RPB212M( ) ( ) ( )</b>	1,108.	1,307.	1,476.	1,992.
	16"	30"	26 1/2"	<b>RPB213M( ) ( ) ( )</b>	1,265.	1,487.	1,683.	2,271.
	30"	20"	26 1/2"	<b>RPB231M( ) ( ) ( )</b>	1,241.	1,464.	1,647.	2,226.
	30"	24"	26 1/2"	<b>RPB232M( ) ( ) ( )</b>	1,429.	1,683.	1,895.	2,557.
	36"	20"	26 1/2"	<b>RPB261M( ) ( ) ( )</b>	1,535.	1,813.	2,040.	2,755.
	36"	24"	26 1/2"	<b>RPB262M( ) ( ) ( )</b>	1,767.	2,081.	2,346.	3,166.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: <b>RPB211LLWDL</b>	<i>To order please specify pattern number including:</i>	<i>5. Lock options:</i>
<b>R</b> Reff	<i>1. Hinge location where applicable;</i>	Optional hinge door configuration
<b>PB</b> Pedestal with back	L = Left hand	L = Drilled to accept lock
<b>2</b> 26 1/2"H	R = Right hand	N = No drilling
<b>1</b> 16" wide	<i>2. Finish type:</i>	6. Cabinet finish
<b>1</b> 20" deep	L = Laminate	7. Pull finish
<b>L</b> Hinged door	1 = V1	Painted or Plated
<b>L</b> Laminate finish	2 = V2	<b>*After specifying product code, provide keying instructions.</b>
<b>W</b> Wood interior	3 = V3	Pedestals must be ordered with back panels to achieve full depth without a modesty panel.
<b>D</b> Metal D-pull	<i>3. Interior options:</i>	Keying instruction must accompany all orders, refer to page 364.
<b>L</b> Lock option	W = Wood interior	Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.
<b>118</b> Cabinet finish	<i>4. Pull options:</i>	
<b>118</b> Pull finish	B = No Pull, No Drilling, Customer's Own Pull	
	C = C-Pull, (Nickel finish only)	
	D = D-Pull (PT, PZ only)	
	F = Bar pull (1 pull per door set)	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull (1 pull per door set)	

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

26 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components.  
26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 21/32"h.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

For Open Pedestals;  
1. Finish Type  
2. Interior Option  
3. Cabinet Finish



Mobile Pedestal

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
 Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-( ) ( ) L ( ) ( )	\$1,201.	\$1,389.	\$1,597.	\$2,156.	
	16"	23"	21"	RM112J-( ) ( ) L ( ) ( )	1,256.	1,453.	1,673.	2,258.	
	16"	23"	26 1/2"	RM212J-( ) ( ) L ( ) ( )	1,687.	1,953.	2,243.	3,031.	
	16"	23"	26 1/2"	RM212K-( ) ( ) L ( ) ( )	1,687.	1,953.	2,243.	3,031.	

\*Pencil tray not included  
\*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					106.
---	---	---	---	----------	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: <b>RM111J</b> <b>R</b> Reff <b>M</b> Mobile Pedestal <b>1</b> 21"H <b>1</b> 16" wide <b>1</b> 19" deep <b>J</b> Box box file config. <b>L</b> Laminate finish <b>M</b> Metal interior <b>D</b> Metal D-pull <b>L</b> Lock option <b>B</b> Lock Finish <b>114</b> Cabinet Finish <b>612</b> Pull Finish	To order please specify pattern number including:  1. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3  2. Interior options: M = Metal interior  3. Pull options: B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull	4. Lock options: L = Drilled to accept lock  5. Lock Finish: B = Black S = Matte Silver  6. Case Finish: Laminate, V1,V2,V3  7. Pull Finish: Painted or Plated  Keying instruction must accompany all orders, refer to page 364. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.  Pencil trays not included in mobile pedestals with metal interiors.  Pencil tray to be ordered separately.
		Mobile pedestals are always equipped with finished backs.  File drawers include file bars for side to side filing only. File drawers do not support bottom loading.  Mobile pedestals are glue and dowel construction.  Casters on Mobile Pedestals are non locking.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Mobile Pedestal


Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood	list
					interiors L	interiors V1	interiors V2	interiors V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-( ) ( ) L ( ) ( )	\$1,422.	\$1,646.	\$1,894.	\$2,556.	
	16"	23"	21"	RM112J-( ) ( ) L ( ) ( )	1,501.	1,736.	1,995.	2,694.	
	16"	23"	26 1/2"	RM212J-( ) ( ) L ( ) ( )	2,030.	2,347.	2,699.	3,645.	
	16"	23"	26 1/2"	RM212K-( ) ( ) L ( ) ( )	2,030.	2,347.	2,699.	3,645.	



Glue and dowel construction

Pedestal backs	w	d	h	pattern no.	wood	wood	wood	wood
	16"	1"	26 1/2"	RPAB16-( ) ( )	128.	144.	166.	226.
	19"	1"	26 1/2"	RPAB19-( ) ( )	134.	151.	176.	238.
	30"	1"	26 1/2"	RPAB30-( ) ( )	255.	285.	326.	440.
	36"	1"	26 1/2"	RPAB36-( ) ( )	300.	339.	389.	526.



pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					106.
---	---	---	---	----------	--	--	--	--	------

Order Code	Specification Information
Example: <b>RM111J</b>	
<b>R</b>	Reff
<b>M</b>	Mobile Pedestal
<b>1</b>	21"H
<b>1</b>	16" wide
<b>1</b>	19" deep
<b>J</b>	Box box file config.
<b>L</b>	Laminate finish
<b>W</b>	Wood interior
<b>D</b>	Metal D-pull
<b>L</b>	Lock option
<b>B</b>	Lock Finish
<b>114</b>	Cabinet Finish
<b>612</b>	Pull Finish

**Specification Information**

To order please specify pattern number including:

1. **Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

2. **Interior options:**  
M = Metal interior

3. **Pull options:**  
B = No Pull, No Drilling, Customer's Own Pull  
C = C-Pull, (Nickel finish only)  
D = D-Pull (PT, PZ only)  
F = Bar pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S-Pull, (stainless steel finish only)  
T = Tab Pull

**Application Notes**

4. **Lock options:**  
L = Drilled to accept lock

5. **Lock Finish:**  
B = Black  
S = Matte Silver

6. **Case Finish:** Wood or Laminate

7. **Pull Finish:** Painted or Plated

Keying instruction must accompany all orders, refer to page 364. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.

Box file configuration in mobile pedestals with wood interior includes one pencil tray and 2 tray dividers.

Mobile pedestals are always equipped with finished backs.


File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Mobile pedestals are glue and dowel construction.


Casters on Mobile Pedestals are non locking.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning  
49" high, metal interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	<b>RC431B-</b> ( ) ( )	\$1,257.	\$1,712.	\$1,973.	\$2,663.
	30"	20"	49"	<b>RC432B-</b> ( ) ( )	1,419.	1,934.	2,222.	3,000.
	30"	24"	49"	<b>RC433B-</b> ( ) ( )	1,601.	2,179.	2,507.	3,383.
	36"	15"	49"	<b>RC461B-</b> ( ) ( )	1,395.	1,903.	2,187.	2,954.
	36"	20"	49"	<b>RC462B-</b> ( ) ( )	1,576.	2,146.	2,468.	3,332.
	36"	24"	49"	<b>RC463B-</b> ( ) ( )	1,771.	2,419.	2,779.	3,750.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.


 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	<b>RC412C(L/R)-</b> ( ) ( ) ( ) ( )	1,266.	1,758.	1,984.	2,678.
	16"	24"	49"	<b>RC413C(L/R)-</b> ( ) ( ) ( ) ( )	1,393.	1,933.	2,180.	2,942.
	30"	20"	49"	<b>RC432C-</b> ( ) ( ) ( ) ( )	1,853.	2,578.	2,907.	3,924.
	30"	24"	49"	<b>RC433C-</b> ( ) ( ) ( ) ( )	2,051.	2,850.	3,215.	4,341.
	36"	20"	49"	<b>RC462C-</b> ( ) ( ) ( ) ( )	2,055.	2,857.	3,220.	4,348.
	36"	24"	49"	<b>RC463C-</b> ( ) ( ) ( ) ( )	2,265.	3,158.	3,559.	4,803.

Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes
Example: <b>RC431B</b> ( ) ( ) <b>R</b> Reff <b>C</b> Cabinets <b>4</b> 49" high <b>3</b> 30" wide <b>1</b> 15" deep <b>B</b> Open Bookcase <b>2</b> V2 finish Type <b>M</b> Metal interior <b>V316</b> Cabinet finish: Maple	<p><i>To order the Open Bookcase, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><i>Finish type</i> L=Laminate 1=V1 2=V2 3=V3</li> <li><i>Interior option</i> M=Metal interior Cabinets with metal interior, the shelves come painted. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves.</li> <li><i>Cabinet finish</i> Wood or Laminate</li> </ol> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b>, will accept wood grain laminate, where laminate is currently an option.</p>	<p><i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><i>Hinge location where applicable:</i> L = Left hand R = Right hand</li> <li><i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><i>Interior options:</i> M=Metal Interior</li> <li><i>Pull options:</i> B=No pull, No Drilling, Customer's own Pull C= C-Pull (nickel finish only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed ) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)</li> <li><i>Lock options Doors:</i> L = Lock hole drilled N = No lock drilling</li> <li><i>Lock Finish:</i> B = Black S = Matte Black</li> <li><i>Cabinet Finish:</i> Laminate or Wood</li> <li><i>Pull Finish:</i> Painted / Plated</li> </ol> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Keying instruction must accompany all orders, refer to page 364. Cabinets do not come with locks included. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.</p>

Cabinets, 26 1/2" planning  
49" high, metal interior  
4 Lateral files

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	<b>RC432F-</b> ( ) ( ) <b>L</b> ( ) ( )	\$2,160.	\$3,001.	\$3,386.	\$4,573.
	30"	24"	49"	<b>RC433F-</b> ( ) ( ) <b>L</b> ( ) ( )	2,384.	3,314.	3,736.	5,044.
	36"	20"	49"	<b>RC462F-</b> ( ) ( ) <b>L</b> ( ) ( )	2,739.	3,808.	4,290.	5,793.
	36"	24"	49"	<b>RC463F-</b> ( ) ( ) <b>L</b> ( ) ( )	3,024.	4,206.	4,741.	6,401.



**Order Code**

Example:	<b>RC432F</b> ( ) ( ) <b>L</b> ( ) ( )
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>3</b>	30" wide
<b>2</b>	20" deep
<b>F</b>	4 drawer lateral file
<b>2</b>	V2 finish type
<b>M</b>	Metal interior option
<b>T</b>	Tab pull option
<b>L</b>	Lock option
<b>B</b>	Lock Finish
<b>V316</b>	Cabinet finish
<b>118</b>	Pull finish

**Specification Information**

*To order please specify pattern number including:*

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black)
- Pull options:**  
B = No pull, No Drilling, Customer's own pull.  
C = Nickel C-pull (nickel finish only)  
D = Metal D-pull  
F = Bar pull  
H = Outline pull  
J = Routed pull  
R = Cylinder pull  
S = S-pull (stainless steel finish only)  
T = Tab pull
- Lock options:**  
*Drawers are always lock drilled*  
L = Lock hole drilled
- Lock Finish**  
B = Black  
S = Matte Silver
- Cabinet finish:**  
Wood or Laminate
- Pull finish:**  
Painted or Plated

**Application Notes**


Keying instruction must accompany all orders, refer to page 364.  
Cabinets do not come with locks included. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning  
49" high, wood interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	<b>RC431B-</b> ( ) ( ) ( ) ( )	\$1,409.	\$1,919.	\$2,206.	\$2,978.
	30"	20"	49"	<b>RC432B-</b> ( ) ( ) ( ) ( )	1,571.	2,141.	2,461.	3,322.
	30"	24"	49"	<b>RC433B-</b> ( ) ( ) ( ) ( )	1,750.	2,384.	2,744.	3,704.
	36"	15"	49"	<b>RC461B-</b> ( ) ( ) ( ) ( )	1,549.	2,110.	2,426.	3,274.
	36"	20"	49"	<b>RC462B-</b> ( ) ( ) ( ) ( )	1,726.	2,356.	2,705.	3,650.
	36"	24"	49"	<b>RC463B-</b> ( ) ( ) ( ) ( )	1,925.	2,625.	3,016.	4,072.

Open cabinets require no keying instructions

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	<b>RC412C(L/R)-</b> ( ) ( ) ( ) ( ) ( )	1,416.	1,970.	2,219.	2,995.
	16"	24"	49"	<b>RC413C(L/R)-</b> ( ) ( ) ( ) ( ) ( )	1,546.	2,147.	2,422.	3,269.
	30"	20"	49"	<b>RC432C-</b> ( ) ( ) ( ) ( ) ( )	2,004.	2,786.	3,142.	4,240.
	30"	24"	49"	<b>RC433C-</b> ( ) ( ) ( ) ( ) ( )	2,202.	3,064.	3,451.	4,657.
	36"	20"	49"	<b>RC462C-</b> ( ) ( ) ( ) ( ) ( )	2,207.	3,067.	3,460.	4,672.
	36"	24"	49"	<b>RC463C-</b> ( ) ( ) ( ) ( ) ( )	2,421.	3,367.	3,798.	5,128.

Order Code	Specification Information
Example: <b>RC431B</b>	
<b>R</b> Reff	
<b>C</b> Cabinets	
<b>4</b> 49" high	
<b>3</b> 30" wide	
<b>1</b> 15" deep	
<b>B</b> Open Bookcase	
<b>2</b> Finish Type: V2	
<b>W</b> Wood interior	
<b>V316</b> Cabinet Finish: Maple	

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
2. *Interior options:*  
W = Wood Interior
3. *Cabinet Finish:*  
Laminate or Wood

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Application Notes

Keying instruction must accompany all orders, refer to page 364. Cabinets do not come with locks included. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.


Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

To order the Cabinet with Hinge Doors, please specify pattern number including:

1. *Hinge Location where applicable:*  
L = Left hand  
R = Right hand
2. *Finish Type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
3. *Interior options:*  
W = Wood Interior
4. *Pull options:*  
B = No pull  
C = C-Pull (Nickel Finish Only)  
D = D-Pull (PT or PZ only)  
F = Bar Pull (1 pull per door set)  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S-pull (Stainless Steel Finish only)  
T = Tab Pull (1 pull per door set)
5. *Lock Options Doors:*  
*Drawers are always lock drilled*  
L = Lock hole drilled
6. *Lock Finish:*  
B = Black  
S = Matte Silver
7. *Cabinet finish:*  
Laminate or Wood
8. *Pull finish:*  
Painted or Plated

Cabinets, 26 1/2" planning  
49" high, wood interior  
Wardrobe cabinet

description	w	d	height	pattern number	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	<b>RC432D-</b> (JW)( ) ( ) ( )	\$1,829.	\$2,541.	\$2,865.	\$3,870.
	30"	24"	49"	<b>RC433D-</b> (JW)( ) ( ) ( )	1,997.	2,780.	3,136.	4,232.
	36"	20"	49"	<b>RC462D-</b> (JW)( ) ( ) ( )	2,010.	2,797.	3,152.	4,257.
	36"	24"	49"	<b>RC463D-</b> (JW)( ) ( ) ( )	2,199.	3,058.	3,448.	4,654.




Available with wood interior only.

Order Code	Specification Information	Application Notes
Example: <b>RC432D</b>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	<p>Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b>, will accept wood grain laminate, where laminate is currently an option.</p> <p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.</p> <p><b>Note:</b> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 316.</p> <p>20" deep wardrobe cabinets provide only 18" of clear storage space.</p>
<b>R</b> Reff		
<b>C</b> Cabinets		
<b>4</b> 49" high	1. <i>Finish Type:</i>	
<b>3</b> 30" wide	L = Laminate	
<b>2</b> 20" deep, 3-24" deep	1 = V1	
<b>D</b> Wardrobe Cabinet	2 = V2	
<b>2</b> Finish Type: V2	3 = V3	
<b>W</b> Wood interior	2. <i>Interior options:</i>	
<b>D</b> Pull option	W = Wood Interior	
<b>L</b> Lock option doors	3. <i>Pull options:</i>	
<b>B</b> Lock Finish	B = No pull	
<b>V316</b> Cabinet Finish: Maple	C = C-Pull (Nickel Finish Only)	
<b>PZ</b> Pull Finish	D = D-Pull (PZ and PT only)	
	F = Bar Pull (1 pull per door set)	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-pull (Stainless Steel Finish only)	
	T = Tab Pull (1 pull per door set)	
	4. <i>Lock Options Doors:</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	5. <i>Cabinet finish:</i>	
	Wood or Laminate	
	6. <i>Pull finish:</i>	
	Painted or Plated	


Cabinets, 26 1/2" planning  
49" high, wood interior  
4 Lateral files

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L()()	\$2,311.	\$3,213.	\$3,623.	\$4,890.
	30"	24"	49"	RC433F-()()L()()	2,538.	3,532.	3,975.	5,366.
	36"	20"	49"	RC462F-()()L()()	2,891.	4,015.	4,526.	6,112.
	36"	24"	49"	RC463F-()()L()()	3,175.	4,412.	4,975.	6,717.




Order Code	Specification Information	Application Notes
Example: <b>RC432F-()()L()()</b>	<i>To order please specify pattern number including:</i>	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.
<b>R</b> Reff		Key alike are field installed using the KnollKey order form. Random locks are factory installed.
<b>C</b> Cabinets		File drawers are always drilled for lock.
<b>4</b> 49" high	1. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	File drawers include file bars for front to back and side to side filing.
<b>3</b> 30" wide	2. <i>Interior Option</i> W = Wood Interior	File drawers do not support bottom loading.
<b>2</b> 20" deep	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel Finish Only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish Only) T = Tab Pull (1 pull per door set)	
<b>F</b> Cabinet w/ 4 File Open bookcase		
<b>2</b> Finish Type: V2		
<b>W</b> Wood Interior		
<b>D</b> D-pull Option		
<b>L</b> Drilled for Lock (Not Optional)		
<b>B</b> Lock Finish		
<b>V316</b> Cabinet finish: Maple		
<b>PT</b> Pull finish		
	4. Lock option doors L = Drilled for Lock Drawers are always drilled for locks	
	5. Lock Finish: B = Black S = Matte Silver	
	6. Cabinet Finish: Laminate or Wood	
	7. Pull Finish: Painted / Plated	

Cabinets, 26 1/2" planning  
64" high, metal interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	<b>RC631B-</b> ( ) ( )	\$1,613.	\$2,202.	\$2,533.	\$3,420.
	30"	20"	64"	<b>RC632B-</b> ( ) ( )	1,816.	2,475.	2,846.	3,842.
	30"	24"	64"	<b>RC633B-</b> ( ) ( )	2,019.	2,753.	3,169.	4,275.
	36"	15"	64"	<b>RC661B-</b> ( ) ( )	1,852.	2,523.	2,903.	3,917.
	36"	20"	64"	<b>RC662B-</b> ( ) ( )	2,060.	2,803.	3,228.	4,354.
	36"	24"	64"	<b>RC663B-</b> ( ) ( )	2,269.	3,092.	3,555.	4,800.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.


 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	<b>RC632H-</b> ( ) ( ) ( ) ( )	2,232.	3,105.	3,500.	4,725.
	30"	24"	64"	<b>RC633H-</b> ( ) ( ) ( ) ( )	2,467.	3,426.	3,866.	5,219.
	36"	20"	64"	<b>RC662H-</b> ( ) ( ) ( ) ( )	2,467.	3,426.	3,866.	5,219.
	36"	24"	64"	<b>RC663H-</b> ( ) ( ) ( ) ( )	2,702.	3,756.	4,234.	5,716.

Requires one lock core per cabinet  
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: <b>RC631B</b> <b>R</b> Reff <b>C</b> Cabinets <b>6</b> 64" high <b>3</b> 30" wide <b>1</b> 15" deep <b>B</b> Open Bookcase <b>2</b> V2 finish type <b>M</b> Metal interior option <b>V316</b> Cabinet finish	<p><i>To order the Open Bookcase, specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><b>Finish type:</b> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><b>Interior options:</b> M = Metal Interior Pedestals and cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.</li> <li><b>Cabinet finish:</b> Wood or Laminate</li> </ol> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b>, will accept wood grain laminate, where laminate is currently an option.</p>	<p><i>To order the Cabinet with Hnge Doors, specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><b>Finish type:</b> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><b>Interior options:</b> M = Metal Interior</li> <li><b>Pull options:</b> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)</li> <li><b>Lock Option Doors:</b> L = Lock hole drilled N = No lock drilling</li> <li><b>Lock Finish:</b> B = Black S = Matte Silver</li> <li><b>Cabinet finish:</b> Wood or Laminate</li> <li><b>Pull finish:</b> Painted or Plated</li> </ol> <p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.</p>



Cabinets, 26 1/2" planning  
64" high, metal interior  
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	<b>RC632F</b> -( ) ( ) ( ) ( ) ( ) ( )	\$3,000.	\$4,173.	\$4,703.	\$6,351.
	30"	24"	64"	<b>RC633F</b> -( ) ( ) ( ) ( ) ( ) ( )	3,317.	4,607.	5,197.	7,013.
	36"	20"	64"	<b>RC662F</b> -( ) ( ) ( ) ( ) ( ) ( )	3,317.	4,607.	5,197.	7,013.
	36"	24"	64"	<b>RC663F</b> -( ) ( ) ( ) ( ) ( ) ( )	3,663.	5,089.	5,737.	7,746.

Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	<b>RC612G</b> (L/R)-( ) ( ) ( ) ( ) ( ) ( )	2,278.	3,161.	3,565.	4,812.
	16"	24"	64"	<b>RC613G</b> (L/R)-( ) ( ) ( ) ( ) ( ) ( )	2,515.	3,495.	3,937.	5,316.
	30"	20"	64"	<b>RC632G</b> -( ) ( ) ( ) ( ) ( ) ( )	2,883.	4,008.	4,517.	6,099.
	30"	24"	64"	<b>RC633G</b> -( ) ( ) ( ) ( ) ( ) ( )	3,209.	4,456.	5,024.	6,784.
	36"	20"	64"	<b>RC662G</b> -( ) ( ) ( ) ( ) ( ) ( )	3,186.	4,426.	4,991.	6,738.
	36"	24"	64"	<b>RC663G</b> -( ) ( ) ( ) ( ) ( ) ( )	3,543.	4,925.	5,550.	7,491.


Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

 Cabinet with BBF below and hinged doors above	16"	20"	64"	<b>RC612P</b> (L/R)-( ) ( ) ( ) ( ) ( ) ( )	2,346.	3,260.	3,675.	4,962.
	16"	24"	64"	<b>RC613P</b> (L/R)-( ) ( ) ( ) ( ) ( ) ( )	2,605.	3,624.	4,080.	5,508.
	30"	20"	64"	<b>RC632P</b> -( ) ( ) ( ) ( ) ( ) ( )	2,763.	3,839.	4,328.	5,845.
	30"	24"	64"	<b>RC633P</b> -( ) ( ) ( ) ( ) ( ) ( )	3,049.	4,239.	4,778.	6,450.
	36"	20"	64"	<b>RC662P</b> -( ) ( ) ( ) ( ) ( ) ( )	3,057.	4,247.	4,789.	6,466.
	36"	24"	64"	<b>RC663P</b> -( ) ( ) ( ) ( ) ( ) ( )	3,370.	4,680.	5,282.	7,131.


Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: <b>RC632F</b> ( ) ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	
<b>R</b> Reff	4. <i>Lock options Files:</i>	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>C</b> Cabinets	L = Lock hole drilled	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>6</b> 64" high	Drawers are always drilled for locks	After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.
<b>3</b> 30" wide	5. <i>Lock Options Doors:</i>	File drawers include file bars for front to back and side to side filing.
<b>2</b> 20" deep	L = Lock hole drilled	File drawers do not support bottom loading.
<b>F</b> Hinge door with 4 file drawers	N = No lock drilling	
<b>L</b> Finish Type: Laminate	6. <i>Cabinet Finish:</i>	
<b>M</b> Metal interior	Wood or Laminate	
<b>T</b> Tab pull option	7. <i>Pull Finish:</i>	
<b>L</b> Lock option, files	Painted or Plated	
<b>N</b> Lock Optino, Doors	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
<b>118</b> Cabinet finish	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	
<b>111</b> Pull finish		
<b>F</b> = Hinge door cabinet with 4 File drawers	3. <i>Pull options:</i>	
<b>G</b> = Hinge door cabinet with FF	B = No Pull, No Drilling,	
<b>P</b> = Hinge door cabinet with BBF	Customer's own Pull	
	C = C-Pull (Nickel finish only)	
	D = D-Pull (PZ or PT only)	
	F = Bar Pull (1 pull per door set)	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S Pull (Stainless Steel Finish only)	
	T = Tab Pull (1 pull per door set)	

# Cabinets, 26 1/2" planning 64" high, metal interior Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	<b>RC612C(L/R)-( ) ( ) ( ) ( )</b>	\$1,890.	\$2,622.	\$2,958.	\$3,994.
	16"	24"	64"	<b>RC613C(L/R)-( ) ( ) ( ) ( )</b>	2,106.	2,929.	3,301.	4,457.
	30"	20"	64"	<b>RC632C-( ) ( ) ( ) ( )</b>	2,505.	3,482.	3,927.	5,301.
	30"	24"	64"	<b>RC633C-( ) ( ) ( ) ( )</b>	2,767.	3,849.	4,334.	5,851.
	36"	20"	64"	<b>RC662C-( ) ( ) ( ) ( )</b>	2,739.	3,808.	4,290.	5,793.
	36"	24"	64"	<b>RC663C-( ) ( ) ( ) ( )</b>	3,000.	4,173.	4,703.	6,351.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.


Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	<b>RC632E(L/R)-( ) ( ) ( ) ( )</b>	2,911.	4,045.	4,558.	6,155.
	30"	24"	64"	<b>RC633E(L/R)-( ) ( ) ( ) ( )</b>	3,229.	4,486.	5,060.	6,830.
	36"	20"	64"	<b>RC662E(L/R)-( ) ( ) ( ) ( )</b>	3,217.	4,470.	5,044.	6,808.
	36"	24"	64"	<b>RC663E(L/R)-( ) ( ) ( ) ( )</b>	3,567.	4,959.	5,589.	7,544.

Requires one lock core per cabinet  
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: <b>RC612C(L/R)</b>	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 316.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
<b>R</b> Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
<b>C</b> Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>6</b> 64" high	3. <i>Interior options:</i> M = Metal Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	
<b>1</b> 15" wide	4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
<b>2</b> 20" deep	5. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
<b>C</b> Hinge Door Cab. w/ adjustable shelves	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>L</b> Finish Type: Laminate	7. <i>Cabinet Finish:</i> Wood or Laminate	
<b>M</b> Metal Interior	8. <i>Pull Finish:</i> Painted or Plated	
<b>D</b> Pull option; D	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	
<b>N</b> Lock option; No		
<b>118</b> Cabinet Finish		
<b>PZ</b> Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning  
64" high, wood interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	<b>RC631B</b> -( ) ( ) ( )	\$1,766.	\$2,404.	\$2,768.	\$3,738.
	30"	20"	64"	<b>RC632B</b> -( ) ( ) ( )	1,969.	2,683.	3,086.	4,167.
	30"	24"	64"	<b>RC633B</b> -( ) ( ) ( )	2,172.	2,958.	3,403.	4,594.
	36"	15"	64"	<b>RC661B</b> -( ) ( ) ( )	2,003.	2,729.	3,141.	4,237.
	36"	20"	64"	<b>RC662B</b> -( ) ( ) ( )	2,209.	3,010.	3,464.	4,677.
	36"	24"	64"	<b>RC663B</b> -( ) ( ) ( )	2,419.	3,298.	3,791.	5,118.


Open cabinets require no keying instructions

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	<b>RC632H</b> -( ) ( ) ( ) ( )	2,385.	3,318.	3,740.	5,049.
	30"	24"	64"	<b>RC633H</b> -( ) ( ) ( ) ( )	2,619.	3,638.	4,104.	5,541.
	36"	20"	64"	<b>RC662H</b> -( ) ( ) ( ) ( )	2,619.	3,638.	4,104.	5,541.
	36"	24"	64"	<b>RC663H</b> -( ) ( ) ( ) ( )	2,851.	3,966.	4,468.	6,031.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: <b>RC631 B</b> <b>R</b> Reff <b>C</b> Cabinets <b>6</b> 64" high <b>3</b> 30" wide <b>1</b> 15" deep <b>B</b> Open Bookcase <b>2</b> Finish Type: V2 <b>W</b> Wood Interior <b>W316</b> Cabinet finish: Maple	<p><i>To order Open Bookcase, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><i>Interior option:</i> W = Wood Interior</li> <li><i>Cabinet Finish:</i> Wood or Laminate</li> </ol> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b>, will accept wood grain laminate, where laminate is currently an option.</p>	<p><i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><i>Interior option:</i> W = Wood</li> <li><i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)</li> <li><i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling</li> <li><i>Cabinet Finish:</i> Wood or Laminate</li> <li><i>Pull Finish:</i> Painted or Plated</li> </ol> <p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.</p>

# Cabinets, 26 1/2" planning 64" high, wood interior Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	<b>RC632F</b> -( ) ( ) ( ) ( ) ( )	\$3,152.	\$4,383.	\$4,941.	\$6,670.
	30"	24"	64"	<b>RC633F</b> -( ) ( ) ( ) ( ) ( )	3,466.	4,816.	5,431.	7,331.
	36"	20"	64"	<b>RC662F</b> -( ) ( ) ( ) ( ) ( )	3,466.	4,816.	5,431.	7,331.
	36"	24"	64"	<b>RC663F</b> -( ) ( ) ( ) ( ) ( )	3,814.	5,303.	5,976.	8,067.

Requires two lock cores per cabinet  
Interior height clearance top drawer 10", all others 10 3/4"

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	<b>RC612G(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,425.	3,371.	3,801.	5,132.
	16"	24"	64"	<b>RC613G(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,667.	3,704.	4,178.	5,639.
	30"	20"	64"	<b>RC632G</b> -( ) ( ) ( ) ( ) ( )	3,035.	4,217.	4,754.	6,417.
	30"	24"	64"	<b>RC633G</b> -( ) ( ) ( ) ( ) ( )	3,357.	4,665.	5,261.	7,103.
	36"	20"	64"	<b>RC662G</b> -( ) ( ) ( ) ( ) ( )	3,338.	4,637.	5,228.	7,060.
	36"	24"	64"	<b>RC663G</b> -( ) ( ) ( ) ( ) ( )	3,693.	5,133.	5,789.	7,818.

Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above 	16"	20"	64"	<b>RC612P(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,499.	3,471.	3,911.	5,282.
	16"	24"	64"	<b>RC613P(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,756.	3,830.	4,320.	5,833.
	30"	20"	64"	<b>RC632P</b> -( ) ( ) ( ) ( ) ( )	2,916.	4,052.	4,570.	6,168.
	30"	24"	64"	<b>RC633P</b> -( ) ( ) ( ) ( ) ( )	3,202.	4,450.	5,015.	6,769.
	36"	20"	64"	<b>RC662P</b> -( ) ( ) ( ) ( ) ( )	3,210.	4,457.	5,026.	6,787.
	36"	24"	64"	<b>RC663P</b> -( ) ( ) ( ) ( ) ( )	3,519.	4,897.	5,518.	7,448.

Requires two lock cores per cabinet


Order Code	Specification Information
Example: <b>RC632F</b> ( ) ( ) ( ) ( ) ( )	
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>6</b>	64" high
<b>3</b>	30" wide
<b>2</b>	20" deep
<b>F</b>	Hinge door with 4 file drawers
<b>L</b>	Finish Type: Laminate
<b>W</b>	Wood Interior
<b>T</b>	Tab pull option
<b>L</b>	Lock option, files
<b>N</b>	Lock option, doors
<b>118</b>	Cabinet finish
<b>118</b>	Pull finish
<b>F</b>	= Hinge door cabinet with 4 File drawers
<b>G</b>	= Hinge door cabinet with FF
<b>P</b>	= Hinge door cabinet with BBF


Specification Information
<i>To order the Cabinet with Hinge Doors and File Drawers, please specify pattern number including:</i>
1. <i>Hinge location where applicable:</i>
2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
3. <i>Interior option:</i> W = Wood Interior
4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)

- Lock Option Files:**  
L = Lock hole drilled  
Drawers are always drilled for locks
  - Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
  - Cabinet Finish:**  
Wood or Laminate
  - Pull Finish:**  
Painted or Plated
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Application Notes
<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
File drawers are always drilled for locks.
After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.
File drawers include file bars for front to back and side to side filing.
File drawers do not support bottom loading.


Cabinets, 26 1/2" planning  
64" high, wood interior  
Hinge door with shelves and wardrobe

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-( ) ( ) ( ) ( )	\$2,039.	\$2,835.	\$3,196.	\$4,315.
	16"	24"	64"	RC613C(L/R)-( ) ( ) ( ) ( )	2,261.	3,139.	3,537.	4,775.
	30"	20"	64"	RC632C-( ) ( ) ( ) ( )	2,656.	3,692.	4,164.	5,619.
	30"	24"	64"	RC633C-( ) ( ) ( ) ( )	2,919.	4,059.	4,574.	6,176.
	36"	20"	64"	RC662C-( ) ( ) ( ) ( )	2,891.	4,015.	4,526.	6,112.
	36"	24"	64"	RC663C-( ) ( ) ( ) ( )	3,152.	4,383.	4,941.	6,670.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-( ) ( ) ( ) ( )	3,063.	4,255.	4,798.	6,477.
	30"	24"	64"	RC633E(L/R)-( ) ( ) ( ) ( )	3,379.	4,698.	5,295.	7,148.
	36"	20"	64"	RC662E(L/R)-( ) ( ) ( ) ( )	3,368.	4,678.	5,281.	7,128.
	36"	24"	64"	RC663E(L/R)-( ) ( ) ( ) ( )	3,716.	5,169.	5,827.	7,868.

Requires one lock core per cabinet

Left hand shown


Cabinet with hinged doors for coat rod and boot tray* 	16"	20"	64"	RC612D(L/R)-( ) ( ) ( ) ( )	1,787.	2,481.	2,796.	3,775.
	16"	24"	64"	RC613D(L/R)-( ) ( ) ( ) ( )	1,956.	2,719.	3,066.	4,137.
	30"	20"	64"	RC632D-( ) ( ) ( ) ( )	2,181.	3,029.	3,420.	4,616.
	30"	24"	64"	RC633D-( ) ( ) ( ) ( )	2,246.	3,127.	3,522.	4,756.
	36"	20"	64"	RC662D-( ) ( ) ( ) ( )	2,415.	3,359.	3,787.	5,111.
	36"	24"	64"	RC663D-( ) ( ) ( ) ( )	2,467.	3,453.	3,891.	5,251.

Requires one lock core per cabinet  
Wood interior only

Order Code	Specification Information	Application Notes
Example: <b>RC612C(L/R)</b>	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 316.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
<b>R</b> Reff	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>C</b> Cabinets	6. <i>Cabinet Finish:</i> Wood or Laminate	
<b>6</b> 64" high	7. <i>Pull Finish:</i> Painted or Plated	
<b>1</b> 15" wide	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	
<b>2</b> 20" deep		
<b>C</b> Hinge Door Cab. w/ adjustable shelves	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
<b>L</b> Finish Type: Laminate	2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>W</b> Wood Interior	3. <i>Interior Option:</i> W = Wood Interior	
<b>D</b> Pull option; D	4. <i>Pull Options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
<b>N</b> Lock option; No		
<b>118</b> Cabinet Finish		
<b>PZ</b> Pull finish		
<b>C</b> = Hinge door cabinet with full height doors and 3 adjustable shelves		
<b>E</b> = Hinge door cabinet with full height doors, half wardrobe and half shelves		
<b>D</b> = Hinge door cabinet with full height wardrobe. Available only with wood interior.		

Cabinets, 26 1/2" planning  
64" high, wood interior  
Audio Visual Cabinet


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I-( ) ( ) ( ) ( ) ( )	\$3,344.	\$4,643.	\$5,237.	\$7,070.
	30"	24"	64"	RC633I-( ) ( ) ( ) ( ) ( )	3,678.	5,113.	5,768.	7,784.
	36"	20"	64"	RC662I-( ) ( ) ( ) ( ) ( )	3,574.	4,970.	5,604.	7,564.
	36"	24"	64"	RC663I-( ) ( ) ( ) ( ) ( )	3,911.	5,439.	6,129.	8,275.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes	Application Notes
Example: <b>RC632I</b> ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>  Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.  * Audio Visual cabinets require two lock cores per cabinet.
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3		
<b>C</b> Cabinets	2. <i>Interior option:</i> W = Wood Interior		
<b>6</b> 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)		
<b>3</b> 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling		
<b>2</b> 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate		
<b>I</b> Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated		
<b>2</b> Finish Type: V2			
<b>W</b> Wood Interior			
<b>D</b> Pull option; D			
<b>N</b> Lock option; No			
<b>N</b> Lock option, doors			
<b>V316</b> Cabinet finish			
<b>PZ</b> Pull finish			

Cabinets, 26 1/2" planning  
72" high, metal interiors  
Bookcase and hinge doors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with open shelving	30"	20"	71 3/8"	<b>RC732B-</b> ( ) ( ) ( ) ( )	\$2,018.	\$2,752.	\$3,165.	\$4,274.
	30"	24"	71 3/8"	<b>RC733B-</b> ( ) ( ) ( ) ( )	2,237.	3,047.	3,508.	4,735.
	36"	20"	71 3/8"	<b>RC762B-</b> ( ) ( ) ( ) ( )	2,284.	3,113.	3,579.	4,832.
	36"	24"	71 3/8"	<b>RC763B-</b> ( ) ( ) ( ) ( )	2,503.	3,409.	3,923.	5,297.

Open cabinets require no keying instructions


 Cabinet with hinged doors below and open shelf above.	30"	20"	71 3/8"	<b>RC732H-</b> ( ) ( ) ( ) ( ) ( ) ( )	2,667.	3,703.	4,176.	5,637.
	30"	24"	71 3/8"	<b>RC733H-</b> ( ) ( ) ( ) ( ) ( ) ( )	2,948.	4,092.	4,613.	6,230.
	36"	20"	71 3/8"	<b>RC762H-</b> ( ) ( ) ( ) ( ) ( ) ( )	2,930.	4,069.	4,585.	6,192.
	36"	24"	71 3/8"	<b>RC763H-</b> ( ) ( ) ( ) ( ) ( ) ( )	3,214.	4,458.	5,027.	6,788.

Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: <b>RC732B</b> ( ) ( ) ( ) ( ) <b>R</b> Reff <b>C</b> Cabinets <b>7</b> 71.4" high <b>3</b> 30" wide <b>2</b> 20" deep, 3 = 24" deep <b>B</b> Open Bookcase <b>2</b> Finish Type: V2 <b>M</b> Metal Interior <b>V316</b> Cabinet Finish: Maple <b>N</b> Left hand drill <b>N</b> Right hand drill	<p><i>To order the Open Bookcase, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><b>Finish type:</b> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><b>Interior options:</b> M = Metal Pedestals and cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.</li> <li><b>Cabinet Finish:</b> Wood or Laminate</li> <li><b>Left hand drill:</b> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall</li> <li><b>Right hand drill:</b> Same as above</li> </ol>	<p><i>To order the Cabinet with Hnge Doors, specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><b>Finish type:</b> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><b>Interior options:</b> M = Metal Interior</li> <li><b>Pull options:</b> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)</li> <li><b>Lock Option Doors:</b> L = Lock hole drilled N = No lock drilling</li> <li><b>Cabinet finish:</b> Wood or Laminate</li> <li><b>Pull finish:</b> Painted or Plated</li> <li><b>Left hand drill:</b></li> <li><b>Right hand drill:</b></li> </ol> <p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.</p> <p>Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b>, will accept wood grain laminate, where laminate is currently an option.</p>

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 26 1/2" planning 72" high, metal interiors Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	71 3/8"	<b>RC732F-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$3,317.	\$4,607.	\$5,197.	\$7,013.
	30"	24"	71 3/8"	<b>RC733F-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,684.	5,118.	5,771.	7,791.
	36"	20"	71 3/8"	<b>RC762F-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,663.	5,089.	5,737.	7,746.
	36"	24"	71 3/8"	<b>RC763F-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	4,065.	5,653.	6,371.	8,600.

Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with two files and hinged doors above	16"	20"	71 3/8"	<b>RC712G(L/R)-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,410.	3,345.	3,775.	5,095.
	16"	24"	71 3/8"	<b>RC713G(L/R)-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,640.	3,713.	4,187.	5,650.
	30"	20"	71 3/8"	<b>RC732G-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,058.	4,251.	4,791.	6,470.
	30"	24"	71 3/8"	<b>RC733G-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,362.	4,673.	5,266.	7,112.
	36"	20"	71 3/8"	<b>RC762G-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,322.	4,614.	5,205.	7,026.
	36"	24"	71 3/8"	<b>RC763G-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,628.	5,041.	5,684.	7,672.

Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes	
Example: <b>RC732F</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) <b>R</b> Reff <b>C</b> Cabinets <b>7</b> 71 3/8" high <b>3</b> 30" wide <b>2</b> 20" deep <b>F</b> Hinge Door with 4 file drawers <b>L</b> Finish Type: Laminate <b>M</b> Metal Interior <b>T</b> Tab Pull option <b>L</b> Lock option, files <b>N</b> Lock option, doors <b>118</b> Cabinet Finish <b>118</b> Pull Finish <b>N</b> Left hand drill <b>N</b> Right hand drill	<i>To order, please specify pattern number including:</i> 1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> M = Metal Interior Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set) 5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks 6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling 7. <i>Cabinet finish:</i> Wood or Laminate 8. <i>Pull finish:</i> Painted or Plated 9. <i>Left hand drill:</i> 10. <i>Right hand drill:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.  After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.  <b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>  File drawers include file bars for front to back and side to side filing.  File drawers do not support bottom loading.  Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

F = Hinge door cabinet with 4 File drawers  
G = Hinge door cabinet with FF  
P = Hinge door cabinet with BBF

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.



Cabinets, 26 1/2" planning  
72" high, metal interiors  
Hinge doors and file drawers


description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with BBF below and hinged doors above	16"	20"	71 3/8"	RC712P(L/R)-( ) ( ) ( ) ( ) ( ) ( ) ( )	\$2,501.	\$3,473.	\$3,916.	\$5,288.
	16"	24"	71 3/8"	RC713P(L/R)-( ) ( ) ( ) ( ) ( ) ( ) ( )	2,756.	3,830.	4,320.	5,833.
	30"	20"	71 3/8"	RC732P-( ) ( ) ( ) ( ) ( ) ( ) ( )	2,952.	4,100.	4,625.	6,245.
	30"	24"	71 3/8"	RC733P-( ) ( ) ( ) ( ) ( ) ( ) ( )	3,255.	4,526.	5,102.	6,887.
	36"	20"	71 3/8"	RC762P-( ) ( ) ( ) ( ) ( ) ( ) ( )	3,261.	4,532.	5,107.	6,896.
	36"	24"	71 3/8"	RC763P-( ) ( ) ( ) ( ) ( ) ( ) ( )	3,598.	4,996.	5,635.	7,608.

Order Code	Specification Information	Application Notes	
Example: <b>RC732F</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>		
<b>R</b> Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>C</b> Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.
<b>7</b> 71 3/8" high	3. <i>Interior options:</i> M = Metal Interior Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>3</b> 30" wide		7. <i>Cabinet finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing.
<b>2</b> 20" deep		8. <i>Pull finish:</i> Painted or Plated	File drawers do not support bottom loading.
<b>F</b> Hinge Door with 4 file drawers		9. <i>Left hand drill:</i>	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>L</b> Finish Type: Laminate		10. <i>Right hand drill:</i>	
<b>M</b> Metal Interior			
<b>T</b> Tab Pull option			
<b>L</b> Lock option, files			
<b>N</b> Lock option, doors			
<b>118</b> Cabinet Finish			
<b>118</b> Pull Finish			
<b>N</b> Left hand drill			
<b>N</b> Right hand drill			

F = Hinge door cabinet with 4 File drawers  
G = Hinge door cabinet with FF  
P = Hinge door cabinet with BBF

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

# Cabinets, 26 1/2" planning 72" high, metal interiors Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinged doors and shelves	16"	20"	71 3/8"	RC712C(L/R)-( ) ( ) ( ) ( ) ( ) ( )	\$2,127.	\$2,955.	\$3,334.	\$4,501.
	16"	24"	71 3/8"	RC713C(L/R)-( ) ( ) ( ) ( ) ( ) ( )	2,361.	3,282.	3,700.	4,994.
	30"	20"	71 3/8"	RC732C-( ) ( ) ( ) ( ) ( ) ( )	2,776.	3,862.	4,352.	5,878.
	30"	24"	71 3/8"	RC733C-( ) ( ) ( ) ( ) ( ) ( )	3,080.	4,280.	4,828.	6,517.
	36"	20"	71 3/8"	RC762C-( ) ( ) ( ) ( ) ( ) ( )	3,069.	4,270.	4,811.	6,495.
	36"	24"	71 3/8"	RC763C-( ) ( ) ( ) ( ) ( ) ( )	3,406.	4,730.	5,335.	7,204.

Requires one lock core per cabinet  
Shelves painted metal

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	71 3/8"	RC732E(L/R)-( ) ( ) ( ) ( ) ( ) ( )	3,266.	4,536.	5,118.	6,908.
	30"	24"	71 3/8"	RC733E(L/R)-( ) ( ) ( ) ( ) ( ) ( )	3,651.	5,073.	5,723.	7,725.
	36"	20"	71 3/8"	RC762E(L/R)-( ) ( ) ( ) ( ) ( ) ( )	3,579.	4,974.	5,608.	7,568.
	36"	24"	71 3/8"	RC763E(L/R)-( ) ( ) ( ) ( ) ( ) ( )	3,995.	5,559.	6,262.	8,455.

Requires one lock core per cabinet  
Shelves painted metal


Left hand shown

Order Code	Specification Information
Example: <b>RC712C(L/R)</b>	
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>7</b>	71 3/8" high
<b>1</b>	15" wide
<b>2</b>	20" deep
<b>C</b>	Hinge Door Cab. w/ adjustable shelves
<b>L</b>	Finish Type: Laminate
<b>M</b>	Metal Interior
<b>D</b>	Pull option; D
<b>N</b>	Lock option; No
<b>118</b>	Cabinet Finish
<b>PZ</b>	Pull finish
<b>N</b>	Left hand drill
<b>N</b>	Right hand drill
C	= Hinge door cabinet with full height doors and 3 adjustable shelves
E	= Hinge door cabinet with full height doors, half wardrobe and half shelves


Specification Information	Application Notes
<i>To order, please specify pattern number including:</i>	
1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
3. <i>Interior options:</i> M = Metal Interior Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	
4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
6. <i>Cabinet finish:</i> Wood or Laminate	
7. <i>Pull finish:</i> Painted or Plated	
8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
9. <i>Right hand drill:</i> Same as above	
Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	

Application Notes
<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 316.
20" deep Wardrobe Cabinets provide only 18" of clear storage space.

Cabinets, 26 1/2" planning  
72" high, wood interiors  
Bookcase and hinge doors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	30"	20"	71 3/8"	<b>RC732B-</b> ( ) ( ) ( ) ( )	\$2,169.	\$2,957.	\$3,401.	\$4,588.
	30"	24"	71 3/8"	<b>RC733B-</b> ( ) ( ) ( ) ( )	2,388.	3,256.	3,742.	5,052.
	36"	20"	71 3/8"	<b>RC762B-</b> ( ) ( ) ( ) ( )	2,437.	3,320.	3,817.	5,151.
	36"	24"	71 3/8"	<b>RC763B-</b> ( ) ( ) ( ) ( )	2,654.	3,617.	4,158.	5,615.

Open cabinets require no keying instructions

	30"	20"	71 3/8"	<b>RC732H-</b> ( ) ( ) ( ) ( ) ( ) ( )	2,812.	3,910.	4,411.	5,953.
	30"	24"	71 3/8"	<b>RC733H-</b> ( ) ( ) ( ) ( ) ( ) ( )	3,092.	4,300.	4,848.	6,547.
	36"	20"	71 3/8"	<b>RC762H-</b> ( ) ( ) ( ) ( ) ( ) ( )	3,077.	4,275.	4,821.	6,508.
	36"	24"	71 3/8"	<b>RC763H-</b> ( ) ( ) ( ) ( ) ( ) ( )	3,357.	4,665.	5,261.	7,103.

Requires one lock core per cabinet

**Order Code**

Example:	<b>RC732B</b> ( ) ( ) ( ) ( )
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>7</b>	71 3/8" high
<b>3</b>	30" wide
<b>2</b>	20" deep, 3 = 24" deep
<b>B</b>	Open Bookcase
<b>2</b>	Finish Type: V2
<b>W</b>	Wood Interior
<b>V316</b>	Cabinet Finish: Maple
<b>N</b>	Left hand drilled
<b>N</b>	Right hand drilled

**Specification Information**

*To order the Open Bookcase, please specify pattern number including:*

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
W = Wood
- Cabinet Finish:**  
Wood or Laminate
- Left hand drill:**  
N = No drilling  
SO = Drilling 19h / 15d workwall  
S1 = Drilling 19h / 20d workwall  
TO = Drilling 23h / 15d workwall  
T1 = Drilling 23h / 20d workwall
- Right hand drill:**  
Same as above

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

*To order the Cabinet with Hinge Doors, specify pattern number including:*

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
W = Wood Interior
- Pull options:**  
B = No pull, No Drilling, Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = Metal D-pull (PZ or PT only)  
F = Bar Pull (1 pull per door set)  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull (Stainless Steel Finish only)  
T = Tab pull (1 pull per door set)
- Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
- Cabinet finish:**  
Wood or Laminate
- Pull finish:**  
Painted or Plated
- Left hand drill:**
- Right hand drill:**

**Application Notes**


**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Cabinets, 26 1/2" planning  
72" high, wood interiors  
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	71 3/8"	<b>RC732F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	\$3,466.	\$4,816.	\$5,431.	\$7,331.
	30"	24"	71 3/8"	<b>RC733F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,836.	5,328.	6,006.	8,108.
	36"	20"	71 3/8"	<b>RC762F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,814.	5,303.	5,991.	8,088.
	36"	24"	71 3/8"	<b>RC763F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	4,215.	5,860.	6,610.	8,925.

Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with two files and hinged doors above	16"	20"	71 3/8"	<b>RC712G(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,560.	3,559.	4,012.	5,414.
	16"	24"	71 3/8"	<b>RC713G(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,823.	3,923.	4,421.	5,969.
	30"	20"	71 3/8"	<b>RC732G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,212.	4,458.	5,027.	6,788.
	30"	24"	71 3/8"	<b>RC733G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,512.	4,883.	5,504.	7,431.
	36"	20"	71 3/8"	<b>RC762G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,473.	4,827.	5,441.	7,346.
	36"	24"	71 3/8"	<b>RC763G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,780.	5,253.	5,922.	7,993.


Requires two lock cores per cabinet

 Cabinet with BBF below and hinged doors above	16"	20"	71 3/8"	<b>RC712P(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,651.	3,683.	4,154.	5,610.
	16"	24"	71 3/8"	<b>RC713P(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,909.	4,043.	4,557.	6,154.
	30"	20"	71 3/8"	<b>RC732P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,105.	4,316.	4,864.	6,567.
	30"	24"	71 3/8"	<b>RC733P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,408.	4,736.	5,336.	7,206.
	36"	20"	71 3/8"	<b>RC762P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,412.	4,742.	5,347.	7,219.
	36"	24"	71 3/8"	<b>RC763P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,749.	5,208.	5,873.	7,930.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: <b>RC732F</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>R</b> Reff	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>C</b> Cabinets	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.
<b>7</b> 71 3/8" high	7. <i>Cabinet finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
<b>3</b> 30" wide	8. <i>Pull finish:</i> Painted or Plated	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>2</b> 20" deep	9. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	F = Hinge door cabinet with 4 file drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF
<b>F</b> Hinge Door with 4 file drawers	10. <i>Right hand drill:</i> Same as above	
<b>L</b> Finish Type: Laminate	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	
<b>W</b> Wood Interior		
<b>T</b> Tab Pull option		
<b>L</b> Lock option, files		
<b>N</b> Lock option, doors		
<b>118</b> Cabinet Finish		
<b>111</b> Pull Finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		

Cabinets, 26 1/2" planning  
72" high, wood interiors  
Hinge doors and wardrobe

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinged doors and shelves	16"	20"	71 3/8"	RC712C(L/R)-( ) ( ) ( ) ( ) ( ) ( )	\$2,281.	\$3,166.	\$3,569.	\$4,820.
	16"	24"	71 3/8"	RC713C(L/R)-( ) ( ) ( ) ( ) ( ) ( )	2,513.	3,494.	3,936.	5,313.
	30"	20"	71 3/8"	RC732C-( ) ( ) ( ) ( ) ( ) ( )	2,929.	4,069.	4,585.	6,192.
	30"	24"	71 3/8"	RC733C-( ) ( ) ( ) ( ) ( ) ( )	3,233.	4,494.	5,067.	6,839.
	36"	20"	71 3/8"	RC762C-( ) ( ) ( ) ( ) ( ) ( )	3,220.	4,477.	5,048.	6,814.
	36"	24"	71 3/8"	RC763C-( ) ( ) ( ) ( ) ( ) ( )	3,559.	4,944.	5,573.	7,525.

Requires one lock core per cabinet

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	71 3/8"	RC732E(L/R)-( ) ( ) ( ) ( ) ( ) ( )	3,415.	4,747.	5,352.	7,225.
	30"	24"	71 3/8"	RC733E(L/R)-( ) ( ) ( ) ( ) ( ) ( )	3,801.	5,285.	5,959.	8,043.
	36"	20"	71 3/8"	RC762E(L/R)-( ) ( ) ( ) ( ) ( ) ( )	3,730.	5,184.	5,846.	7,893.
	36"	24"	71 3/8"	RC763E(L/R)-( ) ( ) ( ) ( ) ( ) ( )	4,150.	5,766.	6,502.	8,778.

Requires one lock core per cabinet

Left hand shown

 Wardrobe cabinet	16"	20"	71 3/8"	RC712D(L/R)-( ) ( ) ( ) ( )	1,915.	2,664.	3,004.	4,054.
	16"	24"	71 3/8"	RC713D(L/R)-( ) ( ) ( ) ( )	2,108.	2,931.	3,302.	4,458.
	30"	20"	71 3/8"	RC732D-( ) ( ) ( ) ( )	2,413.	3,354.	3,778.	5,101.
	30"	24"	71 3/8"	RC733D-( ) ( ) ( ) ( )	2,651.	3,683.	4,154.	5,610.
	36"	20"	71 3/8"	RC762D-( ) ( ) ( ) ( )	2,652.	3,687.	4,157.	5,614.
	36"	24"	71 3/8"	RC763D-( ) ( ) ( ) ( )	2,916.	4,052.	4,570.	6,168.


Requires one lock core per cabinet.  
Order coat rod and boot tray from accessories.

Wood interior only

Order Code	Specification Information	Application Notes
Example: <b>RC712C(L/R)</b> <b>( ) ( ) ( ) ( ) ( ) ( )</b>	To order, please specify pattern number including:	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>R</b>	1. Hinge Location where applicable: L = Left hand R = Right hand	*Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 316.
<b>C</b>	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
<b>7</b>	3. Interior options: W = Wood Interior	<b>C</b> = Hinge door cabinet with full height doors and 3 adjustable shelves.
<b>1</b>	4. Pull options: B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	<b>E</b> = Hinge door cabinet with full height doors, half wardrobe and half shelves. <b>D</b> = Hinge door cabinet with full height wardrobe. Available only with wood interior.
<b>2</b>		Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.
<b>C</b>		
<b>L</b>		
<b>W</b>		
<b>D</b>		
<b>N</b>		
<b>118</b>		
<b>PZ</b>		
<b>N</b>		
<b>N</b>		
	5. Lock Options Doors: L = Lock hole drilled N = No lock drilling	
	6. Cabinet finish: Wood or Laminate	
	7. Pull finish: Painted or Plated	
	8. Left hand drill: N = No drilling S0 = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall T0 = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
	9. Right hand drill: Same as above	
	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>	
	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.	

# Cabinets, 26 1/2" planning 72" high, wood interiors Audio Visual Cabinet

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	71 3/8"	RC7321-()()()()()()	\$3,704.	\$5,147.	\$5,802.	\$7,833.
	30"	24"	71 3/8"	RC7331-()()()()()()	4,087.	5,682.	6,408.	8,651.
	36"	20"	71 3/8"	RC7621-()()()()()()	4,018.	5,586.	6,298.	8,503.
	36"	24"	71 3/8"	RC7631-()()()()()()	4,436.	6,168.	6,953.	9,387.



Requires two lock cores per cabinet  
Hinge opening 110°  
Wood interior only


Order Code	Specification Information	Application Notes
Example: <b>RC7321</b> ()()()()()()	<i>To order, please specify pattern number including:</i>	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>C</b> Cabinets	2. <i>Interior option:</i> W = Wood Interior	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.  Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.  * Audio Visual cabinets require two lock cores per cabinet.
<b>7</b> 71 3/8" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
<b>3</b> 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>2</b> 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	
<b>I</b> Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated	
<b>2</b> Finish Type: V2		
<b>W</b> Wood Interior		
<b>D</b> Pull option; D		
<b>N</b> Lock option; No		
<b>V316</b> Cabinet finish		
<b>PZ</b> Pull finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		

# Cabinets, 26 1/2" planning


## 49", 64" and 72" high metal interior

### Freestanding Multifunction Cabinets


description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	<b>RC423M(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	\$2,945.	\$4,334.	\$4,922.	\$5,909.
	Box/Box/File	24"	24"	49"	<b>RC423N(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,151.	4,563.	5,177.	6,212.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	<b>RC623M(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,172.	4,712.	5,481.	6,577.
	Box/Box/File	24"	24"	64"	<b>RC623N(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,381.	4,941.	5,702.	6,843.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	71 3/8"	<b>RC723M(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,333.	4,950.	5,797.	6,957.
	Box/Box/File	24"	24"	71 3/8"	<b>RC723N( ) ( ) ( )</b>	3,541.	5,181.	6,027.	7,231.




Order Code	Specification Information	Application Notes
Example: <b>RC423ML</b> <b>( ) ( ) ( ) ( ) ( )</b>	<i>To order, please specify pattern number including:</i>	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>C</b> Cabinets	2. <i>Interior options:</i> M = Metal Interior	Refer to page 364 for keying instructions.
<b>4</b> 49" high	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	Drawers are always drilled for locks.
<b>2</b> 24" wide	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	File drawers include file bars for front to back and side to side filing.
<b>3</b> 24" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	File drawers do not support bottom loading.
<b>M</b> Multifunction Cabinet	6. <i>Lock finish:</i> B = Black S = Matte Silver	Wardrobe cabinets do not come equipped with boot tray.
<b>L/R</b> Left or Right hand	7. <i>Cabinet finish:</i> Wood or Laminate	Coat rod is included.
<b>L</b> Finish Type: Laminate	8. <i>Pull Finish:</i> Painted or Plated	
<b>M</b> Metal Interior		
<b>D</b> Pull option: D		
<b>L</b> Lock option files		
<b>N</b> Lock options Doors		
<b>B</b> Lock Finish		
<b>118</b> Cabinet Finish: Maple		
<b>PT</b> Pull Finish		


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 26 1/2" planning 49", 64" and 72" high wood interior Freestanding Multifunction Cabinet


description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	<b>RC423M(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	\$3,388.	\$4,807.	\$5,387.	\$6,464.
	Box/Box/File	24"	24"	49"	<b>RC423N(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,800.	5,252.	5,851.	7,020.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	<b>RC623M(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,617.	5,184.	5,945.	7,133.
	Box/Box/File	24"	24"	64"	<b>RC623N(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	4,028.	5,628.	6,377.	7,651.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	71 3/8"	<b>RC723M(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,778.	5,422.	6,259.	7,510.
	Box/Box/File	24"	24"	71 3/8"	<b>RC723N( ) ( ) ( )</b>	4,189.	5,867.	6,701.	8,039.



Order Code	
Example: <b>RC423ML</b>	
<b>( ) ( ) ( ) ( ) ( ) ( )</b>	
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>2</b>	24" wide
<b>3</b>	24" deep
<b>M</b>	Multifunction Cabinet
<b>L/R</b>	Left or Right hand
<b>L</b>	Finish Type: Laminate
<b>W</b>	Wood Interior
<b>D</b>	Pull option: D
<b>L</b>	Lock option files
<b>N</b>	Lock options Doors
<b>118</b>	Cabinet Finish: Maple
<b>PT</b>	Pull Finish

Specification Information
<i>To order, please specify pattern number including:</i>
1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
2. <i>Interior options:</i> W = Wood Interior
3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)

- Lock Option Files:*  
L = Lock hole drilled  
Drawers are always drilled for locks
- Lock Option Doors:*  
L = Lock hole drilled  
N = No lock drilling
- Cabinet finish:*  
Wood or Laminate
- Pull Finish:*  
Painted or Plated


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Application Notes
<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
Refer to page 364 for keying instructions.
Drawers are always drilled for locks.
File drawers include file bars for front to back and side to side filing.
File drawers do not support bottom loading.
Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 316.
Coat rod is included .



# Overhead, 26 1/2 planning

## Wall hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back 	30"	15"	19"			<b>ROMO30S0(-)(-)(-)</b>	\$1,853.	\$1,957.	\$2,248.	\$3,034.
	36"	15"	19"			<b>ROMO36S0(-)(-)(-)</b>	1,901.	2,007.	2,306.	3,113.
	42"	15"	19"			<b>ROMO42S0(-)(-)(-)</b>	1,950.	2,059.	2,366.	3,194.
	48"	15"	19"			<b>ROMO48S0(-)(-)(-)</b>	2,004.	2,109.	2,432.	3,281.
	60"	15"	19"			<b>ROMO60S0(-)(-)(-)</b>	2,212.	2,331.	2,683.	3,620.
	72"	15"	19"			<b>ROMO72S0(-)(-)(-)</b>	2,335.	2,468.	2,835.	3,826.



Wall-hung overhead cabinet (hinged door) with back 	30"	15"	19"	1	2	<b>ROMH30S0(-)(-)(-)</b>	2,695.	2,841.	3,264.	4,406.
	36"	15"	19"	1	2	<b>ROMH36S0(-)(-)(-)</b>	2,868.	3,027.	3,481.	4,699.
	60"	15"	19"	2	4	<b>ROMH60S0(-)(-)(-)</b>	3,222.	3,396.	3,907.	5,275.
	72"	15"	19"	2	4	<b>ROMH72S0(-)(-)(-)</b>	3,409.	3,595.	4,136.	5,582.

Wall-hung overhead cabinet (flip door) with back	30"	15"	19"	1	1	<b>ROMF30S0(-)(-)(-)</b>	1,974.	2,082.	2,393.	3,232.
	36"	15"	19"	1	1	<b>ROMF36S0(-)(-)(-)</b>	2,102.	2,217.	2,550.	3,443.
	42"	15"	19"	1	1	<b>ROMF42S0(-)(-)(-)</b>	2,225.	2,351.	2,703.	3,649.
	48"	15"	19"	1	1	<b>ROMF48S0(-)(-)(-)</b>	2,356.	2,484.	2,856.	3,856.
	60"	15"	19"	2	2	<b>ROMF60S0(-)(-)(-)</b>	2,597.	2,740.	3,149.	4,254.
	72"	15"	19"	2	2	<b>ROMF72S0(-)(-)(-)</b>	2,748.	2,898.	3,333.	4,500.

Order Code	Specification Information	Application Notes
Example: <b>ROMO30S0</b> <b>R</b> Reff <b>O</b> Overhead <b>M</b> Wall hung <b>O</b> Open <b>30</b> 30" wide <b>S</b> Standard height, 19"h <b>0</b> 15" deep <b>Dimensions are nominal.</b>	To order please specify pattern number including: 1. Configuration option (embedded in pattern no.) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i> 2. Storage option (embedded in pattern no.) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i> 3. Finish type L = Laminate 1 = V1 2 = V2 3 = V3 4. Pull option applicable hinged doors only D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	5. Lock option L = Lock hole drilled N = No lockdrilling 6. Lock Finish 7. Finish, case 8. Pull Finish 9. Keying instructions  Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.  Overheads with flip doors, come with J-pull option only.  Woodgrain Laminate is not available on any flip door units.
		Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.  Open cabinets require no locks.  Tasklights are not included.  Hardware included for overhead cabinets.  Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 343.  <b>*Keying instructions must accompany all cabinet orders.</b>  Random keys are factory installed.  Order overheads with a KnollKey order form.

# Overhead, 26 1/2 planning

## Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	30"	14"	19"			<b>ROPO30S0</b> (-)(-)(-)	\$1,329.	\$1,399.	\$1,609.	\$2,174.
	36"	14"	19"			<b>ROPO36S0</b> (-)(-)(-)	1,627.	1,714.	1,972.	2,662.
	42"	14"	19"			<b>ROPO42S0</b> (-)(-)(-)	1,787.	1,886.	2,169.	2,928.
	48"	14"	19"			<b>ROPO48S0</b> (-)(-)(-)	1,853.	1,952.	2,246.	3,032.
	60"	14"	19"			<b>ROPO60S0</b> (-)(-)(-)	1,893.	1,998.	2,299.	3,105.
	60"	14"	23"			<b>ROPO60T0</b> (-)(-)(-)	2,023.	2,135.	2,454.	3,312.
	72"	14"	19"			<b>ROPO72S0</b> (-)(-)(-)	2,321.	2,445.	2,813.	3,797.
	72"	14"	23"			<b>ROPO72T0</b> (-)(-)(-)	2,758.	2,912.	3,347.	4,520.
	90"	14"	19"			<b>ROPO90S0</b> (-)(-)(-)	2,554.	2,692.	3,094.	4,179.
	90"	14"	23"			<b>ROPO90T0</b> (-)(-)(-)	3,131.	3,299.	3,795.	5,125.
96"	14"	19"			<b>ROPO96S0</b> (-)(-)(-)	2,647.	2,791.	3,207.	4,332.	
96"	14"	23"			<b>ROPO96T0</b> (-)(-)(-)	3,245.	3,422.	3,935.	5,313.	
Panel-hung overhead cabinet (hinged door) no back 	30"	14"	19"	1	2	<b>ROPH30S0</b> (-)(-)(-)	1,476.	1,553.	1,785.	2,409.
	36"	14"	19"	1	2	<b>ROPH36S0</b> (-)(-)(-)	1,802.	1,902.	2,190.	2,957.
	60"	14"	19"	2	4	<b>ROPH60S0</b> (-)(-)(-)	2,104.	2,218.	2,551.	3,446.
	60"	14"	23"	2	4	<b>ROPH60T0</b> (-)(-)(-)	2,252.	2,373.	2,730.	3,688.
	72"	14"	19"	2	4	<b>ROPH72S0</b> (-)(-)(-)	2,578.	2,721.	3,128.	4,224.
	72"	14"	23"	2	4	<b>ROPH72T0</b> (-)(-)(-)	3,065.	3,234.	3,717.	5,019.
	90"	14"	19"	3	6	<b>ROPH90S0</b> (-)(-)(-)	2,839.	2,990.	3,439.	4,642.
	90"	14"	23"	3	6	<b>ROPH90T0</b> (-)(-)(-)	3,476.	3,667.	4,212.	5,687.
	96"	14"	19"	3	6	<b>ROPH96S0</b> (-)(-)(-)	2,939.	3,097.	3,566.	4,814.
	96"	14"	23"	3	6	<b>ROPH96T0</b> (-)(-)(-)	3,607.	3,801.	4,370.	5,901.

Order Code	Specification Information
Example: <b>ROPH60S0DLL</b>	
<b>R</b> Reff	
<b>O</b> Overhead	
<b>P</b> Panel hung	
<b>H</b> Hinge door	
<b>60</b> 60" wide	
<b>S</b> Standard height, 19"h	
<b>0</b> 15" deep	
<b>D</b> D-pull	
<b>L</b> Lock hole drilled	
<b>L</b> Laminate finish	

Dimensions are nominal.

- Specification Information**
- To order please specify pattern number including:
- Configuration option (embedded in pattern no.)  
*H = Hinged door*  
*O = Open*  
*F = Flip door*
  - Storage option (embedded in pattern no.)  
*S0 = 19"h x 14"d open/15"d hinged door*  
*T0 = 23"h x 14"d open/15"d hinged door*
  - Finish type  
*L = Laminate*  
*1 = V1*  
*2 = V2*  
*3 = V3*
  - Pull option  
*D = Metal D-pull for hinged door only*  
*J = Routed pull*  
*C = Nickel finish C-pull for hinged door only (nickel finish only)*  
*S = Stainless steel finish*  
*S-pull for hinged door only (stainless steel finish only)*
  - Lock option  
*L = Lock hole drilled*  
*N = No lockdrilling*
  - Finish, case

Woodgrain Laminate is not available on any flip door units.

Overheads with flip doors, come with J-pull option only.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Panel hung overheads come with no backs.

**Application Notes**

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 343.

**\*Keying instructions must accompany all cabinet orders.**



Refer to page 364 for keying instructions.

Random keys are factory installed.

Order overheads with a KnollKey order form.

# Overhead, 26 1/2 planning

## Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	30"	14"	18"	1	1	ROPF30S0J-( )()	\$1,109.	\$1,485.	\$1,706.	\$2,303.
	36"	14"	18"	1	1	ROPF36S0J-( )()	1,127.	1,510.	1,740.	2,347.
	42"	14"	18"	1	1	ROPF42S0J-( )()	1,206.	1,620.	1,864.	2,517.
	48"	14"	18"	1	1	ROPF48S0J-( )()	1,251.	1,685.	1,936.	2,615.
	60"	14"	18"	2	2	ROPF60S0J-( )()	1,453.	1,948.	2,242.	3,027.
	72"	14"	18"	2	2	ROPF72S0J-( )()	1,717.	2,305.	2,649.	3,574.
	84"	14"	18"	2	2	ROPF84S0J-( )()	1,919.	2,575.	2,960.	3,997.
	96"	14"	18"	2	2	ROPF96S0J-( )()	2,046.	2,747.	3,162.	4,265.
Panel-hung shelves 	30"	13"	9"			ROPS30S0NN-( )	297.	626.	720.	971.
	36"	13"	9"			ROPS36S0NN-( )	321.	650.	748.	1,009.
	42"	13"	9"			ROPS42S0NN-( )	348.	672.	775.	1,046.
	48"	13"	9"			ROPS48S0NN-( )	371.	696.	798.	1,077.
	54"	13"	9"			ROPS54S0NN-( )	397.	748.	858.	1,159.
	60"	13"	9"			ROPS60S0NN-( )	424.	804.	924.	1,248.
	66"	13"	9"			ROPS66S0NN-( )	449.	855.	984.	1,327.
	72"	13"	9"			ROPS72S0NN-( )	474.	911.	1,045.	1,409.
	78"	13"	9"			ROPS78S0NN-( )	500.	987.	1,134.	1,530.
	84"	13"	9"			ROPS84S0NN-( )	524.	1,062.	1,223.	1,650.
	90"	13"	9"			ROPS90S0NN-( )	550.	1,139.	1,309.	1,768.
96"	13"	9"			ROPS96S0NN-( )	558.	1,198.	1,380.	1,863.	

Order Code	Specification Information
Example: <b>ROPF60S0DLL</b>	
<b>R</b> Reff	
<b>O</b> Overhead	
<b>P</b> Panel hung	
<b>H</b> Hinge door	
<b>60</b> 60" wide	
<b>S</b> Standard height, 19"h	
<b>0</b> 15" deep	
<b>D</b> D-pull	
<b>L</b> Lock hole drilled	
<b>L</b> Laminate finish	

Dimensions are nominal.

Specification Information
<i>To order please specify pattern number including:</i>
1. Configuration option ( <i>embedded in pattern no.</i> ) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i>
2. Storage option ( <i>embedded in pattern no.</i> ) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i>
3. Finish type L = Laminate 1 = V1 2 = V2 3 = V3
4. Pull option D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)
5. Lock option L = Lock hole drilled N = No lockdrilling
6. Finish, case

Woodgrain Laminate is not available on any flip door units.

Overheads with flip doors, come with J-pull option only.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Panel hung overheads come with no backs.

**Application Notes**

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 343.


**\*Keying instructions must accompany all cabinet orders.**

Refer to page 364 for keying instructions.


Random keys are factory installed.

Order overheads with a KnollKey order form.

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open)	60"	15"	19"	4	1.8	ROWO60S0(-)(X)(X)	\$2,114.	\$2,252.	\$2,640.	\$3,565.
	60"	15"	23"	4	1.8	ROWO60T0(-)(X)(X)	2,296.	2,445.	2,867.	3,871.
	60"	20"	19"	4	1.8	ROWO60S1(-)(X)(X)	2,273.	2,421.	2,838.	3,829.
	60"	20"	23"	4	1.8	ROWO60T1(-)(X)(X)	2,456.	2,614.	3,062.	4,131.
	72"	15"	19"		2.1	ROWO72S0(-)(X)(X)	2,718.	2,896.	3,386.	4,570.
	72"	15"	23"		2.1	ROWO72T0(-)(X)(X)	3,086.	3,283.	3,834.	5,177.
	72"	20"	19"		2.1	ROWO72S1(-)(X)(X)	2,919.	3,105.	3,629.	4,899.
	72"	20"	23"		2.1	ROWO72T1(-)(X)(X)	3,401.	3,616.	4,217.	5,691.
	90"	15"	19"		2.6	ROWO90S0(-)(X)(X)	2,995.	3,195.	3,760.	5,074.
	90"	15"	23"		2.6	ROWO90T0(-)(X)(X)	3,461.	3,690.	4,323.	5,836.
	90"	20"	19"		2.6	ROWO90S1(-)(X)(X)	3,327.	3,548.	4,166.	5,623.
	90"	20"	23"		2.6	ROWO90T1(-)(X)(X)	3,677.	3,920.	4,590.	6,195.
	96"	15"	19"		2.8	ROWO96S0(-)(X)(X)	3,067.	3,279.	3,860.	5,211.
	96"	15"	23"		2.8	ROWO96T0(-)(X)(X)	3,533.	3,770.	4,425.	5,976.
96"	20"	19"		2.8	ROWO96S1(-)(X)(X)	3,404.	3,632.	4,267.	5,764.	
96"	20"	23"		2.8	ROWO96T1(-)(X)(X)	3,754.	3,999.	4,689.	6,330.	



72" h workwall overhead cabinet (hinged door)	60"	15"	19"	4	1.8	ROWH60S0(-)(X)(X)	2,728.	2,901.	3,387.	4,572.
	60"	15"	23"	4	1.8	ROWH60T0(-)(X)(X)	2,958.	3,143.	3,669.	4,952.
	60"	20"	19"	4	1.8	ROWH60S1(-)(X)(X)	2,929.	3,112.	3,632.	4,904.
	60"	20"	23"	4	1.8	ROWH60T1(-)(X)(X)	3,161.	3,356.	3,910.	5,280.
	72"	15"	19"	4	2.1	ROWH72S0(-)(X)(X)	3,496.	3,712.	4,330.	5,844.
	72"	15"	23"	4	2.1	ROWH72T0(-)(X)(X)	3,958.	4,201.	4,887.	6,599.
	72"	20"	19"	4	2.1	ROWH72S1(-)(X)(X)	3,747.	3,978.	4,631.	6,252.
	72"	20"	23"	4	2.1	ROWH72T1(-)(X)(X)	4,351.	4,616.	5,364.	7,244.
	90"	15"	19"	6	2.6	ROWH90S0(-)(X)(X)	3,881.	4,136.	4,839.	6,531.
	90"	15"	23"	6	2.6	ROWH90T0(-)(X)(X)	4,466.	4,748.	5,545.	7,485.
	90"	20"	19"	6	2.6	ROWH90S1(-)(X)(X)	4,301.	4,577.	5,345.	7,216.
	90"	20"	23"	6	2.6	ROWH90T1(-)(X)(X)	4,740.	5,037.	5,875.	7,933.
	96"	15"	19"	6	2.8	ROWH96S0(-)(X)(X)	3,989.	4,249.	4,981.	6,723.
	96"	15"	23"	6	2.8	ROWH96T0(-)(X)(X)	4,572.	4,865.	5,686.	7,676.
	96"	20"	19"	6	2.8	ROWH96S1(-)(X)(X)	4,409.	4,690.	5,487.	7,408.
	96"	20"	23"	6	2.8	ROWH96T1(-)(X)(X)	4,844.	5,150.	6,015.	8,121.



60" w and 72" w units have four hinged doors, two lock cores required.  
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0L</b>	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
<b>R</b> Reff	1. Configuration option	Open cabinets require no locks.
<b>O</b> Overhead	2. Storage option ( <i>embedded in pattern no.</i> )	Tasklights not included.
<b>W</b> Workwall	<i>S0 = 19" h x 15" d</i>	Tackboard included, fabric railroaded.
<b>O</b> Open	<i>S1 = 19" h x 20" d</i>	Locks are not factory installed.
<b>60</b> 60" wide	<i>T0 = 23" h x 15" d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
<b>S</b> Standard height	<i>T1 = 23" h x 20" d</i>	Product on this page excluding J-pull and any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.
<b>0</b> 15" deep	3. Finish type	
<b>L</b> Laminate finish	4. Pull option for hinged door only.	
<b>(W250)</b> Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	<b>*After specifying product code, provide keying instructions. 1.</b>	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	<b>See Planning Guide for keying examples.</b>	

Y = Yardage required

# Overhead, 26 1/2 planning Shoulders

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	-	15"	19"	<b>RWEA7220(L/R)-()</b>	\$394.	\$414.	\$475.	\$642.
	-	15"	23"	<b>RWEB7220(L/R)-()</b>	394.	414.	475.	642.
	-	20"	19"	<b>RWEC7220(L/R)-()</b>	394.	414.	475.	642.
	-	20"	23"	<b>RWED7220(L/R)-()</b>	394.	414.	475.	642.



Workwall support endpanels for 72"H x 24"D workwall cabinets	-	15"	19"	<b>RWEA7224(L/R)-()</b>	428.	453.	520.	702.
	-	15"	23"	<b>RWEB7224(L/R)-()</b>	428.	453.	520.	702.
	-	20"	19"	<b>RWEC7224(L/R)-()</b>	428.	453.	520.	702.
	-	20"	23"	<b>RWED7224(L/R)-()</b>	428.	453.	520.	702.




Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0L</b>	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
<b>R</b> Reff	1. Configuration option	Open cabinets require no locks.
<b>O</b> Overhead	2. Storage option ( <i>embedded in pattern no.</i> )	Tasklights not included.
<b>W</b> Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
<b>O</b> Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
<b>60</b> 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
<b>S</b> Standard height	<i>T1 = 23"h x 20"d</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>0</b> 15" deep	3. Finish type	
<b>L</b> Laminate finish	4. Pull option for hinged door only.	
<b>(W250)</b> Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	<b>*After specifying product code, provide keying instructions. 1.</b>	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	<b>See Planning Guide for keying examples.</b>	


*Overdesk Unit*

*Use with 1 1/4" worksurfaces*


description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	ROAH60T0(-)(-)(-)	\$2,670.	\$3,417.	\$3,994.	\$5,392.
	60"	20"	44 1/4"	1.7	2	4	ROAH60T1(-)(-)(-)	2,825.	3,614.	4,214.	5,688.
	72"	15"	44 1/4"	2.0	2	4	ROAH72T0(-)(-)(-)	3,383.	4,323.	5,042.	6,808.
	72"	20"	44 1/4"	2.0	2	4	ROAH72T1(-)(-)(-)	3,571.	4,562.	5,316.	7,177.
	90"	15"	44 1/4"	2.5	3	6	ROAH90T0(-)(-)(-)	3,762.	4,811.	5,635.	7,607.
	90"	20"	44 1/4"	2.5	3	6	ROAH90T1(-)(-)(-)	3,979.	5,091.	5,953.	8,039.
	96"	15"	44 1/4"	2.7	3	6	ROAH96T0(-)(-)(-)	3,918.	5,019.	5,883.	7,941.
	96"	20"	44 1/4"	2.7	3	6	ROAH96T1(-)(-)(-)	4,148.	5,310.	6,215.	8,391.



For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			ROAO60T0(-)(-)(-)	1,765.	2,266.	2,671.	3,606.
	60"	20"	44 1/4"	1.7			ROAO60T1(-)(-)(-)	1,876.	2,403.	2,827.	3,818.
	72"	15"	44 1/4"	2.0			ROAO72T0(-)(-)(-)	2,253.	2,885.	3,390.	4,577.
	72"	20"	44 1/4"	2.0			ROAO72T1(-)(-)(-)	2,385.	3,056.	3,584.	4,839.
	90"	15"	44 1/4"	2.5			ROAO90T0(-)(-)(-)	2,465.	3,170.	3,749.	5,061.
	90"	20"	44 1/4"	2.5			ROAO90T1(-)(-)(-)	2,616.	3,364.	3,964.	5,353.
	96"	15"	44 1/4"	2.7			ROAO96T0(-)(-)(-)	2,558.	3,294.	3,897.	5,259.
	96"	20"	44 1/4"	2.7			ROAO96T1(-)(-)(-)	2,716.	3,499.	4,129.	5,573.





For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	ROAF60S0(-)(-)(-)	2,285.	3,175.	3,712.	5,013.
	60"	20"	44 1/4"	1.7	2	2	ROAF60S1(-)(-)(-)	2,419.	3,361.	3,927.	5,303.
	72"	15"	44 1/4"	2.0	2	2	ROAF72S0(-)(-)(-)	2,713.	4,024.	4,698.	6,342.
	72"	20"	44 1/4"	2.0	2	2	ROAF72S1(-)(-)(-)	2,866.	4,249.	4,957.	6,692.
	84"	15"	44 1/4"	2.5	2	2	ROAF84S0(-)(-)(-)	3,515.	4,586.	5,363.	7,240.
	84"	20"	44 1/4"	2.5	2	2	ROAF84S1(-)(-)(-)	3,717.	4,851.	5,669.	7,651.
	96"	15"	44 1/4"	2.7	2	2	ROAF96S0(-)(-)(-)	3,600.	4,711.	5,528.	7,462.
	96"	20"	44 1/4"	2.7	2	2	ROAF96S1(-)(-)(-)	3,813.	4,990.	5,848.	7,894.



*Overdesk Unit*

*Use with 1 1/4" worksurfaces*

*Modesty Panels for L and U Configuration*

description	w	h	th	pattern no.	L	V1	V2	V3
Half Height Modesty, 26 1/2" h 	36"	17"	1"	<b>RBR36H()</b>	\$297.	\$430.	\$497.	\$680.
	42"	17"	1"	<b>RBR42H()</b>	322.	469.	542.	742.
	48"	17"	1"	<b>RBR48H()</b>	365.	530.	615.	838.
	54"	17"	1"	<b>RBR54H()</b>	384.	558.	644.	880.
	60"	17"	1"	<b>RBR60H()</b>	400.	576.	667.	907.
	66"	17"	1"	<b>RBR66H()</b>	417.	601.	699.	955.
	72"	17"	1"	<b>RBR72H()</b>	461.	667.	770.	1,049.
Full Height Modesty, 26 1/2" h 	36"	26"	1"	<b>RBR36M()</b>	323.	457.	524.	706.
	42"	26"	1"	<b>RBR42M()</b>	348.	495.	569.	768.
	48"	26"	1"	<b>RBR48M()</b>	392.	557.	641.	864.
	54"	26"	1"	<b>RBR54M()</b>	410.	584.	671.	906.
	60"	26"	1"	<b>RBR60M()</b>	426.	602.	693.	934.
	66"	26"	1"	<b>RBR66M()</b>	443.	628.	726.	982.
	72"	26"	1"	<b>RBR72M()</b>	488.	693.	796.	1,075.

**Order Code**

Example: <b>RBR36</b>	
<b>R</b>	Reff
<b>B</b>	Bridge
<b>R</b>	Return
<b>36</b>	36" wide
<b>M</b>	Full Height Modesty Placement for 28 3/8"
<b>()</b>	Finish

**Ordering Information**

*To order please specify pattern number including:*


- Modesty Finish:  
L, V1, V2, V3

Products on this page **Excluding any vertical surface, ie; modesty panels over 48"** will accept wood grain laminate, where laminate is currently an option.


**Application Notes**

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces






U-shaped / Triple: Spanning 3 worksurfaces



## Workwall units

## Rectilinear worksurfaces - 1 1/4" thick


description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	<b>RSWWA601( )</b>	\$616.	\$648.	\$743.	\$1,005.
	60"	24"	<b>RSWWA602( )</b>	662.	696.	802.	1,082.
	72"	20"	<b>RSWWA721( )</b>	670.	705.	810.	1,093.
	72"	24"	<b>RSWWA722( )</b>	716.	756.	865.	1,169.
	90"	20"	<b>RSWWA901( )</b>	776.	817.	941.	1,270.
	90"	24"	<b>RSWWA902( )</b>	823.	865.	998.	1,347.
	96"	20"	<b>RSWWA961( )</b>	881.	927.	1,066.	1,440.
	96"	24"	<b>RSWWA962( )</b>	929.	979.	1,124.	1,518.
Waterfall edge workwall tops 	60"	20"	<b>RSWWAWF601( )</b>	0.	1,946.	2,238.	3,021.
	60"	24"	<b>RSWWAWF602( )</b>	0.	2,088.	2,403.	3,245.
	72"	20"	<b>RSWWAWF721( )</b>	0.	2,115.	2,434.	3,283.
	72"	24"	<b>RSWWAWF722( )</b>	0.	2,262.	2,603.	3,516.
	90"	20"	<b>RSWWAWF901( )</b>	0.	2,455.	2,825.	3,815.
	90"	24"	<b>RSWWAWF902( )</b>	0.	2,603.	2,995.	4,042.
	96"	20"	<b>RSWWAWF961( )</b>	0.	2,863.	3,200.	4,320.
	96"	24"	<b>RSWWAWF962( )</b>	0.	2,935.	3,377.	4,556.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	<b>RSWWA(A/B/C/D/E/F/G)601( )</b>	0.	743.	858.	1,159.
	60"	24"	<b>RSWWA(A/B/C/D/E/F/G)602( )</b>	0.	801.	922.	1,247.
	72"	20"	<b>RSWWA(A/B/C/D/E/F/G)721( )</b>	0.	810.	933.	1,259.
	72"	24"	<b>RSWWA(A/B/C/D/E/F/G)722( )</b>	0.	866.	998.	1,347.
	90"	20"	<b>RSWWA(A/B/C/D/E/F/G)901( )</b>	0.	941.	1,082.	1,461.
	90"	24"	<b>RSWWA(A/B/C/D/E/F/G)902( )</b>	0.	997.	1,148.	1,549.
	96"	20"	<b>RSWWA(A/B/C/D/E/F/G)961( )</b>	0.	1,066.	1,228.	1,658.
	96"	24"	<b>RSWWA(A/B/C/D/E/F/G)962( )</b>	0.	1,124.	1,294.	1,746.

Order Code	Specification Information	Application Notes	Hardware included.
Example: <b>RSWWA60100L</b>	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.	
<b>R</b> Reff	1. Top thickness		
<b>S</b> Straight top	2. Top finish type		
<b>WW</b> Workwall top	3. Top finish		
<b>A</b> 1 1/4" thick	1. <i>Thickness options:</i>		
<b>60</b> 60" wide	A = 1 1/4"		
<b>1</b> 20" deep	2. <i>Finish type:</i>	No grommets available.	
<b>(L)</b> Laminate finish	L = Laminate		
	M = Wood/laminate mixed		
	1 = V1		
	2 = V2		
	3 = V3		
	3. Specify edge detail where applicable.		
	Product on this page will accept woodgrain laminate where laminate is currently an option.		




Reuter overhead cabinet  
*Morrison panel mounted*  
*Designed by Robert Reuter*


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	<b>RO3-M24( ) ( )L</b>		\$800.	\$800.	\$839.	\$1,202.
		30"	14 1/4"	14 3/4"	<b>RO3-M30( ) ( )L</b>		895.	895.	936.	1,294.
		36"	14 1/4"	14 3/4"	<b>RO3-M36( ) ( )L</b>		1,031.	1,031.	1,081.	1,448.
		42"	14 1/4"	14 3/4"	<b>RO3-M42( ) ( )L</b>		1,191.	1,191.	1,249.	1,607.
		48"	14 1/4"	14 3/4"	<b>RO3-M48( ) ( )L</b>		1,325.	1,325.	1,392.	1,760.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-M60( ) ( )L</b>		1,681.	1,681.	1,761.	2,421.
		66"	14 1/4"	14 3/4"	<b>RO3-M66( ) ( )L</b>		1,829.	1,829.	1,924.	2,593.
		72"	14 1/4"	14 3/4"	<b>RO3-M72( ) ( )L</b>		1,959.	1,959.	2,056.	2,736.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	<b>RO3-M24( ) ( )N</b>		724.	724.	759.	
		30"	14 1/4"	14 3/4"	<b>RO3-M30( ) ( )N</b>		819.	819.	860.	
		36"	14 1/4"	14 3/4"	<b>RO3-M36( ) ( )N</b>		956.	956.	1,001.	
		42"	14 1/4"	14 3/4"	<b>RO3-M42( ) ( )N</b>		1,114.	1,114.	1,168.	
		48"	14 1/4"	14 3/4"	<b>RO3-M48( ) ( )N</b>		1,248.	1,248.	1,310.	



**Order Code**

Example: <b>RO3-M48-612-M-L</b>	
<b>RO3</b>	Reuter overhead cabinet
<b>M</b>	Morrison panel mounted
<b>48</b>	Width
<b>612</b>	Case finish
<b>M</b>	Front finish
<b>L</b>	With lock

**Specification Information**

First suffix is for case, second is door finish.  
*Specify finish for case and door:*  
 Interior partitions are black painted steel finish.

**Application Notes**

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 279) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet  
*Morrison panel mounted*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-M60( ) (JN)</b>		\$1,524.	\$1,524.	\$1,599.	n/a
		66"	14 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-M66( ) (JN)</b>		1,678.	1,678.	1,757.	n/a
		72"	14 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-M72( ) (JN)</b>		1,800.	1,800.	1,892.	n/a



description	type	w	d	h	pattern no.	black
Interior partitions	Horizontal, set of 10	6"	11"	-	<b>RO1-HP6</b>	154.
	Horizontal, set of 10	9"	11"	-	<b>RO1-HP9</b>	193.
	Horizontal, set of 10	12"	11"	-	<b>RO1-HP12</b>	230.
	Horizontal, set of 10	15"	11"	-	<b>RO1-HP15</b>	268.
	Vertical, set of 5	-	11"	12"	<b>RO3-VP</b>	99.



**Order Code**

Example:	<b>RO3-M48-612-M-L</b>
<b>RO3</b>	Reuter overhead cabinet
<b>M</b>	Morrison panel mounted
<b>48</b>	Width
<b>612</b>	Case finish
<b>M</b>	Front finish
<b>L</b>	With lock

**Specification Information**

First suffix is for case, second is door finish.  
*Specify finish for case and door:*  
 Interior partitions are black painted steel finish.

**Application Notes**

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1<sup>1</sup>/<sub>2</sub>" increments of width anywhere across shelf, 1<sup>1</sup>/<sub>2</sub>" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 279) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.


Insert may be removed to retrofit a lock later.

Reuter overhead cabinet  
*desk, wall, or other Knoll system mounted*  
*Designed by Robert Reuter*


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	<b>RO3-N24( )L</b>		\$785.	\$785.	\$823.	\$1,182.
		30"	14 1/4"	14 3/4"	<b>RO3-N30( )L</b>		873.	873.	920.	1,275.
		36"	14 1/4"	14 3/4"	<b>RO3-N36( )L</b>		1,010.	1,010.	1,062.	1,429.
		42"	14 1/4"	14 3/4"	<b>RO3-N42( )L</b>		1,172.	1,172.	1,233.	1,589.
		48"	14 1/4"	14 3/4"	<b>RO3-N48( )L</b>		1,310.	1,310.	1,373.	1,745.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-N60( )L</b>		1,657.	1,657.	1,743.	2,405.
		66"	14 1/4"	14 3/4"	<b>RO3-N66( )L</b>		1,815.	1,815.	1,901.	2,578.
		72"	14 1/4"	14 3/4"	<b>RO3-N72( )L</b>		1,938.	1,938.	2,035.	2,720.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	<b>RO3-N24( )N</b>		705.	705.	739.	n/a
		30"	14 1/4"	14 3/4"	<b>RO3-N30( )N</b>		799.	799.	838.	n/a
		36"	14 1/4"	14 3/4"	<b>RO3-N36( )N</b>		934.	934.	981.	n/a
		42"	14 1/4"	14 3/4"	<b>RO3-N42( )N</b>		1,097.	1,097.	1,151.	n/a
		48"	14 1/4"	14 3/4"	<b>RO3-N48( )N</b>		1,231.	1,231.	1,294.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-N60( )N</b>		1,503.	1,503.	1,579.	n/a
		66"	14 1/4"	14 3/4"	<b>RO3-N66( )N</b>		1,656.	1,656.	1,740.	n/a
		72"	14 1/4"	14 3/4"	<b>RO3-N72( )N</b>		1,787.	1,787.	1,876.	n/a



**Order Code**

Example:	<b>RO3-N48-613-613-L</b>
<b>RO3</b>	Reuter overhead cabinet
<b>N</b>	No brackets
<b>48</b>	Width
<b>613</b>	Case finish
<b>613</b>	Front finish
<b>L</b>	With lock

**Specification Information**

*Specify finish for case and door.*

**Application Notes**

Reuter storage is a universal product applicable on Knoll systems.


Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter overhead cabinet  
*desk, wall, or other Knoll system mounted*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Interior partitions 	Vertical, set of 5	–	11"	12"	<b>RO3-VP</b>	\$99.				
	Horizontal, set of 10	6"	11"	–	<b>RO1-HP6</b>	154.				
	Horizontal, set of 10	9"	11"	–	<b>RO1-HP9</b>	193.				
	Horizontal, set of 10	12"	11"	–	<b>RO1-HP12</b>	230.				
	Horizontal, set of 10	15"	11"	–	<b>RO1-HP15</b>	268.				

**Order Code**

Example:	<b>RO3-N48-613-613-L</b>
<b>RO3</b>	Reuter overhead cabinet
<b>N</b>	No brackets
<b>48</b>	Width
<b>613</b>	Case finish
<b>613</b>	Front finish
<b>L</b>	With lock

**Specification Information**

*Specify finish for case and door.*

**Application Notes**

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.




Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

# Reuter open shelf

*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf Morrison panel brackets		24"	13"	8"	<b>RS1-M24( )</b>		\$355.	\$355.	\$374.
		30"	13"	8"	<b>RS1-M30( )</b>		389.	389.	409.
		36"	13"	8"	<b>RS1-M36( )</b>		439.	439.	462.
		42"	13"	8"	<b>RS1-M42( )</b>		475.	475.	498.
		48"	13"	8"	<b>RS1-M48( )</b>		509.	509.	534.
		60"	13"	8"	<b>RS1-M60( )</b>		594.	594.	625.
 Open shelf no mounting hardware		24"	13"	8"	<b>RS1-N24( )</b>		339.	339.	355.
		30"	13"	8"	<b>RS1-N30( )</b>		375.	375.	392.
		36"	13"	8"	<b>RS1-N36( )</b>		425.	425.	445.
		42"	13"	8"	<b>RS1-N42( )</b>		458.	458.	480.
		48"	13"	8"	<b>RS1-N48( )</b>		493.	493.	517.
		60"	13"	8"	<b>RS1-N60( )</b>		577.	577.	607.
 Interior partitions	Vertical, set of 5	–	12"	6"	<b>RS1-VP</b>	93.			
	Horizontal, set of 10	6"	12"	–	<b>RO1-HP6</b>	154.			
		9"	12"	–	<b>RO1-HP9</b>	193.			
		12"	12"	–	<b>RO1-HP12</b>	230.			
		15"	12"	–	<b>RO1-HP15</b>	268.			

## Order Code

Example:	<b>RS1-N48-612</b>
<b>RS1</b>	Reuter shelf
<b>N</b>	No mounting hardware
<b>48</b>	Width
<b>612</b>	Finish

## Specification Information

*Specify paint finishes for shelf.*

## Application Notes

Interior partitions are black painted steel finish.




Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

# Reuter open overhead

*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
 Open overhead Morrison panel brackets		30"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM30( )</b>		\$577.	\$577.	\$607.	
		36"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM36( )</b>		662.	662.	693.	
		42"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM42( )</b>		747.	747.	785.	
		48"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM48( )</b>		829.	829.	872.	
		60"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM60( )</b>		967.	967.	1,014.	
		72"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM72( )</b>		1,137.	1,137.	1,194.	
 Open overhead no mounting hardware		30"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON30( )</b>		561.	561.	588.	
		36"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON36( )</b>		643.	643.	676.	
		42"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON42( )</b>		730.	730.	767.	
		48"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON48( )</b>		816.	816.	855.	
		60"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON60( )</b>		948.	948.	998.	
		72"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON72( )</b>		1,118.	1,118.	1,173.	
 Interior partitions	Vertical, set of 5	–	11"	12"	<b>RO3-VP</b>	99.				
	Horizontal, set of 10	6"	11"	–	<b>RO1-HP6</b>	154.				
		9"	11"	–	<b>RO1-HP9</b>	193.				
		12"	11"	–	<b>RO1-HP12</b>	230.				
		15"	11"	–	<b>RO1-HP15</b>	268.				
Door retrofit kit, with lock	For open overhead	30"			<b>RO3-RD30( )L</b>	392.	392.	414.	758.	
		36"			<b>RO3-RD36( )L</b>	425.	425.	445.	823.	
		42"			<b>RO3-RD42( )L</b>	496.	496.	519.	893.	
		48"			<b>RO3-RD48( )L</b>	543.	543.	568.	958.	
		60"			<b>RO3-RD60( )L</b>	828.	828.	870.	1,539.	
		72"			<b>RO3-RD72( )L</b>	931.	931.	977.	1,678.	
Door retrofit kit, no lock	For open overhead	30"			<b>RO3-RD30( )N</b>	300.	300.	315.	n/a	
		36"			<b>RO3-RD36( )N</b>	347.	347.	364.	n/a	
		42"			<b>RO3-RD42( )N</b>	420.	420.	439.	n/a	
		48"			<b>RO3-RD48( )N</b>	464.	464.	487.	n/a	
		60"			<b>RO3-RD60( )N</b>	674.	674.	710.	n/a	
		72"			<b>RO3-RD72( )N</b>	778.	778.	819.	n/a	

Order Code	Specification Information	Application Notes
Example: <b>RO3-ON30-612</b>	<i>Specify finish for case and door.</i>	Interior partitions are black painted steel finish.
<b>RO3-O</b> Reuter open overhead		Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.
<b>N</b> No mounting hardware		Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.
<b>30</b> Width		Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.
<b>612</b> Finish		Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Overhead storage




Reuter overhead storage  
*desk and panel mounting options*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	paint
Stanchions for Network desk mount, pair	1 1/4" worksurface	5"	5"	20 1/2"	<b>RO2-NS21( )</b>		\$532.
	1 3/4" worksurface	5"	5"	20"	<b>RO2-NS20( )</b>		532.
Stanchion outlets cover	1 1/4" worksurface	7"	1/2"	15 1/2"	<b>MN2SO21( )</b>	48.	
	1 3/4" worksurface	7"	1/2"	15"	<b>MN2SO20( )</b>	48.	
Panel mount brackets, pair, overhead cabinet	For Dividends panels				<b>RO1-DPB</b>	63.	
	For Equity panels				<b>RO1-EPB</b>	51.	
	For Morrison panels				<b>RO1-MPB</b>	51.	
	For Reff System panels				<b>RO1-RPB</b>	51.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Dividends panels				<b>RS1-DPB</b>	63.	
	For Equity panels				<b>RS1-EPB</b>	43.	
	For Morrison panels				<b>RS1-MPB</b>	43.	
	For Reff / AutoStrada panels				<b>RS1-RPB</b>	43.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Equity panels				<b>RO1-ECB( )</b>		110.
	For Morrison panels	1/2"	10"	10"	<b>RO1-CB( )</b>		110.
	For Reff / AutoStrada panels				<b>RO1-RCB( )</b>		110.






Order Code	Specification Information	Application Notes
Example: <b>RO2-NS21-612</b>	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
<b>RO2</b> Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
<b>NS</b> Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
<b>21</b> Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
<b>612</b> Paint finish		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage  
*wall-mounting options and ADA pull*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black
 Wall mount frames, overhead cabinet	24" or 30"W overheads	23"	1/2"	13"	<b>RO1-WMF2</b>	\$96.
	36" or 42"W overheads	35"	1/2"	13"	<b>RO1-WMF3</b>	105.
	48" or 60"W overheads	47"	1/2"	13"	<b>RO1-WMF4</b>	110.
Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	<b>RS1-WMF24</b>	96.
	30"W shelf	29"	1 1/2"	6"	<b>RS1-WMF30</b>	101.
	36"W shelf	35"	1 1/2"	6"	<b>RS1-WMF36</b>	105.
	42"W shelf	41"	1 1/2"	6"	<b>RS1-WMF42</b>	108.
	48"W shelf	47"	1 1/2"	6"	<b>RS1-WMF48</b>	110.
	60"W shelf	59"	1 1/2"	6"	<b>RS1-WMF60</b>	117.
 Wall mount wire manager, set of 10					<b>MWM-J</b>	175.
Ganging bracket					<b>RO1-GB</b>	14.
 ADA pull					<b>RO1-PULL</b>	56.

Order Code	Specification Information	Application Notes
Example: <b>RO1-GB</b> <b>RO1</b> Reuter overhead <b>GB</b> Ganging bracket	Wall mount frames are painted black finish. ADA pull is stainless steel.	Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads. Reuter open shelves 66" and 72"W are for stanchion support only. Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only). Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.
		ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72". ADA pull cannot be mounted on wood front Reuter doors.



description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	<b>RTAT5E19S</b>	\$241.
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTAT5E25S</b>	259.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTAT5E37S</b>	280.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTAT5E49S</b>	303.
	Use with 66" and wider overhead	61"	4"	1 1/2"	<b>RTAT5E61S</b>	322.
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTAT5E25A</b>	447.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTAT5E37A</b>	470.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTAT5E49A</b>	489.
	Use with 66" and wider overhead	61"	4"	1 1/2"	<b>RTAT5E61A</b>	509.
	Use with 24" and wider overhead (24 LED's)	17"	2"	1/2"	<b>ML4L17</b>	495.
	Use with 36" and wider overhead (48 LED's)	31"	2"	1/2"	<b>ML4L31</b>	825.
	Use with 48" and wider overhead (72 LED's)	44"	2"	1/2"	<b>ML4L44</b>	1,075.
	Use with 66" and wider overhead (96 LED's)	58"	2"	1/2"	<b>ML4L58</b>	1,350.



Order Code	
<b>T5 Standard Task Light</b>	
Example: <b>RTAT5E25S</b>	
<b>RTA</b>	Task Light
<b>T5</b>	T5 lamp
<b>E</b>	Electronic ballast
<b>25</b>	Width
<b>S</b>	Standard
<b>LED Task Light</b>	
Example: <b>ML4L17</b>	
<b>ML4</b>	Task Light
<b>L</b>	LED
<b>17</b>	Width

Specification Information
<p><b>T5 Task Lights:</b> 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.</p> <p><b>LED Task Lights:</b> Includes LED's, power supply with 9-12' cord and mounting hardware. Housings are clear anodized aluminum with white color end-caps.</p>



Application Notes
<p><b>T5 Task Lights:</b> Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH</p> <p>Cordset is center exit. On smaller units cord exit is off-center, but still not handed.</p> <p>T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.</p> <p><b>Notes:</b> All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.</p> <p>All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.</p>

# Transaction tops for use with 42" H panel heights

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	<b>RTTA24(-)(-)</b>	\$346.	\$365.	\$365.	\$420.	\$568.
	30"	15"	1 1/4"	<b>RTTA30(-)(-)</b>	379.	396.	396.	460.	620.
	36"	15"	1 1/4"	<b>RTTA36(-)(-)</b>	412.	435.	435.	498.	676.
	42"	15"	1 1/4"	<b>RTTA42(-)(-)</b>	445.	468.	468.	538.	725.
	48"	15"	1 1/4"	<b>RTTA48(-)(-)</b>	474.	504.	504.	578.	780.
	54"	15"	1 1/4"	<b>RTTA54(-)(-)</b>	508.	537.	537.	616.	831.
	60"	15"	1 1/4"	<b>RTTA60(-)(-)</b>	541.	570.	570.	657.	888.
	66"	15"	1 1/4"	<b>RTTA66(-)(-)</b>	574.	603.	603.	694.	937.
	72"	15"	1 1/4"	<b>RTTA72(-)(-)</b>	604.	639.	639.	734.	991.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	<b>RTTAWF24(-)(-)</b>			729.	838.	1,132.
	30"	15"	1 1/4"	<b>RTTAWF30(-)(-)</b>			799.	919.	1,242.
	36"	15"	1 1/4"	<b>RTTAWF36(-)(-)</b>			865.	998.	1,347.
	42"	15"	1 1/4"	<b>RTTAWF42(-)(-)</b>			934.	1,073.	1,449.
	48"	15"	1 1/4"	<b>RTTAWF48(-)(-)</b>			1,006.	1,156.	1,560.
	54"	15"	1 1/4"	<b>RTTAWF54(-)(-)</b>			1,071.	1,230.	1,661.
	60"	15"	1 1/4"	<b>RTTAWF60(-)(-)</b>			1,142.	1,312.	1,772.
	66"	15"	1 1/4"	<b>RTTAWF66(-)(-)</b>			1,207.	1,389.	1,876.
	72"	15"	1 1/4"	<b>RTTAWF72(-)(-)</b>			1,277.	1,467.	1,980.



Not available in laminate or mixed finishes

### Order Code

Example: <b>RTTA24 (-)(-)</b>	
<b>R</b>	Reff
<b>TT</b>	Transaction top
<b>24</b>	24" wide
<b>L</b>	Type, left side Mitre
<b>2</b>	V2 finish
<b>V316</b>	Light Maple finish

### Specification Information

To order please specify pattern number including:

1. Width
2. Type:  
L = Left side Mitre  
R = Right side Mitre  
S = Straight
3. Finish type:  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
4. Finish = Laminate or Veneer

### Application Notes

Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.

No grommets included.

Tops may be used to span more than one consecutive panel.

Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the tops. This can be done in the field or through Custom Product Development.

Product on this page will accept wood grain laminate, where laminate is currently an option.

# Transaction tops

## *Brackets for Alternative Material*


description	w	h	pattern no.	list
Attachment Bracketry			<b>RAMTB</b>	\$62.
	* Each panel need 2 brackets * Available in all core paints			
Foam Tape			<b>RAMTT</b>	24.
Transaction Top Bracket Cover			<b>RAMTC24()</b>	46.
			<b>RAMTC30()</b>	49.
			<b>RAMTC36()</b>	52.
			<b>RAMTC42()</b>	56.
			<b>RAMTC48()</b>	59.
			<b>RAMTC54()</b>	62.
			<b>RAMTC60()</b>	66.
			<b>RAMTC66()</b>	70.
			<b>RAMTC72()</b>	72.
Transaction Top Bracket Cover Hilo			<b>RAMTCH24()</b>	62.
			<b>RAMTCH30()</b>	66.
			<b>RAMTCH36()</b>	70.
			<b>RAMTCH42()</b>	73.
			<b>RAMTCH48()</b>	76.
			<b>RAMTCH54()</b>	80.
			<b>RAMTCH60()</b>	83.
			<b>RAMTCH66()</b>	86.
			<b>RAMTCH72()</b>	88.

Order Code	Specification Information	Application Notes
Example: <b>RAMTC</b>	<i>To order please specify pattern number including:</i>	Spline piece included in the right "R" hand pattern number.
<b>R</b> Reff		
<b>A</b> Alternative	1. End treatment option	Installation instructions available on Knoll Exchange.
<b>M</b> Material	2. Finish type: Core paint finishes	
<b>T</b> Transaction Top		When a solid material is installed the "RAMTB" is required.
<b>C</b> Cover		When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.
<b>24</b> Width		
<b>L/R/M</b> Left/Right/Mitered		

# Gallery desk surrounds


## 1 1/4" worksurface

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	<b>RGAF622-()</b>	\$1,424.	\$1,730.	\$1,730.	\$1,901.	\$1,992.	\$2,568.	\$2,688.
	68"	25"	42"	<b>RGAF682-()</b>	1,473.	1,792.	1,792.	1,969.	2,063.	2,656.	2,785.
	74"	25"	42"	<b>RGAF742-()</b>	1,528.	1,861.	1,861.	2,044.	2,138.	2,759.	2,884.
	80"	25"	42"	<b>RGAF802-()</b>	1,583.	1,921.	1,921.	2,108.	2,213.	2,846.	2,986.
	86"	25"	42"	<b>RGAF862-()</b>	1,632.	1,987.	1,987.	2,177.	2,286.	2,938.	3,086.
	92"	25"	42"	<b>RGAF922-()</b>	1,686.	2,053.	2,053.	2,246.	2,361.	3,032.	3,183.
	98"	25"	42"	<b>RGAF982-()</b>	1,740.	2,116.	2,116.	2,319.	2,437.	3,129.	3,288.
	62"	31"	42"	<b>RGAF623-()</b>	1,513.	1,841.	1,841.	2,017.	2,117.	2,723.	2,858.
	68"	31"	42"	<b>RGAF683-()</b>	1,571.	1,915.	1,915.	2,098.	2,202.	2,831.	2,973.
	74"	31"	42"	<b>RGAF743-()</b>	1,631.	1,986.	1,986.	2,177.	2,284.	2,938.	3,083.
	80"	31"	42"	<b>RGAF803-()</b>	1,690.	2,053.	2,053.	2,253.	2,365.	3,042.	3,192.
	86"	31"	42"	<b>RGAF863-()</b>	1,751.	2,129.	2,129.	2,333.	2,449.	3,149.	3,308.
	92"	31"	42"	<b>RGAF923-()</b>	1,810.	2,203.	2,203.	2,409.	2,532.	3,252.	3,417.
	98"	31"	42"	<b>RGAF983-()</b>	1,869.	2,273.	2,273.	2,492.	2,612.	3,364.	3,528.




If shelf is not ordered and no drillings are required, you must order through specials.

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	<b>RGS60-()</b>	344.		418.		484.		653.
	66"	12"	1"	<b>RGS66-()</b>	357.		434.		498.		676.
	72"	12"	1"	<b>RGS72-()</b>	368.		448.		515.		695.
	78"	12"	1"	<b>RGS78-()</b>	380.		462.		532.		718.
	84"	12"	1"	<b>RGS84-()</b>	388.		476.		546.		737.
	90"	12"	1"	<b>RGS90-()</b>	401.		487.		561.		756.
	96"	12"	1"	<b>RGS96-()</b>	412.		499.		575.		778.



description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Bridge top assembly	42"	21"	42"	<b>RGAB421-()</b>	812.	986.	986.	1,064.	1,133.	1,437.	1,529.
	48"	21"	42"	<b>RGAB481-()</b>	869.	1,055.	1,055.	1,136.	1,213.	1,534.	1,636.
	54"	21"	42"	<b>RGAB541-()</b>	926.	1,123.	1,123.	1,215.	1,292.	1,639.	1,745.
	60"	21"	42"	<b>RGAB601-()</b>	981.	1,192.	1,192.	1,292.	1,376.	1,745.	1,855.
	66"	21"	42"	<b>RGAB661-()</b>	1,039.	1,264.	1,264.	1,364.	1,453.	1,843.	1,960.
	72"	21"	42"	<b>RGAB721-()</b>	1,094.	1,330.	1,330.	1,441.	1,529.	1,946.	2,064.
	78"	21"	42"	<b>RGAB781-()</b>	1,147.	1,398.	1,398.	1,518.	1,608.	2,050.	2,172.
	84"	21"	42"	<b>RGAB841-()</b>	1,204.	1,463.	1,463.	1,585.	1,684.	2,138.	2,273.
	90"	21"	42"	<b>RGAB901-()</b>	1,257.	1,530.	1,530.	1,661.	1,760.	2,241.	2,377.
	96"	21"	42"	<b>RGAB961-()</b>	1,309.	1,593.	1,593.	1,728.	1,835.	2,334.	2,476.



Order Code	Specification Information	Application Notes
Example: <b>RGAF622NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, components: (surround components)</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type, top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type, components	2 = V2
<b>F</b> Freestanding	4. Finish, top	3 = V3
<b>62</b> 62" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
<b>2</b> 25" deep	<i>1. Grommet options:</i>	<b>Product on this page Excluding any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.</b>
<b>N</b> No grommet	N = No grommets	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
<b>L</b> Finish type top, laminate	F = Flush front grommet	Hardware included.
<b>L</b> Finish type components	<i>2. Finish type, top:</i>	Shipped knocked-down.
<b>114</b> Folkstone grey (top)	L = Laminate	
<b>114</b> Folkstone grey (components)	M = Mixed (laminated top w/wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.


M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.

**Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.**

# Gallery desk surrounds

## right hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	<b>RGAR431-</b> ( ) ( )	\$993.	\$1,208.	\$1,208.	\$1,318.	\$1,386.	\$1,779.	\$1,871.
		49"	42"	<b>RGAR491-</b> ( ) ( )	1,042.	1,270.	1,270.	1,386.	1,461.	1,871.	1,972.
		55"	42"	<b>RGAR551-</b> ( ) ( )	1,096.	1,331.	1,331.	1,455.	1,530.	1,965.	2,065.
		61"	42"	<b>RGAR611-</b> ( ) ( )	1,145.	1,392.	1,392.	1,520.	1,605.	2,052.	2,165.
		67"	42"	<b>RGAR671-</b> ( ) ( )	1,197.	1,459.	1,459.	1,591.	1,678.	2,146.	2,263.
		73"	42"	<b>RGAR731-</b> ( ) ( )	1,248.	1,518.	1,518.	1,659.	1,744.	2,237.	2,355.
		79"	42"	<b>RGAR791-</b> ( ) ( )	1,298.	1,578.	1,578.	1,727.	1,820.	2,332.	2,459.
		85"	42"	<b>RGAR851-</b> ( ) ( )	1,350.	1,642.	1,642.	1,791.	1,890.	2,417.	2,549.
		91"	42"	<b>RGAR911-</b> ( ) ( )	1,402.	1,707.	1,707.	1,862.	1,972.	2,515.	2,662.
		97"	42"	<b>RGAR971-</b> ( ) ( )	1,457.	1,769.	1,769.	1,928.	2,031.	2,602.	2,744.
25"	43"	42"	<b>RGAR432-</b> ( ) ( )	1,090.	1,324.	1,324.	1,449.	1,523.	1,955.	2,056.	
	49"	42"	<b>RGAR492-</b> ( ) ( )	1,138.	1,385.	1,385.	1,515.	1,592.	2,045.	2,149.	
	55"	42"	<b>RGAR552-</b> ( ) ( )	1,190.	1,447.	1,447.	1,578.	1,666.	2,133.	2,250.	
	61"	42"	<b>RGAR612-</b> ( ) ( )	1,243.	1,510.	1,510.	1,644.	1,736.	2,220.	2,340.	
	67"	42"	<b>RGAR672-</b> ( ) ( )	1,293.	1,572.	1,572.	1,716.	1,806.	2,317.	2,440.	
	73"	42"	<b>RGAR732-</b> ( ) ( )	1,345.	1,634.	1,634.	1,785.	1,880.	2,409.	2,541.	
	79"	42"	<b>RGAR792-</b> ( ) ( )	1,393.	1,692.	1,692.	1,847.	1,951.	2,492.	2,633.	
	85"	42"	<b>RGAR852-</b> ( ) ( )	1,444.	1,760.	1,760.	1,917.	2,024.	2,588.	2,730.	
	91"	42"	<b>RGAR912-</b> ( ) ( )	1,499.	1,823.	1,823.	1,982.	2,097.	2,677.	2,829.	
	97"	42"	<b>RGAR972-</b> ( ) ( )	1,552.	1,887.	1,887.	2,053.	2,169.	2,771.	2,928.	
31"	43"	42"	<b>RGAR433-</b> ( ) ( )	1,158.	1,408.	1,408.	1,535.	1,618.	2,071.	2,184.	
	49"	42"	<b>RGAR493-</b> ( ) ( )	1,207.	1,466.	1,466.	1,603.	1,688.	2,163.	2,280.	
	55"	42"	<b>RGAR553-</b> ( ) ( )	1,257.	1,530.	1,530.	1,664.	1,760.	2,246.	2,377.	
	61"	42"	<b>RGAR613-</b> ( ) ( )	1,306.	1,591.	1,591.	1,728.	1,832.	2,334.	2,473.	
	67"	42"	<b>RGAR673-</b> ( ) ( )	1,356.	1,654.	1,654.	1,796.	1,901.	2,425.	2,568.	
	73"	42"	<b>RGAR733-</b> ( ) ( )	1,408.	1,715.	1,715.	1,863.	1,969.	2,516.	2,656.	
	79"	42"	<b>RGAR793-</b> ( ) ( )	1,460.	1,773.	1,773.	1,928.	2,043.	2,602.	2,758.	
	85"	42"	<b>RGAR853-</b> ( ) ( )	1,509.	1,837.	1,837.	1,998.	2,112.	2,696.	2,852.	
	91"	42"	<b>RGAR913-</b> ( ) ( )	1,561.	1,899.	1,899.	2,062.	2,179.	2,782.	2,942.	
	97"	42"	<b>RGAR973-</b> ( ) ( )	1,611.	1,957.	1,957.	2,129.	2,253.	2,875.	3,042.	




Order Code	Specification Information	Application Notes
Example: <b>RGAR431NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type components	2 = V2
<b>R</b> Right hand return	4. Finish, top	3 = V3
<b>43</b> 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
<b>1</b> 21" deep	<i>1. Grommet options:</i>	Product on this page <b>Excluding any vertical surface over 48"</b> , will accept woodgrain laminate where laminate is currently an option.
<b>N</b> No grommet	N = No grommets	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>L</b> Finish type, top	F = Flush front grommet	<b>Hardware included.</b>
<b>L</b> Finish type, components	2. <i>Finish type top:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		<b>Specify only 26 1/2" pedestals and support components as required when using gallery desk surround products on this page.</b>

# Gallery desk surrounds

## left hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	<b>RGAL431-</b> ( ) ( )	\$993.	\$1,208.	\$1,208.	\$1,318.	\$1,386.	\$1,779.	\$1,871.
		49"	42"	<b>RGAL491-</b> ( ) ( )	1,042.	1,270.	1,270.	1,386.	1,461.	1,871.	1,972.
		55"	42"	<b>RGAL551-</b> ( ) ( )	1,096.	1,331.	1,331.	1,455.	1,530.	1,965.	2,065.
		61"	42"	<b>RGAL611-</b> ( ) ( )	1,145.	1,392.	1,392.	1,520.	1,605.	2,052.	2,165.
		67"	42"	<b>RGAL671-</b> ( ) ( )	1,197.	1,459.	1,459.	1,591.	1,678.	2,146.	2,263.
		73"	42"	<b>RGAL731-</b> ( ) ( )	1,248.	1,518.	1,518.	1,659.	1,744.	2,237.	2,355.
		79"	42"	<b>RGAL791-</b> ( ) ( )	1,298.	1,578.	1,578.	1,727.	1,820.	2,332.	2,459.
		85"	42"	<b>RGAL851-</b> ( ) ( )	1,350.	1,642.	1,642.	1,791.	1,890.	2,417.	2,549.
		91"	42"	<b>RGAL911-</b> ( ) ( )	1,402.	1,707.	1,707.	1,862.	1,972.	2,515.	2,662.
		97"	42"	<b>RGAL971-</b> ( ) ( )	1,457.	1,769.	1,769.	1,928.	2,031.	2,602.	2,744.
25"	43"	42"	<b>RGAL432-</b> ( ) ( )	1,090.	1,324.	1,324.	1,449.	1,523.	1,955.	2,056.	
	49"	42"	<b>RGAL492-</b> ( ) ( )	1,138.	1,385.	1,385.	1,515.	1,592.	2,045.	2,149.	
	55"	42"	<b>RGAL552-</b> ( ) ( )	1,190.	1,447.	1,447.	1,578.	1,666.	2,133.	2,250.	
	61"	42"	<b>RGAL612-</b> ( ) ( )	1,243.	1,510.	1,510.	1,644.	1,736.	2,220.	2,340.	
	67"	42"	<b>RGAL672-</b> ( ) ( )	1,293.	1,572.	1,572.	1,716.	1,806.	2,317.	2,440.	
	73"	42"	<b>RGAL732-</b> ( ) ( )	1,345.	1,634.	1,634.	1,785.	1,880.	2,409.	2,541.	
	79"	42"	<b>RGAL792-</b> ( ) ( )	1,393.	1,692.	1,692.	1,847.	1,951.	2,492.	2,633.	
	85"	42"	<b>RGAL852-</b> ( ) ( )	1,444.	1,760.	1,760.	1,917.	2,024.	2,588.	2,730.	
	91"	42"	<b>RGAL912-</b> ( ) ( )	1,499.	1,823.	1,823.	1,982.	2,097.	2,677.	2,829.	
	97"	42"	<b>RGAL972-</b> ( ) ( )	1,552.	1,887.	1,887.	2,053.	2,169.	2,771.	2,928.	
31"	43"	42"	<b>RGAL433-</b> ( ) ( )	1,158.	1,408.	1,408.	1,535.	1,618.	2,071.	2,184.	
	49"	42"	<b>RGAL493-</b> ( ) ( )	1,207.	1,466.	1,466.	1,603.	1,688.	2,163.	2,280.	
	55"	42"	<b>RGAL553-</b> ( ) ( )	1,257.	1,530.	1,530.	1,664.	1,760.	2,246.	2,377.	
	61"	42"	<b>RGAL613-</b> ( ) ( )	1,306.	1,591.	1,591.	1,728.	1,832.	2,334.	2,473.	
	67"	42"	<b>RGAL673-</b> ( ) ( )	1,356.	1,654.	1,654.	1,796.	1,901.	2,425.	2,568.	
	73"	42"	<b>RGAL733-</b> ( ) ( )	1,408.	1,715.	1,715.	1,863.	1,969.	2,516.	2,656.	
	79"	42"	<b>RGAL793-</b> ( ) ( )	1,460.	1,773.	1,773.	1,928.	2,043.	2,602.	2,758.	
	85"	42"	<b>RGAL853-</b> ( ) ( )	1,509.	1,837.	1,837.	1,998.	2,112.	2,696.	2,852.	
	91"	42"	<b>RGAL913-</b> ( ) ( )	1,561.	1,899.	1,899.	2,062.	2,179.	2,782.	2,942.	
	97"	42"	<b>RGAL973-</b> ( ) ( )	1,611.	1,957.	1,957.	2,129.	2,253.	2,875.	3,042.	




Order Code	Specification Information	Application Notes
Example: <b>RGAL431NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type components	2 = V2
<b>L</b> Left hand return	4. Finish, top	3 = V3
<b>43</b> 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
<b>1</b> 21" deep	<i>1. Grommet options:</i>	Product on this page <b>Excluding any vertical surface over 48"</b> , will accept woodgrain laminate where laminate is currently an option.
<b>N</b> No grommet	N = No grommets	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>L</b> Finish type, top	F = Flush front grommet	<b>Hardware included.</b>
<b>L</b> Finish type, components	2. <i>Finish type top:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		<b>Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.</b>

# Gallery desk surrounds

## gallery towers

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	<b>RGTL4636</b> ( ) ( ) ( ) ( )	\$2,673.	\$3,401.	\$3,831.	\$5,174.



Actual depth of Gallery Tower is 32".


Gallery Tower, right hand	32"	12"	46"	<b>RGTR4636</b> ( ) ( ) ( ) ( )	2,673.	3,401.	3,831.	5,174.
---------------------------	-----	-----	-----	---------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32".  
Must be used with panels only.

Order Code	Specification Information	Application Notes
Example: <b>RGTL46362V319CL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff		
<b>GT</b> Gallery Tower		
<b>L</b> Left hand		
<b>46</b> 46" h		
<b>36</b> 36" d		
<b>2</b> V2 finish type		
<b>V319</b> Medium Cherry		
<b>C</b> C-pull		
<b>L</b> Lock		
	<p>1. Finish type</p> <p>2. Finish</p> <p>3. Pull option</p> <p>4. Pull finish (if applicable)</p> <p>5. Lock option</p>	<p>3. Pull options: D = Metal D-pull J = Routed J-pull C = Nickel finish C-pull (nickel finish only) S = Stainless steel finish S-pull (stainless steel finish only)</p>
	<p>1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p>	<p><b>Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 28 3/8" h desk height products.</b></p>
	<p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p>	<p>Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .</p> <p>Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d</p> <p>Overall depth includes top overhang, accommodates 30" d worksurfaces.</p> <p>Gallery towers are to be used with panel applications.</p>

# Classic Desks

## With Full Recessed Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	<b>RCDFMR60301</b> ( ) ( )	\$1,681.	\$2,829.	\$3,253.	\$4,230.
	30"	72"	26 1/2"	<b>RCDFMR72301</b> ( ) ( )	1,764.	2,969.	3,414.	4,439.
	30"	84"	26 1/2"	<b>RCDFMR84301</b> ( ) ( )	1,842.	3,099.	3,564.	4,634.
	30"	96"	26 1/2"	<b>RCDFMR96301</b> ( ) ( )	1,914.	3,221.	3,704.	4,815.
	36"	60"	26 1/2"	<b>RCDFMR60361</b> ( ) ( )	1,779.	2,994.	3,443.	4,476.
	36"	72"	26 1/2"	<b>RCDFMR72361</b> ( ) ( )	1,867.	3,142.	3,614.	4,699.
	36"	84"	26 1/2"	<b>RCDFMR84361</b> ( ) ( )	1,950.	3,282.	3,774.	4,908.
	36"	96"	26 1/2"	<b>RCDFMR96361</b> ( ) ( )	2,029.	3,413.	3,926.	5,103.

### Order Code

Example:	<b>RCDFMR60301</b>
<b>R</b>	Reff
<b>CD</b>	Classic Desk
<b>FMR</b>	Full Modesty Recessed
<b>60</b>	Width
<b>30</b>	Depth
<b>1</b>	26 1/2" high, 2 = 28 3/8" high
<b>( )</b>	Grommet Option
<b>( )</b>	Grommet Finish
<b>( )</b>	Finish

### Specification Information

To order please specify pattern number including:

- Grommet Option  
F=Flush or Standard Corner location  
N=No Grommet  
R=Recessed Grommet
- Grommet Finish:  
Painted or Plated
- Finish: L,V1,V2,V3

Classic Desks ship knocked down, with all hardware.

Worksurface is 1 1/2" thick.  
End panels are 2" thick.

Grommets are located 20" in from the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26 1/2" high desk will only work with 26 1/2" high lower storage.

28 3/8" high desk will only work with 28 3/8" high lower storage.

30" deep desk with recessed modesty will accept 19" and 23" deep pedestals.

36" deep desk with recessed modesty will accept 19", 23" and 29" deep pedestals.


**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.



# Classic Desks


## *With Half Recessed Modesty*

description	d	w	h	y	pattern number	L	V1	V2	V3
	30"	60"	26 1/2"	1.8	<b>RCDHMR60301</b> ( ) ( )	\$1,630.	\$2,744.	\$3,153.	\$4,100.
	30"	72"	26 1/2"	2.1	<b>RCDHMR72301</b> ( ) ( )	1,699.	2,860.	3,288.	4,275.
	30"	84"	26 1/2"	2.6	<b>RCDHMR84301</b> ( ) ( )	1,768.	2,974.	3,422.	4,447.
	30"	96"	26 1/2"	2.8	<b>RCDHMR96301</b> ( ) ( )	1,826.	3,073.	3,535.	4,595.
	36"	60"	26 1/2"	1.8	<b>RCDHMR60361</b> ( ) ( )	1,727.	2,908.	3,344.	4,347.
	36"	72"	26 1/2"	2.1	<b>RCDHMR72361</b> ( ) ( )	1,802.	3,033.	3,488.	4,535.
	36"	84"	26 1/2"	2.6	<b>RCDHMR84361</b> ( ) ( )	1,876.	3,157.	3,631.	4,721.
	36"	96"	26 1/2"	2.8	<b>RCDHMR96361</b> ( ) ( )	1,941.	3,267.	3,756.	4,883.

Order Code	Specification Information	Application Notes
Example: <b>RCDHMR60301</b>	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
<b>R</b> Reff	1. Grommet Option	Worksurface is 1 1/2" thick.
<b>CD</b> Classic Desk	F=Flush or Standard Corner location	End panels are 2" thick.
<b>HMR</b> Half Modesty Recessed	N=No Grommet	Grommets are located 20" in from the sides and 3.5" in from the back.
<b>60</b> Width	R=Recessed Grommet	Grommets ship separately in a kit.
<b>30</b> Depth	2. Grommet Finish:	Lower storage sold separately.
<b>1</b> 26 1/2" high, 2 = 28 3/8" high	Painted or Plated	26 1/2" high desk will only work with 26 1/2" high lower storage.
<b>( )</b> Grommet Option	3. Finish: L,V1,V2,V3	28 3/8" high desk will only work with 28 3/8" high lower storage.
<b>( )</b> Grommet Finish		Classic desks with half recessed modesty, accepts <u>NO</u> lower storage.
<b>( )</b> Finish		<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>

# Classic Desks

## With Quarter Recessed Modesty


description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	RCDQMR60301()()()	\$1,557.	\$2,620.	\$3,014.	\$3,918.
	30"	72"	26 1/2"	RCDQMR72301()()()	1,616.	2,721.	3,128.	4,067.
	30"	84"	26 1/2"	RCDQMR84301()()()	1,672.	2,815.	3,238.	4,208.
	30"	96"	26 1/2"	RCDQMR96301()()()	1,721.	2,897.	3,332.	4,332.
	36"	60"	26 1/2"	RCDQMR60361()()()	1,655.	2,786.	3,203.	4,164.
	36"	72"	26 1/2"	RCDQMR72361()()()	1,720.	2,894.	3,329.	4,327.
	36"	84"	26 1/2"	RCDQMR84361()()()	1,780.	2,998.	3,447.	4,480.
	36"	96"	26 1/2"	RCDQMR96361()()()	1,837.	3,090.	3,554.	4,620.

Order Code	Specification Information	Application Notes
Example: <b>RCDQMR60301</b>	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
<b>R</b> Reff	1. Grommet Option	Worksurface is 1 1/2" thick.
<b>CD</b> Classic Desk	F=Flush or Standard Corner location	End panels are 2" thick.
<b>QMR</b> Quarter Modesty Recessed	N=No Grommet	Grommets are located 20" in from the sides and 3.5" in from the back.
<b>60</b> Width	R=Recessed Grommet	Grommets ship separately in a kit.
<b>30</b> Depth	2. Grommet Finish:	Lower storage sold separately.
<b>1</b> 26 1/2" high, 2 = 28 3/8" high	Painted or Plated	26 1/2" high desk will only work with 26 1/2" high lower storage.
<b>()</b> Grommet Option	3. Finish: L,V1,V2,V3	28 3/8" high desk will only work with 28 3/8" high lower storage.
<b>()</b> Grommet Finish		Classic desks with quarter recessed modesty accepts <u>NO</u> lower storage.
<b>()</b> Finish		<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

# Classic Desks

## *With Full Flush Modesty*


description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	<b>RCDFMF60301</b> ( ) ( )	\$1,681.	\$2,829.	\$3,253.	\$4,230.
	30"	72"	26 1/2"	<b>RCDFMF72301</b> ( ) ( )	1,764.	2,969.	3,414.	4,439.
	30"	84"	26 1/2"	<b>RCDFMF84301</b> ( ) ( )	1,842.	3,099.	3,564.	4,634.
	30"	96"	26 1/2"	<b>RCDFMF96301</b> ( ) ( )	1,914.	3,221.	3,704.	4,815.
	36"	60"	26 1/2"	<b>RCDFMF60361</b> ( ) ( )	1,681.	2,829.	3,253.	4,230.
	36"	72"	26 1/2"	<b>RCDFMF72361</b> ( ) ( )	1,764.	2,969.	3,414.	4,439.
	36"	84"	26 1/2"	<b>RCDFMF84361</b> ( ) ( )	1,842.	3,099.	3,564.	4,634.
	36"	96"	26 1/2"	<b>RCDFMF96361</b> ( ) ( )	1,914.	3,221.	3,704.	4,815.


Order Code	Specification Information	Application Notes
Example: <b>RCDFMF60301</b>	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
<b>R</b> Reff	1. Grommet Option	Worksurface is 1 1/2" thick.
<b>CD</b> Classic Desk	F=Flush or Standard Corner location	End panels are 2" thick.
<b>FMF</b> Full Modesty Flush	N=No Grommet	Grommets are located 20" in from the sides and 3.5" in from the back.
<b>60</b> Width	R=Recessed Grommet	Grommets ship separately in a kit.
<b>30</b> Depth	2. Grommet Finish:	Lower storage sold separately.
<b>1</b> 26 1/2" high, 2 = 28 3/8" high	Painted or Plated	26 1/2" high desk will only work with 26 1/2" high lower storage.
( ) Grommet Option	3. Finish: L,V1,V2,V3	28 3/8" high desk will only work with 28 3/8" high lower storage.
( ) Grommet Finish		30" deep desk with flush modesty can accept up to 29" deep pedestals.
( ) Finish		36" deep desk with flush modesty can accept up to 29" deep pedestals.


**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Single pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V1 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	<b>RDSP6030J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	\$2,809.	\$3,215.	\$3,808.	\$2,969.	\$3,375.	\$3,966.
	72"	30"	<b>RDSP7230J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	2,920.	3,379.	3,966.	3,080.	3,537.	4,126.
	84"	30"	<b>RDSP8430J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,064.	3,568.	4,202.	3,224.	3,726.	4,361.
	96"	30"	<b>RDSP9630J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,189.	3,737.	4,420.	3,347.	3,896.	4,579.


Single pedestal cantilevered desk, 36"d 	60"	36"	<b>RDSP6036J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	2,980.	3,409.	4,132.	3,212.	3,638.	4,362.
	72"	36"	<b>RDSP7236J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,117.	3,619.	4,347.	3,347.	3,850.	4,577.
	84"	36"	<b>RDSP8436J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,255.	3,843.	4,570.	3,486.	4,072.	4,799.
	96"	36"	<b>RDSP9636J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,381.	4,062.	4,784.	3,609.	4,290.	5,015.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	<b>RBSP6030J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,676.	3,937.	5,246.	3,905.	4,168.	5,474.
	72"	30"	<b>RBSP7230J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,802.	4,091.	5,537.	4,033.	4,321.	5,766.
	84"	30"	<b>RBSP8430J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	4,001.	4,317.	5,912.	4,230.	4,548.	6,143.
	96"	30"	<b>RBSP9630J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	4,184.	4,539.	6,309.	4,412.	4,768.	6,538.

Order Code	Specification Information	Application Notes
Example: <b>RDSP6030J (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>SP</b> Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 1 = V1	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.
<b>A</b> 1 1/4" regular edge top		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>R</b> Recessed grommet option		
<b>1</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>Y316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Single pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V2 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	<b>RDSP6030J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	\$3,088.	\$3,534.	\$4,187.	\$3,265.	\$3,709.	\$4,360.
	72"	30"	<b>RDSP7230J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,212.	3,714.	4,360.	3,386.	3,889.	4,538.
	84"	30"	<b>RDSP8430J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,366.	3,923.	4,621.	3,543.	4,096.	4,794.
	96"	30"	<b>RDSP9630J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,504.	4,108.	4,861.	3,678.	4,284.	5,035.


Single pedestal cantilevered desk, 36"d 	60"	36"	<b>RDSP6036J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,276.	3,748.	4,544.	3,530.	4,000.	4,795.
	72"	36"	<b>RDSP7236J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,427.	3,979.	4,780.	3,678.	4,232.	5,033.
	84"	36"	<b>RDSP8436J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,579.	4,226.	5,026.	3,831.	4,476.	5,278.
	96"	36"	<b>RDSP9636J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,716.	4,466.	5,259.	3,969.	4,717.	5,513.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	<b>RBSP6030J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,041.	4,331.	5,768.	4,294.	4,582.	6,018.
	72"	30"	<b>RBSP7230J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,181.	4,500.	6,089.	4,435.	4,751.	6,341.
	84"	30"	<b>RBSP8430J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,399.	4,746.	6,504.	4,652.	4,999.	6,754.
	96"	30"	<b>RBSP9630J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,599.	4,989.	6,937.	4,851.	5,244.	7,190.

Order Code	Specification Information	Application Notes
Example: <b>RDSP6030J (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>SP</b> Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 2 = V2	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.
<b>A</b> 1 1/4" regular edge top		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>R</b> Recessed grommets		
<b>2</b> Finish type		
<b>W</b> Wood interiors		
<b>J</b> Routed pulls		
<b>L</b> Lock		
<b>V316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Single pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V3 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	<b>RDSP6030J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	\$3,854.	\$4,411.	\$5,229.	\$4,074.	\$4,630.	\$5,444.
	72"	30"	<b>RDSP7230J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	4,008.	4,636.	5,444.	4,228.	4,855.	5,665.
	84"	30"	<b>RDSP8430J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	4,204.	4,897.	5,770.	4,422.	5,115.	5,987.
	96"	30"	<b>RDSP9630J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	4,376.	5,129.	6,070.	4,594.	5,350.	6,289.


Single pedestal cantilevered desk, 36"d 	60"	36"	<b>RDSP6036J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	4,089.	4,679.	5,673.	4,406.	4,994.	5,988.
	72"	36"	<b>RDSP7236J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	4,278.	4,968.	5,970.	4,594.	5,285.	6,286.
	84"	36"	<b>RDSP8436J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	4,469.	5,276.	6,276.	4,784.	5,589.	6,590.
	96"	36"	<b>RDSP9636J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	4,638.	5,576.	6,570.	4,955.	5,892.	7,359.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	<b>RBSP6030J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	5,047.	5,407.	7,205.	5,361.	5,723.	7,519.
	72"	30"	<b>RBSP7230J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	5,220.	5,618.	7,606.	5,536.	5,934.	7,920.
	84"	30"	<b>RBSP8430J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	5,494.	5,929.	8,123.	5,808.	6,244.	8,440.
	96"	30"	<b>RBSP9630J(A,B,W)( )3( ) ( ) ( ) ( ) ( )</b>	5,743.	6,231.	8,666.	6,059.	6,549.	8,982.

Order Code	Specification Information	Application Notes
Example: <b>RDSP6030J (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>SP</b> Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 3 = V3	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.
<b>A</b> 1 1/4" regular edge top		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>R</b> Recessed grommet option		
<b>3</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V512</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Double pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V1 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	\$3,625.	\$4,031.	\$4,624.	\$3,976.	\$4,380.	\$4,975.
	72"	30"	RDDP7230JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	3,740.	4,194.	4,783.	4,088.	4,546.	5,133.
	84"	30"	RDDP8430JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	3,880.	4,384.	5,018.	4,230.	4,732.	5,366.
	96"	30"	RDDP9630JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,005.	4,554.	5,236.	4,354.	4,904.	5,585.


	60"	36"	RDDP6036JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	3,854.	4,283.	5,002.	3,854.	4,755.	5,477.
	72"	36"	RDDP7236JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	3,990.	4,493.	5,219.	4,463.	4,965.	5,692.
	84"	36"	RDDP8436JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,128.	4,714.	5,441.	4,601.	5,188.	5,912.
	96"	36"	RDDP9636JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,252.	4,933.	5,656.	4,726.	5,406.	6,129.


	60"	30"	RBDP6030JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,290.	4,553.	5,857.	4,764.	5,025.	6,332.
	72"	30"	RBDP7230JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,416.	4,706.	6,152.	4,888.	5,178.	6,622.
	84"	30"	RBDP8430JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,616.	4,931.	6,527.	5,087.	5,404.	6,999.
	96"	30"	RBDP9630JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,796.	5,151.	6,922.	5,270.	5,623.	7,393.

Order Code	Specification Information	Application Notes
Example: <b>RDDP6030JK (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>DP</b> Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 1 = V1	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.
<b>A</b> 1 1/4" regular edge top		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>R</b> Recessed grommet option		
<b>1</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>Y319</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Double pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)( )2( ) ( ) ( ) ( )	\$3,985.	\$4,432.	\$5,085.	\$4,370.	\$4,816.	\$5,469.
	72"	30"	RDDP7230JK(A,B,W)( )2( ) ( ) ( ) ( )	4,111.	4,612.	5,258.	4,495.	4,997.	5,643.
	84"	30"	RDDP8430JK(A,B,W)( )2( ) ( ) ( ) ( )	4,266.	4,819.	5,518.	4,652.	5,203.	5,902.
	96"	30"	RDDP9630JK(A,B,W)( )2( ) ( ) ( ) ( )	4,403.	5,007.	5,758.	4,787.	5,392.	6,143.


	60"	36"	RDDP6036JK(A,B,W)( )2( ) ( ) ( ) ( )	4,238.	4,708.	5,502.	4,757.	5,228.	6,023.
	72"	36"	RDDP7236JK(A,B,W)( )2( ) ( ) ( ) ( )	4,388.	4,940.	5,739.	4,907.	5,460.	6,260.
	84"	36"	RDDP8436JK(A,B,W)( )2( ) ( ) ( ) ( )	4,541.	5,183.	5,983.	5,059.	5,705.	6,504.
	96"	36"	RDDP9636JK(A,B,W)( )2( ) ( ) ( ) ( )	4,675.	5,424.	6,219.	5,196.	5,944.	6,739.


	60"	30"	RBDP6030JK(A,B,W)( )2( ) ( ) ( ) ( )	4,717.	5,006.	6,442.	5,238.	5,524.	6,962.
	72"	30"	RBDP7230JK(A,B,W)( )2( ) ( ) ( ) ( )	4,856.	5,174.	6,765.	5,374.	5,693.	7,282.
	84"	30"	RBDP8430JK(A,B,W)( )2( ) ( ) ( ) ( )	5,074.	5,422.	7,177.	5,593.	5,942.	7,697.
	96"	30"	RBDP9630JK(A,B,W)( )2( ) ( ) ( ) ( )	5,274.	5,666.	7,612.	5,794.	6,184.	8,130.


Order Code	Specification Information	Application Notes
Example: <b>RDDP6030JK (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>DP</b> Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 2 = V2	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.
<b>A</b> 1 1/4" regular edge top		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>R</b> Recessed grommet option		
<b>2</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		



Double pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V3 finish options




description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	\$4,978.	\$5,533.	\$6,349.	\$5,459.	\$6,014.	\$6,832.
	72"	30"	RDDP7230JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,133.	5,761.	6,569.	5,613.	6,241.	7,050.
	84"	30"	RDDP8430JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,327.	6,018.	6,891.	5,808.	6,499.	7,372.
	96"	30"	RDDP9630JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,498.	6,255.	7,193.	5,980.	6,735.	7,673.

	60"	36"	RDDP6036JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,292.	5,879.	6,872.	5,939.	6,528.	7,524.
	72"	36"	RDDP7236JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,479.	6,169.	7,168.	6,128.	6,819.	7,820.
	84"	36"	RDDP8436JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,669.	6,475.	7,473.	6,317.	7,125.	8,123.
	96"	36"	RDDP9636JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,839.	6,775.	7,768.	6,489.	7,426.	8,419.

	60"	30"	RBDP6030JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,892.	6,254.	8,048.	6,544.	6,899.	8,698.
	72"	30"	RBDP7230JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	6,065.	6,462.	8,450.	6,712.	7,113.	9,098.
	84"	30"	RBDP8430JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	6,339.	6,772.	8,966.	6,986.	7,422.	9,617.
	96"	30"	RBDP9630JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	6,586.	7,075.	9,509.	7,237.	7,724.	10,159.

Order Code	Specification Information	Application Notes
Example: <b>RDDP6030JK (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	6. Lock option:	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>DP</b> Double pedestal	L = Locks are always drilled for lock	36"D rectilinear desk pedestals are 30"D including modesty panel.
<b>60</b> 60" wide	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>30</b> 30" deep	8. Pull Finish: Painted or plated	Bowed front desk pedestals are 30"D with finished backs.
<b>J</b> Box/box/file	9. Grommet finish: Painted or plated	All desks are non-handed.
<b>A</b> 1 1/4" regular edge top	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.	All hardware included.
<b>R</b> Recessed grommet option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	All waterfall desks have waterfall detail on front and back.
<b>3</b> Finish type		Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.
<b>W</b> Wood interior option	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
<b>J</b> Pull option	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
<b>L</b> Lock option	3. Finish type: 3 = V3	
<b>V512</b> Finish	4. Interior option: M = Metal W = Wood	
<b>111</b> Pull Finish	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>111</b> Grommet Finish		




Desk returns  
27<sup>3</sup>/<sub>4</sub>" high overall  
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	\$2,065.	\$2,389.	\$3,016.	\$2,257.	\$2,579.	\$3,206.
	42"	24"	RRSP4224K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,117.	2,482.	3,095.	2,309.	2,672.	3,286.
	48"	24"	RRSP4824K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,207.	2,598.	3,258.	2,396.	2,788.	3,450.
	54"	24"	RRSP5424K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,266.	2,661.	3,388.	2,456.	2,852.	3,579.
	60"	24"	RRSP6024K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,323.	2,721.	3,525.	2,514.	2,912.	3,717.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,196.	2,556.	3,266.	2,441.	2,799.	3,506.
	42"	30"	RRSP4230K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,257.	2,642.	3,363.	2,498.	2,882.	3,608.
	48"	30"	RRSP4830K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,350.	2,741.	3,534.	2,592.	2,985.	3,777.
	54"	30"	RRSP5430K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,419.	2,807.	3,701.	2,660.	3,048.	3,942.
	60"	30"	RRSP6030K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,462.	2,864.	3,788.	2,704.	3,108.	4,033.
 End panel return	36"	24"	RREP3624(A,B,W)( )1( ) ( )				1,249.	1,571.	2,200.
	42"	24"	RREP4224(A,B,W)( )1( ) ( )				1,302.	1,665.	2,281.
	48"	24"	RREP4824(A,B,W)( )1( ) ( )				1,389.	1,780.	2,442.
	54"	24"	RREP5424(A,B,W)( )1( ) ( )				1,451.	1,846.	2,573.
	60"	24"	RREP6024(A,B,W)( )1( ) ( )				1,507.	1,904.	2,708.
	36"	30"	RREP3630(A,B,W)( )1( ) ( )				1,326.	1,684.	2,392.
	42"	30"	RREP4230(A,B,W)( )1( ) ( )				1,383.	1,768.	2,492.
	48"	30"	RREP4830(A,B,W)( )1( ) ( )				1,477.	1,869.	2,661.
	54"	30"	RREP5430(A,B,W)( )1( ) ( )				1,545.	1,932.	2,829.
60"	30"	RREP6030(A,B,W)( )1( ) ( )				1,589.	1,992.	2,917.	

Preconfigured Refr Desking




Order Code	Specification Information	Application Notes
Example: <b>RRSP3624K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
<b>RR</b> Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
<b>SP</b> Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
<b>36</b> 36" wide	3. Finish type: 1 = V1	3. Finish type: 1 = V1
<b>24</b> 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
<b>K</b> File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.
<b>A</b> 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>R</b> Recessed grommet option	7. Veneer finish	
<b>1</b> Finish type	8. Pull Finish: Painted or plated	
<b>W</b> Wood interior option	9. Grommet finish: Painted or plated	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>Y319</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Desk returns  
27<sup>3</sup>/<sub>4</sub>" high overall  
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)(J)(X)(X)(X)(X)	\$2,271.	\$2,628.	\$3,318.	\$2,482.	\$2,838.	\$3,529.
	42"	24"	RRSP4224K(A,B,W)(J)(X)(X)(X)(X)	2,330.	2,730.	3,406.	2,541.	2,939.	3,615.
	48"	24"	RRSP4824K(A,B,W)(J)(X)(X)(X)(X)	2,428.	2,857.	3,585.	2,636.	3,066.	3,795.
	54"	24"	RRSP5424K(A,B,W)(J)(X)(X)(X)(X)	2,492.	2,928.	3,727.	2,703.	3,138.	3,936.
	60"	24"	RRSP6024K(A,B,W)(J)(X)(X)(X)(X)	2,554.	2,992.	3,877.	2,765.	3,203.	4,088.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)(J)(X)(X)(X)(X)	2,417.	2,813.	3,593.	2,685.	3,079.	3,857.
	42"	30"	RRSP4230K(A,B,W)(J)(X)(X)(X)(X)	2,482.	2,906.	3,701.	2,747.	3,171.	3,969.
	48"	30"	RRSP4830K(A,B,W)(J)(X)(X)(X)(X)	2,584.	3,016.	3,886.	2,851.	3,283.	4,155.
	54"	30"	RRSP5430K(A,B,W)(J)(X)(X)(X)(X)	2,661.	3,087.	4,071.	2,927.	3,354.	4,337.
	60"	30"	RRSP6030K(A,B,W)(J)(X)(X)(X)(X)	2,707.	3,149.	4,167.	2,974.	3,417.	4,437.
 End panel return	36"	24"	RREP3624(A,B,W)(J)(X)(X)				1,375.	1,728.	2,420.
	42"	24"	RREP4224(A,B,W)(J)(X)(X)				1,431.	1,832.	2,508.
	48"	24"	RREP4824(A,B,W)(J)(X)(X)				1,529.	1,957.	2,687.
	54"	24"	RREP5424(A,B,W)(J)(X)(X)				1,595.	2,030.	2,829.
	60"	24"	RREP6024(A,B,W)(J)(X)(X)				1,658.	2,096.	2,980.
	36"	30"	RREP3630(A,B,W)(J)(X)(X)				1,460.	1,852.	2,631.
	42"	30"	RREP4230(A,B,W)(J)(X)(X)				1,523.	1,945.	2,741.
	48"	30"	RREP4830(A,B,W)(J)(X)(X)				1,626.	2,056.	2,928.
	54"	30"	RREP5430(A,B,W)(J)(X)(X)				1,701.	2,126.	3,112.
	60"	30"	RREP6030(A,B,W)(J)(X)(X)				1,746.	2,190.	3,207.

Order Code	Specification Information	Application Notes
Example: <b>RRSP3624K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
<b>RR</b> Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
<b>SP</b> Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
<b>36</b> 36" wide	3. Finish type: 2 = V2	3. Finish type: 2 = V2
<b>24</b> 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
<b>K</b> File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.
<b>A</b> 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>R</b> Recessed grommet option	7. Veneer finish	
<b>2</b> Finish type	8. Pull Finish: Painted or plated	
<b>W</b> Wood interior option	9. Grommet finish: Painted or plated	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		


Desk returns  
27<sup>3</sup>/<sub>4</sub>" high overall  
V3 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	\$2,840.	\$3,284.	\$4,148.	\$3,101.	\$3,546.	\$4,411.
	42"	24"	RRSP4224K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	2,912.	3,413.	4,257.	3,175.	3,675.	4,520.
	48"	24"	RRSP4824K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,034.	3,572.	4,480.	3,297.	3,831.	4,742.
	54"	24"	RRSP5424K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	4,156.	3,661.	4,660.	3,380.	3,923.	4,922.
	60"	24"	RRSP6024K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,194.	3,742.	4,847.	3,457.	4,006.	5,111.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,021.	3,517.	4,491.	3,356.	3,849.	4,821.
	42"	30"	RRSP4230K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,101.	3,632.	4,626.	3,434.	3,963.	4,962.
	48"	30"	RRSP4830K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,231.	3,770.	4,859.	3,563.	4,104.	5,196.
	54"	30"	RRSP5430K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,328.	3,858.	5,089.	3,659.	4,193.	5,420.
	60"	30"	RRSP6030K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,385.	3,937.	5,208.	3,717.	4,273.	5,545.
 End panel return	36"	24"	RREP3624(A,B,W)( )3( ) ( )				1,717.	2,161.	3,026.
	42"	24"	RREP4224(A,B,W)( )3( ) ( )				1,789.	2,289.	3,136.
	48"	24"	RREP4824(A,B,W)( )3( ) ( )				1,913.	2,446.	3,358.
	54"	24"	RREP5424(A,B,W)( )3( ) ( )				1,995.	2,539.	3,536.
	60"	24"	RREP6024(A,B,W)( )3( ) ( )				2,072.	2,619.	3,723.
	36"	30"	RREP3630(A,B,W)( )3( ) ( )				1,824.	2,316.	3,288.
	42"	30"	RREP4230(A,B,W)( )3( ) ( )				1,902.	2,432.	3,427.
	48"	30"	RREP4830(A,B,W)( )3( ) ( )				2,031.	2,571.	3,661.
	54"	30"	RREP5430(A,B,W)( )3( ) ( )				2,126.	2,658.	3,889.
60"	30"	RREP6030(A,B,W)( )3( ) ( )				2,184.	2,738.	4,011.	


Preconfigured Refr Desking

Order Code	Specification Information	Application Notes
Example: <b>RRSP3624K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
<b>RR</b> Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
<b>SP</b> Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
<b>36</b> 36" wide	3. Finish type: 3 = V3	3. Finish type: 3 = V3
<b>24</b> 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
<b>K</b> File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.
<b>A</b> 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>R</b> Recessed grommet option	7. Veneer finish	
<b>3</b> Finish type	8. Pull Finish: Painted or plated	
<b>W</b> Wood interior option	9. Grommet finish: Painted or plated	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V512</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Single pedestal credenzas  
27<sup>3</sup>/<sub>4</sub>" high overall  
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCSP6024K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	\$2,669.	\$3,068.	\$3,272.	\$2,862.	\$3,258.	\$3,461.
	72"	24"	<b>RCSP7224K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	2,802.	3,233.	3,451.	2,992.	3,424.	3,642.
	84"	24"	<b>RCSP8424K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	2,938.	3,422.	3,643.	3,129.	3,613.	3,833.
	96"	24"	<b>RCSP9624K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,061.	3,593.	3,829.	3,250.	3,785.	4,019.

	60"	24"	<b>RCS3L6024K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	2,815.	3,214.	3,415.	3,252.	3,650.	3,854.
	72"	24"	<b>RCS3L7224K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	2,947.	3,379.	3,596.	3,384.	3,817.	4,035.
	84"	24"	<b>RCS3L8424K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,084.	3,568.	3,788.	3,520.	4,005.	4,227.
	96"	24"	<b>RCS3L9624K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,204.	3,738.	3,976.	3,642.	4,176.	4,413.

	60"	24"	<b>RCS6L6024K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	2,896.	3,295.	3,496.	3,654.	4,051.	4,255.
	72"	24"	<b>RCS6L7224K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,027.	3,459.	3,678.	3,786.	4,219.	4,436.
	84"	24"	<b>RCS6L8424K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,165.	3,649.	3,869.	3,923.	4,406.	4,628.
	96"	24"	<b>RCS6L9624K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,284.	3,820.	4,054.	4,045.	4,577.	4,813.

Order Code	Specification Information	Application Notes
Example: <b>RCSP6024K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b>	Reff Credenza	
<b>SP</b>	Single pedestal	Credenzas with lateral files or pedestals are non handed.
<b>60</b>	60" wide	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>24</b>	24" deep	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>K</b>	File/file	All waterfall credenzas have waterfall detail on front only.
<b>A</b>	1 1/4" regular edge top	
<b>R</b>	Recessed grommet option	
<b>1</b>	Finish type	
<b>W</b>	Wood interior option	
<b>J</b>	Pull option	
<b>L</b>	Lock option	
<b>Y319</b>	Finish	
<b>111</b>	Pull Finish	
<b>111</b>	Grommet Finish	

To order, please specify pattern number including:

- Top thickness option:  
A = 1 1/4"  
B = 1 3/4"  
C = 1 1/4" waterfall
- Grommet options:  
F = Flush or standard corner location  
N = No Grommet  
R = Recessed
- Finish type:  
1 = V1
- Interior option:  
M = Metal  
W = Wood
- Pull option:  
C = C-pull (Nickel finish only)  
D = D-pull (PT and PZ finish only)  
J = J-routed pull  
S = S-pull (Stainless steel finish only)


- Lock option:  
L = Locks are always drilled for lock
- Veneer finish
- Pull Finish: Painted or plated
- Grommet finish: Painted or plated


Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

S3L = Single 30"w lateral file  
S6L = Single 36"w lateral file

Single pedestal credenzas  
27<sup>3</sup>/<sub>4</sub>" high overall  
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCSP6024K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	\$2,937.	\$3,375.	\$3,598.	\$3,146.	\$3,585.	\$3,807.
	72"	24"	<b>RCSP7224K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,083.	3,557.	3,796.	3,292.	3,766.	4,007.
	84"	24"	<b>RCSP8424K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,232.	3,764.	4,008.	3,443.	3,975.	4,219.
	96"	24"	<b>RCSP9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,365.	3,953.	4,212.	3,574.	4,162.	4,420.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCS3L6024K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,096.	3,534.	3,758.	3,578.	4,015.	4,238.
	72"	24"	<b>RCS3L7224K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,242.	3,716.	3,956.	3,721.	4,197.	4,439.
	84"	24"	<b>RCS3L8424K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,391.	3,925.	4,167.	3,872.	4,404.	4,649.
	96"	24"	<b>RCS3L9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,525.	4,112.	4,372.	4,007.	4,593.	4,855.


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCS6L6024K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,183.	3,624.	3,847.	4,019.	4,456.	4,681.
	72"	24"	<b>RCS6L7224K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,330.	3,804.	4,046.	4,165.	4,638.	4,879.
	84"	24"	<b>RCS6L8424K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,481.	4,013.	4,256.	4,314.	4,846.	5,091.
	96"	24"	<b>RCS6L9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,613.	4,201.	4,460.	4,449.	5,035.	5,294.


Preconfigured Ref  
Deskings


Order Code	Specification Information	Application Notes
Example: <b>RCSP6024K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b> Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
<b>SP</b> Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>24</b> 24" deep	9. Grommet finish: Painted or plated	
<b>K</b> File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
<b>A</b> 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
<b>R</b> Recessed grommet option	3. Finish type: 2 = V2	
<b>2</b> Finish type	4. Interior option: M = Metal W = Wood	
<b>W</b> Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

S3L = Single 30"w lateral file  
S6L = Single 36"w lateral file

Single pedestal credenzas  
27<sup>3</sup>/<sub>4</sub>" high overall  
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	<b>RCSP6024K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	\$3,671.	\$4,219.	\$4,497.	\$3,933.	\$4,480.	\$4,760.
	72"	24"	<b>RCSP7224K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	3,853.	4,446.	4,744.	4,116.	4,708.	5,009.
	84"	24"	<b>RCSP8424K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,040.	4,706.	5,010.	4,304.	4,968.	5,273.
	96"	24"	<b>RCSP9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,208.	4,940.	5,266.	4,469.	5,203.	5,527.


Single lateral file credenza (30" wide lateral file) 	60"	24"	<b>RCS3L6024K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	3,871.	4,417.	4,697.	4,473.	5,020.	5,298.
	72"	24"	<b>RCS3L7224K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,051.	4,646.	4,944.	4,653.	5,248.	5,548.
	84"	24"	<b>RCS3L8424K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,239.	4,907.	5,208.	4,840.	5,506.	5,812.
	96"	24"	<b>RCS3L9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,406.	5,140.	5,466.	5,009.	5,742.	6,068.

Single lateral file credenza (36" wide lateral file) 	60"	24"	<b>RCS6L6024K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	3,980.	4,529.	4,808.	5,024.	5,572.	5,851.
	72"	24"	<b>RCS6L7224K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,162.	4,757.	5,059.	5,206.	5,799.	6,098.
	84"	24"	<b>RCS6L8424K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,349.	5,017.	5,320.	5,394.	6,057.	6,364.
	96"	24"	<b>RCS6L9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,518.	5,252.	5,574.	5,562.	6,294.	6,619.

Order Code	Specification Information	Application Notes
Example: <b>RCSP6024K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b> Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
<b>SP</b> Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>24</b> 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
<b>K</b> File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
<b>A</b> 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
<b>R</b> Recessed grommet option	3. Finish type: 3 = V3	
<b>3</b> Finish type	4. Interior option: M = Metal W = Wood	
<b>W</b> Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V512</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

S3L = Single 30"w lateral file  
S6L = Single 36"w lateral file

Bridge assemblies  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 V1 finish options


description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	<b>RBR3624(A,B,W)( )1( )</b>	\$894.	\$1,217.	\$1,847.
	42"	24"	<b>RBR4224(A,B,W)( )1( )</b>	947.	1,311.	1,927.
	48"	24"	<b>RBR4824(A,B,W)( )1( )</b>	1,036.	1,426.	2,087.
	36"	30"	<b>RBR3630(A,B,W)( )1( )</b>	953.	1,311.	2,020.
	42"	30"	<b>RBR4230(A,B,W)( )1( )</b>	1,009.	1,394.	2,120.
	48"	30"	<b>RBR4830(A,B,W)( )1( )</b>	1,103.	1,497.	2,291.

Order Code	Specification Information	Application Notes
Example: <b>RBR3624 (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed. All hardware included. Waterfall option on all 3 sides. Shipped with full height modesty.
<b>RBR</b> Reff Bridge Assembly		
<b>48</b> 48" wide	1. Top thickness option: A = 1 1/4"	Product on this page will accept wood grain laminate, where laminate is currently an option.
<b>30</b> 30" deep	B = 1 3/4"	
<b>W</b> Waterfall edge 1 1/4"	C = 1 1/4" waterfall	
<b>A</b> 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location	
<b>F</b> Flush grommet option	N = No Grommet	
<b>1</b> Finish type	R = Recessed	
<b>Y319</b> Finish	3. Finish type: 1 = V1	
<b>111</b> Grommet Finish	4. Finish: V1	
	5. Grommet finish: Painted or plated	

S3L = Single 30" w lateral file  
 S6L = Single 36" w lateral file



Bridge assemblies  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 V2 finish options

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	<b>RBR3624(A,B,W)( )2( ) ( )</b>	\$984.	\$1,338.	\$2,031.
	42"	24"	<b>RBR4224(A,B,W)( )2( ) ( )</b>	1,042.	1,442.	2,120.
	48"	24"	<b>RBR4824(A,B,W)( )2( ) ( )</b>	1,139.	1,568.	2,296.
	36"	30"	<b>RBR3630(A,B,W)( )2( ) ( )</b>	1,049.	1,442.	2,221.
	42"	30"	<b>RBR4230(A,B,W)( )2( ) ( )</b>	1,110.	1,534.	2,332.
	48"	30"	<b>RBR4830(A,B,W)( )2( ) ( )</b>	1,214.	1,646.	2,520.

**Order Code**

Example:	<b>RBR3624 (A,B,W)</b>
<b>RBR</b>	Reff Bridge Assembly
<b>48</b>	48" wide
<b>30</b>	30" deep
<b>W</b>	Waterfall edge 1 1/4"
<b>A</b>	1 1/4" regular edge top
<b>F</b>	Flush grommet option
<b>2</b>	Finish type
<b>V316</b>	Finish
<b>111</b>	Grommet Finish

S3L = Single 30" w lateral file  
 S6L = Single 36" w lateral file

**Specification Information**

*To order, please specify pattern number including:*


- Top thickness option:  
 A = 1 1/4"  
 B = 1 3/4"  
 C = 1 1/4" waterfall
- Grommet options:  
 F = Flush or standard corner location  
 N = No Grommet  
 R = Recessed
- Finish type:  
 2 = V2
- Finish: V2
- Grommet finish: Painted or plated

**Application Notes**

Bridge assemblies are non-handed.  
 All hardware included.  
 Waterfall option on all 3 sides.  
 Shipped with full height modesty.

Product on this page will accept wood grain laminate, where laminate is currently an option.

Bridge assemblies  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 V3 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	<b>RBR3624(A,B,W)( )3( ) ( )</b>	\$1,229.	\$1,674.	\$2,540.
	42"	24"	<b>RBR4224(A,B,W)( )3( ) ( )</b>	1,303.	1,804.	2,651.
	48"	24"	<b>RBR4824(A,B,W)( )3( ) ( )</b>	1,425.	1,959.	2,870.
	36"	30"	<b>RBR3630(A,B,W)( )3( ) ( )</b>	1,310.	1,804.	2,776.
	42"	30"	<b>RBR4230(A,B,W)( )3( ) ( )</b>	1,387.	1,918.	2,915.
	48"	30"	<b>RBR4830(A,B,W)( )3( ) ( )</b>	1,518.	2,059.	3,148.


Order Code	Specification Information	Application Notes
Example: <b>RBR3624 (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed.
<b>RBR</b> Refr Bridge Assembly	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	All hardware included.
<b>48</b> 48" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Waterfall option on all 3 sides.
<b>30</b> 30" deep	3. Finish type: 3 = V3	Shipped with full height modesty.
<b>W</b> Waterfall edge 1 1/4"	4. Finish: V3	
<b>A</b> 1 1/4" regular edge top	5. Grommet finish: Painted or plated	
<b>F</b> Flush grommet option		Product on this page will accept wood grain laminate, where laminate is currently an option.
<b>3</b> Finish type		
<b>V512</b> Finish		
<b>111</b> Grommet Finish		


S3L = Single 30" w lateral file  
 S6L = Single 36" w lateral file

# Double pedestal credenzas


## 27<sup>3</sup>/<sub>4</sub>" high overall

### V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCDP6024K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	\$3,489.	\$3,883.	\$4,087.	\$3,868.	\$4,265.	\$4,470.
	72"	24"	<b>RCDP7224K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,616.	4,049.	4,266.	3,590.	4,434.	4,651.
	84"	24"	<b>RCDP8424K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,755.	4,239.	4,460.	4,137.	4,620.	4,842.
	96"	24"	<b>RCDP9624K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,876.	4,409.	4,647.	4,259.	4,790.	5,026.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCD3L6024K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,776.	4,175.	4,377.	4,652.	5,049.	5,252.
	84"	24"	<b>RCD3L8424K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	4,046.	4,529.	4,751.	4,919.	5,403.	5,623.
	96"	24"	<b>RCD3L9624K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	4,168.	4,698.	4,936.	5,041.	5,573.	5,813.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	<b>RCD6L7224K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	4,071.	4,502.	4,720.	5,586.	6,016.	6,235.
	96"	24"	<b>RCD6L9624K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	4,328.	4,860.	5,097.	5,844.	6,375.	6,614.

96" w shown; 72" w has no knee space


Order Code	Specification Information	Application Notes
Example: <b>RCDP6024K (A,B,W)</b>	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b> Reff Credenza		Credenzas with lateral files or pedestals are non handed.
<b>DP</b> Double Pedestal		Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>24</b> 24" deep	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	All waterfall credenzas have waterfall detail on front only.
<b>K</b> File/file	3. Finish type: 1 = V1	
<b>A</b> 1 1/4" regular edge top	4. Interior option: M = Metal W = Wood	
<b>R</b> Recessed grommet option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>1</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>Y319</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		


S3L = Single 30" w lateral file  
S6L = Single 36" w lateral file

# Double pedestal credenzas


## 27<sup>3</sup>/<sub>4</sub>" high overall

### V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCDP6024K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	\$3,837.	\$4,272.	\$4,496.	\$4,255.	\$4,692.	\$4,917.
	72"	24"	<b>RCDP7224K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,979.	4,454.	4,695.	4,399.	4,876.	5,114.
	84"	24"	<b>RCDP8424K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,130.	4,663.	4,907.	4,550.	5,082.	5,325.
	96"	24"	<b>RCDP9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,263.	4,848.	5,111.	4,685.	5,269.	5,530.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCD3L6024K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,154.	4,592.	4,816.	5,116.	5,556.	5,777.
	84"	24"	<b>RCD3L8424K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,450.	4,984.	5,226.	5,412.	5,944.	6,187.
	96"	24"	<b>RCD3L9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,584.	5,168.	5,429.	5,546.	6,131.	6,394.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	<b>RCD6L7224K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,476.	4,951.	5,193.	6,146.	6,620.	6,858.
	96"	24"	<b>RCD6L9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,761.	5,347.	5,608.	6,427.	7,014.	7,275.

96" w shown; 72" w has no knee space


Order Code	Specification Information	Application Notes
Example: <b>RCDP6024K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b> Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
<b>DP</b> Double Pedestal	7. Finish: V1	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	8. Pull Finish: Painted or plated	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>24</b> 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
<b>K</b> File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
<b>A</b> 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
<b>R</b> Recessed grommet option	3. Finish type: 2 = V2	
<b>2</b> Finish type	4. Interior option: M = Metal W = Wood	
<b>W</b> Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

S3L = Single 30" w lateral file  
S6L = Single 36" w lateral file

# Double pedestal credenzas


## 27<sup>3</sup>/<sub>4</sub>" high overall

### V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCDP6024K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	\$4,796.	\$5,340.	\$5,619.	\$5,318.	\$5,867.	\$6,147.
	72"	24"	<b>RCDP7224K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,974.	5,568.	5,868.	5,500.	6,094.	6,394.
	84"	24"	<b>RCDP8424K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,163.	5,829.	6,132.	5,687.	6,352.	6,659.
	96"	24"	<b>RCDP9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,329.	6,061.	6,388.	5,856.	6,586.	6,912.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCD3L6024K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,194.	5,740.	6,021.	6,397.	6,944.	7,221.
	84"	24"	<b>RCD3L8424K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,563.	6,229.	6,532.	6,765.	7,430.	7,733.
	96"	24"	<b>RCD3L9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,730.	6,459.	6,786.	6,933.	7,663.	7,991.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	<b>RCD6L7224K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,596.	6,189.	6,489.	7,682.	8,274.	8,573.
	96"	24"	<b>RCD6L9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,949.	6,684.	7,009.	8,036.	8,766.	9,094.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: <b>RCDP6024K (A,B,W)</b>	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b> Reff Credenza		Credenzas with lateral files or pedestals are non handed.
<b>DP</b> Double Pedestal		Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
<b>24</b> 24" deep	C = 1 1/4" waterfall	
<b>K</b> File/file	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
<b>A</b> 1 1/4" regular edge top	3. Finish type: 3 = V3	
<b>R</b> Recessed grommet option	4. Interior option: M = Metal W = Wood	
<b>3</b> Finish type	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>W</b> Wood interior option		6. Lock option: L = Locks are always drilled for lock
<b>J</b> Pull option		7. Finish: V3
<b>L</b> Lock option		8. Pull Finish: Painted or plated
<b>V512</b> Finish		9. Grommet finish: Painted or plated
<b>111</b> Pull Finish		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.
<b>111</b> Grommet Finish		Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.

S3L = Single 30" w lateral file  
S6L = Single 36" w lateral file

J-Wire Troughs are available in two types, Wall Mount & Under Mount. Wall mount J-wire troughs may be attached to both architectural walls and fixed modesty panels. Under mount J-wire troughs may be attached directly under worksurfaces.


Both types are available in 6" increments, in lengths ranging from 24" to 72". Troughs are 3" high by 3" deep. They are constructed of 18-gauge cold rolled steel. Wall mount is available in black. Under mount is available in all Reff Profiles core paint finishes.

**Application notes:**

Wires may run along the length of the trough and may exit at the trough ends or over the open front of the trough at any point. Under mount troughs also have a 1 1/2" diameter, U-shaped mouse hole for wire entry/exit.

Wall mount J-wire troughs are attached to a vertical surface such as a full modesty panel, suspended modesty panel, or architectural wall. Refer to Figure 1 and 2.

Fasteners are not included with wall mount J-wire troughs. Attachment fasteners should be selected with consideration given to the vertical surface's material type and thickness. Care should be taken so that screws will not protrude through or damage the visitor side of a modesty panel.



Accessories and Client Samples

Figure 1: Partial Height Modesty Applications

Figure 2: Wire Trough Wall Mounted Applications

Under mount J-wire troughs have two tabs at the top that allow them to be attached to the underside of a worksurface. Wood screws are included with under mount J-wire troughs.


Under mount J-wire troughs are designed to work with worksurfaces specified with flush, recessed, edge or no grommets. When edge grommets are specified, the trough is attached

with the opening towards the wall which will enable the ability to run wires anywhere along the opening in the worksurface while still allowing the ability to run wires through the grommet of the wire manager. Refer to Figure 5.


Under mount J-wire troughs may be specified when a desk screen (i.e. Antenna) is to be used as a modesty panel. Refer to Figure 6.

The width of the J-wire trough should be specified so that the trough spans and falls beneath grommet locations, but does not interfere with leg or pedestal positions. (i.e. A 72" w double letter-wide pedestal desk with flush grommets would be get a 36" trough.) Refer to Figure 3 and 4.


Wire troughs may not be used to stiffen a worksurface.




**Figure 3: Peninsula**



**Figure 4: Top with Desktop Grommet**



**Figure 5: Top with Edge Grommet**



**Figure 6: Desk Screen**

The wire manager for credenza may be specified for use with a 1" or 1 ½" thick credenza top with edge grommet. Wires, transformers, or personal accessory chargers may then be pushed off the worksurface, but will not drop all the way to the floor.


The wire manager for credenza top is 24" wide, 1" high and 1 ¼" deep, and will fit any standard width credenza top with edge grommet. It is constructed of 24-gauge cold rolled steel and is available in black.

**Application notes:**


The wire manager for credenza is intended to be mounted to the inside edge of the edge grommet. Wires may run along the length of the trough, exiting at the trough ends between the trough and the un-notched portion of the worksurface top.

**Note:** There will be a visible black lip (approx. 1/8" wide) at the edge of the worksurface where the wire manager is mounted.


For installation, wood screws and double sided tape are included with the wire manager.



**Application of Wire Manager for Credenza Top**



**Wire Manager Dimensions**



**Wire Manager**



**Desktop Outlet for Power Center Stand-off**

The Desktop Outlet for Power Center Stand-off works in conjunction with the stand-off for power center and the power center grommet to bring electrical and data receptacles to the worksurface. The power center stand-off and power center grommet are included with the peninsula top when specified.

The Desktop Outlet for power center has two options providing:


- 2 power simplex and 2 data jack positions OR
- 2 power simplex, one double USB charging port and data jack position

It mounts within the cavity of the power center stand-off and is available in black only. Refer to figures 1 and 2.


**Application notes:**

**Note:** Simplex and USB charging ports are wired together and on the same circuit.

Desktop Outlets are available with either a 72" or 120" long cordset, or with a 72" long hardwire cord for direct connection to building power. Connection option selected must comply with local and/or national electrical code.



**Figure 1: Desktop Outlet for Power Center Stand-off**



**Figure 2: Desktop Outlet for Power Center Stand-off (2U version shown)**


**Note:** Data jacks are not available through Knoll and must be coordinated and provided by a communications equipment supplier. Jack adapters are provided with the Desktop Outlet to accept various types of connections. Refer to the supplier's information sheet, included with the unit, for available jack adapters.

**Clamp On Electrical Component**


The Clamp On Electrical Component brings electrical and data receptacles to worksurface height without needing to field install grommets.

This unit is offered with 4 possible configurations:

- 2 power simplex and 2 data jack positions (2+2)
- 2 power simplex, one double USB charging port and one data jack position (2U)
- 3 power simplex and 3 data jack positions (3+3)
- 3 power simplex, one double USB charging port and 2 data jack positions (3U)



**Figure 3: Clamp on Electrical Component (3+3 version shown)**



**Figure 4: Clamp on Electrical Component (3U version shown)**

Clamp on electrical components have a silver body with a black trim and black receptacles. Refer to figures 3 and 4.


**Application notes:**

This component may be utilized on any worksurface, up to 1 1/2" thick where power/ data access is desired.

**Note:** Simplex and USB charging ports are wired together and on the same circuit.

Clamp on electrical components are available with either a 72" or 120" long cordset, or with a 72" long hardwire cord for direct connection to building power. Connection option selected must comply with local and/or national electrical code.

**Note:** Data jacks are not available through Knoll and must be coordinated and provided by a communications equipment supplier. Jack adapters are provided with the Clamp On Electrical Component to accept various types of connections. Refer to the supplier's information sheet, included with the unit, for available jack adapters.



**Figure 5: Clamp on Electrical Component**

**Drop-In Electrical Component for Simple Stand Off**

The Drop-in Electrical Component for Simple Stand Off works in conjunction with the simple stand off when specified with a peninsula top, to bring electrical and data receptacles directly to the worksurface.

This unit is available in two options providing:

- 3 power simplexes and 3 data jack positions (3+3)
- 3 power simplexes, one double USB charging port and one data jack position (3U)

Trim and receptacles are available in black only.

The cut-out is provided when specified with a peninsula top. To use this product in other applications, special tops must be ordered with the required cut-out pre-drilled to suit. Refer to figures 6 and 7.

**Note:** Simplexes and USB charging ports are wired together and on the same circuit.

They are available with either a 72" or 120" long cord set, or with a 72" long hardwire cord for direct connection to building power. Connection option selected must comply with local and/or national electrical code.

**Note:** Data jacks are not available through Knoll and must be coordinated and provided by a communications equipment supplier. Jack adapters are provided with the Drop-In Electrical Component to accept various types of connections. Refer to the supplier's information sheet, included with the unit, for available jack adapters.

**Note:** The Drop-In Electrical Component is retained to the worksurface by four screws supplied with the Simple Stand Off.

Refer to Drop-In Electrical Simple Stand Off installation instruction 6TP00305.

**Drop-In Electrical Component for Tables**

The Drop-in Electrical Outlet for Tables works in conjunction with Tables with 4x4 Legs and Tables with 2x4 Legs to bring electrical and data receptacles directly to the work surface.

This unit is available in four configurations providing:

- 2 power simplexes and 2 data jack positions (2+2)
- 2 power simplexes and 1 double USB charging port and 1 data jack positions (2U)
- 3 power simplexes and 3 data jack positions (3+3)
- 3 power simplexes and 1 double USB charging port and 2 data jack positions (3U)

Refer to figures 8 and 9.

Trim and receptacles are available in black only.

The cut-out is provided when specified with the Table configuration. To use this product in other applications, special tops must be ordered with the required cut-out pre-drilled to suit.

**Note:** Simplexes and USB charging ports are wired together and on the same circuit.

They are available with either a 72" or 120" long cord set, or with a 72" long hardwire cord for direct connection to the building power. Connection option must comply with local and/or national electrical code.

**Note:** Data jacks are not available through Knoll and must be coordinated and provided by a communications equipment supplier. Jack adapters are provided with Drop-In Electrical Outlet to accept various types of connections. Refer to the supplier's information sheet, included with the unit, for available jack adapters.

**Note:** The Drop-In Electrical Outlet is retained to the worksurface by two thumb screws supplied with the unit. Refer to Drop-In Electrical Outlet for Tables installation instruction 6TP00388.




Figure 6: Drop-In Electrical Component for Simple Stand Off




Figure 7: Drop-In Electrical Component for Simple Stand Off




Figure 8: Drop-In Electrical Component for Tables




Figure 9: Drop-In Electrical Component for Tables

**Under Mounted and Rail Electrical  
Outlet for Tables**


The Under Mounted and Rail Mounted Electrical Outlets for Tables work in conjunction with Tables with 4x4 Legs and Tables with 2x4 Legs to provide electrical and data receptacles under the work surface.

These units are available in four configurations providing:


- 2 power simplexes and 2 data jack positions (2+2)
- 2 power simplexes and 1 double USB charging port and 1 data jack positions (2U)
- 3 power simplexes and 3 data jack positions (3+3)
- 3 power simplexes and 1 double USB charging port and 2 data jack positions (3U)

Refer to figures 10, 11 and 12.


Trim and receptacles are available in black only.



**Figure 10: Under Mounted Electrical Component for Tables (3+3 shown)**



**Figure 11: Under Mounted Electrical Component for Tables (3U shown)**



**Figure 12: Rail Mounted Electrical Component for Tables (3+3 shown)**

**Simple Stand Off**

Simple Stand Offs provide support for 1 1/2" thick worksurface tops mounted to low credenzas or 3/4 height storage cabinets with a 1" top. The simple standoff is included when specified with peninsula tops.

Simple Stand Off assemblies are 2 1/4" deep, 12" wide, and 5 1/32" high. They are constructed of 16 gauge cold rolled steel and are available in all core painted finishes for 28 3/8" high planning.

The Simple Stand Off comes with the stand off weldment, mounting bracket, mounting hardware and round grommet. Refer to figure 13.

**Application notes:**

The Simple Stand Off must be permanently and securely affixed to the underside of a worksurface and also to whatever support unit it rests upon.

The Simple Stand Off is designed to support a top without additional worksurface supported storage such as hutches or desktop towers for example.

To access the cavity of the Simple Stand Off, a special top must be ordered with the appropriate cut-out for a Drop-In Electrical Component or Desktop Grommet which must be specified separately and field installed.

Refer to 6TP00305 for Installation Instructions




Figure 13: Simple Stand Off

**Stand Off for Power Center**

Stand Offs for Power Center provide support for 1 1/2" thick worksurface tops mounted to low credenzas or 3/4 height storage cabinets with a 1" top while also providing opportunity for wire management and power/data capabilities. The power center standoff is included when specified with peninsula tops.

Power Center Stand Off assemblies are 6 3/8" deep, 9 1/4" wide, and 5 1/32" high. They are constructed of 16-gauge cold rolled steel and are available in all core painted finishes for 28 3/8" high planning.

**Application notes:**

The Power Center Stand Off is designed to support a top without additional worksurface supported storage mounted upon it, such as hutches or desktop towers for example.

The Power Center Stand Off must be permanently and securely affixed to the underside of a worksurface and also to whatever support unit it rests upon.

To access the cavity of the Stand Off for Power Center, a special top must be ordered with the appropriate cut-out for a Power Center Grommet which must be specified separately and field installed.

When power and data capability is desired for use with this unit, the Desktop Outlet electrical options must be specified separately. Refer to figure 14.

A 1 3/4" round grommet is included for field drilling of cable route from the power center standoff through the lower storage element.

Refer to 6TP00081 for Installation Instructions.




Figure 14: Stand Off for Power Center




Figure 15: Power Center Grommet

**Power Center Grommet**

The Power Center Grommet must be specified when utilizing a stand-off for power center. The grommet trims the opening in the peninsula top that allows access into the stand-off for power center. It includes an attached, hinged lid. Refer to figure 15.

Power Center Grommets are 8" wide x 5" deep and are available in all core painted and plated finishes for 28 3/8" high planning.

The Power Center Grommet is included when specified with a peninsula top.

To utilize the Power Center Grommet, special tops must be ordered with the required cut out pre-drilled to suit.

**Grommets**

Desktop Grommets are included with certain worksurfaces when specified. Desktop grommets may be ordered separately, if desired, for field installation.

To use this product in non-standard applications, special tops must be ordered with the required cut-out pre-drilled to suit.

The Desktop Grommet includes a grommet sleeve and lid. The grommet sleeve is 2" deep x 3" wide with a 1/8" flange all round which sits 1/16" above the finished worksurface. The outside to outside dimension of the flange is 2 1/4" deep and 3 1/4" wide. The grommet lid sits inside the sleeve and is flush with the top of the sleeve. Refer to figure 16.

Desktop Grommets are available in all core painted and plated finishes for 28 3/8" high planning.

**Application notes:**

Desktop Grommets are available for use in 1", 1 1/4" and 1 1/2" thick worksurfaces. Care should be taken to specify the grommet appropriate for the worksurface's thickness.










Figure 16: Grommet


# Accessories

## *cabinet extras and undermount accessories*

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		<b>RCABT1417</b>						\$77.
	29"	17"		<b>RCABT2917</b>						129.
Cabinet coat rod 	Half of 30" cabinets			<b>RCACR30H</b>						75.
	Half of 36" cabinets			<b>RCACR36H</b>						82.
	16" cabinets			<b>RCACR16</b>						77.
	30" cabinets			<b>RCACR30</b>						103.
	36" cabinets			<b>RCACR36</b>						115.
CRT turntable 	31" diameter			<b>RKT31</b>						567.
Pencil drawer used under worktop 	16"	17"	1"	<b>RPAD-( )</b>		317.	564.	564.	730.	
	Specify wood or laminate finish									
Reff Profiles Spacer kit for Pencil drawer				<b>RPADKIT</b>						34.
Wall rails (paint options only) 	–	–	8 <sup>7</sup> / <sub>8</sub> "	<b>RWHRA-( )</b>						40.
	–	–	17 <sup>5</sup> / <sub>8</sub> "	<b>RWHRB-( )</b>						43.
	–	–	18 <sup>1</sup> / <sub>4</sub> "	<b>RWHRC-( )</b>						43.
	–	–	21 <sup>1</sup> / <sub>16</sub> "	<b>RWHRD-( )</b>						45.
	–	–	22"	<b>RWHRE-( )</b>						45.
	–	–	59 <sup>1</sup> / <sub>2</sub> "	<b>RWHRF-( )</b>						101.
	–	–	67"	<b>RWHRG-( )</b>						101.
Striplight (black only) for transaction tops 	26"	2"	2"	<b>RCASL</b>						359.






Order Code	Specification Information	Application Notes
Example: <b>RCABT1417</b>	<i>To order please specify pattern number including:</i> 1. Finish, where applicable	See Reff Planning Guide for more information. Pencil drawer includes slides. <b>Note:</b> The spacer kit (RPADKIT) is required to mount pencil drawer (RPAD) to a table with an open frame leg.
<b>R</b> Reff		
<b>CA</b> Cabinet		
<b>BT</b> Boot tray		
<b>14</b> Width		
<b>17</b> Depth		

Accessories  
*presentation samples*  
*Worksurfaces*

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Presentation wood sample, 16" x 16"	16"	16"	-	<b>RSAMP1616-( ) ( )</b>	\$139.	\$199.	\$256.	\$296.	
	Optional edge details available								
Presentation stackable/tiled mini panel (for demonstrations)	24"	-	34"	<b>R3SMP ( ) ( )</b>					1,144.
	Specify trim profile, base height, base type and applicable finishes								
Presentation monolithic mini panel	4"H base			<b>RR3MP4 ( )</b>					626.
	6"H base			<b>RR3MP6 ( )</b>					670.
	Specify trim profile and applicable finishes								
Presentation worksurface cutaway sample	12"	12"	1 1/4"	<b>RTOP2 ( )</b>	114.	175.	233.	275.	
	12"	12"	1 3/4"	<b>RTOP1 ( )</b>	114.	175.	233.	275.	
Presentation waterfall edge sample	11"	8 1/2"		<b>R921655 ( )</b>					348.
Sample, cascade edge worksurface	12"	12"		<b>RCE1R1212G</b>	130.				
									
Rangeboard	27"	12"	1 1/4"	<b>RRBRD2712 ( )</b>					314.
	Recommended for natural veneer with clear coat (V311, V316) and Light finishes ( such as V312, V315)								

Order Code	Specification Information	Specification Information
Example: <b>RWHRA ( )</b>	<i>To order please specify pattern number including:</i>	See Reff Planning Guide for more information.
<b>R</b> Reff	1. Finish, where applicable	Metal D-pull sample board represents the following standard Reff finishes ( PT, 111, 118, 611, 612, 613 )
<b>WH</b> Wall Hung		Specify board finish in laminate, techwood, conventional or laminate with a wood edge.
<b>R</b> Rails		Specify edge detail if applicable for presentation wood samples.
<b>A</b> Height		Product on this page will accept woodgrain laminate where laminate is currently an option. The wall rails will accept <u>two sets</u> of brackets for panel hung components.
<b>( )</b> Paint options only		

Accessories  
*presentation samples*  
*Pull Samples*

description	type	w	d	pattern no.	L	V1	V2	V3	list price
Presentation drawer front with pull samples	Grommet pull	8"	8"	<b>RPULLSMPG()</b> ( )	\$151.	\$191.	\$207.	\$239.	
									
	Bar pull	8"	8"	<b>RPULLSMPF()</b> ( )	151.	191.	207.	239.	
									
	Outline pull	8"	8"	<b>RPULLSMPH()</b> ( )	151.	191.	207.	239.	
									
	Cylinder pull	8"	8"	<b>RPULLSMPR()</b> ( )	151.	191.	207.	239.	
									
	Tab pull	8"	8"	<b>RPULLSMPT()</b> ( )	151.	191.	207.	239.	
									

**Order Code**

Example:	<b>RPULLSMPG()</b> ( )
<b>R</b>	Reff Profiles
<b>PULL</b>	Pull
<b>SM</b>	Sample
<b>PG</b>	Pull Grommet

**Specification Information**







*To order please specify pattern number including:*

1. Drawer Front finish:  
Wood or Laminate
2. Pull Finish:  
Painted or plated

Product on this page will accept wood grain laminate, where laminate is currently an option.

# Accessories

## wire management

description	w	d	h	pattern no.	list price
Wire manager used under any top in kneespace* 	24"	4 1/2"	5 3/4"	<b>RWMWT24</b>	\$45.
	30"	4 1/2"	5 3/4"	<b>RWMWT30</b>	51.
	36"	4 1/2"	5 3/4"	<b>RWMWT36</b>	56.
	Available black only				
Hinged vertical wire	24"	1"	3/8"	<b>RWMV24 ( )</b>	36.
	Ships with overdesk unit. Specify paint finish.				
Multi-purpose manager* 	24"	2 1/2"	1 1/4"	<b>RWMMP24</b>	40.
	30"	2 1/2"	1 1/4"	<b>RWMMP30</b>	45.
	36"	2 1/2"	1 1/4"	<b>RWMMP36</b>	46.
	Available black only				
Panel-hung vertical wire	24"	–	–	<b>RWMVP24</b>	36.
	not available in finish codes: 112,116,117,611, 612, 613				
Worksurface vertical/horizontal wire manager* 	24"	1 1/2"	3/4"	<b>RWMVH24</b>	43.
	30"	1 1/2"	3/4"	<b>RWMVH30</b>	47.
	36"	1 1/2"	3/4"	<b>RWMVH36</b>	51.
	Available black only				
Power bar, fits into wire manager				<b>RWMPB</b>	155.
					
Replacement hardware	Top to endpanel disk			<b>RBDD</b>	5.
	Top to workwall endpanel disk			<b>RBDW</b>	5.
	Panel to endpanel bracket			<b>RBPE(L/R)( )</b>	21.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Order Code	Specification Information	Application Notes
Example: <b>RWMWT24</b>	<i>To order please specify:</i> 1. Pattern number 2. Finish: painted finishes, where applicable	Specify color for hinged vertical wire management only from paint finish list.  Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.
<b>R</b> Reff		
<b>WM</b> Wire Manager		
<b>W</b> Wall and Modesty mount		
<b>T</b> Top Mount		
<b>24</b> Width		



# Accessories

## wire management

description	w	d	h	pattern no.	list price
-------------	---	---	---	-------------	------------


Flexible Vertical Wire Manager with Functional height range; for 26 1/2" and 28 3/8"H				<b>RWMVF</b>	\$135.
---	--	--	--	--------------	--------

\*translucent with metallic silver base (613)



* Tree wire manager package of 10 2 shipped per panel	2"			<b>RBWM</b>	11.
--	----	--	--	-------------	-----

used in Beltway

J-Wire Trough Wall Mount 	24"			<b>RJBW24( )</b>	67.
	30"			<b>RJBW30( )</b>	69.
	36"			<b>RJBW36( )</b>	75.
	42"			<b>RJBW42( )</b>	88.
	48"			<b>RJBW48( )</b>	94.
	54"			<b>RJBW54( )</b>	96.
	60"			<b>RJBW60( )</b>	97.
	66"			<b>RJBW66( )</b>	109.
	72"			<b>RJBW72( )</b>	110.

\*Installation Instruction Sheet: 6TP00078

J-Wire Trough Under Mount 	24"			<b>RJBU24( )</b>	81.
	30"			<b>RJBU30( )</b>	83.
	36"			<b>RJBU36( )</b>	90.
	42"			<b>RJBU42( )</b>	104.
	48"			<b>RJBU48( )</b>	111.
	54"			<b>RJBU54( )</b>	113.
	60"			<b>RJBU60( )</b>	115.
	66"			<b>RJBU66( )</b>	128.
	72"			<b>RJBU72( )</b>	130.





\*Installation Instruction Sheet: 6TP00079

\*Available in painted colors.

Order Code	Specification Information	Application Notes
Example: <b>RMMWT24</b>	<i>To order please specify:</i> 1. Pattern number 2. Finish: painted finishes, where applicable	Specify color for hinged vertical wire management only from paint finish list.  Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.
<b>R</b> Reff		
<b>WM</b> Wire Manager		
<b>W</b> Wall and Modesty mount		
<b>T</b> Top Mount		
<b>24</b> Width		

# Accessories

## wire management







description	w	d	h	pattern no.	list price
Wire manager for credenza top 	24"			<b>RWMCT24</b>	\$133.
Cable Basket Kits Under Mounted 	15"	12"	1"	<b>RWMT1512U</b>	54.
	27"	12"	1"	<b>RWMT2712U</b>	96.
	39"	12"	1"	<b>RWMT3912U</b>	116.
*All hardware included *Baskets and hardware are painted med. grey (115)					
Cable Basket Kits Rail Mounted 	15"	12"	1"	<b>RWMT1512R</b>	269.
	27"	12"	1"	<b>RWMT2712R</b>	320.
	39"	12"	1"	<b>RWMT3912R</b>	493.
*All hardware included *Baskets and hardware are painted med. grey (115)					
Cable clip for column legs 		3"		<b>RCC30( )</b>	23.
		4"		<b>RCC40( )</b>	26.
*2 clips per kit					

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: <b>RWMT24</b>	<i>To order please specify:</i>	
<b>R</b> Reff	1. Pattern number	Specify color for hinged vertical wire management only from paint finish list.
<b>WM</b> Wire Manager	2. Finish: painted finishes, where applicable	Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.
<b>W</b> Wall and Modesty mount		
<b>T</b> Top Mount		
<b>24</b> Width		

# Accessories

## Power and Data







description	type	w	d	h	pattern no.	list
 Desktop Outlet - Power Center stand off	2 + 2				<b>RDTE2272</b>	\$340.
	2 + 2				<b>RDTE22120</b>	366.
	2 + 2				<b>RDTE22H</b>	374.
 Desktop Outlet - Power Center stand off with USB	2 + USB + Blank				<b>RDTE2U72</b>	770.
	2 + USB + Blank				<b>RDTE2U120</b>	787.
	2 + USB + Blank				<b>RDTE2UH</b>	851.
 Electrical component Clamp on	2 + 2				<b>RDTCE2272</b>	424.
	2 + 2				<b>RDTCE22120</b>	441.
	2 + 2				<b>RDTCE22H</b>	504.
	3 + 3				<b>RDTCE3372</b>	541.
	3 + 3				<b>RDTCE33120</b>	558.
	3 + 3				<b>RDTCE33H</b>	621.
<i>3 + 3 shown</i>						
 Electrical component Clamp on, with USB	2 + USB + Blank				<b>RDTCE2U72</b>	770.
	2 + USB + Blank				<b>RDTCE2U120</b>	787.
	2 + USB + Blank				<b>RDTCE2UH</b>	851.
	3 + USB + 2 Blanks				<b>RDTCE3U72</b>	888.
	3 + USB + 2 Blanks				<b>RDTCE3U120</b>	906.
	3 + USB + 2 Blanks				<b>RDTCE3UH</b>	969.
<i>3 + USB + 2 Blank Shown</i>						
 Electrical component for Simple Stand-Off Drop-In	3 + 3				<b>RDTSTE3372</b>	721.
	3 + 3				<b>RDTSTE33120</b>	737.
	3 + 3				<b>RDTSTE33H</b>	800.
 Electrical component for Simple Stand-Off Drop-In, with USB	3 + USB + 2 Blank				<b>RDTSTE3U72</b>	1,070.
	3 + USB + 2 Blank				<b>RDTSTE3U120</b>	1,088.
	3 + USB + 2 Blank				<b>RDTSTE3UH</b>	1,151.

Order Code	Specification Information	Application Notes
Example: <b>RDTE2272</b>	<i>No specification required.</i>	H = Hard wire
<b>R</b> Reff		Installation instruction sheet available on Knoll Exchange.
<b>DT</b> Desktop Outlet		For Power Center stand off, refer to part number 6TP00081.
<b>DE</b> Drop in Electrical		For Electrical component for Table Drop-In refer to part number 6TP00388.
<b>2</b> 2 Electrical, 3 = 3 Electrical		Refer to planning guide pages for complete description.
<b>2</b> 2 Blank, U = 1 Double USB, 3 = 3 Blank		
<b>72</b> 72" cord, 120 = 120" cord, H = Hardwire		

USB outlet is for charging purposes only. No data transfer.

# Accessories

## Power and Data for Tables





description	type	w	d	h	pattern no.	list
Electrical component for Table <b>Drop-In</b> 	2 + 2				<b>RDTE2272</b>	\$431.
	2 + 2				<b>RDTE22120</b>	448.
	2 + 2				<b>RDTE22H</b>	512.
	3 + 3				<b>RDTE3372</b>	549.
	3 + 3				<b>RDTE33120</b>	567.
	3 + 3				<b>RDTE33H</b>	630.
Electrical component for Table <b>Drop-In, with USB</b> 	2 + USB + Blank				<b>RDTE2U72</b>	770.
	2 + USB + Blank				<b>RDTE2U120</b>	787.
	2 + USB + Blank				<b>RDTE2UH</b>	851.
	3 + USB + 2 Blank				<b>RDTE3U72</b>	888.
	3 + USB + 2 Blank				<b>RDTE3U120</b>	906.
	3 + USB + 2 Blank				<b>RDTE3UH</b>	969.
Desktop Outlets for Tables <b>Undermounted</b> 	2 + 2				<b>RDUME2272</b>	411.
	2 + 2				<b>RDUME22120</b>	446.
	2 + 2				<b>RDUME22H</b>	552.
	3 + 3				<b>RDUME3372</b>	595.
	3 + 3				<b>RDUME33120</b>	612.
	3 + 3				<b>RDUME33H</b>	674.
Desktop Outlets for Tables <b>Undermounted, with USB</b> 	2 + USB + Blank				<b>RDUME2U72</b>	811.
	2 + USB + Blank				<b>RDUME2U120</b>	829.
	2 + USB + Blank				<b>RDUME2UH</b>	892.
	3 + USB + Blank				<b>RDUME3U72</b>	934.
	3 + USB + Blank				<b>RDUME3U120</b>	951.
	3 + USB + Blank				<b>RDUME3UH</b>	1,014.
Desktop Outlets for Tables <b>Rail Mounted</b> 	2 + 2				<b>RDTRME2272</b>	454.
	2 + 2				<b>RDTRME22120</b>	491.
	2 + 2				<b>RDTRME22H</b>	597.
	3 + 3				<b>RDTRME3372</b>	639.
	3 + 3				<b>RDTRME33120</b>	655.
	3 + 3				<b>RDTRME33H</b>	719.
Desktop Outlets for Tables <b>Rail Mounted, with USB</b> 	2 + USB + Blank				<b>RDTRME2U72</b>	855.
	2 + USB + Blank				<b>RDTRME2U120</b>	873.
	2 + USB + Blank				<b>RDTRME2UH</b>	936.
	3 + USB + Blank				<b>RDTRME3U72</b>	978.
	3 + USB + Blank				<b>RDTRME3U120</b>	994.
	3 + USB + Blank				<b>RDTRME3UH</b>	1,058.

Order Code	Specification Information	Application Notes
Example: <b>RDTE2272</b>	<i>No specification required.</i>	USB outlet is for charging purposes only. No data transfer.
<b>R</b> Reff	Installation instruction sheets available on Knoll Exchange.	The Rail mounted outlets are for use with Table with 4 x 4 legs, only.
<b>D</b> Desktop Outlet	Fro Electrical component for Table Drop in refer to part number 6TP00388.	Brackets and hardware are included. Brackets come in Black.
<b>DE</b> Drop in Electrical, UM = Under mounted, RM = Table rail mounted		
<b>2</b> 2 Electrical, 3 = 3 Electrical		
<b>2</b> 2 Blank, U = 1 Double USB, 3 = 3 Blank		
<b>72</b> 72" cord, 120 = 120" cord, H = Hardwire		

Accessories and Client Samples

# Accessories

## *Grommet and Stand off*

description	type	w	d	h	pattern no.	list
Simple Stand Off		12"	5"	5"	<b>RST()</b>	\$111.
						
Stand Off for Power Center (Electrical component not included)		8"	5"	5"	<b>RPCST()</b>	142.
						
Power Center Grommet (Electrical component not included)		8"	5"	1 1/2"	<b>RPCG()</b>	162.
						
Desktop Grommet	For 1 1/2" thick top			1 1/2"	<b>RDTGA()</b>	35.
	For 1 1/4" thick top			1 1/4"	<b>RDTGB()</b>	35.
	For 1" thick top			1"	<b>RDTGC()</b>	35.
						

Order Code	
Example: <b>RST</b>	
<b>R</b>	Reff
<b>ST</b>	Stand Off
<b>()</b>	Finish

**Specification Information**

*To order please specify pattern number including;*

1. Stand Off Finish: Painted options only

For Grommets;

1. Grommet Finish: Painted or plated options




**Application Notes**

Installation instruction sheet available on Knoll Exchange.

For Power Center stand off, refer to reference number 6TP00081.

# Accessories




## *interior components*

description	y	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)					<b>RPHCHH</b>	\$36.
Not intended to work with (AA) Aluminum top trim						
Panel-hung coat hook (panel top)					<b>RPHCHT</b>	36.
Panel-hung tackboard	0.9		30"	24"	<b>RPHTB3024</b>	304.
Note: Fabric railroaded	1.3		42"	24"	<b>RPHTB4224</b>	373.
All standard grades of fabric						
						
Panel-hung, Magnetic whiteboard with Pencil tray			30"	24"	<b>RPHWBM3024</b>	780.
			42"	24"	<b>RPHWBM4224</b>	1,158.
Wall-hung tackboard	0.9		30"	24"	<b>RWHTB3024</b>	336.
Note: Fabric railroaded Velcro supplied	1.1		36"	24"	<b>RWHTB3624</b>	373.
	1.3		42"	24"	<b>RWHTB4224</b>	410.
	1.5		48"	24"	<b>RWHTB4824</b>	445.
for use with 26 1/2" h support planning module						
						
Wall-hung tackboard for desk height (28 3/8" h) planning	0.9		30"	26"	<b>RWHDTB3026</b>	355.
Note: Fabric railroaded Velcro supplied	1.1		36"	26"	<b>RWHDTB3626</b>	391.
	1.3		42"	26"	<b>RWHDTB4226</b>	432.
	1.5		48"	26"	<b>RWHDTB4826</b>	468.
for use with 28 3/8" h support planning module						
						
Box drawer dividers, wood box drawers (Acrylic)			16"	–	<b>RPADSS</b>	53.
File bars, wood file drawers (replacement)			16"	–	<b>RPAHFB16</b>	30.
			30"	–	<b>RPAHFB30</b>	57.
			36"	–	<b>RPAHFB36</b>	88.
File bars, metal file drawers (replacement)			16"	–	<b>RPAHFM162 *</b>	21.
			30"	–	<b>RPAHFM30</b>	30.
			36"	–	<b>RPAHFM36</b>	30.
Sold as individuals						

Order Code	Specification Information	Application Notes
Example: <b>RWHTB3024</b>	<i>To order please specify pattern number including:</i> 1. Finish: Fabric	See Reff Planning Guide for more information.  Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.
<b>R</b> Reff		
<b>WH</b> Wall Hung		
<b>TB</b> Tack Board		
<b>30</b> Width		
<b>24</b> Height	Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.	

# Accessories

## *interior components*

description	type	w	h	pattern no.	list price
Plate divider 				<b>RPD11</b>	\$23.
				<b>RPD14</b>	23.
RPD11 to be used with 15" D open cabinet/bookcase with metal shelves. RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.					
Pencil tray, wood (ordered separately)		12"	–	<b>RPAPT</b>	99.
Pencil tray, plastic 	black	13 1/4"	–	<b>RPETRAY3N</b>	38.
	clear	12"	–	<b>RPETRAY3C</b>	45.
Recommended for use with metal drawer interiors on 16"w peds. Letter width pedestal.					
Pencil tray adapter 				<b>RPETAD</b>	85.
Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals. Available in painted and anodized finishes.					

### Order Code

Example: <b>RWHTB3024</b>
<b>R</b> Reff
<b>WH</b> Wall Hung
<b>TB</b> Tack Board
<b>30</b> Width
<b>24</b> Height

### Specification Information

To order please specify pattern number including:  
1. Finish: Fabric




### Application Notes

See Reff Planning Guide for more information.  
Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

# Accessories

## *interior components*


description	w	pattern no.	list price
Task Panel shelf 	14"	<b>RTST14</b>	\$173.
Task Panel flat tray 	14"	<b>RTSF14</b>	173.
	28"	<b>RTSF28</b>	206.
Utility Hook 		<b>RAUH</b>	20.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: <b>RWHTB3024</b>	<i>To order please specify pattern number including:</i> 1. Finish: Fabric	See Reff Planning Guide for more information.  Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.  Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.
<b>R</b> Reff		
<b>WH</b> Wall Hung		
<b>TB</b> Tack Board		
<b>30</b> Width		
<b>24</b> Height		



Accessories  
*Fascias for Hutches*  
*Metal*

description	w	pattern no.	P1	P2	P3
Metal Fascia 	60"	<b>ROHMTF160</b> ( )	\$153.	\$174.	\$182.
	66"	<b>ROHMTF166</b> ( )	167.	184.	193.
	72"	<b>ROHMTF172</b> ( )	170.	187.	196.
	78"	<b>ROHMTF178</b> ( )	172.	189.	199.
	84"	<b>ROHMTF184</b> ( )	174.	191.	201.
	90"	<b>ROHMTF190</b> ( )	176.	194.	203.
	96"	<b>ROHMTF196</b> ( )	178.	196.	206.

**Order Code**

Example: <b>ROHMTF160</b>
<b>R</b> Reff
<b>O</b> Overhead
<b>H</b> Hutch
<b>M</b> Metal
<b>T</b> Task light
<b>F</b> Fascia
<b>1</b> Letter depth
<b>60</b> 60"
<b>( )</b> Fascia finish


**Specification Information**

*To order please specify pattern number including:*  
 1. Fascia Finish: Anodized and painted options

**Application Notes**

For single and double high Hutches.  
 Wood or Metal options.





Accessories  
*Fascias for Hutches*  
*Wood*

description	w	pattern no.	V1	V2	V3
Wood Fascia 	60"	<b>ROHWTF160</b> ( )	\$401.	\$424.	\$530.
	66"	<b>ROHWTF166</b> ( )	404.	427.	535.
	72"	<b>ROHWTF172</b> ( )	406.	431.	539.
	78"	<b>ROHWTF178</b> ( )	408.	434.	543.
	84"	<b>ROHWTF184</b> ( )	410.	437.	547.
	90"	<b>ROHWTF190</b> ( )	413.	440.	551.
	96"	<b>ROHWTF196</b> ( )	564.	587.	734.

Order Code	Specification Information	Application Notes
Example: <b>ROHWTF160</b>	<i>To order please specify pattern number including:</i>	For single and double high Hutches. Wood or Metal options.
<b>R</b> Reff		
<b>O</b> Overhead	1. Trim Finish: Wood or Laminate	
<b>H</b> Hutch		
<b>W</b> Wood		
<b>T</b> Task light		
<b>F</b> Fascia		
<b>1</b> Letter depth		
<b>60</b> 60"		
<b>( )</b> Trim Finish		

# Accessories

## Sliding Rails

description	width	pattern no.	list price
Sliding rail for open shelves 	30"	<b>RSDR30</b>	\$56.
	36"	<b>RSDR36</b>	56.
	42"	<b>RSDR42</b>	56.
	48"	<b>RSDR48</b>	56.
	54"	<b>RSDR54</b>	56.
	60"	<b>RSDR60</b>	88.
	66"	<b>RSDR66</b>	88.
	72"	<b>RSDR72</b>	88.
	78"	<b>RSDR78</b>	88.
	84"	<b>RSDR84</b>	99.
Sliding rail for open or hinged door overhead cabinets 	30"	<b>ROHDR30</b>	56.
	36"	<b>ROHDR36</b>	56.
	42"	<b>ROHDR42</b>	56.
	48"	<b>ROHDR48</b>	56.
	60"	<b>ROHDR60</b>	99.
	72"	<b>ROHDR72</b>	99.
	90"	<b>ROHDR90</b>	134.
	96"	<b>ROHDR96</b>	134.
Sliding rail for flip door overhead cabinets 	30"	<b>RFDR30</b>	56.
	36"	<b>RFDR36</b>	56.
	42"	<b>RFDR42</b>	56.
	48"	<b>RFDR48</b>	56.
	60"	<b>RFDR60</b>	99.
	72"	<b>RFDR72</b>	99.
	96"	<b>RFDR96</b>	99.
Sliding rail divider 		<b>R5ZNNE (3 dividers)</b>	23.

### Order Code

Example:	<b>RSDR30</b>
<b>R</b>	Reff
<b>SDR</b>	Sliding rail for open shelves
<b>30</b>	For 30" shelf

### Specification Information

*To order please specify pattern number.*

### Application Notes

Match cabinet width to rail width.




Parts come in black only.

These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

# Accessories


## Task Light

### Reff

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	<b>RTL5E19S</b>	\$286.
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTL5E25S</b>	293.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTL5E37S</b>	298.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTL5E49S</b>	304.
	Use with 72" and wider overhead	61"	4"	1 1/2"	<b>RTL5E61S</b>	321.
	Use with 84" and wider overhead	73"	4"	1 1/2"	<b>RTL5E73S</b>	350.
	Use with 96" and wider overhead	85"	4"	1 1/2"	<b>RTL5E85S</b>	437.
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTL5E25A</b>	420.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTL5E37A</b>	442.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTL5E49A</b>	461.
	Use with 72" and wider overhead	61"	4"	1 1/2"	<b>RTL5E61A</b>	478.
	Use with 84" and wider overhead	73"	4"	1 1/2"	<b>RTL5E73A</b>	495.
	Use with 96" and wider overhead	85"	4"	1 1/2"	<b>RTL5E85A</b>	514.
	Use with 24" and wider overhead (3 LED's)	19"	2"	1/16"	<b>RTL193W</b>	324.
	Use with 24" and wider overhead (6 LED's)	19"	2"	1/16"	<b>RTL196W</b>	410.
	Use with 24" and wider overhead (9 LED's)	19"	2"	1/16"	<b>RTL199W</b>	558.
	Use with 42" and wider overhead (6 LED's)	37"	2"	1/16"	<b>RTL376W</b>	654.
	Use with 42" and wider overhead (12 LED's)	37"	2"	1/16"	<b>RTL3712W</b>	739.
	Use with 42" and wider overhead (18 LED's)	37"	2"	1/16"	<b>RTL3718W</b>	916.

Order Code	Specification Information	Application Notes
<b>Example: RTL5E19S</b> <b>RTL</b> Task Light <b>T5</b> T5 lamp <b>E</b> Electronic ballast <b>19</b> Width <b>S</b> Standard <b>LED Task Light</b> <b>Example: RTL193W</b> <b>RTL</b> Task Light <b>L</b> LED <b>19</b> Width <b>3</b> # of LED's <b>W</b> Wood Overhead Attachment	<b>T5 Task Lights:</b> 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.  <b>LED Task Lights:</b> Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	<b>T5 Task Lights:</b> Specify suffix -CH and add \$46 list for City of Chicago installations. Example: DL3T5E25S-CH  Cordset is center exit. On smaller units cord exit is off-center, but still not handed.  T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.  <b>LED Task Lights:</b> Power cord is able to attach to either end of fixture.  <b>Notes:</b> All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.  All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.


Tackboards  
*H1 23 1/8" high*  
*Wall hung, fabric*

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard, wall hung	30"	1.0	<b>RWHDHTB30H1()</b>	\$278.	\$305.	\$333.	\$361.	\$366.	\$371.	\$376.	\$413.	\$448.
	36"	1.1	<b>RWHDHTB36H1()</b>	296.	327.	357.	387.	393.	399.	406.	444.	484.
	42"	1.3	<b>RWHDHTB42H1()</b>	326.	362.	396.	433.	440.	446.	454.	500.	546.
	48"	1.5	<b>RWHDHTB48H1()</b>	355.	395.	436.	477.	486.	494.	502.	555.	608.
	54"	1.6	<b>RWHDHTB54H1()</b>	373.	417.	462.	505.	514.	523.	532.	589.	644.
	60"	1.8	<b>RWHDHTB60H1()</b>	402.	451.	501.	550.	561.	571.	580.	644.	706.
	66"	1.9	<b>RWHDHTB66H1()</b>	422.	474.	525.	578.	589.	598.	610.	676.	742.
	72"	2.1	<b>RWHDHTB72H1()</b>	451.	510.	567.	624.	635.	647.	658.	732.	805.
	78"	2.3	<b>RWHDHTB78H1()</b>	479.	543.	605.	669.	682.	694.	706.	787.	866.
	84"	2.5	<b>RWHDHTB84H1()</b>	510.	578.	646.	714.	729.	742.	756.	843.	930.
	90"	2.6	<b>RWHDHTB90H1()</b>	527.	598.	670.	740.	755.	771.	785.	876.	964.
	96"	2.8	<b>RWHDHTB96H1()</b>	557.	633.	711.	788.	803.	817.	834.	931.	1,026.

Order Code	Specification Information	Application Notes
Example: <b>RWHDHTB30H1()</b>	To order please specify pattern number including: 1. Finish: Fabric	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.  All fabric to be applied rail roaded as current tackboards.
<b>R</b> Reff		
<b>WH</b> Wall hung		
<b>DH</b> Desk height planning		
<b>TB</b> Tackboard		
<b>30</b> Width		
<b>H1</b> 23 1/8" high		
<b>W281</b> Fabric selection		

Y = Yardage required


Tackboards  
*H2 29<sup>3</sup>/<sub>4</sub>" high*  
*Wall hung, fabric*

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30"	1.0	<b>RWHDHTB30H2( )</b>	\$294.	\$320.	\$347.	\$372.	\$378.	\$384.	\$389.	\$425.	\$462.
	36"	1.1	<b>RWHDHTB36H2( )</b>	316.	345.	373.	404.	410.	415.	422.	462.	499.
	42"	1.3	<b>RWHDHTB42H2( )</b>	348.	383.	416.	451.	459.	466.	472.	519.	565.
	48"	1.5	<b>RWHDHTB48H2( )</b>	380.	420.	460.	498.	508.	515.	523.	576.	629.
	54"	1.6	<b>RWHDHTB54H2( )</b>	402.	444.	486.	529.	538.	546.	554.	612.	668.
	60"	1.8	<b>RWHDHTB60H2( )</b>	434.	482.	529.	577.	587.	596.	606.	670.	732.
	66"	1.9	<b>RWHDHTB66H2( )</b>	457.	506.	555.	606.	618.	627.	639.	704.	770.
	72"	2.1	<b>RWHDHTB72H2( )</b>	488.	544.	598.	654.	667.	678.	690.	762.	835.
	78"	2.3	<b>RWHDHTB78H2( )</b>	520.	581.	642.	702.	717.	728.	740.	820.	900.
	84"	2.5	<b>RWHDHTB84H2( )</b>	551.	619.	684.	751.	764.	778.	792.	879.	964.
	90"	2.6	<b>RWHDHTB90H2( )</b>	575.	644.	711.	780.	795.	809.	825.	913.	1,003.
	96"	2.8	<b>RWHDHTB96H2( )</b>	606.	681.	754.	829.	843.	860.	876.	971.	1,067.

Order Code	Specification Information	Application Notes
Example: <b>RWHDHTB30H2( )</b>	To order please specify pattern number including: 1. Finish: Fabric	H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets.  All fabric to be applied rail roaded as current tackboards.
<b>R</b> Reff		
<b>WH</b> Wall hung		
<b>DH</b> Desk height planning		
<b>TB</b> Tackboard		
<b>30</b> Width		
<b>H2</b> 29 <sup>3</sup> / <sub>4</sub> " high		
<b>W281</b> Fabric selection		

Y = Yardage required


Tackboards  
*H3 37<sup>7</sup>/<sub>8</sub>" high*  
*Wall hung, fabric*

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30"	1.0	<b>RWHDHTB30H3()</b>	\$309.	\$335.	\$363.	\$389.	\$394.	\$400.	\$406.	\$441.	\$476.
	36"	1.1	<b>RWHDHTB36H3()</b>	334.	364.	392.	422.	428.	434.	440.	479.	518.
	42"	1.3	<b>RWHDHTB42H3()</b>	369.	404.	438.	472.	479.	486.	494.	540.	586.
	48"	1.5	<b>RWHDHTB48H3()</b>	406.	444.	484.	523.	532.	540.	548.	601.	653.
	54"	1.6	<b>RWHDHTB54H3()</b>	430.	472.	514.	555.	566.	575.	583.	640.	695.
	60"	1.8	<b>RWHDHTB60H3()</b>	466.	513.	561.	607.	618.	628.	639.	701.	762.
	66"	1.9	<b>RWHDHTB66H3()</b>	489.	540.	590.	641.	651.	660.	672.	737.	803.
	72"	2.1	<b>RWHDHTB72H3()</b>	525.	581.	635.	672.	683.	694.	705.	799.	870.
	78"	2.3	<b>RWHDHTB78H3()</b>	561.	622.	682.	743.	756.	768.	781.	860.	939.
	84"	2.5	<b>RWHDHTB84H3()</b>	596.	661.	729.	795.	808.	823.	836.	921.	1,008.
	90"	2.6	<b>RWHDHTB90H3()</b>	621.	690.	757.	827.	840.	855.	869.	959.	1,048.
	96"	2.8	<b>RWHDHTB96H3()</b>	656.	730.	804.	878.	893.	909.	924.	1,020.	1,116.

Order Code	Specification Information	Application Notes
Example: <b>RWHDHTB30H3()</b>	To order please specify pattern number including: 1. Finish: Fabric	H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick desk height worksurface.  All fabric to be applied rail roaded as current tackboards.
<b>R</b> Reff		
<b>WH</b> Wall hung		
<b>DH</b> Desk height planning		
<b>TB</b> Tackboard		
<b>30</b> Width		
<b>H3</b> 37 <sup>7</sup> / <sub>8</sub> " high		
<b>W281</b> Fabric selection		

Y = Yardage required

Tackboards  
*H4 44 1/2" high*  
*Wall hung, fabric*


description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30"	1.0	<b>RWHDHTB30H4()</b>	\$322.	\$349.	\$375.	\$402.	\$408.	\$413.	\$418.	\$454.	\$490.
	36"	1.1	<b>RWHDHTB36H4()</b>	350.	379.	408.	437.	443.	448.	457.	494.	532.
	42"	1.3	<b>RWHDHTB42H4()</b>	388.	422.	458.	490.	498.	505.	513.	558.	603.
	48"	1.5	<b>RWHDHTB48H4()</b>	425.	465.	505.	544.	552.	561.	570.	622.	674.
	54"	1.6	<b>RWHDHTB54H4()</b>	453.	496.	538.	580.	589.	597.	606.	661.	718.
	60"	1.8	<b>RWHDHTB60H4()</b>	490.	538.	586.	632.	643.	653.	664.	726.	787.
	66"	1.9	<b>RWHDHTB66H4()</b>	518.	569.	619.	669.	680.	690.	700.	765.	832.
	72"	2.1	<b>RWHDHTB72H4()</b>	555.	613.	667.	723.	734.	745.	757.	830.	901.
	78"	2.3	<b>RWHDHTB78H4()</b>	594.	654.	717.	776.	789.	802.	814.	893.	971.
	84"	2.5	<b>RWHDHTB84H4()</b>	631.	697.	763.	830.	843.	857.	870.	957.	1,042.
	90"	2.6	<b>RWHDHTB90H4()</b>	658.	728.	797.	865.	880.	895.	909.	998.	1,086.
	96"	2.8	<b>RWHDHTB96H4()</b>	696.	771.	843.	917.	934.	950.	964.	1,060.	1,155.

Order Code	Specification Information	Application Notes
Example: <b>RWHDHTB30H4()</b>	To order please specify pattern number including: 1. Finish: Fabric	H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for 3/4" height cabinet.  All fabric to be applied rail roaded as current tackboards.
<b>R</b> Reff		
<b>WH</b> Wall hung		
<b>DH</b> Desk height planning		
<b>TB</b> Tackboard		
<b>30</b> Width		
<b>H4</b> 44 1/2" high		
<b>W281</b> Fabric selection		

Y = Yardage required



Tackboards  
*H5 42<sup>5</sup>/<sub>8</sub>" high*  
*Wall hung, fabric*

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30"	1.0	<b>RWHDHTB30H5()</b>	\$319.	\$345.	\$371.	\$398.	\$404.	\$410.	\$415.	\$451.	\$486.
	36"	1.1	<b>RWHDHTB36H5()</b>	347.	374.	405.	433.	439.	444.	451.	490.	529.
	42"	1.3	<b>RWHDHTB42H5()</b>	383.	416.	451.	485.	493.	499.	508.	552.	598.
	48"	1.5	<b>RWHDHTB48H5()</b>	420.	460.	499.	539.	547.	554.	564.	617.	669.
	54"	1.6	<b>RWHDHTB54H5()</b>	446.	489.	531.	574.	582.	591.	599.	655.	710.
	60"	1.8	<b>RWHDHTB60H5()</b>	483.	531.	578.	626.	635.	646.	655.	719.	780.
	66"	1.9	<b>RWHDHTB66H5()</b>	511.	561.	610.	659.	671.	682.	693.	758.	824.
	72"	2.1	<b>RWHDHTB72H5()</b>	547.	603.	657.	713.	726.	736.	749.	821.	893.
	78"	2.3	<b>RWHDHTB78H5()</b>	584.	645.	705.	765.	779.	791.	804.	884.	962.
	84"	2.5	<b>RWHDHTB84H5()</b>	622.	687.	754.	820.	834.	847.	861.	946.	1,032.
	90"	2.6	<b>RWHDHTB90H5()</b>	648.	718.	786.	854.	868.	883.	898.	987.	1,074.
	96"	2.8	<b>RWHDHTB96H5()</b>	686.	759.	834.	907.	921.	939.	954.	1,049.	1,145.

Order Code	Specification Information	Application Notes
Example: <b>RWHDHTB30H5()</b>	To order please specify pattern number including;	H5 Height = Top of Single high overhead to top of 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Finish: Fabric	All fabric to be applied rail roaded as current tackboards.
<b>WH</b> Wall hung		
<b>DH</b> Desk height planning		
<b>TB</b> Tackboard		
<b>30</b> Width		
<b>H5</b> 42 <sup>5</sup> / <sub>8</sub> " high		
<b>W281</b> Fabric selection		

Y = Yardage required

### Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

### Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

### Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

### Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".



Bracket and frame paint finish codes with suffix "T" indicate textured.

### Construction


Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.

Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.





For applications with work surface 26 1/2" off the floor



For applications with work surface 28 3/8" off the floor

Desk Screens  
*Fabric*  
 For 42" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon 	24"	1 1/4"	20"	<b>YPSB2024F</b>	\$604.	\$634.	\$666.	\$696.	\$725.
	27"	1 1/4"	20"	<b>YPSB2027F</b>	622.	652.	683.	714.	745.
	30"	1 1/4"	20"	<b>YPSB2030F</b>	638.	671.	702.	735.	766.
	36"	1 1/4"	20"	<b>YPSB2036F</b>	711.	746.	782.	818.	853.
	42"	1 1/4"	20"	<b>YPSB2042F</b>	739.	776.	812.	850.	887.
	48"	1 1/4"	20"	<b>YPSB2048F</b>	761.	799.	837.	875.	913.
	54"	1 1/4"	20"	<b>YPSB2054F</b>	818.	859.	898.	940.	980.
	60"	1 1/4"	20"	<b>YPSB2060F</b>	867.	911.	955.	998.	1,041.
	66"	1 1/4"	20"	<b>YPSB2066FRR</b>	907.	953.	998.	1,043.	1,088.
	72"	1 1/4"	20"	<b>YPSB2072FRR</b>	935.	981.	1,029.	1,074.	1,122.
Fabric Screens with Half Modesty For Desks, 42" High Horizon 	24"	1 1/4"	32"	<b>YPSB3224F</b>	700.	735.	770.	805.	840.
	27"	1 1/4"	32"	<b>YPSB3227F</b>	750.	788.	825.	863.	899.
	30"	1 1/4"	32"	<b>YPSB3230F</b>	773.	811.	850.	889.	927.
	36"	1 1/4"	32"	<b>YPSB3236F</b>	873.	917.	960.	1,004.	1,047.
	42"	1 1/4"	32"	<b>YPSB3242F</b>	924.	970.	1,016.	1,062.	1,108.
	48"	1 1/4"	32"	<b>YPSB3248F</b>	929.	976.	1,022.	1,069.	1,115.
	54"	1 1/4"	32"	<b>YPSB3254F</b>	1,007.	1,058.	1,108.	1,158.	1,209.
	60"	1 1/4"	32"	<b>YPSB3260F</b>	1,091.	1,147.	1,201.	1,255.	1,309.
	66"	1 1/4"	32"	<b>YPSB3266FRR</b>	1,242.	1,305.	1,367.	1,429.	1,491.
	72"	1 1/4"	32"	<b>YPSB3272FRR</b>	1,309.	1,376.	1,441.	1,506.	1,571.

**Ordering Information**

**Desk Screens**

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

**Order Code**

**Desk Screens**

*Example:* **YPSB2048F, W351, 118T, 118T**

<b>YPSB</b>	Desk Screen
<b>20</b>	Height
<b>48</b>	Width
<b>F</b>	Fabric
<b>W351</b>	Foundation
<b>W351</b>	Foundation
<b>118T</b>	Bright White Paint
<b>118T</b>	Bright White Paint

**Included With**

**Desk Screens**  
 Brackets  
 Hardware


**Options**


**Desk Screens**

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

(RR) Fabric is applied railroaded

Desk Screens  
Fabric  
For 49" High Horizon



description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon 	24"	1 1/4"	26"	<b>YPSB2624F</b>	\$660.	\$694.	\$726.	\$760.	\$792.
	27"	1 1/4"	26"	<b>YPSB2627F</b>	688.	722.	758.	791.	826.
	30"	1 1/4"	26"	<b>YPSB2630F</b>	705.	741.	776.	811.	847.
	36"	1 1/4"	26"	<b>YPSB2636F</b>	789.	828.	868.	908.	947.
	42"	1 1/4"	26"	<b>YPSB2642F</b>	828.	869.	911.	953.	995.
	48"	1 1/4"	26"	<b>YPSB2648F</b>	890.	935.	979.	1,023.	1,068.
	54"	1 1/4"	26"	<b>YPSB2654F</b>	952.	1,000.	1,046.	1,094.	1,143.
	60"	1 1/4"	26"	<b>YPSB2660F</b>	992.	1,040.	1,090.	1,140.	1,189.
	66"	1 1/4"	26"	<b>YPSB2666FRR</b>	1,036.	1,087.	1,140.	1,191.	1,242.
	72"	1 1/4"	26"	<b>YPSB2672FRR</b>	1,081.	1,133.	1,189.	1,242.	1,297.

Fabric Screens with Half Modesty For Desks, 49" High Horizon 	24"	1 1/4"	38"	<b>YPSB3824F</b>	756.	794.	831.	868.	907.
	27"	1 1/4"	38"	<b>YPSB3827F</b>	811.	852.	893.	934.	974.
	30"	1 1/4"	38"	<b>YPSB3830F</b>	833.	875.	918.	959.	1,001.
	36"	1 1/4"	38"	<b>YPSB3836F</b>	952.	1,000.	1,046.	1,094.	1,143.
	42"	1 1/4"	38"	<b>YPSB3842F</b>	1,007.	1,058.	1,108.	1,158.	1,209.
	48"	1 1/4"	38"	<b>YPSB3848F</b>	1,086.	1,142.	1,194.	1,248.	1,303.
	54"	1 1/4"	38"	<b>YPSB3854F</b>	1,143.	1,199.	1,256.	1,312.	1,370.
	60"	1 1/4"	38"	<b>YPSB3860F</b>	1,203.	1,264.	1,324.	1,384.	1,444.
	66"	1 1/4"	38"	<b>YPSB3866FRR</b>	1,349.	1,416.	1,484.	1,551.	1,618.
	72"	1 1/4"	38"	<b>YPSB3872FRR</b>	1,421.	1,494.	1,564.	1,635.	1,707.

Accessories and Client Samples

Ordering Information	Order Code	Included With	Options
<b>Desk Screens</b>	<b>Desk Screens</b>	<b>Desk Screens</b>	<b>Desk Screens</b>
1. Pattern Number	<i>Example:</i> <b>YPSB2648F, W351, 118T, 118T</b>	Brackets	The price of screens specified with a combination of fabrics is the higher of the two fabric grades.
2. Inside Fabric Finish	<b>YPSB</b> Desk Screen	Hardware	
3. Outside Fabric Finish	<b>26</b> Height		(RR) Fabric is applied railroaded
4. Frame Paint Finish	<b>48</b> Width		
5. Bracket Paint Finish	<b>F</b> Fabric		
	<b>W351</b> Foundation		
	<b>W351</b> Foundation		
	<b>118T</b> Bright White Paint		
	<b>118T</b> Bright White Paint		

Desk Screens  
Laminate, Markerboard or Veneer  
For 42" High Horizon

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon 	24"	3/4"	20"	<b>YPSB2024( )</b>	\$247.	\$427.	\$474.	\$545.	\$709.
	27"	3/4"	20"	<b>YPSB2027( )</b>	252.	432.	483.	557.	723.
	30"	3/4"	20"	<b>YPSB2030( )</b>	254.	434.	495.	569.	740.
	36"	3/4"	20"	<b>YPSB2036( )</b>	285.	548.	516.	593.	773.
	42"	3/4"	20"	<b>YPSB2042( )</b>	291.	553.	555.	637.	828.
	48"	3/4"	20"	<b>YPSB2048( )</b>	376.	886.	580.	667.	865.
	54"	3/4"	20"	<b>YPSB2054( )</b>	383.	892.	601.	692.	898.
	60"	3/4"	20"	<b>YPSB2060( )</b>	388.	897.	650.	747.	973.
	66"	3/4"	20"	<b>YPSB2066( )</b>	395.	904.	679.	781.	1,015.
	72"	3/4"	20"	<b>YPSB2072( )</b>	401.	910.	701.	806.	1,046.
Screens with Half Modesty For Desks, 42" High Horizon 	24"	3/4"	32"	<b>YPSB3224( )</b>	277.	656.	551.	633.	824.
	27"	3/4"	32"	<b>YPSB3227( )</b>	283.	660.	574.	661.	861.
	30"	3/4"	32"	<b>YPSB3230( )</b>	322.	666.	592.	681.	886.
	36"	3/4"	32"	<b>YPSB3236( )</b>	379.	889.	627.	720.	937.
	42"	3/4"	32"	<b>YPSB3242( )</b>	388.	897.	687.	790.	1,028.
	48"	3/4"	32"	<b>YPSB3248( )</b>	409.	1,556.	720.	828.	1,078.
	54"	3/4"	32"	<b>YPSB3254( )</b>	417.	1,564.	761.	875.	1,139.
	60"	3/4"	32"	<b>YPSB3260( )</b>	569.	1,570.	840.	965.	1,255.
	66"	3/4"	32"	<b>YPSB3266( )</b>	580.	1,579.	881.	1,012.	1,315.
	72"	3/4"	32"	<b>YPSB3272( )</b>	588.	1,590.	913.	1,049.	1,366.

Ordering Information

- Desk Screens**  
1. Pattern Number  
2. Surface Finish  
3. Bracket Paint Finish

Order Code

**Desk Screens**  
*Example:* **YPSB2048V, V316, 118T**  
**YPSB** Desk Screen  
**20** Height  
**48** Width  
**V** Veneer  
**V316** Maple  
**118T** Bright White Paint

Included With

**Desk Screens**  
Brackets  
Hardware

Options


**Desk Screens**  
**Finish Options:**  
(L)= Laminate  
(LM)= Markerboard  
(V)= Veneer

# Desk Screens


## Laminate, Markerboard or Veneer

### For 49" High Horizon

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon	24"	3/4"	26"	<b>YPSB2624( )</b>	\$270.	\$649.	\$526.	\$605.	\$787.
	27"	3/4"	26"	<b>YPSB2627( )</b>	274.	654.	539.	621.	807.
	30"	3/4"	26"	<b>YPSB2630( )</b>	278.	657.	562.	647.	841.
	36"	3/4"	26"	<b>YPSB2636( )</b>	286.	666.	590.	678.	883.
	42"	3/4"	26"	<b>YPSB2642( )</b>	328.	673.	639.	735.	955.
	48"	3/4"	26"	<b>YPSB2648( )</b>	359.	1,543.	674.	776.	1,008.
	54"	3/4"	26"	<b>YPSB2654( )</b>	366.	1,551.	702.	806.	1,048.
	60"	3/4"	26"	<b>YPSB2660( )</b>	386.	1,557.	781.	898.	1,167.
	66"	3/4"	26"	<b>YPSB2666( )</b>	394.	1,566.	809.	930.	1,210.
	72"	3/4"	26"	<b>YPSB2672( )</b>	505.	1,571.	837.	963.	1,252.



Screens with Half Modesty For Desks, 49" High Horizon	24"	3/4"	38"	<b>YPSB3824( )</b>	321.	666.	588.	676.	879.
	27"	3/4"	38"	<b>YPSB3827( )</b>	326.	670.	608.	700.	909.
	30"	3/4"	38"	<b>YPSB3830( )</b>	330.	675.	628.	721.	938.
	36"	3/4"	38"	<b>YPSB3836( )</b>	390.	898.	676.	777.	1,011.
	42"	3/4"	38"	<b>YPSB3842( )</b>	403.	910.	743.	855.	1,112.
	48"	3/4"	38"	<b>YPSB3848( )</b>	500.	1,567.	783.	900.	1,171.
	54"	3/4"	38"	<b>YPSB3854( )</b>	512.	1,578.	830.	955.	1,241.
	60"	3/4"	38"	<b>YPSB3860( )</b>	588.	1,590.	937.	1,077.	1,400.
	66"	3/4"	38"	<b>YPSB3866( )</b>	598.	1,601.	983.	1,131.	1,471.
	72"	3/4"	38"	<b>YPSB3872( )</b>	609.	1,611.	1,024.	1,178.	1,531.




Accessories and Client Samples

Ordering Information	Order Code	Included With	Options
<b>Desk Screens</b>	<b>Desk Screens</b>	<b>Desk Screens</b>	<b>Desk Screens</b>
1. Pattern Number	<i>Example:</i> <b>YPSB2648V, V316,</b>	Brackets	<b>Finish Options:</b>
2. Surface Finish	<b>118T</b>	Hardware	(L)= Laminate
3. Bracket Paint Finish	<b>YPSB</b> Desk Screen		(LM)= Markerboard
	<b>26</b> Height		(V)= Veneer
	<b>48</b> Width		
	<b>V</b> Veneer		
	<b>V316</b> Maple		
	<b>118T</b> Bright White Paint		


description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30" and 36"	30"	10"	<b>RDTC3010( )</b>	\$888.	\$1,110.	\$1,276.	\$1,658.
	36"	10"	<b>RDTC3610( )</b>	1,003.	1,119.	1,288.	1,673.



Desk Top Cubbies 60" and 72"	60"	10"	<b>RDTC6010( )</b>	1,090.	1,362.	1,566.	2,036.
	72"	10"	<b>RDTC7210( )</b>	1,112.	1,390.	1,598.	2,078.



Desk Top Cubbies Open	60"	10"	<b>RDTCO6010( )</b>	1,204.	1,506.	1,731.	2,251.
	72"	10"	<b>RDTCO7210( )</b>	1,221.	1,526.	1,754.	2,281.



Wall Mounted Cubbies 30" and 36"	30"	10"	<b>RRMC3010( )</b>	973.	1,217.	1,399.	1,819.
	36"	10"	<b>RRMC3610( )</b>	983.	1,227.	1,412.	1,835.




Wall Mounted Cubbies 60" and 72"	60"	10"	<b>RRMC6010( )</b>	1,120.	1,399.	1,611.	2,095.
	72"	10"	<b>RRMC7210( )</b>	1,143.	1,429.	1,643.	2,137.



Under Mounted Cubbies 30" and 36"	30"	10"	<b>RUMC3010( )</b>	941.	1,177.	1,354.	1,760.
	36"	10"	<b>RUMC3610( )</b>	953.	1,191.	1,370.	1,780.



Under Mounted Cubbies 60" and 72"	60"	10"	<b>RUMC6010( )</b>	1,069.	1,335.	1,536.	1,998.
	72"	10"	<b>RUMC7210( )</b>	1,096.	1,369.	1,575.	2,047.



### Order Code

Example: <b>RDTC3010( ) ( )</b>	
<b>R</b>	Reff
<b>DT</b>	Desk Top
<b>C</b>	Cubby
<b>30</b>	Width
<b>10</b>	Depth
	Finish

### Specification Information

To order please specify pattern number including:

1. Finish:  
Laminate or wood

### Application Notes

Installation instruction sheets available on Knoll Exchange.

For Wall Mounted cubbies, please refer to reference number 6TP00086.

For Under Mounted cubbies, please refer to reference number 6TP00087.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

**Wall Mounting Suggestions**

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

**NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.**

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.



	EXISTING CONSTRUCTION					
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
<b>Stud Specification</b>	Wood studs, grade #2 or better, 3 1/2" minimum width, <b>OR</b> Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
<b>Stud Centers</b>	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
<b>Stud Height</b>	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above  Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above  Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
<b>Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*</b>	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, <b>and beyond to the next stud.</b>  Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer)  Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
<b>*Graham Wall Hung Shelf</b>	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
<b>Fasten the Knoll supplied wall cleat with...</b>	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

# Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	220	R2APT3448	79	R2ES79(A/B/C/E)(4/6)(E/N)	109	R3120Y64	108
ASBC24 (L/R)	220	R2APT4218	79	R2HK0008	111	R3120Y79	108
ML4L17	280	R2APT4220	79	R2HK0015	111	R3135V34F	107
ML4L31	280	R2APT4224	79	R2HK0034	111	R3135V34T	107
ML4L44	280	R2APT4230	79	R2HK0042	111	R3135V42F	107
ML4L58	280	R2APT4236	79	R2HK0049	111	R3135V42T	107
MN2SO20	278	R2APT4242	79	R2HK0064	111	R3135V49F	107
MN2SO21	278	R2APT4248	79	R2HK0079	111	R3135V49T	107
MWM-J	279	R2APT4918	79	R2HKB042	111	R3135V64F	107
R113B	222	R2APT4920	79	R2HKB049	111	R3135V64T	107
R234PKIT	117	R2APT4924	79	R2HKB064	111	R3135V79F	107
R2AETK34	80	R2APT4930	79	R2HKB079	111	R3135V79T	107
R2AETK42	80	R2APT4936	79	R2HL3442ES(A/B/C/E)	109	R334PKIT	117
R2AETK49	80	R2APT4942	79	R2HL3442(F)CS	110	R3AK	117
R2AETK64	80	R2APT4948	79	R2HL3449ES(A/B/C/E)	109	R3BOPAA42 18	18
R2AETK79	80	R2APT6418	79	R2HL3449(F)CS	110	R3BOPAA42 20	18
R2AHBW18	81	R2APT6420	79	R2HL3464ES(A/B/C/E)	109	R3BOPAA42 24	18
R2AHBW20	81	R2APT6424	79	R2HL3464(F/T)CS	110	R3BOPAA42 30	18
R2AHBW24	81	R2APT6430	79	R2HL3479ES(A/B/C/E)	109	R3BOPAA42 36	18
R2AHBW30	81	R2APT6436	79	R2HL3479(F/T)CS	110	R3BOPAA42 42	18
R2AHBW36	81	R2APT6442	79	R2HL4249ES(A/B/C/E)	109	R3BOPAA42 48	18
R2AHBW42	81	R2APT6448	79	R2HL4249ETS(A/B/C/E)	110	R3BOPAA42 60	18
R2AHBW48	81	R2APT7918	80	R2HL4249(F)CS	110	R3BOPAA42 66	18
R2AHCR34	80	R2APT7920	80	R2HL4264ES(A/B/C/E)	109	R3BOPAA42 72	18
R2AHCR42	80	R2APT7924	80	R2HL4264ETS(A/B/C/E)	110	R3BOPAA49 18	25
R2AHCR49	80	R2APT7930	80	R2HL4264(F/T)CS	110	R3BOPAA49 20	25
R2AHCR64	80	R2APT7936	80	R2HL4279ES(A/B/C/E)	109	R3BOPAA49 24	25
R2AHCR79	80	R2APT7942	80	R2HL4279ETS(A/B/C/E)	110	R3BOPAA49 30	25
R2AHSR18	81	R2APT7948	80	R2HL4279(F/T)CS	110	R3BOPAA49 36	25
R2AHSR20	81	R2ATPK34	80	R2HL4964ES(A/B/C/E)	109	R3BOPAA49 42	25
R2AHSR24	81	R2ATPK42	80	R2HL4964(F)CS	110	R3BOPAA49 48	25
R2AHSR30	81	R2ATPK49	80	R2HL4979ES(A/B/C/E)	109	R3BOPAA49 60	25
R2AHSR36	81	R2ATPK64	80	R2HL4979(F/T)CS	110	R3BOPAA49 66	25
R2AHSR42	81	R2ATPK79	80	R2HL6479ES(A/B/C/E)	109	R3BOPAA49 72	25
R2AHSR48	81	R2BOTWA34 18	47	R2HL6479(F)CS	110	R3BOPAA64 18	32
R2AHTR18	81	R2BOTWA34 20	47	R2L42C(F/T)(F/T)-(4/6)	112	R3BOPAA64 20	32
R2AHTR20	81	R2BOTWA34 24	47	R2L49C(F/T)(F/T)-(4/6)	112	R3BOPAA64 24	32
R2AHTR24	81	R2BOTWA34 30	47	R2L64C(F/T)(F/T)-(4/6)	112	R3BOPAA64 30	32
R2AHTR30	81	R2BOTWA34 36	47	R2L79C(F/T)(F/T)-(4/6)	112	R3BOPAA64 36	32
R2AHTR36	81	R2BOTWA34 42	47	R2S42C(F/T)(F/T)-(4/6)	113	R3BOPAA64 42	32
R2AHTR42	81	R2BOTWA34 48	47	R2S49C(F/T)(F/T)-(4/6)	113	R3BOPAA64 48	32
R2AHTR48	81	R2BOTWB34 30	47	R2S64C(F/T)(F/T)-(4/6)	113	R3BOPAA64 60	32
R2AHWR18	81	R2BOTWB34 36	47	R2S79C(F/T)(F/T)-(4/6)	113	R3BOPAA64 66	32
R2AHWR20	81	R2BOTWB34 42	47	R2SWS0008	114	R3BOPAA64 72	32
R2AHWR24	81	R2BOTWB34 48	47	R2SWS0015	114	R3BOPAA79 18	39
R2AHWR30	81	R2BOTWC34 18	47	R2SWS0034	114	R3BOPAA79 20	39
R2AHWR36	81	R2BOTWC34 20	47	R2SWS0042	114	R3BOPAA79 24	39
R2AHWR42	81	R2BOTWC34 24	47	R2SWS0049	114	R3BOPAA79 30	39
R2AHWR48	81	R2BOTWC34 30	47	R2SWS0064	114	R3BOPAA79 36	39
R2AK	117	R2BOTWC34 36	47	R2SWS0079	114	R3BOPAA79 42	39
R2ALPK34	80	R2BOTWC34 42	47	R2T42C(F/T)-(4/6)	112	R3BOPAA79 48	39
R2ALPK42	80	R2BOTWC34 48	47	R2T49C(F/T)-(4/6)	112	R3BOPAA79 60	39
R2ALPK49	80	R2CCG	117	R2T64C(F/T)-(4/6)	112	R3BOPAA79 66	39
R2ALPK64	80	R2DLS7936	116	R2T79C(F/T)-(4/6)	112	R3BOPAA79 72	39
R2ALPK79	80	R2DLS7942	116	R2X42C	112	R3BOPF13418	14
R2APT3418	79	R2DRS7936	116	R2X49C	112	R3BOPF13420	14
R2APT3420	79	R2DRS7942	116	R2X64C	112	R3BOPF13424	14
R2APT3424	79	R2ES34(A/B/C/E)(4/6)(E/N)	109	R2X79C	112	R3BOPF13430	14
R2APT3430	79	R2ES42(A/B/C/E)(4/6)(E/N)	109	R3120Y34	108	R3BOPF13436	14
R2APT3436	79	R2ES49(A/B/C/E)(4/6)(E/N)	109	R3120Y42	108	R3BOPF13442	14
R2APT3442	79	R2ES64(A/B/C/E)(4/6)(E/N)	109	R3120Y49	108	R3BOPF13448	14

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF142 18	21	R3BOPF249 66	29	R3BOPF379 48	44	R3BOPFL42 60	20
R3BOPF142 20	21	R3BOPF249 72	29	R3BOPF379 60	44	R3BOPFL42 66	20
R3BOPF142 24	21	R3BOPF264 18	36	R3BOPF379 66	44	R3BOPFL42 72	20
R3BOPF142 30	21	R3BOPF264 20	36	R3BOPF379 72	44	R3BOPFL49 18	27
R3BOPF142 36	21	R3BOPF264 24	36	R3BOPFF3418	12	R3BOPFL49 20	27
R3BOPF142 42	21	R3BOPF264 30	36	R3BOPFF3420	12	R3BOPFL49 24	27
R3BOPF142 48	21	R3BOPF264 36	36	R3BOPFF3424	12	R3BOPFL49 30	27
R3BOPF142 60	21	R3BOPF264 42	36	R3BOPFF3430	12	R3BOPFL49 36	27
R3BOPF142 66	21	R3BOPF264 48	36	R3BOPFF3436	12	R3BOPFL49 42	27
R3BOPF142 72	21	R3BOPF264 60	36	R3BOPFF3442	12	R3BOPFL49 48	27
R3BOPF149 18	28	R3BOPF264 66	36	R3BOPFF3448	12	R3BOPFL49 60	27
R3BOPF149 20	28	R3BOPF264 72	36	R3BOPFF42 18	18	R3BOPFL49 66	27
R3BOPF149 24	28	R3BOPF279 18	43	R3BOPFF42 20	18	R3BOPFL49 72	27
R3BOPF149 30	28	R3BOPF279 20	43	R3BOPFF42 24	18	R3BOPFL64 18	34
R3BOPF149 36	28	R3BOPF279 24	43	R3BOPFF42 30	18	R3BOPFL64 20	34
R3BOPF149 42	28	R3BOPF279 30	43	R3BOPFF42 36	18	R3BOPFL64 24	34
R3BOPF149 48	28	R3BOPF279 36	43	R3BOPFF42 42	18	R3BOPFL64 30	34
R3BOPF149 60	28	R3BOPF279 42	43	R3BOPFF42 48	18	R3BOPFL64 36	34
R3BOPF149 66	28	R3BOPF279 48	43	R3BOPFF42 60	18	R3BOPFL64 42	34
R3BOPF149 72	28	R3BOPF279 60	43	R3BOPFF42 66	18	R3BOPFL64 48	34
R3BOPF164 18	35	R3BOPF279 66	43	R3BOPFF42 72	18	R3BOPFL64 60	34
R3BOPF164 20	35	R3BOPF279 72	43	R3BOPFF49 18	25	R3BOPFL64 66	34
R3BOPF164 24	35	R3BOPF334 18	16	R3BOPFF49 20	25	R3BOPFL64 72	34
R3BOPF164 30	35	R3BOPF334 20	16	R3BOPFF49 24	25	R3BOPFL79 18	41
R3BOPF164 36	35	R3BOPF334 24	16	R3BOPFF49 30	25	R3BOPFL79 20	41
R3BOPF164 42	35	R3BOPF334 30	16	R3BOPFF49 36	25	R3BOPFL79 24	41
R3BOPF164 48	35	R3BOPF334 36	16	R3BOPFF49 42	25	R3BOPFL79 30	41
R3BOPF164 60	35	R3BOPF334 42	16	R3BOPFF49 48	25	R3BOPFL79 36	41
R3BOPF164 66	35	R3BOPF334 48	16	R3BOPFF49 60	25	R3BOPFL79 42	41
R3BOPF164 72	35	R3BOPF342 18	23	R3BOPFF49 66	25	R3BOPFL79 48	41
R3BOPF179 18	42	R3BOPF342 20	23	R3BOPFF49 72	25	R3BOPFL79 60	41
R3BOPF179 20	42	R3BOPF342 24	23	R3BOPFF64 18	32	R3BOPFL79 66	41
R3BOPF179 24	42	R3BOPF342 30	23	R3BOPFF64 20	32	R3BOPFL79 72	41
R3BOPF179 30	42	R3BOPF342 36	23	R3BOPFF64 24	32	R3BOPLL3418	17
R3BOPF179 36	42	R3BOPF342 42	23	R3BOPFF64 30	32	R3BOPLL3420	17
R3BOPF179 42	42	R3BOPF342 48	23	R3BOPFF64 36	32	R3BOPLL3424	17
R3BOPF179 48	42	R3BOPF342 60	23	R3BOPFF64 42	32	R3BOPLL3430	17
R3BOPF179 60	42	R3BOPF342 66	23	R3BOPFF64 48	32	R3BOPLL3436	17
R3BOPF179 66	42	R3BOPF342 72	23	R3BOPFF64 60	32	R3BOPLL3442	17
R3BOPF179 72	42	R3BOPF349 18	30	R3BOPFF64 66	32	R3BOPLL3448	17
R3BOPF234 18	15	R3BOPF349 20	30	R3BOPFF64 72	32	R3BOPLL4218	24
R3BOPF234 20	15	R3BOPF349 24	30	R3BOPFF79 18	39	R3BOPLL4220	24
R3BOPF234 24	15	R3BOPF349 30	30	R3BOPFF79 20	39	R3BOPLL4224	24
R3BOPF234 30	15	R3BOPF349 36	30	R3BOPFF79 24	39	R3BOPLL4230	24
R3BOPF234 36	15	R3BOPF349 42	30	R3BOPFF79 30	39	R3BOPLL4236	24
R3BOPF234 42	15	R3BOPF349 48	30	R3BOPFF79 36	39	R3BOPLL4242	24
R3BOPF234 48	15	R3BOPF349 60	30	R3BOPFF79 42	39	R3BOPLL4248	24
R3BOPF242 18	22	R3BOPF349 66	30	R3BOPFF79 48	39	R3BOPLL4260	24
R3BOPF242 20	22	R3BOPF349 72	30	R3BOPFF79 60	39	R3BOPLL4266	24
R3BOPF242 24	22	R3BOPF364 18	37	R3BOPFF79 66	39	R3BOPLL4272	24
R3BOPF242 30	22	R3BOPF364 20	37	R3BOPFF79 72	39	R3BOPLL4918	31
R3BOPF242 36	22	R3BOPF364 24	37	R3BOPFL3418	13	R3BOPLL4920	31
R3BOPF242 42	22	R3BOPF364 30	37	R3BOPFL3420	13	R3BOPLL4924	31
R3BOPF242 48	22	R3BOPF364 36	37	R3BOPFL3424	13	R3BOPLL4930	31
R3BOPF242 60	22	R3BOPF364 42	37	R3BOPFL3430	13	R3BOPLL4936	31
R3BOPF242 66	22	R3BOPF364 48	37	R3BOPFL3436	13	R3BOPLL4942	31
R3BOPF242 72	22	R3BOPF364 60	37	R3BOPFL3442	13	R3BOPLL4948	31
R3BOPF249 18	29	R3BOPF364 66	37	R3BOPFL3448	13	R3BOPLL4960	31
R3BOPF249 20	29	R3BOPF364 72	37	R3BOPFL42 18	20	R3BOPLL4966	31
R3BOPF249 24	29	R3BOPF379 18	44	R3BOPFL42 20	20	R3BOPLL4972	31
R3BOPF249 30	29	R3BOPF379 20	44	R3BOPFL42 24	20	R3BOPLL6418	38
R3BOPF249 36	29	R3BOPF379 24	44	R3BOPFL42 30	20	R3BOPLL6420	38
R3BOPF249 42	29	R3BOPF379 30	44	R3BOPFL42 36	20	R3BOPLL6424	38
R3BOPF249 48	29	R3BOPF379 36	44	R3BOPFL42 42	20	R3BOPLL6430	38
R3BOPF249 60	29	R3BOPF379 42	44	R3BOPFL42 48	20	R3BOPLL6436	38

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPLL6442	38	R3BOTF164 20	68	R3BOTF349 30	63	R3BOTFL42 42	53
R3BOPLL6448	38	R3BOTF164 24	68	R3BOTF349 36	63	R3BOTFL42 48	53
R3BOPLL6460	38	R3BOTF164 30	68	R3BOTF349 42	63	R3BOTFL49 18	60
R3BOPLL6466	38	R3BOTF164 36	68	R3BOTF349 48	63	R3BOTFL49 20	60
R3BOPLL6472	38	R3BOTF164 42	68	R3BOTF364 18	70	R3BOTFL49 24	60
R3BOPLL7918	45	R3BOTF164 48	68	R3BOTF364 20	70	R3BOTFL49 30	60
R3BOPLL7920	45	R3BOTF179 18	75	R3BOTF364 24	70	R3BOTFL49 36	60
R3BOPLL7924	45	R3BOTF179 20	75	R3BOTF364 30	70	R3BOTFL49 42	60
R3BOPLL7930	45	R3BOTF179 24	75	R3BOTF364 36	70	R3BOTFL49 48	60
R3BOPLL7936	45	R3BOTF179 30	75	R3BOTF364 42	70	R3BOTFL64 18	67
R3BOPLL7942	45	R3BOTF179 36	75	R3BOTF364 48	70	R3BOTFL64 20	67
R3BOPLL7948	45	R3BOTF179 42	75	R3BOTF379 18	77	R3BOTFL64 24	67
R3BOPLL7960	45	R3BOTF179 48	75	R3BOTF379 20	77	R3BOTFL64 30	67
R3BOPLL7966	45	R3BOTF234 18	49	R3BOTF379 24	77	R3BOTFL64 36	67
R3BOPLL7972	45	R3BOTF234 20	49	R3BOTF379 30	77	R3BOTFL64 42	67
R3BOTAA42 18	51	R3BOTF234 24	49	R3BOTF379 36	77	R3BOTFL64 48	67
R3BOTAA42 20	51	R3BOTF234 30	49	R3BOTF379 42	77	R3BOTFL79 18	74
R3BOTAA42 24	51	R3BOTF234 36	49	R3BOTF379 48	77	R3BOTFL79 20	74
R3BOTAA42 30	51	R3BOTF234 42	49	R3BOTFF34 18	46	R3BOTFL79 24	74
R3BOTAA42 36	51	R3BOTF234 48	49	R3BOTFF34 20	46	R3BOTFL79 30	74
R3BOTAA42 42	51	R3BOTF242 18	55	R3BOTFF34 24	46	R3BOTFL79 36	74
R3BOTAA42 48	51	R3BOTF242 20	55	R3BOTFF34 30	46	R3BOTFL79 42	74
R3BOTAA49 18	58	R3BOTF242 24	55	R3BOTFF34 36	46	R3BOTFL79 48	74
R3BOTAA49 20	58	R3BOTF242 30	55	R3BOTFF34 42	46	R3BOTLL3418	50
R3BOTAA49 24	58	R3BOTF242 36	55	R3BOTFF34 48	46	R3BOTLL3420	50
R3BOTAA49 30	58	R3BOTF242 42	55	R3BOTFF42 18	51	R3BOTLL3424	50
R3BOTAA49 36	58	R3BOTF242 48	55	R3BOTFF42 20	51	R3BOTLL3430	50
R3BOTAA49 42	58	R3BOTF249 18	62	R3BOTFF42 24	51	R3BOTLL3436	50
R3BOTAA49 48	58	R3BOTF249 20	62	R3BOTFF42 30	51	R3BOTLL3442	50
R3BOTAA64 18	65	R3BOTF249 24	62	R3BOTFF42 36	51	R3BOTLL3448	50
R3BOTAA64 20	65	R3BOTF249 30	62	R3BOTFF42 42	51	R3BOTLL4218	57
R3BOTAA64 24	65	R3BOTF249 36	62	R3BOTFF42 48	51	R3BOTLL4220	57
R3BOTAA64 30	65	R3BOTF249 42	62	R3BOTFF49 18	58	R3BOTLL4224	57
R3BOTAA64 36	65	R3BOTF249 48	62	R3BOTFF49 20	58	R3BOTLL4230	57
R3BOTAA64 42	65	R3BOTF264 18	69	R3BOTFF49 24	58	R3BOTLL4236	57
R3BOTAA64 48	65	R3BOTF264 20	69	R3BOTFF49 30	58	R3BOTLL4242	57
R3BOTAA79 18	72	R3BOTF264 24	69	R3BOTFF49 36	58	R3BOTLL4248	57
R3BOTAA79 20	72	R3BOTF264 30	69	R3BOTFF49 42	58	R3BOTLL4918	64
R3BOTAA79 24	72	R3BOTF264 36	69	R3BOTFF49 48	58	R3BOTLL4920	64
R3BOTAA79 30	72	R3BOTF264 42	69	R3BOTFF64 18	65	R3BOTLL4924	64
R3BOTAA79 36	72	R3BOTF264 48	69	R3BOTFF64 20	65	R3BOTLL4930	64
R3BOTAA79 42	72	R3BOTF279 18	76	R3BOTFF64 24	65	R3BOTLL4936	64
R3BOTAA79 48	72	R3BOTF279 20	76	R3BOTFF64 30	65	R3BOTLL4942	64
R3BOTF134 18	48	R3BOTF279 24	76	R3BOTFF64 36	65	R3BOTLL4948	64
R3BOTF134 20	48	R3BOTF279 30	76	R3BOTFF64 42	65	R3BOTLL6418	71
R3BOTF134 24	48	R3BOTF279 36	76	R3BOTFF64 48	65	R3BOTLL6420	71
R3BOTF134 30	48	R3BOTF279 42	76	R3BOTFF79 18	72	R3BOTLL6424	71
R3BOTF134 36	48	R3BOTF279 48	76	R3BOTFF79 20	72	R3BOTLL6430	71
R3BOTF134 42	48	R3BOTF334 18	49	R3BOTFF79 24	72	R3BOTLL6436	71
R3BOTF134 48	48	R3BOTF334 20	49	R3BOTFF79 30	72	R3BOTLL6442	71
R3BOTF142 18	54	R3BOTF334 24	49	R3BOTFF79 36	72	R3BOTLL6448	71
R3BOTF142 20	54	R3BOTF334 30	49	R3BOTFF79 42	72	R3BOTLL7918	78
R3BOTF142 24	54	R3BOTF334 36	49	R3BOTFF79 48	72	R3BOTLL7920	78
R3BOTF142 30	54	R3BOTF334 42	49	R3BOTFL34 18	48	R3BOTLL7924	78
R3BOTF142 36	54	R3BOTF334 48	49	R3BOTFL34 20	48	R3BOTLL7930	78
R3BOTF142 42	54	R3BOTF342 18	56	R3BOTFL34 24	48	R3BOTLL7936	78
R3BOTF142 48	54	R3BOTF342 20	56	R3BOTFL34 30	48	R3BOTLL7942	78
R3BOTF149 18	61	R3BOTF342 24	56	R3BOTFL34 36	48	R3BOTLL7948	78
R3BOTF149 20	61	R3BOTF342 30	56	R3BOTFL34 42	48	R3B1PF142 18	21
R3BOTF149 24	61	R3BOTF342 36	56	R3BOTFL34 48	48	R3B1PF142 20	21
R3BOTF149 30	61	R3BOTF342 42	56	R3BOTFL42 18	53	R3B1PF142 24	21
R3BOTF149 36	61	R3BOTF342 48	56	R3BOTFL42 20	53	R3B1PF142 30	21
R3BOTF149 42	61	R3BOTF349 18	63	R3BOTFL42 24	53	R3B1PF142 36	21
R3BOTF149 48	61	R3BOTF349 20	63	R3BOTFL42 30	53	R3B1PF142 42	21
R3BOTF164 18	68	R3BOTF349 24	63	R3BOTFL42 36	53	R3B1PF142 48	21

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF149 18	28	R3B1PF2A49 42	93	R3B1PFF64 48	33	R3B1TF149 18	61
R3B1PF149 20	28	R3B1PF2A49 48	93	R3B1PFF79 18	40	R3B1TF149 20	61
R3B1PF149 24	28	R3B1PF2B49 30	93	R3B1PFF79 20	40	R3B1TF149 24	61
R3B1PF149 30	28	R3B1PF2B49 36	93	R3B1PFF79 24	40	R3B1TF149 30	61
R3B1PF149 36	28	R3B1PF2B49 42	93	R3B1PFF79 30	40	R3B1TF149 36	61
R3B1PF149 42	28	R3B1PF2B49 48	93	R3B1PFF79 36	40	R3B1TF149 42	61
R3B1PF149 48	28	R3B1PF342 18	23	R3B1PFF79 42	40	R3B1TF149 48	61
R3B1PF164 18	35	R3B1PF342 20	23	R3B1PFF79 48	40	R3B1TF164 18	68
R3B1PF164 20	35	R3B1PF342 24	23	R3B1PFFA49 18	84	R3B1TF164 20	68
R3B1PF164 24	35	R3B1PF342 30	23	R3B1PFFA49 20	84	R3B1TF164 24	68
R3B1PF164 30	35	R3B1PF342 36	23	R3B1PFFA49 24	84	R3B1TF164 30	68
R3B1PF164 36	35	R3B1PF342 42	23	R3B1PFFA49 30	84	R3B1TF164 36	68
R3B1PF164 42	35	R3B1PF342 48	23	R3B1PFFA49 36	84	R3B1TF164 42	68
R3B1PF164 48	35	R3B1PF349 18	30	R3B1PFFA49 42	84	R3B1TF164 48	68
R3B1PF179 18	42	R3B1PF349 20	30	R3B1PFFA49 48	84	R3B1TF179 18	75
R3B1PF179 20	42	R3B1PF349 24	30	R3B1PFFB49 30	84	R3B1TF179 20	75
R3B1PF179 24	42	R3B1PF349 30	30	R3B1PFFB49 36	84	R3B1TF179 24	75
R3B1PF179 30	42	R3B1PF349 36	30	R3B1PFFB49 42	84	R3B1TF179 30	75
R3B1PF179 36	42	R3B1PF349 42	30	R3B1PFFB49 48	84	R3B1TF179 36	75
R3B1PF179 42	42	R3B1PF349 48	30	R3B1PFL42 18	20	R3B1TF179 42	75
R3B1PF179 48	42	R3B1PF364 18	37	R3B1PFL42 20	20	R3B1TF179 48	75
R3B1PFA49 18	90	R3B1PF364 20	37	R3B1PFL42 24	20	R3B1TF1A49 18	88
R3B1PFA49 20	90	R3B1PF364 24	37	R3B1PFL42 30	20	R3B1TF1A49 20	88
R3B1PFA49 24	90	R3B1PF364 30	37	R3B1PFL42 36	20	R3B1TF1A49 24	88
R3B1PFA49 30	90	R3B1PF364 36	37	R3B1PFL42 42	20	R3B1TF1A49 30	88
R3B1PFA49 36	90	R3B1PF364 42	37	R3B1PFL42 48	20	R3B1TF1A49 36	88
R3B1PFA49 42	90	R3B1PF364 48	37	R3B1PFL49 18	27	R3B1TF1A49 42	88
R3B1PFA49 48	90	R3B1PF379 18	44	R3B1PFL49 20	27	R3B1TF1A49 48	88
R3B1PFB49 30	90	R3B1PF379 20	44	R3B1PFL49 24	27	R3B1TF1B49 30	89
R3B1PFB49 36	90	R3B1PF379 24	44	R3B1PFL49 30	27	R3B1TF1B49 36	89
R3B1PFB49 42	90	R3B1PF379 30	44	R3B1PFL49 36	27	R3B1TF1B49 42	89
R3B1PFB49 48	90	R3B1PF379 36	44	R3B1PFL49 42	27	R3B1TF1B49 48	89
R3B1PF242 18	22	R3B1PF379 42	44	R3B1PFL49 48	27	R3B1TF242 18	55
R3B1PF242 20	22	R3B1PF379 48	44	R3B1PFL64 18	34	R3B1TF242 20	55
R3B1PF242 24	22	R3B1PF3A49 18	95	R3B1PFL64 20	34	R3B1TF242 24	55
R3B1PF242 30	22	R3B1PF3A49 20	95	R3B1PFL64 24	34	R3B1TF242 30	55
R3B1PF242 36	22	R3B1PF3A49 24	95	R3B1PFL64 30	34	R3B1TF242 36	55
R3B1PF242 42	22	R3B1PF3A49 30	95	R3B1PFL64 36	34	R3B1TF242 42	55
R3B1PF242 48	22	R3B1PF3A49 36	95	R3B1PFL64 42	34	R3B1TF242 48	55
R3B1PF249 18	29	R3B1PF3A49 42	95	R3B1PFL64 48	34	R3B1TF249 18	62
R3B1PF249 20	29	R3B1PF3A49 48	95	R3B1PFL79 18	41	R3B1TF249 20	62
R3B1PF249 24	29	R3B1PF3B49 30	95	R3B1PFL79 20	41	R3B1TF249 24	62
R3B1PF249 30	29	R3B1PF3B49 36	95	R3B1PFL79 24	41	R3B1TF249 30	62
R3B1PF249 36	29	R3B1PF3B49 42	95	R3B1PFL79 30	41	R3B1TF249 36	62
R3B1PF249 42	29	R3B1PF3B49 48	95	R3B1PFL79 36	41	R3B1TF249 42	62
R3B1PF249 48	29	R3B1PFF42 18	19	R3B1PFL79 42	41	R3B1TF249 48	62
R3B1PF264 18	36	R3B1PFF42 20	19	R3B1PFL79 48	41	R3B1TF264 18	69
R3B1PF264 20	36	R3B1PFF42 24	19	R3B1PFLA49 18	87	R3B1TF264 20	69
R3B1PF264 24	36	R3B1PFF42 30	19	R3B1PFLA49 20	87	R3B1TF264 24	69
R3B1PF264 30	36	R3B1PFF42 36	19	R3B1PFLA49 24	87	R3B1TF264 30	69
R3B1PF264 36	36	R3B1PFF42 42	19	R3B1PFLA49 30	87	R3B1TF264 36	69
R3B1PF264 42	36	R3B1PFF42 48	19	R3B1PFLA49 36	87	R3B1TF264 42	69
R3B1PF264 48	36	R3B1PFF49 18	26	R3B1PFLA49 42	87	R3B1TF264 48	69
R3B1PF279 18	43	R3B1PFF49 20	26	R3B1PFLA49 48	87	R3B1TF279 18	76
R3B1PF279 20	43	R3B1PFF49 24	26	R3B1PFLB49 30	87	R3B1TF279 20	76
R3B1PF279 24	43	R3B1PFF49 30	26	R3B1PFLB49 36	87	R3B1TF279 24	76
R3B1PF279 30	43	R3B1PFF49 36	26	R3B1PFLB49 42	87	R3B1TF279 30	76
R3B1PF279 36	43	R3B1PFF49 42	26	R3B1PFLB49 48	87	R3B1TF279 36	76
R3B1PF279 42	43	R3B1PFF49 48	26	R3B1TF142 18	54	R3B1TF279 42	76
R3B1PF279 48	43	R3B1PFF64 18	33	R3B1TF142 20	54	R3B1TF279 48	76
R3B1PF2A49 18	93	R3B1PFF64 20	33	R3B1TF142 24	54	R3B1TF2A49 18	91
R3B1PF2A49 20	93	R3B1PFF64 24	33	R3B1TF142 30	54	R3B1TF2A49 20	91
R3B1PF2A49 24	93	R3B1PFF64 30	33	R3B1TF142 36	54	R3B1TF2A49 24	91
R3B1PF2A49 30	93	R3B1PFF64 36	33	R3B1TF142 42	54	R3B1TF2A49 30	91
R3B1PF2A49 36	93	R3B1PFF64 42	33	R3B1TF142 48	54	R3B1TF2A49 36	91

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF2A49 42	91	R3BITFF64 48	66	R3B2PFF49 18	26	R3B2TFFA49 42	96
R3BITF2A49 48	91	R3BITFF79 18	73	R3B2PFF49 20	26	R3B2TFFA49 48	96
R3BITF2B49 30	92	R3BITFF79 20	73	R3B2PFF49 24	26	R3B2TFFB49 30	96
R3BITF2B49 36	92	R3BITFF79 24	73	R3B2PFF49 30	26	R3B2TFFB49 36	96
R3BITF2B49 42	92	R3BITFF79 30	73	R3B2PFF49 36	26	R3B2TFFB49 42	96
R3BITF2B49 48	92	R3BITFF79 36	73	R3B2PFF49 42	26	R3B2TFFB49 48	96
R3BITF342 18	56	R3BITFF79 42	73	R3B2PFF49 48	26	R3CRTT60	100
R3BITF342 20	56	R3BITFF79 48	73	R3B2PFF64 18	33	R3CRTT72	100
R3BITF342 24	56	R3BITFFA49 18	82	R3B2PFF64 20	33	R3CRTT84	100
R3BITF342 30	56	R3BITFFA49 20	82	R3B2PFF64 24	33	R3CRTT96	100
R3BITF342 36	56	R3BITFFA49 24	82	R3B2PFF64 30	33	R3FTCE104(F/T)(F/T)(F/T)	125
R3BITF342 42	56	R3BITFFA49 30	82	R3B2PFF64 36	33	R3FTCE108(F/T)(F/T)(F/T)	125
R3BITF342 48	56	R3BITFFA49 36	82	R3B2PFF64 42	33	R3FTCE120(F/T)(F/T)(F/T)	125
R3BITF349 18	63	R3BITFFA49 42	82	R3B2PFF64 48	33	R3FTCE21	125
R3BITF349 20	63	R3BITFFA49 48	82	R3B2PFF79 18	40	R3FTCE25	125
R3BITF349 24	63	R3BITFFB49 30	83	R3B2PFF79 20	40	R3FTCE37	125
R3BITF349 30	63	R3BITFFB49 36	83	R3B2PFF79 24	40	R3FTCF12118	121
R3BITF349 36	63	R3BITFFB49 42	83	R3B2PFF79 30	40	R3FTCF12120	121
R3BITF349 42	63	R3BITFFB49 48	83	R3B2PFF79 36	40	R3FTCF12124	121
R3BITF349 48	63	R3BITFL42 18	53	R3B2PFF79 42	40	R3FTCF12130	121
R3BITF364 18	70	R3BITFL42 20	53	R3B2PFF79 48	40	R3FTCF12136	121
R3BITF364 20	70	R3BITFL42 24	53	R3B2PFFA49 18	97	R3FTCF12142	121
R3BITF364 24	70	R3BITFL42 30	53	R3B2PFFA49 20	97	R3FTCF12148	121
R3BITF364 30	70	R3BITFL42 36	53	R3B2PFFA49 24	97	R3FTCF12518	122
R3BITF364 36	70	R3BITFL42 42	53	R3B2PFFA49 30	97	R3FTCF12520	122
R3BITF364 42	70	R3BITFL42 48	53	R3B2PFFA49 36	97	R3FTCF12524	122
R3BITF364 48	70	R3BITFL49 18	60	R3B2PFFA49 42	97	R3FTCF12530	122
R3BITF379 18	77	R3BITFL49 20	60	R3B2PFFA49 48	97	R3FTCF12536	122
R3BITF379 20	77	R3BITFL49 24	60	R3B2PFFB49 30	97	R3FTCF12542	122
R3BITF379 24	77	R3BITFL49 30	60	R3B2PFFB49 36	97	R3FTCF12548	122
R3BITF379 30	77	R3BITFL49 36	60	R3B2PFFB49 42	97	R3FTCF13718	124
R3BITF379 36	77	R3BITFL49 42	60	R3B2PFFB49 48	97	R3FTCF13720	124
R3BITF379 42	77	R3BITFL49 48	60	R3B2TFF42 18	52	R3FTCF13724	124
R3BITF379 48	77	R3BITTFL64 18	67	R3B2TFF42 20	52	R3FTCF13730	124
R3BITF3A49 18	94	R3BITTFL64 20	67	R3B2TFF42 24	52	R3FTCF13736	124
R3BITF3A49 20	94	R3BITTFL64 24	67	R3B2TFF42 30	52	R3FTCF13742	124
R3BITF3A49 24	94	R3BITTFL64 30	67	R3B2TFF42 36	52	R3FTCF13748	124
R3BITF3A49 30	94	R3BITTFL64 36	67	R3B2TFF42 42	52	R3FTCF22118	121
R3BITF3A49 36	94	R3BITTFL64 42	67	R3B2TFF42 48	52	R3FTCF22120	121
R3BITF3A49 42	94	R3BITTFL64 48	67	R3B2TFF49 18	59	R3FTCF22124	121
R3BITF3A49 48	94	R3BITTFL79 18	74	R3B2TFF49 20	59	R3FTCF22130	121
R3BITF3B49 30	94	R3BITTFL79 20	74	R3B2TFF49 24	59	R3FTCF22136	121
R3BITF3B49 36	94	R3BITTFL79 24	74	R3B2TFF49 30	59	R3FTCF22142	121
R3BITF3B49 42	94	R3BITTFL79 30	74	R3B2TFF49 36	59	R3FTCF22148	121
R3BITF3B49 48	94	R3BITTFL79 36	74	R3B2TFF49 42	59	R3FTCF22518	123
R3BITFF42 18	52	R3BITTFL79 42	74	R3B2TFF49 48	59	R3FTCF22520	123
R3BITFF42 20	52	R3BITTFL79 48	74	R3B2TFF64 18	66	R3FTCF22524	123
R3BITFF42 24	52	R3BITTFLA49 18	85	R3B2TFF64 20	66	R3FTCF22530	123
R3BITFF42 30	52	R3BITTFLA49 20	85	R3B2TFF64 24	66	R3FTCF22536	123
R3BITFF42 36	52	R3BITTFLA49 24	85	R3B2TFF64 30	66	R3FTCF22542	123
R3BITFF42 42	52	R3BITTFLA49 30	85	R3B2TFF64 36	66	R3FTCF22548	123
R3BITFF42 48	52	R3BITTFLA49 36	85	R3B2TFF64 42	66	R3FTCF23718	124
R3BITFF49 18	59	R3BITTFLA49 42	85	R3B2TFF64 48	66	R3FTCF23720	124
R3BITFF49 20	59	R3BITTFLA49 48	85	R3B2TFF79 18	73	R3FTCF23724	124
R3BITFF49 24	59	R3BITTFLB49 30	86	R3B2TFF79 20	73	R3FTCF23730	124
R3BITFF49 30	59	R3BITTFLB49 36	86	R3B2TFF79 24	73	R3FTCF23736	124
R3BITFF49 36	59	R3BITTFLB49 42	86	R3B2TFF79 30	73	R3FTCF23742	124
R3BITFF49 42	59	R3BITTFLB49 48	86	R3B2TFF79 36	73	R3FTCF23748	124
R3BITFF49 48	59	R3B2PFF42 18	19	R3B2TFF79 42	73	R3FTCF321 18	122
R3BITFF64 18	66	R3B2PFF42 20	19	R3B2TFF79 48	73	R3FTCF321 20	122
R3BITFF64 20	66	R3B2PFF42 24	19	R3B2TFFA49 18	96	R3FTCF321 24	122
R3BITFF64 24	66	R3B2PFF42 30	19	R3B2TFFA49 20	96	R3FTCF321 30	122
R3BITFF64 30	66	R3B2PFF42 36	19	R3B2TFFA49 24	96	R3FTCF321 36	122
R3BITFF64 36	66	R3B2PFF42 42	19	R3B2TFFA49 30	96	R3FTCF321 42	122
R3BITFF64 42	66	R3B2PFF42 48	19	R3B2TFFA49 36	96	R3FTCF321 48	122

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF325 18	123	R3FTCS21	125	R3SF30848	101	R3X42(B)	106
R3FTCF325 20	123	R3FTCS25	125	R3SF315 18	103	R3X49(B)	106
R3FTCF325 24	123	R3FTCS37	125	R3SF315 20	103	R3X64(B)	106
R3FTCF325 30	123	R3FTCSM (Pair) for G3 only	126	R3SF315 24	103	R3X79(B)	106
R3FTCF325 36	123	R3FTCT104(F/T)	125	R3SF315 30	103	R5ZNNE (3 dividers)	330
R3FTCF325 42	123	R3FTCT108(F/T)	125	R3SF315 36	103	R921655	317
R3FTCF325 48	123	R3FTCT120(F/T)	125	R3SF315 42	103	RAMTB	282
R3FTCF337 18	124	R3FTCT21	125	R3SF315 48	103	RAMTC24	282
R3FTCF337 20	124	R3FTCT25	125	R3SFF08 18	98	RAMTC30	282
R3FTCF337 24	124	R3FTCT37	125	R3SFF08 20	98	RAMTC36	282
R3FTCF337 30	124	R3FTCX104	125	R3SFF08 24	98	RAMTC42	282
R3FTCF337 36	124	R3FTCX108	125	R3SFF08 30	98	RAMTC48	282
R3FTCF337 42	124	R3FTCX120	125	R3SFF08 36	98	RAMTC54	282
R3FTCF337 48	124	R3FTCX21	125	R3SFF08 42	98	RAMTC60	282
R3FTCF2118	118	R3FTCX25	125	R3SFF08 48	98	RAMTC66	282
R3FTCF2120	118	R3FTCX37	125	R3SFF15 18	98	RAMTC72	282
R3FTCF2124	118	R3L08TT	104	R3SFF15 20	98	RAMTCH24	282
R3FTCF2130	118	R3L15TT	104	R3SFF15 24	98	RAMTCH30	282
R3FTCF2136	118	R3L34(F/T)(F/T)	104	R3SFF15 30	98	RAMTCH36	282
R3FTCF2142	118	R3L42(B)(F/T)(F/T)	104	R3SFF15 36	98	RAMTCH42	282
R3FTCF2148	118	R3L49(B)(F/T)(F/T)	104	R3SFF15 42	98	RAMTCH48	282
R3FTCF2518	119	R3L64(B)(F/T)(F/T)	104	R3SFF15 48	98	RAMTCH54	282
R3FTCF2520	119	R3L79(B)(F/T)(F/T)	104	R3SFL0818	101	RAMTCH60	282
R3FTCF2524	119	R3R2SLV	105, 106, 117	R3SFL0820	101	RAMTCH66	282
R3FTCF2530	119	R3S08TT	106	R3SFL0824	101	RAMTCH72	282
R3FTCF2536	119	R3S15TT	106	R3SFL0830	101	RAMTT	282
R3FTCF2542	119	R3S34(F/T)(F/T)	106	R3SFL0836	101	RAUH	327
R3FTCF2548	119	R3S42(B)(F/T)(F/T)	106	R3SFL0842	101	RB24(M/H)(F/R)	223
R3FTCF3718	120	R3S49(B)(F/T)(F/T)	106	R3SFL0848	101	RB30(M/H)(F/R)	223
R3FTCF3720	120	R3S64(B)(F/T)(F/T)	106	R3SFL1518	102	RB3636	223
R3FTCF3724	120	R3S79(B)(F/T)(F/T)	106	R3SFL1520	102	RB3642	223
R3FTCF3730	120	R3SF10818	101	R3SFL1524	102	RB3648	223
R3FTCF3736	120	R3SF10820	101	R3SFL1530	102	RB36(M/H)(F/R)	223
R3FTCF3742	120	R3SF10824	101	R3SFL1536	102	RB40MR	190
R3FTCF3748	120	R3SF10830	101	R3SFL1542	102	RB4236	223
R3FTCFL2118	121	R3SF10836	101	R3SFL1548	102	RB4242	223
R3FTCFL2120	121	R3SF10842	101	R3SLL0818	102	RB4248	223
R3FTCFL2124	121	R3SF10848	101	R3SLL0820	102	RB42(M/H)(F/R)	223
R3FTCFL2130	121	R3SF11518	102	R3SLL0824	102	RB4836	223
R3FTCFL2136	121	R3SF11520	102	R3SLL0830	102	RB4842	223
R3FTCFL2142	121	R3SF11524	102	R3SLL0836	102	RB4848	223
R3FTCFL2148	121	R3SF11530	102	R3SLL0842	102	RB48(M/H)(F/R)	223
R3FTCFL2518	122	R3SF11536	102	R3SLL0848	102	RB52MR	190
R3FTCFL2520	122	R3SF11542	102	R3SLL1518	103	RB54(M/H)(F/R)	223
R3FTCFL2524	122	R3SF11548	102	R3SLL1520	103	RB60(M/H)(F/R)	223
R3FTCFL2530	122	R3SF20818	101	R3SLL1524	103	RB64MR	190
R3FTCFL2536	122	R3SF20820	101	R3SLL1530	103	RB66(M/H)(F/R)	223
R3FTCFL2542	122	R3SF20824	101	R3SLL1536	103	RB72(M/H)(F/R)	223
R3FTCFL2548	122	R3SF20830	101	R3SLL1542	103	RB78(M/H)(F/R)	223
R3FTCFL3718	124	R3SF20836	101	R3SLL1548	103	RB84(M/H)(F/R)	223
R3FTCFL3720	124	R3SF20842	101	R3SMP	317	RB90(M/H)(F/R)	223
R3FTCFL3724	124	R3SF20848	101	R3SPABPT	114	RB96(M/H)(F/R)	223
R3FTCFL3730	124	R3SF21518	102	R3SPABTD	114	RBC18 (L/R)	220
R3FTCFL3736	124	R3SF21520	102	R3SPABTT	114	RBC24 (L/R)	220
R3FTCFL3742	124	R3SF21524	102	R3SPABTW	114	RBCC	221
R3FTCFL3748	124	R3SF21530	102	R3T08T	104	RBCCP (Pair)	221
R3FTCL104(F/T)(F/T)	125	R3SF21536	102	R3T15T	104	RBDD	319
R3FTCL108(F/T)(F/T)	125	R3SF21542	102	R3T34(F/T)	104	RBDP6030JK(A,B,W)	294, 295, 296
R3FTCL120(F/T)(F/T)	125	R3SF21548	102	R3T42(B)(F/T)	104	RBDP7230JK(A,B,W)	294, 295, 296
R3FTCL21	125	R3SF30818	101	R3T49(B)(F/T)	104	RBDP8430JK(A,B,W)	294, 295, 296
R3FTCL25	125	R3SF30820	101	R3T64(B)(F/T)	104	RBDP9630JK(A,B,W)	294, 295, 296
R3FTCL37	125	R3SF30824	101	R3T79(B)(F/T)	104	RBDW	319
R3FTCS104(F/T)(F/T)	125	R3SF30830	101	R3X08	106	RBF (Pair)	221
R3FTCS108(F/T)(F/T)	125	R3SF30836	101	R3X15	106	RBPE(L/R)	319
R3FTCS120(F/T)(F/T)	125	R3SF30842	101	R3X34	106	RBPP (L/R)	221

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RBPR (Pair)	222	RC632D	252	RC762D	260	RCA(A/B/C/D/E/F/G)F364821	167
RBPS (L/R)	222	RC632E(L/R)	249, 252	RC762E(L/R)	257, 260	RCA(A/B/C/D/E/F/G)F364822	167
RBR3624(A,B,W)	303, 304, 305	RC632F	248, 251	RC762F	255, 259	RCA(A/B/C/D/E/F/G)F423611	166
RBR3630(A,B,W)	303, 304, 305	RC632G	248, 251	RC762G	255, 259	RCA(A/B/C/D/E/F/G)F423612	166
RBR36H	270	RC632H	247, 250	RC762H	254, 258	RCA(A/B/C/D/E/F/G)F423621	167
RBR36M	270	RC632I	253	RC762I	261	RCA(A/B/C/D/E/F/G)F423622	167
RBR4224(A,B,W)	303, 304, 305	RC632P	248, 251	RC762P	256, 259	RCA(A/B/C/D/E/F/G)F424211	166
RBR4230(A,B,W)	303, 304, 305	RC633B	247, 250	RC763B	254, 258	RCA(A/B/C/D/E/F/G)F424212	166
RBR42H	270	RC633C	249, 252	RC763C	257, 260	RCA(A/B/C/D/E/F/G)F424221	167
RBR42M	270	RC633D	252	RC763D	260	RCA(A/B/C/D/E/F/G)F424222	167
RBR4824(A,B,W)	303, 304, 305	RC633E(L/R)	249, 252	RC763E(L/R)	257, 260	RCA(A/B/C/D/E/F/G)F424811	166
RBR4830(A,B,W)	303, 304, 305	RC633F	248, 251	RC763F	255, 259	RCA(A/B/C/D/E/F/G)F424812	166
RBR48H	270	RC633G	248, 251	RC763G	255, 259	RCA(A/B/C/D/E/F/G)F424821	167
RBR48M	270	RC633H	247, 250	RC763H	254, 258	RCA(A/B/C/D/E/F/G)F424822	167
RBR54H	270	RC633I	253	RC763I	261	RCA(A/B/C/D/E/F/G)F483611	166
RBR54M	270	RC633P	248, 251	RC763P	256, 259	RCA(A/B/C/D/E/F/G)F483612	166
RBR60H	270	RC661B	247, 250	RCA363611	148	RCA(A/B/C/D/E/F/G)F483621	167
RBR60M	270	RC662B	247, 250	RCA363612	149	RCA(A/B/C/D/E/F/G)F483622	167
RBR66H	270	RC662C	249, 252	RCA363621	148	RCA(A/B/C/D/E/F/G)F484211	166
RBR66M	270	RC662D	252	RCA363622	149	RCA(A/B/C/D/E/F/G)F484212	166
RBR72H	270	RC662E(L/R)	249, 252	RCA364211	148	RCA(A/B/C/D/E/F/G)F484221	167
RBR72M	270	RC662F	248, 251	RCA364212	149	RCA(A/B/C/D/E/F/G)F484222	167
RBSF6030J(A,B,W)	291, 292, 293	RC662G	248, 251	RCA364221	148	RCA(A/B/C/D/E/F/G)F484811	166
RBSF7230J(A,B,W)	291, 292, 293	RC662H	247, 250	RCA364222	149	RCA(A/B/C/D/E/F/G)F484812	166
RBSF8430J(A,B,W)	291, 292, 293	RC662I	253	RCA364811	148	RCA(A/B/C/D/E/F/G)F484821	167
RBSF9630J(A,B,W)	291, 292, 293	RC662P	248, 251	RCA364812	149	RCA(A/B/C/D/E/F/G)F484822	167
RBWC24	222	RC663B	247, 250	RCA364821	148	RCABT1417	316
RBWC30	222	RC663C	249, 252	RCA364822	149	RCABT2917	316
RBWM	320	RC663D	252	RCA404023N	152	RCACR16	316
RBZ (A/B) (Pair)	221	RC663E(L/R)	249, 252	RCA423611	148	RCACR30	316
RC412C(L/R)	242, 244	RC663F	248, 251	RCA423612	149	RCACR30H	316
RC413C(L/R)	242, 244	RC663G	248, 251	RCA423621	148	RCACR36	316
RC423M(L/R)	262, 263	RC663H	247, 250	RCA423622	149	RCACR36H	316
RC423N(L/R)	262, 263	RC663I	253	RCA424211	148	RCASL	316
RC431B	242, 244	RC663P	248, 251	RCA424212	149	RCAWF363611	187
RC432B	242, 244	RC712C(L/R)	257, 260	RCA424221	148	RCAWF363612	187
RC432C	242, 244	RC712D(L/R)	260	RCA424222	149	RCAWF363621	187
RC432D	245	RC712G(L/R)	255, 259	RCA424811	148	RCAWF363622	187
RC432F	243, 246	RC712P(L/R)	256, 259	RCA424812	149	RCAWF364211	187
RC433B	242, 244	RC713C(L/R)	257, 260	RCA424821	148	RCAWF364212	187
RC433C	242, 244	RC713D(L/R)	260	RCA424822	149	RCAWF364221	187
RC433D	245	RC713G(L/R)	255, 259	RCA464623N	152	RCAWF364222	187
RC433F	243, 246	RC713P(L/R)	256, 259	RCA464629N	152	RCAWF364811	187
RC461B	242, 244	RC723M(L/R)	262, 263	RCA483611	148	RCAWF364812	187
RC462B	242, 244	RC723N	262, 263	RCA483612	149	RCAWF364821	187
RC462C	242, 244	RC732B	254, 258	RCA483621	148	RCAWF364822	187
RC462D	245	RC732C	257, 260	RCA483622	149	RCAWF423611	187
RC462F	243, 246	RC732D	260	RCA484211	148	RCAWF423612	187
RC463B	242, 244	RC732E(L/R)	257, 260	RCA484212	149	RCAWF423621	187
RC463C	242, 244	RC732F	255, 259	RCA484221	148	RCAWF423622	187
RC463D	245	RC732G	255, 259	RCA484222	149	RCAWF424211	187
RC463F	243, 246	RC732H	254, 258	RCA484811	148	RCAWF424212	187
RC612C(L/R)	249, 252	RC732I	261	RCA484812	149	RCAWF424221	187
RC612D(L/R)	252	RC732P	256, 259	RCA484821	148	RCAWF424222	187
RC612G(L/R)	248, 251	RC733B	254, 258	RCA484822	149	RCAWF424811	187
RC612P(L/R)	248, 251	RC733C	257, 260	RCA(A/B/C/D/E/F/G)F363611	166	RCAWF424812	187
RC613C(L/R)	249, 252	RC733D	260	RCA(A/B/C/D/E/F/G)F363612	166	RCAWF424821	187
RC613D(L/R)	252	RC733E(L/R)	257, 260	RCA(A/B/C/D/E/F/G)F363621	167	RCAWF424822	187
RC613G(L/R)	248, 251	RC733F	255, 259	RCA(A/B/C/D/E/F/G)F363622	167	RCAWF483611	187
RC613P(L/R)	248, 251	RC733G	255, 259	RCA(A/B/C/D/E/F/G)F364211	166	RCAWF483612	187
RC623M(L/R)	262, 263	RC733H	254, 258	RCA(A/B/C/D/E/F/G)F364212	166	RCAWF483621	187
RC623N(L/R)	262, 263	RC733I	261	RCA(A/B/C/D/E/F/G)F364221	167	RCAWF483622	187
RC631B	247, 250	RC733P	256, 259	RCA(A/B/C/D/E/F/G)F364222	167	RCAWF484211	187
RC632B	247, 250	RC762B	254, 258	RCA(A/B/C/D/E/F/G)F364811	166	RCAWF484212	187
RC632C	249, 252	RC762C	257, 260	RCA(A/B/C/D/E/F/G)F364812	166	RCAWF484221	187



<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCAWF484222	187	RCDHMR60301	288	RCE1L6048SSN	197	RCEAL223660	151
RCB20T	225	RCDHMR60361	288	RCE1L6642SSN	197	RCEAL223672	151
RCB24T	225	RCDHMR72301	288	RCE1L6648DSN	197	RCEAL224260	151
RCB24X	228	RCDHMR72361	288	RCE1L6648SDN	197	RCEAL224272	151
RCB28X	228	RCDHMR84301	288	RCE1L6648SSN	197	RCEAL224872	151
RCB30T	225	RCDHMR84361	288	RCE1L7242SSN	197	RCEAL224884	151
RCB36X	228	RCDHMR96301	288	RCE1L7248DSN	197	RCEAL224896	151
RCB40T	225	RCDHMR96361	288	RCE1L7248SDN	197	RCEAR223660	151
RCC30	321	RCDP6024K(A,B,W)	306, 307, 308	RCE1L7248SSN	197	RCEAR223672	151
RCC40	321	RCDP7224K(A,B,W)	306, 307, 308	RCE1L7842SSN	197	RCEAR224260	151
RCCDLA23672	150	RCDP8424K(A,B,W)	306, 307, 308	RCE1L7848SSN	197	RCEAR224272	151
RCCDLA23678	150	RCDP9624K(A,B,W)	306, 307, 308	RCE1L8448SSN	197	RCEAR224872	151
RCCDLA23684	150	RCDQMR60301	289	RCE1R1212G	317	RCEAR224884	151
RCCDLA23696	150	RCDQMR60361	289	RCE1R2424N	194	RCEAR224896	151
RCCDLA33672	150	RCDQMR72301	289	RCE1R2430N	194	RCEEG1021	201
RCCDLA33678	150	RCDQMR72361	289	RCE1R3024N	194	RCEEG1022	201
RCCDLA33684	150	RCDQMR84301	289	RCE1R3030N	194	RCEEG1081	201
RCCDLA33696	150	RCDQMR84361	289	RCE1R3624N	194	RCEEG1082	201
RCCDRA23672	150	RCDQMR96301	289	RCE1R3630N	194	RCEEG601	201
RCCDRA23678	150	RCDQMR96361	289	RCE1R4224N	194	RCEEG602	201
RCCDRA23684	150	RCE1021	200	RCE1R4230N	194	RCEEG661	201
RCCDRA23696	150	RCE1022	200	RCE1R4824N	194	RCEEG662	201
RCCDRA33672	150	RCE1081	200	RCE1R4830N	194	RCEEG721	201
RCCDRA33678	150	RCE1082	200	RCE1R5424N	194	RCEEG722	201
RCCDRA33684	150	RCE1BD6648D(L/R)	195	RCE1R5430N	194	RCEEG781	201
RCCDRA33696	150	RCE1BD6648S(L/R)	195	RCE1R6024N	194	RCEEG782	201
RCD1021	202	RCE1BD7248D(L/R)	195	RCE1R6030N	194	RCEEG841	201
RCD1022	202	RCE1BD7248S(L/R)	195	RCE1R6624N	194	RCEEG842	201
RCD1081	202	RCE1BD7848D(L/R)	195	RCE1R6630N	194	RCEEG901	201
RCD1082	202	RCE1BD7848S(L/R)	195	RCE1R7224N	194	RCEEG902	201
RCD3L6024K(A,B,W)	306, 307, 308	RCE1BD8448D(L/R)	195	RCE1R7230N	194	RCEEG961	201
RCD3L8424K(A,B,W)	306, 307, 308	RCE1BD8448S(L/R)	195	RCE1R7824N	194	RCEEG962	201
RCD3L9624K(A,B,W)	306, 307, 308	RCE1CR24L	198	RCE1R7830N	194	RCOUNTWT	240, 241
RCD601	202	RCE1CR24N	198	RCE1R8424N	194	RCP41-(F/L/1/2/3)*	113
RCD602	202	RCE1CR24R	198	RCE1R8430N	194	RCP56-(F/L/1/2/3)*	113
RCD661	202	RCE1H4818	198	RCE1R9024N	194	RCP71-(F/L/1/2/3)*	113
RCD662	202	RCE1H4818P	198	RCE1R9030N	194	RCP78-(F/L/1/2/3)*	113
RCD6L7224K(A,B,W)	306, 307, 308	RCE1H6024	198	RCE1R9624N	194	RCS3L6024K(A,B,W)	300, 301, 302
RCD6L9624K(A,B,W)	306, 307, 308	RCE1H6024P	198	RCE1R9630N	194	RCS3L7224K(A,B,W)	300, 301, 302
RCD721	202	RCE1L3636SSN	196	RCE1W362430N	199	RCS3L8424K(A,B,W)	300, 301, 302
RCD722	202	RCE1L4242DSN	196	RCE1W363024N	199	RCS3L9624K(A,B,W)	300, 301, 302
RCD781	202	RCE1L4242SDN	196	RCE1W422430N	199	RCS6L6024K(A,B,W)	300, 301, 302
RCD782	202	RCE1L4242SSN	196	RCE1W423024N	199	RCS6L7224K(A,B,W)	300, 301, 302
RCD841	202	RCE1L4260SSN	197	RCE1W482430N	199	RCS6L8424K(A,B,W)	300, 301, 302
RCD842	202	RCE1L4266SSN	197	RCE1W483024N	199	RCS6L9624K(A,B,W)	300, 301, 302
RCD901	202	RCE1L4272SSN	197	RCE1W722430N	199	RCS6L6024K(A,B,W)	300, 301, 302
RCD902	202	RCE1L4278SSN	197	RCE1W723024N	199	RCS6L7224K(A,B,W)	300, 301, 302
RCD961	202	RCE1L4848DDN	196	RCE301	200	RCS6L8424K(A,B,W)	300, 301, 302
RCD962	202	RCE1L4848DSN	196	RCE302	200	RCS6L9624K(A,B,W)	300, 301, 302
RCDFMF60301	290	RCE1L4848SDN	196	RCE361	200	RCTRLE363	218
RCDFMF60361	290	RCE1L4848SSN	196	RCE362	200	RCTRLE423	218
RCDFMF72301	290	RCE1L4860DSN	197	RCE601	200	RCTRWE363	219
RCDFMF72361	290	RCE1L4860SDN	197	RCE602	200	RCTRWE423	219
RCDFMF84301	290	RCE1L4860SSN	197	RCE661	200	RCTSLE363	218
RCDFMF84361	290	RCE1L4866DSN	197	RCE662	200	RCTSLE423	218
RCDFMF96301	290	RCE1L4866SDN	197	RCE721	200	RCTSWE363	219
RCDFMF96361	290	RCE1L4866SSN	197	RCE722	200	RCTSWE423	219
RCDFMR60301	287	RCE1L4872DSN	197	RCE781	200	RCTTLE30483	218
RCDFMR60361	287	RCE1L4872SDN	197	RCE782	200	RCTTLE36543	218
RCDFMR72301	287	RCE1L4872SSN	197	RCE841	200	RCTTWE30483	219
RCDFMR72361	287	RCE1L4878SSN	197	RCE842	200	RCTTWE36543	219
RCDFMR84301	287	RCE1L4884SSN	197	RCE901	200	RDDP6030JK(A,B,W)	294, 295, 296
RCDFMR84361	287	RCE1L6042SSN	197	RCE902	200	RDDP6036JK(A,B,W)	294, 295, 296
RCDFMR96301	287	RCE1L6048DSN	197	RCE961	200	RDDP7230JK(A,B,W)	294, 295, 296
RCDFMR96361	287	RCE1L6048SDN	197	RCE962	200	RDDP7236JK(A,B,W)	294, 295, 296

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RDDP8430JK(A,B,W)	294, 295, 296	RDTSTE33H	322	RFTCWA3730	120	RGAL851	285
RDDP8436JK(A,B,W)	294, 295, 296	RDTSTE3U120	322	RFTCWA3736	120	RGAL852	285
RDDP9630JK(A,B,W)	294, 295, 296	RDTSTE3U72	322	RFTCWA3742	120	RGAL853	285
RDDP9636JK(A,B,W)	294, 295, 296	RDTSTE3UH	322	RFTCWA3748	120	RGAL911	285
RDSP6030J(A,B,W)	291, 292, 293	RD TUME22120	323	RFTCWB2130	118	RGAL912	285
RDSP6036J(A,B,W)	291, 292, 293	RD TUME2272	323	RFTCWB2136	118	RGAL913	285
RDSP7230J(A,B,W)	291, 292, 293	RD TUME22H	323	RFTCWB2142	118	RGAL971	285
RDSP7236J(A,B,W)	291, 292, 293	RD TUME2U120	323	RFTCWB2148	118	RGAL972	285
RDSP8430J(A,B,W)	291, 292, 293	RD TUME2U72	323	RFTCWB2530	119	RGAL973	285
RDSP8436J(A,B,W)	291, 292, 293	RD TUME2UH	323	RFTCWB2536	119	RGAR431	284
RDSP9630J(A,B,W)	291, 292, 293	RD TUME33120	323	RFTCWB2542	119	RGAR432	284
RDSP9636J(A,B,W)	291, 292, 293	RD TUME3372	323	RFTCWB2548	119	RGAR433	284
RDTCE3010	342	RD TUME33H	323	RFTCWB3730	120	RGAR491	284
RDTCE3610	342	RD TUME3U120	323	RFTCWB3736	120	RGAR492	284
RDTCE6010	342	RD TUME3U72	323	RFTCWB3742	120	RGAR493	284
RDTCE7210	342	RD TUME3UH	323	RFTCWB3748	120	RGAR551	284
RDTCE22120	322	RE12F	224	RFTCWS21S	126	RGAR552	284
RDTCE2272	322	RE15F	224	RFTCWS25S	126	RGAR553	284
RDTCE22H	322	RE19F	224	RFTCWS37S	126	RGAR611	284
RDTCE2U120	322	RE23F	224	RFTCWT (Pair)	126	RGAR612	284
RDTCE2U72	322	RE29F	224	RGAB421	283	RGAR613	284
RDTCE2UH	322	RE30	224	RGAB481	283	RGAR671	284
RDTCE33120	322	RE36	224	RGAB541	283	RGAR672	284
RDTCE3372	322	REBA6030	155	RGAB601	283	RGAR673	284
RDTCE33H	322	REBA7242	155	RGAB661	283	RGAR731	284
RDTCE3U120	322	REBA7848	155	RGAB721	283	RGAR732	284
RDTCE3U72	322	REBA(A/B/C/D/E/F/G)A6030	172	RGAB781	283	RGAR733	284
RDTCE3UH	322	REBA(A/B/C/D/E/F/G)A7242	172	RGAB841	283	RGAR791	284
RDTCE6010	342	REBA(A/B/C/D/E/F/G)A7848	172	RGAB901	283	RGAR792	284
RDTCE7210	342	REBAWA6030	191	RGAB961	283	RGAR793	284
RDTDE22120	323	REBAWA7242	191	RGAF622	283	RGAR851	284
RDTDE2272	323	REBAWA7848	191	RGAF623	283	RGAR852	284
RDTDE22H	323	REBH24	191	RGAF682	283	RGAR853	284
RDTDE2U120	323	REBH30	191	RGAF683	283	RGAR911	284
RDTDE2U72	323	RFDR30	330	RGAF742	283	RGAR912	284
RDTDE2UH	323	RFDR36	330	RGAF743	283	RGAR913	284
RDTDE33120	323	RFDR42	330	RGAF802	283	RGAR971	284
RDTDE3372	323	RFDR48	330	RGAF803	283	RGAR972	284
RDTDE33H	323	RFDR60	330	RGAF862	283	RGAR973	284
RDTDE3U120	323	RFDR72	330	RGAF863	283	RCMD6	134
RDTDE3U72	323	RFDR84	330	RGAF922	283	RCMD8	134
RDTDE3UH	323	RFDR96	330	RGAF923	283	RCMDE	134
RDTE22120	322	RFTCC108	126	RGAF982	283	RCS60	283
RDTE2272	322	RFTCCCLIPS	126	RGAF983	283	RCS66	283
RDTE22H	322	RFTCDR (Pair)	126	RGAL431	285	RCS72	283
RDTE2U120	322	RFTCG1 (Pair)	126	RGAL432	285	RCS78	283
RDTE2U72	322	RFTCSM (Pair) for G2 only	126	RGAL433	285	RCS84	283
RDTE2UH	322	RFTCSPACE	126	RGAL491	285	RCS90	283
RD TGA	324	RFTCWA2118	118	RGAL492	285	RCS96	283
RD TGB	324	RFTCWA2120	118	RGAL493	285	RCTL4636	286
RD TGC	324	RFTCWA2124	118	RGAL551	285	RCTR4636	286
RDTRME22120	323	RFTCWA2130	118	RGAL552	285	RHSC15	117
RDTRME2272	323	RFTCWA2136	118	RGAL553	285	RHSC250	117
RDTRME22H	323	RFTCWA2142	118	RGAL611	285	RHSC70	117
RDTRME2U120	323	RFTCWA2148	118	RGAL612	285	RIB24T	225
RDTRME2U72	323	RFTCWA2518	119	RGAL613	285	RIB28X	228
RDTRME2UH	323	RFTCWA2520	119	RGAL671	285	RIB32X	228
RDTRME33120	323	RFTCWA2524	119	RGAL672	285	RIP1241	204
RDTRME3372	323	RFTCWA2530	119	RGAL673	285	RIP1301	204
RDTRME33H	323	RFTCWA2536	119	RGAL731	285	RIP1361	204
RDTRME3U120	323	RFTCWA2542	119	RGAL732	285	RIP0241	204
RDTRME3U72	323	RFTCWA2548	119	RGAL733	285	RIP0301	204
RDTRME3UH	323	RFTCWA3718	120	RGAL791	285	RIP0361	204
RDTSTE33120	322	RFTCWA3720	120	RGAL792	285	RIPOG241	204
RDTSTE3372	322	RFTCWA3724	120	RGAL793	285	RIPOG301	204

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RIP0C361	204	RM9A(A/B/C/D/E/F/G)F4836	171	RMDA(A/B/C/D/E/F/G)F9036	170	RO3-N36	274
RJBU24	320	RM9A(A/B/C/D/E/F/G)F8430	171	RMDA(A/B/C/D/E/F/G)F9630	170	RO3-N42	274
RJBU30	320	RM9A(A/B/C/D/E/F/G)F9630	171	RMDA(A/B/C/D/E/F/G)F9636	170	RO3-N48	274
RJBU36	320	RM9AWF4230	189	RMDAWF4221	188	RO3-N60	274
RJBU42	320	RM9AWF8430	189	RMDAWF4230	188	RO3-N66	274
RJBU48	320	RM9AWF9630	189	RMDAWF4236	188	RO3-N72	274
RJBU54	320	RMB(A)7230	156	RMDAWF4830	188	RO3-OM30	277
RJBU60	320	RMB(A)7236	156	RMDAWF4836	188	RO3-OM36	277
RJBU66	320	RMB(A)8430	156	RMDAWF5025	188	RO3-OM42	277
RJBU72	320	RMB(A)8436	156	RMDAWF5430	188	RO3-OM48	277
RJBW24	320	RMB(A)9630	156	RMDAWF5436	188	RO3-OM60	277
RJBW30	320	RMB(A)9636	156	RMDAWF6030	188	RO3-OM72	277
RJBW36	320	RMBA(A/B/C/D/E/F/G)A7230	172	RMDAWF6036	188	RO3-ON30	277
RJBW42	320	RMBA(A/B/C/D/E/F/G)A7236	172	RMDAWF6630	188	RO3-ON36	277
RJBW48	320	RMBA(A/B/C/D/E/F/G)A8430	172	RMDAWF6636	188	RO3-ON42	277
RJBW54	320	RMBA(A/B/C/D/E/F/G)A8436	172	RMDAWF7230	188	RO3-ON48	277
RJBW60	320	RMBA(A/B/C/D/E/F/G)A9630	172	RMDAWF7236	188	RO3-ON60	277
RJBW66	320	RMBA(A/B/C/D/E/F/G)A9636	172	RMDAWF7830	188	RO3-ON72	277
RJBW72	320	RMBAWA7230	190	RMDAWF7836	188	RO3-RD30	277
RKA 363611	144	RMBAWA7236	190	RMDAWF8430	188	RO3-RD36	277
RKA 363612	145	RMBAWA8430	190	RMDAWF8436	188	RO3-RD42	277
RKA 363621	145	RMBAWA8436	190	RMDAWF9030	188	RO3-RD48	277
RKA 363622	144	RMBAWA9630	190	RMDAWF9036	188	RO3-RD60	277
RKA 364211	144	RMBAWA9636	190	RMDAWF9630	188	RO3-RD72	277
RKA 364212	145	RMDA4221	153	RMDAWF9636	188	RO3-VP	273, 275, 277
RKA 364221	145	RMDA4230	153	RMPA4230	154	ROAF60S0()	269
RKA 364222	144	RMDA4236	153	RMPA4836	154	ROAF60S1()	269
RKA 364811	144	RMDA4830	153	RMPA8430	155	ROAF72S0()	269
RKA 364812	145	RMDA4836	153	RMPA9630	155	ROAF72S1()	269
RKA 364821	145	RMDA5025	153	RMPA(A/B/C/D/E/F/G)F4230	171	ROAF84S0()	269
RKA 364822	144	RMDA5430	153	RMPA(A/B/C/D/E/F/G)F4836	171	ROAF84S1()	269
RKA 423611	144	RMDA5436	153	RMPA(A/B/C/D/E/F/G)F8430	171	ROAF96S0()	269
RKA 423612	145	RMDA6030	153	RMPA(A/B/C/D/E/F/G)F9630	171	ROAF96S1()	269
RKA 423621	145	RMDA6036	153	RMPAWF4230	189	ROAH60T0()	269
RKA 423622	144	RMDA6630	153	RMPAWF8430	189	ROAH60T1()	269
RKA 424211	144	RMDA6636	153	RMPAWF9630	189	ROAH72T0()	269
RKA 424212	145	RMDA7230	153	RMSCB	220	ROAH72T1()	269
RKA 424221	145	RMDA7236	153	RO1-CB	278	ROAH90T0()	269
RKA 424222	144	RMDA7830	153	RO1-DPB	278	ROAH90T1()	269
RKA 424811	144	RMDA7836	153	RO1-ECB	278	ROAH96T0()	269
RKA 424812	145	RMDA8430	153	RO1-EPB	278	ROAH96T1()	269
RKA 424821	145	RMDA8436	153	RO1-GB	279	ROAO60T0()	269
RKA 424822	144	RMDA9030	153	RO1-HP12	273, 275, 276, 277	ROAO60T1()	269
RKA 483611	144	RMDA9036	153	RO1-HP15	273, 275, 276, 277	ROAO72T0()	269
RKA 483612	145	RMDA9630	153	RO1-HP6	273, 275, 276, 277	ROAO72T1()	269
RKA 483621	145	RMDA9636	153	RO1-HP9	273, 275, 276, 277	ROAO90T0()	269
RKA 483622	144	RMDA(A/B/C/D/E/F/G)F4221	170	RO1-MPB	278	ROAO90T1()	269
RKA 484211	144	RMDA(A/B/C/D/E/F/G)F4230	170	RO1-PULL	279	ROAO96T0()	269
RKA 484212	145	RMDA(A/B/C/D/E/F/G)F4236	170	RO1-RCB	278	ROAO96T1()	269
RKA 484221	145	RMDA(A/B/C/D/E/F/G)F4830	170	RO1-RPB	278	ROHDR30	330
RKA 484222	144	RMDA(A/B/C/D/E/F/G)F4836	170	RO1-WMF2	279	ROHDR36	330
RKA 484811	144	RMDA(A/B/C/D/E/F/G)F5025	170	RO1-WMF3	279	ROHDR42	330
RKA 484812	145	RMDA(A/B/C/D/E/F/G)F5430	170	RO1-WMF4	279	ROHDR48	330
RKA 484821	145	RMDA(A/B/C/D/E/F/G)F5436	170	RO2-NS20	278	ROHDR60	330
RKA 484822	144	RMDA(A/B/C/D/E/F/G)F6030	170	RO2-NS21	278	ROHDR72	330
RKT31	316	RMDA(A/B/C/D/E/F/G)F6036	170	RO3-M24	272	ROHDR90	330
RM111J	240, 241	RMDA(A/B/C/D/E/F/G)F6630	170	RO3-M30	272	ROHDR96	330
RM112J	240, 241	RMDA(A/B/C/D/E/F/G)F6636	170	RO3-M36	272	ROHMTF160	328
RM212J	240, 241	RMDA(A/B/C/D/E/F/G)F7230	170	RO3-M42	272	ROHMTF166	328
RM212K	240, 241	RMDA(A/B/C/D/E/F/G)F7236	170	RO3-M48	272	ROHMTF172	328
RM9A4230	154	RMDA(A/B/C/D/E/F/G)F7830	170	RO3-M60	272, 273	ROHMTF178	328
RM9A4836	154	RMDA(A/B/C/D/E/F/G)F7836	170	RO3-M66	272, 273	ROHMTF184	328
RM9A8430	154	RMDA(A/B/C/D/E/F/G)F8430	170	RO3-M72	272, 273	ROHMTF190	328
RM9A9630	154	RMDA(A/B/C/D/E/F/G)F8436	170	RO3-N24	274	ROHMTF196	328
RM9A(A/B/C/D/E/F/G)F4230	171	RMDA(A/B/C/D/E/F/G)F9030	170	RO3-N30	274	ROHMTF160	329

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROHWF166	329	ROWH60S1()	267	RPAD	316	RPOFL1241	227
ROHWF172	329	ROWH60T0()	267	RPADKIT	316	RPOFL1301	227
ROHWF178	329	ROWH60T1()	267	RPADSS	325	RPOFL1361	227
ROHWF184	329	ROWH72S0()	267	RPAHFB16	325	RPOFL260201	227
ROHWF190	329	ROWH72S1()	267	RPAHFB30	325	RPOFL260241	227
ROHWF196	329	ROWH72T0()	267	RPAHFB36	325	RPOFL260301	227
ROMF30S0()	264	ROWH72T1()	267	RPAHFM162	325	RPOFL260361	227
ROMF36S0()	264	ROWH90S0()	267	RPAHFM30	325	RPOFL266201	227
ROMF42S0()	264	ROWH90S1()	267	RPAHFM36	325	RPOFL266241	227
ROMF48S0()	264	ROWH90T0()	267	RPAPT	326	RPOFL266301	227
ROMF60S0()	264	ROWH90T1()	267	RPB211J	231, 234	RPOFL266361	227
ROMF72S0()	264	ROWH96S0()	267	RPB211K	231, 234	RPOFL272201	227
ROMH30S0()	264	ROWH96S1()	267	RPB211L(L/R)	237, 239	RPOFL272241	227
ROMH36S0()	264	ROWH96T0()	267	RPB211M	237, 239	RPOFL272301	227
ROMH60S0()	264	ROWH96T1()	267	RPB212J	231, 234	RPOFL272361	227
ROMH72S0()	264	ROWO60S0()	267	RPB212K	231, 234	RPOFL278201	227
ROMO30S0()	264	ROWO60S1()	267	RPB212L(L/R)	237, 239	RPOFL278241	227
ROMO36S0()	264	ROWO60T0()	267	RPB212M	237, 239	RPOFL278301	227
ROMO42S0()	264	ROWO60T1()	267	RPB213J	231, 234	RPOFL278361	227
ROMO48S0()	264	ROWO72S0()	267	RPB213K	231, 234	RPOFL284201	227
ROMO60S0()	264	ROWO72S1()	267	RPB213L(L/R)	237, 239	RPOFL284241	227
ROMO72S0()	264	ROWO72T0()	267	RPB213M	237, 239	RPOFL284301	227
ROPF30S0J	266	ROWO72T1()	267	RPB231K	231, 234	RPOFL284361	227
ROPF36S0J	266	ROWO90S0()	267	RPB231L	237, 239	RPRL1	226
ROPF42S0J	266	ROWO90S1()	267	RPB231M	237, 239	RPS1	226
ROPF48S0J	266	ROWO90T0()	267	RPB232K	231, 234	RPULLSMPF	318
ROPF60S0J	266	ROWO90T1()	267	RPB232L	237, 239	RPULLSMPG	318
ROPF72S0J	266	ROWO96S0()	267	RPB232M	237, 239	RPULLSMPH	318
ROPF84S0J	266	ROWO96S1()	267	RPB261K	231, 234	RPULLSMPR	318
ROPF96S0J	266	ROWO96T0()	267	RPB261L	237, 239	RPULLSMPT	318
ROPH30S0()	265	ROWO96T1()	267	RPB261M	237, 239	RR3-2PF	134
ROPH36S0()	265	RP211J	230, 233	RPB262K	231, 234	RR3-3PF	134
ROPH60S0()	265	RP211K	230, 233	RPB262L	237, 239	RR3-BNC	134
ROPH60T0()	265	RP211L(L/R)	236, 238	RPB262M	237, 239	RR3-C3C	134
ROPH72S0()	265	RP211M	236, 238	RPCG	324	RR3-C5C	134
ROPH72T0()	265	RP212J	230, 233	RPCST	324	RR3-C5C4A	134
ROPH90S0()	265	RP212K	230, 233	RPD11	326	RR3-C5C4B	134
ROPH90T0()	265	RP212L(L/R)	236, 238	RPD14	326	RR3-C6C	134
ROPH96S0()	265	RP212M	236, 238	RPETAD	326	RR3CHI241	131
ROPH96T0()	265	RP213J	230, 233	RPETRAY3C	326	RR3CHI242	131
ROPO30S0()	265	RP213K	230, 233	RPETRAY3N	326	RR3CHI301	131
ROPO36S0()	265	RP213L(L/R)	236, 238	RPHCHH	325	RR3CHI302	131
ROPO42S0()	265	RP213M	236, 238	RPHCHT	325	RR3CHI361	131
ROPO48S0()	265	RP221J	232, 235	RPHL3442(F/T)	114	RR3CHI362	131
ROPO60S0()	265	RP221K	232, 235	RPHL3449(F/T)	114	RR3CHI421	131
ROPO60T0()	265	RP222J	232, 235	RPHL3464(F/T)	114	RR3CHI422	131
ROPO72S0()	265	RP222K	232, 235	RPHL3479(F/T)	114	RR3CHI481	131
ROPO72T0()	265	RP223J	232, 235	RPHL4249(F/T)	114	RR3CHI482	131
ROPO90S0()	265	RP223K	232, 235	RPHL4249S	114	RR3-DA	127, 129
ROPO90T0()	265	RP231K	230, 233	RPHL4264(F/T)	114	RR3-DATSHD	127, 129
ROPO96S0()	265	RP231L	236, 238	RPHL4264S	114	RR3-DB	127, 129
ROPO96T0()	265	RP231M	236, 238	RPHL4279(F/T)	114	RR3-DC	129
ROPS30S0NN	266	RP232K	230, 233	RPHL4279S	114	RR3-DICON	134
ROPS36S0NN	266	RP232L	236, 238	RPHL4964(F/T)	114	RR3-DX	127, 129
ROPS42S0NN	266	RP232M	236, 238	RPHL4964S	114	RR3-DXO	127, 129
ROPS48S0NN	266	RP261K	230, 233	RPHL4979(F/T)	114	RR3-DY	127, 129
ROPS54S0NN	266	RP261L	236, 238	RPHL4979S	114	RR3-DYO	127, 129
ROPS60S0NN	266	RP261M	236, 238	RPHL6479(F/T)	114	RR3-DZ	129
ROPS66S0NN	266	RP262K	230, 233	RPHL6479S	114	RR3-DZO	129
ROPS72S0NN	266	RP262L	236, 238	RPHTB3024	325	RR3-E24	127
ROPS78S0NN	266	RP262M	236, 238	RPHTB4224	325	RR3-E24S	132
ROPS84S0NN	266	RPAB16	241	RPHWBM3024	325	RR3-E30NS	127
ROPS90S0NN	266	RPAB19	241	RPHWBM4224	325	RR3-E30S	132
ROPS96S0NN	266	RPAB30	241	RPL1	226	RR3-E36NS	127
ROWH60S0()	267	RPAB36	241	RPOFL1201	227	RR3-E36S	132

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-E42NS	127	RR3MP4	317	RR3TVJ	137	RRAW4242-(1/2/3)	193
RR3-E42S	132	RR3MP6	317	RR3TVJ110	137	RRAW6060-(1/2/3)	193
RR3-E48NS	127	RR3PICON	134	RR3TVJ82	137	RRAW7230-(1/2/3)	193
RR3-E48S	132	RR3-REPI	128	RR3TVJ96	137	RRAW7236-(1/2/3)	193
RR3-E60-4	127	RR3-RTPI	130	RR3VDA	136	RRAW7272-(1/2/3)	193
RR3-E66-4	127	RR3-SP-(A, B, C, X, Y, Z)	130	RR3VDB	136	RRAW8430-(1/2/3)	193
RR3-E72-4	127	RR3-SP-(A,B,X,Y)	128	RR3VDC	136	RRAW8436-(1/2/3)	193
RR3-EBBCL	133	RR3-ST	134	RR3VDX	136	RRAW8442-(1/2/3)	193
RR3-EBBCS	133	RR3-T24	129	RR3VDXO	136	RRAW9630-(1/2/3)	193
RR3EBVC50	136	RR3-T24S	132	RR3VDY	136	RRAW9636-(1/2/3)	193
RR3EBVC62	136	RR3-T30NS	129	RR3VDYO	136	RRAW9642-(1/2/3)	193
RR3EBVC64	136	RR3-T30S	132	RR3VDZ	136	RRBRD2712	317
RR3EBVC76	136	RR3-T36NS	129	RR3VDZO	136	RRD3FTCPPL(L/R)7936	116
RR3EBVC78	136	RR3-T36S	132	RR3VPBK	136	RRD3FTCPPL(L/R)7942	116
RR3EBVC90	136	RR3-T42NS	129	RRA12036	157	RRD3PPL(L/R)7936	116
RR3-EJ18	128	RR3-T42S	132	RRA12042	157	RRD3PPL(L/R)7942	116
RR3-EJ18P	128	RR3-T48NS	129	RRA12048	157	RRDPPL(L/R)6436	116
RR3-EJ20	128	RR3-T48S	132	RRA14442	157	RRDPPL(L/R)6442	116
RR3-EJ20P	128	RR3-T60-4	129	RRA14448	157	RRDTH	116
RR3-EJ24	128	RR3-T66-4	129	RRA16842	157	RRDTH(L/R)	116
RR3-EJ24P	128	RR3-T72-4	129	RRA16848	157	RREP3624(A,B,W)	297, 298, 299
RR3-EJ30	128	RR3-TBBCL	133	RRA19242	157	RREP3630(A,B,W)	297, 298, 299
RR3-EJ30P	128	RR3-TBBCS	133	RRA19248	157	RREP4224(A,B,W)	297, 298, 299
RR3-EJ36	128	RR3TBVC50	136	RRA3636	157	RREP4230(A,B,W)	297, 298, 299
RR3-EJ36P	128	RR3TBVC62	136	RRA4242	157	RREP4824(A,B,W)	297, 298, 299
RR3-EJ42	128	RR3TBVC64	136	RRA4848	157	RREP4830(A,B,W)	297, 298, 299
RR3-EJ42P	128	RR3TBVC76	136	RRA6060	157	RREP5424(A,B,W)	297, 298, 299
RR3-EJ48	128	RR3TBVC78	136	RRA7230	157	RREP5430(A,B,W)	297, 298, 299
RR3EJ48	133	RR3TBVC90	136	RRA7236	157	RREP6024(A,B,W)	297, 298, 299
RR3-EJ48P	128	RR3-TJ18	130	RRA7272	157	RREP6030(A,B,W)	297, 298, 299
RR3-EJ54P	128	RR3-TJ18P	130	RRA8430	157	RRMC3010	342
RR3-EJ60P	128	RR3-TJ20	130	RRA8436	157	RRMC3610	342
RR3EJ60P	133	RR3-TJ20P	130	RRA8442	157	RRMC6010	342
RR3-EJ66P	128	RR3-TJ24	130	RRA9630	157	RRMC7210	342
RR3EJ66P	133	RR3-TJ24P	130	RRA9636	157	RRSP3624K(A,B,W)	297, 298, 299
RR3-EJ72P	128	RR3-TJ30	130	RRA9642	157	RRSP3630K(A,B,W)	297, 298, 299
RR3EJ72P	133	RR3-TJ30P	130	RRA9648	157	RRSP4224K(A,B,W)	297, 298, 299
RR3-EJ78P	128	RR3-TJ36	130	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	174	RRSP4230K(A,B,W)	297, 298, 299
RR3-EJ84P	128	RR3-TJ36P	130	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	174	RRSP4824K(A,B,W)	297, 298, 299
RR3-EJ90P	128	RR3-TJ42	130	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	174	RRSP4830K(A,B,W)	297, 298, 299
RR3-EJ96P	128	RR3-TJ42P	130	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	174	RRSP5424K(A,B,W)	297, 298, 299
RR3-EPC24M	127	RR3-TJ48	130	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	174	RRSP5430K(A,B,W)	297, 298, 299
RR3-EPCM	127	RR3TJ48	133	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	174	RRSP6024K(A,B,W)	297, 298, 299
RR3-EPCP24M	127	RR3-TJ48P	130	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	174	RRSP6030K(A,B,W)	297, 298, 299
RR3-EPCPM	127	RR3-TJ54P	130	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	174	RS1-DPB	278
RR3-EPCPSM	127	RR3-TJ60P	130	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	174	RS1-EPB	278
RR3-EPCSM	127	RR3TJ60P	133	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	174	RS1-M24	276
RR3-EPI	128	RR3-TJ66P	130	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	174	RS1-M30	276
RR3-EPNY1	128	RR3TJ66P	133	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	174	RS1-M36	276
RR3-EPNY2	128	RR3-TJ72P	130	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	174	RS1-M42	276
RR3-EPVR	113, 128	RR3TJ72P	133	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	174	RS1-M48	276
RR3EVJ	137	RR3-TJ78P	130	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	174	RS1-M60	276
RR3EVJ110	137	RR3-TJ84P	130	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	174	RS1-MPB	278
RR3EVJ82	137	RR3-TJ90P	130	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	174	RS1-N24	276
RR3EVJ96	137	RR3-TJ96P	130	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	174	RS1-N30	276
RR3-FB	134	RR3-TPC24	129	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	174	RS1-N36	276
RR3FDP	136	RR3-TPCM	129	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	174	RS1-N42	276
RR3-FE	134	RR3-TPCP24	129	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	174	RS1-N48	276
RR3-FOSC	134	RR3-TPCPM	129	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	174	RS1-N60	276
RR3-FOST	134	RR3-TPCPS	129	RRAW12036-(1/2/3)	193	RS1-RPB	278
RR3-FV	134	RR3-TPCS	129	RRAW12042-(1/2/3)	193	RS1-VP	276
RR3-LTPC	133	RR3-TPPI	130	RRAW14442-(1/2/3)	193	RS1-WMF24	279
RR3-LTPC24	133	RR3-TPNY1	130	RRAW16842-(1/2/3)	193	RS1-WMF30	279
RR3-LTPCP	133	RR3-TPNY2	130	RRAW19242-(1/2/3)	193	RS1-WMF36	279
RR3-MICON	134	RR3-TPVR	113, 130	RRAW3636-(1/2/3)	193	RS1-WMF42	279

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RS1-WMF48	279	RSA(A/B/C/D/E/F/G)A243	163	RSA(A/B/C/D/E/F/G)F541	160	RSAWA301	177
RS1-WMF60	279	RSA(A/B/C/D/E/F/G)A301	162	RSA(A/B/C/D/E/F/G)F542	160	RSAWA302	177
RSA241	141	RSA(A/B/C/D/E/F/G)A302	162	RSA(A/B/C/D/E/F/G)F543	161	RSAWA303	178
RSA242	141	RSA(A/B/C/D/E/F/G)A303	163	RSA(A/B/C/D/E/F/G)F601	160	RSAWA361	177
RSA243	142	RSA(A/B/C/D/E/F/G)A361	162	RSA(A/B/C/D/E/F/G)F602	160	RSAWA362	177
RSA301	141	RSA(A/B/C/D/E/F/G)A362	162	RSA(A/B/C/D/E/F/G)F603	161	RSAWA363	178
RSA302	141	RSA(A/B/C/D/E/F/G)A363	163	RSA(A/B/C/D/E/F/G)F604	161	RSAWA421	177
RSA303	142	RSA(A/B/C/D/E/F/G)A421	162	RSA(A/B/C/D/E/F/G)F661	160	RSAWA422	177
RSA3423N	152	RSA(A/B/C/D/E/F/G)A422	162	RSA(A/B/C/D/E/F/G)F662	160	RSAWA423	178
RSA3429N	152	RSA(A/B/C/D/E/F/G)A423	163	RSA(A/B/C/D/E/F/G)F663	161	RSAWA481	177
RSA361	141	RSA(A/B/C/D/E/F/G)A481	162	RSA(A/B/C/D/E/F/G)F664	161	RSAWA482	177
RSA362	141	RSA(A/B/C/D/E/F/G)A482	162	RSA(A/B/C/D/E/F/G)F721	160	RSAWA483	178
RSA363	142	RSA(A/B/C/D/E/F/G)A483	163	RSA(A/B/C/D/E/F/G)F722	160	RSAWA541	177
RSA4023N	152	RSA(A/B/C/D/E/F/G)A541	162	RSA(A/B/C/D/E/F/G)F723	161	RSAWA542	177
RSA4029N	152	RSA(A/B/C/D/E/F/G)A542	162	RSA(A/B/C/D/E/F/G)F724	161	RSAWA543	178
RSA421	141	RSA(A/B/C/D/E/F/G)A543	163	RSA(A/B/C/D/E/F/G)F781	160	RSAWA601	177
RSA422	141	RSA(A/B/C/D/E/F/G)A601	162	RSA(A/B/C/D/E/F/G)F782	160	RSAWA602	177
RSA423	142	RSA(A/B/C/D/E/F/G)A602	162	RSA(A/B/C/D/E/F/G)F783	161	RSAWA603	178
RSA4623N	152	RSA(A/B/C/D/E/F/G)A603	163	RSA(A/B/C/D/E/F/G)F841	160	RSAWA604	178
RSA4629N	152	RSA(A/B/C/D/E/F/G)A604	163	RSA(A/B/C/D/E/F/G)F842	160	RSAWA661	177
RSA4635N	152	RSA(A/B/C/D/E/F/G)A661	162	RSA(A/B/C/D/E/F/G)F843	161	RSAWA662	177
RSA481	141	RSA(A/B/C/D/E/F/G)A662	162	RSA(A/B/C/D/E/F/G)F901	160	RSAWA663	178
RSA482	141	RSA(A/B/C/D/E/F/G)A663	163	RSA(A/B/C/D/E/F/G)F902	160	RSAWA664	178
RSA483	142	RSA(A/B/C/D/E/F/G)A664	163	RSA(A/B/C/D/E/F/G)F903	161	RSAWA721	177
RSA5223N	152	RSA(A/B/C/D/E/F/G)A721	162	RSA(A/B/C/D/E/F/G)F961	160	RSAWA722	177
RSA5229N	152	RSA(A/B/C/D/E/F/G)A722	162	RSA(A/B/C/D/E/F/G)F962	160	RSAWA723	178
RSA5235N	152	RSA(A/B/C/D/E/F/G)A723	163	RSA(A/B/C/D/E/F/G)F963	161	RSAWA724	178
RSA541	141	RSA(A/B/C/D/E/F/G)A724	163	RSA(A/B/C/D/E/F/G)J241	164	RSAWA781	177
RSA542	141	RSA(A/B/C/D/E/F/G)A781	162	RSA(A/B/C/D/E/F/G)J242	164	RSAWA782	177
RSA543	142	RSA(A/B/C/D/E/F/G)A782	162	RSA(A/B/C/D/E/F/G)J301	164	RSAWA783	178
RSA5823N	152	RSA(A/B/C/D/E/F/G)A783	163	RSA(A/B/C/D/E/F/G)J302	164	RSAWA841	177
RSA5829N	152	RSA(A/B/C/D/E/F/G)A841	162	RSA(A/B/C/D/E/F/G)J361	164	RSAWA842	177
RSA5835N	152	RSA(A/B/C/D/E/F/G)A842	162	RSA(A/B/C/D/E/F/G)J362	164	RSAWA843	178
RSA601	141	RSA(A/B/C/D/E/F/G)A843	163	RSA(A/B/C/D/E/F/G)J421	164	RSAWA901	177
RSA602	141	RSA(A/B/C/D/E/F/G)A901	162	RSA(A/B/C/D/E/F/G)J422	164	RSAWA902	177
RSA603	142	RSA(A/B/C/D/E/F/G)A902	162	RSA(A/B/C/D/E/F/G)J481	164	RSAWA903	178
RSA604	142	RSA(A/B/C/D/E/F/G)A903	163	RSA(A/B/C/D/E/F/G)J482	164	RSAWA961	177
RSA6423N	152	RSA(A/B/C/D/E/F/G)A961	162	RSA(A/B/C/D/E/F/G)R241	165	RSAWA962	177
RSA6429N	152	RSA(A/B/C/D/E/F/G)A962	162	RSA(A/B/C/D/E/F/G)R242	165	RSAWA963	178
RSA6435N	152	RSA(A/B/C/D/E/F/G)A963	163	RSA(A/B/C/D/E/F/G)R301	165	RSAWB241	179
RSA661	141	RSA(A/B/C/D/E/F/G)B241	164	RSA(A/B/C/D/E/F/G)R302	165	RSAWB242	179
RSA662	141	RSA(A/B/C/D/E/F/G)B242	164	RSA(A/B/C/D/E/F/G)R361	165	RSAWB243	180
RSA663	142	RSA(A/B/C/D/E/F/G)B301	164	RSA(A/B/C/D/E/F/G)R362	165	RSAWB301	179
RSA664	142	RSA(A/B/C/D/E/F/G)B302	164	RSA(A/B/C/D/E/F/G)R421	165	RSAWB302	179
RSA7023N	152	RSA(A/B/C/D/E/F/G)B361	164	RSA(A/B/C/D/E/F/G)R422	165	RSAWB303	180
RSA7029N	152	RSA(A/B/C/D/E/F/G)B362	164	RSA(A/B/C/D/E/F/G)R481	165	RSAWB361	179
RSA7035N	152	RSA(A/B/C/D/E/F/G)B421	164	RSA(A/B/C/D/E/F/G)R482	165	RSAWB362	179
RSA721	141	RSA(A/B/C/D/E/F/G)B422	164	RSAMP1616	317	RSAWB363	180
RSA722	141	RSA(A/B/C/D/E/F/G)B481	164	RSAR361(H/V)	143	RSAWB421	179
RSA723	142	RSA(A/B/C/D/E/F/G)B482	164	RSAR362(H/V)	143	RSAWB422	179
RSA724	142	RSA(A/B/C/D/E/F/G)F241	160	RSAR421(H/V)	143	RSAWB423	180
RSA781	141	RSA(A/B/C/D/E/F/G)F242	160	RSAR422(H/V)	143	RSAWB481	179
RSA782	141	RSA(A/B/C/D/E/F/G)F243	161	RSAR481(H/V)	143	RSAWB482	179
RSA783	142	RSA(A/B/C/D/E/F/G)F301	160	RSAR482(H/V)	143	RSAWB483	180
RSA841	141	RSA(A/B/C/D/E/F/G)F302	160	RSAR541(H/V)	143	RSAWB541	179
RSA842	141	RSA(A/B/C/D/E/F/G)F303	161	RSAR542(H/V)	143	RSAWB542	179
RSA843	142	RSA(A/B/C/D/E/F/G)F361	160	RSAR601(H/V)	143	RSAWB543	180
RSA901	141	RSA(A/B/C/D/E/F/G)F362	160	RSAR602(H/V)	143	RSAWB601	179
RSA902	141	RSA(A/B/C/D/E/F/G)F363	161	RSAR661(H/V)	143	RSAWB602	179
RSA903	142	RSA(A/B/C/D/E/F/G)F421	160	RSAR662(H/V)	143	RSAWB603	180
RSA961	141	RSA(A/B/C/D/E/F/G)F422	160	RSAR721(H/V)	143	RSAWB604	180
RSA962	141	RSA(A/B/C/D/E/F/G)F423	161	RSAR722(H/V)	143	RSAWB661	179
RSA963	142	RSA(A/B/C/D/E/F/G)F481	160	RSAWA241	177	RSAWB662	179
RSA(A/B/C/D/E/F/G)A241	162	RSA(A/B/C/D/E/F/G)F482	160	RSAWA242	177	RSAWB663	180
RSA(A/B/C/D/E/F/G)A242	162	RSA(A/B/C/D/E/F/G)F483	161	RSAWA243	178	RSAWB664	180

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWB721	179	RSAWL362	181	RSAWR781	183	RSPABPT	114
RSAWB722	179	RSAWL363	182	RSAWR782	183	RSPABPW	114
RSAWB723	180	RSAWL421	181	RSAWR783	184	RSPABTD	114
RSAWB724	180	RSAWL422	181	RSAWR841	183	RSPABTT	115
RSAWB781	179	RSAWL423	182	RSAWR842	183	RSPABTW	115
RSAWB782	179	RSAWL481	181	RSAWR843	184	RSPABWD	115
RSAWB783	180	RSAWL482	181	RSAWR901	183	RSPABWW	115
RSAWB841	179	RSAWL483	182	RSAWR902	183	RST	324
RSAWB842	179	RSAWL541	181	RSAWR903	184	RST1	229
RSAWB843	180	RSAWL542	181	RSAWR961	183	RST2	229
RSAWB901	179	RSAWL543	182	RSAWR962	183	RST3	229
RSAWB902	179	RSAWL601	181	RSAWR963	184	RST4	229
RSAWB903	180	RSAWL602	181	RSBWH20	221	RST5	229
RSAWB961	179	RSAWL603	182	RSBWH24	221	RST6	229
RSAWB962	179	RSAWL604	182	RSBWH30	221	RSTRLE361	212
RSAWB963	180	RSAWL661	181	RSBWH36	221	RSTRLE363	215
RSAWF241	175	RSAWL662	181	RSBWH42	221	RSTRLE421	212
RSAWF242	175	RSAWL663	182	RSBWH48	221	RSTRLE423	215
RSAWF243	176	RSAWL664	182	RSC	225	RSTRSE361	214
RSAWF301	175	RSAWL721	181	RSC254	225	RSTRSE363	217
RSAWF302	175	RSAWL722	181	RSC304	225	RSTRSE421	214
RSAWF303	176	RSAWL723	182	RSC4	225	RSTRSE423	217
RSAWF361	175	RSAWL724	182	RSC404	225	RSTRWE361	213
RSAWF362	175	RSAWL781	181	RSCC4	225	RSTRWE363	216
RSAWF363	176	RSAWL782	181	RSD1427	228, 229	RSTRWE421	213
RSAWF421	175	RSAWL783	182	RSD1827	228, 229	RSTRWE423	216
RSAWF422	175	RSAWL841	181	RSD2027	228, 229	RSTSL361	212
RSAWF423	176	RSAWL842	181	RSD2427	228, 229	RSTSL363	215
RSAWF481	175	RSAWL843	182	RSD3027	228, 229	RSTSL421	212
RSAWF482	175	RSAWL901	181	RSDR30	330	RSTSL423	215
RSAWF483	176	RSAWL902	181	RSDR36	330	RSTSS361	214
RSAWF541	175	RSAWL903	182	RSDR42	330	RSTSS363	217
RSAWF542	175	RSAWL961	181	RSDR48	330	RSTSS421	214
RSAWF543	176	RSAWL962	181	RSDR54	330	RSTSS423	217
RSAWF601	175	RSAWL963	182	RSDR60	330	RSTSWE361	213
RSAWF602	175	RSAWR241	183	RSDR66	330	RSTSWE363	216
RSAWF603	176	RSAWR242	183	RSDR72	330	RSTSWE421	213
RSAWF604	176	RSAWR243	184	RSDR78	330	RSTSWE423	216
RSAWF661	175	RSAWR301	183	RSDR84	330	RSTTLE30481	212
RSAWF662	175	RSAWR302	183	RSDR90	330	RSTTLE30483	215
RSAWF663	176	RSAWR303	184	RSDR96	330	RSTTLE36541	212
RSAWF664	176	RSAWR361	183	RSE1(L/R)	224	RSTTLE36543	215
RSAWF721	175	RSAWR362	183	RSE2(L/R)	224	RSTTSE30481	214
RSAWF722	175	RSAWR363	184	RSE3(L/R)	224	RSTTSE30483	217
RSAWF723	176	RSAWR421	183	RSE4(L/R)	224	RSTTSE36541	214
RSAWF724	176	RSAWR422	183	RSE5(L/R)	224	RSTTSE36543	217
RSAWF781	175	RSAWR423	184	RSE6(L/R)	224	RSTTWE30481	213
RSAWF782	175	RSAWR481	183	RSL12	229	RSTTWE30483	216
RSAWF783	176	RSAWR482	183	RSL15	229	RSTTWE36541	213
RSAWF841	175	RSAWR483	184	RSL20	229	RSTTWE36543	216
RSAWF842	175	RSAWR541	183	RSL24	229	RSWA15 18	99
RSAWF843	176	RSAWR542	183	RSL30	229	RSWA15 20	99
RSAWF901	175	RSAWR543	184	RSL36	229	RSWA15 24	99
RSAWF902	175	RSAWR601	183	RSL42	229	RSWA15 30	99
RSAWF903	176	RSAWR602	183	RSL48	229	RSWA15 36	99
RSAWF961	175	RSAWR603	184	RSNTT18(A/B/C/E)	109	RSWA15 42	99
RSAWF962	175	RSAWR604	184	RSNTT20(A/B/C/E)	109	RSWA15 48	99
RSAWF963	176	RSAWR661	183	RSNTT24(A/B/C/E)	109	RSWAD1560	100
RSAWL241	181	RSAWR662	183	RSNTT30(A/B/C/E)	109	RSWAD1572	100
RSAWL242	181	RSAWR663	184	RSNTT33(A/B/C/E) (66" wide panels one only)	109	RSWAD1584	100
RSAWL243	182	RSAWR664	184	RSNTT36(A/B/C/E)	109	RSWAD1596	100
RSAWL301	181	RSAWR721	183	RSNTT42(A/B/C/E)	109	RSWAD2260	100
RSAWL302	181	RSAWR722	183	RSNTT48(A/B/C/E)	109	RSWAD2272	100
RSAWL303	182	RSAWR723	184	RSPABPD	114	RSWAD2284	100
RSAWL361	181	RSAWR724	184	RSPABPP	114	RSWAD2296	100

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSWB15 30	99	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	173	RTM278481	208	RTRDS72361	207
RSWB15 36	99	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	173	RTM284361	208	RTSDC361	210
RSWB15 42	99	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	173	RTM284421	208	RTSDC421	210
RSWB15 48	99	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	173	RTM284481	208	RTSDC42423	211
RSWC30 18	99	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	173	RTM290361	208	RTSDC481	210
RSWC30 20	99	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	173	RTM290421	208	RTSDC48483	211
RSWC30 24	99	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	173	RTM290481	208	RTSDL42421	205
RSWC30 30	99	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	173	RTM296361	208	RTSDL48481	205
RSWC30 36	99	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	173	RTM296421	208	RTSDRL42421	206
RSWC30 42	99	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	173	RTM296481	208	RTSDRL48481	206
RSWC30 48	99	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	173	RTM472361	209	RTSDS42421	207
RSWWA601	271	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	173	RTM472421	209	RTSDS48481	207
RSWWA602	271	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	173	RTM472481	209	RTSF14	327
RSWWA721	271	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	173	RTM478361	209	RTSF28	327
RSWWA722	271	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	173	RTM478421	209	RTST14	327
RSWWA901	271	RTAT5E19S	280	RTM478481	209	RTTA24()	281
RSWWA902	271	RTAT5E25A	280	RTM484361	209	RTTA30()	281
RSWWA961	271	RTAT5E25S	280	RTM484421	209	RTTA36()	281
RSWWA962	271	RTAT5E37A	280	RTM484481	209	RTTA42()	281
RSWWA(A/B/C/D/E/F/G)601	271	RTAT5E37S	280	RTM490361	209	RTTA48()	281
RSWWA(A/B/C/D/E/F/G)602	271	RTAT5E49A	280	RTM490421	209	RTTA54()	281
RSWWA(A/B/C/D/E/F/G)721	271	RTAT5E49S	280	RTM490481	209	RTTA60()	281
RSWWA(A/B/C/D/E/F/G)722	271	RTAT5E61A	280	RTM496361	209	RTTA66()	281
RSWWA(A/B/C/D/E/F/G)901	271	RTAT5E61S	280	RTM496421	209	RTTA72()	281
RSWWA(A/B/C/D/E/F/G)902	271	RTAW12036-(1/2/3)	192	RTM496481	209	RTTAWF24()	281
RSWWA(A/B/C/D/E/F/G)961	271	RTAW12042-(1/2/3)	192	RTNDC363	211	RTTAWF30()	281
RSWWA(A/B/C/D/E/F/G)962	271	RTAW14442-(1/2/3)	192	RTNDC421	210	RTTAWF36()	281
RSWWAWF601	271	RTAW16842-(1/2/3)	192	RTNDC423	211	RTTAWF42()	281
RSWWAWF602	271	RTAW19242-(1/2/3)	192	RTNDC481	210	RTTAWF48()	281
RSWWAWF721	271	RTAW3636-(1/2/3)	192	RTNDC483	211	RTTAWF54()	281
RSWWAWF722	271	RTAW4242-(1/2/3)	192	RTOP1	317	RTTAWF60()	281
RSWWAWF901	271	RTAW6060-(1/2/3)	192	RTOP2	317	RTTAWF66()	281
RSWWAWF902	271	RTAW7230-(1/2/3)	192	RTRDC48303	211	RTTAWF72()	281
RSWWAWF961	271	RTAW7236-(1/2/3)	192	RTRDC60303	211	RTTDC72361	210
RSWWAWF962	271	RTAW7272-(1/2/3)	192	RTRDC72303	211	RTTDC84421	210
RTA12036	158	RTAW8430-(1/2/3)	192	RTRDC72361	210	RTTDC96481	210
RTA12042	158	RTAW8436-(1/2/3)	192	RTRDC72363	211	RUMC3010	342
RTA12048	158	RTAW8442-(1/2/3)	192	RTRDC84421	210	RUMC3610	342
RTA14442	158	RTAW9630-(1/2/3)	192	RTRDC96481	210	RUMC6010	342
RTA14448	158	RTAW9636-(1/2/3)	192	RTRDL48301	205	RUMC7210	342
RTA16842	158	RTAW9642-(1/2/3)	192	RTRDL60301	205	RUTB	222
RTA16848	158	RTLL193W	331	RTRDL72301	205	RWA3623	146
RTA19242	158	RTLL196W	331	RTRDL72361	205	RWA3632	146
RTA19248	158	RTLL199W	331	RTRDOF60241	203	RWA4212	146
RTA3636	158	RTLL3712W	331	RTRDOF60301	203	RWA4221	146
RTA4242	158	RTLL3718W	331	RTRDOF60361	203	RWA4223	146
RTA4848	158	RTLL376W	331	RTRDOF66241	203	RWA4232	146
RTA6060	158	RTLT5E19S	331	RTRDOF66301	203	RWA4812	146
RTA7230	158	RTLT5E25A	331	RTRDOF66361	203	RWA4821	146
RTA7236	158	RTLT5E25S	331	RTRDOF72241	203	RWA4823	146
RTA7272	158	RTLT5E37A	331	RTRDOF72301	203	RWA4832	146
RTA8430	158	RTLT5E37S	331	RTRDOF72361	203	RWA5412	146
RTA8436	158	RTLT5E49A	331	RTRDOF78241	203	RWA5421	146
RTA8442	158	RTLT5E49S	331	RTRDOF78301	203	RWA5423	146
RTA9630	158	RTLT5E61A	331	RTRDOF78361	203	RWA5432	146
RTA9636	158	RTLT5E61S	331	RTRDOF84241	203	RWA6012	146
RTA9642	158	RTLT5E73A	331	RTRDOF84301	203	RWA6021	146
RTA9648	158	RTLT5E73S	331	RTRDOF84361	203	RWA6023	146
RTA(A/B/C/D/E/F/G)12036-(1/2/3)	173	RTLT5E85A	331	RTRDRL48301	206	RWA6032	146
RTA(A/B/C/D/E/F/G)12042-(1/2/3)	173	RTLT5E85S	331	RTRDRL60301	206	RWA6612	146
RTA(A/B/C/D/E/F/G)12048-(1/2/3)	173	RTM272361	208	RTRDRL72301	206	RWA6621	146
RTA(A/B/C/D/E/F/G)14442-(1/2/3)	173	RTM272421	208	RTRDRL72361	206	RWA6623	146
RTA(A/B/C/D/E/F/G)14448-(1/2/3)	173	RTM272481	208	RTRDS48301	207	RWA6632	146
RTA(A/B/C/D/E/F/G)16842-(1/2/3)	173	RTM278361	208	RTRDS60301	207	RWA7212	146
RTA(A/B/C/D/E/F/G)16848-(1/2/3)	173	RTM278421	208	RTRDS72301	207	RWA7221	146



<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RWA7223	146	RWEA(A/B/C/D/E/F/G)F3626	169	RWHDHTB66H3	334	YPSB2036	340
RWA7232	146	RWEA(A/B/C/D/E/F/G)F3631	168	RWHDHTB66H4	335	YPSB2036F	338
RWA(A/B/C/D/E/F/G)F4212	168	RWEA(A/B/C/D/E/F/G)F3662	169	RWHDHTB66H5	336	YPSB2042	340
RWA(A/B/C/D/E/F/G)F4221	168	RWEA(A/B/C/D/E/F/G)F4213	169	RWHDHTB72H1	332	YPSB2042F	338
RWA(A/B/C/D/E/F/G)F4223	168	RWEA(A/B/C/D/E/F/G)F4226	169	RWHDHTB72H2	333	YPSB2048	340
RWA(A/B/C/D/E/F/G)F4232	168	RWEA(A/B/C/D/E/F/G)F4231	168	RWHDHTB72H3	334	YPSB2048F	338
RWA(A/B/C/D/E/F/G)F4812	168	RWEA(A/B/C/D/E/F/G)F4262	169	RWHDHTB72H4	335	YPSB2054	340
RWA(A/B/C/D/E/F/G)F4821	168	RWEA(A/B/C/D/E/F/G)F4813	169	RWHDHTB72H5	336	YPSB2054F	338
RWA(A/B/C/D/E/F/G)F4823	168	RWEA(A/B/C/D/E/F/G)F4826	169	RWHDHTB78H1	332	YPSB2060	340
RWA(A/B/C/D/E/F/G)F4832	168	RWEA(A/B/C/D/E/F/G)F4831	168	RWHDHTB78H2	333	YPSB2060F	338
RWA(A/B/C/D/E/F/G)F5412	168	RWEA(A/B/C/D/E/F/G)F4862	169	RWHDHTB78H3	334	YPSB2066	340
RWA(A/B/C/D/E/F/G)F5421	168	RWEAWF3613	186	RWHDHTB78H4	335	YPSB2066FRR	338
RWA(A/B/C/D/E/F/G)F5423	168	RWEAWF3626	186	RWHDHTB78H5	336	YPSB2072	340
RWA(A/B/C/D/E/F/G)F5432	168	RWEAWF3631	185	RWHDHTB84H1	332	YPSB2072FRR	338
RWA(A/B/C/D/E/F/G)F6012	168	RWEAWF3662	186	RWHDHTB84H2	333	YPSB2624	341
RWA(A/B/C/D/E/F/G)F6021	168	RWEAWF4213	186	RWHDHTB84H3	334	YPSB2624F	339
RWA(A/B/C/D/E/F/G)F6023	168	RWEAWF4226	186	RWHDHTB84H4	335	YPSB2627	341
RWA(A/B/C/D/E/F/G)F6032	168	RWEAWF4231	185	RWHDHTB84H5	336	YPSB2627F	339
RWA(A/B/C/D/E/F/G)F6612	168	RWEAWF4262	186	RWHDHTB90H1	332	YPSB2630	341
RWA(A/B/C/D/E/F/G)F6621	168	RWEAWF4813	186	RWHDHTB90H2	333	YPSB2630F	339
RWA(A/B/C/D/E/F/G)F6623	168	RWEAWF4826	186	RWHDHTB90H3	334	YPSB2636	341
RWA(A/B/C/D/E/F/G)F6632	168	RWEAWF4831	185	RWHDHTB90H4	335	YPSB2636F	339
RWA(A/B/C/D/E/F/G)F7212	168	RWEAWF4862	186	RWHDHTB90H5	336	YPSB2642	341
RWA(A/B/C/D/E/F/G)F7221	168	RWEB7220(L/R)	268	RWHDHTB96H1	332	YPSB2642F	339
RWA(A/B/C/D/E/F/G)F7223	168	RWEB7224(L/R)	268	RWHDHTB96H2	333	YPSB2648	341
RWA(A/B/C/D/E/F/G)F7232	168	RWEC7220(L/R)	268	RWHDHTB96H3	334	YPSB2648F	339
RWAWF4212	185	RWEC7224(L/R)	268	RWHDHTB96H4	335	YPSB2654	341
RWAWF4221	185	RWED7220(L/R)	268	RWHDHTB96H5	336	YPSB2654F	339
RWAWF4223	185	RWED7224(L/R)	268	RWHRA	316	YPSB2660	341
RWAWF4232	185	RWHDHTB3026	325	RWHRB	316	YPSB2660F	339
RWAWF4812	185	RWHDHTB30H1	332	RWHRC	316	YPSB2666	341
RWAWF4821	185	RWHDHTB30H2	333	RWHRD	316	YPSB2666FRR	339
RWAWF4823	185	RWHDHTB30H3	334	RWHRE	316	YPSB2672	341
RWAWF4832	185	RWHDHTB30H4	335	RWHRF	316	YPSB2672FRR	339
RWAWF5412	185	RWHDHTB30H5	336	RWHRC	316	YPSB3224	340
RWAWF5421	185	RWHDHTB3626	325	RWHTB3024	325	YPSB3224F	338
RWAWF5423	185	RWHDHTB36H1	332	RWHTB3624	325	YPSB3227	340
RWAWF5432	185	RWHDHTB36H2	333	RWHTB4224	325	YPSB3227F	338
RWAWF6012	185	RWHDHTB36H3	334	RWHTB4824	325	YPSB3230	340
RWAWF6021	185	RWHDHTB36H4	335	RWMCT24	321	YPSB3230F	338
RWAWF6023	185	RWHDHTB36H5	336	RWMMP24	319	YPSB3236	340
RWAWF6032	185	RWHDHTB4226	325	RWMMP30	319	YPSB3236F	338
RWAWF6612	185	RWHDHTB42H1	332	RWMMP36	319	YPSB3242	340
RWAWF6621	185	RWHDHTB42H2	333	RWMPB	319	YPSB3242F	338
RWAWF6623	185	RWHDHTB42H3	334	RWMT1512R	321	YPSB3248	340
RWAWF6632	185	RWHDHTB42H4	335	RWMT1512U	321	YPSB3248F	338
RWAWF7212	185	RWHDHTB42H5	336	RWMT2712R	321	YPSB3254	340
RWAWF7221	185	RWHDHTB4826	325	RWMT2712U	321	YPSB3254F	338
RWAWF7223	185	RWHDHTB48H1	332	RWMT3912R	321	YPSB3260	340
RWAWF7232	185	RWHDHTB48H2	333	RWMT3912U	321	YPSB3260F	338
RWEA3613	147	RWHDHTB48H3	334	RWMV24	319	YPSB3266	340
RWEA3626	147	RWHDHTB48H4	335	RWMVF	320	YPSB3266FRR	338
RWEA3631	147	RWHDHTB48H5	336	RWMVH24	319	YPSB3272	340
RWEA3662	147	RWHDHTB54H1	332	RWMVH30	319	YPSB3272FRR	338
RWEA4213	147	RWHDHTB54H2	333	RWMVH36	319	YPSB3824	341
RWEA4226	147	RWHDHTB54H3	334	RWMVP24	319	YPSB3824F	339
RWEA4231	147	RWHDHTB54H4	335	RWMWT24	319	YPSB3827	341
RWEA4262	147	RWHDHTB54H5	336	RWMWT30	319	YPSB3827F	339
RWEA4813	147	RWHDHTB60H1	332	RWMWT36	319	YPSB3830	341
RWEA4826	147	RWHDHTB60H2	333	YPSB2024	340	YPSB3830F	339
RWEA4831	147	RWHDHTB60H3	334	YPSB2024F	338	YPSB3836	341
RWEA4862	147	RWHDHTB60H4	335	YPSB2027	340	YPSB3836F	339
RWEA7220(L/R)	268	RWHDHTB60H5	336	YPSB2027F	338	YPSB3842	341
RWEA7224(L/R)	268	RWHDHTB66H1	332	YPSB2030	340	YPSB3842F	339
RWEA(A/B/C/D/E/F/G)F3613	169	RWHDHTB66H2	333	YPSB2030F	338	YPSB3848	341

<i>pattern no.</i>	<i>page</i>
YPSB3343F	339
YPSB3354	341
YPSB3354F	339
YPSB3360	341
YPSB3360F	339
YPSB3366	341
YPSB3366FRR	339
YPSB3372	341
YPSB3372FRR	339

# Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
<b>Terms &amp; Conditions of Sales</b>	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
<b>Ordering Information</b>	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
<b>Order Confirmation</b>	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
<b>Pricing Policies</b>	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
<b>Taxes</b>	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
<b>Terms of Payment</b>	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
<b>Changes and Cancellation</b>	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
<b>Freight Prepaid</b>	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
<b>Delivery/Freight Charges</b>	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
<b>Claims</b>	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>
<b>Seller's Security Interest</b>	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
<b>Returns</b>	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
<b>Held Orders/Storage</b>	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

# Selling Policy

<b>Customer's Own Material</b>	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
<b>Warranty</b>	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, RPM, Sapper and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Anchor Storage except digital keypad lock, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Reff Profiles, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handerank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, Spark Series seating structural elements, Richard Schultz outdoor products, KnollExtra CPU storage and all universal storage drawers and Power Collection.</i></p> <p><i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: Anchor Storage digital keypad lock, all other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered amp pads and soft amp pads, wood casegoods upholstered surfaces. KnollStudio Maya Lin and Spark Series seating finishes.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none"><li>• Damage caused by a carrier other than the Seller.</li><li>• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).</li><li>• COM or other third party materials applied to Products.</li><li>• Products not installed by or under the auspices of a Knoll Dealer.</li><li>• Dramatic temperature variations or exposure to unusual conditions.</li><li>• Changes in surface finishes, including colorfastness due to aging or exposure to light.</li><li>• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty).</li></ul> <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
<b>Delay/Force Majeure</b>	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
<b>Compliance with Law</b>	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
<b>Patents</b>	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>
<b>Limitations of Liability</b>	<p><b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b></p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

# KnollKey Lock Program

## KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

### Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

**IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.**

**If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.**

### Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

### Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

### Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

### Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


### Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

## How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

**Step 1** - Using the project floorplan, count the number of locks in each workstation.



**Step 2** - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station  
3 workstations with 4 locks per station  
2 workstations with 5 locks per station

**Step 3** - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

**Step 4** - Then enter the pattern number "KSPEC\_ \_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

**Step 5** - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

## Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

\*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

## Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."

