

Table of Contents

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff finish options	5
Panels	Monolithic panels 34" H	7
	Monolithic panels 42" H	12
	Monolithic panels 49" H	18
	Monolithic panels 64" H	24
	Monolithic panels 79" H	30
	Tiled panels 34" H	36
	Tiled panels 42" H	40
	Tiled panels 49" H	46
	Tiled panels 64" H	52
	Tiled panels 79" H	58
	Aluminum Reveal kits	64
	Beltway one side, window panel 49" H	71
	Beltway two sides, window panel 49" H	85
	Stacking modules	88
	Panel connection posts	92
	Panel trims and post covers	95
	Ceiling cable entry posts, poles and cable infeed	97
	Ceiling cable entry post covers	99
	Rolling door and hinged door	101
	Attachment kits	102
	Floor to ceiling modules	103
	Required components	110
	Power distribution components	111
	Beltway electrical components	115
	Data and Communications	117
	Reff Ported Panel Components	118
Worksurfaces	Worksurface tops	121
	Worksurface tops and support	141
	Conference room tops	143
	Optional edge details	147
	Optional edge worksurface tops	148
	Optional edge conference room tops	162
	Waterfall edge	164
	Cascade edge	183
Support components	Top support components	189
	Top support components, 28 ³ / ₈ " high	194
	Bases, 26 ¹ / ₂ " high	196
	Bases, 28 ³ / ₈ " high	199
Transaction tops, regular and waterfall edge	Transaction tops	202
Gallery desk surrounds	Gallery desk surrounds	203
Cabinetry	Pedestals	210
	Pedestals, "desk height" 28 ³ / ₈ " high	218
	Cabinets (use with 26 ¹ / ₂ " h support components)	224
	Cabinets (use with 28 ³ / ₈ " h support components)	240
	Companion and office towers	250
Overhead storage	Overhead storage	251
	Reuter overhead cabinet	269
	Reuter open shelf	270
	Reuter open overhead	271
	Reuter overhead storage	272
	T5 Task Light for Reuter Overhead Storage	274
	T5 Task Light for Reff	275
	Sliding rails for Reff overhead cabinets	276
	Mini desk height storage	277

Preconfigured Reff Desking	Single pedestal desks	278
	Double pedestal desks	279
	Desk returns	280
	Single pedestal credenzas	281
	Bridge assemblies	282
	Double pedestal credenzas	283
Accessories and Client Samples	Accessories	284
Reff Original finish options	Reff Original finish options	290
Alpha-Numeric Index		291
Selling Policy		307
KnollKey Lock Program		309
General Ordering Information		310

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC); GREENGUARD® Environmental Institute; and Chicago Climate Exchange (CCX®).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

1. Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll is a member of the Chicago Climate Exchange, which promotes greenhouse gas reduction through the trading of credits earned for reducing emissions.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

2. Life Cycle Assessment (LCA) Tool

Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use, and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.

- Knoll partners with The Green Standard.org (formerly the International Design Center for the Environment, or IDCE) to develop an affordable, universal, ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry.

An affordable universal LCA tool has enormous potential value to:

- Help stop dangerous and irreversible climate change
- Conserve natural resources and reduce waste
- Improve quality of life
- Eliminate market confusion about green products using real metrics and sound science
- Facilitate design innovation
- Advance the sustainability triple bottom line: environment, economics and social equity

3. Setting Industry Standards

- Knoll partners with MTS (Market Transformation to Sustainability) to develop the SMART® Standard, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of the SMART Standard, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also participates in an ongoing BIFMA (Business and Institutional Furniture Manufacturers Association) initiative to establish sustainability standards for the contract furniture industry.
- Our goal is to encourage all manufacturers in the contract furniture and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll environmental, health and safety programs, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel,

thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 13/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 15/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see *support* section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes:**V1 Techwood Closed Pore**

Y324	Ash
Y311	Beech
Y319	Cherry
Y325	Chestnut
Y326	Dark Mahogany
Y327	Light Oak
Y328	Mahogany
Y316	Maple
Y329	Medium Oak
Y323	Medium Walnut

V1 - Techwood Closed Pore**Surface with matching synthetic edge:**

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneer**Closed Pore**

V312	Bronzed Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V431	Mellow Cherry
V433	Light Fawn Cherry
V436	Medium Brown Cherry

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are quarter cut)

V2 Natural Veneer with synthetic edge

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut

V3 Exotic Veneer

V512	Quartered Figure Anigre
V514	Quartered Makore
V515	Quartered Sycamore
V513	Quartered Graphite Oak
V517	Natural Sapele

(all V3's are quarter cut)

Glass Options:

TEMP Clear Tempered

Architectural Glass Options:

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Locks

Black only

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
128	Fog
129	Micro Sand with 119 Pumice edge band

Paint Classifications:

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

See matrix next page for finishes applicable by component

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

11	for Y311
12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
24	for Y324
25	for Y325
26	for Y326
27	for Y327
28	for Y328
29	for Y329
41	for V431
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
52	for V512
53	for V513
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options

Grade 10

Bailey II (W359)
Broadcloth (W288)
Foundation (W351)
Growth Spurt (W692)
Newbury (W812)
Solid Crepe (W257)
Symbolic Detail (W693)
Tailor Made (W133)
Versatility (W432)

Grade 15

Regency (W210)

Grade 20

Banyan (W443)
Bauhaus Block (W296A)
Boardwalk (W911)
Clarity (W281)
Criss Cross (W305)
Devon (W809)
Frequency (W340)
Melbourne (W228)
Outback (W229)
Reflect (W884)
Resolution (W280)
Walkabout (W230)
Weave Three (W298)

Grade 30

Basket Draft (W249)
Flow (W565)
Harmony (W232)
Interknit (W1090)
Micro (W465)*
Progression (W403)
Raku Cloth (W566)
Relay (W1020) ▲

Grade 35

Saxony Plus (S)

Grade 40

Eurythmic (W268)
Ornament (W1078)
Palladium (W1030) ▲
Sierra (R)

Grade 45

Casual Elegance (W920)
Dristi (K872)*

*with backing only

▲ Monolithic panels and tackboards only

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50

Glo (K757)
Ricochet (W498)

Grade 55

Transition (W816)

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing. COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Non-Wood Finishes

Finishes	Panel Tiles, Worksurfaces & Components	Panel Top Trims Window Frames	Panel Base Side Plates	Panel Beltway Side Plates*	Leg and Bases	Interaction Style Legs	Pulls	Grommets
Jet Black	111	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	n/a	115	115	115	115	115	n/a	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD

n/a = not available


* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only

Monolithic panels 34" H fabric both sides

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF34 18-() ()	\$521.	\$535.	\$571.	\$647.	\$691.	\$759.	\$805.
Regular acoustics	20"	34"	R3B0PFF34 20-() ()	521.	535.	571.	647.	691.	759.	805.
	24"	34"	R3B0PFF34 24-() ()	562.	576.	612.	688.	732.	800.	846.
	30"	34"	R3B0PFF34 30-() ()	600.	614.	650.	726.	770.	838.	884.
	36"	34"	R3B0PFF34 36-() ()	639.	653.	689.	765.	809.	877.	923.
	42"	34"	R3B0PFF34 42-() ()	733.	747.	783.	859.	903.	971.	1,017.
	48"	34"	R3B0PFF34 48-() ()	761.	775.	811.	887.	931.	999.	1,045.




Order Code	Specification Information	Application Notes	
Example: R3B0PFF3418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2¾".
P	Monolithic panel		
FF	Fabric on both sides		All panels on this page have no high acoustical option or Beltway option.
34	34" high		
18	18" wide		
(A)	Flat style top trim		
(4)	4" base height		
(K)	Include knockouts in base		
W281	Fabric selection - side 1		
W281	Fabric selection - side 2		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		
	1. Top trim profile (K = with knockouts, N = without knockouts)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)	
	2. Base height		
	3. Knockout option		
	4. Panel side 1 finish(s) inside		
	5. Panel side 2 finish(s) outside		
	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.	
	7. Base finish		
	8. Optional: specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable		
			Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 102.
			79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
			Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	R3B0PFL34 18-() ()	\$528.	\$534.	\$551.	\$586.	\$607.	\$638.	\$660.
	20"	34"	R3B0PFL34 20-() ()	528.	534.	551.	586.	607.	638.	660.
	24"	34"	R3B0PFL34 24-() ()	562.	568.	585.	620.	641.	672.	694.
	30"	34"	R3B0PFL34 30-() ()	599.	605.	622.	657.	678.	709.	731.
	36"	34"	R3B0PFL34 36-() ()	632.	638.	655.	690.	711.	742.	764.
	42"	34"	R3B0PFL34 42-() ()	719.	725.	742.	777.	798.	829.	851.
	48"	34"	R3B0PFL34 48-() ()	740.	746.	763.	798.	819.	850.	872.

Order Code	Specification Information	Application Notes
Example: R3B0PFL3418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
34 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option).
4 4" base height	i) Top trim profile A,B or C	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	options: V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
114 Folkstone grey - side 2	7. Base finish	
V316 Maple (top trim finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable	
111 Jet Black (base finish)		


Monolithic panels 34" H

fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF134 18-() ()	\$586.	\$592.	\$611.	\$649.	\$672.	\$706.	\$730.
Regular acoustics	20"	34"	R3B0PF134 20-() ()	589.	595.	614.	652.	675.	709.	733.
	24"	34"	R3B0PF134 24-() ()	627.	633.	652.	690.	713.	747.	771.
	30"	34"	R3B0PF134 30-() ()	667.	673.	692.	730.	753.	787.	811.
	36"	34"	R3B0PF134 36-() ()	706.	712.	731.	769.	792.	826.	850.
	42"	34"	R3B0PF134 42-() ()	802.	808.	827.	865.	888.	922.	946.
	48"	34"	R3B0PF134 48-() ()	828.	834.	853.	891.	914.	948.	972.




Order Code	Specification Information	Application Notes
Example: R3B0PF13418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other side	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
34 34" high	4. Panel side 1 finish(s) inside	
18 18" wide	5. Panel side 2 finish(s) outside	
A Flat style top trim	6. Top trim finish	
4 4" base height	i) Top trim profile A,B or C options:	
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii) Top trim profile E options:	
Y328 Mahogany - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable	
		<i>1. Top trim profile:</i>
		A = Flat
		B = Square
		C = Bullnose
		E = Extruded Aluminum
		<i>2. Base height:</i>
		4 = 4" base height
		6 = 6" base height (add \$43 per panel for this option)
		Applicable finishes are listed on page 5 and 6.
		All panels on this page accept stacking modules.
		6" Raceway option increases panel height by 2 3/4".
		All panels on this page have no high acoustical option or Beltway option.
		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 102.
		79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
		Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-() ()	\$597.	\$603.	\$622.	\$660.	\$683.	\$717.	\$741.
Regular acoustics	20"	34"	R3B0PF234 20-() ()	600.	606.	625.	663.	686.	720.	744.
	24"	34"	R3B0PF234 24-() ()	638.	644.	663.	701.	724.	758.	782.
	30"	34"	R3B0PF234 30-() ()	681.	687.	706.	744.	767.	801.	825.
	36"	34"	R3B0PF234 36-() ()	719.	725.	744.	782.	805.	839.	863.
	42"	34"	R3B0PF234 42-() ()	819.	825.	844.	882.	905.	939.	963.
	48"	34"	R3B0PF234 48-() ()	844.	850.	869.	907.	930.	964.	988.



Order Code	Specification Information	Application Notes
Example: R3B0PF23418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F2 Fabric one side, V2 other side	4. Panel side 1 finish(s) inside	E = Extruded aluminum
34 34" high	5. Panel side 2 finish(s) outside	<i>2. Base height:</i>
18 18" wide	6. Top trim finish	4 = 4" base height
A Flat style top trim	i) Top trim profile A, B or C options:	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric selection - side 1	7. Base finish	
V316 Maple surface - side 2	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		


Monolithic panels 34" H

fabric one side, exotic veneer other side

Reff

Panels



description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF334 18-() ()	\$795.	\$801.	\$820.	\$858.	\$881.	\$915.	\$939.
Regular acoustics	20"	34"	R3B0PF334 20-() ()	798.	804.	823.	861.	884.	918.	942.
	24"	34"	R3B0PF334 24-() ()	849.	855.	874.	912.	935.	969.	993.
	30"	34"	R3B0PF334 30-() ()	907.	913.	932.	970.	993.	1,027.	1,051.
	36"	34"	R3B0PF334 36-() ()	959.	965.	984.	1,022.	1,045.	1,079.	1,103.
	42"	34"	R3B0PF334 42-() ()	1,094.	1,100.	1,119.	1,157.	1,180.	1,214.	1,238.
	48"	34"	R3B0PF334 48-() ()	1,127.	1,133.	1,152.	1,190.	1,213.	1,247.	1,271.



Order Code	Specification Information	Application Notes	
Example: R3B0PF33418-A4K	<i>To order please specify pattern number including:</i>		
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
B0 No Beltway	2. Base height		6" Raceway option increases panel height by 2 3/4".
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)		All panels on this page have no high acoustical option or Beltway option.
F3 Fabric one side, V3 one side	4. Panel side 1 finish(s) inside	2. Base height: 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)	
34 34" high	5. Panel side 2 finish(s) outside		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 102.
18 18" wide	6. Top trim finish i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
A Flat style top trim	7. Base finish		Ported panel components to be installed below worksurface if panel 34"h.
4 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable		
K Include knockouts in base			
W281 Fabric selection - side 1			
V512 Figured Anigre surface - side 2			
V512 Figured Anigre (top trim finish)			
111 Jet Black (base finish)			

Monolithic panels 42" H fabric both sides

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	42"	R3B0PFF42 18-() ()	\$475.	\$491.	\$531.	\$607.	\$669.	\$737.	\$785.
	20"	42"	R3B0PFF42 20-() ()	475.	491.	531.	607.	669.	737.	785.
	24"	42"	R3B0PFF42 24-() ()	507.	523.	563.	639.	701.	769.	817.
	30"	42"	R3B0PFF42 30-() ()	551.	567.	607.	683.	745.	813.	861.
	36"	42"	R3B0PFF42 36-() ()	595.	611.	651.	727.	789.	857.	905.
	42"	42"	R3B0PFF42 42-() ()	639.	655.	695.	771.	833.	901.	949.
	48"	42"	R3B0PFF42 48-() ()	685.	701.	741.	817.	879.	947.	995.
	60"	42"	R3B0PFF42 60-() () *	777.	819.	897.	1,049.	1,163.	1,309.	1,397.
	66"	42"	R3B0PFF42 66-() () *	804.	846.	924.	1,076.	1,190.	1,336.	1,424.
	72"	42"	R3B0PFF42 72-() () *	830.	872.	950.	1,102.	1,216.	1,362.	1,450.
Monolithic, fabric both sides High acoustics 	18"	42"	R3B0PAA42 18-() ()	521.	537.	577.	653.	715.	783.	831.
	20"	42"	R3B0PAA42 20-() ()	521.	537.	577.	653.	715.	783.	831.
	24"	42"	R3B0PAA42 24-() ()	554.	570.	610.	686.	748.	816.	864.
	30"	42"	R3B0PAA42 30-() ()	602.	618.	658.	734.	796.	864.	912.
	36"	42"	R3B0PAA42 36-() ()	652.	668.	708.	784.	846.	914.	962.
	42"	42"	R3B0PAA42 42-() ()	702.	718.	758.	834.	896.	964.	1,012.
	48"	42"	R3B0PAA42 48-() ()	752.	768.	808.	884.	946.	1,014.	1,062.
	60"	42"	R3B0PAA42 60-() () *	848.	890.	968.	1,120.	1,234.	1,380.	1,468.
	66"	42"	R3B0PAA42 66-() () *	876.	918.	996.	1,148.	1,262.	1,408.	1,496.
	72"	42"	R3B0PAA42 72-() () *	905.	947.	1,025.	1,177.	1,291.	1,437.	1,525.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 202).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
B0 No Beltway	2. Base height	Applicable finishes are listed on page 5 and 6.
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 102.
42 42" high	5. Panel side 2 finish(s) outside	Remember to specify Beltway paint finish when applicable.
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
(A) Flat style top trim	7. Base finish	*Fabric inserts of these panels are two pieces, split vertically.
(4) 4" base height	8. Beltway finish	
(K) Include knockouts in base	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable	
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Monolithic panels 42" H fabric both sides

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-()()	\$940.	\$960.	\$1,012.	\$1,114.	\$1,172.	\$1,258.	\$1,314.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-()()	940.	960.	1,012.	1,114.	1,172.	1,258.	1,314.
	24"	42"	R3B2PFF42 24-()()	960.	980.	1,032.	1,134.	1,192.	1,278.	1,334.
	30"	42"	R3B2PFF42 30-()()	1,007.	1,027.	1,079.	1,181.	1,239.	1,325.	1,381.
	36"	42"	R3B2PFF42 36-()()	1,177.	1,197.	1,249.	1,351.	1,409.	1,495.	1,551.
	42"	42"	R3B2PFF42 42-()()	1,266.	1,286.	1,338.	1,440.	1,498.	1,584.	1,640.
	48"	42"	R3B2PFF42 48-()()	1,311.	1,331.	1,383.	1,485.	1,543.	1,629.	1,685.



Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-()()	924.	942.	988.	1,077.	1,137.	1,214.	1,266.
Beltway one side	20"	42"	R3B1PFF42 20-()()	924.	942.	988.	1,077.	1,137.	1,214.	1,266.
	24"	42"	R3B1PFF42 24-()()	940.	958.	1,004.	1,093.	1,153.	1,230.	1,282.
	30"	42"	R3B1PFF42 30-()()	987.	1,005.	1,051.	1,140.	1,200.	1,277.	1,329.
	36"	42"	R3B1PFF42 36-()()	1,154.	1,172.	1,218.	1,307.	1,367.	1,444.	1,496.
	42"	42"	R3B1PFF42 42-()()	1,240.	1,258.	1,304.	1,393.	1,453.	1,530.	1,582.
	48"	42"	R3B1PFF42 48-()()	1,280.	1,298.	1,344.	1,433.	1,493.	1,570.	1,622.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 202).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
FF Fabric on both sides	4. Panel side 1 finish(s) inside	
42 42" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish	6" Raceway option increases panel height by 2 3/4".
(A) Flat style top trim	i) Top trim profile A, B or C options:	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 102.
(4) 4" base height	ii) Top trim profile E options:	Remember to specify Beltway paint finish when applicable.
(K) Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
W281 Fabric selection - side 1	7. Base finish	
W281 Fabric selection - side 2	8. Beltway finish	
V316 Maple (top trim finish)	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable	*Fabric inserts of these panels are two pieces, split vertically.
111 Jet Black (base finish)		

1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)

Monolithic panels 42" H fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	42"	R3B0PFL42 18-() ()	\$431.	\$439.	\$457.	\$493.	\$522.	\$553.	\$576.
	20"	42"	R3B0PFL42 20-() ()	431.	439.	457.	493.	522.	553.	576.
	24"	42"	R3B0PFL42 24-() ()	437.	445.	463.	499.	528.	559.	582.
	30"	42"	R3B0PFL42 30-() ()	524.	532.	550.	586.	615.	646.	669.
	36"	42"	R3B0PFL42 36-() ()	567.	575.	593.	629.	658.	689.	712.
	42"	42"	R3B0PFL42 42-() ()	637.	645.	663.	699.	728.	759.	782.
	48"	42"	R3B0PFL42 48-() ()	693.	701.	719.	755.	784.	815.	838.
	60"	42"	R3B0PFL42 60-() ()	754.	773.	809.	881.	933.	1,001.	1,043.
	66"	42"	R3B0PFL42 66-() ()	780.	799.	835.	907.	959.	1,027.	1,069.
	72"	42"	R3B0PFL42 72-() ()	810.	829.	865.	937.	989.	1,057.	1,099.
 Monolithic, fabric one side Beltway one side (fabric side)	18"	42"	R3B1PFL42 18-() ()	851.	861.	884.	932.	958.	999.	1,026.
	20"	42"	R3B1PFL42 20-() ()	851.	861.	884.	932.	958.	999.	1,026.
	24"	42"	R3B1PFL42 24-() ()	872.	882.	905.	953.	979.	1,020.	1,047.
	30"	42"	R3B1PFL42 30-() ()	937.	947.	970.	1,018.	1,044.	1,085.	1,112.
	36"	42"	R3B1PFL42 36-() ()	1,093.	1,103.	1,126.	1,174.	1,200.	1,241.	1,268.
	42"	42"	R3B1PFL42 42-() ()	1,119.	1,129.	1,152.	1,200.	1,226.	1,267.	1,294.
	48"	42"	R3B1PFL42 48-() ()	1,258.	1,268.	1,291.	1,339.	1,365.	1,406.	1,433.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii) Top trim profile E options:	
114 Folkstone grey - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.)

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	42"	R3B0PF142 18-() ()	\$480.	\$489.	\$509.	\$548.	\$580.	\$614.	\$639.
Regular acoustics	20"	42"	R3B0PF142 20-() ()	480.	489.	509.	548.	580.	614.	639.
	24"	42"	R3B0PF142 24-() ()	485.	494.	514.	553.	585.	619.	644.
	30"	42"	R3B0PF142 30-() ()	584.	593.	613.	652.	684.	718.	743.
	36"	42"	R3B0PF142 36-() ()	632.	641.	661.	700.	732.	766.	791.
	42"	42"	R3B0PF142 42-() ()	711.	720.	740.	779.	811.	845.	870.
	48"	42"	R3B0PF142 48-() ()	773.	782.	802.	841.	873.	907.	932.
	60"	42"	R3B0PF142 60-() ()*	842.	862.	902.	981.	1,037.	1,112.	1,158.
	66"	42"	R3B0PF142 66-() ()*	875.	895.	935.	1,014.	1,070.	1,145.	1,191.
	72"	42"	R3B0PF142 72-() ()*	905.	925.	965.	1,044.	1,100.	1,175.	1,221.
Monolithic, fabric one side	18"	42"	R3B1PF142 18-() ()	945.	955.	981.	1,033.	1,061.	1,106.	1,136.
Beltway one side (fabric side)	20"	42"	R3B1PF142 20-() ()	945.	955.	981.	1,033.	1,061.	1,106.	1,136.
	24"	42"	R3B1PF142 24-() ()	972.	982.	1,008.	1,060.	1,088.	1,133.	1,163.
	30"	42"	R3B1PF142 30-() ()	1,045.	1,055.	1,081.	1,133.	1,161.	1,206.	1,236.
	36"	42"	R3B1PF142 36-() ()	1,216.	1,226.	1,252.	1,304.	1,332.	1,377.	1,407.
	42"	42"	R3B1PF142 42-() ()	1,248.	1,258.	1,284.	1,336.	1,364.	1,409.	1,439.
	48"	42"	R3B1PF142 48-() ()	1,404.	1,414.	1,440.	1,492.	1,520.	1,565.	1,595.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i)Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii)Top trim profile E options:	
Y328 Mahogany - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.



79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	42"	R3B0PF242 18-() ()	\$488.	\$497.	\$517.	\$556.	\$588.	\$622.	\$647.
	20"	42"	R3B0PF242 20-() ()	488.	497.	517.	556.	588.	622.	647.
	24"	42"	R3B0PF242 24-() ()	495.	504.	524.	563.	595.	629.	654.
	30"	42"	R3B0PF242 30-() ()	595.	604.	624.	663.	695.	729.	754.
	36"	42"	R3B0PF242 36-() ()	643.	652.	672.	711.	743.	777.	802.
	42"	42"	R3B0PF242 42-() ()	724.	733.	753.	792.	824.	858.	883.
	48"	42"	R3B0PF242 48-() ()	789.	798.	818.	857.	889.	923.	948.
	60"	42"	R3B0PF242 60-() ()*	854.	874.	914.	993.	1,049.	1,124.	1,170.
	66"	42"	R3B0PF242 66-() ()*	889.	909.	949.	1,028.	1,084.	1,159.	1,205.
	72"	42"	R3B0PF242 72-() ()*	919.	939.	979.	1,058.	1,114.	1,189.	1,235.
 Monolithic, fabric one side Beltway one side (fabric side)	18"	42"	R3B1PF242 18-() ()	967.	977.	1,003.	1,055.	1,083.	1,128.	1,158.
	20"	42"	R3B1PF242 20-() ()	967.	977.	1,003.	1,055.	1,083.	1,128.	1,158.
	24"	42"	R3B1PF242 24-() ()	987.	997.	1,023.	1,075.	1,103.	1,148.	1,178.
	30"	42"	R3B1PF242 30-() ()	1,066.	1,076.	1,102.	1,154.	1,182.	1,227.	1,257.
	36"	42"	R3B1PF242 36-() ()	1,240.	1,250.	1,276.	1,328.	1,356.	1,401.	1,431.
	42"	42"	R3B1PF242 42-() ()	1,272.	1,282.	1,308.	1,360.	1,388.	1,433.	1,463.
	48"	42"	R3B1PF242 48-() ()	1,429.	1,439.	1,465.	1,517.	1,545.	1,590.	1,620.



Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	<i>To order please specify pattern number including:</i> 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option) Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 102 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, exotic veneer other side

Reff

Panels


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF342 18-() ()	\$645.	\$654.	\$674.	\$713.	\$745.	\$779.	\$804.
	20"	42"	R3B0PF342 20-() ()	645.	654.	674.	713.	745.	779.	804.
	24"	42"	R3B0PF342 24-() ()	655.	664.	684.	723.	755.	789.	814.
	30"	42"	R3B0PF342 30-() ()	789.	798.	818.	857.	889.	923.	948.
	36"	42"	R3B0PF342 36-() ()	854.	863.	883.	922.	954.	988.	1,013.
	42"	42"	R3B0PF342 42-() ()	964.	973.	993.	1,032.	1,064.	1,098.	1,123.
	48"	42"	R3B0PF342 48-() ()	1,052.	1,061.	1,081.	1,120.	1,152.	1,186.	1,211.
	60"	42"	R3B0PF342 60-() ()*	1,126.	1,146.	1,186.	1,265.	1,321.	1,396.	1,442.
	66"	42"	R3B0PF342 66-() ()*	1,173.	1,193.	1,233.	1,312.	1,368.	1,443.	1,489.
	72"	42"	R3B0PF342 72-() ()*	1,214.	1,234.	1,274.	1,353.	1,409.	1,484.	1,530.
Monolithic, fabric one side Beltway fabric side 	18"	42"	R3B1PF342 18-() ()	1,291.	1,301.	1,327.	1,379.	1,407.	1,452.	1,482.
	20"	42"	R3B1PF342 20-() ()	1,291.	1,301.	1,327.	1,379.	1,407.	1,452.	1,482.
	24"	42"	R3B1PF342 24-() ()	1,319.	1,329.	1,355.	1,407.	1,435.	1,480.	1,510.
	30"	42"	R3B1PF342 30-() ()	1,425.	1,435.	1,461.	1,513.	1,541.	1,586.	1,616.
	36"	42"	R3B1PF342 36-() ()	1,660.	1,670.	1,696.	1,748.	1,776.	1,821.	1,851.
	42"	42"	R3B1PF342 42-() ()	1,703.	1,713.	1,739.	1,791.	1,819.	1,864.	1,894.
	48"	42"	R3B1PF342 48-() ()	1,916.	1,926.	1,952.	2,004.	2,032.	2,077.	2,107.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	<i>To order please specify pattern number including:</i> 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish <i>i)</i> Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii)</i> Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option) Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 102 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H fabric both sides

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18"	49"	R3B0PFF49 18-() ()	\$532.	\$556.	\$602.	\$698.	\$760.	\$844.	\$896.
	20"	49"	R3B0PFF49 20-() ()	532.	556.	602.	698.	760.	844.	896.
	24"	49"	R3B0PFF49 24-() ()	567.	591.	637.	733.	795.	879.	931.
	30"	49"	R3B0PFF49 30-() ()	617.	641.	687.	783.	845.	929.	981.
	36"	49"	R3B0PFF49 36-() ()	645.	669.	715.	811.	873.	957.	1,009.
	42"	49"	R3B0PFF49 42-() ()	695.	719.	765.	861.	923.	1,007.	1,059.
	48"	49"	R3B0PFF49 48-() ()	763.	787.	833.	929.	991.	1,075.	1,127.
	60"	49"	R3B0PFF49 60-() () *	885.	923.	1,015.	1,205.	1,333.	1,501.	1,605.
	66"	49"	R3B0PFF49 66-() () *	913.	951.	1,043.	1,233.	1,361.	1,529.	1,633.
	72"	49"	R3B0PFF49 72-() () *	941.	979.	1,071.	1,261.	1,389.	1,557.	1,661.



Monolithic, fabric both sides High acoustics	18"	49"	R3B0PAA49 18-() ()	580.	604.	650.	746.	808.	892.	944.
	20"	49"	R3B0PAA49 20-() ()	580.	604.	650.	746.	808.	892.	944.
	24"	49"	R3B0PAA49 24-() ()	620.	644.	690.	786.	848.	932.	984.
	30"	49"	R3B0PAA49 30-() ()	673.	697.	743.	839.	901.	985.	1,037.
	36"	49"	R3B0PAA49 36-() ()	706.	730.	776.	872.	934.	1,018.	1,070.
	42"	49"	R3B0PAA49 42-() ()	762.	786.	832.	928.	990.	1,074.	1,126.
	48"	49"	R3B0PAA49 48-() ()	838.	862.	908.	1,004.	1,066.	1,150.	1,202.
	60"	49"	R3B0PAA49 60-() () *	962.	1,000.	1,092.	1,282.	1,410.	1,578.	1,682.
	66"	49"	R3B0PAA49 66-() () *	995.	1,033.	1,125.	1,315.	1,443.	1,611.	1,715.
	72"	49"	R3B0PAA49 72-() () *	1,028.	1,066.	1,158.	1,348.	1,476.	1,644.	1,748.



Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i)Top trim profile A,B or C options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	ii)Top trim profile E options:	*Fabric inserts of these panels are two pieces, split vertically.
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 49" H fabric both sides

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-()()	\$965.	\$995.	\$1,053.	\$1,159.	\$1,229.	\$1,335.	\$1,401.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-()()	965.	995.	1,053.	1,159.	1,229.	1,335.	1,401.
	24"	49"	R3B2PFF49 24-()()	986.	1,016.	1,074.	1,180.	1,250.	1,356.	1,422.
	30"	49"	R3B2PFF49 30-()()	1,035.	1,065.	1,123.	1,229.	1,299.	1,405.	1,471.
	36"	49"	R3B2PFF49 36-()()	1,222.	1,252.	1,310.	1,416.	1,486.	1,592.	1,658.
	42"	49"	R3B2PFF49 42-()()	1,314.	1,344.	1,402.	1,508.	1,578.	1,684.	1,750.
	48"	49"	R3B2PFF49 48-()()	1,361.	1,391.	1,449.	1,555.	1,625.	1,731.	1,797.

Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-()()	946.	973.	1,025.	1,126.	1,192.	1,287.	1,346.
Beltway one side	20"	49"	R3B1PFF49 20-()()	946.	973.	1,025.	1,126.	1,192.	1,287.	1,346.
	24"	49"	R3B1PFF49 24-()()	965.	992.	1,044.	1,145.	1,211.	1,306.	1,365.
	30"	49"	R3B1PFF49 30-()()	1,012.	1,039.	1,091.	1,192.	1,258.	1,353.	1,412.
	36"	49"	R3B1PFF49 36-()()	1,197.	1,224.	1,276.	1,377.	1,443.	1,538.	1,597.
	42"	49"	R3B1PFF49 42-()()	1,286.	1,313.	1,365.	1,466.	1,532.	1,627.	1,686.
	48"	49"	R3B1PFF49 48-()()	1,331.	1,358.	1,410.	1,511.	1,577.	1,672.	1,731.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i)Top trim profile A,B or C options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	ii)Top trim profile E options:	*Fabric inserts of these panels are two pieces, split vertically.
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 49" H

fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	49"	R3B0PFL49 18-() ()	\$477.	\$490.	\$510.	\$555.	\$585.	\$623.	\$648.
	20"	49"	R3B0PFL49 20-() ()	477.	490.	510.	555.	585.	623.	648.
	24"	49"	R3B0PFL49 24-() ()	522.	535.	555.	600.	630.	668.	693.
	30"	49"	R3B0PFL49 30-() ()	591.	604.	624.	669.	699.	737.	762.
	36"	49"	R3B0PFL49 36-() ()	638.	651.	671.	716.	746.	784.	809.
	42"	49"	R3B0PFL49 42-() ()	704.	717.	737.	782.	812.	850.	875.
	48"	49"	R3B0PFL49 48-() ()	793.	806.	826.	871.	901.	939.	964.
	60"	49"	R3B0PFL49 60-() () *	863.	882.	926.	1,012.	1,072.	1,151.	1,199.
	66"	49"	R3B0PFL49 66-() () *	888.	907.	951.	1,037.	1,097.	1,176.	1,224.
	72"	49"	R3B0PFL49 72-() () *	919.	938.	982.	1,068.	1,128.	1,207.	1,255.

 Monolithic, fabric one side Beltway one side (fabric side)	18"	49"	R3B1PFL49 18-() ()	866.	879.	907.	956.	988.	1,037.	1,069.
	20"	49"	R3B1PFL49 20-() ()	866.	879.	907.	956.	988.	1,037.	1,069.
	24"	49"	R3B1PFL49 24-() ()	899.	912.	940.	989.	1,021.	1,070.	1,102.
	30"	49"	R3B1PFL49 30-() ()	967.	980.	1,008.	1,057.	1,089.	1,138.	1,170.
	36"	49"	R3B1PFL49 36-() ()	1,162.	1,175.	1,203.	1,252.	1,284.	1,333.	1,365.
	42"	49"	R3B1PFL49 42-() ()	1,268.	1,281.	1,309.	1,358.	1,390.	1,439.	1,471.
	48"	49"	R3B1PFL49 48-() ()	1,336.	1,349.	1,377.	1,426.	1,458.	1,507.	1,539.

Order Code	Specification Information	Application Notes	
Example: R3B0PFL4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 102 at no charge.	
R3 Reff Generation 3	1. Top trim profile		1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height		2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)		6" Raceway option increases panel height by 2¾".
FL Fabric one side, laminate other	4. Panel side 1 finish(s) inside		Applicable finishes are listed on page 5 and 6.
49 49" high	5. Panel side 2 finish(s) outside		
18 18" wide	6. Top trim finish <i>i)Top trim profile A,B or C options:</i> V1, V2, V3, P1, P2, P3 finishes <i>ii)Top trim profile E options:</i> AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver		
A Flat style top trim	7. Base finish		
4 4" base height	8. Beltway finish		
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable		
W281 Fabric selection - side 1			
114 Folkstone grey - side 2			
V316 Maple (top trim finish)			
111 Jet Black (base finish)			

Monolithic panels 49" H

fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	49"	R3B0PF149 18-() ()	\$532.	\$546.	\$568.	\$617.	\$650.	\$691.	\$719.
Regular acoustics	20"	49"	R3B0PF149 20-() ()	532.	546.	568.	617.	650.	691.	719.
	24"	49"	R3B0PF149 24-() ()	582.	596.	618.	667.	700.	741.	769.
	30"	49"	R3B0PF149 30-() ()	663.	677.	699.	748.	781.	822.	850.
	36"	49"	R3B0PF149 36-() ()	710.	724.	746.	795.	828.	869.	897.
	42"	49"	R3B0PF149 42-() ()	786.	800.	822.	871.	904.	945.	973.
	48"	49"	R3B0PF149 48-() ()	884.	898.	920.	969.	1,002.	1,043.	1,071.
	60"	49"	R3B0PF149 60-() () *	962.	983.	1,031.	1,125.	1,191.	1,277.	1,329.
	66"	49"	R3B0PF149 66-() () *	991.	1,012.	1,060.	1,154.	1,220.	1,306.	1,358.
	72"	49"	R3B0PF149 72-() () *	1,024.	1,045.	1,093.	1,187.	1,253.	1,339.	1,391.
Monolithic, fabric one side	18"	49"	R3B1PF149 18-() ()	967.	981.	1,012.	1,065.	1,100.	1,154.	1,189.
Beltway one side (fabric side)	20"	49"	R3B1PF149 20-() ()	967.	981.	1,012.	1,065.	1,100.	1,154.	1,189.
	24"	49"	R3B1PF149 24-() ()	1,003.	1,017.	1,048.	1,101.	1,136.	1,190.	1,225.
	30"	49"	R3B1PF149 30-() ()	1,077.	1,091.	1,122.	1,175.	1,210.	1,264.	1,299.
	36"	49"	R3B1PF149 36-() ()	1,294.	1,308.	1,339.	1,392.	1,427.	1,481.	1,516.
	42"	49"	R3B1PF149 42-() ()	1,416.	1,430.	1,461.	1,514.	1,549.	1,603.	1,638.
	48"	49"	R3B1PF149 48-() ()	1,488.	1,502.	1,533.	1,586.	1,621.	1,675.	1,710.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top rim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	ii) Top trim profile E options:	
Y328 Mahogany - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 49" H

fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	49"	R3B0PF249 18-() ()	\$541.	\$555.	\$577.	\$626.	\$659.	\$700.	\$728.
	20"	49"	R3B0PF249 20-() ()	541.	555.	577.	626.	659.	700.	728.
	24"	49"	R3B0PF249 24-() ()	592.	606.	628.	677.	710.	751.	779.
	30"	49"	R3B0PF249 30-() ()	672.	686.	708.	757.	790.	831.	859.
	36"	49"	R3B0PF249 36-() ()	723.	737.	759.	808.	841.	882.	910.
	42"	49"	R3B0PF249 42-() ()	800.	814.	836.	885.	918.	959.	987.
	48"	49"	R3B0PF249 48-() ()	902.	916.	938.	987.	1,020.	1,061.	1,089.
	60"	49"	R3B0PF249 60-() () *	980.	1,001.	1,049.	1,143.	1,209.	1,295.	1,347.
	66"	49"	R3B0PF249 66-() () *	1,011.	1,032.	1,080.	1,174.	1,240.	1,326.	1,378.
	72"	49"	R3B0PF249 72-() () *	1,043.	1,064.	1,112.	1,206.	1,272.	1,358.	1,410.

 Monolithic, fabric one side Beltway one side (fabric side)	18"	49"	R3B1PF249 18-() ()	984.	998.	1,029.	1,082.	1,117.	1,171.	1,206.
	20"	49"	R3B1PF249 20-() ()	984.	998.	1,029.	1,082.	1,117.	1,171.	1,206.
	24"	49"	R3B1PF249 24-() ()	1,020.	1,034.	1,065.	1,118.	1,153.	1,207.	1,242.
	30"	49"	R3B1PF249 30-() ()	1,099.	1,113.	1,144.	1,197.	1,232.	1,286.	1,321.
	36"	49"	R3B1PF249 36-() ()	1,321.	1,335.	1,366.	1,419.	1,454.	1,508.	1,543.
	42"	49"	R3B1PF249 42-() ()	1,440.	1,454.	1,485.	1,538.	1,573.	1,627.	1,662.
	48"	49"	R3B1PF249 48-() ()	1,514.	1,528.	1,559.	1,612.	1,647.	1,701.	1,736.



Order Code	Specification Information	Application Notes	
Example: R3B0PF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically
R3	Reff Generation 3	A = Flat	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B0	No Beltway	B = Square	
P	Monolithic panel	C = Bullnose	
F2	Fabric one side, V2 other	E = Extruded Aluminum	
49	49" high	<i>2. Base height:</i>	
18	18" wide	4 = 4" base height	Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
A	Flat style top trim	6 = 6" base height (add \$43 per panel for this option)	
4	4" base height	6" Raceway option increases panel height by 2 3/4".	
K	Include knockouts in base	Applicable finishes are listed on page 5 and 6.	
W281	Fabric selection - side 1		
V316	Maple surface - side 2		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		

Monolithic panels 49" H

fabric one side, exotic veneer other side

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF349 18-() ()	\$715.	\$729.	\$751.	\$800.	\$833.	\$874.	\$902.
	20"	49"	R3B0PF349 20-() ()	715.	729.	751.	800.	833.	874.	902.
	24"	49"	R3B0PF349 24-() ()	784.	798.	820.	869.	902.	943.	971.
	30"	49"	R3B0PF349 30-() ()	892.	906.	928.	977.	1,010.	1,051.	1,079.
	36"	49"	R3B0PF349 36-() ()	961.	975.	997.	1,046.	1,079.	1,120.	1,148.
	42"	49"	R3B0PF349 42-() ()	1,065.	1,079.	1,101.	1,150.	1,183.	1,224.	1,252.
	48"	49"	R3B0PF349 48-() ()	1,202.	1,216.	1,238.	1,287.	1,320.	1,361.	1,389.
	60"	49"	R3B0PF349 60-() ()*	1,291.	1,312.	1,360.	1,454.	1,520.	1,606.	1,658.
	66"	49"	R3B0PF349 66-() ()*	1,333.	1,354.	1,402.	1,496.	1,562.	1,648.	1,700.
	72"	49"	R3B0PF349 72-() ()*	1,375.	1,396.	1,444.	1,538.	1,604.	1,690.	1,742.
Monolithic, fabric one side Beltway fabric side 	18"	49"	R3B1PF349 18-() ()	1,312.	1,326.	1,357.	1,410.	1,445.	1,499.	1,534.
	20"	49"	R3B1PF349 20-() ()	1,312.	1,326.	1,357.	1,410.	1,445.	1,499.	1,534.
	24"	49"	R3B1PF349 24-() ()	1,361.	1,375.	1,406.	1,459.	1,494.	1,548.	1,583.
	30"	49"	R3B1PF349 30-() ()	1,467.	1,481.	1,512.	1,565.	1,600.	1,654.	1,689.
	36"	49"	R3B1PF349 36-() ()	1,767.	1,781.	1,812.	1,865.	1,900.	1,954.	1,989.
	42"	49"	R3B1PF349 42-() ()	1,928.	1,942.	1,973.	2,026.	2,061.	2,115.	2,150.
	48"	49"	R3B1PF349 48-() ()	2,028.	2,042.	2,073.	2,126.	2,161.	2,215.	2,250.

Order Code	Specification Information	Application Notes	
Example: R3B0PF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically
R3	Reff Generation 3	A = Flat	
B0	No Beltway	B = Square	
P	Monolithic panel	C = Bullnose	
F3	Fabric one side, V3 other	E = Extruded Aluminum	
49	49" high	<i>2. Base height:</i>	
18	18" wide	4 = 4" base height	
A	Flat style top trim	6 = 6" base height (add \$43 per panel for this option)	
4	4" base height	6" Raceway option increases panel height by 2 3/4".	
K	Include knockouts in base	Applicable finishes are listed on page 5 and 6.	
W281	Fabric selection - side 1		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
V512	Figured Anigre surface - side 2		Remember to specify Beltway paint finish when applicable.
V512	Figured Anigre (top trim finish)		*These panel widths do not accept stacking modules.
111	Jet Black (base finish)		

Monolithic panels 64" H fabric both sides

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	64"	R3B0PFF64 18-() ()	\$613.	\$643.	\$701.	\$821.	\$907.	\$1,015.	\$1,087.
	20"	64"	R3B0PFF64 20-() ()	613.	643.	701.	821.	907.	1,015.	1,087.
	24"	64"	R3B0PFF64 24-() ()	650.	680.	738.	858.	944.	1,052.	1,124.
	30"	64"	R3B0PFF64 30-() ()	699.	729.	787.	907.	993.	1,101.	1,173.
	36"	64"	R3B0PFF64 36-() ()	717.	747.	805.	925.	1,011.	1,119.	1,191.
	42"	64"	R3B0PFF64 42-() ()	834.	864.	922.	1,042.	1,128.	1,236.	1,308.
	48"	64"	R3B0PFF64 48-() ()	883.	913.	971.	1,091.	1,177.	1,285.	1,357.
	60"	64"	R3B0PFF64 60-() () *	1,024.	1,090.	1,204.	1,454.	1,628.	1,846.	1,988.
	66"	64"	R3B0PFF64 66-() () *	1,057.	1,123.	1,237.	1,487.	1,661.	1,879.	2,021.
	72"	64"	R3B0PFF64 72-() () *	1,091.	1,157.	1,271.	1,521.	1,695.	1,913.	2,055.
Monolithic, fabric both sides High acoustics 	18"	64"	R3B0PAA64 18-() ()	667.	697.	755.	875.	961.	1,069.	1,141.
	20"	64"	R3B0PAA64 20-() ()	667.	697.	755.	875.	961.	1,069.	1,141.
	24"	64"	R3B0PAA64 24-() ()	712.	742.	800.	920.	1,006.	1,114.	1,186.
	30"	64"	R3B0PAA64 30-() ()	765.	795.	853.	973.	1,059.	1,167.	1,239.
	36"	64"	R3B0PAA64 36-() ()	783.	813.	871.	991.	1,077.	1,185.	1,257.
	42"	64"	R3B0PAA64 42-() ()	916.	946.	1,004.	1,124.	1,210.	1,318.	1,390.
	48"	64"	R3B0PAA64 48-() ()	969.	999.	1,057.	1,177.	1,263.	1,371.	1,443.
	60"	64"	R3B0PAA64 60-() () *	1,112.	1,178.	1,292.	1,542.	1,716.	1,934.	2,076.
	66"	64"	R3B0PAA64 66-() () *	1,148.	1,214.	1,328.	1,578.	1,752.	1,970.	2,112.
	72"	64"	R3B0PAA64 72-() () *	1,187.	1,253.	1,367.	1,617.	1,791.	2,009.	2,151.


Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FF Fabric on both sides 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 W281 Fabric selection - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	<i>To order please specify pattern number including:</i> 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 64" H fabric both sides

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-() ()	\$1,053.	\$1,083.	\$1,153.	\$1,305.	\$1,395.	\$1,531.	\$1,619.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-() ()	1,053.	1,083.	1,153.	1,305.	1,395.	1,531.	1,619.
	24"	64"	R3B2PFF64 24-() ()	1,104.	1,134.	1,204.	1,356.	1,446.	1,582.	1,670.
	30"	64"	R3B2PFF64 30-() ()	1,130.	1,160.	1,230.	1,382.	1,472.	1,608.	1,696.
	36"	64"	R3B2PFF64 36-() ()	1,367.	1,397.	1,467.	1,619.	1,709.	1,845.	1,933.
	42"	64"	R3B2PFF64 42-() ()	1,463.	1,493.	1,563.	1,715.	1,805.	1,941.	2,029.
	48"	64"	R3B2PFF64 48-() ()	1,512.	1,542.	1,612.	1,764.	1,854.	1,990.	2,078.



Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-() ()	1,030.	1,060.	1,124.	1,260.	1,348.	1,470.	1,550.
Beltway one side	20"	64"	R3B1PFF64 20-() ()	1,030.	1,060.	1,124.	1,260.	1,348.	1,470.	1,550.
	24"	64"	R3B1PFF64 24-() ()	1,078.	1,108.	1,172.	1,308.	1,396.	1,518.	1,598.
	30"	64"	R3B1PFF64 30-() ()	1,101.	1,131.	1,195.	1,331.	1,419.	1,541.	1,621.
	36"	64"	R3B1PFF64 36-() ()	1,339.	1,369.	1,433.	1,569.	1,657.	1,779.	1,859.
	42"	64"	R3B1PFF64 42-() ()	1,431.	1,461.	1,525.	1,661.	1,749.	1,871.	1,951.
	48"	64"	R3B1PFF64 48-() ()	1,475.	1,505.	1,569.	1,705.	1,793.	1,915.	1,995.


Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)
B0 No Beltway	2. Base height	6" Raceway option increases panel height by 2 3/4".
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
FF Fabric on both sides	4. Panel side 1 finish(s) inside	
64 64" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
A Flat style top trim	7. Base finish	
4 4" base height	8. Beltway finish	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Monolithic panels 64" H

fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	64"	R3B0PFL64 18-() ()	\$568.	\$582.	\$609.	\$665.	\$704.	\$756.	\$789.
	20"	64"	R3B0PFL64 20-() ()	568.	582.	609.	665.	704.	756.	789.
	24"	64"	R3B0PFL64 24-() ()	623.	637.	664.	720.	759.	811.	844.
	30"	64"	R3B0PFL64 30-() ()	704.	718.	745.	801.	840.	892.	925.
	36"	64"	R3B0PFL64 36-() ()	759.	773.	800.	856.	895.	947.	980.
	42"	64"	R3B0PFL64 42-() ()	842.	856.	883.	939.	978.	1,030.	1,063.
	48"	64"	R3B0PFL64 48-() ()	947.	961.	988.	1,044.	1,083.	1,135.	1,168.
	60"	64"	R3B0PFL64 60-() () *	1,026.	1,057.	1,110.	1,228.	1,307.	1,410.	1,476.
	66"	64"	R3B0PFL64 66-() () *	1,061.	1,092.	1,145.	1,263.	1,342.	1,445.	1,511.
	72"	64"	R3B0PFL64 72-() () *	1,095.	1,126.	1,179.	1,297.	1,376.	1,479.	1,545.

 Monolithic fabric one side Beltway one side (fabric side)	18"	64"	R3B1PFL64 18-() ()	964.	977.	1,010.	1,080.	1,122.	1,185.	1,228.
	20"	64"	R3B1PFL64 20-() ()	964.	977.	1,010.	1,080.	1,122.	1,185.	1,228.
	24"	64"	R3B1PFL64 24-() ()	1,029.	1,042.	1,075.	1,145.	1,187.	1,250.	1,293.
	30"	64"	R3B1PFL64 30-() ()	1,091.	1,104.	1,137.	1,207.	1,249.	1,312.	1,355.
	36"	64"	R3B1PFL64 36-() ()	1,354.	1,367.	1,400.	1,470.	1,512.	1,575.	1,618.
	42"	64"	R3B1PFL64 42-() ()	1,408.	1,421.	1,454.	1,524.	1,566.	1,629.	1,672.
	48"	64"	R3B1PFL64 48-() ()	1,521.	1,534.	1,567.	1,637.	1,679.	1,742.	1,785.

Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	ii) Top trim profile E options:	
114 Folkstone grey - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 64" H

fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF164 18-() ()	\$633.	\$648.	\$678.	\$739.	\$782.	\$839.	\$875.
Regular acoustics	20"	64"	R3B0PF164 20-() ()	633.	648.	678.	739.	782.	839.	875.
	24"	64"	R3B0PF164 24-() ()	694.	709.	739.	800.	843.	900.	936.
	30"	64"	R3B0PF164 30-() ()	785.	800.	830.	891.	934.	991.	1,027.
	36"	64"	R3B0PF164 36-() ()	848.	863.	893.	954.	997.	1,054.	1,090.
	42"	64"	R3B0PF164 42-() ()	939.	954.	984.	1,045.	1,088.	1,145.	1,181.
	48"	64"	R3B0PF164 48-() ()	1,058.	1,073.	1,103.	1,164.	1,207.	1,264.	1,300.
	60"	64"	R3B0PF164 60-() () *	1,144.	1,178.	1,236.	1,365.	1,451.	1,564.	1,636.
	66"	64"	R3B0PF164 66-() () *	1,185.	1,219.	1,277.	1,406.	1,492.	1,605.	1,677.
	72"	64"	R3B0PF164 72-() () *	1,223.	1,257.	1,315.	1,444.	1,530.	1,643.	1,715.

Monolithic fabric one side	18"	64"	R3B1PF164 18-() ()	1,074.	1,087.	1,124.	1,200.	1,246.	1,315.	1,362.
Beltway one side (fabric side)	20"	64"	R3B1PF164 20-() ()	1,074.	1,087.	1,124.	1,200.	1,246.	1,315.	1,362.
	24"	64"	R3B1PF164 24-() ()	1,145.	1,158.	1,195.	1,271.	1,317.	1,386.	1,433.
	30"	64"	R3B1PF164 30-() ()	1,215.	1,228.	1,265.	1,341.	1,387.	1,456.	1,503.
	36"	64"	R3B1PF164 36-() ()	1,508.	1,521.	1,558.	1,634.	1,680.	1,749.	1,796.
	42"	64"	R3B1PF164 42-() ()	1,569.	1,582.	1,619.	1,695.	1,741.	1,810.	1,857.
	48"	64"	R3B1PF164 48-() ()	1,695.	1,708.	1,745.	1,821.	1,867.	1,936.	1,983.

Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	ii) Top trim profile E options:	
Y328 Mahogany - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 64" H

fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	64"	R3B0PF264 18-() ()	\$645.	\$660.	\$690.	\$751.	\$794.	\$851.	\$887.
	20"	64"	R3B0PF264 20-() ()	645.	660.	690.	751.	794.	851.	887.
	24"	64"	R3B0PF264 24-() ()	707.	722.	752.	813.	856.	913.	949.
	30"	64"	R3B0PF264 30-() ()	799.	814.	844.	905.	948.	1,005.	1,041.
	36"	64"	R3B0PF264 36-() ()	862.	877.	907.	968.	1,011.	1,068.	1,104.
	42"	64"	R3B0PF264 42-() ()	955.	970.	1,000.	1,061.	1,104.	1,161.	1,197.
	48"	64"	R3B0PF264 48-() ()	1,079.	1,094.	1,124.	1,185.	1,228.	1,285.	1,321.
	60"	64"	R3B0PF264 60-() () *	1,162.	1,196.	1,254.	1,383.	1,469.	1,582.	1,654.
	66"	64"	R3B0PF264 66-() () *	1,203.	1,237.	1,295.	1,424.	1,510.	1,623.	1,695.
	72"	64"	R3B0PF264 72-() () *	1,246.	1,280.	1,338.	1,467.	1,553.	1,666.	1,738.

 Monolithic fabric one side Beltway one side (fabric side)	18"	64"	R3B1PF264 18-() ()	1,093.	1,106.	1,143.	1,219.	1,265.	1,334.	1,381.
	20"	64"	R3B1PF264 20-() ()	1,093.	1,106.	1,143.	1,219.	1,265.	1,334.	1,381.
	24"	64"	R3B1PF264 24-() ()	1,166.	1,179.	1,216.	1,292.	1,338.	1,407.	1,454.
	30"	64"	R3B1PF264 30-() ()	1,237.	1,250.	1,287.	1,363.	1,409.	1,478.	1,525.
	36"	64"	R3B1PF264 36-() ()	1,534.	1,547.	1,584.	1,660.	1,706.	1,775.	1,822.
	42"	64"	R3B1PF264 42-() ()	1,597.	1,610.	1,647.	1,723.	1,769.	1,838.	1,885.
	48"	64"	R3B1PF264 48-() ()	1,726.	1,739.	1,776.	1,852.	1,898.	1,967.	2,014.

Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 64" H

fabric one side, exotic veneer other side


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF364 18-() ()	\$851.	\$866.	\$896.	\$957.	\$1,000.	\$1,057.	\$1,093.
Regular acoustics	20"	64"	R3B0PF364 20-() ()	851.	866.	896.	957.	1,000.	1,057.	1,093.
	24"	64"	R3B0PF364 24-() ()	933.	948.	978.	1,039.	1,082.	1,139.	1,175.
	30"	64"	R3B0PF364 30-() ()	1,057.	1,072.	1,102.	1,163.	1,206.	1,263.	1,299.
	36"	64"	R3B0PF364 36-() ()	1,143.	1,158.	1,188.	1,249.	1,292.	1,349.	1,385.
	42"	64"	R3B0PF364 42-() ()	1,269.	1,284.	1,314.	1,375.	1,418.	1,475.	1,511.
	48"	64"	R3B0PF364 48-() ()	1,435.	1,450.	1,480.	1,541.	1,584.	1,641.	1,677.
	60"	64"	R3B0PF364 60-() ()*	1,527.	1,561.	1,619.	1,748.	1,834.	1,947.	2,019.
	66"	64"	R3B0PF364 66-() ()*	1,584.	1,618.	1,676.	1,805.	1,891.	2,004.	2,076.
	72"	64"	R3B0PF364 72-() ()*	1,641.	1,675.	1,733.	1,862.	1,948.	2,061.	2,133.



Monolithic, fabric one side	18"	64"	R3B1PF364 18-() ()	1,453.	1,466.	1,503.	1,579.	1,625.	1,694.	1,741.
Beltway fabric side	20"	64"	R3B1PF364 20-() ()	1,453.	1,466.	1,503.	1,579.	1,625.	1,694.	1,741.
	24"	64"	R3B1PF364 24-() ()	1,551.	1,564.	1,601.	1,677.	1,723.	1,792.	1,839.
	30"	64"	R3B1PF364 30-() ()	1,647.	1,660.	1,697.	1,773.	1,819.	1,888.	1,935.
	36"	64"	R3B1PF364 36-() ()	2,048.	2,061.	2,098.	2,174.	2,220.	2,289.	2,336.
	42"	64"	R3B1PF364 42-() ()	2,133.	2,146.	2,183.	2,259.	2,305.	2,374.	2,421.
	48"	64"	R3B1PF364 48-() ()	2,307.	2,320.	2,357.	2,433.	2,479.	2,548.	2,595.



Order Code	Specification Information	Application Notes
Example: R3B0PF36418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i>
B0 No Beltway	2. Base height	A = Flat
P Monolithic panel	3. Knockout option	B = Square
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	C = Bullnose
64 64" high	4. Panel side 1 finish(s) inside	E = Extruded Aluminum
18 18" wide	5. Panel side 2 finish(s) outside	
A Flat style top trim	6. Top trim finish	2. <i>Base height:</i>
4 4" base height	i) Top trim profile A, B or C options:	4 = 4" base height
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	6 = 6" base height (add \$43 per panel for this option)
W281 Fabric selection - side 1	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
V512 Figured Anigre surface - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
V512 Figured Anigre (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 79" H

fabric both sides

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
 Monolithic, fabric both sides Regular acoustics	18"	79"	R3B0PFF79 18-() ()	\$767.	\$809.	\$879.	\$1,029.	\$1,131.	\$1,267.	\$1,349.
	20"	79"	R3B0PFF79 20-() ()	767.	809.	879.	1,029.	1,131.	1,267.	1,349.
	24"	79"	R3B0PFF79 24-() ()	815.	857.	927.	1,077.	1,179.	1,315.	1,397.
	30"	79"	R3B0PFF79 30-() ()	880.	922.	992.	1,142.	1,244.	1,380.	1,462.
	36"	79"	R3B0PFF79 36-() ()	903.	945.	1,015.	1,165.	1,267.	1,403.	1,485.
	42"	79"	R3B0PFF79 42-() ()	970.	1,012.	1,082.	1,232.	1,334.	1,470.	1,552.
	48"	79"	R3B0PFF79 48-() ()	1,075.	1,117.	1,187.	1,337.	1,439.	1,575.	1,657.
	60"	79"	R3B0PFF79 60-() ()	1,245.	1,325.	1,467.	1,767.	1,979.	2,249.	2,413.
	66"	79"	R3B0PFF79 66-() ()	1,274.	1,354.	1,496.	1,796.	2,008.	2,278.	2,442.
	72"	79"	R3B0PFF79 72-() ()	1,303.	1,383.	1,525.	1,825.	2,037.	2,307.	2,471.
 Monolithic, fabric both sides High acoustics	18"	79"	R3B0PAA79 18-() ()	837.	879.	949.	1,099.	1,201.	1,337.	1,419.
	20"	79"	R3B0PAA79 20-() ()	837.	879.	949.	1,099.	1,201.	1,337.	1,419.
	24"	79"	R3B0PAA79 24-() ()	890.	932.	1,002.	1,152.	1,254.	1,390.	1,472.
	30"	79"	R3B0PAA79 30-() ()	963.	1,005.	1,075.	1,225.	1,327.	1,463.	1,545.
	36"	79"	R3B0PAA79 36-() ()	991.	1,033.	1,103.	1,253.	1,355.	1,491.	1,573.
	42"	79"	R3B0PAA79 42-() ()	1,063.	1,105.	1,175.	1,325.	1,427.	1,563.	1,645.
	48"	79"	R3B0PAA79 48-() ()	1,182.	1,224.	1,294.	1,444.	1,546.	1,682.	1,764.
	60"	79"	R3B0PAA79 60-() ()	1,354.	1,434.	1,576.	1,876.	2,088.	2,358.	2,522.
	66"	79"	R3B0PAA79 66-() ()	1,385.	1,465.	1,607.	1,907.	2,119.	2,389.	2,553.
	72"	79"	R3B0PAA79 72-() ()	1,415.	1,495.	1,637.	1,937.	2,149.	2,419.	2,583.

Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii) Top trim profile E options:	
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.


Monolithic panels 79" H

fabric both sides


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	79"	R3B1PFF79 18-()()	\$1,104.	\$1,147.	\$1,224.	\$1,394.	\$1,502.	\$1,655.	\$1,752.
Beltway one side	20"	79"	R3B1PFF79 20-()()	1,104.	1,147.	1,224.	1,394.	1,502.	1,655.	1,752.
	24"	79"	R3B1PFF79 24-()()	1,155.	1,198.	1,275.	1,445.	1,553.	1,706.	1,803.
	30"	79"	R3B1PFF79 30-()()	1,178.	1,221.	1,298.	1,468.	1,576.	1,729.	1,826.
	36"	79"	R3B1PFF79 36-()()	1,413.	1,456.	1,533.	1,703.	1,811.	1,964.	2,061.
	42"	79"	R3B1PFF79 42-()()	1,506.	1,549.	1,626.	1,796.	1,904.	2,057.	2,154.
	48"	79"	R3B1PFF79 48-()()	1,551.	1,594.	1,671.	1,841.	1,949.	2,102.	2,199.



Monolithic, fabric both sides	18"	79"	R3B2PFF79 18-()()	1,162.	1,206.	1,290.	1,480.	1,594.	1,764.	1,876.
Beltway two sides	20"	79"	R3B2PFF79 20-()()	1,162.	1,206.	1,290.	1,480.	1,594.	1,764.	1,876.
	24"	79"	R3B2PFF79 24-()()	1,211.	1,255.	1,339.	1,529.	1,643.	1,813.	1,925.
	30"	79"	R3B2PFF79 30-()()	1,237.	1,281.	1,365.	1,555.	1,669.	1,839.	1,951.
	36"	79"	R3B2PFF79 36-()()	1,475.	1,519.	1,603.	1,793.	1,907.	2,077.	2,189.
	42"	79"	R3B2PFF79 42-()()	1,569.	1,613.	1,697.	1,887.	2,001.	2,171.	2,283.
	48"	79"	R3B2PFF79 48-()()	1,618.	1,662.	1,746.	1,936.	2,050.	2,220.	2,332.



Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i)Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii)Top trim profile E options:	
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 79" H


fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PFL79 18-() ()	\$716.	\$735.	\$768.	\$838.	\$885.	\$949.	\$988.
Regular acoustics	20"	79"	R3B0PFL79 20-() ()	716.	735.	768.	838.	885.	949.	988.
	24"	79"	R3B0PFL79 24-() ()	785.	804.	837.	907.	954.	1,018.	1,057.
	30"	79"	R3B0PFL79 30-() ()	884.	903.	936.	1,006.	1,053.	1,117.	1,156.
	36"	79"	R3B0PFL79 36-() ()	962.	981.	1,014.	1,084.	1,131.	1,195.	1,234.
	42"	79"	R3B0PFL79 42-() ()	1,066.	1,085.	1,118.	1,188.	1,235.	1,299.	1,338.
	48"	79"	R3B0PFL79 48-() ()	1,192.	1,211.	1,244.	1,314.	1,361.	1,425.	1,464.
	60"	79"	R3B0PFL79 60-() ()	1,283.	1,321.	1,386.	1,525.	1,625.	1,751.	1,827.
	66"	79"	R3B0PFL79 66-() ()	1,308.	1,346.	1,411.	1,550.	1,650.	1,776.	1,852.
	72"	79"	R3B0PFL79 72-() ()	1,335.	1,373.	1,438.	1,577.	1,677.	1,803.	1,879.



Monolithic, fabric one side	18"	79"	R3B1PFL79 18-() ()	1,037.	1,057.	1,097.	1,185.	1,239.	1,319.	1,371.
Beltway one side (fabric side)	20"	79"	R3B1PFL79 20-() ()	1,037.	1,057.	1,097.	1,185.	1,239.	1,319.	1,371.
	24"	79"	R3B1PFL79 24-() ()	1,109.	1,129.	1,169.	1,257.	1,311.	1,391.	1,443.
	30"	79"	R3B1PFL79 30-() ()	1,174.	1,194.	1,234.	1,322.	1,376.	1,456.	1,508.
	36"	79"	R3B1PFL79 36-() ()	1,454.	1,474.	1,514.	1,602.	1,656.	1,736.	1,788.
	42"	79"	R3B1PFL79 42-() ()	1,586.	1,606.	1,646.	1,734.	1,788.	1,868.	1,920.
	48"	79"	R3B1PFL79 48-() ()	1,659.	1,679.	1,719.	1,807.	1,861.	1,941.	1,993.



Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i)Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii)Top trim profile E options:	
114 Folkstone grey - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 79" H

fabric one side, techwood other side


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF179 18-()	\$798.	\$819.	\$855.	\$932.	\$983.	\$1,053.	\$1,096.
Regular acoustics	20"	79"	R3B0PF179 20-()	798.	819.	855.	932.	983.	1,053.	1,096.
	24"	79"	R3B0PF179 24-()	873.	894.	930.	1,007.	1,058.	1,128.	1,171.
	30"	79"	R3B0PF179 30-()	987.	1,008.	1,044.	1,121.	1,172.	1,242.	1,285.
	36"	79"	R3B0PF179 36-()	1,075.	1,096.	1,132.	1,209.	1,260.	1,330.	1,373.
	42"	79"	R3B0PF179 42-()	1,187.	1,208.	1,244.	1,321.	1,372.	1,442.	1,485.
	48"	79"	R3B0PF179 48-()	1,330.	1,351.	1,387.	1,464.	1,515.	1,585.	1,628.
	60"	79"	R3B0PF179 60-()	1,429.	1,471.	1,542.	1,694.	1,804.	1,941.	2,025.
	66"	79"	R3B0PF179 66-()	1,460.	1,502.	1,573.	1,725.	1,835.	1,972.	2,056.
	72"	79"	R3B0PF179 72-()	1,485.	1,527.	1,598.	1,750.	1,860.	1,997.	2,081.



Monolithic, fabric one side	18"	79"	R3B1PF179 18-()	1,154.	1,175.	1,219.	1,315.	1,374.	1,462.	1,519.
Beltway one side (fabric side)	20"	79"	R3B1PF179 20-()	1,154.	1,175.	1,219.	1,315.	1,374.	1,462.	1,519.
	24"	79"	R3B1PF179 24-()	1,233.	1,254.	1,298.	1,394.	1,453.	1,541.	1,598.
	30"	79"	R3B1PF179 30-()	1,310.	1,331.	1,375.	1,471.	1,530.	1,618.	1,675.
	36"	79"	R3B1PF179 36-()	1,623.	1,644.	1,688.	1,784.	1,843.	1,931.	1,988.
	42"	79"	R3B1PF179 42-()	1,768.	1,789.	1,833.	1,929.	1,988.	2,076.	2,133.
	48"	79"	R3B1PF179 48-()	1,847.	1,868.	1,912.	2,008.	2,067.	2,155.	2,212.



Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii) Top trim profile E options:	
Y328 Mahogany - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 79" H


fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF279 18-()	\$812.	\$833.	\$869.	\$946.	\$997.	\$1,067.	\$1,110.
Regular acoustics	20"	79"	R3B0PF279 20-()	812.	833.	869.	946.	997.	1,067.	1,110.
	24"	79"	R3B0PF279 24-()	890.	911.	947.	1,024.	1,075.	1,145.	1,188.
	30"	79"	R3B0PF279 30-()	1,004.	1,025.	1,061.	1,138.	1,189.	1,259.	1,302.
	36"	79"	R3B0PF279 36-()	1,095.	1,116.	1,152.	1,229.	1,280.	1,350.	1,393.
	42"	79"	R3B0PF279 42-()	1,210.	1,231.	1,267.	1,344.	1,395.	1,465.	1,508.
	48"	79"	R3B0PF279 48-()	1,355.	1,376.	1,412.	1,489.	1,540.	1,610.	1,653.
	60"	79"	R3B0PF279 60-()	1,456.	1,498.	1,569.	1,721.	1,831.	1,968.	2,052.
	66"	79"	R3B0PF279 66-()	1,484.	1,526.	1,597.	1,749.	1,859.	1,996.	2,080.
	72"	79"	R3B0PF279 72-()	1,515.	1,557.	1,628.	1,780.	1,890.	2,027.	2,111.



Monolithic, fabric one side	18"	79"	R3B1PF279 18-()	1,175.	1,196.	1,240.	1,336.	1,395.	1,483.	1,540.
Beltway one side (fabric side)	20"	79"	R3B1PF279 20-()	1,175.	1,196.	1,240.	1,336.	1,395.	1,483.	1,540.
	24"	79"	R3B1PF279 24-()	1,256.	1,277.	1,321.	1,417.	1,476.	1,564.	1,621.
	30"	79"	R3B1PF279 30-()	1,332.	1,353.	1,397.	1,493.	1,552.	1,640.	1,697.
	36"	79"	R3B1PF279 36-()	1,649.	1,670.	1,714.	1,810.	1,869.	1,957.	2,014.
	42"	79"	R3B1PF279 42-()	1,799.	1,820.	1,864.	1,960.	2,019.	2,107.	2,164.
	48"	79"	R3B1PF279 48-()	1,882.	1,903.	1,947.	2,043.	2,102.	2,190.	2,247.



Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	i)Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii)Top trim profile E options:	
V316 Maple surface - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Monolithic panels 79" H

fabric one side, exotic veneer other side


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF379 18-() ()	\$1,070.	\$1,091.	\$1,127.	\$1,204.	\$1,255.	\$1,325.	\$1,368.
Regular acoustics	20"	79"	R3B0PF379 20-() ()	1,070.	1,091.	1,127.	1,204.	1,255.	1,325.	1,368.
	24"	79"	R3B0PF379 24-() ()	1,177.	1,198.	1,234.	1,311.	1,362.	1,432.	1,475.
	30"	79"	R3B0PF379 30-() ()	1,330.	1,351.	1,387.	1,464.	1,515.	1,585.	1,628.
	36"	79"	R3B0PF379 36-() ()	1,453.	1,474.	1,510.	1,587.	1,638.	1,708.	1,751.
	42"	79"	R3B0PF379 42-() ()	1,608.	1,629.	1,665.	1,742.	1,793.	1,863.	1,906.
	48"	79"	R3B0PF379 48-() ()	1,804.	1,825.	1,861.	1,938.	1,989.	2,059.	2,102.
	60"	79"	R3B0PF379 60-() ()*	1,915.	1,957.	2,028.	2,180.	2,290.	2,427.	2,511.
	66"	79"	R3B0PF379 66-() ()*	1,953.	1,995.	2,066.	2,218.	2,328.	2,465.	2,549.
	72"	79"	R3B0PF379 72-() ()*	1,995.	2,037.	2,108.	2,260.	2,370.	2,507.	2,591.



Monolithic, fabric one side	18"	79"	R3B1PF379 18-() ()	1,548.	1,569.	1,613.	1,709.	1,768.	1,856.	1,913.
Beltway fabric side	20"	79"	R3B1PF379 20-() ()	1,548.	1,569.	1,613.	1,709.	1,768.	1,856.	1,913.
	24"	79"	R3B1PF379 24-() ()	1,657.	1,678.	1,722.	1,818.	1,877.	1,965.	2,022.
	30"	79"	R3B1PF379 30-() ()	1,759.	1,780.	1,824.	1,920.	1,979.	2,067.	2,124.
	36"	79"	R3B1PF379 36-() ()	2,188.	2,209.	2,253.	2,349.	2,408.	2,496.	2,553.
	42"	79"	R3B1PF379 42-() ()	2,390.	2,411.	2,455.	2,551.	2,610.	2,698.	2,755.
	48"	79"	R3B1PF379 48-() ()	2,502.	2,523.	2,567.	2,663.	2,722.	2,810.	2,867.




Order Code	Specification Information	Application Notes	
Example: R3B0PF37918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	The panels on this page are not designed to be stacked upon.
R3	Reff Generation 3		
B0	No Beltway		
P	Monolithic panel		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
F3	Fabric one side, V3 other	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)	6" Raceway option increases panel height by 2 3/4".
79	79" high		
18	18" wide		
A	Flat style top trim	Applicable finishes are listed on page 5 and 6.	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
4	4" base height		
K	Include knockouts in base		
W281	Fabric selection - side 1		
V512	Figured Anigre surface - side 2		Remember to specify Beltway paint finish when applicable.
V512	Figured Anigre (top trim finish)		79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
111	Jet Black (base finish)		

Tiled panels 34" H

fabric

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-() ()	\$511.	\$539.	\$587.	\$647.	\$695.	\$771.	\$819.
Regular acoustics	20"	34"	R3B0TFF34 20-() ()	511.	539.	587.	647.	695.	771.	819.
	24"	34"	R3B0TFF34 24-() ()	552.	580.	628.	688.	736.	812.	860.
	30"	34"	R3B0TFF34 30-() ()	590.	618.	666.	726.	774.	850.	898.
	36"	34"	R3B0TFF34 36-() ()	629.	657.	705.	765.	813.	889.	937.
	42"	34"	R3B0TFF34 42-() ()	723.	751.	799.	859.	907.	983.	1,031.
	48"	34"	R3B0TFF34 48-() ()	751.	779.	827.	887.	935.	1,011.	1,059.



Order Code	Specification Information	Application Notes	
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>		
R3	Reff Generation 3	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 102.	
B0	No Beltway		
T	Tiled panel		
FF	Fabric on both sides		
34	34" high	All panels on this page accept stacking modules.	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
18	18" wide	6" Raceway option increases panel height by 2¾".	
A	Flat style top trim	Applicable finishes are listed on page 5 and 6.	
4	4" base height		
K	Include knockouts in base		79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
W281	Fabric selection - side 1		
W281	Fabric selection - side 2		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		Ported panel components to be installed below worksurface if panel 34"h.

1. Top trim profile:

A = Flat

B = Square



C = Bullnose

E = Extruded Aluminum

Tiled panels 34" H glass

Reff

Panels

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A) 	18"	34"	R2B0TWA34 18-() ()	\$802.	\$954.	\$33.	\$65.	\$82.
	20"	34"	R2B0TWA34 20-() ()	802.	954.	33.	65.	82.
	24"	34"	R2B0TWA34 24-() ()	839.	1,021.	33.	65.	87.
	30"	34"	R2B0TWA34 30-() ()	973.	1,198.	33.	65.	99.
	36"	34"	R2B0TWA34 36-() ()	1,009.	1,279.	33.	65.	101.
	42"	34"	R2B0TWA34 42-() ()	1,059.	1,378.	33.	65.	106.
	48"	34"	R2B0TWA34 48-() ()	1,097.	1,462.	33.	65.	111.
Tiled, two 15" high glass sections with center mullion (type B) 	30"	34"	R2B0TWB34 30-() ()	1,164.	1,392.	33.	65.	119.
	36"	34"	R2B0TWB34 36-() ()	1,213.	1,485.	33.	65.	123.
	42"	34"	R2B0TWB34 42-() ()	1,270.	1,586.	33.	65.	127.
	48"	34"	R2B0TWB34 48-() ()	1,317.	1,685.	33.	65.	133.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C  	18"	34"	R2B0TWC34 18-() ()	632.	824.	26.	53.	99.
	20"	34"	R2B0TWC34 20-() ()	632.	824.	26.	53.	99.
	24"	34"	R2B0TWC34 24-() ()	666.	869.	26.	53.	106.
	30"	34"	R2B0TWC34 30-() ()	823.	1,069.	33.	65.	135.
	36"	34"	R2B0TWC34 36-() ()	915.	1,188.	33.	65.	151.
	42"	34"	R2B0TWC34 42-() ()	968.	1,257.	33.	65.	164.
	48"	34"	R2B0TWC34 48-() ()	1,015.	1,322.	33.	65.	171.

Order Code

Example:	R2B0TWA3418-A4K
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Divider option
(applicable R2B0TWA and R2B0TWB)
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
5. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
6. Base finish
7. Window frame finish
(Painted or Anodized aluminum finishes)
If AA finish (anodized) upcharge applicable as noted in AA price column
8. Glass type

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$43 per panel)

4. Extruded aluminum tile divider:
Add for:
\$13 for 18w and 20w
\$14 for 24w and 30w
\$15 for 36w and 42w
\$20 for 48w

8. Glass type
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 102.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Tiled panels 34" H fabric one side, hard opposite side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics	18"	34"	R3B0TFL34 18-() ()	\$588.	\$602.	\$628.	\$658.	\$682.	\$720.	\$744.
	20"	34"	R3B0TFL34 20-() ()	588.	602.	628.	658.	682.	720.	744.
	24"	34"	R3B0TFL34 24-() ()	625.	639.	665.	695.	719.	757.	781.
	30"	34"	R3B0TFL34 30-() ()	666.	680.	706.	736.	760.	798.	822.
	36"	34"	R3B0TFL34 36-() ()	704.	718.	744.	774.	798.	836.	860.
	42"	34"	R3B0TFL34 42-() ()	801.	815.	841.	871.	895.	933.	957.
	48"	34"	R3B0TFL34 48-() ()	829.	843.	869.	899.	923.	961.	985.
Tiled, fabric one side techwood other; Regular acoustics	18"	34"	R3B0TF134 18-() ()	598.	612.	638.	668.	692.	730.	754.
	20"	34"	R3B0TF134 20-() ()	598.	612.	638.	668.	692.	730.	754.
	24"	34"	R3B0TF134 24-() ()	637.	651.	677.	707.	731.	769.	793.
	30"	34"	R3B0TF134 30-() ()	680.	694.	720.	750.	774.	812.	836.
	36"	34"	R3B0TF134 36-() ()	717.	731.	757.	787.	811.	849.	873.
	42"	34"	R3B0TF134 42-() ()	819.	833.	859.	889.	913.	951.	975.
	48"	34"	R3B0TF134 48-() ()	845.	859.	885.	915.	939.	977.	1,001.



Order Code	Specification Information	Application Notes
Example: R3B0TFL3418-A4K	<i>To order please specify pattern number including:</i>	All panels on this page accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 ³ / ₄ ".
B0 No Beltway	2. Base height	All panels on this page have no high acoustical option or Beltway option.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 102.
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
34 34" high	5. Fabric side, finish (specify selection per insert)	Ported panel components to be installed below worksurface if panel 34" h.
18 18" wide	i) tile 1A bottom	
A Flat style top trim	ii) tile 1B top	
4 4" base height	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top	
K Include knockouts in base	If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	
B Tile divider, black	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
W281 Fabric selection - side 1		
114 Folkstone grey - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Tiled panels 34" H

fabric one side, hard opposite side

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	R3B0TF234 18-() ()	\$610.	\$624.	\$650.	\$680.	\$704.	\$742.	\$766.
	20"	34"	R3B0TF234 20-() ()	610.	624.	650.	680.	704.	742.	766.
	24"	34"	R3B0TF234 24-() ()	650.	664.	690.	720.	744.	782.	806.
	30"	34"	R3B0TF234 30-() ()	691.	705.	731.	761.	785.	823.	847.
	36"	34"	R3B0TF234 36-() ()	729.	743.	769.	799.	823.	861.	885.
	42"	34"	R3B0TF234 42-() ()	832.	846.	872.	902.	926.	964.	988.
	48"	34"	R3B0TF234 48-() ()	861.	875.	901.	931.	955.	993.	1,017.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	R3B0TF334 18-() ()	814.	828.	854.	884.	908.	946.	970.
	20"	34"	R3B0TF334 20-() ()	814.	828.	854.	884.	908.	946.	970.
	24"	34"	R3B0TF334 24-() ()	868.	882.	908.	938.	962.	1,000.	1,024.
	30"	34"	R3B0TF334 30-() ()	923.	937.	963.	993.	1,017.	1,055.	1,079.
	36"	34"	R3B0TF334 36-() ()	975.	989.	1,015.	1,045.	1,069.	1,107.	1,131.
	42"	34"	R3B0TF334 42-() ()	1,114.	1,128.	1,154.	1,184.	1,208.	1,246.	1,270.
	48"	34"	R3B0TF334 48-() ()	1,152.	1,166.	1,192.	1,222.	1,246.	1,284.	1,308.

Order Code

Example:	R3B0TFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts,
N = without knockouts)
4. Tile divider
B = black steel divider or specify
AA-anodized aluminum or
painted option excluding silver
from page 5 for extruded
aluminum divider (upcharge
applicable for extruded
aluminum divider)
5. Fabric side, finish (specify
selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood
finish, one finish per side (not
per insert)
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or P1,
P2, P3 painted finishes from
page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be
milled for ported components,
\$13 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$43 per
panel)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
34"h add per panel:
\$13 for 18w and 20w
\$14 for 24w and 30w
\$15 for 36w and 42w
\$20 for 48w

Applicable finishes are listed on
page 5 and 6.

Application Notes

All panels on this page accept
stacking modules.

6" Raceway option increases panel
height by 2³/₄".

All panels on this page have no high
acoustical option or Beltway option.

Product on this page can be
attached to posts 34"H and higher
as well as 34", 42", 49", 64", and
79" panels. To attach 34" Beltway
panels to posts order appropriate
attachment kit from page 102.

79"H hookstrip reveal strips are
ordered separately from page 102 at
no charge.


Ported panel components to be
installed below worksurface if panel
34" h.

Tiled panels 42" H


fabric both sides

Reff


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B0TFF42 18-() ()	\$572.	\$604.	\$670.	\$756.	\$816.	\$910.	\$972.
Regular acoustics	20"	42"	R3B0TFF42 20-() ()	572.	604.	670.	756.	816.	910.	972.
	24"	42"	R3B0TFF42 24-() ()	614.	646.	712.	798.	858.	952.	1,014.
	30"	42"	R3B0TFF42 30-() ()	658.	690.	756.	842.	902.	996.	1,058.
	36"	42"	R3B0TFF42 36-() ()	701.	733.	799.	885.	945.	1,039.	1,101.
	42"	42"	R3B0TFF42 42-() ()	792.	824.	890.	976.	1,036.	1,130.	1,192.
	48"	42"	R3B0TFF42 48-() ()	833.	865.	931.	1,017.	1,077.	1,171.	1,233.



Tiled, fabric both sides	18"	42"	R3B0TAA42 18-() ()	626.	658.	724.	810.	870.	964.	1,026.
High acoustics	20"	42"	R3B0TAA42 20-() ()	626.	658.	724.	810.	870.	964.	1,026.
	24"	42"	R3B0TAA42 24-() ()	674.	706.	772.	858.	918.	1,012.	1,074.
	30"	42"	R3B0TAA42 30-() ()	725.	757.	823.	909.	969.	1,063.	1,125.
	36"	42"	R3B0TAA42 36-() ()	772.	804.	870.	956.	1,016.	1,110.	1,172.
	42"	42"	R3B0TAA42 42-() ()	874.	906.	972.	1,058.	1,118.	1,212.	1,274.
	48"	42"	R3B0TAA42 48-() ()	920.	952.	1,018.	1,104.	1,164.	1,258.	1,320.



Tiled, fabric both sides	18"	42"	R3B1TFF42 18-() ()	1,029.	1,061.	1,126.	1,213.	1,273.	1,367.	1,429.
Beltway one side	20"	42"	R3B1TFF42 20-() ()	1,029.	1,061.	1,126.	1,213.	1,273.	1,367.	1,429.
	24"	42"	R3B1TFF42 24-() ()	1,051.	1,083.	1,148.	1,235.	1,295.	1,389.	1,451.
	30"	42"	R3B1TFF42 30-() ()	1,106.	1,138.	1,203.	1,290.	1,350.	1,444.	1,506.
	36"	42"	R3B1TFF42 36-() ()	1,306.	1,338.	1,403.	1,490.	1,550.	1,644.	1,706.
	42"	42"	R3B1TFF42 42-() ()	1,411.	1,443.	1,508.	1,595.	1,655.	1,749.	1,811.
	48"	42"	R3B1TFF42 48-() ()	1,460.	1,492.	1,557.	1,644.	1,704.	1,798.	1,860.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim	ii) tile 1B middle	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	i) tile 2A bottom	
W281 Fabric selection - side 2	ii) tile 2B middle	
V316 Maple (top trim finish)	iii) tile 2C top	
111 Jet Black (base finish)	6. Top trim finish	
	i) Top trim profile A,B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.


Tiled panels 42" H

fabric both sides

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B2TFF42 18-() ()	\$1,048.	\$1,080.	\$1,144.	\$1,232.	\$1,292.	\$1,386.	\$1,448.
Beltway two sides	20"	42"	R3B2TFF42 20-() ()	1,048.	1,080.	1,144.	1,232.	1,292.	1,386.	1,448.
	24"	42"	R3B2TFF42 24-() ()	1,027.	1,059.	1,123.	1,211.	1,271.	1,365.	1,427.
	30"	42"	R3B2TFF42 30-() ()	1,127.	1,159.	1,223.	1,311.	1,371.	1,465.	1,527.
	36"	42"	R3B2TFF42 36-() ()	1,329.	1,361.	1,425.	1,513.	1,573.	1,667.	1,729.
	42"	42"	R3B2TFF42 42-() ()	1,437.	1,469.	1,533.	1,621.	1,681.	1,775.	1,837.
	48"	42"	R3B2TFF42 48-() ()	1,489.	1,521.	1,585.	1,673.	1,733.	1,827.	1,889.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim	ii) tile 1B middle	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	i) tile 2A bottom	
W281 Fabric selection - side 2	ii) tile 2B middle	
V316 Maple (top trim finish)	iii) tile 2C top	
111 Jet Black (base finish)	6. Top trim finish	
	i) Top trim profile A,B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Tiled panels 42" H


fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$658.	\$675.	\$709.	\$753.	\$782.	\$830.	\$861.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	658.	675.	709.	753.	782.	830.	861.
	24"	42"	R3B0TFL42 24-() ()	700.	717.	751.	795.	824.	872.	903.
	30"	42"	R3B0TFL42 30-() ()	746.	763.	797.	841.	870.	918.	949.
	36"	42"	R3B0TFL42 36-() ()	790.	807.	841.	885.	914.	962.	993.
	42"	42"	R3B0TFL42 42-() ()	880.	897.	931.	975.	1,004.	1,052.	1,083.
	48"	42"	R3B0TFL42 48-() ()	926.	943.	977.	1,021.	1,050.	1,098.	1,129.



Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,122.	1,139.	1,173.	1,217.	1,246.	1,294.	1,325.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,122.	1,139.	1,173.	1,217.	1,246.	1,294.	1,325.
	24"	42"	R3B1TFL42 24-() ()	1,145.	1,162.	1,196.	1,240.	1,269.	1,317.	1,348.
	30"	42"	R3B1TFL42 30-() ()	1,202.	1,219.	1,253.	1,297.	1,326.	1,374.	1,405.
	36"	42"	R3B1TFL42 36-() ()	1,406.	1,423.	1,457.	1,501.	1,530.	1,578.	1,609.
	42"	42"	R3B1TFL42 42-() ()	1,512.	1,529.	1,563.	1,607.	1,636.	1,684.	1,715.
	48"	42"	R3B1TFL42 48-() ()	1,561.	1,578.	1,612.	1,656.	1,685.	1,733.	1,764.



Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only
B Tile divider, black reveal	i) tile 1A bottom	(fabric side always black)
W281 Fabric selection - side 1	ii) tile 1B middle	42"h add per panel:
114 Folkstone grey - side 2	iii) tile 1C top	\$24 for 18w and 20w
V316 Maple (top trim finish)	6. Laminate side, finish (specify selection per insert)	\$27 for 24w and 30w
111 Jet Black (base finish)	i) tile 2A bottom	\$32 for 36w and 42w
	ii) tile 2B middle	\$40 for 48w
	iii) tile 2C top	
	7. Top trim finish	<i>6" Raceway option increases panel height by 2 3/4".</i>
	i) Profile A, B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options:	
	AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	


Tiled panels 42" H

fabric one side, techwood other side


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18-() ()	\$669.	\$686.	\$720.	\$764.	\$793.	\$841.	\$872.
Regular acoustics	20"	42"	R3B0TF142 20-() ()	669.	686.	720.	764.	793.	841.	872.
	24"	42"	R3B0TF142 24-() ()	713.	730.	764.	808.	837.	885.	916.
	30"	42"	R3B0TF142 30-() ()	761.	778.	812.	856.	885.	933.	964.
	36"	42"	R3B0TF142 36-() ()	804.	821.	855.	899.	928.	976.	1,007.
	42"	42"	R3B0TF142 42-() ()	899.	916.	950.	994.	1,023.	1,071.	1,102.
	48"	42"	R3B0TF142 48-() ()	940.	957.	991.	1,035.	1,064.	1,112.	1,143.



Tiled, fabric one side	18"	42"	R3B1TF142 18-() ()	1,145.	1,162.	1,196.	1,240.	1,269.	1,317.	1,348.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20-() ()	1,145.	1,162.	1,196.	1,240.	1,269.	1,317.	1,348.
	24"	42"	R3B1TF142 24-() ()	1,167.	1,184.	1,218.	1,262.	1,291.	1,339.	1,370.
	30"	42"	R3B1TF142 30-() ()	1,223.	1,240.	1,274.	1,318.	1,347.	1,395.	1,426.
	36"	42"	R3B1TF142 36-() ()	1,429.	1,446.	1,480.	1,524.	1,553.	1,601.	1,632.
	42"	42"	R3B1TF142 42-() ()	1,540.	1,557.	1,591.	1,635.	1,664.	1,712.	1,743.
	48"	42"	R3B1TF142 48-() ()	1,592.	1,609.	1,643.	1,687.	1,716.	1,764.	1,795.




Order Code	Specification Information	Application Notes
Example: R3B0TF14218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim	AA-anodized aluminum or	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded	Optional for non fabric side only
B Tile divider, black reveal	aluminum divider (upcharge	(fabric side always black)
W281 Fabric selection - side 1	applicable for extruded	42" h add per panel:
Y328 Mahogany - side 2	aluminum divider)	\$24 for 18w and 20w
V316 Maple (top trim finish)	5. Fabric side, finish (specify	\$27 for 24w and 30w
111 Jet Black (base finish)	selection per insert)	\$32 for 36w and 42w
	i) tile 1A bottom	\$40 for 48w
	ii) tile 1B middle	
	iii) tile 1C top	<i>6" Raceway option increases panel height by 2 3/4".</i>
	6. Techwood side, finish (specify one V1 finish for side)	Applicable finishes are listed on page 5 and 6.
	7. Top trim finish	
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

Tiled panels 42" H


fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18-() ()	\$681.	\$698.	\$732.	\$776.	\$805.	\$853.	\$884.
Regular acoustics	20"	42"	R3B0TF242 20-() ()	681.	698.	732.	776.	805.	853.	884.
	24"	42"	R3B0TF242 24-() ()	726.	743.	777.	821.	850.	898.	929.
	30"	42"	R3B0TF242 30-() ()	774.	791.	825.	869.	898.	946.	977.
	36"	42"	R3B0TF242 36-() ()	821.	838.	872.	916.	945.	993.	1,024.
	42"	42"	R3B0TF242 42-() ()	914.	931.	965.	1,009.	1,038.	1,086.	1,117.
	48"	42"	R3B0TF242 48-() ()	959.	976.	1,010.	1,054.	1,083.	1,131.	1,162.



Tiled, fabric one side	18"	42"	R3B1TF242 18-() ()	1,166.	1,183.	1,217.	1,261.	1,290.	1,338.	1,369.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20-() ()	1,166.	1,183.	1,217.	1,261.	1,290.	1,338.	1,369.
	24"	42"	R3B1TF242 24-() ()	1,187.	1,204.	1,238.	1,282.	1,311.	1,359.	1,390.
	30"	42"	R3B1TF242 30-() ()	1,246.	1,263.	1,297.	1,341.	1,370.	1,418.	1,449.
	36"	42"	R3B1TF242 36-() ()	1,458.	1,475.	1,509.	1,553.	1,582.	1,630.	1,661.
	42"	42"	R3B1TF242 42-() ()	1,568.	1,585.	1,619.	1,663.	1,692.	1,740.	1,771.
	48"	42"	R3B1TF242 48-() ()	1,622.	1,639.	1,673.	1,717.	1,746.	1,794.	1,825.



Order Code	Specification Information	Application Notes
Example: R3B0TF24218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile:
B0 No Beltway	2. Base height	A = Flat
T Tiled panel	3. Knockout option	B = Square
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	C = Bullnose
42 42" high	4. Tile divider	E = Extruded Aluminum
18 18" wide	B = black steel divider or specify	2. Base height:
A Flat style top trim	AA-anodized aluminum or	4 = 4" base height
4 4" base height	painted option excluding silver	6 = 6" base height (add \$43 per panel for this option)
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4. Extruded aluminum tile divider: (fabric side always black)
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only
W281 Fabric selection - side 1	i) tile 1A bottom	42" h add per panel:
V316 Maple surface - side 2	ii) tile 1B middle	\$24 for 18w and 20w
V316 Maple (top trim finish)	iii) tile 1C top	\$27 for 24w and 30w
111 Jet Black (base finish)	6. Conventional veneer, finish (specify one V2 finish for side)	\$32 for 36w and 42w
	7. Top trim finish	\$40 for 48w
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
	8. Base finish	
	9. Beltway finish	
	10. Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 202).

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.


Tiled panels 42" H

fabric one side, exotic veneer other side


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$907.	\$924.	\$958.	\$1,002.	\$1,031.	\$1,079.	\$1,110.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	907.	924.	958.	1,002.	1,031.	1,079.	1,110.
	24"	42"	R3B0TF342 24-() ()	967.	984.	1,018.	1,062.	1,091.	1,139.	1,170.
	30"	42"	R3B0TF342 30-() ()	1,032.	1,049.	1,083.	1,127.	1,156.	1,204.	1,235.
	36"	42"	R3B0TF342 36-() ()	1,096.	1,113.	1,147.	1,191.	1,220.	1,268.	1,299.
	42"	42"	R3B0TF342 42-() ()	1,221.	1,238.	1,272.	1,316.	1,345.	1,393.	1,424.
	48"	42"	R3B0TF342 48-() ()	1,282.	1,299.	1,333.	1,377.	1,406.	1,454.	1,485.



Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	1,562.	1,579.	1,613.	1,657.	1,686.	1,734.	1,765.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	1,562.	1,579.	1,613.	1,657.	1,686.	1,734.	1,765.
	24"	42"	R3B1TF342 24-() ()	1,590.	1,607.	1,641.	1,685.	1,714.	1,762.	1,793.
	30"	42"	R3B1TF342 30-() ()	1,669.	1,686.	1,720.	1,764.	1,793.	1,841.	1,872.
	36"	42"	R3B1TF342 36-() ()	1,956.	1,973.	2,007.	2,051.	2,080.	2,128.	2,159.
	42"	42"	R3B1TF342 42-() ()	2,104.	2,121.	2,155.	2,199.	2,228.	2,276.	2,307.
	48"	42"	R3B1TF342 48-() ()	2,177.	2,194.	2,228.	2,272.	2,301.	2,349.	2,380.



Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	E = Extruded Aluminum
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)
18 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$24 for 18w and 20w \$27 for 24w and 30w \$32 for 36w and 42w \$40 for 48w
A Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
4 4" base height	8. Base finish	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	
W281 Fabric selection - side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		

Application Notes

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 202).

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.


Tiled panels 49" H fabric both sides

Reff


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B0TFF49 18-() ()	\$641.	\$683.	\$755.	\$845.	\$917.	\$1,031.	\$1,103.
Regular acoustics	20"	49"	R3B0TFF49 20-() ()	641.	683.	755.	845.	917.	1,031.	1,103.
	24"	49"	R3B0TFF49 24-() ()	685.	727.	799.	889.	961.	1,075.	1,147.
	30"	49"	R3B0TFF49 30-() ()	737.	779.	851.	941.	1,013.	1,127.	1,199.
	36"	49"	R3B0TFF49 36-() ()	784.	826.	898.	988.	1,060.	1,174.	1,246.
	42"	49"	R3B0TFF49 42-() ()	886.	928.	1,000.	1,090.	1,162.	1,276.	1,348.
	48"	49"	R3B0TFF49 48-() ()	934.	976.	1,048.	1,138.	1,210.	1,324.	1,396.



Tiled, fabric both sides	18"	49"	R3B0TAA49 18-() ()	702.	744.	816.	906.	978.	1,092.	1,164.
High acoustics	20"	49"	R3B0TAA49 20-() ()	702.	744.	816.	906.	978.	1,092.	1,164.
	24"	49"	R3B0TAA49 24-() ()	750.	792.	864.	954.	1,026.	1,140.	1,212.
	30"	49"	R3B0TAA49 30-() ()	809.	851.	923.	1,013.	1,085.	1,199.	1,271.
	36"	49"	R3B0TAA49 36-() ()	862.	904.	976.	1,066.	1,138.	1,252.	1,324.
	42"	49"	R3B0TAA49 42-() ()	971.	1,013.	1,085.	1,175.	1,247.	1,361.	1,433.
	48"	49"	R3B0TAA49 48-() ()	1,028.	1,070.	1,142.	1,232.	1,304.	1,418.	1,490.



Tiled, fabric both sides	18"	49"	R3B1TFF49 18-() ()	1,056.	1,098.	1,169.	1,260.	1,332.	1,446.	1,518.
Beltway one side	20"	49"	R3B1TFF49 20-() ()	1,056.	1,098.	1,169.	1,260.	1,332.	1,446.	1,518.
	24"	49"	R3B1TFF49 24-() ()	1,077.	1,119.	1,190.	1,281.	1,353.	1,467.	1,539.
	30"	49"	R3B1TFF49 30-() ()	1,135.	1,177.	1,248.	1,339.	1,411.	1,525.	1,597.
	36"	49"	R3B1TFF49 36-() ()	1,359.	1,401.	1,472.	1,563.	1,635.	1,749.	1,821.
	42"	49"	R3B1TFF49 42-() ()	1,467.	1,509.	1,580.	1,671.	1,743.	1,857.	1,929.
	48"	49"	R3B1TFF49 48-() ()	1,519.	1,561.	1,632.	1,723.	1,795.	1,909.	1,981.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim	ii) tile 1B middle	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric selection - side 1	i) tile 2A bottom	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	ii) tile 2B middle	
V316 Maple (top trim finish)	iii) tile 2C top	
111 Jet Black (base finish)	6. Top trim finish	
	i) Top trim profile A,B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Tiled panels 49" H fabric both sides

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B2TFF49 18-() ()	\$1,072.	\$1,114.	\$1,184.	\$1,276.	\$1,348.	\$1,462.	\$1,534.
Beltway two sides	20"	49"	R3B2TFF49 20-() ()	1,072.	1,114.	1,184.	1,276.	1,348.	1,462.	1,534.
	24"	49"	R3B2TFF49 24-() ()	1,096.	1,138.	1,208.	1,300.	1,372.	1,486.	1,558.
	30"	49"	R3B2TFF49 30-() ()	1,156.	1,198.	1,268.	1,360.	1,432.	1,546.	1,618.
	36"	49"	R3B2TFF49 36-() ()	1,382.	1,424.	1,494.	1,586.	1,658.	1,772.	1,844.
	42"	49"	R3B2TFF49 42-() ()	1,491.	1,533.	1,603.	1,695.	1,767.	1,881.	1,953.
	48"	49"	R3B2TFF49 48-() ()	1,549.	1,591.	1,661.	1,753.	1,825.	1,939.	2,011.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim	ii) tile 1B middle	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric selection - side 1	i) tile 2A bottom	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	ii) tile 2B middle	
V316 Maple (top trim finish)	iii) tile 2C top	
111 Jet Black (base finish)	6. Top trim finish	
	i) Top trim profile A,B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TFL49 18-() ()	\$737.	\$758.	\$797.	\$842.	\$878.	\$935.	\$971.
Regular acoustics	20"	49"	R3B0TFL49 20-() ()	737.	758.	797.	842.	878.	935.	971.
	24"	49"	R3B0TFL49 24-() ()	780.	801.	840.	885.	921.	978.	1,014.
	30"	49"	R3B0TFL49 30-() ()	835.	856.	895.	940.	976.	1,033.	1,069.
	36"	49"	R3B0TFL49 36-() ()	881.	902.	941.	986.	1,022.	1,079.	1,115.
	42"	49"	R3B0TFL49 42-() ()	983.	1,004.	1,043.	1,088.	1,124.	1,181.	1,217.
	48"	49"	R3B0TFL49 48-() ()	1,034.	1,055.	1,094.	1,139.	1,175.	1,232.	1,268.



Tiled, fabric one side	18"	49"	R3B1TFL49 18-() ()	1,158.	1,179.	1,218.	1,263.	1,299.	1,356.	1,392.
Beltway one side (fabric side)	20"	49"	R3B1TFL49 20-() ()	1,158.	1,179.	1,218.	1,263.	1,299.	1,356.	1,392.
	24"	49"	R3B1TFL49 24-() ()	1,182.	1,203.	1,242.	1,287.	1,323.	1,380.	1,416.
	30"	49"	R3B1TFL49 30-() ()	1,241.	1,262.	1,301.	1,346.	1,382.	1,439.	1,475.
	36"	49"	R3B1TFL49 36-() ()	1,466.	1,487.	1,526.	1,571.	1,607.	1,664.	1,700.
	42"	49"	R3B1TFL49 42-() ()	1,574.	1,595.	1,634.	1,679.	1,715.	1,772.	1,808.
	48"	49"	R3B1TFL49 48-() ()	1,632.	1,653.	1,692.	1,737.	1,773.	1,830.	1,866.



Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim	AA-anodized aluminum or	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded	Optional for non fabric side only
B Tile divider, black reveal	aluminum divider (upcharge	(fabric side always black)
W281 Fabric selection - side 1	applicable for extruded	49"h add per panel:
114 Folkstone grey - side 2	aluminum divider)	\$24 for 18w and 20w
V316 Maple (top trim finish)	5. Fabric side, finish (specify	\$27 for 24w and 30w
111 Jet Black (base finish)	selection per insert)	\$32 for 36w and 42w
	i) tile 1A bottom	\$40 for 48w
	ii) tile 1B middle	
	iii) tile 1C top	<i>6" Raceway option increases panel height by 2 3/4".</i>
	6. Laminate side finish (specify	Applicable finishes are listed on
	selection per insert)	page 5 and 6.
	i) tile 2A bottom	
	ii) tile 2B middle	
	iii) tile 2C top	
	7. Top trim finish	
	i) Profile A, B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options:	
	AA-anodized aluminum or	
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to	
	be milled for ported	
	components, \$13 list upcharge	
	applicable	


Tiled panels 49" H

fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18-() ()	\$748.	\$769.	\$808.	\$853.	\$889.	\$946.	\$982.
Regular acoustics	20"	49"	R3B0TF149 20-() ()	748.	769.	808.	853.	889.	946.	982.
	24"	49"	R3B0TF149 24-() ()	795.	816.	855.	900.	936.	993.	1,029.
	30"	49"	R3B0TF149 30-() ()	848.	869.	908.	953.	989.	1,046.	1,082.
	36"	49"	R3B0TF149 36-() ()	898.	919.	958.	1,003.	1,039.	1,096.	1,132.
	42"	49"	R3B0TF149 42-() ()	1,005.	1,026.	1,065.	1,110.	1,146.	1,203.	1,239.
	48"	49"	R3B0TF149 48-() ()	1,053.	1,074.	1,113.	1,158.	1,194.	1,251.	1,287.



Tiled, fabric one side	18"	49"	R3B1TF149 18-() ()	1,179.	1,200.	1,239.	1,284.	1,320.	1,377.	1,413.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20-() ()	1,179.	1,200.	1,239.	1,284.	1,320.	1,377.	1,413.
	24"	49"	R3B1TF149 24-() ()	1,205.	1,226.	1,265.	1,310.	1,346.	1,403.	1,439.
	30"	49"	R3B1TF149 30-() ()	1,264.	1,285.	1,324.	1,369.	1,405.	1,462.	1,498.
	36"	49"	R3B1TF149 36-() ()	1,496.	1,517.	1,556.	1,601.	1,637.	1,694.	1,730.
	42"	49"	R3B1TF149 42-() ()	1,607.	1,628.	1,667.	1,712.	1,748.	1,805.	1,841.
	48"	49"	R3B1TF149 48-() ()	1,662.	1,683.	1,722.	1,767.	1,803.	1,860.	1,896.



Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim	AA-anodized aluminum or	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded	(fabric side always black)
B Tile divider, black reveal	aluminum divider (upcharge	Optional for non fabric side only
W281 Fabric selection - side 1	applicable for extruded	49" h add per panel:
Y328 Mahogany - side 2	aluminum divider)	\$24 for 18w and 20w
V316 Maple (top trim finish)	5. Fabric side, finish (specify	\$27 for 24w and 30w
111 Jet Black (base finish)	selection per insert)	\$32 for 36w and 42w
	i) tile 1A bottom	\$40 for 48w
	ii) tile 1B middle	
	iii) tile 1C top	6" Raceway option increases panel height by 2 3/4".
	6. Techwood side, finish (specify one V1 finish for side)	Applicable finishes are listed on page 5 and 6.
	7. Top trim finish	
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Tiled panels 49" H

fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18-() ()	\$763.	\$784.	\$823.	\$868.	\$904.	\$961.	\$997.
Regular acoustics	20"	49"	R3B0TF249 20-() ()	763.	784.	823.	868.	904.	961.	997.
	24"	49"	R3B0TF249 24-() ()	809.	830.	869.	914.	950.	1,007.	1,043.
	30"	49"	R3B0TF249 30-() ()	868.	889.	928.	973.	1,009.	1,066.	1,102.
	36"	49"	R3B0TF249 36-() ()	915.	936.	975.	1,020.	1,056.	1,113.	1,149.
	42"	49"	R3B0TF249 42-() ()	1,019.	1,040.	1,079.	1,124.	1,160.	1,217.	1,253.
	48"	49"	R3B0TF249 48-() ()	1,073.	1,094.	1,133.	1,178.	1,214.	1,271.	1,307.



Tiled, fabric one side	18"	49"	R3B1TF249 18-() ()	1,202.	1,223.	1,262.	1,307.	1,343.	1,400.	1,436.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20-() ()	1,202.	1,223.	1,262.	1,307.	1,343.	1,400.	1,436.
	24"	49"	R3B1TF249 24-() ()	1,227.	1,248.	1,287.	1,332.	1,368.	1,425.	1,461.
	30"	49"	R3B1TF249 30-() ()	1,286.	1,307.	1,346.	1,391.	1,427.	1,484.	1,520.
	36"	49"	R3B1TF249 36-() ()	1,521.	1,542.	1,581.	1,626.	1,662.	1,719.	1,755.
	42"	49"	R3B1TF249 42-() ()	1,635.	1,656.	1,695.	1,740.	1,776.	1,833.	1,869.
	48"	49"	R3B1TF249 48-() ()	1,694.	1,715.	1,754.	1,799.	1,835.	1,892.	1,928.



Order Code	Specification Information	Application Notes
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile:
B0 No Beltway	2. Base height	A = Flat
T Tiled panel	3. Knockout option	B = Square
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	C = Bullnose
49 49" high	4. Tile divider	E = Extruded Aluminum
18 18" wide	B = black steel divider or specify	2. Base height:
A Flat style top trim	AA-anodized aluminum or	4 = 4" base height
4 4" base height	painted option excluding silver	6 = 6" base height (add \$43 per panel for this option)
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4. Extruded aluminum tile divider: (fabric side always black)
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only
W281 Fabric selection - side 1	i) tile 1A bottom	49" h add per panel:
V316 Maple surface - side 2	ii) tile 1B middle	\$24 for 18w and 20w
V316 Maple (top trim finish)	iii) tile 1C top	\$27 for 24w and 30w
111 Jet Black (base finish)	6. Conventional veneer, finish (specify one V2 finish for side)	\$32 for 36w and 42w
	7. Top trim finish	\$40 for 48w
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
	8. Base finish	
	9. Beltway finish	
	10. Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.


Tiled panels 49" H

fabric one side, exotic veneer other side

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-() ()	\$1,015.	\$1,036.	\$1,075.	\$1,120.	\$1,156.	\$1,213.	\$1,249.
Regular acoustics	20"	49"	R3B0TF349 20-() ()	1,015.	1,036.	1,075.	1,120.	1,156.	1,213.	1,249.
	24"	49"	R3B0TF349 24-() ()	1,077.	1,098.	1,137.	1,182.	1,218.	1,275.	1,311.
	30"	49"	R3B0TF349 30-() ()	1,157.	1,178.	1,217.	1,262.	1,298.	1,355.	1,391.
	36"	49"	R3B0TF349 36-() ()	1,221.	1,242.	1,281.	1,326.	1,362.	1,419.	1,455.
	42"	49"	R3B0TF349 42-() ()	1,361.	1,382.	1,421.	1,466.	1,502.	1,559.	1,595.
	48"	49"	R3B0TF349 48-() ()	1,433.	1,454.	1,493.	1,538.	1,574.	1,631.	1,667.



Tiled, fabric one side	18"	49"	R3B1TF349 18-() ()	1,608.	1,629.	1,668.	1,713.	1,749.	1,806.	1,842.
Beltway fabric side	20"	49"	R3B1TF349 20-() ()	1,608.	1,629.	1,668.	1,713.	1,749.	1,806.	1,842.
	24"	49"	R3B1TF349 24-() ()	1,642.	1,663.	1,702.	1,747.	1,783.	1,840.	1,876.
	30"	49"	R3B1TF349 30-() ()	1,722.	1,743.	1,782.	1,827.	1,863.	1,920.	1,956.
	36"	49"	R3B1TF349 36-() ()	2,039.	2,060.	2,099.	2,144.	2,180.	2,237.	2,273.
	42"	49"	R3B1TF349 42-() ()	2,193.	2,214.	2,253.	2,298.	2,334.	2,391.	2,427.
	48"	49"	R3B1TF349 48-() ()	2,273.	2,294.	2,333.	2,378.	2,414.	2,471.	2,507.



Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	E = Extruded Aluminum
49 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)
18 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$24 for 18w and 20w \$27 for 24w and 30w \$32 for 36w and 42w \$40 for 48w
A Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
4 4" base height	8. Base finish	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	
W281 Fabric selection - side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Tiled panels 64" H


fabric both sides

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()	\$734.	\$790.	\$886.	\$1,006.	\$1,102.	\$1,254.	\$1,350.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()	734.	790.	886.	1,006.	1,102.	1,254.	1,350.
	24"	64"	R3B0TFF64 24-() ()	785.	841.	937.	1,057.	1,153.	1,305.	1,401.
	30"	64"	R3B0TFF64 30-() ()	843.	899.	995.	1,115.	1,211.	1,363.	1,459.
	36"	64"	R3B0TFF64 36-() ()	894.	950.	1,046.	1,166.	1,262.	1,414.	1,510.
	42"	64"	R3B0TFF64 42-() ()	1,021.	1,077.	1,173.	1,293.	1,389.	1,541.	1,637.
	48"	64"	R3B0TFF64 48-() ()	1,073.	1,129.	1,225.	1,345.	1,441.	1,593.	1,689.



Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()	803.	859.	955.	1,075.	1,171.	1,323.	1,419.
High acoustics	20"	64"	R3B0TAA64 20-() ()	803.	859.	955.	1,075.	1,171.	1,323.	1,419.
	24"	64"	R3B0TAA64 24-() ()	860.	916.	1,012.	1,132.	1,228.	1,380.	1,476.
	30"	64"	R3B0TAA64 30-() ()	925.	981.	1,077.	1,197.	1,293.	1,445.	1,541.
	36"	64"	R3B0TAA64 36-() ()	985.	1,041.	1,137.	1,257.	1,353.	1,505.	1,601.
	42"	64"	R3B0TAA64 42-() ()	1,122.	1,178.	1,274.	1,394.	1,490.	1,642.	1,738.
	48"	64"	R3B0TAA64 48-() ()	1,182.	1,238.	1,334.	1,454.	1,550.	1,702.	1,798.



Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim	ii) tile 1B middle	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	iii) tile 1C middle	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	iv) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric selection - side 1	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	i) tile 2A bottom	
V316 Maple (top trim finish)	ii) tile 2B middle	
111 Jet Black (base finish)	iii) tile 2C middle	
	iv) tile 2D top	
	6. Top trim finish	
	i) Top trim profile A,B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 102 at no charge.

Tiled panels 64" H fabric both sides


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18-() ()	\$1,144.	\$1,200.	\$1,295.	\$1,416.	\$1,512.	\$1,664.	\$1,760.
Beltway one side	20"	64"	R3B1TFF64 20-() ()	1,144.	1,200.	1,295.	1,416.	1,512.	1,664.	1,760.
	24"	64"	R3B1TFF64 24-() ()	1,203.	1,259.	1,354.	1,475.	1,571.	1,723.	1,819.
	30"	64"	R3B1TFF64 30-() ()	1,232.	1,288.	1,383.	1,504.	1,600.	1,752.	1,848.
	36"	64"	R3B1TFF64 36-() ()	1,514.	1,570.	1,665.	1,786.	1,882.	2,034.	2,130.
	42"	64"	R3B1TFF64 42-() ()	1,626.	1,682.	1,777.	1,898.	1,994.	2,146.	2,242.
	48"	64"	R3B1TFF64 48-() ()	1,684.	1,740.	1,835.	1,956.	2,052.	2,204.	2,300.



Tiled, fabric both sides	18"	64"	R3B2TFF64 18-() ()	1,162.	1,218.	1,312.	1,434.	1,530.	1,682.	1,778.
Beltway two sides	20"	64"	R3B2TFF64 20-() ()	1,162.	1,218.	1,312.	1,434.	1,530.	1,682.	1,778.
	24"	64"	R3B2TFF64 24-() ()	1,222.	1,278.	1,372.	1,494.	1,590.	1,742.	1,838.
	30"	64"	R3B2TFF64 30-() ()	1,252.	1,308.	1,402.	1,524.	1,620.	1,772.	1,868.
	36"	64"	R3B2TFF64 36-() ()	1,540.	1,596.	1,690.	1,812.	1,908.	2,060.	2,156.
	42"	64"	R3B2TFF64 42-() ()	1,650.	1,706.	1,800.	1,922.	2,018.	2,170.	2,266.
	48"	64"	R3B2TFF64 48-() ()	1,712.	1,768.	1,862.	1,984.	2,080.	2,232.	2,328.




Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)
B0 No Beltway	2. Base height	6" Raceway option increases panel height by 2 3/4".
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D top	Applicable finishes are listed on page 5 and 6.
64 64" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C middle <i>iv</i>) tile 2D top	
18 18" wide	6. Top trim finish <i>i</i>) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
A Flat style top trim	7. Base finish	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
4 4" base height	8. Beltway finish	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$13 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Tiled panels 64" H


fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-()()	\$858.	\$886.	\$938.	\$998.	\$1,046.	\$1,122.	\$1,170.
Regular acoustics	20"	64"	R3B0TFL64 20-()()	858.	886.	938.	998.	1,046.	1,122.	1,170.
	24"	64"	R3B0TFL64 24-()()	909.	937.	989.	1,049.	1,097.	1,173.	1,221.
	30"	64"	R3B0TFL64 30-()()	971.	999.	1,051.	1,111.	1,159.	1,235.	1,283.
	36"	64"	R3B0TFL64 36-()()	1,024.	1,052.	1,104.	1,164.	1,212.	1,288.	1,336.
	42"	64"	R3B0TFL64 42-()()	1,152.	1,180.	1,232.	1,292.	1,340.	1,416.	1,464.
	48"	64"	R3B0TFL64 48-()()	1,206.	1,234.	1,286.	1,346.	1,394.	1,470.	1,518.



Tiled, fabric one side	18"	64"	R3B1TFL64 18-()()	1,276.	1,304.	1,356.	1,416.	1,464.	1,540.	1,588.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-()()	1,276.	1,304.	1,356.	1,416.	1,464.	1,540.	1,588.
	24"	64"	R3B1TFL64 24-()()	1,338.	1,366.	1,418.	1,478.	1,526.	1,602.	1,650.
	30"	64"	R3B1TFL64 30-()()	1,366.	1,394.	1,446.	1,506.	1,554.	1,630.	1,678.
	36"	64"	R3B1TFL64 36-()()	1,657.	1,685.	1,737.	1,797.	1,845.	1,921.	1,969.
	42"	64"	R3B1TFL64 42-()()	1,766.	1,794.	1,846.	1,906.	1,954.	2,030.	2,078.
	48"	64"	R3B1TFL64 48-()()	1,825.	1,853.	1,905.	1,965.	2,013.	2,089.	2,137.



Order Code	Specification Information	Application Notes
Example: R3B0TFL6418-A4K	<i>To order please specify pattern number including:</i>	8. Base finish 9. Beltway finish 10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
64 64" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)
18 18" wide	6. Laminate side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C middle <i>iv</i>) tile 2D top	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$37 for 18w and 20w \$41 for 24w and 30w \$46 for 36w and 42w \$60 for 48w
A Flat style top trim	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric selection - side 1		
114 Folkstone grey - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.


Tiled panels 64" H

fabric one side, techwood other side


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-() ()	\$874.	\$902.	\$954.	\$1,014.	\$1,062.	\$1,138.	\$1,186.
Regular acoustics	20"	64"	R3B0TF164 20-() ()	874.	902.	954.	1,014.	1,062.	1,138.	1,186.
	24"	64"	R3B0TF164 24-() ()	926.	954.	1,006.	1,066.	1,114.	1,190.	1,238.
	30"	64"	R3B0TF164 30-() ()	988.	1,016.	1,068.	1,128.	1,176.	1,252.	1,300.
	36"	64"	R3B0TF164 36-() ()	1,042.	1,070.	1,122.	1,182.	1,230.	1,306.	1,354.
	42"	64"	R3B0TF164 42-() ()	1,173.	1,201.	1,253.	1,313.	1,361.	1,437.	1,485.
	48"	64"	R3B0TF164 48-() ()	1,228.	1,256.	1,308.	1,368.	1,416.	1,492.	1,540.



Tiled, fabric one side	18"	64"	R3B1TF164 18-() ()	1,299.	1,327.	1,379.	1,439.	1,487.	1,563.	1,611.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-() ()	1,299.	1,327.	1,379.	1,439.	1,487.	1,563.	1,611.
	24"	64"	R3B1TF164 24-() ()	1,362.	1,390.	1,442.	1,502.	1,550.	1,626.	1,674.
	30"	64"	R3B1TF164 30-() ()	1,391.	1,419.	1,471.	1,531.	1,579.	1,655.	1,703.
	36"	64"	R3B1TF164 36-() ()	1,686.	1,714.	1,766.	1,826.	1,874.	1,950.	1,998.
	42"	64"	R3B1TF164 42-() ()	1,799.	1,827.	1,879.	1,939.	1,987.	2,063.	2,111.
	48"	64"	R3B1TF164 48-() ()	1,863.	1,891.	1,943.	2,003.	2,051.	2,127.	2,175.




Order Code	Specification Information	Application Notes
Example: R3B0TF16418-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
R3	Reff Generation 3	
B0	No Beltway	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
T	Tiled panel	
F1	Fabric one side, V1 other	Remember to specify Beltway paint finish when applicable.
64	64" high	
18	18" wide	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
A	Flat style top trim	
4	4" base height	
K	Include knockouts in base	
B	Tile divider, black reveal	
W281	Fabric selection - side 1	
Y328	Mahogany - side 2	
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
	<i>To order please specify pattern number including:</i>	
	1. Top trim profile	<i>1. Top trim profile:</i>
	2. Base height	A = Flat
	3. Knockout option	B = Square
	(K = with knockouts,	C = Bullnose
	N = without knockouts)	E = Extruded Aluminum
	4. Tile divider	<i>2. Base height:</i>
	B = black steel divider or specify	4 = 4" base height
	AA-anodized aluminum or	6 = 6" base height (add \$43 per
	painted option excluding silver	panel for this option)
	from page 5 for extruded	<i>4. Extruded aluminum tile divider:</i>
	aluminum divider (upcharge	Optional for non fabric side only
	applicable for extruded	(fabric side always black)
	aluminum divider)	64"h add per panel:
	5. Fabric side, finish (specify	\$37 for 18w and 20w
	selection per insert)	\$41 for 24w and 30w
	<i>i</i>) tile 1A bottom	\$46 for 36w and 42w
	<i>ii</i>) tile 1B middle	\$60 for 48w
	<i>iii</i>) tile 1C middle	
	<i>iv</i>) tile 1D top	6" Raceway option increases panel
	6. Techwood side, finish (specify	height by 2 ³ / _{4"} .
	one V1 finish for side)	Applicable finishes are listed on
	7. Top trim finish	page 5 and 6.
	<i>i</i>) Profile A, B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	<i>ii</i>) Profile E options:	
	AA-anodized aluminum or	
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to	
	be milled for ported	
	components, \$13 list upcharge	
	applicable	

Tiled panels 64" H


fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18-() ()	\$891.	\$919.	\$971.	\$1,031.	\$1,079.	\$1,155.	\$1,203.
Regular acoustics	20"	64"	R3B0TF264 20-() ()	891.	919.	971.	1,031.	1,079.	1,155.	1,203.
	24"	64"	R3B0TF264 24-() ()	942.	970.	1,022.	1,082.	1,130.	1,206.	1,254.
	30"	64"	R3B0TF264 30-() ()	1,003.	1,031.	1,083.	1,143.	1,191.	1,267.	1,315.
	36"	64"	R3B0TF264 36-() ()	1,061.	1,089.	1,141.	1,201.	1,249.	1,325.	1,373.
	42"	64"	R3B0TF264 42-() ()	1,194.	1,222.	1,274.	1,334.	1,382.	1,458.	1,506.
	48"	64"	R3B0TF264 48-() ()	1,250.	1,278.	1,330.	1,390.	1,438.	1,514.	1,562.



Tiled, fabric one side	18"	64"	R3B1TF264 18-() ()	1,323.	1,351.	1,403.	1,463.	1,511.	1,587.	1,635.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20-() ()	1,323.	1,351.	1,403.	1,463.	1,511.	1,587.	1,635.
	24"	64"	R3B1TF264 24-() ()	1,387.	1,415.	1,467.	1,527.	1,575.	1,651.	1,699.
	30"	64"	R3B1TF264 30-() ()	1,416.	1,444.	1,496.	1,556.	1,604.	1,680.	1,728.
	36"	64"	R3B1TF264 36-() ()	1,718.	1,746.	1,798.	1,858.	1,906.	1,982.	2,030.
	42"	64"	R3B1TF264 42-() ()	1,833.	1,861.	1,913.	1,973.	2,021.	2,097.	2,145.
	48"	64"	R3B1TF264 48-() ()	1,892.	1,920.	1,972.	2,032.	2,080.	2,156.	2,204.



Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim	AA-anodized aluminum or	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	painted option excluding silver	6" raceway option increases panel height by 2 3/4".
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only
W281 Fabric selection - side 1	i) tile 1A bottom	(fabric side always black)
V316 Maple surface - side 2	ii) tile 1B middle	64"h add per panel:
V316 Maple (top trim finish)	iii) tile 1C middle	\$37 for 18w and 20w
111 Jet Black (base finish)	iv) tile 1D top	\$41 for 24w and 30w
	6. Conventional veneer, finish (specify one V2 finish for side)	\$46 for 36w and 42w
	7. Top trim finish	\$60 for 48w
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	Applicable finishes are listed on page 5 and 6.
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.


Tiled panels 64" H

fabric one side, exotic veneer other side


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-()()	\$1,183.	\$1,211.	\$1,263.	\$1,323.	\$1,371.	\$1,447.	\$1,495.
Regular acoustics	20"	64"	R3B0TF364 20-()()	1,183.	1,211.	1,263.	1,323.	1,371.	1,447.	1,495.
	24"	64"	R3B0TF364 24-()()	1,252.	1,280.	1,332.	1,392.	1,440.	1,516.	1,564.
	30"	64"	R3B0TF364 30-()()	1,335.	1,363.	1,415.	1,475.	1,523.	1,599.	1,647.
	36"	64"	R3B0TF364 36-()()	1,413.	1,441.	1,493.	1,553.	1,601.	1,677.	1,725.
	42"	64"	R3B0TF364 42-()()	1,592.	1,620.	1,672.	1,732.	1,780.	1,856.	1,904.
	48"	64"	R3B0TF364 48-()()	1,667.	1,695.	1,747.	1,807.	1,855.	1,931.	1,979.



Tiled, fabric one side	18"	64"	R3B1TF364 18-()()	1,767.	1,795.	1,847.	1,907.	1,955.	2,031.	2,079.
Beltway fabric side	20"	64"	R3B1TF364 20-()()	1,767.	1,795.	1,847.	1,907.	1,955.	2,031.	2,079.
	24"	64"	R3B1TF364 24-()()	1,854.	1,882.	1,934.	1,994.	2,042.	2,118.	2,166.
	30"	64"	R3B1TF364 30-()()	1,892.	1,920.	1,972.	2,032.	2,080.	2,156.	2,204.
	36"	64"	R3B1TF364 36-()()	2,300.	2,328.	2,380.	2,440.	2,488.	2,564.	2,612.
	42"	64"	R3B1TF364 42-()()	2,455.	2,483.	2,535.	2,595.	2,643.	2,719.	2,767.
	48"	64"	R3B1TF364 48-()()	2,535.	2,563.	2,615.	2,675.	2,723.	2,799.	2,847.



Order Code	Specification Information	Application Notes
Example: R3B0TF36418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
A Flat style top trim	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6 = 6" base height (add \$43 per panel for this option)
4 4" base height	5. Fabric side, finish (specify selection per insert)	6" raceway option increases panel height by 2 3/4".
K Include knockouts in base	i) tile 1A bottom	<i>4. Extruded aluminum tile divider: Optional for non fabric side only</i>
B Tile divider, black reveal	ii) tile 1B middle	(fabric side always black)
W281 Fabric selection - side 1	iii) tile 1C middle	64"h add per panel:
V512 Figured Anigre surface - side 2	iv) tile 1D top	\$37 for 18w and 20w
V512 Figured Anigre (top trim finish)	6. Exotic veneer, finish (specify one V3 finish for side)	\$41 for 24w and 30w
111 Jet Black (base finish)	7. Top trim finish	\$46 for 36w and 42w
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$60 for 48w
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 102 at no charge.


Tiled panels 79" H fabric both sides

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18-() ()	\$913.	\$983.	\$1,103.	\$1,253.	\$1,373.	\$1,563.	\$1,683.
Regular acoustics	20"	79"	R3B0TFF79 20-() ()	913.	983.	1,103.	1,253.	1,373.	1,563.	1,683.
	24"	79"	R3B0TFF79 24-() ()	970.	1,040.	1,160.	1,310.	1,430.	1,620.	1,740.
	30"	79"	R3B0TFF79 30-() ()	1,026.	1,096.	1,216.	1,366.	1,486.	1,676.	1,796.
	36"	79"	R3B0TFF79 36-() ()	1,085.	1,155.	1,275.	1,425.	1,545.	1,735.	1,855.
	42"	79"	R3B0TFF79 42-() ()	1,232.	1,302.	1,422.	1,572.	1,692.	1,882.	2,002.
	48"	79"	R3B0TFF79 48-() ()	1,295.	1,365.	1,485.	1,635.	1,755.	1,945.	2,065.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18-() ()	997.	1,067.	1,187.	1,337.	1,457.	1,647.	1,767.
High acoustics	20"	79"	R3B0TAA79 20-() ()	997.	1,067.	1,187.	1,337.	1,457.	1,647.	1,767.
	24"	79"	R3B0TAA79 24-() ()	1,064.	1,134.	1,254.	1,404.	1,524.	1,714.	1,834.
	30"	79"	R3B0TAA79 30-() ()	1,125.	1,195.	1,315.	1,465.	1,585.	1,775.	1,895.
	36"	79"	R3B0TAA79 36-() ()	1,189.	1,259.	1,379.	1,529.	1,649.	1,839.	1,959.
	42"	79"	R3B0TAA79 42-() ()	1,353.	1,423.	1,543.	1,693.	1,813.	2,003.	2,123.
	48"	79"	R3B0TAA79 48-() ()	1,424.	1,494.	1,614.	1,764.	1,884.	2,074.	2,194.




Order Code	Specification Information	Application Notes	
Example: R3B0TFF7918-A4K	<i>To order please specify pattern number including:</i>	6. Top trim finish i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will not accept stacking modules.
R3	Reff Generation 3		6" Raceway option increases panel height by 2 ³ / ₄ ".
B0	No Beltway		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H .
T	Tiled panel		Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
FF	Fabric on both sides		Remember to specify Beltway paint finish when applicable.
79	79" high		79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
18	18" wide		
A	Flat style top trim		
4	4" base height		
K	Include knockouts in base		
W281	Fabric selection - side 1		
W281	Fabric selection - side 2		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		
	1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top 5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable <i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum <i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option) Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts. Applicable finishes are listed on page 5 and 6.	

Tiled panels 79" H fabric both sides


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18-() ()	\$1,188.	\$1,258.	\$1,377.	\$1,528.	\$1,648.	\$1,838.	\$1,958.
Beltway one side	20"	79"	R3B1TFF79 20-() ()	1,188.	1,258.	1,377.	1,528.	1,648.	1,838.	1,958.
	24"	79"	R3B1TFF79 24-() ()	1,247.	1,317.	1,436.	1,587.	1,707.	1,897.	2,017.
	30"	79"	R3B1TFF79 30-() ()	1,275.	1,345.	1,464.	1,615.	1,735.	1,925.	2,045.
	36"	79"	R3B1TFF79 36-() ()	1,557.	1,627.	1,746.	1,897.	2,017.	2,207.	2,327.
	42"	79"	R3B1TFF79 42-() ()	1,670.	1,740.	1,859.	2,010.	2,130.	2,320.	2,440.
	48"	79"	R3B1TFF79 48-() ()	1,726.	1,796.	1,915.	2,066.	2,186.	2,376.	2,496.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18-() ()	1,205.	1,275.	1,393.	1,545.	1,665.	1,855.	1,975.
Beltway two sides	20"	79"	R3B2TFF79 20-() ()	1,205.	1,275.	1,393.	1,545.	1,665.	1,855.	1,975.
	24"	79"	R3B2TFF79 24-() ()	1,267.	1,337.	1,455.	1,607.	1,727.	1,917.	2,037.
	30"	79"	R3B2TFF79 30-() ()	1,294.	1,364.	1,482.	1,634.	1,754.	1,944.	2,064.
	36"	79"	R3B2TFF79 36-() ()	1,580.	1,650.	1,768.	1,920.	2,040.	2,230.	2,350.
	42"	79"	R3B2TFF79 42-() ()	1,695.	1,765.	1,883.	2,035.	2,155.	2,345.	2,465.
	48"	79"	R3B2TFF79 48-() ()	1,757.	1,827.	1,945.	2,097.	2,217.	2,407.	2,527.




Order Code	Specification Information	Application Notes
Example: R3B0TFF7918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B0 No Beltway	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H .
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
79 79" high	i) tile 1A bottom	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
18 18" wide	ii) tile 1B middle	
A Flat style top trim	iii) tile 1C middle	
4 4" base height	iv) tile 1D middle	
K Include knockouts in base	v) tile 1E top	
W281 Fabric selection - side 1	5. Fabric side, finish (specify selection per insert)	
W281 Fabric selection - side 2	i) tile 2A bottom	
V316 Maple (top trim finish)	ii) tile 2B middle	
111 Jet Black (base finish)	iii) tile 2C middle	
	iv) tile 2D middle	
	v) tile 2E top	
	6. Top trim finish	
	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable	
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)	
	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.	
	Applicable finishes are listed on page 5 and 6.	

Tiled panels 79" H


fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-() ()	\$1,066.	\$1,101.	\$1,166.	\$1,241.	\$1,301.	\$1,396.	\$1,456.
Regular acoustics	20"	79"	R3B0TFL79 20-() ()	1,066.	1,101.	1,166.	1,241.	1,301.	1,396.	1,456.
	24"	79"	R3B0TFL79 24-() ()	1,130.	1,165.	1,230.	1,305.	1,365.	1,460.	1,520.
	30"	79"	R3B0TFL79 30-() ()	1,185.	1,220.	1,285.	1,360.	1,420.	1,515.	1,575.
	36"	79"	R3B0TFL79 36-() ()	1,243.	1,278.	1,343.	1,418.	1,478.	1,573.	1,633.
	42"	79"	R3B0TFL79 42-() ()	1,394.	1,429.	1,494.	1,569.	1,629.	1,724.	1,784.
	48"	79"	R3B0TFL79 48-() ()	1,458.	1,493.	1,558.	1,633.	1,693.	1,788.	1,848.



Tiled, fabric one side	18"	79"	R3B1TFL79 18-() ()	1,348.	1,383.	1,448.	1,523.	1,583.	1,678.	1,738.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-() ()	1,348.	1,383.	1,448.	1,523.	1,583.	1,678.	1,738.
	24"	79"	R3B1TFL79 24-() ()	1,409.	1,444.	1,509.	1,584.	1,644.	1,739.	1,799.
	30"	79"	R3B1TFL79 30-() ()	1,439.	1,474.	1,539.	1,614.	1,674.	1,769.	1,829.
	36"	79"	R3B1TFL79 36-() ()	1,728.	1,763.	1,828.	1,903.	1,963.	2,058.	2,118.
	42"	79"	R3B1TFL79 42-() ()	1,839.	1,874.	1,939.	2,014.	2,074.	2,169.	2,229.
	48"	79"	R3B1TFL79 48-() ()	1,897.	1,932.	1,997.	2,072.	2,132.	2,227.	2,287.



Order Code	Specification Information	Application Notes
Example: R3B0TFL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will not accept stacking modules.
79 79" high	5. Fabric side, finish (specify selection per insert)	6" Raceway option increases panel height by 2 3/4".
18 18" wide	i) tile 1A bottom	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
A Flat style top trim	ii) tile 1B middle	Remember to specify Beltway paint finish when applicable.
4 4" base height	iii) tile 1C middle	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
K Include knockouts in base	iv) tile 1D middle	
B Tile divider, black reveal	v) tile 1E top	
W281 Fabric selection - side 1	6. Lanimate side, finish (specify selection per insert)	
114 Folkstone grey - side 2	i) tile 2A bottom	
V316 Maple (top trim finish)	ii) tile 2B middle	
111 Jet Black (base finish)	iii) tile 2C middle	
	iv) tile 2D middle	
	v) tile 2E top	
	7. Top trim finish	
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
		1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
		2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)
		4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$48 for 18w and 20w \$55 for 24w and 30w \$60 for 36w and 42w \$82 for 48w
		Applicable finishes are listed on page 5 and 6.


Tiled panels 79" H

fabric one side, techwood other side


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,087.	\$1,122.	\$1,187.	\$1,262.	\$1,322.	\$1,417.	\$1,477.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,087.	1,122.	1,187.	1,262.	1,322.	1,417.	1,477.
	24"	79"	R3B0TF179 24-() ()	1,149.	1,184.	1,249.	1,324.	1,384.	1,479.	1,539.
	30"	79"	R3B0TF179 30-() ()	1,207.	1,242.	1,307.	1,382.	1,442.	1,537.	1,597.
	36"	79"	R3B0TF179 36-() ()	1,267.	1,302.	1,367.	1,442.	1,502.	1,597.	1,657.
	42"	79"	R3B0TF179 42-() ()	1,421.	1,456.	1,521.	1,596.	1,656.	1,751.	1,811.
	48"	79"	R3B0TF179 48-() ()	1,487.	1,522.	1,587.	1,662.	1,722.	1,817.	1,877.



Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,373.	1,408.	1,473.	1,548.	1,608.	1,703.	1,763.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,373.	1,408.	1,473.	1,548.	1,608.	1,703.	1,763.
	24"	79"	R3B1TF179 24-() ()	1,435.	1,470.	1,535.	1,610.	1,670.	1,765.	1,825.
	30"	79"	R3B1TF179 30-() ()	1,462.	1,497.	1,562.	1,637.	1,697.	1,792.	1,852.
	36"	79"	R3B1TF179 36-() ()	1,759.	1,794.	1,859.	1,934.	1,994.	2,089.	2,149.
	42"	79"	R3B1TF179 42-() ()	1,874.	1,909.	1,974.	2,049.	2,109.	2,204.	2,264.
	48"	79"	R3B1TF179 48-() ()	1,932.	1,967.	2,032.	2,107.	2,167.	2,262.	2,322.




Order Code	Specification Information	Application Notes	
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	The panels on this page will not accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2 3/4".
T	Tiled panel		
F1	Fabric one side, V1 other		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
79	79" high	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)	
18	18" wide		
A	Flat style top trim	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$48 for 18w and 20w \$55 for 24w and 30w \$60 for 36w and 42w \$82 for 48w	Remember to specify Beltway paint finish when applicable.
4	4" base height		79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
K	Include knockouts in base		
B	Tile divider, black reveal		
W281	Fabric selection - side 1		
Y328	Mahogany - side 2		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		
		</	

Tiled panels 79" H


fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,105.	\$1,140.	\$1,205.	\$1,280.	\$1,340.	\$1,435.	\$1,495.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,105.	1,140.	1,205.	1,280.	1,340.	1,435.	1,495.
	24"	79"	R3B0TF279 24-() ()	1,169.	1,204.	1,269.	1,344.	1,404.	1,499.	1,559.
	30"	79"	R3B0TF279 30-() ()	1,227.	1,262.	1,327.	1,402.	1,462.	1,557.	1,617.
	36"	79"	R3B0TF279 36-() ()	1,290.	1,325.	1,390.	1,465.	1,525.	1,620.	1,680.
	42"	79"	R3B0TF279 42-() ()	1,445.	1,480.	1,545.	1,620.	1,680.	1,775.	1,835.
	48"	79"	R3B0TF279 48-() ()	1,512.	1,547.	1,612.	1,687.	1,747.	1,842.	1,902.



Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	1,398.	1,433.	1,498.	1,573.	1,633.	1,728.	1,788.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	1,398.	1,433.	1,498.	1,573.	1,633.	1,728.	1,788.
	24"	79"	R3B1TF279 24-() ()	1,461.	1,496.	1,561.	1,636.	1,696.	1,791.	1,851.
	30"	79"	R3B1TF279 30-() ()	1,491.	1,526.	1,591.	1,666.	1,726.	1,821.	1,881.
	36"	79"	R3B1TF279 36-() ()	1,792.	1,827.	1,892.	1,967.	2,027.	2,122.	2,182.
	42"	79"	R3B1TF279 42-() ()	1,906.	1,941.	2,006.	2,081.	2,141.	2,236.	2,296.
	48"	79"	R3B1TF279 48-() ()	1,968.	2,003.	2,068.	2,143.	2,203.	2,298.	2,358.



Order Code	Specification Information	Application Notes	
Example: R3B0TF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	The panels on this page will not accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2 3/4".
T	Tiled panel		
F2	Fabric one side, V2 other		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
79	79" high	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)	
18	18" wide		
A	Flat style top trim	<i>4. Extruded aluminum tile divider: (E option)</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$48 for 18w and 20w \$55 for 24w and 30w \$60 for 36w and 42w \$82 for 48w	Remember to specify Beltway paint finish when applicable.
4	4" base height		79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
K	Include knockouts in base		
B	Tile divider, black reveal		
W281	Fabric selection - side 1		
V316	Maple surface - side 2		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		


Tiled panels 79" H

fabric one side, exotic veneer other side


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-() ()	\$1,467.	\$1,502.	\$1,567.	\$1,642.	\$1,702.	\$1,797.	\$1,857.
Regular acoustics	20"	79"	R3B0TF379 20-() ()	1,467.	1,502.	1,567.	1,642.	1,702.	1,797.	1,857.
	24"	79"	R3B0TF379 24-() ()	1,554.	1,589.	1,654.	1,729.	1,789.	1,884.	1,944.
	30"	79"	R3B0TF379 30-() ()	1,633.	1,668.	1,733.	1,808.	1,868.	1,963.	2,023.
	36"	79"	R3B0TF379 36-() ()	1,717.	1,752.	1,817.	1,892.	1,952.	2,047.	2,107.
	42"	79"	R3B0TF379 42-() ()	1,926.	1,961.	2,026.	2,101.	2,161.	2,256.	2,316.
	48"	79"	R3B0TF379 48-() ()	2,017.	2,052.	2,117.	2,192.	2,252.	2,347.	2,407.



Tiled, fabric one side	18"	79"	R3B1TF379 18-() ()	1,863.	1,898.	1,963.	2,038.	2,098.	2,193.	2,253.
Beltway fabric side	20"	79"	R3B1TF379 20-() ()	1,863.	1,898.	1,963.	2,038.	2,098.	2,193.	2,253.
	24"	79"	R3B1TF379 24-() ()	1,948.	1,983.	2,048.	2,123.	2,183.	2,278.	2,338.
	30"	79"	R3B1TF379 30-() ()	1,989.	2,024.	2,089.	2,164.	2,224.	2,319.	2,379.
	36"	79"	R3B1TF379 36-() ()	2,395.	2,430.	2,495.	2,570.	2,630.	2,725.	2,785.
	42"	79"	R3B1TF379 42-() ()	2,549.	2,584.	2,649.	2,724.	2,784.	2,879.	2,939.
	48"	79"	R3B1TF379 48-() ()	2,633.	2,668.	2,733.	2,808.	2,868.	2,963.	3,023.



Order Code	Specification Information	Application Notes	
Example: R3B0TF37918-A4K	<i>To order please specify pattern number including:</i>	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	The panels on this page will not accept stacking modules.
R3	Reff Generation 3		6" Raceway option increases panel height by 2 3/4".
B0	No Beltway		
T	Tiled panel		
F3	Fabric one side, V3 other		
79	79" high	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$43 per panel for this option)	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
18	18" wide	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$48 for 18w and 20w \$55 for 24w and 30w \$60 for 36w and 42w \$82 for 48w	Remember to specify Beltway paint finish when applicable.
A	Flat style top trim		79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
4	4" base height		
K	Include knockouts in base		
B	Tile divider, black reveal		
W281	Fabric selection - side 1		
V512	Figured Anigre surface - side 2		
V512	Figured Anigre (top trim finish)		
111	Jet Black (base finish)		
	1. Top trim profile		
	2. Base height		
	3. Knockout option (K = with knockouts, N = without knockouts)		
	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)		
	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D middle <i>v</i>) tile 1E top		
	6. Exotic veneer, finish (specify one V3 finish for side)		
	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver		
	8. Base finish		
	9. Beltway finish		
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$13 list upcharge applicable		
		Applicable finishes are listed on page 5 and 6.	

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34"h tiled with 4" or 6"h base raceway	18"	34"	R2APT3418 ()	\$90.	
	20"	34"	R2APT3420 ()	90.	
	24"	34"	R2APT3424 ()	93.	
	30"	34"	R2APT3430 ()	95.	
	36"	34"	R2APT3436 ()	99.	
	42"	34"	R2APT3442 ()	101.	
	48"	34"	R2APT3448 ()	105.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42"h tiled with 4" or 6"h base raceway	18"	42"	R2APT4218 ()	138.	
	20"	42"	R2APT4220 ()	138.	
	24"	42"	R2APT4224 ()	143.	
	30"	42"	R2APT4230 ()	145.	
	36"	42"	R2APT4236 ()	153.	
	42"	42"	R2APT4242 ()	158.	
	48"	42"	R2APT4248 ()	164.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
A Aluminum	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
PT Panel trim	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34 for 34"h	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w		R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for laminate, V1, V2 or V3 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49"h tiled with 4" or 6"h base raceway	18"	49"	R2APT4918 ()	\$148.	
	20"	49"	R2APT4920 ()	148.	
	24"	49"	R2APT4924 ()	154.	
	30"	49"	R2APT4930 ()	156.	
	36"	49"	R2APT4936 ()	163.	
	42"	49"	R2APT4942 ()	169.	
	48"	49"	R2APT4948 ()	175.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64"h tiled with 4" or 6"h base raceway	18"	64"	R2APT6418 ()	210.	
	20"	64"	R2APT6420 ()	210.	
	24"	64"	R2APT6424 ()	217.	
	30"	64"	R2APT6430 ()	222.	
	36"	64"	R2APT6436 ()	232.	
	42"	64"	R2APT6442 ()	240.	
	48"	64"	R2APT6448 ()	250.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
A Aluminum	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
PT Panel trim	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34 for 34"h	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	Aluminum reveal kits and hookstrip covers best suited for laminate, V1, V2 or V3 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79"h tiled with 4" or 6"h base raceway	18"	79"	R2APT7918 ()	\$271.	
	20"	79"	R2APT7920 ()	271.	
	24"	79"	R2APT7924 ()	281.	
	30"	79"	R2APT7930 ()	286.	
	36"	79"	R2APT7936 ()	301.	
	42"	79"	R2APT7942 ()	311.	
	48"	79"	R2APT7948 ()	327.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6"h raceway	34"	R2ATPK34 ()	60.
	42"	R2ATPK42 ()	76.
	49"	R2ATPK49 ()	86.
	64"	R2ATPK64 ()	118.
	79"	R2ATPK79 ()	148.

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
A Aluminum		
PT Panel trim	1. Specify reveal finish	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
34 for 34"h	AA-anodized aluminum or painted option from page 5 excluding silver	
18 for 18"w		
AA Anodized aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	
	Aluminum reveal kits and hookstrip covers best suited for laminate, V1, V2 or V3 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	
	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.	
	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)	
	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.	

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6"h raceway		34"	R2ALPK34 ()		\$59.
		42"	R2ALPK42 ()		82.
		49"	R2ALPK49 ()		90.
		64"	R2ALPK64 ()		124.
		79"	R2ALPK79 ()		158.
Alum vertical reveal for end trim with 4" or 6"h raceway		34"	R2AETK34 ()		58.
		42"	R2AETK42 ()		71.
		49"	R2AETK49 ()		83.
		64"	R2AETK64 ()		110.
		79"	R2AETK79 ()		139.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
A Aluminum	1. Specify reveal finish	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
PT Panel trim	AA-anodized aluminum or painted option from page 5 excluding silver	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
34 for 34"h	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	
18 for 18"w		
AA Anodized aluminum		
	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	
	Aluminum reveal kits and hookstrip covers best suited for laminate, V1, V2 or V3 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	
	when aluminum vertical hookstrip cover installed, forfeit panel hung capability. When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.) Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.	

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	R2AHCR34 ()		\$58.
		38"	R2AHCR42 ()		71.
		45"	R2AHCR49 ()		83.
		60"	R2AHCR64 ()		110.
		75"	R2AHCR79 ()		139.
for use with generation 2 or 3 installations					
Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()		39.
	20"		R2AHTR20 ()		39.
	24"		R2AHTR24 ()		41.
	30"		R2AHTR30 ()		45.
	36"		R2AHTR36 ()		49.
	42"		R2AHTR42 ()		51.
	48"		R2AHTR48 ()		57.
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
A Aluminum	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
PT Panel trim	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34 for 34"h	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w		R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4 Aluminum reveal kits and hookstrip covers best suited for laminate, V1, V2 or V3 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	\$34.	
	20"		R2AHWR20 ()	34.	
	24"		R2AHWR24 ()	36.	
	30"		R2AHWR30 ()	37.	
	36"		R2AHWR36 ()	40.	
	42"		R2AHWR42 ()	42.	
	48"		R2AHWR48 ()	47.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	34.	
	20"		R2AHBW20 ()	34.	
	24"		R2AHBW24 ()	36.	
	30"		R2AHBW30 ()	37.	
	36"		R2AHBW36 ()	40.	
	42"		R2AHBW42 ()	42.	
	48"		R2AHBW48 ()	47.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
A Aluminum	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
PT Panel trim	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34 for 34"h	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	Aluminum reveal kits and hookstrip covers best suited for laminate, V1, V2 or V3 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()	\$34.	
	20"		R2AHSR20 ()	34.	
	24"		R2AHSR24 ()	36.	
	30"		R2AHSR30 ()	37.	
	36"		R2AHSR36 ()	40.	
	42"		R2AHSR42 ()	42.	
	48"		R2AHSR48 ()	47.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
A Aluminum	1. Specify reveal finish	
PT Panel trim	AA-anodized aluminum or painted	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
34 for 34"h	option from page 5 excluding silver	
18 for 18"w		
AA Anodized aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	
	Aluminum reveal kits and hookstrip covers best suited for laminate, V1, V2 or V3 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.) Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-()()	\$1,103.	\$1,131.	\$1,178.	\$1,239.	\$1,287.	\$1,363.	\$1,411.
	20"	49"	R3B1TFFA49 20-()()	1,103.	1,131.	1,178.	1,239.	1,287.	1,363.	1,411.
	24"	49"	R3B1TFFA49 24-()()	1,141.	1,169.	1,216.	1,277.	1,325.	1,401.	1,449.
	30"	49"	R3B1TFFA49 30-()()	1,219.	1,247.	1,294.	1,355.	1,403.	1,479.	1,527.
	36"	49"	R3B1TFFA49 36-()()	1,468.	1,496.	1,543.	1,604.	1,652.	1,728.	1,776.
	42"	49"	R3B1TFFA49 42-()()	1,599.	1,627.	1,674.	1,735.	1,783.	1,859.	1,907.
	48"	49"	R3B1TFFA49 48-()()	1,673.	1,701.	1,748.	1,809.	1,857.	1,933.	1,981.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
A Flat style top trim	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	
W281 Fabric selection - side 2	10. Glass type Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$77
20"	\$77
24"	\$91
30"	\$109
36"	\$132
42"	\$156
48"	\$179

Add to all products on this page: upcharge of \$32 per panel for P2 paint class options or \$58 per panel for P3 paint class options.


1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$43 per panel for this option)

Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,315.	\$1,343.	\$1,390.	\$1,451.	\$1,499.	\$1,575.	\$1,623.
	36"	49"	R3B1TFFB49 36-() ()	1,571.	1,599.	1,646.	1,707.	1,755.	1,831.	1,879.
	42"	49"	R3B1TFFB49 42-() ()	1,702.	1,730.	1,777.	1,838.	1,886.	1,962.	2,010.
	48"	49"	R3B1TFFB49 48-() ()	1,784.	1,812.	1,859.	1,920.	1,968.	2,044.	2,092.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
A Flat style top trim	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	
W281 Fabric selection - side 2	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$77
20"	\$77
24"	\$91
30"	\$109
36"	\$132
42"	\$156
48"	\$179

Add to all products on this page: upcharge of \$32 per panel for P2 paint class options or \$58 per panel for P3 paint class options.


1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$43 per panel for this option)

Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff

Panels


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	R3B1PFFA49 18-() ()	\$996.	\$1,011.	\$1,046.	\$1,122.	\$1,167.	\$1,235.	\$1,302.
	20"	49"	R3B1PFFA49 20-() ()	996.	1,011.	1,046.	1,122.	1,167.	1,235.	1,302.
	24"	49"	R3B1PFFA49 24-() ()	1,032.	1,047.	1,082.	1,158.	1,203.	1,271.	1,338.
	30"	49"	R3B1PFFA49 30-() ()	1,099.	1,114.	1,149.	1,225.	1,270.	1,338.	1,405.
	36"	49"	R3B1PFFA49 36-() ()	1,309.	1,324.	1,359.	1,435.	1,480.	1,548.	1,615.
	42"	49"	R3B1PFFA49 42-() ()	1,421.	1,436.	1,471.	1,547.	1,592.	1,660.	1,727.
	48"	49"	R3B1PFFA49 48-() ()	1,488.	1,503.	1,538.	1,614.	1,659.	1,727.	1,794.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	R3B1PFFB49 30-() ()	1,195.	1,210.	1,245.	1,321.	1,366.	1,434.	1,501.
	36"	49"	R3B1PFFB49 36-() ()	1,412.	1,427.	1,462.	1,538.	1,583.	1,651.	1,718.
	42"	49"	R3B1PFFB49 42-() ()	1,524.	1,539.	1,574.	1,650.	1,695.	1,763.	1,830.
	48"	49"	R3B1PFFB49 48-() ()	1,599.	1,614.	1,649.	1,725.	1,770.	1,838.	1,905.

Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
A Flat style top trim	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	
W281 Fabric selection - side 2	10. Glass type Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, laminate other
 side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-()()	\$1,221.	\$1,235.	\$1,261.	\$1,291.	\$1,315.	\$1,353.	\$1,387.
	20"	49"	R3B1TFLA49 20-()()	1,221.	1,235.	1,261.	1,291.	1,315.	1,353.	1,387.
	24"	49"	R3B1TFLA49 24-()()	1,261.	1,275.	1,301.	1,331.	1,355.	1,393.	1,427.
	30"	49"	R3B1TFLA49 30-()()	1,341.	1,355.	1,381.	1,411.	1,435.	1,473.	1,507.
	36"	49"	R3B1TFLA49 36-()()	1,592.	1,606.	1,632.	1,662.	1,686.	1,724.	1,758.
	42"	49"	R3B1TFLA49 42-()()	1,723.	1,737.	1,763.	1,793.	1,817.	1,855.	1,889.
	48"	49"	R3B1TFLA49 48-()()	1,804.	1,818.	1,844.	1,874.	1,898.	1,936.	1,970.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric BW side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify	4 = 4" base height
18 18" wide	AA-anodized aluminum or	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	painted option excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B Tile divider, black reveal	6. Laminate side finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
114 Folkstone grey - side 2	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
111 Jet Black (beltway finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (window frame finish)	Base finish	
TEMP Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, laminate other
 side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-() ()	\$1,440.	\$1,454.	\$1,480.	\$1,510.	\$1,534.	\$1,572.	\$1,606.
	36"	49"	R3B1TFLB49 36-() ()	1,695.	1,709.	1,735.	1,765.	1,789.	1,827.	1,861.
	42"	49"	R3B1TFLB49 42-() ()	1,828.	1,842.	1,868.	1,898.	1,922.	1,960.	1,994.
	48"	49"	R3B1TFLB49 48-() ()	1,916.	1,930.	1,956.	1,986.	2,010.	2,048.	2,082.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric BW side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	4 = 4" base height
18 18" wide	5. Fabric side, finish (specify selection per insert; bottom up.)	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	6. Laminate side finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	7. Top trim finish	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	i) Top trim profile A,B or C options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B Tile divider, black reveal	V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	ii) Top trim profile E options:	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
114 Folkstone grey - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	5 excluding silver	
111 Jet Black (base finish)	8. Base finish	
111 Jet Black (beltway finish)	9. Beltway finish	
111 Jet Black (window frame finish)	10. Window frame finish	
TEMP Glass option	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$77
20"	\$77
24"	\$91
30"	\$109
36"	\$132
42"	\$156
48"	\$179

Frame finish:
 Add to all products on this page: upcharge of \$32 per panel for P2 paint class options or \$58 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$13
20"	\$13
24"	\$14
30"	\$14
36"	\$15
42"	\$15
48"	\$20


Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, laminate other
 side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PFLA49 18-() ()	\$1,011.	\$1,018.	\$1,036.	\$1,074.	\$1,097.	\$1,132.	\$1,155.
	20"	49"	R3B1PFLA49 20-() ()	1,011.	1,018.	1,036.	1,074.	1,097.	1,132.	1,155.
	24"	49"	R3B1PFLA49 24-() ()	1,063.	1,070.	1,088.	1,126.	1,149.	1,184.	1,207.
	30"	49"	R3B1PFLA49 30-() ()	1,158.	1,165.	1,183.	1,221.	1,244.	1,279.	1,302.
	36"	49"	R3B1PFLA49 36-() ()	1,397.	1,404.	1,422.	1,460.	1,483.	1,518.	1,541.
	42"	49"	R3B1PFLA49 42-() ()	1,536.	1,543.	1,561.	1,599.	1,622.	1,657.	1,680.
	48"	49"	R3B1PFLA49 48-() ()	1,634.	1,641.	1,659.	1,697.	1,720.	1,755.	1,778.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PFLB49 30-() ()	1,257.	1,264.	1,282.	1,320.	1,343.	1,378.	1,401.
	36"	49"	R3B1PFLB49 36-() ()	1,500.	1,507.	1,525.	1,563.	1,586.	1,621.	1,644.
	42"	49"	R3B1PFLB49 42-() ()	1,641.	1,648.	1,666.	1,704.	1,727.	1,762.	1,785.
	48"	49"	R3B1PFLB49 48-() ()	1,746.	1,753.	1,771.	1,809.	1,832.	1,867.	1,890.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric BW side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify	4 = 4" base height
18 18" wide	AA-anodized aluminum or	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	painted option excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B Tile divider, black reveal	6. Laminate side finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
114 Folkstone grey - side 2	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
111 Jet Black (beltway finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (window frame finish)	8. Base finish	
TEMP Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$77
20"	\$77
24"	\$91
30"	\$109
36"	\$132
42"	\$156
48"	\$179

Frame finish:
 Add to all products on this page:
 upcharge of \$32 per panel for P2
 paint class options or \$58 per panel
 for P3 paint class options.

Add upcharge for
 extruded aluminum reveal/tile
 divider: (as applicable by width)
 Optional non fabric tiled side only,
 fabric side always black


Width	Add
18"	\$13
20"	\$13
24"	\$14
30"	\$14
36"	\$15
42"	\$15
48"	\$20

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, techwood other
 side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,242.	\$1,256.	\$1,282.	\$1,312.	\$1,336.	\$1,374.	\$1,408.
	20"	49"	R3B1TF1A49 20-() ()	1,242.	1,256.	1,282.	1,312.	1,336.	1,374.	1,408.
	24"	49"	R3B1TF1A49 24-() ()	1,284.	1,298.	1,324.	1,354.	1,378.	1,416.	1,450.
	30"	49"	R3B1TF1A49 30-() ()	1,364.	1,378.	1,404.	1,434.	1,458.	1,496.	1,530.
	36"	49"	R3B1TF1A49 36-() ()	1,622.	1,636.	1,662.	1,692.	1,716.	1,754.	1,788.
	42"	49"	R3B1TF1A49 42-() ()	1,756.	1,770.	1,796.	1,826.	1,850.	1,888.	1,922.
	48"	49"	R3B1TF1A49 48-() ()	1,834.	1,848.	1,874.	1,904.	1,928.	1,966.	2,000.



Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify	4 = 4" base height
18 18" wide	AA-anodized aluminum or	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	painted option excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
Y328 Mahogany - side 2	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
111 Jet Black (beltway finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (window frame finish)	Base finish	
TEMP Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$77
20"	\$77
24"	\$91
30"	\$109
36"	\$132
42"	\$156
48"	\$179

Frame finish:
 Add to all products on this page:
 upcharge of \$32 per panel for P2 paint class options or \$58 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$13
20"	\$13
24"	\$14
30"	\$14
36"	\$15
42"	\$15
48"	\$20

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, techwood other
 side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B	30"	49"	R3B1TF1B49 30-() ()	\$1,463.	\$1,477.	\$1,503.	\$1,533.	\$1,557.	\$1,595.	\$1,629.
window on top, Beltway one side (fabric side)	36"	49"	R3B1TF1B49 36-() ()	1,725.	1,739.	1,765.	1,795.	1,819.	1,857.	1,891.
	42"	49"	R3B1TF1B49 42-() ()	1,861.	1,875.	1,901.	1,931.	1,955.	1,993.	2,027.
	48"	49"	R3B1TF1B49 48-() ()	1,946.	1,960.	1,986.	2,016.	2,040.	2,078.	2,112.




Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify	4 = 4" base height
18 18" wide	AA-anodized aluminum or	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	painted option excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
Y328 Mahogany - side 2	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
111 Jet Black (beltway finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (window frame finish)	Base finish	
TEMP Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, techwood other side


Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF1A49 18-() ()	\$1,030.	\$1,037.	\$1,055.	\$1,093.	\$1,116.	\$1,151.	\$1,174.
	20"	49"	R3B1PF1A49 20-() ()	1,030.	1,037.	1,055.	1,093.	1,116.	1,151.	1,174.
	24"	49"	R3B1PF1A49 24-() ()	1,082.	1,089.	1,107.	1,145.	1,168.	1,203.	1,226.
	30"	49"	R3B1PF1A49 30-() ()	1,177.	1,184.	1,202.	1,240.	1,263.	1,298.	1,321.
	36"	49"	R3B1PF1A49 36-() ()	1,420.	1,427.	1,445.	1,483.	1,506.	1,541.	1,564.
	42"	49"	R3B1PF1A49 42-() ()	1,565.	1,572.	1,590.	1,628.	1,651.	1,686.	1,709.
	48"	49"	R3B1PF1A49 48-() ()	1,660.	1,667.	1,685.	1,723.	1,746.	1,781.	1,804.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF1B49 30-() ()	1,276.	1,283.	1,301.	1,339.	1,362.	1,397.	1,420.
	36"	49"	R3B1PF1B49 36-() ()	1,523.	1,530.	1,548.	1,586.	1,609.	1,644.	1,667.
	42"	49"	R3B1PF1B49 42-() ()	1,670.	1,677.	1,695.	1,733.	1,756.	1,791.	1,814.
	48"	49"	R3B1PF1B49 48-() ()	1,772.	1,779.	1,797.	1,835.	1,858.	1,893.	1,916.



Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify	4 = 4" base height
18 18" wide	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	5. Fabric side, finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	6. Techwood side, finish (specify one V1 finish for side)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B Tile divider, black reveal	7. Top trim finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	i) Top trim profile A,B or C options:	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
Y328 Mahogany - side 2	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (beltway finish)	Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$77
20"	\$77
24"	\$91
30"	\$109
36"	\$132
42"	\$156
48"	\$179

Frame finish:
Add to all products on this page: upcharge of \$32 per panel for P2 paint class options or \$58 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$13
20"	\$13
24"	\$14
30"	\$14
36"	\$15
42"	\$15
48"	\$20

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, conventional
 veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,265.	\$1,279.	\$1,305.	\$1,335.	\$1,359.	\$1,397.	\$1,431.
	20"	49"	R3B1TF2A49 20-() ()	1,265.	1,279.	1,305.	1,335.	1,359.	1,397.	1,431.
	24"	49"	R3B1TF2A49 24-() ()	1,306.	1,320.	1,346.	1,376.	1,400.	1,438.	1,472.
	30"	49"	R3B1TF2A49 30-() ()	1,386.	1,400.	1,426.	1,456.	1,480.	1,518.	1,552.
	36"	49"	R3B1TF2A49 36-() ()	1,647.	1,661.	1,687.	1,717.	1,741.	1,779.	1,813.
	42"	49"	R3B1TF2A49 42-() ()	1,784.	1,798.	1,824.	1,854.	1,878.	1,916.	1,950.
	48"	49"	R3B1TF2A49 48-() ()	1,866.	1,880.	1,906.	1,936.	1,960.	1,998.	2,032.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify	4 = 4" base height
18 18" wide	AA-anodized aluminum or	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	painted option excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	from page 5 for extruded	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	aluminum divider (upcharge applicable, optional "tiled" style products only)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	6. Conventional veneer side, finish (specify one V2 finish for side)	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
V316 Maple surface - side 2	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	i) Top trim profile A,B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (beltway finish)	ii) Top trim profile E options:	
111 Jet Black (window frame finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page	
TEMP Glass option	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, conventional
 veneer other side

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-() ()	\$1,485.	\$1,499.	\$1,525.	\$1,555.	\$1,579.	\$1,617.	\$1,651.
	36"	49"	R3B1TF2B49 36-() ()	1,750.	1,764.	1,790.	1,820.	1,844.	1,882.	1,916.
	42"	49"	R3B1TF2B49 42-() ()	1,889.	1,903.	1,929.	1,959.	1,983.	2,021.	2,055.
	48"	49"	R3B1TF2B49 48-() ()	1,978.	1,992.	2,018.	2,048.	2,072.	2,110.	2,144.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B Tile divider, black reveal	i) Top trim profile A,B or C options:	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
V316 Maple surface - side 2	ii) Top trim profile E options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (base finish)	8. Base finish	
111 Jet Black (beltway finish)	9. Beltway finish	
111 Jet Black (window frame finish)	10. Window frame finish	
TEMP Glass option	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$77
20"	\$77
24"	\$91
30"	\$109
36"	\$132
42"	\$156
48"	\$179

Frame finish:
 Add to all products on this page:
 upcharge of \$32 per panel for P2
 paint class options or \$58 per panel
 for P3 paint class options.


Add upcharge for
 extruded aluminum reveal/tile
 divider: (as applicable by width)
 Optional non fabric tiled side only,
 fabric side always black

Width	Add
18"	\$13
20"	\$13
24"	\$14
30"	\$14
36"	\$15
42"	\$15
48"	\$20


Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, conventional
 veneer other side

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF2A49 18-() ()	\$1,047.	\$1,054.	\$1,072.	\$1,110.	\$1,133.	\$1,168.	\$1,191.
	20"	49"	R3B1PF2A49 20-() ()	1,047.	1,054.	1,072.	1,110.	1,133.	1,168.	1,191.
	24"	49"	R3B1PF2A49 24-() ()	1,099.	1,106.	1,124.	1,162.	1,185.	1,220.	1,243.
	30"	49"	R3B1PF2A49 30-() ()	1,199.	1,206.	1,224.	1,262.	1,285.	1,320.	1,343.
	36"	49"	R3B1PF2A49 36-() ()	1,447.	1,454.	1,472.	1,510.	1,533.	1,568.	1,591.
	42"	49"	R3B1PF2A49 42-() ()	1,589.	1,596.	1,614.	1,652.	1,675.	1,710.	1,733.
	48"	49"	R3B1PF2A49 48-() ()	1,686.	1,693.	1,711.	1,749.	1,772.	1,807.	1,830.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF2B49 30-() ()	1,298.	1,305.	1,323.	1,361.	1,384.	1,419.	1,442.
	36"	49"	R3B1PF2B49 36-() ()	1,550.	1,557.	1,575.	1,613.	1,636.	1,671.	1,694.
	42"	49"	R3B1PF2B49 42-() ()	1,694.	1,701.	1,719.	1,757.	1,780.	1,815.	1,838.
	48"	49"	R3B1PF2B49 48-() ()	1,798.	1,805.	1,823.	1,861.	1,884.	1,919.	1,942.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	5. Fabric side, finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	6. Conventional veneer side, finish (specify one V2 finish for side)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B Tile divider, black reveal	7. Top trim finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	i) Top trim profile A,B or C options:	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
V316 Maple surface - side 2	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$77
20"	\$77
24"	\$91
30"	\$109
36"	\$132
42"	\$156
48"	\$179

Frame finish:
 Add to all products on this page:
 upcharge of \$32 per panel for P2
 paint class options or \$58 per panel
 for P3 paint class options.

Add upcharge for
 extruded aluminum reveal/tile
 divider: (as applicable by width)
 Optional non fabric tiled side only,
 fabric side always black


Width	Add
18"	\$13
20"	\$13
24"	\$14
30"	\$14
36"	\$15
42"	\$15
48"	\$20

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, exotic veneer
 other side

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side	18"	49"	R3B1TF3A49 18-() ()	\$1,671.	\$1,685.	\$1,711.	\$1,741.	\$1,765.	\$1,803.	\$1,837.
Type A window on top, Regular acoustics	20"	49"	R3B1TF3A49 20-() ()	1,671.	1,685.	1,711.	1,741.	1,765.	1,803.	1,837.
	24"	49"	R3B1TF3A49 24-() ()	1,721.	1,735.	1,761.	1,791.	1,815.	1,853.	1,887.
	30"	49"	R3B1TF3A49 30-() ()	1,822.	1,836.	1,862.	1,892.	1,916.	1,954.	1,988.
	36"	49"	R3B1TF3A49 36-() ()	2,165.	2,179.	2,205.	2,235.	2,259.	2,297.	2,331.
	42"	49"	R3B1TF3A49 42-() ()	2,342.	2,356.	2,382.	2,412.	2,436.	2,474.	2,508.
	48"	49"	R3B1TF3A49 48-() ()	2,445.	2,459.	2,485.	2,515.	2,539.	2,577.	2,611.

Tiled, fabric one side, Beltway fabric side	30"	49"	R3B1TF3B49 30-() ()	1,921.	1,935.	1,961.	1,991.	2,015.	2,053.	2,087.
Type B window on top, Regular acoustics	36"	49"	R3B1TF3B49 36-() ()	2,268.	2,282.	2,308.	2,338.	2,362.	2,400.	2,434.
	42"	49"	R3B1TF3B49 42-() ()	2,447.	2,461.	2,487.	2,517.	2,541.	2,579.	2,613.
	48"	49"	R3B1TF3B49 48-() ()	2,557.	2,571.	2,597.	2,627.	2,651.	2,689.	2,723.

Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify	4 = 4" base height
18 18" wide	AA-anodized aluminum or	6 = 6" base height (add \$43 per
A Flat style top trim	painted option excluding silver	panel for this option)
4 4" base height	aluminum divider (upcharge	The panels on this page will accept
K Include knockouts in base	applicable, optional "tiled" style	stacking modules to increase their
B Tile divider, black reveal	products only)	height on 18" to 48"W panels only.
W281 Fabric selection - side 1	5. Fabric side, finish (specify	6" Raceway option increases panel
V512 Figured Anigre surface - side 2	selection per insert; bottom up.)	height by 2 3/4".
V512 Figured Anigre (top trim finish)	6. Exotic veneer side, finish	Product on this page can be
111 Jet Black (base finish)	(specify one V3 finish for side)	attached to posts 49", 64", and 79"H
111 Jet Black (beltway finish)	7. Top trim finish	as well as panels 42", 49", 64" and
111 Jet Black (window frame finish)	i) Top trim profile A,B or C	79"H. Panels on this page will not
TEMP Glass option	options:	attach to panels made before April
	V1, V2, V3, P1, P2, P3 finishes	1997 without an attachment kit from
	ii) Top trim profile E options:	page 102.
	AA-anodized aluminum or P1,	Remember to specify Beltway paint
	P2, P3 finish listed on page	finish, glass type and windowframe
	5 excluding silver	finish from the paint selection at the
	8. Base finish	front of the price list.
	9. Beltway finish	79"H hookstrip reveal strips are
	10. Window frame finish	ordered separately from page 102 at
	11. Glass option	no charge.
	Temp = Clear temp	Applicable finishes are listed on
	Architectural options:	page 5 and 6.
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$77
20"	\$77
24"	\$91
30"	\$109
36"	\$132
42"	\$156
48"	\$179

Frame finish:
 Add to all products on this page:
 upcharge of \$32 per panel for P2
 paint class options or \$58 per panel
 for P3 paint class options.


Add upcharge for
 extruded aluminum reveal/tile
 divider: (as applicable by width)
 Optional non fabric tiled side only,
 fabric side always black

Width	Add
18"	\$13
20"	\$13
24"	\$14
30"	\$14
36"	\$15
42"	\$15
48"	\$20


Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, exotic veneer
 other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,375.	\$1,382.	\$1,400.	\$1,438.	\$1,461.	\$1,496.	\$1,519.
	20"	49"	R3B1PF3A49 20-() ()	1,375.	1,382.	1,400.	1,438.	1,461.	1,496.	1,519.
	24"	49"	R3B1PF3A49 24-() ()	1,440.	1,447.	1,465.	1,503.	1,526.	1,561.	1,584.
	30"	49"	R3B1PF3A49 30-() ()	1,567.	1,574.	1,592.	1,630.	1,653.	1,688.	1,711.
	36"	49"	R3B1PF3A49 36-() ()	1,893.	1,900.	1,918.	1,956.	1,979.	2,014.	2,037.
	42"	49"	R3B1PF3A49 42-() ()	2,077.	2,084.	2,102.	2,140.	2,163.	2,198.	2,221.
	48"	49"	R3B1PF3A49 48-() ()	2,200.	2,207.	2,225.	2,263.	2,286.	2,321.	2,344.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	1,666.	1,673.	1,691.	1,729.	1,752.	1,787.	1,810.
	36"	49"	R3B1PF3B49 36-() ()	1,996.	2,003.	2,021.	2,059.	2,082.	2,117.	2,140.
	42"	49"	R3B1PF3B49 42-() ()	2,182.	2,189.	2,207.	2,245.	2,268.	2,303.	2,326.
	48"	49"	R3B1PF3B49 48-() ()	2,312.	2,319.	2,337.	2,375.	2,398.	2,433.	2,456.



Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	4 = 4" base height
18 18" wide	5. Fabric side, finish (specify selection per insert; bottom up.)	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	6. Exotic veneer side, finish (specify one V3 finish for side)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	7. Top trim finish	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
B Tile divider, black reveal	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	8. Base finish	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
V512 Figured Anigre surface - side 2	9. Beltway finish	Applicable finishes are listed on page 5 and 6.
V512 Figured Anigre (top trim finish)	10. Window frame finish	
111 Jet Black (base finish)	11. Glass option	
111 Jet Black (beltway finish)	Temp = Clear temp	
111 Jet Black (window frame finish)	Architectural options:	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$77
20"	\$77
24"	\$91
30"	\$109
36"	\$132
42"	\$156
48"	\$179

Frame finish:
 Add to all products on this page:
 upcharge of \$32 per panel for P2
 paint class options or \$58 per panel
 for P3 paint class options.

Add upcharge for
 extruded aluminum reveal/tile
 divider: (as applicable by width)
 Optional non fabric tiled side only,
 fabric side always black

Width	Add
18"	\$13
20"	\$13
24"	\$14
30"	\$14
36"	\$15
42"	\$15
48"	\$20

Beltway two sides, window panel 49" H tiled and monolithic with glass at top

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,119.	\$1,147.	\$1,193.	\$1,255.	\$1,303.	\$1,379.	\$1,427.
	20"	49"	R3B2TFFA49 20-() ()	1,119.	1,147.	1,193.	1,255.	1,303.	1,379.	1,427.
	24"	49"	R3B2TFFA49 24-() ()	1,160.	1,188.	1,234.	1,296.	1,344.	1,420.	1,468.
	30"	49"	R3B2TFFA49 30-() ()	1,240.	1,268.	1,314.	1,376.	1,424.	1,500.	1,548.
	36"	49"	R3B2TFFA49 36-() ()	1,491.	1,519.	1,565.	1,627.	1,675.	1,751.	1,799.
	42"	49"	R3B2TFFA49 42-() ()	1,623.	1,651.	1,697.	1,759.	1,807.	1,883.	1,931.
	48"	49"	R3B2TFFA49 48-() ()	1,703.	1,731.	1,777.	1,839.	1,887.	1,963.	2,011.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
W281 Fabric selection - side 1	8. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	9. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
V316 Maple (top trim finish)	10. Glass option	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Jet Black (base finish)	Temp = clear temp	Applicable finishes are listed on page 5 and 6.
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	


Beltway two sides, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	\$1,336.	\$1,364.	\$1,410.	\$1,472.	\$1,520.	\$1,596.	\$1,644.
	36"	49"	R3B2TFFB49 36-() ()	1,594.	1,622.	1,668.	1,730.	1,778.	1,854.	1,902.
	42"	49"	R3B2TFFB49 42-() ()	1,726.	1,754.	1,800.	1,862.	1,910.	1,986.	2,034.
	48"	49"	R3B2TFFB49 48-() ()	1,814.	1,842.	1,888.	1,950.	1,998.	2,074.	2,122.



Monolithic, fabric both sides, Type A window on top, Beltway two sides	18"	49"	R3B2PFFA49 18-() ()	1,012.	1,028.	1,062.	1,138.	1,184.	1,252.	1,294.
	20"	49"	R3B2PFFA49 20-() ()	1,012.	1,028.	1,062.	1,138.	1,184.	1,252.	1,294.
	24"	49"	R3B2PFFA49 24-() ()	1,050.	1,066.	1,100.	1,176.	1,222.	1,290.	1,332.
	30"	49"	R3B2PFFA49 30-() ()	1,119.	1,135.	1,169.	1,245.	1,291.	1,359.	1,401.
	36"	49"	R3B2PFFA49 36-() ()	1,331.	1,347.	1,381.	1,457.	1,503.	1,571.	1,613.
	42"	49"	R3B2PFFA49 42-() ()	1,446.	1,462.	1,496.	1,572.	1,618.	1,686.	1,728.
	48"	49"	R3B2PFFA49 48-() ()	1,515.	1,531.	1,565.	1,641.	1,687.	1,755.	1,797.




Order Code	Specification Information	Application Notes	
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	Add upcharge for architectural glass: <i>(as applicable by width)</i>
R3	Reff Generation 3		
B2	Beltway two sides		
T	Tiled panel		
FF	Fabric on both sides		
A	Type A window		
49	49" high		
18	18" wide		
A	Flat style top trim		
4	4" base height		
K	Include knockouts in base		
W281	Fabric selection - side 1		
W281	Fabric selection - side 2		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		
111	Jet Black (beltway finish)		
111	Jet Black (window frame finish)		
TEMP	Glass option		
	1. Top trim profile (K = with knockouts, N = without knockouts)		
	2. Base height		
	3. Knockout option		
	4. Panel side 1 finish (specify selection per insert)		
	5. Panel side 2 finish (specify selection per insert)		
	6. Top trim finish		
	7. Base finish		
	8. Beltway finish		
	9. Window frame finish		
	10. Glass option		
	Temp = clear temp		
	Architectural options:		
	GL13 = Powder glass		
	GL6 = Block matrix glass		
	GL8 = Wafer glass		

Beltway two sides, window panel 49" H tiled and monolithic with glass at top

Reff

Panels



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type B window on top, Beltway two sides	30"	49"	R3B2PFFB49 30-() ()	\$1,215.	\$1,231.	\$1,265.	\$1,341.	\$1,387.	\$1,455.	\$1,497.
	36"	49"	R3B2PFFB49 36-() ()	1,434.	1,450.	1,484.	1,560.	1,606.	1,674.	1,716.
	42"	49"	R3B2PFFB49 42-() ()	1,549.	1,565.	1,599.	1,675.	1,721.	1,789.	1,831.
	48"	49"	R3B2PFFB49 48-() ()	1,626.	1,642.	1,676.	1,752.	1,798.	1,866.	1,908.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$43 per panel for this option)
A Flat style top trim	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 102.
W281 Fabric selection - side 1	8. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	9. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 102 at no charge.
V316 Maple (top trim finish)	10. Glass option	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Jet Black (base finish)	Temp = clear temp	Applicable finishes are listed on page 5 and 6.
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Stacking modules *fabric*

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stacking modules *,**	18"	8"	R3SFF08 18	\$182.	\$186.	\$204.	\$230.	\$242.	\$260.	\$274.
Fabric both sides	20"	8"	R3SFF08 20	182.	186.	204.	230.	242.	260.	274.
	24"	8"	R3SFF08 24	191.	195.	213.	239.	251.	269.	283.
	30"	8"	R3SFF08 30	212.	216.	234.	260.	272.	290.	304.
	36"	8"	R3SFF08 36	232.	236.	254.	280.	292.	310.	324.
	42"	8"	R3SFF08 42	252.	256.	274.	300.	312.	330.	344.
	48"	8"	R3SFF08 48	272.	276.	294.	320.	332.	350.	364.
Stacking modules*	18"	15"	R3SFF15 18	246.	260.	284.	314.	338.	376.	400.
Fabric both sides	20"	15"	R3SFF15 20	246.	260.	284.	314.	338.	376.	400.
	24"	15"	R3SFF15 24	259.	273.	297.	327.	351.	389.	413.
	30"	15"	R3SFF15 30	285.	299.	323.	353.	377.	415.	439.
	36"	15"	R3SFF15 36	314.	328.	352.	382.	406.	444.	468.
	42"	15"	R3SFF15 42	339.	353.	377.	407.	431.	469.	493.
	48"	15"	R3SFF15 48	368.	382.	406.	436.	460.	498.	522.

Order Code

Example:	R3SFF0820
R3	Reff Generation 3
S	Stacking module
FF	Fabric/fabric
08	8" high
20	20" wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number
including height and width
2. Panel side 1 finish
fabric only
3. Panel side 2 finish
fabric only

Application Notes

* Not for use on 79"H panels.

* * Suitable only for top of any panel. Cannot be stacked upon.

8"h module will not accept additional modules on top.

Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window

Reff

Panels






description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A"	18"	15"	RSWA15 18	\$399.	\$478.	\$13.	\$26.	\$41.
	20"	15"	RSWA15 20	399.	478.	13.	26.	41.
	24"	15"	RSWA15 24	420.	511.	13.	26.	44.
	30"	15"	RSWA15 30	486.	569.	13.	26.	49.
	36"	15"	RSWA15 36	504.	641.	13.	26.	50.
	42"	15"	RSWA15 42	531.	687.	13.	26.	53.
	48"	15"	RSWA15 48	549.	731.	13.	26.	56.
Stacking window module* Center mullion, type "B"	30"	15"	RSWB15 30	582.	696.	13.	26.	59.
	36"	15"	RSWB15 36	608.	743.	13.	26.	62.
	42"	15"	RSWB15 42	635.	792.	13.	26.	64.
	48"	15"	RSWB15 48	659.	840.	13.	26.	66.
Stacking window module* 18" - 24" 30" - 48"	18"	30"	RSWC30 18	480.	557.	21.	33.	49.
	20"	30"	RSWC30 20	480.	557.	21.	33.	49.
	24"	30"	RSWC30 24	513.	606.	21.	33.	53.
	30"	30"	RSWC30 30	667.	781.	21.	33.	68.
	36"	30"	RSWC30 36	760.	898.	21.	33.	76.
	42"	30"	RSWC30 42	814.	973.	21.	33.	82.
	48"	30"	RSWC30 48	862.	1,046.	21.	33.	86.

Order Code	Specification Information	Application Notes
Example: RSWA1518 111 TEMP	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
A Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection on page 5.
18 18" wide	3. Glass type	
111 Jet Black, frame finish	Temp = Clear tempered glass	
TEMP Clear tempered glass	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side*

Reff

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stacking modules **, ** Fabric and laminate	18"	8"	R3SFL0818	\$206.	\$211.	\$226.	\$255.	\$267.	\$285.	\$301.
	20"	8"	R3SFL0820	206.	211.	226.	255.	267.	285.	301.
	24"	8"	R3SFL0824	224.	229.	244.	273.	285.	303.	319.
	30"	8"	R3SFL0830	250.	255.	270.	299.	311.	329.	345.
	36"	8"	R3SFL0836	274.	279.	294.	323.	335.	353.	369.
	42"	8"	R3SFL0842	298.	303.	318.	347.	359.	377.	393.
	48"	8"	R3SFL0848	323.	328.	343.	372.	384.	402.	418.
Stacking modules **, ** Fabric and techwood	18"	8"	R3SF10818	211.	216.	231.	260.	272.	290.	306.
	20"	8"	R3SF10820	211.	216.	231.	260.	272.	290.	306.
	24"	8"	R3SF10824	227.	232.	247.	276.	288.	306.	322.
	30"	8"	R3SF10830	254.	259.	274.	303.	315.	333.	349.
	36"	8"	R3SF10836	278.	283.	298.	327.	339.	357.	373.
	42"	8"	R3SF10842	304.	309.	324.	353.	365.	383.	399.
	48"	8"	R3SF10848	328.	333.	348.	377.	389.	407.	423.
Stacking modules **, ** Fabric and conventional veneer	18"	8"	R3SF20818	214.	219.	234.	263.	275.	293.	309.
	20"	8"	R3SF20820	214.	219.	234.	263.	275.	293.	309.
	24"	8"	R3SF20824	232.	237.	252.	281.	293.	311.	327.
	30"	8"	R3SF20830	258.	263.	278.	307.	319.	337.	353.
	36"	8"	R3SF20836	285.	290.	305.	334.	346.	364.	380.
	42"	8"	R3SF20842	310.	315.	330.	359.	371.	389.	405.
	48"	8"	R3SF20848	333.	338.	353.	382.	394.	412.	428.
Stacking modules **, ** Fabric and exotic veneer	18"	08"	R3SF308 18	282.	287.	302.	331.	343.	361.	377.
	20"	08"	R3SF308 20	282.	287.	302.	331.	343.	361.	377.
	24"	08"	R3SF308 24	307.	312.	327.	356.	368.	386.	402.
	30"	08"	R3SF308 30	341.	346.	361.	390.	402.	420.	436.
	36"	08"	R3SF308 36	378.	383.	398.	427.	439.	457.	473.
	42"	08"	R3SF308 42	412.	417.	432.	461.	473.	491.	507.
	48"	08"	R3SF308 48	443.	448.	463.	492.	504.	522.	538.
Stacking modules* Fabric and laminate	18"	15"	R3SFL1518	296.	308.	335.	365.	392.	430.	452.
	20"	15"	R3SFL1520	296.	308.	335.	365.	392.	430.	452.
	24"	15"	R3SFL1524	308.	320.	347.	377.	404.	442.	464.
	30"	15"	R3SFL1530	337.	349.	376.	406.	433.	471.	493.
	36"	15"	R3SFL1536	366.	378.	405.	435.	462.	500.	522.
	42"	15"	R3SFL1542	393.	405.	432.	462.	489.	527.	549.
	48"	15"	R3SFL1548	421.	433.	460.	490.	517.	555.	577.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	* * Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.
S Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
FL Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
08 8" high		
18 18" wide		
W281 Fabric selection - side 1		
114 Folkstone Grey - side 2		

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side*

Reff

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stacking modules* Fabric and techwood	18"	15"	R3SF11518	\$303.	\$315.	\$342.	\$372.	\$399.	\$437.	\$459.
	20"	15"	R3SF11520	303.	315.	342.	372.	399.	437.	459.
	24"	15"	R3SF11524	314.	326.	353.	383.	410.	448.	470.
	30"	15"	R3SF11530	342.	354.	381.	411.	438.	476.	498.
	36"	15"	R3SF11536	372.	384.	411.	441.	468.	506.	528.
	42"	15"	R3SF11542	400.	412.	439.	469.	496.	534.	556.
	48"	15"	R3SF11548	428.	440.	467.	497.	524.	562.	584.
Stacking modules* Fabric and conventional veneer	18"	15"	R3SF21518	306.	318.	345.	375.	402.	440.	462.
	20"	15"	R3SF21520	306.	318.	345.	375.	402.	440.	462.
	24"	15"	R3SF21524	320.	332.	359.	389.	416.	454.	476.
	30"	15"	R3SF21530	350.	362.	389.	419.	446.	484.	506.
	36"	15"	R3SF21536	379.	391.	418.	448.	475.	513.	535.
	42"	15"	R3SF21542	409.	421.	448.	478.	505.	543.	565.
	48"	15"	R3SF21548	435.	447.	474.	504.	531.	569.	591.
Stacking modules* Fabric and exotic veneer	18"	15"	R3SF315 18	403.	415.	442.	472.	499.	537.	559.
	20"	15"	R3SF315 20	403.	415.	442.	472.	499.	537.	559.
	24"	15"	R3SF315 24	422.	434.	461.	491.	518.	556.	578.
	30"	15"	R3SF315 30	462.	474.	501.	531.	558.	596.	618.
	36"	15"	R3SF315 36	502.	514.	541.	571.	598.	636.	658.
	42"	15"	R3SF315 42	542.	554.	581.	611.	638.	676.	698.
	48"	15"	R3SF315 48	577.	589.	616.	646.	673.	711.	733.

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Application Notes

* Not for use on 79"H panels.

* * Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.



Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

Reff

description	h		pattern no.	Reg. post list	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$57.	n/a
	15"	stacking module post	R3L15TT	112.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	143.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	215.	248.
	49"		R3L49(B)(F/T)(F/T)-() () ()	238.	275.
	64"		R3L64(B)(F/T)(F/T)-() () ()	264.	303.
	79"		R3L79(B)(F/T)(F/T)-() () ()	295.	339.
 T-Post	8"	stacking module post	R3T08T	72.	n/a
	15"	stacking module post	R3T15T	133.	n/a
	34"		R3T34(F/T)-() () ()	173.	n/a
	42"		R3T42(B)(F/T)-() () ()	190.	217.
	49"		R3T49(B)(F/T)-() () ()	215.	248.
	64"		R3T64(B)(F/T)-() () ()	238.	275.
	79"		R3T79(B)(F/T)-() () ()	265.	305.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 284.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$43 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 102. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.



Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

Reff

Panels

description	h		pattern no.	Reg. post list	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$63.	n/a
	15"	stacking module post	R3X15	122.	n/a
	34"		R3X34-() ()	162.	n/a
	42"		R3X42(B)-() ()	175.	203.
	49"		R3X49(B)-() ()	190.	217.
	64"		R3X64(B)-() ()	215.	248.
	79"		R3X79(B)-() ()	245.	280.
 Straight post	8"	stacking module post	R3S08TT	57.	n/a
	15"	stacking module post	R3S15TT	112.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	143.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	215.	248.
	49"		R3S49(B)(F/T)(F/T)-() () ()	238.	275.
	64"		R3S64(B)(F/T)(F/T)-() () ()	264.	303.
	79"		R3S79(B)(F/T)(F/T)-() () ()	295.	339.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 284.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish
 1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled
 2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)

5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*

4 = 4" base height

6 = 6" base height (add \$43 list for this option)

6. *Electrical infeed post:*

L = Base infeed left face

M = Base infeed middle face

R = Base infeed right face

N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*

B = Black steel reveal or

Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 102. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

Reff

description	h	pattern no.	Reg. post list	Beltway post list (B)
*R3/R2 stacking post sleeve	adapter kit for stacking posts only	R3R2SLV		n/c

Order Code

Example: R3L64(B)TT-A16NB	
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 284.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish
 1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled
 2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$43 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 102. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).


Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.


Panel trims and post covers for all applications

Reff

Panels

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	—	34"		R2ES34(A/B/C/D/E)(4/6)(E/N)	\$196.	\$118.
	—	42"		R2ES42(A/B/C/D/E)(4/6)(E/N)	219.	138.
	—	49"		R2ES49(A/B/C/D/E)(4/6)(E/N)	242.	159.
	—	64"		R2ES64(A/B/C/D/E)(4/6)(E/N)	258.	178.
	—	79"		R2ES79(A/B/C/D/E)(4/6)(E/N)	315.	202.
End trim for Hi-Lo condition with hookstrip.	34"	42"		R2HL3442ES(A/B/C/E)	102.	104.
Must order top trim below	34"	49"		R2HL3449ES(A/B/C/E)	143.	106.
	34"	64"		R2HL3464ES(A/B/C/E)	183.	109.
	34"	79"		R2HL3479ES(A/B/C/E)	196.	120.
	42"	49"		R2HL4249ES(A/B/C/E)	102.	104.
	42"	64"		R2HL4264ES(A/B/C/E)	247.	106.
	42"	79"		R2HL4279ES(A/B/C/E)	284.	120.
	49"	64"		R2HL4964ES(A/B/C/E)	143.	109.
	49"	79"		R2HL4979ES(A/B/C/E)	183.	120.
	64"	79"		R2HL6479ES(A/B/C/E)	143.	106.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)	—	18"	RSNTT18(A/B/C/E)	73.	20.
	—	20"	RSNTT20(A/B/C/E)	73.	22.
	—	24"	RSNTT24(A/B/C/E)	81.	25.
	—	30"	RSNTT30(A/B/C/E)	90.	30.
	—	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	94.	38.
	—	36"	RSNTT36(A/B/C/E)	100.	38.
	—	42"	RSNTT42(A/B/C/E)	113.	39.
	—	48"	RSNTT48(A/B/C/E)	123.	56.

Order Code	Specification Information
Example: R2ES34A6N	To order please specify pattern number including:
R2 Reff Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	A = flat
A Flat profile	B = square
6 6" base height	C = bullnose
N Non electrical base	E = extruded aluminum
V311 Beech	2. Base height option
111 Jet Black (base finish)	4 = 4"
	6 = 6"
	3. Base type
	E = electrical entry
	N = standard base
	4. Finish, end trim
	If profile A, B or C specify V1, V2, V3 or painted to match laminate
	If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
	5. Finish, end trim base
	painted or plated finish
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	F = full (monolithic)
	T = tiled
	2. Finish, post cover
	fabric, V1, V2, V3 or painted to match laminate
	3. If tiled cover set, specify reveal finish
	B = black reveal
	or select P1, P2, P3 painted finish from pg. 5
	Select paint or plated finish from page 5.
	Add \$22 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

Reff

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$102.	\$104.
	42"	64"		R2HL4264ETS(A/B/C/E)	247.	106.
	42"	79"		R2HL4279ETS(A/B/C/E)	284.	120.



Post cover trim for tiled and monolithic posts	34"	42"		R2HL3442(F)CS ()	30.	
Hi-Lo applications	34"	49"		R2HL3449(F)CS ()	42.	
	34"	64"		R2HL3464(F/T)CS ()()	85.	
	34"	79"		R2HL3479(F/T)CS ()()	125.	
	42"	49"		R2HL4249(F)CS ()	30.	
	42"	64"		R2HL4264(F/T)CS ()()	70.	
	42"	79"		R2HL4279(F/T)CS ()()	113.	
	49"	64"		R2HL4964(F)CS ()	42.	
	49"	79"		R2HL4979(F/T)CS ()()	85.	
	64"	79"		R2HL6479(F)CS ()	42.	



Application: for height changes involving a post

Order Code	Specification Information
Example: R2ES34A6N	To order please specify pattern number including:
R2 Reff Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	A = flat
A Flat profile	B = square
6 6" base height	C = bullnose
N Non electrical base	E = extruded aluminum
V311 Beech	2. Base height option
111 Jet Black (base finish)	4 = 4"
	6 = 6"
	3. Base type
	E = electrical entry
	N = standard base
	4. Finish, end trim
	If profile A, B or C specify V1, V2, V3 or painted to match laminate
	If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
	5. Finish, end trim base
	painted or plated finish
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	F = full (monolithic)
	T = tiled
	2. Finish, post cover
	fabric, V1, V2, V3 or painted to match laminate
	3. If tiled cover set, specify reveal finish
	B = black reveal
	or select P1, P2, P3 painted finish from pg. 5
	Select paint or plated finish from page 5.
	Add \$22 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

description	h	pattern no.	list price
Ceiling entry L-post.	42"	R2L42C(F/T)(F/T)-(4/6)	\$215.
	49"	R2L49C(F/T)(F/T)-(4/6)	230.
	64"	R2L64C(F/T)(F/T)-(4/6)	244.
	79"	R2L79C(F/T)(F/T)-(4/6)	289.

Cable not included

Ceiling entry T-post.	42"	R2T42C(F/T)-(4/6)	190.
	49"	R2T49C(F/T)-(4/6)	215.
	64"	R2T64C(F/T)-(4/6)	230.
	79"	R2T79C(F/T)-(4/6)	268.

Cable not included

Ceiling entry X-post.	42"	R2X42C	175.
	49"	R2X49C	190.
	64"	R2X64C	215.
	79"	R2X79C	255.

Cable not included

Ceiling entry straight line post.	42"	R2S42C(F/T)(F/T)-(4/6)	215.
	49"	R2S49C(F/T)(F/T)-(4/6)	230.
	64"	R2S64C(F/T)(F/T)-(4/6)	244.
	79"	R2S79C(F/T)(F/T)-(4/6)	289.

Cable not included


Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
42 42" high	3. Finish type, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
C Ceiling power entry	4. Finish, where applicable	6"H base raceway option increase entire post height by 2 3/4". (Please add \$43 list per post for this option). Price does not apply to X-post.
T Tiled style face	5. Base finish	
T Tiled style face	6. Canopy finish (ceiling entry pole only)	
4 Base height	1. Face type:	
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	
	2. Base height:	
	4 = 4" base height	
	6 = 6" base height	
	3. Finish type:	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 99.

description	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet 	41"	RCP41-(F/L/1/2/3)*	\$430.
	56"	RCP56-(F/L/1/2/3)*	446.
	71"	RCP71-(F/L/1/2/3)*	501.
	78"	RCP78-(F/L/1/2/3)*	517.

Cable not included

Ceiling power cable infeed. For use with Ceiling entry Pole and Post combination 	RR3EPVR-(Eight wire)	251.
	RR3TPVR-(Ten wire)	304.

One size fits all post sizes (13' of cable)

Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	
T Tiled style face	5. Base finish	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	6. Canopy finish (ceiling entry pole only)	
4 Base height	1. <i>Face type:</i>	6"H base raceway option increase entire post height by 2 3/4". (Please add \$43 list per post for this option). Price does not apply to X-post.
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
	2. <i>Base height:</i>	
	4 = 4" base height	Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
	6 = 6" base height	
	3. <i>Finish type:</i>	Hi-lo ceiling post covers must be ordered in hi-lo applications from 99.
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Ceiling cable entry post covers

Alignment kits and wall starters

Reff

Panels


description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$30.
	34"	49"			RPHL3449(F/T)	42.
	34"	64"			RPHL3464(F/T)	85.
	34"	79"			RPHL3479(F/T)	125.
	42"	49"			RPHL4249(F/T)	58.
	42"	64"			RPHL4264(F/T)	81.
	42"	79"			RPHL4279(F/T)	88.
	49"	64"			RPHL4964(F/T)	81.
	49"	79"			RPHL4979(F/T)	88.
	64"	79"			RPHL6479(F/T)	63.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	30.
	42"	64"			RPHL4264S	70.
	42"	79"			RPHL4279S	113.
	49"	64"			RPHL4964S	42.
	49"	79"			RPHL4979S	85.
	64"	79"			RPHL6479S	42.
Wall starter			7/8"	8"	R2SWS0008 () ()	40.
			7/8"	15"	R2SWS0015 () ()	54.
			7/8"	34"	R2SWS0034 () ()	106.
			7/8"	42"	R2SWS0042 () ()	130.
			7/8"	49"	R2SWS0049 () ()	152.
			7/8"	64"	R2SWS0064 () ()	199.
			7/8"	79"	R2SWS0079 () ()	245.

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff		
P Power post	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
HL Hi lo cover	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included.
42 42" low panel	2. Select finish fabric, laminate or veneer	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
49 49" high panel	1. <i>Face type options:</i> F = Full T = Tiled	
T Tiled face type	Wall starter: 1. Pattern number including height 2. Adjoining panel width 3. Adjoining panel top trim profile (A, B, C or E) 4. Top trim finish	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition. RSPA-BPD, BPP, BPW, BWD and BWB for use with generation 2 or 3 panels. RSPA-BPT, BTD, BTT and BTW for use with generation 2 only. R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	Applicable finishes are listed on page 5 and 6.	

Ceiling cable entry post covers

Alignment kits and wall starters

Reff

description	panel h	post h	w	h	pattern no.	list price
Panel alignment kits 					R3SPABPT	\$6.
					R3SPABTD	6.
					R3SPABTT	6.
					R3SPABTW	6.
					RSPABPD	6.
					RSPABPP	6.
					RSPABPT	6.
					RSPABPW	6.
					RSPABTD	6.
					RSPABTT	6.
					RSPABTW	6.
					RSPABWD	6.
					RSPABWW	6.

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff		
P Power post	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
HL Hi lo cover	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included.
42 42" low panel	2. Select finish fabric, laminate or veneer	
49 49" high panel		
T Tiled face type	1. <i>Face type options:</i> F = Full T = Tiled	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	Wall starter:	
	1. Pattern number including height	
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64"	RRDPPL(L/R)6436()		\$2,558.	\$2,649.	\$3,540.
		36"	79"	RRD3PPL(L/R)7936()()		2,789.	2,889.	3,900.
		42"	64"	RRDPPL(L/R)6442()		2,607.	2,697.	3,585.
		42"	79"	RRD3PPL(L/R)7942()()		2,832.	2,931.	3,943.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		2,789.	2,889.	3,900.
		42"	79"	RRD3FTCPPL(L/R)7942()		2,832.	2,931.	3,943.
Partial width threshold (full width threshold)	3"	50"		RRDTH()	296.			
	3"	96"		RRDTH(L/R)()	380.			
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()	3,331.		
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()	3,871.		
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()	3,331.		
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()	3,871.		



Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

A = Flat
B = Square
C = Bullnose

2. Base height:

4 = 4" base
6 = 6" base (add \$43 for this option)

3. Lock option:

N = Not drilled
D = Drilled *
L = Drilled lock set included
D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

GL13 = Powdered glass
GL6 = Block matrix
GL8 = Wafer glass
P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 5 and 6.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 99).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79"h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64"h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$101.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	101.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	(Qty of 15)	3⁄8"	79"	RHSC15	n/c
	(Qty of 250)	3⁄8"	79"	RHSC250	n/c
	(Qty of 70)	3⁄8"	79"	RHSC70	n/c
	Carpet gripper(Pack of 10)			R2CG	18.

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

Application Notes

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

Floor to ceiling modules

21" high, for 104" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides	18"	21"	R3FTCFF2118			\$304.	\$308.	\$320.	\$378.	\$396.	\$450.	\$506.
	20"	21"	R3FTCFF2120			304.	308.	320.	378.	396.	450.	506.
	24"	21"	R3FTCFF2124			320.	324.	336.	394.	412.	466.	522.
	30"	21"	R3FTCFF2130			354.	358.	370.	428.	446.	500.	556.
	36"	21"	R3FTCFF2136			380.	384.	396.	454.	472.	526.	582.
	42"	21"	R3FTCFF2142			414.	418.	430.	488.	506.	560.	616.
	48"	21"	R3FTCFF2148			445.	449.	461.	519.	537.	591.	647.
Stack-on floor to ceiling window module. Single glass type "A"	18"	21"	RFTCWA2118	427.	503.							
	20"	21"	RFTCWA2120	427.	503.							
	24"	21"	RFTCWA2124	449.	542.							
	30"	21"	RFTCWA2130	522.	636.							
	36"	21"	RFTCWA2136	546.	678.							
	42"	21"	RFTCWA2142	575.	734.							
	48"	21"	RFTCWA2148	602.	779.							
Stack-on floor to ceiling window module. Center mullion, type "B"	30"	21"	RFTCWB2130	608.	720.							
	36"	21"	RFTCWB2136	660.	794.							
	42"	21"	RFTCWB2142	698.	852.							
	48"	21"	RFTCWB2148	730.	911.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2118	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$32 per module for P2 paint class options or \$58 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
21 21" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.




Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

25" high, for 108" ceiling height and 79" high panels
fabric and glass

Reff

description	w	h	pattern no.	clear glass	arch. glass	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	25"	R3FTCFF2518			\$340.	\$344.	\$354.	\$430.	\$446.	\$518.	\$580.
Fabric both sides	20"	25"	R3FTCFF2520			340.	344.	354.	430.	446.	518.	580.
	24"	25"	R3FTCFF2524			359.	363.	373.	449.	465.	537.	599.
	30"	25"	R3FTCFF2530			391.	395.	405.	481.	497.	569.	631.
	36"	25"	R3FTCFF2536			426.	430.	440.	516.	532.	604.	666.
	42"	25"	R3FTCFF2542			461.	465.	475.	551.	567.	639.	701.
	48"	25"	R3FTCFF2548			494.	498.	508.	584.	600.	672.	734.
Stack-on floor to ceiling window module. Single glass type "A"	18"	25"	RFTCWA2518	446.	523.							
	20"	25"	RFTCWA2520	446.	523.							
	24"	25"	RFTCWA2524	476.	567.							
	30"	25"	RFTCWA2530	550.	664.							
	36"	25"	RFTCWA2536	577.	711.							
	42"	25"	RFTCWA2542	614.	769.							
	48"	25"	RFTCWA2548	640.	818.							
Stack-on floor to ceiling window module. Center mullion, type "B"	30"	25"	RFTCWB2530	633.	743.							
	36"	25"	RFTCWB2536	700.	836.							
	42"	25"	RFTCWB2542	744.	900.							
	48"	25"	RFTCWB2548	785.	965.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$32 per module for P2 paint class options or \$58 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
25 25" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$444.	\$448.	\$458.	\$568.	\$588.	\$696.	\$796.
	20"	37"	R3FTCFF3720			444.	448.	458.	568.	588.	696.	796.
	24"	37"	R3FTCFF3724			470.	474.	484.	594.	614.	722.	822.
	30"	37"	R3FTCFF3730			510.	514.	524.	634.	654.	762.	862.
	36"	37"	R3FTCFF3736			554.	558.	568.	678.	698.	806.	906.
	42"	37"	R3FTCFF3742			596.	600.	610.	720.	740.	848.	948.
	48"	37"	R3FTCFF3748			637.	641.	651.	761.	781.	889.	989.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	511.	586.							
	20"	37"	RFTCWA3720	511.	586.							
	24"	37"	RFTCWA3724	549.	639.							
	30"	37"	RFTCWA3730	649.	747.							
	36"	37"	RFTCWA3736	674.	807.							
	42"	37"	RFTCWA3742	719.	873.							
	48"	37"	RFTCWA3748	757.	939.							

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	699.	812.							
	36"	37"	RFTCWB3736	824.	958.							
	42"	37"	RFTCWB3742	888.	1,043.							
	48"	37"	RFTCWB3748	945.	1,126.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$32 per module for P2 paint class options or \$58 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules
*21" and 25" high modules, fabric one side,
 laminate, techwood, conventional or exotic veneer other side*

Reff


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	21"	R3FTCFL2118	\$347.	\$349.	\$353.	\$384.	\$394.	\$422.	\$453.
Fabric one side, laminate other side, 21"	20"	21"	R3FTCFL2120	347.	349.	353.	384.	394.	422.	453.
	24"	21"	R3FTCFL2124	359.	361.	365.	396.	406.	434.	465.
	30"	21"	R3FTCFL2130	403.	405.	409.	440.	450.	478.	509.
	36"	21"	R3FTCFL2136	438.	440.	444.	475.	485.	513.	544.
	42"	21"	R3FTCFL2142	476.	478.	482.	513.	523.	551.	582.
	48"	21"	R3FTCFL2148	512.	514.	518.	549.	559.	587.	618.




Stack-on floor to ceiling module	18"	21"	R3FTCF12118	353.	355.	359.	390.	400.	428.	459.
Fabric one side, techwood other side, 21"	20"	21"	R3FTCF12120	353.	355.	359.	390.	400.	428.	459.
	24"	21"	R3FTCF12124	367.	369.	373.	404.	414.	442.	473.
	30"	21"	R3FTCF12130	409.	411.	415.	446.	456.	484.	515.
	36"	21"	R3FTCF12136	443.	445.	449.	480.	490.	518.	549.
	42"	21"	R3FTCF12142	481.	483.	487.	518.	528.	556.	587.
	48"	21"	R3FTCF12148	523.	525.	529.	560.	570.	598.	629.



Stack-on floor to ceiling module	18"	21"	R3FTCF22118	360.	362.	366.	397.	407.	435.	466.
Fabric one side, conventional veneer other side, 21"	20"	21"	R3FTCF22120	360.	362.	366.	397.	407.	435.	466.
	24"	21"	R3FTCF22124	372.	374.	378.	409.	419.	447.	478.
	30"	21"	R3FTCF22130	418.	420.	424.	455.	465.	493.	524.
	36"	21"	R3FTCF22136	451.	453.	457.	488.	498.	526.	557.
	42"	21"	R3FTCF22142	491.	493.	497.	528.	538.	566.	597.
	48"	21"	R3FTCF22148	530.	532.	536.	567.	577.	605.	636.



Stack-on floor to ceiling module	18"	21"	R3FTCF321 18	474.	476.	480.	511.	521.	549.	580.
Fabric one side, exotic veneer other side 21"	20"	21"	R3FTCF321 20	474.	476.	480.	511.	521.	549.	580.
	24"	21"	R3FTCF321 24	490.	492.	496.	527.	537.	565.	596.
	30"	21"	R3FTCF321 30	552.	554.	558.	589.	599.	627.	658.
	36"	21"	R3FTCF321 36	597.	599.	603.	634.	644.	672.	703.
	42"	21"	R3FTCF321 42	651.	653.	657.	688.	698.	726.	757.
	48"	21"	R3FTCF321 48	703.	705.	709.	740.	750.	778.	809.



Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	
18 18" wide		
W281 Fabric selection - side 1	Applicable finishes are listed on page 5 and 6.	Ceiling height includes 4" allowance for trim.
114 Folkstone grey - side 2		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
111 Jet Black soffit		Modules on this page will not support the hanging of panel mount product.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules
 21" and 25" high modules, fabric one side,
 laminate, techwood, conventional or exotic veneer other side


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25"	18"	25"	R3FTCFL2518	\$373.	\$375.	\$382.	\$421.	\$429.	\$466.	\$499.
	20"	25"	R3FTCFL2520	373.	375.	382.	421.	429.	466.	499.
	24"	25"	R3FTCFL2524	385.	387.	394.	433.	441.	478.	511.
	30"	25"	R3FTCFL2530	439.	441.	448.	487.	495.	532.	565.
	36"	25"	R3FTCFL2536	476.	478.	485.	524.	532.	569.	602.
	42"	25"	R3FTCFL2542	522.	524.	531.	570.	578.	615.	648.
	48"	25"	R3FTCFL2548	564.	566.	573.	612.	620.	657.	690.




Stack-on floor to ceiling module Fabric one side, techwood other side, 25"	18"	25"	R3FTCF12518	379.	381.	388.	427.	435.	472.	505.
	20"	25"	R3FTCF12520	379.	381.	388.	427.	435.	472.	505.
	24"	25"	R3FTCF12524	390.	392.	399.	438.	446.	483.	516.
	30"	25"	R3FTCF12530	446.	448.	455.	494.	502.	539.	572.
	36"	25"	R3FTCF12536	482.	484.	491.	530.	538.	575.	608.
	42"	25"	R3FTCF12542	531.	533.	540.	579.	587.	624.	657.
	48"	25"	R3FTCF12548	572.	574.	581.	620.	628.	665.	698.



Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25"	18"	25"	R3FTCF22518	385.	387.	394.	433.	441.	478.	511.
	20"	25"	R3FTCF22520	385.	387.	394.	433.	441.	478.	511.
	24"	25"	R3FTCF22524	398.	400.	407.	446.	454.	491.	524.
	30"	25"	R3FTCF22530	454.	456.	463.	502.	510.	547.	580.
	36"	25"	R3FTCF22536	492.	494.	501.	540.	548.	585.	618.
	42"	25"	R3FTCF22542	539.	541.	548.	587.	595.	632.	665.
	48"	25"	R3FTCF22548	583.	585.	592.	631.	639.	676.	709.



Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25"	18"	25"	R3FTCF325 18	506.	508.	515.	554.	562.	599.	632.
	20"	25"	R3FTCF325 20	506.	508.	515.	554.	562.	599.	632.
	24"	25"	R3FTCF325 24	524.	526.	533.	572.	580.	617.	650.
	30"	25"	R3FTCF325 30	599.	601.	608.	647.	655.	692.	725.
	36"	25"	R3FTCF325 36	651.	653.	660.	699.	707.	744.	777.
	42"	25"	R3FTCF325 42	714.	716.	723.	762.	770.	807.	840.
	48"	25"	R3FTCF325 48	773.	775.	782.	821.	829.	866.	899.




Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	Ceiling height includes 4" allowance for trim.
FL Fabric/laminate	3. Panel side 2 finish	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
21 21" high	4. Soffit finish (paint)	Modules on this page will not support the hanging of panel mount product.
18 18" wide	Applicable finishes are listed on page 5 and 6.	
W281 Fabric selection - side 1		Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.
114 Folkstone grey - side 2		Use of Reff FTC modules must be approved by local building authorities.
111 Jet Black soffit		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules
 37" high modules, fabric one side,
 laminate, techwood, conventional or exotic veneer other side

Reff


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side	18"	37"	R3FTCFL3718	\$454.	\$456.	\$462.	\$518.	\$528.	\$585.	\$637.
	20"	37"	R3FTCFL3720	454.	456.	462.	518.	528.	585.	637.
	24"	37"	R3FTCFL3724	463.	465.	471.	527.	537.	594.	646.
	30"	37"	R3FTCFL3730	549.	551.	557.	613.	623.	680.	732.
	36"	37"	R3FTCFL3736	594.	596.	602.	658.	668.	725.	777.
	42"	37"	R3FTCFL3742	663.	665.	671.	727.	737.	794.	846.
	48"	37"	R3FTCFL3748	723.	725.	731.	787.	797.	854.	906.




Stack-on floor to ceiling module Fabric one side, techwood other side	18"	37"	R3FTCF13718	462.	464.	470.	526.	536.	593.	645.
	20"	37"	R3FTCF13720	462.	464.	470.	526.	536.	593.	645.
	24"	37"	R3FTCF13724	468.	470.	476.	532.	542.	599.	651.
	30"	37"	R3FTCF13730	557.	559.	565.	621.	631.	688.	740.
	36"	37"	R3FTCF13736	605.	607.	613.	669.	679.	736.	788.
	42"	37"	R3FTCF13742	678.	680.	686.	742.	752.	809.	861.
	48"	37"	R3FTCF13748	737.	739.	745.	801.	811.	868.	920.



Stack-on floor to ceiling module Fabric one side, conventional veneer other side	18"	37"	R3FTCF23718	467.	469.	475.	531.	541.	598.	650.
	20"	37"	R3FTCF23720	467.	469.	475.	531.	541.	598.	650.
	24"	37"	R3FTCF23724	479.	481.	487.	543.	553.	610.	662.
	30"	37"	R3FTCF23730	567.	569.	575.	631.	641.	698.	750.
	36"	37"	R3FTCF23736	614.	616.	622.	678.	688.	745.	797.
	42"	37"	R3FTCF23742	687.	689.	695.	751.	761.	818.	870.
	48"	37"	R3FTCF23748	751.	753.	759.	815.	825.	882.	934.



Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37"	18"	37"	R3FTCF337 18	611.	613.	619.	675.	685.	742.	794.
	20"	37"	R3FTCF337 20	611.	613.	619.	675.	685.	742.	794.
	24"	37"	R3FTCF337 24	627.	629.	635.	691.	701.	758.	810.
	30"	37"	R3FTCF337 30	745.	747.	753.	809.	819.	876.	928.
	36"	37"	R3FTCF337 36	809.	811.	817.	873.	883.	940.	992.
	42"	37"	R3FTCF337 42	908.	910.	916.	972.	982.	1,039.	1,091.
	48"	37"	R3FTCF337 48	993.	995.	1,001.	1,057.	1,067.	1,124.	1,176.



Order Code	Specification Information	Application Notes
Example: R3FTCFL3718	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
37 37" high	4. Soffit finish (paint)	
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	Applicable finishes are listed on page 5 and 6.	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.






Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

Reff

Panels

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$163.
	add on	25"	R3FTCL25	182.
	add on	37"	R3FTCL37	235.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	371.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	371.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	371.
 T-Post	add on	21"	R3FTCT21	177.
	add on	25"	R3FTCT25	193.
	add on	37"	R3FTCT37	248.
	full height	104"	R3FTCT104(F/T)-() ()	334.
	full height	108"	R3FTCT108(F/T)-() ()	334.
	full height	120"	R3FTCT120(F/T)-() ()	334.
 X-Post	add on	21"	R3FTCX21	162.
	add on	25"	R3FTCX25	179.
	add on	37"	R3FTCX37	234.
	full height	104"	R3FTCX104	306.
	full height	108"	R3FTCX108	306.
	full height	120"	R3FTCX120	306.
 Straight post	add on	21"	R3FTCS21	163.
	add on	25"	R3FTCS25	182.
	add on	37"	R3FTCS37	235.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	371.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	371.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	371.
 End post	add on	21"	R3FTCE21	177.
	add on	25"	R3FTCE25	193.
	add on	37"	R3FTCE37	248.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	334.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	334.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	334.

Order Code

Example:	R3FTCL104TT-6N
R3FTC	Reff Gen 3 Floor to ceiling
L	Corner post
104	104" high (one piece)
TT	Tiled appearance
6	6" base height
N	No base infeed raceway knock-out
W808	Fabric selection
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Post face option
2. Base height option
3. Base infeed raceway knock-out, (optional)
4. Fabric selection
5. Base color

1. Face type:
F = Full height (monolithic look)
T = Tiled

2. Base height:
4 = 4" base height
6 = 6" base height (add \$43 list for this option)

3. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

Application Notes

The posts on this page do not support the hanging of panel mount product above the 79"H panels.

The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.

If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.

Left and Right hand locations are determined by facing the post in question from the outside of the station.

Hookstrip cover reveal strips are no charge but must be ordered separately from page 102.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Required components for floor to ceiling applications

Reff

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$54.
	25"	RFTCWS25S	69.
	37"	RFTCWS37S	83.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	199.
Caddy clips (box of 100)		RFTCCLIPS	289.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSPACE	91.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		R3FTCSM (Pair) for G3 only	7.
		RFTCSM (Pair) for G2 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.

Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<i>To order please specify pattern number including:</i> 1. Fabric/laminate/wood options 2. Paint option for metal soffit All floor to ceiling posts mimic the panel system post application.	*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs. Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached. Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components. Use of Reff FTC components must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		Floor to ceiling stabilizer brackets ship with bolts to connect the stabilizer beam, brackets and FTC module to the 79"H panel.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-E24	\$129.
	30" panel	12"	2"	2"	RR3-E30NS	143.
	36" panel	18"	2"	2"	RR3-E36NS	156.
	42" panel	24"	2"	2"	RR3-E42NS	163.
	48" panel	30"	2"	2"	RR3-E48NS	170.
	60" panel	42"	2"	2"	RR3-E60-4	258.
	66" panel	48"	2"	2"	RR3-E66-4	272.
	72" panel	54"	2"	2"	RR3-E72-4	292.
	Straight	16 1/2"	2"	2"	RR3-EPC24	75.
		18 1/2"	2"	2"	RR3-EPCS	75.
		20 1/4"	2"	2"	RR3-EPC	75.
	Use RR3-EPC24 for straight 24" to 24" wide panel. Use RR3-EPCS for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPC for all other straight power connection configurations.					
	Through post	19"	2"	2"	RR3-EPCP24	75.
		21"	2"	2"	RR3-EPCPS	75.
		22 3/4"	2"	2"	RR3-EPCP	75.
	Use RR3-EPCP24 for through post 24" to 24" wide panels. Use RR3-EPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCP for all other through post power connection configurations.					
	Circuit A				RR3-DA	35.
	Circuit B				RR3-DB	35.
	Circuit X				RR3-DX	35.
	Circuit Y				RR3-DY	35.
	Circuit X				RR3-DXO	40.
	Circuit Y				RR3-DYO	40.
Data Shield	1 pair				RR3-DATSHD	25.

Order Code

Example: RR3-E-24	
RR3	Reff raceway
E	Eight wire 2+2
24	for 24" panel

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.




Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

*Power connectors must be specified according to the panel widths in the specified orientation.


If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-EJ18	\$94.
	20" panel	40"	2"	2"	RR3-EJ20	94.
	24" panel	44"	2"	2"	RR3-EJ24	101.
	30" panel	50"	2"	2"	RR3-EJ30	108.
	36" panel	56"	2"	2"	RR3-EJ36	117.
	42" panel	62"	2"	2"	RR3-EJ42	123.
	48" panel	68"	2"	2"	RR3-EJ48	129.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	136.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	143.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	150.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	156.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	163.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	170.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	177.
	96" panel run	118 1/2"	2"	2"	RR3-EJ96P	184.
 Extended jumper (through one post)	18" + post	40 1/2"	2"	2"	RR3-EJ18P	94.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	94.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	101.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	108.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	117.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	123.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	129.
 Power infeeds	Ceiling power cable infeed				RR3-EPVR	251.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	189.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	284.
	Panel base end feed				RR3-REPI	225.
	Panel base side infeed				RR3-EPI	225.
	Surge suppressors				RR3-SP-(A,B,X,Y)	163.




Order Code	Specification Information	Application Notes
Example: RR3-EPVR		
RR3 Reff raceway	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.
E Eight wire 2+2	For use in Canada, all circuits are CGA rated 15 amp capacity.	into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.
P power infeed	<i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.	Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length.
VR for vertical raceway	Beltway panels can use jumpers at the panel base in a straight run or around a corner.	RR3-EPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-EPNY1 includes only one power connector.
		Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.
		Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-T24	\$150.
	30" panel	12"	2"	2"	RR3-T30NS	163.
	36" panel	18"	2"	2"	RR3-T36NS	177.
	42" panel	24"	2"	2"	RR3-T42NS	189.
	48" panel	30"	2"	2"	RR3-T48NS	197.
	60" panel	42"	2"	2"	RR3-T60-4	306.
	66" panel	48"	2"	2"	RR3-T66-4	319.
	72" panel	54"	2"	2"	RR3-T72-4	341.
	Straight	16 1/2"	2"	2"	RR3-TPC24	94.
		18 1/2"	2"	2"	RR3-TPCS	94.
		20 1/4"	2"	2"	RR3-TPC	94.
	Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.					
	Through post	19"	2"	2"	RR3-TPCP24	94.
		21"	2"	2"	RR3-TPCPS	94.
		22 3/4"	2"	2"	RR3-TPCP	94.
	Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.					
	Circuit A				RR3-DA	35.
	Circuit B				RR3-DB	35.
	Circuit C				RR3-DC	35.
	Circuit X				RR3-DX	35.
	Circuit Y				RR3-DY	35.
	Circuit Z				RR3-DZ	35.
	Circuit X				RR3-DXO	40.
	Circuit Y				RR3-DYO	40.
	Circuit Z				RR3-DZO	40.
Data Shield	1 pair				RR3-DATSHD	25.

Order Code	Specification Information	Application Notes
Example: RR3-T-24		
RR3 Reff raceway		
T Ten wire 3+3		
24 for 24" panel		
	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. A, B, X, Y outlets are identical to eight wire, 2+2 components. Duplex outlet circuits are designated by white letters on black background. In Canada, circuits carry a 15 amp load rating. <i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side. *Power connectors must be specified according to the panel widths in the specified orientation. Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
jumpers and infeed


description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-TJ18	\$108.
	20" panel	40"	2"	2"	RR3-TJ20	108.
	24" panel	44"	2"	2"	RR3-TJ24	117.
	30" panel	50"	2"	2"	RR3-TJ30	123.
	36" panel	56"	2"	2"	RR3-TJ36	129.
	42" panel	62"	2"	2"	RR3-TJ42	143.
	48" panel	68"	2"	2"	RR3-TJ48	156.
	54" panel run	76 ½"	2"	2"	RR3-TJ54P	163.
	60" panel	82 ½"	2"	2"	RR3-TJ60P	170.
	66" panel run	86 ½"	2"	2"	RR3-TJ66P	177.
	72" panel run	94 ½"	2"	2"	RR3-TJ72P	184.
	78" panel run	100 ½"	2"	2"	RR3-TJ78P	189.
	84" panel run	106 ½"	2"	2"	RR3-TJ84P	206.
 Extended jumper	90" panel run	112 ½"	2"	2"	RR3-TJ90P	211.
	96" panel run	118 ½"	2"	2"	RR3-TJ96P	217.
	18" + post	40 ½"	2"	2"	RR3-TJ18P	108.
	20" + post	46 ½"	2"	2"	RR3-TJ20P	108.
	24" + post	46 ½"	2"	2"	RR3-TJ24P	117.
	30" + post	52 ½"	2"	2"	RR3-TJ30P	123.
 Power infeeds	36" + post	58 ½"	2"	2"	RR3-TJ36P	129.
	42" + post	64 ½"	2"	2"	RR3-TJ42P	143.
	48" + post	70 ½"	2"	2"	RR3-TJ48P	156.
	Ceiling power cable infeed				RR3-TPVR	304.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	217.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	313.
	Panel base end feed				RR3-RTPI	258.
	Panel base side infeed				RR3-TPI	258.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	163.

* Select which circuit needs protecting and order the specified surge processor.


** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR		
RR3 Reff raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.
T Ten wire 3+3		
P power infeed		
VR for vertical raceway		
	In Canada, circuits carry a 15 amp load rating.	Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.
	Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.	Beltway panels can use jumpers at the panel base in a straight run or around a corner.
	Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. RR3-TPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-TPNY1 includes only one power connector.	
	<i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.	

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$136.
	30" panel		RR3-E30S	156.
	36" panel		RR3-E36S	170.
	42" panel		RR3-E42S	184.
	48" panel		RR3-E48S	189.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	163.
	30" panel		RR3-T30S	177.
	36" panel		RR3-T36S	189.
	42" panel		RR3-T42S	206.
	48" panel		RR3-T48S	211.




Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	94.
	Beltway post	19 1/2"	RR3-LTPC	94.
	Beltway post	21 1/2"	RR3-LTPCP	94.





Only necessary for post applications where cable will turn 90°ree.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	136.
	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	128.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCCL	144.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	136.


Order Code	Specification Information	Application Notes
Example: RR3-T42S		
RR3 Reff raceway		
T Ten wire 3+3		
42 For 42" panel		
S Single sided power		
*Power connectors must be specified according to the panel widths in the specified orientation.	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector. Two side beltway panels use power rail for base. Single side beltway panel use one sided power rail for base. <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Vertical Adjacent Jumper * *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers. Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel. Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$129.
	24" wide Ten Wire		RR3TJ48	156.
	30" wide Eight Wire		RR3EJ60P	143.
	30" wide Ten Wire		RR3TJ60P	170.
	36" wide Eight Wire		RR3EJ60P	143.
	36" wide Ten Wire		RR3TJ60P	170.
	42" wide Eight Wire		RR3EJ66P	150.
	42" wide Ten Wire		RR3TJ66P	177.
	48" wide Eight Wire		RR3EJ72P	156.
	48" wide Ten Wire		RR3TJ72P	184.

Order Code	Specification Information	Application Notes
Example: RR3-T42S RR3 Reff raceway T Ten wire 3+3 42 For 42" panel S Single sided power	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector. Two side beltway panels use power rail for base. Single side beltway panel use one sided power rail for base. <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Vertical Adjacent Jumper * *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers. Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel. Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$13.
	Faceplate extender, black	RR3-FE	32.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
 Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	19.
	Cat 3 RJ11/14/25, black	RR3-C3C	12.
	CAT 5 RJ45 universal	RR3-C5C	19.
	CAT 6 universal	RR3-C6C	33.
	F series video coupler, black	RR3-FV	19.
	ST style coupler, black	RR3-ST	33.
 Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	13.
	Mixed icons, 16 piece black	RR3-MICON	13.
	Phone icons, 16 piece black	RR3PICON	13.
 Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	127.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	127.
 Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	160.
	ST style dual fiber optic side mount	RR3-FOST	91.
 Desktop duplex monument	2-RJ11 (telephone)	RGMD6	97.
	2-RJ45's (phone and intercom)	RGMD8	107.
	Duplex outlet (electrical)	RGMDE	116.

Order Code	Specification Information	Application Notes
Example: RR3-2PF		
RR3 Reff raceway	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA		
RR3 Reff raceway	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	
		See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in either wood or fabric inserts. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.



Vertical power port bracket kit and duplex.


Reff Ported Panel Components

port, vertical duplex and panel jumpers


Reff

Panels

description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$50.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	79.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	27.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	27.
	Vertical Duplex C (10 wire applications)	RR3VDC	27.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	27.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	27.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	27.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	27.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	27.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	27.



Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	RR3EBVC50	136.
	30" same Panel Jumper 64" 8w	RR3EBVC64	148.
	30" same Panel Jumper 78" 8w	RR3EBVC78	160.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	147.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	159.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	173.

Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	155.
	30" same Panel Jumper 64" 10w	RR3TBVC64	170.
	30" same Panel Jumper 78" 10w	RR3TBVC78	186.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	166.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	182.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	197.


Order Code	Specification Information	Application Note	
Example: RR3VPBK	For data and communications specify product listed on page 117.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h 36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.
RR3 Reff			
VP Vertical port			
BK Bracket kit			

Reff Ported Panel Components

port, vertical duplex and panel jumpers


Reff

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$213.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	183.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	199.



Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	187.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	163.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	176.


Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	137.
	Internal Panel Jumper 8 w	RR3EVJ	127.



Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 117.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h 36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h
RR3 Reff		
VP Vertical port		
BK Bracket kit		
		If harness is in base of 24" panel you can not jump vertically, must remove harness Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.

Worksurface tops
rectilinear
20" and 24" deep x 1 1/4" thick

Reff

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$287.	\$313.	\$360.	\$485.
		30"	RSA301-() ()	314.	344.	394.	532.
		36"	RSA361-() ()	332.	362.	417.	563.
		42"	RSA421-() ()	345.	379.	435.	588.
		48"	RSA481-() ()	362.	393.	452.	610.
		54"	RSA541-() ()	376.	409.	473.	639.
		60"	RSA601-() ()	407.	442.	509.	688.
		66"	RSA661-() ()	417.	456.	525.	709.
		72"	RSA721-() ()	440.	480.	551.	744.
		78"	RSA781-() ()	446.	485.	559.	755.
		84"	RSA841-() ()	473.	519.	595.	803.
		90"	RSA901-() ()	494.	539.	619.	836.
		96"	RSA961-() ()	513.	559.	642.	867.
	24"	24"	RSA242-() ()	301.	328.	379.	512.
		30"	RSA302-() ()	341.	371.	428.	577.
		36"	RSA362-() ()	353.	388.	444.	600.
		42"	RSA422-() ()	367.	399.	459.	619.
		48"	RSA482-() ()	389.	428.	492.	664.
		54"	RSA542-() ()	417.	456.	525.	709.
		60"	RSA602-() ()	449.	490.	562.	759.
		66"	RSA662-() ()	461.	505.	582.	785.
		72"	RSA722-() ()	484.	527.	609.	822.
		78"	RSA782-() ()	505.	553.	638.	861.
		84"	RSA842-() ()	526.	575.	662.	893.
		90"	RSA902-() ()	553.	601.	690.	931.
		96"	RSA962-() ()	572.	624.	719.	970.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Top finish type	1 3/4" tops require support at mid point to reduce spans to 66" or less.
24 24" wide	4. Top finish	Mixed finish 1 3/4" tops are not post-formed.
1 20" deep	5. Grommet finish	
R Recessed grommet location	1. Thickness options: A = 1 1/4"	
L Laminate finish	2. Grommet options: N = No grommets	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	R = Recessed front (not recommended for 20"D and 24"D tops)	

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3


Applicable finishes are listed on page 5 and 6.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Worksurface tops
rectilinear
20" and 24" deep x 1 3/4" thick

Reff

description	depth	width	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSB241-() ()	\$373.	\$540.	\$621.	\$838.
		30"	RSB301-() ()	386.	562.	645.	872.
		36"	RSB361-() ()	409.	590.	679.	916.
		42"	RSB421-() ()	441.	639.	734.	991.
		48"	RSB481-() ()	473.	686.	792.	1,069.
		54"	RSB541-() ()	497.	720.	827.	1,117.
		60"	RSB601-() ()	522.	756.	867.	1,171.
		66"	RSB661-() ()	544.	792.	910.	1,228.
		72"	RSB721-() ()	567.	823.	948.	1,279.
		78"	RSB781-() ()	597.	866.	997.	1,346.
		84"	RSB841-() ()	627.	911.	1,045.	1,411.
		90"	RSB901-() ()	655.	954.	1,097.	1,482.
		96"	RSB961-() ()	688.	997.	1,147.	1,549.
	24"	24"	RSB242-() ()	389.	566.	652.	880.
		30"	RSB302-() ()	427.	621.	713.	962.
		36"	RSB362-() ()	447.	649.	746.	1,007.
		42"	RSB422-() ()	480.	699.	800.	1,081.
		48"	RSB482-() ()	513.	744.	857.	1,157.
		54"	RSB542-() ()	536.	777.	895.	1,208.
		60"	RSB602-() ()	560.	812.	934.	1,261.
		66"	RSB662-() ()	584.	847.	975.	1,316.
		72"	RSB722-() ()	607.	880.	1,013.	1,367.
		78"	RSB782-() ()	637.	924.	1,064.	1,436.
		84"	RSB842-() ()	668.	968.	1,114.	1,504.
		90"	RSB902-() ()	697.	1,014.	1,164.	1,571.
		96"	RSB962-() ()	729.	1,058.	1,217.	1,643.

Order Code	Specification Information	Application Notes
Example: RSB241RL	<i>To order please specify pattern number including:</i>	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
B 1 3/4" thick	3. Top finish type	1 3/4" tops require support at mid point to reduce spans to 66" or less.
24 24" wide	4. Top finish	Mixed finish 1 3/4" tops are not post-formed.
1 20" deep	5. Grommet finish	
R Recessed grommet location	1. Thickness options: B = 1 3/4"	
L Laminate finish	2. Grommet options: N = No grommets	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	R = Recessed front (not recommended for 20"D and 24"D tops)	

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3


Applicable finishes are listed on page 5 and 6.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Worksurface tops
rectilinear
30" and 36" deep x 1 1/4" thick

Reff

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243-() ()	\$329.	\$358.	\$410.	\$554.
		30"	RSA303-() ()	370.	403.	464.	626.
		36"	RSA363-() ()	397.	434.	498.	673.
		42"	RSA423-() ()	414.	451.	520.	702.
		48"	RSA483-() ()	442.	482.	554.	748.
		54"	RSA543-() ()	478.	522.	598.	807.
		60"	RSA603-() ()	495.	540.	621.	838.
		66"	RSA663-() ()	504.	552.	637.	860.
		72"	RSA723-() ()	519.	565.	650.	877.
		78"	RSA783-() ()	542.	592.	681.	919.
		84"	RSA843-() ()	563.	616.	708.	956.
		90"	RSA903-() ()	590.	643.	742.	1,002.
		96"	RSA963-() ()	611.	668.	768.	1,036.
	36"	60"	RSA604-() ()	571.	623.	715.	965.
		66"	RSA664-() ()	590.	644.	743.	1,003.
		72"	RSA724-() ()	610.	667.	767.	1,035.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSA243RL	<i>To order please specify pattern number including:</i>	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Top finish type	1 3/4" tops require support at mid point to reduce spans to 66" or less.
24 24" wide	4. Top finish	Mixed finish 1 3/4" tops are not post-formed.
3 30" deep	5. Grommet finish	
R Recessed grommet location	<i>1. Thickness options:</i> A = 1 1/4"	
L Laminate finish	<i>2. Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
114 Folkstone grey		
111 Jet Black (grommet)		

3. Finish type:

L = Laminate

M = Wood/laminate mixed

1 = V1

2 = V2

3 = V3


Applicable finishes are listed on page 5 and 6.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Worksurface tops
rectilinear
 30" and 36" deep x 1 3/4" thick




Reff

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSB243-()	\$466.	\$677.	\$777.	\$1,048.
		30"	RSB303-()	481.	700.	801.	1,082.
		36"	RSB363-()	500.	726.	834.	1,126.
		42"	RSB423-()	526.	765.	879.	1,187.
		48"	RSB483-()	554.	801.	923.	1,245.
		54"	RSB543-()	578.	836.	960.	1,295.
		60"	RSB603-()	598.	867.	999.	1,348.
		66"	RSB663-()	622.	903.	1,039.	1,402.
		72"	RSB723-()	646.	936.	1,075.	1,452.
		78"	RSB783-()	676.	981.	1,128.	1,524.
		84"	RSB843-()	708.	1,026.	1,178.	1,591.
		90"	RSB903-()	736.	1,070.	1,229.	1,659.
		96"	RSB963-()	766.	1,114.	1,280.	1,728.
	36"	60"	RSB604-()	670.	971.	1,115.	1,506.
		66"	RSB664-()	688.	997.	1,147.	1,549.
		72"	RSB724-()	741.	1,074.	1,236.	1,668.

Order Code	Specification Information	Application Notes
Example: RSB243RL	<i>To order please specify pattern number including:</i>	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
B 1 3/4" thick	3. Top finish type	1 3/4" tops require support at mid point to reduce spans to 66" or less.
24 24" wide	4. Top finish	Mixed finish 1 3/4" tops are not post-formed.
3 30" deep	5. Grommet finish	
R Recessed grommet location	1. Thickness options: B = 1 3/4"	
L Laminate finish	2. Grommet options: N = No grommets	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	R = Recessed front (not recommended for 20"D and 24"D tops)	
	3. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.	

Worksurface tops
rectilinear corner tops
1 1/4" thick

Reff


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611-()	\$589.	\$663.	\$762.	\$1,029.
	20"	20"	36"	42"	RKA 364211-()	623.	703.	806.	1,087.
	20"	20"	36"	48"	RKA 364811-()	662.	745.	858.	1,158.
	20"	20"	42"	36"	RKA 423611-()	623.	703.	806.	1,087.
	20"	20"	42"	42"	RKA 424211-()	662.	745.	858.	1,158.
	20"	20"	42"	48"	RKA 424811-()	722.	814.	936.	1,263.
	20"	20"	48"	36"	RKA 483611-()	662.	745.	858.	1,158.
	20"	20"	48"	42"	RKA 484211-()	722.	814.	936.	1,263.
	20"	20"	48"	48"	RKA 484811-()	760.	858.	984.	1,329.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622-()	670.	751.	864.	1,166.
	24"	24"	36"	42"	RKA 364222-()	703.	792.	910.	1,228.
	24"	24"	36"	48"	RKA 364822-()	741.	834.	957.	1,292.
	24"	24"	42"	36"	RKA 423622-()	703.	792.	910.	1,228.
	24"	24"	42"	42"	RKA 424222-()	741.	834.	957.	1,292.
	24"	24"	42"	48"	RKA 424822-()	800.	903.	1,039.	1,402.
	24"	24"	48"	36"	RKA 483622-()	741.	834.	957.	1,292.
	24"	24"	48"	42"	RKA 484222-()	800.	903.	1,039.	1,402.
	24"	24"	48"	48"	RKA 484822-()	840.	947.	1,086.	1,466.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612-()	614.	690.	796.	1,074.
	20"	24"	36"	42"	RKA 364212-()	649.	731.	839.	1,133.
	20"	24"	36"	48"	RKA 364812-()	688.	774.	890.	1,202.
	20"	24"	42"	36"	RKA 423612-()	649.	731.	839.	1,133.
	20"	24"	42"	42"	RKA 424212-()	688.	774.	890.	1,202.
	20"	24"	42"	48"	RKA 424812-()	751.	841.	971.	1,312.
	20"	24"	48"	36"	RKA 483612-()	688.	774.	890.	1,202.
	20"	24"	48"	42"	RKA 484212-()	751.	841.	971.	1,312.
	20"	24"	48"	48"	RKA 484812-()	787.	886.	1,019.	1,375.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Applicable finishes are listed on page 5 and 6.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	Mixed finish 1 3/4" tops are not post-formed.
Y324 Ash		
	1. <i>Top thickness:</i> A = 1 1/4"	
	6. <i>Grommet options:</i> N = No grommets F = Standard corner location	
	7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Worksurface tops
rectilinear corner tops
1 1/4" thick

Reff




description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners	24"	20"	36"	36"	RKA 363621-()	\$614.	\$690.	\$796.	\$1,074.
	24"	20"	36"	42"	RKA 364221-()	649.	731.	839.	1,133.
	24"	20"	36"	48"	RKA 364821-()	688.	774.	890.	1,202.
	24"	20"	42"	36"	RKA 423621-()	649.	731.	839.	1,133.
	24"	20"	42"	42"	RKA 424221-()	688.	774.	890.	1,202.
	24"	20"	42"	48"	RKA 424821-()	751.	841.	971.	1,312.
	24"	20"	48"	36"	RKA 483621-()	688.	774.	890.	1,202.
	24"	20"	48"	42"	RKA 484221-()	751.	841.	971.	1,312.
	24"	20"	48"	48"	RKA 484821-()	787.	886.	1,019.	1,375.



Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Mixed finish 1 3/4" tops are not post-formed.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	
Y324 Ash	1. <i>Top thickness:</i> A = 1 1/4"	
	6. <i>Grommet options:</i> N = No grommets F = Standard corner location	
	7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Worksurface tops
rectilinear corner tops
1 3/4" thick


Reff

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKB 363611-() ()	\$708.	\$795.	\$914.	\$1,234.
	20"	20"	36"	42"	RKB 364211-() ()	750.	953.	1,096.	1,479.
	20"	20"	36"	48"	RKB 364811-() ()	794.	1,004.	1,157.	1,562.
	20"	20"	42"	36"	RKB 423611-() ()	750.	953.	1,096.	1,479.
	20"	20"	42"	42"	RKB 424211-() ()	794.	1,004.	1,157.	1,562.
	20"	20"	42"	48"	RKB 424811-() ()	867.	1,086.	1,251.	1,688.
	20"	20"	48"	36"	RKB 483611-() ()	794.	1,004.	1,157.	1,562.
	20"	20"	48"	42"	RKB 484211-() ()	867.	1,086.	1,251.	1,688.
	20"	20"	48"	48"	RKB 484811-() ()	912.	1,136.	1,308.	1,766.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKB 363622-() ()	800.	1,014.	1,164.	1,571.
	24"	24"	36"	42"	RKB 364222-() ()	843.	1,059.	1,218.	1,645.
	24"	24"	36"	48"	RKB 364822-() ()	889.	1,112.	1,277.	1,724.
	24"	24"	42"	36"	RKB 423622-() ()	843.	1,059.	1,218.	1,645.
	24"	24"	42"	42"	RKB 424222-() ()	889.	1,112.	1,277.	1,724.
	24"	24"	42"	48"	RKB 424822-() ()	963.	1,191.	1,371.	1,851.
	24"	24"	48"	36"	RKB 483622-() ()	889.	1,112.	1,277.	1,724.
	24"	24"	48"	42"	RKB 484222-() ()	963.	1,191.	1,371.	1,851.
	24"	24"	48"	48"	RKB 484822-() ()	1,010.	1,243.	1,428.	1,929.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKB 363612-() ()	737.	944.	1,084.	1,463.
	20"	24"	36"	42"	RKB 364212-() ()	781.	988.	1,136.	1,534.
	20"	24"	36"	48"	RKB 364812-() ()	825.	1,041.	1,197.	1,616.
	20"	24"	42"	36"	RKB 423612-() ()	781.	988.	1,136.	1,534.
	20"	24"	42"	42"	RKB 424212-() ()	825.	1,041.	1,197.	1,616.
	20"	24"	42"	48"	RKB 424812-() ()	900.	1,120.	1,291.	1,743.
	20"	24"	48"	36"	RKB 483612-() ()	825.	1,041.	1,197.	1,616.
	20"	24"	48"	42"	RKB 484212-() ()	900.	1,120.	1,291.	1,743.
	20"	24"	48"	48"	RKB 484812-() ()	1,010.	1,174.	1,349.	1,822.

Order Code	Specification Information	Application Notes
Example: RKB363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
B 1 3/4" top thickness	3. Right hand width	Applicable finishes are listed on page 5 and 6.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	Mixed finish 1 3/4" tops are not post-formed.
Y324 Ash		
	1. <i>Top thickness:</i> B = 1 3/4"	
	6. <i>Grommet options:</i> N = No grommets F = Standard corner location	
	7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Worksurface tops
rectilinear corner tops
1 3/4" thick





Reff

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKB 363621-() ()	\$737.	\$944.	\$1,084.	\$1,463.
	24"	20"	36"	42"	RKB 364221-() ()	781.	988.	1,136.	1,534.
	24"	20"	36"	48"	RKB 364821-() ()	825.	1,041.	1,197.	1,616.
	24"	20"	42"	36"	RKB 423621-() ()	781.	988.	1,136.	1,534.
	24"	20"	42"	42"	RKB 424221-() ()	825.	1,041.	1,197.	1,616.
	24"	20"	42"	48"	RKB 424821-() ()	900.	1,120.	1,291.	1,743.
	24"	20"	48"	36"	RKB 483621-() ()	825.	1,041.	1,197.	1,616.
	24"	20"	48"	42"	RKB 484221-() ()	900.	1,120.	1,291.	1,743.
	24"	20"	48"	48"	RKB 484821-() ()	946.	1,174.	1,349.	1,822.

Order Code	Specification Information	Application Notes
Example: RKB363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
B 1 3/4" top thickness	3. Right hand width	Applicable finishes are listed on page 5 and 6.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	Mixed finish 1 3/4" tops are not post-formed.
Y324 Ash		
	1. <i>Top thickness:</i> B = 1 3/4"	
	6. <i>Grommet options:</i> N = No grommets F = Standard corner location	
	7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Worksurface tops
transition wave tops
1 1/4" thick

Reff

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	RWA4221- () ()	\$354.	\$401.	\$461.	\$623.
	24"	48"	20"	RWA4821- () ()	374.	421.	483.	652.
	24"	54"	20"	RWA5421- () ()	402.	449.	519.	701.
	24"	60"	20"	RWA6021- () ()	426.	481.	553.	747.
	24"	66"	20"	RWA6621- () ()	441.	496.	570.	769.
	24"	72"	20"	RWA7221- () ()	460.	520.	596.	805.
Wave top transition (left 24") 	24"	36"	30"	RWA3623- () ()	368.	416.	478.	644.
	24"	42"	30"	RWA4223- () ()	383.	432.	496.	669.
	24"	48"	30"	RWA4823- () ()	401.	448.	516.	696.
	24"	54"	30"	RWA5423- () ()	428.	483.	556.	751.
	24"	60"	30"	RWA6023- () ()	459.	519.	595.	803.
	24"	66"	30"	RWA6623- () ()	476.	536.	617.	834.
	24"	72"	30"	RWA7223- () ()	500.	563.	647.	873.
Wave top transition (left 20") 	20"	42"	24"	RWA4212- () ()	354.	401.	461.	623.
	20"	48"	24"	RWA4812- () ()	374.	421.	483.	652.
	20"	54"	24"	RWA5412- () ()	402.	449.	519.	701.
	20"	60"	24"	RWA6012- () ()	426.	481.	553.	747.
	20"	66"	24"	RWA6612- () ()	441.	496.	570.	769.
	20"	72"	24"	RWA7212- () ()	460.	520.	596.	805.
Wave top transition (right 24") 	30"	36"	24"	RWA3632- () ()	368.	416.	478.	644.
	30"	42"	24"	RWA4232- () ()	383.	432.	496.	669.
	30"	48"	24"	RWA4832- () ()	401.	448.	516.	696.
	30"	54"	24"	RWA5432- () ()	428.	483.	556.	751.
	30"	60"	24"	RWA6032- () ()	459.	519.	595.	803.
	30"	66"	24"	RWA6632- () ()	476.	536.	617.	834.
	30"	72"	24"	RWA7232- () ()	500.	563.	647.	873.

Order Code	Specification Information	Application Notes
Example: RWA4221FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Grommet option	Curvilinear worksurfaces only available in 1 1/4" thick.
42 42" wide	4. Top finish type	See Planning Guide for grommet locations.
2 24" deep on left side	5. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
1 20" deep on right side	6. Grommet finish	
F Flush grommet location	3. <i>Grommet options:</i>	
L Laminate finish	N = No grommet	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	

1 1/4" tops require support at mid point to reduce spans to 48" or less.





Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 2 1/4" on all tops. The straight section grows with length of top.

Worksurface tops
transition wave tops
1 1/4" thick

Reff

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	32"	36"	20"	RWEA3631-()	\$472.	\$530.	\$611.	\$824.
	32"	42"	20"	RWEA4231-()	490.	552.	637.	860.
	32"	48"	20"	RWEA4831-()	517.	583.	669.	903.
Wave top end, (right 24") 	36"	36"	24"	RWEA3662-()	488.	550.	631.	852.
	36"	42"	24"	RWEA4262-()	503.	566.	652.	880.
	36"	48"	24"	RWEA4862-()	535.	600.	689.	930.
Wave top end, (left 20") 	20"	36"	32"	RWEA3613-()	472.	530.	611.	824.
	20"	42"	32"	RWEA4213-()	490.	552.	637.	860.
	20"	48"	32"	RWEA4813-()	517.	583.	669.	903.
Wave top end, (left 24") 	24"	36"	36"	RWEA3626-()	488.	550.	631.	852.
	24"	42"	36"	RWEA4226-()	503.	566.	652.	880.
	24"	48"	36"	RWEA4826-()	535.	600.	689.	930.

Order Code	Specification Information	Application Notes
Example: RWA4221FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Grommet option	Curvilinear worksurfaces only available in 1 1/4" thick.
42 42" wide	4. Top finish type	See Planning Guide for grommet locations.
2 24" deep on left side	5. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
1 20" deep on right side	6. Grommet finish	
F Flush grommet location	3. <i>Grommet options:</i>	
L Laminate finish	N = No grommet	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface tops
curvilinear corner tops
1 1/4" thick

Reff

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611-()	\$589.	\$663.	\$762.	\$1,029.
	20"	20"	36"	42"	RCA364211-()	623.	703.	806.	1,087.
	20"	20"	36"	48"	RCA364811-()	662.	745.	858.	1,158.
	20"	20"	42"	36"	RCA423611-()	623.	703.	806.	1,087.
	20"	20"	42"	42"	RCA424211-()	662.	745.	858.	1,158.
	20"	20"	42"	48"	RCA424811-()	722.	814.	936.	1,263.
	20"	20"	48"	36"	RCA483611-()	662.	745.	858.	1,158.
	20"	20"	48"	42"	RCA484211-()	722.	814.	936.	1,263.
	20"	20"	48"	48"	RCA484811-()	760.	858.	984.	1,329.
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-()	614.	690.	796.	1,074.
	20"	24"	36"	42"	RCA364212-()	649.	731.	839.	1,133.
	20"	24"	36"	48"	RCA364812-()	688.	774.	890.	1,202.
	20"	24"	42"	36"	RCA423612-()	649.	731.	839.	1,133.
	20"	24"	42"	42"	RCA424212-()	688.	774.	890.	1,202.
	20"	24"	42"	48"	RCA424812-()	751.	841.	971.	1,312.
	20"	24"	48"	36"	RCA483612-()	688.	774.	890.	1,202.
	20"	24"	48"	42"	RCA484212-()	751.	841.	971.	1,312.
	20"	24"	48"	48"	RCA484812-()	787.	886.	1,019.	1,375.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621-()	614.	690.	796.	1,074.
	24"	20"	36"	42"	RCA364221-()	649.	731.	839.	1,133.
	24"	20"	36"	48"	RCA364821-()	688.	774.	890.	1,202.
	24"	20"	42"	36"	RCA423621-()	649.	731.	839.	1,133.
	24"	20"	42"	42"	RCA424221-()	688.	774.	890.	1,202.
	24"	20"	42"	48"	RCA424821-()	751.	841.	971.	1,312.
	24"	20"	48"	36"	RCA483621-()	688.	774.	890.	1,202.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCA363611N1 R Reff C Curved front corner A 1 1/4" thick 36 36" wide on left back 36 36" wide on right back 1 20" deep on left side 1 20" deep on right side N No grommet 1 V1 finish Y324 Ash	To order please specify pattern number including: 1. Left hand width 2. Right hand width 3. Return left hand depth 4. Return right hand depth 5. Grommet option 6. Top finish type 7. Top finish 8. Grommet finish 5. Grommet options: N = No grommets F = Standard corner location 6. Finish type: L = Laminated M = Wood/laminated mixed 1 = V1 2 = V2 3 = V3	Radius of curved front changes with overall top size. See Planning Guide. Products on this page are shipped without hardware which must be ordered separately from the support components section. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. Please call Custom Product Development for special grommet locations. Applicable finishes are listed on page 5 and 6.

Worksurface tops
curvilinear corner tops
1 1/4" thick

Reff

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	48"	42"	RCA484221-() ()	\$751.	\$841.	\$971.	\$1,312.
	24"	20"	48"	48"	RCA484821-() ()	787.	886.	1,019.	1,375.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-() ()	670.	751.	864.	1,166.
	24"	24"	36"	42"	RCA364222-() ()	703.	792.	910.	1,228.
	24"	24"	36"	48"	RCA364822-() ()	741.	834.	957.	1,292.
	24"	24"	42"	36"	RCA423622-() ()	703.	792.	910.	1,228.
	24"	24"	42"	42"	RCA424222-() ()	741.	834.	957.	1,292.
	24"	24"	42"	48"	RCA424822-() ()	800.	903.	1,039.	1,402.
	24"	24"	48"	36"	RCA483622-() ()	741.	834.	957.	1,292.
	24"	24"	48"	42"	RCA484222-() ()	800.	903.	1,039.	1,402.
	24"	24"	48"	48"	RCA484822-() ()	840.	947.	1,086.	1,466.



Order Code	Specification Information	Application Notes
Example: RCA363611N1	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	2. Right hand width	
A 1 1/4" thick	3. Return left hand depth	Curvilinear worksurfaces only available in 1 1/4" thick.
36 36" wide on left back	4. Return right hand depth	
36 36" wide on right back	5. Grommet option	See Planning Guide for grommet locations.
1 20" deep on left side	6. Top finish type	
1 20" deep on right side	7. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
N No grommet	8. Grommet finish	
1 V1 finish	<i>5. Grommet options:</i>	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
Y324 Ash	N = No grommets F = Standard corner location	

6. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Please call Custom Product Development for special grommet locations.
Applicable finishes are listed on page 5 and 6.

Worksurface tops
extended curvilinear corner tops
1 1/4" thick

Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24") 	36"	72"	RCCDLA23672 ()()()	\$1,627.	\$2,160.	\$3,048.	\$4,114.
	36"	78"	RCCDLA23678 ()()()	1,692.	2,246.	3,169.	4,278.
	36"	84"	RCCDLA23684 ()()()	1,760.	2,336.	3,296.	4,449.
	36"	96"	RCCDLA23696 ()()()	1,831.	2,429.	3,428.	4,628.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 ()()()	1,629.	2,166.	3,056.	4,126.
	36"	78"	RCCDLA33678 ()()()	1,694.	2,253.	3,180.	4,293.
	36"	84"	RCCDLA33684 ()()()	1,763.	2,343.	3,306.	4,464.
	36"	96"	RCCDLA33696 ()()()	1,833.	2,436.	3,439.	4,642.
Extended corner worktop, RH curved front corner (return 24") 	36"	72"	RCCDRA23672 ()()()	1,627.	2,160.	3,048.	4,114.
	36"	78"	RCCDRA23678 ()()()	1,692.	2,246.	3,169.	4,278.
	36"	84"	RCCDRA23684 ()()()	1,760.	2,336.	3,296.	4,449.
	36"	96"	RCCDRA23696 ()()()	1,831.	2,429.	3,428.	4,628.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 ()()()	1,629.	2,166.	3,056.	4,126.
	36"	78"	RCCDRA33678 ()()()	1,694.	2,253.	3,180.	4,293.
	36"	84"	RCCDRA33684 ()()()	1,763.	2,343.	3,306.	4,464.
	36"	96"	RCCDRA33696 ()()()	1,833.	2,436.	3,439.	4,642.


Worksurfaces

Order Code	Specification Information
Example: RCCDLA23672N2	To order please specify pattern number including: 1. Depth 2. Grommet option 3. Finish type 4. Finish 5. Grommet finish 2. Grommet options: N = No grommets F = Flush front grommet location 3. Finish type: L = Laminate M = Mixed (laminated surface with wood edge) 1 = V1 2 = V2 3 = V3
R Reff	
CC Curved corner	Applicable finishes are listed on page 5 and 6.
D D top	
L Left Hand	
A 1 1/4" thick	
2 24" return	
36 36" d at straight edge of corner, 30" across "D"	
72 72" wide	
N No grommet	
2 V2 finish	
V319 Medium Cherry	


Worksurface tops
extended straight corner tops
1 1/4" thick

Reff

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24")	36"	60"	24"	RCEAL223660 ()()()	\$603.	\$889.	\$1,205.	\$1,628.
	36"	72"	24"	RCEAL223672 ()()()	723.	1,078.	1,458.	1,968.
	42"	60"	24"	RCEAL224260 ()()()	663.	982.	1,331.	1,797.
	42"	72"	24"	RCEAL224272 ()()()	783.	1,174.	1,586.	2,140.
	48"	72"	24"	RCEAL224872 ()()()	844.	1,269.	1,712.	2,311.
	48"	84"	24"	RCEAL224884 ()()()	964.	1,458.	1,965.	2,652.
	48"	96"	24"	RCEAL224896 ()()()	1,108.	1,679.	2,260.	3,051.



Extended straight corner top, RH curved front corner (returns 24")	36"	60"	24"	RCEAR223660 ()()()	603.	889.	1,205.	1,628.
	36"	72"	24"	RCEAR223672 ()()()	723.	1,078.	1,458.	1,968.
	42"	60"	24"	RCEAR224260 ()()()	663.	982.	1,331.	1,797.
	42"	72"	24"	RCEAR224272 ()()()	783.	1,174.	1,586.	2,140.
	48"	72"	24"	RCEAR224872 ()()()	844.	1,269.	1,712.	2,311.
	48"	84"	24"	RCEAR224884 ()()()	964.	1,458.	1,965.	2,652.
	48"	96"	24"	RCEAR224896 ()()()	1,108.	1,679.	2,260.	3,051.



Order Code	Specification Information
Example: RCEAL223660N2	
R Reff	<i>To order please specify pattern number including:</i>
C Corner	1. Return left hand depth
E Extended	2. Return right hand depth
A 1 1/4" thick	3. Width
L Left Hand	4. Depth
22 24" returns	5. Grommet option
36 36" d at corner straight edge	6. Finish type
60 60" wide	7. Finish
N No grommet	8. Grommet finish
2 V2 finish	
V319 Medium Cherry	

5. Grommet options:
N = No grommets
F = Flush front grommet location

6. Finish type:
L = Laminate
M = Mixed (laminated surface with wood edge)
1 = V1
2 = V2
3 = V3


Applicable finishes are listed on page 5 and 6.

Worksurface tops

Meeting tops

1 1/4" thick

Reff

description	type	w	d	pattern no.	L	M/V1	V2	V3
 Grommet choices are centered (as shown) or none	30" deep	42"	30"	RMDA4230-()()	\$521.	\$564.	\$649.	\$876.
		48"	30"	RMDA4830-()()	560.	610.	702.	948.
		54"	30"	RMDA5430-()()	600.	654.	751.	1,014.
		60"	30"	RMDA6030-()()	642.	700.	801.	1,082.
		66"	30"	RMDA6630-()()	684.	744.	857.	1,157.
		72"	30"	RMDA7230-()()	727.	791.	909.	1,227.
		78"	30"	RMDA7830-()()	822.	892.	1,027.	1,386.
		84"	30"	RMDA8430-()()	916.	996.	1,146.	1,547.
		90"	30"	RMDA9030-()()	1,023.	1,113.	1,279.	1,726.
		96"	30"	RMDA9630-()()	1,129.	1,228.	1,412.	1,906.
	36" deep	42"	36"	RMDA4236-()()	572.	622.	714.	964.
		48"	36"	RMDA4836-()()	626.	680.	781.	1,054.
		54"	36"	RMDA5436-()()	714.	777.	895.	1,208.
		60"	36"	RMDA6036-()()	802.	871.	1,003.	1,354.
		66"	36"	RMDA6636-()()	818.	887.	1,021.	1,379.
		72"	36"	RMDA7236-()()	828.	903.	1,039.	1,402.
		78"	36"	RMDA7836-()()	935.	1,016.	1,169.	1,578.
		84"	36"	RMDA8436-()()	1,039.	1,131.	1,300.	1,754.
		90"	36"	RMDA9036-()()	1,095.	1,190.	1,370.	1,850.
		96"	36"	RMDA9636-()()	1,202.	1,304.	1,500.	2,025.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDA4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Additional spec option required for wrap around panel tops; specify mating trim profile.
MD Meeting D-top	2. Width	A = Flat
A 1 1/4" thick	3. Depth	B = Square
42 42" wide	4. Grommet option	C = Bullnose
30 30" deep	5. Top finish type	E = Extruded Aluminum
N No grommet	6. Top finish	Applicable finishes are listed on page 5 and 6.
1 V1	7. Grommet finish	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
Y311 Beech	1. Thickness options: A = 1 1/4"	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Refer to Planning Guide for modesty panel size requirements and all other support options.
	5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops

Reff

Meeting tops

1 1/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230-() ()	\$713.	\$775.	\$891.	\$1,203.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836-() ()	793.	862.	992.	1,340.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230-() ()	713.	775.	891.	1,203.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836-() ()	793.	862.	992.	1,340.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430-() ()	1,452.	1,577.	1,815.	2,451.
		96"	30"	RM9A9630-() ()	1,512.	1,646.	1,890.	2,552.



42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Additional spec option required for wrap around panel tops; specify mating trim profile.
MD Meeting D-top	2. Width	A = Flat
A 1 1/4" thick	3. Depth	B = Square
42 42" wide	4. Grommet option	C = Bullnose
30 30" deep	5. Top finish type	E = Extruded Aluminum
N No grommet	6. Top finish	Applicable finishes are listed on page 5 and 6.
1 V1	7. Grommet finish	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
Y311 Beech	1. Thickness options: A = 1 1/4"	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Refer to Planning Guide for modesty panel size requirements and all other support options.
	5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.


*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops

Reff

Meeting tops

1 1/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
		84"	30"	RMPA8430-() ()	\$1,452.	\$1,577.	\$1,815.	\$2,451.
		96"	30"	RMPA9630-() ()	1,512.	1,646.	1,890.	2,552.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
42" diameter								
	(20" panels)	42 1/2"	21 1/4"	RMDA4221-() ()	670.	727.	835.	1,127.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-() ()	731.	796.	915.	1,236.
No Grommets								
		60"	30"	REBA6030-() *	999.	1,106.	1,270.	1,715.
		72"	42"	REBA7242-() *	1,422.	1,573.	1,809.	2,442.
		78"	48"	REBA7848-() *	1,557.	1,725.	1,984.	2,678.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDA4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Additional spec option required for wrap around panel tops; specify mating trim profile.
MD Meeting D-top	2. Width	A = Flat
A 1 1/4" thick	3. Depth	B = Square
42 42" wide	4. Grommet option	C = Bullnose
30 30" deep	5. Top finish type	E = Extruded Aluminum
N No grommet	6. Top finish	Applicable finishes are listed on page 5 and 6.
1 V1	7. Grommet finish	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
Y311 Beech	1. Thickness options: A = 1 1/4"	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Refer to Planning Guide for modesty panel size requirements and all other support options.
	5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.


*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops

Reff

Meeting tops

1 3/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
 Grommet choices are centered (as shown) or none	30" deep	42"	30"	RMDB4230-()()	\$571.	\$922.	\$1,060.	\$1,432.
		48"	30"	RMDB4830-()()	614.	1,027.	1,179.	1,592.
		54"	30"	RMDB5430-()()	660.	1,088.	1,252.	1,691.
		60"	30"	RMDB6030-()()	707.	1,151.	1,322.	1,785.
		66"	30"	RMDB6630-()()	754.	1,213.	1,394.	1,881.
		72"	30"	RMDB7230-()()	798.	1,274.	1,469.	1,983.
		78"	30"	RMDB7830-()()	904.	1,402.	1,614.	2,179.
		84"	30"	RMDB8430-()()	1,010.	1,447.	1,662.	2,244.
		90"	30"	RMDB9030-()()	1,125.	1,488.	1,712.	2,311.
		96"	30"	RMDB9630-()()	1,241.	1,532.	1,763.	2,380.
	36" deep	42"	36"	RMDB4236-()()	630.	1,110.	1,275.	1,721.
		48"	36"	RMDB4836-()()	688.	1,237.	1,424.	1,922.
		54"	36"	RMDB5436-()()	786.	1,310.	1,508.	2,035.
		60"	36"	RMDB6036-()()	883.	1,385.	1,592.	2,150.
		66"	36"	RMDB6636-()()	900.	1,508.	1,734.	2,340.
		72"	36"	RMDB7236-()()	912.	1,629.	1,874.	2,530.
		78"	36"	RMDB7836-()()	1,029.	1,712.	1,971.	2,661.
		84"	36"	RMDB8436-()()	1,143.	1,735.	1,994.	2,691.
		90"	36"	RMDB9036-()()	1,205.	1,756.	2,021.	2,728.
		96"	36"	RMDB9636-()()	1,321.	1,779.	2,047.	2,764.

Order Code

Example:	RMDB4230N1
R	Reff
MD	Meeting D-top
B	1 3/4" thick
42	42" wide
30	30" deep
N	No grommet
1	V1
Y311	Beech

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish

1. Thickness options:
B = 1 3/4"

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops

Reff

Meeting tops

1 3/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9B4230-() ()	\$785.	\$1,290.	\$1,479.	\$1,997.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9B4836-() ()	871.	1,875.	2,158.	2,914.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPB4230-() ()	785.	1,290.	1,479.	1,997.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPB4836-() ()	871.	1,875.	2,158.	2,914.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9B8430-() ()	1,598.	1,946.	2,239.	3,022.
		96"	30"	RM9B9630-() ()	1,663.	2,027.	2,332.	3,148.



42" diameter

Order Code	Specification Information	Application Notes
Example: RMDB4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Additional spec option required for wrap around panel tops; specify mating trim profile.
MD Meeting D-top	2. Width	A = Flat
B 1 3/4" thick	3. Depth	B = Square
42 42" wide	4. Grommet option	C = Bullnose
30 30" deep	5. Top finish type	E = Extruded Aluminum
N No grommet	6. Top finish	Applicable finishes are listed on page 5 and 6.
1 V1	7. Grommet finish	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
Y311 Beech	1. Thickness options: B = 1 3/4"	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Refer to Planning Guide for modesty panel size requirements and all other support options.
	5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops

Reff

Meeting tops

1 3/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top		84"	30"	RMPB8430-() ()	\$1,598.	\$1,946.	\$2,239.	\$3,022.
		96"	30"	RMPB9630-() ()	1,663.	2,027.	2,332.	3,148.

84" top uses a 42" modesty, 96 top uses a 54" modesty

No Grommets

Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	RMDB4221-() ()	734.	910.	1,044.	1,409.
	(24" panels)	50 1/2"	25 1/4"	RMDB5025-() ()	803.	995.	1,145.	1,545.

No Grommets

Order Code	Specification Information	Application Notes
Example: RMDB4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Additional spec option required for wrap around panel tops; specify mating trim profile.
MD Meeting D-top	2. Width	A = Flat
B 1 3/4" thick	3. Depth	B = Square
42 42" wide	4. Grommet option	C = Bullnose
30 30" deep	5. Top finish type	E = Extruded Aluminum
N No grommet	6. Top finish	Applicable finishes are listed on page 5 and 6.
1 V1	7. Grommet finish	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
Y311 Beech	1. <i>Thickness options:</i> B = 1 3/4"	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Refer to Planning Guide for modesty panel size requirements and all other support options.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.


Worksurface tops and support

Reff

Bow front

1 1/4" thick


description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72"	30"		RMB(A)7230-() ()	\$833.	\$941.	\$1,082.	\$1,461.
	84"	30"		RMB(A)8430-() ()	918.	1,038.	1,192.	1,609.
	96"	30"		RMB(A)9630-() ()	1,020.	1,150.	1,321.	1,784.



30"D

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.


Bow shaped top - 36"D	72"	36"		RMB(A)7236-() ()	885.	999.	1,149.	1,551.
	84"	36"		RMB(A)8436-() ()	972.	1,096.	1,261.	1,701.
	96"	36"		RMB(A)9636-() ()	1,076.	1,215.	1,395.	1,883.



36"D

Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	40"	1"	26 1/2"	RB40MR-()	301.	368.	422.	570.
	52"	1"	26 1/2"	RB52MR-()	355.	433.	498.	672.
	64"	1"	26 1/2"	RB64MR-()	383.	467.	539.	728.



Use of short modesty panel

Pedestals must be ordered separately with individual back panels.

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.

When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Bulkhead (false pedestal)*	16"	24"	26 1/2"	REBH24	426.	608.	706.	953.
	16"	30"	26 1/2"	REBH30	440.	621.	723.	976.



Order Code	Specification Information	Application Notes	
Example: RMBA7230R2	To order please specify pattern number including:	5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	1 3/4" tops require support at mid point to reduce spans to 66" or less.
R Reff	1. Top thickness	Applicable finishes are listed on page 5 and 6.	Mixed finish 1 3/4" tops are not post-formed.
MB Bowed front	2. Width	See Planning Guide for grommet locations.	1 3/4" laminate tops are equipped with 8mm PVC edge on this page.
A 1 1/4" thick	3. Depth		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
72 72" wide	4. Grommet option		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
30 30" wide	5. Top finish type		Shipped with hardware. Refer to page 119 of Planning Guide for
R Recessed grommet location	6. Top finish		
2 V2 finish	7. Grommet finish		
V319 Medium cherry	1. Thickness options: A = 1 1/4"	1 1/4" tops require support at mid point to reduce spans to 48" or less.	
111 Jet Black (grommet)	4. Grommet options: N = No grommet F = Flush front grommet R = Recessed grommet A = Alternate location (only for 36" deep bow front tops)	*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.	


Worksurface tops and support

Reff

Bow front

1 3/4" thick


description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72"	30"		RMB(B)7230-() ()	\$1,042.	\$1,176.	\$1,352.	\$1,825.
	84"	30"		RMB(B)8430-() ()	1,148.	1,296.	1,488.	2,009.
	96"	30"		RMB(B)9630-() ()	1,274.	1,437.	1,654.	2,232.



30"D

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.


Bow shaped top - 36"D	72"	36"		RMB(B)7236-() ()	1,105.	1,250.	1,436.	1,939.
	84"	36"		RMB(B)8436-() ()	1,212.	1,371.	1,576.	2,127.
	96"	36"		RMB(B)9636-() ()	1,346.	1,518.	1,623.	2,192.



36"D

Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	40"	1"	26 1/2"	RB40MR-()	301.	368.	422.	570.
	52"	1"	26 1/2"	RB52MR-()	355.	433.	498.	672.
	64"	1"	26 1/2"	RB64MR-()	383.	467.	539.	728.



Use of short modesty panel (with 1 1/4" and 1 3/4" thick tops)

Pedestals must be ordered separately with individual back panels.

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.

When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Bulkhead (false pedestal)*	16"	24"	26 1/2"	REBH24	426.	608.	706.	953.
	16"	30"	26 1/2"	REBH30	440.	621.	723.	976.





Use with 1 1/4" and 1 3/4" thick tops

Order Code	Specification Information	Application Notes
Example: RMBB7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
B 1 3/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet location	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	See Planning Guide for grommet locations.
V319 Medium cherry	<i>1. Thickness options:</i>	1 1/4" tops require support at mid point to reduce spans to 48" or less.
111 Jet Black (grommet)	B = 1 3/4"	*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
	<i>4. Grommet options:</i>	1 3/4" tops require support at mid point to reduce spans to 66" or less.
	N = No grommet	Mixed finish 1 3/4" tops are not post-formed.
	F = Flush front grommet	1 3/4" laminate tops are equipped with 8mm PVC edge on this page.
	R = Recessed grommet	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	A = Alternate location (only for 36" deep bow front tops)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference room tops
Square and rectangular
1 1/4" thick

Reff



Worksurfaces

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RAA7230(-)	\$538.	\$585.	\$673.	\$908.
	84"	30"	RAA8430(-)	595.	645.	744.	1,004.
	96"	30"	RAA9630(-)	668.	726.	834.	1,126.
	72"	36"	RAA7236(-)	584.	635.	730.	986.
	84"	36"	RAA8436(-)	639.	694.	797.	1,077.
	96"	36"	RAA9636(-)	736.	800.	922.	1,244.
	84"	42"	RAA8442(-)	945.	1,027.	1,179.	1,592.
	96"	42"	RAA9642(-)	1,084.	1,177.	1,354.	1,828.
	96"	48"	RAA9648(-)	1,153.	1,254.	1,441.	1,946.
Rectangular top 2 piece 	120"	36"	RAA12036(-)	1,182.	1,283.	1,477.	1,994.
	120"	42"	RAA12042(-)	1,629.	1,773.	2,038.	2,752.
	144"	42"	RAA14442(-)	1,831.	1,991.	2,289.	3,091.
	120"	48"	RAA12048(-)	1,772.	1,927.	2,215.	2,990.
	144"	48"	RAA14448(-)	1,962.	2,134.	2,454.	3,313.
Rectangular top 3 piece 	168"	42"	RAA16842(-)	2,400.	2,610.	3,003.	4,055.
	192"	42"	RAA19242(-)	2,603.	2,829.	3,252.	4,390.
	168"	48"	RAA16848(-)	2,609.	2,836.	3,261.	4,402.
	192"	48"	RAA19248(-)	2,802.	3,044.	3,499.	4,724.
Square tops  	—	36"	RAA3636(-)	415.	451.	520.	702.
	—	42"	RAA4242(-)	538.	585.	673.	908.
	—	48"	RAA4848(-)	707.	767.	882.	1,190.
	*	60"	RAA6060(-)	1,101.	1,196.	1,378.	1,860.
	*	72"	RAA7272(-)	1,298.	1,412.	1,623.	2,192.

Order Code	Specification Information	Application Notes
Example: RAA72302	<i>To order please specify pattern number including:</i>	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
R Reff	1. Top thickness	Top to top brackets included.
R Rectangular	2. Width	Tops have no radius on edges that adjoin.
A 1 1/4" thick	3. Depth	See table base matrix in Planning Guide, pages 140 and 141.
72 72" wide	4. Finish type	1 1/4" tops require support at mid point to reduce spans to 66" or less.
30 30" deep	5. Finish	1 3/4" tops require support at mid point to reduce spans to 66" or less.
2 V2 finish	1. Thickness options: A = 1 1/4"	Mixed finish 1 3/4" tops are not post-formed.
V319 Medium cherry	4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	*Square tops in two pieces.	Applicable finishes are listed on page 5 and 6.

Conference room tops
Square and rectangular
1 3/4" thick




Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RRB7230-()	\$646.	\$936.	\$1,075.	\$1,452.
	84"	30"	RRB8430-()	714.	1,016.	1,169.	1,578.
	96"	30"	RRB9630-()	799.	1,114.	1,280.	1,728.
	72"	36"	RRB7236-()	699.	997.	1,147.	1,549.
	84"	36"	RRB8436-()	763.	1,074.	1,236.	1,668.
	96"	36"	RRB9636-()	883.	1,213.	1,394.	1,881.
	84"	42"	RRB8442-()	1,132.	1,501.	1,726.	2,331.
	96"	42"	RRB9642-()	1,298.	1,695.	1,948.	2,631.
	96"	48"	RRB9648-()	1,383.	1,792.	2,062.	2,783.
Rectangular top 2 piece 	120"	36"	RRB12036-()	1,417.	1,835.	2,109.	2,846.
	120"	42"	RRB12042-()	1,958.	2,457.	2,827.	3,816.
	144"	42"	RRB14442-()	2,196.	2,737.	3,146.	4,248.
	120"	48"	RRB12048-()	2,125.	2,654.	3,052.	4,120.
	144"	48"	RRB14448-()	2,356.	2,920.	3,358.	4,533.
Rectangular top 3 piece 	168"	42"	RRB16842-()	2,879.	3,532.	4,061.	5,483.
	192"	42"	RRB19242-()	3,122.	3,812.	4,386.	5,922.
	168"	48"	RRB16848-()	3,131.	3,823.	4,397.	5,936.
	192"	48"	RRB19248-()	3,359.	4,088.	4,702.	6,349.
Square tops  	—	36"	RRB3636-()	499.	765.	879.	1,187.
	—	42"	RRB4242-()	646.	936.	1,075.	1,452.
	—	48"	RRB4848-()	845.	1,170.	1,344.	1,814.
	*	60"	RRB6060-()	1,320.	1,718.	1,975.	2,666.
	*	72"	RRB7272-()	1,558.	1,995.	2,296.	3,100.

Order Code	Specification Information	Application Notes
Example: RRB72302	<i>To order please specify pattern number including:</i>	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
R Reff	1. Top thickness	Top to top brackets included.
R Rectangular	2. Width	Tops have no radius on edges that adjoin.
B 1 3/4" thick	3. Depth	See table base matrix in Planning Guide, pages 140 and 141.
72 72" wide	4. Finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
30 30" deep	5. Finish	1 3/4" tops require support at mid point to reduce spans to 66" or less.
2 V2 finish	1. Thickness options:	Mixed finish 1 3/4" tops are not post-formed.
V319 Medium cherry	B = 1 3/4"	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	4. Finish type:	Applicable finishes are listed on page 5 and 6.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	*Square tops in two pieces.	

Conference room tops
Round and racetrack
1 1/4" thick

Reff




description	w	d	pattern no.	L	M/V1	V2	V3
Racetrack top 1 piece	72"	30"	RTA7230-()	\$1,018.	\$1,106.	\$1,270.	\$1,715.
	84"	30"	RTA8430-()	1,132.	1,230.	1,415.	1,910.
	96"	30"	RTA9630-()	1,258.	1,370.	1,575.	2,126.
	72"	36"	RTA7236-()	1,161.	1,261.	1,449.	1,956.
	84"	36"	RTA8436-()	1,303.	1,418.	1,629.	2,198.
	96"	36"	RTA9636-()	1,446.	1,573.	1,809.	2,442.
	84"	42"	RTA8442-()	1,585.	1,725.	1,984.	2,678.
	96"	42"	RTA9642-()	1,777.	1,931.	2,220.	2,998.
	96"	48"	RTA9648-()	1,949.	2,117.	2,434.	3,285.
Racetrack top 2 piece	120"	36"	RTA12036-()	1,867.	2,031.	2,336.	3,154.
	120"	42"	RTA12042-()	2,016.	2,189.	2,519.	3,401.
	144"	42"	RTA14442-()	2,223.	2,415.	2,777.	3,748.
	120"	48"	RTA12048-()	2,142.	2,328.	2,678.	3,616.
	144"	48"	RTA14448-()	2,277.	2,477.	2,846.	3,842.
Racetrack top 3 piece	168"	42"	RTA16842-()	2,786.	3,027.	3,483.	4,702.
	192"	42"	RTA19242-()	2,992.	3,253.	3,743.	5,053.
	168"	48"	RTA16848-()	2,981.	3,238.	3,724.	5,028.
	192"	48"	RTA19248-()	3,116.	3,388.	3,894.	5,258.
Round tops	—	36"	RTA3636-()	572.	622.	714.	964.
	—	42"	RTA4242-()	665.	720.	827.	1,117.
	—	48"	RTA4848-()	1,093.	1,187.	1,365.	1,842.
	*	60"	RTA6060-()	1,713.	1,862.	2,140.	2,889.
	*	72"	RTA7272-()	2,118.	2,302.	2,650.	3,577.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTA72302	<i>To order please specify pattern number including:</i>	Top to top brackets included.
R Reff	1. Top thickness	See table base matrix in Planning Guide pages 140 and 141.
T Rounded top	2. Width	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Depth	Tops have no radius on edges that adjoin.
72 72" wide	4. Finish type	1 3/4" tops require support at mid point to reduce spans to 66" or less.
30 30" deep	5. Finish	Laminate and mixed finish 1 3/4" tops on this page are not post formed.
2 V2 finish	1. Thickness options: A = 1 1/4"	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
V319 Medium cherry	4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	*Round tops in two pieces.	Applicable finishes are listed on page 5 and 6.

Conference room tops
Round and racetrack
1 3/4" thick

Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Racetrack top 1 piece	72"	30"	RTB7230-()	\$1,218.	\$1,604.	\$1,843.	\$2,489.
	84"	30"	RTB8430-()	1,359.	1,763.	2,027.	2,737.
	96"	30"	RTB9630-()	1,511.	1,941.	2,231.	3,012.
	72"	36"	RTB7236-()	1,394.	1,802.	2,072.	2,797.
	84"	36"	RTB8436-()	1,566.	2,002.	2,301.	3,107.
	96"	36"	RTB9636-()	1,737.	2,205.	2,532.	3,418.
	84"	42"	RTB8442-()	1,904.	2,397.	2,756.	3,721.
	96"	42"	RTB9642-()	2,132.	2,662.	3,063.	4,135.
	96"	48"	RTB9648-()	2,339.	2,882.	3,316.	4,477.
Racetrack top 2 piece	120"	36"	RTB12036-()	2,243.	2,790.	3,207.	4,329.
	120"	42"	RTB12042-()	2,418.	2,996.	3,446.	4,653.
	144"	42"	RTB14442-()	2,665.	3,281.	3,775.	5,097.
	120"	48"	RTB12048-()	2,570.	3,171.	3,646.	4,922.
	144"	48"	RTB14448-()	2,733.	3,361.	3,865.	5,218.
Racetrack top 3 piece	168"	42"	RTB16842-()	3,343.	4,070.	4,679.	6,316.
	192"	42"	RTB19242-()	3,594.	4,358.	5,012.	6,767.
	168"	48"	RTB16848-()	3,575.	4,342.	4,990.	6,737.
	192"	48"	RTB19248-()	3,739.	4,529.	5,207.	7,030.
Round tops	—	36"	RTB3636-()	686.	983.	1,132.	1,528.
	—	42"	RTB4242-()	795.	1,110.	1,275.	1,721.
	—	48"	RTB4848-()	1,313.	1,708.	1,963.	2,651.
	*	60"	RTB6060-()	2,055.	2,573.	2,960.	3,996.
	*	72"	RTB7272-()	2,543.	3,137.	3,609.	4,871.

Order Code

Example: RTB72302	
R	Reff
T	Rounded top
B	1 3/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:

B = 1 3/4"

4. Finish type:

L = Laminate

M = Wood/laminate mixed

1 = V1

2 = V2

3 = V3

*Round tops in two pieces.

Application Information

Top to top brackets included.

See table base matrix in Planning Guide pages 140 and 141.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Tops have no radius on edges that adjoin.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Laminate and mixed finish 1 3/4" tops on this page are not post formed.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Reff System incorporates optional worksurface edge details.


Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Finish.

Optional for worksurface tops listed on pages 148 through 163.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


A - Alpha
B - Beta
C - Chi
D - Delta
E - Epsilon
F - Phi
G - Gamma




Alpha



Beta



Chi




Delta



Epsilon



Phi



Gamma


Optional edge worksurface tops

Reff

1 1/4" thick rectilinear

front edge only

20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops	20"	24"	RSA(A/B/C/D/E/F/G)F241-() (1/2/3)	\$360.	\$412.	\$556.
Profile edge front only		30"	RSA(A/B/C/D/E/F/G)F301-() (1/2/3)	395.	454.	613.
		36"	RSA(A/B/C/D/E/F/G)F361-() (1/2/3)	417.	479.	647.
		42"	RSA(A/B/C/D/E/F/G)F421-() (1/2/3)	435.	500.	676.
		48"	RSA(A/B/C/D/E/F/G)F481-() (1/2/3)	453.	520.	702.
		54"	RSA(A/B/C/D/E/F/G)F541-() (1/2/3)	471.	545.	735.
		60"	RSA(A/B/C/D/E/F/G)F601-() (1/2/3)	509.	586.	791.
		66"	RSA(A/B/C/D/E/F/G)F661-() (1/2/3)	524.	604.	815.
		72"	RSA(A/B/C/D/E/F/G)F721-() (1/2/3)	552.	634.	856.
		78"	RSA(A/B/C/D/E/F/G)F781-() (1/2/3)	559.	642.	867.
		84"	RSA(A/B/C/D/E/F/G)F841-() (1/2/3)	595.	683.	923.
		90"	RSA(A/B/C/D/E/F/G)F901-() (1/2/3)	619.	712.	961.
		96"	RSA(A/B/C/D/E/F/G)F961-() (1/2/3)	642.	740.	999.
	24"	24"	RSA(A/B/C/D/E/F/G)F242-() (1/2/3)	379.	435.	588.
		30"	RSA(A/B/C/D/E/F/G)F302-() (1/2/3)	428.	493.	665.
		36"	RSA(A/B/C/D/E/F/G)F362-() (1/2/3)	445.	512.	692.
		42"	RSA(A/B/C/D/E/F/G)F422-() (1/2/3)	459.	526.	710.
		48"	RSA(A/B/C/D/E/F/G)F482-() (1/2/3)	493.	564.	761.
		54"	RSA(A/B/C/D/E/F/G)F542-() (1/2/3)	524.	604.	815.
		60"	RSA(A/B/C/D/E/F/G)F602-() (1/2/3)	562.	645.	872.
		66"	RSA(A/B/C/D/E/F/G)F662-() (1/2/3)	583.	668.	902.
		72"	RSA(A/B/C/D/E/F/G)F722-() (1/2/3)	608.	701.	945.
		78"	RSA(A/B/C/D/E/F/G)F782-() (1/2/3)	637.	733.	990.
		84"	RSA(A/B/C/D/E/F/G)F842-() (1/2/3)	662.	760.	1,027.
		90"	RSA(A/B/C/D/E/F/G)F902-() (1/2/3)	690.	796.	1,074.
		96"	RSA(A/B/C/D/E/F/G)F962-() (1/2/3)	718.	827.	1,117.

Order Code	Specification Information	Application Notes	
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.	
R Reff	1. Edge profile		5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)
S Straight top	2. F = Front edge with profile only		6. Finish type: M = Mixed (lamine surface / wood edge) 1 = V1 2 = V2 3 = V3
A 1 1/4" thick	3. Width		Applicable finishes are listed on page 5 and 6.
G Gamma	4. Depth		
F Edge front only	5. Grommet option		
24 24" wide	6. Top finish type		
1 20" deep	7. Top finish		
F Flush grommet	8. Grommet finish		
2 V2 finish	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma		
V319 Medium cherry			
111 Jet black (grommet)			

Optional edge worksurface tops


Reff

1 1/4" thick rectilinear

front edge only

30" and 36" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$410.	\$473.	\$639.
Profile edge front only		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	464.	532.	718.
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	499.	572.	772.
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	519.	596.	805.
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	554.	639.	863.
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	600.	688.	928.
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	621.	713.	962.
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	635.	731.	987.
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	651.	747.	1,009.
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	681.	786.	1,061.
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	708.	817.	1,102.
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	741.	854.	1,153.
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	768.	884.	1,193.
	36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	717.	824.	1,112.
		66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	742.	856.	1,156.
		72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	767.	883.	1,191.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)
S Straight top	2. F = Front edge with profile only	6. Finish type: M = Mixed (lamine surface / wood edge)
A 1 1/4" thick	3. Width	1 = V1
G Gamma	4. Depth	2 = V2
F Edge front only	5. Grommet option	3 = V3
24 24" wide	6. Top finish type	Applicable finishes are listed on page 5 and 6.
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	A = Alpha	1 1/4" tops require support at mid point to reduce spans to 48" or less.
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	


Optional edge worksurface tops

Reff

1 1/4" thick rectilinear

front and back edge profiled

20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$360.	\$412.	\$556.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	395.	454.	613.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	417.	479.	647.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	435.	500.	676.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	453.	520.	702.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	471.	545.	735.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	509.	586.	791.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	524.	604.	815.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	552.	634.	856.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	559.	642.	867.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	595.	683.	923.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	619.	712.	961.
		96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	642.	740.	999.
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	379.	435.	588.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	428.	493.	665.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	445.	512.	692.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	459.	526.	710.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	493.	564.	761.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	524.	604.	815.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	562.	645.	872.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	583.	668.	902.
		72"	RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	608.	701.	945.
		78"	RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	637.	733.	990.
		84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	662.	760.	1,027.
		90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	690.	796.	1,074.
		96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	718.	827.	1,117.

Order Code	Specification Information	Application Notes	
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	
R Reff	1. Edge profile		5. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)
S Straight top	2. 5th position A = Edge front and back		
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.	
G Gamma	4. Depth		Products on this page are shipped without hardware which must be ordered separately from the support components section.
A Edge front and back	5. Grommet option		
24 24" wide	6. Top finish type		
1 20" deep	7. Top finish		
F Flush grommet	8. Grommet finish		
2 V2 finish			
V319 Medium cherry	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma		
111 Jet Black (grommet)			

Optional edge worksurface tops


Reff

1 1/4" thick rectilinear

front and back edge profiled

30" and 36" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$410.	\$473.	\$639.
Profile edge front and back only		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	464.	532.	718.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	499.	572.	772.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	519.	596.	805.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	554.	639.	863.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	600.	688.	928.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	621.	713.	962.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	635.	731.	987.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	651.	747.	1,009.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	681.	786.	1,061.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	708.	817.	1,102.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	741.	854.	1,153.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	768.	884.	1,193.
	36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	717.	824.	1,112.
		66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	742.	856.	1,156.
		72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)	767.	883.	1,191.





Worksurfaces

Order Code	Specification Information	Application Notes	
Example: RSAGA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.	
R Reff	1. Edge profile		5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)
S Straight top	2. 5th position A = Edge front and back		6. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3
A 1 1/4" thick	3. Width		Applicable finishes are listed on page 5 and 6.
G Gamma	4. Depth		
A Edge front and back	5. Grommet option		
24 24" wide	6. Top finish type		
3 30" deep	7. Top finish		
F Flush grommet	8. Grommet finish		
2 V2 finish	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma		
V319 Medium cherry			
111 Jet Black (grommet)			

Optional edge worksurface tops
1 1/4" thick rectilinear
front and attaching edges profiled


Reff

description	d	w	pattern no.	M/V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$360.	\$412.	\$556.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	395.	454.	613.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	417.	479.	647.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	435.	500.	676.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	453.	520.	702.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	379.	435.	588.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	428.	493.	665.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	445.	512.	692.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	459.	526.	710.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	493.	564.	761.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	360.	412.	556.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	395.	454.	613.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	417.	479.	647.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	435.	500.	676.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	453.	520.	702.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	379.	435.	588.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	428.	493.	665.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	445.	512.	692.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	459.	526.	710.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	493.	564.	761.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.
G Gamma	4. Depth	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected.
B Both ends accept edge	5. Grommet option	Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish		
V319 Medium cherry	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (lamine surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge worksurface tops
1 1/4" thick rectilinear
front and attaching edges profiled

Reff


description	d	w	pattern no.	M/V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$360.	\$412.	\$556.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	395.	454.	613.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	417.	479.	647.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	435.	500.	676.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	453.	520.	702.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	379.	435.	588.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	428.	493.	665.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	445.	512.	692.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	459.	526.	710.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	493.	564.	761.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.
G Gamma	4. Depth	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected.
B Both ends accept edge	5. Grommet option	Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge worksurface tops
1 1/4" thick curvilinear corner tops
front edge only

Reff

description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20"  Radii of front edge varies with top dimensions	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$762.	\$876.	\$1,183.
	36"	42"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	806.	927.	1,252.
	36"	48"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	858.	984.	1,329.
	42"	36"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	806.	927.	1,252.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	858.	984.	1,329.
	42"	48"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	936.	1,075.	1,452.
	48"	36"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	858.	984.	1,329.
	48"	42"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	936.	1,075.	1,452.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	984.	1,133.	1,529.
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	796.	915.	1,236.
	36"	42"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	839.	965.	1,303.
	36"	48"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	891.	1,023.	1,382.
	42"	36"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	839.	965.	1,303.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	891.	1,023.	1,382.
	42"	48"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	971.	1,115.	1,506.
	48"	36"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	891.	1,023.	1,382.

Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
S Curvilinear top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	Products on this page are shipped without hardware which must be ordered separately from the support components section.
	D = Delta	
	E = Epsilon	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
	F = Phi	
	G = Gamma	Products on this page are shipped without hardware which must be ordered separately from the support components section.

Optional edge worksurface tops
1 1/4" thick curvilinear corner tops
front edge only

Reff

description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	48"	42"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	\$971.	\$1,115.	\$1,506.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,019.	1,173.	1,583.
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	796.	915.	1,236.
	36"	42"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	839.	965.	1,303.
	36"	48"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	891.	1,023.	1,382.
	42"	36"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	839.	965.	1,303.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	891.	1,023.	1,382.
	42"	48"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	971.	1,115.	1,506.
	48"	36"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	891.	1,023.	1,382.
	48"	42"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	971.	1,115.	1,506.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,019.	1,173.	1,583.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
S Curvilinear top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>6. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	(not recommended on 20"D and 24"D tops)	
	<i>7. Finish type:</i>	
	M = Mixed (lamine surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	

Optional edge worksurface tops
1 1/4" thick curvilinear corner tops
front edge only

Reff

description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	\$864.	\$994.	\$1,342.
	36"	42"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	910.	1,044.	1,409.
	36"	48"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	958.	1,101.	1,487.
	42"	36"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	910.	1,044.	1,409.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	958.	1,101.	1,487.
	42"	48"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,039.	1,195.	1,613.
	48"	36"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	958.	1,101.	1,487.
	48"	42"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,039.	1,195.	1,613.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,088.	1,250.	1,687.

Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
S Curvilinear top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>6. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	(not recommended on 20"D and 24"D tops)	
	<i>7. Finish type:</i>	
	M = Mixed (lamine surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	

Optional edge worksurface tops
1 1/4" thick curvilinear transition and end tops
front edge only

Reff




description	d left	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4221-()(1/2/3)	\$460.	\$529.	\$714.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4821-()(1/2/3)	483.	556.	751.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5421-()(1/2/3)	517.	595.	803.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6021-()(1/2/3)	553.	637.	860.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6621-()(1/2/3)	570.	655.	885.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7221-()(1/2/3)	596.	686.	926.
Wave transition top with profile edge front only (left 30", right 24") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4232-()(1/2/3)	497.	570.	769.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4832-()(1/2/3)	516.	592.	799.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5432-()(1/2/3)	556.	640.	864.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6032-()(1/2/3)	595.	683.	923.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6632-()(1/2/3)	616.	709.	957.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7232-()(1/2/3)	649.	745.	1,006.
Wave transition top with profile edge front only (left 20", right 24") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4212-()(1/2/3)	460.	529.	714.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4812-()(1/2/3)	483.	556.	751.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5412-()(1/2/3)	517.	595.	803.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6012-()(1/2/3)	553.	637.	860.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6612-()(1/2/3)	570.	655.	885.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7212-()(1/2/3)	596.	686.	926.
Wave transition top with profile edge front only (left 24", right 30") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4223-()(1/2/3)	497.	570.	769.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4823-()(1/2/3)	516.	592.	799.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5423-()(1/2/3)	556.	640.	864.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6023-()(1/2/3)	595.	683.	923.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6623-()(1/2/3)	616.	709.	957.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7223-()(1/2/3)	649.	745.	1,006.
Wave end top with profile edge front only (20" right) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3631-()(1/2/3)	611.	703.	949.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4231-()(1/2/3)	635.	731.	987.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4831-()(1/2/3)	669.	769.	1,039.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	Applicable finishes are listed on page 5 and 6.
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish		
V319 Medium cherry	1. <i>Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge worksurface tops
1 1/4" thick curvilinear transition and end tops
front edge only

Reff

description	d left	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$632.	\$727.	\$981.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	652.	749.	1,012.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	689.	795.	1,073.
Wave end top with profile edge front only (20" left) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	611.	703.	949.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	635.	731.	987.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	669.	769.	1,039.
Wave end top with profile edge front only (24" left) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	632.	727.	981.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	652.	749.	1,012.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	689.	795.	1,073.


Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	Applicable finishes are listed on page 5 and 6.
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		
	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
	<i>6. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>7. Finish type:</i> M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	

Optional edge worksurface tops

Reff

Meeting tops

1 1/4" thick

description	d	w	pattern no.	M/V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none 	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$650.	\$746.	\$1,007.
		48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	702.	805.	1,086.
		54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	751.	864.	1,166.
		60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	803.	923.	1,245.
		66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	857.	983.	1,328.
		72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	909.	1,043.	1,408.
		78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,026.	1,180.	1,594.
		84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,146.	1,318.	1,779.
		90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,280.	1,472.	1,987.
		96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,412.	1,623.	2,192.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	715.	822.	1,110.
		48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	781.	899.	1,214.
		54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	893.	1,029.	1,389.
		60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,003.	1,154.	1,558.
		66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,021.	1,175.	1,587.
		72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,039.	1,195.	1,613.
		78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,169.	1,343.	1,813.
		84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,300.	1,497.	2,021.
		90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,370.	1,575.	2,126.
		96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,501.	1,724.	2,327.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support)* No Grommets	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	892.	1,025.	1,383.
	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	992.	1,140.	1,540.



Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support)* No Grommets	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	892.	1,025.	1,383.
	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	992.	1,140.	1,540.





Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	
MD Peninsula D-shaped top	2. Width	
A 1 ¼" thick	3. Depth	
G Gamma	4. Grommet option	
F Edge front only	5. Top finish type	
42 42" wide	6. Top finish	
30 30" deep	7. Grommet finish	
F Flush grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 ¼" tops require support at mid point to reduce spans to 48" or less.
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	5. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	
	8. Wrap around panel tops only, specify mating trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	Applicable finishes are listed on page 5 and 6.	

Optional edge worksurface tops

Reff

Meeting tops

1 1/4" thick

description	d	w	pattern no.	M/V1	V2	V3
Worksurface 9-top	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	\$1,814.	\$2,089.	\$2,820.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,892.	2,175.	2,936.
Worksurface P-top	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,814.	2,089.	2,820.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,892.	2,175.	2,936.
Wrap-around panel top *No Grommets	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	835.	960.	1,295.
	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	915.	1,053.	1,421.



Order Code	Specification Information	Application Notes	
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.	
R Reff	1. Edge profile		4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)
MD Peninsula D-shaped top	2. Width		5. Finish type: M = Mixed (lamineate surface / wood edge) 1 = V1 2 = V2 3 = V3
A 1 1/4" thick	3. Depth		8. Wrap around panel tops only, specify mating trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum
G Gamma	4. Grommet option		Applicable finishes are listed on page 5 and 6.
F Edge front only	5. Top finish type		
42 42" wide	6. Top finish		
30 30" deep	7. Grommet finish		
F Flush grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile		
2 V2 finish	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma		
V319 Medium cherry			
111 Jet Black (grommet)			

Optional edge worksurface tops

Reff

Bow front tops

1 1/4" thick, front and back edges profiled

description	w	d	pattern no.	M/V1	V2	V3
Profile edge on front and back (30"d)	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,082.	\$1,243.	\$1,679.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430-()(1/2/3)	1,192.	1,372.	1,852.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630-()(1/2/3)	1,322.	1,518.	2,050.
Profile edge on front and back (36"d)	72"	36"	RMBA(A/B/C/D/E/F/G)A7236-()(1/2/3)	1,149.	1,321.	1,784.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436-()(1/2/3)	1,260.	1,450.	1,958.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,396.	1,606.	2,168.
Profile elliptical tops	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,271.	1,461.	1,972.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	1,810.	2,079.	2,807.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	1,984.	2,281.	3,079.

Worksurfaces




Order Code	Specification Information	Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
MB Bow front top	2. Width	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Depth	
G Gamma	4. Grommet option	
A Edge front and back	5. Top finish type	
72 72" wide	6. Top finish	
30 30" deep	7. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	A = Alternate location (only for 36" deep bow front tops)	
	<i>5. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	

Optional edge conference room tops

Reff

1 1/4" thick conference room top





round and racetrack

description	w	d	pattern no.	M/V1	V2	V3
Racetrack top - 1 piece	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,271.	\$1,461.	\$1,972.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,414.	1,628.	2,197.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,575.	1,812.	2,446.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,450.	1,665.	2,247.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,631.	1,871.	2,527.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	1,810.	2,079.	2,807.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	1,984.	2,281.	3,079.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,220.	2,553.	3,446.
Racetrack top - 2 piece Profile edge on all sides except on parting lines	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,336.	2,686.	3,626.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,519.	2,896.	3,910.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	2,776.	3,194.	4,311.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	2,678.	3,078.	4,155.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	2,847.	3,273.	4,419.
Racetrack top - 3 piece Profile edge on all sides except on parting lines	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,482.	4,005.	5,406.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	3,743.	4,303.	5,809.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	3,724.	4,282.	5,781.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	3,894.	4,478.	6,045.
Round tops Profile edge on all sides except on parting lines.	—	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	715.	822.	1,110.
	—	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	828.	952.	1,286.
	—	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,365.	1,569.	2,118.
	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,140.	2,461.	3,322.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	2,648.	3,046.	4,113.

Order Code	Specification Information	Application Notes
Example: RTAG72302	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	M = Mixed (laminated surface / wood edge)
T Racetrack top	2. Width	1 = V1
A 1 1/4" thick	3. Depth	2 = V2
G Gamma	4. Finish type	3 = V3
72 22" wide	5. Finish	*Round tops in two pieces.
30 30" deep		Applicable finishes are listed on page 5 and 6.
2 V2 finish	<i>1. Edge profile options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	A = Alpha	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge conference room tops
1 1/4" thick conference room top
square and rectangular

Reff

description	w	d	pattern no.	M/V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRR(A/B/C/D/E/F/G)7230-(1/2/3)	\$673.	\$772.	\$1,043.
	84"	30"	RRR(A/B/C/D/E/F/G)8430-(1/2/3)	743.	857.	1,157.
	96"	30"	RRR(A/B/C/D/E/F/G)9630-(1/2/3)	834.	958.	1,294.
	72"	36"	RRR(A/B/C/D/E/F/G)7236-(1/2/3)	730.	838.	1,132.
	84"	36"	RRR(A/B/C/D/E/F/G)8436-(1/2/3)	797.	916.	1,237.
	96"	36"	RRR(A/B/C/D/E/F/G)9636-(1/2/3)	922.	1,060.	1,432.
	84"	42"	RRR(A/B/C/D/E/F/G)8442-(1/2/3)	1,180.	1,356.	1,830.
	96"	42"	RRR(A/B/C/D/E/F/G)9642-(1/2/3)	1,354.	1,556.	2,101.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRR(A/B/C/D/E/F/G)12036-(1/2/3)	1,477.	1,699.	2,294.
	120"	42"	RRR(A/B/C/D/E/F/G)12042-(1/2/3)	2,038.	2,343.	3,162.
	144"	42"	RRR(A/B/C/D/E/F/G)14442-(1/2/3)	2,288.	2,635.	3,558.
	120"	48"	RRR(A/B/C/D/E/F/G)12048-(1/2/3)	2,215.	2,547.	3,439.
	144"	48"	RRR(A/B/C/D/E/F/G)14448-(1/2/3)	2,454.	2,821.	3,809.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRR(A/B/C/D/E/F/G)16842-(1/2/3)	3,002.	3,453.	4,661.
	192"	42"	RRR(A/B/C/D/E/F/G)19242-(1/2/3)	3,252.	3,742.	5,051.
	168"	48"	RRR(A/B/C/D/E/F/G)16848-(1/2/3)	3,260.	3,753.	5,066.
	192"	48"	RRR(A/B/C/D/E/F/G)19248-(1/2/3)	3,501.	4,026.	5,434.
Square top Profile edge on all sides except on parting lines 	—	36"	RRR(A/B/C/D/E/F/G)3636-(1/2/3)	519.	596.	805.
	—	42"	RRR(A/B/C/D/E/F/G)4242-(1/2/3)	673.	772.	1,043.
	—	48"	RRR(A/B/C/D/E/F/G)4848-(1/2/3)	883.	1,014.	1,369.
	*	60"	RRR(A/B/C/D/E/F/G)6060-(1/2/3)	1,376.	1,583.	2,138.
	*	72"	RRR(A/B/C/D/E/F/G)7272-(1/2/3)	1,623.	1,867.	2,520.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAG72302	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge option	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Conference Room top	2. Width	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Depth	
G Gamma	4. Finish type	
72 72" wide	5. Finish	
30 30" deep		
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front only

20" and 24" deep


Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-() (1/2/3)	\$682.	\$786.	\$1,061.
		30"	RSAWF301-() (1/2/3)	751.	865.	1,169.
		36"	RSAWF361-() (1/2/3)	794.	911.	1,229.
		42"	RSAWF421-() (1/2/3)	828.	950.	1,282.
		48"	RSAWF481-() (1/2/3)	862.	991.	1,338.
		54"	RSAWF541-() (1/2/3)	899.	1,035.	1,398.
		60"	RSAWF601-() (1/2/3)	969.	1,113.	1,503.
		66"	RSAWF661-() (1/2/3)	999.	1,149.	1,551.
		72"	RSAWF721-() (1/2/3)	1,047.	1,205.	1,628.
		78"	RSAWF781-() (1/2/3)	1,066.	1,223.	1,650.
		84"	RSAWF841-() (1/2/3)	1,133.	1,302.	1,758.
		90"	RSAWF901-() (1/2/3)	1,177.	1,354.	1,828.
		96"	RSAWF961-() (1/2/3)	1,223.	1,404.	1,895.
	24"	24"	RSAWF242-() (1/2/3)	719.	828.	1,119.
		30"	RSAWF302-() (1/2/3)	814.	936.	1,263.
		36"	RSAWF362-() (1/2/3)	846.	971.	1,312.
		42"	RSAWF422-() (1/2/3)	872.	1,001.	1,351.
		48"	RSAWF482-() (1/2/3)	936.	1,075.	1,452.
		54"	RSAWF542-() (1/2/3)	999.	1,149.	1,551.
		60"	RSAWF602-() (1/2/3)	1,070.	1,228.	1,658.
		66"	RSAWF662-() (1/2/3)	1,106.	1,270.	1,715.
		72"	RSAWF722-() (1/2/3)	1,156.	1,329.	1,793.
		78"	RSAWF782-() (1/2/3)	1,211.	1,392.	1,879.
		84"	RSAWF842-() (1/2/3)	1,258.	1,446.	1,952.
		90"	RSAWF902-() (1/2/3)	1,318.	1,515.	2,046.
		96"	RSAWF962-() (1/2/3)	1,369.	1,574.	2,125.

Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WF Waterfall front	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)		
	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
		Waterfall tops cannot be specified with semi-open pore finish.
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall edge
worksurface tops
1 1/4" thick rectilinear with 2" waterfall edge front only
30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243-()(1/2/3)	\$782.	\$902.	\$1,218.
		30"	RSAWF303-()(1/2/3)	879.	1,013.	1,367.
		36"	RSAWF363-()(1/2/3)	948.	1,089.	1,471.
		42"	RSAWF423-()(1/2/3)	988.	1,135.	1,532.
		48"	RSAWF483-()(1/2/3)	1,054.	1,214.	1,639.
		54"	RSAWF543-()(1/2/3)	1,139.	1,313.	1,772.
		60"	RSAWF603-()(1/2/3)	1,183.	1,359.	1,835.
		66"	RSAWF663-()(1/2/3)	1,209.	1,389.	1,876.
		72"	RSAWF723-()(1/2/3)	1,238.	1,423.	1,921.
		78"	RSAWF783-()(1/2/3)	1,296.	1,489.	2,010.
		84"	RSAWF843-()(1/2/3)	1,346.	1,551.	2,093.
		90"	RSAWF903-()(1/2/3)	1,411.	1,619.	2,185.
		96"	RSAWF963-()(1/2/3)	1,462.	1,680.	2,268.
	36"	60"	RSAWF604-()(1/2/3)	1,366.	1,567.	2,115.
		66"	RSAWF664-()(1/2/3)	1,413.	1,623.	2,192.
		72"	RSAWF724-()(1/2/3)	1,460.	1,676.	2,263.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WF Waterfall front	4. Grommet finish	
24 24" wide	1. Grommet options:	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet black (grommet)	2. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and back

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241-()(1/2/3)	\$853.	\$984.	\$1,329.
		30"	RSAWA301-()(1/2/3)	941.	1,080.	1,458.
		36"	RSAWA361-()(1/2/3)	992.	1,138.	1,537.
		42"	RSAWA421-()(1/2/3)	1,036.	1,190.	1,607.
		48"	RSAWA481-()(1/2/3)	1,075.	1,238.	1,671.
		54"	RSAWA541-()(1/2/3)	1,124.	1,293.	1,746.
		60"	RSAWA601-()(1/2/3)	1,212.	1,391.	1,877.
		66"	RSAWA661-()(1/2/3)	1,249.	1,436.	1,939.
		72"	RSAWA721-()(1/2/3)	1,313.	1,510.	2,038.
		78"	RSAWA781-()(1/2/3)	1,332.	1,527.	2,062.
		84"	RSAWA841-()(1/2/3)	1,415.	1,627.	2,196.
		90"	RSAWA901-()(1/2/3)	1,474.	1,694.	2,286.
		96"	RSAWA961-()(1/2/3)	1,527.	1,758.	2,373.
		24"	RSAWA242-()(1/2/3)	899.	1,036.	1,399.
		30"	RSAWA302-()(1/2/3)	1,016.	1,170.	1,579.
		36"	RSAWA362-()(1/2/3)	1,058.	1,217.	1,643.
		42"	RSAWA422-()(1/2/3)	1,089.	1,252.	1,691.
		48"	RSAWA482-()(1/2/3)	1,170.	1,345.	1,816.
		54"	RSAWA542-()(1/2/3)	1,249.	1,436.	1,939.
		60"	RSAWA602-()(1/2/3)	1,338.	1,538.	2,076.
		66"	RSAWA662-()(1/2/3)	1,383.	1,588.	2,143.
		72"	RSAWA722-()(1/2/3)	1,443.	1,661.	2,243.
		78"	RSAWA782-()(1/2/3)	1,515.	1,743.	2,352.
		84"	RSAWA842-()(1/2/3)	1,574.	1,811.	2,444.
		90"	RSAWA902-()(1/2/3)	1,648.	1,894.	2,557.
		96"	RSAWA962-()(1/2/3)	1,711.	1,966.	2,653.

Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WA Waterfall front/back	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	Waterfall tops cannot be specified with open pore finish.
F Flush grommet	F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	1 1/4" tops require support at mid point to reduce spans to 48" or less.
V319 Medium cherry		
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and back

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-() (1/2/3)	\$980.	\$1,127.	\$1,522.
		30"	RSAWA303-() (1/2/3)	1,100.	1,268.	1,712.
		36"	RSAWA363-() (1/2/3)	1,186.	1,365.	1,842.
		42"	RSAWA423-() (1/2/3)	1,236.	1,420.	1,917.
		48"	RSAWA483-() (1/2/3)	1,319.	1,517.	2,048.
		54"	RSAWA543-() (1/2/3)	1,425.	1,640.	2,214.
		60"	RSAWA603-() (1/2/3)	1,477.	1,700.	2,296.
		66"	RSAWA663-() (1/2/3)	1,512.	1,738.	2,347.
		72"	RSAWA723-() (1/2/3)	1,548.	1,779.	2,402.
		78"	RSAWA783-() (1/2/3)	1,619.	1,864.	2,516.
		84"	RSAWA843-() (1/2/3)	1,684.	1,939.	2,618.
		90"	RSAWA903-() (1/2/3)	1,761.	2,025.	2,735.
		96"	RSAWA963-() (1/2/3)	1,825.	2,100.	2,835.
	36"	60"	RSAWA604-() (1/2/3)	1,707.	1,959.	2,645.
		66"	RSAWA664-() (1/2/3)	1,765.	2,031.	2,741.
		72"	RSAWA724-() (1/2/3)	1,823.	2,096.	2,829.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WA Waterfall front/back	4. Grommet finish	
24 24" wide	1. Grommet options:	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)	2. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and two sides

20" and 24" deep


Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-() (1/2/3)	\$1,027.	\$1,179.	\$1,592.
		30"	RSAWB301-() (1/2/3)	1,127.	1,294.	1,747.
		36"	RSAWB361-() (1/2/3)	1,188.	1,367.	1,845.
		42"	RSAWB421-() (1/2/3)	1,242.	1,426.	1,926.
		48"	RSAWB481-() (1/2/3)	1,290.	1,485.	2,005.
		54"	RSAWB541-() (1/2/3)	1,347.	1,552.	2,096.
		60"	RSAWB601-() (1/2/3)	1,457.	1,672.	2,257.
		66"	RSAWB661-() (1/2/3)	1,499.	1,723.	2,326.
		72"	RSAWB721-() (1/2/3)	1,574.	1,810.	2,443.
		78"	RSAWB781-() (1/2/3)	1,593.	1,832.	2,474.
		84"	RSAWB841-() (1/2/3)	1,697.	1,954.	2,637.
		90"	RSAWB901-() (1/2/3)	1,769.	2,033.	2,744.
		96"	RSAWB961-() (1/2/3)	1,832.	2,109.	2,846.
	24"	24"	RSAWB242-() (1/2/3)	1,079.	1,242.	1,676.
		30"	RSAWB302-() (1/2/3)	1,221.	1,400.	1,891.
		36"	RSAWB362-() (1/2/3)	1,269.	1,460.	1,971.
		42"	RSAWB422-() (1/2/3)	1,308.	1,505.	2,033.
		48"	RSAWB482-() (1/2/3)	1,400.	1,614.	2,179.
		54"	RSAWB542-() (1/2/3)	1,499.	1,723.	2,326.
		60"	RSAWB602-() (1/2/3)	1,606.	1,844.	2,490.
		66"	RSAWB662-() (1/2/3)	1,658.	1,906.	2,573.
		72"	RSAWB722-() (1/2/3)	1,732.	1,994.	2,691.
		78"	RSAWB782-() (1/2/3)	1,816.	2,091.	2,823.
		84"	RSAWB842-() (1/2/3)	1,888.	2,170.	2,930.
		90"	RSAWB902-() (1/2/3)	1,975.	2,272.	3,067.
		96"	RSAWB962-() (1/2/3)	2,050.	2,361.	3,187.

Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WB Waterfall front and 2 sides	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry		1 1/4" tops require support at mid point to reduce spans to 48" or less.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall edge
worksurface tops
1 1/4" thick rectilinear with 2" waterfall edge front and two sides
30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2/3)	\$1,175.	\$1,352.	\$1,825.
		30"	RSAWB303-()(1/2/3)	1,322.	1,521.	2,052.
		36"	RSAWB363-()(1/2/3)	1,423.	1,636.	2,209.
		42"	RSAWB423-()(1/2/3)	1,482.	1,702.	2,298.
		48"	RSAWB483-()(1/2/3)	1,583.	1,819.	2,456.
		54"	RSAWB543-()(1/2/3)	1,712.	1,966.	2,653.
		60"	RSAWB603-()(1/2/3)	1,773.	2,038.	2,752.
		66"	RSAWB663-()(1/2/3)	1,813.	2,085.	2,815.
		72"	RSAWB723-()(1/2/3)	1,856.	2,134.	2,881.
		78"	RSAWB783-()(1/2/3)	1,945.	2,239.	3,022.
		84"	RSAWB843-()(1/2/3)	2,019.	2,324.	3,137.
		90"	RSAWB903-()(1/2/3)	2,113.	2,431.	3,283.
		96"	RSAWB963-()(1/2/3)	2,193.	2,519.	3,401.
	36"	60"	RSAWB604-()(1/2/3)	2,046.	2,352.	3,175.
		66"	RSAWB664-()(1/2/3)	2,116.	2,435.	3,287.
		72"	RSAWB724-()(1/2/3)	2,190.	2,516.	3,396.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWB243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WB Waterfall front and 2 sides	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry		
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
		Waterfall tops cannot be specified with semi-open pore finish.
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and left side

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-() () (1/2/3)	\$941.	\$1,081.	\$1,459.
		30"	RSAWL301-() () (1/2/3)	1,034.	1,187.	1,603.
		36"	RSAWL361-() () (1/2/3)	1,089.	1,252.	1,691.
		42"	RSAWL421-() () (1/2/3)	1,138.	1,308.	1,766.
		48"	RSAWL481-() () (1/2/3)	1,184.	1,361.	1,838.
		54"	RSAWL541-() () (1/2/3)	1,237.	1,422.	1,920.
		60"	RSAWL601-() () (1/2/3)	1,334.	1,532.	2,069.
		66"	RSAWL661-() () (1/2/3)	1,373.	1,581.	2,135.
		72"	RSAWL721-() () (1/2/3)	1,441.	1,658.	2,239.
		78"	RSAWL781-() () (1/2/3)	1,464.	1,681.	2,269.
		84"	RSAWL841-() () (1/2/3)	1,557.	1,790.	2,417.
		90"	RSAWL901-() () (1/2/3)	1,619.	1,864.	2,516.
		96"	RSAWL961-() () (1/2/3)	1,681.	1,933.	2,610.
	24"	24"	RSAWL242-() () (1/2/3)	989.	1,138.	1,537.
		30"	RSAWL302-() () (1/2/3)	1,119.	1,286.	1,735.
		36"	RSAWL362-() () (1/2/3)	1,163.	1,338.	1,805.
		42"	RSAWL422-() () (1/2/3)	1,199.	1,378.	1,860.
		48"	RSAWL482-() () (1/2/3)	1,286.	1,478.	1,996.
		54"	RSAWL542-() () (1/2/3)	1,373.	1,581.	2,135.
		60"	RSAWL602-() () (1/2/3)	1,471.	1,688.	2,280.
		66"	RSAWL662-() () (1/2/3)	1,519.	1,747.	2,359.
		72"	RSAWL722-() () (1/2/3)	1,588.	1,825.	2,464.
		78"	RSAWL782-() () (1/2/3)	1,663.	1,916.	2,586.
		84"	RSAWL842-() () (1/2/3)	1,727.	1,991.	2,687.
		90"	RSAWL902-() () (1/2/3)	1,812.	2,083.	2,811.
		96"	RSAWL962-() () (1/2/3)	1,879.	2,164.	2,921.

Order Code	Specification Information	Application Notes
Example: RSAWL241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WL Waterfall front and left	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and left side

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-() (1/2/3)	\$1,079.	\$1,240.	\$1,674.
		30"	RSAWL303-() (1/2/3)	1,211.	1,392.	1,879.
		36"	RSAWL363-() (1/2/3)	1,304.	1,500.	2,025.
		42"	RSAWL423-() (1/2/3)	1,357.	1,561.	2,106.
		48"	RSAWL483-() (1/2/3)	1,451.	1,671.	2,256.
		54"	RSAWL543-() (1/2/3)	1,567.	1,805.	2,437.
		60"	RSAWL603-() (1/2/3)	1,625.	1,868.	2,522.
		66"	RSAWL663-() (1/2/3)	1,660.	1,913.	2,582.
		72"	RSAWL723-() (1/2/3)	1,702.	1,956.	2,640.
		78"	RSAWL783-() (1/2/3)	1,782.	2,050.	2,768.
		84"	RSAWL843-() (1/2/3)	1,852.	2,131.	2,878.
		90"	RSAWL903-() (1/2/3)	1,939.	2,230.	3,011.
		96"	RSAWL963-() (1/2/3)	2,009.	2,309.	3,117.
	36"	60"	RSAWL604-() (1/2/3)	1,875.	2,156.	2,911.
		66"	RSAWL664-() (1/2/3)	1,942.	2,232.	3,013.
		72"	RSAWL724-() (1/2/3)	2,006.	2,306.	3,113.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWL243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WL Waterfall front and left	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)		
	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and right side

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-() (1/2/3)	\$941.	\$1,081.	\$1,459.
		30"	RSAWR301-() (1/2/3)	1,034.	1,187.	1,603.
		36"	RSAWR361-() (1/2/3)	1,089.	1,252.	1,691.
		42"	RSAWR421-() (1/2/3)	1,138.	1,308.	1,766.
		48"	RSAWR481-() (1/2/3)	1,184.	1,361.	1,838.
		54"	RSAWR541-() (1/2/3)	1,237.	1,422.	1,920.
		60"	RSAWR601-() (1/2/3)	1,334.	1,532.	2,069.
		66"	RSAWR661-() (1/2/3)	1,373.	1,581.	2,135.
		72"	RSAWR721-() (1/2/3)	1,441.	1,658.	2,239.
		78"	RSAWR781-() (1/2/3)	1,464.	1,681.	2,269.
		84"	RSAWR841-() (1/2/3)	1,557.	1,790.	2,417.
		90"	RSAWR901-() (1/2/3)	1,619.	1,864.	2,516.
		96"	RSAWR961-() (1/2/3)	1,681.	1,933.	2,610.
	24"	24"	RSAWR242-() (1/2/3)	989.	1,138.	1,537.
		30"	RSAWR302-() (1/2/3)	1,119.	1,286.	1,735.
		36"	RSAWR362-() (1/2/3)	1,163.	1,338.	1,805.
		42"	RSAWR422-() (1/2/3)	1,199.	1,378.	1,860.
		48"	RSAWR482-() (1/2/3)	1,286.	1,478.	1,996.
		54"	RSAWR542-() (1/2/3)	1,373.	1,581.	2,135.
		60"	RSAWR602-() (1/2/3)	1,471.	1,688.	2,280.
		66"	RSAWR662-() (1/2/3)	1,519.	1,747.	2,359.
		72"	RSAWR722-() (1/2/3)	1,588.	1,825.	2,464.
		78"	RSAWR782-() (1/2/3)	1,663.	1,916.	2,586.
		84"	RSAWR842-() (1/2/3)	1,727.	1,991.	2,687.
		90"	RSAWR902-() (1/2/3)	1,812.	2,083.	2,811.
		96"	RSAWR962-() (1/2/3)	1,879.	2,164.	2,921.

Order Code

Example:	RSAWR241F2
R	Reff
S	Straight top
A	1 1/4" thick
WR	Waterfall front and right
24	24" wide
1	20" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and right side

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-() (1/2/3)	\$1,079.	\$1,240.	\$1,674.
		30"	RSAWR303-() (1/2/3)	1,211.	1,392.	1,879.
		36"	RSAWR363-() (1/2/3)	1,304.	1,500.	2,025.
		42"	RSAWR423-() (1/2/3)	1,357.	1,561.	2,106.
		48"	RSAWR483-() (1/2/3)	1,451.	1,671.	2,256.
		54"	RSAWR543-() (1/2/3)	1,567.	1,805.	2,437.
		60"	RSAWR603-() (1/2/3)	1,625.	1,868.	2,522.
		66"	RSAWR663-() (1/2/3)	1,660.	1,913.	2,582.
		72"	RSAWR723-() (1/2/3)	1,702.	1,956.	2,640.
		78"	RSAWR783-() (1/2/3)	1,782.	2,050.	2,768.
		84"	RSAWR843-() (1/2/3)	1,852.	2,131.	2,878.
		90"	RSAWR903-() (1/2/3)	1,939.	2,230.	3,011.
		96"	RSAWR963-() (1/2/3)	2,009.	2,309.	3,117.
	36"	60"	RSAWR604-() (1/2/3)	1,875.	2,156.	2,911.
		66"	RSAWR664-() (1/2/3)	1,942.	2,232.	3,013.
		72"	RSAWR724-() (1/2/3)	2,006.	2,306.	3,113.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWR243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WR Waterfall front and right	4. Grommet finish	
24 24" wide		
3 30" deep	<i>1. Grommet options:</i>	
F Flush grommet	N = No grommet	
2 V2 finish	F = Flush front grommet location	
V319 Medium cherry	R = Recessed front	
111 Jet Black (grommet)	(not recommended on 20"D and 24"D tops)	
	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	



Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall edge
worksurface tops
1 1/4" thick curvilinear transition and end tops
with 2" waterfall edge front only

Reff

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221-()(1/2/3)	\$918.	\$1,058.	\$1,428.
	24"	48"	20"	RWAWF4821-()(1/2/3)	966.	1,111.	1,500.
	24"	54"	20"	RWAWF5421-()(1/2/3)	1,034.	1,188.	1,604.
	24"	60"	20"	RWAWF6021-()(1/2/3)	1,105.	1,271.	1,717.
	24"	66"	20"	RWAWF6621-()(1/2/3)	1,138.	1,308.	1,766.
	24"	72"	20"	RWAWF7221-()(1/2/3)	1,192.	1,372.	1,852.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232-()(1/2/3)	991.	1,138.	1,537.
	30"	48"	24"	RWAWF4832-()(1/2/3)	1,031.	1,185.	1,600.
	30"	54"	24"	RWAWF5432-()(1/2/3)	1,111.	1,280.	1,728.
	30"	60"	24"	RWAWF6032-()(1/2/3)	1,188.	1,370.	1,850.
	30"	66"	24"	RWAWF6632-()(1/2/3)	1,232.	1,417.	1,913.
	30"	72"	24"	RWAWF7232-()(1/2/3)	1,293.	1,488.	2,009.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212-()(1/2/3)	918.	1,058.	1,428.
	20"	48"	24"	RWAWF4812-()(1/2/3)	966.	1,111.	1,500.
	20"	54"	24"	RWAWF5412-()(1/2/3)	1,034.	1,188.	1,604.
	20"	60"	24"	RWAWF6012-()(1/2/3)	1,105.	1,271.	1,717.
	20"	66"	24"	RWAWF6612-()(1/2/3)	1,138.	1,308.	1,766.
	20"	72"	24"	RWAWF7212-()(1/2/3)	1,192.	1,372.	1,852.
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	RWAWF4223-()(1/2/3)	991.	1,138.	1,537.
	24"	48"	30"	RWAWF4823-()(1/2/3)	1,031.	1,185.	1,600.
	24"	54"	30"	RWAWF5423-()(1/2/3)	1,111.	1,280.	1,728.
	24"	60"	30"	RWAWF6023-()(1/2/3)	1,188.	1,370.	1,850.
	24"	66"	30"	RWAWF6623-()(1/2/3)	1,232.	1,417.	1,913.
	24"	72"	30"	RWAWF7223-()(1/2/3)	1,293.	1,488.	2,009.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631-()(1/2/3)	1,221.	1,400.	1,891.
	32"	42"	20"	RWEAWF4231-()(1/2/3)	1,269.	1,461.	1,972.
	32"	48"	20"	RWEAWF4831-()(1/2/3)	1,338.	1,539.	2,077.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	1. <i>Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	2. <i>Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.




1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall edge
worksurface tops
1 1/4" thick curvilinear transition and end tops
with 2" waterfall edge front only

Reff

description	d left	w	d right	pattern no.	V1	V2	V3
Wave end top with waterfall edge front (right 24")	36"	36"	24"	RWEAWF3662-()(1/2/3)	\$1,261.	\$1,450.	\$1,958.
	36"	42"	24"	RWEAWF4262-()(1/2/3)	1,301.	1,498.	2,022.
	36"	48"	24"	RWEAWF4862-()(1/2/3)	1,382.	1,588.	2,143.
Wave end top with waterfall edge front (left 20")	20"	36"	32"	RWEAWF3613-()(1/2/3)	1,221.	1,400.	1,891.
	20"	42"	32"	RWEAWF4213-()(1/2/3)	1,269.	1,461.	1,972.
	20"	48"	32"	RWEAWF4813-()(1/2/3)	1,338.	1,539.	2,077.
Wave end top with waterfall edge front (left 24")	24"	36"	36"	RWEAWF3626-()(1/2/3)	1,261.	1,450.	1,958.
	24"	42"	36"	RWEAWF4226-()(1/2/3)	1,301.	1,498.	2,022.
	24"	48"	36"	RWEAWF4826-()(1/2/3)	1,382.	1,588.	2,143.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	1. Grommet options:	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	2. Finish type:	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.


Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall edge

worksurface tops

1 1/4" thick curvilinear corner tops with 2" waterfall edge front only

Reff

description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,450.	\$1,669.	\$2,253.
	36"	42"	RCAWF364211-()(1/2/3)	1,535.	1,765.	2,384.
	36"	48"	RCAWF364811-()(1/2/3)	1,628.	1,874.	2,530.
	42"	36"	RCAWF423611-()(1/2/3)	1,535.	1,765.	2,384.
	42"	42"	RCAWF424211-()(1/2/3)	1,628.	1,874.	2,530.
	42"	48"	RCAWF424811-()(1/2/3)	1,779.	2,047.	2,764.
	48"	36"	RCAWF483611-()(1/2/3)	1,628.	1,874.	2,530.
	48"	42"	RCAWF484211-()(1/2/3)	1,779.	2,047.	2,764.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,643.	1,893.	2,556.
	36"	42"	RCAWF364222-()(1/2/3)	1,727.	1,991.	2,687.
	36"	48"	RCAWF364822-()(1/2/3)	1,823.	2,098.	2,832.
	42"	36"	RCAWF423622-()(1/2/3)	1,727.	1,991.	2,687.
	42"	42"	RCAWF424222-()(1/2/3)	1,823.	2,098.	2,832.
	42"	48"	RCAWF424822-()(1/2/3)	1,974.	2,272.	3,067.
	48"	36"	RCAWF483622-()(1/2/3)	1,823.	2,098.	2,832.
	48"	42"	RCAWF484222-()(1/2/3)	1,974.	2,272.	3,067.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,515.	1,741.	2,351.
	36"	42"	RCAWF364212-()(1/2/3)	1,602.	1,840.	2,484.
	36"	48"	RCAWF364812-()(1/2/3)	1,694.	1,948.	2,631.
	42"	36"	RCAWF423612-()(1/2/3)	1,602.	1,840.	2,484.
	42"	42"	RCAWF424212-()(1/2/3)	1,694.	1,948.	2,631.
	42"	48"	RCAWF424812-()(1/2/3)	1,845.	2,121.	2,862.
	48"	36"	RCAWF483612-()(1/2/3)	1,694.	1,948.	2,631.
	48"	42"	RCAWF484212-()(1/2/3)	1,845.	2,121.	2,862.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,515.	1,741.	2,351.
	36"	42"	RCAWF364221-()(1/2/3)	1,602.	1,840.	2,484.
	36"	48"	RCAWF364821-()(1/2/3)	1,694.	1,948.	2,631.
	42"	36"	RCAWF423621-()(1/2/3)	1,602.	1,840.	2,484.
	42"	42"	RCAWF424221-()(1/2/3)	1,694.	1,948.	2,631.
	42"	48"	RCAWF424821-()(1/2/3)	1,845.	2,121.	2,862.
	48"	36"	RCAWF483621-()(1/2/3)	1,694.	1,948.	2,631.
	48"	42"	RCAWF484221-()(1/2/3)	1,845.	2,121.	2,862.

Order Code	Specification Information	Application Notes
Example: RCAWF363611F2	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Grommet option	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	2. Top finish type	
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	
36 36" wide on left back	<i>1. Grommet options:</i>	Curvilinear worksurfaces only available in 1 1/4" thick.
36 36" wide on right back	N = No grommet	
1 20" deep on left side	F = Standard corner location	
1 20" deep on right side		
F Standard grommet	<i>2. Finish type:</i>	See Planning Guide for grommet locations.
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	Waterfall tops cannot be specified with semi-open pore finish.


Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall edge
1 1/4" thick meeting tops
with 2" waterfall edge

Reff

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230-()(1/2/3)	\$1,852.	\$2,130.	\$2,875.
		48"	RMDAWF4830-()(1/2/3)	1,997.	2,297.	3,101.
		54"	RMDAWF5430-()(1/2/3)	2,144.	2,466.	3,329.
		60"	RMDAWF6030-()(1/2/3)	2,291.	2,634.	3,555.
		66"	RMDAWF6630-()(1/2/3)	2,440.	2,807.	3,789.
		72"	RMDAWF7230-()(1/2/3)	2,589.	2,979.	4,022.
		78"	RMDAWF7830-()(1/2/3)	2,932.	3,368.	4,548.
		84"	RMDAWF8430-()(1/2/3)	3,273.	3,761.	5,078.
		90"	RMDAWF9030-()(1/2/3)	3,652.	4,200.	5,670.
		96"	RMDAWF9630-()(1/2/3)	4,032.	4,635.	6,258.
	36"	42"	RMDAWF4236-()(1/2/3)	2,043.	2,347.	3,168.
		48"	RMDAWF4836-()(1/2/3)	2,232.	2,567.	3,466.
		54"	RMDAWF5436-()(1/2/3)	2,550.	2,936.	3,964.
		60"	RMDAWF6036-()(1/2/3)	2,863.	3,292.	4,445.
		66"	RMDAWF6636-()(1/2/3)	2,912.	3,351.	4,524.
		72"	RMDAWF7236-()(1/2/3)	2,961.	3,406.	4,598.
		78"	RMDAWF7836-()(1/2/3)	3,332.	3,832.	5,172.
		84"	RMDAWF8436-()(1/2/3)	3,709.	4,265.	5,757.
		90"	RMDAWF9036-()(1/2/3)	3,907.	4,497.	6,070.
		96"	RMDAWF9636-()(1/2/3)	4,282.	4,923.	6,646.
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230-()(1/2/3)	2,546.	2,926.	3,951.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230-()(1/2/3)	2,546.	2,926.	3,951.
						

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	
WF Waterfall all except flat side	4. Top finish	Refer to Planning Guide for modesty panel size requirements and all other support options.
42 42" wide	5. Grommet finish	
30 30" deep		
N No grommet	<i>1. Thickness option:</i> A = 1 1/4"	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	<i>2. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
V319 Medium cherry	<i>3. Finish type:</i> 1 = V1 2 = V2 3 = V3	

Note wraps around panel tops only, require specification of mating trim profile.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.



Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Waterfall edge
1 1/4" thick meeting tops
with 2" waterfall edge


Reff

description	d	w	pattern no.	V1	V2	V3
 Worksurface 9-top	30"	84"	RM9AWF8430-()(1/2/3)	\$5,180.	\$5,958.	\$8,042.
	30"	96"	RM9AWF9630-()(1/2/3)	5,397.	6,203.	8,375.
 Worksurface P-top	30"	84"	RMPAWF8430-()(1/2/3)	5,180.	5,958.	8,042.
	30"	96"	RMPAWF9630-()(1/2/3)	5,397.	6,203.	8,375.
 Wrap around panel top	21 1/2"	42 1/2"	RMDAWF4221-()(1/2/3)()	2,384.	2,739.	3,697.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2/3)()	2,612.	3,004.	4,056.


Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	
30 30" deep	<i>1. Thickness option:</i> A = 1 1/4"	Refer to Planning Guide for modesty panel size requirements and all other support options.
N No grommet	<i>2. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	<i>3. Finish type:</i> 1 = V1 2 = V2 3 = V3	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
V319 Medium cherry	Note wraps around panel tops only, require specification of mating trim profile.	Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Applicable finishes are listed on page 5 and 6.

Waterfall edge
1 1/4" thick bow front tops
with 2" waterfall edge front and back


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
	72"	30"		RMBAWA7230-() (1/2/3)		\$2,569.	\$2,958.	\$3,993.
	84"	30"		RMBAWA8430-() (1/2/3)		2,836.	3,262.	4,403.
	96"	30"		RMBAWA9630-() (1/2/3)		3,146.	3,618.	4,884.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

	72"	36"		RMBAWA7236-() (1/2/3)		2,732.	3,142.	4,241.
	84"	36"		RMBAWA8436-() (1/2/3)		2,999.	3,448.	4,655.
	96"	36"		RMBAWA9636-() (1/2/3)		3,325.	3,821.	5,158.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
Can also be used with 36" deep end panel and recessed modesty.

	40"	1"	26 1/2"	RB40MR-()	301.	368.	422.	570.
	52"	1"	26 1/2"	RB52MR-()	355.	433.	498.	672.
	64"	1"	26 1/2"	RB64MR-()	383.	467.	539.	728.

Use of short modesty panel


Pedestals must be ordered separately with individual back panels.
Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
Order:
40" modesty for 72" bow top
52" modesty for 84" bow top
64" modesty for 96" bow top
When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Order Code	Specification Information	Application Notes
Example: RCBAWA7230F2	To order please specify pattern number including:	See Planning Guide for grommet locations.
R Reff		
CB Bow front	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	2. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
WA Waterfall front/back	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
72 72" wide	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
30 30" deep	1. Grommet options:	
F Flush front grommet position	N = No grommet	
2 V2 finish	F = Flush front grommet location	
V319 Medium cherry	R = Recessed front	
111 Jet Black (grommet)	A = Alternate location (for 36"D tops only)	
	2. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Waterfall edge
1 1/4" thick bow front tops
with 2" waterfall edge front and back

Reff





description	w	d	h	pattern no.	L	V1	V2	V3
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	\$426.	\$608.	\$706.	\$953.
	16"	30"	26 1/2"	REBH30	440.	621.	723.	976.
Waterfall elliptical tops 	60"	30"		REBAWA6030()		3,629.	4,173.	5,634.
	72"	42"		REBAWA7242()		5,160.	5,937.	8,015.
	78"	48"		REBAWA7848()		5,662.	6,513.	8,793.

Order Code	Specification Information	Application Notes
Example: RCBAWA7230F2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff		
CB Bow front	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	2. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
WA Waterfall front/back	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
72 72" wide	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
30 30" deep	1. Grommet options:	
F Flush front grommet position	N = No grommet	
2 V2 finish	F = Flush front grommet location	
V319 Medium cherry	R = Recessed front	
111 Jet Black (grommet)	A = Alternate location (for 36"D tops only)	
	2. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Waterfall edge
1 1/4" thick conference room tops
round and racetrack
with 2" waterfall edge





Reff

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece	72"	30"	RTAW7230-(1/2/3)	\$3,629.	\$4,173.	\$5,634.
	84"	30"	RTAW8430-(1/2/3)	4,039.	4,646.	6,273.
	96"	30"	RTAW9630-(1/2/3)	4,497.	5,171.	6,981.
	72"	36"	RTAW7236-(1/2/3)	4,137.	4,755.	6,420.
	84"	36"	RTAW8436-(1/2/3)	4,651.	5,348.	7,219.
	96"	36"	RTAW9636-(1/2/3)	5,160.	5,937.	8,015.
	84"	42"	RTAW8442-(1/2/3)	5,662.	6,513.	8,793.
	96"	42"	RTAW9642-(1/2/3)	6,339.	7,288.	9,838.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines	120"	36"	RTAW12036-(1/2/3)	6,666.	7,664.	10,347.
	120"	42"	RTAW12042-(1/2/3)	7,187.	8,265.	11,158.
	144"	42"	RTAW14442-(1/2/3)	7,925.	9,115.	12,305.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines	168"	42"	RTAW16842-(1/2/3)	9,938.	11,430.	15,431.
	192"	42"	RTAW19242-(1/2/3)	10,677.	12,280.	16,579.
	RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Round tops, Waterfall edge on all sides except on parting lines	—	36"	RTAW3636-(1/2/3)	2,043.	2,738.	3,696.
	—	42"	RTAW4242-(1/2/3)	2,365.	3,173.	4,284.
	*	60"	RTAW6060-(1/2/3)	6,109.	7,022.	9,479.
	*	72"	RTAW7272-(1/2/3)	7,560.	8,693.	11,735.

Order Code	Specification Information	Application Notes
Example: RTAW72302	To order please specify pattern number including:	Top to top brackets included.
R Reff	1. Top thickness	See table base matrix in Planning Guide for base supports recommended.
T Rounded top	2. Finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Finish	Tops have no radius on edges that adjoin.
W Waterfall all sides	1. Thickness option: A = 1 1/4"	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
72 72" wide	2. Finish type: 1 = V1 2 = V2 3 = V3	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep		
2 V2 finish		
V319 Medium cherry	*Round tops in two pieces.	

Waterfall edge
1 1/4" thick conference room tops
square and rectangular
with 2" waterfall edge



Reff

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece	72"	30"	RRAW7230-(1/2/3)	\$1,917.	\$2,206.	\$2,978.
	84"	30"	RRAW8430-(1/2/3)	2,121.	2,440.	3,294.
	96"	30"	RRAW9630-(1/2/3)	2,379.	2,736.	3,693.
	72"	36"	RRAW7236-(1/2/3)	2,082.	2,395.	3,233.
	84"	36"	RRAW8436-(1/2/3)	2,278.	2,617.	3,533.
	96"	36"	RRAW9636-(1/2/3)	2,631.	3,024.	4,082.
	84"	42"	RRAW8442-(1/2/3)	3,368.	3,872.	5,227.
	96"	42"	RRAW9642-(1/2/3)	3,862.	4,441.	5,995.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines	120"	36"	RRAW12036-(1/2/3)	4,214.	4,850.	6,547.
	120"	42"	RRAW12042-(1/2/3)	5,816.	6,689.	9,030.
	144"	42"	RRAW14442-(1/2/3)	6,533.	7,514.	10,143.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines	168"	42"	RRAW16842-(1/2/3)	8,567.	9,854.	13,304.
	192"	42"	RRAW19242-(1/2/3)	9,282.	10,674.	14,410.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Square top - one piece	—	36"	RRAW3636-(1/2/3)	1,482.	1,986.	2,682.
	—	42"	RRAW4242-(1/2/3)	1,917.	2,572.	3,472.
Square top - two piece, Waterfall edge not on parting lines	—	60"	RRAW6060-(1/2/3)	3,925.	4,513.	6,092.
	—	72"	RRAW7272-(1/2/3)	4,635.	5,331.	7,197.

Order Code	Specification Information	Application Notes
Example: RRAW72302	<i>To order please specify pattern number including:</i>	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
R Reff	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Rectangular	2. Finish type	Top to top brackets included.
A 1 1/4" thick	3. Finish	Tops have no radius on edges that adjoin.
W Waterfall all sides	1. <i>Thickness option:</i> A = 1 1/4"	See table base matrix in Planning Guide for base supports recommended.
72 72" wide	2. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	1 1/4" tops require support at mid point to reduce spans to 48" or less.
30 30" deep	Applicable finishes are listed on page 5 and 6.	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish		
V319 Medium cherry		

Cascade edge
worksurface tops
Rectilinear 24" and 30" deep


Reff

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	RCE1R2424N	\$205.	\$178.
	24"	30"	RCE1R3024N	236.	205.
	24"	36"	RCE1R3624N	261.	227.
	24"	42"	RCE1R4224N	301.	261.
	24"	48"	RCE1R4824N	337.	293.
	24"	54"	RCE1R5424N	362.	315.
	24"	60"	RCE1R6024N	393.	342.
	24"	66"	RCE1R6624N	424.	369.
	24"	72"	RCE1R7224N	444.	386.
	24"	78"	RCE1R7824N	476.	414.
	24"	84"	RCE1R8424N	503.	438.
30"D Rectangular  shown with grommet	30"	24"	RCE1R2430N	262.	228.
	30"	30"	RCE1R3030N	293.	255.
	30"	36"	RCE1R3630N	326.	283.
	30"	42"	RCE1R4230N	354.	308.
	30"	48"	RCE1R4830N	393.	342.
	30"	54"	RCE1R5430N	445.	387.
	30"	60"	RCE1R6030N	489.	425.
	30"	66"	RCE1R6630N	545.	474.
	30"	72"	RCE1R7230N	568.	494.
	30"	78"	RCE1R7830N	606.	527.
	30"	84"	RCE1R8430N	644.	560.
	30"	90"	RCE1R9030N	693.	602.
	30"	96"	RCE1R9630N	740.	644.

Order Code	Specification Information	Application Notes
Example: RCE1R3024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
R Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
CE1 Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
R Rectangular	114 Folkstone Grey	Tops require mid span support to reduce spans to 48" or less.
30 Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 189 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width $\frac{1}{16}$ " less nominal. Actual depth $\frac{3}{8}$ " less nominal for cord drop.
118 Finish	Woodgrain:	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade edge
worksurface tops
blended “D”

Reff

description	A	B	C	pattern no.	Woodgrain	Solid
 right hand shown	66"	48"	24"	RCE1BD6648S(L/R)	\$831.	\$723.
	66"	48"	30"	RCE1BD6648D(L/R)	875.	760.
	72"	48"	24"	RCE1BD7248S(L/R)	851.	739.
	72"	48"	30"	RCE1BD7248D(L/R)	907.	788.
	78"	48"	24"	RCE1BD7848S(L/R)	982.	854.
	78"	48"	30"	RCE1BD7848D(L/R)	1,014.	882.
	84"	48"	24"	RCE1BD8448S(L/R)	1,008.	877.
	84"	48"	30"	RCE1BD8448D(L/R)	1,071.	932.

Order Code	Specification Information	Application Notes
Example: RCE1BD6648SR 118	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
R Reff		
CE1 Cascade edge	1. Return depth (dimension C on line art, hard coded in pattern number)	Tops require mid span support to reduce spans to 48" or less.
BD Blended “D”	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 189 as required to support Cascade edge worksurfaces for Reff panel hung applications.
66 Width	D = 30" return	
48 Depth		
S 24" return	2. Hand (left or right)	
R right hand	3. Finish	
118 Finish	<i>Solid:</i>	Cascade edge worksurfaces are not recommended for free-standing applications.
	114 Folkstone Grey	Actual width 1/16" less nominal.
	117 Soft Grey	Actual depth 3/8" less nominal for cord drop.
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge
worksurface tops
curvilinear corner

Reff

description	A	B	C	pattern no.	Woodgrain	Solid
Curvilinear corner	36"	24"	24"	RCE1L3636SSN	\$515.	\$447.
	42"	24"	24"	RCE1L4242SSN	620.	539.
	42"	24"	30"	RCE1L4242SDN	736.	641.
	42"	30"	24"	RCE1L4242DSN	736.	641.
	48"	24"	24"	RCE1L4848SSN	697.	606.
	48"	24"	30"	RCE1L4848SDN	834.	725.
	48"	30"	24"	RCE1L4848DSN	834.	725.
	48"	30"	30"	RCE1L4848DDN	749.	651.




shown with grommets

Order Code	Specification Information	Application Notes
Example: RCE1L4848SSG 114	<i>To order please specify pattern number including:</i>	Center-located edge grommets, located on center of sides marked A.
RCE1 Reff Cascade Edge worksurface	1. Return depths (hard coded in pattern number)	To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.
L Curvilinear Corner top	SS = 24"d left and right	All support hardware ordered separately.
48 Width	SD = 24"d left, 30"d right	Tops require mid span support to reduce spans to 48" or less.
48 Depth	DS = 30"d left, 24"d right	Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 189 as required to support Cascade edge worksurfaces for Reff panel hung applications.
S 24"d, left side	DD = 30"d left and right	Cascade edge worksurfaces are not recommended for free-standing applications.
S 24"d, right side	2. Grommets (hard coded in pattern number)	Actual width $\frac{1}{16}$ " less nominal. Actual depth $\frac{3}{8}$ " less nominal for cord drop.
G Grommet	N= no grommets	
114 Folkstone Grey finish	G= grommets	
Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.		
	3. Finish	
	<i>Solid:</i>	
	114 Folkstone Grey	
	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade edge
worksurface tops
blended "L"

Reff

description	B	C	A	D	pattern no.	Woodgrain	Solid
 shown with grommets	42"	60"	24"	24"	RCE1L4260SSN	\$852.	\$740.
	42"	66"	24"	24"	RCE1L4266SSN	875.	760.
	42"	72"	24"	24"	RCE1L4272SSN	908.	789.
	42"	78"	24"	24"	RCE1L4278SSN	917.	798.
	48"	60"	24"	24"	RCE1L4860SSN	862.	750.
	48"	60"	24"	30"	RCE1L4860SDN	847.	736.
	48"	60"	30"	24"	RCE1L4860DSN	847.	736.
	48"	66"	24"	24"	RCE1L4866SSN	893.	777.
	48"	66"	24"	30"	RCE1L4866SDN	890.	774.
	48"	66"	30"	24"	RCE1L4866DSN	890.	774.
	48"	72"	24"	24"	RCE1L4872SSN	926.	805.
	48"	72"	24"	30"	RCE1L4872SDN	932.	810.
	48"	72"	30"	24"	RCE1L4872DSN	932.	810.
	48"	78"	24"	24"	RCE1L4878SSN	1,021.	888.
	48"	84"	24"	24"	RCE1L4884SSN	1,148.	998.
	60"	42"	24"	24"	RCE1L6042SSN	852.	740.
	60"	48"	24"	24"	RCE1L6048SSN	862.	750.
	60"	48"	24"	30"	RCE1L6048SDN	847.	736.
	60"	48"	30"	24"	RCE1L6048DSN	847.	736.
	66"	42"	24"	24"	RCE1L6642SSN	875.	760.
	66"	48"	24"	24"	RCE1L6648SSN	893.	777.
	66"	48"	24"	30"	RCE1L6648SDN	890.	774.
	66"	48"	30"	24"	RCE1L6648DSN	890.	774.
	72"	42"	24"	24"	RCE1L7242SSN	908.	789.
	72"	48"	24"	24"	RCE1L7248SSN	926.	805.
	72"	48"	24"	30"	RCE1L7248SDN	932.	810.
	72"	48"	30"	24"	RCE1L7248DSN	932.	810.
	78"	42"	24"	24"	RCE1L7842SSN	917.	798.
	78"	48"	24"	24"	RCE1L7848SSN	1,021.	888.
	84"	48"	24"	24"	RCE1L8448SSN	1,148.	998.

Order Code	Specification Information	Application Notes
Example: RCE1L4260SSG 114	<i>To order please specify pattern number including:</i>	Center-located edge grommets, located on center of sides marked B and C.
RCE1 Cascade edge worksurface	1. Return depths (hard coded in pattern number):	To specify grommets, replace the "N" suffix in pattern number with "G". Add \$42.
L Blended "L" top	SS = 24"d left and right	All support hardware ordered separately.
42 Width	SD = 24"d left, 30"d right	Tops require mid span support to reduce spans to 48" or less.
60 Depth	DS = 30"d left, 24"d right	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 189 as required to support Cascade edge worksurfaces for Reff panel hung applications.
S 24"d, left side	2. Grommets (hard coded in pattern number):	Cascade edge worksurfaces are not recommended for free-standing applications.
S 24"d, right side	N= no grommets	Actual width 1/16" less nominal.
G Grommets	G= grommets	Actual depth 3/8" less nominal for cord drop.
114 Top finish	3. Finishes:	
	<i>Solid:</i>	
	114 Folkstone Grey	
	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade edge
worksurface tops
half round and corner round

Reff



description	w	d	pattern no.	Woodgrain	Solid
	48"	18"	RCE1H4818	\$444.	\$386.
	50 1/2"	18"	RCE1H4818P	444.	386.
	60"	24"	RCE1H6024	612.	531.
	62 1/2"	24"	RCE1H6024P	612.	531.
LH Corner Round 	24"	24"	RCE1CR24L	236.	205.
RH Corner Round	24"	24"	RCE1CR24R	236.	205.
Notched Corner Round 	24"	24"	RCE1CR24N	236.	205.

Worksurfaces

Order Code	Specification Information	Application Information
Example: RCE1H4818P 118	<i>To order please specify pattern number including finish:</i>	All support hardware ordered separately.
R Reff	<i>Available finishes:</i>	Tops require mid span support to reduce spans to 48" or less.
CE1 Cascade edge	<i>Solid:</i>	Specify cantilever bracket from page 189 as required to support Cascade edge worksurfaces for Reff panel hung applications.
H Half round	114 Folkstone Grey	Half round tops with suffix P, notched for panel end trim profile B square only.
48 Width	117 Soft Grey	Cascade edge worksurfaces are not recommended for free-standing applications.
18 Depth	118 Bright White	Actual width 1/16" less nominal.
P Notch for panel trim	119 Pumice	Actual depth 3/8" less nominal.
118 Finish	Woodgrain:	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade edge
worksurface tops
wave end

Reff

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	15"	3"	RCE1W363024N	\$552.	\$480.
	42"	24"	30"	15"	9"	RCE1W423024N	580.	504.
	48"	24"	30"	15"	15"	RCE1W483024N	621.	540.
	72"	24"	30"	23 1/2"	30 1/2"	RCE1W723024N	790.	687.
<i>shown with grommet</i>								
Wave End, RH 	36"	30"	24"	3"	15"	RCE1W362430N	552.	480.
	42"	30"	24"	9"	15"	RCE1W422430N	580.	504.
	48"	30"	24"	15"	15"	RCE1W482430N	621.	540.
	72"	30"	24"	30 1/2"	23 1/2"	RCE1W722430N	790.	687.
<i>shown with grommet</i>								


Order Code	Specification Information	Application Notes
Example: RCE1W483024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
RCE1 Cascade edge worksurface	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
W Wave end	<i>Solid:</i>	All support hardware ordered separately.
48 Width	114 Folkstone Grey	Tops require mid span support to reduce spans to 48" or less.
30 Depth, left side	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 189 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth, right side	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Top finish	Woodgrain:	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Top support components

Bracketry


Reff

description	d	pattern no.	P1 & black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$84.	\$88.	\$92.
	24"	RBC24 (L/R)	92.	98.	103.




Specify paint finish
18" for 20" and 24"d tops
24" for 30" and 36"d tops

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	84.	88.	92.
	24"	ASBC24 (L/R) ()	92.	98.	103.



Specify paint finish
18" for 24"d tops
24" for 30" d tops

Mid-span cantilever bracket, free standing	17"	RMSCB ()	67.	72.	76.
--	-----	------------------	-----	-----	-----





Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand		
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 287 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Knoll takes no responsibility for the installation or security of tops to the wall.

Top support components

Bracketry

Reff

description	d	pattern no.	P1 & black only	P2	P3
Corner top corner bracket 		RBCC	\$17.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	36.	38.	39.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	5.		
	Black only				
Wall hung support bracket 	20"	RSBWH20	38.	40.	42.
	24"	RSBWH24	40.	44.	46.
	30"	RSBWH30	44.	46.	48.
	36"	RSBWH36	48.	50.	53.
	42"	RSBWH42	50.	53.	56.
	48"	RSBWH48	61.	64.	67.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	33.		
	Black only				

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand		
	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 287 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components

Bracketry

Reff

description	d	pattern no.	P1 & black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$7.	\$7.	\$8.
		Specify paint finish			
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	12.	12.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			

Support components


Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand		
	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 287 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components


26 1/2" high

Reff


description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. 1 5/16" actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$141.	\$189.	\$216.	\$292.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	253.	338.	389.	525.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	280.	370.	426.	575.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	301.	403.	462.	624.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	339.	453.	520.	702.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	355.	474.	545.	736.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	368.	489.	562.	759.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	383.	511.	590.	797.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	422.	562.	647.	873.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	450.	598.	691.	933.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	476.	636.	729.	984.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	504.	672.	772.	1,042.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	517.	689.	791.	1,068.



Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	165.	272.	313.	423.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	177.	289.	333.	450.
	19"	1"	26 1/2"	RE19F-()	192.	304.	348.	470.
	23"	1"	26 1/2"	RE23F-()	202.	317.	366.	494.
	29"	1"	26 1/2"	RE29F-()	215.	335.	385.	520.



Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	432.	666.	767.	1,035.
	36"	1"	26 1/2"	RE36-()	456.	698.	803.	1,084.




Order Code	Specification Information	Application Notes
Example: RB24MFL		
R Reff	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
B Back panel		
24 48" panel dimension		
M Full height modesty		
F Flush modesty placement	1. <i>Modesty type</i> 2. <i>Modesty placement</i> 3. <i>Finish type</i> 4. <i>Finish</i>	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
L Laminate	1. <i>Modesty type:</i> M = Standard height (26 1/2"H) H = Half height	
114 Folkstone grey	2. <i>Modesty placement:</i> F = Flush, cantilevered R = Recessed	
	3. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
		Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
		Modesty panel lengths are nominal - length changes on option selected.
		Glides ship with all supports on this page except the recessed modesty panel.
		Please see Planning Guide for freestanding planning instruction.

Top support components

26 1/2" high


Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	\$165.	\$272.	\$313.	\$423.
	16"	1"	26 1/2"	RSE2(L/R)-()	177.	289.	333.	450.
	20"	1"	26 1/2"	RSE3(L/R)-()	192.	304.	348.	470.
	24"	1"	26 1/2"	RSE4(L/R)-()	202.	317.	366.	494.
	30"	1"	26 1/2"	RSE5(L/R)-()	215.	335.	385.	520.
	36"	1"	26 1/2"	RSE6(L/R)-()	228.	348.	403.	544.



left hand shown


Support for corner worksurfaces. All hardware included.





36"	36"	26 1/2"	RB3636-()	914.	1,285.	1,479.	1,997.
36"	42"	26 1/2"	RB3642-()	935.	1,319.	1,518.	2,049.
36"	48"	26 1/2"	RB3648-()	974.	1,370.	1,571.	2,121.
42"	36"	26 1/2"	RB4236-()	935.	1,319.	1,518.	2,049.
42"	42"	26 1/2"	RB4242-()	958.	1,351.	1,557.	2,102.
42"	48"	26 1/2"	RB4248-()	996.	1,400.	1,611.	2,175.
48"	36"	26 1/2"	RB4836-()	974.	1,370.	1,571.	2,121.
48"	42"	26 1/2"	RB4842-()	996.	1,400.	1,611.	2,175.
48"	48"	26 1/2"	RB4848-()	1,034.	1,452.	1,680.	2,268.

Support components

Order Code	Specification Information	Application Notes
Example: RB24MFL		
R Reff	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
B Back panel	1. <i>Modesty type</i>	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
24 48" panel dimension	2. <i>Modesty placement</i>	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
M Full height modesty	3. <i>Finish type</i>	Modesty panel lengths are nominal - length changes on option selected.
F Flush modesty placement	1. <i>Modesty type:</i> M = Standard height (26 1/2"H) H = Half height	Glides ship with all supports on this page except the recessed modesty panel.
L Laminate	2. <i>Modesty placement:</i> F = Flush, cantilevered R = Recessed	Please see Planning Guide for freestanding planning instruction.
114 Folkstone grey	3. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	


description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware (desk height) 	1"	24"	28 ³ / ₈ "	RBDH24M(F/R) () ()	\$148.	\$199.	\$226.	\$305.
	1"	30"	28 ³ / ₈ "	RBDH30M(F/R) () ()	265.	356.	408.	551.
	1"	36"	28 ³ / ₈ "	RBDH36M(F/R) () ()	295.	389.	446.	602.
	1"	42"	28 ³ / ₈ "	RBDH42M(F/R) () ()	316.	422.	486.	656.
	1"	48"	28 ³ / ₈ "	RBDH48M(F/R) () ()	356.	474.	546.	737.
	1"	54"	28 ³ / ₈ "	RBDH54M(F/R) () ()	372.	498.	571.	771.
	1"	60"	28 ³ / ₈ "	RBDH60M(F/R) () ()	387.	512.	590.	797.
	1"	66"	28 ³ / ₈ "	RBDH66M(F/R) () ()	401.	536.	620.	837.
	1"	72"	28 ³ / ₈ "	RBDH72M(F/R) () ()	443.	590.	678.	915.
	1"	78"	28 ³ / ₈ "	RBDH78M(F/R) () ()	473.	627.	726.	980.
	1"	84"	28 ³ / ₈ "	RBDH84M(F/R) () ()	500.	666.	765.	1,033.
	1"	90"	28 ³ / ₈ "	RBDH90M(F/R) () ()	530.	705.	811.	1,095.
	1"	96"	28 ³ / ₈ "	RBDH96M(F/R) () ()	541.	724.	830.	1,121.

Desk height end panels with hardware for building flush or cantilevered worksurfaces 	1"	12"	28 ³ / ₈ "	REDH12F () () *	172.	288.	329.	444.
	1"	15"	28 ³ / ₈ "	REDH15F () () *	186.	303.	351.	474.
	1"	19"	28 ³ / ₈ "	REDH19F () ()	201.	318.	366.	494.
	1"	23"	28 ³ / ₈ "	REDH23F () ()	213.	333.	385.	520.
	1"	29"	28 ³ / ₈ "	REDH29F () ()	226.	353.	404.	545.

Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs) 	1"	30"	28 ³ / ₈ "	REDH30 () ()	453.	700.	805.	1,087.
	1"	36"	28 ³ / ₈ "	REDH36 () ()	479.	733.	842.	1,137.


Order Code	Specification Information	Application Notes	
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 ⁵ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed		Modesty panel lengths are nominal, length changes on option selected.
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3		* Half depth end panels
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>		Glides ship with all supports on this page except the recessed modesty panel.
24 24"	Applicable finishes are listed on page 5 and 6.	Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.	Please see Reff Planning Guide for freestanding planning instructions.
M Full height modesty			
F Modesty placement, flush			
L Finish type, laminate			
114 Finish, Folkstone grey			

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panel for panel (hardware included)	1"	13"	28 ³ / ₈ "	RSEDH1(L/R) () ()	\$172.	\$288.	\$329.	\$444.
	1"	16"	28 ³ / ₈ "	RSEDH2(L/R) () ()	186.	303.	351.	474.
	1"	20"	28 ³ / ₈ "	RSEDH3(L/R) () ()	201.	318.	366.	494.
	1"	24"	28 ³ / ₈ "	RSEDH4(L/R) () ()	213.	333.	385.	520.
	1"	30"	28 ³ / ₈ "	RSEDH5(L/R) () ()	226.	353.	404.	545.
	1"	36"	28 ³ / ₈ "	RSEDH6(L/R) () ()	240.	366.	422.	570.




left hand shown

Desk height corner worksurface support	36"	36"	28 ³ / ₈ "	RBDH3636 () ()	959.	1,350.	1,555.	2,099.
	36"	42"	28 ³ / ₈ "	RBDH3642 () ()	981.	1,386.	1,594.	2,152.
	36"	48"	28 ³ / ₈ "	RBDH3648 () ()	1,023.	1,438.	1,651.	2,229.
	42"	36"	28 ³ / ₈ "	RBDH4236 () ()	981.	1,386.	1,594.	2,152.
	42"	42"	28 ³ / ₈ "	RBDH4242 () ()	1,006.	1,419.	1,633.	2,205.
	42"	48"	28 ³ / ₈ "	RBDH4248 () ()	1,046.	1,469.	1,694.	2,287.
	48"	36"	28 ³ / ₈ "	RBDH4836 () ()	1,023.	1,438.	1,651.	2,229.
	48"	42"	28 ³ / ₈ "	RBDH4842 () ()	1,046.	1,469.	1,694.	2,287.
	48"	48"	28 ³ / ₈ "	RBDH4848 () ()	1,085.	1,525.	1,765.	2,383.



depth = left return, width = right return

Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 ³ / ₈ "	RBDH40MR () ()	316.	422.	486.	656.
	1"	52"	28 ³ / ₈ "	RBDH52MR () ()	372.	498.	571.	771.
	1"	64"	28 ³ / ₈ "	RBDH64MR () ()	401.	536.	620.	837.



Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

Desk height bulkhead (false pedestal)	24"	16"	28 ³ / ₈ "	REDHBH124 () ()	447.	699.	811.	1,095.
	30"	16"	28 ³ / ₈ "	REDHBH130 () ()	462.	714.	830.	1,121.




Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application

Order Code	Specification Information	Application Notes	
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications. Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed		Modesty panel lengths are nominal, length changes on option selected.
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3		* Half depth end panels
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>		Glides ship with all supports on this page except the recessed modesty panel.
24 24"	Applicable finishes are listed on page 5 and 6.		Please see Reff Planning Guide for freestanding planning instructions.
M Full height modesty			
F Modesty placement, flush			
L Finish type, laminate			
114 Finish, Folkstone grey			

Bases, 26 1/2" high painted or plated

Reff

description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	—	26 1/2"	—	RSC	\$228.	\$240.	\$251.
4" diameter base, plain cylinder 	4"	—	26 1/2"	—	RCB	239.	250.	262.
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	—	26 1/2"	—	RSC4-()	888.	931.	979.
Drum base 	14"		26 1/2"	—	RSD1427-()	1,039.	1,091.	1,146.
	18"		26 1/2"	—	RSD1827-()	1,129.	1,186.	1,244.
	20"		26 1/2"	—	RSD2027-()	1,164.	1,222.	1,283.
	24"		26 1/2"	—	RSD2427-()	1,394.	1,465.	1,538.
	30"		26 1/2"	—	RSD3027-()	1,558.	1,636.	1,717.
T-leg, Interaction style 	—		26 1/2"	24"	RIB24T	326.	342.	360.
T-Leg, plain tube style 	—		26 1/2"	20"	RCB20T-()	352.	369.	387.
	-		26 1/2"	24"	RCB24T-()	358.	378.	396.
	-		26 1/2"	30"	RCB30T-()	396.	415.	437.
	-		26 1/2"	40"	RCB40T-()	417.	439.	461.

Order Code	Specification Information	Application Notes
Example: RSC	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. Finish type, where applicable	Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.
S Support	2. Finish	Refer to Planning Guide for top-base matrix, pages 140 and 141.
C Cylinder	<i>Finish type options:</i> P = Paint M = Metal (plated)	Only the plain cylinder and tube legs can be ordered in plated finishes. Applicable finishes are listed on page 5 and 6. All bases include 1 1/2" leveller.

Bases, 26 1/2" high painted or plated

Reff

description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
X-base		—	26 1/2"	28"	RIB28X-()	\$538.	\$565.	\$594.
		—	26 1/2"	32"	RIB32X-()	729.	766.	805.
Metal paint finishes only								
Spider base, plain tube style		—	26 1/2"	24"	RCB24X	550.	578.	607.
		—	26 1/2"	28"	RCB28X	576.	605.	635.
		—	26 1/2"	36"	RCB36X	625.	657.	689.

Support components

Order Code	Specification Information	Application Notes
Example: RSC	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. Finish type, where applicable	Only the plain cylinder and tube legs can be ordered in plated finishes.
S Support	2. Finish	Applicable finishes are listed on page 5 and 6.
C Cylinder	<i>Finish type options:</i> P = Paint M = Metal (plated)	Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes. Refer to Planning Guide for top-base matrix, pages 140 and 141. All bases include 1 1/2" leveller.

Bases, 26 1/2" high
laminate, V1, V2 or V3

Reff

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 L-base (hardware included), non-handed*	12"		26 1/2"	12"	RSL12-()	\$388.	\$440.	\$514.	\$695.
	15"		26 1/2"	12"	RSL15-()	397.	450.	519.	700.
	20"		26 1/2"	12"	RSL20-()	416.	465.	538.	726.
	24"		26 1/2"	12"	RSL24-()	423.	474.	545.	735.
	30"		26 1/2"	12"	RSL30-()	489.	549.	636.	858.
	36"		26 1/2"	12"	RSL36-()	555.	630.	723.	976.
	42"		26 1/2"	12"	RSL42-()	616.	701.	808.	1,092.
	48"		26 1/2"	12"	RSL48-()	687.	773.	893.	1,206.
 Drum base	14"		26 1/2"	–	RSD1427-()	n/a	1,215.	1,398.	1,887.
	18"		26 1/2"	–	RSD1827-()	n/a	1,319.	1,518.	2,050.
	20"		26 1/2"	–	RSD2027-()	n/a	1,361.	1,566.	2,114.
	24"		26 1/2"	–	RSD2427-()	n/a	1,633.	1,878.	2,536.
	30"		26 1/2"	–	RSD3027-()	n/a	1,824.	2,095.	2,828.
 T-base (hardware included)*	20"		26 1/2"	12"	RST1-()	388.	440.	514.	695.
	24"		26 1/2"	12"	RST2-()	416.	474.	545.	735.
	30"		26 1/2"	12"	RST3-()	489.	549.	636.	858.
	36"		26 1/2"	12"	RST4-()	555.	630.	723.	976.
	42"		26 1/2"	12"	RST5-()	616.	701.	808.	1,092.
	48"		26 1/2"	12"	RST6-()	687.	773.	893.	1,206.

Order Code

Example: RSD	
R	Reff
S	Support
D	Drum base

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:

L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Refer to Planning Guide for top-base matrix, pages 140 and 141.


All bases include 1 1/2" leveller.

T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

Bases, 28³/₈" high painted or plated

Reff

description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	–	28 ³ / ₈ "		RSDHC () ()	\$240.	\$251.	\$263.
4" Plain Cylinder (desk height) 	4" dia	–	28 ³ / ₈ "		RCDHB () ()	250.	262.	276.
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	–	28 ³ / ₈ "		RSDHC4 () ()	933.	978.	1,028.
T-Leg, plain tube style (desk height) 		–	28 ³ / ₈ "	20"	RCDHB20T () ()	369.	388.	407.
		–	28 ³ / ₈ "	24"	RCDHB24T () ()	377.	396.	416.
		–	28 ³ / ₈ "	30"	RCDHB30T () ()	416.	437.	458.
		–	28 ³ / ₈ "	40"	RCDHB40T () ()	439.	461.	484.
T-Leg, Interaction style (desk height) 		–	28 ³ / ₈ "	24"	RIBDH24T () ()	342.	360.	378.
X-base (desk height) 		–	28 ³ / ₈ "	28"	RIBDH28X () ()	565.	593.	624.
		–	28 ³ / ₈ "	32"	RIBDH32X () ()	766.	804.	844.

Support components

Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i>	
S Support	P = Paint	
DH Desk Height	M = Metal (plated)	Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.
C Column Leg	2. <i>Finish</i>	
P Finish type, paint	see matrix on page 5	
111 Finish, Jet Black	Applicable finishes are listed on page 5 and 6.	All bases include 1 ¹ / ₂ " leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Bases, 28³/₈" high *painted or plated*

Reff

description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
Spider base, plain tube style (desk height)		—	28 ³ / ₈ "	24"	RCBDH24X ()()	\$578.	\$607.	\$637.
		—	28 ³ / ₈ "	28"	RCBDH28X ()()	605.	635.	667.
		—	28 ³ / ₈ "	36"	RCBDH36X ()()	657.	690.	723.
Drum Base (desk height)	14"	—	28 ³ / ₈ "	—	RSDHD1428 ()()	1,091.	1,146.	1,204.
	18"	—	28 ³ / ₈ "	—	RSDHD1828 ()()	1,186.	1,244.	1,306.
	20"	—	28 ³ / ₈ "	—	RSDHD2028 ()()	1,222.	1,283.	1,347.
	24"	—	28 ³ / ₈ "	—	RSDHD2428 ()()	1,465.	1,538.	1,615.
	30"	—	28 ³ / ₈ "	—	RSDHD3028 ()()	1,636.	1,718.	1,803.

Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i>	
S Support	P = Paint	
DH Desk Height	M = Metal (plated)	Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.
C Column Leg	2. <i>Finish</i>	
P Finish type, paint	see matrix on page 5	
111 Finish, Jet Black	Applicable finishes are listed on page 5 and 6.	All bases include 1 ¹ / ₂ " leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Bases, 28³/₈" high laminate, V1, V2 or V3

Reff

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum Base (desk height)	14"	—	28 ³ / ₈ "	—	RSDHD1428 ()()	N/A	\$1,276.	\$1,467.	\$1,980.
	18"	—	28 ³ / ₈ "	—	RSDHD1828 ()()	N/A	1,386.	1,593.	2,151.
	20"	—	28 ³ / ₈ "	—	RSDHD2028 ()()	N/A	1,429.	1,643.	2,219.
	24"	—	28 ³ / ₈ "	—	RSDHD2428 ()()	N/A	1,713.	1,972.	2,663.
	30"	—	28 ³ / ₈ "	—	RSDHD3028 ()()	N/A	1,916.	2,200.	2,970.
T-base, desk height (hardware included)	20"	28 ³ / ₈ "	12"	RSDHT1 ()()	408.	463.	539.	729.	
	24"	28 ³ / ₈ "	12"	RSDHT2 ()()	438.	497.	571.	771.	
	30"	28 ³ / ₈ "	12"	RSDHT3 ()()	513.	578.	667.	901.	
	36"	28 ³ / ₈ "	12"	RSDHT4 ()()	583.	662.	759.	1,025.	
	42"	28 ³ / ₈ "	12"	RSDHT5 ()()	647.	736.	849.	1,147.	
	48"	28 ³ / ₈ "	12"	RSDHT6 ()()	721.	814.	939.	1,267.	
L-base, desk height (hardware included, non-handed)	12"	28 ³ / ₈ "	12"	RSDHL12 ()()	408.	463.	539.	729.	
	15"	28 ³ / ₈ "	12"	RSDHL15 ()()	417.	470.	545.	735.	
	20"	28 ³ / ₈ "	12"	RSDHL20 ()()	438.	488.	566.	764.	
	24"	28 ³ / ₈ "	12"	RSDHL24 ()()	444.	497.	571.	771.	
	30"	28 ³ / ₈ "	12"	RSDHL30 ()()	513.	578.	667.	901.	
	36"	28 ³ / ₈ "	12"	RSDHL36 ()()	583.	662.	759.	1,025.	
	42"	28 ³ / ₈ "	12"	RSDHL42 ()()	647.	736.	849.	1,147.	
	48"	28 ³ / ₈ "	12"	RSDHL48 ()()	721.	814.	939.	1,267.	

Support components

Order Code	Specification Information	Application Notes
Example: RSDHD	<i>To order please specify pattern number including:</i>	T and L bases are not recommended for supporting conference tops.
R Reff	1. <i>Finish Type, where applicable</i>	All bases include 1 1/2" leveller.
S Support	L = Laminate	
DH Desk Height	1 = V1	
D Drum base	2 = V2	
2 Finish type, V2	3 = V3	
V316 Finish, Maple	2. <i>Finish</i>	
	see matrix on page 5	
	Applicable finishes are listed on page 5 and 6.	



Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.


Transaction tops for use with 42" H panel heights

Reff

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24()-()	\$302.	\$313.	\$313.	\$360.	\$486.
	30"	15"	1 1/4"	RTTA30()-()	331.	340.	340.	393.	531.
	36"	15"	1 1/4"	RTTA36()-()	360.	372.	372.	428.	578.
	42"	15"	1 1/4"	RTTA42()-()	389.	401.	401.	460.	621.
	48"	15"	1 1/4"	RTTA48()-()	415.	431.	431.	495.	668.
	54"	15"	1 1/4"	RTTA54()-()	444.	459.	459.	527.	711.
	60"	15"	1 1/4"	RTTA60()-()	473.	488.	488.	563.	760.
	66"	15"	1 1/4"	RTTA66()-()	501.	517.	517.	594.	802.
	72"	15"	1 1/4"	RTTA72()-()	528.	547.	547.	629.	849.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	RTTAWF24()-()			625.	718.	969.
	30"	15"	1 1/4"	RTTAWF30()-()			685.	788.	1,064.
	36"	15"	1 1/4"	RTTAWF36()-()			742.	855.	1,154.
	42"	15"	1 1/4"	RTTAWF42()-()			800.	920.	1,242.
	48"	15"	1 1/4"	RTTAWF48()-()			861.	990.	1,337.
	54"	15"	1 1/4"	RTTAWF54()-()			918.	1,054.	1,423.
	60"	15"	1 1/4"	RTTAWF60()-()			978.	1,125.	1,519.
	66"	15"	1 1/4"	RTTAWF66()-()			1,034.	1,191.	1,608.
	72"	15"	1 1/4"	RTTAWF72()-()			1,094.	1,257.	1,697.



Not available in laminate or mixed finishes


Order Code	Specification Information	Application Notes
Example: RTTA24S1	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.
R Reff	1. End treatment type	Tops with waterfall edge cannot be specified with open pore finish. Available in V1 and V2 finishes only.
TT Transaction top	2. Finish type	Applicable finishes are listed on page 5 and 6.
A 1 1/4" thick	3. Finish	
24 24" wide		
S Straight end treatment	1. End treatment options:	No grommets included.
1 V1 finish	S = Straight	Tops may be used to span more than one consecutive panel.
Y311 Beech	L = Left side mitre	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.
	R = Right side mitre	
	2. Finish type:	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

Gallery desk surrounds

1 1/4" worksurface


Reff

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,244.	\$1,406.	\$1,406.	\$1,545.	\$1,618.	\$2,086.	\$2,184.
	68"	25"	42"	RGAF682-()	1,287.	1,456.	1,456.	1,599.	1,676.	2,159.	2,263.
	74"	25"	42"	RGAF742-()	1,336.	1,512.	1,512.	1,660.	1,737.	2,241.	2,345.
	80"	25"	42"	RGAF802-()	1,383.	1,561.	1,561.	1,713.	1,797.	2,313.	2,426.
	86"	25"	42"	RGAF862-()	1,426.	1,615.	1,615.	1,769.	1,857.	2,388.	2,507.
	92"	25"	42"	RGAF922-()	1,474.	1,668.	1,668.	1,825.	1,917.	2,464.	2,588.
	98"	25"	42"	RGAF982-()	1,521.	1,720.	1,720.	1,884.	1,979.	2,543.	2,672.
	62"	31"	42"	RGAF623-()	1,323.	1,495.	1,495.	1,639.	1,721.	2,213.	2,323.
	68"	31"	42"	RGAF683-()	1,373.	1,555.	1,555.	1,704.	1,789.	2,300.	2,415.
	74"	31"	42"	RGAF743-()	1,425.	1,614.	1,614.	1,769.	1,855.	2,388.	2,504.
	80"	31"	42"	RGAF803-()	1,477.	1,668.	1,668.	1,831.	1,921.	2,472.	2,593.
	86"	31"	42"	RGAF863-()	1,531.	1,730.	1,730.	1,896.	1,991.	2,560.	2,688.
	92"	31"	42"	RGAF923-()	1,581.	1,790.	1,790.	1,958.	2,057.	2,643.	2,777.
	98"	31"	42"	RGAF983-()	1,634.	1,847.	1,847.	2,025.	2,123.	2,734.	2,866.




If shelf is not ordered and no drillings are required, you must order through specials.

Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	RGS60-()	300.	n/a	341.	n/a	393.	n/a	531.
	66"	12"	1"	RGS66-()	312.	n/a	352.	n/a	406.	n/a	548.
	72"	12"	1"	RGS72-()	322.	n/a	364.	n/a	418.	n/a	564.
	78"	12"	1"	RGS78-()	332.	n/a	375.	n/a	432.	n/a	583.
	84"	12"	1"	RGS84-()	339.	n/a	387.	n/a	444.	n/a	599.
	90"	12"	1"	RGS90-()	351.	n/a	396.	n/a	455.	n/a	614.
	96"	12"	1"	RGS96-()	360.	n/a	407.	n/a	468.	n/a	632.



Bridge top assembly	42"	21"	42"	RGAB421-()	709.	801.	801.	865.	920.	1,168.	1,242.
	48"	21"	42"	RGAB481-()	759.	856.	856.	923.	985.	1,246.	1,330.
	54"	21"	42"	RGAB541-()	809.	913.	913.	987.	1,050.	1,332.	1,418.
	60"	21"	42"	RGAB601-()	857.	969.	969.	1,050.	1,117.	1,418.	1,508.
	66"	21"	42"	RGAB661-()	908.	1,026.	1,026.	1,109.	1,180.	1,497.	1,593.
	72"	21"	42"	RGAB721-()	956.	1,081.	1,081.	1,171.	1,242.	1,581.	1,677.
	78"	21"	42"	RGAB781-()	1,003.	1,136.	1,136.	1,233.	1,307.	1,665.	1,764.
	84"	21"	42"	RGAB841-()	1,052.	1,189.	1,189.	1,287.	1,368.	1,737.	1,847.
	90"	21"	42"	RGAB901-()	1,099.	1,243.	1,243.	1,349.	1,430.	1,821.	1,931.
	96"	21"	42"	RGAB961-()	1,145.	1,294.	1,294.	1,405.	1,490.	1,897.	2,012.




Order Code	Specification Information	Application Notes	
Example: RGAF622NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, components: (surround components)</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>	All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option		
G Gallery surround	2. Finish type, top		All freestanding top assemblies are drilled to accept shelf.
A 1 ¼" top thickness	3. Finish type, components		
F Freestanding	4. Finish, top		M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.
62 62" wide	5. Finish, components		
2 25" deep	<i>1. Grommet options:</i> N = No grommets F = Flush front grommet	1 ¼" tops require support at midpoint to reduce spans to 48" or less.	Specify only 26 ½" h pedestals and support components as required when using with gallery desk surround products on this page.
N No grommet	<i>2. Finish type, top:</i> L = Laminate M = Mixed (laminate top w/wood edge)	Hardware included. Shipped knocked-down	Applicable finishes are listed on
L Finish type top, laminate			
L Finish type components			
114 Folkstone grey (top)			
114 Folkstone grey (components)			

Gallery desk surrounds


1 3/4" worksurface

Reff

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround drilled to accept shelf	62"	25"	42"	RGBF622-()()	\$1,427.	\$1,616.	\$1,616.	\$1,735.	\$1,859.	\$2,342.	\$2,510.
	68"	25"	42"	RGBF682-()()	1,482.	1,676.	1,676.	1,800.	1,929.	2,430.	2,604.
	74"	25"	42"	RGBF742-()()	1,535.	1,736.	1,736.	1,864.	1,998.	2,516.	2,697.
	80"	25"	42"	RGBF802-()()	1,587.	1,796.	1,796.	1,924.	2,067.	2,597.	2,790.
	86"	25"	42"	RGBF862-()()	1,642.	1,855.	1,855.	1,989.	2,133.	2,685.	2,880.
	92"	25"	42"	RGBF922-()()	1,694.	1,916.	1,916.	2,049.	2,203.	2,766.	2,974.
	98"	25"	42"	RGBF982-()()	1,748.	1,977.	1,977.	2,114.	2,273.	2,854.	3,069.
	62"	31"	42"	RGBF623-()()	1,523.	1,721.	1,721.	1,847.	1,980.	2,493.	2,673.
	68"	31"	42"	RGBF683-()()	1,580.	1,789.	1,789.	1,919.	2,055.	2,591.	2,774.
	74"	31"	42"	RGBF743-()()	1,641.	1,854.	1,854.	1,991.	2,131.	2,688.	2,877.
	80"	31"	42"	RGBF803-()()	1,699.	1,921.	1,921.	2,061.	2,209.	2,782.	2,982.
	86"	31"	42"	RGBF863-()()	1,759.	1,991.	1,991.	2,132.	2,289.	2,878.	3,090.
	92"	31"	42"	RGBF923-()()	1,819.	2,057.	2,057.	2,204.	2,365.	2,975.	3,193.
	98"	31"	42"	RGBF983-()()	1,877.	2,122.	2,122.	2,273.	2,442.	3,069.	3,297.



Bridge top assembly	42"	21"	42"	RGBB421-()()	834.	942.	942.	987.	1,083.	1,332.	1,462.
	48"	21"	42"	RGBB481-()()	883.	1,000.	1,000.	1,048.	1,149.	1,415.	1,551.
	54"	21"	42"	RGBB541-()()	936.	1,057.	1,057.	1,108.	1,218.	1,496.	1,644.
	60"	21"	42"	RGBB601-()()	988.	1,117.	1,117.	1,171.	1,283.	1,581.	1,732.
	66"	21"	42"	RGBB661-()()	1,043.	1,180.	1,180.	1,236.	1,357.	1,669.	1,832.
	72"	21"	42"	RGBB721-()()	1,097.	1,242.	1,242.	1,305.	1,429.	1,762.	1,929.
	78"	21"	42"	RGBB781-()()	1,154.	1,306.	1,306.	1,369.	1,500.	1,848.	2,025.
	84"	21"	42"	RGBB841-()()	1,209.	1,368.	1,368.	1,436.	1,574.	1,939.	2,125.
	90"	21"	42"	RGBB901-()()	1,262.	1,430.	1,430.	1,500.	1,644.	2,025.	2,219.
	96"	21"	42"	RGBB961-()()	1,317.	1,490.	1,490.	1,560.	1,713.	2,106.	2,313.



Order Code	Specification Information	Application Notes
Example: RGBF622NLL	<i>To order please specify pattern number including:</i>	Mixed finish 1 3/4" tops are not post formed.
R Reff	1. Grommet option	Top and surround must be same finish unless mixed option selected.
G Gallery surround	2. Finish type top	Hardware included.
B 1 3/4" top thickness	3. Finish type components	1 3/4" tops require support at midpoint to reduce spans to 72" or less.
F Freestanding	4. Finish, top	Gallery desk surrounds are available with waterfall edge as a standard special.
62 62" wide	5. Finish, components	All requests for special grommet locations must be approved through custom product development.
2 25" deep	<i>1. Grommet options:</i>	
N No grommet	N = No grommets	
L Finish type, top	F = Flush front grommet	
L Finish type, components	<i>2. Finish type top:</i>	
	L = Laminate	
	M = Mixed (laminate top with wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Finish type, components: (surround components)</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>If mixed top finish type, components must be type 1, 2 or 3</i>	

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431-()	\$868.	\$981.	\$981.	\$1,070.	\$1,127.	\$1,445.	\$1,521.
		49"	42"	RGAR491-()	911.	1,032.	1,032.	1,127.	1,187.	1,521.	1,602.
		55"	42"	RGAR551-()	957.	1,082.	1,082.	1,182.	1,243.	1,596.	1,678.
		61"	42"	RGAR611-()	1,001.	1,131.	1,131.	1,235.	1,304.	1,667.	1,760.
		67"	42"	RGAR671-()	1,046.	1,185.	1,185.	1,292.	1,362.	1,744.	1,839.
		73"	42"	RGAR731-()	1,090.	1,233.	1,233.	1,347.	1,417.	1,818.	1,913.
		79"	42"	RGAR791-()	1,135.	1,283.	1,283.	1,404.	1,479.	1,895.	1,997.
		85"	42"	RGAR851-()	1,179.	1,334.	1,334.	1,455.	1,534.	1,964.	2,071.
		91"	42"	RGAR911-()	1,225.	1,387.	1,387.	1,513.	1,602.	2,043.	2,163.
	25"	43"	42"	RGAR432-()	952.	1,076.	1,076.	1,177.	1,237.	1,589.	1,670.
		49"	42"	RGAR492-()	994.	1,126.	1,126.	1,230.	1,293.	1,661.	1,746.
		55"	42"	RGAR552-()	1,040.	1,176.	1,176.	1,283.	1,354.	1,732.	1,828.
		61"	42"	RGAR612-()	1,086.	1,227.	1,227.	1,336.	1,409.	1,804.	1,902.
		67"	42"	RGAR672-()	1,130.	1,278.	1,278.	1,395.	1,468.	1,883.	1,982.
		73"	42"	RGAR732-()	1,174.	1,328.	1,328.	1,450.	1,529.	1,958.	2,064.
		79"	42"	RGAR792-()	1,218.	1,376.	1,376.	1,500.	1,585.	2,025.	2,140.
		85"	42"	RGAR852-()	1,262.	1,430.	1,430.	1,557.	1,644.	2,102.	2,219.
		91"	42"	RGAR912-()	1,310.	1,482.	1,482.	1,611.	1,703.	2,175.	2,299.
	31"	43"	42"	RGAR433-()	1,012.	1,144.	1,144.	1,247.	1,315.	1,683.	1,775.
		49"	42"	RGAR493-()	1,055.	1,192.	1,192.	1,302.	1,372.	1,758.	1,852.
		55"	42"	RGAR553-()	1,099.	1,243.	1,243.	1,352.	1,430.	1,825.	1,931.
		61"	42"	RGAR613-()	1,142.	1,292.	1,292.	1,405.	1,488.	1,897.	2,009.
		67"	42"	RGAR673-()	1,185.	1,345.	1,345.	1,460.	1,545.	1,971.	2,086.
		73"	42"	RGAR733-()	1,231.	1,394.	1,394.	1,514.	1,599.	2,044.	2,159.
		79"	42"	RGAR793-()	1,276.	1,441.	1,441.	1,567.	1,659.	2,115.	2,240.
		85"	42"	RGAR853-()	1,319.	1,492.	1,492.	1,623.	1,716.	2,191.	2,317.
		91"	42"	RGAR913-()	1,363.	1,543.	1,543.	1,675.	1,771.	2,261.	2,391.
		97"	42"	RGAR973-()	1,408.	1,591.	1,591.	1,730.	1,831.	2,336.	2,472.

Order Code	Specification Information	Application Notes
Example: RGAR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	1 1/4" tops require support at mid point to reduce spans to 48" or less.
N No grommet	N = No grommets	Hardware included.
L Finish type, top	F = Flush front grommet	Gallery desk surrounds are available with waterfall edge as a standard special.
L Finish type, components	<i>2. Finish type top:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

right hand end assembly, 1 3/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGBR431-() ()	\$995.	\$1,127.	\$1,127.	\$1,198.	\$1,294.	\$1,617.	\$1,747.
		49"	42"	RGBR491-() ()	1,047.	1,186.	1,186.	1,260.	1,363.	1,701.	1,840.
		55"	42"	RGBR551-() ()	1,099.	1,243.	1,243.	1,322.	1,430.	1,785.	1,931.
		61"	42"	RGBR611-() ()	1,152.	1,304.	1,304.	1,384.	1,497.	1,868.	2,021.
		67"	42"	RGBR671-() ()	1,202.	1,360.	1,360.	1,443.	1,561.	1,948.	2,107.
		73"	42"	RGBR731-() ()	1,253.	1,417.	1,417.	1,503.	1,630.	2,029.	2,201.
		79"	42"	RGBR791-() ()	1,304.	1,477.	1,477.	1,566.	1,699.	2,114.	2,294.
		85"	42"	RGBR851-() ()	1,358.	1,534.	1,534.	1,627.	1,765.	2,196.	2,383.
		91"	42"	RGBR911-() ()	1,409.	1,592.	1,592.	1,686.	1,832.	2,276.	2,473.
		97"	42"	RGBR971-() ()	1,457.	1,649.	1,649.	1,748.	1,899.	2,360.	2,564.
	25"	43"	42"	RGBR432-() ()	1,092.	1,235.	1,235.	1,314.	1,421.	1,774.	1,918.
		49"	42"	RGBR492-() ()	1,143.	1,293.	1,293.	1,374.	1,489.	1,855.	2,010.
		55"	42"	RGBR552-() ()	1,197.	1,353.	1,353.	1,438.	1,555.	1,941.	2,099.
		61"	42"	RGBR612-() ()	1,247.	1,409.	1,409.	1,500.	1,623.	2,025.	2,191.
		67"	42"	RGBR672-() ()	1,299.	1,468.	1,468.	1,560.	1,689.	2,106.	2,280.
		73"	42"	RGBR732-() ()	1,352.	1,526.	1,526.	1,622.	1,756.	2,190.	2,371.
		79"	42"	RGBR792-() ()	1,401.	1,585.	1,585.	1,681.	1,823.	2,269.	2,461.
		85"	42"	RGBR852-() ()	1,453.	1,643.	1,643.	1,743.	1,889.	2,353.	2,550.
		91"	42"	RGBR912-() ()	1,504.	1,703.	1,703.	1,804.	1,957.	2,435.	2,642.
		97"	42"	RGBR972-() ()	1,557.	1,761.	1,761.	1,863.	2,025.	2,515.	2,734.
	31"	43"	42"	RGBR433-() ()	1,164.	1,315.	1,315.	1,398.	1,513.	1,887.	2,043.
		49"	42"	RGBR493-() ()	1,213.	1,372.	1,372.	1,456.	1,580.	1,966.	2,133.
		55"	42"	RGBR553-() ()	1,262.	1,430.	1,430.	1,517.	1,644.	2,048.	2,219.
		61"	42"	RGBR613-() ()	1,315.	1,487.	1,487.	1,578.	1,709.	2,130.	2,307.
		67"	42"	RGBR673-() ()	1,364.	1,544.	1,544.	1,637.	1,772.	2,210.	2,392.
		73"	42"	RGBR733-() ()	1,414.	1,599.	1,599.	1,699.	1,840.	2,294.	2,484.
		79"	42"	RGBR793-() ()	1,465.	1,659.	1,659.	1,759.	1,906.	2,375.	2,573.
		85"	42"	RGBR853-() ()	1,517.	1,714.	1,714.	1,815.	1,970.	2,450.	2,660.
		91"	42"	RGBR913-() ()	1,567.	1,770.	1,770.	1,875.	2,037.	2,531.	2,750.
		97"	42"	RGBR973-() ()	1,616.	1,829.	1,829.	1,934.	2,104.	2,611.	2,840.

Order Code	Specification Information	Application Notes
Example: RGBR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
B 1 3/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	
N No grommet	N = No grommets	Mixed finish 1 3/4" tops are not post-formed.
L Finish type, top	F = Flush front grommet	Hardware included.
L Finish type, components	<i>2. Finish type top:</i>	1 3/4" tops require support at mid point to reduce spans to 66" or less.
	L = Laminate	Gallery desk surrounds are available with waterfall edge as a standard special.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431-()	\$868.	\$981.	\$981.	\$1,070.	\$1,127.	\$1,445.	\$1,521.
		49"	42"	RGAL491-()	911.	1,032.	1,032.	1,127.	1,187.	1,521.	1,602.
		55"	42"	RGAL551-()	957.	1,082.	1,082.	1,182.	1,243.	1,596.	1,678.
		61"	42"	RGAL611-()	1,001.	1,131.	1,131.	1,235.	1,304.	1,667.	1,760.
		67"	42"	RGAL671-()	1,046.	1,185.	1,185.	1,292.	1,362.	1,744.	1,839.
		73"	42"	RGAL731-()	1,090.	1,233.	1,233.	1,347.	1,417.	1,818.	1,913.
		79"	42"	RGAL791-()	1,135.	1,283.	1,283.	1,404.	1,479.	1,895.	1,997.
		85"	42"	RGAL851-()	1,179.	1,334.	1,334.	1,455.	1,534.	1,964.	2,071.
		91"	42"	RGAL911-()	1,225.	1,387.	1,387.	1,513.	1,602.	2,043.	2,163.
		97"	42"	RGAL971-()	1,273.	1,438.	1,438.	1,567.	1,651.	2,115.	2,229.
	25"	43"	42"	RGAL432-()	952.	1,076.	1,076.	1,177.	1,237.	1,589.	1,670.
		49"	42"	RGAL492-()	994.	1,126.	1,126.	1,230.	1,293.	1,661.	1,746.
		55"	42"	RGAL552-()	1,040.	1,176.	1,176.	1,283.	1,354.	1,732.	1,828.
		61"	42"	RGAL612-()	1,086.	1,227.	1,227.	1,336.	1,409.	1,804.	1,902.
		67"	42"	RGAL672-()	1,130.	1,278.	1,278.	1,395.	1,468.	1,883.	1,982.
		73"	42"	RGAL732-()	1,174.	1,328.	1,328.	1,450.	1,529.	1,958.	2,064.
		79"	42"	RGAL792-()	1,218.	1,376.	1,376.	1,500.	1,585.	2,025.	2,140.
		85"	42"	RGAL852-()	1,262.	1,430.	1,430.	1,557.	1,644.	2,102.	2,219.
		91"	42"	RGAL912-()	1,310.	1,482.	1,482.	1,611.	1,703.	2,175.	2,299.
		97"	42"	RGAL972-()	1,356.	1,532.	1,532.	1,668.	1,762.	2,252.	2,379.
	31"	43"	42"	RGAL433-()	1,012.	1,144.	1,144.	1,247.	1,315.	1,683.	1,775.
		49"	42"	RGAL493-()	1,055.	1,192.	1,192.	1,302.	1,372.	1,758.	1,852.
		55"	42"	RGAL553-()	1,099.	1,243.	1,243.	1,352.	1,430.	1,825.	1,931.
		61"	42"	RGAL613-()	1,142.	1,292.	1,292.	1,405.	1,488.	1,897.	2,009.
		67"	42"	RGAL673-()	1,185.	1,345.	1,345.	1,460.	1,545.	1,971.	2,086.
		73"	42"	RGAL733-()	1,231.	1,394.	1,394.	1,514.	1,599.	2,044.	2,159.
		79"	42"	RGAL793-()	1,276.	1,441.	1,441.	1,567.	1,659.	2,115.	2,240.
		85"	42"	RGAL853-()	1,319.	1,492.	1,492.	1,623.	1,716.	2,191.	2,317.
		91"	42"	RGAL913-()	1,363.	1,543.	1,543.	1,675.	1,771.	2,261.	2,391.
		97"	42"	RGAL973-()	1,408.	1,591.	1,591.	1,730.	1,831.	2,336.	2,472.

Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	<i>1 1/4" tops require support at mid point to reduce spans to 48" or less.</i>
N No grommet	N = No grommets	Hardware included.
L Finish type, top	F = Flush front grommet	Gallery desk surrounds are available with waterfall edge as a standard special.
L Finish type, components		

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

left hand end assembly, 1 3/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGBL431-() ()	\$995.	\$1,127.	\$1,127.	\$1,198.	\$1,294.	\$1,617.	\$1,747.
		49"	42"	RGBL491-() ()	1,047.	1,186.	1,186.	1,260.	1,363.	1,701.	1,840.
		55"	42"	RGBL551-() ()	1,099.	1,243.	1,243.	1,322.	1,430.	1,785.	1,931.
		61"	42"	RGBL611-() ()	1,152.	1,304.	1,304.	1,384.	1,497.	1,868.	2,021.
		67"	42"	RGBL671-() ()	1,202.	1,360.	1,360.	1,443.	1,561.	1,948.	2,107.
		73"	42"	RGBL731-() ()	1,253.	1,417.	1,417.	1,503.	1,630.	2,029.	2,201.
		79"	42"	RGBL791-() ()	1,304.	1,477.	1,477.	1,566.	1,699.	2,114.	2,294.
		85"	42"	RGBL851-() ()	1,358.	1,534.	1,534.	1,627.	1,765.	2,196.	2,383.
		91"	42"	RGBL911-() ()	1,409.	1,592.	1,592.	1,686.	1,832.	2,276.	2,473.
		97"	42"	RGBL971-() ()	1,457.	1,649.	1,649.	1,748.	1,899.	2,360.	2,564.
	25"	43"	42"	RGBL432-() ()	1,092.	1,235.	1,235.	1,314.	1,421.	1,774.	1,918.
		49"	42"	RGBL492-() ()	1,143.	1,293.	1,293.	1,374.	1,489.	1,855.	2,010.
		55"	42"	RGBL552-() ()	1,197.	1,353.	1,353.	1,438.	1,555.	1,941.	2,099.
		61"	42"	RGBL612-() ()	1,247.	1,409.	1,409.	1,500.	1,623.	2,025.	2,191.
		67"	42"	RGBL672-() ()	1,299.	1,468.	1,468.	1,560.	1,689.	2,106.	2,280.
		73"	42"	RGBL732-() ()	1,352.	1,526.	1,526.	1,622.	1,756.	2,190.	2,371.
		79"	42"	RGBL792-() ()	1,401.	1,585.	1,585.	1,681.	1,823.	2,269.	2,461.
		85"	42"	RGBL852-() ()	1,453.	1,643.	1,643.	1,743.	1,889.	2,353.	2,550.
		91"	42"	RGBL912-() ()	1,504.	1,703.	1,703.	1,804.	1,957.	2,435.	2,642.
		97"	42"	RGBL972-() ()	1,557.	1,761.	1,761.	1,863.	2,025.	2,515.	2,734.
	31"	43"	42"	RGBL433-() ()	1,164.	1,315.	1,315.	1,398.	1,513.	1,887.	2,043.
		49"	42"	RGBL493-() ()	1,213.	1,372.	1,372.	1,456.	1,580.	1,966.	2,133.
		55"	42"	RGBL553-() ()	1,262.	1,430.	1,430.	1,517.	1,644.	2,048.	2,219.
		61"	42"	RGBL613-() ()	1,315.	1,487.	1,487.	1,578.	1,709.	2,130.	2,307.
		67"	42"	RGBL673-() ()	1,364.	1,544.	1,544.	1,637.	1,772.	2,210.	2,392.
		73"	42"	RGBL733-() ()	1,414.	1,599.	1,599.	1,699.	1,840.	2,294.	2,484.
		79"	42"	RGBL793-() ()	1,465.	1,659.	1,659.	1,759.	1,906.	2,375.	2,573.
		85"	42"	RGBL853-() ()	1,517.	1,714.	1,714.	1,815.	1,970.	2,450.	2,660.
		91"	42"	RGBL913-() ()	1,567.	1,770.	1,770.	1,875.	2,037.	2,531.	2,750.
		97"	42"	RGBL973-() ()	1,616.	1,829.	1,829.	1,934.	2,104.	2,611.	2,840.

Order Code	Specification Information	Application Notes
Example: RGBL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
B 1 3/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	
N No grommet	N = No grommets	Mixed finish 1 3/4" tops are not post-formed.
L Finish type, top	F = Flush front grommet	Hardware included.
L Finish type, components	<i>2. Finish type:</i>	1 3/4" tops require support at mid point to reduce spans to 66" or less.
	L = Laminate	Gallery desk surrounds are available with waterfall edge as a standard special.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.


Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

gallery towers

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	36"	12"	46"	RGTL4636 () () () ()	\$2,313.	\$2,709.	\$3,114.	\$4,204.
								
Gallery Tower, right hand	36"	12"	46"	RGTR4636 () () () ()	2,313.	2,709.	3,114.	4,204.

Gallery desk surrounds

Order Code	Specification Information	Application Notes
Example: RGTL46362V319CL	<i>To order please specify pattern number including:</i>	
R Reff		
GT Gallery Tower		
L Left hand		
46 46" h		
36 36" d		
2 V2 finish type		
V319 Medium Cherry		
C C-pull		
L Lock		
	1. Finish type 2. Finish 3. Pull option 4. Pull finish (if applicable) 5. Lock option 1. <i>Finish type:</i> L = Laminated 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6.	3. <i>Pull options:</i> D = Metal D-pull J = Routed J-pull C = Nickel finish C-pull (nickel finish only) S = Stainless steel finish S-pull (stainless steel finish only) Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 3/8" desk height products. Gallery Tower ships with hookstrip to attach to 42"h Reff panel and angle bracket for 30" deep worksurface attachment at tower. . Interior lower storage clearance: nominal 10.5"w x 22.5"h x 28.75"d Overall depth includes top overhang, accommodates 30"d worksurfaces


Pedestals


26 1/2" high

metal interiors


Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Counter weight (for file/file configuration pedestals when used in freestanding applications)	—	—	—	RCOUNTWT *					\$86.

	Pedestal with box box file configuration	16" 19" 26 1/2"	RP211J-() () L	986.	1,056.	1,215.	1,640.
		16" 23" 26 1/2"	RP212J-() () L	1,031.	1,105.	1,272.	1,717.
		16" 29" 26 1/2"	RP213J-() () L	1,075.	1,152.	1,326.	1,790.

	Pedestal with file file configuration	16" 19" 26 1/2"	RP211K-() () L	919.	986.	1,134.	1,531.
		16" 23" 26 1/2"	RP212K-() () L	986.	1,056.	1,215.	1,640.
		16" 29" 26 1/2"	RP213K-() () L	1,049.	1,122.	1,292.	1,744.
		30" 19" 26 1/2"	RP231K-() () L	1,051.	1,129.	1,297.	1,751.
		30" 23" 26 1/2"	RP232K-() () L	1,108.	1,190.	1,365.	1,843.
		36" 19" 26 1/2"	RP261K-() () L	1,121.	1,202.	1,383.	1,867.
		36" 23" 26 1/2"	RP262K-() () L	1,176.	1,260.	1,450.	1,958.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

	Pedestal with hinge door configuration, includes one shelf	16" 19" 26 1/2"	RP211L(L/R)-() () ()	807.	864.	994.	1,342.
		16" 23" 26 1/2"	RP212L(L/R)-() () ()	980.	1,049.	1,208.	1,631.
		16" 29" 26 1/2"	RP213L(L/R)-() () ()	1,121.	1,202.	1,383.	1,867.
		30" 19" 26 1/2"	RP231L-() () ()	1,043.	1,116.	1,284.	1,733.
		30" 23" 26 1/2"	RP232L-() () ()	1,219.	1,307.	1,502.	2,028.
		36" 19" 26 1/2"	RP261L-() () ()	1,322.	1,416.	1,630.	2,201.
		36" 23" 26 1/2"	RP262L-() () ()	1,545.	1,656.	1,905.	2,572.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf is metal

Order Code	Specification Information	Application Notes
Example: RP211JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff		D = Metal D-pull
P Pedestal	1. Hinge location, where applicable	J = Routed pull
2 26 1/2"H	2. Finish type	C = Nickel C-pull (nickel finish only)
1 16" wide	3. Interior option	S = S-pull (stainless steel finish only)
1 19" deep	4. Pull option	
J Box box file config.	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
L Laminate finish	6. Keying instructions	L = Drilled to accept lock
M Metal interior	7. Finish	N = No drilling
D Metal D-pull	*After specifying product code, provide keying instructions.	6. Refer to page 309 for keying instructions.
L Lock hole drilled	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.
	L = Left hand	
	R = Right hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


Applicable finishes are listed on page 5 and 6.

Pedestals

26 1/2" high


metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
	16"	19"	26 1/2"	RP211M-() () N	\$614.	\$659.	\$757.	\$1,022.	
	16"	23"	26 1/2"	RP212M-() () N	715.	768.	883.	1,192.	
	16"	29"	26 1/2"	RP213M-() () N	845.	906.	1,043.	1,408.	
	30"	19"	26 1/2"	RP231M-() () N	713.	766.	880.	1,188.	
	30"	23"	26 1/2"	RP232M-() () N	868.	931.	1,069.	1,443.	
	36"	19"	26 1/2"	RP261M-() () N	911.	979.	1,126.	1,520.	
	36"	23"	26 1/2"	RP262M-() () N	1,103.	1,183.	1,360.	1,836.	

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means metal shelf.

	16"	19"	21"	RM111J-() () L	986.	1,056.	1,215.	1,640.	
	16"	23"	21"	RM112J-() () L	1,031.	1,105.	1,272.	1,717.	
	16"	23"	26 1/2"	RM212J-() () L	1,384.	1,485.	1,706.	2,303.	
	16"	23"	26 1/2"	RM212K-() () L	1,384.	1,485.	1,706.	2,303.	

	16"	1"	26 1/2"	RPAB16-()	105.	109.	127.	171.	
	30"	1"	26 1/2"	RPAB30-()	211.	217.	248.	335.	
	36"	1"	26 1/2"	RPAB36-()	249.	257.	296.	400.	

pedestal backs for pedestals with metal or wood interiors.

Order Code	Specification Information	Application Notes
Example: RP211JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
J Box box file config.	6. Keying instructions	L = Drilled to accept lock
L Laminate finish	7. Finish	N = No drilling
M Metal interior	*After specifying product code, provide keying instructions.	6. Refer to page 309 for keying instructions.
D Metal D-pull	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.
L Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Applicable finishes are listed on page 5 and 6.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals


26 1/2" high

wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
Counter weight (for file/file configuration pedestals when used in freestanding applications)	—	—	—	RCOUNTWT *					\$86.

Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	1,046.	1,119.	1,289.	1,740.	
	16"	23"	26 1/2"	RP212J-() () L	1,164.	1,249.	1,436.	1,939.	
	16"	29"	26 1/2"	RP213J-() () L	1,269.	1,360.	1,564.	2,111.	




Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	974.	1,044.	1,199.	1,619.	
	16"	23"	26 1/2"	RP212K-() () L	1,149.	1,231.	1,413.	1,908.	
	16"	29"	26 1/2"	RP213K-() () L	1,253.	1,345.	1,545.	2,086.	
	30"	19"	26 1/2"	RP231K-() () L	1,259.	1,349.	1,552.	2,095.	
	30"	23"	26 1/2"	RP232K-() () L	1,481.	1,586.	1,820.	2,457.	
	36"	19"	26 1/2"	RP261K-() () L	1,557.	1,668.	1,919.	2,591.	
	36"	23"	26 1/2"	RP262K-() () L	1,814.	1,946.	2,237.	3,020.	



*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

Pedestal with hinge door configuration, includes one shelf	16"	19"	26 1/2"	RP211L(L/R)-() () ()	883.	945.	1,090.	1,472.	
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,060.	1,137.	1,306.	1,763.	
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,200.	1,285.	1,477.	1,994.	
	30"	19"	26 1/2"	RP231L-() () ()	1,118.	1,199.	1,381.	1,864.	
	30"	23"	26 1/2"	RP232L-() () ()	1,296.	1,393.	1,601.	2,161.	
	36"	19"	26 1/2"	RP261L-() () ()	1,399.	1,499.	1,724.	2,327.	
	36"	23"	26 1/2"	RP262L-() () ()	1,623.	1,739.	1,999.	2,699.	



Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes	
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Mobile pedestals are always equipped with finished backs. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Random locks are factory installed. Keyalike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
R Reff	1. Hinge location, where applicable	D = Metal D-pull	
P Pedestal	2. Finish type	J = Routed pull	
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)	
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)	
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>	
J Box box file config.	6. Keying instructions	L = Drilled to accept lock	
L Laminate finish	7. Finish	N = No drilling	
W Wood interior	*After specifying product code, provide keying instructions.	6. Refer to page 309 for keying instructions.	
D Metal D-pull	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.	
L Lock hole drilled	L = Left hand R = Right hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.	
	<i>2. Finish type:</i>		
	L = Laminate		
	1 = V1		
	2 = V2		
	3 = V3		
	<i>3. Interior options:</i>		
	W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)		

Applicable finishes are listed on page 5 and 6.


Applicable finishes are listed on page 5 and 6.

Pedestals

26 1/2" high


wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
	16"	19"	26 1/2"	RP211M-() () N	\$691.	\$738.	\$849.	\$1,146.	
	16"	23"	26 1/2"	RP212M-() () N	795.	853.	981.	1,324.	
	16"	29"	26 1/2"	RP213M-() () N	924.	989.	1,139.	1,538.	
	30"	19"	26 1/2"	RP231M-() () N	793.	848.	975.	1,316.	
	30"	23"	26 1/2"	RP232M-() () N	944.	1,012.	1,164.	1,571.	
	36"	19"	26 1/2"	RP261M-() () N	989.	1,063.	1,223.	1,651.	
	36"	23"	26 1/2"	RP262M-() () N	1,182.	1,264.	1,454.	1,963.	

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

	16"	19"	21"	RM111J-() () L	1,166.	1,252.	1,440.	1,944.	
	16"	23"	21"	RM112J-() () L	1,231.	1,319.	1,517.	2,048.	
	16"	23"	26 1/2"	RM212J-() () L	1,666.	1,785.	2,053.	2,772.	
	16"	23"	26 1/2"	RM212K-() () L	1,666.	1,785.	2,053.	2,772.	

	16"	1"	26 1/2"	RPAB16-()	105.	109.	127.	171.	
	30"	1"	26 1/2"	RPAB30-()	211.	217.	248.	335.	
	36"	1"	26 1/2"	RPAB36-()	249.	257.	296.	400.	

pedestal backs for pedestals with metal or wood interiors.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
J Box box file config.	6. Keying instructions	L = Drilled to accept lock
L Laminate finish	7. Finish	N = No drilling
W Wood interior	*After specifying product code, provide keying instructions.	6. Refer to page 309 for keying instructions.
D Metal D-pull	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.
L Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

Applicable finishes are listed on page 5 and 6.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.


Keylike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals


with wood backs, 26 1/2" height
metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration 	16"	20"	26 1/2"	RPB211J() () L	\$1,099.	\$1,177.	\$1,358.	\$1,833.
	16"	24"	26 1/2"	RPB212J() () L	1,144.	1,226.	1,412.	1,906.
	16"	30"	26 1/2"	RPB213J() () L	1,189.	1,275.	1,468.	1,982.

Pedestal with file file configuration 	16"	20"	26 1/2"	RPB211K() () L	1,033.	1,107.	1,276.	1,723.
	16"	24"	26 1/2"	RPB212K() () L	1,099.	1,177.	1,358.	1,833.
	16"	30"	26 1/2"	RPB213K() () L	1,164.	1,246.	1,434.	1,936.
	30"	20"	26 1/2"	RPB231K() () L	1,279.	1,372.	1,575.	2,126.
	30"	24"	26 1/2"	RPB232K() () L	1,335.	1,432.	1,642.	2,217.
	36"	20"	26 1/2"	RPB261K() () L	1,389.	1,492.	1,714.	2,314.
	36"	24"	26 1/2"	RPB262K() () L	1,446.	1,549.	1,781.	2,404.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	921.	985.	1,137.	1,535.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,096.	1,173.	1,349.	1,821.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,236.	1,324.	1,526.	2,060.
	30"	20"	26 1/2"	RPB231L() () ()	1,270.	1,360.	1,562.	2,109.
	30"	24"	26 1/2"	RPB232L() () ()	1,446.	1,549.	1,780.	2,403.
	36"	20"	26 1/2"	RPB261L() () ()	1,590.	1,704.	1,960.	2,646.
	36"	24"	26 1/2"	RPB262L() () ()	1,813.	1,945.	2,236.	3,019.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB11JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	
J Box box file config.	6. Keying instructions	
L Laminate finish	7. Finish	<i>5. Lock options:</i>
M Metal interior	*After specifying product code, provide keying instructions.	L = Drilled to accept lock
D Metal D-pull		N = No drilling
L Lock hole drilled	<i>1. Hinge location:</i>	6. Refer to page 309 for keying instructions.
	L = Left hand	
	R = Right hand	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Applicable finishes are listed on page 5 and 6.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.


Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals
with wood backs, 26 1/2" height
metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
	16"	20"	26 1/2"	RPB211M()()N	\$729.	\$778.	\$899.	\$1,214.
	16"	24"	26 1/2"	RPB212M()()N	833.	889.	1,025.	1,384.
	16"	30"	26 1/2"	RPB213M()()N	959.	1,028.	1,183.	1,597.
	30"	20"	26 1/2"	RPB231M()()N	941.	1,009.	1,159.	1,565.
	30"	24"	26 1/2"	RPB232M()()N	1,095.	1,173.	1,346.	1,817.
	36"	20"	26 1/2"	RPB261M()()N	1,183.	1,267.	1,457.	1,967.
	36"	24"	26 1/2"	RPB262M()()N	1,373.	1,471.	1,691.	2,283.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB11JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	
J Box box file config.	6. Keying instructions	
L Laminate finish	7. Finish	<i>5. Lock options:</i>
M Metal interior	*After specifying product code, provide keying instructions.	L = Drilled to accept lock
D Metal D-pull		N = No drilling
L Lock hole drilled		6. Refer to page 309 for keying instructions.
	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.
	L = Left hand	
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Applicable finishes are listed on page 5 and 6.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.


Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals


with wood backs, 26 1/2" height
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration 	16"	20"	26 1/2"	RPB211J() () L	\$1,162.	\$1,243.	\$1,431.	\$1,932.
	16"	24"	26 1/2"	RPB212J() () L	1,278.	1,371.	1,579.	2,132.
	16"	30"	26 1/2"	RPB213J() () L	1,383.	1,481.	1,704.	2,300.

Pedestal with file file configuration 	16"	20"	26 1/2"	RPB211K() () L	1,087.	1,164.	1,341.	1,810.
	16"	24"	26 1/2"	RPB212K() () L	1,262.	1,352.	1,557.	2,102.
	16"	30"	26 1/2"	RPB213K() () L	1,368.	1,466.	1,688.	2,279.
	30"	20"	26 1/2"	RPB231K() () L	1,486.	1,594.	1,832.	2,473.
	30"	24"	26 1/2"	RPB232K() () L	1,656.	1,831.	2,099.	2,834.
	36"	20"	26 1/2"	RPB261K() () L	1,827.	1,958.	2,251.	3,039.
	36"	24"	26 1/2"	RPB262K() () L	2,085.	2,236.	2,570.	3,470.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	998.	1,069.	1,231.	1,662.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,173.	1,256.	1,447.	1,953.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,314.	1,407.	1,618.	2,184.
	30"	20"	26 1/2"	RPB231L() () ()	1,346.	1,441.	1,660.	2,241.
	30"	24"	26 1/2"	RPB232L() () ()	1,523.	1,634.	1,877.	2,534.
	36"	20"	26 1/2"	RPB261L() () ()	1,668.	1,787.	2,053.	2,772.
	36"	24"	26 1/2"	RPB262L() () ()	1,893.	2,027.	2,331.	3,147.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RPB11JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	
J Box box file config.	6. Keying instructions	
L Laminate finish	7. Finish	<i>5. Lock options:</i>
W Wood interior	*After specifying product code, provide keying instructions.	L = Drilled to accept lock
D Metal D-pull		N = No drilling
L Lock hole drilled		

Applicable finishes are listed on page 5 and 6.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

6. Refer to page 309 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.


Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals
with wood backs, 26 1/2" height
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	16"	20"	26 1/2"	RPB211M()()N	\$805.	\$861.	\$993.	\$1,341.
	16"	24"	26 1/2"	RPB212M()()N	908.	974.	1,122.	1,515.
	16"	30"	26 1/2"	RPB213M()()N	1,038.	1,109.	1,280.	1,728.
	30"	20"	26 1/2"	RPB231M()()N	1,019.	1,091.	1,253.	1,692.
	30"	24"	26 1/2"	RPB232M()()N	1,172.	1,255.	1,441.	1,945.
	36"	20"	26 1/2"	RPB261M()()N	1,259.	1,351.	1,552.	2,095.
	36"	24"	26 1/2"	RPB262M()()N	1,450.	1,552.	1,784.	2,408.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RPB11JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	
J Box box file config.	6. Keying instructions	<i>5. Lock options:</i>
L Laminate finish	7. Finish	L = Drilled to accept lock
W Wood interior	*After specifying product code, provide keying instructions.	N = No drilling
D Metal D-pull	<i>1. Hinge location:</i>	6. Refer to page 309 for keying instructions.
L Lock hole drilled	L = Left hand	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

Applicable finishes are listed on page 5 and 6.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.




Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals, “desk height” 28³/₈” high metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Pedestal, (desk height) box/box/file configuration 	16"	19"	28 ³ / ₈ "	RP161J () () L ()	\$1,033.	\$1,107.	\$1,276.	\$1,723.	
	16"	23"	28 ³ / ₈ "	RP162J () () L ()	1,083.	1,161.	1,337.	1,805.	
	16"	29"	28 ³ / ₈ "	RP163J () () L ()	1,129.	1,210.	1,394.	1,882.	
Pedestal, (desk height) file/file configuration  	16"	19"	28 ³ / ₈ "	RP161K () () L ()	965.	1,035.	1,191.	1,608.	
	16"	23"	28 ³ / ₈ "	RP162K () () L ()	1,033.	1,107.	1,276.	1,723.	
	16"	29"	28 ³ / ₈ "	RP163K () () L ()	1,102.	1,178.	1,358.	1,833.	
	30"	19"	28 ³ / ₈ "	RP301K () () L ()	1,104.	1,185.	1,361.	1,837.	
	30"	23"	28 ³ / ₈ "	RP302K () () L ()	1,164.	1,248.	1,434.	1,936.	
	36"	19"	28 ³ / ₈ "	RP361K () () L ()	1,176.	1,264.	1,453.	1,962.	
	36"	23"	28 ³ / ₈ "	RP362K () () L ()	1,236.	1,323.	1,523.	2,056.	


All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required

Order Code	Specification Information	Application Notes	
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.	
R Reff	1. <i>Hinge location, were applicable</i> L = left hand R = right hand		5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling
P Pedestal	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3		6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i>
16 16" wide (<i>nominal</i>)	3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)		Keying instructions must accompany all orders, refer to page 309 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
1 19" deep (<i>nominal</i>)	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)		
J Box/Box/File configuration		Finished back must be ordered separately to achieve full depth without a modesty.	
L Finish type, laminate			
M Interior option, metal			
J Pull option, J			
L Lock hole drilled			
118 Finish, bright white			

Pedestals, “desk height” 28³/₈” high metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Pedestal, (desk height) open shelf configuration adjustable shelf	16"	19"	28 ³ / ₈ "	RP161M () () (N)	\$643.	\$693.	\$794.	\$1,072.	
	16"	23"	28 ³ / ₈ "	RP162M () () (N)	752.	806.	927.	1,251.	
	16"	29"	28 ³ / ₈ "	RP163M () () (N)	886.	951.	1,095.	1,478.	
	30"	19"	28 ³ / ₈ "	RP301M () () (N)	749.	804.	924.	1,247.	
	30"	23"	28 ³ / ₈ "	RP302M () () (N)	910.	976.	1,122.	1,515.	
	36"	19"	28 ³ / ₈ "	RP361M () () (N)	958.	1,029.	1,180.	1,593.	
	36"	23"	28 ³ / ₈ "	RP362M () () (N)	1,159.	1,243.	1,429.	1,929.	



Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.


Order Code	Specification Information	Application Notes	
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 ⁵ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.	
R Reff	1. <i>Hinge location, were applicable</i> L = left hand R = right hand		5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling
P Pedestal	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3		6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i>
16 16" wide (<i>nominal</i>)	3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)		Keying instructions must accompany all orders, refer to page 309 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
1 19" deep (<i>nominal</i>)	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)		
J Box/Box/File configuration		Finished back must be ordered separately to achieve full depth without a modesty.	
L Finish type, laminate			
M Interior option, metal			
J Pull option, J			
L Lock hole drilled			
118 Finish, bright white			

Pedestals, “desk height” 28³/₈” high metal interiors

Reff

					metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
description	w	d	h	pattern no.					
Pedestal, (desk height) hinge door configuration adjustable shelf	16"	19"	28 ^{3⁄8} "	RP161L(L/R) () () () ()	\$847.	\$907.	\$1,044.	\$1,409.	
	16"	23"	28 ^{3⁄8} "	RP162L(L/R) () () () ()	1,029.	1,103.	1,268.	1,712.	
	16"	29"	28 ^{3⁄8} "	RP163L(L/R) () () () ()	1,176.	1,264.	1,453.	1,962.	
	30"	19"	28 ^{3⁄8} "	RP301L () () () ()	1,095.	1,173.	1,348.	1,820.	
	30"	23"	28 ^{3⁄8} "	RP302L () () () ()	1,279.	1,373.	1,576.	2,128.	
	36"	19"	28 ^{3⁄8} "	RP361L () () () ()	1,387.	1,486.	1,711.	2,310.	
	36"	23"	28 ^{3⁄8} "	RP362L () () () ()	1,621.	1,739.	2,000.	2,700.	

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.

Pedestal, (desk height) finished back 	16"	1"	28 ³ / ₈ "	RPDHB16 () ()	112.	114.	132.	178.
	30"	1"	28 ³ / ₈ "	RPDHB30 () ()	221.	228.	261.	352.
	36"	1"	28 ³ / ₈ "	RPDHB36 () ()	263.	271.	311.	420.

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.
R Reff	5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers include file bars for front to back and side to side filing.
P Pedestal	6. <i>Cabinet finish</i>	File drawers support bottom loading.
16 16" wide (<i>nominal</i>)	7. <i>Optional pull finish where applicable</i>	Applicable finishes are listed on page 5 and 6.
1 19" deep (<i>nominal</i>)		
J Box/Box/File configuration		
L Finish type, laminate		
M Interior option, metal		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		

- Hinge location, were applicable*
L = left hand
R = right hand
- Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
- Interior option*
M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
- Pull option*
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

Keying instructions must accompany all orders, refer to page 309 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer; box-box-file pedestals with metal drawers includes one pencil tray.

Finished back must be ordered separately to achieve full depth without a modesty.

Pedestals, “desk height” 28³/₈” high metal interiors


Reff


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Metal box divider, for desk height products				RDHMBD					\$27.
				for 16”w desk height metal box drawer					
Metal file drawer divider, for desk height products				RDHMF					27.
				for 16”w desk height metal file drawer					
Metal lateral drawer divider, for desk height products				RDHMLD					21.
				for 20” and 24” deep metal lateral drawers					

Order Code	Specification Information	Application Notes	
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.	
R Reff	1. <i>Hinge location, were applicable</i> L = left hand R = right hand		5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling
P Pedestal	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3		6. <i>Cabinet finish</i>
16 16" wide (<i>nominal</i>)	3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)		7. <i>Optional pull finish where applicable</i>
1 19" deep (<i>nominal</i>)	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)		Keying instructions must accompany all orders, refer to page 309 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
J Box/Box/File configuration		Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer; box-box-file pedestals with metal drawers includes one pencil tray.	
L Finish type, laminate		Finished back must be ordered separately to achieve full depth without a modesty.	
M Interior option, metal			
J Pull option, J			
L Lock hole drilled			
118 Finish, bright white			


Pedestals, “desk height” 28³/₈” high wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) box/box/file configuration 	16"	19"	28 ³ / ₈ "	RP161J () () L ()	\$1,099.	\$1,176.	\$1,352.	\$1,825.
	16"	23"	28 ³ / ₈ "	RP162J () () L ()	1,222.	1,312.	1,509.	2,037.
	16"	29"	28 ³ / ₈ "	RP163J () () L ()	1,331.	1,429.	1,641.	2,215.

Pedestal, (desk height) file/file configuration 	16"	19"	28 ³ / ₈ "	RP161K () () L ()	1,024.	1,096.	1,260.	1,701.
	16"	23"	28 ³ / ₈ "	RP162K () () L ()	1,206.	1,292.	1,485.	2,005.
	16"	29"	28 ³ / ₈ "	RP163K () () L ()	1,315.	1,411.	1,623.	2,191.
	30"	19"	28 ³ / ₈ "	RP301K () () L ()	1,323.	1,417.	1,631.	2,202.
	30"	23"	28 ³ / ₈ "	RP302K () () L ()	1,553.	1,666.	1,911.	2,580.
	36"	19"	28 ³ / ₈ "	RP361K () () L ()	1,634.	1,750.	2,016.	2,722.
	36"	23"	28 ³ / ₈ "	RP362K () () L ()	1,905.	2,044.	2,349.	3,171.

All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required


Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161M () () N	728.	776.	894.	1,207.
	16"	23"	28 ³ / ₈ "	RP162M () () N	835.	897.	1,032.	1,393.
	16"	29"	28 ³ / ₈ "	RP163M () () N	970.	1,037.	1,197.	1,616.
	30"	19"	28 ³ / ₈ "	RP301M () () N	833.	892.	1,024.	1,382.
	30"	23"	28 ³ / ₈ "	RP302M () () N	992.	1,064.	1,224.	1,652.
	36"	19"	28 ³ / ₈ "	RP361M () () N	1,038.	1,116.	1,283.	1,732.
	36"	23"	28 ³ / ₈ "	RP362M () () N	1,240.	1,326.	1,527.	2,061.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.


Order Code	Specification Information	Application Notes
Example: RP161J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.
R Reff		
P Pedestal		
16 16" wide (<i>nominal</i>)		
1 19" deep (<i>nominal</i>)		
J Box/Box/File configuration		
L Finish type, laminate		
W Interior option, wood		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		
	<i>Hinge location, were applicable</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior option</i> W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer) <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i> Keying instructions must accompany all orders, refer to page 309 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer; box-box-file pedestals with metal drawers includes one pencil tray. Finished back must be ordered separately to achieve full depth without a modesty. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Applicable finishes are listed on page 5 and 6.

Pedestals, “desk height” 28³/₈” high wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$927.	\$993.	\$1,143.	\$1,543.
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	1,113.	1,192.	1,372.	1,852.
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,260.	1,349.	1,550.	2,093.
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,173.	1,260.	1,450.	1,958.
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,361.	1,462.	1,679.	2,267.
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,470.	1,574.	1,808.	2,441.
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,704.	1,826.	2,098.	2,832.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

Pedestal, (desk height) finished back 	16"	1"	28 ³ / ₈ "	RPDHB16 () ()	112.	114.	132.	178.
	30"	1"	28 ³ / ₈ "	RPDHB30 () ()	221.	228.	261.	352.
	36"	1"	28 ³ / ₈ "	RPDHB36 () ()	263.	271.	311.	420.

pedestal backs for pedestals with metal or wood interiors


Order Code	Specification Information	Application Notes
Example: RP161J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.
R Reff		
P Pedestal		
16 16" wide (<i>nominal</i>)		
1 19" deep (<i>nominal</i>)		
J Box/Box/File configuration		
L Finish type, laminate		
W Interior option, wood		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		
	<i>Hinge location, were applicable</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior option</i> W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer) <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling <i>Cabinet finish</i> <i>Optional pull finish where applicable</i>	Keying instructions must accompany all orders, refer to page 309 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer; box-box-file pedestals with metal drawers includes one pencil tray. Finished back must be ordered separately to achieve full depth without a modesty. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)


Reff

49" high

metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-()	\$1,088.	\$1,351.	\$1,557.	\$2,102.
	30"	20"	49"	RC432B-()	1,227.	1,527.	1,754.	2,368.
	30"	24"	49"	RC433B-()	1,385.	1,720.	1,978.	2,670.
	36"	15"	49"	RC461B-()	1,207.	1,502.	1,727.	2,331.
	36"	20"	49"	RC462B-()	1,362.	1,694.	1,948.	2,630.
	36"	24"	49"	RC463B-()	1,533.	1,909.	2,193.	2,961.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-()	1,095.	1,361.	1,566.	2,114.
	16"	24"	49"	RC413C(L/R)-()	1,205.	1,495.	1,721.	2,323.
	30"	20"	49"	RC432C-()	1,604.	1,994.	2,294.	3,097.
	30"	24"	49"	RC433C-()	1,774.	2,206.	2,537.	3,425.
	36"	20"	49"	RC462C-()	1,777.	2,211.	2,542.	3,432.
	36"	24"	49"	RC463C-()	1,959.	2,443.	2,808.	3,791.

Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes
Example: RC412CLLMDL R Reff C Cabinets 4 49" high 1 16" wide 2 20" deep C Cabinet with hinge doors L Left hand hinge location L Laminate finish type M Metal interior option D Metal D-pull L Lock hole drilled	<i>To order please specify pattern number including:</i> - Hinge location, where applicable - Finish type - Interior option - Pull option - Lock option, where applicable - Finish, cabinet - Finish, pull when applicable - Keying instructions *After specifying product code, provide keying instructions. <i>1. Hinge location:</i> L = Left hand R = Right hand <i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>3. Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) <i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>5. Lock options:</i> L = Lock hole drilled N = No drilling 8. Refer to page 309 for keying instructions. Key alike are field installed using the KnollKey order form. Random locks are factory installed. Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	Specify finish of metal shelves to match laminate. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. *Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.


Cabinets (use with 26 1/2" h support components)

Reff

49" high

metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L	\$1,869.	\$2,323.	\$2,673.	\$3,609.
	30"	24"	49"	RC433F-()()L	2,062.	2,564.	2,948.	3,980.
	36"	20"	49"	RC462F-()()L	2,370.	2,946.	3,387.	4,572.
	36"	24"	49"	RC463F-()()L	2,616.	3,254.	3,743.	5,053.




interior height clearance top drawer 10", all others 10 3/4"


Order Code	Specification Information	Application Notes
Example: RC412CLLMDL	<i>To order please specify pattern number including:</i>	Specify finish of metal shelves to match laminate.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
4 49" high	3. Interior option	*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
C Cabinet with hinge doors	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Left hand hinge location	7. Finish, pull when applicable	
L Laminate finish type	8. Keying instructions	
M Metal interior option	*After specifying product code, provide keying instructions.	
D Metal D-pull	1. <i>Hinge location:</i> L = Left hand R = Right hand	
L Lock hole drilled	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No drilling	
	8. Refer to page 309 for keying instructions.	
	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	


Cabinets (use with 26 1/2" h support components)
49" high
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-() ()	\$1,220.	\$1,515.	\$1,741.	\$2,350.
	30"	20"	49"	RC432B-() ()	1,358.	1,690.	1,942.	2,622.
	30"	24"	49"	RC433B-() ()	1,514.	1,882.	2,165.	2,923.
	36"	15"	49"	RC461B-() ()	1,340.	1,665.	1,915.	2,585.
	36"	20"	49"	RC462B-() ()	1,494.	1,859.	2,135.	2,882.
	36"	24"	49"	RC463B-() ()	1,666.	2,072.	2,381.	3,214.

Open cabinets require no keying instructions

 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-() () ()	1,226.	1,525.	1,751.	2,364.
	16"	24"	49"	RC413C(L/R)-() () ()	1,338.	1,662.	1,911.	2,580.
	30"	20"	49"	RC432C-() () ()	1,734.	2,156.	2,479.	3,347.
	30"	24"	49"	RC433C-() () ()	1,905.	2,370.	2,723.	3,676.
	36"	20"	49"	RC462C-() () ()	1,910.	2,373.	2,731.	3,687.
	36"	24"	49"	RC463C-() () ()	2,095.	2,606.	2,998.	4,047.

 Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-()W() ()	1,583.	1,967.	2,262.	3,054.
	30"	24"	49"	RC433D-()W() ()	1,729.	2,150.	2,474.	3,340.
	36"	20"	49"	RC462D-()W() ()	1,740.	2,164.	2,488.	3,359.
	36"	24"	49"	RC463D-()W() ()	1,902.	2,367.	2,721.	3,673.

Order Code	Specification Information	Application Notes
Example: RC412C LLWDL R Reff C Cabinets 4 49" high 1 16" wide 2 20" deep C Cabinet with hinge doors L Left hand hinge location L Laminate finish type W Wood interior option D Metal D-pull L Lock hole drilled	<i>To order please specify pattern number including:</i> - Hinge location, where applicable - Finish type - Interior option - Pull option - Lock option, where applicable - Finish, cabinet - Finish, pull when applicable - Keying instructions *After specifying product code, provide keying instructions. <i>1. Hinge location:</i> L = Left hand R = Right hand <i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>3. Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer) <i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>5. Lock options:</i> L = Lock hole drilled N = No drilling 8. Refer to page 309 for keying instructions. Key alike are field installed using the KnollKey order form. Random locks are factory installed. Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	Specify finish of metal shelves to match laminate. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. *Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.


Cabinets (use with 26 1/2" h support components)

Reff

49" high

wood interiors


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-() () L	\$2,000.	\$2,486.	\$2,859.	\$3,860.
	30"	24"	49"	RC433F-() () L	2,196.	2,733.	3,138.	4,236.
	36"	20"	49"	RC462F-() () L	2,501.	3,107.	3,573.	4,824.
	36"	24"	49"	RC463F-() () L	2,748.	3,414.	3,927.	5,301.




Order Code	Specification Information	Application Notes
Example: RC412CLLWDL	<i>To order please specify pattern number including:</i>	Specify finish of metal shelves to match laminate.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
4 49" high	3. Interior option	*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
C Cabinet with hinge doors	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Left hand hinge location	7. Finish, pull when applicable	
L Laminate finish type	8. Keying instructions	
W Wood interior option	*After specifying product code, provide keying instructions.	
D Metal D-pull	1. <i>Hinge location:</i> L = Left hand R = Right hand	
L Lock hole drilled	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No drilling	
	8. Refer to page 309 for keying instructions.	
	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26¹/₂" h support components)
64" high
metal interiors


Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
	30"	15"	64"	RC631B-() () N	\$1,396.	\$1,737.	\$1,999.	\$2,699.
	30"	20"	64"	RC632B-() () N	1,571.	1,954.	2,247.	3,033.
	30"	24"	64"	RC633B-() () N	1,748.	2,173.	2,500.	3,375.
	36"	15"	64"	RC661B-() () N	1,603.	1,992.	2,291.	3,093.
	36"	20"	64"	RC662B-() () N	1,782.	2,213.	2,547.	3,438.
	36"	24"	64"	RC663B-() () N	1,962.	2,440.	2,806.	3,788.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

	16"	20"	64"	RC612C(L/R)-() () ()	1,636.	2,029.	2,335.	3,152.
	16"	24"	64"	RC613C(L/R)-() () ()	1,823.	2,267.	2,606.	3,518.
	30"	20"	64"	RC632C-() () ()	2,168.	2,696.	3,099.	4,184.
	30"	24"	64"	RC633C-() () ()	2,395.	2,978.	3,421.	4,618.
	36"	20"	64"	RC662C-() () ()	2,370.	2,946.	3,387.	4,572.
	36"	24"	64"	RC663C-() () ()	2,596.	3,229.	3,713.	5,013.

Metal interiors mean shelves metal.

	30"	20"	64"	RC632F-() () ()	2,596.	3,229.	3,713.	5,013.
	30"	24"	64"	RC633F-() () ()	2,869.	3,565.	4,101.	5,536.
	36"	20"	64"	RC662F-() () ()	2,869.	3,565.	4,101.	5,536.
	36"	24"	64"	RC663F-() () ()	3,169.	3,938.	4,528.	6,113.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10³/₄"

Order Code	Specification Information	Application Notes
Example: RC612LLMJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i>
1 16" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
L Left hand hinge location	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish type	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
M Metal interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 309 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	


Cabinets (use with 26 1/2" h support components)

Reff

64" high

metal interiors


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with full height doors half wardrobe and half shelves	30"	20"	64"	RC632E(L/R)-() () ()	\$2,519.	\$3,130.	\$3,598.	\$4,857.
	30"	24"	64"	RC633E(L/R)-() () ()	2,794.	3,472.	3,993.	5,391.
	36"	20"	64"	RC662E(L/R)-() () ()	2,783.	3,458.	3,980.	5,373.
	36"	24"	64"	RC663E(L/R)-() () ()	3,086.	3,838.	4,412.	5,956.



Left hand shown


Requires one lock core per cabinet
Shelves painted metal

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H-() () ()	1,932.	2,404.	2,763.	3,730.
	30"	24"	64"	RC633H-() () ()	2,136.	2,652.	3,051.	4,119.
	36"	20"	64"	RC662H-() () ()	2,136.	2,652.	3,051.	4,119.
	36"	24"	64"	RC663H-() () ()	2,338.	2,906.	3,342.	4,512.



Requires one lock core per cabinet
Shelves painted metal

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R)-() () ()	1,970.	2,446.	2,814.	3,799.
	16"	24"	64"	RC613G(L/R)-() () ()	2,175.	2,704.	3,108.	4,196.
	30"	20"	64"	RC632G-() () ()	2,495.	3,100.	3,565.	4,813.
	30"	24"	64"	RC633G-() () ()	2,776.	3,448.	3,966.	5,354.
	36"	20"	64"	RC662G-() () ()	2,756.	3,424.	3,939.	5,318.
	36"	24"	64"	RC663G-() () ()	3,066.	3,810.	4,381.	5,914.




Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC612LLMJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
M Metal interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	<i>1. Hinge location:</i> L = Left hand R = Right hand	
	<i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	<i>3. Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	<i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	<i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 309 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26 1/2" h support components)
64" high
metal interiors

Reff


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R)-() () ()	\$2,031.	\$2,523.	\$2,901.	\$3,916.
	16"	24"	64"	RC613P(L/R)-() () ()	2,254.	2,804.	3,221.	4,348.
	30"	20"	64"	RC632P-() () ()	2,391.	2,972.	3,417.	4,613.
	30"	24"	64"	RC633P-() () ()	2,638.	3,281.	3,772.	5,092.
	36"	20"	64"	RC662P-() () ()	2,645.	3,286.	3,780.	5,103.
	36"	24"	64"	RC663P-() () ()	2,916.	3,623.	4,169.	5,628.

Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC612LLMJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
M Metal interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	<i>1. Hinge location:</i> L = Left hand R = Right hand	
	<i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	<i>3. Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	<i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	<i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 309 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	


Cabinets (use with 26 1/2" h support components)
64" high
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with three adjustable shelves 	30"	15"	64"	RC631B-() () N	\$1,528.	\$1,899.	\$2,185.	\$2,950.
	30"	20"	64"	RC632B-() () N	1,703.	2,117.	2,436.	3,289.
	30"	24"	64"	RC633B-() () N	1,879.	2,335.	2,685.	3,625.
	36"	15"	64"	RC661B-() () N	1,733.	2,154.	2,478.	3,345.
	36"	20"	64"	RC662B-() () N	1,912.	2,376.	2,734.	3,691.
	36"	24"	64"	RC663B-() () N	2,093.	2,603.	2,992.	4,039.

Open cabinets require no keying instructions

Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () ()	1,764.	2,193.	2,523.	3,406.
	16"	24"	64"	RC613C(L/R)-() () ()	1,955.	2,429.	2,792.	3,769.
	30"	20"	64"	RC632C-() () ()	2,298.	2,856.	3,286.	4,436.
	30"	24"	64"	RC633C-() () ()	2,526.	3,141.	3,610.	4,874.
	36"	20"	64"	RC662C-() () ()	2,501.	3,107.	3,573.	4,824.
	36"	24"	64"	RC663C-() () ()	2,729.	3,392.	3,900.	5,265.

Cabinet with hinged doors for coat rod and boot tray* 	16"	20"	64"	RC612D(L/R)-() () ()	1,546.	1,919.	2,207.	2,979.
	16"	24"	64"	RC613D(L/R)-() () ()	1,692.	2,103.	2,420.	3,267.
	30"	20"	64"	RC632D-() () ()	1,887.	2,346.	2,699.	3,644.
	30"	24"	64"	RC633D-() () ()	1,945.	2,420.	2,781.	3,754.
	36"	20"	64"	RC662D-() () ()	2,089.	2,598.	2,989.	4,035.
	36"	24"	64"	RC663D-() () ()	2,136.	2,672.	3,071.	4,146.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 309 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26 1/2" h support components)
64" high
wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F-() () ()	\$2,729.	\$3,392.	\$3,900.	\$5,265.
	30"	24"	64"	RC633F-() () ()	3,000.	3,727.	4,286.	5,786.
	36"	20"	64"	RC662F-() () ()	3,000.	3,727.	4,286.	5,786.
	36"	24"	64"	RC663F-() () ()	3,300.	4,103.	4,717.	6,368.



Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"


Cabinet with full height doors half wardrobe and half shelves	30"	20"	64"	RC632E(L/R)-() () ()	2,650.	3,293.	3,787.	5,112.
	30"	24"	64"	RC633E(L/R)-() () ()	2,924.	3,636.	4,179.	5,642.
	36"	20"	64"	RC662E(L/R)-() () ()	2,915.	3,621.	4,168.	5,627.
	36"	24"	64"	RC663E(L/R)-() () ()	3,216.	4,000.	4,600.	6,210.



Left hand shown

Requires one lock core per cabinet

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H-() () ()	2,063.	2,567.	2,952.	3,985.
	30"	24"	64"	RC633H-() () ()	2,265.	2,816.	3,239.	4,373.
	36"	20"	64"	RC662H-() () ()	2,265.	2,816.	3,239.	4,373.
	36"	24"	64"	RC663H-() () ()	2,467.	3,069.	3,527.	4,761.




Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 309 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26 1/2" h support components)
64" high
wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R)-() () ()	\$2,099.	\$2,609.	\$3,001.	\$4,051.
	16"	24"	64"	RC613G(L/R)-() () ()	2,308.	2,866.	3,298.	4,452.
	30"	20"	64"	RC632G-() () ()	2,626.	3,264.	3,752.	5,065.
	30"	24"	64"	RC633G-() () ()	2,905.	3,610.	4,153.	5,607.
	36"	20"	64"	RC662G-() () ()	2,888.	3,589.	4,128.	5,573.
	36"	24"	64"	RC663G-() () ()	3,196.	3,973.	4,570.	6,170.




Requires two lock cores per cabinet

Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I-() () ()	2,892.	3,594.	4,133.	5,580.
	30"	24"	64"	RC633I-() () ()	3,183.	3,956.	4,552.	6,145.
	36"	20"	64"	RC662I-() () ()	3,093.	3,847.	4,423.	5,971.
	36"	24"	64"	RC663I-() () ()	3,385.	4,209.	4,838.	6,531.



Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R)-() () ()	2,162.	2,685.	3,088.	4,169.
	16"	24"	64"	RC613P(L/R)-() () ()	2,385.	2,964.	3,410.	4,604.
	30"	20"	64"	RC632P-() () ()	2,523.	3,136.	3,607.	4,869.
	30"	24"	64"	RC633P-() () ()	2,771.	3,444.	3,958.	5,343.
	36"	20"	64"	RC662P-() () ()	2,777.	3,449.	3,968.	5,357.
	36"	24"	64"	RC663P-() () ()	3,045.	3,789.	4,355.	5,879.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 309 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26¹/₂" h support components)
72" high
metal interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with open shelving	30"	20"	72"	RC732B-() ()	\$1,747.	\$2,172.	\$2,499.	\$3,374.
	30"	24"	72"	RC733B-() ()	1,937.	2,406.	2,768.	3,737.
	36"	20"	72"	RC762B-() ()	1,976.	2,456.	2,825.	3,814.
	36"	24"	72"	RC763B-() ()	2,166.	2,691.	3,096.	4,180.




Open cabinets require no keying instructions
Shelves painted metal

Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)-() () ()	1,841.	2,286.	2,632.	3,553.
	16"	24"	72"	RC713C(L/R)-() () ()	2,044.	2,540.	2,920.	3,942.
	30"	20"	72"	RC732C-() () ()	2,403.	2,988.	3,436.	4,639.
	30"	24"	72"	RC733C-() () ()	2,666.	3,313.	3,810.	5,144.
	36"	20"	72"	RC762C-() () ()	2,656.	3,303.	3,798.	5,127.
	36"	24"	72"	RC763C-() () ()	2,948.	3,661.	4,212.	5,686.



Requires one lock core per cabinet
Shelves painted metal

Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () ()	2,825.	3,510.	4,039.	5,453.
	30"	24"	72"	RC733E(L/R)-() () ()	3,159.	3,926.	4,517.	6,098.
	36"	20"	72"	RC762E(L/R)-() () ()	3,097.	3,849.	4,425.	5,974.
	36"	24"	72"	RC763E(L/R)-() () ()	3,456.	4,301.	4,943.	6,673.



Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
7 72" high	3. Interior option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
3 30" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
B Full bookcase	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions	
	*After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 309 for keying instructions.	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26¹/₂" h support components)
72" high
metal interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with four files and hinged doors above. 	30"	20"	72"	RC732F-() () ()	\$2,869.	\$3,565.	\$4,101.	\$5,536.
	30"	24"	72"	RC733F-() () ()	3,188.	3,961.	4,555.	6,149.
	36"	20"	72"	RC762F-() () ()	3,169.	3,938.	4,528.	6,113.
	36"	24"	72"	RC763F-() () ()	3,518.	4,374.	5,029.	6,789.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10³/₄"
Shelves painted metal

Cabinet with two files and hinged doors above 	16"	20"	72"	RC712G(L/R)-() () ()	2,084.	2,589.	2,979.	4,022.
	16"	24"	72"	RC713G(L/R)-() () ()	2,284.	2,873.	3,304.	4,460.
	30"	20"	72"	RC732G-() () ()	2,646.	3,290.	3,782.	5,106.
	30"	24"	72"	RC733G-() () ()	2,910.	3,616.	4,157.	5,612.
	36"	20"	72"	RC762G-() () ()	2,873.	3,571.	4,108.	5,546.
	36"	24"	72"	RC763G-() () ()	3,138.	3,901.	4,485.	6,055.

Requires two lock cores per cabinet
Shelves painted metal

Cabinet with hinged doors below and open shelf above. 	30"	20"	72"	RC732H-() () ()	2,308.	2,865.	3,296.	4,450.
	30"	24"	72"	RC733H-() () ()	2,550.	3,166.	3,642.	4,917.
	36"	20"	72"	RC762H-() () ()	2,536.	3,149.	3,620.	4,887.
	36"	24"	72"	RC763H-() () ()	2,780.	3,450.	3,969.	5,358.


Requires one lock core per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
7 72" high	3. Interior option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
3 30" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
B Full bookcase	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 309 for keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)
72" high
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)-() () ()	\$2,164.	\$2,687.	\$3,092.	\$4,174.
	16"	24"	72"	RC713P(L/R)-() () ()	2,385.	2,964.	3,410.	4,604.
	30"	20"	72"	RC732P-() () ()	2,553.	3,173.	3,651.	4,929.
	30"	24"	72"	RC733P-() () ()	2,817.	3,502.	4,027.	5,436.
	36"	20"	72"	RC762P-() () ()	2,822.	3,507.	4,032.	5,443.
	36"	24"	72"	RC763P-() () ()	3,114.	3,866.	4,448.	6,005.
Requires two lock cores per cabinet Shelves and drawer interiors metal								


Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff		
C Cabinets	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	2. Finish type	
3 30" wide	3. Interior option	
2 20" deep	4. Pull option	
B Full bookcase	5. Lock option, where applicable	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
L Laminate finish	6. Finish, cabinet	
M Metal interior	7. Finish, pull when applicable	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
N No drilling	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	File drawers include file bars for front to back and side to side filing.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	File drawers do not support bottom loading.
	10. Keying instructions	Applicable finishes are listed on page 5 and 6.
	*After specifying product code, provide keying instructions.	
		</

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26¹/₂" h support components)
72" high
wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with open shelving	30"	20"	72"	RC732B-() ()	\$1,877.	\$2,334.	\$2,684.	\$3,623.
	30"	24"	72"	RC733B-() ()	2,066.	2,570.	2,954.	3,988.
	36"	20"	72"	RC762B-() ()	2,108.	2,620.	3,012.	4,066.
	36"	24"	72"	RC763B-() ()	2,296.	2,854.	3,283.	4,432.




Open cabinets require no keying instructions

Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)-() () ()	1,973.	2,451.	2,818.	3,804.
	16"	24"	72"	RC713C(L/R)-() () ()	2,173.	2,703.	3,107.	4,194.
	30"	20"	72"	RC732C-() () ()	2,535.	3,149.	3,620.	4,887.
	30"	24"	72"	RC733C-() () ()	2,798.	3,477.	3,999.	5,399.
	36"	20"	72"	RC762C-() () ()	2,786.	3,465.	3,984.	5,378.
	36"	24"	72"	RC763C-() () ()	3,078.	3,826.	4,399.	5,939.



Requires one lock core per cabinet

Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () ()	2,954.	3,673.	4,224.	5,702.
	30"	24"	72"	RC733E(L/R)-() () ()	3,289.	4,090.	4,703.	6,349.
	36"	20"	72"	RC762E(L/R)-() () ()	3,228.	4,011.	4,614.	6,229.
	36"	24"	72"	RC763E(L/R)-() () ()	3,590.	4,462.	5,132.	6,928.



Requires one lock core per cabinet


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions	
	*After specifying product code, provide keying instructions.	
	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 309 for keying instructions.	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)
72" high
wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with four files and hinged doors above. 	30"	20"	72"	RC732F-() () ()	\$3,000.	\$3,727.	\$4,286.	\$5,786.
	30"	24"	72"	RC733F-() () ()	3,319.	4,124.	4,741.	6,400.
	36"	20"	72"	RC762F-() () ()	3,300.	4,103.	4,729.	6,384.
	36"	24"	72"	RC763F-() () ()	3,648.	4,535.	5,218.	7,044.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Cabinet with two files and hinged doors above 	16"	20"	72"	RC712G(L/R)-() () ()	2,216.	2,754.	3,166.	4,274.
	16"	24"	72"	RC713G(L/R)-() () ()	2,443.	3,036.	3,490.	4,712.
	30"	20"	72"	RC732G-() () ()	2,778.	3,450.	3,969.	5,358.
	30"	24"	72"	RC733G-() () ()	3,040.	3,779.	4,345.	5,866.
	36"	20"	72"	RC762G-() () ()	3,005.	3,734.	4,295.	5,798.
	36"	24"	72"	RC763G-() () ()	3,270.	4,065.	4,674.	6,310.

Requires two lock cores per cabinet

Cabinet with hinged doors below and open shelf above. 	30"	20"	72"	RC732H-() () ()	2,433.	3,026.	3,481.	4,699.
	30"	24"	72"	RC733H-() () ()	2,675.	3,329.	3,827.	5,166.
	36"	20"	72"	RC762H-() () ()	2,663.	3,308.	3,805.	5,137.
	36"	24"	72"	RC763H-() () ()	2,905.	3,610.	4,153.	5,607.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions	
	*After specifying product code, provide keying instructions.	
	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 309 for keying instructions.	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)
72" high
wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Wardrobe cabinet	16"	20"	72"	RC712D(L/R)-() () ()	\$1,657.	\$2,061.	\$2,370.	\$3,200.
	16"	24"	72"	RC713D(L/R)-() () ()	1,824.	2,268.	2,607.	3,519.
	30"	20"	72"	RC732D-() () ()	2,087.	2,595.	2,982.	4,026.
	30"	24"	72"	RC733D-() () ()	2,293.	2,851.	3,279.	4,427.
	36"	20"	72"	RC762D-() () ()	2,294.	2,853.	3,282.	4,431.
	36"	24"	72"	RC763D-() () ()	2,523.	3,136.	3,607.	4,869.

Requires one lock core per cabinet.
Order coat rod and boot tray from accessories

 Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-() () ()	3,205.	3,982.	4,579.	6,182.
	30"	24"	72"	RC733I-() () ()	3,537.	4,397.	5,058.	6,828.
	36"	20"	72"	RC762I-() () ()	3,476.	4,322.	4,972.	6,712.
	36"	24"	72"	RC763I-() () ()	3,839.	4,773.	5,489.	7,410.

Requires two lock cores per cabinet
Hinge opening 110°

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)-() () ()	2,293.	2,851.	3,279.	4,427.
	16"	24"	72"	RC713P(L/R)-() () ()	2,517.	3,129.	3,597.	4,856.
	30"	20"	72"	RC732P-() () ()	2,686.	3,339.	3,839.	5,183.
	30"	24"	72"	RC733P-() () ()	2,949.	3,664.	4,213.	5,688.
	36"	20"	72"	RC762P-() () ()	2,952.	3,669.	4,220.	5,697.
	36"	24"	72"	RC763P-() () ()	3,244.	4,031.	4,636.	6,259.

Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN R Reff C Cabinets 7 72" high 3 30" wide 2 20" deep B Full bookcase L Laminate finish W Wood interior N No drilling N No drilling	<i>To order please specify pattern number including:</i> - Hinge location, where applicable - Finish type - Interior option - Pull option - Lock option, where applicable - Finish, cabinet - Finish, pull when applicable - Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D - Right hand side of cabinet drilling: same as #8 above. - Keying instructions *After specifying product code, provide keying instructions.	1. <i>Hinge location:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer) 4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling 10. Refer to page 309 for keying instructions. Key alike are field installed using the KnollKey order form. Random locks are factory installed. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 285. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets (use with 28³/₈" h support components)

Reff

53" high


metal interiors

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,143.	\$1,419.	\$1,634.	\$2,206.
	30"	20"	53"	RC532DHB () () ()	1,288.	1,603.	1,843.	2,488.
	30"	24"	53"	RC533DHB () () ()	1,453.	1,805.	2,076.	2,803.
	36"	15"	53"	RC561DHB () () ()	1,268.	1,576.	1,814.	2,449.
	36"	20"	53"	RC562DHB () () ()	1,430.	1,778.	2,046.	2,762.
	36"	24"	53"	RC563DHB () () ()	1,610.	2,004.	2,303.	3,109.



Interior shelves painted metal

4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () () L ()	1,963.	2,441.	2,807.	3,789.
	30"	24"	53"	RC533DHF () () () L ()	2,166.	2,691.	3,096.	4,180.
	36"	20"	53"	RC562DHF () () () L ()	2,489.	3,093.	3,558.	4,803.
	36"	24"	53"	RC563DHF () () () L ()	2,748.	3,417.	3,930.	5,306.



Drawer interiors painted metal

Order Code	Specification Information	Application Notes
Example: RC531DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
5 53" h (nominal)	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
3 30" w (nominal)		
1 15" d (nominal)		
DH Desk height	2. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
B Open bookcase		
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple	3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock 5. <i>Cabinet finish</i> 6. <i>Optional pull finish (where applicable)</i> Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Applicable finishes are listed on page 5 and 6.

Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

53" nominal height - actual height 52.625"

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.


File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.


Cabinets (use with 28³/₈" h support components)
53" high
wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,281.	\$1,593.	\$1,827.	\$2,466.
	30"	20"	53"	RC532DHB () () ()	1,425.	1,774.	2,039.	2,753.
	30"	24"	53"	RC533DHB () () ()	1,590.	1,977.	2,273.	3,069.
	36"	15"	53"	RC561DHB () () ()	1,407.	1,747.	2,011.	2,715.
	36"	20"	53"	RC562DHB () () ()	1,568.	1,951.	2,243.	3,028.
	36"	24"	53"	RC563DHB () () ()	1,749.	2,174.	2,500.	3,375.



4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () () L ()	2,099.	2,610.	3,002.	4,053.
	30"	24"	53"	RC533DHF () () () L ()	2,306.	2,868.	3,293.	4,446.
	36"	20"	53"	RC562DHF () () () L ()	2,625.	3,263.	3,752.	5,065.
	36"	24"	53"	RC563DHF () () () L ()	2,885.	3,585.	4,124.	5,567.




Order Code	Specification Information	Application Notes
Example: RC531DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
5 53" h (nominal)	3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
3 30" w (nominal)	4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock	53" nominal height - actual height 52.625" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
1 15" d (nominal)	5. <i>Cabinet finish</i>	
DH Desk height	6. <i>Optional pull finish (where applicable)</i> Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Applicable finishes are listed on page 5 and 6.	
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		

Cabinets (use with 28³/₈" h support components)


Reff

68" high
metal interior


description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/3 adjustable shelves (for desk height planning)	30"	15"	68"	RC631DHB () () ()	\$1,467.	\$1,824.	\$2,098.	\$2,832.
	30"	20"	68"	RC632DHB () () ()	1,650.	2,052.	2,360.	3,186.
	30"	24"	68"	RC633DHB () () ()	1,836.	2,281.	2,623.	3,541.
	36"	15"	68"	RC661DHB () () ()	1,682.	2,092.	2,406.	3,248.
	36"	20"	68"	RC662DHB () () ()	1,870.	2,327.	2,673.	3,609.
	36"	24"	68"	RC663DHB () () ()	2,060.	2,561.	2,946.	3,977.
Shelves painted metal								



Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	68"	RC612DHG (L/R) () () L () ()	2,068.	2,570.	2,954.	3,988.
	16"	24"	68"	RC613DHG (L/R) () () L () ()	2,284.	2,839.	3,264.	4,406.
	30"	20"	68"	RC632DHG () () L () ()	2,619.	3,255.	3,743.	5,053.
	30"	24"	68"	RC633DHG () () L () ()	2,915.	3,620.	4,162.	5,619.
	36"	20"	68"	RC662DHG () () L () ()	2,894.	3,597.	4,138.	5,586.
	36"	24"	68"	RC663DHG () () L () ()	3,220.	4,001.	4,601.	6,211.
Requires two lock cores per cabinet Shelves painted metal, drawer interiors painted black metal								



Storage w/4 file drwrs & 2 hinged doors (for desk height planning)	30"	20"	68"	RC632DHF () () L () ()	2,726.	3,389.	3,899.	5,264.
	30"	24"	68"	RC633DHF () () L () ()	3,012.	3,743.	4,306.	5,813.
	36"	20"	68"	RC662DHF () () L () ()	3,012.	3,743.	4,306.	5,813.
	36"	24"	68"	RC663DHF () () L () ()	3,328.	4,136.	4,756.	6,421.
Requires two lock cores per cabinet Drawer interiors painted black metal								




Order Code	Specification Information	Application Notes
Example: RC631DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
C Cabinet	6. <i>Cabinet finish</i>	
6 68" h (<i>nominal</i>)	7. <i>Optional pull finish where applicable</i>	
3 30" w (<i>nominal</i>)	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
1 15" d (<i>nominal</i>)	Applicable finishes are listed on page 5 and 6.	68" nominal height - actual height 67.627" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
DH Desk height		
B Open bookcase		
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		
	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	

Cabinets (use with 28³/₈" h support components)
68" high
metal interior

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	68"	RC632DHK () () L ()	\$2,532.	\$3,149.	\$3,636.	\$4,909.
	30"	24"	68"	RC633DHK () () L ()	2,827.	3,514.	4,057.	5,477.
	36"	20"	68"	RC662DHK () () L ()	2,807.	3,490.	4,032.	5,443.
	36"	24"	68"	RC663DHK () () L ()	3,132.	3,896.	4,495.	6,068.



Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC631DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
C Cabinet	6. <i>Cabinet finish</i>	
6 68" h (nominal)	7. <i>Optional pull finish where applicable</i>	
3 30" w (nominal)	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	68" nominal height - actual height 67.627" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
1 15" d (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
DH Desk height	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
B Open bookcase	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
2 Finish type, V2	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
M Interior option, metal		
V316 Finish, light maple		

Cabinets (use with 28³/₈" h support components)


Reff

68" high
wood interior


description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/3 adjustable shelves (for desk height planning)	30"	15"	68"	RC631DHB () () ()	\$1,605.	\$1,995.	\$2,295.	\$3,098.
	30"	20"	68"	RC632DHB () () ()	1,789.	2,223.	2,556.	3,451.
	30"	24"	68"	RC633DHB () () ()	1,972.	2,451.	2,818.	3,804.
	36"	15"	68"	RC661DHB () () ()	1,820.	2,263.	2,603.	3,514.
	36"	20"	68"	RC662DHB () () ()	2,007.	2,497.	2,870.	3,875.
	36"	24"	68"	RC663DHB () () ()	2,198.	2,733.	3,143.	4,243.



Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	68"	RC612DHG(L/R) () () () () ()	2,204.	2,740.	3,150.	4,253.
	16"	24"	68"	RC613DHG(L/R) () () () () ()	2,424.	3,010.	3,463.	4,675.
	30"	20"	68"	RC632DHG () () () () ()	2,757.	3,425.	3,939.	5,318.
	30"	24"	68"	RC633DHG () () () () ()	3,052.	3,791.	4,360.	5,886.
	36"	20"	68"	RC662DHG () () () () ()	3,032.	3,769.	4,334.	5,851.
	36"	24"	68"	RC663DHG () () () () ()	3,357.	4,174.	4,797.	6,476.



Storage w/4 file drwrs & 2 hinged doors (for desk height planning)	30"	20"	68"	RC632DHF () () () () ()	2,865.	3,563.	4,095.	5,528.
	30"	24"	68"	RC633DHF () () () () ()	3,150.	3,913.	4,502.	6,078.
	36"	20"	68"	RC662DHF () () () () ()	3,150.	3,913.	4,502.	6,078.
	36"	24"	68"	RC663DHF () () () () ()	3,465.	4,307.	4,954.	6,688.



Order Code	Specification Information	Application Notes
Example: RC631DHB(2)(W)(V316)	To order please specify pattern number including:	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	5. Lock option (where applicable)	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
C Cabinet	Optional hinged door configurations only	
6 68" h (nominal)	Drawers always lock drilled	Applicable finishes are listed on page 5 and 6.
3 30" w (nominal)	L = drilled to accept lock	
1 15" d (nominal)	N = no drilling	6. Cabinet finish
DH Desk height	7. Optional pull finish where applicable	
B Open bookcase		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
2 Finish type, V2		
W Interior option, wood		68" nominal height - actual height 67.627"
V316 Finish, light maple		
	1. Hinge location (where applicable)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
	L = left hand	
	R = right hand	File drawers include file bars for front to back and side to side filing.
	2. Finish type	
	L = laminate	File drawers support bottom loading.
	1 = V1	
	2 = V2	
	3 = V3	
	3. Interior Option	
	W = wood (shelves match case finish and drawer interiors cherry veneer)	
	4. Pull Option (where applicable)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	


Cabinets (use with 28³/₈" h support components)

Reff

68" high

wood interior

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	68"	RC632DHK () () L ()	\$2,670.	\$3,320.	\$3,837.	\$5,180.
	30"	24"	68"	RC633DHK () () L ()	2,964.	3,687.	4,253.	5,742.
	36"	20"	68"	RC662DHK () () L ()	2,945.	3,664.	4,228.	5,708.
	36"	24"	68"	RC663DHK () () L ()	3,268.	4,067.	4,691.	6,333.




Order Code	Specification Information	Application Notes
Example: RC631DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	5. <i>Lock option (where applicable)</i>	68" nominal height - actual height 67.627"
C Cabinet	Optional hinged door	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
6 68" h (nominal)	Drawers always lock drilled	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	L = drilled to accept lock	File drawers support bottom loading.
1 15" d (nominal)	N = no drilling	
DH Desk height	6. <i>Cabinet finish</i>	
B Open bookcase	7. <i>Optional pull finish where applicable</i>	
2 Finish type, V2	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
W Interior option, wood	Applicable finishes are listed on page 5 and 6.	
V316 Finish, light maple		
	1. <i>Hinge location (where applicable)</i>	
	L = left hand	
	R = right hand	
	2. <i>Finish type</i>	
	L = laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	3. Interior Option	
	W = wood (shelves match case finish and drawer interiors cherry veneer)	
	4. <i>Pull Option (where applicable)</i>	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	

Cabinets (use with 28³/₈" h support components)

Reff


75" high
metal interiors

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$1,835.	\$2,280.	\$2,622.	\$3,540.
	30"	24"	75"	RC733DHB () () () ()	2,033.	2,526.	2,905.	3,922.
	36"	20"	75"	RC762DHB () () () ()	2,076.	2,579.	2,966.	4,004.
	36"	24"	75"	RC763DHB () () () ()	2,274.	2,828.	3,251.	4,389.



Shelves painted metal


Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () ()	2,966.	3,683.	4,240.	5,724.
	30"	24"	75"	RC733DHE(L/R) () () () () ()	3,316.	4,122.	4,744.	6,404.
	36"	20"	75"	RC762DHE(L/R) () () () () ()	3,252.	4,042.	4,647.	6,273.
	36"	24"	75"	RC763DHE(L/R) () () () () ()	3,628.	4,516.	5,189.	7,005.



Requires one lock core per cabinet
Shelves painted metal

Left hand shown

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () () () () ()	2,189.	2,720.	3,129.	4,224.
	16"	24"	75"	RC713DHG(L/R) () () () () () ()	2,399.	3,015.	3,469.	4,683.
	30"	20"	75"	RC732DHG () () () () () ()	2,779.	3,454.	3,971.	5,361.
	30"	24"	75"	RC733DHG () () () () () ()	3,056.	3,796.	4,367.	5,895.
	36"	20"	75"	RC762DHG () () () () () ()	3,016.	3,749.	4,314.	5,824.
	36"	24"	75"	RC763DHG () () () () () ()	3,295.	4,096.	4,711.	6,360.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	To order please specify pattern number including:	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff	5. Lock option (where applicable) Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	75" nominal height - actual height 75.125"
C Cabinet	6. Cabinet finish	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
7 75" h (nominal)	7. Optional pull finish where applicable	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	8. Optional drilling to support workwall, left side N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	File drawers support bottom loading.
2 20" d (nominal)	9. Optional drilling to support workwall, right side *drilling options same as #8 above	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 285
DH Desk height	1. Hinge location (where applicable) L = left hand R = right hand	
B Open bookcase	2. Finish type L = laminate 1 = V1 2 = V2 3 = V3	
2 Finish type, V2	3. Interior Option M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
M Interior option, metal	4. Pull Option (where applicable) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
V316 Finish, light maple		


Applicable finishes are listed on page 5 and 6.

Cabinets (use with 28³/₈" h support components)

Reff


75" high
metal interiors

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () () ()	\$2,691.	\$3,349.	\$3,866.	\$5,219.
	30"	24"	75"	RC733DHK () () L () () ()	2,968.	3,690.	4,261.	5,752.
	36"	20"	75"	RC762DHK () () L () () ()	2,929.	3,644.	4,209.	5,682.
	36"	24"	75"	RC763DHK () () L () () ()	3,207.	3,991.	4,606.	6,218.



Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal

Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () () ()	3,012.	3,743.	4,306.	5,813.
	30"	24"	75"	RC733DHF () () L () () ()	3,346.	4,158.	4,783.	6,457.
	36"	20"	75"	RC762DHF () () L () () ()	3,328.	4,136.	4,756.	6,421.
	36"	24"	75"	RC763DHF () () L () () ()	3,695.	4,592.	5,281.	7,129.



Requires two lock cores per cabinet
Drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff	5. <i>Lock option (where applicable)</i> Optional hinged door Drawers always lock drilled L = drilled to accept lock N = no drilling	
C Cabinet	6. <i>Cabinet finish</i>	
7 75" h (nominal)	7. <i>Optional pull finish where applicable</i>	
3 30" w (nominal)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	75" nominal height - actual height 75.125" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 285
2 20" d (nominal)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
DH Desk height	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
B Open bookcase	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 Finish type, V2	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
M Interior option, metal	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.


Cabinets (use with 28³/₈" h support components)
75" high
wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$1,971.	\$2,449.	\$2,817.	\$3,803.
	30"	24"	75"	RC733DHB () () () ()	2,170.	2,698.	3,101.	4,186.
	36"	20"	75"	RC762DHB () () () ()	2,214.	2,751.	3,163.	4,270.
	36"	24"	75"	RC763DHB () () () ()	2,411.	2,999.	3,448.	4,655.




Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () ()	3,103.	3,855.	4,435.	5,987.
	30"	24"	75"	RC733DHE(L/R) () () () () ()	3,454.	4,295.	4,939.	6,668.
	36"	20"	75"	RC762DHE(L/R) () () () () ()	3,390.	4,212.	4,845.	6,541.
	36"	24"	75"	RC763DHE(L/R) () () () () ()	3,769.	4,687.	5,389.	7,275.



Requires one lock core per cabinet

Left hand shown

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () L () () ()	2,327.	2,890.	3,324.	4,487.
	16"	24"	75"	RC713DHG(L/R) () () L () () ()	2,565.	3,186.	3,665.	4,948.
	30"	20"	75"	RC732DHG () () L () () ()	2,917.	3,622.	4,167.	5,625.
	30"	24"	75"	RC733DHG () () L () () ()	3,193.	3,968.	4,562.	6,159.
	36"	20"	75"	RC762DHG () () L () () ()	3,154.	3,921.	4,509.	6,087.
	36"	24"	75"	RC763DHG () () L () () ()	3,433.	4,268.	4,908.	6,626.



Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	To order please specify pattern number including:	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration. 75" nominal height - actual height 75.125" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 285
R Reff	5. Lock option (where applicable) Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
C Cabinet	6. Cabinet finish	
7 75" h (nominal)	7. Optional pull finish where applicable	
3 30" w (nominal)	8. Optional drilling to support workwall, left side N = no drilling S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
2 20" d (nominal)	9. Optional drilling to support workwall, right side *drilling options same as #8 above	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
DH Desk height	1. Hinge location (where applicable) L = left hand R = right hand	
B Open bookcase	2. Finish type L = laminate 1 = V1 2 = V2 3 = V3	
2 Finish type, V2	3. Interior Option W = wood (shelves match case finish and drawer interiors cherry veneer)	
W Interior option, wood	4. Pull Option (where applicable) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 28³/₈" h support components)

Reff


75" high
wood interiors

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () ()	\$2,829.	\$3,517.	\$4,061.	\$5,482.
	30"	24"	75"	RC733DHK () () L () ()	3,105.	3,861.	4,458.	6,018.
	36"	20"	75"	RC762DHK () () L () ()	3,067.	3,816.	4,406.	5,948.
	36"	24"	75"	RC763DHK () () L () ()	3,345.	4,162.	4,802.	6,483.



Requires one lock core per cabinet

Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () ()	3,150.	3,913.	4,502.	6,078.
	30"	24"	75"	RC733DHF () () L () ()	3,485.	4,331.	4,979.	6,722.
	36"	20"	75"	RC762DHF () () L () ()	3,465.	4,307.	4,968.	6,707.
	36"	24"	75"	RC763DHF () () L () ()	3,831.	4,760.	5,479.	7,397.



Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff	5. <i>Lock option (where applicable)</i> Optional hinged door Drawers always lock drilled L = drilled to accept lock N = no drilling	
C Cabinet	6. <i>Cabinet finish</i>	
7 75" h (nominal)	7. <i>Optional pull finish where applicable</i>	
3 30" w (nominal)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	75" nominal height - actual height 75.125" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 285
2 20" d (nominal)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
DH Desk height		
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 309.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

description	w	d	h	pattern no.	L	V1	V2	V3
-------------	---	---	---	-------------	---	----	----	----

Office companion	16"	18"	28"	RCOMP1816-()	\$1,832.	\$2,274.	\$2,612.	\$3,526.
------------------	-----	-----	-----	----------------------	----------	----------	----------	----------




Office tower with storage door and drawers (left hand)	24"	24"	65 1/4"	RTDL242464-()	4,925.	6,122.	7,040.	9,504.
	24"	30"	65 1/4"	RTDL243064-()	5,475.	6,804.	7,825.	10,564.



File drawers come drilled to accept lock. Requires one lock core. Coat and one shelf included.

Office tower with storage door and drawers (right hand)	24"	24"	65 1/4"	RTDR242464-()	4,925.	6,122.	7,040.	9,504.
	24"	30"	65 1/4"	RTDR243064-()	5,475.	6,804.	7,825.	10,564.

Office tower without storage door and drawers (left hand)	24"	24"	65 1/4"	RTOL242464-()	4,432.	5,513.	6,336.	8,554.
	24"	30"	65 1/4"	RTOL243064-()	4,926.	6,123.	7,042.	9,507.



File drawers come drilled to accept lock. Requires one lock core. Coat rod and one shelf included.

Office tower without storage door and drawers (right hand)	24"	24"	65 1/4"	RTOR242464-()	4,432.	5,513.	6,336.	8,554.
	24"	30"	65 1/4"	RTOR243064-()	4,926.	6,123.	7,042.	9,507.

Order Code	Specification Information	Application Notes
Example: RCOMP18161	<i>To order please specify pattern number including:</i>	Office companion designed to facilitate storage and use of portable personal computers.
R Reff	1. Finish type	Office tower multiple type storage unit for maximum space utilization.
COMP Companion	2. Finish	Office tower is shown in left hand versions only. (Tower is positioned to the left of work surface).
18 18" wide	3. D-pull finish	Office companion and towers are only available with metal D-pulls.
16 16" deep	4. Keying instructions	The office companion is equipped with medium grey nose edge and grommet and a choice in D-pull finish. Locks are black.
1 V1 finish	1. <i>Finish type:</i> L = Laminated 1 = V1 2 = V2 3 = V3	
	4. Refer to page 309 for keying instructions.	
	*After specifying product code, provide keying instructions.	

Hinge doors on office tower cannot be locked.

Lock is included in office companion.



Random Keying is factory installed.

Key alike orders are field installed using the KnollKey order form.

Applicable finishes are listed on page 5 and 6.

Overhead storage panel hung cabinets



Reff

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	19"	30"	14"			ROPO30S0(-)(-)(-)	\$1,101.	\$1,137.	\$1,308.	\$1,766.
	19"	36"	14"			ROPO36S0(-)(-)(-)	1,347.	1,393.	1,602.	2,163.
	19"	42"	14"			ROPO42S0(-)(-)(-)	1,481.	1,531.	1,762.	2,379.
	19"	48"	14"			ROPO48S0(-)(-)(-)	1,535.	1,586.	1,825.	2,464.
	19"	60"	14"			ROPO60S0(-)(-)(-)	1,569.	1,623.	1,869.	2,523.
	19"	72"	14"			ROPO72S0(-)(-)(-)	1,924.	1,987.	2,285.	3,085.
	19"	90"	14"			ROPO90S0(-)(-)(-)	2,116.	2,187.	2,515.	3,395.
	19"	96"	14"			ROPO96S0(-)(-)(-)	2,193.	2,268.	2,607.	3,519.
	23"	60"	14"			ROPO60T0(-)(-)(-)	1,676.	1,734.	1,994.	2,692.
	23"	72"	14"			ROPO72T0(-)(-)(-)	2,285.	2,366.	2,720.	3,672.
	23"	90"	14"			ROPO90T0(-)(-)(-)	2,595.	2,680.	3,084.	4,163.
	23"	96"	14"			ROPO96T0(-)(-)(-)	2,689.	2,780.	3,198.	4,317.
Panel-hung overhead cabinet (hinged door) no back 	19"	30"	14"	1	2	ROPH30S0(-)(-)(-)	1,223.	1,262.	1,450.	1,958.
	19"	36"	14"	1	2	ROPH36S0(-)(-)(-)	1,494.	1,546.	1,780.	2,403.
	19"	60"	14"	2	4	ROPH60S0(-)(-)(-)	1,744.	1,802.	2,073.	2,799.
	19"	72"	14"	2	4	ROPH72S0(-)(-)(-)	2,137.	2,211.	2,542.	3,432.
	19"	90"	14"	3	6	ROPH90S0(-)(-)(-)	2,352.	2,430.	2,794.	3,772.
	19"	96"	14"	3	6	ROPH96S0(-)(-)(-)	2,436.	2,517.	2,898.	3,912.
	23"	60"	14"	2	4	ROPH60T0(-)(-)(-)	1,866.	1,928.	2,219.	2,996.
	23"	72"	14"	2	4	ROPH72T0(-)(-)(-)	2,540.	2,628.	3,021.	4,078.
	23"	90"	14"	3	6	ROPH90T0(-)(-)(-)	2,881.	2,979.	3,423.	4,621.
	23"	96"	14"	3	6	ROPH96T0(-)(-)(-)	2,989.	3,089.	3,551.	4,794.

Order Code	Specification Information	Application Notes
Example: ROPH60S0DLL	<i>To order please specify pattern number including:</i>	Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
R Reff	1. Configuration option (<i>embedded in pattern no.</i>)	Open cabinets require no locks.
O Overhead	<i>H = Hinged door</i>	Tasklights are not included.
P Panel hung	<i>O = Open</i>	D-Pulls are not available for flip door units.
H Hinge door	<i>F = Flip door</i>	Hardware included for overhead cabinets.
60 60" wide	2. Storage option (<i>embedded in pattern no.</i>)	The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.
S Standard height, 19"h	<i>S0 = 19"h x 14"d open/15"d hinged door</i>	*Keying instructions must accompany all cabinet orders.
0 15" deep	<i>T0 = 23"h x 14"d open/15"d hinged door</i>	Panel-hung overheads come with no backs.
D D-pull	3. Finish type	Random keys are factory installed.
L Lock hole drilled	4. Pull option <i>applicable hinged doors only</i>	Order overheads with a KnollKey order form.
L Laminate finish	5. Lock option	
	6. Finish, case	
	7. Finish, pull when applicable	
	8. Keying instructions	
	*After specifying product code, provide keying instructions.	
	Dimensions are nominal.	
	Product not available where prices do not appear.	
	3. <i>Finish type options:</i>	
	L = Laminate	
	1 = V1 techwood	
	2 = V2 conventional veneer	
	3 = V3 exotic veneer	

Overhead storage panel hung cabinets

Reff


description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	18"	30"	14"	1	1	ROPF30S0J-()	\$918.	\$1,207.	\$1,386.	\$1,871.
	18"	36"	14"	1	1	ROPF36S0J-()	934.	1,227.	1,413.	1,908.
	18"	42"	14"	1	1	ROPF42S0J-()	1,000.	1,316.	1,515.	2,045.
	18"	48"	14"	1	1	ROPF48S0J-()	1,037.	1,369.	1,574.	2,125.
	18"	60"	14"	2	2	ROPF60S0J-()	1,204.	1,583.	1,822.	2,460.
	18"	72"	14"	2	2	ROPF72S0J-()	1,423.	1,873.	2,152.	2,905.
	18"	84"	14"	2	2	ROPF84S0J-()	1,591.	2,092.	2,406.	3,248.
	18"	96"	14"	2	2	ROPF96S0J-()	1,696.	2,232.	2,568.	3,467.
Panel-hung shelves 	9"	30"	13"			ROPS30S0NN-()	260.	537.	616.	832.
	9"	36"	13"			ROPS36S0NN-()	281.	557.	640.	864.
	9"	42"	13"			ROPS42S0NN-()	304.	575.	663.	895.
	9"	48"	13"			ROPS48S0NN-()	325.	596.	684.	923.
	9"	54"	13"			ROPS54S0NN-()	348.	640.	735.	992.
	9"	60"	13"			ROPS60S0NN-()	370.	689.	792.	1,069.
	9"	66"	13"			ROPS66S0NN-()	392.	733.	843.	1,138.
	9"	72"	13"			ROPS72S0NN-()	415.	780.	894.	1,207.
	9"	78"	13"			ROPS78S0NN-()	437.	846.	971.	1,311.
	9"	84"	13"			ROPS84S0NN-()	457.	910.	1,048.	1,415.
	9"	90"	13"			ROPS90S0NN-()	481.	976.	1,122.	1,515.
	9"	96"	13"			ROPS96S0NN-()	488.	1,026.	1,182.	1,596.

Order Code	Specification Information	Application Notes
Example: ROPH60S0DLL R Reff O Overhead P Panel hung H Hinge door 60 60" wide S Standard height, 19"h 0 15" deep D D-pull L Lock hole drilled L Laminate finish	To order please specify pattern number including: - Configuration option (<i>embedded in pattern no.</i>) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i> - Storage option (<i>embedded in pattern no.</i>) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i> - Finish type - Pull option <i>applicable hinged doors only</i> - Lock option - Finish, case - Finish, pull when applicable - Keying instructions *After specifying product code, provide keying instructions. Dimensions are nominal. Product not available where prices do not appear. 3. <i>Finish type options:</i> L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer	4. <i>Pull Options:</i> D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only) 5. <i>Lock options:</i> L = Lock hole drilled N = No lockdrilling 8. Refer to page 309 for keying instructions. Applicable finishes are listed on page 5 and 6. Sliding rails order separately on page 276. Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled. Open cabinets require no locks. Tasklights are not included. D-Pulls are not available for flip door units. Hardware included for overhead cabinets. The manufacturer does not take responsibility for the installation or the security of cabinets to the wall. *Keying instructions must accompany all cabinet orders. Panel-hung overheads come with no backs. Random keys are factory installed. Order overheads with a KnollKey order form.


Overhead storage wall hung cabinets

Reff

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (hinged door) with back	19"	30"	15"	1	2	ROMH30S0 (-)()	\$2,234.	\$2,308.	\$2,652.	\$3,580.
	19"	36"	15"	1	2	ROMH36S0 (-)()	2,377.	2,460.	2,828.	3,818.
	19"	60"	15"	2	4	ROMH60S0 (-)()	2,670.	2,760.	3,175.	4,286.
	19"	72"	15"	2	4	ROMH72S0 (-)()	2,826.	2,920.	3,360.	4,536.



Wall-hung overhead cabinet (open) with back	19"	30"	15"			ROMO30S0 (-)()	1,535.	1,591.	1,827.	2,466.
	19"	36"	15"			ROMO36S0 (-)()	1,576.	1,631.	1,874.	2,530.
	19"	42"	15"			ROMO42S0 (-)()	1,616.	1,672.	1,922.	2,595.
	19"	48"	15"			ROMO48S0 (-)()	1,661.	1,714.	1,975.	2,666.
	19"	60"	15"			ROMO60S0 (-)()	1,834.	1,894.	2,179.	2,942.
	19"	72"	15"			ROMO72S0 (-)()	1,935.	2,005.	2,303.	3,109.



Wall-hung overhead cabinet flip door) with back	19"	30"	15"	1	1	ROMF30S0 (-)()	1,637.	1,692.	1,945.	2,626.
	19"	36"	15"	1	1	ROMF36S0 (-)()	1,742.	1,801.	2,072.	2,797.
	19"	42"	15"	1	1	ROMF42S0 (-)()	1,844.	1,910.	2,196.	2,965.
	19"	48"	15"	1	1	ROMF48S0 (-)()	1,952.	2,018.	2,321.	3,133.
	19"	60"	15"	2	2	ROMF60S0 (-)()	2,152.	2,226.	2,560.	3,456.
	19"	72"	15"	2	2	ROMF72S0 (-)()	2,278.	2,354.	2,708.	3,656.

Order Code	Specification Information	Application Notes
Example: ROMO60S0DLL	<i>To order please specify pattern number including:</i>	
R Reff	1. Configuration option (<i>embedded in pattern no.</i>)	Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
O Overhead	<i>H = Hinged door</i>	Open cabinets require no locks.
M Wall hung	<i>O = Open</i>	Tasklights are not included.
O Open	<i>F = Flip door</i>	D-Pulls are not available for flip door units.
60 60" wide	2. Storage option (<i>embedded in pattern no.</i>)	Hardware included for overhead cabinets.
S Standard height, 19"h	<i>S0 = 19"h x 14"d open/15"d hinged door</i>	The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.
0 15" deep	3. Finish type	*Keying instructions must accompany all cabinet orders.
	4. Pull option <i>applicable hinged doors only</i>	Panel-hung overheads come with no backs.
	5. Lock option	Random keys are factory installed.
	6. Finish, case	Order overheads with a KnollKey order form.
	7. Finish, pull when applicable	
	8. Keying instructions	
	*After specifying product code, provide keying instructions.	
	Dimensions are nominal.	
	Product not available where prices do not appear.	
	3. <i>Finish type options:</i>	
	L = Laminate	
	1 = V1 techwood	
	2 = V2 conventional veneer	
	3 = V3 exotic veneer	

4. *Pull Options:*
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*
L = Lock hole drilled
N = No lockdrilling

8. Refer to page 309 for keying instructions.


Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 276.


Overhead storage workwalls, 26¹/₂" standard height planning model

Reff

description	d	h	w	pattern no.	L	V1	V2	V3
72"h workwall overhead cabinet (open)	15"	19"	60"	ROWO60S0(-)(-)(-)	\$1,752.	\$1,830.	\$2,146.	\$2,897.
	15"	19"	72"	ROWO72S0(-)(-)(-)	2,253.	2,352.	2,751.	3,714.
	15"	19"	90"	ROWO90S0(-)(-)(-)	2,482.	2,596.	3,054.	4,123.
	15"	19"	96"	ROWO96S0(-)(-)(-)	2,542.	2,664.	3,137.	4,235.
	15"	23"	60"	ROWO60T0(-)(-)(-)	1,904.	1,987.	2,330.	3,146.
	15"	23"	72"	ROWO72T0(-)(-)(-)	2,558.	2,668.	3,116.	4,207.
	15"	23"	90"	ROWO90T0(-)(-)(-)	2,869.	2,998.	3,513.	4,743.
	15"	23"	96"	ROWO96T0(-)(-)(-)	2,928.	3,063.	3,596.	4,855.
	20"	19"	60"	ROWO60S1(-)(-)(-)	1,884.	1,968.	2,305.	3,112.
	20"	19"	72"	ROWO72S1(-)(-)(-)	2,419.	2,523.	2,948.	3,980.
	20"	19"	90"	ROWO90S1(-)(-)(-)	2,758.	2,884.	3,385.	4,570.
	20"	19"	96"	ROWO96S1(-)(-)(-)	2,822.	2,951.	3,469.	4,683.
	20"	23"	60"	ROWO60T1(-)(-)(-)	2,036.	2,124.	2,487.	3,357.
	20"	23"	72"	ROWO72T1(-)(-)(-)	2,819.	2,939.	3,425.	4,624.
	20"	23"	90"	ROWO90T1(-)(-)(-)	3,048.	3,184.	3,729.	5,034.
	20"	23"	96"	ROWO96T1(-)(-)(-)	3,112.	3,249.	3,810.	5,144.



72"h workwall overhead cabinet (hinged door)	15"	19"	60"	ROWH60S0(-)(-)(-)	2,261.	2,356.	2,752.	3,715.
	15"	19"	72"	ROWH72S0(-)(-)(-)	2,898.	3,016.	3,517.	4,748.
	15"	19"	90"	ROWH90S0(-)(-)(-)	3,217.	3,360.	3,931.	5,307.
	15"	19"	96"	ROWH96S0(-)(-)(-)	3,306.	3,453.	4,046.	5,462.
	15"	23"	60"	ROWH60T0(-)(-)(-)	2,452.	2,554.	2,981.	4,024.
	15"	23"	72"	ROWH72T0(-)(-)(-)	3,281.	3,413.	3,972.	5,362.
	15"	23"	90"	ROWH90T0(-)(-)(-)	3,701.	3,857.	4,505.	6,082.
	15"	23"	96"	ROWH96T0(-)(-)(-)	3,789.	3,953.	4,620.	6,237.
	20"	19"	60"	ROWH60S1(-)(-)(-)	2,427.	2,529.	2,951.	3,984.
	20"	19"	72"	ROWH72S1(-)(-)(-)	3,105.	3,232.	3,763.	5,080.
	20"	19"	90"	ROWH90S1(-)(-)(-)	3,565.	3,719.	4,343.	5,863.
	20"	19"	96"	ROWH96S1(-)(-)(-)	3,654.	3,811.	4,459.	6,020.
	20"	23"	60"	ROWH60T1(-)(-)(-)	2,619.	2,727.	3,177.	4,289.
	20"	23"	72"	ROWH72T1(-)(-)(-)	3,606.	3,750.	4,359.	5,885.
	20"	23"	90"	ROWH90T1(-)(-)(-)	3,929.	4,093.	4,774.	6,445.
	20"	23"	96"	ROWH96T1(-)(-)(-)	4,015.	4,185.	4,888.	6,599.



60"w and 72"w units have four hinged doors, two lock cores required.
90"w and 96"w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L	To order please specify pattern number including:	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (embedded in pattern no.)	Tasklights not included.
W Workwall	S0 = 19"h x 15"d	Tackboard included, fabric railroaded.
O Open	S1 = 19"h x 20"d	Locks are not factory installed.
60 60" wide	T0 = 23"h x 15"d	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	T1 = 23"h x 20"d	Applicable finishes are listed on page 5 and 6.
O 15" deep	3. Finish type	
L Laminate finish	4. Pull option for hinged door only.	
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	1. Configuration options:	
	O = Open	
	H = Hinged door	
	3. Finish type:	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. Pull Options:	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options:	
	L = Lockhole drilled	
	N = No lock drilling	
	Keying instructions *	
	See Planning Guide for keying examples.	


Overhead storage workwalls, 26¹/₂" standard height planning model

Reff

description	d	h	w	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	15"	19"	–	RWEA7220(L/R)-()	\$327.	\$337.	\$386.	\$521.
	15"	23"	–	RWEB7220(L/R)-()	327.	337.	386.	521.
	20"	19"	–	RWEC7220(L/R)-()	327.	337.	386.	521.
	20"	23"	–	RWED7220(L/R)-()	327.	337.	386.	521.



Workwall support endpanels for 72"H x 24"D workwall cabinets	15"	19"	–	RWEA7224(L/R)-()	355.	368.	423.	571.
	15"	23"	–	RWEB7224(L/R)-()	355.	368.	423.	571.
	20"	19"	–	RWEC7224(L/R)-()	355.	368.	423.	571.
	20"	23"	–	RWED7224(L/R)-()	355.	368.	423.	571.




Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	
L Laminate finish	4. Pull option for hinged door only.	
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	1. Configuration options: O = Open H = Hinged door	
	3. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	4. Pull Options: D = Metal D-pull for hinged door only J = Routed pull C = Nickel C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options: L = Lockhole drilled N = No lock drilling	
	Keying instructions * See Planning Guide for keying examples.	

Overhead storage workwalls, 28³/₈" desk height planning model


Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (hinged door)	15"	19"	60"	75"	ROWH60S0DH () () () ()	\$2,374.	\$2,474.	\$2,890.	\$3,902.
	15"	19"	72"	75"	ROWH72S0DH () () () ()	3,042.	3,168.	3,694.	4,987.
	15"	19"	90"	75"	ROWH90S0DH () () () ()	3,378.	3,528.	4,128.	5,573.
	15"	19"	96"	75"	ROWH96S0DH () () () ()	3,472.	3,625.	4,249.	5,736.
	20"	19"	60"	75"	ROWH60S1DH () () () ()	2,549.	2,656.	3,099.	4,184.
	20"	19"	72"	75"	ROWH72S1DH () () () ()	3,260.	3,394.	3,952.	5,335.
	20"	19"	90"	75"	ROWH90S1DH () () () ()	3,744.	3,904.	4,560.	6,156.
	20"	19"	96"	75"	ROWH96S1DH () () () ()	3,837.	4,002.	4,681.	6,319.



60"w and 72"w units have four hinged doors, two lock cores required
90"w and 96"w units have 6 hinged doors, three lock cores required

Workwall, (for "desk height") 23"h storage (hinged door)	15"	23"	60"	75"	ROWH60T0DH () () () ()	2,575.	2,681.	3,131.	4,227.
	15"	23"	72"	75"	ROWH72T0DH () () () ()	3,444.	3,583.	4,170.	5,630.
	15"	23"	90"	75"	ROWH90T0DH () () () ()	3,886.	4,050.	4,729.	6,384.
	15"	23"	96"	75"	ROWH96T0DH () () () ()	3,978.	4,151.	4,851.	6,549.
	20"	23"	60"	75"	ROWH60T1DH () () () ()	2,751.	2,864.	3,336.	4,504.
	20"	23"	72"	75"	ROWH72T1DH () () () ()	3,786.	3,939.	4,577.	6,179.
	20"	23"	90"	75"	ROWH90T1DH () () () ()	4,126.	4,297.	5,013.	6,768.
	20"	23"	96"	75"	ROWH96T1DH () () () ()	4,216.	4,394.	5,132.	6,928.



60"w and 72"w units have four hinged doors, two lock cores required
90"w and 96"w units have 6 hinged doors, three lock cores required

Workwall, (for "desk height") 19"h storage (open)	15"	19"	60"	75"	ROWO60S0DH () () () ()	1,839.	1,921.	2,253.	3,042.
	15"	19"	72"	75"	ROWO72S0DH () () () ()	2,366.	2,470.	2,889.	3,900.
	15"	19"	90"	75"	ROWO90S0DH () () () ()	2,608.	2,726.	3,206.	4,328.
	15"	19"	96"	75"	ROWO96S0DH () () () ()	2,670.	2,798.	3,293.	4,446.
	20"	19"	60"	75"	ROWO60S1DH () () () ()	1,978.	2,065.	2,420.	3,267.
	20"	19"	72"	75"	ROWO72S1DH () () () ()	2,540.	2,648.	3,094.	4,177.
	20"	19"	90"	75"	ROWO90S1DH () () () ()	2,896.	3,028.	3,555.	4,799.

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 246. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 218 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	5. <i>Finish</i> 6. <i>Optional pull finish, where applicable</i> 7. <i>Fabric for tackboard</i> Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
60 60" wide		75" nominal height - actual height 75.125"
S 19" storage height		If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.
0 15" storage depth		Tackboard included with workwall; fabric applied railroded.
DH desk height, 75" height overall		Tasklights to be ordered separately
L Finish type, laminate		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overhead storage workwalls, 28³/₈" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (open)	20"	19"	96"	75"	ROWO96S1DH () () () ()	\$2,964.	\$3,099.	\$3,642.	\$4,917.
Workwall, (for "desk height") 23"h storage (open)	15"	23"	60"	75"	ROWO60T0DH () () () ()	2,000.	2,087.	2,447.	3,303.
	15"	23"	72"	75"	ROWO72T0DH () () () ()	2,687.	2,801.	3,272.	4,417.
	15"	23"	90"	75"	ROWO90T0DH () () () ()	3,012.	3,148.	3,689.	4,980.
	15"	23"	96"	75"	ROWO96T0DH () () () ()	3,075.	3,217.	3,777.	5,099.
	20"	23"	60"	75"	ROWO60T1DH () () () ()	2,139.	2,230.	2,612.	3,526.
	20"	23"	72"	75"	ROWO72T1DH () () () ()	2,961.	3,086.	3,596.	4,855.
	20"	23"	90"	75"	ROWO90T1DH () () () ()	3,200.	3,344.	3,916.	5,287.
	20"	23"	96"	75"	ROWO96T1DH () () () ()	3,267.	3,411.	4,001.	5,401.
Workwall support end panels for 75"h x 20"d workwall cabinets	15"	19"		75"	RWEA7520(L/R) () ()	343.	354.	406.	548.
	15"	23"		75"	RWEB7520(L/R) () ()	343.	354.	406.	548.
	20"	19"		75"	RWEC7520(L/R) () ()	343.	354.	406.	548.
	20"	23"		75"	RWED7520(L/R) () ()	343.	354.	406.	548.



depth and width indicate drilled to support workwall with corresponding storage dimensions

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 246. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 218 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i>	Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling
O Overhead	0 = Open	5. <i>Finish</i>
W Workwall	H = Hinged doors	6. <i>Optional pull finish, where applicable</i>
O Open	2. <i>Storage option (embedded in pattern number)</i>	7. <i>Fabric for tackboard</i>
60 60" wide	S0 = 19"h x 15"d	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
S 19" storage height	S1 = 19"h x 20"d	Products on this page, shipped knocked-down.
0 15" storage depth	T0 = 23"h x 15"d	Applicable finishes are listed on page 5 and 6.
DH desk height, 75" height overall	T1 = 23"h x 20"d	
L Finish type, laminate	3. <i>Finish type</i>	
118 Finish, Bright White	L = laminate	
() Fabric selection	l = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull option</i>	
	(Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	

dimensions noted nominal

75" nominal height - actual height 75.125"

If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.

Tackboard included with workwall; fabric applied railroaded.

Tasklights to be ordered separately

Overhead storage workwalls, 28³/₈" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 24"d workwall cabinets	15"	19"		75"	RWEA7524(L/R) () ()	\$372.	\$387.	\$444.	\$599.
	15"	23"		75"	RWEB7524(L/R) () ()	372.	387.	444.	599.
	20"	19"		75"	RWEC7524(L/R) () ()	372.	387.	444.	599.
	20"	23"		75"	RWED7524(L/R) () ()	372.	387.	444.	599.






depth and width indicate drilled to support workwall with corresponding storage dimensions

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 246. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 218 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	5. <i>Finish</i> 6. <i>Optional pull finish, where applicable</i> 7. <i>Fabric for tackboard</i>
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.
60 60" wide		75" nominal height - actual height 75.125"
S 19" storage height		If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.
0 15" storage depth		Tackboard included with workwall; fabric applied railroaded.
DH desk height, 75" height overall		Tasklights to be ordered separately
L Finish type, laminate		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overhead storage
rectilinear worksurfaces for workwall units
1 1/4" thick


Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$539.	\$555.	\$637.	\$860.
	60"	24"	RSWWA602()	578.	596.	687.	927.
	72"	20"	RSWWA721()	585.	605.	694.	937.
	72"	24"	RSWWA722()	626.	648.	742.	1,002.
	90"	20"	RSWWA901()	678.	701.	806.	1,088.
	90"	24"	RSWWA902()	719.	742.	855.	1,154.
	96"	20"	RSWWA961()	769.	795.	914.	1,234.
	96"	24"	RSWWA962()	812.	839.	963.	1,300.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	n/a	1,667.	1,918.	2,589.
	60"	24"	RSWWAWF602()	n/a	1,790.	2,059.	2,780.
	72"	20"	RSWWAWF721()	n/a	1,813.	2,084.	2,813.
	72"	24"	RSWWAWF722()	n/a	1,939.	2,231.	3,012.
	90"	20"	RSWWAWF901()	n/a	2,104.	2,420.	3,267.
	90"	24"	RSWWAWF902()	n/a	2,231.	2,566.	3,464.
	96"	20"	RSWWAWF961()	n/a	2,452.	2,742.	3,702.
	96"	24"	RSWWAWF962()	n/a	2,515.	2,892.	3,904.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	n/a	637.	735.	992.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	n/a	686.	791.	1,068.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	n/a	694.	799.	1,079.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	n/a	743.	855.	1,154.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	n/a	806.	927.	1,251.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	n/a	854.	983.	1,327.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	n/a	914.	1,052.	1,420.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	n/a	963.	1,108.	1,496.

Order Code	Specification Information	Application Notes	
Example: RSWWA60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.	Applicable finishes are listed on page 5 and 6.
R	Reff		Hardware included.
S	Straight top		
WW	Workwall top		
A	1 ¼" thick		
60	60" wide		
1	20" deep		
(L)	Laminate finish		
		No grommets available.	
		1 ¾" thick laminate option is double post formed front and back, all others are edgebanded.	

Overhead storage
rectilinear worksurfaces for workwall units
1 3/4" thick

Reff


description	w	d	pattern no,	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWB601()	\$672.	\$698.	\$801.	\$1,081.
	60"	24"	RSWWB602()	721.	750.	862.	1,164.
	72"	20"	RSWWB721()	732.	760.	875.	1,181.
	72"	24"	RSWWB722()	780.	813.	935.	1,262.
	90"	20"	RSWWB901()	847.	881.	1,013.	1,368.
	90"	24"	RSWWB902()	900.	936.	1,075.	1,451.
	96"	20"	RSWWB961()	960.	998.	1,147.	1,548.
	96"	24"	RSWWB962()	1,014.	1,053.	1,211.	1,635.

Order Code	Specification Information	Application Notes	
Example: RSWWB60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.	Applicable finishes are listed on page 5 and 6.
R	Reff		Hardware included.
S	Straight top		
WW	Workwall top		
B	1 ¾" thick		
60	60" wide		
1	20" deep		
(L)	Laminate finish	No grommets available.	
		1 ¾" thick laminate option is double post formed front and back, all others are edgebanded.	

Overhead storage
overdesk units, standard height planning model
use with 1 1/4" worksurfaces and 26 1/2" h support


Reff

description	d	w	h	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	15"	60"	44 1/4"	2	4	ROAH60T0(-)()	\$2,213.	\$2,777.	\$3,245.	\$4,381.
	15"	72"	44 1/4"	2	4	ROAH72T0(-)()	2,804.	3,513.	4,098.	5,532.
	15"	90"	44 1/4"	3	6	ROAH90T0(-)()	3,117.	3,910.	4,578.	6,180.
	15"	96"	44 1/4"	3	6	ROAH96T0(-)()	3,247.	4,078.	4,780.	6,453.
	20"	60"	44 1/4"	2	4	ROAH60T1(-)()	2,342.	2,937.	3,424.	4,622.
	20"	72"	44 1/4"	2	4	ROAH72T1(-)()	2,961.	3,708.	4,320.	5,832.
	20"	90"	44 1/4"	3	6	ROAH90T1(-)()	3,298.	4,136.	4,838.	6,531.
	20"	96"	44 1/4"	3	6	ROAH96T1(-)()	3,438.	4,315.	5,050.	6,818.



For 1 1/4" worksurfaces (open)	15"	60"	44 1/4"			ROAO60T0(-)()	1,464.	1,841.	2,170.	2,930.
	15"	72"	44 1/4"			ROAO72T0(-)()	1,867.	2,346.	2,755.	3,719.
	15"	90"	44 1/4"			ROAO90T0(-)()	2,042.	2,576.	3,046.	4,112.
	15"	96"	44 1/4"			ROAO96T0(-)()	2,120.	2,676.	3,166.	4,274.
	20"	60"	44 1/4"			ROAO60T1(-)()	1,554.	1,953.	2,297.	3,101.
	20"	72"	44 1/4"			ROAO72T1(-)()	1,976.	2,482.	2,912.	3,931.
	20"	90"	44 1/4"			ROAO90T1(-)()	2,168.	2,734.	3,222.	4,350.
	20"	96"	44 1/4"			ROAO96T1(-)()	2,252.	2,843.	3,355.	4,529.

For 1 1/4" worksurfaces (flip door)	15"	60"	44 1/4"	2	2	ROAF60S0(-)()	1,894.	2,580.	3,016.	4,072.
	15"	72"	44 1/4"	2	2	ROAF72S0(-)()	2,249.	3,270.	3,817.	5,153.
	15"	84"	44 1/4"	2	2	ROAF84S0(-)()	2,914.	3,727.	4,358.	5,883.
	15"	96"	44 1/4"	2	2	ROAF96S0(-)()	2,984.	3,828.	4,491.	6,063.
	20"	60"	44 1/4"	2	2	ROAF60S1(-)()	2,005.	2,731.	3,191.	4,308.
	20"	72"	44 1/4"	2	2	ROAF72S1(-)()	2,376.	3,453.	4,028.	5,438.
	20"	84"	44 1/4"	2	2	ROAF84S1(-)()	3,081.	3,942.	4,606.	6,218.
	20"	96"	44 1/4"	2	2	ROAF96S1(-)()	3,161.	4,054.	4,751.	6,414.




Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
R Reff		Open cabinets require no locks.
O Overhead	1. Configuration option	Tasklights not included.
A For 1 1/4" top mounting	O = Open	Tackboard included, fabric railroaded.
F Flip door	H = Hinged door	C, D and S pulls are not available for flip door units.
60 60" wide	F = Flip door	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	2. Width	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	3. Storage option	Locks are not factory installed.
L Finish type, laminate	S0 = 19"h x 15"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	S1 = 19"h x 20"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T0 = 23"h x 15"d	
BF Cord escape, back feed	T1 = 23"h x 20"d	
118 Finish, Bright White	4. Finish type	
(W250) Fabric	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 5 and 6.	

Overhead storage
overdesk units, standard height planning model
use with 1³/₄" worksurfaces and 26¹/₂"h support


Reff

description	d	w	h	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 ³ / ₄ " worksurfaces (hinged door)	15"	60"	43 ³ / ₄ "	2	4	ROBH60T0(-)()	\$2,238.	\$2,807.	\$3,279.	\$4,427.
	15"	72"	43 ³ / ₄ "	2	4	ROBH72T0(-)()	2,837.	3,551.	4,143.	5,593.
	15"	90"	43 ³ / ₄ "	3	6	ROBH90T0(-)()	3,152.	3,955.	4,629.	6,249.
	15"	96"	43 ³ / ₄ "	3	6	ROBH96T0(-)()	3,286.	4,125.	4,834.	6,526.
	20"	60"	43 ³ / ₄ "	2	4	ROBH60T1(-)()	2,369.	2,966.	3,465.	4,678.
	20"	72"	43 ³ / ₄ "	2	4	ROBH72T1(-)()	2,994.	3,749.	4,369.	5,898.
	20"	90"	43 ³ / ₄ "	3	6	ROBH90T1(-)()	3,335.	4,185.	4,891.	6,603.
	20"	96"	43 ³ / ₄ "	3	6	ROBH96T1(-)()	3,476.	4,363.	5,109.	6,897.



For 1 ³ / ₄ " worksurfaces (open)	15"	60"	43 ³ / ₄ "			ROBO60T0(-)()	1,479.	1,866.	2,193.	2,961.
	15"	72"	43 ³ / ₄ "			ROBO72T0(-)()	1,875.	2,373.	2,786.	3,761.
	15"	90"	43 ³ / ₄ "			ROBO90T0(-)()	2,066.	2,607.	3,081.	4,159.
	15"	96"	43 ³ / ₄ "			ROBO96T0(-)()	2,145.	2,709.	3,204.	4,325.
	20"	60"	43 ³ / ₄ "			ROBO60T1(-)()	1,570.	1,977.	2,323.	3,136.
	20"	72"	43 ³ / ₄ "			ROBO72T1(-)()	1,999.	2,511.	2,944.	3,974.
	20"	90"	43 ³ / ₄ "			ROBO90T1(-)()	2,147.	2,712.	3,209.	4,332.
	20"	96"	43 ³ / ₄ "			ROBO96T1(-)()	2,197.	2,768.	3,264.	4,406.

For 1 ³ / ₄ " worksurfaces (flip door)	15"	60"	43 ³ / ₄ "	2	2	ROBF60S0(-)()	1,915.	2,610.	3,052.	4,120.
	15"	72"	43 ³ / ₄ "	2	2	ROBF72S0(-)()	2,275.	3,307.	3,860.	5,211.
	15"	84"	43 ³ / ₄ "	2	2	ROBF84S0(-)()	2,947.	3,766.	4,406.	5,948.
	15"	96"	43 ³ / ₄ "	2	2	ROBF96S0(-)()	3,020.	3,875.	4,544.	6,134.
	20"	60"	43 ³ / ₄ "	2	2	ROBF60S1(-)()	2,029.	2,760.	3,225.	4,354.
	20"	72"	43 ³ / ₄ "	2	2	ROBF72S1(-)()	2,404.	3,491.	4,073.	5,499.
	20"	84"	43 ³ / ₄ "	2	2	ROBF84S1(-)()	3,118.	3,989.	4,662.	6,294.
	20"	96"	43 ³ / ₄ "	2	2	ROBF96S1(-)()	3,198.	4,100.	4,802.	6,483.




Order Code	Specification Information	Application Notes
Example: ROBF60S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
R Reff		Open cabinets require no locks.
O Overhead	1. Configuration option	Tasklights not included.
B For 1 ³ / ₄ " top mounting	O = Open	Tackboard included, fabric railroaded.
F Flip door	H = Hinged door	C, D and S pulls are not available for flip door units.
60 60" wide	F = Flip door	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	2. Width	Open/hinge doors are nominal 23"H, actual 22 ³ / ₈ ".
0 15" deep	3. Storage option	Locks are not factory installed.
L Finish type, laminate	S0 = 19"h x 15"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	S1 = 19"h x 20"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T0 = 23"h x 15"d	
BF Cord escape, back feed	T1 = 23"h x 20"d	
118 Finish, Bright White	4. Finish type	
(W250) Fabric	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 ³ / ₄ ".	
	Applicable finishes are listed on page 5 and 6.	

Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45 1/2"	ROAH60T0DH () () () ()	\$2,322.	\$2,916.	\$3,406.	\$4,598.
(for 1 1/4" worksurface	15"	72"	45 1/2"	ROAH72T0DH () () () ()	2,945.	3,689.	4,303.	5,809.
at "desk height")	15"	90"	45 1/2"	ROAH90T0DH () () () ()	3,273.	4,105.	4,808.	6,491.
H=Hinged Door	15"	96"	45 1/2"	ROAH96T0DH () () () ()	3,410.	4,282.	5,018.	6,774.
	20"	60"	45 1/2"	ROAH60T1DH () () () ()	2,459.	3,084.	3,597.	4,856.
	20"	72"	45 1/2"	ROAH72T1DH () () () ()	3,109.	3,894.	4,537.	6,125.
	20"	90"	45 1/2"	ROAH90T1DH () () () ()	3,461.	4,343.	5,079.	6,857.
	20"	96"	45 1/2"	ROAH96T1DH () () () ()	3,609.	4,529.	5,304.	7,160.



60"w and 72"w hinged door units have four hinged doors, two lock cores required
90"w and 96"w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75"h cabinets on page 246. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8"h products on page 218 ; do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	6. Tasklight cord escape BF = back feed FF = front feed
O Overhead	2. Storage option (embedded in pattern number) S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. Finish 8. Optional pull finish, where applicable 9. Fabric for tackboard
A For mounting on 1 1/4" thick top	3. Finish type L = laminate 1 = V1 2 = V2 3 = V3	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Open	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down.
60 60" wide	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Tasklights not included.
T 23"h storage		Tackboard included, fabric orientation applied railroaded.
0 15"d storage		Wire manager included and mounts adjacent to tackboard. Specify color.
DH desk height, 75" height overall		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 23 1/8"h.

Applicable finishes are listed on page 5 and 6.

Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45 1/2"	ROAO60T0DH () () () ()	\$1,537.	\$1,933.	\$2,279.	\$3,077.
(for 1 1/4" worksurface	15"	72"	45 1/2"	ROAO72T0DH () () () ()	1,960.	2,464.	2,891.	3,903.
at "desk height")	15"	90"	45 1/2"	ROAO90T0DH () () () ()	2,144.	2,705.	3,198.	4,317.
O=Open	15"	96"	45 1/2"	ROAO96T0DH () () () ()	2,226.	2,809.	3,324.	4,487.
	20"	60"	45 1/2"	ROAO60T1DH () () () ()	1,632.	2,051.	2,412.	3,256.
	20"	72"	45 1/2"	ROAO72T1DH () () () ()	2,076.	2,608.	3,058.	4,128.
	20"	90"	45 1/2"	ROAO90T1DH () () () ()	2,276.	2,870.	3,384.	4,568.
	20"	96"	45 1/2"	ROAO96T1DH () () () ()	2,365.	2,984.	3,523.	4,756.


Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118 ()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 246. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8"h products on page 218 ; do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i> 8. <i>Optional pull finish, where applicable</i> 9. <i>Fabric for tackboard</i>
A For mounting on 1 1/4" thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down.
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Tasklights not included.
T 23"h storage		Tackboard included, fabric orientation applied railroaded.
0 15"d storage		Wire manager included and mounts adjacent to tackboard. Specify color.
DH desk height, 75" height overall		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 1/4" worksurface at "desk height") F=Flip door	15"	60"	45 1/2"	ROAF60S0DH () () () ()	\$1,988.	\$2,709.	\$3,168.	\$4,277.
	15"	72"	45 1/2"	ROAF72S0DH () () () ()	2,361.	3,434.	4,008.	5,411.
	15"	84"	45 1/2"	ROAF84S0DH () () () ()	3,059.	3,913.	4,577.	6,179.
	15"	96"	45 1/2"	ROAF96S0DH () () () ()	3,134.	4,020.	4,716.	6,367.
	20"	60"	45 1/2"	ROAF60S1DH () () () ()	2,106.	2,866.	3,350.	4,523.
	20"	72"	45 1/2"	ROAF72S1DH () () () ()	2,496.	3,624.	4,229.	5,709.
	20"	84"	45 1/2"	ROAF84S1DH () () () ()	3,234.	4,139.	4,835.	6,527.
	20"	96"	45 1/2"	ROAF96S1DH () () () ()	3,318.	4,258.	4,989.	6,735.



all flip door units have two flip doors, two lock cores required
J-pull only, C, D and S pulls are not optional for flip door units


Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75" h cabinets on page 246. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products on page 218 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	7. <i>Finish</i> 8. <i>Optional pull finish, where applicable</i> 9. <i>Fabric for tackboard</i>
A For mounting on 1 1/4" thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down.
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Tasklights not included.
T 23" h storage		Tackboard included, fabric orientation applied railroaded.
0 15" d storage		Wire manager included and mounts adjacent to tackboard. Specify color.
DH desk height, 75" height overall		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45"	ROBH60T0DH (X)(X)(X)(X)	\$2,352.	\$2,947.	\$3,444.	\$4,649.
(for 1 ³ / ₄ " worksurface	15"	72"	45"	ROBH72T0DH (X)(X)(X)(X)	2,978.	3,731.	4,351.	5,874.
at "desk height")	15"	90"	45"	ROBH90T0DH (X)(X)(X)(X)	3,311.	4,153.	4,860.	6,561.
H=Hinged Door	15"	96"	45"	ROBH96T0DH (X)(X)(X)(X)	3,451.	4,333.	5,076.	6,853.
	20"	60"	45"	ROBH60T1DH (X)(X)(X)(X)	2,487.	3,114.	3,636.	4,909.
	20"	72"	45"	ROBH72T1DH (X)(X)(X)(X)	3,144.	3,936.	4,587.	6,192.
	20"	90"	45"	ROBH90T1DH (X)(X)(X)(X)	3,502.	4,392.	5,137.	6,935.
	20"	96"	45"	ROBH96T1DH (X)(X)(X)(X)	3,650.	4,582.	5,364.	7,241.



60"w and 72"w hinged door units have four hinged doors, two lock cores required
 90"w and 96"w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 246. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 218 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i> 8. <i>Optional pull finish, where applicable</i> 9. <i>Fabric for tackboard</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down.
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Tasklights not included.
T 23"h storage		Tackboard included, fabric orientation applied railroaded.
0 15"d storage		Wire manager included and mounts adjacent to tackboard. Specify color.
DH desk height, 75" height overall		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45"	ROBO60T0DH () () () ()	\$1,553.	\$1,959.	\$2,303.	\$3,109.
(for 1 ³ / ₄ " worksurface	15"	72"	45"	ROBO72T0DH () () () ()	1,969.	2,493.	2,925.	3,949.
at "desk height")	15"	90"	45"	ROBO90T0DH () () () ()	2,170.	2,736.	3,234.	4,366.
O=Open	15"	96"	45"	ROBO96T0DH () () () ()	2,252.	2,844.	3,365.	4,543.
	20"	60"	45"	ROBO60T1DH () () () ()	1,649.	2,075.	2,441.	3,295.
	20"	72"	45"	ROBO72T1DH () () () ()	2,098.	2,635.	3,092.	4,174.
	20"	90"	45"	ROBO90T1DH () () () ()	2,256.	2,847.	3,368.	4,547.
	20"	96"	45"	ROBO96T1DH () () () ()	2,307.	2,905.	3,425.	4,624.


Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118 ()	To order please specify pattern number including:	Products on this page are engineered to align with 75"h cabinets on page 246. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 218 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	6. Tasklight cord escape BF = back feed FF = front feed
O Overhead	2. Storage option (embedded in pattern number) S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. Finish 8. Optional pull finish, where applicable 9. Fabric for tackboard
B For mounting on 1 ³ / ₄ " thick top	3. Finish type L = laminate 1 = V1 2 = V2 3 = V3	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Open	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down.
60 60" wide	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Tasklights not included.
T 23"h storage		Tackboard included, fabric orientation applied railroaded.
0 15"d storage		Wire manager included and mounts adjacent to tackboard. Specify color.
DH desk height, 75" height overall		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 ³ / ₄ " worksurface at "desk height") F=Flip door	15"	60"	45"	ROBF60S0DH () () () ()	\$2,011.	\$2,742.	\$3,205.	\$4,327.
	15"	72"	45"	ROBF72S0DH () () () ()	2,388.	3,473.	4,053.	5,472.
	15"	84"	45"	ROBF84S0DH () () () ()	3,093.	3,954.	4,625.	6,244.
	15"	96"	45"	ROBF96S0DH () () () ()	3,170.	4,069.	4,773.	6,444.
	20"	60"	45"	ROBF60S1DH () () () ()	2,130.	2,899.	3,387.	4,572.
	20"	72"	45"	ROBF72S1DH () () () ()	2,525.	3,668.	4,276.	5,773.
	20"	84"	45"	ROBF84S1DH () () () ()	3,274.	4,189.	4,893.	6,606.
	20"	96"	45"	ROBF96S1DH () () () ()	3,359.	4,304.	5,041.	6,805.



all flip door units have two flip doors, two lock cores required
J-pull only; C, D and S pulls are not optional for flip door units


Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 246. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 218 ; do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i> 8. <i>Optional pull finish, where applicable</i> 9. <i>Fabric for tackboard</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 309. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down.
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Tasklights not included.
T 23"h storage		Tackboard included, fabric orientation applied railroaded.
0 15"d storage		Wire manager included and mounts adjacent to tackboard. Specify color.
DH desk height, 75" height overall		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal


Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter

Reff


description	type	w	d	h	pattern no.	P1	P2	P3
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()L	\$615.	\$615.	\$645.
		30"	14 1/4"	14 3/4"	RO3-N30() ()L	685.	685.	722.
		36"	14 1/4"	14 3/4"	RO3-N36() ()L	792.	792.	833.
		42"	14 1/4"	14 3/4"	RO3-N42() ()L	919.	919.	966.
		48"	14 1/4"	14 3/4"	RO3-N48() ()L	1,028.	1,028.	1,077.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()L	1,300.	1,300.	1,367.
		66"	14 1/4"	14 3/4"	RO3-N66() ()L	1,423.	1,423.	1,491.
		72"	14 1/4"	14 3/4"	RO3-N72() ()L	1,519.	1,519.	1,595.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()N	552.	552.	580.
		30"	14 1/4"	14 3/4"	RO3-N30() ()N	626.	626.	658.
		36"	14 1/4"	14 3/4"	RO3-N36() ()N	733.	733.	769.
		42"	14 1/4"	14 3/4"	RO3-N42() ()N	860.	860.	903.
		48"	14 1/4"	14 3/4"	RO3-N48() ()N	965.	965.	1,013.



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()N	1,179.	1,179.	1,238.
		66"	14 1/4"	14 3/4"	RO3-N66() ()N	1,299.	1,299.	1,364.
		72"	14 1/4"	14 3/4"	RO3-N72() ()N	1,401.	1,401.	1,470.




Order Code	Specification Information	Application Notes
Example: RO3-N48-P-L-613-P-613	<i>Specify finish for case and door.</i>	Reuter storage is a universal product applicable on Knoll systems.
RO3 Reuter overhead cabinet		Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.
N No brackets		Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.
48 Width		
P With pull		
L With lock		Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.
613 Case finish		Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.
P Front finish type		
613 Front finish		

Reuter open shelf

Designed by Robert Reuter

Reff


description	type	w	d	h	pattern no.	black	P1	P2	P3
	Open shelf no mounting hardware	30"	13"	8"	RS1-N30()		\$293.	\$293.	\$308.
		36"	13"	8"	RS1-N36()		333.	333.	350.
		42"	13"	8"	RS1-N42()		359.	359.	376.
		48"	13"	8"	RS1-N48()		386.	386.	405.
		60"	13"	8"	RS1-N60()		452.	452.	476.
	Vertical, set of 5	–	12"	6"	RS1-VP	73.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	120.			
		9"	12"	–	RO1-HP9	152.			
		12"	12"	–	RO1-HP12	180.			
		15"	12"	–	RO1-HP15	210.			

Order Code	Specification Information	Application Notes
Example: RS1-N48-612	<i>Specify paint finishes for shelf.</i>	Interior partitions are black painted steel finish.
RS1 Reuter shelf		Reuter storage is a universal product applicable on Morrison or other Knoll systems.
N No mounting hardware		Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.
48 Width		Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.
612 Finish		

Reuter open overhead

Designed by Robert Reuter

Reff

description	type	w	d	h	pattern no.	black	P1	P2	P3
	Open overhead no mounting hardware	30"	13"	14 ³ / ₄ "	RO3-ON30()		\$439.	\$439.	\$461.
		36"	13"	14 ³ / ₄ "	RO3-ON36()		505.	505.	530.
		42"	13"	14 ³ / ₄ "	RO3-ON42()		572.	572.	601.
		48"	13"	14 ³ / ₄ "	RO3-ON48()		639.	639.	670.
		60"	13"	14 ³ / ₄ "	RO3-ON60()		743.	743.	783.
		72"	13"	14 ³ / ₄ "	RO3-ON72()		877.	877.	920.
	Vertical, set of 5	–	11"	12"	RO3-VP	78.			
	Horizontal, set of 10	6"	11"	–	RO1-HP6	120.			
		9"	11"	–	RO1-HP9	152.			
		12"	11"	–	RO1-HP12	180.			
		15"	11"	–	RO1-HP15	210.			

Order Code	Specification Information	Application Notes
Example: RO3-ON30-612	<i>Specify finish for case and door.</i>	
RO1-O Reuter open overhead		Interior partitions are black painted steel finish.
N No mounting hardware		Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.
30 Width		Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.
612 Finish		Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Overhead storage

Reuter overhead storage desk and panel mounting options Designed by Robert Reuter

Reff


description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				RO1-RPB	\$40.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				RS1-RPB	33.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				RO1-RCB()		87.




Order Code	Specification Information	Application Notes	
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
RO2	Reuter overhead	Panel mount brackets are painted black finish.	Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
NS	Network stanchions		
21	Height		
612	Paint finish		
		For Morrison Network desk mount applications, overhead cabinet or shelf width must correspond to desk support width and worksurface with grommet. Stanchions bolt to desk support corner leg. Top of cabinet on stanchions aligns with adjacent 64"H vertical panels or vertical storage.	Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.	

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

Reff


description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$76.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	82.
	48" or 60"W overheads	47"	1/2	13"	RO1-WMF4	87.

Wall mount wire manager, set of 10					MWM-J	134.
------------------------------------	--	--	--	--	--------------	------



Ganging bracket					RO1-GB	12.
-----------------	--	--	--	--	---------------	-----

ADA pull					RO1-PULL	44.
----------	--	--	--	--	-----------------	-----



Order Code	Specification Information	Application Notes
Example: RO1-GB	Wall mount frames are painted black finish.	Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.
RO1 Reuter overhead	ADA pull is stainless steel.	Reuter open shelves 66" and 72"W are for stanchion support only.
GB Ganging bracket		Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
		Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.
		ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
		ADA pull cannot be mounted on wood front Reuter doors.

T5 Task Light for Reuter Overhead Storage

Reff




description	type	w	d	h	pattern no.	Standard List	Advanced List
Task Light	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19 ()	\$202.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25 ()	217.	374.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37 ()	234.	394.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49 ()	254.	410.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61 ()	270.	426.



Order Code	Specification Information	Application Notes
Example: RTAT5E19S	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.
RTA Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
T5 T5 lamp	Type:	Task light cordset is center exit. On smaller units cort exit is off-center, but still not handed.
E Electronic ballast	S Standard	Task lights are TCLP compliant and meet requirements of California Title 24.
19 Width	A Advanced	Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.
S Standard	Specify suffix -CH and add \$45 list for City of Chicago installations. Example: RTAT5E19S-CH	
	All housings are black.	


description	type	w	d	h	pattern no.	standard	advanced
 Task Light	Use with 24" and wider overhead	19"	4"	1 1/2"	RTLT5E19 ()	\$245.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTLT5E25 ()	250.	360.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTLT5E37 ()	255.	379.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTLT5E49 ()	260.	394.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTLT5E61 ()	275.	410.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTLT5E73 ()	299.	425.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTLT5E85 ()	374.	440.

Order Code	Specification Information	Application Notes
Example: RTLT5E19S	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.
RTL Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	Task lights fit to overhead cabinets without the use of filler panels.
T5 T5 lamp	Type:	Standard mount with slide bars. All lights also feature two screw-mounting keyholes.
E Electronic ballast	S Standard	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded corset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
19 Width	A Advanced	Task light cordset is center exit. On smaller units cord exit is off-center, but still not handed.
S Standard	Specify suffix -CH and add \$45 list for City of Chicago installations. Example: RTLT5E19S-CH	Task lights are TCLP compliant and meet requirements of California Title 24.
	All housings are black.	Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.


description	w	pattern no.	list price
Sliding rail for open shelves 	30"	RSDR30	\$48.
	36"	RSDR36	48.
	42"	RSDR42	48.
	48"	RSDR48	48.
	54"	RSDR54	48.
	60"	RSDR60	76.
	66"	RSDR66	76.
	72"	RSDR72	76.
	78"	RSDR78	76.
	84"	RSDR84	84.
	90"	RSDR90	84.
	96"	RSDR96	84.
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	48.
	36"	ROHDR36	48.
	42"	ROHDR42	48.
	48"	ROHDR48	48.
	60"	ROHDR60	84.
	72"	ROHDR72	84.
	90"	ROHDR90	114.
	96"	ROHDR96	114.
Sliding rail for flip door overhead cabinets 	30"	RFDR30	48.
	36"	RFDR36	48.
	42"	RFDR42	48.
	48"	RFDR48	48.
	60"	RFDR60	84.
	72"	RFDR72	84.
	84"	RFDR84	84.
	96"	RFDR96	84.
Sliding rail divider 	R5ZNNE (3 dividers)		20.

Order Code	Specification Information	Application Notes
Example: RSDR30	<i>To order please specify pattern number.</i>	Match cabinet width to rail width.
R Reff		Parts come in black only.
SDR Sliding rail for open shelves		These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets.
30 For 30" shelf		The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

description	w	d	h	pattern no.	L	V1	V2	V3
Minidesk hutch, open	66"	9"	20"	RMDHO66()	\$1,935.	\$2,782.	\$3,142.	\$4,242.
	72"	9"	20"	RMDHO72()	2,009.	2,821.	3,198.	4,317.



Minidesk hutch, w/drawers	66"	9"	20"	RMDHD66()	2,544.	3,619.	3,749.	5,061.
	72"	9"	20"	RMDHD72()	2,713.	3,673.	3,824.	5,162.



Order Code

Example:	RMDHO66L
R	Reff
MDH	Mini desk hutch storage
O	Open
66	66" wide
L	Finish type, laminate
118	Bright White
W281	Fabric

Specification Information

To order please specify pattern number including:


1. *Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
2. *Finish*
3. *Fabric selection for tackboard*

Applicable finishes are listed on page 5 and 6.


Single pedestal desks
27³/₄" high overall
available V2 finish options only

Reff


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Single pedestal cantilevered desk, 30"d	60"	30"	RDSP6030J(A,B,W)() () 2	\$2,551.	\$2,921.	\$3,465.	\$2,697.	\$3,067.	\$3,610.
	72"	30"	RDSP7230J(A,B,W)() () 2	2,654.	3,072.	3,610.	2,799.	3,217.	3,756.
	84"	30"	RDSP8430J(A,B,W)() () 2	2,785.	3,245.	3,826.	2,930.	3,390.	3,971.
	96"	30"	RDSP9630J(A,B,W)() () 2	2,898.	3,400.	4,026.	3,043.	3,546.	4,171.



Single pedestal cantilevered desk, 36"d	60"	36"	RDSP6036J(A,B,W)() () 2	2,708.	3,101.	3,762.	2,918.	3,310.	3,972.
	72"	36"	RDSP7236J(A,B,W)() () 2	2,833.	3,293.	3,959.	3,043.	3,503.	4,169.
	84"	36"	RDSP8436J(A,B,W)() () 2	2,961.	3,497.	4,163.	3,170.	3,707.	4,373.
	96"	36"	RDSP9636J(A,B,W)() () 2	3,074.	3,697.	4,359.	3,284.	3,907.	4,569.



Single pedestal bow front desk with short modesty and false pedestal	60"	30"	RBSP6030J(A,B,W)() () 2	3,345.	3,585.	4,781.	3,555.	3,795.	4,990.
	72"	30"	RBSP7230J(A,B,W)() () 2	3,461.	3,726.	5,048.	3,671.	3,936.	5,258.
	84"	30"	RBSP8430J(A,B,W)() () 2	3,642.	3,932.	5,393.	3,852.	4,141.	5,603.
	96"	30"	RBSP9630J(A,B,W)() () 2	3,809.	4,134.	5,754.	4,018.	4,344.	5,964.




Order Code	Specification Information	Application Notes
Example: RDSP6030JAR2WJL	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RD Reff desk	1. Width	36"D rectilinear desk pedestals are 30"D including modesty panel.
SP Single pedestal	2. Depth	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	3. File option <i>J default = BBF</i>	Bowed front desk pedestals are 30"D with finished backs.
30 30" deep	4. Top thickness	All desks are non-handed.
J Box/box/file	5. Grommet option	All hardware included.
A 1 1/4" regular edge top	6. Finish type	All waterfall desks have waterfall detail on front and back.
R Recessed grommets	7. Interior option	All components on this page available in V2 only.
2 Finish type	8. Pull option	
W Wood interiors	9. Locking <i>L default</i>	
J Routed pulls	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: R = Recessed grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	

Double pedestal desks
27³/₄" high overall
available V2 finish options only


Reff

Preconfigured Reff
Deskings


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)() () 2	\$3,299.	\$3,669.	\$4,212.	\$3,619.	\$3,989.	\$4,533.
	72"	30"	RDDP7230JK(A,B,W)() () 2	3,402.	3,819.	4,358.	3,722.	4,139.	4,678.
	84"	30"	RDDP8430JK(A,B,W)() () 2	3,532.	3,992.	4,573.	3,852.	4,312.	4,893.
	96"	30"	RDDP9630JK(A,B,W)() () 2	3,645.	4,148.	4,773.	3,965.	4,468.	5,093.



Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)() () 2	3,508.	3,899.	4,560.	3,939.	4,331.	4,993.
	72"	36"	RDDP7236JK(A,B,W)() () 2	3,633.	4,092.	4,757.	4,064.	4,524.	5,190.
	84"	36"	RDDP8436JK(A,B,W)() () 2	3,759.	4,295.	4,961.	4,191.	4,728.	5,393.
	96"	36"	RDDP9636JK(A,B,W)() () 2	3,872.	4,495.	5,157.	4,305.	4,928.	5,589.







Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)() () 2	3,907.	4,147.	5,342.	4,340.	4,579.	5,775.
	72"	30"	RBDP7230JK(A,B,W)() () 2	4,022.	4,287.	5,610.	4,454.	4,719.	6,041.
	84"	30"	RBDP8430JK(A,B,W)() () 2	4,204.	4,493.	5,954.	4,636.	4,926.	6,387.
	96"	30"	RBDP9630JK(A,B,W)() () 2	4,370.	4,696.	6,314.	4,803.	5,127.	6,747.



Order Code	Specification Information	Application Notes
Example: RDDP7236JKAR2WJL		
RD Reff desk	<i>To order, please specify pattern number including:</i>	5. <i>Grommet Options:</i> R = Recessed grommets N = No grommets
DP Double pedestal	1. Width	6. 2 = V2 Veneer Finish
72 72" wide	2. Depth	7. <i>Interior Options:</i> M = Metal W = Wood
36 36" deep	3. File option <i>JK default = BBF and FF</i>	8. <i>Pull Options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull
J Box/box/file pedestal	4. Top thickness	Applicable finishes are listed on page 5 and 6.
K File/file	5. Grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
A 1 1/4" Thick worksurface	6. Finish type	
R Recessed grommets	7. Interior option	
2 Finish type, V2	8. Pull option	
W Wood interiors	9. Locking <i>L default</i>	
J Routed pull	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. <i>Thickness options:</i> A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	

Desk returns
27³/₄" high overall
available V2 finish options only

Reff

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)() () 2	\$1,890.	\$2,187.	\$2,761.	\$2,065.	\$2,361.	\$2,936.
	42"	24"	RRSP4224K(A,B,W)() () 2	1,938.	2,272.	2,834.	2,113.	2,446.	3,009.
	48"	24"	RRSP4824K(A,B,W)() () 2	2,019.	2,378.	2,983.	2,194.	2,551.	3,158.
	54"	24"	RRSP5424K(A,B,W)() () 2	2,074.	2,437.	3,102.	2,249.	2,611.	3,276.
	60"	24"	RRSP6024K(A,B,W)() () 2	2,126.	2,490.	3,227.	2,301.	2,665.	3,402.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)() () 2	2,012.	2,340.	2,988.	2,234.	2,562.	3,210.
	42"	30"	RRSP4230K(A,B,W)() () 2	2,065.	2,417.	3,079.	2,286.	2,638.	3,302.
	48"	30"	RRSP4830K(A,B,W)() () 2	2,150.	2,510.	3,235.	2,372.	2,732.	3,458.
	54"	30"	RRSP5430K(A,B,W)() () 2	2,214.	2,568.	3,387.	2,436.	2,790.	3,609.
	60"	30"	RRSP6030K(A,B,W)() () 2	2,253.	2,621.	3,467.	2,474.	2,844.	3,690.
 End panel return	36"	24"	RREP3624(A,B,W)(F,N)2				1,143.	1,438.	2,014.
	42"	24"	RREP4224(A,B,W)(F,N)2				1,190.	1,524.	2,087.
	48"	24"	RREP4824(A,B,W)(F,N)2				1,272.	1,629.	2,236.
	54"	24"	RREP5424(A,B,W)(F,N)2				1,327.	1,689.	2,354.
	60"	24"	RREP6024(A,B,W)(F,N)2				1,379.	1,743.	2,479.
 End panel return	36"	30"	RREP3630(A,B,W)(F,N)2				1,214.	1,541.	2,189.
	42"	30"	RREP4230(A,B,W)(F,N)2				1,266.	1,618.	2,281.
	48"	30"	RREP4830(A,B,W)(F,N)2				1,352.	1,711.	2,437.
	54"	30"	RREP5430(A,B,W)(F,N)2				1,415.	1,769.	2,589.
	60"	30"	RREP6030(A,B,W)(F,N)2				1,453.	1,823.	2,669.


Order Code	Specification Information	Application Notes
Example: RREP4830AF2	To order, please specify pattern number including:	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
RREP Reff desk return	1. Width	All desks are non-handed.
48 48" wide	2. Depth	All hardware included.
30 30" deep	3. File option where applicable K default = FF	Desk returns with waterfall have waterfall edge 3 sides.
A 1 1/4" thick worksurface	4. Top thickness	All components on this page available in V2 only.
F Flush grommets	5. Grommet option	Random locks are factory installed. Keylike are field installed with the KnollKey order form.
2 Finish type, V2	6. Finish type	
	7. Interior option where applicable	
	8. Pull option where applicable	
	9. Locking where applicable L default	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	

Single pedestal credenzas
27³/₄" high overall
available V2 finish options only


Reff

Preconfigured Reff
Deskings


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Single pedestal credenza	60"	24"	RCSP6024K(A,B,W)() () 2	\$2,444.	\$2,808.	\$2,993.	\$2,618.	\$2,983.	\$3,168.
	72"	24"	RCSP7224K(A,B,W)() () 2	2,564.	2,960.	3,159.	2,739.	3,134.	3,334.
	84"	24"	RCSP8424K(A,B,W)() () 2	2,689.	3,132.	3,335.	2,864.	3,307.	3,510.
	96"	24"	RCSP9624K(A,B,W)() () 2	2,801.	3,288.	3,505.	2,975.	3,463.	3,679.



Single lateral file credenza (30" wide lateral file)	60"	24"	RCS3L6024K(A,B,W)() () 2	2,577.	2,940.	3,126.	2,978.	3,341.	3,527.
	72"	24"	RCS3L7224K(A,B,W)() () 2	2,697.	3,092.	3,291.	3,097.	3,493.	3,692.
	84"	24"	RCS3L8424K(A,B,W)() () 2	2,822.	3,265.	3,467.	3,222.	3,665.	3,868.
	96"	24"	RCS3L9624K(A,B,W)() () 2	2,933.	3,421.	3,638.	3,334.	3,821.	4,039.




Single lateral file credenza (36" wide lateral file)	60"	24"	RCS6L6024K(A,B,W)() () 2	2,650.	3,015.	3,200.	3,344.	3,709.	3,894.
	72"	24"	RCS6L7224K(A,B,W)() () 2	2,771.	3,166.	3,366.	3,465.	3,861.	4,060.
	84"	24"	RCS6L8424K(A,B,W)() () 2	2,896.	3,339.	3,541.	3,590.	4,033.	4,236.
	96"	24"	RCS6L9624K(A,B,W)() () 2	3,007.	3,495.	3,711.	3,702.	4,189.	4,405.



Order Code	Specification Information	Application Notes
Example: RCS6L9624KAF2MDL	<i>To order, please specify pattern number including:</i>	5. Grommet Options: F = Flush grommets N = No grommets
RC Reff credenza	1. Width	6. 2 = V2 Veneer Finish
S6L Single 36" w lateral file	2. Depth	7. Interior Options: M = Metal W = Wood
96 96" wide	3. File option <i>K default = FF</i>	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull
24 24" wide	4. Top thickness	Applicable finishes are listed on page 5 and 6.
K File/file	5. Grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
A 1 1/4" thick worksurface	6. Finish type	
F Flush grommets	7. Interior option	
2 Finish type	8. Pull option	
M metal interiors	9. Locking <i>L default</i>	
D D-metal pull	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	

Bridge assemblies
 27³/₄" high overall
 available V2 finish options only

Reff

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	RBR3624(A,B,W)(F,N)2	\$818.	\$1,114.	\$1,690.
	42"	24"	RBR4224(A,B,W)(F,N)2	866.	1,200.	1,763.
	48"	24"	RBR4824(A,B,W)(F,N)2	948.	1,305.	1,911.
	36"	30"	RBR3630(A,B,W)(F,N)2	872.	1,200.	1,848.
	42"	30"	RBR4230(A,B,W)(F,N)2	924.	1,276.	1,940.
	48"	30"	RBR4830(A,B,W)(F,N)2	1,010.	1,370.	2,096.


Order Code	Specification Information	Application Notes
Example: RBR4830WF2	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed.
RBR Reff bridge assembly	4. Grommet Color	All hardware included.
48 48" wide	1. Top thickness	Waterfall option on all 3 sides.
30 30" deep	2. Grommet option	Available in conventional veneer only.
W Waterfall edge 1 1/4"	3. Finish type	All components on this page are available in V2 only.
F Flush grommets	4. Veneer finish	Shipped with full height modesty.
2 Conventional veneer	5. Grommet color	
	1. Thickness options: A = 1 1/4" straight edge B = 1 3/4" straight edge W = 1 1/4" waterfall edge 2. Grommet Options: F = Flush grommets N = No grommets 3. 2 = V2 Veneer Finish	

Double pedestal credenzas
27³/₄" high overall
available V2 finish options only


Reff

Preconfigured Reff
Deskings

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double pedestal credenza (16" wide FF peds)	60"	24"	RCDP6024K(A,B,W)() () 2	\$3,192.	\$3,555.	\$3,741.	\$3,540.	\$3,905.	\$4,091.
	72"	24"	RCDP7224K(A,B,W)() () 2	3,311.	3,707.	3,906.	3,661.	4,057.	4,256.
	84"	24"	RCDP8424K(A,B,W)() () 2	3,437.	3,880.	4,082.	3,786.	4,229.	4,432.
	96"	24"	RCDP9624K(A,B,W)() () 2	3,548.	4,035.	4,253.	3,898.	4,385.	4,601.




Double lateral credenza (30" wide laterals)	60"	24"	RCD3L6024K(A,B,W)() () 2	3,457.	3,820.	4,007.	4,258.	4,622.	4,807.
	84"	24"	RCD3L8424K(A,B,W)() () 2	3,703.	4,146.	4,348.	4,503.	4,946.	5,148.
	96"	24"	RCD3L9624K(A,B,W)() () 2	3,814.	4,300.	4,518.	4,614.	5,101.	5,319.



96" w shown; 60" w has no knee space

Double lateral credenza (36" wide laterals)	72"	24"	RCD6L7224K(A,B,W)() () 2	3,725.	4,120.	4,320.	5,113.	5,508.	5,707.
	96"	24"	RCD6L9624K(A,B,W)() () 2	3,961.	4,449.	4,665.	5,349.	5,836.	6,054.



96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCD6L9624KBF2WDL	To order, please specify pattern number including:	5. Grommet Options: F = Flush grommets N = No grommets
RC Reff credenza	1. Width	6. 2 = V2 Veneer Finish
D6L Double 36" w lateral file	2. Depth	7. Interior Options: M = Metal W = Wood
96 96" wide	3. File option K default = FF	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull
24 24" wide	4. Top thickness	Applicable finishes are listed on page 5 and 6.
K File file	5. Grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
B 1 3/4" thick worksurface	6. Finish type	
F Flush grommets	7. Interior option	
2 Finish type	8. Pull option	
W wood drawer interior	9. Locking L default	
D D-metal pull	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	

Accessories

hookstrips and top caps

Reff

description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$39.
	15"	R2HK0015	63.
	34"	R2HK0034	86.
	42"	R2HK0042	92.
	49"	R2HK0049	99.
	64"	R2HK0064	107.
	79"	R2HK0079	112.
Beltway hookstrips	42"	R2HKB042	99.
	49"	R2HKB049	107.
	64"	R2HKB064	112.
	79"	R2HKB079	118.
Generation 2 top caps		KRR2CAPEND() ()	56.
		KRR2CAPL() ()	56.
		KRR2CAPSTRAIGHT() ()	56.
		KRR2CAPT() ()	56.
		KRR2CAPX() ()	56.
Generation 3 top caps		KRR3CAPEND() ()	56.
		KRR3CAPL() ()	56.
		KRR3CAPSTRAIGHT() ()	56.
		KRR3CAPT() ()	56.
		KRR3CAPX() ()	56.

Order Code	Specification Information	Application Notes
Example: KRR3CAPL-2A	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
KRR3 Reff generation 3		
CAP Top cap	1. L = Laminate paint finish	An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.
L Finished 2 adjacent sides	2. 1 = V1 Techwood	
	3. 2 = V2 Conventional veneer	
2 Conventional veneer	<i>Top cap profile:</i>	
A Flat profile	A = Flat	
V319 Medium cherry	B = Square	Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.
	C = Bullnose	




New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

Accessories

cabinet extras and undermount accessories

Reff

Accessories and Client
Samples

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$66.
	29"	17"		RCABT2917						110.
Cabinet coat rod 	16" cabinets			RCACR16						66.
	30" cabinets			RCACR30						88.
	36" cabinets			RCACR36						99.
	Half of 30" cabinets			RCACR30H						64.
	Half of 36" cabinets			RCACR36H						70.
Articulated keyboard arm 	10" x 20" keyboard tray			RKBA1020()						786.
	10" x 22 1/4" keyboard tray			RKBA1022()						786.
	Available in laminate, techwood (V1), or veneer (V2)									
Keyboard platform 	23"	11"		RKBP1020						633.
	26"	11"		RKBP1022						633.
RKBP1020 accepts 19 1/2"W x 9 1/2"D keyboard. RKBP1022 accepts 22"W x 9 1/2"D keyboard. Available in black only.										
CRT turntable 	31" diameter			RKT31						485.
Pencil drawer used under worktop 	16"	17"	1"	RPAD-()						350.
	Specify wood or laminate finish									
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		RCAS1620-()	67.	127.	135.	155.	209.	
	16"	24"		RCAS1624-()	75.	142.	152.	176.	238.	
	30"	15"		RCAS3015-()	82.	165.	177.	203.	274.	
	30"	20"		RCAS3020-()	80.	142.	152.	176.	238.	
	30"	24"		RCAS3024-()	89.	165.	177.	203.	274.	
	36"	15"		RCAS3615-()	91.	175.	186.	211.	285.	
	36"	20"		RCAS3620-()	91.	151.	162.	186.	251.	
	36"	24"		RCAS3624-()	96.	177.	190.	218.	294.	

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

Specification Information

Pencil drawer includes slides.

Keyboard platform is black.

Applicable finishes are listed on page 5 and 6.

Application Notes

See Reff Planning Guide for more information.

Accessories

presentation samples

Reff

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only)	–	–	8 ⁷ / ₈ "	RWHRA-()					\$34.
	–	–	17 ⁵ / ₈ "	RWHRB-()					36.
	–	–	18 ¹ / ₄ "	RWHRC-()					36.
	–	–	21 ¹ / ₁₆ "	RWHRD-()					38.
	–	–	22"	RWHRE-()					38.
	–	–	59 ¹ / ₂ "	RWHRF-()					86.
	–	–	67"	RWHRG-()					86.
Striplight (black only) for transaction tops	26"	2"	2"	RCASL					307.
									
Presentation wood sample, 16" x 16"	16"	16"	–	RSAMP1616-() ()	100.	150.	200.	235.	
	Optional edge details available								
Presentation stackable/tiled mini panel (for demonstrations)	24"	–	34"	RSMP () ()					980.
	Specify trim profile, base height, base type and applicable finishes								
Presentation monolithic mini panel	4"H base			RRMP4 ()					523.
	6"H base			RRMP6 ()					563.
	Specify trim profile and applicable finishes								
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				R917762 ()					392.
Presentation worksurface cutaway sample	12"	12"	1 ¹ / ₄ "	RTOP2 ()	100.	150.	200.	235.	
	12"	12"	1 ³ / ₄ "	RTOP1 ()	100.	150.	200.	235.	
Presentation waterfall edge sample	11"	8 ¹ / ₂ "		R921655 ()					280.
Sample, cascade edge worksurface	12"	12"		RCE1R1212G	104.				
									
Rangeboard	27"	12"	1 ¹ / ₄ "	RRBRD2712 ()					250.
	Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)								

Order Code

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Applicable finishes are listed on page 5 and 6.

Accessories

wire management

Reff

description	w	d	h	pattern no.	list price	
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	RWMWT24	\$38.	
	30"	4 1/2"	5 3/4"	RWMWT30	44.	
	36"	4 1/2"	5 3/4"	RWMWT36	48.	
	Available black only					
 Hinged vertical wire	24"	1"	3/8"	RWMV24 ()	32.	
	Ships with overdesk unit. Specify paint finish.					
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	RWMMP24	34.	
	30"	2 1/2"	1 1/4"	RWMMP30	38.	
	36"	2 1/2"	1 1/4"	RWMMP36	39.	
	Available black only					
 Panel-hung vertical wire	24"	—	—	RWMVP24	32.	
	not available in finish codes: 112,116,117,611, 612, 613					
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	36.	
	30"	1 1/2"	3/4"	RWMVH30	40.	
	36"	1 1/2"	3/4"	RWMVH36	44.	
	Available black only					
 Power bar, fits into wire manager	RWMPB				133.	
Replacement hardware	Panel to endpanel bracket				RBPE(L/R)()	18.
	Top to endpanel disk				RBDD	5.
	Top to workwall endpanel disk				RBDW	5.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only					
Tree wire manager 2 shipped with panel	2"	RBWM			11.	
used in Beltway						

Order Code

To order please specify:
1. Pattern number
2. Color if applicable

Specification Information

Specify color for hinged vertical wire management only from paint finish list on page 5.

*Available in Black only.

Application Notes

See Reff Planning Guide for more information on wire managers.

Accessories

interior components

Reff

description	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)			RPHCHH	\$32.
Panel-hung coat hook (panel top)			RPHCHT	32.
Panel-hung tackboard	30"	24"	RPHTB3024	260.
Note: Fabric railroaded	42"	24"	RPHTB4224	320.
All standard grades of fabric				
Panel-hung whiteboard	30"	24"	RPHWB3024	404.
	42"	24"	RPHWB4224	494.
Wall-hung tackboard	30"	24"	RWHTB3024	289.
Note: Fabric railroaded Velcro supplied	36"	24"	RWHTB3624	320.
	42"	24"	RWHTB4224	351.
	48"	24"	RWHTB4824	382.
for use with 26 1/2" h support planning module				
Wall-hung tackboard for desk height (28 3/8" h)	30"	26"	RWHDHTB3026	303.
planning	36"	26"	RWHDHTB3626	336.
Note: Fabric railroaded Velcro supplied	42"	26"	RWHDHTB4226	369.
	48"	26"	RWHDHTB4826	401.
for use with 28 3/8" h support planning module				
Box drawer dividers, wood box drawers (Acrylic)	16"	–	RPADSS	46.
File bars, wood file drawers (replacement)	16"	–	RPAHFB16	26.
	30"	–	RPAHFB30	49.
	36"	–	RPAHFB36	76.
File bars, metal file drawers (replacement)	16"	–	RPAHFM162 *	18.
	30"	–	RPAHFM30	26.
	36"	–	RPAHFM36	26.

Order Code

To order please specify:
 1. Pattern number
 2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

*Only for pedestals shipped August 2001 and forward.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

Reff

description	w	h	pattern no.	list price
Plate divider			RPD11	\$20.
			RPD14	20.
RPD11 to be used with 15" D open cabinet/bookcase with metal shelves. RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.				
Pencil tray, wood (ordered separately)	12"	—	RPAPT	88.
Pencil tray, plastic	12"	—	RPETRAY2 *	28.

Accessories and Client
Samples

Order Code	Application Notes
<i>To order please specify:</i> 1. Pattern number 2. Fabric (Tackboards)	See Reff Planning Guide for more information. Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted. *Only for pedestals shipped August 2001 and forward. Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for <u>all</u> mobile pedestals, should order KR5914265. Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Non-Wood Finishes								
Finishes	<i>Panel Tiles, Tops & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Handles</i>	<i>Grommets</i>
Black	LG	LG	LG	LG	LG	LG	LG	LG
Dark grey	n/a	DG	DG	DG	DG	DG	n/a	DG
Medium grey	n/a	OI	OI	OI	OI	OI	n/a	OI
Charcoal grey	LD	LD	LD	LD	LD	LD	n/a	LD
Folkstone grey	LA	LA	LA	LA	LA	LA	n/a	LA
Oyster grey	LC	LC	LC	LC	LC	LC	n/a	LC
Pumice	LB	LB	LB	LB	LB	LB	n/a	LB
Willow grey	LE	LE	LE	LE	LE	LE	n/a	LE
Dark grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	V	n/a
Medium grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	J	n/a
Silver (metallic)	n/a	HPF	HPF	HPF	HPF	HPF	HPF	HPF
White	LH	LH	LH	LH	LH	LH	LH	LH
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD
Currents Finishes								
White	n/a	B	B	B	B	B	B	B
Metallic flint	n/a	2	2	2	2	2	2	2
Light metallic grey	n/a	U	U	U	U	U	U	U
Medium metallic grey	n/a	J	J	J	J	J	J	J
Dark metallic grey	n/a	V	V	V	V	V	V	V
Metallic beige	n/a	H	H	H	H	H	H	H
Light metallic tan	n/a	W	W	W	W	W	W	W
Soft grey	n/a	E	E	E	E	E	E	E
Medium Grey	n/a	Y2	Y2	Y2	Y2	Y2	Y2	Y2

n/a = not applicable

*Beltway side plates not available in Satin brass, Brushed pewter or Polished chrome.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	189	R2APT3424	64	R2ES34(A/B/C/D/E)(4/6)(E/N)	95	R2X79C	97
ASBC24 (L/R)	189	R2APT3430	64	R2ES42(A/B/C/D/E)(4/6)(E/N)	95	R334PKIT	102
KRR2CAPEND	284	R2APT3436	64	R2ES49(A/B/C/D/E)(4/6)(E/N)	95	R3AK	102
KRR2CAPL	284	R2APT3442	64	R2ES64(A/B/C/D/E)(4/6)(E/N)	95	R3B0PAA42 18	12
KRR2CAPSTRAIGHT	284	R2APT3448	64	R2ES79(A/B/C/D/E)(4/6)(E/N)	95	R3B0PAA42 20	12
KRR2CAPT	284	R2APT4218	64	R2HK0008	284	R3B0PAA42 24	12
KRR2CAPX	284	R2APT4220	64	R2HK0015	284	R3B0PAA42 30	12
KRR3CAPEND	284	R2APT4224	64	R2HK0034	284	R3B0PAA42 36	12
KRR3CAPL	284	R2APT4230	64	R2HK0042	284	R3B0PAA42 42	12
KRR3CAPSTRAIGHT	284	R2APT4236	64	R2HK0049	284	R3B0PAA42 48	12
KRR3CAPT	284	R2APT4242	64	R2HK0064	284	R3B0PAA42 60	12
KRR3CAPX	284	R2APT4248	64	R2HK0079	284	R3B0PAA42 66	12
MWM-J	273	R2APT4918	65	R2HKB042	284	R3B0PAA42 72	12
R113B	191	R2APT4920	65	R2HKB049	284	R3B0PAA49 18	18
R234PKIT	102	R2APT4924	65	R2HKB064	284	R3B0PAA49 20	18
R2AETK34	67	R2APT4930	65	R2HKB079	284	R3B0PAA49 24	18
R2AETK42	67	R2APT4936	65	R2HL3442ES(A/B/C/E)	95	R3B0PAA49 30	18
R2AETK49	67	R2APT4942	65	R2HL3442(F)CS	96	R3B0PAA49 36	18
R2AETK64	67	R2APT4948	65	R2HL3449ES(A/B/C/E)	95	R3B0PAA49 42	18
R2AETK79	67	R2APT6418	65	R2HL3449(F)CS	96	R3B0PAA49 48	18
R2AHBW18	69	R2APT6420	65	R2HL3464ES(A/B/C/E)	95	R3B0PAA49 60	18
R2AHBW20	69	R2APT6424	65	R2HL3464(F/T)CS	96	R3B0PAA49 66	18
R2AHBW24	69	R2APT6430	65	R2HL3479ES(A/B/C/E)	95	R3B0PAA49 72	18
R2AHBW30	69	R2APT6436	65	R2HL3479(F/T)CS	96	R3B0PAA64 18	24
R2AHBW36	69	R2APT6442	65	R2HL4249ES(A/B/C/E)	95	R3B0PAA64 20	24
R2AHBW42	69	R2APT6448	65	R2HL4249ETS(A/B/C/E)	96	R3B0PAA64 24	24
R2AHBW48	69	R2APT7918	66	R2HL4249(F)CS	96	R3B0PAA64 30	24
R2AHCR34	68	R2APT7920	66	R2HL4264ES(A/B/C/E)	95	R3B0PAA64 36	24
R2AHCR42	68	R2APT7924	66	R2HL4264ETS(A/B/C/E)	96	R3B0PAA64 42	24
R2AHCR49	68	R2APT7930	66	R2HL4264(F/T)CS	96	R3B0PAA64 48	24
R2AHCR64	68	R2APT7936	66	R2HL4279ES(A/B/C/E)	95	R3B0PAA64 60	24
R2AHCR79	68	R2APT7942	66	R2HL4279ETS(A/B/C/E)	96	R3B0PAA64 66	24
R2AHSR18	70	R2APT7948	66	R2HL4279(F/T)CS	96	R3B0PAA64 72	24
R2AHSR20	70	R2ATPK34	66	R2HL4964ES(A/B/C/E)	95	R3B0PAA79 18	30
R2AHSR24	70	R2ATPK42	66	R2HL4964(F)CS	96	R3B0PAA79 20	30
R2AHSR30	70	R2ATPK49	66	R2HL4979ES(A/B/C/E)	95	R3B0PAA79 24	30
R2AHSR36	70	R2ATPK64	66	R2HL4979(F/T)CS	96	R3B0PAA79 30	30
R2AHSR42	70	R2ATPK79	66	R2HL6479ES(A/B/C/E)	95	R3B0PAA79 36	30
R2AHSR48	70	R2B0TWA34 18	37	R2HL6479(F)CS	96	R3B0PAA79 42	30
R2AHTR18	68	R2B0TWA34 20	37	R2L42C(F/T)(F/T)-(4/6)	97	R3B0PAA79 48	30
R2AHTR20	68	R2B0TWA34 24	37	R2L49C(F/T)(F/T)-(4/6)	97	R3B0PAA79 60	30
R2AHTR24	68	R2B0TWA34 30	37	R2L64C(F/T)(F/T)-(4/6)	97	R3B0PAA79 66	30
R2AHTR30	68	R2B0TWA34 36	37	R2L79C(F/T)(F/T)-(4/6)	97	R3B0PAA79 72	30
R2AHTR36	68	R2B0TWA34 42	37	R2S42C(F/T)(F/T)-(4/6)	97	R3B0PF134 18	9
R2AHTR42	68	R2B0TWA34 48	37	R2S49C(F/T)(F/T)-(4/6)	97	R3B0PF134 20	9
R2AHTR48	68	R2B0TWB34 30	37	R2S64C(F/T)(F/T)-(4/6)	97	R3B0PF134 24	9
R2AHWR18	69	R2B0TWB34 36	37	R2S79C(F/T)(F/T)-(4/6)	97	R3B0PF134 30	9
R2AHWR20	69	R2B0TWB34 42	37	R2SWS0008	99	R3B0PF134 36	9
R2AHWR24	69	R2B0TWB34 48	37	R2SWS0015	99	R3B0PF134 42	9
R2AHWR30	69	R2B0TWC34 18	37	R2SWS0034	99	R3B0PF134 48	9
R2AHWR36	69	R2B0TWC34 20	37	R2SWS0042	99	R3B0PF142 18	15
R2AHWR42	69	R2B0TWC34 24	37	R2SWS0049	99	R3B0PF142 20	15
R2AHWR48	69	R2B0TWC34 30	37	R2SWS0064	99	R3B0PF142 24	15
R2AK	102	R2B0TWC34 36	37	R2SWS0079	99	R3B0PF142 30	15
R2ALPK34	67	R2B0TWC34 42	37	R2T42C(F/T)-(4/6)	97	R3B0PF142 36	15
R2ALPK42	67	R2B0TWC34 48	37	R2T49C(F/T)-(4/6)	97	R3B0PF142 42	15
R2ALPK49	67	R2CCG	102	R2T64C(F/T)-(4/6)	97	R3B0PF142 48	15
R2ALPK64	67	R2DLS7936	101	R2T79C(F/T)-(4/6)	97	R3B0PF142 60	15
R2ALPK79	67	R2DLS7942	101	R2X42C	97	R3B0PF142 66	15
R2APT3418	64	R2DRS7936	101	R2X49C	97	R3B0PF142 72	15
R2APT3420	64	R2DRS7942	101	R2X64C	97	R3B0PF149 18	21

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF149 20	21	R3BOPF264 72	28	R3BOPFF42 18	12	R3BOPFL49 66	20
R3BOPF149 24	21	R3BOPF279 18	34	R3BOPFF42 20	12	R3BOPFL49 72	20
R3BOPF149 30	21	R3BOPF279 20	34	R3BOPFF42 24	12	R3BOPFL64 18	26
R3BOPF149 36	21	R3BOPF279 24	34	R3BOPFF42 30	12	R3BOPFL64 20	26
R3BOPF149 42	21	R3BOPF279 30	34	R3BOPFF42 36	12	R3BOPFL64 24	26
R3BOPF149 48	21	R3BOPF279 36	34	R3BOPFF42 42	12	R3BOPFL64 30	26
R3BOPF149 60	21	R3BOPF279 42	34	R3BOPFF42 48	12	R3BOPFL64 36	26
R3BOPF149 66	21	R3BOPF279 48	34	R3BOPFF42 60	12	R3BOPFL64 42	26
R3BOPF149 72	21	R3BOPF279 60	34	R3BOPFF42 66	12	R3BOPFL64 48	26
R3BOPF164 18	27	R3BOPF279 66	34	R3BOPFF42 72	12	R3BOPFL64 60	26
R3BOPF164 20	27	R3BOPF279 72	34	R3BOPFF49 18	18	R3BOPFL64 66	26
R3BOPF164 24	27	R3BOPF334 18	11	R3BOPFF49 20	18	R3BOPFL64 72	26
R3BOPF164 30	27	R3BOPF334 20	11	R3BOPFF49 24	18	R3BOPFL79 18	32
R3BOPF164 36	27	R3BOPF334 24	11	R3BOPFF49 30	18	R3BOPFL79 20	32
R3BOPF164 42	27	R3BOPF334 30	11	R3BOPFF49 36	18	R3BOPFL79 24	32
R3BOPF164 48	27	R3BOPF334 36	11	R3BOPFF49 42	18	R3BOPFL79 30	32
R3BOPF164 60	27	R3BOPF334 42	11	R3BOPFF49 48	18	R3BOPFL79 36	32
R3BOPF164 66	27	R3BOPF334 48	11	R3BOPFF49 60	18	R3BOPFL79 42	32
R3BOPF164 72	27	R3BOPF342 18	17	R3BOPFF49 66	18	R3BOPFL79 48	32
R3BOPF179 18	33	R3BOPF342 20	17	R3BOPFF49 72	18	R3BOPFL79 60	32
R3BOPF179 20	33	R3BOPF342 24	17	R3BOPFF64 18	24	R3BOPFL79 66	32
R3BOPF179 24	33	R3BOPF342 30	17	R3BOPFF64 20	24	R3BOPFL79 72	32
R3BOPF179 30	33	R3BOPF342 36	17	R3BOPFF64 24	24	R3BOTAA42 18	40
R3BOPF179 36	33	R3BOPF342 42	17	R3BOPFF64 30	24	R3BOTAA42 20	40
R3BOPF179 42	33	R3BOPF342 48	17	R3BOPFF64 36	24	R3BOTAA42 24	40
R3BOPF179 48	33	R3BOPF342 60	17	R3BOPFF64 42	24	R3BOTAA42 30	40
R3BOPF179 60	33	R3BOPF342 66	17	R3BOPFF64 48	24	R3BOTAA42 36	40
R3BOPF179 66	33	R3BOPF342 72	17	R3BOPFF64 60	24	R3BOTAA42 42	40
R3BOPF179 72	33	R3BOPF349 18	23	R3BOPFF64 66	24	R3BOTAA42 48	40
R3BOPF234 18	10	R3BOPF349 20	23	R3BOPFF64 72	24	R3BOTAA49 18	46
R3BOPF234 20	10	R3BOPF349 24	23	R3BOPFF79 18	30	R3BOTAA49 20	46
R3BOPF234 24	10	R3BOPF349 30	23	R3BOPFF79 20	30	R3BOTAA49 24	46
R3BOPF234 30	10	R3BOPF349 36	23	R3BOPFF79 24	30	R3BOTAA49 30	46
R3BOPF234 36	10	R3BOPF349 42	23	R3BOPFF79 30	30	R3BOTAA49 36	46
R3BOPF234 42	10	R3BOPF349 48	23	R3BOPFF79 36	30	R3BOTAA49 42	46
R3BOPF234 48	10	R3BOPF349 60	23	R3BOPFF79 42	30	R3BOTAA49 48	46
R3BOPF242 18	16	R3BOPF349 66	23	R3BOPFF79 48	30	R3BOTAA64 18	52
R3BOPF242 20	16	R3BOPF349 72	23	R3BOPFF79 60	30	R3BOTAA64 20	52
R3BOPF242 24	16	R3BOPF364 18	29	R3BOPFF79 66	30	R3BOTAA64 24	52
R3BOPF242 30	16	R3BOPF364 20	29	R3BOPFF79 72	30	R3BOTAA64 30	52
R3BOPF242 36	16	R3BOPF364 24	29	R3BOPFL34 18	8	R3BOTAA64 36	52
R3BOPF242 42	16	R3BOPF364 30	29	R3BOPFL34 20	8	R3BOTAA64 42	52
R3BOPF242 48	16	R3BOPF364 36	29	R3BOPFL34 24	8	R3BOTAA64 48	52
R3BOPF242 60	16	R3BOPF364 42	29	R3BOPFL34 30	8	R3BOTAA79 18	58
R3BOPF242 66	16	R3BOPF364 48	29	R3BOPFL34 36	8	R3BOTAA79 20	58
R3BOPF242 72	16	R3BOPF364 60	29	R3BOPFL34 42	8	R3BOTAA79 24	58
R3BOPF249 18	22	R3BOPF364 66	29	R3BOPFL34 48	8	R3BOTAA79 30	58
R3BOPF249 20	22	R3BOPF364 72	29	R3BOPFL42 18	14	R3BOTAA79 36	58
R3BOPF249 24	22	R3BOPF379 18	35	R3BOPFL42 20	14	R3BOTAA79 42	58
R3BOPF249 30	22	R3BOPF379 20	35	R3BOPFL42 24	14	R3BOTAA79 48	58
R3BOPF249 36	22	R3BOPF379 24	35	R3BOPFL42 30	14	R3BOTF134 18	38
R3BOPF249 42	22	R3BOPF379 30	35	R3BOPFL42 36	14	R3BOTF134 20	38
R3BOPF249 48	22	R3BOPF379 36	35	R3BOPFL42 42	14	R3BOTF134 24	38
R3BOPF249 60	22	R3BOPF379 42	35	R3BOPFL42 48	14	R3BOTF134 30	38
R3BOPF249 66	22	R3BOPF379 48	35	R3BOPFL42 60	14	R3BOTF134 36	38
R3BOPF249 72	22	R3BOPF379 60	35	R3BOPFL42 66	14	R3BOTF134 42	38
R3BOPF264 18	28	R3BOPF379 66	35	R3BOPFL42 72	14	R3BOTF134 48	38
R3BOPF264 20	28	R3BOPF379 72	35	R3BOPFL49 18	20	R3BOTF142 18	43
R3BOPF264 24	28	R3BOPFF34 18	7	R3BOPFL49 20	20	R3BOTF142 20	43
R3BOPF264 30	28	R3BOPFF34 20	7	R3BOPFL49 24	20	R3BOTF142 24	43
R3BOPF264 36	28	R3BOPFF34 24	7	R3BOPFL49 30	20	R3BOTF142 30	43
R3BOPF264 42	28	R3BOPFF34 30	7	R3BOPFL49 36	20	R3BOTF142 36	43
R3BOPF264 48	28	R3BOPFF34 36	7	R3BOPFL49 42	20	R3BOTF142 42	43
R3BOPF264 60	28	R3BOPFF34 42	7	R3BOPFL49 48	20	R3BOTF142 48	43
R3BOPF264 66	28	R3BOPFF34 48	7	R3BOPFL49 60	20	R3BOTF149 18	49

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B0TF149 20	49	R3B0TF342 30	45	R3B0TFL34 42	38	R3B1PF1B49 30	79
R3B0TF149 24	49	R3B0TF342 36	45	R3B0TFL34 48	38	R3B1PF1B49 36	79
R3B0TF149 30	49	R3B0TF342 42	45	R3B0TFL42 18	42	R3B1PF1B49 42	79
R3B0TF149 36	49	R3B0TF342 48	45	R3B0TFL42 20	42	R3B1PF1B49 48	79
R3B0TF149 42	49	R3B0TF349 18	51	R3B0TFL42 24	42	R3B1PF242 18	16
R3B0TF149 48	49	R3B0TF349 20	51	R3B0TFL42 30	42	R3B1PF242 20	16
R3B0TF164 18	55	R3B0TF349 24	51	R3B0TFL42 36	42	R3B1PF242 24	16
R3B0TF164 20	55	R3B0TF349 30	51	R3B0TFL42 42	42	R3B1PF242 30	16
R3B0TF164 24	55	R3B0TF349 36	51	R3B0TFL42 48	42	R3B1PF242 36	16
R3B0TF164 30	55	R3B0TF349 42	51	R3B0TFL49 18	48	R3B1PF242 42	16
R3B0TF164 36	55	R3B0TF349 48	51	R3B0TFL49 20	48	R3B1PF242 48	16
R3B0TF164 42	55	R3B0TF364 18	57	R3B0TFL49 24	48	R3B1PF249 18	22
R3B0TF164 48	55	R3B0TF364 20	57	R3B0TFL49 30	48	R3B1PF249 20	22
R3B0TF179 18	61	R3B0TF364 24	57	R3B0TFL49 36	48	R3B1PF249 24	22
R3B0TF179 20	61	R3B0TF364 30	57	R3B0TFL49 42	48	R3B1PF249 30	22
R3B0TF179 24	61	R3B0TF364 36	57	R3B0TFL49 48	48	R3B1PF249 36	22
R3B0TF179 30	61	R3B0TF364 42	57	R3B0TFL64 18	54	R3B1PF249 42	22
R3B0TF179 36	61	R3B0TF364 48	57	R3B0TFL64 20	54	R3B1PF249 48	22
R3B0TF179 42	61	R3B0TF379 18	63	R3B0TFL64 24	54	R3B1PF264 18	28
R3B0TF179 48	61	R3B0TF379 20	63	R3B0TFL64 30	54	R3B1PF264 20	28
R3B0TF234 18	39	R3B0TF379 24	63	R3B0TFL64 36	54	R3B1PF264 24	28
R3B0TF234 20	39	R3B0TF379 30	63	R3B0TFL64 42	54	R3B1PF264 30	28
R3B0TF234 24	39	R3B0TF379 36	63	R3B0TFL64 48	54	R3B1PF264 36	28
R3B0TF234 30	39	R3B0TF379 42	63	R3B0TFL79 18	60	R3B1PF264 42	28
R3B0TF234 36	39	R3B0TF379 48	63	R3B0TFL79 20	60	R3B1PF264 48	28
R3B0TF234 42	39	R3B0TFF34 18	36	R3B0TFL79 24	60	R3B1PF279 18	34
R3B0TF234 48	39	R3B0TFF34 20	36	R3B0TFL79 30	60	R3B1PF279 20	34
R3B0TF242 18	44	R3B0TFF34 24	36	R3B0TFL79 36	60	R3B1PF279 24	34
R3B0TF242 20	44	R3B0TFF34 30	36	R3B0TFL79 42	60	R3B1PF279 30	34
R3B0TF242 24	44	R3B0TFF34 36	36	R3B0TFL79 48	60	R3B1PF279 36	34
R3B0TF242 30	44	R3B0TFF34 42	36	R3B1PF142 18	15	R3B1PF279 42	34
R3B0TF242 36	44	R3B0TFF34 48	36	R3B1PF142 20	15	R3B1PF279 48	34
R3B0TF242 42	44	R3B0TFF42 18	40	R3B1PF142 24	15	R3B1PF2A49 18	82
R3B0TF242 48	44	R3B0TFF42 20	40	R3B1PF142 30	15	R3B1PF2A49 20	82
R3B0TF249 18	50	R3B0TFF42 24	40	R3B1PF142 36	15	R3B1PF2A49 24	82
R3B0TF249 20	50	R3B0TFF42 30	40	R3B1PF142 42	15	R3B1PF2A49 30	82
R3B0TF249 24	50	R3B0TFF42 36	40	R3B1PF142 48	15	R3B1PF2A49 36	82
R3B0TF249 30	50	R3B0TFF42 42	40	R3B1PF149 18	21	R3B1PF2A49 42	82
R3B0TF249 36	50	R3B0TFF42 48	40	R3B1PF149 20	21	R3B1PF2A49 48	82
R3B0TF249 42	50	R3B0TFF49 18	46	R3B1PF149 24	21	R3B1PF2B49 30	82
R3B0TF249 48	50	R3B0TFF49 20	46	R3B1PF149 30	21	R3B1PF2B49 36	82
R3B0TF264 18	56	R3B0TFF49 24	46	R3B1PF149 36	21	R3B1PF2B49 42	82
R3B0TF264 20	56	R3B0TFF49 30	46	R3B1PF149 42	21	R3B1PF2B49 48	82
R3B0TF264 24	56	R3B0TFF49 36	46	R3B1PF149 48	21	R3B1PF342 18	17
R3B0TF264 30	56	R3B0TFF49 42	46	R3B1PF164 18	27	R3B1PF342 20	17
R3B0TF264 36	56	R3B0TFF49 48	46	R3B1PF164 20	27	R3B1PF342 24	17
R3B0TF264 42	56	R3B0TFF64 18	52	R3B1PF164 24	27	R3B1PF342 30	17
R3B0TF264 48	56	R3B0TFF64 20	52	R3B1PF164 30	27	R3B1PF342 36	17
R3B0TF279 18	62	R3B0TFF64 24	52	R3B1PF164 36	27	R3B1PF342 42	17
R3B0TF279 20	62	R3B0TFF64 30	52	R3B1PF164 42	27	R3B1PF342 48	17
R3B0TF279 24	62	R3B0TFF64 36	52	R3B1PF164 48	27	R3B1PF349 18	23
R3B0TF279 30	62	R3B0TFF64 42	52	R3B1PF179 18	33	R3B1PF349 20	23
R3B0TF279 36	62	R3B0TFF64 48	52	R3B1PF179 20	33	R3B1PF349 24	23
R3B0TF279 42	62	R3B0TFF79 18	58	R3B1PF179 24	33	R3B1PF349 30	23
R3B0TF279 48	62	R3B0TFF79 20	58	R3B1PF179 30	33	R3B1PF349 36	23
R3B0TF334 18	39	R3B0TFF79 24	58	R3B1PF179 36	33	R3B1PF349 42	23
R3B0TF334 20	39	R3B0TFF79 30	58	R3B1PF179 42	33	R3B1PF349 48	23
R3B0TF334 24	39	R3B0TFF79 36	58	R3B1PF179 48	33	R3B1PF364 18	29
R3B0TF334 30	39	R3B0TFF79 42	58	R3B1PF1A49 18	79	R3B1PF364 20	29
R3B0TF334 36	39	R3B0TFF79 48	58	R3B1PF1A49 20	79	R3B1PF364 24	29
R3B0TF334 42	39	R3B0TFL34 18	38	R3B1PF1A49 24	79	R3B1PF364 30	29
R3B0TF334 48	39	R3B0TFL34 20	38	R3B1PF1A49 30	79	R3B1PF364 36	29
R3B0TF342 18	45	R3B0TFL34 24	38	R3B1PF1A49 36	79	R3B1PF364 42	29
R3B0TF342 20	45	R3B0TFL34 30	38	R3B1PF1A49 42	79	R3B1PF364 48	29
R3B0TF342 24	45	R3B0TFL34 36	38	R3B1PF1A49 48	79	R3B1PF379 18	35

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF379 20	35	R3B1PFL49 24	20	R3B1TF1B49 30	78	R3B1TF379 20	63
R3B1PF379 24	35	R3B1PFL49 30	20	R3B1TF1B49 36	78	R3B1TF379 24	63
R3B1PF379 30	35	R3B1PFL49 36	20	R3B1TF1B49 42	78	R3B1TF379 30	63
R3B1PF379 36	35	R3B1PFL49 42	20	R3B1TF1B49 48	78	R3B1TF379 36	63
R3B1PF379 42	35	R3B1PFL49 48	20	R3B1TF242 18	44	R3B1TF379 42	63
R3B1PF379 48	35	R3B1PFL64 18	26	R3B1TF242 20	44	R3B1TF379 48	63
R3B1PF3A49 18	84	R3B1PFL64 20	26	R3B1TF242 24	44	R3B1TF3A49 18	83
R3B1PF3A49 20	84	R3B1PFL64 24	26	R3B1TF242 30	44	R3B1TF3A49 20	83
R3B1PF3A49 24	84	R3B1PFL64 30	26	R3B1TF242 36	44	R3B1TF3A49 24	83
R3B1PF3A49 30	84	R3B1PFL64 36	26	R3B1TF242 42	44	R3B1TF3A49 30	83
R3B1PF3A49 36	84	R3B1PFL64 42	26	R3B1TF242 48	44	R3B1TF3A49 36	83
R3B1PF3A49 42	84	R3B1PFL64 48	26	R3B1TF249 18	50	R3B1TF3A49 42	83
R3B1PF3A49 48	84	R3B1PFL79 18	32	R3B1TF249 20	50	R3B1TF3A49 48	83
R3B1PF3B49 30	84	R3B1PFL79 20	32	R3B1TF249 24	50	R3B1TF3B49 30	83
R3B1PF3B49 36	84	R3B1PFL79 24	32	R3B1TF249 30	50	R3B1TF3B49 36	83
R3B1PF3B49 42	84	R3B1PFL79 30	32	R3B1TF249 36	50	R3B1TF3B49 42	83
R3B1PF3B49 48	84	R3B1PFL79 36	32	R3B1TF249 42	50	R3B1TF3B49 48	83
R3B1PFF42 18	13	R3B1PFL79 42	32	R3B1TF249 48	50	R3B1TF42 18	40
R3B1PFF42 20	13	R3B1PFL79 48	32	R3B1TF264 18	56	R3B1TF42 20	40
R3B1PFF42 24	13	R3B1PFLA49 18	76	R3B1TF264 20	56	R3B1TF42 24	40
R3B1PFF42 30	13	R3B1PFLA49 20	76	R3B1TF264 24	56	R3B1TF42 30	40
R3B1PFF42 36	13	R3B1PFLA49 24	76	R3B1TF264 30	56	R3B1TF42 36	40
R3B1PFF42 42	13	R3B1PFLA49 30	76	R3B1TF264 36	56	R3B1TF42 42	40
R3B1PFF42 48	13	R3B1PFLA49 36	76	R3B1TF264 42	56	R3B1TF42 48	40
R3B1PFF49 18	19	R3B1PFLA49 42	76	R3B1TF264 48	56	R3B1TF49 18	46
R3B1PFF49 20	19	R3B1PFLA49 48	76	R3B1TF279 18	62	R3B1TF49 20	46
R3B1PFF49 24	19	R3B1PFLB49 30	76	R3B1TF279 20	62	R3B1TF49 24	46
R3B1PFF49 30	19	R3B1PFLB49 36	76	R3B1TF279 24	62	R3B1TF49 30	46
R3B1PFF49 36	19	R3B1PFLB49 42	76	R3B1TF279 30	62	R3B1TF49 36	46
R3B1PFF49 42	19	R3B1PFLB49 48	76	R3B1TF279 36	62	R3B1TF49 42	46
R3B1PFF49 48	19	R3B1TF142 18	43	R3B1TF279 42	62	R3B1TF49 48	46
R3B1PFF64 18	25	R3B1TF142 20	43	R3B1TF279 48	62	R3B1TF64 18	53
R3B1PFF64 20	25	R3B1TF142 24	43	R3B1TF2A49 18	80	R3B1TF64 20	53
R3B1PFF64 24	25	R3B1TF142 30	43	R3B1TF2A49 20	80	R3B1TF64 24	53
R3B1PFF64 30	25	R3B1TF142 36	43	R3B1TF2A49 24	80	R3B1TF64 30	53
R3B1PFF64 36	25	R3B1TF142 42	43	R3B1TF2A49 30	80	R3B1TF64 36	53
R3B1PFF64 42	25	R3B1TF142 48	43	R3B1TF2A49 36	80	R3B1TF64 42	53
R3B1PFF64 48	25	R3B1TF149 18	49	R3B1TF2A49 42	80	R3B1TF64 48	53
R3B1PFF79 18	31	R3B1TF149 20	49	R3B1TF2A49 48	80	R3B1TFF79 18	59
R3B1PFF79 20	31	R3B1TF149 24	49	R3B1TF2B49 30	81	R3B1TFF79 20	59
R3B1PFF79 24	31	R3B1TF149 30	49	R3B1TF2B49 36	81	R3B1TFF79 24	59
R3B1PFF79 30	31	R3B1TF149 36	49	R3B1TF2B49 42	81	R3B1TFF79 30	59
R3B1PFF79 36	31	R3B1TF149 42	49	R3B1TF2B49 48	81	R3B1TFF79 36	59
R3B1PFF79 42	31	R3B1TF149 48	49	R3B1TF342 18	45	R3B1TFF79 42	59
R3B1PFF79 48	31	R3B1TF164 18	55	R3B1TF342 20	45	R3B1TFF79 48	59
R3B1PFFA49 18	73	R3B1TF164 20	55	R3B1TF342 24	45	R3B1TFFA49 18	71
R3B1PFFA49 20	73	R3B1TF164 24	55	R3B1TF342 30	45	R3B1TFFA49 20	71
R3B1PFFA49 24	73	R3B1TF164 30	55	R3B1TF342 36	45	R3B1TFFA49 24	71
R3B1PFFA49 30	73	R3B1TF164 36	55	R3B1TF342 42	45	R3B1TFFA49 30	71
R3B1PFFA49 36	73	R3B1TF164 42	55	R3B1TF342 48	45	R3B1TFFA49 36	71
R3B1PFFA49 42	73	R3B1TF164 48	55	R3B1TF349 18	51	R3B1TFFA49 42	71
R3B1PFFA49 48	73	R3B1TF179 18	61	R3B1TF349 20	51	R3B1TFFA49 48	71
R3B1PFFB49 30	73	R3B1TF179 20	61	R3B1TF349 24	51	R3B1TFFB49 30	72
R3B1PFFB49 36	73	R3B1TF179 24	61	R3B1TF349 30	51	R3B1TFFB49 36	72
R3B1PFFB49 42	73	R3B1TF179 30	61	R3B1TF349 36	51	R3B1TFFB49 42	72
R3B1PFFB49 48	73	R3B1TF179 36	61	R3B1TF349 42	51	R3B1TFFB49 48	72
R3B1PFL42 18	14	R3B1TF179 42	61	R3B1TF349 48	51	R3B1TFL42 18	42
R3B1PFL42 20	14	R3B1TF179 48	61	R3B1TF364 18	57	R3B1TFL42 20	42
R3B1PFL42 24	14	R3B1TF1A49 18	77	R3B1TF364 20	57	R3B1TFL42 24	42
R3B1PFL42 30	14	R3B1TF1A49 20	77	R3B1TF364 24	57	R3B1TFL42 30	42
R3B1PFL42 36	14	R3B1TF1A49 24	77	R3B1TF364 30	57	R3B1TFL42 36	42
R3B1PFL42 42	14	R3B1TF1A49 30	77	R3B1TF364 36	57	R3B1TFL42 42	42
R3B1PFL42 48	14	R3B1TF1A49 36	77	R3B1TF364 42	57	R3B1TFL42 48	42
R3B1PFL49 18	20	R3B1TF1A49 42	77	R3B1TF364 48	57	R3B1TFL49 18	48
R3B1PFL49 20	20	R3B1TF1A49 48	77	R3B1TF379 18	63	R3B1TFL49 20	48

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1TFL49 24	48	R3B2PFFB49 30	87	R3FTCF13724	108	R3FTCF3736	105
R3B1TFL49 30	48	R3B2PFFB49 36	87	R3FTCF13730	108	R3FTCF3742	105
R3B1TFL49 36	48	R3B2PFFB49 42	87	R3FTCF13736	108	R3FTCF3748	105
R3B1TFL49 42	48	R3B2PFFB49 48	87	R3FTCF13742	108	R3FTCF12118	106
R3B1TFL49 48	48	R3B2TFF42 18	41	R3FTCF13748	108	R3FTCF12120	106
R3B1TFL64 18	54	R3B2TFF42 20	41	R3FTCF22118	106	R3FTCF12124	106
R3B1TFL64 20	54	R3B2TFF42 24	41	R3FTCF22120	106	R3FTCF12130	106
R3B1TFL64 24	54	R3B2TFF42 30	41	R3FTCF22124	106	R3FTCF12136	106
R3B1TFL64 30	54	R3B2TFF42 36	41	R3FTCF22130	106	R3FTCF12142	106
R3B1TFL64 36	54	R3B2TFF42 42	41	R3FTCF22136	106	R3FTCF12148	106
R3B1TFL64 42	54	R3B2TFF42 48	41	R3FTCF22142	106	R3FTCF12518	107
R3B1TFL64 48	54	R3B2TFF49 18	47	R3FTCF22148	106	R3FTCF12520	107
R3B1TFL79 18	60	R3B2TFF49 20	47	R3FTCF22518	107	R3FTCF12524	107
R3B1TFL79 20	60	R3B2TFF49 24	47	R3FTCF22520	107	R3FTCF12530	107
R3B1TFL79 24	60	R3B2TFF49 30	47	R3FTCF22524	107	R3FTCF12536	107
R3B1TFL79 30	60	R3B2TFF49 36	47	R3FTCF22530	107	R3FTCF12542	107
R3B1TFL79 36	60	R3B2TFF49 42	47	R3FTCF22536	107	R3FTCF12548	107
R3B1TFL79 42	60	R3B2TFF49 48	47	R3FTCF22542	107	R3FTCF13718	108
R3B1TFL79 48	60	R3B2TFF64 18	53	R3FTCF22548	107	R3FTCF13720	108
R3B1TFLA49 18	74	R3B2TFF64 20	53	R3FTCF23718	108	R3FTCF13724	108
R3B1TFLA49 20	74	R3B2TFF64 24	53	R3FTCF23720	108	R3FTCF13730	108
R3B1TFLA49 24	74	R3B2TFF64 30	53	R3FTCF23724	108	R3FTCF13736	108
R3B1TFLA49 30	74	R3B2TFF64 36	53	R3FTCF23730	108	R3FTCF13742	108
R3B1TFLA49 36	74	R3B2TFF64 42	53	R3FTCF23736	108	R3FTCF13748	108
R3B1TFLA49 42	74	R3B2TFF64 48	53	R3FTCF23742	108	R3FTCL104(F/T)(F/T)	109
R3B1TFLA49 48	74	R3B2TFF79 18	59	R3FTCF23748	108	R3FTCL108(F/T)(F/T)	109
R3B1TFLB49 30	75	R3B2TFF79 20	59	R3FTCF321 18	106	R3FTCL120(F/T)(F/T)	109
R3B1TFLB49 36	75	R3B2TFF79 24	59	R3FTCF321 20	106	R3FTCL121	109
R3B1TFLB49 42	75	R3B2TFF79 30	59	R3FTCF321 24	106	R3FTCL125	109
R3B1TFLB49 48	75	R3B2TFF79 36	59	R3FTCF321 30	106	R3FTCL137	109
R3B2PFF42 18	13	R3B2TFF79 42	59	R3FTCF321 36	106	R3FTCS104(F/T)(F/T)	109
R3B2PFF42 20	13	R3B2TFF79 48	59	R3FTCF321 42	106	R3FTCS108(F/T)(F/T)	109
R3B2PFF42 24	13	R3B2TFFA49 18	85	R3FTCF321 48	106	R3FTCS120(F/T)(F/T)	109
R3B2PFF42 30	13	R3B2TFFA49 20	85	R3FTCF325 18	107	R3FTCS21	109
R3B2PFF42 36	13	R3B2TFFA49 24	85	R3FTCF325 20	107	R3FTCS25	109
R3B2PFF42 42	13	R3B2TFFA49 30	85	R3FTCF325 24	107	R3FTCS37	109
R3B2PFF42 48	13	R3B2TFFA49 36	85	R3FTCF325 30	107	R3FTCSM (Pair) for G3 only	110
R3B2PFF49 18	19	R3B2TFFA49 42	85	R3FTCF325 36	107	R3FTCT104(F/T)	109
R3B2PFF49 20	19	R3B2TFFA49 48	85	R3FTCF325 42	107	R3FTCT108(F/T)	109
R3B2PFF49 24	19	R3B2TFFB49 30	86	R3FTCF325 48	107	R3FTCT120(F/T)	109
R3B2PFF49 30	19	R3B2TFFB49 36	86	R3FTCF337 18	108	R3FTCT21	109
R3B2PFF49 36	19	R3B2TFFB49 42	86	R3FTCF337 20	108	R3FTCT25	109
R3B2PFF49 42	19	R3B2TFFB49 48	86	R3FTCF337 24	108	R3FTCT37	109
R3B2PFF49 48	19	R3FTCE104(F/T)(F/T)(F/T)	109	R3FTCF337 30	108	R3FTCX104	109
R3B2PFF64 18	25	R3FTCE108(F/T)(F/T)(F/T)	109	R3FTCF337 36	108	R3FTCX108	109
R3B2PFF64 20	25	R3FTCE120(F/T)(F/T)(F/T)	109	R3FTCF337 42	108	R3FTCX120	109
R3B2PFF64 24	25	R3FTCE21	109	R3FTCF337 48	108	R3FTCX21	109
R3B2PFF64 30	25	R3FTCE25	109	R3FTCF337 54	108	R3FTCX25	109
R3B2PFF64 36	25	R3FTCE37	109	R3FTCF337 60	108	R3FTCX37	109
R3B2PFF64 42	25	R3FTCF12118	106	R3FTCF337 66	108	R3L08TT	92
R3B2PFF64 48	25	R3FTCF12120	106	R3FTCF337 72	108	R3L15TT	92
R3B2PFF79 18	31	R3FTCF12124	106	R3FTCF337 78	108	R3L34(F/T)(F/T)	92
R3B2PFF79 20	31	R3FTCF12130	106	R3FTCF337 84	108	R3L42(B)(F/T)(F/T)	92
R3B2PFF79 24	31	R3FTCF12136	106	R3FTCF337 90	108	R3L49(B)(F/T)(F/T)	92
R3B2PFF79 30	31	R3FTCF12142	106	R3FTCF337 96	108	R3L64(B)(F/T)(F/T)	92
R3B2PFF79 36	31	R3FTCF12148	106	R3FTCF337 102	108	R3L79(B)(F/T)(F/T)	92
R3B2PFF79 42	31	R3FTCF12518	107	R3FTCF337 108	108	R3R2SLV	94, 102
R3B2PFF79 48	31	R3FTCF12520	107	R3FTCF337 114	108	R3S08TT	93
R3B2PFFA49 18	86	R3FTCF12524	107	R3FTCF337 120	108	R3S15TT	93
R3B2PFFA49 20	86	R3FTCF12530	107	R3FTCF337 126	108	R3S34(F/T)(F/T)	93
R3B2PFFA49 24	86	R3FTCF12536	107	R3FTCF337 132	108	R3S42(B)(F/T)(F/T)	93
R3B2PFFA49 30	86	R3FTCF12542	107	R3FTCF337 138	108	R3S49(B)(F/T)(F/T)	93
R3B2PFFA49 36	86	R3FTCF12548	107	R3FTCF337 144	108	R3S64(B)(F/T)(F/T)	93
R3B2PFFA49 42	86	R3FTCF13718	108	R3FTCF337 150	108	R3S79(B)(F/T)(F/T)	93
R3B2PFFA49 48	86	R3FTCF13720	108	R3FTCF337 156	108	R3SF10818	90

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3SF10820	90	R3SFL1530	90	RBDH42M(F/R)	194	RC563DHB	240, 241
R3SF10824	90	R3SFL1536	90	RBDH4836	195	RC563DHF	240, 241
R3SF10830	90	R3SFL1542	90	RBDH4842	195	RC612C(L/R)	228, 231
R3SF10836	90	R3SFL1548	90	RBDH4848	195	RC612DHC(L/R)	242, 244
R3SF10842	90	R3SPABPT	100	RBDH48M(F/R)	194	RC612D(L/R)	231
R3SF10848	90	R3SPABTD	100	RBDH52MR	195	RC612C(L/R)	229, 233
R3SF11518	91	R3SPABTT	100	RBDH54M(F/R)	194	RC612P(L/R)	230, 233
R3SF11520	91	R3SPABTW	100	RBDH60M(F/R)	194	RC613C(L/R)	228, 231
R3SF11524	91	R3T08T	92	RBDH64MR	195	RC613DHC(L/R)	242, 244
R3SF11530	91	R3T15T	92	RBDH66M(F/R)	194	RC613D(L/R)	231
R3SF11536	91	R3T34(F/T)	92	RBDH72M(F/R)	194	RC613C(L/R)	229, 233
R3SF11542	91	R3T42(B)(F/T)	92	RBDH78M(F/R)	194	RC613P(L/R)	230, 233
R3SF11548	91	R3T49(B)(F/T)	92	RBDH84M(F/R)	194	RC631B	228, 231
R3SF20818	90	R3T64(B)(F/T)	92	RBDH90M(F/R)	194	RC631DHB	242, 244
R3SF20820	90	R3T79(B)(F/T)	92	RBDH96M(F/R)	194	RC632B	228, 231
R3SF20824	90	R3X08	93	RBDP6030JK(A,B,W)	279	RC632C	228, 231
R3SF20830	90	R3X15	93	RBDP7230JK(A,B,W)	279	RC632D	231
R3SF20836	90	R3X34	93	RBDP8430JK(A,B,W)	279	RC632DHB	242, 244
R3SF20842	90	R3X42(B)	93	RBDP9630JK(A,B,W)	279	RC632DHF	242, 244
R3SF20848	90	R3X49(B)	93	RBDW	287	RC632DHC	242, 244
R3SF21518	91	R3X64(B)	93	RBF (Pair)	190	RC632DHK	243, 245
R3SF21520	91	R3X79(B)	93	RBPE(L/R)	287	RC632E(L/R)	229, 232
R3SF21524	91	R5ZNNE (3 dividers)	276	RBPP (L/R)	190	RC632F	228, 232
R3SF21530	91	R917762	286	RBPR (Pair)	191	RC632G	229, 233
R3SF21536	91	R921655	286	RBPS (L/R)	191	RC632H	229, 232
R3SF21542	91	RB24(M/H)(F/R)	192	RBR3624(A,B,W)(F,N)2	282	RC632I	233
R3SF21548	91	RB30(M/H)(F/R)	192	RBR3630(A,B,W)(F,N)2	282	RC632P	230, 233
R3SF308 18	90	RB3636	193	RBR4224(A,B,W)(F,N)2	282	RC633B	228, 231
R3SF308 20	90	RB3642	193	RBR4230(A,B,W)(F,N)2	282	RC633C	228, 231
R3SF308 24	90	RB3648	193	RBR4824(A,B,W)(F,N)2	282	RC633D	231
R3SF308 30	90	RB36(M/H)(F/R)	192	RBR4830(A,B,W)(F,N)2	282	RC633DHB	242, 244
R3SF308 36	90	RB40MR	141, 142, 179	R BSP6030J(A,B,W)	278	RC633DHF	242, 244
R3SF308 42	90	RB4236	193	R BSP7230J(A,B,W)	278	RC633DHC	242, 244
R3SF308 48	90	RB4242	193	R BSP8430J(A,B,W)	278	RC633DHK	243, 245
R3SF315 18	91	RB4248	193	R BSP9630J(A,B,W)	278	RC633E(L/R)	229, 232
R3SF315 20	91	RB42(M/H)(F/R)	192	RBWM	287	RC633F	228, 232
R3SF315 24	91	RB4836	193	RBZ (A/B) (Pair)	190	RC633G	229, 233
R3SF315 30	91	RB4842	193	RC412C(L/R)	224, 226	RC633H	229, 232
R3SF315 36	91	RB4848	193	RC413C(L/R)	224, 226	RC633I	233
R3SF315 42	91	RB48(M/H)(F/R)	192	RC431B	224, 226	RC633P	230, 233
R3SF315 48	91	RB52MR	141, 142, 179	RC432B	224, 226	RC661B	228, 231
R3SFF08 18	88	RB54(M/H)(F/R)	192	RC432C	224, 226	RC661DHB	242, 244
R3SFF08 20	88	RB60(M/H)(F/R)	192	RC432D	226	RC662B	228, 231
R3SFF08 24	88	RB64MR	141, 142, 179	RC432F	225, 227	RC662C	228, 231
R3SFF08 30	88	RB66(M/H)(F/R)	192	RC433B	224, 226	RC662D	231
R3SFF08 36	88	RB72(M/H)(F/R)	192	RC433C	224, 226	RC662DHB	242, 244
R3SFF08 42	88	RB78(M/H)(F/R)	192	RC433D	226	RC662DHF	242, 244
R3SFF08 48	88	RB84(M/H)(F/R)	192	RC433F	225, 227	RC662DHC	242, 244
R3SFF15 18	88	RB90(M/H)(F/R)	192	RC461B	224, 226	RC662DHK	243, 245
R3SFF15 20	88	RB96(M/H)(F/R)	192	RC462B	224, 226	RC662E(L/R)	229, 232
R3SFF15 24	88	RBC18 (L/R)	189	RC462C	224, 226	RC662F	228, 232
R3SFF15 30	88	RBC24 (L/R)	189	RC462D	226	RC662G	229, 233
R3SFF15 36	88	RBC C	190	RC462F	225, 227	RC662H	229, 232
R3SFF15 42	88	RBCCP (Pair)	190	RC463B	224, 226	RC662I	233
R3SFF15 48	88	RBD D	287	RC463C	224, 226	RC662P	230, 233
R3SFL0818	90	RBDH24M(F/R)	194	RC463D	226	RC663B	228, 231
R3SFL0820	90	RBDH30M(F/R)	194	RC463F	225, 227	RC663C	228, 231
R3SFL0824	90	RBDH3636	195	RC531DHB	240, 241	RC663D	231
R3SFL0830	90	RBDH3642	195	RC532DHB	240, 241	RC663DHB	242, 244
R3SFL0836	90	RBDH3648	195	RC532DHF	240, 241	RC663DHF	242, 244
R3SFL0842	90	RBDH36M(F/R)	194	RC533DHB	240, 241	RC663DHC	242, 244
R3SFL0848	90	RBDH40MR	195	RC533DHF	240, 241	RC663DHK	243, 245
R3SFL1518	90	RBDH4236	195	RC561DHB	240, 241	RC663E(L/R)	229, 232
R3SFL1520	90	RBDH4242	195	RC562DHB	240, 241	RC663F	228, 232
R3SFL1524	90	RBDH4248	195	RC562DHF	240, 241	RC663G	229, 233

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RC663H	229, 232	RC763G	235, 238	RCA(A/B/C/D/E/F/G)F483612	154	RCB36X	197
RC663I	233	RC763H	235, 238	RCA(A/B/C/D/E/F/G)F483621	155	RCB40T	196
RC663P	230, 233	RC763I	239	RCA(A/B/C/D/E/F/G)F483622	156	R CBDH24X	200
RC712C(L/R)	234, 237	RC763P	236, 239	RCA(A/B/C/D/E/F/G)F484211	154	R CBDH28X	200
RC712D(HG/L/R)	246, 248	RCA363611	131	RCA(A/B/C/D/E/F/G)F484212	155	R CBDH36X	200
RC712D(L/R)	239	RCA363612	131	RCA(A/B/C/D/E/F/G)F484221	155	RCCDLA23672	133
RC712G(L/R)	235, 238	RCA363621	131	RCA(A/B/C/D/E/F/G)F484222	156	RCCDLA23678	133
RC712P(L/R)	236, 239	RCA363622	132	RCA(A/B/C/D/E/F/G)F484811	154	RCCDLA23684	133
RC713C(L/R)	234, 237	RCA364211	131	RCA(A/B/C/D/E/F/G)F484812	155	RCCDLA23696	133
RC713D(HG/L/R)	246, 248	RCA364212	131	RCA(A/B/C/D/E/F/G)F484821	155	RCCDLA33672	133
RC713D(L/R)	239	RCA364221	131	RCA(A/B/C/D/E/F/G)F484822	156	RCCDLA33678	133
RC713G(L/R)	235, 238	RCA364222	132	RCABT1417	285	RCCDLA33684	133
RC713P(L/R)	236, 239	RCA364811	131	RCABT2917	285	RCCDLA33696	133
RC732B	234, 237	RCA364812	131	RCACR16	285	RCCDRA23672	133
RC732C	234, 237	RCA364821	131	RCACR30	285	RCCDRA23678	133
RC732D	239	RCA364822	132	RCACR30H	285	RCCDRA23684	133
RC732DHB	246, 248	RCA423611	131	RCACR36	285	RCCDRA23696	133
RC732DHE(L/R)	246, 248	RCA423612	131	RCACR36H	285	RCCDRA33672	133
RC732DHF	247, 249	RCA423621	131	RCASI620	285	RCCDRA33678	133
RC732DHG	246, 248	RCA423622	132	RCASI624	285	RCCDRA33684	133
RC732DHK	247, 249	RCA424211	131	RCAS3015	285	RCCDRA33696	133
RC732E(L/R)	234, 237	RCA424212	131	RCAS3020	285	RCD3L6024K(A,B,W)	283
RC732F	235, 238	RCA424221	131	RCAS3024	285	RCD3L8424K(A,B,W)	283
RC732G	235, 238	RCA424222	132	RCAS3615	285	RCD3L9624K(A,B,W)	283
RC732H	235, 238	RCA424811	131	RCAS3620	285	RCD6L7224K(A,B,W)	283
RC732I	239	RCA424812	131	RCAS3624	285	RCD6L9624K(A,B,W)	283
RC732P	236, 239	RCA424821	131	RCASL	286	RCDHB	199
RC733B	234, 237	RCA424822	132	RCAWF363611	176	RCDHB20T	199
RC733C	234, 237	RCA483611	131	RCAWF363612	176	RCDHB24T	199
RC733D	239	RCA483612	131	RCAWF363621	176	RCDHB30T	199
RC733DHB	246, 248	RCA483621	131	RCAWF363622	176	RCDHB40T	199
RC733DHE(L/R)	246, 248	RCA483622	132	RCAWF364211	176	RCDP6024K(A,B,W)	283
RC733DHF	247, 249	RCA484211	131	RCAWF364212	176	RCDP7224K(A,B,W)	283
RC733DHG	246, 248	RCA484212	131	RCAWF364221	176	RCDP8424K(A,B,W)	283
RC733DHK	247, 249	RCA484221	132	RCAWF364222	176	RCDP9624K(A,B,W)	283
RC733E(L/R)	234, 237	RCA484222	132	RCAWF364811	176	RCE1BD6648D(L/R)	184
RC733F	235, 238	RCA484811	131	RCAWF364812	176	RCE1BD6648S(L/R)	184
RC733G	235, 238	RCA484812	131	RCAWF364821	176	RCE1BD7248D(L/R)	184
RC733H	235, 238	RCA484821	132	RCAWF364822	176	RCE1BD7248S(L/R)	184
RC733I	239	RCA484822	132	RCAWF423611	176	RCE1BD7848D(L/R)	184
RC733P	236, 239	RCA(A/B/C/D/E/F/G)F363611	154	RCAWF423612	176	RCE1BD7848S(L/R)	184
RC762B	234, 237	RCA(A/B/C/D/E/F/G)F363612	154	RCAWF423621	176	RCE1BD8448D(L/R)	184
RC762C	234, 237	RCA(A/B/C/D/E/F/G)F363621	155	RCAWF423622	176	RCE1BD8448S(L/R)	184
RC762D	239	RCA(A/B/C/D/E/F/G)F363622	156	RCAWF424211	176	RCE1CR24L	187
RC762DHB	246, 248	RCA(A/B/C/D/E/F/G)F364211	154	RCAWF424212	176	RCE1CR24N	187
RC762DHE(L/R)	246, 248	RCA(A/B/C/D/E/F/G)F364212	154	RCAWF424221	176	RCE1CR24R	187
RC762DHF	247, 249	RCA(A/B/C/D/E/F/G)F364221	155	RCAWF424222	176	RCE1H4818	187
RC762DHG	246, 248	RCA(A/B/C/D/E/F/G)F364222	156	RCAWF424811	176	RCE1H4818P	187
RC762DHK	247, 249	RCA(A/B/C/D/E/F/G)F364811	154	RCAWF424812	176	RCE1H6024	187
RC762E(L/R)	234, 237	RCA(A/B/C/D/E/F/G)F364812	154	RCAWF424821	176	RCE1H6024P	187
RC762F	235, 238	RCA(A/B/C/D/E/F/G)F364821	155	RCAWF424822	176	RCE1L3636SSN	185
RC762G	235, 238	RCA(A/B/C/D/E/F/G)F364822	156	RCAWF483611	176	RCE1LA242DSN	185
RC762H	235, 238	RCA(A/B/C/D/E/F/G)F423611	154	RCAWF483612	176	RCE1LA242SDN	185
RC762I	239	RCA(A/B/C/D/E/F/G)F423612	154	RCAWF483621	176	RCE1LA242SSN	185
RC762P	236, 239	RCA(A/B/C/D/E/F/G)F423621	155	RCAWF483622	176	RCE1LA260SSN	186
RC763B	234, 237	RCA(A/B/C/D/E/F/G)F423622	156	RCAWF484211	176	RCE1LA266SSN	186
RC763C	234, 237	RCA(A/B/C/D/E/F/G)F424211	154	RCAWF484212	176	RCE1LA272SSN	186
RC763D	239	RCA(A/B/C/D/E/F/G)F424212	154	RCAWF484221	176	RCE1LA278SSN	186
RC763DHB	246, 248	RCA(A/B/C/D/E/F/G)F424221	155	RCAWF484222	176	RCE1LA484DDN	185
RC763DHE(L/R)	246, 248	RCA(A/B/C/D/E/F/G)F424222	156	RCB	196	RCE1LA484DSN	185
RC763DHF	247, 249	RCA(A/B/C/D/E/F/G)F424811	154	RCB20T	196	RCE1LA484SDN	185
RC763DHG	246, 248	RCA(A/B/C/D/E/F/G)F424812	154	RCB24T	196	RCE1LA484SSN	185
RC763DHK	247, 249	RCA(A/B/C/D/E/F/G)F424821	155	RCB24X	197	RCE1LA4860DSN	186
RC763E(L/R)	234, 237	RCA(A/B/C/D/E/F/G)F424822	156	RCB28X	197	RCE1LA860SDN	186
RC763F	235, 238	RCA(A/B/C/D/E/F/G)F483611	154	RCB30T	196	RCE1LA860SSN	186

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCE1L4866DSN	186	RCEAR223660	134	REDH23F	194	RGAB901	203
RCE1L4866SDN	186	RCEAR223672	134	REDH29F	194	RGAB961	203
RCE1L4866SSN	186	RCEAR224260	134	REDH30	194	RGAF622	203
RCE1L4872DSN	186	RCEAR224272	134	REDH36	194	RGAF623	203
RCE1L4872SDN	186	RCEAR224872	134	REDHBBH124	195	RGAF682	203
RCE1L4872SSN	186	RCEAR224884	134	REDHBBH130	195	RGAF683	203
RCE1L4878SSN	186	RCEAR224896	134	RFDR30	276	RGAF742	203
RCE1L4884SSN	186	RCOMP1816	250	RFDR36	276	RGAF743	203
RCE1L6042SSN	186	RCOUNTWT	210, 212	RFDR42	276	RGAF802	203
RCE1L6048DSN	186	RCP41-(F/L/1/2/3)*	98	RFDR48	276	RGAF803	203
RCE1L6048SDN	186	RCP56-(F/L/1/2/3)*	98	RFDR60	276	RGAF862	203
RCE1L6048SSN	186	RCP71-(F/L/1/2/3)*	98	RFDR72	276	RGAF863	203
RCE1L6642SSN	186	RCP78-(F/L/1/2/3)*	98	RFDR84	276	RGAF922	203
RCE1L6648DSN	186	RCS3L6024K(A,B,W)	281	RFDR96	276	RGAF923	203
RCE1L6648SDN	186	RCS3L7224K(A,B,W)	281	RFTCC108	110	RGAF982	203
RCE1L6648SSN	186	RCS3L8424K(A,B,W)	281	RFTCCCLIPS	110	RGAF983	203
RCE1L7242SSN	186	RCS3L9624K(A,B,W)	281	RFTCDR (Pair)	110	RGAL431	207
RCE1L7248DSN	186	RCS6L6024K(A,B,W)	281	RFTCG1 (Pair)	110	RGAL432	207
RCE1L7248SDN	186	RCS6L7224K(A,B,W)	281	RFTCSM (Pair) for G2 only	110	RGAL433	207
RCE1L7248SSN	186	RCS6L8424K(A,B,W)	281	RFTCSPACE	110	RGAL491	207
RCE1L7842SSN	186	RCS6L9624K(A,B,W)	281	RFTCWA2118	103	RGAL492	207
RCE1L7848SSN	186	RCS6L9624K(A,B,W)	281	RFTCWA2120	103	RGAL493	207
RCE1L8448SSN	186	RCS6L9624K(A,B,W)	281	RFTCWA2124	103	RGAL551	207
RCE1R1212C	286	RCS6L9624K(A,B,W)	281	RFTCWA2130	103	RGAL552	207
RCE1R2424N	183	RCS6L9624K(A,B,W)	281	RFTCWA2136	103	RGAL553	207
RCE1R2430N	183	RDDP6030JK(A,B,W)	279	RFTCWA2142	103	RGAL611	207
RCE1R3024N	183	RDDP6036JK(A,B,W)	279	RFTCWA2148	103	RGAL612	207
RCE1R3030N	183	RDDP7230JK(A,B,W)	279	RFTCWA2518	104	RGAL613	207
RCE1R3624N	183	RDDP7236JK(A,B,W)	279	RFTCWA2520	104	RGAL671	207
RCE1R3630N	183	RDDP8430JK(A,B,W)	279	RFTCWA2524	104	RGAL672	207
RCE1R4224N	183	RDDP8436JK(A,B,W)	279	RFTCWA2530	104	RGAL673	207
RCE1R4230N	183	RDDP9630JK(A,B,W)	279	RFTCWA2536	104	RGAL731	207
RCE1R4824N	183	RDDP9636JK(A,B,W)	279	RFTCWA2542	104	RGAL732	207
RCE1R4830N	183	RDHMBD	221	RFTCWA2548	104	RGAL733	207
RCE1R5424N	183	RDHMF	221	RFTCWA3718	105	RGAL791	207
RCE1R5430N	183	RDHMLD	221	RFTCWA3720	105	RGAL792	207
RCE1R6024N	183	RDSP6030J(A,B,W)	278	RFTCWA3724	105	RGAL793	207
RCE1R6030N	183	RDSP6036J(A,B,W)	278	RFTCWA3730	105	RGAL851	207
RCE1R6624N	183	RDSP7230J(A,B,W)	278	RFTCWA3736	105	RGAL852	207
RCE1R6630N	183	RDSP7236J(A,B,W)	278	RFTCWA3742	105	RGAL853	207
RCE1R7224N	183	RDSP8430J(A,B,W)	278	RFTCWA3748	105	RGAL911	207
RCE1R7230N	183	RDSP8436J(A,B,W)	278	RFTCWB2130	103	RGAL912	207
RCE1R7824N	183	RDSP9630J(A,B,W)	278	RFTCWB2136	103	RGAL913	207
RCE1R7830N	183	RDSP9636J(A,B,W)	278	RFTCWB2142	103	RGAL971	207
RCE1R8424N	183	RE12F	192	RFTCWB2148	103	RGAL972	207
RCE1R8430N	183	RE15F	192	RFTCWB2530	104	RGAL973	207
RCE1R9024N	183	RE19F	192	RFTCWB2536	104	RGAR431	205
RCE1R9030N	183	RE23F	192	RFTCWB2542	104	RGAR432	205
RCE1R9624N	183	RE29F	192	RFTCWB2548	104	RGAR433	205
RCE1R9630N	183	RE30	192	RFTCWB3730	105	RGAR491	205
RCE1W362430N	188	RE36	192	RFTCWB3736	105	RGAR492	205
RCE1W363024N	188	REBA6030	137	RFTCWB3742	105	RGAR493	205
RCE1W422430N	188	REBA7242	137	RFTCWB3748	105	RGAR551	205
RCE1W423024N	188	REBA7848	137	RFTCWS21S	110	RGAR552	205
RCE1W482430N	188	REBA(A/B/C/D/E/F/G)A6030	161	RFTCWS25S	110	RGAR553	205
RCE1W483024N	188	REBA(A/B/C/D/E/F/G)A7242	161	RFTCWS37S	110	RGAR611	205
RCE1W722430N	188	REBA(A/B/C/D/E/F/G)A7848	161	RFTCWT (Pair)	110	RGAR612	205
RCE1W723024N	188	REBAWA6030	180	RGAB421	203	RGAR613	205
RCEAL223660	134	REBAWA7242	180	RGAB481	203	RGAR671	205
RCEAL223672	134	REBAWA7848	180	RGAB541	203	RGAR672	205
RCEAL224260	134	REBH24	141, 142, 180	RGAB601	203	RGAR673	205
RCEAL224272	134	REBH30	141, 142, 180	RGAB661	203	RGAR731	205
RCEAL224872	134	REDH12F	194	RGAB721	203	RGAR732	205
RCEAL224884	134	REDH15F	194	RGAB781	203	RGAR733	205
RCEAL224896	134	REDH19F	194	RGAB841	203	RGAR791	205

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RGAR792	205	RGBR431	206	RKA 423621	126	RM212J	211, 213
RGAR793	205	RGBR432	206	RKA 423622	125	RM212K	211, 213
RGAR851	205	RGBR433	206	RKA 424211	125	RM9A4230	136
RGAR852	205	RGBR491	206	RKA 424212	125	RM9A4836	136
RGAR853	205	RGBR492	206	RKA 424221	126	RM9A8430	136
RGAR911	205	RGBR493	206	RKA 424222	125	RM9A9630	136
RGAR912	205	RGBR551	206	RKA 424811	125	RM9A(A/B/C/D/E/F/G)F4230	159
RGAR913	205	RGBR552	206	RKA 424812	125	RM9A(A/B/C/D/E/F/G)F4836	159
RGAR971	205	RGBR553	206	RKA 424821	126	RM9A(A/B/C/D/E/F/G)F8430	160
RGAR972	205	RGBR611	206	RKA 424822	125	RM9A(A/B/C/D/E/F/G)F9630	160
RGAR973	205	RGBR612	206	RKA 483611	125	RM9AWF4230	177
RCBB421	204	RGBR613	206	RKA 483612	125	RM9AWF8430	178
RCBB481	204	RGBR671	206	RKA 483621	126	RM9AWF9630	178
RCBB541	204	RGBR672	206	RKA 483622	125	RM9B4230	139
RCBB601	204	RGBR673	206	RKA 484211	125	RM9B4836	139
RCBB661	204	RGBR731	206	RKA 484212	125	RM9B8430	139
RCBB721	204	RGBR732	206	RKA 484221	126	RM9B9630	139
RCBB781	204	RGBR733	206	RKA 484222	125	RMB(A)7230	141
RCBB841	204	RGBR791	206	RKA 484811	125	RMB(A)7236	141
RCBB901	204	RGBR792	206	RKA 484812	125	RMB(A)8430	141
RCBB961	204	RGBR793	206	RKA 484821	126	RMB(A)8436	141
RCBF622	204	RGBR851	206	RKA 484822	125	RMB(A)9630	141
RCBF623	204	RGBR852	206	RKB 363611	127	RMB(A)9636	141
RCBF682	204	RGBR853	206	RKB 363612	127	RMBA(A/B/C/D/E/F/G)A7230	161
RCBF683	204	RGBR911	206	RKB 363621	128	RMBA(A/B/C/D/E/F/G)A7236	161
RCBF742	204	RGBR912	206	RKB 363622	127	RMBA(A/B/C/D/E/F/G)A8430	161
RCBF743	204	RGBR913	206	RKB 364211	127	RMBA(A/B/C/D/E/F/G)A8436	161
RCBF802	204	RGBR971	206	RKB 364212	127	RMBA(A/B/C/D/E/F/G)A9630	161
RCBF803	204	RGBR972	206	RKB 364221	128	RMBA(A/B/C/D/E/F/G)A9636	161
RCBF862	204	RGBR973	206	RKB 364222	127	RMBAWA7230	179
RCBF863	204	RGMD6	117	RKB 364811	127	RMBAWA7236	179
RCBF922	204	RGMD8	117	RKB 364812	127	RMBAWA8430	179
RCBF923	204	RGMD8	117	RKB 364821	128	RMBAWA8436	179
RCBF982	204	RGS60	203	RKB 364822	127	RMBAWA9630	179
RCBF983	204	RGS66	203	RKB 423611	127	RMBAWA9636	179
RGBL431	208	RGS72	203	RKB 423612	127	RMB(B)7230	142
RGBL432	208	RGS78	203	RKB 423621	128	RMB(B)7236	142
RGBL433	208	RGS84	203	RKB 423622	127	RMB(B)8430	142
RGBL491	208	RGS90	203	RKB 424211	127	RMB(B)8436	142
RGBL492	208	RGS96	203	RKB 424212	127	RMB(B)9630	142
RGBL493	208	RCTL4636	209	RKB 424221	128	RMB(B)9636	142
RGBL551	208	RCTR4636	209	RKB 424222	127	RMDA4221	137
RGBL552	208	RHSC15	102	RKB 424811	127	RMDA4230	135
RGBL553	208	RHSC250	102	RKB 424812	127	RMDA4236	135
RGBL611	208	RHSC70	102	RKB 424821	128	RMDA4830	135
RGBL612	208	RIB24T	196	RKB 424822	127	RMDA4836	135
RGBL613	208	RIB28X	197	RKB 483611	127	RMDA5025	137
RGBL671	208	RIB32X	197	RKB 483612	127	RMDA5430	135
RGBL672	208	RIBDH24T	199	RKB 483621	128	RMDA5436	135
RGBL673	208	RIBDH28X	199	RKB 483622	127	RMDA6030	135
RGBL731	208	RIBDH32X	199	RKB 484211	127	RMDA6036	135
RGBL732	208	RKA 363611	125	RKB 484212	127	RMDA6630	135
RGBL733	208	RKA 363612	125	RKB 484221	128	RMDA6636	135
RGBL791	208	RKA 363621	126	RKB 484222	127	RMDA7230	135
RGBL792	208	RKA 363622	125	RKB 484811	127	RMDA7236	135
RGBL793	208	RKA 364211	125	RKB 484812	127	RMDA7830	135
RGBL851	208	RKA 364212	125	RKB 484821	128	RMDA7836	135
RGBL852	208	RKA 364221	126	RKB 484822	127	RMDA8430	135
RGBL853	208	RKA 364222	125	RKBA1020	285	RMDA8436	135
RGBL911	208	RKA 364811	125	RKBA1022	285	RMDA9030	135
RGBL912	208	RKA 364812	125	RKBP1020	285	RMDA9036	135
RGBL913	208	RKA 364821	126	RKBP1022	285	RMDA9630	135
RGBL971	208	RKA 364822	125	RKT31	285	RMDA9636	135
RGBL972	208	RKA 423611	125	RM111J	211, 213	RMDA(A/B/C/D/E/F/G)F4221	160
RGBL973	208	RKA 423612	125	RM112J	211, 213	RMDA(A/B/C/D/E/F/G)F4230	159

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RMDA(A/B/C/D/E/F/G)F4236	159	RMDHD72	277	ROAH72T0DH	263	ROB072T0()	262
RMDA(A/B/C/D/E/F/G)F4830	159	RMDHO66	277	ROAH72T0()	261	ROB072T1DH	267
RMDA(A/B/C/D/E/F/G)F4836	159	RMDHO72	277	ROAH72T1DH	263	ROB072T1()	262
RMDA(A/B/C/D/E/F/G)F5025	160	RMPA4230	136	ROAH72T1()	261	ROB090T0DH	267
RMDA(A/B/C/D/E/F/G)F5430	159	RMPA4836	136	ROAH90T0DH	263	ROB090T0()	262
RMDA(A/B/C/D/E/F/G)F5436	159	RMPA8430	137	ROAH90T0()	261	ROB090T1DH	267
RMDA(A/B/C/D/E/F/G)F6030	159	RMPA9630	137	ROAH90T1DH	263	ROB090T1()	262
RMDA(A/B/C/D/E/F/G)F6036	159	RMPA(A/B/C/D/E/F/G)F4230	159	ROAH90T1()	261	ROB096T0DH	267
RMDA(A/B/C/D/E/F/G)F6630	159	RMPA(A/B/C/D/E/F/G)F4836	159	ROAH96T0DH	263	ROB096T0()	262
RMDA(A/B/C/D/E/F/G)F6636	159	RMPA(A/B/C/D/E/F/G)F8430	160	ROAH96T0()	261	ROB096T1DH	267
RMDA(A/B/C/D/E/F/G)F7230	159	RMPA(A/B/C/D/E/F/G)F9630	160	ROAH96T1DH	263	ROB096T1()	262
RMDA(A/B/C/D/E/F/G)F7236	159	RMPA WF4230	177	ROAH96T1()	261	ROHDR30	276
RMDA(A/B/C/D/E/F/G)F7830	159	RMPA WF8430	178	ROA060T0DH	264	ROHDR36	276
RMDA(A/B/C/D/E/F/G)F7836	159	RMPA WF9630	178	ROA060T0()	261	ROHDR42	276
RMDA(A/B/C/D/E/F/G)F8430	159	RMPB4230	139	ROA060T1DH	264	ROHDR48	276
RMDA(A/B/C/D/E/F/G)F8436	159	RMPB4836	139	ROA060T1()	261	ROHDR60	276
RMDA(A/B/C/D/E/F/G)F9030	159	RMPB8430	140	ROA072T0DH	264	ROHDR72	276
RMDA(A/B/C/D/E/F/G)F9036	159	RMPB9630	140	ROA072T0()	261	ROHDR90	276
RMDA(A/B/C/D/E/F/G)F9630	159	RMSCB	189	ROA072T1DH	264	ROHDR96	276
RMDA(A/B/C/D/E/F/G)F9636	159	RO1-GB	273	ROA072T1()	261	ROMF30S0()	253
RMDA WF4221	178	RO1-HP12	270, 271	ROA090T0DH	264	ROMF36S0()	253
RMDA WF4230	177	RO1-HP15	270, 271	ROA090T0()	261	ROMF42S0()	253
RMDA WF4236	177	RO1-HP6	270, 271	ROA090T1DH	264	ROMF48S0()	253
RMDA WF4830	177	RO1-HP9	270, 271	ROA090T1()	261	ROMF60S0()	253
RMDA WF4836	177	RO1-PULL	273	ROA096T0DH	264	ROMF72S0()	253
RMDA WF5025	178	RO1-RCB	272	ROA096T0()	261	ROMH30S0()	253
RMDA WF5430	177	RO1-RPB	272	ROA096T1DH	264	ROMH36S0()	253
RMDA WF5436	177	RO1-WMF2	273	ROA096T1()	261	ROMH60S0()	253
RMDA WF6030	177	RO1-WMF3	273	ROBF60S0DH	268	ROMH72S0()	253
RMDA WF6036	177	RO1-WMF4	273	ROBF60S0()	262	ROMO30S0()	253
RMDA WF6630	177	RO3-N24	269	ROBF60S1DH	268	ROMO36S0()	253
RMDA WF6636	177	RO3-N30	269	ROBF60S1()	262	ROMO42S0()	253
RMDA WF7230	177	RO3-N36	269	ROBF72S0DH	268	ROMO48S0()	253
RMDA WF7236	177	RO3-N42	269	ROBF72S0()	262	ROMO60S0()	253
RMDA WF7830	177	RO3-N48	269	ROBF72S1DH	268	ROMO72S0()	253
RMDA WF7836	177	RO3-N60	269	ROBF72S1()	262	ROPF30S0J	252
RMDA WF8430	177	RO3-N66	269	ROBF84S0DH	268	ROPF36S0J	252
RMDA WF8436	177	RO3-N72	269	ROBF84S0()	262	ROPF42S0J	252
RMDA WF9030	177	RO3-ON30	271	ROBF84S1DH	268	ROPF48S0J	252
RMDA WF9036	177	RO3-ON36	271	ROBF84S1()	262	ROPF60S0J	252
RMDA WF9630	177	RO3-ON42	271	ROBF96S0DH	268	ROPF72S0J	252
RMDA WF9636	177	RO3-ON48	271	ROBF96S0()	262	ROPF84S0J	252
RMDB4221	140	RO3-ON60	271	ROBF96S1DH	268	ROPF96S0J	252
RMDB4230	138	RO3-ON72	271	ROBF96S1()	262	ROPH30S0()	251
RMDB4236	138	RO3-VP	271	ROBH60T0DH	266	ROPH36S0()	251
RMDB4830	138	ROAF60S0DH	265	ROBH60T0()	262	ROPH60S0()	251
RMDB4836	138	ROAF60S0()	261	ROBH60T1DH	266	ROPH60T0()	251
RMDB5025	140	ROAF60S1DH	265	ROBH60T1()	262	ROPH72S0()	251
RMDB5430	138	ROAF60S1()	261	ROBH72T0DH	266	ROPH72T0()	251
RMDB5436	138	ROAF72S0DH	265	ROBH72T0()	262	ROPH90S0()	251
RMDB6030	138	ROAF72S0()	261	ROBH72T1DH	266	ROPH90T0()	251
RMDB6036	138	ROAF72S1DH	265	ROBH72T1()	262	ROPH96S0()	251
RMDB6630	138	ROAF72S1()	261	ROBH90T0DH	266	ROPH96T0()	251
RMDB6636	138	ROAF84S0DH	265	ROBH90T0()	262	ROPO30S0()	251
RMDB7230	138	ROAF84S0()	261	ROBH90T1DH	266	ROPO36S0()	251
RMDB7236	138	ROAF84S1DH	265	ROBH90T1()	262	ROPO42S0()	251
RMDB7830	138	ROAF84S1()	261	ROBH96T0DH	266	ROPO48S0()	251
RMDB7836	138	ROAF96S0DH	265	ROBH96T0()	262	ROPO60S0()	251
RMDB8430	138	ROAF96S0()	261	ROBH96T1DH	266	ROPO60T0()	251
RMDB8436	138	ROAF96S1DH	265	ROBH96T1()	262	ROPO72S0()	251
RMDB9030	138	ROAF96S1()	261	ROBO60T0DH	267	ROPO72T0()	251
RMDB9036	138	ROAH60T0DH	263	ROBO60T0()	262	ROPO90S0()	251
RMDB9630	138	ROAH60T0()	261	ROBO60T1DH	267	ROPO90T0()	251
RMDB9636	138	ROAH60T1DH	263	ROBO60T1()	262	ROPO96S0()	251
RMDHD66	277	ROAH60T1()	261	ROB072T0DH	267	ROPO96T0()	251

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROPS30S0NN	252	ROWO90T0()	254	RPAHFB30	288	RR3-C6C	117
ROPS36S0NN	252	ROWO90T1DH	257	RPAHFB36	288	RR3-DA	111, 113
ROPS42S0NN	252	ROWO90T1()	254	RPAHFM162	288	RR3-DATSHD	111, 113
ROPS48S0NN	252	ROWO96S0DH	256	RPAHFM30	288	RR3-DB	111, 113
ROPS54S0NN	252	ROWO96S0()	254	RPAHFM36	288	RR3-DC	113
ROPS60S0NN	252	ROWO96S1DH	257	RPAPT	289	RR3-DICON	117
ROPS66S0NN	252	ROWO96S1()	254	RPB211J	214, 216	RR3-DX	111, 113
ROPS72S0NN	252	ROWO96T0DH	257	RPB211K	214, 216	RR3-DXO	111, 113
ROPS78S0NN	252	ROWO96T0()	254	RPB211L(L/R)	214, 216	RR3-DY	111, 113
ROPS84S0NN	252	ROWO96T1DH	257	RPB211M	215, 217	RR3-DYO	111, 113
ROPS90S0NN	252	ROWO96T1()	254	RPB212J	214, 216	RR3-DZ	113
ROPS96S0NN	252	RP161J	218, 222	RPB212K	214, 216	RR3-DZO	113
ROWH60S0DH	256	RP161K	218, 222	RPB212L(L/R)	214, 216	RR3-E24	111
ROWH60S0()	254	RP161L(L/R)	220, 223	RPB212M	215, 217	RR3-E24S	115
ROWH60S1DH	256	RP161M	219, 222	RPB213J	214, 216	RR3-E30NS	111
ROWH60S1()	254	RP162J	218, 222	RPB213K	214, 216	RR3-E30S	115
ROWH60T0DH	256	RP162K	218, 222	RPB213L(L/R)	214, 216	RR3-E36NS	111
ROWH60T0()	254	RP162L(L/R)	220, 223	RPB213M	215, 217	RR3-E36S	115
ROWH60T1DH	256	RP162M	219, 222	RPB231K	214, 216	RR3-E42NS	111
ROWH60T1()	254	RP163J	218, 222	RPB231L	214, 216	RR3-E42S	115
ROWH72S0DH	256	RP163K	218, 222	RPB231M	215, 217	RR3-E48NS	111
ROWH72S0()	254	RP163L(L/R)	220, 223	RPB232K	214, 216	RR3-E48S	115
ROWH72S1DH	256	RP163M	219, 222	RPB232L	214, 216	RR3-E60-4	111
ROWH72S1()	254	RP211J	210, 212	RPB232M	215, 217	RR3-E66-4	111
ROWH72T0DH	256	RP211K	210, 212	RPB261K	214, 216	RR3-E72-4	111
ROWH72T0()	254	RP211L(L/R)	210, 212	RPB261L	214, 216	RR3-EBBCL	115
ROWH72T1DH	256	RP211M	211, 213	RPB261M	215, 217	RR3-EBBCS	115
ROWH72T1()	254	RP212J	210, 212	RPB262K	214, 216	RR3EBVC50	119
ROWH90S0DH	256	RP212K	210, 212	RPB262L	214, 216	RR3EBVC62	119
ROWH90S0()	254	RP212L(L/R)	210, 212	RPB262M	215, 217	RR3EBVC64	119
ROWH90S1DH	256	RP212M	211, 213	RPD11	289	RR3EBVC76	119
ROWH90S1()	254	RP213J	210, 212	RPD14	289	RR3EBVC78	119
ROWH90T0DH	256	RP213K	210, 212	RPDHB16	220, 223	RR3EBVC90	119
ROWH90T0()	254	RP213L(L/R)	210, 212	RPDHB30	220, 223	RR3-EJ18	112
ROWH90T1DH	256	RP213M	211, 213	RPDHB36	220, 223	RR3-EJ18P	112
ROWH90T1()	254	RP231K	210, 212	RPETRAY2	289	RR3-EJ20	112
ROWH96S0DH	256	RP231L	210, 212	RPHCHH	288	RR3-EJ20P	112
ROWH96S0()	254	RP231M	211, 213	RPHCHT	288	RR3-EJ24	112
ROWH96S1DH	256	RP232K	210, 212	RPHL3442(F/T)	99	RR3-EJ24P	112
ROWH96S1()	254	RP232L	210, 212	RPHL3449(F/T)	99	RR3-EJ30	112
ROWH96T0DH	256	RP232M	211, 213	RPHL3464(F/T)	99	RR3-EJ30P	112
ROWH96T0()	254	RP261K	210, 212	RPHL3479(F/T)	99	RR3-EJ36	112
ROWH96T1DH	256	RP261L	210, 212	RPHL4249(F/T)	99	RR3-EJ36P	112
ROWH96T1()	254	RP261M	211, 213	RPHL4249S	99	RR3-EJ42	112
ROWO60S0DH	256	RP262K	210, 212	RPHL4264(F/T)	99	RR3-EJ42P	112
ROWO60S0()	254	RP262L	210, 212	RPHL4264S	99	RR3-EJ48	112
ROWO60S1DH	256	RP262M	211, 213	RPHL4279(F/T)	99	RR3EJ48	116
ROWO60S1()	254	RP301K	218, 222	RPHL4279S	99	RR3-EJ48P	112
ROWO60T0DH	257	RP301L	220, 223	RPHL4964(F/T)	99	RR3-EJ54P	112
ROWO60T0()	254	RP301M	219, 222	RPHL4964S	99	RR3-EJ60P	112
ROWO60T1DH	257	RP302K	218, 222	RPHL4979(F/T)	99	RR3EJ60P	116
ROWO60T1()	254	RP302L	220, 223	RPHL4979S	99	RR3-EJ66P	112
ROWO72S0DH	256	RP302M	219, 222	RPHL6479(F/T)	99	RR3EJ66P	116
ROWO72S0()	254	RP361K	218, 222	RPHL6479S	99	RR3-EJ72P	112
ROWO72S1DH	256	RP361L	220, 223	RPHTB3024	288	RR3EJ72P	116
ROWO72S1()	254	RP361M	219, 222	RPHTB4224	288	RR3-EJ78P	112
ROWO72T0DH	257	RP362K	218, 222	RPHWB3024	288	RR3-EJ84P	112
ROWO72T0()	254	RP362L	220, 223	RPHWB4224	288	RR3-EJ90P	112
ROWO72T1DH	257	RP362M	219, 222	RR3-2PF	117	RR3-EJ96P	112
ROWO72T1()	254	RPAB16	211, 213	RR3-3PF	117	RR3-EPC	111
ROWO90S0DH	256	RPAB30	211, 213	RR3-BNC	117	RR3-EPC24	111
ROWO90S0()	254	RPAB36	211, 213	RR3-C3C	117	RR3-EPCP	111
ROWO90S1DH	256	RPAD	285	RR3-C5C	117	RR3-EPCP24	111
ROWO90S1()	254	RPADSS	288	RR3-C5C4A	117	RR3-EPCPS	111
ROWO90T0DH	257	RPAHFB16	288	RR3-C5C4B	117	RR3-EPCS	111

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-EPI	112	RR3TJ66P	116	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	163	RREP4824(A,B,W)(F,N)2	280
RR3-EPNY1	112	RR3-TJ72P	114	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	163	RREP4830(A,B,W)(F,N)2	280
RR3-EPNY2	112	RR3TJ72P	116	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	163	RREP5424(A,B,W)(F,N)2	280
RR3-EPVR	112	RR3-TJ78P	114	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	163	RREP5430(A,B,W)(F,N)2	280
RR3EPVR-(Eight wire)	98	RR3-TJ84P	114	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	163	RREP6024(A,B,W)(F,N)2	280
RR3EVJ	120	RR3-TJ90P	114	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	163	RREP6030(A,B,W)(F,N)2	280
RR3EVJ110	120	RR3-TJ96P	114	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	163	RRMP4	286
RR3EVJ82	120	RR3-TPC	113	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	163	RRMP6	286
RR3EVJ96	120	RR3-TPC24	113	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	163	RRSP3624K(A,B,W)	280
RR3-FB	117	RR3-TPCP	113	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	163	RRSP3630K(A,B,W)	280
RR3FDP	119	RR3-TPCF24	113	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	163	RRSP4224K(A,B,W)	280
RR3-FE	117	RR3-TPCPS	113	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	163	RRSP4230K(A,B,W)	280
RR3-FOSC	117	RR3-TPCS	113	RRAW12036-(1/2/3)	182	RRSP4824K(A,B,W)	280
RR3-FOST	117	RR3-TPI	114	RRAW12042-(1/2/3)	182	RRSP4830K(A,B,W)	280
RR3-FV	117	RR3-TPNY1	114	RRAW14442-(1/2/3)	182	RRSP5424K(A,B,W)	280
RR3-LTPC	115	RR3-TPNY2	114	RRAW16842-(1/2/3)	182	RRSP5430K(A,B,W)	280
RR3-LTPC24	115	RR3-TPVR	114	RRAW19242-(1/2/3)	182	RRSP6024K(A,B,W)	280
RR3-LTPCP	115	RR3TPVR-(Ten wire)	98	RRAW3636-(1/2/3)	182	RRSP6030K(A,B,W)	280
RR3-MICON	117	RR3TVJ	120	RRAW4242-(1/2/3)	182	RS1-N30	270
RR3PICON	117	RR3TVJ110	120	RRAW6060-(1/2/3)	182	RS1-N36	270
RR3-REPI	112	RR3TVJ82	120	RRAW7230-(1/2/3)	182	RS1-N42	270
RR3-RTPI	114	RR3TVJ96	120	RRAW7236-(1/2/3)	182	RS1-N48	270
RR3-SP-(A, B, C, X, Y, Z)	114	RR3VDA	119	RRAW7272-(1/2/3)	182	RS1-N60	270
RR3-SP-(A,B,X,Y)	112	RR3VDB	119	RRAW8430-(1/2/3)	182	RS1-RPB	272
RR3-ST	117	RR3VDC	119	RRAW8436-(1/2/3)	182	RS1-VP	270
RR3-T24	113	RR3VDX	119	RRAW8442-(1/2/3)	182	RSA241	121
RR3-T24S	115	RR3VDXO	119	RRAW9630-(1/2/3)	182	RSA242	121
RR3-T30NS	113	RR3VDY	119	RRAW9636-(1/2/3)	182	RSA243	123
RR3-T30S	115	RR3VDYO	119	RRAW9642-(1/2/3)	182	RSA301	121
RR3-T36NS	113	RR3VDZ	119	RRB12036	144	RSA302	121
RR3-T36S	115	RR3VDZO	119	RRB12042	144	RSA303	123
RR3-T42NS	113	RR3VPBK	119	RRB12048	144	RSA361	121
RR3-T42S	115	RRA12036	143	RRB14442	144	RSA362	121
RR3-T48NS	113	RRA12042	143	RRB14448	144	RSA363	123
RR3-T48S	115	RRA12048	143	RRB16842	144	RSA421	121
RR3-T60-4	113	RRA14442	143	RRB16848	144	RSA422	121
RR3-T66-4	113	RRA14448	143	RRB19242	144	RSA423	123
RR3-T72-4	113	RRA16842	143	RRB19248	144	RSA481	121
RR3-TBBCL	115	RRA16848	143	RRB3636	144	RSA482	121
RR3-TBBCS	115	RRA19242	143	RRB4242	144	RSA483	123
RR3TBVC50	119	RRA19248	143	RRB4848	144	RSA541	121
RR3TBVC62	119	RRA3636	143	RRB6060	144	RSA542	121
RR3TBVC64	119	RRA4242	143	RRB7230	144	RSA543	123
RR3TBVC76	119	RRA4848	143	RRB7236	144	RSA601	121
RR3TBVC78	119	RRA6060	143	RRB7272	144	RSA602	121
RR3TBVC90	119	RRA7230	143	RRB8430	144	RSA603	123
RR3-TJ18	114	RRA7236	143	RRB8436	144	RSA604	123
RR3-TJ18P	114	RRA7272	143	RRB8442	144	RSA661	121
RR3-TJ20	114	RRA8430	143	RRB9630	144	RSA662	121
RR3-TJ20P	114	RRA8436	143	RRB9636	144	RSA663	123
RR3-TJ24	114	RRA8442	143	RRB9642	144	RSA664	123
RR3-TJ24P	114	RRA9630	143	RRB9648	144	RSA721	121
RR3-TJ30	114	RRA9636	143	RRBRD2712	286	RSA722	121
RR3-TJ30P	114	RRA9642	143	RRD3FTCPPL(L/R)7936	101	RSA723	123
RR3-TJ36	114	RRA9648	143	RRD3FTCPPL(L/R)7942	101	RSA724	123
RR3-TJ36P	114	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	163	RRD3PPL(L/R)7936	101	RSA781	121
RR3-TJ42	114	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	163	RRD3PPL(L/R)7942	101	RSA782	121
RR3-TJ42P	114	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	163	RRDPPL(L/R)6436	101	RSA783	123
RR3-TJ48	114	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	163	RRDPPL(L/R)6442	101	RSA841	121
RR3TJ48	116	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	163	RRDTH	101	RSA842	121
RR3-TJ48P	114	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	163	RRDTH(L/R)	101	RSA843	123
RR3-TJ54P	114	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	163	RREP3624(A,B,W)(F,N)2	280	RSA901	121
RR3-TJ60P	114	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	163	RREP3630(A,B,W)(F,N)2	280	RSA902	121
RR3TJ60P	116	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	163	RREP4224(A,B,W)(F,N)2	280	RSA903	123
RR3-TJ66P	114	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	163	RREP4230(A,B,W)(F,N)2	280	RSA961	121

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA962	121	RSA(A/B/C/D/E/F/G)F423	149	RSABA482	166	RSABW901	168
RSA963	123	RSA(A/B/C/D/E/F/G)F481	148	RSABA483	167	RSABW902	168
RSA(A/B/C/D/E/F/G)A241	150	RSA(A/B/C/D/E/F/G)F482	148	RSABA541	166	RSABW903	169
RSA(A/B/C/D/E/F/G)A242	150	RSA(A/B/C/D/E/F/G)F483	149	RSABA542	166	RSABW961	168
RSA(A/B/C/D/E/F/G)A243	151	RSA(A/B/C/D/E/F/G)F541	148	RSABA543	167	RSABW962	168
RSA(A/B/C/D/E/F/G)A301	150	RSA(A/B/C/D/E/F/G)F542	148	RSABA601	166	RSABW963	169
RSA(A/B/C/D/E/F/G)A302	150	RSA(A/B/C/D/E/F/G)F543	149	RSABA602	166	RSWF241	164
RSA(A/B/C/D/E/F/G)A303	151	RSA(A/B/C/D/E/F/G)F601	148	RSABA603	167	RSWF242	164
RSA(A/B/C/D/E/F/G)A361	150	RSA(A/B/C/D/E/F/G)F602	148	RSABA604	167	RSWF243	165
RSA(A/B/C/D/E/F/G)A362	150	RSA(A/B/C/D/E/F/G)F603	149	RSABA661	166	RSWF301	164
RSA(A/B/C/D/E/F/G)A363	151	RSA(A/B/C/D/E/F/G)F604	149	RSABA662	166	RSWF302	164
RSA(A/B/C/D/E/F/G)A421	150	RSA(A/B/C/D/E/F/G)F661	148	RSABA663	167	RSWF303	165
RSA(A/B/C/D/E/F/G)A422	150	RSA(A/B/C/D/E/F/G)F662	148	RSABA664	167	RSWF361	164
RSA(A/B/C/D/E/F/G)A423	151	RSA(A/B/C/D/E/F/G)F663	149	RSABA721	166	RSWF362	164
RSA(A/B/C/D/E/F/G)A481	150	RSA(A/B/C/D/E/F/G)F664	149	RSABA722	166	RSWF363	165
RSA(A/B/C/D/E/F/G)A482	150	RSA(A/B/C/D/E/F/G)F721	148	RSABA723	167	RSWF421	164
RSA(A/B/C/D/E/F/G)A483	151	RSA(A/B/C/D/E/F/G)F722	148	RSABA724	167	RSWF422	164
RSA(A/B/C/D/E/F/G)A541	150	RSA(A/B/C/D/E/F/G)F723	149	RSABA781	166	RSWF423	165
RSA(A/B/C/D/E/F/G)A542	150	RSA(A/B/C/D/E/F/G)F724	149	RSABA782	166	RSWF481	164
RSA(A/B/C/D/E/F/G)A543	151	RSA(A/B/C/D/E/F/G)F781	148	RSABA783	167	RSWF482	164
RSA(A/B/C/D/E/F/G)A601	150	RSA(A/B/C/D/E/F/G)F782	148	RSABA841	166	RSWF483	165
RSA(A/B/C/D/E/F/G)A602	150	RSA(A/B/C/D/E/F/G)F783	149	RSABA842	166	RSWF541	164
RSA(A/B/C/D/E/F/G)A603	151	RSA(A/B/C/D/E/F/G)F841	148	RSABA843	167	RSWF542	164
RSA(A/B/C/D/E/F/G)A604	151	RSA(A/B/C/D/E/F/G)F842	148	RSABA901	166	RSWF543	165
RSA(A/B/C/D/E/F/G)A661	150	RSA(A/B/C/D/E/F/G)F843	149	RSABA902	166	RSWF601	164
RSA(A/B/C/D/E/F/G)A662	150	RSA(A/B/C/D/E/F/G)F901	148	RSABA903	167	RSWF602	164
RSA(A/B/C/D/E/F/G)A663	151	RSA(A/B/C/D/E/F/G)F902	148	RSABA961	166	RSWF603	165
RSA(A/B/C/D/E/F/G)A664	151	RSA(A/B/C/D/E/F/G)F903	149	RSABA962	166	RSWF604	165
RSA(A/B/C/D/E/F/G)A721	150	RSA(A/B/C/D/E/F/G)F961	148	RSABA963	167	RSWF661	164
RSA(A/B/C/D/E/F/G)A722	150	RSA(A/B/C/D/E/F/G)F962	148	RSABW241	168	RSWF662	164
RSA(A/B/C/D/E/F/G)A723	151	RSA(A/B/C/D/E/F/G)F963	149	RSABW242	168	RSWF663	165
RSA(A/B/C/D/E/F/G)A724	151	RSA(A/B/C/D/E/F/G)L241	152	RSABW243	169	RSWF664	165
RSA(A/B/C/D/E/F/G)A781	150	RSA(A/B/C/D/E/F/G)L242	152	RSABW301	168	RSWF721	164
RSA(A/B/C/D/E/F/G)A782	150	RSA(A/B/C/D/E/F/G)L301	152	RSABW302	168	RSWF722	164
RSA(A/B/C/D/E/F/G)A783	151	RSA(A/B/C/D/E/F/G)L302	152	RSABW303	169	RSWF723	165
RSA(A/B/C/D/E/F/G)A841	150	RSA(A/B/C/D/E/F/G)L361	152	RSABW361	168	RSWF724	165
RSA(A/B/C/D/E/F/G)A842	150	RSA(A/B/C/D/E/F/G)L362	152	RSABW362	168	RSWF781	164
RSA(A/B/C/D/E/F/G)A843	151	RSA(A/B/C/D/E/F/G)L421	152	RSABW363	169	RSWF782	164
RSA(A/B/C/D/E/F/G)A901	150	RSA(A/B/C/D/E/F/G)L422	152	RSABW421	168	RSWF783	165
RSA(A/B/C/D/E/F/G)A902	150	RSA(A/B/C/D/E/F/G)L481	152	RSABW422	168	RSWF841	164
RSA(A/B/C/D/E/F/G)A903	151	RSA(A/B/C/D/E/F/G)L482	152	RSABW423	169	RSWF842	164
RSA(A/B/C/D/E/F/G)A961	150	RSA(A/B/C/D/E/F/G)R241	153	RSABW481	168	RSWF843	165
RSA(A/B/C/D/E/F/G)A962	150	RSA(A/B/C/D/E/F/G)R242	153	RSABW482	168	RSWF901	164
RSA(A/B/C/D/E/F/G)A963	151	RSA(A/B/C/D/E/F/G)R301	153	RSABW483	169	RSWF902	164
RSA(A/B/C/D/E/F/G)B241	152	RSA(A/B/C/D/E/F/G)R302	153	RSABW541	168	RSWF903	165
RSA(A/B/C/D/E/F/G)B242	152	RSA(A/B/C/D/E/F/G)R361	153	RSABW542	168	RSWF961	164
RSA(A/B/C/D/E/F/G)B301	152	RSA(A/B/C/D/E/F/G)R362	153	RSABW543	169	RSWF962	164
RSA(A/B/C/D/E/F/G)B302	152	RSA(A/B/C/D/E/F/G)R421	153	RSABW601	168	RSWF963	165
RSA(A/B/C/D/E/F/G)B361	152	RSA(A/B/C/D/E/F/G)R422	153	RSABW602	168	RSAWL241	170
RSA(A/B/C/D/E/F/G)B362	152	RSA(A/B/C/D/E/F/G)R481	153	RSABW603	169	RSAWL242	170
RSA(A/B/C/D/E/F/G)B421	152	RSA(A/B/C/D/E/F/G)R482	153	RSABW604	169	RSAWL243	171
RSA(A/B/C/D/E/F/G)B422	152	RSAMP1616	286	RSABW661	168	RSAWL301	170
RSA(A/B/C/D/E/F/G)B481	152	RSABA241	166	RSABW662	168	RSAWL302	170
RSA(A/B/C/D/E/F/G)B482	152	RSABA242	166	RSABW663	169	RSAWL303	171
RSA(A/B/C/D/E/F/G)F241	148	RSABA243	167	RSABW664	169	RSAWL361	170
RSA(A/B/C/D/E/F/G)F242	148	RSABA301	166	RSABW721	168	RSAWL362	170
RSA(A/B/C/D/E/F/G)F243	149	RSABA302	166	RSABW722	168	RSAWL363	171
RSA(A/B/C/D/E/F/G)F301	148	RSABA303	167	RSABW723	169	RSAWL421	170
RSA(A/B/C/D/E/F/G)F302	148	RSABA361	166	RSABW724	169	RSAWL422	170
RSA(A/B/C/D/E/F/G)F303	149	RSABA362	166	RSABW781	168	RSAWL423	171
RSA(A/B/C/D/E/F/G)F361	148	RSABA363	167	RSABW782	168	RSAWL481	170
RSA(A/B/C/D/E/F/G)F362	148	RSABA421	166	RSABW783	169	RSAWL482	170
RSA(A/B/C/D/E/F/G)F363	149	RSABA422	166	RSABW841	168	RSAWL483	171
RSA(A/B/C/D/E/F/G)F421	148	RSABA423	167	RSABW842	168	RSAWL541	170
RSA(A/B/C/D/E/F/G)F422	148	RSABA481	166	RSABW843	169	RSAWL542	170

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWL543	171	RSAWR962	172	RSDHL15	201	RST3	198
RSAWL601	170	RSAWR963	173	RSDHL20	201	RST4	198
RSAWL602	170	RSB241	122	RSDHL24	201	RST5	198
RSAWL603	171	RSB242	122	RSDHL30	201	RST6	198
RSAWL604	171	RSB243	124	RSDHL36	201	RSWA15 18	89
RSAWL661	170	RSB301	122	RSDHL42	201	RSWA15 20	89
RSAWL662	170	RSB302	122	RSDHL48	201	RSWA15 24	89
RSAWL663	171	RSB303	124	RSDHT1	201	RSWA15 30	89
RSAWL664	171	RSB361	122	RSDHT2	201	RSWA15 36	89
RSAWL721	170	RSB362	122	RSDHT3	201	RSWA15 42	89
RSAWL722	170	RSB363	124	RSDHT4	201	RSWA15 48	89
RSAWL723	171	RSB421	122	RSDHT5	201	RSWB15 30	89
RSAWL724	171	RSB422	122	RSDHT6	201	RSWB15 36	89
RSAWL781	170	RSB423	124	RSDR30	276	RSWB15 42	89
RSAWL782	170	RSB481	122	RSDR36	276	RSWB15 48	89
RSAWL783	171	RSB482	122	RSDR42	276	RSWC30 18	89
RSAWL841	170	RSB483	124	RSDR48	276	RSWC30 20	89
RSAWL842	170	RSB541	122	RSDR54	276	RSWC30 24	89
RSAWL843	171	RSB542	122	RSDR60	276	RSWC30 30	89
RSAWL901	170	RSB543	124	RSDR66	276	RSWC30 36	89
RSAWL902	170	RSB601	122	RSDR72	276	RSWC30 42	89
RSAWL903	171	RSB602	122	RSDR78	276	RSWC30 48	89
RSAWL961	170	RSB603	124	RSDR84	276	RSWWA601	259
RSAWL962	170	RSB604	124	RSDR90	276	RSWWA602	259
RSAWL963	171	RSB661	122	RSDR96	276	RSWWA721	259
RSAWR241	172	RSB662	122	RSE1(L/R)	193	RSWWA722	259
RSAWR242	172	RSB663	124	RSE2(L/R)	193	RSWWA901	259
RSAWR243	173	RSB664	124	RSE3(L/R)	193	RSWWA902	259
RSAWR301	172	RSB721	122	RSE4(L/R)	193	RSWWA961	259
RSAWR302	172	RSB722	122	RSE5(L/R)	193	RSWWA962	259
RSAWR303	173	RSB723	124	RSE6(L/R)	193	RSWWA(A/B/C/D/E/F/G)601	259
RSAWR361	172	RSB724	124	RSEDH1(L/R)	195	RSWWA(A/B/C/D/E/F/G)602	259
RSAWR362	172	RSB781	122	RSEDH2(L/R)	195	RSWWA(A/B/C/D/E/F/G)721	259
RSAWR363	173	RSB782	122	RSEDH3(L/R)	195	RSWWA(A/B/C/D/E/F/G)722	259
RSAWR421	172	RSB783	124	RSEDH4(L/R)	195	RSWWA(A/B/C/D/E/F/G)901	259
RSAWR422	172	RSB841	122	RSEDH5(L/R)	195	RSWWA(A/B/C/D/E/F/G)902	259
RSAWR423	173	RSB842	122	RSEDH6(L/R)	195	RSWWA(A/B/C/D/E/F/G)961	259
RSAWR481	172	RSB843	124	RSL12	198	RSWWA(A/B/C/D/E/F/G)962	259
RSAWR482	172	RSB901	122	RSL15	198	RSWWAWF601	259
RSAWR483	173	RSB902	122	RSL20	198	RSWWAWF602	259
RSAWR541	172	RSB903	124	RSL24	198	RSWWAWF721	259
RSAWR542	172	RSB961	122	RSL30	198	RSWWAWF722	259
RSAWR543	173	RSB962	122	RSL36	198	RSWWAWF901	259
RSAWR601	172	RSB963	124	RSL42	198	RSWWAWF902	259
RSAWR602	172	RSBWH20	190	RSL48	198	RSWWAWF961	259
RSAWR603	173	RSBWH24	190	RSMP	286	RSWWAWF962	259
RSAWR604	173	RSBWH30	190	RSNTT18(A/B/C/E)	95	RSWWB601	260
RSAWR661	172	RSBWH36	190	RSNTT20(A/B/C/E)	95	RSWWB602	260
RSAWR662	172	RSBWH42	190	RSNTT24(A/B/C/E)	95	RSWWB721	260
RSAWR663	173	RSBWH48	190	RSNTT30(A/B/C/E)	95	RSWWB722	260
RSAWR664	173	RSC	196	RSNTT33(A/B/C/E) (66" wide panels one only)	95	RSWWB901	260
RSAWR721	172	RSC4	196	RSNTT36(A/B/C/E)	95	RSWWB902	260
RSAWR722	172	RSD1427	196, 198	RSNTT42(A/B/C/E)	95	RSWWB961	260
RSAWR723	173	RSD1827	196, 198	RSNTT48(A/B/C/E)	95	RSWWB962	260
RSAWR724	173	RSD2027	196, 198	RSPABPD	100	RTA12036	145
RSAWR781	172	RSD2427	196, 198	RSPABPP	100	RTA12042	145
RSAWR782	172	RSD3027	196, 198	RSPABPT	100	RTA12048	145
RSAWR783	173	RSDHC	199	RSPABPW	100	RTA14442	145
RSAWR841	172	RSDHC4	199	RSPABTD	100	RTA14448	145
RSAWR842	172	RSDHD1428	200, 201	RSPABTT	100	RTA16842	145
RSAWR843	173	RSDHD1828	200, 201	RSPABTW	100	RTA16848	145
RSAWR901	172	RSDHD2028	200, 201	RSPABWD	100	RTA19242	145
RSAWR902	172	RSDHD2428	200, 201	RSPABWW	100	RTA19248	145
RSAWR903	173	RSDHD3028	200, 201	RST1	198	RTA3636	145
RSAWR961	172	RSDHL12	201	RST2	198	RTA4242	145

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTA4848	145	RTB3636	146	RWA6021	129	RWEA4231	130
RTA6060	145	RTB4242	146	RWA6023	129	RWEA4262	130
RTA7230	145	RTB4848	146	RWA6032	129	RWEA4813	130
RTA7236	145	RTB6060	146	RWA6612	129	RWEA4826	130
RTA7272	145	RTB7230	146	RWA6621	129	RWEA4831	130
RTA8430	145	RTB7236	146	RWA6623	129	RWEA4862	130
RTA8436	145	RTB7272	146	RWA6632	129	RWEA7220(L/R)	255
RTA8442	145	RTB8430	146	RWA7212	129	RWEA7224(L/R)	255
RTA9630	145	RTB8436	146	RWA7221	129	RWEA7520(L/R)	257
RTA9636	145	RTB8442	146	RWA7223	129	RWEA7524(L/R)	258
RTA9642	145	RTB9630	146	RWA7232	129	RWEA(A/B/C/D/E/F/G)F3613	158
RTA9648	145	RTB9636	146	RWA(A/B/C/D/E/F/G)F4212	157	RWEA(A/B/C/D/E/F/G)F3626	158
RTA(A/B/C/D/E/F/G)12036-(1/2/3)	162	RTB9642	146	RWA(A/B/C/D/E/F/G)F4221	157	RWEA(A/B/C/D/E/F/G)F3631	157
RTA(A/B/C/D/E/F/G)12042-(1/2/3)	162	RTB9648	146	RWA(A/B/C/D/E/F/G)F4223	157	RWEA(A/B/C/D/E/F/G)F3662	158
RTA(A/B/C/D/E/F/G)12048-(1/2/3)	162	RTDL242464	250	RWA(A/B/C/D/E/F/G)F4232	157	RWEA(A/B/C/D/E/F/G)F4213	158
RTA(A/B/C/D/E/F/G)14442-(1/2/3)	162	RTDL243064	250	RWA(A/B/C/D/E/F/G)F4812	157	RWEA(A/B/C/D/E/F/G)F4226	158
RTA(A/B/C/D/E/F/G)14448-(1/2/3)	162	RTDR242464	250	RWA(A/B/C/D/E/F/G)F4821	157	RWEA(A/B/C/D/E/F/G)F4231	157
RTA(A/B/C/D/E/F/G)16842-(1/2/3)	162	RTDR243064	250	RWA(A/B/C/D/E/F/G)F4823	157	RWEA(A/B/C/D/E/F/G)F4262	158
RTA(A/B/C/D/E/F/G)16848-(1/2/3)	162	RTLT5E19	275	RWA(A/B/C/D/E/F/G)F4832	157	RWEA(A/B/C/D/E/F/G)F4813	158
RTA(A/B/C/D/E/F/G)19242-(1/2/3)	162	RTLT5E25	275	RWA(A/B/C/D/E/F/G)F5412	157	RWEA(A/B/C/D/E/F/G)F4826	158
RTA(A/B/C/D/E/F/G)19248-(1/2/3)	162	RTLT5E37	275	RWA(A/B/C/D/E/F/G)F5421	157	RWEA(A/B/C/D/E/F/G)F4831	157
RTA(A/B/C/D/E/F/G)3636-(1/2/3)	162	RTLT5E49	275	RWA(A/B/C/D/E/F/G)F5423	157	RWEA(A/B/C/D/E/F/G)F4862	158
RTA(A/B/C/D/E/F/G)4242-(1/2/3)	162	RTLT5E61	275	RWA(A/B/C/D/E/F/G)F5432	157	RWEAWF3613	175
RTA(A/B/C/D/E/F/G)4848-(1/2/3)	162	RTLT5E73	275	RWA(A/B/C/D/E/F/G)F6012	157	RWEAWF3626	175
RTA(A/B/C/D/E/F/G)6060-(1/2/3)	162	RTLT5E85	275	RWA(A/B/C/D/E/F/G)F6021	157	RWEAWF3631	174
RTA(A/B/C/D/E/F/G)7230-(1/2/3)	162	RTOL242464	250	RWA(A/B/C/D/E/F/G)F6023	157	RWEAWF3662	175
RTA(A/B/C/D/E/F/G)7236-(1/2/3)	162	RTOL243064	250	RWA(A/B/C/D/E/F/G)F6032	157	RWEAWF4213	175
RTA(A/B/C/D/E/F/G)7272-(1/2/3)	162	RTOP1	286	RWA(A/B/C/D/E/F/G)F6612	157	RWEAWF4226	175
RTA(A/B/C/D/E/F/G)8430-(1/2/3)	162	RTOP2	286	RWA(A/B/C/D/E/F/G)F6621	157	RWEAWF4231	174
RTA(A/B/C/D/E/F/G)8436-(1/2/3)	162	RTOR242464	250	RWA(A/B/C/D/E/F/G)F6623	157	RWEAWF4262	175
RTA(A/B/C/D/E/F/G)8442-(1/2/3)	162	RTOR243064	250	RWA(A/B/C/D/E/F/G)F6632	157	RWEAWF4813	175
RTA(A/B/C/D/E/F/G)9630-(1/2/3)	162	RTTA24()	202	RWA(A/B/C/D/E/F/G)F7212	157	RWEAWF4826	175
RTA(A/B/C/D/E/F/G)9636-(1/2/3)	162	RTTA30()	202	RWA(A/B/C/D/E/F/G)F7221	157	RWEAWF4831	174
RTA(A/B/C/D/E/F/G)9642-(1/2/3)	162	RTTA36()	202	RWA(A/B/C/D/E/F/G)F7223	157	RWEAWF4862	175
RTAT5E19	274	RTTA42()	202	RWA(A/B/C/D/E/F/G)F7232	157	RWEB7220(L/R)	255
RTAT5E25	274	RTTA48()	202	RWAWF4212	174	RWEB7224(L/R)	255
RTAT5E37	274	RTTA54()	202	RWAWF4221	174	RWEB7520(L/R)	257
RTAT5E49	274	RTTA60()	202	RWAWF4223	174	RWEB7524(L/R)	258
RTAT5E61	274	RTTA66()	202	RWAWF4232	174	RWEC7220(L/R)	255
RTAW12036-(1/2/3)	181	RTTA72()	202	RWAWF4812	174	RWEC7224(L/R)	255
RTAW12042-(1/2/3)	181	RTTAWF24()	202	RWAWF4821	174	RWEC7520(L/R)	257
RTAW14442-(1/2/3)	181	RTTAWF30()	202	RWAWF4823	174	RWEC7524(L/R)	258
RTAW16842-(1/2/3)	181	RTTAWF36()	202	RWAWF4832	174	RWED7220(L/R)	255
RTAW19242-(1/2/3)	181	RTTAWF42()	202	RWAWF5412	174	RWED7224(L/R)	255
RTAW3636-(1/2/3)	181	RTTAWF48()	202	RWAWF5421	174	RWED7520(L/R)	257
RTAW4242-(1/2/3)	181	RTTAWF54()	202	RWAWF5423	174	RWED7524(L/R)	258
RTAW6060-(1/2/3)	181	RTTAWF60()	202	RWAWF5432	174	RWHDHTB3026	288
RTAW7230-(1/2/3)	181	RTTAWF66()	202	RWAWF6012	174	RWHDHTB3626	288
RTAW7236-(1/2/3)	181	RTTAWF72()	202	RWAWF6021	174	RWHDHTB4226	288
RTAW7272-(1/2/3)	181	RUTB	191	RWAWF6023	174	RWHDHTB4826	288
RTAW8430-(1/2/3)	181	RWA3623	129	RWAWF6032	174	RWHRA	286
RTAW8436-(1/2/3)	181	RWA3632	129	RWAWF6612	174	RWHRB	286
RTAW8442-(1/2/3)	181	RWA4212	129	RWAWF6621	174	RWHRC	286
RTAW9630-(1/2/3)	181	RWA4221	129	RWAWF6623	174	RWHRD	286
RTAW9636-(1/2/3)	181	RWA4223	129	RWAWF6632	174	RWHRE	286
RTAW9642-(1/2/3)	181	RWA4232	129	RWAWF7212	174	RWHRF	286
RTB12036	146	RWA4812	129	RWAWF7221	174	RWHRC	286
RTB12042	146	RWA4821	129	RWAWF7223	174	RWHTB3024	288
RTB12048	146	RWA4823	129	RWAWF7232	174	RWHTB3624	288
RTB14442	146	RWA4832	129	RWEA3613	130	RWHTB4224	288
RTB14448	146	RWA5412	129	RWEA3626	130	RWHTB4824	288
RTB16842	146	RWA5421	129	RWEA3631	130	RWMMP24	287
RTB16848	146	RWA5423	129	RWEA3662	130	RWMMP30	287
RTB19242	146	RWA5432	129	RWEA4213	130	RWMMP36	287
RTB19248	146	RWA6012	129	RWEA4226	130	RWMPB	287

<i>pattern no.</i>	<i>page</i>
RWMV24	287
RWMVH24	287
RWMVH30	287
RWMVH36	287
RWMVP24	287
RMMWT24	287
RMMWT30	287
RMMWT36	287

Selling Policy

	This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a one-third (1/3) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.
Freight Prepaid	Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.
Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below. Warranty period set forth below for <i>Bulldog, Chadwick, Essentials Work Chairs, Life, Open Up, RPM, Sapper</i> and <i>SoHo</i> seating is for 24-hour, 7 days a week, multi shift use. Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts. <i>Product and Period of Warranty</i> <i>Lifetime:</i> <i>AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff</i> laminate, <i>Series 2 Storage</i> and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, <i>Series 2 Veneer Front Storage</i>, special or custom products or other materials specifically called out below, see below) <i>10 Years:</i> <i>AutoStrada, Crinion Open Table, Reff</i> wood components, <i>Series 2 Veneer Front Storage, Wood Casegoods (Magnusson, The Graham Collection), Interaction</i> tables (except height adjustment mechanisms for <i>Counterforce</i>, crank-adjustable, and split-top tables and worksurfaces, see below), <i>Reuter</i> overheads, <i>Reuter</i> vertical storage, <i>Bulldog, Chadwick, Essentials Work Chairs, Life, RPM</i> and <i>Sapper</i> seating structural and operational parts, controls, casters, pneumatic cylinders, seat and back mesh (except seating upholstery, finishes and labor, wood casegoods upholstered surfaces, see below) <i>5 Years:</i> Operational parts, controls, electrical (except light ballasts and bulbs, see below), cascade edge worksurfaces, special or custom product, wood veneer products, <i>A3, Currents</i> handcrank, <i>Interaction Counterforce, Interaction</i> crank-adjustable, and split-top mechanisms, <i>KnollStudio, KnollExtra</i> adjustable keyboard supports, VDT carousel, monitor platform, equipment storage drawers and all universal storage drawers, <i>Open Up and SoHo</i> seating structural and operational parts, controls, pneumatic cylinders (except seating upholstery, finishes and labor, see below) <i>3 Years:</i> Upholstery, finishes and labor to repair the following chairs: <i>Bulldog, Chadwick, Essentials Work Chairs, Life, Open Up, RPM, Sapper</i> and <i>SoHo</i>. <i>2 Years:</i> All other <i>KnollExtra</i> product <i>1 Year:</i> Light ballasts and bulbs, seating upholstered arm pads and soft arm pads, wood casegoods upholstered surfaces. This warranty does not apply to: • Damage caused by a carrier other than the Seller. • Normal wear and tear or acts or omissions of parties other than Seller (including user modification). • COM or other third party materials applied to Products. • Products not installed by or under the auspices of a certified dealer of Seller. • Dramatic temperature variations or exposure to unusual conditions. • Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE. The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. The foregoing indemnity does not apply to the following: • Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$18
KCHANGE	Change Key	\$5
KMASTER*	Master Key	\$5

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."